



JIMI ELECTRONICS

Jimi Hendrix Limited Edition

Little Wing

750-905-JHE

FCC ID:2ABDS750-905-JHE

User Guide

Setting up your Little Wing

1. POWER ON/OFF

To turn ON your Little Wing speakers, flip the switch from the OFF position to SINGLE or DUAL. The LED will light up and flash between blue and red and an audio cue will indicate the system is on. To turn the Little Wing speakers off, switch the power button from the SINGLE or DUAL position to OFF. The LED will fade out indicating power is OFF.

2. CHARGING AND BATTERY

To obtain optimum power capacity, the Little Wing speakers should be charged using the provided dual USB Micro to USB Y cable. To charge the Little Wing speakers, plug the two ends of the micro USB cable into the back of each Little Wing speaker. Plug the single USB into any USB charging port (most cell phone chargers use a USB port) or into your computer. While charging, the LED will glow solid RED. When the Little Wing is fully charged, the LED light will turn off.

3. VOLUME

The volume of the Little Wing speakers are controlled by the Bluetooth® device that is currently connected.

4. BLUETOOTH®

Single Pairing: For Bluetooth® pairing, set the power switch to "Single". The

Bluetooth® LED on the back of the Little Wing will slowly blink **BLUE** for a few seconds, then rapidly blink between **RED** and **BLUE**, indicating the device is in pairing mode.

Disconnect by turning the power switch to the OFF position or un-pairing from your mobile device.

Connected: Once Little Wing is successfully paired and connected, the LED will glow solid **BLUE**.

Dual Pairing: For Bluetooth® pairing, set the power switch to "DUAL" on both speakers.

The Bluetooth® LED on the back of the Little Wing will slowly blink **BLUE** for a few seconds, then rapidly blink between **RED** and **BLUE**, indicating the device is in pairing mode. The devices will search for each other for a few seconds. Once Little Wing speakers are successfully paired to each other, the LED will glow solid **BLUE** for a few seconds. The LW1 unit will then blink between red and blue, indicating that the speakers are in pairing mode. To disconnect the speakers, turn the power switches to the OFF position or un-pair them from your mobile device.

Connected: Once successfully paired and connected, the LED will glow solid **BLUE**.

Technical Specifications

Weight: 250g

Power: 3W x2

Input Voltage: 5V

Driver size: 1.5 inch x 2

USB Rechargeable

Bluetooth® 2.1+EDR

Charging Time: 3 to 5 Hours

RF Range: 10M (33feet)

Battery Life: 4.0 hours, 500 mAH 3.7V, Lithium

Portable Bluetooth Speaker Pair

Important Safety Information

1. **READ** these instructions.
2. **DO NOT** use this apparatus near water.
3. **CLEAN ONLY** with dry cloth.
4. **DO NOT** use near any heat sources such as radiators, heat registers, stoves, or any other device that may produce excessive heat.
5. **PROTECT** the USB cord from being walked on or pinched, particularly at the plugs and the point where it exits from the speaker.
6. **ONLY USE** attachments/accessories specified by the manufacturer.
7. **UNPLUG** this device during lightning storms or when unused for long periods.



WARNING: To reduce the risk of electrical shock, do not expose device to water.



WARNING: No open flame sources – such as candles – should be placed on the product.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.