

Gas and Electric Fires



Winchester Logic Hotbox with Coal fuel bed, shown in Stovax Pembroke 36 mantel with Belgravia Cast Iron front

Your Gazco stockist:	£5.00



A warm welcome

Nothing creates an inviting atmosphere quite like a Gazco fire. The centrepiece of any home, a Gazco fire adds warmth and character to a room or living space - even if you don't have a chimney!


Whether you want to achieve an up-to-the-minute, contemporary look, or have your heart set on a more traditionally-designed fire, this brochure will help you make the perfect choice, whatever your style or budget.



Front Cover: Studio 1 Pienza Open with White Stone fuel bed

Contents

Your Home	6
Studio Fires	8
Edge	12
Bauhaus	14
Profil	16
Steel	18
Studio 22	20
Andes, Inca, Geilo & Kepler	22
Sienna, Firenza & Pienza	24
Link	30
Icon	32
Complete Fires	34
Fusion	36
Futura	38
E-Studio™ Steel	40
Stockton Inset	42
Linea	44
Riva - Gas and Electric	50
Mix-&-Match Fires	66
Designio	68
Dimension	70
Evolution	72
Infiniti	74
Progress	76
Stilo - Gas and Electric	78
Arts	80
Richmond	84
Holyrood	86
Spanish	90
Winchester	94
Cast Iron Convector	96
Classic Fireplace	98
VFC Tapered Fires	100
Personalise your Gazco fire	102
Fire Baskets	104
Custom-built Radiant Fires	118
Additional Information	120
Technical Information	122



Relax - it's a Gazco Fire

When you choose Gazco, quality and technology are assured. From traditional models to contemporary designs, Gazco is committed to creating the ultimate flame-effect gas and electric fires.

Our research and development laboratories are amongst the most advanced in the world, ensuring that the very latest innovations are incorporated into our appliances. The new high efficiency E-Box™ and E-Studio™ fires are just two examples.

Additionally, we offer a superb range of solid fuel, gas and electric fire baskets, each one handcrafted using traditional materials such as brass, steel, chrome and cast iron. Many are also offered in a choice of sizes and in a variety of casting shapes or finishes. In fact, there are almost 100 combinations from which to select the perfect fire basket for your fireplace.

Gazco is a BSI registered firm. Our rigorous quality control system ensures that all our appliances comply with British safety standards as well as stringent European regulations. We also carry the European quality standard CE mark on all our fires.



Your home...

The type of chimney or flue you have usually dictates your choice of fire. To help you understand which fires are suitable for your home, please use the following information and pictures to identify your chimney. Don't worry, if you don't have a chimney though, you can still find the perfect fire for your home!

Once you have identified your chimney (or confirmed you do not have one), take note of the symbol that represents this, as this will be used throughout the brochure to represent the fire or fires that are suitable for installation in your home. You may also want to utilise the fold-out key at the back of this brochure to quick reference any symbols. Please check with your local Gazco retailer that your flue and fireplace opening are suitable for your fire choice.



Brick/Stone Chimney
(Class 1) 1

Conventional chimneys are easily recognisable. The stack rises well above the roofline and is topped by a traditional chimney pot or gas terminal. This type of chimney relies on the natural circulation of heated air to expel the products of combustion up your chimney.



Pre-fabricated Flues
(Class 1 & 2) 2

You will see a metal flue cowl on your roof. Some are all metal whilst others may terminate through a short rectangular pot (but without a chimney stack). These flues create the same circulation of heated air as a brick or stone chimney.



Pre-cast Flue
(Class 2) 3

Many modern homes have been built with such flues. You can readily identify them by either a metal flue cowl or a raised ridge terminal on your roof. Again, the natural circulation of heated air expels the products of combustion. Incidentally, these flues tend to be very shallow in depth so a slimmer fire is often required. Deep appliances, however, may be able to be installed with the use of either a spacer kit or deeper rebate on the fireplace.



Integral Powered Flue
(No chimney required) PF

An Integral Powered Flue fire is an open fronted gas appliance with an electronically driven fan system mounted directly behind it on an external wall. When the fire is ignited the fan switches on automatically, expelling the products of combustion through a short, horizontal metal flue to the outdoors.



Balanced Flue
(No chimney required) BF

Balanced flues work in conjunction with glass fronted gas fires. The appliance is completely sealed from the room into which it is installed (so there are no draughts and heating efficiency is increased!) and a twin-wall pipe vents directly to an outside wall. Air for combustion is drawn in through the outer pipe whilst the inner pipe removes the combustion gases to the exterior of the property. Depending on the fire selected, the twin-walled pipe may exit horizontally through an external wall or vertically through the roof. No electric supply is required; therefore there is no sound with this flue system.



Powered Flue
(No chimney required) PF

This works in a very similar manner to the Integral Powered Flue. However, the main benefit is that, instead of a short, straight-through-the-wall flue, you can have much longer flue runs and up to three bends in the flue. This means your fire does not have to be installed against an external wall so it can be located in more rooms around your home.

Electric Fires

(No chimney required) 4

Gazco produce an excellent selection of electric Riva fires and the electric Stilo inset fire which do not, of course, require a chimney or flue of any kind.

No Air Vent required (UK) 5

All fires shown with this symbol, boast the advantage of not normally requiring an air vent*. Please discuss this in full with your local retailer.

*Requirements in the Republic Of Ireland are different.

Studio Fires

Breathtaking! There really is no better way to describe our stunning Studio fires, with a wealth of design options complemented by a choice of sizes and fuel bed effects, these thoroughly contemporary fires will add instant style and presence to any modern interior.



There is a choice of three fire styles in the range; Open Fronted with white stone fuel bed, Glass Fronted with white stone fuel bed and the newly added, Glass Fronted log effect fuel bed. Our near invisible Glass Fronted fires boast greatly increased heating efficiency whilst maintaining all the style of the Open Studios. They are also available in a balanced flue option making them perfect for many homes, even those without a chimney!

According to model, there is also a choice of three sizes in perfectly proportioned landscape form, allowing you to achieve that dramatic look in both the smallest and the largest of interiors! Additionally, this year we have developed the visually diverse Studio 22 fires with their innovative portrait shape. These stunning additions are set to inspire a whole host of new decorative styles and are testament to Gazco's continued investment into inspired product design.



Open Studio - White Stone Fuel Bed

All Open Studio fires incorporate Gazco's ultra contemporary flame effect, a single ribbon of modulating flames dancing over a bed of small white stones. Beautifully reflected by the stainless front plate there is also the additional option for a polished black granite interior to further increase the reflective qualities of the fire. Open Studios are one of the few gas fires on the market that allow the possibility of installing a Plasma or LCD television above them, for a great visual centrepiece, please see page 123 for full details.



Glass Fronted Studio - White Stone Fuel Bed*

Glass Fronted Studios benefit from greatly increased heat output, boasting up to 81% efficiency. The standard features of the Studio Open are also included in this fire choice, including the white stone ribbon flames. According to fire size, there are options for both conventional and balanced flue installations, making the Studio perfect for many homes, even those without a chimney!



Glass Fronted Studio - Log Effect Fuel Bed*

This latest addition to the Studio range also offers increased efficiency but with the additional benefit of a special heat-retaining lining, storing and radiating heat after the fire has been turned off. This choice is for those who want the modern styling that only comes with a Studio whilst maintaining a more traditional feel to the fire, due to a newly developed realistic log effect fuel bed, beautifully displayed behind a near invisible glass window. Highlighting the log effect is a lighter coloured interior, in contrast to the black contemporary interior of the white stone versions. This version is available in both balanced flue and conventional flue versions.



*Please note that due to the higher efficiency of the Glass Fronted Studio's, Gazco does not recommend installing any televisions above these fires.



Remote Controls

All fires in the Studio range are supplied with a state-of-the-art Sequential remote control as standard, allowing you to operate everything from ignition to flame height and heat output from the comfort of your sofa. For the Glass Fronted Studios the Programmable Sequential remote also includes the additional benefit of programmable timer and thermostatic controls, ensuring that, if you choose to set it, whenever you return home your house will always be warm and welcoming.

Should you mislay your hand set, Studio fires also come complete with a flat Touch Control panel that can be discreetly wall mounted up to 2500mm away from the fire, allowing you to ignite, extinguish and control the flame height with ease.



Studio Sizes

According to model, the outstanding Studio fires range is available in up to four different sizes, offering greater installation possibilities to interiors of all proportions. With three landscape sizes and the latest portrait option, the beautifully designed Studio fires are the perfect blend of versatility and style.

Studio 1

According to model, the landscape Studio 1 is available as an Open Fronted model with White Stone fuel bed or Glass Fronted version, which has the additional choices of a realistic Log fire and balanced flue option. The Studio 1 Open Fronted produces a heat output of up to 1.72kW whilst the Glass Fronted boasts greatly increased efficiency and has a heat output of up to 5.20kW.



Studio 2

The landscape Studio 2, according to model, is also available as an Open Fronted model with White Stone fuel bed or Glass Fronted version, which has the additional choices of a realistic Log fire and balanced flue option. The Studio 2 fires, being wider, produce greater heat outputs than those of the Studio 1; up to 2.30kW is offered by the Open Fronted whilst the Glass Fronted fires produce up to 6.97kW.



Studio 3

According to model, the Studio 3, the largest size in the range, is available in Open Fronted or Glass Fronted versions, both with White Stone fuel beds. The Studio 3 Glass Fronted, due to its impressive 7.30kW of heat output, is for balanced flue installations only, making it perfect for homes that do not even have a chimney! The Studio 3 Open Fronted produces a heat output of up to 3.40kW.



Studio 22

New to the Studio fires range this year are four portrait Studio 22 models which add vertical definition and instant presence. Available with a new highly realistic Log fuel bed and balanced flue installation, the Glass Fronted Studio 22 produces up to 5.85kW of heat output offering great efficiency as well as style.



Heat output and efficiency figures are based upon the maximum heat output achieved in the options available for each model, for complete technical information, please refer to the technical section at the rear of this brochure.



Studio Edge

The very latest in fires design. It is hard not to warm to the outstanding modern appeal of the Studio fires. Specially designed for contemporary living, this stunning, 'hole in the wall' fire creates a visual delight in any living space. It's central feature is a modulating single ribbon of living flame that dances above a bed of white stones or, newly available for the Glass Fronted Studio 1 and 2 models, through a realistic log effect display which boasts increased efficiency due to a special heat-retaining lining. Extra reflection is provided for the white stone option by the sparkling stainless steel front plate, giving the overall effect of cosy winter warmth with unbeatable flair.

The Studio Edge is for those who require minimalist modern perfection. The fire has an eye-catching no-frame* design, with the option on the Open Fronted Studio fires of a polished black granite interior lining. The mirror-like qualities of this lining reflect the continuous motion of the flames still further. Glass Fronted versions, that incorporate the white stone fuel bed, have enamelled linings as standard, to enhance the beautiful flame picture.

Fuel Bed

White Stones
Logs (Glass Fronted 1 & 2 only)

Command Controls

Sequential remote

Fire Choices	E%	kW †	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	X
Studio 1 – Glass Fronted	70%	4.85kW	✓	✓	X
Studio 1 – Glass Fronted Balanced Flue	81%	5.20kW	X	X	✓
Studio 2 – Open	25%	2.30kW	✓	✓	X
Studio 2 – Glass Fronted	78%	6.85kW	✓	✓	X
Studio 2 – Glass Fronted Balanced Flue	81%	6.97kW	X	X	✓
Studio 3 – Open	25%	3.40kW	✓	✓	X
Studio 3 – Glass Fronted Balanced Flue	81%	7.30kW	X	X	✓

Studio 22 Edge available, please see pages 20-21.

* No-frame refers to added exterior frames, Glass Fronted Studios have an additional 27mm inner frame that secures the glass window in place.

** For detailed information on installing televisions above Open Studio Fires, please see page 123. For Glass Fronted Studio Edge installation requirements, please see page 127.

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-127.



Studio 2 Edge, Open Fronted**
with White Stone fuel bed



Studio 3 Edge, Open Fronted with White Stone fuel bed



Studio Bauhaus

The Studio Bauhaus has the same fire and innovative features as the other Studio fires, whilst individually boasting a classic 3 dimensional tapered frame. This frame comes in two finishes and is offered on all sizes of Studio fires, enabling you to perfectly match the Bauhaus to whatever the size and style of your room perfectly. Furthermore, every Studio fire comes complete with Gazco's very latest Sequential remote control so you can operate everything from ignition to heat output without moving from your seat.



Studio 1 Bauhaus, Open Fronted in Anthracite finish with White Stone fuel bed



Colour Choices

Anthracite
Polished Stainless

Command Controls

Sequential remote

Fuel Bed

White Stones
Logs (Glass Fronted 1 & 2 only)

Fire Choices

Fire Choices	Efficiency (%)	kW†	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	X
Studio 1 – Glass Fronted	70%	4.85kW	✓	✓	X
Studio 1 – Glass Fronted Balanced Flue	81%	5.20kW	X	X	✓
Studio 2 – Open	25%	2.30kW	✓	✓	X
Studio 2 – Glass Fronted	78%	6.85kW	✓	✓	X
Studio 2 – Glass Fronted Balanced Flue	81%	6.97kW	X	X	✓
Studio 3 – Open	25%	3.40kW	✓	✓	X
Studio 3 – Glass Fronted Balanced Flue	81%	7.30kW	X	X	✓

Studio 22 Bauhaus available, please see pages 20-21.

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.



Studio 2 Bauhaus Conventional Flue, Glass Fronted in Polished Stainless with Log fuel bed



Studio 2 Profil, Glass Fronted in Anthracite with White Stone fuel bed



Studio Profil

The Studio Profil features ultra contemporary styling that fits in perfectly with all modern interiors. Furthermore, the Studio Profil offers you two stunning frame choices and is available on all sizes and fuel types of Studio fires. For the Glass Fronted Studio 1 and 2 fires there is the added option to have the new realistic log fuel bed, boasting increased heating efficiency due to its heat-retaining lining*. All this, and the Studio standard features such as Sequential remote control.



Studio 1 Profil, Open Fronted** in Polished Stainless with White Stone fuel bed



Colour Choices

Anthracite
Polished Stainless

Command Controls

Sequential remote

Fuel Bed

White Stones
Logs (Glass Fronted 1 & 2 only)

Fire Choices	E%	kW†	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	✗
Studio 1 – Glass Fronted	70%	4.85kW	✓	✓	✗
Studio 1 – Glass Fronted Balanced Flue	81%	5.20kW	✗	✗	✓
Studio 2 – Open	25%	2.30kW	✓	✓	✗
Studio 2 – Glass Fronted	78%	6.85kW	✓	✓	✗
Studio 2 – Glass Fronted Balanced Flue	81%	6.97kW	✗	✗	✓
Studio 3 – Open	25%	3.40kW	✓	✓	✗
Studio 3 – Glass Fronted Balanced Flue	81%	7.30kW	✗	✗	✓

Studio 2.2 Profil available, please see pages 20-21.

* Heat-retaining lining for log fuel bed only.

** For detailed information on installing televisions above Open Studio Fires, please see page 123.

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.





Studio Steel

The Studio Steel is for those with large spaces who wish to create a greater presence with their choice of fireplace. The Studio Steel's wide frame instantly creates a distinctive and individual focal point that can be further heightened by your choice of frame size and colour. Operation is simplicity itself too, as Gazco's Sequential remote control takes care of everything from ignition to flame height adjustment.



Studio 2 Steel, Glass Fronted in Bronze with Log fuel bed



Studio 1 Steel, Open Fronted in Iridium with White Stone fuel bed

Colour Choice

Bronze
Graphite
Iridium

Fuel Bed

White Stones
Logs (Glass Fronted 1 & 2 only)

Command Controls

Sequential remote

Fire Choices	E% [†]	kW [†]	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	X
Studio 1 – Glass Fronted	70%	4.85kW	✓	✓	X
Studio 1 – Glass Fronted Balanced Flue	81%	5.20kW	X	X	✓
Studio 2 – Open	25%	2.30kW	✓	✓	X
Studio 2 – Glass Fronted	78%	6.85kW	✓	✓	X
Studio 2 – Glass Fronted Balanced Flue	81%	6.97kW	X	X	✓
Studio 3 – Open	25%	3.40kW	✓	✓	X
Studio 3 – Glass Fronted Balanced Flue	81%	7.30kW	X	X	✓

Studio 22 Steel available, please see pages 20-21.

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.



Studio 2 Steel, Glass Fronted in Graphite with Log fuel bed



Studio 22

The stunning Glass Fronted Studio 22 is the latest addition to the successful Studio fires range, offering yet another approach to ultra contemporary styling. Specifically designed to add vertical definition, this portrait fire will instantly become a focal point in any modern interior.

All Studio 22 fires feature our new log effect fuel bed which incorporates a special heat-retaining lining, adding to the fires performance and energy efficiency. It incorporates Studio features such as Sequential remote control, allowing you to operate everything from ignition to heat output at just the push of a button, and flat Touch Control panel which can be discreetly located up to 2500mm away from the fire.

With four model choices available from the 'hole in the wall' Edge, with it's no-frame design*, to the visually impacting Steel, Bauhaus and Profil options, the Studio 22 offers many style choices to greatly expand your interior possibilities.

Colour Choice

Anthracite (Studio 22 Bauhaus & Profil)
 Polished Stainless (Studio 22 Bauhaus & Profil)
 Bronze (Studio 22 Steel)
 Graphite (Studio 22 Steel)
 Iridium (Studio 22 Steel)

Fuel Bed

Log

Command Controls

Sequential remote

Fire Choices

Studio 22 – Glass Fronted
 Balanced Flue

E%	kW †	Chimney Options		
		1	2	BF
78%	5.85kW	X	X	✓

* No-frame refers to added exterior frames. All Studio 22 fires have a visible 27mm inner frame that secures the glass window in place.
 † Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 123-126.



Studio 22 Steel in Graphite



Studio 22 Profil in Anthracite



Studio 22 Bauhaus in Polished Stainless



Studio Andes, Inca, Geilo & Kepler

The Studio Andes, Inca, Geilo and Kepler offer a beautiful natural design statement. Available only with the Open Fronted 1 and 2 Studios, these eye-catching solid timber wooden frames cannot help but impress as they surround a real gas fire with a choice of Walnut and Oak*. Perfectly crafted to fit in with the latest wood designs these innovative fires perfectly complement many of the current popular interior design concepts. This years latest addition, the new Geilo in natural Oak, now brings a lighter wood choice to this family of natural frames.

Wood Choice

Andes - Walnut centre with stained Oak edges*
 Inca - Walnut quarters*
 Geilo - Solid Oak*
 Kepler - Solid Walnut*

Fuel Bed

White Stones

Command Controls

Sequential remote

** Wood is a natural material. There will be variations in shading and, occasionally, knots in the timbers used.*

Fire Choices	E%	kW †	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	X
Studio 2 – Open	25%	2.30kW	✓	✓	X

For detailed information on installing televisions above Open Studio Fires, please see page 123.

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.



Studio 1 Kepler, Open with White Stone fuel bed



Studio 2 Inca, Open with White Stone fuel bed



Studio 2 Geilo, Open with White Stone fuel bed



Studio 2 Andes, Open with White Stone fuel bed



Studio 2 Sienna, Open with White Stone fuel bed



Studio Sienna

The very latest in the Studio family, the Studio Sienna offers another natural option when choosing your perfect fire. Precision cut from solid Travertine*, this beautiful stone frame brings a timeless elegance to the Studio fire, that will be equally at home in both contemporary or traditional interiors.

Available in a choice of two sizes of Open Fronted Studio with a modulating ribbon of living flame, reflective stainless front plate and optional polished black granite interior. Simply operated by the innovative Sequential remote, you can now sit back, relax and control everything at just the touch of a button.


Style has never been so effortless!

Stone Choice
Travertine*

Fuel Bed
White Stones

Command Controls
Sequential remote

* Stone is a natural material and therefore each fire will have unique variations in the shading and patterning that occur in the stone used.

Fire Choices	E% 	kW †	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	X
Studio 2 – Open	25%	2.30kW	✓	✓	X

For detailed information on installing televisions above Open Studio Fires, please see page 123.
† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.



Studio 1 Sienna, Open with White Stone fuel bed



Studio 2 Sienna, Open detail



Studio Firenze

Also new to the Studio range, and available on two sizes of Open Fronted Studio, the Studio Firenze is designed for maximum visual impact in your living space. The dark natural Granite* adds a solid quality whilst beautifully contrasting with the fluid motion of the flickering ribbon flames.

Within the fire, the white stone fuel bed entices the eye whilst the stainless front plate and optional polished black granite interior reflects and intensifies the perpetual motion of the flames.

For a fire that leaves a lasting impression, look no further than the Studio Firenze!

Stone Choice
Granite*

Fuel Bed
White Stones

Command Controls
Sequential remote

* Stone is a natural material and therefore each fire will have unique variations in the shading and patterning that occur in the stone used.

Fire Choices	E%	kW †	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	X
Studio 2 – Open	25%	2.30kW	✓	✓	X

For detailed information on installing televisions above Open Studio Fires, please see page 123
† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.



Studio 1 Firenze, Open with White Stone fuel bed



Studio 2 Firenze, Open detail



Studio 2 Firenze, Open with White Stone fuel bed



Studio 1 Pienza, Open with White Stone fuel bed



Studio Pienza

The beautiful Studio Pienza, new to the Studio collection, blends the subtle textures and delicate tones of natural stone* with the very latest in fireplace design. Precision cut from a single piece of Limestone*, the refined Pienza takes no shortcuts in the pursuit for design perfection.

From the visually stunning ribbon of living flames to the Sequential remote control, the Studio Pienza comes with all the features of the Open Fronted Studio's, being available in two sizes enabling you to bring a sense of opulence to interiors of all proportions.

Stone Choice
Limestone*

Fuel Bed
White Stones

Command Controls
Sequential remote

* Stone is a natural material and therefore each fire will have unique variations in the shading and patterning that occur in the stone used.

Fire Choices	E%	kW †	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	✗
Studio 2 – Open	25%	2.30kW	✓	✓	✗

For detailed information on installing televisions above Open Studio Fires, please see page 123.

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.



Studio 2 Pienza, Open with White Stone fuel bed



Studio 1 Pienza, Open detail



Studio Link

The Studio Link is for those prepared to make a bold statement. Showing the same excellent features as the rest of the Studio family, from Sequential remote control to the stunning ribbon of living flame, the Link stands apart with its distinctive frame. This bold new design made of polished stainless steel/opaque black, cannot help but become a talking point.

Colour Choice
Black with Stainless inserts

Command Controls
Sequential remote

Fuel Bed
White Stones


Fire Choices	Chimney Options				
	ES	kW†	1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	X
Studio 2 – Open	25%	2.30kW	✓	✓	X

*For detailed information on installing televisions above Open Studio Fires, please see page 123.
† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.*

Community Design Registration No.000568043



Studio 1 Link, Open detail



Studio 1 Link, Open with White Stone fuel bed



Studio Icon

The Studio Icon is a dramatic fire for a dramatic effect! Cleverly designed to not only create a strong focal point for a room, but to also offer easier installation possibilities. The Icon is available in two distinctive versions: the Studio Open with ultra slim profile and White Stone base or a balanced flue, Glass Fronted version which has the added option of the new realistic log display, the latter boasts greatly increased efficiency due to design-integrated heat convection technology and a special heat-retaining lining.

Strikingly crafted from 3mm steel and finished in Graphite, the Studio Icon is the contemporary classic of the future.

Colour Choice
Graphite

Fuel Bed
White Stones
Log (Glass Fronted)

Command Controls
Sequential remote

Fire Choices	E%	kW †	Chimney Options		
			1	2	BF
Studio 1 – Open	25%	1.72kW	✓	✓	✗
Studio 1 – Glass Fronted Balanced Flue	81%	5.20kW	✗	✗	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, including flue gather requirements, please see pages 123-126.



Studio 1 Icon, Open Fronted with White Stone fuel bed



Studio 1 Icon, Open Fronted with White Stone fuel bed



Studio 1 Icon, Glass Fronted Balanced Flue with Log fuel bed

Complete Fires

In addition to the extensive Studio range, we have many other fires that are also a 'complete package', as the fire and frame choices are perfectly designed to complement each other.



E-Studio™
(Also available in the Mix-and-Match section)



E-Box™
(Also available in the Mix-and-Match section)



Linea



Riva

E-Studio™

Very high efficiency 16" wide fires that are set behind a virtually invisible glass window. E-Studio™ fires successfully combine the latest in fire technology with the distinctive white stone ribbon flame effect of the Studio range at the front of this brochure. E-Studio™ fires are also available as a fire choice for many of our designs in the later Mix-and-Match section of this brochure.

E-Box™

This top-of-the-range 16" wide fire is very similar to the E-Studio™ above, with high efficiency and much improved fuel economy. Set behind a virtually invisible glass window, it offers a choice of coal or pebble effect fuel beds. E-Box™ fires are also available as a fire choice for many of our designs in the later Mix-and-Match section of this brochure.

Linea

For a truly unique visual effect, look no further than the inspirational Glass Fronted Linea fire. This thoroughly modern approach to fire design offers a dramatic chorus of vertical flames, strikingly offset against a pure black background. With a selection of style choices and stunning finishes, the contemporary Linea will become an instant focal point in your room and because all Linea fires have balanced flue operation, you don't even require a chimney!

Riva

The stylish Riva is one of the most versatile fires across the Gazco range with its benefits also expanding into a range of stoves available from our Gazco Stoves brochure. According to model, there is a selection of three landscape and portrait sizes, two stunning fuel bed options and a wealth of frame styles. Additional versatility is afforded by the options for both hearth mounting or 'hole in the wall' installations for selected models as well as six outstanding electric fire designs (please see pages 62-63). The Riva's extremely efficient convection system produces up to 5.3kW of controllable heat, making it a welcoming and functional visual centrepiece in your home.

Remote Controls



Standard
(Upgradable)

Programmable
(Upgradable)

Sequential
(supplied with Linea)

Electric Riva Remote
(supplied with fire)

All gas Riva, E-Box™ and E-Studio™ fires come with manual operation and the option to upgrade to a Standard remote control (allowing you to control both the flame height and heat output) or the Programmable remote, (with additional thermostatic and timer controls). Linea fires come complete with a state-of-the-art programmable Sequential remote as standard (allowing remote operation of everything from ignition to extinguish, also with the benefits of programmable timer and thermostatic controls).



Fusion

This latest addition to the Gazco fires range, is an outstanding combination of smooth, sparkling glass with striking Graphite or Iridium finished steel. The ultra contemporary styling comes with a choice of Gazco's most energy efficient fires, the E-Studio™ with its mesmerising white stones and ribbon flames, or for a more traditional look, the E-Box™ with a choice of coal or pebble effect fuel beds

Colour Choice

Graphite
Iridium

Fuel Bed

E-Studio™ white stones
Coals
Pebbles

Command Controls

Manual
Standard upgradable
Programmable remote

Fire Choices	E%	kW †	Chimney Options			
			1	2	3	BF
E-Box™	76%	3.80KW	✓	✓	✓	✓
E-Box™ Balanced Flue	86%	3.52KW	X	X	X	✓
E-Studio™	72%	3.10KW	✓	✓	✓	X
E-Studio™ Balanced Flue	82%	3.52KW	X	X	X	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 132-133.

** Please refer to television manufacturers guide for recommendations on installing a television near heating appliances.



Fusion E-Box™ in Iridium with Coal fuel bed



Fusion E-Box™ in Graphite with Pebble fuel bed

Futura

At the cutting edge of modern design, the strong lines, slim profile and smooth surface of the new Futura mark out its innovative styling. The highly reflective 5mm black glass finish is immediately impressive yet not overpowering in smaller spaces and by incorporating your choice of the E-Studio™ or E-box™ fire, the Futura offers the perfect combination of 'design statement' and functional efficiency.

Sharp, sleek and sophisticated!

Colour Choice

Black Glass

Fuel Bed

E-Studio™ white stones
 Coals
 Pebbles

Command Controls

Manual
 Standard upgradable
 Programmable remote

Fire Choices	Efficiency (%)	kW†	Chimney Options			
			1	2	3	BF
E-Box™	76%	3.80kW	✓	✓	✓	X
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓
E-Studio™	72%	3.10kW	✓	✓	✓	X
E-Studio™ Balanced Flue	82%	3.52kW	X	X	X	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 132-133.



Futura E-Box™ with Pebble fuel bed



Futura E-Box™ with Coal fuel bed



Futura E-Studio™

E-Studio™ Steel

The E-studio™ Steel with its visually impressive Graphite or Iridium finished frame and ultra efficient fire is the perfect blend of style and functionality. Gazco's advanced technology E-Studio™ fire produces up to 3.52kW of heat output, features a white stone fuel bed and beautiful enamelled lining which reflects the continuous motion of the flames.

Colour Choice

Graphite
Iridium

Fuel Bed

E-Studio™ white stones

Command Controls

Manual
Standard upgradable
Programmable remote

Fire Choices

		E%	kW †	1	2	3	BF
E-Studio™		72%	3.10kW	✓	✓	✓	x
E-Studio™ Balanced Flue		82%	3.52kW	x	x	x	✓

Chimney Options

		E%	kW †	1	2	3	BF
E-Studio™		72%	3.10kW	✓	✓	✓	x
E-Studio™ Balanced Flue		82%	3.52kW	x	x	x	✓



E-Studio™ Steel in Graphite detail



E-Studio™ Steel in Iridium

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 132-133.



E-Studio™ Steel in Graphite



Stockton Inset E-Box™



Stockton Inset E-Box™

Stockton Inset

Combining the looks of a traditional stove with the latest high efficiency heating, the new Stockton Inset fires have it all. Featuring the latest E-Box™ technology you can now enjoy up to 86% efficiency and a superb coal effect fire with the option of standard or programmable remote controls.

Colour Choice
Black Cast Iron

Fuel Bed
Coals

Command Controls
Manual
Standard upgradable
Programmable remote

Fire Choices	E%	kW†	Chimney Options			
			1	2	3	BF
E-Box™	76%	3.80kW	✓	✓	✓	✗
E-Box™ Balanced Flue	86%	3.52kW	✗	✗	✗	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 132-133.



Stockton Inset E-Box™



Linea Steel in Graphite

Linea Steel

Inspirational! What other description can there be for Gazco's impressive Linea Steel?

With its thoroughly modern lines and exceptionally slim profile, this steel and glass-fronted fire complements the most contemporary of interiors, plus there's up-to-the-minute technology to match. Furthermore, not only is the Linea Steel a highly efficient fire but also complete operation of all functions is via Gazco's programmable Sequential remote control.

Colour Choice

Graphite
Iridium

Command Controls

Sequential remote



Linea Steel in Iridium



Fire Choices

Linea Steel Balanced Flue

Chimney Options

Linea Steel Balanced Flue	82%	4.30kW	X	X	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see page 128.

Linea Designio

There are some things in life with an allure that is immediate and obvious. With its incredibly slimline frame and unique visual effect the Linea Designio is one such object. In fact, it's just like having a 'live action' work of modern art on your wall, with a choreography of blue, yellow and orange flames against a background of pure black.

Operation is simplicity itself too. Gazco's Sequential remote control takes care of everything from ignition to the thermostatic regulation of heat output.


Colour Choice

Graphite
Iridium

Command Controls

Sequential remote

Fire Choices

Linea Designio Balanced Flue 

 82%

 4.30kW†

Chimney Options

 1

 2

 BF

X X ✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see page 128.



Linea Designio in Graphite



Linea Designio in Iridium



Linea Vetro with Black glass

Linea Vetro

The ultra-contemporary Linea Vetro is one of the sleekest fires in the world and one that is at the leading edge of heating efficiency. The flame effect is unique too, offering an almost graphic display of moving colour that both fascinates and delights, while the very latest Sequential remote control operates everything from ignition to heat output.

Make your design statement with the outstanding Linea and let the smooth simplicity of sparkling glass create a stylish effect in your contemporary living room.



Linea Vetro with White glass



Colour Choice

Black glass
White glass

Command Controls

Sequential remote

Fire Choices

Linea Vetro Balanced Flue

Chimney Options

	BF	82%	4.30KW	1	2	BF
Linea Vetro Balanced Flue	✓	82%	4.30KW	X	X	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see page 128.

Riva Avanti

First in the glass-fronted Riva range is the stylish Avanti, a superbly efficient convector that is available in three distinctive formats - 53, 67 and 70. The portrait-shaped 53 features a driftwood log effect fire whilst the 67 and 70 are landscape and complete with authentic log effect fires. All have the built-in comfort of adjustable heat and flames to exactly suit your mood.

Each model comes complete with a brushed stainless steel front. Whichever your preference, you can be sure the Avanti will provide a striking focal point at the very heart of your home.

Colour Choice
Stainless/Black

Frame Styles
Vertical Curve (53)
Horizontal Curve (67)
Horizontal Curve (70)

Fuel Bed
Driftwood Logs (53)
Logs (67 & 70)

Command Controls
Manual
Standard upgradable
Programmable remote

Fire Choices	E _{net}	kW [†]	Chimney Options		
			1	2	BF
Riva 53	72%	4.90kW	✓	✓	✗
Riva 53 Balanced Flue	78%	5.30kW	✗	✗	✓
Riva 67	72%	4.90kW	✓	✓	✗
Riva 67 Balanced Flue	75%	4.60kW	✗	✗	✓
Riva 70 Balanced Flue	84%	6.50kW	✗	✗	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 128-129.



Riva 53 Avanti Vertical Curve



Riva 70 Avanti Horizontal Curve



Riva 67 Avanti Horizontal Curve

Riva Designio

A design statement in its own right, the glass-fronted Designio has the style to appeal across the widest range of contemporary interiors - and a performance to match. The magnificent gas fires (driftwood logs for the 53 and logs for the 67) are teamed with an exceptionally efficient convection system that produces up to 5.3kW of controllable heat.

Choose one of Gazco's optional Command remote controls and adjustment is easier still!

Colour Choice

Graphite
Iridium

Fuel Bed

Driftwood Logs (53)
Logs (67)

Command Controls

Manual
Standard upgradable
Programmable remote

Fire Choices

Fire Choices	E%	kW †	Chimney Options		
			1	2	BF
Riva 53	72%	4.90kW	✓	✓	X
Riva 53 Balanced Flue	78%	5.30kW	X	X	✓
Riva 67	72%	4.90kW	✓	✓	X
Riva 67 Balanced Flue	75%	4.60kW	X	X	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 128-129.



Riva 53 Designio in Graphite



Riva 67 Designio in Iridium



Riva 67 Profil 2 in Graphite

Riva Profil 2

Whether part of a standard fireplace or as a hole-in-the-wall installation, the three stylish Riva Profil 2 models all feature the glow and flames of a highly realistic gas log fire. This provides not only a remarkable focal point for your room but an effective heating appliance as well. To maximise your décor options, the Profil 2 frame is available in two outstanding finishes, Graphite or Iridium.

Colour Choice

Graphite
Iridium

Fuel Bed

Driftwood Logs (53)
Logs (67 & 70)

Command Controls

Manual
Standard upgradable
Programmable remote



Riva 53 Profil 2 in Iridium



Fire Choices	E% [†]	kW [†]	Chimney Options		
			1	2	BF
Riva 53	72%	4.90kW	✓	✓	X
Riva 53 Balanced Flue	78%	5.30kW	X	X	✓
Riva 67	72%	4.90kW	✓	✓	X
Riva 67 Balanced Flue	75%	4.60kW	X	X	✓
Riva 70 Balanced Flue	84%	6.50kW	X	X	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 128-129.



Riva Spectrum

The all new Riva Spectrum combines a bold new frame design with the superb heating efficiency that the glass fronted Riva range can offer.

Available in landscape 67 and 70 sizes, complete with realistic log effect fires, or in the portrait 53 size that features an authentic driftwood log fire. Whatever your choice, the Spectrum's stylish black frame with polished steel highlights will be sure to impress.

Colour Choice

Black with Stainless inserts

Fuel Bed

Driftwood Logs (53)
Logs (67 & 70)

Command Controls

Manual
Standard upgradable
Programmable remote




Riva 53 Spectrum



Riva 70 Spectrum

Fire Choices	E%†	kW†	Chimney Options		
			1	2	BF
Riva 53	72%	4.90kW	✓	✓	✗
Riva 53 Balanced Flue	78%	5.30kW	✗	✗	✓
Riva 67	72%	4.90kW	✓	✓	✗
Riva 67 Balanced Flue	75%	4.60kW	✗	✗	✓
Riva 70 Balanced Flue	84%	6.50kW	✗	✗	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 128-129.



Riva 67 Spectrum



Riva 67 Esprit in Iridium

Riva Esprit

Designed to blend perfectly into today's modern interiors, the new version of the Riva 67 Esprit creates not only an impressive focal point at the heart of any contemporary space but also power to heat it.



Riva 67 Esprit in Graphite



Colour Choice

Graphite
Iridium

Fuel Bed

Logs

Command Controls

Manual
Standard upgradable
Programmable remote

Fire Choices

	50	55	60	65	70	75
Riva 67	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Riva 67 Balanced Flue	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Chimney Options

	1	2	EP
Riva 67	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Riva 67 Balanced Flue	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 128-129.



Riva 67 Esprit in Iridium

Riva Vetro

Style abounds in the shape of the new Riva Vetro. Its 'widescreen' appearance and realistic log effect fire provide the ultimate centrepiece for your living space. Furthermore, with the Riva Vetro you have the option of upgrading to one of Gazco's very latest Command remote controls, allowing easy operation of everything including heat and flame adjustment and even timer and thermostatic functions with the Programmable option.



Riva Vetro



Colour Choice

Black glass

Fuel Bed


Logs

Command Controls

Manual
Standard upgradable
Programmable remote

Fire Choices	E [†]	kW [†]	Chimney Options		
			1	2	BF
Riva 67	72%	4.90kW	✓	✓	✗
Riva 67 Balanced Flue	75%	4.60kW	✗	✗	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 128-129.



Riva Vetro



Electric Riva Designio



Electric Riva Esprit



Electric Riva View



Electric Riva Arlington

Electric Riva

The Riva 67 is also available as an electric fire. You simply slot it into a pre-constructed opening (in a wall, fireplace or wooden surround), plug in and switch on for that 'real fire' look and authentic atmosphere. Alternatively, you can mount the Electric Riva on the wall with an optional wall mounting fixing kit. The Arlington model is for hearth mounting only.

The impressive electric log-effect fire provides flickering flames and a warming glow at the touch of a button on the remote control. There's instant heat too, as the heater can be operated with either 1kW or 2kW of output. Or, if you wish, you can just enjoy the flames without any heat.

Choose from Arlington, Avanti, Designio, Esprit and Vetro versions, or the slimline View version which is only 142mm deep when mounted onto the wall or just 35mm when recessed .

Fuel Bed
Logs

Command Controls
Remote

Fire Choices	Efficiency	Power	Chimney Option
Electric Riva 67	99%	2.00kW	✓

For complete model choices, dimensions and additional information please see pages 128-129.



Electric Riva Avanti

Gas F67 Riva Stoves

For those who like to combine all the benefits of a Riva with the look of a stove, Gazco's F67 Riva range is the answer for you. Available hearth-mounted or mounted on a "Bench" or "Pedestal", the F67 offers an incredibly stylish solution. For more details please see our Gazco Stoves brochure or go on-line to www.gazco.com and visit the Stoves section.



Gas F67 Riva Bench



Gas F67 Riva Pedestal

Colour Choice

Black with stainless inserts

Fuel Bed

Logs

Command Controls

Manual
Standard upgradable
Programmable remote

Fire Choices	E%	kW†	Chimney Options		
			1	2	BF
Riva 67	<input checked="" type="checkbox"/> 72%	4.90kW	✓	✓	✗
Riva 67 Balanced Flue	<input checked="" type="checkbox"/> 75%	4.60kW	✗	✗	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please refer to the Gazco Stoves brochure.



Gas F67 Riva

Mix & Match Fires

To further expand your possibilities, this next section of the brochure features a host of frame designs which can be matched with a number of technically different fire choices, allowing you to get not only the perfect look but the most suitable fire for your home.



We therefore suggest that you view the features for each of our fire choices below and choose an option that is most suited to your home, then browse through and decide on a design that suits the style of your interior. There is a handy table at the bottom of each page that clearly shows the fire choices and chimney options available for that particular frame.

Logic

Logic Fires are available in 16" widths and are the easiest of all our fires to install, giving you excellent value for money through reduced installation costs. The Logic fires are available in Hotbox, Convector and IPF Convector versions and are all "Reduced Draught" fires, meaning that in all cases a wall or floor vent is not required. For a more detailed description of Hotbox, Convector and IPF fires please see pages 120-121.

VFC

Available in 16", 18" and 22" widths and standard or low lintel heights, the VFC Convector is our most versatile fire. It is suitable for brick chimneys only but offers the additional benefits of a slightly deeper fuel bed and unique VFC (variable flame control) system, which allows you to select the exact balance of flame, glow and heat to suit your mood.

E-Box™

This top-of-the-range 16" wide fire provides exceptional heating efficiency and much improved fuel economy. Set behind a virtually invisible glass window, Gazco's technology has created a fire that offers considerably lower running costs through increased efficiency (ie. gas consumption is lower so saving you money). Available in conventional and Balanced flue options.

Radiant

These fires are for those who want all the visuals of a Gazco fire, but do not require the additional heat of a convector or do not wish to refurbish an existing open fireplace, whether conventional 'chairbrick' opening for a VFC Tapered fire or traditional cast iron fireplace. Tapered fires are available in 16", 18" and 22" widths and can generally be fitted into existing openings without further building work.

E-Studio™

Very high efficiency 16" wide fires that are set behind a virtually invisible glass window. E-Studio™ fires successfully combine the technology of E-Box™ fires with the distinctive White Stone ribbon flame effect of the Studio fires at the start of this brochure. Available in conventional and Balanced flue options.

Remote Controls



Standard (Upgradable)

Programmable (Upgradable)

Logic IPF

Gazco was the first UK company to introduce remote controls for gas fires. Today, our Command remote control systems allow most fires to be upgraded to remote control. Simply use the fold out key at the back of this brochure to choose which remote control is most suitable for your needs.



22" Designio VFC Convector in Iridium, shown in Stovax made-to-measure Malmö mantel



Designio

With its smart finish and crisp clean lines, the Designio not only exudes contemporary style but is also available in versions to suit most homes - even those without a chimney.

All you have to do is decide on the size, colour, whether you would like a coal, pebble or white stone fire effect and if the option of a remote control appeals.

Colour Choice

Graphite
Iridium

Fuel Bed

E-Studio™ white stones
Coals
Pebbles ♦

Command Controls

Manual
Standard upgradable
Programmable remote (E-Box™ & E-Studio™)
Logic IPF remote

Fire Choices	Efficiency (%)	kW†	Chimney Options				
			1	2	3	BF	PF
Logic Hotbox	48%	3.20kW	✓	✓	✓	X	X
Logic Convector	61%	4.10kW	✓	✓	✓	X	X
E-Box™	76%	3.80kW	✓	✓	✓	X	X
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓	X
E-Studio™	72%	3.10kW	✓	✓	✓	X	X
E-Studio™ Balanced Flue	82%	3.52kW	X	X	X	✓	X
VFC Convector*	50%	4.75kW**	✓	✓	X	X	X
Logic IPF	62%	3.80kW	X	X	X	X	✓
VFC + powered flue kit	50%	4.75kW*	X	X	X	X	✓

* 16" RD model also available, requires no air vent

** Heat output for 16" models, for 22" model see pages 134-135

♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.



16" Designio Logic Convector in Iridium, shown in Stovax Copenhagen mantel



16" Designio E-Studio™ in Graphite



Dimension

Classically stylish with a modern edge, the Dimension could just as easily blend into traditional or contemporary interiors. Key to its appeal is the broad, matt black profile which frames the fire, continually drawing your eye to the dancing flames above glowing coals, pebbles or white stones.

There are versions of the Dimension to suit all types of chimney, including the latest high efficiency E-Box™ and E-Studio™. Your Gazco retailer will be happy to advise which is precisely right for you.

Colour Choice

Matt Black

Fuel Bed

E-Studio™ white stones
Coals
Pebbles ♦

Command Controls

Manual
Standard upgradable
Programmable remote
(E-Box™ & E-Studio™)
Logic IPF remote



Dimension E-Box™ with Pebble fuel bed

Fire Choices	SE†	kW†	Chimney Options					
			1	2	3	BF	PF	
Logic Hotbox	48%	3.20kW	✓	✓	✓	✗	✗	
Logic Convector	61%	4.10kW	✓	✓	✓	✗	✗	
E-Box™	76%	3.80kW	✓	✓	✓	✗	✗	
E-Box™ Balanced Flue	86%	3.52kW	✗	✗	✗	✓	✗	
E-Studio™	72%	3.10kW	✓	✓	✓	✗	✗	
E-Studio™ Balanced Flue	82%	3.52kW	✗	✗	✗	✓	✗	
Logic IPF	62%	3.80kW	✗	✗	✗	✗	✓	

♦ Not IPF


† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.



Dimension Logic Hotbox with Coal fuel bed, shown in Stovax Copenhagen mantel with cherry insert



Evolution Logic Hotbox with Pebble fuel bed



Evolution

Evolution is a living flame gas fire that is in perfect harmony with the 21st Century - right down to the remote control. In a Brushed Stainless Steel finish you can select either coal, pebble or white stone fuel bed.

There are also versions to suit all types of chimney or, indeed, no chimney at all. If you are looking for a 16" wide fire, your choice even includes the latest, high efficiency E-Box™ & E-Studio™ variants. So please ask your Gazco retailer to help you decide which Evolution model is exactly right for your home.



Evolution E-Studio™, shown in Stovax Small Art Deco mantel



Colour Choice

Brushed Stainless Steel

Fuel Bed

E-Studio™ white stones
 Coals
 Pebbles ♦

Command Controls

Manual
 Standard upgradable
 Programmable remote
 (E-Box™ & E-Studio™)
 Logic IPF remote

Fire Choices	Chimney Options							
	ES†	NW†	1	2	S	BP	PF	
Logic Hotbox	⊗	48%	3.20kW	✓	✓	✓	X	X
Logic Convector	⊗	61%	4.10kW	✓	✓	✓	X	X
E-Box™	⊗	76%	3.80kW	✓	✓	✓	X	X
E-Box™ Balanced Flue	⊗	86%	3.52kW	X	X	X	✓	X
E-Studio™	⊗	72%	3.10kW	✓	✓	✓	X	X
E-Studio™ Balanced Flue	⊗	82%	3.52kW	X	X	X	✓	X
VFC Convector*		50%	4.75kW**	✓	✓	X	X	X
Logic IPF	⊗	61%	3.80kW	X	X	X	X	✓
VFC + powered flue kit		50%	4.75kW*	X	X	X	X	✓

* 16" RD model also available, requires no air vent

** Heat output for 16" models, for 22" model see pages 134-135

♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.



Infiniti Logic Hotbox with Pebble fuel bed



Infiniti

Distinctively designed for the most modern of interiors, the Infiniti's unique style provides an almost 'wide screen' look. If your home has a chimney then, according to type, the Infiniti is available in VFC (variable flame control) Convector, Logic Hotbox, Logic Convector and E-Box™ versions. For non-chimney homes, you can select from VFC Convector with powered flue, Logic IPF (integral powered flue) and balanced flue E-Box™ versions. Whichever you choose, you'll be able to create the effect you want.



Infiniti VFC Convector



- Colour Choice**
Brushed Stainless Steel & Black
- Fuel Bed**
Coals
Pebbles ♦

- Command Controls**
Manual
Standard upgradable
Programmable remote
(E-Box™)
Logic IPF remote

Fire Choices	Eff	kW †	Chimney Options					
			1	2	3	Bf	Pf	
Logic Hotbox	48%	3.20kW	✓	✓	✓	X	X	
Logic Convector	61%	4.10kW	✓	✓	✓	X	X	
E-Box™	76%	3.80kW	✓	✓	✓	X	X	
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓	X	
VFC Convector*	50%	4.75kW	✓	✓	X	X	X	
Logic IPF	61%	3.80kW	X	X	X	X	✓	
VFC + powered flue kit	50%	4.75kW	X	X	X	X	✓	

* 16" RD model also available, requires no air vent
♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.

Progress

Smooth curves and an exquisite Iridium metallic finish are the hallmarks of the Progress. Available in 16" and 22" widths, there are versions to suit virtually all homes - even if your room does not have a chimney. Available in Pebble, Coal or White Stone fuel beds and with a choice of optional remote controls.

Your Gazco retailer will be pleased to help you achieve exactly the look that's right for you.

Colour Choice

Iridium

Fuel Bed

E-Studio™ white stones
Coals
Pebbles ♦

Command Controls

Manual
Standard upgradable
Programmable remote
(E-Box™ & E-Studio™)
Logic IPF remote

Fire Choices	E%	kW †	Chimney Options				
			1	2	3	BF	PF
Logic Hotbox	48%	3.20kW	✓	✓	✓	X	X
Logic Convector	61%	4.10kW	✓	✓	✓	X	X
E-Box™	76%	3.80kW	✓	✓	✓	X	X
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓	X
E-Studio™	72%	3.10kW	✓	✓	✓	X	X
E-Studio™ Balanced Flue	82%	3.52kW	X	X	X	✓	X
VFC Convector*	50%	4.75kW**	✓	✓	X	X	X
Logic IPF	61%	3.80kW	X	X	X	X	✓
VFC + powered flue kit	50%	4.75kW*	X	X	X	X	✓

* 16" RD model also available, requires no air vent.
** Heat output for 16" models, for 22" model see pages 134-135
♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.



22" Progress VFC Convector, shown in Stovax Malmo mantel



16" Progress Logic Convector with Pebble fuel bed, shown in Stovax Brompton mantel



16" Progress Logic Hotbox with Coal fuel bed, shown in Stovax Art Deco mantel

Stilo

The smooth curves of the Stilo fire appeal to the eye even when the stunning gas fire is not alive. When alight the effect is even more appealing, as the Iridium finish of the Stilo reflects the flames beautifully.

Available in 16" width versions to suit practically all homes, even those without chimneys; also available in an electric version that can be fitted in any home, to easily add ambience.



Electric Stilo, shown in Stovax Small Art Deco surround

Colour Choice
Iridium

Command Controls
Manual

Fuel Bed
Coals



Fire Choices	Efficiency (%)	kW†	Chimney Options				
			1	2	3	RF	4
Premier Slimline Convector	48%	3.10kW	✓	✓	✓	X	X
Premier Slimline Power Flue Convactor	46%	3.10kW	X	X	X	✓	X
Premier Electric Inset	99%	2.00kW	X	X	X	X	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see page 136.



Stilo Slimline Convactor, shown in Stovax Helsinki mantel



80 Arts E-Box™ in Polished Chrome with Coal fuel bed, shown in Stovax Pembroke 36 mantel



Arts

At its peak in the 1920s and 1930s, the Arts movement combined art and technology to bring aesthetic appeal to virtually any object in daily use. Today, this evocative style is still influencing contemporary design.

Adhering to the movement's original concept, Gazco's Arts, with its beautifully curved front, echoes the style of the era whilst incorporating the very latest gas fire innovations, including the opportunity to specify the high efficiency E-Box™ and E-Studio™ options.

Colour Choice

Matt Black
Highlight Polished
Polished Chrome
Polished Brass

Fuel Bed

E-Studio™ white stones
Coals
Pebbles ♦

Command Controls

Manual
Standard upgradable
Programmable remote
(E-Box™ & E-Studio™)
Logic IPF remote

Fire Choices	E%	kW†	Chimney Options				
			1	2	3	BF	PF
Logic Hotbox	48%	3.20kW	✓	✓	✓	X	X
Logic Convector	61%	4.10kW	✓	✓	✓	X	X
E-Box™	76%	3.80kW	✓	✓	✓	X	X
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓	X
E-Studio™	72%	3.10kW	✓	✓	✓	X	X
E-Studio™ Balanced Flue	82%	3.52kW	X	X	X	✓	X
VFC Convector*	50%	4.75kW	✓	✓	✓	X	X
Logic IPF	61%	3.80kW	X	X	X	X	✓
VFC † powered flue kit	50%	4.75kW	X	X	X	X	✓

* 16" RD model also available, requires no air vent
♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.



Arts E-Box™ in Matt Black with Coal fuel bed, shown in Stovax made-to-measure Alborg mantel



Arts Logic Hotbox in Highlight Polished with Pebble fuel bed, shown in Stovax Small Kensington mantel



Arts Logic Hotbox in Polished Brass with Pebble fuel bed

Arts (contd.)

Gazco's Arts fires perfectly combine the elegance and style of the 1920s with the technology and innovations of the 21st Century. You can choose to specify the gas fire that best suits your individual needs, including the high efficiency E-Box™ or E-Studio™. It is also available in the most popular 16" width, as well as being offered with a wide choice of fronts and frames.



Arts E-Studio™ in Polished Chrome



Arts Logic Hotbox in Highlight Polished with Pebble fuel bed



Arts Logic Convector in Matt Black with Pebble fuel bed



Arts VFC Convector in Highlight Polished, shown in Stovax Chelsea cast front and Stovax Malmo mantel



Richmond E-Box™ with Coal fuel bed

Richmond

With its elegant design and finely detailed castings, the 16" Richmond will add period refinement to any fireplace, whilst still enjoying all the 21st Century benefits, including E-Box™ high efficiency heating and a Command remote control.



Colour Choice
Black Cast Iron

Fuel Bed
Coals
Pebbles ♦

Command Controls
Manual
Standard upgradable
Programmable remote
(E-Box™)
Logic IPF remote



Richmond VFC Convector

Fire Choices	E%	kW†	Chimney Options				
			1	2	3	BF	PF
Logic Convector	61%	4.10kW	✓	✓	✓	X	X
E-Box™	76%	3.80kW	✓	✓	✓	X	X
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓	X
VFC Convector*	50%	4.75kW	✓	✓	X	X	X
Logic IPF	61%	3.80kW	X	X	X	X	✓
VFC + powered flue kit	50%	4.75kW	X	X	X	X	✓

* 16" RD model also available, requires no air vent
♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.



22" Holyrood VFC Convectur with Polished Brass front and frame, shown in Stovax Georgian mantel

Holyrood

A masterpiece of traditional design, Gazco's Holyrood allows you to personalise your new fire to your exact needs. It is available in three widths, each with four different fronts (polished brass, polished chrome, matt black or highlight polished) and with a choice of up to fifteen frame styles/finishes (see pages 102-103), as well as manual or remote controls.

Colour Choice

Matt Black
Polished Brass
Highlight Polished
Polished Chrome

Fuel Bed

Coals
Pebbles ♦

Command Controls

Manual
Standard upgradable
Programmable remote
(E-Box™)
Logic IPF remote



16" Holyrood VFC Convectur with Highlight Polished front and frame



Holyrood Chrome detail

Fire Choices	Chimney Options						
	E [†]	kw †	1	2	3	BF	PF
Logic Hotbox	48%	3.20kW	✓	✓	✓	✗	✗
Logic Convectur	61%	4.10kW	✓	✓	✓	✗	✗
E-Box™	76%	3.80kW	✓	✓	✓	✗	✗
E-Box™ Balanced Flue	86%	3.52kW	✗	✗	✗	✓	✗
VFC Convectur*	50%	4.75kW**	✓	✓	✗	✗	✗
Logic IPF	61%	3.80kW	✗	✗	✗	✗	✓
VFC + powered flue kit	50%	4.75kW*	✗	✗	✗	✗	✓

* 16" RD model also available, requires no air vent

** Heat output for 16" models, for 18" and 22" models see pages 134-135

♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.

Holyrood (contd.)

Gazco's Holyrood not only offers you a vast choice of finishes and sizes, but also six different fire choices dependent upon your requirements. Fire versions available with the Holyrood include: E-Box™, VFC Convector, Logic Hotbox, Logic Convector, VFC + powered flue and Logic IPF. So you can now have total control over the finish and fire for you!



16" Holyrood VFC Convector with Highlight Polished front and frame



16" Holyrood E-Box™ with Matt Black front and frame with Coal fuel bed

Spanish

Based on a traditional design, the Spanish has remained a firm favourite with homeowners for almost two decades. Part of this appeal is Gazco's mix and match system, whereby the four different fronts and fifteen different frames (see pages 102-103) can be combined to give the precise look you require.

Colour Choice

Matt Black
Polished Brass
Highlight Polished
Polished Chrome

Fuel Bed

Coals
Pebbles ♦

Command Controls

Manual
Standard upgradable
Programable remote
(E-Box™)
Logic IPF remote



Spanish Logic Hotbox with Polished Brass front and frame with Coal fuel bed, shown in Stovax Small Kensington mantel



Fire Choices	Efficiency (%)	kW †	Chimney Options				
			1	2	3	BF	PF
Logic Hotbox	48%	3.20kW	✓	✓	✓	X	X
Logic Convector	61%	4.10kW	✓	✓	✓	X	X
E-Box™	76%	3.80kW	✓	✓	✓	X	X
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓	X
VFC Convector*	50%	4.75kW**	✓	✓	X	X	X
Logic IPF	61%	3.80kW	X	X	X	X	✓
VFC + powered flue kit	50%	4.75kW*	X	X	X	X	✓

* 16" RD model also available, requires no air vent

** Heat output for 16" models, for 19" and 22" models see pages 134-135

♦ Not IPF or VFC

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.



Spanish Logic Hotbox with Highlight Polished front and frame with Coal fuel bed, shown in Stovax Small Kensington mantel

Spanish (contd.)

Gazco's Spanish is available in three different widths and, if you select the most popular 16" width, there are also Logic Hotbox, Logic Convector, VFC Convector, VFC + powered flue and Logic IPF variants as well as the high-efficiency E-Box™. With so much choice, please ask your Gazco retailer to help you decide on the perfect version for your home.



Spanish Highlight Polished detail



Spanish Chrome detail





Winchester Logic Hotbox with Coal fuel bed, shown in Stovax Pembroke 36 mantel with Belgravia Cast Iron front



Winchester

A masterpiece of casting detail, the Winchester's hob grate styling is equally well suited to both traditional and more contemporary interiors.

Furthermore, there are versions of the Winchester for all types of home even if you don't have a chimney! With a choice of finishes and fire options including the Logic Hotbox, Logic Convector and Logic IPF as well as the latest high efficiency E-Box™ and E-Studio™, there is an elegant and versatile Winchester that will be perfect for you and your home.

Colour Choice

Matt black

Fuel Bed

E-Studio™ white stones
 Coals
 Pebbles ♦

Command Controls

Manual
 Standard upgradable
 Programmable remote
 (E-Box™ & E-Studio™)
 Logic IPF remote



Winchester E-Box™ with Coal fuel bed



Winchester Logic Hotbox with Coal fuel bed, shown in Stovax Georgian mantel with Polished Belgravia front

Fire Choices	Efficiency (%)	kW †	Chimney Options				
			1	2	3	BF	PF
Logic Hotbox	48%	3.20kW	✓	✓	✓	X	X
Logic Convector	61%	4.10kW	✓	✓	✓	X	X
E-Box™	76%	3.80kW	✓	✓	✓	X	X
E-Box™ Balanced Flue	86%	3.52kW	X	X	X	✓	X
E-Studio™	72%	3.10kW	✓	✓	✓	X	X
E-Studio™ Balanced Flue	86%	3.52kW	X	X	X	✓	X
Logic IPF	62%	3.80kW	X	X	X	X	✓

♦ Not IPF

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130-135.

Cast Iron Convector

Here is the ultimate marriage between traditional style and modern technology. By making discreet alterations to three classic, cast iron Victorian fireplaces (manufactured by our sister company Stovax), you can now enjoy quintessential period charm yet also benefit from the added efficiency and convenience of a Gazco convector gas fire. Complete with Command remote control if you wish.

Finished in a choice of either black or highlight polished, each model can be teamed with your selection from a wide range of tiles and cast panel designs. Please ask your retailer for full details or visit our website.

Fuel Bed

Coals

Command Controls

Manual
Standard upgradable
Logic IPF remote

Fire Choices

	Eff	kW †	1	2	3	BF	PF
Logic Convector	61%	4.10kW	✓	✓	✓	✗	✗
VFC Convector*	50%	4.75kW	✓	✓	✗	✗	✗
Logic IPF	61%	3.80kW	✗	✗	✗	✗	✓
VFC + powered flue kit	50%	4.75kW	✗	✗	✗	✗	✓

Chimney Options

* 16" RD model also available, requires no air vent

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 130, 131 and 135.



Art Nouveau Convector, shown in Stovax Chatsworth mantel



Victorian Convector, shown in Stovax Georgian mantel



Combination Convector with Urn Design Polished panels

Classic Fireplace

If you already own a Classic Fireplace manufactured by Gazco's sister company Stovax, or are thinking of installing one, then why not opt for the convenience of a highly realistic gas fire with optional remote control or electric fire with a warming flickering glow and a fan heater that is discreetly hidden behind the ashpan cover when not in use.

Fuel Bed

Coals

Command Controls

Gas: Manual or Standard upgradable
Electric: Manual



Poppy & Wheatheaf Cast Iron Fireplace, shown in Stovax Brompton mantel



Art Nouveau Tiled Insert, Highlight Polished shown in Stovax Chatsworth mantel

Please see Stovax Classic Fireplaces brochure for full details on our extensive range of Cast Iron Fireplaces.



Decorative Arched Insert, shown in Stovax Georgian mantel



16" VFC Tapered Fire with Matt Black Holyrood front



VFC Tapered Fires

A Gazco VFC Tapered fire simply replaces an open fire in a standard 'chairbrick' fireplace to offer comforting radiant heat and provide an exceptional 'real fire' look but with all the convenience of gas and, if you wish, even a remote control.

Another benefit is our superb VFC (variable flame control) technology. This allows you to select the exact balance of flame, glow and heat to suit your mood. Set to 'Blue' and the coals glow brightly with a lower, translucent flame with a hint of blue. Set to 'Yellow' and you will enjoy the yellow, flickering flames and authentic atmosphere of a genuine fire.

Available in three width sizes and with a choice of Arts, Holyrood or Spanish fronts in a variety of brass and cast iron finishes.

Fuel Bed
Coals

Command Controls
Manual
Standard upgradable

Fire Choices	Chimney Options			
	5	6W†	1	2
VFC Tapered 16"*	25%	2.35kW	✓	✗
VFC Tapered 18"	25%	2.65kW	✓	✗
VFC Tapered 22"	25%	3.05kW	✓	✗

* 16" RD model also available, requires no air vent

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for complete technical information, please see pages 134-135.



16" VFC Tapered Fire with Highlight Polished Spanish front



Personalise your Gazco fire

You can personalise your Gazco Logic Hotbox, Logic Convector, Logic IPF and VFC Convector fires by choosing from the traditional fronts and frames illustrated on this page. All of the fronts are also suitable for E-Box™ and VFC Tapered fires whilst E-Studio™ fires are only compatible with the Arts fronts. E-Box™ and E-Studio™ fires can also be styled with the Arts frames.

Fire Fronts

* E-Box™ versions have no finials.



Holyrood Matt Black Cast Iron with brass finials*



Polished Brass with black columns & brass finials*



Highlight Polished



Polished Chrome*



Spanish Matt Black



Polished Brass



Highlight Polished



Polished Chrome



Arts Matt Black



Polished Brass



Highlight Polished




Polished Chrome

Fire Frames



Profil Frame




Matt Black



Polished Brass



Brushed Stainless Steel



Polished Stainless Steel



Decorative Frame



Matt Black



Polished Brass



Brushed Stainless Steel



Polished Stainless Steel



Arts Frame




Matt Black



Polished Brass



Brushed Stainless Steel



Polished Stainless Steel



Matt Black NB: E-Box™ & E-Studio™ versions have a grille



Polished Brass & Matt Black



Brushed Stainless Steel & Matt Black



Polished Stainless Steel & Matt Black

Notes:

1. All frames have 50mm profile but Profil Frame in Brass is also available with 67mm profile
2. Profil Frame in Matt Black and Brass also available for low lintels

Fire Baskets

We offer a superb range of fire baskets, each one handcrafted using traditional materials such as brass, steel, chrome and cast iron. Many are also offered in a choice of sizes and in a variety of casting shapes or finishes. In fact, there are almost 100 combinations from which to select the perfect fire basket for your fireplace.

According to model, there is a choice of solid fuel, gas and electric fire baskets so before you make your selection, speak to your local Gazco retailer about which option is right for you and your chimney.



1 Gas logs



2 Gas driftwood



3 Gas coals



4 Gas glass



5 Electric fire with coal-effect

Fuels

Wood, coal and smokeless fuels

Most Gazco traditional fire baskets in this brochure are suitable for burning solid fuels such as logs and coal as well as approved smokeless fuels.

Gas

All Gazco fire baskets can be specified for use with either Natural Gas or LPG. Natural Gas is provided through mains pipelines, whilst LPG is usually supplied to homes in rural areas from a tank in the garden or from gas bottles.

Electric

Many fire baskets are available with Gazco's "electric coal effect" fan heater. These will require a 13amp socket located within 1 metre of your fireplace.

Gas & Electric options

Gas fires

Fires with gas logs (1), driftwood (2), coals (3) or glass (4) are available for both natural gas and LPG. The glass effect is only offered as an option with the Aspen, Chamonix and Tahoe models. Please see page 137 for a full list of options.

Operation of your gas fire basket can be upgraded to Gazco's Standard Command remote control system. Available on all models except the Swan's Nest, once manually ignited, the handset allows you to alter flame height and heat output all from the comfort of your armchair!

Electric fires

Electric fires (5) provide you with the comforts of a warming, flickering coal effect glow and a thermostatically controlled fan heater. They can be operated in three modes – glow only, glow + 1kW of heat and glow + 2kW of heat – and, in most cases, the fan heater can be discreetly hidden behind an optional ashpan cover when not in use.

Custom-built gas fire baskets

If you have an existing grate or basket, and would like the extra convenience of a gas fire, then Gazco can provide you with a made-to-measure fire in a choice of log, driftwood or coal effects. Please see pages 118-119 for details.

Contemporary fire baskets



Large Aspen with Log effect gas fire



Aspen

Available in two sizes. Stainless steel/black steel construction. Complete with your choice of glass, log, driftwood or coal effect gas fire.



Chamonix with Smoked Glass top

One size. Features a top in grey glass and is complete with your choice of glass, log, driftwood or coal effect gas fire.



(Medium shown)

Chamonix with Stainless Steel top

This Chamonix features a Stainless Steel top and is available in small and medium (smaller depth) sizes. Complete with your choice of glass, log, driftwood or coal effect gas fire.



Tahoe

One size. Stainless steel/black steel construction. Complete with your choice of glass, log, driftwood or coal effect gas fire.



Davos

One size. Stainless steel/black steel construction. Complete with your choice of log, driftwood or coal effect gas fire (above).



Davos

One size. Stainless steel/black steel construction. Complete with your choice of log (above), driftwood or coal effect gas fire.

Traditional fire baskets



Amhurst

Available in two sizes. Straight front in choice of black cast iron or polished cast iron. Choice of all gas and electric fire options, except glass.



Art Deco

Available in two sizes. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Milan

Available in two sizes (15" or 18" grate size). Straight front in polished cast iron. Choice of all gas and electric fire options, except glass.



Stratford

Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.





Large Art Deco in Polished Cast Iron with Coal effect gas fire, shown in Stovax Art Deco Mantel



Rochester
One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Ascot
One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Harlech
One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Small Amhurst in Black Cast Iron with Log effect gas fire, shown in Stovax Belgravia front



Portland

One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Portland Extended

One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Audley

One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Dorchester

One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Earlswood

One size. Straight front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Montrose

One size. Straight or bowed front in brass. Choice of all gas and electric fire options, except glass.



Stratford in Brass



Melbury One size. Choice of straight or bowed front in brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Kennet
One size. Bowed front in brass. Choice of all gas and electric fire options, except glass.



Halifax
One size. Straight front in brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



Kendal
Kendal coal-effect gas fire. One size. Choice of straight or bowed front in brass. Choice of all gas and electric fire options, except glass.



Cheltenham
One size. Straight front in brass only. Choice of all gas and electric fire options, except glass.



Ludlow
One size. Bowed front in brass only. Choice of all gas and electric fire options, except glass.



Inverness
One size. Bowed front in choice of brass or polished iron/steel. Choice of all gas and electric fire options, except glass.



116

Large Swan's Nest with Georgian fire dogs.



Plymouth

One size. Straight front in choice of black or highlight polished cast iron. Choice of all gas and electric fire options, except glass.




Adam

One size. Straight front in choice of black or highlight polished cast iron. Choice of all gas and electric fire options, except glass.



Pub Scene

One size. Straight front in choice of black or highlight polished cast iron. Choice of all gas and electric fire options, except glass.



Cromwell

Available in two sizes. Straight front in black cast iron only. Choice of all gas fire options, except glass.



Spanish

Available in two sizes. Straight front in black or highlight polished cast iron and with a choice of four cast iron legs, two brass + two cast iron legs or four brass legs. Choice of all gas and electric fire options, except glass.



Swan's Nest

Available in three sizes in black cast iron only, with log gas fire. Choice of Georgian (left) or Queen Anne (above) brass fire dogs.

(Queen Anne)

117

Radiant gas fires custom-built for your fireplace

Gazco offers a comprehensive made-to-measure service for living flame gas fires. A wide range of sizes are available, there is virtually no limit on shape and all are supplied with Gazco's class-leading fuel effects. This makes them ideal for everything from a small Victorian cast iron fireplace in a bedroom to a large centrepiece in a pub or restaurant.



Gazco made-to-measure coal-effect fire in an original antique grate and fireplace

Features of our superb custom-built radiant Gas Fires include:

- Simple, **multi-purpose manual control knob** - for fingertip control of ignition, pilot light and gas supply.
- **Upgradable** to Command **remote control** system.
- **Adjustable flame setting** - infinitely variable between high and low to suit your mood.
- **Piezo ignition** - automatic sparking without batteries or mains electricity.
- **Flame failure device** - automatically shuts off the gas supply if the pilot light goes out.
- **Oxygen sensitive safety pilot** - automatically shuts off the gas supply if the oxygen level in your room falls below a safe level.
- **Reduced Draught versions** - no additional ventilation required.
- **Natural gas or LPG** - versions available for both types of gas.
- **Heat outputs** - around 2.5kW depending on model.



This log-effect fire is in a Devon restaurant. Gazco made-to-measure fires are suitable for domestic and commercial use. Please ask your retailer for further information about sizes, shapes and installation regulations.



Gazco made-to-measure log-effect fire at Langs Hotel, Glasgow



Log fuel effect



Driftwood fuel effect



Coal fuel effect

The minimum and maximum sizes for made-to-measure gas fires are as follows:

	Dimensions - with Manual Control					
	Coals		Logs		Driftwood	
	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
Width (mm)	165	610	230	840	230	840
Depth (mm)	130	319	155	375	155	375

	Dimensions - with Manual Control upgradable to Command remote					
	Coals		Logs		Driftwood	
	Minimum*	Maximum	Minimum*	Maximum	Minimum*	Maximum
Width (mm)	230	556	230	556	230	556
Depth (mm)	160	319	160	375	160	375

*Trays with these very minimum dimensions will be supplied without legs.

Note: The sizes above are given as a guide only and are subject to the actual shape required. There are strict regulations regarding the installation of all gas fires including custom-built models. In particular, some openings will require some form of canopy to be fitted in order to comply with BS5871 (Part 3). Your Gazco dealer will be able to advise you about sizes, shapes, regulations etc. and to answer any other questions you may have.

Additional Information

Gazco's impressive choice of fires with a selection of fire fronts. The types of fire available with each frame and front are listed in the main brochure.

Logic Fires (See pages 68-77 and 80-97)

Logic Hotbox

The 16" Logic Hotbox is suitable for all chimney types and has been designed to meet the requirements of today's modern homes where central heating is the norm and only a precast flue has been supplied by the builder. It provides a superb focal point and ambience but without the additional heat emitted by a convector. You may choose coal or pebble fuel beds and there is the option of a Standard remote control.

Logic Convectors

The Logic 16" Convector is a highly efficient, all-new engine that is suitable for all chimney types. It differs from the Hotbox, however, by incorporating a convection system that provides virtually twice the heating efficiency, so there is even more heat going into your room. The Logic Convector is available with coal or pebble fuel beds, both offering an excellent look and realistic flames, and the option of a Standard remote control.

Logic IPF Convector

There is also an IPF (Integral Powered Flue) version of the Logic Convector for homes without a chimney. All you need is to be able to position the fire on an outside wall so that the flue can go straight through (as pictured right). It is available with coal fuel bed and supplied complete with Sequential remote control.



The Logic IPF has also been specially developed for cavity wall properties and has been cleverly designed to use the gap in the wall to save space. You can either recess the fire into the inner skin of the wall or recess the fan unit into the outer skin. Alternatively, with non-cavity walls you can construct a false chimney breast in your room.

Just as importantly, the Logic IPF incorporates the very latest integrated electronics that allow all functions to be operated from its own, unique remote control. There is no need to turn a fan on before igniting the fire and no need for a permanent pilot light.

E-Box™ Fires (See pages 36-39, 42-43, 68-77 and 80-95)

This top-of-the-range, 16" wide engine provides exceptional heating efficiency and much improved fuel economy. Set behind a virtually invisible glass window, Gazco's technology has created a design that offers considerably lower running costs (gas consumption is lower so saving you money). Furthermore, installation is not only simpler than larger glass-fronted fires but also no hearth is required where the E-Box™ is fitted 50mm (2") above floor level – ideal for hole-in-the-wall settings.

Conventional Flue

The E-Box™ can be installed into all chimney types and has high efficiency levels of up to 76%. The conventional flue E-Box™ is available with coal or pebble fuel beds and the option of Standard or Programmable remote controls.

Balanced Flue version

If you do not have a chimney there is the option of a balanced flue E-Box™. Not only can this be easily fitted to homes with no chimney, but the balanced flue version additionally allows for greater combustion control and even higher efficiency levels of up to 86%. This version is also available with coal or pebble fuel beds and the option of Standard or Programmable remote controls.

E-Studio™ Fires

(See pages 36-41, 68-73, 76-77, 80-83 and 94-95)

This premium 16" wide engine provides high heating efficiency with a contemporary fresh look. Set behind a virtually invisible glass window, the E-Studio™ boasts a stunning ribbon flame effect combined with Gazco's latest technology, to create a stylish design and lower running costs (gas consumption is lower so saving you money).

Conventional Flue

The E-Studio™ can be installed into all chimney types and has high efficiency levels of up to 72%. The conventional flue E-Studio™ is available with the option of Standard or Programmable remote controls.

Balanced Flue version

If you do not have a chimney there is the option of a balanced flue E-Studio™. Not only can this be easily fitted to homes with no chimney, but the balanced flue version additionally allows for greater combustion control and even higher efficiency levels of up to 82%. This version is also available with the option of Standard or Programmable remote controls.


VFC Fires (See pages 68-69, 72-77, 80-93 and 96-97)

VFC Convector

Available in 16", 18" and 22" widths and standard or low lintel heights, the VFC Convector is suitable for brick chimneys only but offers the additional benefits of a slightly deeper fuel bed and unique VFC (variable flame control) system. The latter feature allows you to select the exact balance of flame, glow and heat to suit your mood. Set to 'Blue' and the fuel bed glows brightly with a lower, translucent flame with a hint of blue. Set to 'Yellow' and you will enjoy the yellow, flickering flames and authentic atmosphere of a genuine fire. VFC Convectors are available with coal fuel beds and the option of a Standard remote control.

VFC Powered Flue Convector

A Powered Flue Kit can be added to the VFC Convector to allow it to be installed in homes with no chimney. This kit gives you the flexibility of locating the fan unit on an outside wall up to six metres away from the fire, and to incorporate bends in the flue (as illustrated right).



Radiant Fires

These fires are for those who do not require the additional heat of a convector or do not wish to refurbish an existing open fireplace, whether conventional 'chairbrick' opening or traditional cast iron fireplace.

VFC Tapered Fires (See pages 100-101)

Providing the same unique variable flame control feature as the VFC Convector, VFC Tapered Fires are designed for installation into conventional 'chairbrick' fireplaces. They are available in 16", 18" and 22" widths and, according to width, with a choice of Arts, Holyrood or Spanish fronts in a variety of brass, chrome and cast iron finishes, as shown on pages 102-103.

Radiant Fires for Classic Fireplaces (See pages 98-99)

These are non-VFC fires with shapes specially adapted to suit the cast iron Classic Fireplaces manufactured by our sister company Stovax Ltd. Alternatively, should you have an original period fireplace of this type, or a reproduction, then we can generally produce a custom-built fire to meet your needs. Your retailer will be pleased to give you further information.

Command remote controls:

Gazco was the first UK company to introduce remote controls for gas fires. Today, our Command remote control systems allow most fires to be upgraded, either at the time of purchase or at a later date, with either:



a) Standard upgradable remote control

Once the pilot light has been ignited manually you can vary the flame height and heat output from the comfort of your armchair.



b) Programmable remote control

This deluxe version has two additional features. The first allows you to thermostatically control the room temperature whilst the second allows you to programme your fire to switch itself on and off twice a day. Use both and you can even come home to a glowing fire that has heated the room to the temperature you select!

Some fires in the Gazco range come with the remote included with the product, these are:



c) Open Studio sequential remote control

With this infra red remote control, you do not need to light the pilot manually as the whole operating sequence (on/off and flame height heat output) is activated from the handset itself.



d) Glass Fronted Studio and Linea sequential remote

This programmable, radio frequency remote control offers all of the features of the Open Studio sequential remote but with the additional benefits of programmable thermostatic and timer functions.



e) Logic IPF remote control

This sequential remote differs in design to those illustrated above, although offering similar features. Please ask your Gazco dealer for further details.



f) Electric Riva

This remote operates the electric Riva, allowing you at the touch of a button to choose between four different flame effects, with or without heat.



Technical Information

The following pages provide much of the dimensional, heat input/output, efficiency and product code information you will need to choose your new Gazco fire. For more detailed specifications, please consult your Gazco retailer. Alternatively, complete installation instructions may be downloaded from www.gazco.com.

Contents

Studio Fires	123
Linea Wall Mounted Fires	128
Gas and Electric Riva Cassette Fires	128
Logic Hotbox, Convector and IPF Fires	130
E-Box™ and E-Studio™ Fires	132
VFC Fires	134
Stilo Fires	136
Gas Fires for Stovax Classic Fireplaces	136
Fire Baskets	137

Studio

FIRE INFORMATION

Open Fronted Fires

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Appliance Size (mm)
⊗ 8700CHEC	Studio 1	Conventional	Nat. Gas	White Stones	6.90	1.72	25%	Sequential	See table overleaf
⊗ P8700CHEC	Studio 1	Conventional	LPG	White Stones	6.90	1.72	25%	Sequential	See table overleaf
⊗ 8701CHEC	Studio 2	Conventional	Nat. Gas	White Stones	8.80	2.20	25%	Sequential	See table overleaf
P8701CHEC	Studio 2	Conventional	LPG	White Stones	9.30	2.30	25%	Sequential	See table overleaf
8702CHEC	Studio 3	Conventional	Nat. Gas	White Stones	13.20	3.30	25%	Sequential	See table overleaf
P8702CHEC	Studio 3	Conventional	LPG	White Stones	13.70	3.40	25%	Sequential	See table overleaf

Glass Fronted Fires

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Appliance Size (mm)
⊗ 8700CFCHEC	Studio 1	Conventional	Nat. Gas	White Stones	6.90	4.85	70%	Sequential	See tables overleaf
⊗ P8700CFCHEC	Studio 1	Conventional	LPG	White Stones	6.90	4.85	70%	Sequential	See tables overleaf
⊗ 8700BFCHEC	Studio 1	Balanced flue	Nat. Gas	White Stones	6.30	5.10	81%	Sequential	See tables overleaf
⊗ P8700BFCHEC	Studio 1	Balanced flue	LPG	White Stones	6.10	4.95	81%	Sequential	See tables overleaf
⊗ 8700CFLEC	Studio 1	Conventional	Nat. Gas	Logs	6.70	4.70	70%	Sequential	See tables overleaf
⊗ P8700CFLEC	Studio 1	Conventional	LPG	Logs	6.90	4.83	70%	Sequential	See tables overleaf
⊗ 8700BFLEC	Studio 1	Balanced flue	Nat. Gas	Logs	6.40	5.20	81%	Sequential	See tables overleaf
⊗ P8700BFLEC	Studio 1	Balanced flue	LPG	Logs	6.30	5.10	81%	Sequential	See tables overleaf
8701CFCHEC	Studio 2	Conventional	Nat. Gas	White Stones	8.30	6.50	78%	Sequential	See tables overleaf
P8701CFCHEC	Studio 2	Conventional	LPG	White Stones	8.30	6.50	78%	Sequential	See tables overleaf
⊗ 8701BFCHEC	Studio 2	Balanced flue	Nat. Gas	White Stones	8.40	6.80	81%	Sequential	See tables overleaf
⊗ P8701BFCHEC	Studio 2	Balanced flue	LPG	White Stones	7.30	5.92	81%	Sequential	See tables overleaf
8701CFLEC	Studio 2	Conventional	Nat. Gas	Logs	8.50	6.65	78%	Sequential	See tables overleaf
P8701CFLEC	Studio 2	Conventional	LPG	Logs	8.80	6.85	78%	Sequential	See tables overleaf
⊗ 8701BFLEC	Studio 2	Balanced flue	Nat. Gas	Logs	8.60	7.00	81%	Sequential	See tables overleaf
⊗ P8701BFLEC	Studio 2	Balanced flue	LPG	Logs	8.00	6.50	81%	Sequential	See tables overleaf
⊗ 8702BFCHEC	Studio 3	Balanced Flue	Nat. Gas	White Stones	9.00	7.30	81%	Sequential	See tables overleaf
⊗ P8702BFCHEC	Studio 3	Balanced Flue	LPG	White Stones	9.00	7.30	81%	Sequential	See tables overleaf
⊗ 8704BFLEC	Studio 2.2	Balanced Flue	Nat. Gas	Logs	7.50	5.85	78%	Sequential	Please see page 126
⊗ P8704BFLEC	Studio 2.2	Balanced Flue	LPG	Logs	7.00	5.46	78%	Sequential	Please see page 126

Installing Televisions above Open Fronted Studio Fires On a normal flue which is functioning correctly, Open Fronted Studio's do not create a particularly hot environment on the wall above where they are installed. Accordingly, it may be possible to install Plasma or LCD TV's above them, as long as the distance to the TV is a minimum of 450mm from the top of the fire and as long as it has been checked with the TV manufacturers installation instructions with regard to installation and heat proximity. If in doubt please contact and check with your TV manufacturer.

Glass Fronted Studio Fires Gazco does not recommend installation of televisions above Glass Fronted Studio fires.


ADDITIONAL INFORMATION FOR OPEN FRONTED STUDIO FIRES (mm)

Appliance dimensions (mm)

Dimension	Studio 1	Studio 2	Studio 3	
A	Gather width	664	864	1254
B	Gather top	250	250	325
C	Gather taper	207	307	465
D	Base width	635	835	1225
E**	Box width	660	860	1250
F	Max. lintel width	130	130	130
G	Gather depth	187	187	187
H**	Box height	334	334	334
I*	Base height	133	133	133
J	Base depth	130	130	130
K	Base	182	182	182
L	Spigot height	50	50	50
M	Gather height	300	300	700
N	Total height	817	817	1217

* adjustable feet can increase base height by up to 235 mm

** If installed with one of the Studio frames, a 5mm space must be left around the front edge of the appliance.



Studio 2 and 3

• Class 1 brick built flue

- a) Must be fitted with the flue gather.
- Pre-fabricated 7" twin wall flue system suitable for gas
 - a) Must be fitted with the flue gather.

Note: It is possible to install the Studio 2 and 3 into a Class 1 brick flue. However, this type of installation should only be undertaken by chimney specialists. This is because it will require the front wall and structure of the chimney breast to be extensively cut away to allow enough width to fit the fire and also provide access to the top of the gather to allow either -

- a) Connection of a 7" flexible flue liner suitable for gas
- b) Creation of a smooth transition between the top of the gather and the flue

CHIMNEY TYPES

Studio 1

• Class 1 brick built flue

- a) Can be fitted without the optional flue gather if the chimney is sound.
- b) If the optional gather is used, then it must be connected to a 7" flexible flue liner suitable for gas.
- Pre-fabricated 7" twin wall flue system suitable for gas
 - a) Must be fitted with the optional flue gather.

Conventional Flue Installation

The conventionally flued Glass Fronted Studio has been designed with ease of installation in mind and can be installed two ways:

- 1) Direct connection to a 5" flue liner



or

5" twin wall gas vent system



- 2) No additional fluing is needed when it is installed into an existing builders opening below a masonry chimney and sealed to the fireplace opening (assuming that the chimney is of sound construction).

ADDITIONAL INFORMATION FOR GLASS FRONTED STUDIO FIRES (mm)

CONVENTIONAL FLUE



BALANCED FLUE



FRAME INFORMATION

Description	Frame Finish	Open Fronted			Frame Size (mm)			Glass Fronted CF			Frame Size (mm)			Glass Fronted BF			Frame Size (mm)		
		Product Code	w	h	d	Product Code	w	h	d	Product Code	w	h	d	Product Code	w	h	d		
STUDIO 1																			
Bauhaus	Anthracite	8711AN	764	439	28	8711CFANO1	860	534	28	8711BFANO1	850	524	28						
Bauhaus	Polished Stainless Steel	87111P	764	439	28	8711CFSSO1	860	534	28	8711BFSSO1	850	524	28						
Profil	Anthracite	8710AN	750	426	13	8710CFANO1	846	520	13	8710BFANO1	836	510	13						
Profil	Polished Stainless Steel	87101P	750	426	13	8710CFSSO1	846	520	13	8710BFSSO1	836	510	13						
Steel	Bronze	8712BZ	1120	675	13	8712CFBFBZ01	1120	675	25	8712CFBFBZ01	1120	675	25						
Steel	Graphite	8712GP	1120	675	13	8712CFBFGP01	1120	675	25	8712CFBFGP01	1120	675	25						
Steel	Iridium	8712IR	1120	675	13	8712CFBFIR01	1120	675	25	8712CFBFIR01	1120	675	25						
Link	Polished Stainless/Black	8723PBK	1332	497	23		N/A	N/A	N/A		N/A	N/A	N/A						
Andes	Oak/Walnut	8723KW	1332	497	21		N/A	N/A	N/A		N/A	N/A	N/A						
Inca	Walnut Quarters	8723WQ	1200	559	27		N/A	N/A	N/A		N/A	N/A	N/A						
Gello	Solid Oak	8723SK	1332	497	27		N/A	N/A	N/A		N/A	N/A	N/A						
Kepler	Solid Walnut	8723SW	1332	497	27		N/A	N/A	N/A		N/A	N/A	N/A						
Icon	Graphite	8725GP01	880	2098	13		N/A	N/A	N/A	8725BFGP01	880	2143	44						
Firenza	Black Granite	8723GBK	1200	600	20		N/A	N/A	N/A		N/A	N/A	N/A						
Pienza	White Limestone	8723LMS	1200	600	20		N/A	N/A	N/A		N/A	N/A	N/A						
Sienna	Beige Travertine	8723TRV	1200	600	20		N/A	N/A	N/A		N/A	N/A	N/A						

STUDIO 2

Bauhaus	Anthracite	8718AN	964	439	28	8718CFANO2	1060	534	28	8718BFANO2	1050	524	28					
Bauhaus	Polished Stainless Steel	87181P	964	439	28	8718CFSSO2	1060	534	28	8718BFSSO2	1050	524	28					
Profil	Anthracite	8717AN	950	426	13	8717CFANO2	1046	520	13	8717BFANO2	1036	510	13					
Profil	Polished Stainless Steel	87171P	950	426	13	8717CFSSO2	1046	520	13	8717BFSSO2	1036	510	13					
Steel	Bronze	8719BZ	1320	675	13	8719CFBFBZ02	1320	675	25	8719CFBFBZ02	1320	675	25					
Steel	Graphite	8719GP	1320	675	13	8719CFBFGP02	1320	675	25	8719CFBFGP02	1320	675	25					
Steel	Iridium	8719IR	1320	675	13	8719CFBFIR02	1320	675	25	8719CFBFIR02	1320	675	25					
Link	Polished Stainless/Black	8724PBK	1532	497	23		N/A	N/A	N/A		N/A	N/A	N/A					
Andes	Oak/Walnut	8724KW	1532	497	21		N/A	N/A	N/A		N/A	N/A	N/A					
Inca	Walnut Quarters	8724WQ	1400	559	27		N/A	N/A	N/A		N/A	N/A	N/A					
Gello	Solid Oak	8724SK	1532	497	27		N/A	N/A	N/A		N/A	N/A	N/A					
Kepler	Solid Walnut	8724SW	1532	497	27		N/A	N/A	N/A		N/A	N/A	N/A					
Firenza	Black Granite	8724GBK	1500	600	20		N/A	N/A	N/A		N/A	N/A	N/A					
Pienza	White Limestone	8724LMS	1500	600	20		N/A	N/A	N/A		N/A	N/A	N/A					
Sienna	Beige Travertine	8724TRV	1500	600	20		N/A	N/A	N/A		N/A	N/A	N/A					

STUDIO 3


Bauhaus	Anthracite	8721AN	1354	439	28		N/A	N/A	N/A	8721BFANO3	1440	524	28					
Bauhaus	Polished Stainless Steel	87211P	1354	439	28		N/A	N/A	N/A	8721BFSSO3	1440	524	28					
Profil	Anthracite	8720AN	1340	426	13		N/A	N/A	N/A	8720BFANO3	1426	510	13					
Profil	Polished Stainless Steel	87201P	1340	426	13		N/A	N/A	N/A	8720BFSSO3	1426	510	13					
Steel	Bronze	8722BZ	1710	675	13		N/A	N/A	N/A	8722BFBZ03	1740	675	25					
Steel	Graphite	8722GP	1710	675	13		N/A	N/A	N/A	8722BFGP03	1740	675	25					
Steel	Iridium	8722IR	1710	675	13		N/A	N/A	N/A	8722BFIR03	1740	675	25					

STUDIO 22


Bauhaus	Anthracite		N/A	N/A	N/A		N/A	N/A	N/A	8728BFAN22	439	964	28					
Bauhaus	Polished Stainless		N/A	N/A	N/A		N/A	N/A	N/A	8728BFSS22	439	964	28					
Profil	Anthracite		N/A	N/A	N/A		N/A	N/A	N/A	8726BFAN22	426	950	13					
Profil	Polished Stainless		N/A	N/A	N/A		N/A	N/A	N/A	8726BFSS22	426	950	13					
Steel	Bronze		N/A	N/A	N/A		N/A	N/A	N/A	8729BFBZ22	675	1320	13					
Steel	Graphite		N/A	N/A	N/A		N/A	N/A	N/A	8729BFGP22	675	1320	13					
Steel	Iridium		N/A	N/A	N/A		N/A	N/A	N/A	8729BFIR22	675	1320	13					

STUDIO ICON FRAME SIZES

STUDIO ICON OPEN FRONTED (mm)



STUDIO ICON GLASS FRONTED (mm)



STUDIO OPTIONS AND ACCESSORIES

Open Fronted Studio Fires


Product Code	Description
Studio 1	
8714GBK	Black Granite linings
8713	Flue gather*
Studio 2	
8715GBK	Black Granite linings
Studio 3	
8716GBK	Black Granite linings

*Flue gather automatically included with Open Fronted Studio 2 and Studio 3 Fires.

Glass Fronted Studio Fires

8572	Warm air ducting kit (2 outlets)
8524	Balanced flue kit - vertical
Studio 1	
8727CFEK01	Edge fitting kit for conventional flue
8727BFEK01	Edge fitting kit for balanced flue
8727CFCW01	Cool Wall fitting kit for conventional flue
8727BFCW01	Cool Wall fitting kit for balanced flue
8534	Balanced flue kit - up and out
Studio 2	
8727CFEK02	Edge fitting kit for conventional flue
8727BFEK02	Edge fitting kit for balanced flue
8727CFCW02	Cool Wall fitting kit for conventional flue
8727BFCW02	Cool Wall fitting kit for balanced flue
8509	Balanced flue kit - up and out
Studio 3	
8727BFEK03	Edge fitting kit for balanced flue
8727BFCW03	Cool Wall fitting kit for balanced flue
8567	Balanced flue kit - up and out
Studio 22	
8727BFEK22	Edge fitting kit for balanced flue
8727BFCW22	Cool Wall fitting kit for balanced flue
8708	Balanced flue kit - rear
8534	Balanced flue kit - up and out

STUDIO 22 APPLIANCE DIMENSIONS (mm)




GLASS FRONTED STUDIO EDGE INSTALLATION OPTIONS

Edge Kit – this kit is screw-mounted to the front flange of the outer firebox. The L-shaped attachments can either provide a 20mm return against which high temperature plasterboard/screed can be butted up for the ‘clean edge’ look or, if the firebox flange is on the outside of a brick or studwork wall, allow ceramic or stone tiles to be fixed with a similar look. The Edge Kit is finished in black to complement the Studio.


Cool Wall Kit – again, screw-mounted to the front flange of the outer firebox, the 60mm deep U-shaped attachments of the Cool Wall Kit are designed primarily for studwork false chimney breasts. The additional depth allows some of the heat to be vented up into the void above the firebox and then re-enter the room at a higher level. The effect is to produce a cooler wall immediately above the appliance than would otherwise be the case. The Cool Wall Kit is left unfinished so that it can be painted to match the front face of your fireplace.

Edge Kit

Installation method for studwork/false chimney breast application




Installation method for brick/masonry chimney breast application




Cool Wall Kit

Installation method for studwork/false chimney breast application



Installation method for brick/masonry chimney breast application



When using the Edge Kit the fire is recessed by 20mm from the finished wall surface and the kit is finished in black to complement the Studio.

NB: When using the Edge Kit, heat resistant board and high temperature finishing plaster must be used. Please refer to installation instructions for full details.




When using the Cool Wall Kit the fire is recessed by 60mm from the finished wall surface and the kit is left unfinished so that it can be painted to match your decor.

NB: Full installation information, including the requirement for the use of non-combustible materials, can be downloaded from www.gazco.com

Linea Wall Mounted Fires

FRONT INFORMATION

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
Complete Front					
8652GP	Designio Front	Graphite	775	620	170
8652IR	Designio Front	Iridium	775	620	170
8657GP	Steel Front	Graphite	1050	650	167
8657IR	Steel Front	Iridium	1050	650	167
8653BK	Vetro Front	Black Glass	1050	650	167
8653WH	Vetro Front	White Glass	1050	650	167



FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Fire Size (mm)		
									w	h	d
⊗ 8651EC	Linea	Balanced flue	Nat. Gas	N/A	5.25	4.30	82%	Sequential	775	620	170
⊗ P8651EC	Linea	Balanced flue	LPG	N/A	5.25	4.30	82%	Sequential	775	620	170

Gas and Electric Riva Cassette Fires

FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Opening Size (mm)		
									w	h	d
⊗ 8596	Riva 53	Conventional	Nat. Gas	Driftwood Logs	6.80	4.90	72%	Upgradable	540	665	350
⊗ P8596	Riva 53	Conventional	LPG	Driftwood Logs	6.60	4.80	73%	Upgradable	540	665	350
⊗ 8592	Riva 53	Balanced flue	Nat. Gas	Driftwood Logs	6.80	5.30	78%	Upgradable	540	665	350
⊗ P8592	Riva 53	Balanced flue	LPG	Driftwood Logs	6.30	4.90	78%	Upgradable	540	665	350
⊗ 8590LUC	Riva 67	Conventional	Nat. Gas	Logs	6.80	4.90	72%	Upgradable	670	530	350
⊗ P8590LUC	Riva 67	Conventional	LPG	Logs	6.70	4.80	72%	Upgradable	670	530	350
⊗ 8595LUC	Riva 67	Balanced flue	Nat. Gas	Logs	6.10	4.60	75%	Upgradable	670	530	350
⊗ P8595LUC	Riva 67	Balanced flue	LPG	Logs	5.80	4.40	75%	Upgradable	670	530	350
⊗ 8597	Riva 70	Balanced flue	Nat. Gas	Logs	7.80	6.50	84%	Upgradable	700	705	350
⊗ P8597	Riva 70	Balanced flue	LPG	Logs	7.40	6.20	84%	Upgradable	700	705	350
8590SLELR	Riva 67	N/A	Electric	Logs	2.00	2.00	99%	Remote	665	535	105

FRAME INFORMATION

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
Riva 53					
8632BS	Avanti vertical curve frame for conventional flue and balanced flue	Stainless Steel/Black	650	819	120
8644GP	Designio frame for conventional flue and balanced flue	Graphite	650	735	68
8644IR	Designio frame for conventional flue and balanced flue	Iridium	650	735	68
8495GP53	Profil 2 frame for conventional flue and balanced flue	Graphite	590	729	38
8495IR53	Profil 2 frame for conventional flue and balanced flue	Iridium	590	729	38
8739BK53	Spectrum frame for conventional flue and balanced flue	Black with Stainless inserts	760	729	50
Riva 67 Gas					
8641BS	Avanti horizontal curve frame for conventional flue and balanced flue	Stainless Steel/Black	825	699	140
8634GP	Designio frame for conventional flue and balanced flue	Graphite	775	603	68
8634IR	Designio frame for conventional flue and balanced flue	Iridium	775	603	68
8684GP	Esprit frame for conventional flue and balanced flue	Graphite	925	684	70
8684IR	Esprit frame for conventional flue and balanced flue	Iridium	925	684	70
8495GP67	Profil 2 frame for conventional flue and balanced flue	Graphite	710	590	38
8495IR67	Profil 2 frame for conventional flue and balanced flue	Iridium	710	590	38
8739BK67	Spectrum frame for conventional flue and balanced flue	Black with Stainless inserts	880	590	50
8662BK	Vetro frame for conventional flue and balanced flue	Black Glass	1052	650	92

FRAME INFORMATION cont'd.


Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
Riva 67 Electric					
8661BEL	Arlington frame for electric fire	Black Cast Iron	940	627	75
8641BS	Avanti horizontal curve frame for electric fire	Stainless Steel/Black	825	699	140
8634GP	Designio frame for electric fire	Graphite	775	603	68
8634IR	Designio frame for electric fire	Iridium	775	603	68
8684GP	Esprit frame for electric fire	Graphite	925	684	70
8684IR	Esprit frame for electric fire	Iridium	925	684	70
8662BKEL	Vetro frame for electric fire	Black Glass	1052	650	92
8735GP	View frame for electric fire	Graphite	950	590	35
8735IR	View frame for electric fire	Iridium	950	590	35
Riva 70					
8643BS	Avanti horizontal curve frame for balanced flue	Stainless Steel/Black	870	880	134
8495GP70	Profil 2 frame for balanced flue	Graphite	740	752	38
8495IR70	Profil 2 frame for balanced flue	Iridium	740	752	38
8739BK70	Spectrum frame for balanced flue	Black with Stainless inserts	910	765	50

OPTIONS AND ACCESSORIES

Product Code	Description	Product Code	Description
Riva 53			
8571	Fan-assisted convection circulation kit (240v) for Riva 53 conventional flue	8455	Standard Remote Control Kit
8576	Fan-assisted convection circulation kit (240v) for Riva 53 balanced flue	8456	Programmable Thermostatic Remote Control Kit
Riva 67			
8571	Fan-assisted convection circulation kit (240v) for Riva 67 conventional flue	8572	Warm air ducting kit (2 outlets)
8566	Fan-assisted convection circulation kit (240v) for Riva 67 balanced flue	8524	Balanced flue kit - vertical (2x1000mm straight, 1x1000 terminal length) *
8600BB	Beige brick effect ceramic lining	8534	Balanced flue kit - up and out (1x198mm straight, 1x462mm terminal length, 1x90° bend) *
8736	Linerless kit	8454	Terminal guard (required for below 2m)
Riva 70			
8571	Fan-assisted convection circulation kit (240v) for Riva 70 balanced flue	8688SL	Wall mounting box for Slimline Electric Cassette 8590SLELR*
8601BB	Beige brick effect ceramic lining		

*Additional flue pipe lengths and bends are available to extend the above kits

*Arlington, Esprit and Vetro fires cannot be used in conjunction with wall mounting box.



The above information is to assist you in your choice of a suitable Gazco fire. This is not intended to be all the information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com

Logic Hotbox, Convector and IPF Fires

LOGIC HOTBOX FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Opening Size (mm)		
									w	h	d
8306MCUC	Logic Hotbox	Class 1 & 2	Nat. Gas	Coals	6.70	3.20	48%	Upgradable	410	560	250
P8306MCUC	Logic Hotbox	Class 1 & 2	LPG	Coals	6.70	3.20	48%	Upgradable	410	560	250
8306PBUC	Logic Hotbox	Class 1 & 2	Nat. Gas	Pebbles	6.70	3.20	48%	Upgradable	410	560	250
P8306PBUC	Logic Hotbox	Class 1 & 2	LPG	Pebbles	6.70	3.20	48%	Upgradable	410	560	250

LOGIC CONVECTOR FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Opening Size (mm)		
									w	h	d
8308MCUC	Logic Convector	Class 1 & 2	Nat. Gas	Coals	6.70	4.10	61%	Upgradable	410	560	250
P8308MCUC	Logic Convector	Class 1 & 2	LPG	Coals	6.70	4.10	61%	Upgradable	410	560	250
8308PBUC	Logic Convector	Class 1 & 2	Nat. Gas	Pebbles	6.70	4.10	61%	Upgradable	410	560	250
P8308PBUC	Logic Convector	Class 1 & 2	LPG	Pebbles	6.70	4.10	61%	Upgradable	410	560	250

LOGIC INTEGRAL POWERED FLUE FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Opening Size (mm)		
									w	h	d
8316MC	Logic IPF	Powered flue	Nat. Gas	Coals	6.70	4.20	62%	Sequential	410	560	additional info on next page
P8316MC	Logic IPF	Powered flue	LPG	Coals	6.70	4.20	62%	Sequential	410	560	

FRAME AND FRONT INFORMATION

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
Complete Front Choice					
8251GP	Designio front	Graphite	595	615	68
8251IR	Designio front	Iridium	595	615	68
8681MB	Dimension front	Matt Black	540	635	68
8255BS	Evolution front for Logic Hotbox	Stainless Steel	489	597	45
8257BS	Evolution front for Logic Convector and IPF	Stainless Steel	489	597	45
8249BS	Infiniti front	Stainless Steel	620	710	75
8253IR	Progress front	Iridium	520	598	60
8678	Richmond front for Logic Convector and IPF	Black Cast Iron	540	635	50
8698MB	Winchester	Matt Black	508	619	55
Fire Front Choice					
8288MB	Arts fire front for Logic Hotbox and Logic Convector	Matt Black	390	230	
8284PBR	Arts fire front for Logic Hotbox and Logic Convector	Polished Brass	390	230	
8288P	Arts fire front for Logic Hotbox and Logic Convector	Polished Chrome	390	230	
8288HP	Arts fire front for Logic Hotbox and Logic Convector	Highlight Polished	390	230	
8282MB	Arts fire front for Logic IPF	Matt Black	390	230	
8282PBR	Arts fire front for Logic IPF	Polished Brass	390	230	
8282P	Arts fire front for Logic IPF	Polished Chrome	390	230	
8282HP	Arts fire front for Logic IPF	Highlight Polished	390	230	
8391	Hollywood fire front	Matt Black with Brass finials	385	265	
8397	Hollywood fire front	Polished Brass with black columns	385	265	
8150	Hollywood fire front	Highlight Polished	385	210	
8397P	Hollywood fire front	Polished Chrome	385	210	
8382	Spanish fire front	Matt Black	385	210	
8388	Spanish fire front	Polished Brass	385	210	
8153	Spanish fire front	Highlight Polished	385	210	
8388P	Spanish fire front	Polished Chrome	385	210	

OPTIONS AND ACCESSORIES

Product Code	Description
8455	Standard remote control kit for Logic Hotbox and Logic Convector
8315	Spacer kit (75mm) for Logic Hotbox and Logic Convector

Logic Hotbox, Convector and IPF Fires


FRAME AND FRONT INFORMATION cont'd.

Product Code	Description	Frame Finish	Frame Size (mm)	
			w	h
Fire Frame Choice				
8284MB	Arts frame	Matt Black	510	605
8284PBR	Arts frame	Polished Brass	510	605
8284P	Arts frame	Polished Stainless Steel	510	605
8284BS	Arts frame	Brushed Stainless Steel	510	605
8284BPBR	Arts frame	Polished Brass & Matt Black	510	605
8284BP	Arts frame	Polished Stainless Steel & Matt Black	510	605
8284BBS	Arts frame	Brushed Stainless Steel & Matt Black	510	605
8285	Decorative frame	Matt Black	505	610
8266	Decorative frame	Polished Brass	505	610
8232	Decorative frame	Polished Stainless Steel	505	610
8235	Decorative frame	Brushed Stainless Steel	505	610
8345	Profil (Standard) frame	Matt Black	490	600
8340	Profil (Standard) frame	Polished Brass	490	600
8342	Profil (Standard) frame	Polished Stainless Steel	490	600
8229	Profil (Standard) frame	Brushed Stainless Steel	490	600

ADDITIONAL INFORMATION


If you are fitting a Decorative or Profil frame with an Arts Front, an additional fitting kit will be provided to ease installation. You can install a Logic Convector Fire with a Stovax Cast Iron Victorian, Art Nouveau or Combination Fireplace. Conventional Logic Hotbox and Logic Convector fires require 5" minimum flue sizes. Please consult your local Gazco and Stovax dealer for further information.

Installation of Logic Hotbox or Logic Convector into Pre Cast Flues (minimum 16,500mm²)



If your chimney has a shallow 'starter block' then use spacer kit 8315 and a 3" (75mm) deep rebate surround to achieve the C1 dimension. Pre cast flues with a deep 'starter block' may be installed in exactly the same way as a conventional masonry opening providing there is a depth of 8 1/8" (215mm) at C1.

Installation of Logic Integral Powered Flue



Diagrammatic representation only. Not accurate for installation purposes.

E-Box™

E-BOX™ FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Opening Size (mm)		
									w	h	d
⊗ 8691MCUC	E-Box™	Conventional	Nat. Gas	Coals	5.10	3.80	76%	Upgradable	410	560	250
⊗ P8691MCUC	E-Box™	Conventional	LPG	Coals	4.80	3.70	76%	Upgradable	410	560	250
⊗ 8691PBUC	E-Box™	Conventional	Nat. Gas	Pebbles	5.10	3.80	76%	Upgradable	410	560	250
⊗ P8691PBUC	E-Box™	Conventional	LPG	Pebbles	4.80	3.70	76%	Upgradable	410	560	250
⊗ 8692MCUC	E-Box™	Balanced flue	Nat. Gas	Coals	4.10	3.52	86%	Upgradable	410	560	235
⊗ P8692MCUC	E-Box™	Balanced flue	LPG	Coals	4.10	3.52	86%	Upgradable	410	560	235
⊗ 8692PBUC	E-Box™	Balanced flue	Nat. Gas	Pebbles	4.10	3.52	86%	Upgradable	410	560	235
⊗ P8692PBUC	E-Box™	Balanced flue	LPG	Pebbles	4.10	3.52	86%	Upgradable	410	560	235

FRAME AND FRONT INFORMATION

Product Code	Description	Frame Finish	Frame Size (mm)			Product Code	Description	Frame Finish	Front Size (mm)	
			w	h	d				w	h
Complete Front Choice						Fire Frame Choice cont'd.				
8699GP	Fusion	Graphite	520	1127	38	8283BPBR	Arts frame	Polished Brass & Matt Black	510	605
8699IR	Fusion	Iridium	520	1127	38	8283BP	Arts frame	Polished Stainless Steel & Matt Black	510	605
8687BK	Futura	Black	520	1127	48	8283BBS	Arts frame	Brushed Stainless Steel & Matt Black	510	605
8272GP	Designio front	Graphite	595	615	68	Fire Front Choice				
8272IR	Designio front	Iridium	595	615	68	8282MB	Arts fire front	Matt Black	390	230
8680MB	Dimension front	Matt Black	540	635	68	8282PBR	Arts fire front	Polished Brass	390	230
8258BS	Evolution front	Stainless Steel	489	597	45	8282P	Arts fire front	Polished Chrome	390	230
8256BS	Infiniti front	Stainless Steel	620	710	75	8282HP	Arts fire front	Highlight Polished	390	230
8253IR	Progress front	Iridium	520	598	60	8693MB	Hollywood fire front	Matt Black	385	210
8679	Richmond front	Black Cast Iron	540	665	50	8693PBB	Hollywood fire front	Polished Brass with black columns	385	210
8696	Stockton Inset front	Black Cast Iron	529	601	128	8693HP	Hollywood fire front	Highlight Polished	385	210
8697MB	Winchester	Matt Black	508	619	55	8693P	Hollywood fire front	Polished Chrome	385	210
Fire Frame Choice						8694MB	Spanish fire front	Matt Black	385	210
8283MB	Arts frame	Matt Black	510	605		8694HP	Spanish fire front	Highlight Polished	385	210
8283PBR	Arts frame	Polished Brass	510	605		8694PBR	Spanish fire front	Polished Brass	385	210
8283P	Arts frame	Polished Stainless Steel	510	605		8694P	Spanish fire front	Polished Chrome	385	210
8283BS	Arts frame	Brushed Stainless Steel	510	605						

E-Studio™

E-STUDIO™ FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Opening Size (mm)		
									w	h	d
⊗ 8691CFCHUC	E-Studio™	Conventional	Nat. Gas	White Stones	4.30	3.10	72%	Upgradable	410	560	250
⊗ P8691CFCHUC	E-Studio™	Conventional	LPG	White Stones	4.30	3.10	72%	Upgradable	410	560	250
⊗ 8692BFCHUC	E-Studio™	Balanced flue	Nat. Gas	White Stones	4.30	3.50	82%	Upgradable	410	560	235
⊗ P8692BFCHUC	E-Studio™	Balanced flue	LPG	White Stones	3.75	3.00	79%	Upgradable	410	560	235

FRAME AND FRONT INFORMATION

Product Code	Description	Frame Finish	Frame Size (mm)			Product Code	Description	Frame Finish	Frame Size (mm)	
			w	h	d				w	h
Complete Front Choice						Fire Front Choice				
8699GP	Fusion	Graphite	520	1127	38	8282MB	Arts fire front	Matt Black	390	230
8699IR	Fusion	Iridium	520	1127	38	8282PBR	Arts fire front	Polished Brass	390	230
8687BK	Futura	Black	520	1127	48	8282P	Arts fire front	Polished Chrome	390	230
8272GP*	Designio front	Graphite	595	615	68	8282HP	Arts fire front	Highlight Polished	390	230
8272IR*	Designio front	Iridium	595	615	68	*For E-Studio™ Balanced Flue fires, please specify the codes below.				
8680MB	Dimension front	Matt Black	540	635	68	8272BFGP	Designio front	Graphite		
8258BS*	Evolution front	Stainless Steel	489	597	45	8272BFIR	Designio front	Iridium		
8253IR*	Progress front	Iridium	520	598	60	8258BFBS	Evolution front	Stainless Steel		
8695GP	Steel front	Graphite	850	670	32	8253BFIR	Progress front	Iridium		
8695IR	Steel front	Iridium	850	670	32	8283BFMB	Arts frame	Matt Black		
8697MB	Winchester	Matt Black	508	619	55	8283BFPBR	Arts frame	Polished Brass		
Fire Frame Choice						8283BFP	Arts frame	Polished Stainless Steel		
8283MB*	Arts frame	Matt Black	510	605		8283BFBS	Arts frame	Brushed Stainless Steel		
8283PBR*	Arts frame	Polished Brass	510	605		8283BFBBR	Arts frame	Polished Brass & Matt Black		
8283P*	Arts frame	Polished Stainless Steel	510	605		8283BFBP	Arts frame	Polished Stainless Steel & Matt Black		
8283BS*	Arts frame	Brushed Stainless Steel	510	605		8283BFBS	Arts frame	Brushed Stainless Steel & Matt Black		
8283BPBR*	Arts frame	Polished Brass & Matt Black	510	605						
8283BP*	Arts frame	Polished Stainless Steel & Matt Black	510	605						
8283BBS*	Arts frame	Brushed Stainless Steel & Matt Black	510	605						

E-Box™ & E-Studio™ Fires

E-BOX™ OPTIONS AND ACCESSORIES


Product Code	Description
8455	Standard remote control kit
8456	Programmable Thermostatic Remote Control Kit
8315	Spacer kit (75mm) for conventional flue E-Box™

E-STUDIO™ OPTIONS AND ACCESSORIES

Product Code	Description
8455	Standard remote control kit
8456	Programmable Thermostatic Remote Control Kit

ADDITIONAL INFORMATION


Installation of E-Box™ & E-Studio™ Conventional Flue into Pre-cast Flue installations. (minimum 16,500mm²)




If your chimney has a shallow 'starter block' then use spacer kit 8315 and a 3" (75mm) deep rebate surround to achieve the C1 dimension. Pre cast flues with a deep 'starter block' may be installed in exactly the same way as a conventional masonry opening providing there is a depth of 8 1/2" (215mm) at C1.

Installation of E-Box™ & E-Studio™ Balanced Flue

Overall external dimensions (mm)



Min and max flue size length (mm)



Additional Note: Conventional E-Box™ and E-Studio™ fires require a minimum flue size of 5".

Diagrammatic representation only. Not accurate for installation purposes.

E-Box™ Balanced Flue
Minimum Flue Length = 88mm
Maximum Flue Length = 506mm
Recessed in to a cavity or a false chimney breast

VFC Fires

FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Remote Control	Opening Size (mm)		
									w	h	d
16" VFC Convactor Fires											
8420UC	VFC Convactor 16"	Class1/PF	Nat. Gas	Coals	9.45	4.75	50%	Upgradable	410	560	310
P8420UC	VFC Convactor 16"	Class1/PF	LPG	Coals	9.50	4.75	50%	Upgradable	410	560	310
⊗ 8421UC	VFC Convactor 16" (RD)	Class1/PF	Nat. Gas	Coals	6.85	3.43	50%	Upgradable	410	560	310
⊗ P8421UC	VFC Convactor 16" (RD)	Class1/PF	LPG	Coals	6.65	3.30	50%	Upgradable	410	560	310
8461UC	VFC Convactor 16" (LL)	Class1/PF	Nat. Gas	Coals	9.45	4.75	50%	Upgradable	410	510	310
⊗ 8463UC	VFC Convactor 16" (LL / RD)	Class1/PF	Nat. Gas	Coals	6.85	3.43	50%	Upgradable	410	510	310
18" VFC Convactor Fires											
8425UC	VFC Convactor 18"	Class1/PF	Nat. Gas	Coals	10.60	5.30	50%	Upgradable	460	560	310
P8425UC	VFC Convactor 18"	Class1/PF	LPG	Coals	10.60	5.30	50%	Upgradable	460	560	310
8466UC	VFC Convactor 18" (LL)	Class1/PF	Nat. Gas	Coals	10.60	5.30	50%	Upgradable	460	510	310
22" VFC Convactor Fires											
8430UC	VFC Convactor 22"	Class1/PF	Nat. Gas	Coals	12.30	6.15	50%	Upgradable	560	560	310
P8430UC	VFC Convactor 22"	Class1/PF	LPG	Coals	12.70	6.35	50%	Upgradable	560	560	310
8471UC	VFC Convactor 22" (LL)	Class1/PF	Nat. Gas	Coals	12.30	6.15	50%	Upgradable	560	510	310
16" VFC Tapered Fires											
8300UC	VFC Tapered 16"	Class 1	Nat. Gas	Coals	9.45	2.35	25%	Upgradable	See table opposite		
P8300UC	VFC Tapered 16"	Class 1	LPG	Coals	9.50	2.40	25%	Upgradable	See table opposite		
⊗ 8301UC	VFC Tapered 16" (RD)	Class 1	Nat. Gas	Coals	6.85	1.70	25%	Upgradable	See table opposite		
⊗ P8301UC	VFC Tapered 16" (RD)	Class 1	LPG	Coals	6.65	1.65	25%	Upgradable	See table opposite		
18" VFC Tapered Fires											
8305UC	VFC Tapered 18"	Class 1	Nat. Gas	Coals	10.60	2.65	25%	Upgradable	See table opposite		
P8305UC	VFC Tapered 18"	Class 1	LPG	Coals	10.60	2.65	25%	Upgradable	See table opposite		
22" VFC Tapered Fires											
8310UC	VFC Tapered 22"	Class 1	Nat. Gas	Coals	12.30	3.05	25%	Upgradable	See table opposite		
P8310UC	VFC Tapered 22"	Class 1	LPG	Coals	12.70	3.05	24%	Upgradable	See table opposite		

LL = Low Limit RD = Reduced Draught Fire (input below 7kW so no additional ventilation required) Class1/PF = Suitable for Class 1 chimneys or a powered flue installation

FRAME AND FRONT INFORMATION

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
16" VFC Convactor Complete Front Choice					
8251GP	Designio front	Graphite	595	615	68
8251IR	Designio front	Iridium	595	615	68
8257BS	Evolution front	Stainless Steel	489	597	45
8249BS	Infinity front	Brushed Stainless Steel	620	710	75
8253IR	Progress front	Iridium	520	598	60
8678	Richmond front	Black Cast Iron	540	635	50
22" VFC Convactor Complete Front Choice					
8252GP	Designio front	Graphite	730	615	68
8252IR	Designio front	Iridium	730	615	68
8259BS	Evolution front	Stainless Steel	639	597	45
8254IR	Progress front	Iridium	670	598	60

VFC Fires

FRAME AND FRONT INFORMATION cont'd.

VFC Convactor and VFC Tapered Fire Front Choice

Description	Frame Finish	16" Convactor Fires				18" Convactor Fires				22" Convactor Fires			
		Product Code	Dimensions (mm)		Product Code	Dimensions (mm)		Product Code	Dimensions (mm)				
			w	h		w	h		w	h			
Arts fire front	Matt Black	8282MB	390	230	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts fire front	Polished Brass	8282PBR	390	230	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts fire front	Polished Chrome	8282P	390	230	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts fire front	Highlight Polished	8282HP	390	230	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Hollywood fire front	Matt Black with brass finials	8391	385	265	8392	440	265	8393	540	265			
Hollywood fire front	Polished Brass with black columns	8397	385	265	8398	440	265	8399	540	265			
Hollywood fire front	Highlight Polished	8150	385	210	8151	440	210	8152	540	210			
Hollywood fire front	Polished Chrome	8397P	385	210	8398P	440	210	8399P	540	210			
Spanish fire front	Matt Black	8382	385	210	8383	440	210	8384	540	210			
Spanish fire front	Polished Brass	8388	385	210	8389	440	210	8390	540	210			
Spanish fire front	Highlight Polished	8153	385	210	8154	440	210	8155	540	210			
Spanish fire front	Polished Chrome	8388P	385	210	8389P	440	210	8390P	540	210			

VFC Convactor Frame Choice


Description	Frame Finish	16" Convactor Fires				18" Convactor Fires				22" Convactor Fires			
		Product Code	Dimensions (mm)		Product Code	Dimensions (mm)		Product Code	Dimensions (mm)				
			w	h		w	h		w	h			
Arts frame	Matt Black	8284MB	510	605	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts frame	Polished Brass	8284PBR	510	605	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts frame	Polished Stainless Steel	8284P	510	605	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts frame	Brushed Stainless Steel	8284BS	510	605	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts frame	Polished Brass & Matt Black	8284BPBR	510	605	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts frame	Polished Stainless Steel & Matt Black	8284BP	510	605	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Arts frame	Brushed Stainless Steel & Matt Black	8284BBS	510	605	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
Decorative frame #	Matt Black	8285	505	610	8286	560	605	8287	655	605			
Decorative frame #	Polished Brass	8266	505	610	8267	560	605	8268	655	605			
Decorative frame #	Polished Stainless Steel	8232	505	610	8233	560	605	8234	655	605			
Decorative frame #	Brushed Stainless Steel	8235	505	610	8236	560	605	8237	655	605			
Profil (Standard) frame #	Matt Black	8345	490	600	8355	540	600	8365	640	600			
Profil (Standard) frame #	Polished Brass	8340	490	600	8350	540	600	8360	640	600			
Profil (Standard) frame #	Polished Stainless Steel	8342	490	600	8352	540	600	8362	640	600			
Profil (Standard) frame #	Brushed Stainless Steel	8229	490	600	8230	540	600	8231	640	600			
Profil (Standard) frame - LL #	Matt Black	8346	490	545	8356	540	545	8366	640	545			
Profil (Standard) frame - LL #	Polished Brass	8341	490	545	8351	540	545	8361	640	545			
Profil (Standard) wide frame #	Polished Brass	8280	530	615	8281	580	618	N/A	N/A	N/A			

ADDITIONAL INFORMATION

You can install a VFC Convactor Fire with a Stovax Cast Iron Victorian, Art Nouveau or Combination Fireplace. Please consult your local Gazco and Stovax dealer for further information.

If you are fitting a Decorative or Profil frame with an Arts Front, an additional fitting kit will be provided to ease installation.

** The power flue kit includes 500mm flue pipe. Any extra flue pipe needs to be purchased separately, and needs to be of 125mm twin wall construction (not supplied by Gazco).



	16"	18"	22"
A	15" 380mm	17" 432mm	20 3/4" 527mm
B	7 1/2" 190mm	7 1/2" 190mm	7 1/2" 190mm
C	7" 180mm	7" 180mm	7" 180mm
D	10 1/4" 260mm	12 1/4" 310mm	16 1/4" 414mm

OPTIONS AND ACCESSORIES


Product Code	Description
8455	Standard remote control kit for VFC Convactor
8435	Power Flue kit for VFC coal convactor fires, with brass wall switch. **
8435BS	Power Flue kit for VFC coal convactor fires, with brushed steel wall switch. **
8448	Rear exit flue adaptor for power flue kit
8449	Top exit flue adaptor for power flue kit
8454	Safety terminal guard (required if power flue outlet is below 2 metres)

Additional Note: VFC fires require 7" minimum flue size.

Stilo Fires

FRAME & FRONT INFORMATION

Description	Frame Finish	Frame Size (mm)	
		w	h
Stilo front for Premier Slimline & Power Flue Convactor	Iridium	470	615



FIRE INFORMATION

Product Code	Description	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Efficiency	Opening Size (mm)		
								w	h	d
⊗ K8216	Premier Slimline Convactor	Class 1 & 2	Nat. Gas	Coal	6.80	3.30	48%	350	560	123
⊗ K8191	Premier Slimline Power Flue Convactor	Power flue	Nat. Gas	Coal	6.70	3.10	46%	350	560	See info above
K1525	Premier Electric Inset	N/A	Electric	Coal	N/A	2.00	99%	406	559	110

Gas Fires for Stovax Classic Fireplaces

FIRE INFORMATION

Product Code	Fireplace	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)
8000MCUC	Victorian Tiled Insert	Class 1	Nat. Gas	Coals	10.00	2.00
P8000MCUC	Victorian Tiled Insert	Class 1	LPG	Coals	10.00	2.00
8210MCUC	Victorian Tiled Front	Class 1	Nat. Gas	Coals	12.00	2.40
P8210MCUC	Victorian Tiled Front	Class 1	LPG	Coals	12.00	2.40
8002MCUC	Horseshoe Insert	Class 1	Nat. Gas	Coals	10.00	2.00
P8002MCUC	Horseshoe Insert	Class 1	LPG	Coals	10.00	2.00
8004MCUC	Adelaide Insert	Class 1	Nat. Gas	Coals	10.00	2.00
P8004MCUC	Adelaide Insert	Class 1	LPG	Coals	10.00	2.00
8041MCUC	Regency Hob Insert	Class 1	Nat. Gas	Coals	9.00	1.80
P8041MCUC	Regency Hob Insert	Class 1	LPG	Coals	9.00	1.80
8062MCUC	Combination Insert	Class 1	Nat. Gas	Coals	10.00	2.00
P8062MCUC	Combination Insert	Class 1	LPG	Coals	10.00	2.00
8064MCUC	Arched Insert	Class 1	Nat. Gas	Coals	10.00	2.00
P8064MCUC	Arched Insert	Class 1	LPG	Coals	10.00	2.00
8102MCUC	Art Nouveau Tiled Insert	Class 1	Nat. Gas	Coals	10.00	2.00
P8102MCUC	Art Nouveau Tiled Insert	Class 1	LPG	Coals	10.00	2.00
8202MCUC	Art Nouveau Tiled Front	Class 1	Nat. Gas	Coals	12.00	2.40
P8202MCUC	Art Nouveau Tiled Front	Class 1	LPG	Coals	12.00	2.40
8300UC	Poppy & Wheatsheaf Tiled Front	Class 1	Nat. Gas	Coals	9.45	2.35
P8300UC	Poppy & Wheatsheaf Tiled Front	Class 1	LPG	Coals	9.50	2.40
⊗ 8301UC	Poppy & Wheatsheaf Tiled Front (RD)	Class 1	Nat. Gas	Coals	6.85	1.70
⊗ P8301UC	Poppy & Wheatsheaf Tiled Front (RD)	Class 1	LPG	Coals	6.65	1.65
8023MCUC	Knightsbridge & Kensington Insert	Class 1	Nat. Gas	Coals	16.0	3.20
P8023MCUC	Knightsbridge & Kensington Insert	Class 1	LPG	Coals	16.0	3.20
8023LUC	Knightsbridge & Kensington Insert	Class 1	Nat. Gas	Logs	16.0	3.20
P8023LUC	Knightsbridge & Kensington Insert	Class 1	LPG	Logs	16.0	3.20

RD = Reduced Draught Fire (input below 7kW so no additional ventilation required)

OPTIONS AND ACCESSORIES

Product Code	Description
8455	Standard remote control kit

Electric Fires for Stovax Classic Fireplaces

FIRE INFORMATION

Product Code	Fireplace	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)
9000	Victorian Tiled Insert	N/A	Electric	Coals	N/A	2.00
9062	Combination Fireplace	N/A	Electric	Coals	N/A	2.00
9064	Arched Insert	N/A	Electric	Coals	N/A	2.00
9102	Art Nouveau Tiled Insert	N/A	Electric	Coals	N/A	2.00

Fire Baskets

Model	Gas Controls		Overall Dimensions WxHxD in mm			Fuel Options					Gas Heat Outputs (kW)						
	Front	Right side	Small	Medium	Large	Solid fuels	Electric coals	Gas coals	Gas logs	Gas driftwood	Gas glass	Small In	Small Out	Medium In	Medium Out	Large In	Large Out
Adam	✓	–	420x440x285	–	–	✓	✓	✓	✓	–	–	13.0	2.65	–	–	–	–
Amhurst††	✓	✓	395x330x275	520x330x280	–	✓	✓	✓	✓	–	–	12.0	2.4	15.0	3.0	–	–
Art Deco*†	✓	✓	395x305x280	520x305x280	–	✓	✓	✓	✓	–	–	12.0	2.4	15.0	3.0	–	–
Ascot*	–	✓	735x355x405	–	–	–	✓	✓	✓	–	–	15.0	3.0	–	–	–	–
Aspen*	✓	–	600x160x400	–	760x160x510	–	–	✓	✓	✓	✓	13.0	2.6	–	–	15.0	3.0
Audley*	–	✓	520x300x280	–	–	✓	✓	✓	✓	–	–	15.0	3.0	–	–	–	–
Chamonix (Steel)	✓	–	600x160x400	650x160x350	–	–	–	✓	✓	✓	✓	13.0	2.6	15.0	3.0	–	–
Chamonix (Glass)	✓	–	535x485x305	–	–	–	–	✓	✓	✓	✓	13.0	2.6	–	–	–	–
Cheltenham*	–	✓	535x485x305	–	–	–	–	✓	✓	✓	✓	15.0	3.0	–	–	–	–
Cromwell	✓	–	395x150x250	–	490x150x275	✓	–	✓	✓	–	–	12.0	2.4	–	–	15.0	3.0
Davos	✓	–	560x230x310	–	–	–	–	✓	✓	✓	–	11.0	2.2	–	–	–	–
Dorchester*	–	✓	520x330x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Earlswood*	–	✓	520x330x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Halifax*	–	✓	520x455x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Harlech*	–	✓	520x485x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Inverness*	–	✓	535x685x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Kendal*	–	✓	900x660x430	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Kennet*	–	✓	520x645x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Ludlow*	–	✓	560x645x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Melbury*	–	✓	740x645x405	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Milan †	✓	✓	601x305x378	727x305x378	–	–	–	✓	✓	✓	–	12.0	2.4	15.0	3.0	–	–
Montrose*	–	✓	740x580x405	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Plymouth	✓	–	430x440x285	–	–	–	–	✓	✓	✓	–	15.0	2.6	–	–	–	–
Portland*	–	✓	520x305x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Portland Extended*	–	✓	735x305x308	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Pub Scene	✓	–	430x455x285	–	–	–	–	✓	✓	✓	–	13.0	2.6	–	–	–	–
Rochester*	✓	✓	520x415x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Stratford*	✓	✓	520x330x280	–	–	–	–	✓	✓	✓	–	15.0	3.0	–	–	–	–
Spanish	✓	–	447x235x318	–	525x235x369	✓	–	✓	✓	–	–	13.0	2.6	–	–	15.0	3.0
Swan's Nest ††	–	–	800x435x490	950x435x490	1250x435x525	–	–	–	–	–	–	16.0	3.2	21.9	4.4	32.0	6.4
Tahoe	✓	–	630x165x300	–	–	–	–	–	✓	✓	–	12.0	2.4	–	–	–	–

* Allow 150mm between basket and fireplace opening to reach right hand side controls.

** All electric fire basket controls are located at the front of the basket.

† Please note the Small Amhurst, Small Art Deco and Small Milan can be supplied as reduced draft versions where the input is under 7kW. This means that no air vent will be required.

†† Swan's Nest has 'extended' controls only.

Technical Specifications

All specifications given in this brochure are approximate. Actual specifications for each individual product will vary according to model. Your Gazco retailer will be pleased to provide any further information you require or you may view/download specification sheets from www.gazco.com

Installation

Gazco gas fires must be fitted by a qualified gas installer (CORGI registered in the UK) who should also verify the proposed site conditions are fully suitable for the product selected. Complete installation instructions for many models can be obtained prior to purchase by downloading them from www.gazco.com

Colours

Owing to variations in studio lighting and printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish/colour samples.

Care and maintenance

Traditional materials, such as polished steel and brass, tarnish on contact with air, especially when also exposed to heat. To help minimise this effect, we recommend fires receive regular treatment with Stovax Steel Cleaner and Stovax Brass & Copper Polish. Other surfaces can be maintained from time to time with Stovax Stainless Steel Cleaner and Stovax Traditional Black Grate Polish. Additionally, please remember that gas fires will require servicing annually by a CORGI registered engineer.

Product improvement

Gazco's policy is one of constant product improvement. Appliances may therefore sometimes differ from the descriptions or illustrations in this brochure.

Please note: The operation and appearance of gas appliances depends on variable factors such as gas pressure supplied and exact fire conditions.

Air ventilation for gas fires

To comply with gas appliance installation regulations, all Studio 2 and 3 Open Fronted fires, all Glass Fronted Conventionally flued Studio 2 fires, all Standard VFC Convector and tapered fires, all fires for Stovax Classic Fireplaces and most Fire Baskets require additional ventilation into your room. Please consult either your Gazco retailer or the Gazco Technical Information on our website www.gazco.com to confirm the ventilation required. Gazco offer suitable wall and floor vents which are available from your local retailer. All other fires featured in this brochure do not require additional ventilation.



Wall Vent -
One size, choice of
brass or stainless steel



Floor Vent -
Two sizes, brass only

Other products offered by the Gazco family that may be of interest to you include:



Gazco Stoves

www.gazco.com

Featuring one of the widest selections of contemporary and traditional Stoves, there is a Gazco stove for every style of home. Offering you the wonderful ambience of a real fire-effect with superb efficiency, these beautiful stoves give you a choice of gas or electric to heat your home.



Redfyre Range Cookers

www.redfyrecookers.co.uk

Handcrafted by skilled artisans, Redfyre's leading collection of range cookers build upon their heritage dating back to 1931. A multitude of versions and options are available including the Traditional, Central Heating or Universal – combining the heat store efficiencies with the utmost of modern usability. All versions are available in a choice of 6 beautifully enamelled colours and options including a choice of gas, oil or electric; 2 or 4 ovens; round or square hobplate covers; gas, electric or induction hobs; the ability to run up to 24 radiators and provide domestic hot water.



Godin Cookers

www.godincookers.co.uk

Godin cookers and stoves have been manufactured in France since 1840. Now available in the UK and Republic of Ireland through Redfyre range cookers is the Godin cookers family of the Souveraine, Chatelaine and Exclusive cookers. Godin cookers have a reputation as leader in the development of heating and cooking products and artfully blend tradition with innovation to provide the ultimate kitchen accoutrements. Individually handmade to the highest standards, these professional quality appliances are the cookers of choice for many Michelin chefs.




Wamsler Cookers and Stoves

www.wamslercookers.co.uk

Wamsler products, synonymous with the manufacture of solid fuel cookers and heating products, are now available in the UK and Republic of Ireland through Redfyre range cookers. Featuring a wide choice of solid fuel cookers, central heating cookers and multi-fuel stoves that are particularly suited to British & Irish homes, Wamsler offer a viable ecological way to heat your home and cook.

To receive a copy of the Gas Stoves brochure, please call 01392 474061. For a copy of Redfyre, Godin or Wamsler brochures please call 01392 474079. Alternatively, details on the full range of products and Brochure PDF's, along with your nearest dealers contact details, can be found at all the websites as detailed above.

Gazco is a member of the Stovax Group which manufactures and distributes many other high quality fireplace products:



Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

Furnishings and Ornaments:- www.furniturevillage.co.uk; www.lauraashley.com; www.faginsantiques.com; www.theorangetree.co.uk; www.habitat.co.uk; www.houseoffraser.co.uk; www.ashorejewellery.co.uk; www.electique.co.uk; www.debenhams.com; www.next.co.uk; Pilgrim 01404 41219
Wood Mantels:- www.stovax.com **Stone Mantels:-** www.farmington.co.uk; www.bnsp.co.uk; www.grandisson.com
Wood flooring:- www.beechbros.co.uk **Tiles & Stone floors:-** www.originalstyle.com **Televisions:-** www.heavtreeradio.co.uk
Plants:- www.sbridgegnurseries.co.uk **Paintings:-** www.easyart.com