



Research findings indicate that overheating your baby with too much clothing or too warm of a room temperature may increase the risk of SIDS, particularly if they have a fever. Parents are encouraged to set the room temperature to what would be comfortable for a lightly clothed adult and layer the baby's clothing/sleepwear to keep the baby at a comfortable temperature without the use of loose blankets in the crib. Your baby should never feel hot to the touch.



A percentage of this product will be donated to First Candle/SIDS Alliance to help babies survive and thrive.

SAFE SLEEP SAVES LIVES! First Candle reminds parents and caregivers that the safest place for your baby to sleep, for at least the first six months, is **ALONE**, on his or her **BACK**, in a safety approved **CRIB** placed near your bed. By following these simple rules, you can help protect your baby from SIDS, suffocation and accidents during sleep.

- **ALWAYS** place your baby to sleep on his or her back on a firm mattress covered with only a tight-fitting sheet
- Remove all soft bedding and other items from your baby's sleep area (pillows, blankets, quilts, stuffed animals, etc.)
- Soft or pillow-like bumpers, wedges and positioners should never be used in your baby's sleep area
- Use a wearable blanket or other type sleeper instead of loose blankets to keep your baby warm and safe
- Do not place your baby to sleep on any soft surfaces (sofas, chairs, waterbeds, quilts, adult beds, etc.)
- Bring your baby into bed for feedings and bonding, but when it's time to go to sleep, place your baby alongside your bed in his or her own separate space
- Consider offering your baby a pacifier every time you place him or her down to sleep - research shows that regular use of a pacifier can greatly reduce the risk of SIDS
- Don't let your baby get too warm - layer clothing and keep room temperature at what would be comfortable for a lightly clothed adult
- Make sure your baby has a safe place to sleep when visiting or traveling
- Educate everyone who cares for your baby about these important rules!

For more information on ways to help your baby survive and thrive, visit www.firstcandle.org or call 1.800.221.7437.



We **LOVE** our customers!
Get to know us at:

www.summerinfant.com

We at Summer Infant stand behind all of our products. If you are not completely satisfied or have any questions, please contact our customer service department at 1-800-268-6237 or customerservice@summerinfant.com (For Europe Call +44 (0)208 420 4429 or customerserviceuk@summerinfant.com)

Summer Infant, Inc.
1275 Park East Drive
Woonsocket, RI 02895 USA
1-800-268-6237

Summer Infant Europe, LTD.
Office Suite 6, Second Floor
Bournehall House, Bournehall Road
Bushey, Hertfordshire WD23 3HP UK
+44 (0) 208 420 4429

© 2008 Summer Infant, Inc.
Colors and styles may vary.
Please retain information
for future reference.
MADE IN CHINA. 2/09



02710

Please read the following instructions and warnings carefully.
Keep this instruction manual for future reference.

Tools required:
Phillips head screwdriver (not included).
For technical support see back page.
For use with children from birth and up.

⚠ WARNING:
Adult assembly required.
Keep small parts away from children when assembling.

INSTRUCTION MANUAL

SECURE SLEEP™ MONITOR



⚠ CAUTION:
KEEP SMALL PARTS OUT OF CHILD'S REACH.

WARNING:

THIS PRODUCT CANNOT REPLACE RESPONSIBLE ADULT SUPERVISION.

- Prevent cord entanglement – do not place transmitter in crib or within arm's reach of baby. Never use extension cords with AC adapters. Only use the AC Adapters provided.
- When an AC Adapter is plugged into an electrical outlet, do not touch the exposed end.
- Test monitor before first use, periodically, and when changing location of the components.
- Do not use monitor near water (such as bathtub, sink, etc.).
- Keep monitor away from heat sources (such as stoves, radiators, etc.) and make sure there is proper ventilation (not on sofas, cushions, beds, etc. which may block ventilation).
- Nursery monitors use public airwaves to transmit and receive signals. This monitor may pick up signals from other monitors or similar devices, and signals broadcast by this monitor may be picked up by other receivers.
- This product is not a toy. Do not allow children to play with it.

BATTERY WARNING:

- Do not mix old and new batteries.
- Do not mix alkaline, standard, or rechargeable batteries.
- Remove batteries and unplug the rechargeable battery pack pig tail when product is stored for long period of time or when batteries are exhausted.
- Dispose of exhausted batteries properly.
- Use only the original rechargeable battery pack. Warranty void if other batteries are used. Please contact Summer Infant, Inc. for a replacement battery pack, contact information can be found at the end of the instruction booklet.

FCC Information

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION: Changes or modifications not expressly approved by Summer Infant may void the users authority to operate this equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiver
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

NOTE: Use only the original rechargeable battery pack. Warranty void if other batteries are used. Please contact Summer Infant, Inc. for a replacement battery pack, contact information can be found on the next page.

Summer Infant, Inc. Monitor Warranty Policy

Summer Infant, Inc. will repair or replace (at our option) your unit free of charge for 12 months from the date of purchase if the unit is defective in workmanship or materials. To claim your repair/replacement, the product must be returned to Summer Infant along with a copy of the original purchase receipt. In the absence of the purchase receipt, the warranty will be 12 months from the date of manufacture. This warranty does not apply to normal wear or damage from misuse, abuse, improper storage and handling, installation, accident, unauthorized repair or alteration. Please contact our Customer Service Department by phone at 1-800-268-6237 or via e-mail at customerservice@summerinfant.com for details.

TIPS FOR IMPROVING RECEPTION:

- Position the Parent's Unit closer to the Baby's Unit if necessary.
- Move Parent's Unit away from other monitors, cordless phones, walkie-talkies, etc.; moving even slightly could greatly improve reception.
- If you hear a feedback or squealing noise, move the Baby's Unit and the Parent's Unit further away from each other.

PROBLEM SOLVING:

No sound coming from speaker

- Make sure both Units are "ON."
- Set volume to a higher setting.

Static

- Move the Parent's Unit closer to the Baby's Unit.

Squealing noise

- Parent's Unit and Baby's Unit too close together – move further apart.
- Turn down the volume on Parent's or both Units.


Weak reception or no reception

- Make sure both Units are turned on.
- Move Parent's Unit closer to the Baby's Unit.
- Make sure the battery is charged.


If you experience a problem that is not noted in this manual, please do not return the product to the store. Our Customer Service Department may have a simple solution to your problem. Please call 1-800-268-6237 or e-mail us at customerservice@summerinfant.com.

FEATURES & COMPONENTS:

PARENT UNIT:



Parent Unit (Back View):



3.6V Rechargeable Battery (one)



Parent Unit AC Adapter




BABY UNIT:



Temperature Glow On/Off Button (bottom of unit)

Baby Unit (Back View):



SET UP & USE:

Baby's Unit

Step 1: Place the Baby's Unit in the nursery near the crib on a flat surface, such as a dresser, bureau or shelf (not in the crib or within child's reach). Plug the Adapter into a standard electrical outlet.

Note: Be sure to keep all cords out of baby's reach.

Step 2: Slide power switch on back of unit to either °F or °C setting. You should see a temperature displayed on the screen on the front of the unit.

Baby Unit's housing and screen will glow (most visibly in dimly lit rooms) based on temperature in the Baby's room as shown below:

Note: Do not place the baby's unit near open windows, direct sunlight or heat sources as temperature accuracy may be effected.

Blue – Too Cool - Lower than 67°F

Yellow – Recommended Temperature - 67°F - 73°F

Red – Too Warm – Higher than 73°F

Note: Press the GLOW on/off button on the bottom of the Baby's Unit to disable glow.

Parent's Unit

Note: Charge battery in Parent's Unit (in portable/battery mode) for 12-16 hours before first use.

Step 1: Place the Parent's Unit in the room from which you want to monitor your baby (ie. bedroom or living room). Plug an AC Adapter into the AC Adapter Jack on the right side of the Parent's Unit recharger base and the other end into a standard electrical outlet.

Step 2: Turn unit on and adjust volume level by using Power/Volume Dial on left side of the Parent's Unit. You should see a temperature display on the screen on the front of the unit.

Temperature display and screen color will correspond to the temperature in the child's room.

SET UP & USE (continued):

To use the Parent's Unit in Portable Mode

For use in portable mode, the Parent's Unit requires one 3.6 V rechargeable battery (included). Open battery compartment door using a phillips screwdriver and make sure battery is connected. Replace battery compartment door. When the power LED is amber color, the battery needs to be recharged.



Tips:

- Before using monitor in portable mode (battery), be sure to charge battery 12-16 hours.
- To charge battery, plug the larger AC Adapter into the Monitor's AC Adapter Jack. Plug the other end into a standard electrical outlet.
- After initial 12-16 hour charge, to achieve optimal battery life, charge battery overnight and unplug all day during use.

Battery Installation:

Note: This step is only needed if replacing battery.

1. Locate the battery compartment door on back of monitor.
2. Loosen screws, open battery compartment door and connect battery as shown (Figure A). Replace door and tighten screw.




Testing the Product

You should be able to clearly hear all levels of sound coming from the Baby's Unit through the Speaker on the Parent's Unit. Digital technology will automatically scan and select a free and secure channel so you only hear your baby. If no sound comes from the Speaker of the Parent's Unit check to make sure all cords are fully plugged in and connected and batteries are fresh. Make sure both Units are turned on.

Belt Clip:

For convenience and portability, you can clip the Monitor to your belt or waistband after a battery has been installed.



For baby unit,

To comply with FCC and IC RF radiation exposure limits for general population, this device must be installed to provide a separation distance of at least 20cm from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter.

For parent unit

To comply with FCC and IC RF radiation exposure limits for general population, this device must not be collocated or operating in conjunction with any other antenna or transmitter.