


*SUPER STAR TECHNOLOGY CO., LTD.  
FCC ID.: JA7TM-1305T8  
EUT: REMOTE CONTROLLER TRANSMITTER*

***Exhibit E..... User's Manual***



### REF. MANUAL FOR LIGHT REMOTE

THE WIRELESS REMOTE CONTROLLER USES RADIO WAVES TO TRANSMIT THE CODED SIGNAL FROM THE LIGHT REMOTE TO THE 3 RECEIVER UNITS. THIS OFFERS YOU PORTABILITY AND EASY INSTALLATION.

#### FUNCTIONS:

ZONE 1 PROVIDES THE DUAL DIMMER FUNCTION FOR ANY LIGHTING APPLIANCES WITH 300W IN TOTAL FOR 2 OUTLETS.

#### INSTALLATION:

PLUG THE RECEIVER ON THE MAINS AND THEN YOU CAN DIM THE LIGHTS BY REMOTE FROM ANY DIRECTION WITHIN THE DISTANCE OF 100 FEET.

ZONE 2 PROVIDES THE DIMMER FUNCTION FOR BULBS THAT ARE WITHIN 200W MAX.

#### INSTALLATION:

TWIST THE BULB TO THE BULB SENSOR AND THEN THE BULB SENSOR TO THE BULB HOLDER AND YOU CAN CONTROL YOUR THE BULB WITH THE REMOTE FROM ANY DIRECTION WITHIN 100 FEET.

ZONE 3 PROVIDES THE ON/OFF FUNCTION FOR ANY ELECTRICAL APPLIANCES WITHIN 1000W. FOR EXAMPLE FANS, STEREO, TV, COFFEE MAKER ETC.

**INSTALLATION:**

---

PLUG THE RECEIVER ON THE MAINS AND THEN YOU CAN TURN ON/OFF ANY ELECTRICAL APPLIANCES WITHIN 1000W BY REMOTE FROM ANY DIRECTION WITHIN THE DISTANCE OF 100 FEET.

**SPECIFICATIONS:**

POWER: 120V/60Hz

FREQUENCY: 303.875 MHz

OPERATING DISTANCE: 100 FEET

SECURITY CODES: 256

BATTERY: 3 PCS. TRIPLE A (TRANSMITTER)

BATTERY LIFE: 2 YEARS APPROX.