



Clean Track™ 12

Carpet Extractor

- Laminar flow vacuum shoe
- Single spray jet technology
- Self-leveling brush
- No-tools removable brush
- See-through solution lid
- Removable solution filter
- Compact, portable yet professional grade
- Easy operation



The Clarke® Clean Track™ 12 carpet extractor gives you big cleaning capacity for those small areas.

Trusted. Reliable. Efficient.

Clarke®


Large capacity cleaning in small areas!

With its large five gallon solution tank, the Clarke® Clean Track™ 12 carpet extractor gives you big cleaning capacity for those small areas. Single spray jet technology delivers even, consistent flow for deep, uniform extraction and helps eliminate clogging and streaks. Combined with a laminar-flow vacuum shoe that recovers more moisture from the carpet, the controlled water usage lets carpet dry quickly, and normal traffic to resume without extended interruption.

The small footprint and straight-forward controls make the Clean Track™ 12 easy to operate and maneuver. The 12 inch cleaning path allows extraction in tight spaces. Operating instructions on the control panel are displayed in icons rather than words for universal understanding. A see-through lid on the solution cover lets operators monitor solution recovery. With its hand grips and compact folding handle, the Clean Track 12 extractor is easy to lift and transport.



Hand grips and compact folding simplify easy lifting and transport.





Ergonomic adjustable handle for ease of use. Also allows for compact folding for tight storage spaces.

See-through lid on solution tank allows the operator to monitor recovery.

Universal symbols on control panel simplify for easy operation.

The recovery tank has a large opening at the top allowing easy dumping and cleaning.

Optional quick-connect for spotting upholstery tool or wand.



The 12 inch scrub brush can be removed and installed without the use of tools.


The brush storage clip prevents carpet set.



The vacuum shoe is designed with laminar flow technology allowing more moisture recovery, resulting in fast drying times.



Fold down handle for easy storage and transportation.



Universal symbols on the control panel simplify easy operation.



SPECIFICATIONS	Clean Track 12
Part Number	56265230
Cleaning Path	12 in
Solution Tank	5 gal
Recovery Tank	4 gal
Vacuum Motor	1.2 hp - Two stage
Brush Motor	0.25 hp
Water Lift	85 in (216 cm)
Vacuum Shoe	12 in (30.5 cm)
Flow Rate	0.43 gallons @ 60 psi
Power Cable	25 ft safety yellow
Dimensions (L x W x H)	25 in x 13 in x 26 in / Storage - 25 in x 13 in 28.5 in
Weight	68 lb
Shipping Weight	83 lb
Warranty	1 Year Parts & Labor

Specifications are subject to change without notice.



Who uses this machine?

- Healthcare Facilities
- Schools
- Restaurants
- Hotels and Motels
- Office Buildings
- Retail Stores and Malls

What does it do best?

- Cleans in tight spaces
- Operates quietly

What makes it easy to use?

- Ergonomically designed control handle
- Well-balanced
- Easy-to-read controls and gauges

What enhances its productivity?

- Two stage vac motor
- 5 gallon solution tank
- Optional quick connect for spotting tool or wand

What adds to its durability?

- Patented Polydur® exterior
- Non-marking gray wheels

What are its safety features?

- 25 foot safety yellow power cord
- Lightweight design
- Controlled water flow to enhance dry times
- ETL approved



9435 Winnetka Avenue North • Brooklyn Park, MN 55445
 Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2
 Phone: 800.668.8400 • Fax: 800.263.5111

©2011 Nilfisk, Inc. All rights reserved. P/N 71138A 11/11

Clarke®

www.clarkeus.com