

User Manual

SYNIC-IA2

Product : IA2 Wireless Card type TX

Model Name : C2TXI24G-V3

Version 0.1

March 18 2008

Syncomm Technology Corp.

6F-15, No. 81, Shuei-Li Rd., Hsinchu City, Taiwan, R.O.C.

Tel: +886-3-5169188

Fax: +886-3-5169111

<http://www.syncomm.com.tw>

INDEX

1. Audio Play	3
2. ID Learn	4
3. Federal Communication Commission Interference Statement	8
4. Revision History	9

This document is proprietary and confidential to Syncomm Technology Corp.
SYNIC and Intelligent Wireless are trademarks of Syncomm Technology Corp.
All other trademarks and registered trademarks are the property of their respective owners.

1. Audio Play

Step 1. Push Switch bottom to PLAY



Step 2. Turn off system power and insert Cardtype into socket



Step 3. Turn on system power

2. ID Learn

Step 1. Push Switch bottom to ID



Step 2. Turn off system power and insert Cardtype into socket



Step 3. Turn on system power

Step 4. After hearing ID_Learn success sound, turn off system power and than draw out Cardtype form socket



Step 5. Push Switch bottom back to PLAY



Step 6. Insert Cardtype back into socket and turn on system power



3. Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- . Reorient or relocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.**

4. Revision History

Date	Revision	Descriptions
2008/3/18	0.0	First release