Name : **1 Circuit --- RF, Touched, 2-Way Cut** Model No. : LM-312M Power & Loading: LM-312M (AC-110V, Max. Load 1,000W)

Wiring Diagram:

PLS check Annex A for the detail & install switches according to the site environment

Setup Stick PLS Prepare Voluntarily Setup Button LED Indicator


Button/Circuit(s) Settings

Setting / Control

- 1. PLS use [-] screwdriver (wound with tape) to dismantle the panel.
- 2. Press & hold the Touch Sensor Area w/ your finger
- 3. Take a stick to press the Setup Button (feel a "click"), when the red light on, let go your finger & setup stick.
- The red light on, means the switch is under the setting mode (window = 10 Sec.), if not, PLS repeat step (1) & (2).
- 5. Take a remote (ex. RC-07/RC-09), select Zone (Zone 1,2 or 3), press number (position) then press ON to send the RF code to the switch.
- When red led blinks then turns off, it means the setting is completed. PLS use the **remote** to control the switch **ON/OFF**, to confirm the setting.
- 7. PLS wait 30 sec. after installed the panel, till the sensor adapt the thickness of the panel, then you may touch the panel to switch ON/OFF the light.
- 8. Control: a.) Touch sensor area to turn ON/OFF the light.
 b.) Remote: select Zone (Zone 1,2 or 3), press number

Warning!

- 1. Be sure to determine the correct wiring of the power supply polarity, wrong wiring will result in damage to the product and may endanger th
- 2. Before setup, make sure the voltage loading of the circuit switch complies with local regulations. Improper usage of electric power and exceeding loading voltage will cause damage to the product.
- 3. This product is a low-power RF wireless carrier communications transmission systems, in order to reduce environmental obstacles lead to remote insensitive, please try not to use the larger than the average residential space (details contact Dealer)
- 4. If for unavoidable necessary, must do installation under electrified condition, PLS connect LINE (Black) & NEUTRAL (White), each to their corresponding wire first, turn off the switch, then connect the FIXTURE (Blue), & done!



FCC WARNING

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.