




**PROTON PRINTER**



FRONT LOADING  
For paper feeding

## Operation Panel Indications for PROTON Printer

- ◆ There are two switches and one LED in the Proton operation panel




- ◆ The bigger switch provides the function of ONLINE and OFFLINE toggle switch
- ◆ The smaller switch performs the function of Linefeed action if pressed once. The same switch if pressed continuously gives a full formfeed.
- ◆ If the LED glows **GREEN** in Colour, the printer is ready ( ONLINE)
- ◆ If the LED glows **RED** in Colour, the printer is OFFLINE
- ◆ If the LED blinks **RED** , the printer is out of paper
  
- ◆ To commence the self test print out from the printer, please Keep pressing the LF/FF switch and switch on the printer. The printer waits for 5 seconds and starts printing. During this mode, please ensure paper is put before the printer is switched on.


PAPER STACKING - FEW OPTIONS




PAPER STACK BEHIND / FRONT WITH LEGS FOLDED




PAPER STACK BENEATH THE PRINTER WITH LEGS OPEN



OTHER CUSTOM MADE OPTIONS



BACK VIEW PROTON




ME. PHASE

8/11/01

③

MECHANISM UNIT FIXING



FOR ASSEMBLY / SERVICE OF MOTHER BOARD


MECHANISM UNIT FIXING WITH TWO SCREWS

RUBBER DAMPERS FOR NOISE REDUCTION

HINGE FOR TILTING MECHANISM UNIT

SHEET METAL "CASE LOWER"

RUBBER DAMPERS FOR NOISE REDUCTION



Interface PCB

Main Logic Card

Remove screws for servicing MLC

## **Federal Communications Commission (FCC) Requirements, Part 15**

**This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.**

**This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:**

- Reorient or relocate the receiving antenna.**
- Increase the separation between the equipment and receiver.**
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.**
- Consult the dealer or an experienced radio/TV technician for help.**

<p><b>CAUTION: Any changes of modifications not expressly approved by the grantee of this device could void the users authority to operate the equipment.</b></p>
---