Excellence in Compliance Testing

Certification Exhibit

FCC ID: 2ABLX-433B96D570
IC: 8832A-433B96D570

FCC Rule Part: 15.231
IC Radio Standards Specification: RSS-210

ACS Project Number: 13-0403

Manufacturer: Qmotion Incorporated
Model: QAR-433, QAD-433, QAS-433, QFR-433, QFD-433, QFS-433

Manual

Operation Manual

Qmotion remotes

QAR-433, QFR-433,

QAD-433, QFD-433,

QAS-433, QFS-433

This family of remotes consists of four types of buttons for various purposes. The buttons are Up/Down or Open/Close, Channel, Variable Position and Mode Select. The remotes have LEDs for channel/mode indicators. The mode select button on the back is used for programing purposes in factory. The channel button is used to select the channel that is to be selected for user selected shades. The up/down or open/close buttons and the variable position buttons are used to direct the shade selected to move to a specific position. Programing of selected shades to certain address programable channels is performed in accordance with specific shade directions.


qmotion
Up/Down Buttons
Channel Button
Channel/Mode Indicator LED's
Variable Position Buttons
Reverse Side Mode Select Button

FCC COMPLIANCE

Warning: Changes or modifications to this device not expressly approved by Qmotion™ Incorporated could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential

installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

• Reorient or relocate the receiving antenna.

• Increase the separation between the equipment and the receiver.

• Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

• Consult the dealer or an experienced radio/TV technician for help.

INDUSTRY CANADA COMPLIANCE

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication. Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante.

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement