EXHIBIT A [FCC Ref. 2.1033(b)(3)]

"Installation and Operating Instructions Furnished to the User"

Exhibit A(1) - User's Guide

# Important Information

# **Equipment Approval Information**

Your telephone equipment is approved for connection to the Public Switched Telephone Network and is in compliance with parts 15 and 68, FCC Rules and Regulations and the Technical Requirements for Telephone Terminal Equipment published by ACTA.

# 1 Notification to the Local Telephone Company

On the bottom of this equipment is a label indicating, among other information, the US number and Ringer Equivalence Number (REN) for the equipment. You must, upon request, provide this information to your telephone company.

The REN is useful in determining the number of devices you may connect to your telephone line and still have all of these devices ring when your telephone number is called. In most (but not all) areas, the sum of the RENs of all devices connected to one line should not exceed 5. To be certain of the number of devices you may connect to your line as determined by the REN, you should contact your local telephone company.

A plug and jack used to connect this equipment to the premises wiring and telephone network must comply with the applicable FCC Part 68 rules and requirements adopted by the ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.

## Notes

- This equipment may not be used on coin service provided by the telephone company.
- Party lines are subject to state tariffs, and therefore, you may not be able to use your own telephone equipment if
  you are on a party line. Check with your local telephone company.
- Notice must be given to the telephone company upon permanent disconnection of your telephone from your line.
- If your home has specially wired alarm equipment connected to the telephone line, ensure the installation of this
  product does not disable your alarm equipment. If you have questions about what will disable alarm equipment,
  consult your telephone company or a qualified installer.

# 2 Rights of the Telephone Company

Should your equipment cause trouble on your line which may harm the telephone network, the telephone company shall, where practicable, notify you that temporary discontinuance of service may be required. Where prior notice is not practicable and the circumstances warrant such action, the telephone company may temporarily discontinue service immediately. In case of such temporary discontinuance, the telephone company must: (1) promptly notify you of such temporary discontinuance; (2) afford you the opportunity to correct the situation; and (3) inform you of your right to bring a complaint to the Commission pursuant to procedures set forth in Subpart E of Part 68, FCC Rules and Regulations. The telephone company may make changes in its communications facilities, equipment, operations or procedures where such action is required in the operation of its business and not inconsistent with FCC Rules and Regulations. If these changes are expected to affect the use or performance of your telephone equipment, the telephone company must give you adequate notice, in writing, to allow you to maintain uninterrupted service.

# Interference Information

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; and (2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna (that is, the antenna for radio or television that is "receiving" the interference).
- Reorient or relocate and increase the separation between the telecommunications equipment and receiving antenna.
- Connect the telecommunications equipment into an outlet on a circuit different from that to which the receiving antenna is connected

If these measures do not eliminate the interference, please consult your dealer or an experienced radio/television technician for additional suggestions. Also, the Federal Communications Commission has prepared a helpful booklet, "How To Identify and Resolve Radio/TV Interference Problems." This booklet is available from the U.S. Government Printing Office, Washington, D.C. 20402. Please specify stock number 004-000-00345-4 when ordering copies.

US NUMBER IS LOCATED ON THE CABINET BOTTOM REN NUMBER IS LOCATED ON THE CABINET BOTTOM

40-Channel 900MHz Cordless Call Waiting Calter ID Telephone with Universal Voice Mail Indicator (UVM!) User's Guide



COUPMENT APPROVAL INFORMATION

BEFORE YOU BEGIN PARIN CHECKLISH

And the second of the second o

ANIMILATOR WITE State conference are seen to the man of the man of the seen to the seen to

HEARING ALD COMPATIBILITY

Continues care or continues between preference in territories application.

Default, ACM SERS IN SINCE AND CONTINUES are continued as a continue of the continues application of the continues of the continues and the continues an

IMPORTANT INSTALLATION INFORMATION

here degli legitora delleg leding a lightness communication ferro degli legitora pich is until decision anders top pich is specifical. Stepred for use scoriers. Apara Said-unitablates telephone wints in terranols, unless the explosive risk has been deconstituted at the perwind-

A Programme of the first control of the first contr

INTRODUCTION

26900

Edition to the special principle y Webserbers and Principle Bloom Principle and Principle and Principle Bloom Principle Bloom

ANTHON, When any services registrent there are task unity and uses to task unity when executed the stank to the safety for the DEMANT (WHY) INSTITUTE TO be a serviced from the DEMANT (WHY) INSTITUTE (WHY) Institute product and two then be

INSTALLING THE PHONE



CONNETING THE TELPHONE LINE THE ACCOUNT OF THE ACCO Control of the contro

The first of the property property of permitted and the permitted



The rest is some of the rest is the rest is the rest is the rest in the rest i

SET UP
There as the acquirements overstrained increase also contribute to the asternation of the acquirements overstrained in the acquirements of the acquirement of

LANEUMCH SELTING SHEKTERN

1920 SPESSOR STREET SPESSOR STREET SPESSOR SHE SERVEN

1920 SPESSOR STREET SPESSOR SPESSOR

2. Provide the Parties of the Partie

2. Due the handware ent on the warden as when you into object and reds.

WHE From confer a walker parents of HAVEE AREFF transo to refer the warden of the transposition of the transposition of the transposition of the transposition of the HARTHENDER HE made was easy.

RINGER TONE SHEACHON

\*\*SECTION STATES OF THE SHEACHON


\*\*SECTION STATES OF THE SHEACHON SHEACH

1. Fig. 20.

TONE/PURE DIALICE SELECTION
From the Constitution of the Constitution of

DREACH STRIKE SELECTION
TO NEW SELECTION
TO AND SELECTION SELECTION SELECTION OF YOUR PROPERTY OF SELECTION SELECTION OF YOUR PROPERTY OF SELECTION SELECTION

2. Pour Parant-Pourant is some solecien. The will have a conference time. CORDLESS PHONE BASICS.



RECEIVING A CALL
They be digity to see we is critical
They awal account.

MARING A CALE. To rivo a sot, pose profestication control and posts a spin 1985 so, for your real agreement and people to As. CCALBACK terms

While the incore is us, more the RECHAL button inspiritly unded the user institute or stored by to AL degits. It is used at their signal over man, to templaking the function the priori RECHAL was a role of the the bright place of but has a feel or not praise the RECHAL forms on their press the PLACIAL RACK Resen.

If you should be the control of children (child to the control to the control of the children of the children

The IN USE CHARGE NAKE, independ it was now because it should be controlled to the board or when the process (CM & Transmorphy participle per incolver per incolver per process). IN USE/CHARGE/V-MAR INDICATOR

Voce Massacian:

Voce the Massacian consistence and enough profile force with and year and the construction of the constructio

CHANNEL BRITTON
This bakes write resols except shape in the present of the presen

When the most interval are not a true of experiment (means the abled of the best of the most of the second and the second and

FINING THE HAMBET
This queries a sayon synthem causes
The care free say bean synthem causes
who be \$31 billion or 1 than 1 than

DEACHNG RECORDS the the CHARMELTELETE CARDING to all records. RINGER SWITCH

CHANGING A STORED NUMBER

DELETION THE CLUBERT RECORD

VARIABLE THE FORMS A SECURIOR

1 Search FORM, A concentration of adjustment Cluber (Finance,

1 Search CONSTRUCTOR The dispuser proof OFFET ONL, SV

FORGER AND BELLET TO SUBJECT FORMS THE VILLAME

Note report of ALTACOMA to be continued assigned represented from the continued and the continued and the continued and the continued of the continued

DETTING ALL RECORDS
1. Mars and Sections
2. Mars and Sections
3. Mars and Sections of Trade in Lat mode.
3. News and included Lattle Lattle for the Trade in Lattle Section Se 1. Obsert some the primers of Primer in Table American
2. One are Cliffold in one intercent to chapter the defined to
3. Proof SALCOALERALY The mention disks a ministrative. DIALING A CALLER ID NUMBER 10-28-10/20=---03 317-555-1234 FRED PAGE

CHANGING THE CID NUMBER FORMAL

The OLD is not considered and the other properties of the OLD Considered and the OLD Consid

Configuration and continuous are control alone (pages) ACCS Aventives a configuration and control and MEMORY Brow of the for 24 digit combon is receive the route diding. The nearest faster is possible to the Galler Discrete, the faster to another a the Galler Exerces to

REVIEWING RECORDS

STORING A NAME AND NUMBER IN MEMORY

As such as year or a non-such breakens off from infall and in an analysis of the such and the such as a su

The state of the s

TRANSFERRING CID RECORDS TO MENORY
TO core to the a facility from the part planes record.
ATER: It is experimented to control in location to the decision of property and the facility of the control in location to the control in location.

What were passes of Off nor milk for routs.

The rout of Control o

Payer is stone is through. In Stoney, a Narro pos Musther in Biomest.
Frest No. VENON's busines, post "REPLATE MEMOS", shown in the display-bust No. MESOFF nation to space the nativator that will have a conferen-

# The control of the co CAUSES OF POOR RECEPTION HEADSET AND BELT CUP OPERATION DIATION A STORMEN NATIONAL PROPERTY OF A STORMEN STORM STORING A REDIAN MUSICIA — New york in the indicator place and make a burnty which will be the proposed and the scale and a Department of the place and a place and a place and a place and the place and a place and a place and a place place and the place and a place and a place and a place place and the place and a place a



BATTOR SAIDTY PREGATIONS

TO charge a property of the control of t

RAYDWING AND DELTING SECRED MANAGEMENT OF THE SECRED MANAGEMENT OF THE

LIMBETING A PAUSE IN THE DIALING SEQUENCE
POWER RESERVATIONS THE RESERVANCE OF THE SECOND SERVED AS THE SECOND SEC

HEADTOOLD CALL TO ACCOUNT OF THE TOP OF THE

NOXIONAL The purch's same it healest from tomers with EMPTY There is no 986 stand or that reserve socialism
NO GALLS There are not retain to receive us the call log.

CRAIN DALING MORN MEANING.

Du hil is have no man edit addissipation a sugarent or revers to de so cities and so cities of the state day, and the lang datum to trobbe the for the state of the state of

A second control of the control of t Manufacture of Macro Departs of Macro De

HANDRET SOUND SIGNALS

Spain

# TROUBLESHOOTING TIPS

IMITED WARRANTY

The Salabay per remain the microan control of the part of the part

The behavior is box solds by 2 access in near the process construction in the beautiful from the stocky of 1 access. The behavior is not constructed to the construction of the beautiful from a set of the process of the beautiful from a set of the process of the beautiful from a set of the process of the beautiful from a set of the process of the beautiful from a set of the process of the beautiful from a set of the process of the proces

A MARTINE AND A Vortice on the march to accompany only of the company of the compa Actionized Signatures

The security of the security o More control who who address:

Note: The second who who address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second and address:

Finds a delivery or second with the second with the second and address:

Finds a delivery or second with the second with

An extraction of the contraction resident or that can be considered and a service to reside or the considered and considered considered considered considered and considered and considered considered considered and considered and considered considered and considere INTERELACIONE INFORMATION
IN SINGE CONTROL STATE AND STA Ambide soon takks incode to the bookloot for leaves rebot book or go on the soons of probability and problemed for resources as a gift. This information will be collected in extent about to explore diving the somethy percon. Postbase date. Memory Date ( C. Or de Couper file i tervey scalici vivel corecty! Unit de files its prote debelog sequence; Unit de sout the terraphile cetting is programed coloring. Edit or entrephile cetting is programed coloring.

# GENERAL PRODUCT CARE

To keep your telephone working and looking good, follow these guidelines:

- Avoid putting the phone near heating appliances and devices that generate electrical noise (for example, motors or fluorescent lamps).
- DO NOT expose to direct sunlight or moisture.
- Avoid dropping the handset, as well as other rough treatment to the phone.
- · Clean the phone with a soft cloth.
- Never use a strong cleaning agent or abrasive powder because this will damage the finish.
- Retain the original packaging in case you need to ship the phone at a later date.

# SERVICE

This product may be serviced only by the manufacturer or its authorized service agents. Changes or modifications not expressly approved by ATLINKS USA, Inc. could void the user's authority to operate this product. For instructions on how to obtain service, refer to the warranty included in this guide or call customer service at 1-800-448-0329.

Or refer inquiries to: ATLINKS USA, Inc. Manager, Consumer Relations P O Box 1976 Indianapolis, IN 46206

Attach your sales receipt to the booklet for future reference or jot down the date this product was purchased or received as a gift. This information will be valuable if service should be required during the warranty period.

Purchase date	· · · · · · · · · · · · · · · · · · ·
Name of store	