EXHIBIT A

[FCC Ref. 2.1033(b)(3)]

"Installation and Operating Instructions Furnished to the User"

ATLINKS USA/26928XXX-D FCC ID: G9H2-6928D Marstech Report No. 23366D

INTRODUCTION

Your Cordless Telephone is designed to give you flexibility in use and high quality performance. To get the most from your new cordless telephone, we suggest that you take a few minutes right now to read through this instruction manual.

IMPORTANT: Because cordless phones operate on electricity, you should have at least one phone in your home that is not cordless, in case the power in your home goes out.



CAUTION: When using telephone equipment, there are basic safety instructions, that should always be followed. Refer to the IMPORTANT SAFETY INSTRUCTIONS provided with this product and save them for future reference.

BEFORE YOU BEGIN

Parts Checklist

Make sure your package includes the items shown here.









Handset

AC power supply

Telephone line cord

MODULAR JACK REQUIREMENTS

To properly connect your phone to your telephone lines, you will need an RJ11 type modular phone jack, which might look like the one pictured here. If you don't have a modular jack, call your local phone company to find out how to get one installed.



DIGITAL SECURITY SYSTEM

Your cordless phone uses a digital security system to provide protection against false ringing, unauthorized access, and charges to your phone line

When you place the handset in the base, the unit verifies its security code. After a power outage or battery replacement, you should place the handset in the base for about 20 seconds to reset the code



WARNING: TO PREVENT FIRE OR ELECTRICAL SHOCK HAZARD, DO NOT EXPOSETHIS PRODUCT TO RAIN OR MOISTURE.

Ins<u>tallation</u> and Set Up


INSTALLATION NOTE: Some cordless telephones operate at frequencies that may cause interference to nearby TVs, microwave ovens, and VCRs. To minimize or prevent such interference, the base of the cordless telephone should not be placed near or on top of a TV, microwave oven, or VCR. If interference continues, moving the cordless telephone farther away from the TV or VCR will often reduce or eliminate the interference.

Certain other communications devices may also use the 900 MHz frequency for communication, and, if properly set, these devices may interfere with each other and/or your new telephone. If you are concerned with interference, please refer to the owner's manual for these devices on how to properly set channels to avoid interference. Typical devices that may use the 900 MHz frequency for communication include wireless audio/video senders, wireless computer networks, multi-handset cordless telephone systems, and some long-range cordless telephone systems.

IMPORTANT INSTALLATION INFORMATION

- · Never install telephone wiring during a lightning storm.
- Never touch uninsulated telephone wires or terminals, unless the telephone line has been disconnected at the network interface.
- Use caution when installing or modifying telephone lines.
- Never install telephone jacks in wet locations unless the jack is specifically designed for

DESKTOP INSTALLATION



We bring good things to life.

EQUIPMENT APPROVAL INFORMATION

Your telephane equipment is approved for connection to the Public Switched Telephone Network and is in compliance with parts 15 and 69, FCC Rules and Regulations and the Technical Requirements for Telephone Terminal Equipment published by ACTA.

Notification to the Local Telephone Company

bottom of this equipment is a label indicating, among other information, the US number and Ringer Equivalence Number (REN) for the lant. You must, upon request, provide this information to your telephone company.

The REN is useful in determining the number of devices you may connect to your telephone line and still have all of these devices ring when your telephone number is a sled. In most tour not all yeas, the sum of the RENs of all devices connected to one line abould not exceed 5. To be certain of the number of devices you may connect to your the as determined by the REN, you should contact, you hould state one company.

- Notes

 This equipment may not be used on coin service provided by the telephone company.

 Party lines are adoject to state tariffs, and therefore, you may not be able to use your own telephone equipment if you are on a party line. Check with your local telephone company.

 Notice must be given to the telephone company upon permanent disconnection of your telephone from your line.

 Rights of the Telephone Company

out equipment custs trouble on your line which may harm the telephone network, the telephone company shell, where practicable, noth, employed described and the circumstances warrant such action, the company discontinuance of service may be required. Where prior notice is not practicable and the circumstances warrant such action, those company may temporarily discontinuance, the telephone company must provide the company described and the company discontinuance, the telephone company must privately you of such tamperary discontinuance, the telephone company must private the company described and telephone company must provide the company described and telephone company must provide the company must be company to the company must be company to the company of the

aring a comparation one-commission prospers for routin a popers or or ran so, rou nues and neguescents. The selephone company may make changes in its communications facilities, equipment, operations or proceducates where such action is required in the operation of its business and not inconsistent with PCC Rules and Regulations. If these changes are expected to affect the use or performance of your telephone equipment, the telephone company must give you adequets notice, in writing, to allow you to maintain uninterrupted service.

Interference Information

This device compiles with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interfarence; and (2) This device must accept any interfarence received, including interfarence that may cause undesired operation.

This equipment has been leasted month to comply with the firsts for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against the armful interfarence in a residential installation.

- designed to provide reasonable protection against harmful interference in a residential installation.

 This equipment generates, uses, and can addit radio frequency energy end, if not installed and used in accordance with the instructions, may cause harmful interference to tradio communications. However, there is no guarance that installation and interference to tradio communications cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is anocuraged to try to correct the interference to a feet in a following measure:

 Beorisat or relocate the receiving externed (that is, the entenan for radio or television that is receiving the interference).

 Beorisat or relocate and increase the separation between the telecommunications equipment and receiving artenna.

 Connect the telecommunications equipment into an outset on a circuit different from that to which the receiving artenna is connected. These measures do not eliminate the interference, please consult your dealer or an experienced radiofalevision technician for additional suggestions. Also, the Federal Communications Commission has prepared a helpful booksit. Thow 10 facility and Resolve RediotYV Interference Problems. That booksit is available from the U.S. Government Printing Office, Washington, D.C. 20402. Please specify stock number 004-000-000454-4 when ordering copies.

HEARING AID COMPATIBILITY

This telephone system meets FCC standards for Hearing Aid Compatibility

US NUMBER IS LOCATED ON THE CABINET BOTTOM
REN NUMBER IS LOCATED ON THE CABINET BOTTOM

Model 26928 15880140 (Rev. 1 E/S) 02-09 Printed in China P/N: 480-20821-00000 ATLINKS USA, Inc. 10330 North Meridian Street Indianapolis, IN 46290 © 2002 ATLINKS USA, Inc. Trademark(s) ® Registered Marca(s) Registrada(s)

> FCC ID: G9H2-6928D Marstech Report No. 23366D EXHIBIT A(1)

- 1. Set the ringer switch (on the handset front) to ON, and place handset in the cradle on the base.
- Plug the power supply into the power jack on the bottom of the base and the other end into an electrical outlet. The "in use/charge" indicator comes on verifying the battery is charging.

Allow the phone to charge for 12 hours prior to first use. If you don't properly charge the phone, battery performance will be compromised.


Pfug the telephone line cord into the telephone jack on the bottom of the base and into a modular wall phone jack.

NOTE: The phone automatically defaults to touch-tone dialing. To change to pulse (rotary) dialing, see "Tone/Pulse Dialing," If you don't know which type of service you have, check with the phone company.



CAUTION: Use only the ATLINKS USA, Inc. 5-2527 (black) or 5-2526 (white) power supply that came with this unit. Using other adapters may damage the unit.

WALL MOUNT INSTALLATION



Because it is necessary to charge the handset for 12 hours prior to connecting the phone for use the first time, it is better to leave the unit on a flat surface during initial charge before attempting to hang it on the wall.

- 1. Set the ringer switch (on the handset front) to ON, and place handset in the cradle on the base.
- Plug one end of the power supply into the power jack on the back of the base and the other end into an electrical outlet. The "in use/charge" indicator comes on, verifying the battery is charging.

Allow the phone to charge for 12 hours prior to first use. If you don't properly charge the phone, battery performance will be compromised.

- Plug the telephone line cord into the telephone jack on the bottom of the base and into a modular wall phone jack.
- 4. Slip the mounting holes over the wall plate posts and slide the unit down firmly into place. (Wall plate not included.)
- 5. Place the handset in the cradle


NOTE: The phone automatically defaults to touch-tone dialing. To change to pulse (rotary) dialing, see Tone/Pulse Dialing." If you don't know which type of service you have, check with the phone company.



CAUTION: Use only the ATLINKS USA, Inc. 5-2527 (black) or 5-2526

(white) power supply that came with this unit. Using other adapters may damage the unit

CORDLESS PHONE BASICS



MAKING A CALL

After initial set up, put handset in cradle on the base and charge the battery for 12 hours. To make a call:

- . Press the TALK button before you dial.
- . Press TALK or place the handset in the base to hang up.

RECEIVING A CALL

To answer a call, press the TALK button and begin speaking.

IN USE INDICATOR LIGHT

The phone is ON/in use when the TALK button on the handset is lit.

REDIAL

Press the TALK button, then press the redial button to redial the last number you called (up to 32 digits). If you get a busy signal, and want to keep dialing the number, just press redial again (you don't have to turn the phone off and back on).

FLASH

Use the flash button to activate custom calling services such as Call Waiting or call transfer, which are available through your local phone company.

TIP: If you press the TALK button to activate custom calling services such as call waiting, you'll hang up the phone. Press flash button instead.

VOLUME

The VOLUME (left and right arrow) buttons control the volume of the handset's earpiece.

RINGER SWITCH

The handset ringer switch can be set to ON or OFF. If the switch is off, the unit will not ring.

TONE/PULSE DIALING

This adjustment allows you to select tone (touch-tone) or pulse (rotary) mode dialing. The phone is pre-set for touch-tone use. To set to tone or pulse dialing:

- 1. Press and hold the program button for two seconds. You will hear a beep.
- 2. Press the *tone button to select Tone Dialing or press *pause to select Pulse Dialing.
- 3. Press the program button again. You will hear a confirmation tone.

TEMPORARY TONE

If you have pulse (rotary) service, and want to access customer calling services that require tone dialing (such as telebanking and long distance services), you can use this feature to make your phone temporarily touch-tone compatible.

- 1. Press the TALK button, and call the bank's information line.
- 2. Press the *tone button after your call is answered.
- 3. Follow the voice instructions to complete your transaction
- 4. Hang up when finished. The phone returns to pulse (rotary) service.

PAGING THE HANDSET

Press the page button on the base to locate a misplaced handset. When you press the page button, the handset beeps and the indicator on the handset and the page/in use indicator on the base blinks. Press the TALK button when you locate the handset. The page signal is three beeps every two seconds for two minutes. To cancel the page, press the page button again.

NOTE: You can still page the handset with the ringer off.

CHANNEL BUTTON

If you ever experience any interference or don't have clear voice quality, press the channel button on the handset to advance to another channel.

MEMORY

Store up to ten 20-digit telephone numbers in memory for quick dialing.

STORING A NUMBER IN MEMORY

- 1. Make sure the phone is OFF, and press the memory button.
- 2. Press a number key (0-9) to store the phone number in that memory location.
- 3. Press memory button.
- 4. Use the keypad to enter the number (up to 20 digits) you want to store in that memory location.
- 5. Press the memory button again to confirm.


CHANGING A STORED NUMBER

Follow the procedure in STORING A NUMBER IN MEMORY, except replace the old phone number with a new phone number.

STORING A PAUSE IN MEMORY

Use the #pause button to insert a pause when a delay is needed in the dialing sequence (for example, when you must dial a 9 to get an outside line or when you must enter codes to access your bank's information line). Each pause counts toward the 20-digit limit.

If you need to dial 9 to get an outside line and want to store a number in memory without having to dial 9 each time, you would:



- 1. Make sure the phone is OFF, and press the memory button.
- 3. Press a number (0-9) to store the phone number in that memory location.
- 4. Press memory again.
- 5. Enter the number 9 (or any other appropriate number) to access an outside line.
- 6. Press # pause button.
- 7. Enter the phone number you want to store in memory.
- B. Press the memory button again to confirm.

TIP: If you need a longer pause, press the #pause button twice.

DIALING A STORED NUMBER


- 1. Make sure the phone is ON by pressing the TALK button.
- 2. Press the memory button.
- 3. Press the number (0-9) for the desired memory location. The number dials automatically.

IMPORTANT: If you make test calls to emergency numbers stored in memory, remain on the line and briefly explain the reason for the call to the dispatcher. Also, it's a good idea to make these calls in off-peak hours, such as early morning or late evening.

CHANGING THE BATTERY

Make sure the telephone is OFF before you replace battery.

- 1. Remove the battery compartment door.
- 2. Disconnect the cord attached to the battery pack and remove the battery pack from the handset.
- 3. Insert the new battery pack and connect the cord into the jack inside the handset.
- 4. Put the battery compartment door back on.
- 5. Place handset in the base to charge. If you don't charge the handset battery properly (for 12 hours) when you first set up the phone and/or when you install a new battery pack, the battery's long-term performance will be compromised.



BATTERY SAFETY PRECAUTIONS

- Do not burn, disassemble, mutilate, or puncture. Like other batteries of this type, toxic materials could be released which can cause injury.
- To reduce the risk of fire or personal injury, use only the battery listed in the User's Guide.
- · Keep batteries out of the reach of children.
- Remove batteries if storing over 30 days.



NOTE: The RBRC seal on the battery used in your ATLINKS USA product indicates that we are participating in a program to collect and recycle Nickel Cadmium batteries throughout the United States. Please call 1-800-8-BATTERY for information or contact your local recycling center.

HANDSET SOUND SIGNALS

Signal

You have an incoming call (with ringer ON) A long warbling tone

The handset is being paged Three long beens

Low battery warning A short been

every seven seconds

TALK BUTTON INDICATOR LIGHT

Signal Meaning Phone is in use Lights steadily

You have an incoming call or page Quickly flashing

Flashes every 7 seconds Low battery warning

Troubleshooting Guide

In case of difficulty, please check the following Troubleshooting Guide before seeking service.

Problem	Solution				
No dial tone	Check installation:				
	Is the base power cord connected to a working outlet? Are the in use lamps on the handset and base lit?				
į.	is the handset in use/charge light on?				
1	Is the telephone line cord connected to the base unit and the wall lack?				
	 Disconnect the base from the wall jack and connect another phone to the same jack. If there is no dial tone in the second phone, the problem might be your wiring or local service. 				
,	 Is the handset out of the base unit's range? Move closer to the base unit. 				
	 Make sure the battery is properly charged (12 hours). 				
	Is the battery pack installed correctly?				
	 If the phone still does not work, disconnect the power cord and remove the battery pack. Then reconnect the power cord and reinstall the battery pack. Place handset in the base for 10 seconds to allow it to reinitialize. 				

Dial tone is OK, but can't dial out	 Make sure the tone/pulse setting is programmed correctly. 					
Handset does not ring	 Make sure the ringer switch on the handset is turned to ON. You may have too many extension phones on your line. Try unplugging some phones. See solutions for "No dial tone." 					
Cannot hear phone conversation	 Press the VOLUME (left and right arrow) buttons to adjust the volume to the desired listening level. 					
You experience static, noise, or fading in and out	Change channels. Is handset out of range? Move closer to the base. Does the base need to be relocated? Charge handset battery. Make sure base is not plugged into an outlet with another household appliance.					
Range is shorter than normal	Press the channel button during the conversation to select a new channel.					
Phone dials in pulse with tone service	Make sure the phone is set to tone dialing.					
Phone won't dial out with pulse service	Make sure the phone is set to pulse dialing.					
Battery will not hold a charge	Be sure you are charging the battery for 12 hours; you can expect approximately seven hours of talk time. Check to be sure battery contacts on both the handset and the base are making contact and are clean; free of dirt or lint. When the handset is placed in the base, check that the base in use/charge light is on.					
Memory Dialing doesn't work	Did you program the memory location keys correctly? Did you follow proper dialing sequence? Make sure the tone/pulse setting is programmed correctly.					
Unit locks up and no communication between the base and the handset	If the phone still does not work, disconnect the power cord and remove the battery pack. Then reconnect the power cord and reinstall the battery pack. Place handset in the base for 10 seconds to allow it to reinitialize. If a power outage occurs while the handset is away from the base, the handset must be returned to the base when the power returns.					

Limited Warranty

Defects in materials or workmanship.

For how long after your purchase:

One year, from date of purchase,

(The warranty period for rental units begins with the first rental or 45 days from date of shipment to the rental firm, whichever comes first.)

What we will do:

Provide you with a new or, at our option, a refurbished unit. The exchange unit is under warranty for the remainder of the original product's warranty period.

How you get service:

- Wyou get service:

 Properly pack your unit, include any cables, etc., which were originally provided with the product, We recommend using the original carton and packing materiels.

 "Proof of purchase in the form of a bill of sale or receipted invoice which is evidence that the product is within the warranty period, must be presented to obtain warranty service." For rental firms, proof of first cental is also required. Also print your name and address and a description of the defect. Send via standard UPS or its equivalent to:

ATLINKS USA, Inc c/o Thomson multime 11721 B Alameda Ave. oro, Texas 79927

- Pay any charges billed to you by the Exchange Center for service not covered by the warranty.
- Insure your shipment for loss or damage. ATLINKS accepts no liability in case of damage or loss.
- A new or refurbished unit will be shipped to you freight prepaid.

at your warranty does not cover:

- Customer instruction. (Your Owner's Manual provides information regarding operating instructions and user controls. Any additional information, should be obtained from your dealer.)
- installation and setup service adjustments.
- Batteries.
- Damage from misuse or neglect
- Products which have been modified or incorporated into other products.
- Products purchased or serviced outside the USA.
- Acts of nature, such as but not limited to lightning damage

uct Registration

Please complete and mail the Product Registration Card packed with your unit. It will make it easier to contact you should it ever be necessary. The return of the card is not required for warranty coverage. sitation of Warranty:

- INTERMENTATION STATED ABOVE ISTHE ONLYWARRANTY APPLICABLE TO THIS PRODUCT, ALL OTHER WARRANTES, EXPRESS OR IMPLEO (INCLUDING ALL IMPLIED WARRANTES OF MERCHANTABLITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE MERGEN DISCLAIMED, NO VERBAL OWNETTEN INFORMATION (IVEN BY ATLINKS USA, INC., ITS AGENTS, OR EMPLOYEES SHALL CREATE A GUARANTY OR IN ANY WAY INCREASETHE SCOPE OF THIS WARRANTY.
- REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER. ATLINKS USA, INC. SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT OR ARISING OUT OF ANY BREACH OF ANY EXPRESS OF IMPLIED WARRANTY ON THIS PRODUCT. THIS DISCLAIMER OF WARRANTIES AND LIMITED WARRANTY ARE GOVERNED BY THE LAWS OF THE STATE OF INDIANA. EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OF RITHESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED TO THE APPLICABLE WARRANTY PERIOD SET FORTH ABOVE.

w state law relates to this warranty:

Some states do not allow the exclusion nor limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts so the above limitations or exclusions may not apply to you.

SERVICE his product may be service						
THE PRODUCT MAY DO SOLVIC	-44	manufact	er or its s	uthorized co	Drice ac-	inte Ci
perate this product. For in	structions on	by ATLINKS I how to obtain	USA, Inc. n service	could void t	ne users	authéi
his guide or call customer Or refer inquiries to:	service at 1-4	DVU-440-U3/	20.			
ATLINKS USA, Inc.						,
Manager, Consumer Relatio ^o O Box 1976	ns					,
ndianapolis, IN 46206 Attach your sales receipt to	the booklet fr	or futura rafai	rence or i	nt down the	lete this	nroduc
ourchased or received as a furing the warranty period.	gift. This info	rmation will b	e valuable	e if service s	hould be	require
Purchase date	N	lame of store		· · · · · · · · · · · · · · · · · · ·		
Accessory C	RDER	FORM				
DESCRIPTION	MODI	EL NO.	PRICE*	QUANTITY	TOTAL	
	black	white	440.05			
AC power supply Replacement battery	5-2527 5-2459	5-2528 5-2459	\$19.95			
Belt clip	5-2555	5-2552	\$7.95			
To order, call 1-800-338-037	6 (for accesso	ries only) or	complete	this order for	m.	
er credit card purchases						
•		4-4 4				11
our complete charge card num harge card orders.	iber, its expireti	on date and you	n niðumen.	e ELO UACEZZA:	y to proce	35 BH
opy your complete account nu	mber from your	VISA card.				
		الللا				
Ay card expires:						
Copy your complete account n	umber from you	Master Cara e	L DIRCOASI	: -		
	ـــالـــ	⅃ШĹ		Ш		
Copy the number above your n						
the Master Card.	My	card expires:	-			
	-					
<u> </u>	*************************************					
	Authorize	d Signature	·			
t Brisse are subject to above						
*Prices are subject to change with Total Merchandisa						
Coles Toy						
We are required by law to collect t merchandise is being sent.	ha annoncista sal	les for for each is	 udh-laka lata	to county, and is	cality to w	hich the
merchandise is being sent.						
Use YISA or Master Card or Discov accessories are subject to evallab	or protocably. Mos Kity. Whore applic	tey order or chec able, we will shi	b w zaholoog E maat pe ju	U.S. currency on Hay model.	ny. Me Cuu	of Gasa.
Shipping/Handling	\$,	\$5.00				
Total Amount Enclosed	\$					
Mail order form and money or	der or check (in	U.S. currency)	made pays	ble to Thomso	n multime	dia Inc. 1
Thomson multimedia luc.						
Mail Order Department						
P.O. Box 6419						
Ronks, PA 17573-8419						
Name						
Address		Apt				

Please make sure that this form has been filled out completely.