

## (User Manual-TH8)

---

### Specifications:

Model No. :	TH8
Battery :	1.5V *2
Dimensions :	26*60*165mm
Transmit frequency	315±0.3MHz
Data Transmit mode	ASK Transmit/ Wire Transmit (option)
Ambient Temperature :	0~40°C

### Applications :

- Chairs and beds Remote controls.
- Other electric furniture controls.

### FCC ID:W6JTH81038001

This device complies with part 15 of the FCC Rules.Operation is subject to the following two conditions:(1)This device may not cause harmful interference ,and (2) this device must accept any interference received ,including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the use's authority to operate equipment.

NOTE:This equipment has been tested and found to comply with the limits for a Class B digital device ,pursuant to Part 15 of the FCC Rules.These limits are designed to provide reasonable protection against harmful interference in a residential installation .This equipment generates,uses and can radiate radio frequency energy and,if not installed and used in accordance with the instructions ,may cause harmful interference to radio communications .However,there is not guarantee that interference will not occur in a particular installation.If this equipment does cause harmful interference to radio or television reception,which can be determined by turning the equipment off and on,the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna .
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## (User Manual-TH8)

---

### **Use:**


1. Button function, see the attached diagram  
M1 ~ M4 for storing bed morphology
2. Wireless remote control function: Into two AA1.5V alkaline batteries can be used directly
3. Cable control function: Remove the battery, Phone jack to connect a remote control handset line group, Handset line to insert the other end of line control box can be wired to control.

### **Electrical performance:**

1. 2 AA1.5V use alkaline battery-powered, Operating Current  $\leq 12\text{mA}$
2. Wireless remote control distance of  $\geq 6$  meters
3. Standby operating current  $\leq 10\mu\text{A}$

## (User Manual-TH8)

### Connection and diagram:




Wire Transmit

ASK Transmit

## (User Manual-TH8)

---



**FCC Label Location**