

GUARD1/tracking

Wristband Tag with NFC



TimeKeeping
Systems, Incorporated

The Guard1 Tracking Wristband Tag with NFC (Model TAG-003, FCC ID MTD-0003) is a completely sealed and reusable device with a long-life battery. It is worn on the wrist of individuals to be tracked within facilities utilizing the Guard1 Tracking system.

To use Guard1 Tracking Wristband Tags you will need:

- One-time use Guard1 Tracking Wristband Material
 - Roll of 200 feet
 - or
 - Precut Guard1 Tracking Wristband Strap
- Guard1 Tracking Wristband Clasp Kit
- Guard1 Tracking Wristband Clasp Crimping Tool
- Guard1 Tracking NFC Software running on a PC or mobile device
- A NFC Reader (if Guard1 Tracking NFC Software is running on a PC)

Instructions:

- To apply a Guard1 Tracking Wristband Tag to an individual, please refer to the application instructions provided with the wristband material, clasp kit, and crimping tool.
- It is also possible to use the Guard1 Tracking Wristband Tags with third party wristbands. Please refer to the manufacturer's instructions.
- To remove the Guard1 Tracking Wristband Tag, cut the wristband. The Guard1 Tracking Wristband Tag may be reused during the useful life of the battery.
- The Guard1 Tracking Wristband Tag is NFC compatible using proprietary Guard1 software. Using the Guard1 Tracking NFC Software and a NFC Reader you can send and receive simple commands to and from the tag. This allows the user to modify tag settings and retrieve information stored on the tag quickly and easily. Simply follow the software's instructions and tap the tag to a NFC reader connected to a supported PC or mobile device.

FCC Statements:

This device complies with Part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by TimeKeeping Systems, Inc. could void the user's authority to operate the equipment.

This device is exempt from SAR Evaluation, per §4.3.1 of KDB 447498.

Industry Canada Statements:

English	French
<p>This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.</p> <p>This device is exempt from SAR Evaluation, per RSS-102 §2.5.1.</p>	<p>Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.</p> <p>Cet appareil est exempt de l'évaluation SAR, selon RSS-102 §2.5.1.</p>