

GUARD1/tracking

Wristband Tag with NFC and Removal Detection



TimeKeeping
Systems, Incorporated

The Guard1 Tracking Wristband Tag with NFC and removal detection (TAG-006) is a completely sealed and reusable device with a long-life battery. It is worn on the wrist of individuals to be tracked within facilities utilizing the Guard1 Tracking system.

To use Guard1 Tracking Wristband Tags you will need:

- One-time use Guard1 Tracking Wristband Material
- Guard1 Tracking Wristband Clasp Kit
- Guard1 Tracking Wristband Clasp Crimping Tool
- Guard1 Tracking NFC Software running on a PC or mobile device
- A NFC Reader (if Guard1 Tracking NFC Software is running on a PC)

The Guard1 Tracking Wristband Tag with NFC and removal detection can also be used with third party wristbands.

Instructions:

- To apply a Guard1 Tracking Wristband Tag to an individual, please refer to the application instructions provided with the wristband material.
- It is also possible to use the Guard1 Tracking Wristband Tags with third party wristbands. Please refer to the manufacturer's instructions.
- To remove the Guard1 Tracking Wristband Tag, cut the wristband. The Guard1 Tracking Wristband Tag may be reused during the useful life of the battery.
- The Guard1 Tracking Wristband Tag is NFC compatible using proprietary Guard1 software. Using the Guard1 Tracking NFC Software and a NFC Reader you can send and receive simple commands to and from the tag. This allows the user to modify tag settings and retrieve information stored on the tag quickly and easily. Simply follow the software's instructions and tap the tag to a NFC reader connected to a supported PC or mobile device.

FCC Statements:

This equipment has been tested and found to comply with the limits for Class B digital devices pursuant to Part 15, Subpart B of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential environment. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try and correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by TimeKeeping Systems, Inc. could void the user's authority to operate the equipment.

This device is exempt from SAR Evaluation, per §4.3.1 of KDB 447498.

Industry Canada Statements:

English	French
This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.	Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.
This device is exempt from SAR Evaluation, per RSS-102 §2.5.1.	Cet appareil est exempt de l'évaluation SAR, selon RSS-102 §2.5.1.