

User Manual

Received at 19/6

Lung cheng 0005018

ERTL Preschool Radio Control NASCAR

Ages 3 years and up

Please save sales receipt for the proof of purchase. Retain these instructions for future reference.

FCC

BATTERY INSTALLATION

Car requires three "AA" (LR6) batteries and its controller require one 9-volt battery. Alkaline batteries are recommended.

WARNINGS:

- Illustrate (WILL HAVE FINAL SKETCH LATER ON) Install batteries correctly. If batteries are installed backwards, this product will not work

To avoid battery leakage:

Follow the toy and battery manufacturer's installation instructions

Do not mix old and new batteries. Do not mix standard (carbon-zinc), alkaline, or rechargeable (nickel-cadmium) batteries. Do not mix different brands of batteries. Only batteries of the same of equivalent type as recommended are to be used

Remove dead or ex exhausted batteries from product

Make sure cover is properly installed to unit at all times

Do not attempt to recharge non-rechargeable batteries

Charging of rechargeable batteries should be done under adult supervision with batteries removed from product

Supply terminals are not to be short circuited

Do not take car or transmitter apart

Change or modifications to this unit not expressly approved by the party

Responsible for compliance could void the user's authority to operate the equipment

Care & Use

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant of Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does causes harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna

Increase the separation between the equipment and receiver

Connect the equipment into an outlet on a circuit different from that to which the receiver is needed

Consult the dealer or an experienced radio/TV technician for help