TopSeed Technology Corp.

1. FCC GUIDELINES

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

 Reorient or relocate the receiving antenna

 Increase the separation between the equipment and receiver

 Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

 Consult the dealer or an experienced radio/TV technician for help.

CAUTION:
Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

TopSeed Technology Corp.

2. Description**:**

     The RF Remote Pointer is a GFSK (Gaussian Frequency Shift Key) Transmitter for the frequency band 2.4 TO 2.483 GHz ISM band. The Remote Pointer offers a low power consumption, multi-channel, and data rates up to 250Kbps ,full-integrated Frequency synthesiser and a high efficiency power amplifier to drive a Patch antenna, A special circuit design and an unique power amplifier design are used to save current consumption and to save battery life.

This RF Remote Pointer is a best companion of Projector with Laser pointer designed, FSR Moues Sensor , gives reliable control and accuracy. Remote Pointer RF's radio frequency wireless technology solves all of your presentation input needs.

For the Receiver Modular use with USB 1.1 compliant can be easily actuated

Then, it will remember your Frequency ID (16 Frequencys) and Channel ID (512 Channels) .

The Radio Frequency designed in this Version of RF Remote Pointer is GFSK 2.4GHz to 2.483GHz and can be use in a range over 10 Meter from the Receiver at any directions(Free Space). The Remote Pointer can operate for 3 months with AA X 2 DC 3V batteries

TopSeed Technology Corp.

3. Physical Description and Specification:

3.1 Dimensions

The approximate dimensions of the Remote pointer is as follows:

Length	166.15 mm
Width	49 mm
Height	29.5 mm

3.2 Weight

Weight of the RF Remote Pointer not to exceed 75 grams (without batteries).