



# TSEF-401

## **Physical Description and Specification:**

This RF Flex Pointer is a best companion of Microsoft Power Point with Laser pointer designed, scroll wheel, FSR Mouses Sensor, lets you scroll up and down as desired, when browsing the Internet move Mouse cursor or scrolling through any Windows documents gives reliable control and accuracy.

Flex Pointer RF's radio frequency wireless technology solves all of your presentation input needs. For the Receiver Modular use with USB 1.1 compliant can be easily actuated without affecting the position of the Flex Pointer.

The channel button (Red button) on the receiver should flash any time the Cordless device is moved or a button is pressed. Then, it will remember your product ID and Channel ID, then make sure your cordless device (Mouse, Keyboard, Remote Control, ...etc) and the receiver are on the same channel so they can operate together.

The Radio Frequency designed in this Version of RF Flex Pointer is FSK 433.92MHz and can be use in a range about 10 Meter from the Receiver at any directions. The Flex Pointer can operate for 6 months with AAA X 2, 3V batteries.

The approximate dimensions of the Remote Pointer is as follows:

L X W X H      140 X 32 X 20 mm


Weight of the RF Remote Pointer not to exceed 46 grams (without batteries)


The approximate dimension of Receiver is as follows:

Actual Size      71 x 26 x 12 mm

# TSEF-401

This is intelligent FSK receiver, it can synchronize your cordless device (Mouse, Keyboard, Remote Control, ...etc) used same receiver..





**Key Definition:**

| Sign | Model        | Key Function<br>(Multimedia)  |
|------|--------------|---|
| 1    | Power        | To turn presenter on/off  |
| 2    | Esc          | To escape/exit out of presentation  |
| 3    | Start        | To start presentation   |
| 4    | Toggle       | To switch to other running programs while running your presentation program |
| 5    | White screen | To switch between a white screen and a presentation slide                   |
| 6    | Black screen | To switch between a black screen and a presentation slide                   |
| 7    | Arrow up     | Go to previous slide (Page up)  |
| 8    | Arrow down   | Go to previous slide ( page down)   |
| 9    | Laser        | Laser on/off  |
| 10   | Mouse X- Y   | Mouse curse control   |
| 11   | LM           | Mouse left key  |
| 12   | RM           | Mouse Right key   |
| 13   | Click+Hold   | Moves cursor as left-click button is held down                              |



# TSEF-401

## Appendix: Warning Statement

### FCC Guidelines

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

### Declaration of Conformity for R&TTE directive 1999/5/EC

Essential requirements – Article 3

Protection requirements for health and safety – Article 3.1a

Testing for electric safety according to EN 60950-1 has been conducted. These are considered relevant and sufficient.

Protection requirements for electromagnetic compatibility – Article 3.1b

Testing for electromagnetic compatibility according to EN 301 489-1, EN 301 489-3 has been conducted. These are considered relevant and sufficient.

Effective use of the radio spectrum – Article 3.2

Testing for radio test suites according to EN 300 220-3 has been conducted. These are considered relevant and sufficient.

Hereby, [Dong Guan Jess-Link Electronics Co., Ltd.], declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.