

Physical Description and Specification:

The Radio Frequency designed in this Version of RF Remote Pointer is GFSK 2.4GHz to 2.483GHz and can be use in a range over 50 Meter from the Receiver at any directions (Free Space). The Remote Pointer can operate for 3 months with AA X 2 DC 3V batteries.

Dimensions:

The approximate dimensions of the Remote pointer is as follows:

Length 151 mm

Width 51.91 mm

Height 26.61 mm

The approximate dimension of the USB dongle is as follows:

Length 62.31 mm
Width 17.5 mm
Height 7.85 mm

Weight:

Weight of the RF Remote Pointer not to exceed 85 grams (without batteries) Weight of the RF USB dongle not to exceed 20 grams










Key Definition:



Body

Case	Color
Uppe Case	Moonlight silver
Bottom Case Battery Cover	Black leather paint
Filter	Black
Overlay	Silver
Rubber ke ypad	Bottom Color
Base ①	High Gloss Black (80 gloss units)
Base 2	Matte Black (10 Gloss Units)

Print

Overlay	Color
Page Vol	Pantone Black C
Rubber keypad	Print Color
® ! ♦ ♦ ₾ ₲ +	Pantone Process Blue
*	Pantone Rubine Red
Source (1) Video Mode Pip (2) Auto Adjust Pip Auto Blank Swap Keystone Screen	Pantone cool gray 6



Appendix: Warning Statement

FCC Guidelines

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Declaration of Conformity for R&TTE directive 1999/5/EC

Essential requirements – Article 3

Protection requirements for health and safety – Article 3.1a

Testing for electric safety according to EN 60950-1 has been conducted. These are considered relevant and sufficient.

Protection requirements for electromagnetic compatibility – Article 3.1b

Testing for electromagnetic compatibility according to EN 301 489-1, EN 301 489-3 has been conducted. These are considered relevant and sufficient.

Effective use of the radio spectrum – Article 3.2

Testing for radio test suites according to EN 300 440-2 has been conducted. These are considered relevant and sufficient.

Hereby, [Dong Guan Jess-Link Electronics Co., Ltd.], declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.