


Description:

This RF Remote designs for Microsoft's Media Center Operation System exclusive hot keys etc. friendly operation without Driver limitation.

For the RF Receiver Dangle use with USB 1.1 compliant can be easily actuated It can be use in a range about 10 Meter from the Receiver and Battery life can operate for 6 months with CR2032 DC 3V batteries.

For the Receiver Modular use with USB 1.1 compliant can be easily actuated Then, it will remember your Frequency ID (16 Frequencys) and Channel ID (65535 Channels)

**1 Dimensions**


The approximate dimensions of the Remote's transmitter is as follows:

L X W X H 215mm X 47.5 mm X 31.5 mm





2 Weight

Weight of the IR Remote not to exceed 60 grams (without batteries).













Physical Description and Specification:




















Body	
Case	Color
Upper Case	Black
Bottom Case Battery Cover	Black
Filter	Dark Purple
Overlay	Black
Guide Pilot Keypad (R1)	Pantone 1797C
Keypad (R2)	Pantone 3285C
Keypad (R3)	Pantone 1235C
Keypad (R4)	Pantone 646U
Keypad (R5)	Translucent
Other Keys	Pantone COOLGRAY 6C















Print	
Upper Case	Color
	PANTONE 428C
Overlay	Color
	PANTONE 428C
Rubber Keypad	Color
	Pantone 432C
	Pantone Red 032 C

Remote Button layout-Key Definition:

item	Function	Icon
1	Power (Standby)	
2	Media Reocrd	
3	Media Pause	
4	Media Play	
5	RWD	
6	FWD	
7	Replay	
8	Media Stop	
9	Skip	
10	Browser Back	
11	More	
12	OK	

item	Function	Icon
13	Up	
14	Down	
15	Left	
16	Right	
17/18	Channel up/down	
19	Media Center Start	
20/21	Volume Up/Down	
22	Volume Mute	

item	Function	Icon
23	Live TV	
24	DVD Menu	
25	Recorded TV	
26	Guide	
27	TELETEXT On/Off	
28	Red	
29	Green	
30	Yellow	
31	Blue	

item	Function	Icon
32	0	
33	1	
34	2	
35	3	
36	4	
37	5	
38	6	
39	7	
40	8	
41	9	
42	*	
43	#	
44	ESCAPE	
45	RETURN	

Appendix: Warning Statement

FCC Guidelines

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Declaration of Conformity for R&TTE directive 1999/5/EC

Essential requirements – Article 3

Protection requirements for health and safety – Article 3.1a

Testing for electric safety according to EN 60950-1 has been conducted. These are considered relevant and sufficient.

Protection requirements for electromagnetic compatibility – Article 3.1b

Testing for electromagnetic compatibility according to EN 301 489-1, EN 301 489-3 has been conducted. These are considered relevant and sufficient.

Effective use of the radio spectrum – Article 3.2

Testing for radio test suites according to EN 300 440-2 has been conducted. These are considered relevant and sufficient.

Hereby, [Dong Guan Jess-Link Electronics Co., Ltd.], declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

經型式認證合格之低功率射頻電機，非經許可，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻電機之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前項合法通信，指依電信法規定作業之無線電通信。

低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。