


Description:

This RF Remote Pointer is a GFSK (Gaussian Frequency Shift Key) Transmitter for the frequency band 2.4 to 2.483 GHz ISM band. The Remote Pointer offers a low power consumption, multi-channel, and data rates up to 1Mbps, full-integrated Frequency synthesizer and a high efficiency power amplifier to drive a loop antenna, A special circuit design and an unique power amplifier design are used to save current consumption and to save battery life.





This RF Remote Pointer is a best companion of Projector with Laser pointer designed, gives reliable control and accuracy. Remote Pointer RF's radio frequency wireless technology solves all of your presentation input needs.

For the Receiver Modular use with USB 1.1 compliant can be easily actuated. Then, it will remember your Channel ID (65535 channels).



The Radio Frequency designed in this Version of RF Remote Pointer is GFSK 2.4GHz to 2.483GHz and can be use in a range over 10 Meter from the Receiver at any directions (Free Space). The Remote Pointer can operate for more than 6 months with AAA batteries




Physical Description and Specification:



Body

| CASE | COLOR/MATERIAL |
|----------------------|----------------|
| UPPER CASE | BLACK/ABS |
| BOTTOM CASE | |
| BATTERY COVER HOLDER | |

Rubber keypad

| Printing & Color | |
|--|-----------------|
|  | Pantone 185 C |
|  | Pantone Black C |
|  | Pantone White C |

1 Dimensions

The approximate dimensions of the Remote's transmitter is as follows:

| | |
|--------|-------|
| Length | 109mm |
| Width | 27mm |
| High | 17mm |

2 Weight

The approximate weight of the remote's transmitter is as follows:

Weight of the RF Flex Pointer not to exceed 50 grams (with batteries).

Appendix: Warning Statement

FCC Guidelines

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Declaration of Conformity for R&TTE directive 1999/5/EC

Essential requirements – Article 3

Protection requirements for health and safety – Article 3.1a

Testing for electric safety according to EN 60950-1 has been conducted. These are considered relevant and sufficient.

Protection requirements for electromagnetic compatibility – Article 3.1b

Testing for electromagnetic compatibility according to EN 301 489-1, EN 301 489-3 has been conducted. These are considered relevant and sufficient.

Effective use of the radio spectrum – Article 3.2

Testing for radio test suites according to EN 300 440-2 has been conducted. These are considered relevant and sufficient.

Hereby, [Dong Guan Jess-Link Electronics Co., Ltd.], declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

經型式認證合格之低功率射頻電機，非經許可，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

低功率射頻電機之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前項合法通信，指依電信法規定作業之無線電通信。

低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。