

# POWERFUL AND PRODUCTIVE



TURF RENOVATION EQUIPMENT





21" Single Hydraulic Aerator



30" Stand-On Aerator

## BUILT FOR PRODUCTIVITY

- 30" width at speeds up to 7.5 mph
- Raise and lower tines with foot pedal
- Fuel capacity extends operating time

## MECHANICAL | SINGLE HYDRAULIC | STAND-ON

### 18" MECHANICAL AERATOR

This compact, self-propelled aerator has **controls similar to a mower for easy operation.** It's powered by a commercial-grade engine with a forward ground speed of up to 3.0 miles per hour. The handle can be folded down for compact transport or storage.

### 21" SINGLE HYDRAULIC AERATOR

This model features an easy-to-use hydraulic drive system with excellent maneuverability — **no need to raise the tines to turn the machine.** A wide unibody frame with 10-gauge steel construction provides a low center of gravity for excellent side hill stability. Plus, it's compact enough to get into the tightest areas and can aerate in reverse to back out.



21" Single Hydraulic Aerator

### 30" STAND-ON AERATOR

The 30" stand-on model boasts a Kawasaki V-Twin engine and a hydraulic system that can be **finely tuned to pull any length of plug on the fly.** Electronic foot pedal controls also allow the operator to raise and lower the tines instantly for quick zero-turn maneuvers. And the floating operator platform isolates the operator from vibrations for an exceptionally smooth ride.



30" Stand-On Aerator

# Slit Seeders



20" Hydraulic Slit Seeder



## DURABLE CUTTING BLADES

Blades are made of high-carbon, heat-treated spring steel that can handle abuse without chipping or bending.

## MECHANICAL | HYDRAULIC

### 18" MECHANICAL SLIT SEEDER

This push seeder has the same user-friendly controls as our walk-behind mowers. The large hopper mixer drives seed delivery automatically — no need to turn off the flow when making turns. Unibody construction also makes the frame **exceptionally strong, yet lightweight**. In addition, this unit has a low center of gravity for hillside stability.

### 20" HYDRAULIC SLIT SEEDER

Durable, lightweight and easy to use, Toro slit seeders handle like a self-propelled push mower. **Operators can make a tight turn — even on hills — with one hand.** And the variable-speed drive system operates in forward and reverse. For maximum durability, they're constructed of solid 11-gauge steel with high-carbon, heat-treated spring steel blades.



< The seed flow rate can be adjusted on the fly for different applications and seed types.



18" Mechanical Seeder

# Power Rake



## MECHANICAL POWER RAKE

Our smooth, quiet power rake uses a centrifugal clutch to engage the blades so **dethatching is maintenance-free**. It also uses the same familiar controls as our other mechanical products. To save time, the blades can be changed without removing the reel — and blade height can be adjusted with a simple lever.

**Optional accessories allow the power rake to be converted to a seeder for multi-purpose use.**

>



# **The Choice for Turf Professionals and Rental Stores**

---

Now the same durability you count on from other Toro® products is available in a new turf renovation line. Toro aerators, seeders and power rakes deliver high-quality commercial construction, exceptional maneuverability and productivity-enhancing features in one powerful package — the ideal addition to your turf care fleet.



MODEL	18" Mechanical Aerator	21" Single Hydraulic Aerator	30" Stand-On Aerator	MODEL	18" Mechanical Slit Seeder	20" Hydraulic Slit Seeder	MODEL	Mechanical Power Rake
Engine	Honda® GSV190 vertical shaft	Kawasaki® FJ180V	Kawasaki FS481V V-Twin	Engine	Honda GX160 horizontal shaft	Subaru® EX27	Engine	Honda GX160 horizontal shaft
Fuel Capacity	.290 gallon	1 gallon	5 gallons	Fuel Capacity	.82 gallon	1.6 gallons	Fuel Capacity	.82 gallon
Working Width	18"	21"	30"	Working Width	18"	20"	Working Width	18"
Depth	Up to 3"	Up to 3"	Up to 5"	Depth	1/4" – 1/2"	Up to 1"	Depth	1/8" – 1/4"
Width	29"	31.5"	48"	Width	28"	30"	Width	28"
Height	26" (handle folded) 43" (handle working)	38" (handle folded) 46" (handle working)	53"	Height	25" (handle folded) 37" (handle working)	28" (handle folded) 45" (handle working)	Height	25" (handle folded) 37" (handle working)
Length	38.5" (handle folded) 56.5" (handle working)	48" (handle folded) 50" (handle working)	65"	Length	38" (handle folded) 51" (handle working)	27" (handle folded) 52" (handle working)	Length	38" (handle folded) 51" (handle working)
Weight	263 lbs. (no weight) 278 lbs. (1 weight) 293 lbs. (2 weights)	285 lbs. (no weights) 320 lbs. (1 – 27 lb. weight)	1,015 lbs.	Weight	170 lbs.	260 lbs.	Weight	127 lbs.
Ground Speed	3.0 mph	4 mph fwd 2.2 mph rev	7.5 mph fwd 2.2 mph rev	Ground Speed	Push propelled	3 mph fwd 2.2 mph rev	Ground Speed	Push propelled
Coverage (Per Hour)	0.8 Acre	1.0 Acre	2.1 Acres	Seed Hopper Capacity	25 lbs.	40 lbs.	—	—
Tines	24	36	48	Blades	9 verticutting blades	10 verticutting blades	Blades	22 flail blades 1.5" spacing

All walk-behind machines comply with ANSI safety standards: B71.4 for commercial turf care equipment or B71.8 for OPE walk-behind ground-engaging equipment. Core and cutting depth vary depending on ground conditions.

Your local Toro dealer offers a complete selection of Toro equipment, as well as genuine Toro parts and service from knowledgeable technicians.

See your Toro dealer or Toro representative for details on the new turf renovation line, or visit [toro.com](http://toro.com) today.



Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligation. See your dealer for details on all of our warranties.