
TABLE OF CONTENTS

CHAPTER 1 INTRODUCTION

1.1 Manual Overview	1-1
1.2 Assembly Designation Procedure	1-1
1.3 Safety	1-1
1.4 Maintenance.....	1-2
1.5 Material Return Procedure.....	1-2
1.6 Warranty for Broadcast Products – Limited One-Year Warranty	1-3

CHAPTER 2 SYSTEM DESCRIPTION

2.1 System Overview.....	2-1
2.2 Control and Status	2-2
2.2.1 VHF Exciter Tray	2-3
2.2.2 600-Watt Amplifier Tray	2-6
2.3 Input and Remote Connections.....	2-7
2.4 AC Input	2-10

CHAPTER 3 CIRCUIT DESCRIPTIONS

3.1 High-Band VHF Exciter	3-1
3.1.1 Aural IF Synthesizer Board, 4.5 MHz	3-1
3.1.2 Sync Tip Clamp/Modulator Board.....	3-2
3.1.3 Delay Equalizer Board	3-5
3.1.4 IF Carrier Oven Oscillator Board	3-6
3.1.5 ALC Board, NTSC	3-7
3.1.6 IF Phase Corrector Board	3-13
3.1.7 VHF Mixer/Amplifier Enclosure Assembly	3-15
3.1.8 Transmitter Control Board.....	3-17
3.1.9 Visual/Aural Metering Board.....	3-22
3.1.10 Channel Oscillator Assembly, Dual Oven.....	3-23
3.1.11 EEPROM FSK Identifier Board	3-23
3.1.12 IF Attenuator Board.....	3-24
3.2 600-Watt High-Band VHF Amplifier Trays.....	3-24
3.3 Bandpass Filter Assembly	3-28

CHAPTER 4 INSTALLATION AND SETUP PROCEDURES

4.1 Site Considerations	4-1
4.2 Unpacking the Cabinets and Trays	4-4
4.3 Installing the Cabinets and Trays.....	4-5
4.4 Setup and Operation	4-6

CHAPTER 5 DETAILED ALIGNMENT PROCEDURES

5.1 High-Band VHF Exciter Tray with Baseband Video and Audio Inputs.....	5-1
5.2 VHF Exciter Tray with 4.5-MHz Composite Input Kit	5-1
5.3 VHF Exciter Tray with Either Baseband or 4.5-MHz Composite Input	5-2
5.4 IF Phase Corrector Adjustment	5-3
5.5 Linearity Corrector Adjustment.....	5-3
5.6 Phase and Gain Adjustment of the VHF Amplifier Trays	5-4

TABLE OF CONTENTS (continued)

5.7 Calibration of the Forward Output Power Level of the Transmitter.....	5-5
5.8 Calibration of the Reflected Output Level of the Transmitter.....	5-5
5.9 2-Way Combiner Assembly	5-6
5.10 Bandpass Filter Assemblies	5-6
5.11 600-Watt High-Band VHF Amplifier Tray	5-6
5.11.1 AGC Control Board	5-6
5.11.2 Phase Shifter Board.....	5-7
5.11.3 VHF Filter/Amplifier Board.....	5-7
5.11.4 High-Band VHF Amplifier Board	5-7
5.11.5 Overdrive Protection Board	5-7
5.11.6 VHF High-Band Amplifier Board	5-7
5.11.7 4-Way Splitter Board.....	5-8
5.11.8 High-Band Amplifier Board	5-8
5.11.9 4-Way Combiner Board.....	5-8
5.11.10 Calibration of the Visual Plus Aural Output Power and VSWR Cutback.....	5-8
5.12 Board Level Alignment Procedures	5-9
5.12.1 (Optional) 4.5-MHz Composite Input Kit	5-9
5.12.2 Delay Equalizer Board.....	5-10
5.12.3 Composite 4.5-MHz Filter Board.....	5-10
5.12.4 (Optional) 4.5-MHz Bandpass Filter Board.....	5-10
5.12.5 IF Carrier Oven Oscillator Board.....	5-11
5.12.6 Sync Tip Clamp/Modulator Board	5-11
5.12.7 Aural IF Synthesizer Board, 4.5 MHz	5-13
5.12.8 ALC Board (Part 1 of 2).....	5-14
5.12.9 IF Phase Corrector Board	5-15
5.12.10 ALC Board, NTSC (Part 2 of 2)	5-15
5.12.11 Channel Oscillator Board, Dual Oven	5-16
5.12.12 x4 Multiplier Board	5-16
5.12.13 VHF Filter/Mixer Board.....	5-16
5.12.14 High-Band VHF Filter/Amplifier Board	5-17

APPENDICES**APPENDIX A SYSTEM SPECIFICATIONS****APPENDIX B SAMPLE LOG REPORT SHEET****APPENDIX C ASSEMBLY DRAWINGS****APPENDIX D SUBASSEMBLY DRAWINGS**

LIST OF FIGURES

4-1	1 kW Minimum Ventilation Configuration	4-4
4-2	Chassis Trak Cabinet Slides.....	4-5
5-1	Waveform.....	5-12

LIST OF TABLES

2-1	425A Major Trays and Assemblies.....	2-1
2-2	VHF Exciter Tray Meters	2-3
2-3	VHF Exciter Tray Switches	2-4
2-4	VHF Exciter Tray Fault Indicators.....	2-4
2-5	VHF Exciter Tray Samples.....	2-5
2-6	600-Watt Amplifier Tray Switches.....	2-6
2-7	600-Watt Amplifier Tray Fault Indicators	2-7
2-8	600-Watt Amplifier Tray Control Adjustments	2-7
2-9	600-Watt Amplifier Tray Sample.....	2-7
2-10	VHF Exciter Remote Interface Connections With the A/V Input and Remote Interface Assembly	2-8
2-11	VHF Amplifier Tray Remote Interface Connections With the A/V Input and Remote Interface Assembly	2-10
3-1	600-Watt Amplifier Tray Boards and Assemblies.....	3-25
5-1	Bandpass Filter Typical Values.....	5-6
5-2	ALC Board LEDs.....	5-14