



Vector Pro

Soundbank Manual

Software Version 1.4

EN 160307

End-User License Agreement (EULA)

Do not use this product until the following license agreement is understood and accepted. By using this product, or allowing anyone else to do so, you are accepting this agreement.

This End-User License Agreement (EULA) represents the contractual conditions between you, the Licensee, and UVI, located 159 rue Amelot, 75011 Paris - France for the use of software, documentation and other materials created by UVI.

You should not register, install or use UVI Products until the following license agreement is understood and accepted.

By using UVI Products, or allowing anyone else to do so, you are accepting this agreement.

A- License Grant

1. UVI grants to you, subject to the following terms and conditions, the non-exclusive right to use each authorized copy of the Product.
2. UVI Product license are granted only to a single user. You may use this product on up to three separate computers or iLok Dongles, which shall be owned and used by you exclusively.
3. Renting or lending the licensed Software to a third party is expressly forbidden.
4. Except if otherwise stated within this EULA, Licensee may resell the software to a third party or transfer the software permanently. Request may be done using the 'Transfer License' feature in your iLok account, subject to a \$25 fee per-license (\$50 maximum) by Pace. The serial number of the Product will be transferred to the third party by UVI, and Licensee's original registration will be deleted.
5. Resale or ownership transfer of individual products obtained in a bundle, or those used to upgrade or cross-grade to other products are not allowed.
6. UVI allows you to use any of the sounds and samples in the products you've purchased for commercial recordings without paying any additional license fees or providing source attribution to UVI.
7. This license expressly forbids resale or other distribution of the sounds and software included in the Product or their derivatives, either as they exist on disc, reformatted for use in another digital sampler, or mixed, combined, filtered, resynthesized or otherwise edited, for use as sounds, multi-sounds, samples, multi-samples, wavetables, programs or patches in a sampler, microchip or any hardware or software sample playback device. You cannot sell the Product content or give it away for use by others in their sampling or sample playback devices.
8. In the event UVI terminates this agreement due to your breach, you agree to return the original and all other copies of the software and documentation to UVI.
9. UVI reserves all rights not expressly granted to herein.

B- License Activation

1. In order to use UVI Products it is required that you authorize them by registering your Serial Number on uvi.net/register, have a free iLok account (not necessarily a dongle) and install the free iLok License Manager (done automatically by UVI Workstation and Falcon installers). It is impossible to use UVI Products if they are not registered and authorized.
2. During authorization you will need to enter your name, email address and postal address which will be stored in the UVI database. UVI uses a secure SSL connection with 128-bit-encryption that meets current security standards to transmit your data over the web. For further information about UVI's handling of personal data please see: <https://www.uvi.net/privacy-policy>
3. The UVI Product license allows up to 3 simultaneous activations on any combination of iLok dongles and computers. Activations can be moved between devices at anytime through the iLok License Manager.

C- Protection of Software

You agree to take all reasonable steps to protect the Product and any accompanying documentation from unauthorized copying or use. You agree not to modify the Product to circumvent any method or means adopted or implemented by UVI to protect against or discourage the unlicensed use or copying of the Product.

D- Ownership

Ownership of, and title to, the enclosed digitally recorded sounds (including any copies) are held by UVI. Copies are provided to you only to enable you to exercise your rights under the license.

E- Term

This agreement is effective from the date you open this package, and will remain in full force until termination. This agreement will terminate if you break any of the terms or conditions of this agreement. Upon termination you agree to return to UVI all copies of this product and accompanying documentation and destroy any other copies made.

F- Restrictions

Except as expressly authorized in this agreement, you may not rent, lease, sub-license, distribute, copy, reproduce, display, modify or timeshare the enclosed Product or documentation.

G- NFR Serials and Free Products

UVI Products serial numbers labeled as "NFR" (Not For Resale) shall only be used for demonstration, testing and evaluation purposes. NFR Products may not be used for commercial purposes, and may not be resold or transferred. They are not eligible for license recovery and are exempt from update, upgrade or crossgrade offers, and cannot be purchased with or exchanged for vouchers. Furthermore, as an owner of an NFR Product, you are not entitled to promotions available for the commercial version of the Product.

H- No Support Obligation

UVI will make its best effort to support you in the event of technical difficulty with a UVI Product. However, UVI is not obligated to furnish or make available to you any additional information, software, technical information, know-how, or support.

I- Specifications and System Requirements

All technical specifications of UVI Products provided are intended to be estimates or approximations. Due to numerous variables no guarantees of compatibility or performance can be made. All such specifications shall be in writing. End-User is solely responsible for, prior to purchase, ensuring that End-User's devices are compatible and meet the system requirements for UVI Products, and that the applicable UVI Products meet End-User's requirements.

This EULA is governed by the laws of France.

©2017 UVI. All rights reserved.
All trademarks are the property of their respective owners.

Table of Contents

Introduction	4
Vector Pro VS	
Edit Page.....	5
Mod Page.....	7
Preset List	8
Vector Pro VX	
Edit Page.....	9
Mod Page.....	11
Arp Page	12
Preset List	13
Vector Pro 22	
Edit Page.....	14
Preset List	15
Links.....	16
Credits and Thanks	17

Vector Pro



Introduction



In the summer of 1986 a renowned American synth manufacturer released a machine with a remarkable new method of constructing sound. That machine was the Sequential Prophet VS and the method was vector synthesis. A ground-breaking instrument in its time and still a sought-after collectible to this day, the Prophet VS was ill-fated in the market for a number of reasons and its failure signaled the end of Sequential's distinguished legacy. Needless to say the tonal range and sheer flexibility of the Prophet VS was brilliant. The new digital vector synthesis engine was placed in front of an all-analog signal path with renowned Curtis amps and filters giving it incredible warmth and an unmistakable character. The palette of sounds that were possible with the VS was immense. Not only did it offer a world of never-before heard sounds but it could closely imitate both the analog classics and its modern digital peers alike. Another first, the Prophet VS saw great emphasis placed on expressive control over a stereo sound stage allowing for great depth and dimension, leading in large part to it capturing the imagination of an entire generation of film composers including the seminal Vangelis and John Carpenter.

Vector Pro begins with one of these rare treasures, a fully serviced Sequential Prophet VS. Sound designers in our studio poured over and through this machine to create a multitude of patches, from textbook classics to the wild and experimental, resulting in a true exposition of the machines capabilities. These patches were then multi-sampled through a world-class system at high-resolution, capturing every detail. While no sample-based instrument can ever be definitive in a true sense, Vector Pro offers a staggeringly thorough depiction of the Prophet VS with a 30gb library of sample data. Filtering, modulation, expression and effects are all realized with the capable UVI Engine, offering near-limitless customization options. Two basic architectures are provided in Vector Pro, VS and VX. Vector

Pro VS offers an efficient and flexible single oscillator system which expresses quite unmistakably the qualities of the Prophet VS. Vector Pro VX takes things a step further with a dual-layer system built on a library of raw multi-sampled waveforms. This system allows for the exploration of completely new sounds with independent control of each layers amp, filter, stereo and effects sections, a built-in LFO, step modulator and two versatile arpeggiators. User interfaces for both recall the classic design of the Prophet VS and sport a full array of programmable controls that should be both immediate and intuitive to anyone with synthesizer experience.

As a bonus we've included Vector Pro 22. Made in the same depth and fashion as Vector Pro VS, Vector Pro 22 details the classic Yamaha SY22 vector synthesizer. The SY22 was designed by former Sequential engineers after Yamaha purchased the group and is loosely based on the Prophet VS architecture. Offering its own unique character and modulation opportunities, the SY22's sound makes a perfect compliment to the VS library.

Vector Pro offers a huge range of sounds of both impeccable quality and distinct character. A great sounding instrument sure to please sound designers, producers, composers or anyone else looking for sonic inspiration.

Minimum System Requirements

- UVI Workstation 2.5.10+ or Falcon 1.0+
- 18GB of disk space

For more information on the installation process, please refer to the document: [Soundbank Installation Guide](#)

Vector Pro



VS - Edit Page



The UI is divided into two pages; [Edit] and [Mod]. Primary controls such as amp, filter, stereo, pitch and effects are available on the [Edit] page. Clicking the [Mod] button at the top of the interface reveals the second page of controls containing the LFO and Step Modulator. Presets are accessible directly through the browser in UVI Workstation/Falcon.

1 ► Globals + Page

- » **Mono**
Disables polyphony if active
- » **Arp**
Toggle built-in arpeggiator on/off
*[additional controls available in UVIWS/
Falcon arp page]*
- » **Edit**
Sets the UI to the Edit page
- » **Mod**
Sets the UI to the Mod page

2 ► Filter

- » **ADSR**
Typical envelope controls for the filter
- » **Vel Sens**
Adjust the filter velocity sensitivity
- » **Depth**
Depth of the filters EG
- » **Cutoff Freq**

- Filter cutoff frequency
- » **Resonance**
Filter resonance amount
- » **Filter Type**
Multimode filter can be set to low-pass [LP], band-pass [BP], or high-pass [HP]

3 ► Amp

- » **ADSR**
Typical envelope controls for the amp
- » **Velocity**
Adjust the amp velocity sensitivity
- » **Vel > Atk**
Remaps Attack to Note Velocity

4 ► Modwheel

- This section provides a quick way to map common controls to your MIDI keyboards modwheel
- » **Vibrato**
Speed of the vibrato (free)

» Tremolo

Speed of the tremolo (sync)

» Filter

Cutoff frequency of the Filter

5 ► Effects

- » **Phaser**
Adjust effect mix amount
- » **Delay**
Adjust effect mix amount
- » **Reverb**
Adjust effect mix amount

6 ► Noise

- » **Amount**
Adjust noise mix amount
- » **White/Pink**
Select white or pink noise types

Vector Pro



VS - Edit Page [continued]



7 ► Stereo

- » **Color**
Utilizes neighboring samples from the library to a unique effect
- » **Spread**
Sets the stereo width (in ALT and UNI modes only)
- » **Detune**
Detunes the unison layers (UNI mode only)
- » **Mode - Off**
Sets the stereo mode to OFF [monophonic]

- » **Mode - Alt**
Sets the stereo mode to ALT; stereo position alternates L/R every note, width controlled by [SPREAD]
- » **Mode - Uni**
Sets the stereo mode to UNI; layers multiple samples and augments them for increased stereo presence, modify with [COLOR] and [DETUNE]
- » **Mode - Chorus**
Activates hardware Chorus layer

8 ► Pitch

- » **Depth**
Sets the depth of portamento [Poly]
- » **Time**
Sets the glide time for both modes

9 ► Drive

- » **Amount**
Sets the drive amount
- » **On/Off Switch**



1 ► LFO

- » **Sync**
Toggle LFO sync to host tempo
- » **Speed**
Set the LFO speed
- » **EG Depth**
Set the depth of the LFO envelope
- » **Attack**
Set the LFO envelope attack time
- » **Decay**
Set the LFO envelope decay time
- » **Shape**
Select the LFO waveform: Sine, Square, Triangle or Sample & Hold (random)
- » **> Pitch**
Set the pitch modulation amount
- » **> Drive**
Set the drive modulation amount
- » **> Volume**
Set the volume modulation amount
- » **> Filter**
Set the filter modulation amount

2 ► Step Modulator

- » **Step Value**
Set the per-step value (draw with mouse, double-click to enter explicit values)
- » **Grid**
Set the step speed/resolution
- » **Steps**
Set the number of steps to playback
- » **Delay**
Set the initial delay time
- » **Rise**
Set the time to activate smooth
- » **Smooth**
Interpolates sub-step values for a smooth modulation
- » **> Volume**
Set the volume modulation amount
- » **> Filter**
Set the filter modulation amount

► Saving Presets

- » **UVI Workstation**
 1. Click the [Multimode] button in the main toolbar
 2. Click the [Wrench] icon
 3. Select 'Save Multi'
- » **Falcon**
 1. Click the [Wrench] icon and save as a Multi (all parts) or as a Program [single]

Settings for both UVI Workstation and Falcon will be saved automatically with your project if you're working within a DAW.

Vector Pro



Preset List - VS

Arpeggios-Steps:

Analog Tanger
Mayhem of Steps
New World Order
Orbital Wheel
Parasitiac
Playing Land
RinoceChord
Space Transmission
Step Dirty
The Discover
Vectorification
Wheel Delay

Bass:

Anabass
Diplodobass
DNA VS Wheel
Glasswheel
Jarstice
Mati Bass
Mog Bass
Shaft VS
Slapotron
Square Wheel
Vector Bass
Vector Slap
Video Games
VSub Bass
Yeti Foot
Zebroid

Bells-Mallet:

Classic VS
Digi Mallet
Digital Bellstation
Evolubells
Fairlight B
Florin Bells
GIK Digital
Little Bell
Numericabel
Pluck Wood
PPG Like
Prophet Bells
Soft Orgabells
Space Carillon
Steely Drums
Sunlight
Synth Tiny Bells
That VS Bell
Tubular
Vector Bello
Wolf Band
Woody VS
Zanga Bella

Brassy:

Cold Brass
Kevin Brass
OB Stew Fly
Synth Brass
Vector Hybrass

Keyboards:

Almost Grand
Clavi Phase
Digital Road
Fender Bells
Funky Soft
HarpVSichord
Little Piano
Metalicia K
More than FM
Morphed Keys
NumeriClav
OrgAfrica
Pro Dyno
Prophet Road
ReggAttack
Rootsrgan
Soft Harpsy
Soft Organ
Space Keys
Spacial Keys
Tramp Super
Vector Road
VectorGan
VS Rlitzer
VS Tines

Leads:

Analead
Bob Corn
Eleadstic
Ethiopian Lead
Fivotron
Funky Beach
God Given
Harvard Square
Leadotron
Long Beach
Mad Justice
Mog Lead
Poly Age
Shaft Lead
Smoothy
Solage
Solivox
Solo Nono
Vanilla Lead

Pads:

Cold and Calm
Dark Pador
Detuned Voices
Evolution
Harry Zone A
Hybridizer
Islandia
Larger Voices
Mellocoton
PaDyno
Panichoires
Phasy Holly
PolaVocaroid
Polymorphe

Pomade

Rain Forest
SFX Bell Pad
Soft Choir
Soft Tines
Sorin Pad
Step Padder
Vocal Ensemble
Vox Digitali
VP Choirs Like
Yes You Are

Polysynth:

Anafunk
Big Stack
Clintonix
Complex City
Digital Stack
Funky Smooth
Hybrid Poly
Metal Poly
Moving Tune
Nueva Poly
Organ Funky Stab
Panicota
PoLead
Poly Back Feed
Polypad
Raw Square
Resophonic
Softy Brassy Poly
Squarly
Stack Anovist
Table Top
Thriller Droid
Ze Cycle

Strings:

Analog STR
Eminent
Hybrid Baroque
Ominous VS
Phaser Strings
String Machine
Vector Fast Strings
Vector Slow Strings
VoxChestra

Sweeps:

Bottle Sweep
Equinox
Fast Sync
Invert Jarre
Multi Sweep
Poly Sweep
Soft Sweep
Square Sweep Step
Sweepy Martinez
UVI Filter Sweep
Wheel Glassweep

Xtra Waveforms

Bells:

Bass Bell
Bell Partial 1
Bell Partial 2
Bells 01
Bells 02
Bells 03
Bells 04
Bells 05
Bells 06
Bells 07
Bells 08
Bells 09
Bells 10
Bells 11
Bells 12
Bells 13
Bells 14

Brutal:

1-Heavy Seventh
Brutal 01
Brutal 02
Brutal 03
Brutal 04
Brutal 05
Brutal 06
Brutal 07
Brutal 08
Brutal 09
Brutal 10
Brutal 11
Brutal 12
Brutal 13
Brutal 14
Brutal 15
Brutal 16

Chip Tune:

Chip Tune 01
Chip Tune 02
Chip Tune 03
Chip Tune 04
Chip Tune 05
Chip Tune 06
Chip Tune 07
Chip Tune 08
Chip Tune 09
Chip Tune 10
Chip Tune 11
Chip Tune 12
Chip Tune 13
Chip Tune 14
Chip Tune 15

Digital:

3rd and 5th
Digital 01
Digital 02
Digital 03
Digital 04
Digital 05

Digital 06

Digital 07
Digital 08
Digital 09
Digital 10
Digital 11
Digital 12
Digital 13
Vocal

Organ:

Organ 01
Organ 02
Organ 03
Organ 04
Organ 05
Organ 06
Organ 07
Organ 08
Organ 09
Organ 10
Organ 11
Organ 12
Organ 13
Organ 14
Organ 15
Organ 16
Organ 17
Organ 18

Pure:

Pure 01
Pure 02
Pure 03
Pure 04
Pure 05
Pure 06
Pure 07
Pure 08
Pure 09
Pure 10
Pure 11
Pure 12
Pure 13
Pure 14
Pure 15
Vocal

Thin:

Thin 01
Thin 02
Thin 03
Thin 04
Thin 05
Thin 06
Thin 07
Thin 08
Thin 09
Thin 10
Thin 11
Thin 12
Thin 13
Thin 14

Waves:

01-Sine
02-Saw
03-Square
04-Pulse 1
05-Pulse 2
06-Saw 3rd and 5th
07-Sine 5th
08-Sine 2-Oct
09-Sine 4-Oct
10-Saw 5th
11-Saw 2-Oct
12-Square 5th
13-Square Oct and 5th
14-Square 2-Oct

Vector Pro



VX - Edit Page



The UI is divided into three pages; [Edit], [Mod] and [Arp]. Primary controls such as amp, filter, stereo, pitch and effects are available on the [Edit] page. Clicking the [Mod] button at the top of the interface reveals the second page of controls containing the LFO and Step Modulator. The final [Arp] page presents an independent arpeggiator for each layer.

Main

1 ► Presets

Select a global preset from the pull-down menu or browse them with the Prev/Next arrows

2 ► Pages

Change the current page by selecting one of the 3 options; Edit, Mod or Arp

3 ► Layer Globals

- » **On/Off Toggle**
Turn layers 1 and 2 on or off
- » **Volume**
Adjust the Volume of each layer
- » **Pan**
Adjust the Pan of each layer

4 ► Master Gain

Set the Output Gain for the instrument

Basic Controls

5 ► Layer Edit

- » **Edit 1 | Edit 2 | Edit All**
Choose to edit layers 1 or 2 separately or simultaneously
- » **Wave Menu**
Choose the wave category in the first row and the wave in the second

6 ► Pitch

- » **Tune**
Adjust the pitch in Semitones/Cents
- » **Depth**
Adjust the Portamento depth
- » **Mono**
Toggle between Mono and Poly voicing
- » **Octave**
Adjust the pitch in Octaves
- » **Time**
Set the Glide time

7 ► Amplitude

- » **ADSR**
Attack / Decay / Sustain / Release envelope for the Amplitude section
- » **Velocity > Attack**
Modulates attack amount based on incoming note velocity. Low velocities result in long attacks; high velocities result in short attacks.
- » **No Velocity**
Sets all incoming notes to max velocity

8 ► Drive

- » **On/Off Switch**
- » **Amount**
Sets the amount of drive

Vector Pro



VX - Edit Page [continued]



Basic Controls (continued)

9 ► Stereo

- » **Mode**
Off / Alternate Pan / Unison
- » **Color**
Shifts color based on adjacent samples
- » **Spread**
Change the stereo width
- » **Detune**
UNI Mode Only: setunes layers

10 ► Filter

- » **ADSR**
Attack / Decay / Sustain / Release envelope for the Filter section
- » **Cutoff**
Filter cutoff frequency
- » **Resonance**
Adjust the resonance (Q) of the Filter
- » **EG Depth**
Modifies the amount of ADSR envelope to be applied to the Filter
- » **Velocity**
Adjust the Velocity > Filter sensitivity
- » **Type**
Choose Filter mode; High Pass, Band Pass, or Low Pass

11 ► Effects

- » **Power/Amount**
Choose from Phaser, Delay, Reverb and Chorus (additional controls available in the Effects page of UVIWS and Falcon)

12 ► Modwheel

- » **Power/Amount**
Easily route your controllers Modwheel to control common parameters such as Vibrato, Tremolo and Filter Depth

Vector Pro



VX - Mod Page



LFO

1 ► Sync

Enable/Disable LFO sync to Host Tempo

2 ► Waveforms

Choose LFO waveform; Sine, Triangle, Square or Sample & Hold

3 ► LFO Controls

» Speed

Change the LFO Speed

» EG Depth

Adjusts the amount of Attack and Decay to be applied to the LFO

» Attack

Attack time for the Speed envelope

» Decay

Decay time for the Speed envelope

4 ► Mod Routing

Control the amounts of LFO modulation to be applied to various parameters including; Pitch, Drive, Volume and Filter

Step Modulator

5 ► Step Sequencer

Interactive editor for programming sequenced modulations; bar height equals mod amount

6 ► Params

» Grid

Change the sequencers step length

» Steps

Change the amount of steps for the sequencer to play

» Delay

Delay time to activate first step

» Rise

Time to activate step with a smooth transition

» Smooth

Interpolates values between adjacent steps to smooth parameter modulation for a custom LFO effect

7 ► Mod Routing

Control the amounts of modulation to be applied to various parameters including; Volume and Filter

Vector Pro



VX - Arp Page



1 ► Step Indicator

LED lights up when step is triggered

2 ► Step Editor

16-step sequencer; affects Velocity

3 ► Tie

When active, step inherits Velocity from the previous step

4 ► Layer 1 > Layer 2

When active, Arpeggiator 1 affects both layer 1 and layer 2 (whereas when disabled each Arp modifies its corresponding layer only)

5 ► Arp On/Off

Toggle the Arpeggiator On/Off

6 ► Grid

Change the step length

7 ► Arp Mode

Select Up, Down, or Up and Down

8 ► Gate

Change the step length (knob value ranges from zero to the tracks Resolution setting)

9 ► Steps

Sets the Arpeggiators step length

10 ► Octave

Set the pitch range of the Arpeggiator in Octaves

Vector Pro



Preset List - VX

00-Init

Arpeggios:

AR-Cosmo Wheel
AR-Diode Power
AR-Hernani
AR-Kitch Pop Corn
AR-Lake O Neil
AR-Liquid Emo
AR-T Show
AR-The Phoenix
AR-Vector Hugo
AR-Very Wheel
AR-Zenitude

Bass:

BS-Dub Punk
BS-Fusion Wheel
BS-God Given
BS-Hurry Fashion
BS-Jack in The Bass
BS-Rage Analog
BS-So Phat
BS-Sub Culture
BS-Super Wet
BS-Wheel Take Us
BS-X Seq Mania
BS-You and Bass
BS-Zebra Wheel

Bells:

BL-Analog Bell 1
BL-Belly Bello
BL-Broken Bells
BL-DigiBell One
BL-DigiBell Two
BL-Dulce De Leche
BL-Ego Bells
BL-Monster Mos
BL-Osphore Bells
BL-Ring My Bell
BL-Solarium
BL-Square Bells
BL-Unity
BL-Vibrations
BL-Wheel Bell
BL-Wheel Mutan

Brass:

BR-Abrasic
BR-Coach O New
BR-Old Movie
BR-Simple Funk Brass
BR-Slow Motion

Chords:

CH-Activation
CH-Aliens Wheel
CH-Arp Chordix
CH-Bi Cephalo
CH-Big Beauty
CH-Mother Guez
CH-Multisonic
CH-Windax Boxer
CH-Yes you Can
CH-Zebuloid
CH-Zoologic

FX:

FX-Cochon in Space
FX-Mansion
FX-Neptoms

Keyboards:

KB-ClaVector
KB-CP Impressions
KB-Dyno VS
KB-Harpsonic Castle
KB-Keys VS Seq
KB-Lunar Organ
KB-Organix
KB-Prophet Tines
KB-Synth Cheezy
KB-The VX Doors
KB-Vintage Vibes

Leads:

LD-Duck Dance
LD-Entrance
LD-FeedbackKing
LD-Giga Bass Lead
LD-Nasaloide
LD-Overwheeling
LD-Screamer
LD-Seq BAF
LD-So Digital

LD-Solo Poly Wheel
LD-Vintage Lead
LD-Vocal Theremin

Pads:

PD-ARP Ominous
PD-Beautypad
PD-Captain Cousteau
PD-Cold Waves
PD-Creative Wheel
PD-Dancer in the Dark
PD-Dual And Lua
PD-Filter Sweep
PD-Morpho
PD-Network Reso
PD-Nineties
PD-Noise Beat
PD-Padamento
PD-Sol Air One
PD-Sweepy Morales
PD-Tanger Wear
PD-Vocal Gliding

Plucks:

PL-Busy Times
PL-Digital Wheel
PL-Glass Lounge
PL-Numericharp
PL-Polymentos
PL-Polyson
PL-Soly Polo
PL-Sugar Man

Vector Pro



22 - Edit Page



1 ► Mono/Poly

Switch between mono and poly modes

2 ► Stereo

- » **Mode - Off** (mono)
- » **Mode - Alt**
Stereo position alternates L/R every note, width controlled by [SPREAD]
- » **Mode - Uni**
Layers multiple samples and augments them for increased stereo presence
- » **Color**
Utilizes neighboring samples from the library to a unique effect
- » **Spread**
Sets the stereo width
- » **Tune**
Detunes the unison layers (UNI mode)

3 ► Amplitude

- » **Vel > Atk**
Remaps Attack to Note Velocity
- » **ADSR**
Typical envelope controls for the amp
- » **Velocity**
Adjust the amp velocity sensitivity

4 ► Filter

- » **Filter Type**
Multimode filter can be set to low-pass (LP), band-pass (BP), or high-pass (HP)
- » **ADSR**
Typical envelope controls for the filter
- » **VEL**
Adjust the filter velocity sensitivity
- » **CUT**
Filter cutoff frequency
- » **RES**
Filter resonance amount
- » **ENV**
Depth of the filters EG

5 ► Pitch

- » **Depth**
Sets the depth of portamento [Poly]
- » **Time**
Sets the glide time for both modes

6 ► Drive

- » **On/Off Switch**
- » **Amount**
Sets the drive amount

7 ► Bit Crusher

- » **Bit Crusher On/Off**
Enable/Disable the Bit Crusher effect
- » **Bit**
Set the bit reduction
- » **Frequency**
Set the Bit Crusher sample rate
- » **Drive**
Adjust the overdrive amount of the Bit Crusher effect

8 ► Effects

- » **Phaser**
Adjust effect mix amount
- » **Delay**
Adjust effect mix amount
- » **Reverb**
Adjust effect mix amount

9 ► Modwheel

- » **Power/Amount**
Easily route your controllers Modwheel to control common parameters such as Vibrato, Tremolo and Filter Depth

Preset List - 22

Bass:

Agressynth
Back in the days
Bassy Dub
Danger in Boots
Dead or a Bass
Eighties Bass
Funkitch Slap
Jazz Acoustic
Just Ice Bass
Keetchew Bass
Music Man
No Fret
Obese Vector
Square Bass
Switch
Toy Bass
Vectorgelis
Welcome Zapp

Bells:

Airy Bells
Asian Bells
Blow Bells
Chandel Bells
Children Box
Digital Bells
Dream my Bell
Farfibells
Glock and Spiel
Metal Licks
Mixed Bells
Origami
Pure Bells
Vector Bells

Brass:

Analog Brass
Cheezy Brass
Cheezy Trumpet
Crawl Brass
FM Band
Frenchies One
Hooks Machine
Horn Section
Large Horns
OBrass
Poly Brassy Endy

Poly Brassy
Synth Brass

Guitars:

Distortion Poly
Distortion Solo
Distortion
Harmonics
Harpybrid
Muted
Tiny Electric
Twelve Strings
Ultra Short

Keys:

AcoustHybrid
Ariel Keys
Chandel Dyno
Clavevector
Concert Pad
Crystal Space
Digital Keys
ETines
Farfitoys
FM History
Gospel Tines
Grand Pad
Grand Twenty Two
Hard Psychord
Hybrid Keys
Keyvolution
Pianissimo
Pop Organ
Smooth Jazz
Think Clav
Toy Piano
Vector Keys
Vectorgan
WurlEctor

Leads:

Digital Pan Flute
Harmo 22
MalleadT
Noise Lead
OsciVector
Quincy Pan
Rasp Berries

Square El
Switch Lead
Vangelead
VectOboer
Vector Sync

Misc:

Barbaban Flute
Barbaban
Cheezy Sax
DrumStation
Ethnicity
Hybrid Mallet
Incarnation
Melloflutron
NepToms
Scratch Hall
Synth Pan Flute
Vector Marimba
Woody Vector

Orchestral:

Baroque Strings
Classical Horns
Complete Section
Dark Strings
Full Church
Harp Edge
Large Vectorch
Low Ensemble
MajestHit
OrchestrOrgan
Pizzicator
Rainbows
Simple Harp
Solino
Tutti Vector
VectHollywood
Vector Hits
Victory GO

Pads:

Atonal
Cirque Evolution
D Fifty
Feeric
Full Pad
GrandOminous

Icono Blast
OBminous
Old Field
One Again Beast
Pad Problem
Padlywood
Slow Heaven
Warm Session

Vector Synth:

Beauty Full
Citrix Acid
Detuned
Ethereal Drops
German Dream
Motion Synth
Moving Waves
Multi Pad
Night Sensation
Poly Vector
Soft Funk
Square Pluck
Vector Punch
Wobbling

Voices:

Boys Ensemble
Destructuration
Detail Evil
Focal Choirs
Mind Blowing
Obee Choirs
Raining Choirs
Short Vox
Slow Boys

Vector Pro



Links

UVI

- Home uvi.net/
- Soundbank Installation Guide [installing_uvi_soundbanks_en.pdf](#)
- UVI Workstation User Guide [uviworkstation_user_guide_en.pdf](#)
- Your Registered Product Serial Numbers and Download Links. uvi.net/my-products
- FAQ uvi.net/faq
- Tutorial and Demo Videos youtube.com/
- Support uvi.net/contact-support

iLok

- Home ilok.com/
- iLok License Manager ilok.com/ilm.html
- FAQ ilok.com/supportfaq



Vector Pro

Credits and Thanks

Produced by UVI

Recording / Editing / Sound Design

Damien Vallet
Kevin Guilhaumou
Alain J Etchart
Nathaniel Reeves
Kenneth @ Maskinrum Studio

Software + Scripting

Olivier Tristan
Remy Muller

GUI

Nathaniel Reeves

Documents

Nathaniel Reeves
Kai Tomita

Special Thanks

Michael Garçon
Richard @ RL Music
Manu @ Master Waves
Kenneth @ Maskinrum Studio



UVI.NET