Go to www.vtechphones.com

to register your product for enhanced warranty support and the latest VTech

VM350 VM350-2





vtech Quick start guide



channels

requency control

The Stored Noise sound file was reashed by Calonie Eord, and is used under the Cessibe Commons license. The Stored Noise sound file was reashed by Caroline Ford, and is used under the Cessibe Commons license. The Cristes AN Wight sound file was reashed by Mare Norsing, and is used under the Creative Commons license. The Heart sound file was reashed by Zarabadeu, and is used under the Creative Commons license.

Mominal effective range Maximum power allowed by F.C. and IC. Actual operating range may vary according to environmental conditions at the time of use

(WQVGA 480x272 pixel)

Zoom

IECHNICAL SPECIFICATIONS

Press ⊕ to zoom in or out

u m. . ho ---

Crystal controlled PLL synthesizer

Baby unit power adapter. Output: 6V DC @ 400 MP Parent unit power adapter: Output: 5V DC @ ΔA Parent unit battery: 3.8V 210Amb Li-lon battery

Power adapter information: lecommunications Ltd. /TOSEUS06040 (Baby unit); VTOSEUS05100

A Rechard

ZHONGSHAN TIANMAO BATTERY CO., LTD 3.8V 2100mAh Li-ion Battery (Model: 19300)

IN THE NEWL SEAL.

Use only the adapters included with this product. Incorrect adapter polarity or voltage can seriously damage the product.

IMPORTANT SAFETY INSTRUCTIONS

The applied nameplate is located at the bottom of the baby

3.8V 2IDDmAh L-ion Battery (Model: P98U)

8. The power adapters are intended to be correctly oriented in a vertical or floor mount position. The promps are not designed to hold the plug in place if it is pulpaged into a collegi, under-the promps are not provided to the property of the

se type of power supply in your norme, cursus you sussess. I focal power company. In focal power company. In not overload wall outlets or use an extension cord. No not place this product on an unstable table, shelf, stand in other unstable surfaces. It's product should not be placed in any area where proper entilation is not provided. Slots and openings in the back or

by placing the product on a soft surface such as a bed, sofa or rug. This product should never be placed near or over a The product should never be placed near or over a side of soft and the placed near or over a side of soft and the placed near over a side of soft and the placed near the placed near over a side of soft because they may touch dangerous voltage points or create a short circuit. Never spill liquid of any kind on the product.

To reduce the risk of electric shorts.

your equipment, basic safety precautions should allowed to reduce the risk of fire, electric shock and ding the following: all warnings and instructions marked on the product. tup is required. bate a nort oricuit, Never spill inquisit or any kind on the fuctor. It is a short oricuit of the short of the short of the fuctor, but take it to an authorized service facility. Opening more parts of the product other than specified access is range upone you to dangerous vollages or other risks, reasonabling can cause electric shock when the last its subsequently used. Adult setup is required.

CAUTION: Do not install the baby unit at a height above 2 D. CALTRONIC Do not most lime below until a telegrit above 2. The product is not authentible for dull requirement of the inflant. Appendix pin be rafter it for prover for or caregivary for the rafter. Appendix pin be rafter it for prover for or caregivary for the rafter or provided on a source in the ordinary working and the rafter or provided on a source in the ordinary working misded reforce and the old rest one to the ordinary working rest of the rafter of the ordinary ordinary rest of the rafter ordinary ordinary

play with the product.

The product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

SAVE THESE INSTRUCTIONS SAVE THESE INSTRUCTIONS Cautions 1. Use and store the product at a temperature between 32°F and 104°F.

and 104°F.

Do not expose the product to extreme cold, heat or direct smilght. Do not put the product close to a heating source.

Batteries should not be exposed to excessive heat such as bright sunshine or fire.

Marning-Strangulation Hazard-Children have STRANGLED in cords. Keep this cord out of the reach of children (more than 3 ft (0.9 m) have STRANGLED in cords. Keep this cord our of the reach of children (more than 3 ft (0.9 m) away). Do not remove this tag.

Never place the baby unit inside the baby's crib or playpen. Never place the baby unit or parent unit with anything such as a towel or a blanket.

cordiess telephones. Precautions for users of implanted cardiac pacemaker Cardiac pacemakers (applies only to digital cordiess dev Wireless Technology Research, LLC (WTR), an independ research entity, led a multidisciplinary evaluation of the interference between portable wireless devices and im cardiac pacemakers. Supported by the U.S. Food and Administration. WTR recommends to physicians that

pacemakers from other persons using wireless devices.


Electromagnetic fields (EMF)

This VTech product complies with all standards regarding electromagnetic fields (EMF). If handled properly and

14 Battery compartment cover

15 Stand

WHAT'S IN THE BOX



CONNECT THE BABY MONITOR

MOTES

The parent unit runs on rechargeable battery or AC power. To continuously monitor your baby, make sure you use both battery and AC power at the same time. With the battery alone, the parent unit can cordlessly run for a short time only.

Use only the battery supplied with this product.





Make sure the label THIS SIDE UP is facing up while inserting the battery


Replace the battery

To replace the battery, press down on the battery compartment cover and pull it out, then follow the steps above to install the battery.

Connect the baby monitor

■Notes

- Use only the power adapters supplied with this product. Make sure the baby monitor is not connected to the switch controlled electric outlet
- Connect the power adapters in a vertical or floor mount position only. The adapters' prongs are not designed to hold the weight of baby monitor, so do not connect them to any ceiling, under-the-table, or cabinet outlets. Otherwise, the adapters may not properly connect to the outlets.
- Make sure the parent unit, the baby unit and the power adapter cords are out of reach of children



Charge the parent unit battery When you have connected and turned on the parent unit, the battery will be charged

automatically Notes

- BIND IE.

 Before using the baby monitor for the first time, charge the parent unit battery for 12 hours. When the parent unit battery is fully charged, the battery icon becomes solid **VIII.**I takes longer to charge the battery when the parent unit is turned on. To shorten the charging time, turn the parent unit of while charging.

2 POWER ON OR OFF THE BABY MONITOR



POSITIONING THE BABY MONITOR



① CAUTION

experience high-pitched screeching your baby monitor while positioning Make sure your baby unit and parent unit are more than 3 feet (1 meter) apart, OR

Lower the volume of your parent unit.



To avoid interference from other electro To avoid interretence from other electronic devices, place your baby monitor at least 3 feet (1 meter) away from devices such as wireless routers, microwaves, cell phones and computers.

4 STATUS CHECK

0

baby unit and parent unit, your parent unit displays image from the baby unit, and the LINK LED light turns on.

Set the parent unit to beep when the link between the parent unit and the baby unit is lost.

Set the confirmation tone on or off when selecting an option in the menus.

Set the parent unit to beep when the baby unit detects sounds while in Split mode (For VM350-2 only).

The POWER LED light of baby unit turns on.



BASIC OPERATION - PARENT UNIT

Adjust speaker volume

Press VOL+ / VOL- to adjust your parent unit



Talk to your baby unit

Press and hold TALK and speak to your parent unit. Your voice is transmitted to the haby unit Release TALK when finish



Turn off the screen Press and hold LCD ON/OFF to switch off

the screen. You can still hear sound from the baby unit.



Press any keys on the parent unit to turn


Use the menu

Press MENU to enter the menu, choose a menu item, or save a setting. You can use the parent unit for advanced settings or operations, such as to play or stop the baby unit Iuliaby, or to adjust the baby unit sound sensitivity.

While in the menu-

- Press MENU to select an item, or to save a setting.
- Press ∧ or ∨ to scroll among the sub-menus, or to adjust a setting.
- changing the current setting.
- Press @ /EXIT to return to live video.

OVERVIEW - PARENT UNIT



- LCD display
- Antenna
- 3 LED lights
- 4 Microphone

- 5 POWER 6 TALK
 - 11 VIEW /LCD ON/OFF 12 @./EXIT
- Power jack

MENU/SELECT


- - Use your smartphone or mobile device to access our online help.

 - Scan the QR code on the right. Launch the camera app or QR code scanner app on your smartphone or tablet. Hold the device's camera up to the QR code and frame it. Tap the notification to trigger the redirection of the online help.

 If the QR code is not clearly displayed, adjust your camera's focus by moving your device closer or further away until it is close.

you can also call our Customer Support at 1 (800) 595-9511 [in US] or 1 (800) 267-7377 [in Canada] for help.





- 1 Pair hole
- Your baby units and parent unit provided are already paired. 2 POWER LED light
- On when the baby unit is turned on and is paired to the parent
- Flashes when the baby unit is not being viewed:
- or when the link to the parent unit is lost.
- 3 Microphone
- 4 Camera
- 5 Infrared LEDs



6 Light sensor

Speaker

Power jack

ON/OFF switch

. Slide to turn on or off the baby

NEED HELP?

For operations and guides to help you using your video monitor, and for latest information and supports, go and check the online help topics



Brightness



Camera settings



Baby unit speaker volume · Adjust the baby unit's speaker



Lullaby













60min 45min 30min 15min Set timer to stop playing the selected melody or soothing sound.

Adjust the parent unit's LCD brightness
















ON/OFF

 \Box



A

Set the parent unit to beep when the battery is low.

ON/ OFF Turn on/off sound activation · Set sound activation on or off.

When it is on, and the baby unit detects

when is 6 h, and me bady ulin objects no sound, the parent unit screen stays off to save power. Once a sound is detected, the parent unit screen and speaker turns on automatically, and you can see and hear your baby. The parent unit will then turn off again after 50 seconds of no sound detection. ₽NOTE When the parent unit screen is off and When the parent unit screen is off and it receives alerts, for example, link lost between parent unit and baby unit, or battery is low, the parent unit screen and speaker will turn on for 10 seconds.



activate parent unit screen and sound when baby unit detects sounds that exceed certain levels. See **Sound**





You can set VOX sensitivity level to



PARENT UNIT ICONS (CONT'D)

Status icons

Alert icons

 $\langle TI \rangle$

9-level sound indicator

baby unit.

Mute alert

Battery status

indicates low sound level

indicates moderate sound level detected by the

indicates high sound level detected by the baby unit.

Mute alert

Displays when the parent unit speaker volume is set to off.

Displays when the parent unit is talking to the baby unit.

. p = > = > = = 1 animates

. hattery is fully charged

battery is low and needs charging.

Displays when parent unit's battery is low and needs

Displays when connection between parent unit and baby unit is lost.

when the battery is charging.

Status icons . Till - Strong signal strength. Till - Moderate signal strength.

Yn - Low signal strength. . Y - Weak signal strength.

Split mode (*For VM350=2 only)

Patrol mode (*For VM350-2 only)

P

Q1

Q2

⊕

To.

Current view status

 The baby unit number that is being viewed when in: - Single CAM mode. Patrol mode ('For VM350-2 only).

Split mode ("For VM350-2 only).

Night vision - On Zoom - On

Lullaby - On Two-way talk Displays when the parent unit is talking to the baby unit.

°F or °C Real-time temperature
Real-time temperature
detected by the baby unit in
Fahrenheit (°F) or Celsius (°C)
(e.g. 57° F or 14°C).

Temperature alert tone - On







(For VM350-2 only)

Sound sensitivity and sound activation

Adjust sound detection sensitivity

You can turn on **Sound activation** and adjust the **VOX sensitivity** to detect sounds and turn on the parent unit while its screen is switched off or dimmed. When the baby unit detects sounds that exceed certain levels, the parent unit screen will

turn on and the baby unit starts transmitting the sounds to the parent unit, and you can see and hear your baby If you turn off Sound activation, you will hear sounds from the haby unit all the time, even

when the parent unit screen is switched off

If you have turned on sound alert, the parent unit beeps when the baby unit detect sounds while in **Split** mode ("For **VM350-2** only).

VOX SENSITIVITY LEVEL	Level 5 (Highest)	Level 4 (High)	Level 3 (Medium)	Level 2 (Low)	Level 1 (Lowest)
DESCRIPTION	(Default setting) The parent unit screen and speaker turn on for very small sounds, including background noises from your baby's room.	The parent unit screen and speaker turn on for soft babbling and louder sounds from your baby. The parent unit remains quiet when your baby sleeps soundly.	The parent unit screen and speaker turns on for loud babbling and louder sounds from your baby. The parent unit remains quiet when your baby makes soft sounds.	The parent unit screen and speaker turn on for crying and louder sounds from your baby. The parent unit remains quiet when your baby makes soft sounds.	The parent unit screen and speaker turn on for loud crying or screeching sounds from your baby. The parent unit remains quiet when your baby makes soft sounds.

Sound activated screen and audio

When Sound activation is on the parent unit screen stays off to say power when the baby unit detect no sound

Once the baby unit detects sounds that are louder than the chosen sound sensitivity level, the parent unit screen and speaker turn on automatically. The parent unit will then turn off again after 50 seconds of no sound detection. **®**Note

If you have muted the parent unit speaker, only the parent unit screen will turn on when a sound is detected

NIGHT VISION



The baby unit has infrared LEDs that allow you to see your baby clearly at night or in a dark room. When the baby unit being viewed detects low light levels, the infrared LEDs are switched on automatically. The images from the baby unit are in black and white, and appears on the screen.


Notes

- It is normal if you see a short white glare or your parent unit screen as the baby unit is adapting to the dark environment.

 When the infrared LEDs are on, the images are in black and white. This is normal.
- Depending on the surroundings and othe Depending on the surroundings and onter interfering factors, like lightings, objects, colors and backgrounds, the video quality may vary. Adjust the baby unit's angle or place the baby unit at a higher level to prevent glare and blurry display.

■ DIM MODE





FOR VM350-2 ONLY

Status check - Two baby units

If you are viewing baby unit \mathbb{Q}^{1} , the POWER LED light of baby unit ②1 turns on. As baby unit ②2 is not being viewed, its POWER LED light flashes



₿Note If you power on only one baby unit, you may see the parent unit displaying T and then P , and

the LINK LED light flashing. Press VIEW in Single CAM or Patrol mode to switch to the baby unit you have powered on



n Single CAM or Patrol mode, press VIEW to switch of baby units @1



Change different views - Patrol

두바 Select Patrol as your monitoring mode to alternately view the image from baby units



Change different views - Split

⊚2



Select Split as your monitoring mode to view the images from both baby



THE RBRC SEAL



The RBRC sail on the lithium-ion battery indicates that VTech Communications, Inc. is voluntarily participalir in an industry program to collect and recycle these batteries at the end of their useful lives, when taken out of their useful lives, which is the lives of their useful lives.

VIech's participation makes it easy for you to drop off the spent battery at local retailers participating in the program or at authorized VIech product service centers. Please call 1 (800) 8 BATTERY for information on U-ion battery recycling an ediposal bank/restrictions in your area. VIech's involvement in this program is part of its commitment to protecting.

The RBRC seal and 1-800-8-BATTERY® are registered trademarks of Call2recycle, Inc.

FCC AND IC REGULATIONS

FCC Part 15

No. Part 20.

The explanation has been read or and found to comply, with the requirement for a Class Edigate device notine for 15 of the The explanation of Committee (SEC) uses. These requirements were to entered to provide or secondary provides in the complex provides of the committee (SEC) uses the complex provides are read-ordered installation. This sequented read-ordered committee and can adult the adult of an exclusive provides with the installation, requirement generates, uses and can adult the adult endough requirement provides and can adult the radio of the committee of

indestined operation.

To ensure safely of users, the FCC has established criteria for the amount of radio frequency energy that can be safely at you sure or bystander according to the intended usage of the product. This product has been tested and found to come the FCC criteria. The baby unit shall be installed and used such that parts of all persons' body are maintained at a distance populations and in (20 cm) or more. The transmitter and antenna of the parent unit shall be held at least 1 in (2.5 cm) from

This Class B digital apparatus complies with Canadian requirement: CAN ICES-3 (B)/NMB-3(B)

Industry Canada

sevice.

The term "IC" before the certification/registration number only signifies that the Industry Canada technical specifications were we conduct means the applicable languation. Science and Economic Development Canada technical specifications

RF radiation exposure statement

RF adultion exposure statement. The baby unit of the baby unit of the baby unit complex with PCCR RF adultion exposure limits sat forth for an uncontrolled environment. The baby unit of the baby unit and all persons' body. Use of the between the baby unit and all persons' body. Use of the consecsories may not ensure compliance with PCCR Resposure updiedlens. This transmitter must not be co-located or open in conjunction with any other antenna or transmitter. This equipment complies also with Industry Canada RSS-102 with re to Canada's Health Code for Exposure of Humans to RF Paids.

CALIFORNIA ENERGY COMMISSION BATTERY CHARGING TESTING MODE

This baby monitor meets the California Energy Commission (ECC) regulations for energy consumption. Your baby monitor est also is comply with the energy-contenting standards right and of the box. Follows the stantactions is entitled and charge the battery. The CEC battery charging testing mode is activated while it beauting for the parent unit is paired to baby milts, the CEC battery charging testing mode is activated while it is powered of and charging.

MOUNT THE BABY UNIT ON DRY WALL (OPTIONAL)





NOTE

Check for reception strength and camera angle

Use a pencil to mark two holes in parallel. Make sure they are the same distance apart as the wall mount holes on the baby unit.



If you drill the holes into a stud, go to step 3,

If you drill the holes into an object other than a stud, insert the wall anchors into the holes. Tap gently on the ends with a hammer until the wall anchors are flush with the wall.



Insert the screws into the holes and tighten the screws until only 1/4 inch of the screws



Alian the wall mount holes at the bottom of the baby unit with the screws on the wall. Slide the baby unit down until it locks into place.



Adjust the camera angle.

FOR CETL COMPLIANCE ONLY

Mesures de sécurité importantes La plaque signalétique appliquée est située au bas du socie de l'unité du bébé. de l'unite du bebé. Lorsque vous utilisez votre appareil, vous devriez toujours suivre certaines mesures de précaution de base afin de réduire les risques d'incendie, d'électrocution et de blessures comorpiles

- nt ceux qui suivent :
 Observez foutes les instructions et mises en garde inscrites
- L'installation par un adulte est requise.

 MISE EN GARDE: N'installez pas l'unité du bébé à une
 bauteur sundrieure à 2 mêtres MMEE BY OARDE: Nignatine park furthed oil belob à une Capedia from principe page la survivance auther du construction. La supérivation du nourrisson ent la responsabilité produit pour partie page la survivance de la responsabilité produit pourant resident de l'activation par consequent, voca ne devinet page présumer qu'il contribusant de forcitoirent page, la resident page l'activation qu'il contribusant de forcitoirent page, il ne raight per d'un instrument médical de ne devent par chira utilité comme pag. Ce protout ent destine à voca saider à Viullière pas cet d'un instrument médical de ne devent par cours à ligiture, des l'actives de l'active de la course cours à ligiture, des l'actives de la course cours à ligiture, des l'actives de la course point d'une pour des une page de la course principe d'une pour la course de la course page de la course de la course de la course course à ligiture, des courses de la course principe d'une pour de la course principe d'une pour la course de la course page de la course de la course page de la course de la course l'active de la course de la course page de la course de la course l'active de la course de la course l'active page de la course l'active l'ac

- ni prist d'une piccine, Caus un seus-servanne le piles fournies. Il diffés EN AGNE Utilises uniquement les piles fournies. Il existe un risque d'explosion qi un quitre type de batterie est di risquesivant frequents. Their tes piles use production des-crisos piesent frequents. Their tes piles uses production rensealignements sulvant la coasu du RBRC. Vutilistar que los subpatteurs inscris vase ca produit. Nutilises que los subpatteurs inscris vase ca produit no de la companio de la companio de la companio de la consecución sonal inadequato risque d'indicaminager seferiusement lo produit el melhir votre decurite en pfell.
- produit et méttre votre securine un permit produit et méttre votre securine un permit permit de l'unité du parent : Sortie : SV CC 1A VTech Tolsecommunications t Lid.
 Modèle : VTOSE (\$003100 bible : Sortie : 6V CC 400mA Adaptateur de l'unité du bébé : Sortie : 6V CC 400mA VTech Telecommunications Ltd. Modèle : VT0SEUS06040
- n'ont pas été concues pour supporter le poist du bloc d'alimentation et le maintenir en place si celuici est branché dans une prise au plafond, sous une table ou dans un mouble.
- meuble.
 Pour les PRODUITS À BRANCHER À UNE PRISE DE
 COURANT, la prise de courant doit être installée près du
 produit, afin d'assurer une accessibilité sécuritaire à la prise produit, afin d'assurer une accessusme securement de courant de courant de courant avant de proceder au netrogen. En la prise de courant avant de proceder au netrogen, kutilisez pas de notesyents en aérosois. Utilisez un chitifon humide pour le netroyer.

 1. Ne couper pas les cordons d'alimentation pour remplacer les fichès, cir cest peut présenter un dangler potentiel.
- locale d'électricité. Ne surcharges les prises de courant murales ni les
- rallonges électriques.

 Ne placez pas cet appareil sur un chariot, meuble, trépied, subbort de montage ni table chancelants.
- support de montagé ni table chancelants. Les trous et ouvertures du bollen; fuited à l'arrière de l'appareil ou sous colu-ci, servent à adere l'appareil. con présente ceu couvertures et n'emphéher par Salantion adéquate de l'appareil en le plaçant sur un lit, divan pagis ou toute suttre surface similar. De même, no le table con toute de l'appareil en le plaçant sur un lit, divan pagis out toute suttre surface similar. De même, no le challor ou d'un cilorière. De plus, ne plocer pas l'appareil dans un endroit avant de vous assurer qu'il y al une bonne

- N'enfoncez jamais d'objets à travers les ouvertures de cet appareil, car ils pourraient entrer en contact avec des points de tension dangereux ou causer des courts-circuits qui peuvent dégénére en incendies ou en risqui d'électrocution. Ne renversez jamais de liquide dans ce produit.
- produit.

 Afin de réduire les risques d'électrocution, ne démontez pas car appareil, mais apportez-le dans un centre de service autoride. L'ouverire du boliter ou le retrait de toutes pièces que confient cet appareil, à l'exception de l'accès autoride e certaines portes du ouvertres, risque de vous exposer à des points de tension bangueroux ou d'autres dangest voit de points de tension bangueroux ou d'autres dangest voit d'électroculors. Peur l'aut suite présenter d'électriques d'électroculors. Vous devriez éserte la réception chaque fois que vous mettre l'appareil en fonction.
- mettra l'appareil en fonction.

 Examiner les composantes alln de vérifier si celles-ci ne sont pas endommisgées. Le composantes alln de vérifier si celles-ci ne sont pas endommisgées. Il existe un très faible risque de perte de confidentialité avec certains appareils electroniques (autres écoute-bébé eléphones san fils set.). Pour l'éviter, s'assurer que le néglephones aren fils etc.). Pour l'éviter, s'assurer que le néglephones aren de l'existence de l'évolution de
- best and particularly, iterative recommended epartical in a less enfants dermaient être suppervisés afin de vous assurer qu'ils ne jouent pas avec l'appareil. Le produit rêter pas concu pour être utilisé par des personnes (inclusant des enfants) aux capsachés physiques, de l'expérience et de comaissance, à moint qu'il en leur ait donné suffigamment des supervision ou d'instructions relativement à l'utilisation de l'appareil par une personne

sable de leur sécurité. CONSERVEZ CES INSTRUCTIONS CONSERVEZ CES INSTRUCTIONS Utilizer et entreposer le produit à une température entre 0° C (32° F) et 40° C (104° F). N'exposer ou constitution de la constitucion de la constitution de la constitution de la constitution de

- O' C(32°) et 40° C(104° E). A unit elemphantul entre O' C(32°) et 40° C(104° E). N'exposez pas cet appareil à des froids ou des chaleurs extrémes, ainsi qu'à la lumière directe du soleil. Ne l'installez pas prés d'une source de chauffage. Le bloc-plein ne doit pas être exposé à la chaleur excessiv selle que la lumière du soleil ou au feu.
- near quie a turmere du soleil ou du feu.

 Nurristerent Riscue de strangulation.

 Les entants se sont ETRANCES dans des condens. Cardes ce coden hors de porties content. Cardes ce coden hors de porties content ediquette.

 Ne jamais placer le monitieur a l'intérieur du berceau ou du parc de bélie. Ne jamais rouvrit le moniteur ou ontéreur ou contentral cardes de l'acceptant de l'acceptant
- Fundo (i) portative save cin antice let une servicino cui une D. Talgrass quisipermenti descrimosignes pouvemi produzia dei sei sin enferiencies sur votre monitore l'ideò et audio. Tontes des interferiencies sur votre monitore l'ideò et audio. Tontes aggardi dei descrimosique sinique des troubus sans (fi, audio aggardi descrimosique sinique des troubus sans (fi, audio segui antice descriptiones), son considerative sinique segui descriptiones de l'audio servicione si segui descriptiones de l'audio servicione si segui descriptiones de l'audio segui descriptiones l'audio segui descriptiones de l'audio segui descriptiones la si simulativa confidence si responsable qui favo depositif ruma des certaines de l'audio segui descriptiones l'audio segui de l'audio segui descriptiones l'audio segui de l'audio segui de l'audio segui l'audio segui de l'audio segui de l'audio segui l'audio segui de l'audio segui l'audio segui de l'audio segui l'audio
- is portatifs et les stimulateurs cardiaques implantés dans lorganisme. Appuyée par l'Administration des aliments et drogues (FDA) des États-Unis, la firme WTR recommande au
- Colombia (September 2) de stimulateurs cardiaques Vous devriez maintaini les dispositifs sans fil à au moins six pouces du simulateur cardiaques (September 2) de la moins six pouces du simulateur cardiaque, lis ne delivent PAS placer le téléphone sans fil directement sur le stimulateur cardiaque, tel que dans une poche de chemise, lorsque celui-ci est en marcha de la colombia de six ne la colo

L'étude effectuée par l'organisme WRS n'a pas identifié de risque pour les détenteurs de simulateurs cardiaques causés par les gens qui utilisent dispositifs sans fil à proximité de ceux-ci. Champs électromagnétiques (EMF)
Ce produit de VTech est conforme à toutes les normes se rapportant aux champs électromagnétiques (EMF) standard

LIMITED WARRANTY

what does this immerce of his Vites Product warrants to the holder of a valid proof of purchase ("Consume" or "you" that the Product and all accessors provided in the sales had the product and all accessors provided in the sales and workmarship, pursuant to the following terms and workmarship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the Product operating instructions. This limited warranty extends only to the Consumer for Product limited warranty extends only to the Consumer for Product. minied warranty extends only to the Consumer for Produ-purchased and used in the United States of America and Canada.

What will VTech do if the Product is not free from defects in materials and workmanship during the limited warranty period ("Materially Defective Product")?

period ("Materially Detective Product")

During the limited warray prosicol, Virel'n's authorized service representative will repole or replace at Virel'n's option and virel'n's representative will repole or replace at Virel'n's option, the Product, we may replace the Product, we may replace the Product, we may replace mention of the Product, we may replace will be producted by the Product of the Product, we may replace will be producted by the Product of the Product

How long is the limited warranty period? The limited warranty period for the Product extends for ONE (1) YEAR from the date of purchase. If VTech repairs or replaces a Materially Defective Product under the terms of replaces a materially Detective Product under the terms of this limited warranty, this limited warranty also applies to the repaired or replacement Product for a period of either (a) 90 days from the date the repaired or replacement Product

- What is not covered by this limited warranty?
- fire, water or other liquid intrusion; or 2. Product that has been damaged due to repair, alteration or modification by anyone other than an authorized service representative of VTech; or 3. Product to the eatern that the problem experienced is caused by signal conditions, network reliability, or cable or arterna systems; or
- seterous systems, or

 4. Product to the extent that the problem is caused by use
 with non-Ylech accessories; or

 4. Product to the extent high temperature of the extent program

 5. Product whome versify lygating victors, product sand

 6. Product produces userally lygating victors, product sand

 6. Product produced, under, serviced, or shipped for repair

 from outside the United States of America or Cranda, or

 but not limited to Products used for remain purposa; or

 7. Product returned without a valid proof of prurbase (see

 item 12 belony, and
- Charges for installation or set up, adjustment of customer controls, and installation or repair of systems outside the unit.

How do you get warranty service:

To obtain warranty service in the USA, please visit our website at www.vtechphones.com or call 1 (800) 595-9511. In Canada, go to www.vtechcanada.com or call 1 (800) 267-3377.

or call 1(90) 20-797.

MOTE: Before calling for service, please review the user's means a stack of this Notice controls and features may be a stack of this Notice controls and features may be facegot as provided by applicable two, years man the risk of loss or damage during transit and strangoration and one statement of the risk or damage during transit and strangoration and one strangoration for horizont, the service calcium. With will return repaired or replaced horizont product under this limited arrapport of the Product please and the service of the control of the service of the control of the product in transit. If the Product faller is not covered by the control of the product of the service of the control of the product of the service of the control of t return shipping costs for the repair of Products that are not covered by this limited warranty.

What must you return with the Product to get warranty

- oescription of the maturation or camiculity, and 2. Include a "valid proof of purchase" (sales receipt) identifying the Product purchased (Product model) and the date of purchase or receipt; and 3. Provide your name, complete and correct mailing address, and telephone number.

Other limitations
This warranty is the complete and exclusive agreement between you and VTech its apperacions all other written or one communications related to the first occur. VTech provides or communication related to the first occur. VTech provides you describes all of VTech's responsibilities regarding the Product. These are on other express warrants. No one is authorised to realise modifications to this limited warranty and authorised to realise modifications to this limited warranty and you was all to the provides of the provides

to province to province.

Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the Product is fit for ordinary use) are limited to one year from the date of purchase. Some states/

Please retain your original sales receipt as proof of purchase.

DISCLAIMER AND LIMITATION OF LIABILITY

VTech Communications, Inc. and its suppliers assume no responsibility for any damage or loss resulting from the use of this user's manual. VTech Communications, Inc. and its suppliers assume no responsibility for any loss or claims by third parties that may arise through the use of this product.

Company: VTech Communications, Inc. Address: 9020 SW Washington Square Road - Ste 555 Tigard, OR 97223, United States

Phone: 1 (800) 595-9511 in the U.S. or 1 (800) 267-7377 in Canada



