VM320 VM320-2

Video Monitor



vtech User's manual


CONGRATULATIONS

on purchasing your new VTech product. Before using this product, please read Important safety

This manual has all the feature operations and troubleshooting necessary to install and operate your new VTech product. Please review this manual thoroughly to ensure proper installation and operation of this innovative and feature-rich VTech product.

For support, shopping, and everything new at VTech, visit our website at www.vtechphones.com.











Power requirements

ransmit frequency

requency control

CD


Channels



■NOTES

- · The rechargeable battery is pre-installed in your parent unit.
- · Use only the power adapters supplied with this product.
- Make sure the baby monitor is not connected to a switch controlled electric outlet
- · Connect the power adapters in a vertical or floor mount position only. The adapters' prongs are not designed to hold the weight of baby monitor, so do not connect them to any ceiling, under-the-table, or cabinet outlets. Otherwise, the adapters may not properly connect to the outlets.
- Make sure the parent unit, the baby unit and the power adapter cords are out of reach of children.

Connect the baby monitor



Charge the parent unit battery

When you have connected and turned on the parent unit, the battery will be charged automatically. The battery icon indicates the battery status (see the following table).

- The parent unit battery is fully charged after 11 hours of continuous charging.
- · It takes longer to charge the battery when the parent unit is turned on. To shorten the charging time turn the parent unit off while charging.
- The standby time varies depending on the volume level you set and your actual use.

Battery indicators	BATTERY STATUS	Action
The screen displays Battery low at Parent Unit . The n or n light flashes.	The battery has very little charge and may be used for only a short time.	Charge without interruption (about 30 minutes).
The battery icon becomes solid	The battery is fully charged.	To keep the battery charged, connect it to AC power when not in use.

BEFORE USE

This baby monitor is intended as an aid. It is not a substitute for proper adult supervision, and should not be used as such.

Test your baby monitor

You may test the baby monitor before initial use, and at regular

① CAUTION

 For hearing protection, make sure the parent unit is more than 3 feet (1 meter) away from both baby units. If you hear any highpitched noise, move the parent unit further until the noise stops. You can also press **VOL**▼ on the parent unit to reduce the noise

- . Make sure your baby unit and parent unit are on.
- 2. The parent unit displays images from the baby unit.
- Speak towards the microphone of the baby unit. You will hear the sound at the parent unit. 3. If you have two baby units, view the image from one of them by switching cameras via

menu. Then, repeat step 2.

· When the parent unit displays 🖟 No link to Camera, and the POWER LED light flashes, move the parent unit closer to the baby units (observe the minimum distance of 3 feet / 1 meter).

Increase the speaker volume of the parent unit if you cannot hear the sounds transmitted from the baby units


Positioning the baby monitor

① CAUTION

Keep the baby unit out of the reach of your baby. Never place or mount the baby unit inside the baby's crib or playpen

■ Note

To avoid interference from other electronic devices, place your baby monitor at least 3 feet (1 meter) away from devices such as wireless routers, microwaves, cell phones and computers.



. Place the parent unit more than 3 feet (1 meter) away from the baby units to avoid screeching noise.

(1) CAUTION

vour baby.

The default volume of your parent unit is level 3, and the maximum volume is level 5. If you experience high-pitched screeching noise from your baby monitor while positioning:

- Make sure your baby units and parent unit are more than 3 feet (1 meter) apart, OR
- Turn down the volume of your parent unit.

Operating range

The operating range of the baby monitor is up to 1000 feet (300 meters) outdoors. The actual operating range may vary depending on the environmental conditions and other interferences such as walls, doors and other obstructions.

Power on or off the baby unit

USING THE BABY MONITOR

• Slide the **ON/OFF** switch to **ON** to turn on the baby unit. The **POWER** LED light turns on.

Slide the ON/OFF switch to OFF to turn off the baby unit. The POWER LED light turns off.

Power on or off the parent unit

Slide the ON/OFF switch to OFF to turn off the parent unit. The screen and the POWER LED

Slide the **ON/OFF** switch to **ON** to turn on the parent unit. The screen and the **POWER** LED

Adjust speaker volume

For parent unit:

Press VOL▲/VOL▼ on the parent unit to adjust the speaker volume.

The parent unit will be muted automatically when the parent unit is talking to the baby unit. When it is muted, **1** appears on the screen.

The baby unit speaker volume determines the lullaby volume and talkback volume transmitted from parent unit. The volume can be adjusted in the parent unit.

Press MENU SELECT when the parent unit is idle.
 Press or ➤ to choose , then press MENU SELECT or ▲.

3. Press MENU or ◀ to choose ♣ 1.

4. Press ▼ or ▲ to choose the volume level of the baby unit, then press SELECT to confirm.

Adjust LCD brightness

You can change the brightness of the parent unit screen from **Level 1** to **Level 5**. The LCD brightness is preset to **Level 3**.

- 1. Press MENU when the parent unit is idle.
- 2. Press ◀ or ▶ to choose ※, then press MENU or ▲.
- 3. Press ∇ or \triangle to choose the desired level of brightness, then press $\frac{\text{MENU}}{\text{SELECT}}$ to confirm your selection.

Monitoring mode * for VM320-2 only

Every time the parent unit is turned on, it displays a baby unit in **SINGLE-CAM** mode. If there are more two baby units in your system, you can also monitor your baby in **PATROL** mode.

SINGLE-CAM The screen displays image of a single baby unit in full screen.

A single cam view that transitions to a different baby unit every 10 seconds.

To switch from SINGLE-CAM to PATROL mode:

1. Press $\frac{MENU}{SELECT}$ when the parent unit is idle.

- 2. Press \blacktriangleleft or \blacktriangleright to choose $\blacksquare \P$, then press $\frac{\text{MENU}}{\text{SELECT}}$ or \blacktriangle to open the submenu.
- Press ▲ or ▼ to select ② to enter PATROL mode to alternately view the image from one baby unit to the next one in every 10 seconds.

To switch from PATROL to SINGLE-CAM mode:

- 1. Press $\frac{MENU}{SELECT}$ when the parent unit is idle.
- 2. Press \triangleleft or \triangleright to choose $\square \triangleleft$, then press $\frac{\text{MENU}}{\text{SELECT}}$ or \triangle to open the submenu.
- 3. Press ▲ or ▼ to select a camera number to enter **SINGLE-CAM** mode.

■ Note

• If one or more paired baby units are powered off or disconnected during patrolling, the parent unit will keep searching until its power has run out or a baby unit is connected once again.

All rights reserved. 07/20. VM320-X_CIB_V3



USING THE BABY MONITOR (CON'T)

Lullaby

The baby monitor has two lullabies and two soothing sounds for you to comfort your baby. You can play the lullabies or soothing sounds on the baby unit using the parent unit.

- 1. Press **MENU** when the parent unit is idle.
- 2. Press ◀ or ▶ to choose ♠, then press MENU or ▲
- 3. Press ▲ to choose ♠, then press MENU or ◄.
- 4. Press ▼ or ▲ to choose a lullaby or a soothing sound, or choose ^{stop} to stop playing.

5. Press **SELECT** to confirm your selection.

- The selected lullaby plays for 30 minutes and stops automatically.
- The lullaby playback on the baby unit will be paused when receiving talkback from the parent unit.

Screen off timer

You can set the screen off time for the parent unit when there is no key press for a specific time interval. When the screen is turned off, you can still hear sound from the baby unit.

- 1. Press MENU when the parent unit is idle.
- 2. Press ◀ or ▶ to choose ②, then press MENU or ▲ to open the submenu.
- 3. Press ▼ or ▲ to choose the desired time period to automatically turn off screen (OH / 🔝 - 5 min./ 🔛 - 30 min. / 🔛 - 60 min.), then press MENU to confirm your selection.

Adjust the sound sensitivity of the baby unit

You can choose to hear sounds from the baby unit all the time, or to hear sounds that exceed a certain level. You can use the parent unit to adjust the microphone sensitivity of your baby unit. The higher the sensitivity level, the more sensitive the baby unit is in detecting sounds for transmitting to the parent unit. The VOX sensitivity level is preset to the highest level (Level 5).

VOX SENSITIVITY LEVEL	₩ Level 5	Level 4	Level 3	Level 2	Cook
Sensitivity	Highest VOX sensitivity level	High VOX sensitivity level	Medium VOX sensitivity level	Low VOX sensitivity level	Lowest VOX sensitivity level
DESCRIPTION	The parent unit speaker is constantly on, and you will hear all sounds (including background noises) from your baby's room.	The parent unit speaker turns on for soft babbling and louder sounds from your baby. It remains quiet when your baby sleeps soundly.	The parent unit speaker turns on for loud babbling and louder sounds from your baby. It remains quiet when your baby makes soft sounds.	The parent unit speaker turns on for crying and louder sounds from your baby. It remains quiet when your baby makes soft sounds.	The parent unit speaker turns on for loud crying or screeching sounds from your baby. It remains quiet when your baby makes soft sounds.

- 1. Press $\frac{MENU}{SELECT}$ when the parent unit is idle.
- Press ◀ or ▶ to choose Wh, then press MENU or ▲ to open the submenu.
- 3. Press ▼ or ▲ to choose the desired sensitivity level, then press SELECT to confirm your selection.

· As long as the Sound-activated screen setting is ON, the screen will turn on automatically when VOX sensitivity is triggered, despite it was off earlier

兴 TIP

- · If you want to use a sound machine or white noise machine for natural white noise while using this baby monitor to check on your baby, you can:
- Lower the volume of your sound machine or white noise machine; or - Lower the sensitivity level of your baby monitor to medium (level 3) or below. Default level is the

Turn on or off the sound activation

When sound activation is on, as long as no sound is detected within 50 seconds, the parent unit screen will turn off automatically to save power.

When your baby unit detects a sound, which exceeds the selected sensitivity level, the sound activation triggers the parent unit screen to turn on automatically. When no sound is detected within 50 seconds, the screen will be off again.

- 1. Press MENU when the parent unit is idle. 2. Press ◀or ▶ to choose ②, then press MENU or ▲ to open the submenu.
- 3. Press ∇ or \triangle to choose \square N or \square H, then press $\frac{MENU}{SELECT}$ to confirm your selection.
- · If the sound sensitivity is set to the highest level, the parent unit screen may remain on continuously even though sound activation is on. This depends on whether the baby unit detects any sounds.

You can zoom in while viewing images from the baby unit.

- 1. Press SELECT when the parent unit is idle.
- 2. Press ◀ or ▶ to choose ⁽¹⁾ then press ^{MENU}_{SELECT} or ▲ to open the submenu. 3. Press ▼ or ▲ to choose then press MENU selection.

You can use the **TALK** function of the parent unit to comfort your baby.

1. Press and hold **TALK** on the parent unit. 2. Speak towards the microphone on the parent unit. Your voice is broadcast to the baby unit. 3. Release the **TALK** key to stop the broadcast.

· The parent unit speaker is muted during voice broadcast. Sound transmission from the baby unit resumes after TALK is released.

Monitor the temperature

Your baby unit monitors the temperature of your baby's room with its built-in temperature sensor. If the detected temperature is out of the preset temperature range, the parent unit will display an alert message.

Set temperature range

You can set the desired minimum and maximum room temperature alert ranges.

- 1. Press MENU when the parent unit is idle. 2. Press ◀ or ▶ to choose ♣ , then press ▲.
- 3. Press ∇ or \triangle to choose \bigcirc , then press $\frac{\text{MENU}}{\text{SELECT}}$ or \triangleleft . 4. Press ▼ or ▲ to choose MIN or MAX, then press MENU select.
- 5. Press ▼ or ▲ to choose the desired minimum or maximum temperature, then press SELECT to confirm your selection.

Temperature alert tone You can turn on the temperature alert tone so that the parent unit will emit an alert tone if


- the detected temperature is out of range.
- 1. Press $\frac{MENU}{SELECT}$ when the parent unit is idle. 2. Press ◀ or ▶ to choose ♣ , then press ▲.
- 3. Press ▼ or ▲ to choose ♣ , then press MENU or ◀.
- 4. Press ∇ or \triangle to choose \square N or \square H, then press $\frac{\text{MENU}}{\text{SELECT}}$ to confirm your selection.

Temperature format

You can choose to display the temperature in Fahrenheit (°F) or Celsius (°C).

- 3. Press ∇ or \triangle to choose \Re^{c}_{F} , then press $\frac{\text{MENU}}{\text{SELECT}}$ or \triangleleft .
- 4. Press ▼ or ▲ to choose **F** or **C**, then press MENU selection.

BABY UNIT OVERVIEW



1 Pair hole

 Your baby units and parent unit provided are already paired.


2 POWER LED light

- On when the baby unit is turned on and is paired to the parent unit.
- Flashes when the baby unit is not being viewed; or when the link to the parent unit is
- Microphone

5 Infrared LEDs

Camera

- 6 Light sensor 7 **ON/OFF** switch
- Slide to turn on or off the baby unit. 8 Speaker
- 9 **Power jack**
- 10 Wall mount holes



Baby unit: 2405 - 2475 MHz Parent unit: 2405 - 2475 MHz

Crystal controlled PLL synthesizer

(I9xiq 042x02£ A2VQ)


Parent unit power adapter: Output: 6V DC @ 400mB

may vary according to environmental conditions at the time of use.

Baby unit power adapter: Output: 6V DC @ 400mA

Parent unit: 3.6V Ni-MH battery

Mominal effective range Maximum power allowed by FCC and IC. Actual operating range





1 POWER LED light

- On in green when the parent unit is powered on and linked to the baby
- Flashes when the link to the baby unit being viewed is lost.

 Press and hold to talk to the selected baby unit.

3 Arrow keys and VOL▲ / VOL▼

VOLA / A

- Press to increase the parent unit speaker volume.
- · While in a menu, press to scroll up, or to enter an item's sub-menu.
- · While zooming, press and hold to
- move the zoomed image upward.

VOL▼ / ▼

- Press to decrease the parent unit speaker volume.
- While in a submenu, press to scroll down. • While zooming, press and hold to
- move the zoomed image downward.
- While in a menu, press to choose the next item on the left
- While zooming, <u>press and hold</u> to move the zoomed image leftward.
- While in a menu, press to choose the next item on the right.
- While zooming, <u>press and hold</u> to move the zoomed image rightward.

MENU/SELECT

- Press to enter or exit the menu.
- · While in a sub-menu, press to choose an item, or save a setting

Microphone

6 Battery indicator

- On in red when the battery is charging.
- · Flashes when the battery is low.

7 Visual sound indicators

0 0 0 0

The visual sound indicators can show the sound level detected by the baby unit.

Sound level detected by the baby unit

.

One to three green lights indicate a moderate sound level detected by the baby unit.

.

Additional red lights indicate a higher sound level detected by the baby unit (e.g. baby crying loudly).

□_Ø LCD off/ **□** back

- · Press to turn off LCD and keep the sound broadcast.
- Press to return to the previous screen.

9 LCD display

- 10 Speaker
- 11 Stand
- 12 **ON/OFF** switch
- Slide to turn on or off the parent unit.

13 Power jack

PARENT UNIT ICONS



Main menu icons

Status icons

Connection status T. or T. displays when strong signal strength is detected between the baby

- unit and the parent unit. • T. or T. or T displays when moderate or low signal strength is detected between the baby unit and the parent unit.
- Ko displays when the link between the baby unit and the parent unit is lost.

Patrol mode

T. all

- Displays when the parent unit is in PATROL mode.
- For VM320-2 only.

1 or Current view status

Displays the number of the baby unit that is being viewed.

44 J

Lullaby

 Displays when a lullaby is playing.



· X

Zoom Displays when the current

image on the parent unit has zoomed in. Night vision



night vision feature. Mute alert

- Displays when the parent unit speaker is turned off.
- Displays when the parent unit is talking to the baby unit.

Real-time temperature

· Displays the real-time temperature detected by the baby unit in Fahrenheit (°F) or Celsius (°C) (e.g. 57°F or 14°C).

Battery status

- > -> -> --> animates
- when the battery is charging. • **u**displays solid when the battery is fully charged.
- Image: displays when the battery is low and needs charging.

- Speaker volume

· Displays the parent unit speaker volume level while adjusting.

Main menu icons

■ Monitoring mode


- You can enter the monitoring mode to view the video from the
- baby unit. For VM320-2 only.

• You can zoom in or out with 1x, 2x options while viewing image.



· You can select, play, or stop a

Brightness You can change the brightness of the parent unit screen.



You can set a specific time to turn the screen off.

VOX sensitivity



With this feature, you can

choose to hear sounds from the baby unit all the time, or to hear sounds that exceed a certain level. You can use the parent unit to adjust the microphone sensitivity of your baby unit. The higher the sensitivity level, the more sensitive the baby unit is in detecting sounds for transmitting to the parent unit.

Warning icons and messages

No Link to Camera

after 25 seconds.

▲ /Temperature too hial

the baby unit is higher/lower than the desired temperature alert range

The parent unit is searching for baby units

10-

The parent unit is connected

DIM MODE

Sound-activated screen

sound detection

Temperature

When the baby unit detects

screen stays off to save power.

Once a sound is detected, the

automatically. It will then turn

You can turn on the temperature

unit beeps whenever the room

temperature detected by the

baby unit falls outside of the

You can choose in Fahrenheit (°F)

or Celsius (°C) as the temperature

maximum/minimum temperature

desired temperature range.

format displayed, or set the

alert tone so that the parent

off again after 50 seconds of no

no sound, the parent unit

parent unit screen turns on

The dim mode is to help you save the parent unit power. Your parent unit display will dim automatically after 10 minutes of inactivity, in which there is neither key pressed nor alert received from the baby unit.

■ Note

While the screen is dimmed, any keypress or alert message will trigger the screen to return to the preset brightness level. After 10 minutes of inactivity, it will dim again.

NIGHT VISION

The baby unit has infrared LEDs that allow you to see your baby clearly at night or in a dark room. When the baby unit being viewed detects low light levels, the infrared LEDs are switched on automatically. The images from the baby unit are in black and white, and 🤄 appears on the screen.

■ Notes

 It is normal if you see a short white glare on your parent unit screen as the baby unit is adapting to the dark environment. When the infrared LEDs are on, the images are in black and white. This is normal.

Depending on the surroundings and other interfering factors, like lightings, objects, colors and backgrounds, the display resolution may vary. Adjust the baby unit's angle or place the baby unit at a higher level to prevent glare and blurry display.

MOUNT THE BABY UNIT (OPTIONAL)

the wall. See Mount the baby unit (optional) in the Quick Start Guide for the wall mounting instructions.

Your baby monitor comes ready for tabletop use. You can also choose to mount your baby monitor on

/Battery low at The battery is empty and needs to be recharged. **Parent Unit**

▲/Temperature

too low

Why don't the power-on light of the

Make sure the power is not controlled by a wall switch.

Why do I get glare or blurry display on my

STORAGE

screén when viewing my baby at night? prevent glare and blurry display. Why does the baby The parent unit and baby units may be too close to each other.

Move the parent unit away from the baby units until the noise stops; OR monitor produce a high-pitched noise Turn down the volume of your parent unit.

> The parent unit may not have enough charge for the parent unit to perform normally. Charge the battery in the parent unit for up to 11 hours. The temperature of your baby's room may be too high or too low.

Why don't I hear a sound/ The parent unit speaker volume may be too low. Press **VOL** to increase the volume, or Why can't I hear my baby use the parent unit menu to change sound sensitivity level to the highest level (**level 5**). Why can't I establish a connection? Why is the connection lost every now and then? Why are there

Other electronic and wireless products may cause interference with your baby monitor.

Try installing your baby monitor as far away from these devices as poss

If you power on only one baby unit, your parent unit may display $\sqrt[n]{a}$ and the **POWER** LED light flashes. Switch to the baby unit you have powered on via menu.

IMPORTANT SAFETY INSTRUCTIONS

When using your equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury, including the following:

- Follow all warnings and instructions marked on the product.
- This product is not a substitute for adult supervision of the infant. Supervising the infant is the parent's or caregiver's responsibility. This product could cease operating, and therefore you should not assume it will continue working properly for any given period of time. Further, this is not a medical device and should not be used as such. This product is intended to assist où in supervising your baby. 4. Do not use this product near water. For example, do not use it next to a bath tub, wash bowl, kitchen sink, laundry tub o
- ning pool, or in a wet basement or shower. **CAUTION:** Use only the batteries provided. There may be a risk of explosion if a wrong type of battery is used for the parent unit. Do not dispose of batteries in a fire. They may explode. Dispose of used battery according to the information in **The RBRC**® seal. Use only the adapters included with this product. Incorrect adapter polarity or voltage can seriously damage the product. Baby unit power adapter: Output: 6V DC 400mA; Parent unit power adapter: Output: 6V DC 400mA.
- The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet.
- 8. For pluggable equipment, the socket-outlet shall be installed near the equipment and shall be easily accessible. 9. Unplug this product from the wall outlet before cleaning. Do not use liquid or aerosol cleaners. Use a damp cloth for cleaning.
- 10. Unplug the power cords before replacing batteries. 11. Do not cut off the power adapters to replace them with other plugs, as this causes a hazardous situation.
- 12. Do not allow anything to rest on the power cords. Do not install this product where the cords may be walked on or crimped.

monitors, cordless phones, scanners, etc.

by a person responsible for their safety.

- 13. This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply in your home, consult your dealer or local power company. 14. Do not overload wall outlets or use an extension cord.
- 15. Do not place this product on an unstable table, shelf, stand or other unstable surfaces. 16. This product should not be placed in any area where proper ventilation is not provided. Slots and openings in the back or bottom of this product are provided for ventilation. To protect them from overheating, these openings must not be blocked by placing the product on a soft surface such as a bed, sofa or rug. This product should never be placed near or over a radiator or heat register.
- 17. Never push objects of any kind into this product through the slots because they may touch dangerous voltage points or create a short circuit. Never spill liquid of any kind on the product.
- 18. To reduce the risk of electric shock, do not disassemble this product, but take it to an authorized service facility. or other risks. Incorrect reassembling can cause electric shock when the product is subsequently used

21. Be aware of possible loss of privacy while using public airwaves. Conversations may be picked up by other nursery

19. You should test the sound reception every time you turn on the units or move one of the components 20. Periodically examine all components for damage

23. The product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance

22. Children should be supervised to ensure that they do not play with the product.

Use and store the product at a temperature between 32°F and 104°F.

Do not expose the product to extreme cold, heat or direct sunlight. Do not put the product close to a heating source.

Batteries should not be exposed to excessive heat such as bright sunshine or fire.

SAVE THESE INSTRUCTIONS

Marning—Strangulation Hazard—Children have STRANGLED in cords. Keep this cord out of the reach of children (more than 3 ft (0.9m) away). Do not remove this tag.

Never place the baby unit(s) inside the baby's crib or playpen. Never cover the baby unit(s) or parent unit with anything such as a towel or a blanket.

intercoms, room monitors, televisions, personal computers, kitchen appliances and cordless telephones.

Other electronic products may cause interference with your baby monitor. Try installing your baby monitor as far away from these electronic devices as possible: wireless routers, radios, cellular telep

Precautions for users of implanted cardiac pacemakers

Cardiac pacemakers (applies only to digital cordless devices): Wireless Technology Research, LLC (WTR), an independent research entity, led a multidisciplinary evaluation of the een portable wireless devices and implanted cardiac pacemakers. Supported by the U.S. Food and Drug Administration, WTR recommends to physicians that: Pacemaker patients

Should keep wireless devices at least six inches from the pacemaker. Should NOT place wireless devices directly over the pacemaker, such as in a breast pocket, when it is turned ON. WTR's evaluation did not identify any risk to bystanders with pacemakers from other persons using wireless devices.

This VTech product complies with all standards regarding electromagnetic fields (EMF). If handled properly and according to the instructions in this user's manual, the product is safe to be used based on scientific evidence available today.

THE RBRC® SEAL



The RBRC[®] seal on the Ni-MH battery indicates that VTech Communications, Inc. is voluntarily participating in an industry program to collect and recycle these batteries at the end of their useful lives, when taken

out of service within the United States and Canada. The RBRC® program provides a convenient alternative to placing used Ni-MH batteries into the trash or

municipal waste, which may be illegal in your area. VTech's participation in RBRC® makes it easy for you to drop off the spent battery at local retailers in the RBRC® program or at authorized VTech product service centers. Please call 1 (800) 8 BATTERY® for information on Ni-MH battery recycling and disposal bans/restrictions in your area. VTech's involvement in this program is part of its commitment to protecting our environment and conserving natural resources.

RBRC® and 1 (800) 8 BATTERY® are registered trademarks of the Rechargeable Battery Recycling Corporation.

This Class B digital apparatus complies with Canadian requirement

FCC and IC regulations FCC Part 15

This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the

- equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
- Reorient or relocate the receiving antenna. · Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.

could void the user's authority to operate the equipment. This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may undesired operation.

WARNING: Changes or modifications to this equipment not expressly approved by the party responsible for compliance

To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safely absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria. Caution: This Transmitter must be installed to provide a separation distance of at least 20cm from

CAN ICES-3 (B)/NMB-3(B)

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions (1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device. The term "IC:" before the certification/registration number only signifies that the Industry Canada technical specifications This product meets the applicable Innovation, Science and Economic Development Canada technical specifications.

RF radiation exposure statement

Caution: This Transmitter must be installed to provide a separation distance of at least 20cm from all persons. Use of other accessories may not ensure compliance with RF exposure guidelines. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment complies also with Industry Canada RSS-102 with respect to Canada's Health Code 6 for Exposure of Humans to RF Fields.

CALIFORNIA ENERGY COMMISSION BATTERY CHARGING TESTING MODE

This baby monitor meets the California Energy Commission (CEC) regulations for energy consumption. Your baby monitor is set up to comply with the energy-conserving standards right out of the box. Follow the instructions to install and charge the battery. The CEC battery charging testing mode is activated while charging. Even if the parent unit is paired to baby units, the CEC battery charging testing mode is activated while it is powered off and charging.

FOR C-UL COMPLIANCE ONLY

Lorsque vous utilisez votre appareil, vous devriez toujours suivre certaines mesures de précaution de base afin de réduire les risques d'incendie, d'électrocution et de blessures corporelles, dont ceux qui suivent :

- Observez toutes les instructions et mises en garde inscrites sur l'appareil.
- installation par un adulte est requise.
- Ce produit ne remplace pas la surveillance adulte du nourrisson. La supervision du nourrisson est la responsabilité du parent ou de la personne qui s'occupe de l'enfant. Ce produit pourrait cesser de fonctionner et, par conséquent, vous ne devriez pas présumer qu'il continuera de fonctionner correctement pendant une période de temps donnée. De plus, il ne s'agit pas d'un instrument médical et ne devrait pas être utilisé comme tel. Ce produit est destiné à vous aider à superviser votre bébé. N'utilisez pas cet appareil près de l'eau ni de toute autre source d'humidité, par exemple, près d'une baignoire, cuve à lessive, évier de cuisine, dans un sous-sol humide ni près d'une piscine, dans un soussol humide ou une douche.

 MISE EN GARDE: Utilisez uniquement les piles fournies. Il existe un risque d'explosion si un autre type de batterie est utilisé pour l'unité Parents. N'incinérez pas les piles. Celles-ci risqueraient d'exploser. Jetez les piles usées selon les renseignements suivant le sceau du RBRC*.
- N'utilisez que les adaptateurs inclus avec ce produit. L'utilisation d'un adaptateur dont la polarité ou la tension serait inadéquate risque d'endommager sérieusement le produit et mettre votre sécurité en péril. Adaptateur de l'unité du bébé : Sorlie : 6V CC 400mA Adaptateur de l'unité du parent : Sorlie : 6V CC 400mA
- Lorsqu'ils sont branchés dans une prise de courant, les adaptateurs secteur ont été conçus pour être orientés correctement, soit à la verticale ou au plancher. Les broches n'ont pas été conçues pour supporter le poids du bloc d'alimentation et le maintenir en place si celuici est branche dans une prise au plafond, sous une table ou dans un meuble.
- Débranchez ce produit de la prise de courant avant de procéder au nettoyage. N'utilisez pas de nettoyants en aérosols. Utilisez un chiffon
- Débranchez les cordons d'alimentation avant de remplacer le bloc-piles Ne coupez pas les cordons d'alimentation pour remplacer les fiches, car ceci peut présenter un danger potentie Ne laisses aucun objet reposer ni appuyer sur le cordon d'alimentation. N'installez pas cet appareil dans un endroit où l'on risque d'écraser le cordon d'alimentation ou de le piétiner.

Pour les PRODUITS À BRANCHER À UNE PRISE DE COURANT, la prise de courant doit être installée près du produit, afin d'assurer une

- Ne faites fonctionner cet appareil qu'avec le type d'alimentation indiqué sur l'étiquette. Si vous ne connaissez pas le type d'alimentation que vous possédez à votre domicile, consultez votre marchand ou votre compagnie locale d'électricité. Ne surchargez pas les prises de courant murales ni les rallonges électriques.

 Ne placez pas cet appareil sur un chariot, meuble, trépied, support de montage ni table chancelants
- Les trous et ouvertures du boîtier, situés à l'arrière de l'appareil ou sous celui-ci, servent à aérer l'appareil. Pour l'empêcher de surchauffer, ne bloquez sous aucun prétexte ces ouvertures et n'empêchez pas l'aération adéquate de l'appareil en le plaçant sur un lit, divan, tapis ou oute autre surface similaire. De même, ne le positionnez pas à proximité ni au-dessus d'une source de chaleur ou d'un calorifère. De plus, ne placez pas l'appareil dans un endroit avant de vous assurer qu'il y ait une bonne circulation d'air. N'enfoncez jamais d'objets à travers les ouvertures de cet appareil, car ils pourraient entrer en contact avec des points de tension dangereux ou causer des courts-circuits qui peuvent dégénérer en incendies ou en risques d'électrocution. Ne renversez jamais de liquide dans ce produit.
 Afin de réduire les risques d'électrocution, ne démontez pas cet appareil, mais apportez-le dans un centre de service autorisé. L'ouverture du

CONSERVEZ CES INSTRUCTIONS

- poîtier ou le retrait de toutes pièces que contient cet appareil, à l'exception de l'accès autorisé à certaines portes ou ouvertures, risque de vous exposer à des points de tension dangereux ou d'autres dangers. Un remontage incorrect peut par la suite présenter des risques d'élec
- Vous devriez tester la réception chaque fois que vous mettez l'appareil en fonction. Examinez les composantes afin de vérifier si celles-ci ne sont pas endommagées. 21. Soyez avisé de la perte de la confidentialité lorsque vous utilisez les ondes publiques. Les conversations peuvent être entendues par teurs de bébé, des téléphones sans fil, des scanneurs, etc.
- Les enfants devraient être supervisés afin de vous assurer qu'ils ne jouent pas avec l'appare 23. Le produit n'est pas conçu pour être utilisé par des personnes (incluant des enfants) aux capacités physiques, sensorielles ou mentales réduites ou qui manquent d'expérience et de connaissances, à moins qu'on leur ait donné suffisamment de supervision ou d'instructions relativement à l'utilisation de l'appareil par une personne responsable de leur sécurité.
- Utilisez et entreposez le produit à une température entre 0 $^{\circ}$ C (32 $^{\circ}$ F) et 40 $^{\circ}$ C (104 $^{\circ}$ F). N'exposez pas cet appareil à des froids ou des chaleurs extrêmes, ainsi qu'à la lumière directe du soleil. Ne l'installez pas près d'une source de chauffage.

Le bloc-piles ne doit pas être exposé à la chaleur excessive telle que la lumière du soleil ou au fei

urez-vous que le moniteur et le cordon de l'adaptateur sont toujours hors de portée des enfants, àau moins 1 mètre (3 ds) de l'enfant ou du berceau, pour éviter tout risque de strangulation. Ne jamais placer le moniteur à l'intérieur du berceau ou du parc de bébé. Ne jamais couvrir le moniteur ou l'unité (s) portative avec un article tel une serviette ou une couverture.

D'autres équipements électroniques peuvent produire des interférences sur votre moniteur vidéo et audio. Tentez

Stimulateurs cardiaques implantés dans l'organisme Les simulateurs cardiaques (ne s'applique qu'aux dispositifs numériques sans fil) : L'organisme Wireless Technology Research, LLC (WTR)', une firme de recherche indépendante, a mené une évaluation pluridisciplinaire des interférences entre les téléphones sans fil portaitis et les stimulateurs cardiaques implantés dans l'organisme. Appuyée par l'Administration des aliments et drogues (FDA) des Etats-Unis, la firme WTR recommande aux médecins:

Mises en garde

Avis aux détenteurs de stimulateurs cardiaques Vous devriez maintenir les dispositifs sans fil à au moins six pouces du simulateur cardiaque. Ils ne doivent PAS placer le téléphone sans fil directement sur le stimulateur cardiaque, tel que dans une poche de chemise, lorsque celui-ci

d'installer votre moniteur vidéo ou audio à l'écart des appareils électroniques tels que des routeurs sans fil, radios, éléphones cellulaires, interphones, moniteurs, téléphones, ordinateurs personnels, électroménagers et téléphones sans fil.

Champs électromagnétiques (EMF) Ce produit de VTech est conforme à toutes les normes se rapportant aux champs électromagnétiques (EMF) standard. Si vous le manipulez correctement en suivant les instructions de ce guide, son utilisation sera sécuritaire pendant de nombreuses années, selon les meilleures évidences scientifiques dont nous disposons aujourd'hui.

L'étude effectuée par l'organisme WRS n'a pas identifié de risque pour les détenteurs de simulateurs cardiaques causés par les gens qui utilisent dispositifs sans fil à proximité de ceux-ci.

The selected baby unit is out of range, turned off or no link

The temperature detected by

visit our website at www.vtechphones.com, or contact 1 (800) 595-9511 for customer service. to AC power Why does the baby Try the following (in the order listed) for common cure: monitor not respond normally? 1. Disconnect the power to the baby units and the parent unit

4. Wait for the parent unit to synchronize with the baby units. Allow up to one minute for

baby unit and parent unit

go on when I switch on the units? Perhaps the baby unit is not connected to the power. Insert the appliance plug into the baby unit and put the adapter in a wall socket. Then, slide the **ON/OFF** switch to **ON** to switch on the baby unit and to establish connection with the parent unit.

Why doesn't my parent unit charge while connected to AC power?

During night-time or in a dark room, the surroundings and other interfering factors, like lightings, objects, colors and backgrounds may affect the image quality on your

Why does the parent unit beep?

The baby units may be out of range. Move the parent unit closer to the baby units (but not less than 3 feet).

sound interruptions?

The manufacturer of this VTech Product warrants to the holder of a valid proof of purchase ("Consumer" or "you") that the Product and all accessories provided in the sales package ("Product") are free from defects in material and workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the Product operating instructions. This limited warranty extends only to the Consumer for Products purchased and used in the United operating instructions. This limi States of America and Canada.

remedy. VTech will return the repaired or replacement Products to you in working condition. You should expect the repair or

What is not covered by this limited warranty?

How do you get warranty service?

- Product that has been damaged due to repair, alteration or modification by anyone other than an authorized service representative of VTech; or
- altered or rendered illegible; or 6. Product purchased, used, serviced, or shipped for repair from outside the United States of America or Canada, or used for

NOTE: Before calling for service, please review the user's manual - a check of the Product's controls and features may save

Return the entire original package and contents including the Product to the VTech service location along with a description of the malfunction or difficulty; and

Other limitations

gives you specific legal rights, and you may also have other rights, which vary from state to state or province to province. Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the Product is fit for ordinary use) are limited to one year from the date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall VTech be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the Product or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this Product. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

To keep this product working well and looking good, follow these guidelines:

 Avoid putting it near heating appliances and devices that generate electrical noise (for example, motors or fluorescent lamps)

DO NOT immerse the parent unit and the baby unit in water and do not clean them under the tap.

- DO NOT expose it to direct sunlight or moisture.

❤ GENERAL PRODUCT CARE

- Avoid dropping the product or treating it roughly. · Clean with a soft cloth.
- DO NOT use cleaning spray or liquid cleaners. · Make sure the baby unit and parent unit are dry before you connect them to the mains again.

When you are not going to use the baby monitor for some time, store the parent unit, the baby unit and the adapters in a cool and dry place.

Q FREQUENTLY ASKED QUESTIONS Below are the questions most frequently asked about the baby monitor. If you cannot find the answer to your question,

2. Wait a few seconds before connecting power back to the baby units and the parent unit. 3. Turn on the baby units and the parent unit.

Perhaps the parent unit is not connected to the power. Insert the appliance plug into the parent unit and put the adapter in a wall socket. Then, slide the **ON/OFF** to switch on the parent unit and to establish connection with the baby unit.

Why is my screen in black and white? The screen is in black and white during night-time or in a dark room when the night vision feature is activated. This is normal.

parent unit screen. Adjust the baby unit's angle or place the baby unit at a higher level to

The baby units may be out of range. Move the parent unit closer to the baby units (but not less than 3 feet).

LIMITED WARRANTY What does this limited warranty cover?

What will VTech do if the Product is not free from defects in materials and workmanship during the limited warranty period ("Materially Defective Product")?

During the limited warranty period, VTech's authorized service representative will repair or replace at VTech's option, without charge, a Materially Defective Product. If we repair the Product, we may use new or refurbished replacement parts. If we choose to replace the Product, we may replace it with a new or refurbished Product of the same or similar design. We will retain defective parts, modules, or equipment. Repair or replacement of the Product, at VTech's option, is your exclusive

The limited warranty period for the Product extends for ONE (1) YEAR from the date of purchase. If VTech repairs or replaces a Materially Defective Product under the terms of this limited warranty, this limited warranty also applies to the repaired or replacement Product for a period of either (a) 90 days from the date the repaired or replacement Product is shipped to you or (b) the time remaining on the original one-year warranty; whichever is longer.

This limited warranty does not cover

- 3. Product to the extent that the problem experienced is caused by signal conditions, network reliability, or cable or antenna 1. Product to the extent that the problem is caused by use with non-VTech accessories; or
- commercial or institutional purposes (including but not limited to Products used for rental purposes); or 7. Product returned without a valid proof of purchase (see item 2 on the following part); or 8. Charges for installation or set up, adjustment of customer controls, and installation or repair of systems outside the unit.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the Product(s) to the service location. VTech will return repaired or replaced Product under this limited warranty. Transportation, delivery or handling charges are prepaid. VTech assumes no risk for damage or loss of the Product in transit. If the Product failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, VTech will notify you and will request that you authorize the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair to the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair

2. Include a "valid proof of purchase" (sales receipt) identifying the Product purchased (Product model) and the date of purchase or receipt; and

Please retain your original sales receipt as proof of purchase.

eplacement to take approximately 30 days How long is the limited warranty period?

- Product that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water or other liquid intrusion; or
- 5. Product whose warranty/quality stickers, product sérial number plates or electronic sérial numbers have been removed

What must you return with the Product to get warranty service?

3. Provide your name, complete and correct mailing address, and telephone number.

This warranty is the complete and exclusive agreement between you and VTech. It supersedes all other written or oral communications related to this Product. VTech provides no other warranties for this Product. The warranty exclusively describes all of VTech's responsibilities regarding the Product. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification. State/Provincial Law Rights: This warranty

To obtain warranty service in the USA, please visit our website at www.vtechphones.com or call 1 (800) 595-9511. In Canada, go to www.vtechcanada.com or call 1 (800) 267-7377.