
WEIDER®








Model No. WEBE13872

Serial No.

Write the serial number in the space above for future reference.



QUESTIONS?

As a manufacturer, we are committed to providing complete customer satisfaction. If you have questions, or find that there are missing or damaged parts, we will guarantee you complete satisfaction through direct assistance from our factory.

TO AVOID UNNECESSARY DELAYS, PLEASE CALL DIRECT TO OUR TOLL-FREE CUSTOMER HOT LINE. The trained technicians on our customer hot line will provide immediate assistance, free of charge to you.

CUSTOMER HOT LINE: **1-800-999-3756**Mon.-Fri., 6 a.m.-6 p.m. MST

VISIT OUR WEBSITE AT: www.weiderfitness.com

CAUTION

Read all precautions and instructions in this manual before using this equipment. Save this manual for future reference.





USER'S MANUAL

Table of Contents

LIMITED WARRNTY	
IMPORTANT RECAUTIONS	
BEFORE YOU EGIN	4
PART IDENTIFICATION CHART	
ASSEMBLY	
ADJUSTING TF:WEIG' IT BENGE:	
EXERCISE GUELEV 3	
MUSCLE CHAR	
PART LIST	
EXPLODED DRWI	
ORDERING RELACEMENT PARTS	
Office in the reservoir and th	

Limite Visconty

ICON Health Fitness, Inc. (ICON), warrants this product to be free from defects in workmanship and material, under remail use and service conditions, for a period of ninety (90) days from the date of purchase. This warranty extensions to the original purchaser ICON's obligation upon in this warranty is limited to replacing or repairing, and ON's option, the product at one will autituated service centure. All products for which warranty claim is a marked by ICON and of its come from the contents with all freight and other transportation was prepaid, accompanied by sufficient proof of purchase. All returns must be pre-authorized by ICO. This warranty does not extend to any product or damage to a product caused by or attributable to freight damage, abuse, misuse, improper or abnormal usage or repairs not provided by an ICON authorized so and a products used as store display models. No her warranty beyond that specifically set forth above is authorized by ICON.

ICON is not sponsible or liable for indirect, special or consequential damages arising out of or in connection with the user performance of the product or damages with recreek to any economic loss, loss of property, loss of reverses or profits, loss of enjoyment or use, costs of removal, installation or other consequential damages of whatever nature. Some states do not allow the exclusion or limitation of incidental or consequential damages. Accordingly, the above limitation may not apply to you.

The warrantiextended hereunder is in lieu of any and all other warranties and any implied warranties of merchantability of these for a particular purpose is limited in its scope and duration to the terms set forth herein. Some states on not allow limitations on how long an implied warranty lasts. Accordingly, the above limitation may not applied you.

This warrantgives you specific legal rights. You may also have other rights which vary from state to state.


ICON HEALTH & FITNESC, INC., 1500 S. 1000 M., EUGAN, UT 84321-9813

Important Precautions

WARNING: To reduce the risk of serious injury, read the following important precautions before using the weight bench.

- Read all instructions in this manual before using the weight bench.
- Use the weight bench only as described in this manual.
- It is the responsibility of the owner to ensure that all users of the weight bench are adeduately informed of all precautions.
- Use the weight bench only on a level surface.
 Cover the floor beneath the weight bench for protection.
- Inspect and tighten all parts regularly; replace any worn parts immediately.
- Keep children under the age of 12 and pets away from the weight bench at all times.
- Always make sure there is an equal amount of weight (not included) on each side of your barbell (not included) when you are using it.
- Do not use a barbell (not included) longer than five feet with the weight bench.
- 9. When you are using the leg lever, place a barbell (not included) with the same amount of weight on the weight rests to balance the bench.
- Always wear athletic shoes for foot protection while exercising.
- 11. Keep hands and feet away from moving parts.
- 12. The weight bench is designed to support a maximum of 360 pounds, including the user, a barbell, and weights. Do not place more than 110 pounds, including a barbell and weights, on the weight rests; do not place more than 30 pounds on each fly arm; do not place more than 50 pounds on the leg lever.

- 13. When using the backrest in an inclined position, make sure that the support rod is inserted completely through the uprights, and that the support rod is turned to the locked position.
- If you feel pain or dizziness at any time while exercising, stop immediately and begin cooling down.
- The weight bench is intended for home use only. Do not use the weight bench in any commercial, rental or institutional setting.
- 16. WARNING DECAL PLACEMENT: The decal shown below has been placed on the weight bench. If the decal is missing, or if it is not legible, please call our Customer Service Department toll-free at 1-800-999-3756, Monday through Friday, 6 a.m. until 6 p.m. Mountain Time, to order a free replacement decal. Apply the replacement decal to the location shown.



WARNING: Before beginning this or any exercise program, consult your physician. This is especially important for persons over the age of 35 or persons with pre-existing health problems. Read all instructions before using. ICON assumes no responsibility for personal injury or property damage sustained by or through the use of this product.


Before You Begin

Thank you for selecting the WEIDER® 138 Weight Bench. The versatile WEIDER® 138 Weight Bench 18 designed to be used with your own weighteset (500) included) to develop every major muscle group of the body. Whether your goal is a shapely figure, dramatic muscle size and strength, or a healthier cardiovascular serial number can be found on a decal attached to the system, the WEIDER® 138 Weight Bench will I alp 1 = 0 to achieve the specific results you want.


For your benefit, read this manual carefully before using the WEIDER® 138 Weight Bench. If you have additional questions, please call our Customer Service

Department toll-free at 1-800-999-3756, Monday frough Friday, 6 a.m. until 6 p.m. Mountain Time (excluding holidays). To help us assist you, please note the troduct model number and serial number ! sfore caling. The model number is WEBE13872. The > JEF€138 Weight Bench (see the front cover of this manual).

Before reading further, please look at the drawing below and familiarize yourself with the parts that are labeled_



This chart is provided to help you identify the small parts used in assembly. The number in parenthesis below each part refers to the key number of the part. The second number refers to the quantity needed for assembly. Important: Some parts may have been pre-assembled for shipping purposes. If you cannot find a part in the parts bags, check to see if it has been pre-assembled.



Before beginning assembly, carefully read the long following information and instructions:

- Place all pasts of the weight bench in a cleared area and pernove the packing material's; do not dispose offline packing materials until assembly is completed.
- Read eachassembly depided a year begin.
- For help itemitiying the small pads used in assembly, assembly to EART It PRODUCTION
 CHART artile previous page. Note: Some small parternay have been pre-attached for shipping purposes: If a part in the parts bag, check to seeif it has been pre-attached.
- Tighten alignate as you assemble them, unless instructed toods otherwise.

 As you assemble the weight bench, make sure that all parts are oriented as shown in the drawings.

THE FOLLOWING TOOLS (NOT INCLUDED) ARE REQUIRED FOR ASSEMBLY:

- Two (2) adjustable wrenches
 - 3
- One (1) phillips screwdriver
- One (1) rubber mallet
- Lubricant, such as grease or petroleum jelly, and soapy water will also be needed

Assembly will be more convenient if you have the following tools: A socket set, a set of open-end or closed-end wrenches or a set of ratchet wrenches.


 Before assembling this product, make sure you haveread and understand the information in the boxabove.

Tap two 3 mm Square Inner Caps (21) into the open endsoffthe stabilizers on each Upright (1).

Attach the Chossbar (3) to the two Uprights (1) with four MB x 57mm Bolts (13), four M8 Washers (16) and frum M8 Nylon Locknuts (17). Make sure the Crossbar (3) and both Uprights (1) are oriented as frown. The decal on the Crossbar must be froing up and the long bracket on the weight resismust be on the same shown here.

2. Tap two 3fmm Square Inner Caps (22) into the open ends of the stabilizer on the Front Leg (8).

Attach the Front Leg (8) to the Frame (2) with the M10 x 19nm Bolt (31).



Make sure the Uprights (1) are oriented as shown. The long bracket on the weight rests must be on the side indicated. Attach the Frame (2) to the Crossbar (3) with two M8 x 57mm Bolts (18), two M8 Washers (16) and two M8 Nylon Locknuts (17).


4. Tap a 30mm Square Inner Cap (22) into each open end of the Leg Lever (4).

Tap a 1" Round Inner Cap (24) into the indicated end of the weight tube. Tap the 1" Angled Round Cap (20) onto the other end of the weight tube.

5. Lubricate the M10 x 58mm Bolt (32). Attach the Leg Lever (4) to the bracket on the Frame (2) with the Bolt and the M10 Nylon Locknut (33).

15

 Tap two 3/4" Round Inner Caps (9) into each Long Pad Tube (10). Insert the Pad Tubes through the holes in the Leg Lever (4). Slide two Long Foam Pads (23) onto each Pad Tube.



7. Tap a 1" Square Inner Cap (35) into the indicated ends of the two Backrest Tubes (5).


Attach each Backrest Tube (5) to the Backrest (6) with two M6 x 38mm Screws (30) and two M6 Washers (26). Note: Do not tighten the Screws fully.

8. Tap a 3/4" Round Inner Cap (9) into each end of the Support Rod (7). Insert the Support Rod through one of the three upper sets of holes in the Uprights (1). Rotate the Support Rod to the locked position, with the locking pin wrapped around the Upright.

Lubricate the M10 x 135mm Bolt (36). Attach the Backrest Tubes (5) to the welded tube on the Frame (2) with the Bolt, two M10 Washers (34) and an M10 Nylon Locknut (33) Fully tighten all four M6 x 38mm Screws (30) used in step 7.

Attach the Seat (11) to the brackets on the Frame
 with four M6 x 16mm Screws (29) and four M6 Washers (26).

Tap a Fly Arm Stop (15) onto the welded tube on each Upright (1).



11. Tap two 30mm Square Inner Caps (22) into each open end of the left Fly Arm (25). Push a 1" Round Inner Cap (24) into the end of the weight tube. Slide a Weight Stop (28) onto the weight tube.

Assemble the right Fly Arm (not shown) in the same manner.


Press two Plastic Bushings (14) into the indicated holes in the left Upright (1). Attach the left Fly Arm (25) to the Upright using an M10 x 114mm Bolt (19) and a Butterfly Knob (13). Make sure the Fly Arm is on the outside of the Fly Arm Stop (15).

Attach the right Fly Arm (not shown) to the right Upright (not shown) in the same manner.

13. Push a 3/4" Round Inner Cap (9) into the end of a Short Pad Tube (12). Slide the Short Pad Tube through the indicated hole in the left Fly Arm (25), as shown. Push a Short Foam Pad (27) onto the Pad Tube.

Repeat this step for the right Fly Arm (not shown).

14. Make sure all parts are properly tightened before you use the weight bench. The use of all remaining parts will be explained in Adjusting the Weight Bench starting on the next page.



The wast beauthis designed to be used with your cash weight set (red included). The steps below explain how the west benchman his additional. See EXERCISE GUIDELIMES on page 11 for important exercise information. and reacto the accompanying swercise poster to see the correct form for each exercise. Refer also to the exercise idemation apportunate the continue weight set (not included) for ado anal exercises.

Inspedand tighter all parts each time you use the weight pench. Re dace any worn parts immediately. The weightench cambe cleaned. This damp cloth and a rule, non-abratize detergent. Do not use solvents.

ADJUSTING THE DATA

The Bakrest (1) can be used it is forced position, time inclinations or a declined position. To use the Backet in a declined position, remove the Support Rod (Fand laythe Backrest on the Frame (2).

To use the Backwest (6) "ined position, first lift the Battrest. Itsert the Support Flod (7) through one of the three upper sets of holes in the Uprights (1). Hotelthe Seport Red to the locked position, so the locking pin is appedaround the Upright Lay the Trokrestion the Seport Ross.

To use the Backrest (6) in a level position, insert the Supper Rod (7) through the lowest set of holes in the Uprigs (1). Potate the Support Rod to the locked position, the looking pin is wrapped around the Upright. Lay Backrest on the Support Rod.

ATTACHING WEIGHTS

To use the Leg Lever (4), slide the desired weights (not included onto the weight take the state of the total placemore than 50 pc


CATION: When you are using the leg lever, place a bartiell (not included) with the same. amount of weight on the weight rests and the beach.

To use the Fly Arms (25), make sure there is a Weight Stop (8) on each weight tube. Next, slide the desired weight (not included) onto the weight tubes. WARN-ING: so not place more than 30 pounds on each Arm.

REMOVING AND ATTACHING THE FLY ARMS

Some exercises are easier to perform if the Fly Arms (25) are removed from the wais hit bench. To remove the Fly Ams, remove the Butterfly Knob (13) and the M10 x 114ma Bolt (19) from each Fly Arm and Upright 15. Placethe Fly Arms in a :

To reattach the Fly Arms (20). Some its Arms with the holes in the Upon the (4) In-114mm Bolts (19) through the region of the open Tighten the Butterfly Kn



Exercise Guidelines

THE FOUR BASIC TYPES OF WORKOUTS

Muscle Building

In order to increase the size and strength of your muscles, you must push your muscles to a high percentage of their capacity. You must also progressively increase the intensity of your exercise so that your muscles will continually adapt and grow. Each individual exercise can be tailored to the proper intensity level by changing the amount of weight used, or the number of repetitions or sets performed. (A "repetition" is one complete cycle of an exercise, such as one sit-up. A "set" is a series of repetitions performed consecutively.)

The proper amount of weight for each exercise depends upon the individual user. It is up to you to gauge your limits. Select the amount of weight that you think is right for you. Begin with 3 sets of 8 repetitions for each exercise that you perform. Rest for 3 minutes after each set. When you can complete 3 sets of 12 repetitions without difficulty, increase the amount of weight.

Toning

To tone your muscles, you must push your muscles to a moderate percentage of their capacity. Select a moderate amount of weight and increase the number of repetitions in each set. Complete as many sets of 15 to 20 repetitions as possible without discomfort. Rest for 1 minute after each set. Work your muscles by completing more sets rather than by using high amounts of weight.

Weight Loss

To lose weight, use a low amount of weight and increase the number of repetitions in each set. Exercise for 20 to 30 minutes, resting for a maximum of 30 seconds between sets.

Cross Training

In the pursuit of a complete and well-balanced fitness program, many have found that cross training is the answer. We recommend that on Monday, Wednesday and Friday, you plan weight training workouts. On Tuesday and Thursday, plan 20 to 30 minutes of aerobic exercise, such as cycling, running or swimming. Rest from both weight training and aerobic exercise for at least one full day each week to give your body time to regenerate. By combining weight training with aerobic exercise, you can reshape and strengthen your body, plus develop a stronger heart and lungs.

PERSONALIZING YOUR EXERCISE PROGRAM

We have not specified an exact length of time for each workout, or a specific number of repetitions or sets for each exercise. It is very important to avoid overdoing it during the first few months of your exercise program, and to progress at your own pace. If you experience pain or dizziness at any time while exercising, stop immediately and begin to cool down. Find out what is wrong before continuing. Remember that adequate rest and a proper diet are also important.

WARMING UP

Begin each workout with 5 to 10 minutes of light stretching and exercise to warm up. Warming up prepares your body for exercise by increasing circulation, raising your body temperature and delivering more oxygen to your muscles.

WORKING OUT

Each workout should include 6 to 10 different exercises. Select exercises for every major muscle group, with emphasis on the areas that you want to develop the most. To give balance and variety to your workouts, vary the exercises from workout to workout.

Schedule your workouts for the time of day when your energy level is the highest. Each workout should be followed by at least one day of rest. Once you find the schedule that is right for you, stick with it.

EXERCISE FORM

In order to obtain the greatest benefits from exercising, it is essential to maintain proper form.

Maintaining proper form means moving through the full range of motion for each exercise, and moving only the appropriate parts of the body. Exercising in an uncontrolled manner will leave you feeling exhausted. On the exercise poster accompanying this manual, you will find photographs showing the correct form for several exercises. A description of each exercise is also provided, along with a list of the muscles affected. Refer to the muscle chart on page 12 to find the locations of the muscles.

The repetitions in each set should be performed smoothly and without pausing. The exertion stage of each repetition should last about half as long as the return stage. Proper breathing is important. Exhale during the exertion stage of each repetition and inhale during the return stroke; never hold your breath. Rest

for 3 minutes after each set if you are doing a muscle building workout, 1 minute after each set if you are doing a toning workout, and 30 seconds after each set if you are doing a weight loss workout. Plan to spend the first couple of weeks familiarizing yourself with the equipment and learning the proper form for each exercise.

COOLING DOWN


End each workout with 5 to 10 minutes of stretching. Include stretches for both your arms and legs. Move slowly as you stretch—do not bounce. Ease into each stretch gradually and go only as far as you can without strain. Stretching at the end of each workout is very effective for increasing flexibility.

: MOTIVATED

record ration, keep a record of each workout. The cheet on page 13 of this manual can be photocopied are used to schedule and record your workouts. List that late, exercises performed, weight, and numbers of and repetitions completed. Record your weight and key body measurements at the end of every

End each workout with 5 to 10 minutes of stretching. The five the key to achieving the greatest results is include stretches for both your arms and legs. Move slowly as you stretch—do not bounce. Ease into each ϵ and ϵ are gular and enjoyable part of your slowly as you stretch—do not bounce. Ease into each

Muscle Chart



MONDAY Date:	EXERCISE	WEIGHT	SETS	REPS
		.,_,		
	:			


TUESDAY Date://	AEROBIC EXERCISE			
WEDNESDAY	EXERCISE	WEIGHT	SETS	REPS
Date:/				
THURSDAY Date:	AEROBIC EXERCISE			
FRIDAY	EXERCISE	WEIGHT	SETS	REPS
Date://				
	•	-		

Make photocopies of this page for scheduling and recording your workouts.

Part List - Model No. WEBE13872

Key No.	Qty.	Description	Self Control	; \$ 3	Key No	. Qty.	Description
1	2	<u>U</u> pright	5.0		20	1	*1* Angled Round Cap
2	1	Frame		1.00	21	4	38mm SquaresInner Cap
3	1	Crossbar			22	8	30mm Square Inner Cap
4	1	Leg Lever			23	y., 4	Long Foam Pad
5	2	Backrest Tube		5	24	3	1" Round Inner Cap
6	1	Backrest			25	2	Fly Arm
7	1	Support Rod			2 6	8	M6 Washer
8	1	Front Leg			27	2	Short Foam Pad
9	8	3/4" Round Inner (Сар		2 8	2	Weight Stop
10	2	Long Pad Tube			29	4	M6 x 16mm Screw
11	1	Seat			30	4	M6 x 38mm Screw
12	2	Short Pad Tube			31	. 1	M10 x 19mm Bolt
13	2	Butterfly Knob			32	1	M10 x 58mm Bolt
14	4	Plastic Bushing			33	2	M10 Nylon Locknut
15	2	Fly Arm Stop			34	2	M10 Washer
16	6	M8 Washer			35	2	1" Square Inner Cap
17	6	M8 Nylon Locknut			36	1	M10 x 135mm Bolt
18	6	M8 x 57mm Bolt			#	1	User's Manual
19	2	M10 x 114mm Bol	lt		#	1	Exercise Poster

[&]quot;#" Indicates a non-illustrated part. Specifications are subject to change without notice. See the back cover for information on ordering replacement parts.



Ordering Replacement Parts

To order replacement parts, simply call our Customer Service Department toll-free at 1-800-999-3756, Monday through Friday, 6 a.m. until 6 p.m. Mountain Time (excluding holidays). To help us assist you, please to prepared to give the following information when calling:

- 1. The MODEL NUMBER of the product (WEBE13872).
- 2. The NAME of the product (WEIDER® 138 Weight Bench).
- 3. The SERIAL NUMBER of the product (see the front cover of this manual).
- 4. The KEY NUMBER and DESCRIPTION of the desired part(s) (see page 14 of this manual).