### **User Guide**

# **Quick Start Guide**

### WHAT'S IN THE BOX

- Wireless Remote Model L5B83H
- 2xAAA Batteries

#### **Buttons:**

Power, Voice Search, Navigation, Select, Menu, Back, Home, Rewind, Play/Pause, Fast Forward

### Power On Device

- Insert batteries and install compartment cover
- Pair Device to host: Choose the applicable pairing instructions from the options below:
- A. This is a replacement remote:
  - 1. Restart your Fire TV/TV Stick by unplugging the power cable from your power outlet than plugins it back in. After the TV home screen displays, your remote is ready for pairing.
  - Press and hold the Home button on the new remote for at least 10 seconds. Your new remote should automatically pair with our fire TV/TV stick. You will see an on-screen message when it has successfully paired.
- B. This is an additional remote:
  - 1. On your new remote, press and hold the Home button for 120 seconds to enter discoverable mode.
  - 2. You must use your existing remote for the following steps. Press the Home button.
  - 3. Navigate to the Settings location at the top of the screen. Select Controllers and Bluetooth Devices > Amazon Fire TV Remotes > Add New Remote. Your Amazon Fire TV will search for discoverable remotes, and display them in a list.
  - 4. Select the new remote, named Amazon fire TV remote. You will see and on-screen message when it has been successfully paired.

Use your Voice Search

Hold down voice search button and speak

### IMPORTANT PRODUCT INFORMATION

For safety, compliance, recycling, and other important information regarding your Device, please refer to the Legal & Compliance section in the User Manual.

## **Product Information**

# Safety and Compliance Information Using Your Device around Other Electronic Devices

The Device, uses, and can radiate radio frequency (RF) energy and, if not used in accordance with its instructions, may cause interference to radio communications and electronic equipment. External RF signals may affect improperly installed or inadequately shielded electronic operating systems, entertainment systems, and personal medical devices.

While most modern electronic equipment is shielded from external RF signals, if in doubt, check with the manufacturer. For personal medical devices (such as pacemakers and hearing aids), consult with your physician or the manufacturer to determine if they are adequately shielded from external RF signals.

There are some places where RF signals could constitute a hazard, such as health care facilities, and construction sites. If you are not sure, look around for signs indicating that two-way radios or mobile phones should be turned off.

## **FCC Compliance Information**

## **Radio Frequency Information**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications that are not expressly approved by the party responsible for compliance could make the device no longer comply with the FCC Rules.

Information on your device is on file with the FCC and can be found by inputting your device's FCC ID, which can be found on the back of Device, into the FCC ID Search form available at

transition.fcc.gov/oet/ea/fccid.

## Information Regarding Exposure to Radio Frequency Energy

The output power of the radio technology used in the Device is below the radio frequency exposure limits set by the FCC. Nevertheless, it is advised to use the Device in such a manner that minimizes the potential for human contact during normal operations.

## **Canadian Compliance Information**

This device complies with the Canadian ICES-003 Class B specifications. CAN ICES-3(B)/ NMB-3(B) This device complies with Industry Canada license exempt RSS standard(s). Operation is subject to the following two conditions:

- 1. this device may not cause interference; and
- 2. this device must accept any interference, including interference that may cause undesired operation of the device.

This device is compliant with general population/uncontrolled RF exposure limits in IC RSS-102. This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Innovation, Science and Economic Development Canada for an uncontrolled environment.

Cet appareil numérique de la Classe B est conforme à la norme NMB-003 du Canada. CAN ICES-3(B)/NMB-3(B)

Cet appareil numérique de la Classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

Cet appareil est conforme aux normes CNR exemptes de licence d'Industrie Canada. Le fonctionnement est soumis aux deux conditions suivantes :

- 1. cet appareil ne doit pas provoguer d'interférences et
- 2. cet appareil doit accepter toute interférence, y compris celles susceptibles de provoquer un fonctionnement non souhaité de l'appareil.

Cet appareil est conciliant avec les limites d'exposition de RF population/non contenu générales dans IC RSS-102.

## **Product Specifications**

### **Wireless Remote**

Model #: L5B83H

Power: 2xAAA Batteries

Connectivity — BLE5.0

Operating temperature — 0 °C to 35 °C