

Source RPM files for all components can be found at: <http://vault.centos.org/6.4/>

Name : gnome-packagekit Relocations: (not relocatable)  
Version : 2.28.3 Vendor: CentOS  
Release : 7.el6 Build Date: Thu 21 Feb 2013 02:41:04 PM  
EST  
Install Date: Tue 06 Aug 2013 05:22:54 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
gnome-packagekit-2.28.3-7.el6.src.rpm  
Size : 8250365 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:53 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.packagekit.org>  
Summary : Session applications to manage packages  
Description :  
gnome-packagekit provides session applications for the PackageKit API.  
There are several utilities designed for installing, updating and  
removing packages on your system.

Name : libXpm Relocations: (not relocatable)  
Version : 3.5.10 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:07:51 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXpm-3.5.10-2.el6.src.rpm  
Size : 104511 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXpm runtime library  
Description :  
X.Org X11 libXpm runtime library

Name : pycairo Relocations: (not relocatable)  
Version : 1.8.6 Vendor: CentOS  
Release : 2.1.el6 Build Date: Wed 18 Aug 2010 10:51:19 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:33 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Languages Source RPM:  
pycairo-1.8.6-2.1.el6.src.rpm  
Size : 423809 License: MPLv1.1 or LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:58:09 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cairographics.org/pycairo>  
Summary : Python bindings for the cairo library  
Description :  
Python bindings for the cairo library.

Name : xml-common Relocations: (not relocatable)  
Version : 0.6.3 Vendor: CentOS  
Release : 32.el6 Build Date: Thu 11 Nov 2010 02:34:28 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:11 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Applications/Text Source RPM:  
sgml-common-0.6.3-32.el6.src.rpm  
Size : 1055 License: GPL+  
Signature : RSA/8, Sun 03 Jul 2011 12:53:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.w3.org/2003/entities/>  
Summary : Common XML catalog and DTD files

Descripti on :

The xml-common is a subpackage of sgml-common which contains a collection XML catalogs that are useful for processing XML, but that don't need to be included in main package.

Name : openssh-server Relocations: (not relocatable)  
Version : 5.3p1 Vendor: CentOS  
Release : 84.1.el6 Build Date: Thu 21 Feb 2013 10:51:49 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:01 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
openssh-5.3p1-84.1.el6.src.rpm  
Size : 667631 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:05 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openssh.com/portable.html>  
Summary : An open source SSH server daemon  
Descripti on :

OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package contains the secure shell daemon (sshd). The sshd daemon allows SSH clients to securely connect to your SSH server.

Name : libgphoto2 Relocations: (not relocatable)  
Version : 2.4.7 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 12:10:55 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:16 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
libgphoto2-2.4.7-4.el6.src.rpm  
Size : 4522998 License: GPLv2+ and GPLv2 and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:34:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gphoto.org/>  
Summary : Library for accessing digital cameras  
Descripti on :

libgphoto2 is a library that can be used by applications to access various digital cameras. libgphoto2 itself is not a GUI application, opposed to gphoto. There are GUI frontends for the gphoto2 library, however, such as gtkam for example.

Name : python-slip Relocations: (not relocatable)  
Version : 0.2.20 Vendor: CentOS  
Release : 1.el6\_2 Build Date: Mon 26 Mar 2012 09:03:16 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
python-slip-0.2.20-1.el6\_2.src.rpm  
Size : 56037 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Mar 2012 09:36:32 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/python-slip>  
Summary : Miscellaneous convenience, extension and workaround code for Python  
Descripti on :

The Simple Library for Python packages contain miscellaneous code for convenience, extension and workaround purposes.

This package provides the "slip" and the "slip.util" modules.

Name : paktype-fonts-common Relocations: (not relocatable)  
Version : 2.0 Vendor: CentOS

Release : 8. el 6 Build Date: Tue 24 Aug 2010 08: 33: 49 PM  
EDT  
Install Date: Tue 06 Aug 2013 05: 17: 13 PM EDT Build Host:  
c6b2. bsys. dev. centos. org  
Group : User Interface/X Source RPM:  
paktype-fonts-2. 0-8. el 6. src. rpm  
Size : 28567 License: GPLv2 with exceptions  
Signature : RSA/8, Sun 03 Jul 2011 12: 36: 22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : https://sourceforge. net/projects/paktype/  
Summary : Common files for paktype-fonts  
Description :

The paktype-fonts package contains fonts for the display of Arabic from the PakType by Lateef Sagar.

Name : b43-openfwf Relocations: (not relocatable)  
Version : 5. 2 Vendor: CentOS  
Release : 4. el 6 Build Date: Wed 10 Nov 2010 08: 00: 52 PM  
EDT  
Install Date: Tue 06 Aug 2013 05: 23: 03 PM EDT Build Host:  
c6b1. bsys. dev. centos. org  
Group : System Environment/Kernel Source RPM:  
b43-openfwf-5. 2-4. el 6. src. rpm  
Size : 31549 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12: 00: 38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://www. ing. uni. bs. it/openfwf/  
Summary : Open firmware for some Broadcom 43xx series WLAN chips  
Description :  
Open firmware for some Broadcom 43xx series WLAN chips.  
Currently supported models are 4306, 4311(rev1), 4318 and 4320.

Name : m17n-db-bengali Relocations: (not relocatable)  
Version : 1. 5. 5 Vendor: CentOS  
Release : 1. 1. el 6 Build Date: Thu 19 Aug 2010 02: 00: 34 AM  
EDT  
Install Date: Tue 06 Aug 2013 05: 18: 17 PM EDT Build Host:  
c6b3. bsys. dev. centos. org  
Group : System Environment/Libraries Source RPM:  
m17n-db-1. 5. 5-1. 1. el 6. src. rpm  
Size : 6826 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12: 29: 01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://www. m17n. org/m17n-lib/index. html  
Summary : m17n-db input maps for Bengali  
Description :  
This package contains m17n-db input maps for Bengali.

Name : gnome-python2-extras Relocations: (not relocatable)  
Version : 2. 25. 3 Vendor: CentOS  
Release : 20. el 6 Build Date: Thu 11 Nov 2010 06: 53: 06 AM  
EDT  
Install Date: Tue 06 Aug 2013 05: 20: 37 PM EDT Build Host:  
c6b1. bsys. dev. centos. org  
Group : Development/Languages Source RPM:  
gnome-python2-extras-2. 25. 3-20. el 6. src. rpm  
Size : 68392 License: GPLv2+ and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12: 18: 31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://www. pygtk. org/  
Summary : Additional PyGNOME Python extension modules  
Description :  
The gnome-python-extra package contains the source packages for additional

Python bindings for GNOME. It should be used together with gnome-python.

Name : thai-scalable-fonts-common Relocations: (not relocatable)  
Version : 0.4.12 Vendor: CentOS  
Release : 2.1.el6 Build Date: Thu 11 Nov 2010 09:33:51 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:17 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
thai-scalable-fonts-0.4.12-2.1.el6.src.rpm  
Size : 11671 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:50:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://linux.thai.net/projects/thai-fonts-scalable>  
Summary : Common files of <NAME>  
Description :

thai-fonts-scalable provides a collection of free scalable Thai fonts.

This package consists of files used by other thai-scalable-fonts packages.

Name : vsftpd Relocations: (not relocatable)  
Version : 2.2.2 Vendor: CentOS  
Release : 11.el6\_3.1 Build Date: Tue 19 Feb 2013 02:46:34 AM  
EST  
Install Date: Tue 06 Aug 2013 05:23:06 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
vsftpd-2.2.2-11.el6\_3.1.src.rpm  
Size : 339348 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Tue 19 Feb 2013 06:07:00 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://vsftpd.beasts.org/>  
Summary : Very Secure Ftp Daemon  
Description :  
vsftpd is a Very Secure FTP daemon. It was written completely from  
scratch.

Name : m17n-db-kannada Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-db-1.5.5-1.1.el6.src.rpm  
Size : 7749 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:29:13 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : m17n-db input maps for Kannada  
Description :  
This package contains m17n-db input maps for Kannada.

Name : pyxdg Relocations: (not relocatable)  
Version : 0.18 Vendor: CentOS  
Release : 1.el6 Build Date: Fri 20 Aug 2010 07:54:34 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:38 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: pyxdg-0.18-1.el6.src.rpm  
Size : 305876 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:43:51 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://freedesktop.org/Software/pyxdg>  
Summary : Python library to access freedesktop.org standards  
Description :  
PyXDG is a python library to access freedesktop.org standards

Name : glibc-common Relocations: (not relocatable)  
Version : 2.12 Vendor: CentOS  
Release : 1.107.el6 Build Date: Thu 21 Feb 2013 08:13:11 AM EST  
Install Date: Tue 06 Aug 2013 05:17:27 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: glibc-2.12-1.107.el6.src.rpm  
Size : 112398608 License: LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sources.redhat.com/glibc/>  
Summary : Common binaries and locale data for glibc  
Description :  
The glibc-common package includes common binaries for the GNU libc libraries, as well as national language (locale) support.

Name : virt-what Relocations: (not relocatable)  
Version : 1.11 Vendor: CentOS  
Release : 1.2.el6 Build Date: Thu 21 Feb 2013 08:04:28 PM EST  
Install Date: Tue 06 Aug 2013 05:23:08 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/Emulators Source RPM:  
virt-what-1.11-1.2.el6.src.rpm  
Size : 37231 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:24 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/~rjones/virt-what/>  
Summary : Detect if we are running in a virtual machine  
Description :  
virt-what is a shell script which can be used to detect if the program is running in a virtual machine.

The program prints out a list of "facts" about the virtual machine, derived from heuristics. One fact is printed per line.

If nothing is printed and the script exits with code 0 (no error), then it can mean either that the program is running on bare-metal or the program is running inside a type of virtual machine which we don't know about or cannot detect.

Current types of virtualization detected:

- hyperv Microsoft Hyper-V
- kvm Linux Kernel Virtual Machine (KVM)
- openvz OpenVZ or Virtuozzo
- powervm\_lx86 IBM PowerVM Lx86 Linux/x86 emulator
- qemu QEMU (unaccelerated)
- uml User-Mode Linux (UML)
- virtage Hitachi Virtualization Manager (HVM) Virtage LPAR
- virtualbox VirtualBox
- virtualpc Microsoft Virtual PC
- vmware VMware
- xen Xen
- xen-dom0 Xen dom0 (privileged domain)
- xen-domU Xen domU (paravirtualized guest domain)
- xen-hvm Xen guest fully virtualized (HVM)

Name : m17n-db-mal ayal am Rel ocations: (not rel ocatabl e)  
Versi on : 1. 5. 5 Vendor: CentOS  
Rel ease : 1. 1. el 6 Buil d Date: Thu 19 Aug 2010 02: 00: 34 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05: 18: 17 PM EDT Buil d Host:  
c6b3. bsys. dev. centos. org  
Group : System Envi ronment/Li brari es Source RPM:  
m17n-db-1. 5. 5-1. 1. el 6. src. rpm  
Si ze : 7521 Li cense: LGPLv2+  
Si gnature : RSA/8, Sun 03 Jul 2011 12: 29: 17 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://www. m17n. org/m17n-li b/i ndex. html  
Summary : m17n-db i nput maps for Mal ayal am  
Descri pti on :  
Thi s package contains m17n-db i nput maps for Mal ayal am.

Name : python-url grabber Rel ocations: (not rel ocatabl e)  
Versi on : 3. 9. 1 Vendor: CentOS  
Rel ease : 8. el 6 Buil d Date: Tue 19 Jul 2011 01: 19: 32 PM  
EDT  
Instal l Date: Tue 06 Aug 2013 05: 20: 41 PM EDT Buil d Host:  
c6b5. bsys. dev. centos. org  
Group : Devel opment/Li brari es Source RPM:  
python-url grabber-3. 9. 1-8. el 6. src. rpm  
Si ze : 322193 Li cense: LGPLv2+  
Si gnature : RSA/SHA1, Mon 26 Sep 2011 12: 13: 59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://url grabber. baseurl . org/  
Summary : A high-level cross-protocol url -grabber  
Descri pti on :  
A high-level cross-protocol url -grabber for python supporting HTTP, FTP  
and file locations. Features include keepalive, byte ranges, throttling,  
authentication, proxies and more.

Name : dbus-li bs Rel ocations: (not rel ocatabl e)  
Versi on : 1. 2. 24 Vendor: CentOS  
Rel ease : 7. el 6\_3 Buil d Date: Thu 13 Sep 2012 01: 04: 30 PM  
EDT  
Instal l Date: Tue 06 Aug 2013 05: 17: 34 PM EDT Buil d Host:  
c6b10. bsys. dev. centos. org  
Group : Devel opment/Li brari es Source RPM: dbus-1. 2. 24-7. el 6\_3. src. rpm  
Si ze : 265728 Li cense: GPLv2+ or AFL  
Si gnature : RSA/SHA1, Thu 13 Sep 2012 01: 37: 18 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://www. freedesktop. org/software/dbus/  
Summary : Li brari es for accessi ng D-BUS  
Descri pti on :  
Thi s package contains l owl level li brari es for accessi ng D-BUS.

Name : cas Rel ocations: (not rel ocatabl e)  
Versi on : 0. 15 Vendor: CentOS  
Rel ease : 1. el 6. 1 Buil d Date: Wed 10 Nov 2010 09: 25: 01 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 23: 10 PM EDT Buil d Host:  
c6b4. bsys. dev. centos. org  
Group : Devel opment/Li brari es Source RPM: cas-0. 15-1. el 6. 1. src. rpm  
Si ze : 393817 Li cense: GPLv3+  
Si gnature : RSA/8, Sun 03 Jul 2011 12: 01: 57 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://fedorahosted. org/cas  
Summary : Tool to analyze and confi gure core file envi ronment  
Descri pti on :  
CAS provides a user the ability to confi gure an envi ronment for core analysis  
qui ckly. All the hassles of matchi ng kernel versions and machine archi tecture

types to core dumps are automatically detected and processed.

Name : pinentry Relocations: (not relocatable)  
Version : 0.7.6 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 23 Sep 2011 09:22:05 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host: c6b18n1.dev.centos.org  
Group : Applications/System Source RPM: pinentry-0.7.6-6.el6.src.rpm  
Size : 143708 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:23:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnupg.org/aegypten/>  
Summary : Collection of simple PIN or passphrase entry dialogs  
Description :  
Pinentry is a collection of simple PIN or passphrase entry dialogs which utilize the Assuan protocol as described by the aegypten project; see <http://www.gnupg.org/aegypten/> for details.  
This package contains the curses (text) based version of the PIN entry dialog.

Name : PackageKit-device-rebind Relocations: (not relocatable)  
Version : 0.5.8 Vendor: CentOS  
Release : 21.el6 Build Date: Thu 21 Feb 2013 05:42:20 PM EST  
Install Date: Tue 06 Aug 2013 05:20:44 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM:  
PackageKit-0.5.8-21.el6.src.rpm  
Size : 236490 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:53 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.packagekit.org>  
Summary : Device rebind functionality for PackageKit  
Description :  
The device rebind functionality offer the ability to re-initialize devices after firmware has been installed by PackageKit. This removes the need for the user to restart the computer or remove and re-insert the device.

Name : libcom\_err Relocations: (not relocatable)  
Version : 1.41.12 Vendor: CentOS  
Release : 14.el6 Build Date: Thu 21 Feb 2013 06:51:14 PM EST  
Install Date: Tue 06 Aug 2013 05:17:35 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM:  
e2fsprogs-1.41.12-14.el6.src.rpm  
Size : 59233 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:53 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Common error description library  
Description :  
This is the common error description library, part of e2fsprogs.

libcom\_err is an attempt to present a common error-handling mechanism.

Name : ibus-anthy Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 23 Sep 2011 12:07:33 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:11 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
ibus-anthy-1.2.1-3.el6.src.rpm

Size : 629626 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:19 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus/>  
Summary : The Anthy engine for IBus input platform  
Description :  
The Anthy engine for IBus platform. It provides Japanese input method from libanthy.

Name : libgomp Relocations: (not relocatable)  
Version : 4.4.7 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 12:16:26 PM EST  
Install Date: Tue 06 Aug 2013 05:18:19 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: gcc-4.4.7-3.el6.src.rpm  
Size : 97798 License: GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:55 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gcc.gnu.org>  
Summary : GCC OpenMP v3.0 shared support library  
Description :  
This package contains GCC shared support library which is needed for OpenMP v3.0 support.

Name : libreport-python Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM EST  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 68883 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:23 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : Python bindings for report-libs  
Description :  
Python bindings for report-libs.

Name : db4 Relocations: (not relocatable)  
Version : 4.7.25 Vendor: CentOS  
Release : 17.el6 Build Date: Wed 04 Apr 2012 09:42:16 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:37 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: db4-4.7.25-17.el6.src.rpm  
Size : 1530375 License: Sleepycat and BSD  
Signature : RSA/SHA1, Wed 04 Apr 2012 09:00:34 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : The Berkeley DB database library (version 4) for C  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. The Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is used by many applications, including Python and Perl, so this should be installed on all systems.



Name : totem-mozplugin Relocations: (not relocatable)  
Version : 2.28.6 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 09:26:49 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:15 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : Applications/Internet Source RPM: totem-2.28.6-2.el6.src.rpm  
Size : 586776 License: GPLv2+ with exceptions  
Signature : RSA/8, Sun 03 Jul 2011 01:04:10 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/totem/>  
Summary : Mozilla plugin for Totem  
Description :  
Totem is simple movie player for the GNOME desktop.  
The mozilla plugin for Totem allows it to be embedded into a web browser.

Name : dash Relocations: (not relocatable)  
Version : 0.5.5.1 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 17 Oct 2012 03:48:39 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:29 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Shell s Source RPM: dash-0.5.5.1-4.el6.src.rpm  
Size : 127277 License: BSD  
Signature : RSA/SHA1, Wed 17 Oct 2012 06:45:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gondor.apana.org.au/~herbert/dash/>  
Summary : Small and fast POSIX-compliant shell  
Description :  
DASH is a POSIX-compliant implementation of /bin/sh that aims to be as small as possible. It does this without sacrificing speed where possible. In fact, it is significantly faster than bash (the GNU Bourne-Again Shell) for most tasks.

Name : evolution-data-server Relocations: (not relocatable)  
Version : 2.28.3 Vendor: CentOS  
Release : 16.el6 Build Date: Thu 21 Feb 2013 04:31:10 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:49 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
evolution-data-server-2.28.3-16.el6.src.rpm  
Size : 12617039 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:29 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/evolution/>  
Summary : Backend data server for Evolution  
Description :  
The evolution-data-server package provides a unified backend for programs that work with contacts, tasks, and calendar information.

It was originally developed for Evolution (hence the name), but is now used by other packages.

Name : libart\_lgpl Relocations: (not relocatable)  
Version : 2.3.20 Vendor: CentOS  
Release : 5.1.el6 Build Date: Wed 18 Aug 2010 12:47:13 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:38 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libart\_lgpl-2.3.20-5.1.el6.src.rpm  
Size : 129211 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:31:41 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnome.org/>  
Summary : Library of graphics routines used by libgnomecanvas  
Description :

Graphics routines used by the GnomeCanvas widget and some other applications. libart renders vector paths and the like.

Name : man-pages-overrides Relocations: (not relocatable)  
Version : 6.4.1 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 10:33:53 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:22 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : Documentation Source RPM:

man-pages-overrides-6.4.1-1.el6.src.rpm

Size : 601390 License: GPLv2

Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:36 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Summary : Complementary and updated manual pages

Description :

A collection of manual ("man") pages to complement other packages or update those contained therein. Always have the latest version of this package installed.

Name : cracklib-dicts Relocations: (not relocatable)  
Version : 2.8.16 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 25 Jun 2011 02:39:10 AM  
EDT

Install Date: Tue 06 Aug 2013 05:18:32 PM EDT Build Host:

c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:

cracklib-2.8.16-4.el6.src.rpm

Size : 9327207 License: LGPLv2+

Signature : RSA/8, Tue 05 Jul 2011 09:37:32 PM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sourceforge.net/projects/cracklib/>

Summary : The standard CrackLib dictionaries

Description :

The cracklib-dicts package includes the CrackLib dictionaries.

CrackLib will need to use the dictionary appropriate to your system, which is normally put in /usr/share/dict/words. Cracklib-dicts also contains the utilities necessary for the creation of new dictionaries.

If you are installing CrackLib, you should also install cracklib-dicts.

Name : abrt-tui Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:51 PM EDT Build Host:

c6b8.bsys.dev.centos.org

Group : User Interface/Desktops Source RPM:

abrt-2.0.8-15.el6.centos.src.rpm

Size : 13945 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:56 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <https://fedorahosted.org/abrt/>

Summary : abrt's command line interface

Description :

This package contains simple command line client for processing abrt reports in command line environment

Name : shadow-utils Relocations: (not relocatable)  
Version : 4.1.4.2 Vendor: CentOS

Release : 13. el 6 Build Date: Wed 07 Dec 2011 12:17:13 PM EST

Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host:

c6b4.bsys.dev.centos.org

Group : System Environment/Base Source RPM:

shadow-utils-4.1.4.2-13.el6.src.rpm

Size : 2777471 License: BSD and GPLv2+

Signature : RSA/SHA1, Thu 08 Dec 2011 04:15:05 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://pkg-shadow.alioth.debian.org/>

Summary : Utilities for managing accounts and shadow password files

Description :

The shadow-utils package includes the necessary programs for converting UNIX password files to the shadow password format, plus programs for managing user and group accounts. The pwconv command converts passwords to the shadow password format. The pwunconv command unconverts shadow passwords and generates a passwd file (a standard UNIX password file). The pwck command checks the integrity of password and shadow files. The lastlog command prints out the last login times for all users. The useradd, userdel, and usermod commands are used for managing user accounts. The groupadd, groupdel, and groupmod commands are used for managing group accounts.

Name : alsa-utils Relocations: (not relocatable)

Version : 1.0.22 Vendor: CentOS

Release : 5. el 6 Build Date: Thu 21 Feb 2013 04:40:08 PM EST

Install Date: Tue 06 Aug 2013 05:23:25 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : Applications/Multimedia Source RPM:

alsa-utils-1.0.22-5.el6.src.rpm

Size : 3372617 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:51 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.alsa-project.org/>

Summary : Advanced Linux Sound Architecture (ALSA) utilities

Description :

This package contains command line utilities for the Advanced Linux Sound Architecture (ALSA).

Name : module-init-tools Relocations: (not relocatable)

Version : 3.9 Vendor: CentOS

Release : 21. el 6 Build Date: Thu 21 Feb 2013 06:37:57 PM EST

Install Date: Tue 06 Aug 2013 05:18:38 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : System Environment/Kernel Source RPM:

module-init-tools-3.9-21.el6.src.rpm

Size : 1207417 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Summary : Kernel module management utilities.

Description :

The module-init-tools package includes various programs needed for automatic loading and unloading of modules under 2.6 and later kernels, as well as other module management programs. Device drivers and filesystems are two examples of loaded and unloaded modules.

Name : kbd-misc Relocations: (not relocatable)

Version : 1.15 Vendor: CentOS

Release : 11. el 6 Build Date: Thu 11 Nov 2010 03:43:02 PM EST

Install Date: Tue 06 Aug 2013 05:20:53 PM EDT Build Host:

c5b2.bsys.dev.centos.org

Group : System Environment/Base Source RPM: kbd-1.15-11.el6.src.rpm  
Size : 1443451 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:04 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ftp.altilinux.org/pub/people/legion/kbd>  
Summary : Data for kbd package  
Description :  
The kbd-misc package contains data for kbd package - console fonts, keymaps etc. Please note that kbd-misc is not helpful without kbd.

Name : libogg Relocations: (not relocatable)  
Version : 1.1.4 Vendor: CentOS  
Release : 2.1.el6 Build Date: Wed 18 Aug 2010 12:28:41 PM EDT

Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host: c6b2.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: libogg-1.1.4-2.1.el6.src.rpm  
Size : 30454 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:37:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.xiph.org/>  
Summary : The Ogg bitstream file format library  
Description :  
Libogg is a library for manipulating Ogg bitstream file formats. Libogg supports both making Ogg bitstreams and getting packets from Ogg bitstreams.

Name : ksh Relocations: (not relocatable)  
Version : 20100621 Vendor: CentOS  
Release : 19.el6 Build Date: Thu 21 Feb 2013 09:07:49 PM EST

Install Date: Tue 06 Aug 2013 05:23:33 PM EDT Build Host: c6b8.bsys.dev.centos.org

Group : System Environment/ShellS Source RPM: ksh-20100621-19.el6.src.rpm  
Size : 1548708 License: CPL  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kornshell.com/>  
Summary : The Original ATT Korn Shell  
Description :  
KSH-93 is the most recent version of the KornShell by David Korn of AT&T Bell Laboratories. KornShell is a shell programming language, which is upward compatible with "sh" (the Bourne Shell).

Name : cairomm Relocations: (not relocatable)  
Version : 1.8.0 Vendor: CentOS  
Release : 2.1.el6 Build Date: Wed 10 Nov 2010 09:25:10 PM EST

Install Date: Tue 06 Aug 2013 05:18:44 PM EDT Build Host: c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: cairomm-1.8.0-2.1.el6.src.rpm  
Size : 160422 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:06:30 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cairographics.org>  
Summary : C++ API for the cairo graphics library  
Description :  
Cairomm is the C++ API for the cairo graphics library. It offers all the power of cairo with an interface familiar to C++ developers, including use of the Standard Template Library where it makes sense.

Name : udev Relocations: (not relocatable)  
Version : 147 Vendor: CentOS  
Release : 2.46.el6 Build Date: Fri 22 Feb 2013 12:22:19 AM EST  
Install Date: Tue 06 Aug 2013 05:20:57 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: udev-147-2.46.el6.src.rpm  
Size : 1234356 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>  
Summary : A userspace implementation of devfs  
Description :  
The udev package contains an implementation of devfs in userspace using sysfs and netlink.

Name : libXrender Relocations: (not relocatable)  
Version : 0.9.7 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:10:28 PM EST  
Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXrender-0.9.7-2.el6.src.rpm  
Size : 59878 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXrender runtime library  
Description :  
X.Org X11 libXrender runtime library

Name : perl-Archive-Tar Relocations: (not relocatable)  
Version : 1.58 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:23:35 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 115631 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : A module for Perl manipulation of .tar files  
Description :  
Archive::Tar provides an object oriented mechanism for handling tar files. It provides class methods for quick and easy files handling while also allowing for the creation of tar file objects for custom manipulation. If you have the IO::Zlib module installed, Archive::Tar will also support compressed or gzipped tar files.

Name : ConsoleKit-Libs Relocations: (not relocatable)  
Version : 0.4.1 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 10 Nov 2010 05:09:29 PM EST  
Install Date: Tue 06 Aug 2013 05:18:45 PM EDT Build Host: c5b2.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: ConsoleKit-0.4.1-3.el6.src.rpm  
Size : 22125 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:07:55 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>  
Summary : ConsoleKit Libraries

Descripti on :

This package contains libraries and a PAM module for interacting with ConsoleKit.

Name : phonon-backend-gstreamer Relocations: (not relocatable)  
Version : 4.6.2 Vendor: CentOS  
Release : 25.el6 Build Date: Fri 07 Sep 2012 12:33:27 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:06 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Applications/Multimedia Source RPM: qt-4.6.2-25.el6.src.rpm  
Size : 246840 License: (LGPLv2 with exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT  
Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:28 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.qtsoftware.com/>  
Summary : Gstreamer phonon backend  
Description :  
Gstreamer phonon backend.

Name : libXv Relocations: (not relocatable)  
Version : 1.0.7 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:04:07 PM EST  
Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXv-1.0.7-2.el6.src.rpm  
Size : 45371 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:58 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXv runtime library  
Description :  
X.Org X11 libXv runtime library

Name : hunspell-en Relocations: (not relocatable)  
Version : 0.20090216 Vendor: CentOS  
Release : 7.1.el6 Build Date: Thu 19 Aug 2010 06:47:01 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:52 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : Applications/Text Source RPM: hunspell-en-0.20090216-7.1.el6.src.rpm  
Size : 1652534 License: LGPLv2+ and BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:13:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://wordlist.sourceforge.net/>  
Summary : English hunspell dictionaries  
Description :  
English (US, UK, etc.) hunspell dictionaries

Name : docbook-dtds Relocations: (not relocatable)  
Version : 1.0 Vendor: CentOS  
Release : 51.el6 Build Date: Wed 10 Nov 2010 11:31:28 PM EST  
Install Date: Tue 06 Aug 2013 05:18:48 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Applications/Text Source RPM: docbook-dtds-1.0-51.el6.src.rpm  
Size : 4571574 License: Copyright only  
Signature : RSA/8, Sun 03 Jul 2011 12:04:48 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.oasis-open.org/docbook/>  
Summary : SGML and XML document type definitions for DocBook

Descripti on :

The DocBook Document Type Definition (DTD) describes the syntax of technical documentation texts (articles, books and manual pages). This syntax is XML-compliant and is developed by the OASIS consortium. This package contains SGML and XML versions of the DocBook DTD.

Name : mdadm Relocations: (not relocatable)  
Version : 3.2.5 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 10:18:37 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:07 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org

Group : System Environment/Base Source RPM: mdadm-3.2.5-4.el6.src.rpm  
Size : 860588 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:32 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/pub/linux/utils/raid/mdadm/>  
Summary : The mdadm program controls Linux md devices (software RAID arrays)

Descripti on :

The mdadm program is used to create, manage, and monitor Linux MD (software RAID) devices. As such, it provides similar functionality to the raidtools package. However, mdadm is a single program, and it can perform almost all functions without a configuration file, though a configuration file can be used to help with some common tasks.

Name : btparser Relocations: (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 02:47:23 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:43 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: btparser-0.17-1.el6.src.rpm  
Size : 135358 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:08 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/btparser>  
Summary : Parser and analyzer for backtraces produced by GDB

Descripti on :

Btparser is a backtrace parser and analyzer, which works with backtraces produced by the GNU Project Debugger. It can parse a text file with a backtrace to a tree of C structures, allowing to analyze the threads and frames of the backtrace and work with them.

Btparser also contains some backtrace manipulation and extraction routines:

- it can find a frame in the crash-time backtrace where the program most likely crashed (a chance is that the function described in that frame is buggy)
- it can produce a duplication hash of the backtrace, which helps to discover that two crash-time backtraces are duplicates, triggered by the same flaw of the code
- it can "rate" the backtrace quality, which depends on the number of frames with and without the function name known (missing function name is caused by missing debugging symbols)

Name : ltrace Relocations: (not relocatable)  
Version : 0.5 Vendor: CentOS  
Release : 23.45svn.el6 Build Date: Fri 22 Jun 2012 07:24:45 AM  
EDT

Install Date: Tue 06 Aug 2013 05:23:53 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org

Group : Development/Debuggers Source RPM:  
ltrace-0.5-23.45svn.el6.src.rpm  
Size : 151765 License: GPLv2+

Signature : RSA/SHA1, Sun 24 Jun 2012 06:20:15 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ltrace.alioth.debian.org/>  
Summary : Tracks runtime library calls from dynamically linked executables  
Description :  
Ltrace is a debugging program which runs a specified command until the command exits. While the command is executing, ltrace intercepts and records both the dynamic library calls called by the executed process and the signals received by the executed process. Ltrace can also intercept and print system calls executed by the process.

You should install ltrace if you need a sysadmin tool for tracking the execution of processes.

Name : qt3 Relocations: (not relocatable)  
Version : 3.3.8b Vendor: CentOS  
Release : 30.el6 Build Date: Fri 23 Sep 2011 12:44:21 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:51 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: qt3-3.3.8b-30.el6.src.rpm  
Size : 11556133 License: QPL or GPLv2 or GPLv3  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:24:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.troll.no>  
Summary : The shared library for the Qt 3 GUI toolkit  
Description :  
Qt is a GUI software toolkit which simplifies the task of writing and maintaining GUI (Graphical User Interface) applications for the X Window System.

Qt is written in C++ and is fully object-oriented.

This package contains the shared library needed to run Qt 3 applications, as well as the README files for Qt 3.

Name : zenity Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 07:12:21 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:13 PM EDT Build Host:  
c6b2.bsyz.dev.centos.org  
Group : Applications/System Source RPM: zenity-2.28.0-1.el6.src.rpm  
Size : 4338271 License: LGPLv2+  
Signature : RSA/SHA1, Sun 03 Jul 2011 01:07:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://directory.fsf.org/zenity.html>  
Summary : Display dialog boxes from shell scripts  
Description :  
Zenity lets you display Gtk+ dialog boxes from the command line and through shell scripts. It is similar to gdialog, but is intended to be saner. It comes from the same family as dialog, Xdialog, and cdialog.

Name : xmlrpc-c Relocations: (not relocatable)  
Version : 1.16.24 Vendor: CentOS  
Release : 1209.1840.el6 Build Date: Fri 22 Jun 2012 05:25:01 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Build Host:  
c6b10.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
xmlrpc-c-1.16.24-1209.1840.el6.src.rpm  
Size : 269113 License: BSD and MIT  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:17 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>



URL : <http://xmlrpc-c.sourceforge.net/>  
Summary : A lightweight RPC library based on XML and HTTP  
Description :  
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C.

Name : nano Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 12 Nov 2010 02:18:36 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:54 PM EDT Build Host: c5b2.bsyz.dev.centos.org  
Group : Applications/Editors Source RPM: nano-2.0.9-7.el6.src.rpm  
Size : 1588347 License: GPLv3+  
Signature : RSA/8, Sun 03 Jul 2011 12:46:50 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.nano-editor.org>  
Summary : A small text editor  
Description :  
GNU nano is a small and friendly text editor.

Name : urw-fonts Relocations: (not relocatable)  
Version : 2.4 Vendor: CentOS  
Release : 10.el6 Build Date: Sun 22 Aug 2010 12:02:26 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:53 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : User Interface/X Source RPM: urw-fonts-2.4-10.el6.src.rpm  
Size : 4389400 License: GPL+ with exceptions  
Signature : RSA/8, Sun 03 Jul 2011 12:51:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://svn.ghostscript.com/ghostscript/tags/urw-fonts-1.0.7pre44/>  
Summary : Free versions of the 35 standard PostScript fonts  
Description :  
Free, good quality versions of the 35 standard PostScript(TM) fonts, donated under the GPL by URW++ Design and Development GmbH.

Install the urw-fonts package if you need free versions of standard PostScript fonts.

Name : python-meh Relocations: (not relocatable)  
Version : 0.12.1 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 22 Jun 2012 05:53:55 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:24 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: python-meh-0.12.1-3.el6.src.rpm  
Size : 190627 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:41 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>  
Summary : A python library for handling exceptions  
Description :  
The python-meh package is a python library for handling, saving, and reporting exceptions.

Name : libgssglue Relocations: (not relocatable)  
Version : 0.1 Vendor: CentOS  
Release : 11.el6 Build Date: Tue 19 Jul 2011 04:22:03 AM EDT

Install Date: Tue 06 Aug 2013 05:17:45 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libgssglue-0.1-11.el6.src.rpm  
Size : 41157 License: GPL+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.citi.umi.ch.edu/projects/nfsv4/linux/>  
Summary : Generic Security Services Application Programming Interface Library  
Description :  
This library exports a gssapi interface, but doesn't implement any gssapi mechanisms itself; instead it calls gssapi routines in other libraries, depending on the mechanism.

Name : lohit-bengali-fonts Relocations: (not relocatable)  
Version : 2.4.3 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 23 Sep 2011 09:15:08 AM EDT

Install Date: Tue 06 Aug 2013 05:24:06 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : User Interface/X Source RPM:  
lohit-bengali-fonts-2.4.3-6.el6.src.rpm  
Size : 170948 License: GPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Bengali font  
Description :  
This package provides a free Bengali truetype/opentype font.

Name : nss Relocations: (not relocatable)  
Version : 3.14.0.0 Vendor: CentOS  
Release : 12.el6 Build Date: Fri 22 Feb 2013 05:55:38 PM EST

Install Date: Tue 06 Aug 2013 05:19:02 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: nss-3.14.0.0-12.el6.src.rpm  
Size : 2534032 License: MPLv2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:06 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services  
Description :  
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Name : nautilus-extensions Relocations: (not relocatable)  
Version : 2.28.4 Vendor: CentOS  
Release : 19.el6 Build Date: Fri 22 Jun 2012 04:07:58 AM EDT

Install Date: Tue 06 Aug 2013 05:21:27 PM EDT Build Host:  
c6b10.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM:  
nautilus-2.28.4-19.el6.src.rpm  
Size : 35936 License: LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:44 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/nautilus/>  
Summary : Nautilus extensions library  
Description :  
This package provides the libraries used by nautilus extensions.

Name :ibus-libs Relocations: (not relocatable)  
Version : 1.3.4 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 07 Dec 2011 12:23:43 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:47 PM EDT Build Host:  
c6b18n3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:ibus-1.3.4-6.el6.src.rpm  
Size : 271936 License: LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:50 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus/>  
Summary : IBus Libraries  
Description :  
This package contains the libraries for IBus

Name :paktype-tehreer-fonts Relocations: (not relocatable)  
Version : 2.0 Vendor: CentOS  
Release : 8.el6 Build Date: Tue 24 Aug 2010 08:33:49 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:24:24 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
paktype-fonts-2.0-8.el6.src.rpm  
Size : 305011 License: GPLv2 with exceptions  
Signature : RSA/8, Sun 03 Jul 2011 12:36:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://sourceforge.net/projects/paktype/>  
Summary : Tehreer Fonts for Arabic from PakType  
Description :  
The paktype-tehreer-fonts package contains fonts for the display of  
Arabic from the PakType by Lateef Sagar.

Name :gnome-vfs2 Relocations: (not relocatable)  
Version : 2.24.2 Vendor: CentOS  
Release : 6.el6 Build Date: Thu 11 Nov 2010 07:50:13 AM  
EST  
Install Date: Tue 06 Aug 2013 05:19:05 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
gnome-vfs2-2.24.2-6.el6.src.rpm  
Size : 3583277 License: LGPLv2+ and GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : The GNOME virtual file-system libraries  
Description :  
GNOME VFS is the GNOME virtual file system. It is the foundation of  
the Nautilus file manager. It provides a modular architecture and  
ships with several modules that implement support for file systems,  
http, ftp, and others. It provides a URI-based API, backend  
supporting asynchronous file operations, a MIME type manipulation  
library, and other features.

Name :system-setup-keyboard Relocations: (not relocatable)  
Version : 0.7 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 01:47:45 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:31 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
system-setup-keyboard-0.7-4.el6.src.rpm  
Size : 14409 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 01:02:47 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.fedorahosted.org/git/system-setup-keyboard.git/>  
Summary : Hal keyboard layout callout  
Description :  
system-setup-keyboard gets invoked by hal to apply the keyboard layout  
defined in /etc/sysconfig/keyboard.

Name : libXxf86misc Relocations: (not relocatable)  
Version : 1.0.3 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 07:50:09 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libXxf86misc-1.0.3-4.el6.src.rpm  
Size : 25380 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86misc runtime library  
Description :  
X.Org X11 libXxf86misc runtime library

Name : dejavu-sans-fonts Relocations: (not relocatable)  
Version : 2.30 Vendor: CentOS  
Release : 2.el6 Build Date: Wed 10 Nov 2010 11:23:58 PM  
EST  
Install Date: Tue 06 Aug 2013 05:24:42 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
dejavu-fonts-2.30-2.el6.src.rpm  
Size : 4636295 License: Bitstream Vera and Public  
Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:04:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dejavu-fonts.org/>  
Summary : Variable-width sans-serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif variable-width font faces, in their unabridged version.

Name : man Relocations: (not relocatable)  
Version : 1.6f Vendor: CentOS  
Release : 32.el6 Build Date: Thu 21 Feb 2013 09:13:10 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:07 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: man-1.6f-32.el6.src.rpm  
Size : 398388 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:26 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://primates.ximian.com/~flucifredi/man/>  
Summary : A set of documentation tools: man, apropos and whatis  
Description :  
The man package includes three tools for finding information and/or documentation about your Linux system: man, apropos, and whatis. The man system formats and displays on-line manual pages about commands or functions on your system. Apropos searches the whatis database (containing short descriptions of system commands) for a string.

Whatis searches its own database for a complete word.

The man package should be installed on your system because it is the primary way to find documentation on a Linux system.

```
Name       : gnome-session                      Relocations: (not relocatable)
Version    : 2.28.0                            Vendor: CentOS
Release    : 18.el6                             Build Date: Wed 07 Dec 2011 12:54:27 PM
EST
Install Date: Tue 06 Aug 2013 05:21:35 PM EDT    Build Host:
c6b18n2.bsys.dev.centos.org
Group      : User Interface/Desktops           Source RPM:
gnome-session-2.28.0-18.el6.src.rpm
Size       : 1839090                            License: GPLv2+
Signature  : RSA/SHA1, Thu 08 Dec 2011 03:05:32 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.gnome.org
Summary    : GNOME session manager
Description:
gnome-session manages a GNOME desktop or GDM login session. It starts up
the other core GNOME components and handles logout and saving the session.
```

```
Name       : apr-util                          Relocations: (not relocatable)
Version    : 1.3.9                             Vendor: CentOS
Release    : 3.el6_0.1                         Build Date: Sat 25 Jun 2011 12:38:40 AM
EDT
Install Date: Tue 06 Aug 2013 05:17:49 PM EDT    Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Libraries       Source RPM:
apr-util-1.3.9-3.el6_0.1.src.rpm
Size       : 202360                            License: ASL 2.0
Signature  : RSA/8, Tue 05 Jul 2011 09:37:03 PM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://apr.apache.org/
Summary    : Apache Portable Runtime Utility Library
Description:
The mission of the Apache Portable Runtime (APR) is to provide a
free library of C data structures and routines. This library
contains additional utility interfaces for APR; including support
for XML, LDAP, database interfaces, URI parsing and more.
```

```
Name       : telnet                            Relocations: (not relocatable)
Version    : 0.17                             Vendor: CentOS
Release    : 47.el6_3.1                       Build Date: Wed 26 Sep 2012 04:39:23 AM
EDT
Install Date: Tue 06 Aug 2013 05:24:59 PM EDT    Build Host:
c6b10.bsys.dev.centos.org
Group      : Applications/Internet             Source RPM:
telnet-0.17-47.el6_3.1.src.rpm
Size       : 112016                            License: BSD
Signature  : RSA/SHA1, Wed 26 Sep 2012 09:16:04 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Summary    : The client program for the Telnet remote login protocol
Description:
Telnet is a popular protocol for logging into remote systems over the
Internet. The package provides a command line Telnet client
```

```
Name       : java-1.7.0-openjdk                Relocations: (not relocatable)
Version    : 1.7.0.9                           Vendor: CentOS
Release    : 2.3.4.1.el6_3                     Build Date: Wed 16 Jan 2013 02:15:21 PM
EST
Install Date: Tue 06 Aug 2013 05:19:20 PM EDT    Build Host:
c6b10.bsys.dev.centos.org
Group      : Development/Languages            Source RPM:
```

java-1.7.0-openjdk-1.7.0.9-2.3.4.1.el6\_3.src.rpm  
Size : 93371759 License: ASL 1.1 and ASL 2.0 and GPL+  
and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and  
Public Domain and W3C  
Signature : RSA/SHA1, Wed 16 Jan 2013 03:38:33 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://openjdk.java.net/>  
Summary : OpenJDK Runtime Environment  
Description :  
The OpenJDK runtime environment.

Name : xorg-x11-drv-trident Relocations: (not relocatable)  
Version : 1.3.6 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 03:13:54 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-trident-1.3.6-4.el6.src.rpm  
Size : 143460 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 trident video driver  
Description :  
X.Org X11 trident video driver.

Name : libv4l Relocations: (not relocatable)  
Version : 0.6.3 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 21 Aug 2010 09:47:40 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:51 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libv4l-0.6.3-2.el6.src.rpm  
Size : 287613 License: LGPLv2+ and GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:40:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://hansdegoede.livejournal.com/3636.html>  
Summary : Collection of video4linux support libraries  
Description :  
libv4l is a collection of libraries which adds a thin abstraction layer on  
top of video4linux2 devices. The purpose of this (thin) layer is to make it  
easy for application writers to support a wide variety of devices without  
having to write separate code for different devices in the same class. libv4l  
consists of 3 different libraries: libv4lconvert, libv4l1 and libv4l2.

libv4lconvert offers functions to convert from any (known) pixel format  
to V4L2\_PIX\_FMT\_BGR24 or V4L2\_PIX\_FMT\_YUV420.

libv4l1 offers the (deprecated) v4l1 API on top of v4l2 devices, independent  
of the drivers for those devices supporting v4l1 compatibility (which many  
v4l2 drivers do not).

libv4l2 offers the v4l2 API on top of v4l2 devices, while adding for the  
application transparent libv4lconvert conversion where necessary.

Name : bridge-utils Relocations: (not relocatable)  
Version : 1.2 Vendor: CentOS  
Release : 10.el6 Build Date: Thu 21 Feb 2013 04:43:02 PM  
EST  
Install Date: Tue 06 Aug 2013 05:24:59 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
bridge-utils-1.2-10.el6.src.rpm

Size : 58535 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:20 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://bridge.sourceforge.net/>  
Summary : Utilities for configuring the linux ethernet bridge  
Description :  
This package contains utilities for configuring the linux ethernet bridge. The linux ethernet bridge can be used for connecting multiple ethernet devices together. The connecting is fully transparent: hosts connected to one ethernet device see hosts connected to the other ethernet devices directly.

Install bridge-utils if you want to use the linux ethernet bridge.

Name : hesiod Relocations: (not relocatable)  
Version : 3.1.0 Vendor: CentOS  
Release : 19.el6 Build Date: Sun 22 Aug 2010 05:01:01 PM EDT  
Install Date: Tue 06 Aug 2013 05:19:30 PM EDT Build Host:  
c6b3.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: hesiod-3.1.0-19.el6.src.rpm  
Size : 22171 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:21:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Shared libraries for querying the Hesiod naming service  
Description :  
Hesiod is a system which uses existing DNS functionality to provide access to databases of information that changes infrequently. It is often used to distribute information kept in the /etc/passwd, /etc/group, and /etc/printcap files, among others.

Name : xorg-x11-drv-rotation Relocations: (not relocatable)  
Version : 4.2.5 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 03:02:17 PM EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-rotation-4.2.5-2.el6.src.rpm  
Size : 40354 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:35 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 rotation video driver  
Description :  
X.Org X11 rotation video driver.

Name : libXvMC Relocations: (not relocatable)  
Version : 1.0.7 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:29:47 PM EST  
Install Date: Tue 06 Aug 2013 05:17:53 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXvMC-1.0.7-2.el6.src.rpm  
Size : 51794 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXvMC runtime library  
Description :  
X.Org X11 libXvMC runtime library

Name : man-pages Relocations: (not relocatable)  
Version : 3.22 Vendor: CentOS

Release : 20. el 6 Build Date: Thu 21 Feb 2013 07: 32: 58 PM  
EST  
Install Date: Tue 06 Aug 2013 05: 25: 07 PM EDT Build Host:  
c6b7. bsys. dev. centos. org  
Group : Documentati on Source RPM:  
man- pages- 3. 22- 20. el 6. src. rpm  
Size : 4559426 License: GPLv2+ and GPL+ and BSD and  
MIT and Copyright only and IEEE  
Signature : RSA/SHA1, Sat 23 Feb 2013 12: 54: 21 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://www. kernel . org/pub/ Linux/docs/manpages/  
Summary : Man (manual) pages from the Linux Documentation Project  
Description :  
A large collection of man pages (documentation) from the Linux  
Documentation Project (LDP).

Name : libthai Relocations: (not relocatable)  
Version : 0. 1. 12 Vendor: CentOS  
Release : 3. el 6 Build Date: Thu 11 Nov 2010 01: 44: 08 PM  
EST  
Install Date: Tue 06 Aug 2013 05: 19: 32 PM EDT Build Host:  
c5b2. bsys. dev. centos. org  
Group : System Environment/Libraries Source RPM:  
libthai -0. 1. 12- 3. el 6. src. rpm  
Size : 694712 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12: 39: 57 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://linux. thai . net  
Summary : Thai language support routines  
Description :  
LibThai is a set of Thai language support routines aimed to ease  
developers' tasks to incorporate Thai language support in their applications.  
It includes important Thai -specific functions e.g. word breaking, input and  
output methods as well as basic character and string supports.

Name : xorg-x11-drv-modesetting Relocations: (not relocatable)  
Version : 0. 5. 0 Vendor: CentOS  
Release : 1. el 6 Build Date: Sat 23 Feb 2013 02: 49: 34 PM  
EST  
Install Date: Tue 06 Aug 2013 05: 21: 42 PM EDT Build Host:  
c6b7. bsys. dev. centos. org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-modesetting-0. 5. 0- 1. el 6. src. rpm  
Size : 41893 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04: 14: 56 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://www. x. org  
Summary : Xorg X11 modesetting video driver  
Description :  
X.Org X11 modesetting video driver - basic modesetting fallback driver.

Name : flac Relocations: (not relocatable)  
Version : 1. 2. 1 Vendor: CentOS  
Release : 6. 1. el 6 Build Date: Thu 11 Nov 2010 02: 54: 50 AM  
EST  
Install Date: Tue 06 Aug 2013 05: 17: 54 PM EDT Build Host:  
c6b3. bsys. dev. centos. org  
Group : Applications/Multimedia Source RPM: flac-1. 2. 1- 6. 1. el 6. src. rpm  
Size : 722670 License: BSD and GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12: 14: 53 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://flac. sourceforge. net/  
Summary : An encoder/decoder for the Free Lossless Audio Codec  
Description :



FLAC stands for Free Lossless Audio Codec. Grossly oversimplified, FLAC is similar to Ogg Vorbis, but lossless. The FLAC project consists of the stream format, reference encoders and decoders in library form, flac, a command-line program to encode and decode FLAC files, metaflac, a command-line metadata editor for FLAC files and input plugins for various music players.

Name : ql2500-firmware Relocations: (not relocatable)  
Version : 5.08.00 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 06:08:53 PM EST  
Install Date: Tue 06 Aug 2013 05:25:09 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
ql2500-firmware-5.08.00-1.el6.src.rpm  
Size : 261907 License: Redistributable, no  
modification permitted  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:48 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.qllogic.com/outgoing/linux/firmware/>  
Summary : Firmware for qllogic 2500 devices  
Description :  
Firmware for qllogic 2500 devices.

Name : libcanberra-gtk2 Relocations: (not relocatable)  
Version : 0.22 Vendor: CentOS  
Release : 1.el6.centos Build Date: Fri 02 Dec 2011 04:56:08 AM EST  
Install Date: Tue 06 Aug 2013 05:19:42 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libcanberra-0.22-1.el6.centos.src.rpm  
Size : 53912 License: LGPLv2+  
Signature : RSA/SHA1, Fri 02 Dec 2011 07:46:07 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.opoinger.de/?p=libcanberra.git;a=summary>  
Summary : Gtk+ Bindings for libcanberra  
Description :  
Gtk+ bindings for libcanberra

Name : xorg-x11-drv-fpit Relocations: (not relocatable)  
Version : 1.4.0 Vendor: CentOS  
Release : 5.el6 Build Date: Sat 23 Feb 2013 02:35:54 PM EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-fpit-1.4.0-5.el6.src.rpm  
Size : 16910 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 ffit input driver  
Description :  
X.Org X11 ffit input driver.

Name : vim-minimal Relocations: (not relocatable)  
Version : 7.2.411 Vendor: CentOS  
Release : 1.8.el6 Build Date: Thu 05 Apr 2012 05:18:07 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:55 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Applications/Editors Source RPM: vim-7.2.411-1.8.el6.src.rpm  
Size : 766050 License: Vim and GPLv2+ and BSD and

LGPLv2+ and Open Publication

Signature : RSA/SHA1, Thu 05 Apr 2012 05:35:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.vim.org/>  
Summary : A minimal version of the VIM editor

Description :

VIM (Visual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-minimal package includes a minimal version of VIM, which is installed into /bin/vi for use when only the root partition is present. NOTE: The online help is only available when the vim-common package is installed.

Name : `ipw2100-firmware` Relocations: (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 11.el6 Build Date: Fri 20 Aug 2010 10:01:16 PM EDT

Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:

`c6b5.bsys.dev.centos.org`

Group : System Environment/Kernel Source RPM:

`ipw2100-firmware-1.3-11.el6.src.rpm`

Size : 618666 License: Redistributable, no modifications permitted

Signature : RSA/8, Sun 03 Jul 2011 12:16:15 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://ipw2100.sourceforge.net/firmware.php>

Summary : Firmware for Intel® PRO/Wireless 2100 network adapters

Description :

This package contains the firmware files required by the ipw2100 driver for Linux. Usage of the firmware is subject to the terms and conditions contained in /lib/firmware/LICENSE.ipw2100. Please read it carefully.

Name : `jakarta-commons-pool` Relocations: (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 12.7.el6 Build Date: Sat 21 Aug 2010 12:18:54 AM EDT

Install Date: Tue 06 Aug 2013 05:19:54 PM EDT Build Host:

`c6b5.bsys.dev.centos.org`

Group : Development/Libraries/Java Source RPM:

`jakarta-commons-pool-1.3-12.7.el6.src.rpm`

Size : 377228 License: ASL 2.0

Signature : RSA/8, Sun 03 Jul 2011 12:25:46 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://jakarta.apache.org/commons/pool/>

Summary : Jakarta Commons Pool Package

Description :

The goal of Pool package is to create and maintain an object (instance) pooling package to be distributed under the ASF license. The package should support a variety of pool implementations, but encourage support of an interface that makes these implementations interchangeable.

Name : `xorg-x11-drv-acecad` Relocations: (not relocatable)  
Version : 1.5.0 Vendor: CentOS  
Release : 6.el6 Build Date: Sat 23 Feb 2013 02:20:12 PM EST

Install Date: Tue 06 Aug 2013 05:21:43 PM EDT Build Host:

`c6b7.bsys.dev.centos.org`

Group : User Interface/X Hardware Support Source RPM:

`xorg-x11-drv-acecad-1.5.0-6.el6.src.rpm`

Size : 18868 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:20 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 acecad input driver  
Description :  
X.Org X11 acecad input driver.

Name : tomcat6-servlet-2.5-api Relocations: (not relocatable)  
Version : 6.0.24 Vendor: CentOS  
Release : 49.el6 Build Date: Fri 22 Feb 2013 12:42:25 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Internet/WWW/Dynamic Content Source RPM:  
tomcat6-6.0.24-49.el6.src.rpm  
Size : 87959 License: ASL 2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:51:49 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tomcat.apache.org/>  
Summary : Apache Tomcat Servlet API implementation classes  
Description :  
Apache Tomcat Servlet API implementation classes.

Name : libSM Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:47:43 PM  
EST  
Install Date: Tue 06 Aug 2013 05:25:13 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libSM-1.2.1-2.el6.src.rpm  
Size : 75712 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:55:07 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 SM runtime library  
Description :  
The X.Org X11 SM (Session Management) runtime library.

Name : xulrunner Relocations: (not relocatable)  
Version : 10.0.12 Vendor: CentOS  
Release : 1.el6.centos Build Date: Tue 08 Jan 2013 09:21:15 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:00 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Applications/Internet Source RPM:  
xulrunner-10.0.12-1.el6.centos.src.rpm  
Size : 29750753 License: MPLv1.1 or GPLv2+ or LGPLv2+  
Signature : RSA/SHA1, Tue 08 Jan 2013 10:09:44 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://developer.mozilla.org/En/XULRunner>  
Summary : XUL Runtime for Gecko Applications  
Description :  
XULRunner is a Mozilla runtime package that can be used to bootstrap XUL+XPCOM applications that are as rich as Firefox and Thunderbird. It provides mechanisms for installing, upgrading, and uninstalling these applications. XULRunner also provides libxul, a solution which allows the embedding of Mozilla technologies in other projects and products.

Name : wireless-tools Relocations: (not relocatable)  
Version : 29 Vendor: CentOS  
Release : 5.1.1.el6 Build Date: Wed 18 Aug 2010 10:30:25 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:45 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:

wireless-tools-29-5.1.1.el6.src.rpm

Size : 211891 License: GPL+  
Signature : RSA/8, Sun 03 Jul 2011 01:05:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://www.hp.com/personal/Jean\\_Tourrilhes/Linux/Tools.html](http://www.hp.com/personal/Jean_Tourrilhes/Linux/Tools.html)  
Summary : Wireless ethernet configuration tools

Description :

This package contains the wireless tools, used to manipulate the wireless extensions. The wireless extension is an interface allowing you to set wireless LAN specific parameters and get the specific stats for wireless networking equipment.

Name : libical Relocations: (not relocatable)  
Version : 0.43 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 27 Feb 2013 06:27:59 PM EST

Install Date: Tue 06 Aug 2013 05:17:58 PM EDT Build Host:

c6b7.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libical-0.43-6.el6.src.rpm  
Size : 619139 License: LGPLv2 or MPLv1.1  
Signature : RSA/SHA1, Wed 27 Feb 2013 07:21:13 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freeassociation.sourceforge.net/>  
Summary : Reference implementation of the iCalendar data type and serialization format

Description :

Reference implementation of the iCalendar data type and serialization format used in dozens of calendaring and scheduling products.

Name : libXt Relocations: (not relocatable)  
Version : 1.1.3 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 02:10:48 PM EST

Install Date: Tue 06 Aug 2013 05:25:14 PM EDT Build Host:

c6b9.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libXt-1.1.3-1.el6.src.rpm  
Size : 436503 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:23 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXt runtime library

Description :

X.Org X11 libXt runtime library

Name : xml-commons-resolver Relocations: (not relocatable)  
Version : 1.1 Vendor: CentOS  
Release : 4.18.el6 Build Date: Sat 21 Aug 2010 01:20:17 AM EDT

Install Date: Tue 06 Aug 2013 05:20:02 PM EDT Build Host:

c6b2.bsyz.dev.centos.org

Group : Development/Libraries Source RPM:  
xml-commons-resolver-1.1-4.18.el6.src.rpm  
Size : 425519 License: ASL 1.1  
Signature : RSA/8, Sun 03 Jul 2011 01:05:52 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xml.apache.org/commons/>  
Summary : Resolver subproject of xml-commons

Description :

Resolver subproject of xml-commons.

Name : rsyslog Relocations: (not relocatable)  
Version : 5.8.10 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 22 Feb 2013 12:07:15 AM EST

Install Date: Tue 06 Aug 2013 05:21:48 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM: rsyslog-5.8.10-6.el6.src.rpm  
Size : 2179064 License: (GPLv3+ and ASL 2.0)  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:31 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.rsyslog.com/>  
Summary : Enhanced system logging and kernel message trapping daemons  
Description :  
Rsyslog is an enhanced, multi-threaded syslog daemon. It supports MySQL, syslog/TCP, RFC 3195, permitted sender lists, filtering on any message part, and fine grain output format control. It is compatible with stock syslogd and can be used as a drop-in replacement. Rsyslog is simple to set up, with advanced features suitable for enterprise-class, encryption-protected syslog relay chains.

Name : gnutls Relocations: (not relocatable)  
Version : 2.8.5 Vendor: CentOS  
Release : 10.el6 Build Date: Thu 21 Feb 2013 08:38:28 PM EST

Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: gnutls-2.8.5-10.el6.src.rpm  
Size : 1027458 License: GPLv3+ and LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:31 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnutls.org/>  
Summary : A TLS protocol implementation  
Description :  
GnuTLS is a project that aims to develop a library which provides a secure layer, over a reliable transport layer. Currently the GnuTLS library implements the proposed standards by the IETF's TLS working group.

Name : perl-Net-Netmask Relocations: (not relocatable)  
Version : 1.9015 Vendor: Fedora Project  
Release : 8.el6 Build Date: Fri 15 Jul 2011 05:52:06 AM EDT

Install Date: Tue 06 Aug 2013 05:27:43 PM EDT Build Host:  
x86\_64.fedora2.fedoraproject.org  
Group : Development/Libraries Source RPM:  
perl-Net-Netmask-1.9015-8.el6.src.rpm  
Size : 56682 License: Copyright only  
Signature : RSA/8, Fri 15 Jul 2011 04:45:01 PM EDT, Key ID 3b49df2a0608b895  
Packager : Fedora Project  
URL : <http://search.cpan.org/dist/Net-Netmask/>  
Summary : Perl module for manipulation and lookup of IP network blocks  
Description :  
Net::Netmask parses and understands IPv4 CIDR blocks. It's built with an object-oriented interface. Nearly all functions are methods that operate on a Net::Netmask object.

Name : jakarta-commons-httpclient Relocations: (not relocatable)  
Version : 3.1 Vendor: CentOS  
Release : 0.6.el6 Build Date: Thu 11 Nov 2010 08:46:50 AM EST

Install Date: Tue 06 Aug 2013 05:20:07 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries/Java Source RPM:  
jakarta-commons-httpclient-3.1-0.6.el6.src.rpm  
Size : 1832491 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:25:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jakarta.apache.org/commons/httpclient/>  
Summary : Jakarta Commons HTTPClient implements the client side of HTTP

standards

Descripti on :

The Hyper-Text Transfer Protocol (HTTP) is perhaps the most significant protocol used on the Internet today. Web services, network-enabled appliances and the growth of network computing continue to expand the role of the HTTP protocol beyond user-driven web browsers, and increase the number of applications that may require HTTP support.

Although the java.net package provides basic support for accessing resources via HTTP, it doesn't provide the full flexibility or functionality needed by many applications. The Jakarta Commons HTTP Client component seeks to fill this void by providing an efficient, up-to-date, and feature-rich package implementing the client side of the most recent HTTP standards and recommendations.

Designed for extension while providing robust support for the base HTTP protocol, the HTTP Client component may be of interest to anyone building HTTP-aware client applications such as web browsers, web service clients, or systems that leverage or extend the HTTP protocol for distributed communication.

Name : yp-tools Relocations: (not relocatable)  
Version : 2.9 Vendor: CentOS  
Release : 12.el6 Build Date: Wed 07 Dec 2011 02:34:15 PM EST

Install Date: Tue 06 Aug 2013 05:21:52 PM EDT Build Host:

c6b4.bsyz.dev.centos.org

Group : System Environment/Base Source RPM: yp-tools-2.9-12.el6.src.rpm

Size : 171212 License: GPLv2

Signature : RSA/SHA1, Thu 08 Dec 2011 04:44:49 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.linux-nis.org/nis/yp-tools/index.html>

Summary : NIS (or YP) client programs

Descripti on :

The Network Information Service (NIS) is a system which provides network information (login names, passwords, home directories, group information) to all of the machines on a network. NIS can enable users to login on any machine on the network, as long as the machine has the NIS client programs running and the user's password is recorded in the NIS passwd database. NIS was formerly known as Sun Yellow Pages (YP).

This package's NIS implementation is based on FreeBSD's YP and is a special port for glibc 2.x and libc versions 5.4.21 and later. This package only provides the NIS client programs. In order to use the clients, you'll need to already have an NIS server running on your network. An NIS server is provided in the ypserv package.

Install the yp-tools package if you need NIS client programs for machines on your network. You will also need to install the ypbind package on every machine running NIS client programs. If you need an NIS server, you'll need to install the ypserv package on one machine on the network.

Name : perl-libs Relocations: (not relocatable)  
Version : 5.10.1 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST

Install Date: Tue 06 Aug 2013 05:18:02 PM EDT Build Host:

c6b7.bsyz.dev.centos.org

Group : Development/Languages Source RPM: perl-5.10.1-129.el6.src.rpm

Size : 1485896 License: GPL+ or Artistic

Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:54 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.perl.org/>

Summary : The libraries for the perl runtime

Descripti on :

The libraries for the perl runtime

Name : perl-Template-Toolkit Relocations: (not relocatable)  
Version : 2.22 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el6.rfx Build Date: Wed 17 Nov 2010 12:58:20 PM  
EST  
Install Date: Tue 06 Aug 2013 05:27:47 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN Source RPM:  
perl-Template-Toolkit-2.22-1.el6.rfx.src.rpm  
Size : 1669991 License: Artistic/GPL  
Signature : DSA/SHA1, Wed 17 Nov 2010 05:51:57 PM EST, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Template-Toolkit/>  
Summary : Comprehensive template processing system  
Description :  
The Template Toolkit is a collection of modules which implement a fast, flexible, powerful and extensible template processing system. It was originally designed and remains primarily useful for generating dynamic web content, but it can be used equally well for processing any other kind of text based documents: HTML, XML, POD, PostScript, LaTeX, and so on.

Name : kasumi Relocations: (not relocatable)  
Version : 2.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 11 Nov 2010 08:57:44 AM  
EST  
Install Date: Tue 06 Aug 2013 05:20:12 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Applications/Text Source RPM: kasumi-2.5-1.1.el6.src.rpm  
Size : 183183 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:27:01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://kasumi.sourceforge.jp/>  
Summary : An anthy dictionary management tool.  
Description :  
Kasumi is a dictionary management tool for Anthy.

Name : crone-anacron Relocations: (not relocatable)  
Version : 1.4.4 Vendor: CentOS  
Release : 7.el6 Build Date: Tue 19 Jul 2011 12:55:56 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:56 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: crone-1.4.4-7.el6.src.rpm  
Size : 44018 License: MIT and BSD and ISC and  
GPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/crone>  
Summary : Utility for running regular jobs  
Description :  
Anacron became part of crone. Anacron is used only for running regular jobs. The default settings execute regular jobs by anacron, however this could be overloaded in settings.

Name : perl-Test-Harness Relocations: (not relocatable)  
Version : 3.17 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:10 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Languages Source RPM: perl-5.10.1-129.el6.src.rpm

Size : 408794 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:48 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Run Perl standard test scripts with statistics  
Description :  
Run Perl standard test scripts with statistics.  
Use TAP::Parser, Test::Harness package was whole rewritten.

Name : perl-I0-Tty Relocations: (not relocatable)  
Version : 1.08 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 2.el6.rfx Build Date: Sat 30 Jul 2011 01:59:43 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:27:53 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN Source RPM:  
perl-I0-Tty-1.08-2.el6.rfx.src.rpm  
Size : 126309 License: Artistic  
Signature : DSA/SHA1, Sat 30 Jul 2011 04:46:08 PM EDT, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <[dries@ulyssis.org](mailto:dries@ulyssis.org)>  
URL : <http://search.cpan.org/dist/I0-Tty/>  
Summary : Interface to pseudo Tty  
Description :  
I0::Tty and I0::Pty provide an interface to pseudo ttys.

Name : system-gnome-theme Relocations: (not relocatable)  
Version : 60.0.2 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 08:42:44 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:18 PM EDT Build Host:  
c5b2.bsyz.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
system-gnome-theme-60.0.2-1.el6.src.rpm  
Size : 18401 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:48:57 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.redhat.com>  
Summary : System GNOME theme  
Description :  
This package contains the system GNOME meta theme.

Name : redhat-bookmarks Relocations: (not relocatable)  
Version : 6 Vendor: CentOS  
Release : 1.el6.centos Build Date: Tue 28 Jun 2011 07:25:55 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:58 PM EDT Build Host:  
c6b4.bsyz.dev.centos.org  
Group : Applications/Internet Source RPM:  
redhat-bookmarks-6-1.el6.centos.src.rpm  
Size : 1144 License: GFDL  
Signature : RSA/8, Sun 03 Jul 2011 12:45:01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.centos.org>  
Summary : CentOS Linux bookmarks  
Description :  
This package contains the default bookmarks for CentOS Linux

Name : mtdev Relocations: (not relocatable)  
Version : 1.1.2 Vendor: CentOS  
Release : 5.el6 Build Date: Thu 21 Feb 2013 05:54:09 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org



Group : System Environment/Libraries Source RPM: mtdev-1.1.2-5.el6.src.rpm  
Size : 21165 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://bitmath.org/code/mtdev/>  
Summary : Multitouch Protocol Translation Library  
Description :  
mtdev is a stand-alone library which transforms all variants of kernel MT events to the slotted type B protocol. The events put into mtdev may be from any MT device, specifically type A without contact tracking, type A with contact tracking, or type B with contact tracking.

Name : libgtksourceview-2\_0-0 Relocations: (not relocatable)  
Version : 2.10.5 Vendor: openSUSE  
Release : 4.1 Build Date: Sat 19 Feb 2011 06:31:25 AM EST  
Install Date: Tue 06 Aug 2013 05:29:55 PM EDT Build Host: build34  
Group : System/GUI/GNOME Source RPM:  
gtksourceview-2.10.5-4.1.src.rpm  
Size : 1454613 License: GPLv2+  
Signature : RSA/8, Sat 19 Feb 2011 06:31:45 AM EST, Key ID b88b2fd43dbdc284  
Packager : <http://bugs.opensuse.org>  
URL : <http://www.gnome.org/>  
Summary : GTK+ Source Editing Widget  
Description :  
GtkSourceView is a text widget that extends GtkTextView, the standard GTK+ text widget.

It improves GtkTextView by implementing syntax highlighting and other features typical of a source editor.

Name : plymouth-theme-rings Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:04:44 PM EST  
Install Date: Tue 06 Aug 2013 05:20:19 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 4245 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:28 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth "Rings" plugin  
Description :  
This package contains the "rings" boot splash theme for Plymouth. It features a large header, and slick spinner concentric with a circular progress indicator.

Name : xorg-x11-drv-nouveau Relocations: (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.el6 Build Date: Sat 23 Feb 2013 02:54:46 PM EST  
Install Date: Tue 06 Aug 2013 05:22:14 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-nouveau-1.0.1-3.el6.src.rpm  
Size : 185874 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:12 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 nouveau video driver for NVIDIA graphics chipsets  
Description :  
X.Org X11 nouveau video driver.

Name : perl-HTML-Tagset Relocations: (not relocatable)  
 Version : 3.20 Vendor: CentOS  
 Release : 4.el6 Build Date: Thu 19 Aug 2010 07:43:57 PM EDT  
 Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:  
 c6b3.bsys.dev.centos.org  
 Group : Development/Libraries Source RPM:  
 perl-HTML-Tagset-3.20-4.el6.src.rpm  
 Size : 19692 License: GPL+ or Artistic  
 Signature : RSA/8, Sun 03 Jul 2011 12:37:58 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://search.cpan.org/dist/HTML-Tagset/>  
 Summary : HTML::Tagset - data tables useful in parsing HTML  
 Description :  
 This module contains several data tables useful in various kinds of HTML parsing operations, such as tag and entity names.

Name : wavpack Relocations: (not relocatable)  
 Version : 4.60 Vendor: CentOS  
 Release : 1.1.el6 Build Date: Wed 18 Aug 2010 10:34:01 AM EDT  
 Install Date: Tue 06 Aug 2013 05:20:21 PM EDT Build Host:  
 c6b1.bsys.dev.centos.org  
 Group : Applications/Multimedia Source RPM: wavpack-4.60-1.1.el6.src.rpm  
 Size : 276798 License: BSD  
 Signature : RSA/8, Sun 03 Jul 2011 01:05:09 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.wavpack.com/>  
 Summary : A completely open audiocodec  
 Description :  
 WavPack is a completely open audio compression format providing lossless, high-quality lossy, and a unique hybrid compression mode. Although the technology is loosely based on previous versions of WavPack, the new version 4 format has been designed from the ground up to offer unparalleled performance and functionality.

Name : firefox Relocations: (not relocatable)  
 Version : 10.0.12 Vendor: CentOS  
 Release : 1.el6.centos Build Date: Tue 08 Jan 2013 09:57:20 PM EST  
 Install Date: Tue 06 Aug 2013 05:22:22 PM EDT Build Host:  
 c6b10.bsys.dev.centos.org  
 Group : Applications/Internet Source RPM:  
 firefox-10.0.12-1.el6.centos.src.rpm  
 Size : 24501805 License: MPLv1.1 or GPLv2+ or LGPLv2+  
 Signature : RSA/SHA1, Tue 08 Jan 2013 10:12:33 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.mozilla.org/projects/firefox/>  
 Summary : Mozilla Firefox Web browser  
 Description :  
 Mozilla Firefox is an open-source web browser, designed for standards compliance, performance and portability.

Name : perl-CGI Relocations: (not relocatable)  
 Version : 3.51 Vendor: CentOS  
 Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
 Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:  
 c6b7.bsys.dev.centos.org  
 Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
 Size : 444353 License: GPL+ or Artistic  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:23 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.perl.org/>  
Summary : Handle Common Gateway Interface requests and responses  
Description :  
CGI.pm is a stable, complete and mature solution for processing and preparing HTTP requests and responses. Major features including processing form submissions, file uploads, reading and writing cookies, query string generation and manipulation, and processing and preparing HTTP headers. Some HTML generation utilities are included as well.

Name : zlib Relocations: (not relocatable)  
Version : 1.2.3 Vendor: CentOS  
Release : 27.el6 Build Date: Wed 07 Dec 2011 12:51:15 PM EST  
Install Date: Wed 07 Aug 2013 01:30:56 PM EDT Build Host: c6b18n1.dev.centos.org  
Group : System Environment/Libraries Source RPM: zlib-1.2.3-27.el6.src.rpm  
Size : 139037 License: zlib and Boost  
Signature : RSA/SHA1, Thu 08 Dec 2011 04:47:42 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gzip.org/zlib/>  
Summary : The zlib compression and decompression library  
Description :  
Zlib is a general-purpose, patent-free, lossless data compression library which is used by many different programs.

Name : xdg-user-dirs Relocations: (not relocatable)  
Version : 0.12 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 10:47:17 PM EST  
Install Date: Tue 06 Aug 2013 05:20:22 PM EDT Build Host: c6b1.bsyz.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
xdg-user-dirs-0.12-4.el6.src.rpm  
Size : 149451 License: GPLv2+ and MIT  
Signature : RSA/8, Sun 03 Jul 2011 01:05:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>  
Summary : Handles user special directories  
Description :  
Contains xdg-user-dirs-update that updates folders in a users home directory based on the defaults configured by the administrator.

Name : hpijs Relocations: (not relocatable)  
Version : 3.12.4 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Feb 2013 12:53:55 AM EST  
Install Date: Tue 06 Aug 2013 05:22:40 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : Applications/Publishing Source RPM: hplip-3.12.4-4.el6.src.rpm  
Size : 8099153 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:20 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://hplip.sourceforge.net/>  
Summary : HP Printer Drivers  
Description :  
hpijs is a collection of optimized drivers for HP printers. hpijs supports the DeskJet 350C, 600C, 600C Photo, 630C, Apollo 2000, Apollo 2100, Apollo 2560, DeskJet 800C, DeskJet 825, DeskJet 900, PhotoSmart, DeskJet 990C, and PhotoSmart 100 series.

Name : tmpwatch Relocations: (not relocatable)  
Version : 2.9.16 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 23 Sep 2011 12:34:17 PM EDT

Install Date: Tue 06 Aug 2013 05:18:13 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : System Environment/Base Source RPM:  
tmpwatch-2.9.16-4.el6.src.rpm  
Size : 41144 License: GPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:54 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/tmpwatch/>  
Summary : A utility for removing files based on when they were last accessed  
Description :  
The tmpwatch utility recursively searches through specified directories and removes files which have not been accessed in a specified period of time. Tmpwatch is normally used to clean up directories which are used for temporarily holding files (for example, /tmp). Tmpwatch ignores symlinks, won't switch filesystems and only removes empty directories and regular files.

Name : gnome-menus Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 06:09:41 AM  
EST

Install Date: Tue 06 Aug 2013 05:20:30 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
gnome-menus-2.28.0-4.el6.src.rpm  
Size : 750973 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : A menu system for the GNOME project

Description :  
gnome-menus is an implementation of the draft "Desktop Menu Specification" from freedesktop.org. This package also contains the GNOME menu layout configuration files, .directory files and assorted menu related utility programs, Python bindings, and a simple menu editor.

Name : orca Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 1.el6 Build Date: Fri 20 Aug 2010 04:15:28 PM  
EDT

Install Date: Tue 06 Aug 2013 05:22:50 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM: orca-2.28.2-1.el6.src.rpm  
Size : 9129325 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:52:57 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/orca/>  
Summary : Assistive technology for people with visual impairments

Description :  
Orca is a flexible, extensible, and powerful assistive technology for people with visual impairments. Using various combinations of speech synthesis, braille, and magnification, Orca helps provide access to applications and toolkits that support AT-SPI (e.g. the GNOME desktop).

Name : libdmx Relocations: (not relocatable)  
Version : 1.1.2 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:49:38 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libdmx-1.1.2-2.el6.src.rpm  
Size : 34049 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:48 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 DMX runtime library  
Description :  
The X.Org X11 DMX (Distributed Multihead X) runtime library.

Name : libxml2-python Relocations: (not relocatable)  
Version : 2.7.6 Vendor: CentOS  
Release : 8.el6\_3.4 Build Date: Thu 29 Nov 2012 02:10:07 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:32 PM EDT Build Host:  
c6b10.bsys.dev.centos.org

Group : Development/Libraries Source RPM:  
libxml2-2.7.6-8.el6\_3.4.src.rpm  
Size : 1976700 License: MIT  
Signature : RSA/SHA1, Thu 29 Nov 2012 02:25:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xmlsoft.org/>  
Summary : Python bindings for the libxml2 library  
Description :

The libxml2-python package contains a module that permits applications written in the Python programming language to use the interface supplied by the libxml2 library to manipulate XML files.

This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified.

Name : m17n-db Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM  
EDT

Install Date: Tue 06 Aug 2013 05:17:09 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
m17n-db-1.5.5-1.1.el6.src.rpm  
Size : 89375 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:28:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Multilingualization datafiles for m17n-lib  
Description :

This package contains multilingualization (m17n) datafiles for m17n-lib which describe input maps, encoding maps, and OpenType font data for many languages.

Name : rsh-server Relocations: (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 60.el6 Build Date: Sun 22 Aug 2010 07:17:39 AM  
EDT

Install Date: Tue 06 Aug 2013 05:23:00 PM EDT Build Host:  
c6b4.bsys.dev.centos.org

Group : System Environment/Daemons Source RPM: rsh-0.17-60.el6.src.rpm  
Size : 65500 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 01:00:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.uk.linux.org/pub/Linux/Networking/netkit>  
Summary : Servers for remote access commands (rsh, rlogin, rcp)  
Description :

The rsh-server package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the

servers needed for all of these services. It also contains a server for rexec, an alternate method of executing remote commands. All of these servers are run by xinetd and configured using /etc/xinetd/ and PAM.

The rsh-server package should be installed to enable remote access from other machines

Name : polkit-desktop-policy Relocations: (not relocatable)  
Version : 0.96 Vendor: CentOS  
Release : 2.el6\_0.1 Build Date: Sat 25 Jun 2011 08:49:09 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:15 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM: polkit-0.96-2.el6\_0.1.src.rpm  
Size : 965 License: LGPLv2+  
Signature : RSA/8, Tue 05 Jul 2011 09:44:26 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>  
Summary : Roles and default policy for desktop usage  
Description : Roles and default policy for desktop usage.

Name : gnome-python2 Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST  
Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host: c6b5.bsyz.dev.centos.org  
Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm  
Size : 158310 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-python/>  
Summary : PyGNOME Python extension module  
Description : The gnome-python package contains the source packages for the Python bindings for GNOME called PyGNOME.

PyGNOME is an extension module for Python that provides access to the base GNOME libraries, so you have access to more widgets, a simple configuration interface, and metadata support.

Name : dejavu-fonts-common Relocations: (not relocatable)  
Version : 2.30 Vendor: CentOS  
Release : 2.el6 Build Date: Wed 10 Nov 2010 11:23:58 PM EST  
Install Date: Tue 06 Aug 2013 05:17:13 PM EDT Build Host: c6b4.bsyz.dev.centos.org  
Group : User Interface/X Source RPM: dejavu-fonts-2.30-2.el6.src.rpm  
Size : 117064 License: Bitstream Vera and Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:04:19 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dejavu-fonts.org/>  
Summary : Common files for the DejaVu font set  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of files used by other DejaVu packages.

Name : iw15150-firmware Relocations: (not relocatable)  
Version : 8.24.2.2 Vendor: CentOS  
Release : 1.el6 Build Date: Sun 22 Aug 2010 02:27:00 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:02 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM: iw15150-firmware-8.24.2.2-1.el6.src.rpm  
Size : 344430 License: Redistributable, no modifications permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:16:30 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://intel.linuxwireless.org/>  
Summary : Firmware for Intel® Wireless 5150 A/G/N network adaptors  
Description :  
This package contains the firmware required by the iw15150 driver for Linux to support the iw15150 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : libatasmart Relocations: (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 4.el6\_2 Build Date: Thu 31 May 2012 04:16:03 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libatasmart-0.17-4.el6\_2.src.rpm  
Size : 96267 License: LGPLv2+  
Signature : RSA/SHA1, Thu 31 May 2012 05:47:50 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.opoiter.de/?p=libatasmart.git;a=summary>  
Summary : ATA S.M.A.R.T. Disk Health Monitoring Library  
Description :  
A small and lightweight parser library for ATA S.M.A.R.T. hard disk health monitoring.

Name : gnome-python2-gconf Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST  
Install Date: Tue 06 Aug 2013 05:20:36 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm  
Size : 137914 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:32 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-python/>  
Summary : Python bindings for interacting with GConf  
Description :  
This module contains a wrapper that allows the use of GConf via Python.

Name : mozilla-filestream Relocations: (not relocatable)  
Version : 1.9 Vendor: CentOS  
Release : 5.1.el6 Build Date: Wed 18 Aug 2010 11:44:21 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:16 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : Applications/Internet Source RPM: mozilla-filestream-1.9-5.1.el6.src.rpm

Size : 0 License: MPLv1.1  
Signature : RSA/8, Sun 03 Jul 2011 12:45:46 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Mozilla filesystem layout  
Description :

This package provides some directories required by packages which use Mozilla technologies such as NPAPI plugins or toolkit extensions.

Name : biosdevname Relocations: (not relocatable)  
Version : 0.4.1 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 09:31:13 PM EST

Install Date: Tue 06 Aug 2013 05:23:03 PM EDT Build Host: c6b8.bsys.dev.centos.org

Group : System Environment/Base Source RPM: biosdevname-0.4.1-3.el6.src.rpm

Size : 53688 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:48 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://linux.dell.com/files/biosdevname>  
Summary : Udev helper for naming devices per BIOS names  
Description :

biosdevname in its simplest form takes a kernel device name as an argument, and returns the BIOS-given name it "should" be. This is necessary on systems where the BIOS name for a given device (e.g. the label on the chassis is "Gb1") doesn't map directly and obviously to the kernel name (e.g. eth0).

Name : m17n-contrib-assamese Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host: c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: m17n-contrib-1.1.10-4.el6\_1.1.src.rpm

Size : 12605 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Assamese  
Description :

This package provides contributed multilingualization (m17n) input maps for Assamese.

Name : system-config-keyboard-base Relocations: (not relocatable)  
Version : 1.3.1 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Jun 2012 03:07:49 AM EDT

Install Date: Tue 06 Aug 2013 05:20:38 PM EDT Build Host: c6b10.bsys.dev.centos.org

Group : System Environment/Base Source RPM: system-config-keyboard-1.3.1-4.el6.src.rpm

Size : 456765 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:45 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/system-config-keyboard/>  
Summary : system-config-keyboard base components  
Description :

Base components of system-config-keyboard.

Name : dmz-cursor-themes Relocations: (not relocatable)  
Version : 0.4 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 10 Nov 2010 11:29:46 PM



EST

Install Date: Tue 06 Aug 2013 05:17:17 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
dmz-cursor-themes-0.4-4.el6.src.rpm  
Size : 6526975 License: CC-BY-SA  
Signature : RSA/8, Sun 03 Jul 2011 12:04:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jimmac.musichall.cz/themes.php?skin=7>  
Summary : X cursors themes  
Description :  
An X cursors theme by Jakub Steiner used by OpenSUSE.

Name : microcode\_ctl Relocations: (not relocatable)  
Version : 1.17 Vendor: CentOS  
Release : 14.el6 Build Date: Thu 21 Feb 2013 08:11:17 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:07 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
microcode\_ctl-1.17-14.el6.src.rpm  
Size : 1532791 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:31 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.urbanmyth.org/microcode/>  
Summary : Tool to update x86/x86-64 CPU microcode.  
Description :  
microcode\_ctl - updates the microcode on Intel x86/x86-64 CPU's

Name : m17n-contrib-hindi Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM  
EDT

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 15817 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Hindi  
Description :  
This package provides contributed multilingualization (m17n) input maps for Hindi.

Name : ibus Relocations: (not relocatable)  
Version : 1.3.4 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 07 Dec 2011 12:23:43 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:39 PM EDT Build Host:  
c6b18n3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: ibus-1.3.4-6.el6.src.rpm  
Size : 1528502 License: LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus/>  
Summary : Intelligent Input Bus for Linux OS  
Description :  
IBus means Intelligent Input Bus. It is an input framework for Linux OS.

Name : ncurses-libs Relocations: (not relocatable)  
Version : 5.7 Vendor: CentOS  
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010 11:42:34 AM

EDT

Install Date: Tue 06 Aug 2013 05:17:33 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
ncurses-5.7-3.20090208.el6.src.rpm  
Size : 760448 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:47:02 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://invisible-island.net/ncurses/ncurses.html>  
Summary : Ncurses Libraries  
Description :  
The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : createrepo Relocations: (not relocatable)  
Version : 0.9.9 Vendor: CentOS  
Release : 17.el6 Build Date: Thu 21 Feb 2013 09:17:26 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:09 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
createrepo-0.9.9-17.el6.src.rpm  
Size : 295368 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:29 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://createrepo.baseurl.org/>  
Summary : Creates a common metadata repository  
Description :  
This utility will generate a common metadata repository from a directory of rpm packages.

Name : m17n-contrib-sinhala Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM  
EDT

Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 18588 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:43 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Sinhala  
Description :  
This package provides contributed multilingualization (m17n) input maps for Sinhala.

Name : PackageKit-gtk-module Relocations: (not relocatable)  
Version : 0.5.8 Vendor: CentOS  
Release : 21.el6 Build Date: Thu 21 Feb 2013 05:42:20 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:42 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
PackageKit-0.5.8-21.el6.src.rpm  
Size : 236507 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:39 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.packagekit.org>

Summary : Install fonts automatically using PackageKit  
Description :  
The PackageKit GTK+ module allows any Pango application to install fonts from configured repositories using PackageKit.

Name : libxml2 Relocations: (not relocatable)  
Version : 2.7.6 Vendor: CentOS  
Release : 8.el6\_3.4 Build Date: Thu 29 Nov 2012 02:10:07 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:35 PM EDT Build Host:  
c6b10.bsys.dev.centos.org

Group : Development/Libraries Source RPM:  
libxml2-2.7.6-8.el6\_3.4.src.rpm  
Size : 1775323 License: MIT  
Signature : RSA/SHA1, Thu 29 Nov 2012 02:25:48 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xmlsoft.org/>  
Summary : Library providing XML and HTML support

Description :  
This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified. The output can be a simple SAX stream or and in-memory DOM like representations. In this case one can use the built-in XPath and XPointer implementation to select subnodes or ranges. A flexible Input/Output mechanism is available, with existing HTTP and FTP modules and combined to an URI library.

Name : ibus-chewing Relocations: (not relocatable)  
Version : 1.3.5.20100714 Vendor: CentOS  
Release : 4.el6 Build Date: Mon 18 Jul 2011 08:27:20 PM  
EDT

Install Date: Tue 06 Aug 2013 05:23:11 PM EDT Build Host:  
c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
ibus-chewing-1.3.5.20100714-4.el6.src.rpm  
Size : 149702 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus/>  
Summary : The Chewing engine for IBus input platform

Description :  
IBus-chewing is an IBus front-end of Chewing, an intelligent Chinese input method for Zhuyin (BoPoMoFo) users.  
It supports various Zhuyin keyboard layout, such as standard (DaChen), IBM, Gin-Yeah, Eten, Eten 26, Hsu, Dvorak, Dvorak-Hsu, and DaChen26.

Chewing also support toned Hanyu pinyin input.

Name : libcdio Relocations: (not relocatable)  
Version : 0.81 Vendor: CentOS  
Release : 3.1.el6 Build Date: Wed 18 Aug 2010 12:50:21 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:19 PM EDT Build Host:  
c6b2.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
libcdio-0.81-3.1.el6.src.rpm  
Size : 620291 License: GPLv3+  
Signature : RSA/8, Sun 03 Jul 2011 12:32:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/libcdio/>  
Summary : CD-ROM input and control library

Description :

This library provides an interface for CD-ROM access. It can be used by applications that need OS- and device-independent access to CD-ROM devices.

Name : cracklib-python Relocations: (not relocatable)  
Version : 2.8.16 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 25 Jun 2011 02:39:10 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
cracklib-2.8.16-4.el6.src.rpm  
Size : 17908 License: LGPLv2+  
Signature : RSA/8, Tue 05 Jul 2011 09:37:33 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/cracklib/>  
Summary : Python bindings for applications which use cracklib  
Description :  
The cracklib-python package contains a module which permits applications written in the Python programming language to use cracklib.

Name : audit-libs Relocations: (not relocatable)  
Version : 2.2 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 22 Jun 2012 05:43:24 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:36 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: audit-2.2-2.el6.src.rpm  
Size : 173762 License: LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:55 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : Dynamic library for libaudit  
Description :  
The audit-libs package contains the dynamic libraries needed for applications to use the audit framework.

Name : vim-enhanced Relocations: (not relocatable)  
Version : 7.2.411 Vendor: CentOS  
Release : 1.8.el6 Build Date: Thu 05 Apr 2012 05:18:07 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:14 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Applications/Editors Source RPM: vim-7.2.411-1.8.el6.src.rpm  
Size : 1932662 License: Vim and GPLv2+ and BSD and LGPLv2+ and Open Publication  
Signature : RSA/SHA1, Thu 05 Apr 2012 05:35:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.vim.org/>  
Summary : A version of the VIM editor which includes recent enhancements  
Description :  
VIM (Visual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-enhanced package contains a version of VIM with extra, recently introduced features like Python and Perl interpreters.

Install the vim-enhanced package if you'd like to use a version of the VIM editor which includes recently added enhancements like interpreters for the Python and Perl scripting languages. You'll also need to install the vim-common package.

Name : upstart Relocations: (not relocatable)

Version : 0.6.5 Vendor: CentOS  
Release : 12.el6 Build Date: Fri 22 Jun 2012 05:50:08 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:22 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: upstart-0.6.5-12.el6.src.rpm  
Size : 563633 License: GPLv2 and LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:19 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://upstart.ubuntu.com>  
Summary : An event-driven init system  
Description :  
Upstart is an event-based replacement for the /sbin/init daemon which handles starting of tasks and services during boot, stopping them during shutdown and supervising them while the system is running.

Name : libreport-plugin-reportuploader Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM EST  
Install Date: Tue 06 Aug 2013 05:20:46 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 29216 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:08 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's reportuploader plugin  
Description :  
Plugin to report bugs into anonymous FTP site associated with ticketing system.

Name : m17n-contrib Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:37 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 39144 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed multilingualization datafiles for m17n-lib  
Description :  
This package contains contributed multilingualization (m17n) datafiles for the m17n-lib project.

Name : gutenprint Relocations: (not relocatable)  
Version : 5.2.5 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 07:11:42 PM EST  
Install Date: Tue 06 Aug 2013 05:23:18 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
gutenprint-5.2.5-2.el6.src.rpm  
Size : 15681669 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:21:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gimp-print.sourceforge.net/>  
Summary : Printer Drivers Package  
Description :  
Gutenprint is a package of high quality printer drivers for Linux, BSD,

Solaris, IRIX, and other UNIX-alike operating systems.  
Gutenprint was formerly called Gimp-Print.

Name : coreutils-libs Relocations: (not relocatable)  
Version : 8.4 Vendor: CentOS  
Release : 19.el6 Build Date: Fri 22 Jun 2012 07:48:58 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:31 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
coreutils-8.4-19.el6.src.rpm  
Size : 5576 License: GPLv3+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:00 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/coreutils/>  
Summary : Libraries for coreutils  
Description :  
Libraries for coreutils package.

Name : libreport-plugin-mailx Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM EST  
Install Date: Tue 06 Aug 2013 05:20:50 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 32327 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:32 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's mailx reporter plugin  
Description :  
The simple reporter plugin which sends a report via mailx to a specified email address.

Name : libselinux Relocations: (not relocatable)  
Version : 2.0.94 Vendor: CentOS  
Release : 5.3.el6 Build Date: Fri 22 Jun 2012 03:51:44 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:38 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libselinux-2.0.94-5.3.el6.src.rpm  
Size : 130088 License: Public Domain  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:41 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.selinuxproject.org>  
Summary : SELinux library and simple utilities  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libselinux provides an API for SELinux applications to get and set process and file security contexts and to obtain security policy decisions. Required for any applications that use the SELinux API.

Name : xterm Relocations: (not relocatable)  
Version : 253 Vendor: CentOS  
Release : 1.el6 Build Date: Fri 20 Aug 2010 01:07:24 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:23 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : User Interface/X Source RPM: xterm-253-1.el6.src.rpm  
Size : 953116 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 01:06:43 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dickkey.his.com/xterm>  
Summary : Terminal emulator for the X Window System  
Description :  
The xterm program is a terminal emulator for the X Window System. It provides DEC VT102 and Tektronix 4014 compatible terminals for programs that can't use the window system directly.

Name : openssl Relocations: (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 27.el6 Build Date: Thu 21 Feb 2013 06:46:20 PM EST  
Install Date: Tue 06 Aug 2013 05:18:37 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
openssl-1.0.0-27.el6.src.rpm  
Size : 3768416 License: OpenSSL  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:14 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openssl.org/>  
Summary : A general purpose cryptography library with TLS implementation  
Description :  
The OpenSSL toolkit provides support for secure communications between machines. OpenSSL includes a certificate management tool and shared libraries which provide various cryptographic algorithms and protocols.

Name : libreport-cli Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM EST  
Install Date: Tue 06 Aug 2013 05:20:52 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 26359 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's command line interface  
Description :  
This package contains simple command line tool for working with problem dump reports

Name : elfutils-libelf Relocations: (not relocatable)  
Version : 0.152 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 19 Jul 2011 11:14:19 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Tools Source RPM: elfutils-0.152-1.el6.src.rpm  
Size : 920293 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/elfutils/>

Summary : Library to read and write ELF files

Description :

The elfutils-libelf package provides a DSO which allows reading and writing ELF files on a high level. Third party programs depend on this package to read internals of ELF files. The programs of the elfutils package use it also to generate new ELF files.

Name : krb5-workstation Relocations: (not relocatable)  
Version : 1.10.3 Vendor: CentOS  
Release : 10.el6 Build Date: Thu 21 Feb 2013 11:29:16 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:33 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : System Environment/Base Source RPM: krb5-1.10.3-10.el6.src.rpm

Size : 1099931 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:20 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://web.mit.edu/kerberos/www/>

Summary : Kerberos 5 programs for use on workstations

Description :

Kerberos is a network authentication system. The krb5-workstation package contains the basic Kerberos programs (kinit, klist, kdestroy, kpasswd). If your network uses Kerberos, this package should be installed on every workstation.

Name : hicolor-icon-theme Relocations: (not relocatable)  
Version : 0.11 Vendor: CentOS  
Release : 1.1.el6 Build Date: Wed 18 Aug 2010 02:52:21 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:44 PM EDT Build Host:

c6b2.bsys.dev.centos.org

Group : User Interface/Desktops Source RPM:

hicolor-icon-theme-0.11-1.1.el6.src.rpm

Size : 45406 License: GPL+

Signature : RSA/8, Sun 03 Jul 2011 12:13:15 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://icon-theme.freedesktop.org/wiki/HiColorTheme>

Summary : Basic requirement for icon themes

Description :

Contains the basic directories and files needed for icon theme support.

Name : iptables Relocations: (not relocatable)  
Version : 1.4.7 Vendor: CentOS  
Release : 9.el6 Build Date: Thu 21 Feb 2013 08:45:54 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:54 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : System Environment/Base Source RPM: iptables-1.4.7-9.el6.src.rpm

Size : 853888 License: GPLv2

Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:37 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.netfilter.org/>

Summary : Tools for managing Linux kernel packet filtering capabilities

Description :

The iptables utility controls the network packet filtering code in the Linux kernel. If you need to set up firewalls and/or IP masquerading, you should install this package.

Name : findutils Relocations: (not relocatable)  
Version : 4.4.2 Vendor: CentOS  
Release : 6.el6 Build Date: Thu 11 Nov 2010 02:50:57 AM  
EST

Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host:

c6b1.bsys.dev.centos.org



Group : Applications/File Source RPM:  
findutils-4.4.2-6.el6.src.rpm  
Size : 1446945 License: GPLv3+  
Signature : RSA/8, Sun 03 Jul 2011 12:14:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/findutils/>  
Summary : The GNU versions of find utilities (find and xargs)

Description :  
The findutils package contains programs which will help you locate files on your system. The find utility searches through a hierarchy of directories looking for files which match a certain set of criteria (such as a filename pattern). The xargs utility builds and executes command lines from standard input arguments (usually lists of file names generated by the find command).

You should install findutils because it includes tools that are very useful for finding things on your system.

Name : perl-Archive-Extract Relocations: (not relocatable)  
Version : 0.38 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST

Install Date: Tue 06 Aug 2013 05:23:34 PM EDT Build Host:

c6b7.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 53748 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:33 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Generic archive extracting mechanism

Description :  
Archive::Extract is a generic archive extraction mechanism.

Name : pulseaudio-libs-glib2 Relocations: (not relocatable)  
Version : 0.9.21 Vendor: CentOS  
Release : 14.el6\_3 Build Date: Thu 12 Jul 2012 01:11:51 AM EDT

Install Date: Tue 06 Aug 2013 05:18:45 PM EDT Build Host:

c6b7.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM:  
pulseaudio-0.9.21-14.el6\_3.src.rpm  
Size : 15384 License: LGPLv2+  
Signature : RSA/SHA1, Thu 12 Jul 2012 07:53:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://pulseaudio.org/>  
Summary : GLIB 2.x bindings for PulseAudio clients

Description :  
This package contains bindings to integrate the PulseAudio client library with a GLIB 2.x based application.

Name : mesa-dri1-drivers Relocations: (not relocatable)  
Version : 7.11 Vendor: CentOS  
Release : 8.el6 Build Date: Thu 21 Feb 2013 06:02:05 PM EST

Install Date: Tue 06 Aug 2013 05:20:59 PM EDT Build Host:

c6b7.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM:  
mesa-dri1-drivers-7.11-8.el6.src.rpm  
Size : 14110408 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mesa3d.org>  
Summary : Mesa graphics libraries

Description :

## Mesa DRI 1 drivers

Name : libXrandr Relocations: (not relocatable)  
Version : 1.4.0 Vendor: CentOS  
Release : 1.el6 Build Date: Fri 22 Feb 2013 02:03:10 PM EST  
Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libXrandr-1.4.0-1.el6.src.rpm  
Size : 80967 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:54 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXrandr runtime library  
Description :  
X.Org X11 libXrandr runtime library

Name : ledmon Relocations: (not relocatable)  
Version : 0.74 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 08:07:55 PM EST  
Install Date: Tue 06 Aug 2013 05:23:49 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : Applications/System Source RPM: ledmon-0.74-1.el6.src.rpm  
Size : 128507 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/ledmon/>  
Summary : Enclosure LED Utilities  
Description :  
The ledmon and ledctl are user space applications design to control LED associated with each slot in an enclosure or a drive bay. There are two types of system: 2-LED system (Activity LED, Status LED) and 3-LED system (Activity LED, Locate LED, Fail LED). User must have root privileges to use this application.

Name : rpcbind Relocations: (not relocatable)  
Version : 0.2.0 Vendor: CentOS  
Release : 11.el6 Build Date: Thu 21 Feb 2013 08:19:41 PM EST  
Install Date: Tue 06 Aug 2013 05:18:47 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org  
Group : System Environment/Daemons Source RPM: rpcbind-0.2.0-11.el6.src.rpm  
Size : 97655 License: GPL  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:35 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://nfsv4.bullopensource.org>  
Summary : Universal Addresses to RPC Program Number Mapper  
Description :  
The rpcbind utility is a server that converts RPC program numbers into universal addresses. It must be running on the host to be able to make RPC calls on a server on that machine.

Name : device-mapper-libs Relocations: (not relocatable)  
Version : 1.02.77 Vendor: CentOS  
Release : 9.el6 Build Date: Fri 22 Feb 2013 01:21:40 AM EST  
Install Date: Tue 06 Aug 2013 05:21:06 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: lvm2-2.02.98-9.el6.src.rpm  
Size : 234680 License: LGPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:12 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper shared library  
Description :  
This package contains the device-mapper shared library, libdevmapper.

Name : cyrus-sasl-lib Relocations: (not relocatable)  
Version : 2.1.23 Vendor: CentOS  
Release : 13.el6\_3.1 Build Date: Tue 27 Nov 2012 06:49:36 AM EST  
Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: cyrus-sasl-2.1.23-13.el6\_3.1.src.rpm  
Size : 357710 License: BSD  
Signature : RSA/SHA1, Tue 27 Nov 2012 07:18:57 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : Shared libraries needed by applications which use Cyrus SASL  
Description :  
The cyrus-sasl-lib package contains shared libraries which are needed by applications which use the Cyrus SASL library.

Name : xvattr Relocations: (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 18.el6 Build Date: Sun 22 Aug 2010 04:52:57 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:53 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : User Interface/X Source RPM: xvattr-1.3-18.el6.src.rpm  
Size : 31245 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:06:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.dtek.chalmers.se/groups/dvd/>  
Summary : Utility for getting and setting Xv attributes  
Description :  
This program is used for getting and setting Xv attributes such as XV\_BRIGHTNESS, XV\_CONTRAST, XV\_SATURATI ON, XV\_HUE, XV\_COLORKEY, etc.

Name : gnome-speech Relocations: (not relocatable)  
Version : 0.4.25 Vendor: CentOS  
Release : 3.1.el6 Build Date: Thu 11 Nov 2010 06:55:49 AM EST  
Install Date: Tue 06 Aug 2013 05:18:49 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Desktop/Accessibility Source RPM: gnome-speech-0.4.25-3.1.el6.src.rpm  
Size : 137994 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:44 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : GNOME Text to Speech  
Description :  
The GNOME Speech library provides a simple general API for producing text-to-speech output.

Name : dracut Relocations: (not relocatable)  
Version : 004 Vendor: CentOS  
Release : 303.el6 Build Date: Fri 22 Feb 2013 12:03:50 AM EST  
Install Date: Tue 06 Aug 2013 05:21:10 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: dracut-004-303.el6.src.rpm  
Size : 245449 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:40 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://apps.sourceforge.net/trac/dracut/wiki>  
Summary : Initramfs generator using udev  
Description :  
dracut is a new, event-driven initramfs infrastructure based around udev.

Name : libgcrypt Relocations: (not relocatable)  
Version : 1.4.5 Vendor: CentOS  
Release : 9.el6\_2.2 Build Date: Mon 16 Apr 2012 09:21:58 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libgcrypt-1.4.5-9.el6\_2.2.src.rpm  
Size : 536622 License: LGPLv2+  
Signature : RSA/SHA1, Mon 16 Apr 2012 09:42:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnupg.org/>  
Summary : A general-purpose cryptography library  
Description :  
libgcrypt is a general purpose crypto library based on the code used in GNU Privacy Guard. This is a development version.

Name : mysql-libs Relocations: (not relocatable)  
Version : 5.1.66 Vendor: CentOS  
Release : 2.el6\_3 Build Date: Fri 07 Dec 2012 11:00:55 AM EST  
Install Date: Tue 06 Aug 2013 05:18:52 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Applications/Databases Source RPM: mysql-5.1.66-2.el6\_3.src.rpm  
Size : 4242971 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Fri 07 Dec 2012 11:23:11 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mysql.com>  
Summary : The shared libraries required for MySQL clients  
Description :  
The mysql-libs package provides the essential shared libraries for any MySQL client program or interface. You will need to install this package to use any other MySQL package or any clients that need to connect to a MySQL server.

Name : yelp Relocations: (not relocatable)  
Version : 2.28.1 Vendor: CentOS  
Release : 13.el6\_2 Build Date: Fri 24 Feb 2012 09:35:08 PM EST  
Install Date: Tue 06 Aug 2013 05:21:22 PM EDT Build Host:  
c6b18n3.bsys.dev.centos.org  
Group : Applications/System Source RPM: yelp-2.28.1-13.el6\_2.src.rpm  
Size : 3735322 License: GPLv2+  
Signature : RSA/SHA1, Fri 24 Feb 2012 10:20:32 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://live.gnome.org/Yelp>  
Summary : Help browser for the GNOME desktop  
Description :  
Yelp is the help browser for the GNOME desktop. It is designed to help you browse all the documentation on your system in one central tool, including traditional man pages, info pages and documentation written in DocBook.

Name : grep Relocations: (not relocatable)  
Version : 2.6.3 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 07 Mar 2012 09:00:15 PM EST  
Install Date: Tue 06 Aug 2013 05:17:45 PM EDT Build Host:

c6b6.bsyz.dev.centos.org

Group : Applications/Text Source RPM: grep-2.6.3-3.el6.src.rpm  
Size : 802765 License: GPLv3+  
Signature : RSA/SHA1, Thu 08 Mar 2012 12:16:07 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/grep/>  
Summary : Pattern matching utilities

Description :

The GNU versions of commonly used grep utilities. Grep searches through textual input for lines which contain a match to a specified pattern and then prints the matching lines. GNU's grep utilities include grep, egrep and fgrep.

GNU grep is needed by many scripts, so it shall be installed on every system.

Name : wqy-zenhei-fonts Relocations: (not relocatable)  
Version : 0.9.45 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 01:55:32 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:59 PM EDT Build Host:

c6b6.bsyz.dev.centos.org

Group : User Interface/X Source RPM:  
wqy-zenhei-fonts-0.9.45-3.el6.src.rpm  
Size : 16794196 License: GPLv2 with exceptions  
Signature : RSA/8, Sun 03 Jul 2011 12:53:02 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://wenq.org/enindex.cgi>  
Summary : WenQuanYi Zen Hei CJK Font  
Description :

WenQuanYi Zen Hei is a Hei-Ti style (sans-serif type) Chinese outline font. It is designed for general purpose text formatting and on-screen display of Chinese characters and symbols from many other languages. The embolden strokes of the font glyphs produces enhanced screen contrast, making it easier to read recognize. The embedded bitmap glyphs further enhance on-screen performance, which can be enabled with the provided configuration files. WenQuanYi Zen Hei provides a rather complete coverage to Chinese Hanzi glyphs, including both simplified and traditional forms. The total glyph number in this font is over 35,000, including over 21,000 Chinese Hanzi. This font has full coverage to GBK(CP936) charset, CJK Unified Ideographs, as well as the code-points needed for zh\_cn, zh\_sg, zh\_tw, zh\_hk, zh\_mo, ja (Japanese) and ko (Korean) locales for fontconfig. Starting from version 0.8, this font package has contained two font families, i.e. the proportionally-spaced Zen Hei, and a mono-spaced face named "WenQuanYi Zen Hei Mono".

Name : at Relocations: (not relocatable)  
Version : 3.1.10 Vendor: CentOS  
Release : 43.el6\_2.1 Build Date: Mon 30 Jan 2012 08:56:34 AM  
EST

Install Date: Tue 06 Aug 2013 05:19:01 PM EDT Build Host:

c6b18n1.dev.centos.org

Group : System Environment/Daemons Source RPM: at-3.1.10-43.el6\_2.1.src.rpm  
Size : 93940 License: GPLv2+  
Signature : RSA/SHA1, Mon 30 Jan 2012 02:12:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ftp.debian.org/debian/pool/main/a/at>  
Summary : Job spooling tools

Description :

At and batch read commands from standard input or from a specified file. At allows you to specify that a command will be run at a particular time. Batch will execute commands when the system load levels drop to a particular level. Both commands use user's shell.

You should install the at package if you need a utility for time-oriented job control. Note: If it is a recurring job that will need to be repeated at the same time every day/week, etc. you should use crontab instead.

Name : dmraid-events Relocations: (not relocatable)  
Version : 1.0.0.rc16 Vendor: CentOS  
Release : 11.el6 Build Date: Fri 22 Jun 2012 03:58:31 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:24 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: dmraid-1.0.0.rc16-11.el6.src.rpm  
Size : 8988 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:26 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/heimzm/sw/dmraid>  
Summary : dmevent\_tool (Device-mapper event tool) and DSO  
Description :  
Provides a dmeventd DSO and the dmevent\_tool to register devices with it for device monitoring. All active RAID sets should be manually registered with dmevent\_tool.

Name : cpio Relocations: (not relocatable)  
Version : 2.10 Vendor: CentOS  
Release : 11.el6\_3 Build Date: Tue 30 Oct 2012 11:43:39 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:46 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Applications/Archiving Source RPM: cpio-2.10-11.el6\_3.src.rpm  
Size : 650369 License: GPLv3+  
Signature : RSA/SHA1, Tue 30 Oct 2012 01:07:29 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/cpio/>  
Summary : A GNU archiving program  
Description :  
GNU cpio copies files into or out of a cpio or tar archive. Archives are files which contain a collection of other files plus information about them, such as their file name, owner, timestamps, and access permissions. The archive can be another file on the disk, a magnetic tape, or a pipe. GNU cpio supports the following archive formats: binary, old ASCII, new ASCII, crc, HPUX binary, HPUX old ASCII, old tar and POSIX.1 tar. By default, cpio creates binary format archives, so that they are compatible with older cpio programs. When it is extracting files from archives, cpio automatically recognizes which kind of archive it is reading and can read archives created on machines with a different byte-order.

Install cpio if you need a program to manage file archives.

Name : abyssinica-fonts Relocations: (not relocatable)  
Version : 1.0 Vendor: CentOS  
Release : 5.1.el6 Build Date: Wed 10 Nov 2010 06:59:04 PM EST  
Install Date: Tue 06 Aug 2013 05:24:17 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : User Interface/X Source RPM: abyssinica-fonts-1.0-5.1.el6.src.rpm  
Size : 649794 License: OFL  
Signature : RSA/8, Sat 02 Jul 2011 11:59:30 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://scripts.sil.org/AbyssinicaSIL\\_Download](http://scripts.sil.org/AbyssinicaSIL_Download)  
Summary : SIL Abyssinica fonts  
Description :

SIL Abyssinica is a Unicode typeface family containing glyphs for the Ethiopic script.

The Ethiopic script is used for writing many of the languages of Ethiopia and Eritrea. Abyssinica SIL supports all Ethiopic characters which are in Unicode including the Unicode 4.1 extensions. Some languages of Ethiopia are not yet able to be fully represented in Unicode and, where necessary, we have included non-Unicode characters in the Private Use Area (see Private-use (PUA) characters supported by Abyssinica SIL).

Abyssinica SIL is based on Ethiopic calligraphic traditions. This release is a regular typeface, with no bold or italic version available or planned.

Name : openldap Relocations: (not relocatable)  
Version : 2.4.23 Vendor: CentOS  
Release : 31.el6 Build Date: Thu 21 Feb 2013 08:53:19 PM EST  
Install Date: Tue 06 Aug 2013 05:19:03 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
Group : System Environment/Daemons Source RPM: openldap-2.4.23-31.el6.src.rpm  
Size : 792868 License: OpenLDAP  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openldap.org/>  
Summary : LDAP support libraries  
Description :  
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. LDAP is a set of protocols for accessing directory services (usually phone book style information, but other information is possible) over the Internet, similar to the way DNS (Domain Name System) information is propagated over the Internet. The openldap package contains configuration files, libraries, and documentation for OpenLDAP.

Name : cryptsetup-luks Relocations: (not relocatable)  
Version : 1.2.0 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 22 Jun 2012 03:35:49 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:29 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : Applications/System Source RPM: cryptsetup-luks-1.2.0-7.el6.src.rpm  
Size : 302744 License: GPLv2  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:14 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cryptsetup.googlecode.com/>  
Summary : A utility for setting up encrypted filesystems  
Description :  
This package contains cryptsetup, a utility for setting up encrypted filesystems using Device Mapper and the dm-crypt target.

Name : lcms-libs Relocations: (not relocatable)  
Version : 1.19 Vendor: CentOS  
Release : 1.el6 Build Date: Fri 20 Aug 2010 08:15:46 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:47 PM EDT Build Host: c6b1.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: lcms-1.19-1.el6.src.rpm  
Size : 225550 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:31:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.littlecms.com/>

Summary : Library for lcms  
Description :  
The lcms-libs package contains library for lcms.

Name : paktype-naqsh-fonts Relocations: (not relocatable)  
Version : 2.0 Vendor: CentOS  
Release : 8.el6 Build Date: Tue 24 Aug 2010 08:33:49 PM  
EDT

Install Date: Tue 06 Aug 2013 05:24:35 PM EDT Build Host:  
c6b2.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
paktype-fonts-2.0-8.el6.src.rpm  
Size : 635031 License: GPLv2 with exceptions  
Signature : RSA/8, Sun 03 Jul 2011 12:36:22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://sourceforge.net/projects/paktype/>  
Summary : Naqsh Fonts for Arabic from PakType  
Description :

The paktype-naqsh-fonts package contains fonts for the display of  
Arabic from the PakType by Lateef Sagar.

Name : net-snmp-libs Relocations: (not relocatable)  
Version : 5.5 Vendor: CentOS  
Release : 44.el6 Build Date: Thu 21 Feb 2013 06:34:52 PM  
EST

Install Date: Tue 06 Aug 2013 05:19:07 PM EDT Build Host:  
c6b7.bsys.dev.centos.org

Group : Development/Libraries Source RPM: net-snmp-5.5-44.el6.src.rpm  
Size : 5692013 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://net-snmp.sourceforge.net/>  
Summary : The NET-SNMP runtime libraries  
Description :

The net-snmp-libs package contains the runtime libraries for shared binaries  
and applications.

Name : xorg-x11-drv-evdev Relocations: (not relocatable)  
Version : 2.7.3 Vendor: CentOS  
Release : 5.el6 Build Date: Sat 23 Feb 2013 02:33:32 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:31 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-evdev-2.7.3-5.el6.src.rpm  
Size : 61974 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:53 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 evdev input driver  
Description :

X.Org X11 evdev input driver.

Name : elfutils-libs Relocations: (not relocatable)  
Version : 0.152 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 19 Jul 2011 11:14:19 AM  
EDT

Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host:  
c6b6.bsys.dev.centos.org

Group : Development/Tools Source RPM: elfutils-0.152-1.el6.src.rpm  
Size : 488752 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:02 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/elfutils/>



Summary : Libraries to handle compiled objects  
Description :  
The elfutils-libs package contains libraries which implement DWARF, ELF, and machine-specific ELF handling. These libraries are used by the programs in the elfutils package. The elfutils-devel package enables building other programs using these libraries.

Name : madan-fonts Relocations: (not relocatable)  
Version : 2.000 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 25 Aug 2010 03:18:17 PM EDT  
Install Date: Tue 06 Aug 2013 05:24:54 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
madan-fonts-2.000-3.el6.src.rpm  
Size : 255911 License: GPL+  
Signature : RSA/8, Sun 03 Jul 2011 12:29:31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://madanpuraskar.org/>  
Summary : Font for Nepali language  
Description :  
This package provides the Madan font for Nepali made by the Madan Puraskar Pustakalaya project.

Name : apr-util-dap Relocations: (not relocatable)  
Version : 1.3.9 Vendor: CentOS  
Release : 3.el6\_0.1 Build Date: Sat 25 Jun 2011 12:38:40 AM EDT  
Install Date: Tue 06 Aug 2013 05:19:09 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
apr-util-1.3.9-3.el6\_0.1.src.rpm  
Size : 9488 License: ASL 2.0  
Signature : RSA/8, Tue 05 Jul 2011 09:37:04 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://apr.apache.org/>  
Summary : APR utility library LDAP support  
Description :  
This package provides the LDAP support for the apr-util.

Name : xorg-x11-drv-xgi Relocations: (not relocatable)  
Version : 1.6.0 Vendor: CentOS  
Release : 18.20121114git.el6 Build Date: Sat 23 Feb 2013 03:25:30 PM EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-xgi-1.6.0-18.20121114git.el6.src.rpm  
Size : 270063 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:51 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 xgi video driver  
Description :  
X.Org X11 xgi video driver.

Name : binutils Relocations: (not relocatable)  
Version : 2.20.51.0.2 Vendor: CentOS  
Release : 5.36.el6 Build Date: Thu 21 Feb 2013 05:15:29 PM EST  
Install Date: Tue 06 Aug 2013 05:17:50 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Tools Source RPM:  
binutils-2.20.51.0.2-5.36.el6.src.rpm

Size : 9814963 License: GPLv3+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:00 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sources.redhat.com/binutils>  
Summary : A GNU collection of binary utilities

Description :  
Binutils is a collection of binary utilities, including ar (for creating, modifying and extracting from archives), as (a family of GNU assemblers), gprof (for displaying call graph profile data), ld (the GNU linker), nm (for listing symbols from object files), objcopy (for copying and translating object files), objdump (for displaying information from object files), ranlib (for generating an index for the contents of an archive), readelf (for displaying detailed information about binary files), size (for listing the section sizes of an object or archive file), strings (for listing printable strings from files), strip (for discarding symbols), and addr2line (for converting addresses to file and line).

Name : vconfig Relocations: (not relocatable)  
Version : 1.9 Vendor: CentOS  
Release : 8.1.el6 Build Date: Wed 18 Aug 2010 10:34:42 AM EDT

Install Date: Tue 06 Aug 2013 05:24:59 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: vconfig-1.9-8.1.el6.src.rpm  
Size : 182082 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:04:52 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.candelatech.com/~greear/vlan.html>  
Summary : Linux 802.1q VLAN configuration utility  
Description :  
The vconfig program configures and adjusts 802.1q VLAN parameters.

Name : libaio Relocations: (not relocatable)  
Version : 0.3.107 Vendor: CentOS  
Release : 10.el6 Build Date: Sun 22 Aug 2010 05:08:18 PM EDT

Install Date: Tue 06 Aug 2013 05:19:30 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libaio-0.3.107-10.el6.src.rpm  
Size : 34542 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:31:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.kernel.org/?p=libs/libaio/libaio.git>  
Summary : Linux-native asynchronous I/O access library  
Description :  
The Linux-native asynchronous I/O facility ("async I/O", or "aio") has a richer API and capability set than the simple POSIX async I/O facility. This library, libaio, provides the Linux-native API for async I/O. The POSIX async I/O facility requires this library in order to provide kernel-accelerated async I/O capabilities, as do applications which require the Linux-native async I/O API.

Name : xorg-x11-drv-sisusb Relocations: (not relocatable)  
Version : 0.9.6 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 03:09:47 PM EST

Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-sisusb-0.9.6-2.el6.src.rpm  
Size : 75806 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:57 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 si susb video driver  
Description :  
X.Org X11 si susb video driver.

Name : crash Relocations: (not relocatable)  
Version : 6.1.0 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 05:51:59 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:52 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Debuggers Source RPM: crash-6.1.0-1.el6.src.rpm  
Size : 6603926 License: GPLv3  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/anderson>  
Summary : Kernel crash and live system analysis utility  
Description :

The core analysis suite is a self-contained tool that can be used to investigate either live systems, kernel core dumps created from the netdump, diskdump and kdump packages from Red Hat Linux, the mcore kernel patch offered by Mission Critical Linux, or the LKCD kernel patch.

Name : trace-cmd Relocations: (not relocatable)  
Version : 1.0.5 Vendor: CentOS  
Release : 10.el6 Build Date: Thu 21 Feb 2013 10:52:42 PM  
EST

Install Date: Tue 06 Aug 2013 05:25:00 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Tools Source RPM:  
trace-cmd-1.0.5-10.el6.src.rpm  
Size : 266562 License: GPLv2 and LGPLv2.1  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:07 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/pub/linux/analysis/trace-cmd/>  
Summary : trace-cmd is a user interface to Ftrace

Description :  
trace-cmd is a user interface to Ftrace. Instead of needing to use the debugfs directly, trace-cmd will handle of setting of options and tracers and will record into a data file.

Name : mingetty Relocations: (not relocatable)  
Version : 1.08 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 23 Sep 2011 08:54:56 AM  
EDT

Install Date: Tue 06 Aug 2013 05:19:32 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: mingetty-1.08-5.el6.src.rpm  
Size : 34586 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:55 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/mingetty/>  
Summary : A compact getty program for virtual consoles only

Description :  
The mingetty program is a lightweight, minimalist getty program for use only on virtual consoles. Mingetty is not suitable for serial lines (you should use the mgetty program in that case).

Name : xorg-x11-drv-penmount Relocations: (not relocatable)  
Version : 1.5.0 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 02:58:29 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:

c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-penmount-1.5.0-4.el6.src.rpm  
Size : 15945 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:24 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 penmount input driver  
Description :  
X.Org X11 penmount input driver.

Name : libxkbfile Relocations: (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 1.1.el6 Build Date: Mon 16 Aug 2010 06:01:23 PM  
EDT

Install Date: Tue 06 Aug 2013 05:17:53 PM EDT Build Host:

c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libxkbfile-1.0.6-1.1.el6.src.rpm  
Size : 164979 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:42:06 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libxkbfile runtime library  
Description :  
X.Org X11 libxkbfile runtime library

Name : ivtv-firmware Relocations: (not relocatable)  
Version : 20080701 Vendor: CentOS  
Release : 20.2 Build Date: Tue 24 Aug 2010 11:34:52 AM  
EDT

Install Date: Tue 06 Aug 2013 05:25:08 PM EDT Build Host:

c6b3.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
ivtv-firmware-20080701-20.2.src.rpm  
Size : 857256 License: Redistributable, no  
modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:16:26 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dl.i tvdriver.org/ivtv/firmware/>  
Summary : Firmware for the Hauppauge PVR 250/350/150/500/USB2 model series  
Description :  
This package contains the firmware for WinTV Hauppauge PVR  
250/350/150/500/USB2 cards.

Name : java\_cup Relocations: (not relocatable)  
Version : 0.10k Vendor: CentOS  
Release : 5.el6 Build Date: Sat 21 Aug 2010 02:13:06 AM  
EDT

Install Date: Tue 06 Aug 2013 05:19:41 PM EDT Build Host:

c6b5.bsys.dev.centos.org  
Group : Development/Tools Source RPM: java\_cup-0.10k-5.el6.src.rpm  
Size : 556580 License: BSD and LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:26:12 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cs.pri nceton.edu/%7Eappel/modern/java/CUP/>  
Summary : Java source interpreter  
Description :  
java\_cup is a LALR Parser Generator for Java

Name : xorg-x11-drv-keyboard Relocations: (not relocatable)  
Version : 1.6.2 Vendor: CentOS  
Release : 7.el6 Build Date: Sat 23 Feb 2013 02:45:26 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-keyboard-1.6.2-7.el6.src.rpm  
Size : 25158 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 keyboard input driver  
Description :  
X.Org X11 keyboard input driver.

Name : libwacom Relocations: (not relocatable)  
Version : 0.5 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 04:56:19 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:54 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libwacom-0.5-4.el6.src.rpm  
Size : 46897 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:48 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://linuxwacom.sourceforge.net>  
Summary : Tablet Information Client Library  
Description :  
libwacom is a library that provides information about Wacom tablets and tools. This information can then be used by drivers or applications to tweak the UI or general settings to match the physical tablet.

Name : iwl3945-firmware Relocations: (not relocatable)  
Version : 15.32.2.9 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 21 Aug 2010 12:19:21 AM  
EDT

Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
iwl3945-firmware-15.32.2.9-4.el6.src.rpm  
Size : 457396 License: Redistributable, no  
modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:16:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://intel.linuxwireless.org/>  
Summary : Firmware for Intel® PRO/Wireless 3945 A/B/G network adaptors  
Description :  
This package contains the firmware required by the iwl3945 driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : libwnck Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Tue 19 Jul 2011 12:25:28 AM  
EDT

Install Date: Tue 06 Aug 2013 05:19:53 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libwnck-2.28.0-3.el6.src.rpm  
Size : 1858284 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/libwnck/>  
Summary : Window Navigator Construction Kit  
Description :

libwnck (pronounced "libwink") is used to implement pagers, tasklists,

and other such things. It allows applications to monitor information about open windows, workspaces, their names/icons, and so forth.

Name : xorg-x11-drv-dummy Relocations: (not relocatable)  
Version : 0.3.6 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 02:30:59 PM EST  
Install Date: Tue 06 Aug 2013 05:21:43 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-dummy-0.3.6-2.el6.src.rpm  
Size : 15856 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 dummy video driver  
Description :  
X.Org X11 dummy video driver.

Name : exempi Relocations: (not relocatable)  
Version : 2.1.0 Vendor: CentOS  
Release : 5.el6 Build Date: Thu 11 Nov 2010 02:24:31 AM EST  
Install Date: Tue 06 Aug 2013 05:17:56 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: exempi-2.1.0-5.el6.src.rpm  
Size : 988256 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:13:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://libopenraw.freedesktop.org/wiki/Exempi>  
Summary : Library for easy parsing of XMP metadata  
Description :  
Exempi provides a library for easy parsing of XMP metadata. It is a port of Adobe XMP SDK to work on UNIX and to be build with GNU automake. It includes XMPCore and XMPFiles.

Name : glibc Relocations: (not relocatable)  
Version : 2.12 Vendor: CentOS  
Release : 1.107.el6 Build Date: Thu 21 Feb 2013 07:48:56 AM EST  
Install Date: Tue 06 Aug 2013 05:25:13 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: glibc-2.12-1.107.el6.src.rpm  
Size : 13777426 License: LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sources.redhat.com/glibc/>  
Summary : The GNU libc libraries  
Description :  
The glibc package contains standard libraries which are used by multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

Name : jakarta-commons-dbcp Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 13.8.el6 Build Date: Fri 20 Aug 2010 09:54:51 PM EDT  
Install Date: Tue 06 Aug 2013 05:19:56 PM EDT Build Host:

c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
jakarta-commons-dbc-1.2.1-13.8.el6.src.rpm  
Size : 127715 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:16:42 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jakarta.apache.org/commons/dbcp>  
Summary : Jakarta Commons DataBase Pooling Package  
Description :

Many Jakarta projects support interaction with a relational database. Creating a new connection for each user can be time consuming (often requiring multiple seconds of clock time), in order to perform a database transaction that might take milliseconds. Opening a connection per user can be unfeasible in a publicly-hosted Internet application where the number of simultaneous users can be very large. Accordingly, developers often wish to share a "pool" of open connections between all of the application's current users. The number of users actually performing a request at any given time is usually a very small percentage of the total number of active users, and during request processing is the only time that a database connection is required. The application itself logs into the DBMS, and handles any user account issues internally.

Name : gdm Relocations: (not relocatable)  
Version : 2.30.4 Vendor: CentOS  
Release : 39.el6 Build Date: Thu 21 Feb 2013 08:25:25 PM EST  
Install Date: Tue 06 Aug 2013 05:21:44 PM EDT Build Host:

c6b7.bsys.dev.centos.org  
Group : User Interface/X Source RPM: gdm-2.30.4-39.el6.src.rpm  
Size : 4807442 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:35 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gdm>  
Summary : The GNOME Display Manager  
Description :

GDM provides the graphical login screen, shown shortly after boot up, log out, and when user-switching.

Name : libXfont Relocations: (not relocatable)  
Version : 1.4.5 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:17:49 PM EST  
Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host:

c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libXfont-1.4.5-2.el6.src.rpm  
Size : 301603 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXfont runtime library  
Description :  
X.Org X11 libXfont runtime library

Name : libXi Relocations: (not relocatable)  
Version : 1.6.1 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 09:00:59 PM EST  
Install Date: Tue 06 Aug 2013 05:25:14 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXi-1.6.1-3.el6.src.rpm  
Size : 60711 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:24 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXi runtime library  
Description :  
X.Org X11 libXi runtime library

Name : imsettings-libs Relocations: (not relocatable)  
Version : 0.108.0 Vendor: CentOS  
Release : 3.6.el6 Build Date: Fri 22 Jun 2012 01:58:31 AM EDT

Install Date: Tue 06 Aug 2013 05:20:01 PM EDT Build Host:  
c6b10.bsys.dev.centos.org

Group : Development/Libraries Source RPM:

imsettings-0.108.0-3.6.el6.src.rpm

Size : 320451

License: LGPLv2+

Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:39 PM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://code.google.com/p/imsettings/>

Summary : Libraries for imsettings

Description :

IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.

This package contains the shared library for imsettings.

Name : sane-backends-libs-gphoto2 Relocations: (not relocatable)  
Version : 1.0.21 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 04:59:36 PM EST

Install Date: Tue 06 Aug 2013 05:21:45 PM EDT Build Host:  
c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:

sane-backends-1.0.21-3.el6.src.rpm

Size : 41088

License: GPLv2+ and GPLv2+ with

exceptions and Public Domain

Signature : RSA/SHA1, Sun 03 Jul 2011 01:01:08 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.sane-project.org>

Summary : SANE libraries for gphoto2

Description :

This package contains the SANE libraries which are needed by applications that want to access digital cameras.

Name : anthy Relocations: (not relocatable)  
Version : 9100h Vendor: CentOS  
Release : 10.1.el6 Build Date: Wed 10 Nov 2010 07:14:33 PM EST

Install Date: Tue 06 Aug 2013 05:18:00 PM EDT Build Host:  
c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:

anthy-9100h-10.1.el6.src.rpm

Size : 25800356

License: LGPLv2+ and GPLv2

Signature : RSA/SHA1, Sun 03 Jul 2011 12:02:12 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sourceforge.jp/projects/anthy/>

Summary : Japanese character set input library

Description :

Anthy provides the library to input Japanese on the applications, such as X applications and emacs. and the user dictionaries and the users information which is used for the conversion, is stored into their own home directory. So Anthy is secure than other conversion server.



Name : perl-Filesys-Df Relocations: (not relocatable)  
Version : 0.92 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el6.rf Build Date: Wed 10 Nov 2010 11:50:03 PM  
EST  
Install Date: Tue 06 Aug 2013 05:27:41 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN Source RPM:  
perl-Filesys-Df-0.92-1.el6.rf.src.rpm  
Size : 75286 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : http://search.cpan.org/dist/Filesys-Df/  
Summary : Perl module for filesystem disk space information  
Description :  
perl-Filesys-Df is a Perl module for filesystem disk space information.

Name : jakarta-commons-daemon Relocations: (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 8.9.el6 Build Date: Thu 19 Aug 2010 05:46:58 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:03 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
jakarta-commons-daemon-1.0.1-8.9.el6.src.rpm  
Size : 124200 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:25:30 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : http://jakarta.apache.org/commons/daemon/  
Summary : Defines API to support an alternative invocation mechanism  
Description :  
The scope of this package is to define an API in line with the current  
Java(tm) Platform APIs to support an alternative invocation mechanism  
which could be used instead of the above mentioned public static void  
main(String[]) method. This specification cover the behavior and life  
cycle of what we define as Java(tm) daemons, or, in other words, non  
interactive Java(tm) applications.

Name : ntp Relocations: (not relocatable)  
Version : 4.2.4p8 Vendor: CentOS  
Release : 3.el6.centos Build Date: Fri 22 Feb 2013 06:23:34 AM  
EST  
Install Date: Tue 06 Aug 2013 05:21:49 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
ntp-4.2.4p8-3.el6.centos.src.rpm  
Size : 1220680 License: (MIT and BSD and BSD with  
advertising) and GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:13 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : http://www.ntp.org  
Summary : The NTP daemon and utilities  
Description :  
The Network Time Protocol (NTP) is used to synchronize a computer's  
time with another reference time source. This package includes ntpd  
(a daemon which continuously adjusts system time) and utilities used  
to query and configure the ntpd daemon.

Perl scripts ntp-wait and ntptrace are in the ntp-perl package and  
the ntpdate program is in the ntpdate package. The documentation is  
in the ntp-doc package.

Name : speex Relocations: (not relocatable)  
Page 65

Version : 1.2 Vendor: CentOS  
Release : 0.12.rc1.1.el6 Build Date: Wed 18 Aug 2010 10:46:37 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host: c6b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: speex-1.2-0.12.rc1.1.el6.src.rpm  
Size : 186732 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 01:02:18 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.speex.org/>  
Summary : A voice compression format (codec)  
Description :  
Speex is a patent-free compression format designed especially for speech. It is specialized for voice communications at low bit-rates in the 2-45 kbps range. Possible applications include Voice over IP (VoIP), Internet audio streaming, audio books, and archiving of speech data (e.g. voice mail).

Name : perl-XML-Writer-String Relocations: (not relocatable)  
Version : 0.1 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010 09:29:16 AM EDT  
Install Date: Tue 06 Aug 2013 05:27:46 PM EDT Build Host: lorax  
Group : Applications/CPAN Source RPM: perl-XML-Writer-String-0.1-1.src.rpm  
Size : 5088 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <[Jason.Messmer@xerox.com](mailto:Jason.Messmer@xerox.com)>  
URL : <http://search.cpan.org/dist/XML-Writer/>  
Summary : Capture output from XML::Writer  
Description :  
Capture output from XML::Writer.

Name : tomcat6-lib Relocations: (not relocatable)  
Version : 6.0.24 Vendor: CentOS  
Release : 49.el6 Build Date: Fri 22 Feb 2013 12:42:25 AM EST  
Install Date: Tue 06 Aug 2013 05:20:11 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Development/Compilers Source RPM: tomcat6-6.0.24-49.el6.src.rpm  
Size : 3196893 License: ASL 2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:27 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tomcat.apache.org/>  
Summary : Libraries needed to run the Tomcat Web container  
Description :  
Libraries needed to run the Tomcat Web container.

Name : vte Relocations: (not relocatable)  
Version : 0.25.1 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 23 Sep 2011 11:31:51 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:52 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : User Interface/X Source RPM: vte-0.25.1-7.el6.src.rpm  
Size : 1019734 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:12 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://bugzilla.gnome.org/enter\\_bug.cgi?product=vte](http://bugzilla.gnome.org/enter_bug.cgi?product=vte)  
Summary : A terminal emulator  
Description :  
VTE is a terminal emulator widget for use with GTK+ 2.0.

Name : perl-Pod-Simple Relocations: (not relocatable)  
Version : 3.13 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:02 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 476759 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:08 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Framework for parsing POD documentation  
Description :  
Pod: Simple is a Perl library for parsing text in the Pod ("plain old  
documentation") markup language that is typically used for writing  
documentation for Perl and for Perl modules.

Name : perl-Tk-JComboBox Relocations: (not relocatable)  
Version : 1.14 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010 08:46:11 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:27:52 PM EDT Build Host: lora  
Group : Applications/CPAN Source RPM:  
perl-Tk-JComboBox-1.14-1.src.rpm  
Size : 162855 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <[Jason.Messmer@xerox.com](mailto:Jason.Messmer@xerox.com)>  
URL : <http://search.cpan.org/dist/Tk-JComboBox/>  
Summary : Provides various ComboBox implementations  
Description :  
Provides various ComboBox implementations.

Name : gtk2-engines Relocations: (not relocatable)  
Version : 2.18.4 Vendor: CentOS  
Release : 5.el6.centos Build Date: Fri 02 Dec 2011 03:43:08 AM  
EST  
Install Date: Tue 06 Aug 2013 05:20:13 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
gtk2-engines-2.18.4-5.el6.centos.src.rpm  
Size : 1157734 License: LGPLv2+  
Signature : RSA/SHA1, Fri 02 Dec 2011 07:10:05 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gtk-engines>  
Summary : Theme engines for GTK+ 2.0  
Description :  
The gtk2-engines package contains shared objects and configuration  
files that implement a number of GTK+ theme engines. Theme engines  
provide different looks for GTK+, some of which resemble other  
toolkits or operating systems.

Name : nfs-utils-lib Relocations: (not relocatable)  
Version : 1.1.5 Vendor: CentOS  
Release : 6.el6 Build Date: Thu 21 Feb 2013 08:53:17 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:56 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
nfs-utils-lib-1.1.5-6.el6.src.rpm  
Size : 152918 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:58 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.citi.umiich.edu/projects/nfsv4/linux/>

Summary : Network File System Support Library  
Description :  
Support libraries that are needed by the commands and daemons the nfs-utils rpm.

Name : perl -URI Relocations: (not relocatable)  
Version : 1.40 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 09:39:33 AM EST  
Install Date: Tue 06 Aug 2013 05:18:10 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl -URI -1.40-2.el6.src.rpm  
Size : 256097 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:39:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/URI/>  
Summary : A Perl module implementing URI parsing and manipulation  
Description :  
This module implements the URI class. Objects of this class represent "Uniform Resource Identifier references" as specified in RFC 2396 (and updated by RFC 2732).

Name : wodim Relocations: (not relocatable)  
Version : 1.1.9 Vendor: CentOS  
Release : 12.el6 Build Date: Mon 12 Nov 2012 06:44:52 AM EST  
Install Date: Tue 06 Aug 2013 05:28:22 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Applications/Archiving Source RPM: cdrkit-1.1.9-12.el6.src.rpm  
Size : 1253887 License: GPLv2  
Signature : RSA/SHA1, Mon 12 Nov 2012 09:34:30 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cdrkit.org/>  
Summary : A command line CD/DVD recording program  
Description :  
Wodim is an application for creating audio and data CDs. Wodim works with many different brands of CD recorders, fully supports multi-sessions and provides human-readable error messages.

Name : libgail-gnome Relocations: (not relocatable)  
Version : 1.20.1 Vendor: CentOS  
Release : 4.1.el6.centos Build Date: Fri 02 Dec 2011 04:06:34 AM EST  
Install Date: Tue 06 Aug 2013 05:20:19 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libgail-gnome-1.20.1-4.1.el6.centos.src.rpm  
Size : 53142 License: LGPLv2+  
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:00 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://developer.gnome.org/projects/gap>  
Summary : Accessibility implementation for GTK+ and GNOME Libraries  
Description :  
GAIL implements the abstract interfaces found in ATK for GTK+ and GNOME Libraries, enabling accessibility technologies such as at-spi to access those GUIs.

libgail-gnome contains the GNOME portions of GAIL.

Name : NetworkManager Relocations: (not relocatable)  
Version : 0.8.1 Vendor: CentOS  
Release : 43.el6 Build Date: Fri 22 Feb 2013 01:32:10 AM EST  
Install Date: Tue 06 Aug 2013 05:21:59 PM EDT Build Host:

c6b9. bsys. dev. centos. org

Group : System Environment/Base Source RPM:  
NetworkManager-0.8.1-43.el6.src.rpm  
Size : 5541853 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:40 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Network connection manager and user applications  
Description :

NetworkManager is a system network service that manages your network devices and connections, attempting to keep active network connectivity when available. It manages ethernet, WiFi, mobile broadband (WWAN), and PPPoE devices, and provides VPN integration with a variety of different VPN services.

Name : perl-Compress-Zlib Relocations: (not relocatable)  
Version : 2.020 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST

Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:

c6b7. bsys. dev. centos. org

Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 52167 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : A module providing Perl interfaces to the zlib compression library  
Description :

The Compress::Zlib module provides a Perl interface to the zlib compression library. Most of the functionality provided by zlib is available in Compress::Zlib.

The module can be split into two general areas of functionality, namely in-memory compression/decompression and read/write access to gzip files.

Name : avahi-autoipd Relocations: (not relocatable)  
Version : 0.6.25 Vendor: CentOS  
Release : 12.el6 Build Date: Thu 21 Feb 2013 05:22:11 PM EST

Install Date: Tue 06 Aug 2013 05:20:20 PM EDT Build Host:

c6b7. bsys. dev. centos. org

Group : System Environment/Base Source RPM: avahi-0.6.25-12.el6.src.rpm  
Size : 40273 License: LGPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:00 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://avahi.org>  
Summary : Link-Local IPv4 address automatic configuration daemon (IPv4LL)  
Description :

avahi-autoipd implements IPv4LL, "Dynamic Configuration of IPv4 Link-Local Addresses" (IETF RFC3927), a protocol for automatic IP address configuration from the link-local 169.254.0.0/16 range without the need for a central server. It is primarily intended to be used in ad-hoc networks which lack a DHCP server.

Name : xorg-x11-drivers Relocations: (not relocatable)  
Version : 7.3 Vendor: CentOS  
Release : 13.4.el6 Build Date: Sat 23 Feb 2013 02:19:44 PM EST

Install Date: Tue 06 Aug 2013 05:22:15 PM EDT Build Host:

c6b8. bsys. dev. centos. org

Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drivers-7.3-13.4.el6.src.rpm  
Size : 0 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:16 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Summary : X.Org X11 driver installation package

Description :

The purpose of this package is to require all of the individual X.Org driver rpms, to allow the OS installation software to install all drivers all at once, without having to track which individual drivers are present on each architecture. By installing this package, it forces all of the individual driver packages to be installed.

Name : perl-XML-Parser Relocations: (not relocatable)  
Version : 2.36 Vendor: CentOS  
Release : 7.el6 Build Date: Tue 24 Aug 2010 08:08:33 AM EDT

Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:

c6b2.bsyz.dev.centos.org

Group : Development/Libraries Source RPM:

perl-XML-Parser-2.36-7.el6.src.rpm

Size : 652307 License: GPL+ or Artistic

Signature : RSA/8, Sun 03 Jul 2011 12:56:39 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://search.cpan.org/dist/XML-Parser/>

Summary : Perl module for parsing XML files

Description :

This module provides ways to parse XML documents. It is built on top of XML::Parser::Expat, which is a lower level interface to James Clark's expat library. Each call to one of the parsing methods creates a new instance of XML::Parser::Expat which is then used to parse the document. Expat options may be provided when the XML::Parser object is created. These options are then passed on to the Expat object on each parse call. They can also be given as extra arguments to the parse methods, in which case they override options given at XML::Parser creation time.

Name : mcpp Relocations: (not relocatable)  
Version : 2.7.2 Vendor: CentOS  
Release : 4.1.el6 Build Date: Wed 18 Aug 2010 11:52:52 AM EDT

Install Date: Tue 06 Aug 2013 05:20:22 PM EDT Build Host:

c6b3.bsyz.dev.centos.org

Group : Development/Languages Source RPM: mcpp-2.7.2-4.1.el6.src.rpm

Size : 49783 License: BSD

Signature : RSA/8, Sun 03 Jul 2011 12:44:57 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://mcpp.sourceforge.net/>

Summary : Alternative C/C++ preprocessor

Description :

C/C++ preprocessor defines and expands macros and processes '#if', '#include' and some other directives.

MCPP is an alternative C/C++ preprocessor with the highest conformance. It supports multiple standards: K&R, ISO C90, ISO C99, and ISO C++98. MCPP is especially useful for debugging a source program which uses complicated macros and also useful for checking portability of a source.

Though mcpp could be built as a replacement of GCC's resident preprocessor or as a stand-alone program without using library build of mcpp, this package installs only a program named 'mcpp' which links shared library of mcpp and behaves independent from GCC.

Name : foomatic-db-ppds Relocations: (not relocatable)  
Version : 4.0 Vendor: CentOS  
Release : 7.20091126.el6 Build Date: Thu 11 Nov 2010 02:54:20 AM EST

Install Date: Tue 06 Aug 2013 05:22:37 PM EDT Build Host:

c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
foomatic-db-4.0-7.20091126.el6.src.rpm  
Size : 25032963 License: GPLv2+ and MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:08:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openprinting.org>  
Summary : PPDs from printer manufacturers  
Description :  
PPDs from printer manufacturers.

Name : xz-lzma-compat Relocations: (not relocatable)  
Version : 4.999.9 Vendor: CentOS  
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010 01:12:38 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:

c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
xz-4.999.9-0.3.beta.20091007git.el6.src.rpm  
Size : 21154 License: GPLv2+ and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:06:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tukaani.org/xz/>  
Summary : Older LZMA format compatibility binaries  
Description :  
The lzma-compat package contains compatibility links for older commands that deal with the older LZMA format.

Name : libffi Relocations: (not relocatable)  
Version : 3.0.5 Vendor: CentOS  
Release : 3.2.el6 Build Date: Thu 11 Nov 2010 03:25:12 PM EST  
Install Date: Tue 06 Aug 2013 05:20:23 PM EDT Build Host:

c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libffi-3.0.5-3.2.el6.src.rpm  
Size : 42881 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:33:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceware.org/libffi>  
Summary : A portable foreign function interface library  
Description :

Compilers for high level languages generate code that follow certain conventions. These conventions are necessary, in part, for separate compilation to work. One such convention is the "calling convention". The calling convention is a set of assumptions made by the compiler about where function arguments will be found on entry to a function. A calling convention also specifies where the return value for a function is found.

Some programs may not know at the time of compilation what arguments are to be passed to a function. For instance, an interpreter may be told at run-time about the number and types of arguments used to call a given function. `libffi' can be used in such programs to provide a bridge from the interpreter program to compiled code.

The `libffi' library provides a portable, high level programming interface to various calling conventions. This allows a programmer to call any function specified by a call interface description at run time.

FFI stands for Foreign Function Interface. A foreign function interface is the popular name for the interface that allows code written in one language to call code written in another language. The `libffi' library really only provides the lowest, machine dependent

layer of a fully featured foreign function interface. A layer must exist above 'libffi' that handles type conversions for values passed between the two languages.

Name : system-config-network-tui Relocations: (not relocatable)  
Version : 1.6.0.el6.2 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 03:19:58 PM  
EST  
Install Date: Tue 06 Aug 2013 05:22:43 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
system-config-network-1.6.0.el6.2-1.el6.src.rpm  
Size : 5011751 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:48:50 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedoraproject.org/wiki/SystemConfig/network>  
Summary : The Network Administration Tool  
Description :  
This is the network configuration tool,  
supporting Ethernet, Wireless, TokenRing, ADSL, ISDN and PPP.

Name : xorg-x11-xauth Relocations: (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 7.1.el6 Build Date: Wed 18 Aug 2010 04:53:29 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:13 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
xorg-x11-xauth-1.0.2-7.1.el6.src.rpm  
Size : 63011 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 01:06:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 X authority utilities  
Description :  
xauth is used to edit and display the authorization information  
used in connecting to an X server.

Name : yum-metadata-parser Relocations: (not relocatable)  
Version : 1.1.2 Vendor: CentOS  
Release : 16.el6 Build Date: Tue 19 Jul 2011 02:50:44 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:31 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
yum-metadata-parser-1.1.2-16.el6.src.rpm  
Size : 58327 License: GPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://linux.duke.edu/projects/yum/>  
Summary : A fast metadata parser for yum  
Description :  
Fast metadata parser for yum implemented in C.

Name : libXxf86dga Relocations: (not relocatable)  
Version : 1.1.3 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:14:02 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libXxf86dga-1.1.3-2.el6.src.rpm  
Size : 47593 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:28 PM EST, Key ID 0946fca2c105b9de



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86dga runtime library  
Description :  
X.Org X11 libXxf86dga runtime library

Name : fontpackages-filesystem Relocations: (not relocatable)  
Version : 1.41 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 11 Nov 2010 02:51:13 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:09 PM EDT Build Host:  
c6b4.bsyz.dev.centos.org  
Group : Development/System Source RPM:  
fontpackages-1.41-1.1.el6.src.rpm  
Size : 0 License: Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:08:54 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedoraproject.org/wiki/Fontpackages/>  
Summary : Directories used by font packages  
Description :  
This package contains the basic directory layout used by font packages,  
including the correct permissions for the directories.

Name : gnome-system-monitor Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 11.el6 Build Date: Fri 22 Jun 2012 01:20:02 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:22:56 PM EDT Build Host:  
c6b10.bsyz.dev.centos.org  
Group : Applications/System Source RPM:  
gnome-system-monitor-2.28.0-11.el6.src.rpm  
Size : 4324816 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:29 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : Process and resource monitor  
Description :  
gnome-system-monitor allows to graphically view and manipulate the running  
processes on your system. It also provides an overview of available resources  
such as CPU and memory.

Name : libuser-python Relocations: (not relocatable)  
Version : 0.56.13 Vendor: CentOS  
Release : 5.el6 Build Date: Thu 05 Apr 2012 05:13:36 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:33 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM:  
libuser-0.56.13-5.el6.src.rpm  
Size : 69464 License: LGPLv2+  
Signature : RSA/SHA1, Thu 05 Apr 2012 05:34:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/libuser/>  
Summary : Python bindings for the libuser library  
Description :  
The libuser-python package contains the Python bindings for  
the libuser library, which provides a Python API for manipulating and  
administering user and group accounts.

Name : grubby Relocations: (not relocatable)  
Version : 7.0.15 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 22 Jun 2012 03:39:04 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:

c6b8. bsys. dev. centos. org

Group : System Environment/Base Source RPM: grubby-7.0.15-3.el6.src.rpm  
Size : 84472 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:46 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.fedorahosted.org/git/grubby.git>  
Summary : Command line tool for updating boot loader configs

Description :

grubby is a command line tool for updating and displaying information about the configuration files for the grub, lilo, elilo (ia64), yaboot (powerpc) and zipl (s390) boot loaders. It is primarily designed to be used from scripts which install new kernels and need to find information about the current boot environment.

Name : liberation-fonts-common Relocations: (not relocatable)  
Version : 1.05.1.20090721 Vendor: CentOS  
Release : 5.el6 Build Date: Tue 13 Mar 2012 06:37:49 PM EDT

Install Date: Tue 06 Aug 2013 05:17:10 PM EDT Build Host:

c6b6. bsys. dev. centos. org

Group : User Interface/X Source RPM:  
liberation-fonts-1.05.1.20090721-5.el6.src.rpm  
Size : 60578 License: Liberation  
Signature : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/liberation-fonts/>  
Summary : Shared common files of Liberation font families  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

Shared common files of Liberation font families.

Name : pygtk2 Relocations: (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 20 Aug 2010 11:03:41 PM EDT

Install Date: Tue 06 Aug 2013 05:20:34 PM EDT Build Host:

c6b4. bsys. dev. centos. org

Group : Development/Languages Source RPM: pygtk2-2.16.0-3.el6.src.rpm  
Size : 4314034 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:58:13 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.pygtk.org/>  
Summary : Python bindings for GTK+

Description :

PyGTK is an extension module for Python that gives you access to the GTK+ widget set. Just about anything you can write in C with GTK+ you can write in Python with PyGTK (with in reason), but with all the benefits of using a high-level scripting language.

Name : MAKEDEV Relocations: (not relocatable)  
Version : 3.24 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 10 Nov 2010 04:37:37 PM EST

Install Date: Tue 06 Aug 2013 05:18:16 PM EDT Build Host:

c6b4. bsys. dev. centos. org

Group : System Environment/Base Source RPM: MAKEDEV-3.24-6.el6.src.rpm  
Size : 227290 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:44:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.lanana.org/docs/devi ce-list/>

Summary : A program used for creating device files in /dev  
Description :  
This package contains the MAKEDEV program, which makes it easier to create and maintain the files in the /dev directory. /dev directory files correspond to a particular device supported by Linux (serial or printer ports, scanners, sound cards, tape drives, CD-ROM drives, hard drives, etc.) and interface with the drivers in the kernel.

You should install the MAKEDEV package because the MAKEDEV utility makes it easy to manage the /dev directory device files.

Name : ca-certificates Relocations: (not relocatable)  
Version : 2010.63 Vendor: CentOS  
Release : 3.el6\_1.5 Build Date: Fri 23 Sep 2011 03:39:46 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:13 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: ca-certificates-2010.63-3.el6\_1.5.src.rpm  
Size : 1353134 License: Public Domain  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:03 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/>  
Summary : The Mozilla CA root certificate bundle  
Description :  
This package contains the set of CA certificates chosen by the Mozilla Foundation for use with the Internet PKI.

Name : gnome-python2-canvas Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST  
Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm  
Size : 74807 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:29 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-python/>  
Summary : Python bindings for the GNOME Canvas  
Description :  
This module contains a wrapper that allows use of the GNOME Canvas in Python.

Name : libcroco Relocations: (not relocatable)  
Version : 0.6.2 Vendor: CentOS  
Release : 5.el6 Build Date: Sat 21 Aug 2010 12:15:00 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libcroco-0.6.2-5.el6.src.rpm  
Size : 322816 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:32:46 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : A CSS2 parsing library  
Description :  
CSS2 parsing and manipulation library for GNOME

Name : control-center-filesystem Relocations: (not relocatable)  
Version : 2.28.1 Vendor: CentOS  
Release : 38.el6 Build Date: Thu 21 Feb 2013 05:04:12 PM EST

Install Date: Tue 06 Aug 2013 05:17:13 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
control-center-2.28.1-38.el6.src.rpm  
Size : 0 License: GPLv2+ and GFDL  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:31 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : GNOME Control Center directories  
Description :  
The GNOME control-center provides a number of extension points  
for applications. This package contains directories where applications  
can install configuration files that are picked up by the control-center  
utilities.

Name : at-spi-python Relocations: (not relocatable)  
Version : 1.28.1 Vendor: CentOS  
Release : 2.el6.centos Build Date: Fri 02 Dec 2011 04:45:53 AM  
EST

Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
at-spi-1.28.1-2.el6.centos.src.rpm  
Size : 174655 License: LGPLv2+  
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:41 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://developer.gnome.org/projects/gap/>  
Summary : Python bindings for at-spi  
Description :  
This package contains Python bindings allowing to use at-spi in Python programs.

Name : gnome-doc-utils-stylesheets Relocations: (not relocatable)  
Version : 0.18.1 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 05:46:03 AM  
EST

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Development/Tools Source RPM:  
gnome-doc-utils-0.18.1-1.el6.src.rpm  
Size : 1339755 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:10:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : XSL stylesheets used by gnome-doc-utils  
Description :  
The gnome-doc-utils-stylesheets package contains XSL stylesheets which  
are used by the tools in gnome-doc-utils and by yelp.

Name : tzdata Relocations: (not relocatable)  
Version : 2012j Vendor: CentOS  
Release : 1.el6 Build Date: Wed 23 Jan 2013 06:36:31 AM  
EST

Install Date: Tue 06 Aug 2013 05:17:16 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: tzdata-2012j-1.el6.src.rpm  
Size : 1883032 License: Public Domain  
Signature : RSA/SHA1, Wed 23 Jan 2013 06:52:56 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://www.iana.org/time-zones>  
Summary : Timezone data  
Description :  
This package contains data files with rules for various timezones around  
the world.

Name : gnome-desktop Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 11.el6.centos Build Date: Wed 10 Oct 2012 07:15:10 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:37 PM EDT Build Host: c6b10.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: gnome-desktop-2.28.2-11.el6.centos.src.rpm  
Size : 3162907 License: GPLv2+ and LGPLv2+  
Signature : RSA/SHA1, Wed 10 Oct 2012 07:55:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : Shared code among gnome-panel, gnome-session, nautilus, etc  
Description :

The gnome-desktop package contains an internal library (libgnomedesktop) used to implement some portions of the GNOME desktop, and also some data files and other shared components of the GNOME user environment.

Name : m17n-db-punjabi Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-1.1.el6.src.rpm  
Size : 6298 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:29:18 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : m17n-db input maps for Punjabi  
Description :  
This package contains m17n-db input maps for Punjabi.

Name : dhcp-common Relocations: (not relocatable)  
Version : 4.1.1 Vendor: CentOS  
Release : 34.P1.el6.centos Build Date: Fri 22 Feb 2013 06:18:54 AM EST  
Install Date: Tue 06 Aug 2013 05:17:17 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: dhcp-4.1.1-34.P1.el6.centos.src.rpm  
Size : 198000 License: ISC  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://isc.org/products/DHCP/>  
Summary : Common files used by ISC dhcp client and server  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

This package provides common files used by dhcp and dhclient package.

Name : authconfig Relocations: (not relocatable)  
Version : 6.1.12 Vendor: CentOS  
Release : 13.el6 Build Date: Thu 21 Feb 2013 10:08:55 PM EST  
Install Date: Tue 06 Aug 2013 05:20:37 PM EDT Build Host: c6b7.bsys.dev.centos.org

Group : System Environment/Base Source RPM:  
authconfig-6.1.12-13.el6.src.rpm  
Size : 1939089 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:32 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/authconfig>  
Summary : Command line tool for setting up authentication from network services  
Description :  
Authconfig is a command line utility which can configure a workstation to use shadow (more secure) passwords. Authconfig can also configure a system to be a client for certain networked user information and authentication schemes.

Name : m17n-db-oriya Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-db-1.5.5-1.1.el6.src.rpm  
Size : 6082 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:29:18 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : m17n-db input maps for Oriya  
Description :  
This package contains m17n-db input maps for Oriya.

Name : vlgothic-fonts-common Relocations: (not relocatable)  
Version : 20091202 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 10:06:07 AM EST  
Install Date: Tue 06 Aug 2013 05:17:17 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
vlgothic-fonts-20091202-2.el6.src.rpm  
Size : 25527 License: mpl and BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:52:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dicey.org/vlgothic>  
Summary : Common files for VLGothic Japanese TrueType fonts  
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project. Most of the glyphs are taken from the M+ and Sazanami Gothic fonts, but some have also been improved by the project.

This package consists of files used by other vlgothic-fonts packages.

Name : python-ini parse Relocations: (not relocatable)  
Version : 0.3.1 Vendor: CentOS  
Release : 2.1.el6 Build Date: Tue 17 Aug 2010 12:49:21 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:38 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
python-ini parse-0.3.1-2.1.el6.src.rpm  
Size : 109284 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:42:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ini parse/>  
Summary : Python Module for Accessing and Modifying Configuration Data in INI files

Description :

iniparse is an INI parser for Python which is API compatible with the standard library's ConfigParser, preserves structure of INI files (order of sections & options, indentation, comments, and blank lines are preserved when data is updated), and is more convenient to use.

Name : m17n-db-telugu Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-db-1.5.5-1.1.el6.src.rpm  
Size : 6593 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:29:25 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : m17n-db input maps for Telugu  
Description :  
This package contains m17n-db input maps for Telugu.

Name : comps-extras Relocations: (not relocatable)  
Version : 17.8 Vendor: CentOS  
Release : 1.el6 Build Date: Wed 10 Nov 2010 10:22:44 PM EST  
Install Date: Tue 06 Aug 2013 05:17:19 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
comps-extras-17.8-1.el6.src.rpm  
Size : 66974 License: GPL+ and LGPL+  
Signature : RSA/8, Sun 03 Jul 2011 12:02:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.fedorahosted.org/git/?p=comps-extras.git;a=summary>  
Summary : Images for components included in Fedora  
Description :  
This package contains images for the components included in Fedora.

Name : ibus-gtk Relocations: (not relocatable)  
Version : 1.3.4 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 07 Dec 2011 12:23:43 PM EST  
Install Date: Tue 06 Aug 2013 05:20:39 PM EDT Build Host:  
c6b18n3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: ibus-1.3.4-6.el6.src.rpm  
Size : 24120 License: LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus/>  
Summary : IBus im module for gtk2  
Description :  
This package contains ibus im module for gtk2

Name : m17n-db-tamil Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-db-1.5.5-1.1.el6.src.rpm  
Size : 20098 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:29:24 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : m17n-db input maps for Tamil  
Description :  
This package contains m17n-db input maps for Tamil.

Name : glibc Relocations: (not relocatable)  
Version : 2.12 Vendor: CentOS  
Release : 1.107.el6 Build Date: Thu 21 Feb 2013 08:13:11 AM  
EST

Install Date: Tue 06 Aug 2013 05:17:33 PM EDT Build Host:  
c6b8.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
glibc-2.12-1.107.el6.src.rpm

Size : 12947270 License: LGPLv2+ and LGPLv2+ with  
exceptions and GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:07 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sources.redhat.com/glibc/>

Summary : The GNU libc libraries

Description :

The glibc package contains standard libraries which are used by multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

Name : python-paramiko Relocations: (not relocatable)  
Version : 1.7.5 Vendor: CentOS  
Release : 2.1.el6 Build Date: Tue 17 Aug 2010 07:57:25 AM  
EDT

Install Date: Tue 06 Aug 2013 05:20:41 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : Development/Libraries Source RPM:  
python-paramiko-1.7.5-2.1.el6.src.rpm

Size : 7998304 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:42:55 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.lag.net/paramiko/>

Summary : A SSH2 protocol library for python

Description :

Paramiko (a combination of the esperanto words for "paranoid" and "friend") is a module for python 2.3 or greater that implements the SSH2 protocol for secure (encrypted and authenticated) connections to remote machines. Unlike SSL (aka TLS), the SSH2 protocol does not require hierarchical certificates signed by a powerful central authority. You may know SSH2 as the protocol that replaced telnet and rsh for secure access to remote shells, but the protocol also includes the ability to open arbitrary channels to remote services across an encrypted tunnel. (This is how sftp works, for example.)

Name : m17n-db-gujarati Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM  
EDT

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
m17n-db-1.5.5-1.1.el6.src.rpm

Size : 6692 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:29:10 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.m17n.org/m17n-lib/index.html>



Summary : m17n-db input maps for Gujarati  
Description :  
This package contains m17n-db input maps for Gujarati.

Name : libcap Relocations: (not relocatable)  
Version : 2.16 Vendor: CentOS  
Release : 5.5.el6 Build Date: Wed 07 Dec 2011 03:04:01 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:34 PM EDT Build Host:  
c6b18n2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libcap-2.16-5.5.el6.src.rpm  
Size : 64437 License: LGPLv2+ or BSD  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:15:52 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ftp.kernel.org/pub/linux/libs/security/linux-privs/kernel-2.6/>  
Summary : Library for getting and setting POSIX.1e capabilities  
Description :  
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6)  
draft 15 capabilities.

Name : yum Relocations: (not relocatable)  
Version : 3.2.29 Vendor: CentOS  
Release : 40.el6.centos Build Date: Fri 22 Feb 2013 06:26:41 AM  
EST  
Install Date: Tue 06 Aug 2013 05:20:42 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
yum-3.2.29-40.el6.centos.src.rpm  
Size : 4735341 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://yum.baseurl.org/>  
Summary : RPM package installer/updater/manager  
Description :  
Yum is a utility that can check for and automatically download and  
install updated RPM packages. Dependencies are obtained and downloaded  
automatically, prompting the user for permission as necessary.

Name : db4-utils Relocations: (not relocatable)  
Version : 4.7.25 Vendor: CentOS  
Release : 17.el6 Build Date: Wed 04 Apr 2012 09:42:16 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Applications/Databases Source RPM: db4-4.7.25-17.el6.src.rpm  
Size : 415046 License: Sleepycat and BSD  
Signature : RSA/SHA1, Wed 04 Apr 2012 09:00:34 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : Command line tools for managing Berkeley DB (version 4) databases  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that  
provides embedded database support for both traditional and  
client/server applications. Berkeley DB includes B+tree, Extended  
Linear Hashing, Fixed and Variable-length record access methods,  
transactions, locking, logging, shared memory caching, and database  
recovery. DB supports C, C++, Java and Perl APIs.

Name : libstdc++ Relocations: (not relocatable)  
Version : 4.4.7 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 12:16:26 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:35 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: gcc-4.4.7-3.el6.src.rpm  
Size : 987096 License: GPLv3+ and GPLv3+ with  
exceptions and GPLv2+ with exceptions  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gcc.gnu.org>  
Summary : GNU Standard C++ Library  
Description :  
The libstdc++ package contains a rewritten standard compliant GCC Standard  
C++ Library.

Name : PackageKit Relocations: (not relocatable)  
Version : 0.5.8 Vendor: CentOS  
Release : 21.el6 Build Date: Thu 21 Feb 2013 05:42:20 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:43 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
PackageKit-0.5.8-21.el6.src.rpm  
Size : 2377602 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:07 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.packagekit.org>  
Summary : Package management service  
Description :  
PackageKit is a D-Bus abstraction layer that allows the session user  
to manage packages in a secure way using a cross-distro,  
cross-architecture API.

Name : mtools Relocations: (not relocatable)  
Version : 4.0.12 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 05:28:54 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : Applications/System Source RPM: mtools-4.0.12-1.el6.src.rpm  
Size : 317815 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:45:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://mtools.linux.lu/>  
Summary : Programs for accessing MS-DOS disks without mounting the disks  
Description :  
Mtools is a collection of utilities for accessing MS-DOS files.  
Mtools allow you to read, write and move around MS-DOS filesystem  
files (normally on MS-DOS floppy disks). Mtools supports Windows95  
style long file names, OS/2 XDF disks, and 2m disks

Mtools should be installed if you need to use MS-DOS disks

Name : popt Relocations: (not relocatable)  
Version : 1.13 Vendor: CentOS  
Release : 7.el6 Build Date: Sat 21 Aug 2010 01:30:58 AM  
EDT

Install Date: Tue 06 Aug 2013 05:17:35 PM EDT Build Host:  
c6b2.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: popt-1.13-7.el6.src.rpm  
Size : 83420 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:57:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.rpm5.org/>  
Summary : C library for parsing command line parameters  
Description :  
Popt is a C library for parsing command line parameters. Popt was  
heavily influenced by the getopt() and getopt\_long() functions, but

it improves on them by allowing more powerful argument expansion. Popt can parse arbitrary argv[] style arrays and automatically set variables based on command line arguments. Popt allows command line arguments to be aliased via configuration files and includes utility functions for parsing arbitrary strings into argv[] arrays using shell-like rules.

Name : pyxf86config Relocations: (not relocatable)  
Version : 0.3.37 Vendor: CentOS  
Release : 7.1.el6 Build Date: Wed 18 Aug 2010 07:11:12 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host: c6b2.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: pyxf86config-0.3.37-7.1.el6.src.rpm  
Size : 160008 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:59:17 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedoraproject.org/wiki/pyxf86config>  
Summary : Python wrappers for libxf86config  
Description :  
Python wrappers for the X server config file library libxf86config.  
It is used to read and write X server configuration files.

Name : make Relocations: (not relocatable)  
Version : 3.81 Vendor: CentOS  
Release : 20.el6 Build Date: Tue 03 Apr 2012 11:25:06 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:19 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : Development/Tools Source RPM: make-3.81-20.el6.src.rpm  
Size : 1079569 License: GPLv2+  
Signature : RSA/SHA1, Tue 03 Apr 2012 12:01:01 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/make/>  
Summary : A GNU tool which simplifies the build process for users  
Description :  
A GNU tool for controlling the generation of executables and other non-source files of a program from the program's source files. Make allows users to build and install packages without any significant knowledge about the details of the build process. The details about how the program should be built are provided for make in the program's makefile.

Name : libjpeg-turbo Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 05:50:26 PM EST  
Install Date: Tue 06 Aug 2013 05:17:36 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libjpeg-turbo-1.2.1-1.el6.src.rpm  
Size : 476782 License: wxWidgets  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/libjpeg-turbo>  
Summary : A MMX/SSE2 accelerated library for manipulating JPEG image files  
Description :  
The libjpeg-turbo package contains a library of functions for manipulating JPEG images. It also contains simple client programs for accessing the libjpeg functions. It contains cjpeg, djpeg, jpegtran, rdjpgcom and wrjpgcom. Cjpeg compresses an image file into JPEG format. Djpeg decompresses a JPEG file into a regular image file. Jpegtran can perform various useful transformations on JPEG files. Rdjpgcom

displays any text comments included in a JPEG file. Wrjpgcom inserts text comments into a JPEG file.

Name : libproxy-python Relocations: (not relocatable)  
Version : 0.3.0 Vendor: CentOS  
Release : 3.el6\_3 Build Date: Wed 14 Nov 2012 04:08:01 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libproxy-0.3.0-3.el6\_3.src.rpm  
Size : 8320 License: LGPLv2+  
Signature : RSA/SHA1, Wed 14 Nov 2012 08:41:39 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/libproxy/>  
Summary : Binding for libproxy and python  
Description :  
The libproxy-python package contains the python binding for libproxy

Name : ttmkfdi r Relocations: (not relocatable)  
Version : 3.0.9 Vendor: CentOS  
Release : 32.1.el6 Build Date: Wed 18 Aug 2010 05:36:28 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:21 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
ttmkfdi r-3.0.9-32.1.el6.src.rpm  
Size : 101747 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:04:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Utility to create fonts.scale files for truetype fonts  
Description :  
ttmkfdi r is a utility used to create fonts.scale files in  
TrueType font directories in order to prepare them for use  
by the font server.

Name : bzip2-libs Relocations: (not relocatable)  
Version : 1.0.5 Vendor: CentOS  
Release : 7.el6\_0 Build Date: Fri 24 Jun 2011 09:45:55 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:36 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: bzip2-1.0.5-7.el6\_0.src.rpm  
Size : 67592 License: BSD  
Signature : RSA/8, Tue 05 Jul 2011 09:37:18 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.bzip.org/>  
Summary : Libraries for applications using bzip2  
Description :

Libraries for applications using the bzip2 compression format.

Name : libreport Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 1164487 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:14 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>

Summary : Generic library for reporting various problems  
Description :  
Libraries providing API for reporting different problems in applications to different bug targets like Bugzilla, ftp, trac, etc...

Name : Liberation-sans-fonts Relocations: (not relocatable)  
Version : 1.05.1.20090721 Vendor: CentOS  
Release : 5.el6 Build Date: Tue 13 Mar 2012 06:37:49 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:22 PM EDT Build Host: c6b6.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
Liberation-fonts-1.05.1.20090721-5.el6.src.rpm  
Size : 578780 License: Liberation  
Signature : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/Liberation-fonts/>  
Summary : Sans-serif fonts to replace commonly used Microsoft Arial  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Sans-serif TrueType fonts that replaced commonly used Microsoft Arial.

Name : gawk Relocations: (not relocatable)  
Version : 3.1.7 Vendor: CentOS  
Release : 10.el6 Build Date: Tue 07 Aug 2012 11:03:58 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:37 PM EDT Build Host: c6b10.bsys.dev.centos.org  
Group : Applications/Text Source RPM: gawk-3.1.7-10.el6.src.rpm  
Size : 2036440 License: GPLv3+  
Signature : RSA/SHA1, Tue 07 Aug 2012 01:35:31 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/gawk/gawk.html>  
Summary : The GNU version of the awk text processing utility  
Description :  
The gawk package contains the GNU version of awk, a text processing utility. Awk interprets a special-purpose programming language to do quick and easy text pattern matching and reformatting jobs.

Install the gawk package if you need a text processing utility. Gawk is considered to be a standard Linux tool for processing text.

Name : libsoup Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 04:17:31 PM EST  
Install Date: Tue 06 Aug 2013 05:20:46 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: libsoup-2.28.2-4.el6.src.rpm  
Size : 444157 License: LGPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:17 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://live.gnome.org/LibSoup>  
Summary : Soup, an HTTP library implementation  
Description :  
Libsoup is an HTTP library implementation in C. It was originally part of a SOAP (Simple Object Access Protocol) implementation called Soup, but the SOAP and non-SOAP parts have now been split into separate packages.

libsoup uses the Glib main loop and is designed to work well with GTK

applications. This enables GNOME applications to access HTTP servers on the network in a completely asynchronous fashion, very similar to the Gtk+ programming model (a synchronous operation mode is also supported for those who want it).

Name : ncurses Relocations: (not relocatable)  
Version : 5.7 Vendor: CentOS  
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010 11:42:34 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:29 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: ncurses-5.7-3.20090208.el6.src.rpm  
Size : 386379 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:46:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://invisible-island.net/ncurses/ncurses.html>  
Summary : Ncurses support utilities  
Description :  
The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains support utilities, including a terminfo compiler, a decompiler infocmp, clear, tput, tset, and a termcap conversion tool captinfo.

Name : libSM Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:48:34 PM EST  
Install Date: Tue 06 Aug 2013 05:17:37 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libSM-1.2.1-2.el6.src.rpm  
Size : 78264 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:20 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 SM runtime library  
Description :  
The X.Org X11 SM (Session Management) runtime library.

Name : abrt-addon-python Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM EST  
Install Date: Tue 06 Aug 2013 05:20:50 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: abrt-2.0.8-15.el6.centos.src.rpm  
Size : 20616 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:29 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's addon for catching and analyzing Python exceptions  
Description :  
This package contains python hook and python analyzer plugin for handling uncaught exception in python programs.

Name : gzip Relocations: (not relocatable)  
Version : 1.3.12 Vendor: CentOS  
Release : 18.el6 Build Date: Thu 11 Nov 2010 05:25:09 PM EST

Install Date: Tue 06 Aug 2013 05:18:31 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : Applications/File Source RPM: gzip-1.3.12-18.el6.src.rpm  
Size : 225845 License: GPLv2+ and GFDL  
Signature : RSA/8, Sun 03 Jul 2011 12:21:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gzip.org/>  
Summary : The GNU data compression program  
Description :  
The gzip package contains the popular GNU gzip data compression program. Gzipped files have a .gz extension.

Gzip should be installed on your system, because it is a very commonly used data compression program.

Name : libsepol Relocations: (not relocatable)  
Version : 2.0.41 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 07 Dec 2011 01:01:09 PM EST

Install Date: Tue 06 Aug 2013 05:17:38 PM EDT Build Host:  
c6b18n2.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libsepol-2.0.41-4.el6.src.rpm  
Size : 248680 License: LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:24:54 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.selinuxproject.org>  
Summary : SELinux binary policy manipulation library  
Description :

Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libsepol provides an API for the manipulation of SELinux binary policies. It is used by checkpolicy (the policy compiler) and similar tools, as well as by programs like load\_policy that need to perform specific transformations on binary policies such as customizing policy boolean settings.

Name : abrt-gui Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM EST

Install Date: Tue 06 Aug 2013 05:20:50 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
abrt-2.0.8-15.el6.centos.src.rpm  
Size : 225078 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:00 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's gui  
Description :  
GTK+ wizard for convenient bug reporting.

Name : pam Relocations: (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 13.el6 Build Date: Thu 21 Feb 2013 07:16:07 PM EST

Install Date: Tue 06 Aug 2013 05:18:34 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: pam-1.1.1-13.el6.src.rpm  
Size : 2409246 License: BSD and GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:58 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.us.kernel.org/pub/linux/libs/pam/index.html>  
Summary : An extensible library which provides authentication for applications  
Description :  
PAM (Pluggable Authentication Modules) is a system security tool that allows system administrators to set authentication policy without having to recompile programs that handle authentication.

Name : atk Relocations: (not relocatable)  
Version : 1.28.0 Vendor: CentOS  
Release : 2.el6 Build Date: Wed 10 Nov 2010 07:26:49 PM EST

Install Date: Tue 06 Aug 2013 05:17:39 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: atk-1.28.0-2.el6.src.rpm  
Size : 933858 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:02:42 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://developer.gnome.org/projects/gap/>  
Summary : Interfaces for accessibility support  
Description :

The ATK library provides a set of interfaces for adding accessibility support to applications and graphical user interface toolkits. By supporting the ATK interfaces, an application or toolkit can be used with tools such as screen readers, magnifiers, and alternative input devices.

Name : abrt-addon-kerneloops Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM EST

Install Date: Tue 06 Aug 2013 05:20:51 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
abrt-2.0.8-15.el6.centos.src.rpm  
Size : 25230 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's kerneloops addon  
Description :

This package contains plugin for collecting kernel crash information.

Name : alsa-lib Relocations: (not relocatable)  
Version : 1.0.22 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 07 Dec 2011 01:22:40 PM EST

Install Date: Tue 06 Aug 2013 05:18:38 PM EDT Build Host:  
c6b18n3.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
alsa-lib-1.0.22-3.el6.src.rpm  
Size : 1195285 License: LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:35 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.alsa-project.org/>  
Summary : The Advanced Linux Sound Architecture (ALSA) library  
Description :

The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI functionality to the Linux operating system.



This package includes the ALSA runtime libraries to simplify application programming and provide higher level functionality as well as support for the older OSS API, providing binary compatibility for most OSS programs.

Name : libgudev1 Relocations: (not relocatable)  
Version : 147 Vendor: CentOS  
Release : 2.46.el6 Build Date: Fri 22 Feb 2013 12:22:19 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: udev-147-2.46.el6.src.rpm  
Size : 48491 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>  
Summary : Libraries for adding libudev support to applications that use glib  
Description :  
This package contains the libraries that make it easier to use libudev functionality from applications that use glib.

Name : smp\_utils Relocations: (not relocatable)  
Version : 0.94 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 06:00:08 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:53 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Applications/System Source RPM: smp\_utils-0.94-4.el6.src.rpm  
Size : 484471 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 01:02:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://sg.danny.cz/sg/smp\\_utils.html](http://sg.danny.cz/sg/smp_utils.html)  
Summary : Utilities for SAS management protocol (SMP)  
Description :  
This is a package of utilities. Each utility sends a Serial Attached SCSI (SAS) Management Protocol (SMP) request to a SMP target. If the request fails then the error is decoded. If the request succeeds then the response is either decoded, printed out in hexadecimal or output in binary. This package supports multiple interfaces since SMP passthroughs are not mature. This package supports the Linux 2.4 and 2.6 series and should be easy to port to other operating systems.

Warning: Some of these tools access the internals of your system and the incorrect usage of them may render your system inoperable.

Name : redhat-logos Relocations: (not relocatable)  
Version : 60.0.14 Vendor: CentOS  
Release : 12.el6.centos Build Date: Thu 16 Aug 2012 06:17:12 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:42 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
redhat-logos-60.0.14-12.el6.centos.src.rpm  
Size : 15816517 License: Copyright 1999-2010 the  
CentOS Project. All rights reserved.  
Signature : RSA/SHA1, Thu 16 Aug 2012 09:08:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://centos.org>  
Summary : CentOS-related icons and pictures  
Description :  
The redhat-logos package (the "Package") contains files created by the CentOS Project to replace the Red Hat "Shadow Man" logo and RPM logo. The Red Hat "Shadow Man" logo, RPM, and the RPM logo are trademarks or

registered trademarks of Red Hat, Inc.

The Package and CentOS Logos (the "Marks") can only be used as outlined in the included COPYING file. Please see that file for information on copying and redistribution of the CentOS Marks.

```
Name       : libusb                Relocations: (not relocatable)
Version    : 0.1.12                Vendor: CentOS
Release    : 23.el6                Build Date: Sun 22 Aug 2010 02:44:27 PM
EDT
Install Date: Tue 06 Aug 2013 05:17:40 PM EDT    Build Host:
c6b6.bsys.dev.centos.org
Group      : System Environment/Libraries    Source RPM:
libusb-0.1.12-23.el6.src.rpm
Size       : 54440                  License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:40:23 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://sourceforge.net/projects/libusb/
Summary    : A library which allows userspace access to USB devices
Description:
This package provides a way for applications to access USB devices.
```

```
Name       : polycoreutils          Relocations: (not relocatable)
Version    : 2.0.83                 Vendor: CentOS
Release    : 19.30.el6             Build Date: Fri 22 Feb 2013 12:38:59 AM
EST
Install Date: Tue 06 Aug 2013 05:20:54 PM EDT    Build Host:
c6b7.bsys.dev.centos.org
Group      : System Environment/Base    Source RPM:
polycoreutils-2.0.83-19.30.el6.src.rpm
Size       : 3635718                License: GPLv2+
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:38:33 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.selinuxproject.org
Summary    : SELinux policy core utilities
Description:
Security-enhanced Linux is a feature of the Linux® kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement®, Role-based Access
Control, and Multi-level Security.
```

polycoreutils contains the policy core utilities that are required for basic operation of a SELinux system. These utilities include load\_policy to load policies, setfiles to label filesystems, newrole to switch roles, and run\_init to run /etc/init.d scripts in the proper context.

```
Name       : libpciaccess           Relocations: (not relocatable)
Version    : 0.13.1                 Vendor: CentOS
Release    : 2.el6                 Build Date: Thu 21 Feb 2013 01:46:06 PM
EST
Install Date: Tue 06 Aug 2013 05:18:44 PM EDT    Build Host:
c6b9.bsys.dev.centos.org
Group      : System Environment/Libraries    Source RPM:
libpciaccess-0.13.1-2.el6.src.rpm
Size       : 37951                  License: MIT
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:41:38 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://gitweb.freedesktop.org/?p=xorg/lib/libpciaccess.git
```

Summary : PCI access library  
Description :  
libpciaccess is a library for portable PCI access routines across multiple operating systems.

Name : libblkid Relocations: (not relocatable)  
Version : 2.17.2 Vendor: CentOS  
Release : 12.9.el6 Build Date: Fri 22 Feb 2013 12:02:21 AM EST  
Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
util-linux-ng-2.17.2-12.9.el6.src.rpm  
Size : 136136 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>  
Summary : Block device ID library  
Description :  
This is block device identification library, part of util-linux-ng.

Name : util-linux-ng Relocations: (not relocatable)  
Version : 2.17.2 Vendor: CentOS  
Release : 12.9.el6 Build Date: Fri 22 Feb 2013 12:02:21 AM EST  
Install Date: Tue 06 Aug 2013 05:20:56 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
util-linux-ng-2.17.2-12.9.el6.src.rpm  
Size : 597990 License: GPLv1+ and GPLv2 and GPLv2+  
and LGPLv2+ and MIT and BSD with advertising and Public Domain  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>  
Summary : A collection of basic system utilities  
Description :  
The util-linux-ng package contains a large variety of low-level system utilities that are necessary for a Linux system to function. Among others, Util-linux contains the fdisk configuration tool and the login program.

Name : plymouth-scripts Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM EST  
Install Date: Tue 06 Aug 2013 05:18:44 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 11006 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth related scripts  
Description :  
This package contains scripts that help integrate Plymouth with the system.

Name : libX11 Relocations: (not relocatable)  
Version : 1.5.0 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 02:38:37 PM EST  
Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host:  
c6b7.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: libX11-1.5.0-4.el6.src.rpm  
Size : 1301960 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Core X11 protocol client library  
Description :  
Core X11 protocol client library.

Name : mesa-libGL Relocations: (not relocatable)  
Version : 9.0 Vendor: CentOS  
Release : 0.7.el6 Build Date: Fri 22 Feb 2013 02:02:15 AM  
EST

Install Date: Tue 06 Aug 2013 05:20:58 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: mesa-9.0-0.7.el6.src.rpm  
Size : 532864 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:10 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mesa3d.org>  
Summary : Mesa libGL runtime libraries and DRI drivers  
Description :  
Mesa libGL runtime library.

Name : festival-speechtools-libs Relocations: (not relocatable)  
Version : 1.2.96 Vendor: CentOS  
Release : 18.el6 Build Date: Thu 11 Nov 2010 02:43:14 AM  
EST

Install Date: Tue 06 Aug 2013 05:18:45 PM EDT Build Host:

c6b4.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
festival-1.96-18.el6.src.rpm  
Size : 3438954 License: MIT and GPL+ and TCL  
Signature : RSA/8, Sun 03 Jul 2011 12:14:13 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cstr.ed.ac.uk/projects/festival/>  
Summary : The Edinburgh Speech Tools Libraries  
Description :  
The Edinburgh Speech Tools Libraries, used by the Festival text-to-speech  
and speech synthesis system.

Name : libXtst Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:19:18 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: libXtst-1.2.1-2.el6.src.rpm  
Size : 59596 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:14 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXtst runtime library  
Description :  
X.Org X11 libXtst runtime library

Name : mesa-libGLU Relocations: (not relocatable)  
Version : 9.0 Vendor: CentOS  
Release : 0.7.el6 Build Date: Fri 22 Feb 2013 02:02:15 AM  
EST

Install Date: Tue 06 Aug 2013 05:21:01 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: mesa-9.0-0.7.el6.src.rpm  
Size : 522976 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mesa3d.org>  
Summary : Mesa libGLU runtime library  
Description :  
Mesa libGLU runtime library

Name : ConsoleKit Relocations: (not relocatable)  
Version : 0.4.1 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 10 Nov 2010 05:09:29 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:46 PM EDT Build Host:  
c5b2.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM:

ConsoleKit-0.4.1-3.el6.src.rpm

Size : 268885

License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:07:52 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>

Summary : System daemon for tracking users, sessions and seats

Description :

ConsoleKit is a system daemon for tracking what users are logged into the system and how they interact with the computer (e.g. which keyboard and mouse they use).

It provides asynchronous notification via the system message bus.

Name : libXinerama Relocations: (not relocatable)  
Version : 1.1.2 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:56:57 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host:

c6b9.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM:

libXinerama-1.1.2-2.el6.src.rpm

Size : 33161

License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:45 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : X.Org X11 libXinerama runtime library

Description :

X.Org X11 libXinerama runtime library

Name : plymouth Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:06 PM EDT Build Host:

c6b7.bsyz.dev.centos.org

Group : System Environment/Base Source RPM:

plymouth-0.8.3-27.el6.centos.src.rpm

Size : 193924

License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:09 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://freedesktop.org/software/plymouth/releases>

Summary : Graphical Boot Animation and Logger

Description :

Plymouth provides an attractive graphical boot animation in place of the text messages that normally get shown. Text messages are instead redirected to a log file for viewing after boot.

Name : xdg-utils Relocations: (not relocatable)  
Version : 1.0.2 Vendor: CentOS

Release : 17.20091016cvs.el6 Build Date: Fri 23 Sep 2011 02:36:52 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:47 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: xdg-utils-1.0.2-17.20091016cvs.el6.src.rpm  
Size : 212283 License: MIT  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:14 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://portland.freedesktop.org/>  
Summary : Basic desktop integration functions  
Description :

The xdg-utils package is a set of simple scripts that provide basic desktop integration functions for any Free Desktop, such as Linux. They are intended to provide a set of defacto standards.

This means that:

- \* Third party software developers can rely on these xdg-utils for all of their simple integration needs.
- \* Developers of desktop environments can make sure that their environments are well supported
- \* Distribution vendors can provide custom versions of these utilities

The following scripts are provided at this time:

- \* xdg-desktop-menu Install desktop menu items
- \* xdg-desktop-icon Install icons to the desktop
- \* xdg-icon-resource Install icon resources
- \* xdg-mime Query information about file type handling and install descriptions for new file types
- \* xdg-open Open a file or URL in the user's preferred application
- \* xdg-email Send mail using the user's preferred e-mail composer
- \* xdg-screensaver Control the screensaver

Name : procps Relocations: (not relocatable)  
Version : 3.2.8 Vendor: CentOS  
Release : 25.el6 Build Date: Thu 15 Nov 2012 08:54:14 AM EST  
Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Applications/System Source RPM: procps-3.2.8-25.el6.src.rpm  
Size : 465911 License: GPLv2+ and LGPLv2+  
Signature : RSA/SHA1, Thu 15 Nov 2012 09:57:08 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://procps.sourceforge.net>  
Summary : System and process monitoring utilities  
Description :

The procps package contains a set of system utilities that provide system information. Procps includes ps, free, skill, pkill, pgrep, snice, tload, top, uptime, vmstat, w, watch and pdwx. The ps command displays a snapshot of running processes. The top command provides a repetitive update of the statuses of running processes. The free command displays the amounts of free and used memory on your system. The skill command sends a terminate command (or another specified signal) to a specified set of processes. The snice command is used to change the scheduling priority of specified processes. The tload command prints a graph of the current system load average to a specified tty. The uptime command displays the current time, how long the system has been running, how many users are logged on, and system load averages for the past one, five, and fifteen minutes. The w command displays a list of the users who are currently logged on and what they are running. The watch program watches a running program. The vmstat command displays virtual memory statistics about processes, memory, paging, block I/O, traps, and CPU activity. The pdwx command reports the current working directory of a process or processes.

Name : openssh Relocations: (not relocatable)  
 Version : 5.3p1 Vendor: CentOS  
 Release : 84.1.el6 Build Date: Thu 21 Feb 2013 10:51:49 PM  
 EST  
 Install Date: Tue 06 Aug 2013 05:21:07 PM EDT Build Host:  
 c6b9.bsys.dev.centos.org  
 Group : Applications/Internet Source RPM:  
 openssh-5.3p1-84.1.el6.src.rpm  
 Size : 675617 License: BSD  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:27 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.openssh.com/portable.html>  
 Summary : An open source implementation of SSH protocol versions 1 and 2  
 Description :  
 SSH (Secure SHell) is a program for logging into and executing  
 commands on a remote machine. SSH is intended to replace rlogin and  
 rsh, and to provide secure encrypted communications between two  
 untrusted hosts over an insecure network. X11 connections and  
 arbitrary TCP/IP ports can also be forwarded over the secure channel.

OpenSSH is OpenBSD's version of the last free version of SSH, bringing it up to date in terms of security and features.

This package includes the core files necessary for both the OpenSSH client and server. To make this package useful, you should also install openssh-clients, openssh-server, or both.

Name : festival-lib Relocations: (not relocatable)  
 Version : 1.96 Vendor: CentOS  
 Release : 18.el6 Build Date: Thu 11 Nov 2010 02:43:14 AM  
 EST  
 Install Date: Tue 06 Aug 2013 05:18:48 PM EDT Build Host:  
 c6b4.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM:  
 festival-1.96-18.el6.src.rpm  
 Size : 1100862 License: MIT and GPL+ and TCL  
 Signature : RSA/8, Sun 03 Jul 2011 12:14:10 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.cstr.ed.ac.uk/projects/festival/>  
 Summary : Library for the Festival speech synthesis system  
 Description :  
 The shared library used by the Festival text-to-speech and speech synthesis system.

Name : avahi-libs Relocations: (not relocatable)  
 Version : 0.6.25 Vendor: CentOS  
 Release : 12.el6 Build Date: Thu 21 Feb 2013 05:22:11 PM  
 EST  
 Install Date: Tue 06 Aug 2013 05:17:43 PM EDT Build Host:  
 c6b7.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: avahi-0.6.25-12.el6.src.rpm  
 Size : 114824 License: LGPLv2  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://avahi.org>  
 Summary : Libraries for avahi run-time use  
 Description :  
 The avahi-libs package contains the libraries needed to run programs that use avahi.

Name : kbd Relocations: (not relocatable)  
 Version : 1.15 Vendor: CentOS  
 Release : 11.el6 Build Date: Thu 11 Nov 2010 03:45:43 PM

EST

Install Date: Tue 06 Aug 2013 05:21:10 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: kbd-1.15-11.el6.src.rpm  
Size : 991792 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:27:01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>  
Summary : Tools for configuring the console (keyboard, virtual terminals, etc.)  
Description :  
The kbd package contains tools for managing a Linux system's console's behavior, including the keyboard, the screen fonts, the virtual terminals and font files.

Name : ppp Relocations: (not relocatable)  
Version : 2.4.5 Vendor: CentOS  
Release : 5.el6 Build Date: Sun 22 Aug 2010 07:22:23 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:50 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM: ppp-2.4.5-5.el6.src.rpm  
Size : 777793 License: BSD and LGPLv2+ and GPLv2+  
and Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:57:52 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.samba.org/ppp>  
Summary : The Point-to-Point Protocol daemon  
Description :

The ppp package contains the PPP (Point-to-Point Protocol) daemon and documentation for PPP support. The PPP protocol provides a method for transmitting datagrams over serial point-to-point links. PPP is usually used to dial in to an ISP (Internet Service Provider) or other organization over a modem and phone line.

Name : libgpg-error Relocations: (not relocatable)  
Version : 1.7 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 07 Dec 2011 12:37:21 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:43 PM EDT Build Host:  
c6b18n3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libgpg-error-1.7-4.el6.src.rpm  
Size : 214321 License: LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:17:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.gnupg.org/gcrypt/libgpg-error/>  
Summary : Library for error values used by GnuPG components  
Description :

This is a library that defines common error values for all GnuPG components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgpcrypt, pinentry, SmartCard Daemon and possibly more in the future.

Name : rarian-compat Relocations: (not relocatable)  
Version : 0.8.1 Vendor: CentOS  
Release : 5.1.el6 Build Date: Wed 18 Aug 2010 07:01:23 PM  
EDT

Install Date: Tue 06 Aug 2013 05:21:10 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: rarian-0.8.1-5.1.el6.src.rpm  
Size : 246289 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:00:04 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://rarian.freedesktop.org/>  
Summary : Extra files for compatibility with scrollkeeper



Descripti on :

This package contains files needed to maintain backward-compatibility with scrollkeeper.

Name : wpa\_suppl icant Rel ocations: (not rel ocatabl e)  
Versi on : 0.7.3 Vendor: CentOS  
Rel ease : 4.el 6\_3 Buil d Date: Mon 04 Feb 2013 07:50:58 AM  
EST

Install Date: Tue 06 Aug 2013 05:18:51 PM EDT Buil d Host:  
c6b7.bsys.dev.centos.org

Group : System Envi ronment/Base Source RPM:  
wpa\_suppl icant-0.7.3-4.el 6\_3.src.rpm  
Si ze : 960335 License: BSD  
Si gnature : RSA/SHA1, Mon 04 Feb 2013 08:06:40 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <<http://bugs.centos.org>>  
URL : [http://w1.fi/wpa\\_suppl icant/](http://w1.fi/wpa_suppl icant/)  
Summary : WPA/WPA2/IEEE 802.1X Suppl icant

Descripti on :

wpa\_suppl icant is a WPA Suppl icant for Linux, BSD and Windows with support for WPA and WPA2 (IEEE 802.11i / RSN). Suppl icant is the IEEE 802.1X/WPA component that is used in the client stations. It implements key negotiation with a WPA Authenticator and it controls the roaming and IEEE 802.11 authentication/association of the wlan driver.

Name : libXxf86vm Rel ocations: (not rel ocatabl e)  
Versi on : 1.1.2 Vendor: CentOS  
Rel ease : 2.el 6 Buil d Date: Thu 21 Feb 2013 02:26:13 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Buil d Host:  
c6b9.bsys.dev.centos.org

Group : System Envi ronment/Li braries Source RPM:  
libXxf86vm-1.1.2-2.el 6.src.rpm  
Si ze : 39551 License: MIT  
Si gnature : RSA/SHA1, Sat 23 Feb 2013 12:41:51 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86vm runtime li brary

Descripti on :

X.Org X11 libXxf86vm runtime li brary

Name : gnome-user-docs Rel ocations: (not rel ocatabl e)  
Versi on : 2.28.0 Vendor: CentOS  
Rel ease : 4.el 6 Buil d Date: Thu 11 Nov 2010 07:52:35 AM  
EST

Install Date: Tue 06 Aug 2013 05:21:21 PM EDT Buil d Host:  
c6b3.bsys.dev.centos.org

Group : Documentati on Source RPM:  
gnome-user-docs-2.28.0-4.el 6.src.rpm  
Si ze : 34066892 License: GFDL  
Si gnature : RSA/8, Sun 03 Jul 2011 12:11:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : GNOME User Documentati on

Descripti on :

This package contains end user documentati on for the GNOME desktop environment.

Name : fi pscheck-lib Rel ocations: (not rel ocatabl e)  
Versi on : 1.2.0 Vendor: CentOS  
Rel ease : 7.el 6 Buil d Date: Wed 07 Dec 2011 02:13:53 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:52 PM EDT Buil d Host:  
c6b18n3.bsys.dev.centos.org

Group : System Envi ronment/Li braries Source RPM:

fipscheck-1.2.0-7.el6.src.rpm

Size : 10353 License: BSD  
Signature : RSA/SHA1, Thu 08 Dec 2011 02:58:46 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/fipscheck/>  
Summary : Library files for fipscheck  
Description :  
This package contains the FIPSCheck library.

Name : pcre Relocations: (not relocatable)  
Version : 7.8 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 07 Sep 2012 07:03:41 AM EDT

Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Build Host:

c6b8.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: pcre-7.8-6.el6.src.rpm  
Size : 526268 License: BSD  
Signature : RSA/SHA1, Fri 07 Sep 2012 09:12:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.pcre.org/>  
Summary : Perl-compatible regular expression library  
Description :

Perl-compatible regular expression library.  
PCRE has its own native API, but a set of "wrapper" functions that are based on the POSIX API are also supplied in the library libpcreposix. Note that this just provides a POSIX calling interface to PCRE: the regular expressions themselves still follow Perl syntax and semantics. The header file for the POSIX-style functions is called pcreposix.h.

Name : dracut-kernel Relocations: (not relocatable)  
Version : 004 Vendor: CentOS  
Release : 303.el6 Build Date: Fri 22 Feb 2013 12:03:50 AM EST

Install Date: Tue 06 Aug 2013 05:21:24 PM EDT Build Host:

c6b7.bsyz.dev.centos.org

Group : System Environment/Base Source RPM: dracut-004-303.el6.src.rpm  
Size : 202 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:10 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://apps.sourceforge.net/trac/dracut/wiki>  
Summary : Metapackage to build generic initramfs with dracut with only kernel modules  
Description :

This package requires everything which is needed to build a initramfs with all kernel modules and firmware files needed by dracut modules.

Name : ghostscript Relocations: (not relocatable)  
Version : 8.15.2 Vendor: CentOS  
Release : 9.12.el5\_5 Build Date: Thu 30 Sep 2010 07:07:38 PM EDT

Install Date: Tue 06 Aug 2013 05:19:01 PM EDT Build Host: builder10.centos.org

Group : Applications/Printing Source RPM:

ghostscript-8.15.2-9.12.el5\_5.src.rpm

Size : 19585060 License: GPL  
Signature : DSA/SHA1, Wed 03 Nov 2010 02:03:54 PM EDT, Key ID b36ebb982d22a9f4  
URL : <http://www.cups.org/espgs/>  
Summary : A PostScript(TM) interpreter and renderer.  
Description :

Ghostscript is a set of software that provides a PostScript(TM) interpreter, a set of C procedures (the Ghostscript library, which implements the graphics capabilities in the PostScript language) and an interpreter for Portable Document Format (PDF) files. Ghostscript translates PostScript code into many common, bitmapped formats, like those understood by your printer or screen. Ghostscript is normally

used to display PostScript files and to print PostScript files to non-PostScript printers.

If you need to display PostScript files or print them to non-PostScript printers, you should install ghostscript. If you install ghostscript, you also need to install the ghostscript-fonts package.

Name : keyutils-libs Relocations: (not relocatable)  
Version : 1.4 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Jun 2012 02:20:38 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:45 PM EDT Build Host: c6b10.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: keyutils-1.4-4.el6.src.rpm  
Size : 36624 License: GPLv2+ and LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:51 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/~dhowells/keyutils/>  
Summary : Key utilities library  
Description :  
This package provides a wrapper library for the key management facility system calls.

Name : dmraid Relocations: (not relocatable)  
Version : 1.0.0.rc16 Vendor: CentOS  
Release : 11.el6 Build Date: Fri 22 Jun 2012 03:58:31 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:24 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM:  
dmraid-1.0.0.rc16-11.el6.src.rpm  
Size : 338535 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:21 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/heimzm/sw/dmraid>  
Summary : dmraid (Device-mapper RAID tool and library)  
Description :  
DMRAID supports RAID device discovery, RAID set activation, creation, removal, rebuild and display of properties for ATARAID/DDF1 metadata on Linux >= 2.4 using device-mapper.

Name : cvs Relocations: (not relocatable)  
Version : 1.11.23 Vendor: CentOS  
Release : 15.el6 Build Date: Fri 21 Sep 2012 10:20:53 AM EDT  
Install Date: Tue 06 Aug 2013 05:19:02 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : Development/Tools Source RPM: cvs-1.11.23-15.el6.src.rpm  
Size : 1590551 License: GPL+ and GPLv2+ and LGPL+  
Signature : RSA/SHA1, Fri 21 Sep 2012 11:27:42 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cvshome.org/>  
Summary : A version control system  
Description :  
CVS (Concurrent Versions System) is a version control system that can record the history of your files (usually, but not always, source code). CVS only stores the differences between versions, instead of every version of every file you have ever created. CVS also keeps a log of who, when, and why changes occurred.

CVS is very helpful for managing releases and controlling the concurrent editing of source files among multiple authors. Instead of providing version control for a collection of files in a single

directory, CVS provides version control for a hierarchical collection of directories consisting of revision controlled files. These directories and files can then be combined together to form a software release.

Name : psmisc Relocations: (not relocatable)  
Version : 22.6 Vendor: CentOS  
Release : 15.el6\_0.1 Build Date: Sat 25 Jun 2011 02:02:12 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:46 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Applications/System Source RPM: psmisc-22.6-15.el6\_0.1.src.rpm  
Size : 222302 License: GPLv2+  
Signature : RSA/8, Tue 05 Jul 2011 09:45:24 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/psmisc>  
Summary : Utilities for managing processes on your system  
Description :  
The psmisc package contains utilities for managing processes on your system: pstree, killall and fuser. The pstree command displays a tree structure of all of the running processes on your system. The killall command sends a specified signal (SIGTERM if nothing is specified) to processes identified by name. The fuser command identifies the PIDs of processes that are using specified files or filesystems.

Name : gnome-disk-utility-libs Relocations: (not relocatable)  
Version : 2.30.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 05:42:24 AM EST  
Install Date: Tue 06 Aug 2013 05:21:26 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: gnome-disk-utility-2.30.1-2.el6.src.rpm  
Size : 6398590 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:17:53 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.gnome.org/cgi/t/gnome-disk-utility>  
Summary : Shared libraries used by Palimpsest  
Description :  
This package contains libraries that are used by the Palimpsest disk management application. The libraries in this package do not contain UI-related code.

Name : mailx Relocations: (not relocatable)  
Version : 12.4 Vendor: CentOS  
Release : 6.el6 Build Date: Sun 22 Aug 2010 09:40:18 AM EDT  
Install Date: Tue 06 Aug 2013 05:19:02 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : Applications/Internet Source RPM: mailx-12.4-6.el6.src.rpm  
Size : 462852 License: BSD with advertising and MPLv1.1  
Signature : RSA/8, Sun 03 Jul 2011 12:44:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://heirloom.sourceforge.net/mailx.html>  
Summary : Enhanced implementation of the mailx command  
Description :  
Mailx is an enhanced mail command, which provides the functionality of the POSIX mailx command, as well as SysV mail and Berkeley Mail (from which it is derived).

Additionally to the POSIX features, mailx can work with Maildir/ e-mail storage format (as well as mailboxes), supports IMAP, POP3 and SMTP

protocols (including over SSL) to operate with remote hosts, handles mime types and different charsets. There are a lot of other useful features, see mailx(1).

And as its ancient analogues, mailx can be used as a mail script language, both for sending and receiving mail.

Besides the "mailx" command, this package provides "mail" and "Mail" (which should be compatible with its predecessors from the mailx-8.x source), as well as "nail" (the initial name of this project).

```
Name       : libcap-ng                Relocations: (not relocatable)
Version    : 0.6.4                    Vendor: CentOS
Release    : 3.el6_0.1                Build Date: Fri 24 Jun 2011 11:49:32 PM
EDT
Install Date: Tue 06 Aug 2013 05:17:47 PM EDT    Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Libraries    Source RPM:
libcap-ng-0.6.4-3.el6_0.1.src.rpm
Size       : 45214                    License: LGPLv2+
Signature  : RSA/8, Tue 05 Jul 2011 09:40:43 PM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://people.redhat.com/sgrubb/libcap-ng
Summary    : An alternate posix capabilities library
Description:
Libcap-ng is a library that makes using posix capabilities easier
```

```
Name       : cryptsetup-luks-libs    Relocations: (not relocatable)
Version    : 1.2.0                    Vendor: CentOS
Release    : 7.el6                    Build Date: Fri 22 Jun 2012 03:35:49 AM
EDT
Install Date: Tue 06 Aug 2013 05:21:29 PM EDT    Build Host:
c6b8.bsys.dev.centos.org
Group      : System Environment/Libraries    Source RPM:
cryptsetup-luks-1.2.0-7.el6.src.rpm
Size       : 94442                    License: GPLv2
Signature  : RSA/SHA1, Sun 24 Jun 2012 06:18:57 PM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://cryptsetup.googlecode.com/
Summary    : Cryptsetup shared library
Description:
This package contains the cryptsetup shared library, libcryptsetup.
```

```
Name       : GConf2                  Relocations: (not relocatable)
Version    : 2.28.0                   Vendor: CentOS
Release    : 6.el6                    Build Date: Mon 23 Aug 2010 03:49:14 AM
EDT
Install Date: Tue 06 Aug 2013 05:19:04 PM EDT    Build Host:
c6b2.bsys.dev.centos.org
Group      : System Environment/Base        Source RPM: GConf2-2.28.0-6.el6.src.rpm
Size       : 6076946                   License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:15:56 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://projects.gnome.org/gconf/
Summary    : A process-transparent configuration system
Description:
GConf is a process-transparent configuration database API used to store user preferences. It has pluggable backends and features to support workgroup administration.
```

```
Name       : dbus-x11                Relocations: (not relocatable)
Version    : 1.2.24                   Vendor: CentOS
Release    : 7.el6_3                  Build Date: Thu 13 Sep 2012 01:04:30 PM
EDT
```

Install Date: Tue 06 Aug 2013 05:17:47 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: dbus-1.2.24-7.el6\_3.src.rpm  
Size : 28915 License: GPLv2+ or AFL  
Signature : RSA/SHA1, Thu 13 Sep 2012 01:37:17 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : X11-requiring add-ons for D-BUS  
Description :  
D-BUS contains some tools that require Xlib to be installed, those are  
in this separate package so server systems need not install X.

Name : hal Relocations: (not relocatable)  
Version : 0.5.14 Vendor: CentOS  
Release : 11.el6 Build Date: Tue 19 Jul 2011 02:29:14 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:30 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: hal-0.5.14-11.el6.src.rpm  
Size : 1288767 License: AFL or GPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/Software/hal>  
Summary : Hardware Abstraction Layer  
Description :  
HAL is a daemon for collecting and maintaining information from several  
sources about the hardware on the system.

Name : curl Relocations: (not relocatable)  
Version : 7.19.7 Vendor: CentOS  
Release : 35.el6 Build Date: Fri 22 Feb 2013 01:06:45 AM  
EST  
Install Date: Tue 06 Aug 2013 05:19:05 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Applications/Internet Source RPM: curl-7.19.7-35.el6.src.rpm  
Size : 355395 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:40 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://curl.haxx.se/>  
Summary : A utility for getting files from remote servers (FTP, HTTP, and  
others)  
Description :  
cURL is a tool for getting files from HTTP, FTP, FILE, LDAP, LDAPS,  
DICT, TELNET and TFTP servers, using any of the supported protocols.  
cURL is designed to work without user interaction or any kind of  
interactivity. cURL offers many useful capabilities, like proxy support,  
user authentication, FTP upload, HTTP post, and file transfer resume.

Name : glibmm24 Relocations: (not relocatable)  
Version : 2.22.1 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 05:16:17 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
glibmm24-2.22.1-1.el6.src.rpm  
Size : 1169944 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:17:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gtkmm.sourceforge.net/>  
Summary : C++ interface for GTK2 (a GUI library for X)  
Description :  
glibmm provides a C++ interface to the GTK+ GLib low-level core  
library. Highlights include typesafe callbacks, widgets extensible via

inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : xorg-x11-drv-vesa Relocations: (not relocatable)  
Version : 2.3.2 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 03:17:30 PM EST  
Install Date: Tue 06 Aug 2013 05:21:31 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-vesa-2.3.2-4.el6.src.rpm  
Size : 26328 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:29 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 vesa video driver  
Description :  
X.Org X11 vesa video driver.

Name : libuser Relocations: (not relocatable)  
Version : 0.56.13 Vendor: CentOS  
Release : 5.el6 Build Date: Thu 05 Apr 2012 05:13:36 AM EDT  
Install Date: Tue 06 Aug 2013 05:19:07 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: libuser-0.56.13-5.el6.src.rpm  
Size : 1879447 License: LGPLv2+  
Signature : RSA/SHA1, Thu 05 Apr 2012 05:34:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/libuser/>  
Summary : A user and group account administration library  
Description :  
The libuser library implements a standardized interface for manipulating and administering user and group accounts. The library uses pluggable back-ends to interface to its data sources.

Sample applications modeled after those included with the shadow password suite are included.

Name : libtheora Relocations: (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 03:56:21 PM EST  
Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host: c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libtheora-1.1.0-2.el6.src.rpm  
Size : 466989 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:39:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.theora.org>  
Summary : Theora Video Compression Codec  
Description :  
Theora is Xiph.Org's first publicly released video codec, intended for use within the Ogg's project's Ogg multimedia streaming system. Theora is derived directly from On2's VP3 codec; currently the two are nearly identical, varying only in encapsulating decoder tables in the bitstream headers, but Theora will make use of this extra freedom in the future to improve over what is possible with VP3.

Name : gnome-settings-daemon Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 30.el6 Build Date: Thu 21 Feb 2013 11:17:51 PM

EST

Install Date: Tue 06 Aug 2013 05:21:32 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
gnome-settings-daemon-2.28.2-30.el6.src.rpm  
Size : 3069493 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:57 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-settings-daemon>  
Summary : The daemon sharing settings from GNOME to GTK+/KDE applications  
Description :  
A daemon to share settings from GNOME to other applications. It also  
handles global keybindings, as well as a number of desktop-wide settings.

Name : gnupg2 Relocations: (not relocatable)  
Version : 2.0.14 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 07:50:42 AM  
EST

Install Date: Tue 06 Aug 2013 05:19:08 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : Applications/System Source RPM: gnupg2-2.0.14-4.el6.src.rpm  
Size : 6088924 License: GPLv3+  
Signature : RSA/8, Sun 03 Jul 2011 12:19:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnupg.org/>  
Summary : Utility for secure communication and data storage  
Description :  
GnuPG is GNU's tool for secure communication and data storage. It can  
be used to encrypt data and to create digital signatures. It includes  
an advanced key management facility and is compliant with the proposed  
OpenPGP Internet standard as described in RFC2440 and the S/MIME  
standard as described by several RFCs.

GnuPG 2.0 is a newer version of GnuPG with additional support for  
S/MIME. It has a different design philosophy that splits  
functionality up into several modules. The S/MIME and smartcard functionality  
is provided by the gnupg2-smime package.

Name : tar Relocations: (not relocatable)  
Version : 1.23 Vendor: CentOS  
Release : 11.el6 Build Date: Thu 21 Feb 2013 09:26:10 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:49 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org  
Group : Applications/Archiving Source RPM: tar-1.23-11.el6.src.rpm  
Size : 2616001 License: GPLv3+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:39 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/tar/>  
Summary : A GNU file archiving program  
Description :  
The GNU tar program saves many files together in one archive and can  
restore individual files (or all of the files) from that archive. Tar  
can also be used to add supplemental files to an archive and to update  
or list files in the archive. Tar includes multivolume support,  
automatic archive compression/decompression, the ability to perform  
remote archives, and the ability to perform incremental and full  
backups.

If you want to use tar for remote backups, you also need to install  
the rmt package.

Name : gnome-panel Relocations: (not relocatable)  
Version : 2.30.2 Vendor: CentOS



Release : 14. el 6 Build Date: Tue 19 Jul 2011 12:37:01 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:37 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM: gnome-panel-2.30.2-14.el6.src.rpm  
Size : 10968670 License: GPLv2+ and LGPLv2+ and GFDL  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:52 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : GNOME panel  
Description :  
The GNOME panel provides the window list, workspace switcher, menus, and other features for the GNOME desktop.

Name : jline Relocations: (not relocatable)  
Version : 0.9.94 Vendor: CentOS  
Release : 0.8.el6 Build Date: Sat 21 Aug 2010 09:50:25 PM EDT  
Install Date: Tue 06 Aug 2013 05:19:09 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: jline-0.9.94-0.8.el6.src.rpm  
Size : 86235 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:17:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jline.sf.net/>  
Summary : Java library for reading and editing user input in console applications  
Description :  
JLine is a java library for reading and editing user input in console applications. It features tab-completion, command history, password masking, customizable keybindings, and pass-through handlers to use to chain to other console applications.

Name : e2fsprogs-libs Relocations: (not relocatable)  
Version : 1.41.12 Vendor: CentOS  
Release : 14.el6 Build Date: Thu 21 Feb 2013 06:51:14 PM EST  
Install Date: Tue 06 Aug 2013 05:17:49 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: e2fsprogs-1.41.12-14.el6.src.rpm  
Size : 274473 License: GPLv2 and LGPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Ext2/3/4 filesystem-specific shared libraries  
Description :  
E2fsprogs-libs contains libe2p and libext2fs, the libraries of the e2fsprogs package.

These libraries are used to directly access ext2/3/4 filesystems from userspace.

Name : xorg-x11-drv-vmouse Relocations: (not relocatable)  
Version : 12.9.0 Vendor: CentOS  
Release : 10.el6 Build Date: Sat 23 Feb 2013 03:18:06 PM EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-vmouse-12.9.0-10.el6.src.rpm  
Size : 23211 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:33 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 vmmouse input driver  
Description :  
X.Org X11 vmmouse input driver.

Name : pax Relocations: (not relocatable)  
Version : 3.4 Vendor: CentOS  
Release : 10.1.el6 Build Date: Thu 19 Aug 2010 12:47:37 AM EDT

Install Date: Tue 06 Aug 2013 05:19:29 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Applications/Archiving Source RPM: pax-3.4-10.1.el6.src.rpm  
Size : 137868 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:54:09 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.suse.com/pub/people/kukuk/pax/>  
Summary : POSIX File System Archiver

Description :  
'pax' is the POSIX standard archive tool. It supports the two most common forms of standard Unix archive (backup) files - CPIO and TAR.

Name : pixman Relocations: (not relocatable)  
Version : 0.26.2 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 02:33:06 PM EST

Install Date: Tue 06 Aug 2013 05:17:51 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: pixman-0.26.2-4.el6.src.rpm  
Size : 557640 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:13 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cgit.freedesktop.org/pixman/>  
Summary : Pixel manipulation library

Description :  
Pixman is a pixel manipulation library for X and cairo.

Name : xorg-x11-drv-synaptics Relocations: (not relocatable)  
Version : 1.6.2 Vendor: CentOS  
Release : 11.el6 Build Date: Sat 23 Feb 2013 03:10:25 PM EST

Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-synaptics-1.6.2-11.el6.src.rpm  
Size : 120377 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 Synaptics touchpad input driver

Description :  
This is the Synaptics touchpad driver for the X.Org X server. The following touchpad models are supported:

- \* Synaptics
- \* appletouch (Post February 2005 and October 2005 Apple Aluminium Powerbooks)
- \* Elantech (EeePC)
- \* bcm5974 (Macbook Air (Jan 2008), Macbook Pro Penryn (Feb 2008), iPhone (2007), iPod Touch (2008))

Note that support for appletouch, elantech and bcm5974 requires the respective kernel module.

A touchpad by default operates in compatibility mode by emulating a standard mouse. However, by using a dedicated driver, more advanced features of the touchpad become available.

Features:

- \* Movement with adjustable, non-linear acceleration and speed.
- \* Button events through short touching of the touchpad ("tapping").
- \* Double-Button events through double short touching of the touchpad.
- \* Dragging through short touching and holding down the finger on the touchpad.
- \* Middle and right button events on the upper and lower corner of the touchpad.
- \* Vertical scrolling (button four and five events) through moving the finger on the right side of the touchpad.
- \* The up/down button sends button four/five events.
- \* Horizontal scrolling (button six and seven events) through moving the finger on the lower side of the touchpad.
- \* The multi-buttons send button four/five events, and six/seven events for horizontal scrolling.
- \* Adjustable finger detection.  
Multi finger taps: two finger for middle button and three finger for right button events. (Needs hardware support. Not all models implement this feature.)
- \* Run-time configuration using shared memory. This means you can change parameter settings without restarting the X server.

Name : dosfstools Relocations: (not relocatable)  
Version : 3.0.9 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 07 Dec 2011 09:55:10 AM  
EST  
Install Date: Tue 06 Aug 2013 05:19:30 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
dosfstools-3.0.9-4.el6.src.rpm  
Size : 201513 License: GPLv3+  
Signature : RSA/SHA1, Thu 08 Dec 2011 02:55:25 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.daniel-baumann.ch/software/dosfstools/>  
Summary : Utilities for making and checking MS-DOS FAT filesystems on Linux  
Description :  
The dosfstools package includes the mkdosfs and dosfsck utilities, which respectively make and check MS-DOS FAT filesystems on hard drives or on floppies.

Name : libtool-ltdl Relocations: (not relocatable)  
Version : 2.2.6 Vendor: CentOS  
Release : 15.5.el6 Build Date: Tue 24 Aug 2010 03:42:49 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:51 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libtool-2.2.6-15.5.el6.src.rpm  
Size : 64948 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:40:12 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/libtool/>  
Summary : Runtime libraries for GNU Libtool Dynamic Module Loader  
Description :  
The libtool-ltdl package contains the GNU Libtool Dynamic Module Loader, a library that provides a consistent, portable interface which simplifies the process of using dynamic modules.

These runtime libraries are needed by programs that link directly to the system-installed ltdl libraries; they are not needed by software built using the rest of the GNU Autotools (including GNU Autoconf and GNU Automake).

Name : xorg-x11-drv-savage Relocations: (not relocatable)  
Version : 2.3.6 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 03:05:53 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-savage-2.3.6-2.el6.src.rpm  
Size : 144853 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 savage video driver  
Description :  
X.Org X11 savage video driver.

Name : libchewing Relocations: (not relocatable)  
Version : 0.3.2 Vendor: CentOS  
Release : 27.el6 Build Date: Sun 22 Aug 2010 07:20:47 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:19:31 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libchewing-0.3.2-27.el6.src.rpm  
Size : 5025892 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:32:31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://chewing.csie.net/>  
Summary : Intelligent phonetic input method library for Traditional Chinese  
Description :  
libchewing is an intelligent phonetic input method library for Chinese.

It provides the core algorithm and logic that can be used by various input methods. The Chewing input method is a smart bopomofo phonetics input method that is useful for inputting Mandarin Chinese.

Name : file Relocations: (not relocatable)  
Version : 5.04 Vendor: CentOS  
Release : 15.el6 Build Date: Thu 04 Oct 2012 10:51:20 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:52 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/File Source RPM: file-5.04-15.el6.src.rpm  
Size : 56567 License: BSD  
Signature : RSA/SHA1, Thu 04 Oct 2012 12:14:32 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.darwinsys.com/file/>  
Summary : A utility for determining file types  
Description :  
The file command is used to identify a particular file according to the type of data contained by the file. File can identify many different file types, including ELF binaries, system libraries, RPM packages, and different graphics formats.

Name : xorg-x11-drv-qxl Relocations: (not relocatable)  
Version : 0.1.0 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 03:01:56 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-qxl-0.1.0-4.el6.src.rpm  
Size : 162977 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:28 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 qxl video driver  
Description :  
X.Org X11 qxl video driver.

Name : numactl Relocations: (not relocatable)  
Version : 2.0.7 Vendor: CentOS  
Release : 6.el6 Build Date: Thu 21 Feb 2013 07:42:49 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:32 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: numactl-2.0.7-6.el6.src.rpm  
Size : 163054 License: LGPLv2/GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:15 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://oss.sgi.com/www/projects/libnuma/download>  
Summary : Library for tuning for Non Uniform Memory Access machines  
Description :  
Simple NUMA policy support. It consists of a numactl program to run  
other programs with a specific NUMA policy and a libnuma to do  
allocations with NUMA policy in applications.

Name : giflib Relocations: (not relocatable)  
Version : 4.1.6 Vendor: CentOS  
Release : 3.1.el6 Build Date: Thu 11 Nov 2010 04:03:51 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:53 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
giflib-4.1.6-3.1.el6.src.rpm  
Size : 81932 License: MIT  
Signature : RSA/SHA1, Sun 03 Jul 2011 12:16:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.sourceforge.net/projects/giflib/>  
Summary : Library for manipulating GIF format image files  
Description :  
The giflib package contains a shared library of functions for loading and  
saving GIF format image files. It is API and ABI compatible with libungif,  
the library which supported uncompressed GIFs while the Unisys LZW patent  
was in effect.

Name : xorg-x11-drv-mutouch Relocations: (not relocatable)  
Version : 1.3.0 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 02:53:20 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-mutouch-1.3.0-4.el6.src.rpm  
Size : 20158 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:04 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 mutouch input driver  
Description :  
X.Org X11 mutouch input driver.

Name : gtk2 Relocations: (not relocatable)  
Version : 2.18.9 Vendor: CentOS  
Release : 12.el6 Build Date: Thu 21 Feb 2013 11:43:14 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:34 PM EDT Build Host:  
c6b8.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: gtk2-2.18.9-12.el6.src.rpm  
Size : 12984204 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:12 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gtk.org>  
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X  
Description :  
GTK+ is a multi-platform toolkit for creating graphical user interfaces. Offering a complete set of widgets, GTK+ is suitable for projects ranging from small one-off tools to complete application suites.

Name : xcb-util Relocations: (not relocatable)  
Version : 0.3.6 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 17 Aug 2010 06:52:27 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:54 PM EDT Build Host:

c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
xcb-util-0.3.6-1.el6.src.rpm  
Size : 110213 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 01:05:34 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xcb.freedesktop.org>  
Summary : Convenience libraries sitting on top of libxcb  
Description :  
The xcb-util module provides a number of libraries which sit on top of libxcb, the core X protocol library, and some of the extension libraries. These experimental libraries provide convenience functions and interfaces which make the raw X protocol more usable. Some of the libraries also provide client-side code which is not strictly part of the X protocol but which have traditionally been provided by Xlib.

Name : xorg-x11-drv-mach64 Relocations: (not relocatable)  
Version : 6.9.3 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 02:46:27 PM EST

Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-mach64-6.9.3-4.el6.src.rpm  
Size : 133761 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 mach64 video driver  
Description :  
X.Org X11 mach64 video driver.

Name : sinjdoc Relocations: (not relocatable)  
Version : 0.5 Vendor: CentOS  
Release : 9.1.el6 Build Date: Wed 18 Aug 2010 06:03:52 PM EDT

Install Date: Tue 06 Aug 2013 05:19:41 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : Development/Tools Source RPM: sinjdoc-0.5-9.1.el6.src.rpm  
Size : 2444702 License: GPL+  
Signature : RSA/8, Sun 03 Jul 2011 01:02:03 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cscott.net/Projects/GJ/sinjdoc-latest/>  
Summary : Documentation generator for Java source code  
Description :  
This package contains Sinjdoc a tool for generating Javadoc-style documentation from Java source code

Name : bc Relocations: (not relocatable)  
Version : 1.06.95 Vendor: CentOS  
Release : 1.el6 Build Date: Wed 10 Nov 2010 08:18:13 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:54 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Applications/Engineering Source RPM: bc-1.06.95-1.el6.src.rpm  
Size : 217289 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:04:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/bc/>  
Summary : GNU's bc (a numeric processing language) and dc (a calculator)  
Description :  
The bc package includes bc and dc. Bc is an arbitrary precision  
numeric processing arithmetic language. Dc is an interactive  
arbitrary precision stack based calculator, which can be used as a  
text mode calculator.

Install the bc package if you need its number handling capabilities or  
if you would like to use its text mode calculator.

Name : xorg-x11-drv-hyperpen Relocations: (not relocatable)  
Version : 1.4.1 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 02:39:37 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-hyperpen-1.4.1-4.el6.src.rpm  
Size : 18320 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:27 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 hyperpen input driver  
Description :  
X.Org X11 hyperpen input driver.

Name : libgnomecanvas Relocations: (not relocatable)  
Version : 2.26.0 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 03:38:39 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:43 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libgnomecanvas-2.26.0-4.el6.src.rpm  
Size : 926463 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:34:18 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : GnomeCanvas widget  
Description :  
The canvas widget allows you to create custom displays using stock items  
such as circles, lines, text, and so on. It was originally a port of the  
Tk canvas widget but has evolved quite a bit over time.

Name : ORBit2 Relocations: (not relocatable)  
Version : 2.14.17 Vendor: CentOS  
Release : 3.2.el6\_3 Build Date: Tue 13 Nov 2012 07:17:18 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:55 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
ORBit2-2.14.17-3.2.el6\_3.src.rpm

Size : 594234 License: LGPLv2+ and GPLv2+  
Signature : RSA/SHA1, Tue 13 Nov 2012 10:25:33 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/projects/ORBit2>  
Summary : A high-performance CORBA Object Request Broker  
Description :  
ORBit is a high-performance CORBA (Common Object Request Broker Architecture) ORB (object request broker). It allows programs to send requests and receive replies from other programs, regardless of the locations of the two programs. CORBA is an architecture that enables communication between program objects, regardless of the programming language they're written in or the operating system they run on.

You will need to install this package and ORBit-devel if you want to write programs that use CORBA technology.

Name : xorg-x11-drv-elographics Relocations: (not relocatable)  
Version : 1.4.1 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 02:32:07 PM EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-elographics-1.4.1-2.el6.src.rpm  
Size : 18284 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:49 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 elographics input driver  
Description :  
X.Org X11 elographics input driver.

Name : libgnomekbd Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 10:50:26 AM EST  
Install Date: Tue 06 Aug 2013 05:19:53 PM EDT Build Host: c5b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libgnomekbd-2.28.2-2.el6.src.rpm  
Size : 537707 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:34:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gswitchit.sourceforge.net>  
Summary : A keyboard configuration library  
Description :  
The libgnomekbd package contains a GNOME library which manages keyboard configuration and offers various widgets related to keyboard configuration.

Name : libselinux-utils Relocations: (not relocatable)  
Version : 2.0.94 Vendor: CentOS  
Release : 5.3.el6 Build Date: Fri 22 Jun 2012 03:51:44 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:56 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: libselinux-2.0.94-5.3.el6.src.rpm  
Size : 62593 License: Public Domain  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:19 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.selinuxproject.org>  
Summary : SELinux libselinux utilities



Descripti on :

The libselinux-utils package contains the utilities

Name : xorg-x11-drv-apm Rel ocations: (not rel ocatabl e)  
Versi on : 1. 2. 5 Vendor: CentOS  
Rel ease : 5. el 6 Buil d Date: Sat 23 Feb 2013 02: 24: 00 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 21: 43 PM EDT Buil d Host:  
c6b7. bsys. dev. centos. org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-apm-1. 2. 5-5. el 6. src. rpm  
Si ze : 38415 License: MIT  
Signat ure : RSA/SHA1, Sat 23 Feb 2013 04: 13: 30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://www. x. org  
Summary : Xorg X11 apm video dri ver  
Descripti on :  
X. Org X11 apm video dri ver.

Name : log4j Rel ocations: (not rel ocatabl e)  
Versi on : 1. 2. 14 Vendor: CentOS  
Rel ease : 6. 4. el 6 Buil d Date: Thu 11 Nov 2010 09: 17: 47 AM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 19: 55 PM EDT Buil d Host:  
c6b4. bsys. dev. centos. org  
Group : System/Loggi ng Source RPM: log4j -1. 2. 14-6. 4. el 6. src. rpm  
Si ze : 2071216 License: ASL 2. 0  
Signat ure : RSA/8, Sun 03 Jul 2011 12: 43: 17 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://loggi ng. apache. org/log4j  
Summary : Java loggi ng package  
Descripti on :  
Log4j is a tool to help the programmer output log statements to a  
variety of output targets.

Name : e2fsprogs Rel ocations: (not rel ocatabl e)  
Versi on : 1. 41. 12 Vendor: CentOS  
Rel ease : 14. el 6 Buil d Date: Thu 21 Feb 2013 06: 51: 14 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 17: 56 PM EDT Buil d Host:  
c6b7. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM:  
e2fsprogs-1. 41. 12-14. el 6. src. rpm  
Si ze : 2016016 License: GPLv2  
Signat ure : RSA/SHA1, Sat 23 Feb 2013 12: 41: 10 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://e2fsprogs. sourceforge. net/  
Summary : Utilities for managing ext2, ext3, and ext4 filesystems  
Descripti on :  
The e2fsprogs package contains a number of utilities for creating,  
checking, modi fying, and correcti ng any inconsisti encies in second,  
third and fourth extended (ext2/ext3/ext4) filesystems. E2fsprogs  
contains e2fsck (used to repair filesystem inconsisti encies after an  
unclean shutdown), mke2fs (used to initialize a partition to contain  
an empty ext2 filesystem), debugfs (used to examine the internal  
structure of a filesystem, to manually repair a corrupted  
filesystem, or to create test cases for e2fsck), tune2fs (used to  
modi fy filesystem parameters), and most of the other core ext2fs  
filesystem utilities.

You should instal l the e2fsprogs package if you need to manage the  
performance of an ext2, ext3, or ext4 filesystem.

Name : plymouth-gdm-hooks Rel ocations: (not rel ocatabl e)  
Page 113

Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:43 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 171 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth GDM integration  
Description :  
This package contains support files for integrating Plymouth with GDM  
Namely, it adds hooks to show boot messages at the login screen in the  
event start-up services fail.

Name : notification-daemon Relocations: (not relocatable)  
Version : 0.5.0 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 05:47:23 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:56 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
notification-daemon-0.5.0-1.el6.src.rpm  
Size : 186642 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:47:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://live.gnome.org/NotificationDaemon>  
Summary : Desktop Notification Daemon  
Description :  
notification-daemon is the server implementation of the freedesktop.org desktop  
notification specification. Notifications can be used to inform the user  
about an event or display some form of information without getting in the  
user's way.

Name : libfontenc Relocations: (not relocatable)  
Version : 1.0.5 Vendor: CentOS  
Release : 2.el6 Build Date: Tue 17 Aug 2010 03:40:00 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libfontenc-1.0.5-2.el6.src.rpm  
Size : 40605 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:33:41 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libfontenc runtime library  
Description :  
X.Org X11 libfontenc runtime library

Name : setuptool Relocations: (not relocatable)  
Version : 1.19.9 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 25 Aug 2010 04:01:08 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:45 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
setuptool-1.19.9-3.el6.src.rpm  
Size : 141644 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:01:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.fedorahosted.org/git/?p=setuptool.git>

Summary : A text mode system configuration tool  
Description :  
Setuptools is a user-friendly text mode menu utility which allows you to access all of the text mode configuration programs included in the operating system distribution.

Name : polkit-gnome Relocations: (not relocatable)  
Version : 0.96 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 25 Aug 2010 11:50:13 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:00 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : Applications/System Source RPM: polkit-gnome-0.96-3.el6.src.rpm  
Size : 384963 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:57:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>  
Summary : PolicyKit integration for the GNOME desktop  
Description :  
polkit-gnome provides an authentication agent for PolicyKit that matches the look and feel of the GNOME desktop.

Name : libedit Relocations: (not relocatable)  
Version : 2.11 Vendor: CentOS  
Release : 4.20080712cvs.1.el6 Build Date: Thu 19 Aug 2010 04:42:00 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libedit-2.11-4.20080712cvs.1.el6.src.rpm  
Size : 185648 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:33:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.thrysoee.dk/editline/>  
Summary : The NetBSD Editline library  
Description :  
Libedit is an autotool- and libtoolized port of the NetBSD Editline library. It provides generic line editing, history, and tokenization functions, similar to those found in GNU Readline.

Name : hplip-common Relocations: (not relocatable)  
Version : 3.12.4 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Feb 2013 12:53:55 AM EST  
Install Date: Tue 06 Aug 2013 05:21:45 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: hplip-3.12.4-4.el6.src.rpm  
Size : 913858 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:59 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://hplip.sourceforge.net/>  
Summary : Files needed by the HPLIP printer and scanner drivers  
Description :  
Files needed by the HPLIP printer and scanner drivers.

Name : pangomm Relocations: (not relocatable)  
Version : 2.26.0 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 17 Aug 2010 07:04:25 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:01 PM EDT Build Host: c6b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: pangomm-2.26.0-1.el6.src.rpm

Size : 227578 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:53:55 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gtkmm.sourceforge.net/>  
Summary : C++ interface for Pango  
Description :  
pangomm provides a C++ interface to the Pango library. Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : dmi decode Relocations: (not relocatable)  
Version : 2.11 Vendor: CentOS  
Release : 2.el6 Build Date: Wed 07 Dec 2011 09:57:49 AM EST  
Install Date: Tue 06 Aug 2013 05:17:58 PM EDT Build Host: c6b18n3.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: dmi decode-2.11-2.el6.src.rpm  
Size : 192620 License: GPLv2+  
Signature : RSA/SHA1, Sat 10 Dec 2011 06:00:51 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.nongnu.org/dmi decode/>  
Summary : Tool to analyse BIOS DMI data  
Description :  
dmi decode reports information about x86 & ia64 hardware as described in the system BIOS according to the SMBIOS/DMI standard. This information typically includes system manufacturer, model name, serial number, BIOS version, asset tag as well as a lot of other details of varying level of interest and reliability depending on the manufacturer.

This will often include usage status for the CPU sockets, expansion slots (e.g. AGP, PCI, ISA) and memory module slots, and the list of I/O ports (e.g. serial, parallel, USB).

Name : hplip-libs Relocations: (not relocatable)  
Version : 3.12.4 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Feb 2013 12:53:55 AM EST  
Install Date: Tue 06 Aug 2013 05:21:47 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: hplip-3.12.4-4.el6.src.rpm  
Size : 342768 License: GPLv2+ and MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://hplip.sourceforge.net/>  
Summary : HPLIP Libraries  
Description :  
Libraries needed by HPLIP.

Name : gnome-media Relocations: (not relocatable)  
Version : 2.29.91 Vendor: CentOS  
Release : 6.el6 Build Date: Thu 11 Nov 2010 06:30:23 AM EST  
Install Date: Tue 06 Aug 2013 05:20:03 PM EDT Build Host: c6b3.bsyz.dev.centos.org  
Group : Applications/Multimedia Source RPM: gnome-media-2.29.91-6.el6.src.rpm  
Size : 1207587 License: GPLv2+ and GFDL  
Signature : RSA/8, Sun 03 Jul 2011 12:18:10 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : GNOME media programs  
Description :  
This package contains a few media utilities for the GNOME desktop,

including a volume control and a configuration utility for audio profiles.

Name : libusb1 Relocations: (not relocatable)  
Version : 1.0.9 Vendor: CentOS  
Release : 0.6.rc1.el6 Build Date: Thu 21 Feb 2013 03:44:52 PM EST  
Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libusb1-1.0.9-0.6.rc1.el6.src.rpm  
Size : 206072 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:04 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://libusb.wiki.sourceforge.net/Libusb1.0>  
Summary : A library which allows userspace access to USB devices  
Description :  
This package provides a way for applications to access USB devices. Note that this library is not compatible with the original libusb-0.1 series.

Name : ntpdate Relocations: (not relocatable)  
Version : 4.2.4p8 Vendor: CentOS  
Release : 3.el6.centos Build Date: Fri 22 Feb 2013 06:23:34 AM EST  
Install Date: Tue 06 Aug 2013 05:21:49 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Applications/System Source RPM: ntp-4.2.4p8-3.el6.centos.src.rpm  
Size : 75761 License: (MIT and BSD and BSD with advertising) and GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.ntp.org>  
Summary : Utility to set the date and time via NTP  
Description :  
ntpdate is a program for retrieving the date and time from NTP servers.

Name : ecj Relocations: (not relocatable)  
Version : 3.4.2 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 10 Nov 2010 11:56:49 PM EST  
Install Date: Tue 06 Aug 2013 05:20:05 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : Development/Languages Source RPM: ecj-3.4.2-6.el6.src.rpm  
Size : 7695823 License: EPL  
Signature : RSA/8, Sun 03 Jul 2011 12:10:52 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.eclipse.org>  
Summary : Eclipse Compiler for Java  
Description :  
ECJ is the Java bytecode compiler of the Eclipse Platform. It is also known as the JDT Core batch compiler.

Name : liboil Relocations: (not relocatable)  
Version : 0.3.16 Vendor: CentOS  
Release : 4.1.el6 Build Date: Thu 19 Aug 2010 03:46:50 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: liboil-0.3.16-4.1.el6.src.rpm  
Size : 593601 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:37:31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://liboil.freedesktop.org/>  
Summary : Library of Optimized Inner Loops, CPU optimized functions  
Description :  
Liboil is a library of simple functions that are optimized for various CPUs. These functions are generally loops implementing simple algorithms, such as converting an array of N integers to floating-point numbers or multiplying and summing an array of N numbers. Clearly such functions are candidates for significant optimization using various techniques, especially by using extended instructions provided by modern CPUs (AltiVec, MMX, SSE, etc.).

Name : system-config-keyboard Relocations: (not relocatable)  
Version : 1.3.1 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Jun 2012 03:07:49 AM EDT

Install Date: Tue 06 Aug 2013 05:21:51 PM EDT Build Host: c6b10.bsys.dev.centos.org

Group : System Environment/Base Source RPM:  
system-config-keyboard-1.3.1-4.el6.src.rpm  
Size : 46679 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:14 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/system-config-keyboard/>  
Summary : A graphical interface for modifying the keyboard  
Description :

system-config-keyboard is a graphical user interface that allows the user to change the default keyboard of the system.

Name : regexp Relocations: (not relocatable)  
Version : 1.5 Vendor: CentOS  
Release : 4.4.el6 Build Date: Fri 20 Aug 2010 10:53:38 PM EDT

Install Date: Tue 06 Aug 2013 05:20:08 PM EDT Build Host: c6b4.bsys.dev.centos.org

Group : Development/Libraries/Java Source RPM: regexp-1.5-4.4.el6.src.rpm  
Size : 253985 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 01:00:18 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jakarta.apache.org/regexp/>  
Summary : Simple regular expressions API  
Description :

Regexp is a 100% Pure Java Regular Expression package that was graciously donated to the Apache Software Foundation by Jonathan Locke. He originally wrote this software back in 1996 and it has stood up quite well to the test of time.

It includes complete Javadoc documentation as well as a simple Applet for visual debugging and testing suite for compatibility.

Name : gdbm Relocations: (not relocatable)  
Version : 1.8.0 Vendor: CentOS  
Release : 36.el6 Build Date: Thu 11 Nov 2010 03:21:31 AM EST

Install Date: Tue 06 Aug 2013 05:18:02 PM EDT Build Host: c6b1.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: gdbm-1.8.0-36.el6.src.rpm  
Size : 48586 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:16:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/gdbm/>  
Summary : A GNU set of database routines which use extensible hashing  
Description :

Gdbm is a GNU database indexing library, including routines which use extensible hashing. Gdbm works in a similar way to standard UNIX dbm routines. Gdbm is useful for developers who write C applications and need access to a simple and efficient database or who are building C

applications which will use such a database.

If you're a C developer and your programs need access to simple database routines, you should install gdbm. You'll also need to install gdbm-devel.

```
Name       : dnsmasq                      Relocations: (not relocatable)
Version    : 2.48                          Vendor: CentOS
Release    : 13.el6                        Build Date: Thu 21 Feb 2013 11:40:04 PM
EST
Install Date: Tue 06 Aug 2013 05:21:52 PM EDT      Build Host:
c6b9.bsys.dev.centos.org
Group      : System Environment/Daemons      Source RPM: dnsmasq-2.48-13.el6.src.rpm
Size       : 300404                          License: GPLv2 or GPLv3
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:39:27 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.thekelleys.org.uk/dnsmasq/
Summary    : A lightweight DHCP/caching DNS server
Description:
Dnsmasq is lightweight, easy to configure DNS forwarder and DHCP server.
It is designed to provide DNS and, optionally, DHCP, to a small network.
It can serve the names of local machines which are not in the global
DNS. The DHCP server integrates with the DNS server and allows machines
with DHCP-allocated addresses to appear in the DNS with names configured
either in each host or in a central configuration file. Dnsmasq supports
static and dynamic DHCP leases and BOOTP for network booting of diskless
machines.
```

```
Name       : gnome-bluetoot-libs          Relocations: (not relocatable)
Version    : 2.28.6                        Vendor: CentOS
Release    : 8.el6                          Build Date: Thu 11 Nov 2010 05:32:41 AM
EST
Install Date: Tue 06 Aug 2013 05:20:11 PM EDT      Build Host:
c6b1.bsys.dev.centos.org
Group      : System Environment/Libraries      Source RPM:
gnome-bluetoot-2.28.6-8.el6.src.rpm
Size       : 168688                          License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:17:45 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://live.gnome.org/GnomeBluetoot
Summary    : GTK+ Bluetooth device selection widgets
Description:
This package contains libraries needed for applications that
want to display a Bluetooth device selection widget.
```

```
Name       : perl-Module-Pluggable        Relocations: (not relocatable)
Version    : 3.90                          Vendor: CentOS
Release    : 129.el6                        Build Date: Thu 21 Feb 2013 10:04:33 PM
EST
Install Date: Tue 06 Aug 2013 05:18:02 PM EDT      Build Host:
c6b7.bsys.dev.centos.org
Group      : Development/Libraries          Source RPM: perl-5.10.1-129.el6.src.rpm
Size       : 31031                          License: GPL+ or Artistic
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:41:54 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.perl.org/
Summary    : Automatically give your module the ability to have plugins
Description:
Provides a simple but, hopefully, extensible way of having 'plugins' for
your module.
```

```
Name       : postfix                      Relocations: (not relocatable)
Version    : 2.6.6                          Vendor: CentOS
Release    : 2.2.el6_1                      Build Date: Sat 03 Dec 2011 12:01:00 AM
```

EST

Install Date: Tue 06 Aug 2013 05:21:55 PM EDT Build Host:  
c6b18n3.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
postfix-2.6.6-2.el6\_1.src.rpm  
Size : 10144904 License: IBM  
Signature : RSA/SHA1, Wed 07 Dec 2011 01:15:02 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.postfix.org>  
Summary : Postfix Mail Transport Agent  
Description :  
Postfix is a Mail Transport Agent (MTA), supporting LDAP, SMTP AUTH (SASL),  
TLS

Name : libfprint Relocations: (not relocatable)  
Version : 0.1.0 Vendor: CentOS  
Release : 19.pre2.el6 Build Date: Fri 12 Nov 2010 04:36:44 AM  
EST

Install Date: Tue 06 Aug 2013 05:20:12 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libfprint-0.1.0-19.pre2.el6.src.rpm  
Size : 266950 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:33:46 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://www.reactivated.net/fprint/wiki/Main\\_Page](http://www.reactivated.net/fprint/wiki/Main_Page)  
Summary : Toolkit for fingerprint scanner  
Description :  
libfprint offers support for consumer fingerprint reader devices.

Name : perl-Params-Check Relocations: (not relocatable)  
Version : 0.26 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:09 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 25639 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Generic input parsing/checking mechanism  
Description :  
Params::Check is a generic input parsing/checking mechanism.

Name : redhat-lsb-core Relocations: (not relocatable)  
Version : 4.0 Vendor: CentOS  
Release : 7.el6.centos Build Date: Fri 22 Feb 2013 06:24:28 AM  
EST

Install Date: Tue 06 Aug 2013 05:21:56 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
redhat-lsb-4.0-7.el6.centos.src.rpm  
Size : 22825 License: GPL  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:49 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.linuxfoundation.org/colaborate/workgroups/lbs>  
Summary : LSB base libraries support for CentOS  
Description :  
The Linux Standard Base (LSB) Core Libraries Specifications define components  
that are required to be present on an LSB conforming system.

Name : gnome-themes Relocations: (not relocatable)  
Version : 2.28.1 Vendor: CentOS



Release : 6. el 6 Build Date: Thu 11 Nov 2010 07:22:28 AM EST  
Install Date: Tue 06 Aug 2013 05:20:17 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM: gnome-themes-2.28.1-6.el6.src.rpm  
Size : 13215383 License: LGPLv2 and GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:11:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-themes/>  
Summary : Themes for GNOME  
Description :  
The gnome-themes package contains a collection of desktop themes for GNOME. These themes can change the appearance of application widgets, icons, window borders, cursors, etc.

Name : perl-ExtUtils-ParseXS Relocations: (not relocatable)  
Version : 2.2003.0 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:18:10 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 62208 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:33 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Module and a script for converting Perl XS code into C code  
Description :  
ExtUtils::ParseXS will compile XS code into C code by embedding the constructs necessary to let C functions manipulate Perl values and creates the glue necessary to let Perl access those functions.

Name : system-config-firewall-base Relocations: (not relocatable)  
Version : 1.2.27 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 23 Sep 2011 01:04:13 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:58 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: system-config-firewall-1.2.27-5.el6.src.rpm  
Size : 2364002 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/system-config-firewall>  
Summary : system-config-firewall base components and command line tool  
Description :  
Base components of system-config-firewall with Iokkit, the command line tool for basic firewall setup.

Name : libbonoboui Relocations: (not relocatable)  
Version : 2.24.2 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 03:54:51 PM EST  
Install Date: Tue 06 Aug 2013 05:20:19 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libbonoboui-2.24.2-3.el6.src.rpm  
Size : 1264946 License: GPLv2+ and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:32:04 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : Bonobo user interface components  
Description :

Bonobo is a component system based on CORBA, used by the GNOME desktop. libbonoboui contains the user interface related components that come with Bonobo.

Name : openjpeg-libs Relocations: (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 9.el6\_3 Build Date: Mon 17 Sep 2012 01:16:19 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:10 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: openjpeg-1.3-9.el6\_3.src.rpm  
Size : 123200 License: BSD  
Signature : RSA/SHA1, Mon 17 Sep 2012 03:49:14 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openjpeg.org/>  
Summary : JPEG 2000 codec library  
Description :  
The openjpeg-libs package contains runtime libraries for applications that use OpenJPEG.

Name : mobile-broadband-provider-info Relocations: (not relocatable)  
Version : 1.20100122 Vendor: CentOS  
Release : 1.el6 Build Date: Sat 21 Aug 2010 03:34:49 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:58 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: mobile-broadband-provider-info-1.20100122-1.el6.src.rpm  
Size : 141009 License: Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:30:21 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://live.gnome.org/NetworkManager/MobileBroadband/ServiceProviders>  
Summary : Mobile broadband provider database  
Description :  
The mobile-broadband-provider-info package contains listings of mobile broadband (3G) providers and associated network and plan information.

Name : plymouth-plugin-label Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM EST  
Install Date: Tue 06 Aug 2013 05:20:19 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 9328 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth label plugin  
Description :  
This package contains the label control plugin for Plymouth. It provides the ability to render text on graphical boot splashes using pango and cairo.

Name : perl-IO-Compress-Zlib Relocations: (not relocatable)  
Version : 2.020 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm

Size : 369723 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Perl interface to allow reading and writing of gzip and zip data  
Description :  
This module provides an "IO::"-style Perl interface to "Compress::Zlib"

Name : kernel Relocations: (not relocatable)  
Version : 2.6.32 Vendor: CentOS  
Release : 358.el6 Build Date: Thu 21 Feb 2013 08:41:58 PM  
EST

Install Date: Tue 06 Aug 2013 05:22:12 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org

Group : System Environment/Kernel Source RPM:  
kernel-2.6.32-358.el6.src.rpm

Size : 121395701 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/>  
Summary : The Linux kernel  
Description :

The kernel package contains the Linux kernel (vmlinuz), the core of any Linux operating system. The kernel handles the basic functions of the operating system: memory allocation, process allocation, device input and output, etc.

Name : hdparm Relocations: (not relocatable)  
Version : 9.16 Vendor: CentOS  
Release : 3.4.el6 Build Date: Thu 11 Nov 2010 03:21:59 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:20 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org

Group : Applications/System Source RPM: hdparm-9.16-3.4.el6.src.rpm  
Size : 133072 License: BSD and GPLv2

Signature : RSA/8, Sun 03 Jul 2011 12:21:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/hdparm/>  
Summary : A utility for displaying and/or setting hard disk parameters  
Description :

Hdparm is a useful system utility for setting (E)IDE hard drive parameters. For example, hdparm can be used to tweak hard drive performance and to spin down hard drives for power conservation.

Name : perl-Package-Constants Relocations: (not relocatable)  
Version : 0.02 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 4758 License: GPL+ or Artistic

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : List all constants declared in a package  
Description :

Package::Constants lists all the constants defined in a certain package. This can be useful for, among others, setting up an autogenerated @EXPORT/@EXPORT\_OK for a Constants.pm file.

Name : xorg-x11-drv-ati Relocations: (not relocatable)  
Version : 6.99.99 Vendor: CentOS  
Release : 1.el6 Build Date: Sat 23 Feb 2013 02:28:22 PM

EST

Install Date: Tue 06 Aug 2013 05:22:15 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-ati-6.99.99-1.el6.src.rpm  
Size : 465575 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 ati video driver  
Description :  
X.Org X11 ati video driver.

Name : libvisual Relocations: (not relocatable)  
Version : 0.4.0 Vendor: CentOS  
Release : 9.1.el6 Build Date: Thu 19 Aug 2010 03:17:01 AM  
EDT

Install Date: Tue 06 Aug 2013 05:20:20 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Applications/Multimedia Source RPM:  
libvisual-0.4.0-9.1.el6.src.rpm  
Size : 414568 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:40:51 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://libvisual.sf.net>  
Summary : Abstraction library for audio visualisation plugins  
Description :  
libvisual is an abstraction library that comes between applications and  
audio visualisation plugins.

Often when it comes to audio visualisation plugins or programs that create  
visuals they do depend on a player or something else, basically there is no  
general framework that enable application developers to easy access cool  
audio visualisation plugins. libvisual wants to change this by providing  
an interface towards plugins and applications, through this easy to use  
interface applications can easily access plugins and since the drawing is  
done by the application it also enables the developer to draw the visual  
anywhere he wants.

Name : perl-libwww-perl Relocations: (not relocatable)  
Version : 5.833 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 19 Aug 2010 07:31:10 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
perl-libwww-perl-5.833-2.el6.src.rpm  
Size : 896924 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:38:09 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/libwww-perl/>  
Summary : A Perl interface to the World-Wide Web  
Description :  
The libwww-perl collection is a set of Perl modules which provides a  
simple and consistent application programming interface to the  
World-Wide Web. The main focus of the library is to provide classes  
and functions that allow you to write WWW clients. The library also  
contain modules that are of more general use and even classes that  
help you implement simple HTTP servers.

Name : pcmciautils Relocations: (not relocatable)  
Version : 015 Vendor: CentOS  
Release : 4.2.el6 Build Date: Thu 11 Nov 2010 05:19:56 PM  
EST

Install Date: Tue 06 Aug 2013 05:22:15 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM:  
pcmciautils-015-4.2.el6.src.rpm  
Size : 105885 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:54:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/pub/linux/utils/kernel/pcmcia/pcmcia.html>  
Summary : PCMCIA utilities and initialization programs  
Description :  
The pcmciautils package contains utilities for initializing and debugging PCMCIA and Cardbus sockets.

Name : ustr Relocations: (not relocatable)  
Version : 1.0.4 Vendor: CentOS  
Release : 9.1.el6 Build Date: Wed 18 Aug 2010 10:57:46 AM EDT

Install Date: Tue 06 Aug 2013 05:20:21 PM EDT Build Host:  
c6b1.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: ustr-1.0.4-9.1.el6.src.rpm  
Size : 273983 License: MIT or LGPLv2+ or BSD  
Signature : RSA/8, Sun 03 Jul 2011 01:04:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.and.org/ustr/>  
Summary : String library, very low memory overhead, simple to import  
Description :  
Micro string library, very low overhead from plain strdup() (Ave. 44% for 0-20B strings). Very easy to use in existing C code. At it's simplest you can just include a single header file into your .c and start using it.  
This package also distributes pre-built shared libraries.

Name : perl-Module-Load-Conditional Relocations: (not relocatable)  
Version : 0.30 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST

Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 23690 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:16 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Looking up module information / loading at runtime  
Description :  
Module::Load::Conditional provides simple ways to query and possibly load any of the modules you have installed on your system during runtime.

Name : cj-kun-uming-fonts Relocations: (not relocatable)  
Version : 0.2.20080216.1 Vendor: CentOS  
Release : 35.el6 Build Date: Fri 23 Sep 2011 06:55:38 AM EDT

Install Date: Tue 06 Aug 2013 05:22:26 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : User Interface/X Source RPM:  
cj-kun-uming-fonts-0.2.20080216.1-35.el6.src.rpm  
Size : 21551622 License: Arphic  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/CJKUnicodeFonts>  
Summary : Chinese Unicode TrueType font in Ming face  
Description :

CJK Unicode fonts are Unicode TrueType fonts derived from original fonts made

available by Arphic Technology under "Arphic Public License" and extended by the CJK Uni fonts project.

CJK Uni fonts in Ming face.

Name : xorg-x11-server-utils Relocations: (not relocatable)  
Version : 7.5 Vendor: CentOS  
Release : 13.el6 Build Date: Sat 23 Feb 2013 03:27:41 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:22 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
xorg-x11-server-utils-7.5-13.el6.src.rpm  
Size : 367451 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:59 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 X server utilities  
Description :  
A collection of utilities used to tweak and query the runtime configuration of the X server.

Name : tomcat6-jsp-2.1-api Relocations: (not relocatable)  
Version : 6.0.24 Vendor: CentOS  
Release : 49.el6 Build Date: Fri 22 Feb 2013 12:42:25 AM  
EST  
Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Internet/WWW/Dynamic Content Source RPM:  
tomcat6-6.0.24-49.el6.src.rpm  
Size : 76562 License: ASL 2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tomcat.apache.org/>  
Summary : Apache Tomcat JSP API implementation classes  
Description :  
Apache Tomcat JSP API implementation classes.

Name : redhat-lsb-graphics Relocations: (not relocatable)  
Version : 4.0 Vendor: CentOS  
Release : 7.el6.centos Build Date: Fri 22 Feb 2013 06:24:28 AM  
EST  
Install Date: Tue 06 Aug 2013 05:22:38 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
redhat-lsb-4.0-7.el6.centos.src.rpm  
Size : 0 License: GPL  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:36 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.linuxfoundation.org/colaborate/workgroups/lbsb>  
Summary : LSB graphics libraries support for CentOS  
Description :  
The Linux Standard Base (LSB) Graphics Specifications define components that are required to be present on an LSB conforming system.

Name : im-chooser Relocations: (not relocatable)  
Version : 1.3.1 Vendor: CentOS  
Release : 3.el6 Build Date: Mon 18 Jul 2011 08:18:38 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:23 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
im-chooser-1.3.1-3.el6.src.rpm  
Size : 340768 License: GPLv2+

Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:25 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/im-chooser/>  
Summary : Desktop Input Method configuration tool  
Description :  
im-chooser is a GUI configuration tool to choose the Input Method to be used or disable Input Method usage on the desktop.

Name : libiec61883 Relocations: (not relocatable)  
Version : 1.2.0 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 21 Aug 2010 12:13:20 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host: c6b2.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libiec61883-1.2.0-4.el6.src.rpm  
Size : 80265 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:36:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ieee1394.wiki.kernel.org/index.php/Libraries#libiec61883>  
Summary : Streaming library for IEEE1394  
Description :

The libiec61883 library provides an higher level API for streaming DV, MPEG-2 and audio over IEEE1394. Based on the libraw1394 isochronous functionality, this library acts as a filter that accepts DV-frames, MPEG-2 frames or audio samples from the application and breaks these down to isochronous packets, which are transmitted using libraw1394.

Name : oddjob-mkhomedir Relocations: (not relocatable)  
Version : 0.30 Vendor: CentOS  
Release : 5.el6 Build Date: Sat 25 Jun 2011 07:15:38 AM EDT  
Install Date: Tue 06 Aug 2013 05:22:41 PM EDT Build Host: c6b5.bsyz.dev.centos.org  
Group : System Environment/Daemons Source RPM: oddjob-0.30-5.el6.src.rpm  
Size : 52617 License: BSD  
Signature : RSA/8, Tue 05 Jul 2011 09:42:02 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.fedorahosted.org/oddjob>  
Summary : An oddjob helper which creates and populates home directories  
Description :  
This package contains the oddjob helper which can be used by the pam\_oddjob\_mkhomedir module to create a home directory for a user at login-time.

Name : python-libs Relocations: (not relocatable)  
Version : 2.6.6 Vendor: CentOS  
Release : 36.el6 Build Date: Thu 21 Feb 2013 07:02:48 PM EST  
Install Date: Tue 06 Aug 2013 05:20:24 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : Applications/System Source RPM: python-2.6.6-36.el6.src.rpm  
Size : 1739012 License: Python  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.python.org/>  
Summary : The libraries for python runtime  
Description :  
The python interpreter can be embedded into applications wanting to use python as an embedded scripting language. The python-libs package provides the libraries needed for this.

Name : jakarta-commons-discovery Relocations: (not relocatable)

Version : 0.4 Vendor: CentOS  
Release : 5.4.el6 Build Date: Thu 11 Nov 2010 08:45:49 AM  
EST  
Install Date: Tue 06 Aug 2013 05:18:13 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
jakarta-commons-discovery-0.4-5.4.el6.src.rpm  
Size : 88339 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:16:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jakarta.apache.org/commons/discovery/>  
Summary : Jakarta Commons Discovery  
Description :  
The Discovery component is about discovering, or finding, implementations for pluggable interfaces. Pluggable interfaces are specified with the intent that multiple implementations are, or will be, available to provide the service described by the interface. Discovery provides facilities for finding and instantiating classes, and for lifecycle management of singleton (factory) classes.

Name : gnome-applets Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 7.el6.centos Build Date: Sun 25 Sep 2011 05:51:50 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:22:47 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
gnome-applets-2.28.0-7.el6.centos.src.rpm  
Size : 15712605 License: GPLv2+ and GFDL  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:51 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : Small applications for the GNOME panel  
Description :  
The gnome-applets package contains small applications which generally run in the background and display their output to the GNOME panel. It includes a clock, a character palette, load monitors, little toys, and more.

Name : dbus-python Relocations: (not relocatable)  
Version : 0.83.0 Vendor: CentOS  
Release : 6.1.el6 Build Date: Wed 10 Nov 2010 11:17:00 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:31 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
dbus-python-0.83.0-6.1.el6.src.rpm  
Size : 807290 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:09:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : D-Bus Python Bindings  
Description :

D-Bus python bindings for use with python programs.

Name : gstreamer Relocations: (not relocatable)  
Version : 0.10.29 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 03:01:36 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Applications/Multimedia Source RPM:  
gstreamer-0.10.29-1.el6.src.rpm



Size : 2632102 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:19:57 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework runtime

Description :  
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plugins.

Name : tftp-server Relocations: (not relocatable)  
Version : 0.49 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 23 Sep 2011 08:33:54 AM EDT

Install Date: Tue 06 Aug 2013 05:23:00 PM EDT Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Daemons Source RPM: tftp-0.49-7.el6.src.rpm  
Size : 58742 License: BSD

Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:52 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.kernel.org/pub/software/network/tftp/>

Summary : The server for the Trivial File Transfer Protocol (TFTP)

Description :

The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp-server package provides the server for TFTP, which allows users to transfer files to and from a remote machine. TFTP provides very little security, and should not be enabled unless it is expressly needed. The TFTP server is run from /etc/xinetd.d/tftp, and is disabled by default.

Name : ibus-qt Relocations: (not relocatable)  
Version : 1.3.0 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 09:55:00 PM EST

Install Date: Tue 06 Aug 2013 05:23:02 PM EDT Build Host:

c6b1.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: ibus-qt-1.3.0-2.el6.src.rpm  
Size : 468352 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:24:05 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://code.google.com/p/ibus/>

Summary : Qt IBus library and Qt input method plugin

Description :

Qt IBus library and Qt input method plugin.

Name : iwl100-firmware Relocations: (not relocatable)  
Version : 39.31.5.1 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 19 Jul 2011 11:54:30 PM EDT

Install Date: Tue 06 Aug 2013 05:23:02 PM EDT Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Kernel Source RPM:

iwl100-firmware-39.31.5.1-1.el6.src.rpm

Size : 344388 License: Redistributable, no

modification permitted

Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:53 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://intel.linuxwireless.org/>

Summary : Firmware for Intel (R) Wireless WiFi Link 100 Series Adapters

Description :

This package contains the firmware required by the iwlagn driver

for Linux to support the iwl100 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : ai c94xx-fi rmware Rel ocations: (not rel ocatabl e)  
Versi on : 30 Vendor: CentOS  
Rel ease : 2. el 6 Bui ld Date: Wed 10 Nov 2010 07:00:59 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05:23:03 PM EDT Bui ld Host:  
c6b4. bsys. dev. centos. org  
Group : System Envi ronment/Kernel Source RPM:  
ai c94xx-fi rmware-30-2. el 6. src. rpm  
Si ze : 30752 Li cense: Redi stri butabl e, no  
modi fi cati on permi tted  
Si gnature : RSA/8, Sat 02 Jul 2011 11:59:32 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Bui ldSystem <<http://bugs.centos.org>>  
URL :  
[http://www.adaptec.com/en-US/speed/scsi/linux/ai c94xx-seq-30-1\\_tar\\_gz.htm](http://www.adaptec.com/en-US/speed/scsi/linux/ai c94xx-seq-30-1_tar_gz.htm)  
Summary : Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for AIC94xx driver  
Descri ption :  
Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for Open-Source AIC94xx  
Driver.

Name : httpd Rel ocations: (not rel ocatabl e)  
Versi on : 2. 2. 15 Vendor: CentOS  
Rel ease : 26. el 6. centos Bui ld Date: Fri 22 Feb 2013 06:21:03 AM  
EST  
Instal l Date: Tue 06 Aug 2013 05:23:04 PM EDT Bui ld Host:  
c6b9. bsys. dev. centos. org  
Group : System Envi ronment/Daemons Source RPM:  
httpd-2. 2. 15-26. el 6. centos. src. rpm  
Si ze : 3076415 Li cense: ASL 2. 0  
Si gnature : RSA/SHA1, Sat 23 Feb 2013 12:40:08 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Bui ldSystem <<http://bugs.centos.org>>  
URL : <http://httpd.apache.org/>  
Summary : Apache HTTP Server  
Descri ption :  
The Apache HTTP Server is a powerful, efficient, and extensible  
web server.

Name : acpi d Rel ocations: (not rel ocatabl e)  
Versi on : 1. 0. 10 Vendor: CentOS  
Rel ease : 2. 1. el 6 Bui ld Date: Wed 18 Aug 2010 04:39:10 PM  
EDT  
Instal l Date: Tue 06 Aug 2013 05:23:06 PM EDT Bui ld Host:  
c6b3. bsys. dev. centos. org  
Group : System Envi ronment/Daemons Source RPM: acpi d-1. 0. 10-2. 1. el 6. src. rpm  
Si ze : 74381 Li cense: GPLv2+  
Si gnature : RSA/8, Sun 03 Jul 2011 12:01:31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Bui ldSystem <<http://bugs.centos.org>>  
URL : <http://acpi.d.sourceforge.net/>  
Summary : ACPI Event Daemon  
Descri ption :  
acpid is a daemon that dispatches ACPI events to user-space programs.

Name : cpuspeed Rel ocations: (not rel ocatabl e)  
Versi on : 1. 5 Vendor: CentOS  
Rel ease : 19. el 6 Bui ld Date: Thu 21 Feb 2013 09:29:41 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05:23:07 PM EDT Bui ld Host:  
c6b9. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM: cpuspeed-1. 5-19. el 6. src. rpm  
Si ze : 65514 Li cense: GPLv2+  
Si gnature : RSA/SHA1, Sat 23 Feb 2013 12:41:54 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://carlthompson.net/Software/CPUSpeed>  
Summary : CPU frequency adjusting daemon  
Description :  
cpuspeed is a daemon that dynamically changes the speed of your processor(s) depending upon its current workload if it is capable (needs Intel Speedstep, AMD PowerNow!, or similar support).

This package also supports enabling cpu frequency scaling via in-kernel governors on Intel Centriano and AMD Athlon64/Opteron platforms.

Name : abrt-desktop Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM EST  
Install Date: Tue 06 Aug 2013 05:23:08 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : User Interface/Desktops Source RPM: abrt-2.0.8-15.el6.centos.src.rpm  
Size : 0 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:37 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : Virtual package to install all necessary packages for usage from desktop environment  
Description :  
Virtual package to make easy default installation on desktop environments.

Name : yum-plugin-security Relocations: (not relocatable)  
Version : 1.1.30 Vendor: CentOS  
Release : 14.el6 Build Date: Fri 22 Jun 2012 08:23:05 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:09 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: yum-utils-1.1.30-14.el6.src.rpm  
Size : 80575 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:44 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://yum.baseurl.org/download/yum-utils/>  
Summary : Yum plugin to enable security filters  
Description :  
This plugin adds the options --security, --cve, --bz and --advisory flags to yum and the list-security and info-security commands. The options make it possible to limit list/upgrade of packages to specific security relevant ones. The commands give you the security information.

Name : ibus-sayura Relocations: (not relocatable)  
Version : 1.2.99.20100209 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 07:54:36 PM EST  
Install Date: Tue 06 Aug 2013 05:23:10 PM EDT Build Host: c6b3.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: ibus-sayura-1.2.99.20100209-3.el6.src.rpm  
Size : 34201 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:24:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/ibus-sayura>  
Summary : The Sinhala engine for IBus input platform  
Description :  
The Sayura engine for IBus platform. It provides Sinhala input method.

Name : i bus-hangul Rel ocations: (not rel ocatabl e)  
Versi on : 1. 3. 0. 20100329 Vendor: CentOS  
Rel ease : 4. el 6 Buil d Date: Mon 18 Jul 2011 08: 52: 42 PM  
EDT  
Instal l Date: Tue 06 Aug 2013 05: 23: 11 PM EDT Buil d Host:  
c6b5. bsys. dev. centos. org  
Group : System Envi ronment/Li brari es Source RPM:  
i bus-hangul -1. 3. 0. 20100329-4. el 6. src. rpm  
Si ze : 107330 Li cense: GPLv2+  
Si gnature : RSA/SHA1, Mon 26 Sep 2011 12: 19: 21 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://code. google. com/p/i bus/  
Summary : The Hangul engi ne for I Bus i nput pl atform  
Descri pti on :  
The Hangul engi ne for I Bus pl atform. It provi des Korean i nput method from  
Li bhangul .

Name : grub Rel ocations: (not rel ocatabl e)  
Versi on : 0. 97 Vendor: CentOS  
Rel ease : 81. el 6 Buil d Date: Thu 21 Feb 2013 10: 18: 10 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 23: 13 PM EDT Buil d Host:  
c6b7. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM: grub-0. 97-81. el 6. src. rpm  
Si ze : 2485241 Li cense: GPLv2+  
Si gnature : RSA/SHA1, Sat 23 Feb 2013 12: 39: 49 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://www. gnu. org/software/grub/  
Summary : Grand Uni fi ed Boot Loader.  
Descri pti on :  
GRUB (Grand Uni fi ed Boot Loader) is an experi mental boot loader  
capabl e of booti ng i nto most free operati ng systems - Linux, FreeBSD,  
NetBSD, GNU Mach, and others as well as most commerci al operati ng  
systems.

Name : ntsysv Rel ocations: (not rel ocatabl e)  
Versi on : 1. 3. 49. 3 Vendor: CentOS  
Rel ease : 2. el 6 Buil d Date: Fri 22 Jun 2012 06: 09: 02 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05: 23: 14 PM EDT Buil d Host:  
c6b7. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM:  
chkconfi g-1. 3. 49. 3-2. el 6. src. rpm  
Si ze : 26697 Li cense: GPLv2  
Si gnature : RSA/SHA1, Sun 24 Jun 2012 06: 16: 19 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
Summary : A tool to set the stop/start of system servi ces i n a runlevel  
Descri pti on :  
Ntsysv provi des a si mple i nterface for setti ng whi ch system servi ces  
are started or stopped i n vari ous runlevels (i nstead of directl y  
mani pul ati ng the numeri ous symboli c links i n /etc/rc. d). Unless you  
speci fy a runlevel or runlevels on the comman d li ne (see the man  
page), ntsysv confi gures the current runlevel (5 i f you're usi ng X).

Name : pl ymouth-system-theme Rel ocations: (not rel ocatabl e)  
Versi on : 0. 8. 3 Vendor: CentOS  
Rel ease : 27. el 6. centos Buil d Date: Fri 22 Feb 2013 08: 04: 44 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 23: 16 PM EDT Buil d Host:  
c6b7. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM:  
pl ymouth-0. 8. 3-27. el 6. centos. src. rpm  
Si ze : 0 Li cense: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:33 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth default theme  
Description :  
This metapackage tracks the current distribution default theme.

Name : irqbalance Relocations: (not relocatable)  
Version : 1.0.4 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 06:55:03 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:18 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
irqbalance-1.0.4-3.el6.src.rpm  
Size : 62522 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://irqbalance.org/>  
Summary : IRQ balancing daemon  
Description :  
irqbalance is a daemon that evenly distributes IRQ load across  
multiple CPUs for enhanced performance.

Name : dvd+rw-tools Relocations: (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 6.el6 Build Date: Tue 02 Oct 2012 09:19:21 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:23:22 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : Applications/Multimedia Source RPM:  
dvd+rw-tools-7.1-6.el6.src.rpm  
Size : 337704 License: GPLv2  
Signature : RSA/SHA1, Tue 02 Oct 2012 10:11:36 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fy.chalmers.se/~appro/linux/DVD+RW/>  
Summary : Toolchain to master DVD+RW/+R media  
Description :  
Collection of tools to master DVD+RW/+R media. For further  
information see <http://fy.chalmers.se/~appro/linux/DVD+RW/>.

Name : openmotif Relocations: (not relocatable)  
Version : 2.3.3 Vendor: CentOS  
Release : 5.el6\_3 Build Date: Fri 26 Oct 2012 04:46:43 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:23:24 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
openmotif-2.3.3-5.el6\_3.src.rpm  
Size : 4092076 License: Open Group Public License  
Signature : RSA/SHA1, Fri 26 Oct 2012 05:46:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.motifzone.net/>  
Summary : Open Motif runtime libraries and executables  
Description :  
This is the Open Motif 2.3.3 runtime environment. It includes the  
Motif shared libraries, needed to run applications which are dynamically  
linked against Motif and the Motif Window Manager "mwm".

Name : tcpdump Relocations: (not relocatable)  
Version : 4.0.0 Vendor: CentOS  
Release : 3.20090921gitdf3cb4.2.el6 Build Date: Mon 26 Mar 2012 08:56:48 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:23:26 PM EDT Build Host:

c6b6.bsys.dev.centos.org

Group : Applications/Internet Source RPM:  
tcpdump-4.0.0-3.20090921gitdf3cb4.2.el6.src.rpm  
Size : 832443 License: BSD with advertising  
Signature : RSA/SHA1, Mon 26 Mar 2012 09:32:34 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.tcpdump.org>  
Summary : A network traffic monitoring tool

Description :

Tcpdump is a command-line tool for monitoring network traffic. Tcpdump can capture and display the packet headers on a particular network interface or on all interfaces. Tcpdump can display all of the packet headers, or just the ones that match particular criteria.

Install tcpdump if you need a program to monitor network traffic.

Name : pam\_krb5 Relocations: (not relocatable)  
Version : 2.3.11 Vendor: CentOS  
Release : 9.el6 Build Date: Wed 07 Dec 2011 07:47:41 PM EST

Install Date: Tue 06 Aug 2013 05:23:33 PM EDT Build Host:

c6b5.bsys.dev.centos.org

Group : System Environment/Base Source RPM:  
pam\_krb5-2.3.11-9.el6.src.rpm  
Size : 324768 License: BSD or LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:52:33 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [https://fedorahosted.org/pam\\_krb5/](https://fedorahosted.org/pam_krb5/)  
Summary : A Pluggable Authentication Module for Kerberos 5

Description :

This is pam\_krb5, a pluggable authentication module that can be used with Linux-PAM and Kerberos 5. This module supports password checking, ticket creation, and optional TGT verification and conversion to Kerberos IV tickets. The included pam\_krb5afs module also gets AFS tokens if so configured.

Name : psacct Relocations: (not relocatable)  
Version : 6.3.2 Vendor: CentOS  
Release : 63.el6\_3.3 Build Date: Tue 17 Jul 2012 04:02:21 AM EDT

Install Date: Tue 06 Aug 2013 05:23:33 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : Applications/System Source RPM:  
psacct-6.3.2-63.el6\_3.3.src.rpm  
Size : 140803 License: GPLv2+ and Public Domain  
Signature : RSA/SHA1, Tue 17 Jul 2012 05:25:44 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Utilities for monitoring process activities

Description :

The psacct package contains several utilities for monitoring process activities, including ac, lastcomm, accton and sa. The ac command displays statistics about how long users have been logged on. The lastcomm command displays information about previously executed commands. The accton command turns process accounting on or off. The sa command summarizes information about previously executed commands.

Name : perl-XML-DOM Relocations: (not relocatable)  
Version : 1.44 Vendor: CentOS  
Release : 7.el6 Build Date: Thu 11 Nov 2010 09:41:53 AM EST

Install Date: Tue 06 Aug 2013 05:23:34 PM EDT Build Host:

c6b5.bsys.dev.centos.org

Group : Development/Libraries Source RPM:  
perl-XML-DOM-1.44-7.el6.src.rpm

Size : 281157 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:39:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/XML-DOM/>  
Summary : DOM extension to XML::Parser  
Description :  
This is a Perl extension to XML::Parser. It adds a new 'Style' to XML::Parser, called 'Dom', that allows XML::Parser to build an Object Oriented datastructure with a DOM Level 1 compliant interface. For a description of the DOM (Document Object Model), see <http://www.w3.org/DOM/>

Name : perl-XML-Writer Relocations: (not relocatable)  
Version : 0.606 Vendor: CentOS  
Release : 6.el6 Build Date: Sun 22 Aug 2010 04:30:05 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:35 PM EDT Build Host: c6b3.bsys.dev.centos.org

Group : Development/Libraries Source RPM: perl-XML-Writer-0.606-6.el6.src.rpm  
Size : 54744 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:56:43 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/XML-Writer/>  
Summary : A simple Perl module for writing XML documents  
Description :  
XML::Writer is a simple Perl module for writing XML documents: it takes care of constructing markup and escaping data correctly, and by default, it also performs a significant amount of well-formedness checking on the output, to make certain (for example) that start and end tags match, that there is exactly one document element, and that there are not duplicate attribute names.

Name : xorg-x11-fonts-100dpi Relocations: (not relocatable)  
Version : 7.2 Vendor: CentOS  
Release : 9.1.el6 Build Date: Thu 11 Nov 2010 09:24:29 AM EST

Install Date: Tue 06 Aug 2013 05:23:51 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.2-9.1.el6.src.rpm  
Size : 3417965 License: MIT and Lucida and Public

Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:54:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : A set of 100dpi resolution fonts for the X Window System.  
Description :  
A set of 100 dpi fonts used by the X window system.

Name : efi bootmgr Relocations: (not relocatable)  
Version : 0.5.4 Vendor: CentOS  
Release : 10.el6 Build Date: Fri 22 Jun 2012 02:29:08 AM EDT

Install Date: Tue 06 Aug 2013 05:23:52 PM EDT Build Host: c6b10.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: efi bootmgr-0.5.4-10.el6.src.rpm  
Size : 72726 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:56 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://linux.dell.com/efi bootmgr/>  
Summary : EFI Boot Manager  
Description :

efi bootmgr displays and allows the user to edit the Intel Extensible Firmware Interface (EFI) Boot Manager variables. Additional information about EFI can be found at <http://developer.intel.com/technology/efi/efi.htm> and <http://uefi.org/>.

Name : udftools Relocations: (not relocatable)  
Version : 1.0.0b3 Vendor: CentOS  
Release : 12.el6 Build Date: Thu 11 Nov 2010 03:28:20 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:53 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : Applications/Archiving Source RPM: udftools-1.0.0b3-12.el6.src.rpm  
Size : 183714 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:04:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/linux-udf/>  
Summary : Linux UDF Filesystem userspace utilities  
Description : Linux UDF Filesystem userspace utilities.

Name : m17n-contrib-mai thili Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:53 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 3486 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Mai thili  
Description : This package provides contributed multilingualization (m17n) input maps for Mai thili.

Name : rsync Relocations: (not relocatable)  
Version : 3.0.6 Vendor: CentOS  
Release : 9.el6 Build Date: Wed 11 Apr 2012 09:08:49 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:54 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Applications/Internet Source RPM: rsync-3.0.6-9.el6.src.rpm  
Size : 698710 License: GPLv3+  
Signature : RSA/SHA1, Wed 11 Apr 2012 09:37:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://rsync.samba.org/>  
Summary : A program for synchronizing files over a network  
Description : Rsync uses a reliable algorithm to bring remote and host files into sync very quickly. Rsync is fast because it just sends the differences in the files over the network instead of sending the complete files. Rsync is often used as a very powerful mirroring process or just as a more capable replacement for the rcp command. A technical report which describes the rsync algorithm is included in this package.

Name : nfs4-acl -tools Relocations: (not relocatable)  
Version : 0.3.3 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 22 Jun 2012 02:10:47 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:54 PM EDT Build Host:



c6b10.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
nfs4-acl-tools-0.3.3-6.el6.src.rpm  
Size : 104480 License: BSD  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:20:10 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.citi.umiich.edu/projects/nfsv4/linux/>  
Summary : The nfs4 ACL tools  
Description :  
This package contains commandline and GUI ACL utilities for the Linux NFSv4 client.

Name : dejavu-serif-fonts Relocations: (not relocatable)  
Version : 2.30 Vendor: CentOS  
Release : 2.el6 Build Date: Wed 10 Nov 2010 11:23:58 PM  
EST  
Install Date: Tue 06 Aug 2013 05:24:02 PM EDT Build Host:

c6b4.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
dejavu-fonts-2.30-2.el6.src.rpm  
Size : 2406691 License: Bitstream Vera and Public  
Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:04:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dejavu-fonts.org/>  
Summary : Variable-width serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu serif variable-width font faces, in their unabridged version.

Name : dejavu-sans-mono-fonts Relocations: (not relocatable)  
Version : 2.30 Vendor: CentOS  
Release : 2.el6 Build Date: Wed 10 Nov 2010 11:23:58 PM  
EST  
Install Date: Tue 06 Aug 2013 05:24:11 PM EDT Build Host:

c6b4.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
dejavu-fonts-2.30-2.el6.src.rpm  
Size : 1078519 License: Bitstream Vera and Public  
Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:04:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dejavu-fonts.org/>  
Summary : Monospace sans-serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif monospace font faces, in their unabridged version.

Name : Iohit-kannada-fonts Relocations: (not relocatable)  
Version : 2.4.5 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 22 Jun 2012 01:56:46 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:24:19 PM EDT Build Host:  
c6b8.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
l o h i t - k a n n a d a - f o n t s - 2 . 4 . 5 - 6 . e l 6 . s r c . r p m  
Size : 229278 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:03 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : https://fedorahosted.org/l o h i t /  
Summary : Free Kannada font  
Description :  
This package provides a free Kannada truetype/opentype font.

Name : l o h i t - d e v a n a g a r i - f o n t s Relocations: (not relocatable)  
Version : 2.4.3 Vendor: CentOS  
Release : 7.el6 Build Date: Sat 25 Jun 2011 02:31:22 AM  
EDT

Install Date: Tue 06 Aug 2013 05:24:28 PM EDT Build Host:  
c6b6.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
l o h i t - d e v a n a g a r i - f o n t s - 2 . 4 . 3 - 7 . e l 6 . s r c . r p m  
Size : 113695 License: GPLv2 with exceptions  
Signature : RSA/8, Tue 05 Jul 2011 09:40:40 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : https://fedorahosted.org/l o h i t /  
Summary : Free Devanagari Script Font  
Description :  
This package provides a free Devanagari Script TrueType/OpenType font.

Name : s i l - p a d a u k - f o n t s Relocations: (not relocatable)  
Version : 2.6.1 Vendor: CentOS  
Release : 1.el6 Build Date: Sun 22 Aug 2010 09:35:07 AM  
EDT

Install Date: Tue 06 Aug 2013 05:24:37 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
s i l - p a d a u k - f o n t s - 2 . 6 . 1 - 1 . e l 6 . s r c . r p m  
Size : 829447 License: OFL  
Signature : RSA/8, Sun 03 Jul 2011 12:47:50 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : http://scripts.sil.org/Padauk  
Summary : A font for Burmese and the Myanmar script  
Description :  
Padauk is a Myanmar font covering all currently used characters  
in the Myanmar block. The font aims to cover all minority language needs.  
At the moment, these do not extend to stylistic variation needs.  
The font is a smart font using a Graphite description.

Name : l o h i t - t a m i l - f o n t s Relocations: (not relocatable)  
Version : 2.4.5 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 23 Sep 2011 09:08:02 AM  
EDT

Install Date: Tue 06 Aug 2013 05:24:48 PM EDT Build Host:  
c6b6.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
l o h i t - t a m i l - f o n t s - 2 . 4 . 5 - 5 . e l 6 . s r c . r p m  
Size : 98270 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : https://fedorahosted.org/l o h i t /  
Summary : Free Tamil font  
Description :  
This package provides a free Tamil truetype/opentype font.

Name : l o h i t - o r i y a - f o n t s Relocations: (not relocatable)  
Version : 2.4.3 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 23 Sep 2011 11:11:14 AM

EDT

Install Date: Tue 06 Aug 2013 05:24:56 PM EDT      Build Host:  
c6b18n1.dev.centos.org  
Group : User Interface/X      Source RPM:  
lohit-oriya-fonts-2.4.3-6.el6.src.rpm  
Size : 128757      License: GPLv2 with exceptions  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Oriya Font  
Description :  
This package provides a free Oriya truetype/opentype font.

Name : rsh      Relocations: (not relocatable)  
Version : 0.17      Vendor: CentOS  
Release : 60.el6      Build Date: Sun 22 Aug 2010 07:17:39 AM  
EDT

Install Date: Tue 06 Aug 2013 05:24:59 PM EDT      Build Host:  
c6b4.bsyz.dev.centos.org  
Group : Applications/Internet      Source RPM: rsh-0.17-60.el6.src.rpm  
Size : 79374      License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 01:00:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>  
Summary : Clients for remote access commands (rsh, rlogin, rcp)  
Description :

The rsh package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the clients needed for all of these services.

The rsh package should be installed to enable remote access to other machines

Name : rfkil1      Relocations: (not relocatable)  
Version : 0.3      Vendor: CentOS  
Release : 4.el6      Build Date: Sun 22 Aug 2010 05:07:42 PM  
EDT

Install Date: Tue 06 Aug 2013 05:24:59 PM EDT      Build Host:  
c6b6.bsyz.dev.centos.org  
Group : System Environment/Base      Source RPM: rfkil1-0.3-4.el6.src.rpm  
Size : 10728      License: ISC  
Signature : RSA/8, Sun 03 Jul 2011 01:00:22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.linuxwireless.org/en/users/Documentation/rfkil1>  
Summary : A tool for enabling and disabling wireless devices  
Description :

rfkill is a simple tool for accessing the Linux rfkill device interface, which is used to enable and disable wireless networking devices, typically WLAN, Bluetooth and mobile broadband.

Name : strace      Relocations: (not relocatable)  
Version : 4.5.19      Vendor: CentOS  
Release : 1.17.el6      Build Date: Thu 21 Feb 2013 10:44:26 PM  
EST

Install Date: Tue 06 Aug 2013 05:25:00 PM EDT      Build Host:  
c6b7.bsyz.dev.centos.org  
Group : Development/Debuggers      Source RPM:  
strace-4.5.19-1.17.el6.src.rpm  
Size : 546156      License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/strace/>  
Summary : Tracks and displays system calls associated with a running process

Descripti on :

The strace program intercepts and records the system calls called and received by a running process. Strace can print a record of each system call, its arguments and its return value. Strace is useful for diagnosing problems and debugging, as well as for instructional purposes.

Install strace if you need a tool to track the system calls made and received by a process.

Name : crash-trace-command Relocati ons: (not relocatabl e)  
Versi on : 1.0 Vendor: Fujitsu Limited  
Release : 4.el6 Build Date: Fri 22 Jun 2012 02:24:02 AM EDT  
Install Date: Tue 06 Aug 2013 05:25:00 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Development/Debuggers Source RPM: crash-trace-command-1.0-4.el6.src.rpm  
Size : 61959 License: GPLv2  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:10 PM EDT, Key ID 0946fca2c105b9de  
Packager : Lai Jiangshan <laijs@cn.fujitsu.com>  
URL : http://people.redhat.com/anderson/extensions/trace.c  
Summary : trace extension module for the crash utility  
Descripti on :  
Command for reading ftrace data from a dumpfile.

Name : ql2400-firmware Relocati ons: (not relocatabl e)  
Versi on : 5.08.00 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 06:05:36 PM EST  
Install Date: Tue 06 Aug 2013 05:25:08 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM: ql2400-firmware-5.08.00-1.el6.src.rpm  
Size : 258951 License: Redistributable, no modification permitted  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:02 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : ftp://ftp.qlogic.com/outgoing/linux/firmware/  
Summary : Firmware for qlogic 2400 devices  
Descripti on :  
Firmware for qlogic 2400 devices.

Name : libertas-usb8388-firmware Relocati ons: (not relocatabl e)  
Versi on : 5.110.22.p23 Vendor: CentOS  
Release : 3.1.el6 Build Date: Wed 18 Aug 2010 12:36:03 PM EDT  
Install Date: Tue 06 Aug 2013 05:25:09 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM: libertas-usb8388-firmware-5.110.22.p23-3.1.el6.src.rpm  
Size : 129601 License: Redistributable, no modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:23:02 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : http://www.marvell.com/  
Summary : Firmware for Marvell Libertas USB 8388 Network Adapter  
Descripti on :  
Firmware for Marvell Libertas USB 8388 Network Adapter

Name : zd1211-firmware Relocati ons: (not relocatabl e)  
Versi on : 1.4 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 20 Aug 2010 09:31:47 PM EDT

Install Date: Tue 06 Aug 2013 05:25:09 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
zd1211-firmware-1.4-4.el6.src.rpm  
Size : 65337 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:55:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://zd1211.wiki.sourceforge.net>  
Summary : Firmware for wireless devices based on zd1211 chipset  
Description :  
This package contains the firmware required to work with the zd1211 chipset.

Name : ql2200-firmware Relocations: (not relocatable)  
Version : 2.02.08 Vendor: CentOS  
Release : 3.1.el6 Build Date: Wed 18 Aug 2010 11:01:18 AM  
EDT

Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
ql2200-firmware-2.02.08-3.1.el6.src.rpm  
Size : 86403 License: Redistributable, no  
modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:43:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.qllogic.com/outgoing/linux/firmware/>  
Summary : Firmware for qllogic 2200 devices  
Description :  
Firmware for qllogic 2200 devices.

Name : ipw2200-firmware Relocations: (not relocatable)  
Version : 3.1 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 20 Aug 2010 10:00:27 PM  
EDT

Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
ipw2200-firmware-3.1-4.el6.src.rpm  
Size : 576425 License: Redistributable, no  
modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:16:16 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ipw2200.sourceforge.net/firmware.php>  
Summary : Firmware for Intel® PRO/Wireless 2200 network adapters  
Description :  
This package contains the firmware files required by the ipw2200 driver for  
Linux. Usage of the firmware is subject to the terms and conditions contained  
in /lib/firmware/LICENSE.ipw2200. Please read it carefully.

Name : libICE Relocations: (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 06:20:02 PM  
EDT

Install Date: Tue 06 Aug 2013 05:25:13 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libICE-1.0.6-1.el6.src.rpm  
Size : 114135 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:24:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 ICE runtime library  
Description :  
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : libxcb Relocations: (not relocatable)

Version : 1.8.1 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 05:18:56 PM  
EST  
Install Date: Tue 06 Aug 2013 05:25:13 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libxcb-1.8.1-1.el6.src.rpm  
Size : 517860 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:56 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xcb.freedesktop.org/>  
Summary : A C binding to the X11 protocol  
Description :  
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a  
small footprint, latency hiding, direct access to the protocol, improved  
threading support, and extensibility.

Name : libXtst Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:18:26 PM  
EST  
Install Date: Tue 06 Aug 2013 05:25:14 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXtst-1.2.1-2.el6.src.rpm  
Size : 56344 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:51:19 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXtst runtime library  
Description :  
X.Org X11 libXtst runtime library

Name : perl-Archive-Zip Relocations: (not relocatable)  
Version : 1.30 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 12 Nov 2010 08:41:32 AM  
EST  
Install Date: Tue 06 Aug 2013 05:27:40 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
perl-Archive-Zip-1.30-2.el6.src.rpm  
Size : 307222 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:36:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/Archive-Zip/>  
Summary : Perl library for accessing Zip archives  
Description :  
The Archive::Zip module allows a Perl program to create, manipulate,  
read, and write Zip archive files.  
Zip archives can be created, or you can read from existing zip files.  
Once created, they can be written to files, streams, or strings.  
Members can be added, removed, extracted, replaced, rearranged, and  
enumerated. They can also be renamed or have their dates, comments,  
or other attributes queried or modified. Their data can be compressed  
or uncompressed as needed. Members can be created from members in  
existing Zip files, or from existing directories, files, or strings.

Name : perl-Filesys-DiskFree Relocations: (not relocatable)  
Version : 0.06 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.2.el6.rf Build Date: Wed 10 Nov 2010 11:50:05 PM  
EST  
Install Date: Tue 06 Aug 2013 05:27:42 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN Source RPM:  
perl-Filesys-DiskFree-0.06-1.2.el6.rf.src.rpm

Size : 16297 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/Filesys-DiskFree/  
Summary : Perform the Unix command df in a portable fashion  
Description :  
Filesys::DiskFree does about what the unix command df(1) does, listing the mounted disks, and the amount of free space used and available.

Name : perl-Proc-ProcessTable Relocations: (not relocatable)  
Version : 0.45 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el6.rf Build Date: Thu 11 Nov 2010 12:32:30 AM  
EST

Install Date: Tue 06 Aug 2013 05:27:44 PM EDT Build Host:  
lisse.hassel.t.wieers.com

Group : Applications/CPAN Source RPM:  
perl-Proc-ProcessTable-0.45-1.el6.rf.src.rpm  
Size : 187806 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:46 AM EST, Key ID a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : http://search.cpan.org/dist/Proc-ProcessTable/  
Summary : Perl interface to the UNIX process table  
Description :

This module is a first crack at providing a consistent interface to Unix (and maybe other multitasking OS's) process table information. The impetus for this came about with my frustration at having to parse the output of various systems' ps commands to check whether specific processes were running on different boxes at a larged mixed UNIX site. The output format of ps was different on each OS, and sometimes changed with each new release of an OS. Also, running a ps subprocess from within a perl or shell script and parsing the output was not a very efficient or aesthetic way to do things.

Name : perl-Text-Reform Relocations: (not relocatable)  
Version : 1.20 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el6.rfx Build Date: Wed 17 Nov 2010 01:19:54 PM  
EST

Install Date: Tue 06 Aug 2013 05:27:46 PM EDT Build Host:  
lisse.hassel.t.wieers.com

Group : Applications/CPAN Source RPM:  
perl-Text-Reform-1.20-1.el6.rfx.src.rpm  
Size : 77765 License: Artistic/GPL  
Signature : DSA/SHA1, Wed 17 Nov 2010 05:52:03 PM EST, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/Text-Reform/  
Summary : Manual text wrapping and reformatting  
Description :

The module supplies a re-entrant, highly configurable replacement for the built-in Perl format() mechanism.

This package contains the following Perl module:

Text::Reform

Name : perl-perlindex Relocations: (not relocatable)  
Version : 1.605 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010 09:36:33 AM  
EDT

Install Date: Tue 06 Aug 2013 05:27:50 PM EDT Build Host: loraax  
Group : Applications/CPAN Source RPM:

perl-perlindex-1.605-1.src.rpm  
Size : 29214 License: Artistic/GPL

Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : <http://search.cpan.org/dist/perl/index/>  
Summary : Index and query perl manual pages  
Description :  
Index and query perl manual pages.

Name : perl-Tk-Pod Relocations: (not relocatable)  
Version : 0.9939 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010 08:59:16 AM EDT  
Install Date: Tue 06 Aug 2013 05:27:52 PM EDT Build Host: lorax  
Group : Applications/CPAN Source RPM: perl-Tk-Pod-0.9939-1.src.rpm  
Size : 204585 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : <http://search.cpan.org/dist/Tk-Pod/>  
Summary : Pod browser widget  
Description :  
Pod browser widget.

Name : flash-plugin Relocations: (not relocatable)  
Version : 11.2.202.238 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 0.2.el6.rf Build Date: Sat 22 Sep 2012 07:59:28 PM EDT  
Install Date: Tue 06 Aug 2013 05:28:13 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/Internet Source RPM:  
flash-plugin-11.2.202.238-0.2.el6.rf.src.rpm  
Size : 20353580 License: Commercial  
Signature : DSA/SHA1, Sat 22 Sep 2012 08:04:53 PM EDT, Key ID a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : <http://www.macromedia.com/downloads/>  
Summary : Macromedia Flash Player  
Description :  
Macromedia Flash Player

By downloading and installing this package you agree to the included LICENSE.

Name : XRXTPM Relocations: (not relocatable)  
Version : 1.0.0.17 Vendor: Xerox Corporation  
Release : 1 Build Date: Tue 19 Jun 2012 02:48:18 PM EDT  
Install Date: Tue 06 Aug 2013 05:29:20 PM EDT Build Host: decaf  
Group : Applications/Xerox Source RPM: XRXTPM-1.0.0.17-1.src.rpm  
Size : 155828 License: Copyright 1996-2010 Xerox  
Corporation  
Signature : (none)  
Packager : scmt  
Summary : Xerox Print Engine Tools Perl Modules  
Description :  
Xerox Print Engine Tools Perl Modules for Development and Debugging

Name : poppler-glib Relocations: (not relocatable)  
Version : 0.12.4 Vendor: CentOS  
Release : 3.el6\_0.1 Build Date: Fri 24 Jun 2011 09:17:31 PM EDT  
Install Date: Tue 06 Aug 2013 05:29:57 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
poppler-0.12.4-3.el6\_0.1.src.rpm  
Size : 209832 License: GPLv2  
Signature : RSA/8, Tue 05 Jul 2011 09:45:02 PM EDT, Key ID 0946fca2c105b9de



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://poppler.freedesktop.org/>  
Summary : Glib wrapper for poppler  
Description :  
Glib wrapper for poppler.

Name : MCRI nstaller Relocations: (not relocatable)  
Version : 1.0.4 Vendor: (none)  
Release : 1 Build Date: Mon 20 May 2013 01:27:28 PM EDT  
Install Date: Tue 06 Aug 2013 05:30:45 PM EDT Build Host: XPI  
Group : Application/Xerox Source RPM: MCRI nstaller-1.0.4-1.src.rpm  
Size : 348394915 License: See v717/MCR\_License.txt  
Signature : (none)  
Packager : Xerox Corporation  
Summary : Matlab Install Tool  
Description :  
Matlab Install tool

Name : xpi-xeroxutils Relocations: (not relocatable)  
Version : 1.2 Vendor: Xerox Corp.  
Release : 0 Build Date: Tue 07 May 2013 04:51:35 PM EDT  
Install Date: Tue 06 Aug 2013 05:42:10 PM EDT Build Host: chicory  
Group : Applications/System Source RPM: xpi-xeroxutils-1.2-0.src.rpm  
Size : 2096298 License: Xerox  
Signature : (none)  
Packager : Joel Lissade <[joel.lissade@usa.xerox.com](mailto:joel.lissade@usa.xerox.com)>  
Summary : XPI Linux Xerox binary utilities  
Description :  
Xerox X86 binary utilities that provides the capability to perform NameLookup calls, determining boardtype and board configuration. These utilities is required by modules that are linked with the MCT Runtime.

Name : libXmu Relocations: (not relocatable)  
Version : 1.0.5 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 05:56:09 PM EDT  
Install Date: Wed 07 Aug 2013 01:30:58 PM EDT Build Host:  
c6b1.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXmu-1.0.5-1.el6.src.rpm  
Size : 125502 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:27:44 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXmu/libXmu runtime libraries  
Description :  
X.Org X11 libXmu/libXmu runtime libraries

Name : gnome-power-manager Relocations: (not relocatable)  
Version : 2.28.3 Vendor: CentOS  
Release : 6.el6\_2 Build Date: Tue 22 May 2012 05:27:27 AM EDT  
Install Date: Tue 06 Aug 2013 05:22:52 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : Applications/System Source RPM:  
gnome-power-manager-2.28.3-6.el6\_2.src.rpm  
Size : 7671789 License: GPLv2+ and GFDL  
Signature : RSA/SHA1, Tue 22 May 2012 08:36:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/gnome-power-manager/>  
Summary : GNOME power management service  
Description :  
GNOME Power Manager uses the information and facilities provided by HAL

displaying icons and handling user callbacks in an interactive GNOME session. GNOME Power Preferences allows authorised users to set policy and change preferences.

Name : libgcc Relocations: (not relocatable)  
Version : 4.4.7 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 12:16:26 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:09 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: gcc-4.4.7-3.el6.src.rpm  
Size : 117224 License: GPLv3+ and GPLv3+ with  
exceptions and GPLv2+ with exceptions  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:27 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gcc.gnu.org>  
Summary : GCC version 4.4 shared support library  
Description :  
This package contains GCC shared support library which is needed  
e.g. for exception handling support.

Name : libXres Relocations: (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:00:31 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXres-1.0.6-2.el6.src.rpm  
Size : 28689 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X-Resource extension client library  
Description :  
X-Resource is an extension that allows a client to query  
the X server about its usage of various resources.

Name : python-ethtool Relocations: (not relocatable)  
Version : 0.6 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 10:56:21 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:33 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
python-ethtool-0.6-3.el6.src.rpm  
Size : 70150 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:49 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL :  
[http://fedorapeople.org/gitweb?p=dsommers/public\\_git/python-ethtool.git;a=summary](http://fedorapeople.org/gitweb?p=dsommers/public_git/python-ethtool.git;a=summary)  
Summary : Ethernet settings python bindings  
Description :  
Python bindings for the ethtool kernel interface, that allows querying and  
changing of Ethernet card settings, such as speed, port, auto-negotiation, and  
PCI Locations.

Name : filesystem Relocations: (not relocatable)  
Version : 2.4.30 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 23 Sep 2011 07:51:34 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:10 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
filesystem-2.4.30-3.el6.src.rpm

Size : 0 License: Public Domain  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/filesystem>  
Summary : The basic directory layout for a Linux system  
Description :  
The filesystem package is one of the basic packages that is installed on a Linux system. Filesystem contains the basic directory layout for a Linux operating system, including the correct permissions for the directories.

Name : nss-softokn Relocations: (not relocatable)  
Version : 3.12.9 Vendor: CentOS  
Release : 11.el6 Build Date: Wed 07 Dec 2011 07:27:01 PM EST  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: nss-softokn-3.12.9-11.el6.src.rpm  
Size : 444772 License: MPLv1.1 or GPLv2+ or LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:21 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services Softoken Module  
Description :  
Network Security Services Softoken Cryptographic Module

Name : pygobject2 Relocations: (not relocatable)  
Version : 2.20.0 Vendor: CentOS  
Release : 5.el6 Build Date: Thu 11 Nov 2010 03:41:10 PM EST  
Install Date: Tue 06 Aug 2013 05:20:34 PM EDT Build Host: c6b6.bsys.dev.centos.org  
Group : Development/Languages Source RPM: pygobject2-2.20.0-5.el6.src.rpm  
Size : 676356 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:58:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.pygtk.org/>  
Summary : Python bindings for GObject  
Description :  
The pygobject2 package provides a convenient wrapper for the GObject library for use in Python programs.

Name : iso-codes Relocations: (not relocatable)  
Version : 3.16 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 12 Nov 2010 12:11:40 AM EST  
Install Date: Tue 06 Aug 2013 05:17:12 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: iso-codes-3.16-2.el6.src.rpm  
Size : 11276426 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:16:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://alioth.debian.org/projects/pkg-iso-codes/>  
Summary : ISO code lists and translations  
Description :  
This package provides the ISO 639 Language code list, the ISO 4217 Currency code list, the ISO 3166 Territory code list, and ISO 3166-2 sub-territory lists, and all their translations in gettext format.

Name : lockdev Relocations: (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 18.el6 Build Date: Thu 19 Aug 2010 02:35:50 AM

EDT

Install Date: Tue 06 Aug 2013 05:18:16 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
lockdev-1.0.1-18.el6.src.rpm  
Size : 51000 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:43:12 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://packages.debian.org/unstable/source/lockdev>  
Summary : A library for locking devices  
Description :  
Lockdev provides a reliable way to put an exclusive lock to devices  
using both FSSTND and SVr4 methods.

Name : pygtk2-libglade Relocations: (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 20 Aug 2010 11:03:41 PM  
EDT

Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Development/Languages Source RPM: pygtk2-2.16.0-3.el6.src.rpm  
Size : 21384 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:58:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.pygtk.org/>  
Summary : A wrapper for the libglade library for use with PyGTK  
Description :  
This module contains a wrapper for the libglade library. Libglade allows  
a program to construct its user interface from an XML description, which  
allows the programmer to keep the UI and program logic separate.

Name : libX11-common Relocations: (not relocatable)  
Version : 1.5.0 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 02:38:37 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:13 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libX11-1.5.0-4.el6.src.rpm  
Size : 1689403 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:10 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Common data for libX11  
Description :  
libX11 common data

Name : checkpolicy Relocations: (not relocatable)  
Version : 2.0.22 Vendor: CentOS  
Release : 1.el6 Build Date: Wed 10 Nov 2010 09:31:50 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/System Source RPM:  
checkpolicy-2.0.22-1.el6.src.rpm  
Size : 870239 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:06:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : SELinux policy compiler  
Description :

Security-enhanced Linux is a feature of the Linux® kernel and a number  
of utilities with enhanced security functionality designed to add  
mandatory access controls to Linux. The Security-enhanced Linux  
kernel contains new architectural components originally developed to  
improve the security of the Flask operating system. These

architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

This package contains checkpolicy, the SELinux policy compiler. Only required for building policies.

Name : gnome-python2-desktop Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 07:11:34 AM EST  
Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Development/Languages Source RPM:  
gnome-python2-desktop-2.28.0-4.el6.src.rpm  
Size : 330508 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:30 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : The sources for additional PyGNOME Python extension modules  
Description :

The gnome-python-desktop package contains the source packages for additional Python bindings for GNOME. It should be used together with gnome-python.

Name : mesa-dri-filesystem Relocations: (not relocatable)  
Version : 9.0 Vendor: CentOS  
Release : 0.7.el6 Build Date: Fri 22 Feb 2013 02:02:15 AM EST  
Install Date: Tue 06 Aug 2013 05:17:13 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
mesa-9.0-0.7.el6.src.rpm  
Size : 25493 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:06 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mesa3d.org>  
Summary : Mesa DRI driver filesystem  
Description :  
Mesa DRI driver filesystem

Name : tcp\_wrappers Relocations: (not relocatable)  
Version : 7.6 Vendor: CentOS  
Release : 57.el6 Build Date: Wed 07 Dec 2011 12:45:47 PM EST  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
tcp\_wrappers-7.6-57.el6.src.rpm  
Size : 149750 License: BSD  
Signature : RSA/SHA1, Thu 08 Dec 2011 04:20:05 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.porcupine.org/pub/security/index.html>  
Summary : A security tool which acts as a wrapper for TCP daemons  
Description :

The tcp\_wrappers package provides small daemon programs which can monitor and filter incoming requests for systat, finger, FTP, telnet, rlogin, rsh, exec, tftp, talk and other network services.

Install the tcp\_wrappers program if you need a security tool for filtering incoming network services requests.

This version also supports IPv6.

Name : gnome-python2-gnome Relocations: (not relocatable)  
Page 149

Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM  
EST  
Install Date: Tue 06 Aug 2013 05:20:36 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Languages Source RPM:  
gnome-python2-2.28.0-3.el6.src.rpm  
Size : 360122 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:32 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-python/>  
Summary : Python bindings for libgnome  
Description :  
This module contains a wrapper that makes libgnome functionality available  
from Python.

Name : mailcap Relocations: (not relocatable)  
Version : 2.1.31 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 23 Sep 2011 11:02:51 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:17 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : System Environment/Base Source RPM: mailcap-2.1.31-2.el6.src.rpm  
Size : 52877 License: Public Domain and MIT  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:48 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.fedoraproject.org/git/mailcap.git>  
Summary : Helper application and MIME type associations for file types  
Description :  
The mailcap file is used by the metamail program. Metamail reads the  
mailcap file to determine how it should display non-text or multimedia  
material. Basically, mailcap associates a particular type of file  
with a particular program that a mail agent or other program can call  
in order to handle the file. Mailcap should be installed to allow  
certain programs to be able to handle non-text files.

Also included in this package is the mime.types file which contains a  
list of MIME types and their filename "extension" associations, used  
by several applications e.g. to determine MIME types for filenames.

Name : m17n-contrib-punjab Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 13491 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:41 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Punjabi  
Description :  
This package provides contributed multilingualization (m17n) input maps  
for Punjabi.

Name : gnome-python2-libegg Relocations: (not relocatable)  
Version : 2.25.3 Vendor: CentOS  
Release : 20.el6 Build Date: Thu 11 Nov 2010 06:53:06 AM  
EST  
Install Date: Tue 06 Aug 2013 05:20:37 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Languages Source RPM:

gnome-python2-extras-2.25.3-20.el6.src.rpm  
Size : 134978 License: GPLv2+ and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.pygtk.org/>  
Summary : Python bindings for recent files and tray icons  
Description :  
This module contains a wrapper that allows the use of recent files and tray icons via Python.

Name : un-core-fonts-common Relocations: (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 0.15.080608.el6 Build Date: Thu 11 Nov 2010 10:53:56 AM EST

Install Date: Tue 06 Aug 2013 05:17:17 PM EDT Build Host:  
c5b2.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
un-core-fonts-1.0.2-0.15.080608.el6.src.rpm  
Size : 19115 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:51:46 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://kl dp.net/projects/unfonts/>  
Summary : Common files of Un Core fonts  
Description :

The UN set of Korean TrueType fonts is derived from the HLaTeX Type1 fonts made by Koaunghi Un in 1998. They were converted to TrueType with FontForge(PfaEdit) by Won-kyu Park in 2003.  
The Un Core set is composed of:

- UnBatang: serif
- UnDinaru: fantasy
- UnDotum: sans-serif
- UnGraphi c: sans-serif style
- UnGungseo: cursive, brush-stroke
- UnPilgi: script

This package consists of files used by other un-core-fonts packages.

Name : m17n-contrib-oriya Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 8127 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:40 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Oriya  
Description :

This package provides contributed multilingualization (m17n) input maps for Oriya.

Name : gnome-python2-libwnck Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 07:11:34 AM EST

Install Date: Tue 06 Aug 2013 05:20:38 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : Development/Languages Source RPM:  
gnome-python2-desktop-2.28.0-4.el6.src.rpm

Size : 71120 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:18:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Python bindings for interacting with libwnck  
Description :  
This module contains a wrapper that allows the use of libwnck via Python.

Name : libwacom-data Relocations: (not relocatable)  
Version : 0.5 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 04:56:19 PM EST  
Install Date: Tue 06 Aug 2013 05:17:19 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libwacom-0.5-4.el6.src.rpm  
Size : 36357 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:53 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://linuxwacom.sourceforge.net>  
Summary : Tablet Information Client Library Library Data Files  
Description :  
Tablet information client library library data files.

Name : m17n-contrib-telugu Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 27914 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Telugu  
Description :  
This package provides contributed multilingualization (m17n) input maps for Telugu.

Name : notify-python Relocations: (not relocatable)  
Version : 0.1.1 Vendor: CentOS  
Release : 10.el6 Build Date: Sun 22 Aug 2010 05:04:04 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:38 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : Development/Languages Source RPM:  
notify-python-0.1.1-10.el6.src.rpm  
Size : 61829 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:47:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Python bindings for libnotify  
Description :  
Python bindings for libnotify

Name : nss-softokn-freebl Relocations: (not relocatable)  
Version : 3.12.9 Vendor: CentOS  
Release : 11.el6 Build Date: Wed 07 Dec 2011 07:27:01 PM EST  
Install Date: Tue 06 Aug 2013 05:17:31 PM EDT Build Host:  
c6b4.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM:  
nss-softokn-3.12.9-11.el6.src.rpm  
Size : 383982 License: MPLv1.1 or GPLv2+ or LGPLv2+



Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:19 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Freebl library for the Network Security Services  
Description :  
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softoken-freebl package if you need the freebl library.

Name : m17n-contrib-tamil Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host: c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 54529 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:44 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Tamil  
Description :  
This package provides contributed multilingualization (m17n) input maps for Tamil.

Name : python-crypto Relocations: (not relocatable)  
Version : 2.0.1 Vendor: CentOS  
Release : 22.el6 Build Date: Fri 12 Nov 2010 06:15:23 AM EST

Install Date: Tue 06 Aug 2013 05:20:40 PM EDT Build Host: c6b1.bsys.dev.centos.org

Group : Development/Libraries Source RPM: python-crypto-2.0.1-22.el6.src.rpm  
Size : 578990 License: Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:58:30 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.amk.ca/python/code/crypto.html>  
Summary : Cryptography library for Python  
Description :  
Python-crypto is a collection of both secure hash functions (such as MD5 and SHA), and various encryption algorithms (AES, DES, RSA, ElGamal, etc.).

Name : libattr Relocations: (not relocatable)  
Version : 2.4.44 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 23 Sep 2011 02:54:00 PM EDT

Install Date: Tue 06 Aug 2013 05:17:34 PM EDT Build Host: c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: attr-2.4.44-7.el6.src.rpm  
Size : 18712 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://acl.bestbits.at/>  
Summary : Dynamic library for extended attribute support  
Description :  
This package contains the libattr.so dynamic library which contains the extended attribute system calls and library functions.

Name : m17n-contrib-gujarati Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT

Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 9875 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:35 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Gujarati  
Description :  
This package provides contributed multilingualization (m17n) input maps  
for Gujarati.

Name : yum-plugin-fastestmirror Relocations: (not relocatable)  
Version : 1.1.30 Vendor: CentOS  
Release : 14.el6 Build Date: Fri 22 Jun 2012 08:23:05 AM  
EDT

Install Date: Tue 06 Aug 2013 05:20:41 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM:  
yum-utils-1.1.30-14.el6.src.rpm  
Size : 53959 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:56 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://yum.baseurl.org/download/yum-utils/>  
Summary : Yum plugin which chooses fastest repository from a mirrorlist  
Description :  
This plugin sorts each repository's mirrorlist by connection speed  
prior to downloading packages.

Name : freetype Relocations: (not relocatable)  
Version : 2.3.11 Vendor: CentOS  
Release : 6.el6\_2.9 Build Date: Tue 10 Apr 2012 05:09:30 PM  
EDT

Install Date: Tue 06 Aug 2013 05:17:34 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
freetype-2.3.11-6.el6\_2.9.src.rpm  
Size : 835435 License: FTL or GPLv2+  
Signature : RSA/SHA1, Tue 10 Apr 2012 05:57:16 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freetype.org>  
Summary : A free and portable font rendering engine  
Description :  
The FreeType engine is a free and portable font rendering  
engine, developed to provide advanced font support for a variety of  
platforms and environments. FreeType is a library which can open and  
manages font files as well as efficiently load, hint and render  
individual glyphs. FreeType is not a font server or a complete  
text-rendering library.

Name : jasper-libs Relocations: (not relocatable)  
Version : 1.900.1 Vendor: CentOS  
Release : 15.el6\_1.1 Build Date: Sat 17 Dec 2011 12:00:42 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
jasper-1.900.1-15.el6\_1.1.src.rpm  
Size : 337136 License: JasPer  
Signature : RSA/SHA1, Sun 18 Dec 2011 06:56:08 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.ece.uvic.ca/~mdadams/jasper/>  
Summary : Runtime libraries for jasper

Description :  
Runtime libraries for jasper.

Name : PackageKit-yum-plugin Relocations: (not relocatable)  
Version : 0.5.8 Vendor: CentOS  
Release : 21.el6 Build Date: Thu 21 Feb 2013 05:42:20 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:43 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
PackageKit-0.5.8-21.el6.src.rpm  
Size : 227036 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:21 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.packagekit.org>  
Summary : Tell PackageKit to check for updates when yum exits  
Description :  
PackageKit-yum-plugin tells PackageKit to check for updates when yum exits.  
This way, if you run 'yum update' and install all available updates, puppet  
will almost instantly update itself to reflect this.

Name : libICE Relocations: (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 06:21:28 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:35 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libICE-1.0.6-1.el6.src.rpm  
Size : 117691 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:35:50 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 ICE runtime library  
Description :  
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : ed Relocations: (not relocatable)  
Version : 1.1 Vendor: CentOS  
Release : 3.3.el6 Build Date: Thu 11 Nov 2010 01:28:19 AM  
EST  
Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Applications/Text Source RPM: ed-1.1-3.3.el6.src.rpm  
Size : 119832 License: GPLv3+ and GFDL  
Signature : RSA/8, Sun 03 Jul 2011 12:12:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/ed/>  
Summary : The GNU line editor  
Description :  
Ed is a line-oriented text editor, used to create, display, and modify  
text files (both interactively and via shell scripts). For most  
purposes, ed has been replaced in normal usage by full-screen editors  
(emacs and vi, for example).

Ed was the original UNIX editor, and may be used by some programs. In  
general, however, you probably don't need to install it and you probably  
won't use it.

Name : gettext Relocations: (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 16.el6 Build Date: Thu 11 Nov 2010 04:06:25 AM  
EST  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:  
c6b5.bsys.dev.centos.org

Group : Development/Tools Source RPM: gettext-0.17-16.el6.src.rpm  
Size : 6371313 License: GPLv3 and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:16:26 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/gettext/>  
Summary : GNU libraries and utilities for producing multi-lingual messages

Description :

The GNU gettext package provides a set of tools and documentation for producing multi-lingual messages in programs. Tools include a set of conventions about how programs should be written to support message catalogs, a directory and file naming organization for the message catalogs, a runtime library which supports the retrieval of translated messages, and stand-alone programs for handling the translatable and the already translated strings. Gettext provides an easy to use library and tools for creating, using, and modifying natural language catalogs and is a powerful and simple method for internationalizing programs.

Name : nspr Relocations: (not relocatable)  
Version : 4.9.2 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 06:45:30 PM EST

Install Date: Tue 06 Aug 2013 05:17:36 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: nspr-4.9.2-1.el6.src.rpm  
Size : 273872 License: MPLv2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:44 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/projects/nspr/>  
Summary : Netscape Portable Runtime

Description :

NSPR provides platform independence for non-GUI operating system facilities. These facilities include threads, thread synchronization, normal file and network I/O, interval timing and calendar time, basic memory management (malloc and free) and shared library linking.

Name : m4 Relocations: (not relocatable)  
Version : 1.4.13 Vendor: CentOS  
Release : 5.el6 Build Date: Thu 11 Nov 2010 12:17:34 PM EST

Install Date: Tue 06 Aug 2013 05:18:19 PM EDT Build Host:

c6b3.bsys.dev.centos.org

Group : Applications/Text Source RPM: m4-1.4.13-5.el6.src.rpm  
Size : 560949 License: GPLv3+  
Signature : RSA/8, Sun 03 Jul 2011 12:44:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/m4/>  
Summary : The GNU macro processor

Description :

A GNU implementation of the traditional UNIX macro processor. M4 is useful for writing text files which can be logically parsed, and is used by many programs as part of their build process. M4 has built-in functions for including files, running shell commands, doing arithmetic, etc. The autoconf program needs m4 for generating configure scripts, but not for running configure scripts.

Install m4 if you need a macro processor.

Name : libproxy Relocations: (not relocatable)  
Version : 0.3.0 Vendor: CentOS  
Release : 3.el6\_3 Build Date: Wed 14 Nov 2012 04:08:01 PM EST

Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:

c6b8.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
libproxy-0.3.0-3.el6\_3.src.rpm  
Size : 118431 License: LGPLv2+  
Signature : RSA/SHA1, Wed 14 Nov 2012 08:41:39 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/libproxy/>  
Summary : A library handling all the details of proxy configuration  
Description :

libproxy offers the following features:

- \* extremely small core footprint (< 35K)
- \* no external dependencies within libproxy core (libproxy plugins may have dependencies)
- \* only 3 functions in the stable external API
- \* dynamic adjustment to changing network topology
- \* a standard way of dealing with proxy settings across all scenarios
- \* a sublime sense of joy and accomplishment

Name : nss-util Relocations: (not relocatable)  
Version : 3.14.0.0 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 22 Feb 2013 12:08:21 AM EST

Install Date: Tue 06 Aug 2013 05:17:36 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:

nss-util-3.14.0.0-2.el6.src.rpm

Size : 175288 License: MPLv1.1 or GPLv2+ or LGPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:39 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.mozilla.org/projects/security/pki/nss/>

Summary : Network Security Services Utilities Library

Description :

Utilities for Network Security Services and the Softoken module

Name : taglib Relocations: (not relocatable)  
Version : 1.6.1 Vendor: CentOS  
Release : 1.1.el6 Build Date: Fri 20 Aug 2010 09:26:03 AM EDT

Install Date: Tue 06 Aug 2013 05:18:21 PM EDT Build Host:

c6b2.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:

taglib-1.6.1-1.1.el6.src.rpm

Size : 620342 License: LGPLv2

Signature : RSA/8, Sun 03 Jul 2011 01:02:54 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://developer.kde.org/~wheel/taglib.html>

Summary : Audio Meta-Data Library

Description :

TagLib is a library for reading and editing the meta-data of several popular audio formats. Currently it supports both ID3v1 and ID3v2 for MP3 files, Ogg Vorbis comments and ID3 tags and Vorbis comments in FLAC, MPC, Speex, WavPack, TrueAudio files, as well as APE Tags.

Name : libreport-compat Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM EST

Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:

libreport-2.0.9-15.el6.centos.src.rpm

Size : 7626 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:29 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's compat layer for obsoleted 'report' package  
Description :  
Provides 'report' command-line tool.

Name : expat Relocations: (not relocatable)  
Version : 2.0.1 Vendor: CentOS  
Release : 11.el6\_2 Build Date: Wed 13 Jun 2012 11:01:42 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:37 PM EDT Build Host: c6b5.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: expat-2.0.1-11.el6\_2.src.rpm  
Size : 198018 License: MIT  
Signature : RSA/SHA1, Wed 13 Jun 2012 01:00:07 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.libexpat.org/>  
Summary : An XML parser library  
Description :  
This is expat, the C library for parsing XML, written by James Clark. Expat is a stream oriented XML parser. This means that you register handlers with the parser prior to starting the parse. These handlers are called when the parser discovers the associated structures in the document being parsed. A start tag is an example of the kind of structures for which you may register handlers.

Name : vim-common Relocations: (not relocatable)  
Version : 7.2.411 Vendor: CentOS  
Release : 1.8.el6 Build Date: Thu 05 Apr 2012 05:18:07 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:28 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : Applications/Editors Source RPM: vim-7.2.411-1.8.el6.src.rpm  
Size : 17773564 License: Vim and GPLv2+ and BSD and LGPLv2+ and Open Publication  
Signature : RSA/SHA1, Thu 05 Apr 2012 05:35:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.vim.org/>  
Summary : The common files needed by any version of the VIM editor  
Description :  
VIM (VI s ual editor i mproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-common package contains files which every VIM binary will need in order to run.

If you are installing vim-enhanced or vim-X11, you'll also need to install the vim-common package.

Name : abrt Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM EST  
Install Date: Tue 06 Aug 2013 05:20:46 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : Applications/System Source RPM: abrt-2.0.8-15.el6.centos.src.rpm  
Size : 693466 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:25 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : Automatic bug detection and reporting tool  
Description :

abrt is a tool to help users to detect defects in applications and to create a bug report with all informations needed by maintainer to fix it. It uses plugin system to extend its functionality.

```
Name       : libuuid                               Relocations: (not relocatable)
Version    : 2.17.2                                 Vendor: CentOS
Release    : 12.9.el6                              Build Date: Fri 22 Feb 2013 12:02:21 AM
EST
Install Date: Tue 06 Aug 2013 05:17:37 PM EDT      Build Host:
c6b8.bsys.dev.centos.org
Group      : Development/Libraries                 Source RPM:
util-linux-ng-2.17.2-12.9.el6.src.rpm
Size       : 16304                                  License: BSD
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:39:16 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng
Summary    : Universally unique ID library
Description:
This is the universally unique ID library, part of util-linux-ng.
```

The libuuid library generates and parses 128-bit universally unique id's (UUID's). A UUID is an identifier that is unique across both space and time, with respect to the space of all UUIDs. A UUID can be used for multiple purposes, from tagging objects with an extremely short lifetime, to reliably identifying very persistent objects across a network.

See also the "uuid" package, which is a separate implementation.

```
Name       : groff                               Relocations: (not relocatable)
Version    : 1.18.1.4                             Vendor: CentOS
Release    : 21.el6                               Build Date: Thu 11 Nov 2010 05:23:53 PM
EST
Install Date: Tue 06 Aug 2013 05:18:30 PM EDT      Build Host:
c6b5.bsys.dev.centos.org
Group      : Applications/Publishing                Source RPM:
groff-1.18.1.4-21.el6.src.rpm
Size       : 5318766                                License: GPLv2 and GFDL
Signature  : RSA/8, Sun 03 Jul 2011 12:19:43 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://groff.ffi.org
Summary    : A document formatting system
Description:
Groff is a document formatting system. Groff takes standard text and formatting commands as input and produces formatted output. The created documents can be shown on a display or printed on a printer. Groff's formatting commands allow you to specify font type and size, bold type, italic type, the number and size of columns on a page, and more.
```

Groff can also be used to format man pages. If you are going to use groff with the X Window System, you will also need to install the groff-gxditview package.

```
Name       : abrt-addon-ccpp                       Relocations: (not relocatable)
Version    : 2.0.8                                 Vendor: CentOS
Release    : 15.el6.centos                          Build Date: Fri 22 Feb 2013 11:39:47 PM
EST
Install Date: Tue 06 Aug 2013 05:20:50 PM EDT      Build Host:
c6b8.bsys.dev.centos.org
Group      : System Environment/Libraries           Source RPM:
abrt-2.0.8-15.el6.centos.src.rpm
Size       : 191151                                  License: GPLv2+
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:39:19 PM EST, Key ID 0946fca2c105b9de
```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's C/C++ addon  
Description :  
This package contains hook for C/C++ crashed programs and abrt's C/C++ analyzer plugin.

Name : libudev Relocations: (not relocatable)  
Version : 147 Vendor: CentOS  
Release : 2.46.el6 Build Date: Fri 22 Feb 2013 12:22:19 AM EST  
Install Date: Tue 06 Aug 2013 05:17:38 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: udev-147-2.46.el6.src.rpm  
Size : 73171 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:24 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>  
Summary : Dynamic library to access udev device information  
Description :  
This package contains the dynamic library libudev, which provides access to udev device information, and an interface to search devices in sysfs.

Name : cracklib Relocations: (not relocatable)  
Version : 2.8.16 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 25 Jun 2011 02:39:10 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:31 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
cracklib-2.8.16-4.el6.src.rpm  
Size : 187265 License: LGPLv2+  
Signature : RSA/8, Tue 05 Jul 2011 09:37:31 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/cracklib/>  
Summary : A password-checking library  
Description :  
CrackLib tests passwords to determine whether they match certain security-oriented characteristics, with the purpose of stopping users from choosing passwords that are easy to guess. CrackLib performs several tests on passwords: it tries to generate words from a username and gecos entry and checks those words against the password; it checks for simplistic patterns in passwords; and it checks for the password in a dictionary.

CrackLib is actually a library containing a particular C function which is used to check the password, as well as other C functions. CrackLib is not a replacement for a passwd program; it must be used in conjunction with an existing passwd program.

Install the cracklib package if you need a program to check users' passwords to see if they are at least minimally secure. If you install CrackLib, you will also want to install the cracklib-dicts package.

Name : libreport-gtk Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM EST  
Install Date: Tue 06 Aug 2013 05:20:50 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 135992 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:17 PM EST, Key ID 0946fca2c105b9de



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : GTK front-end for libreport  
Description :  
Applications for reporting bugs using libreport backend

Name : gaminn Relocations: (not relocatable)  
Version : 0.1.10 Vendor: CentOS  
Release : 9.el6 Build Date: Thu 11 Nov 2010 03:03:58 AM  
EST

Install Date: Tue 06 Aug 2013 05:17:38 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: gaminn-0.1.10-9.el6.src.rpm  
Size : 416440 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:15:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/~veillard/gaminn/>  
Summary : Library providing the FAM File Alteration Monitor API  
Description :  
This C library provides an API and ABI compatible file alteration  
monitor mechanism compatible with FAM but not dependent on a system wide  
daemon.

Name : fontconfig Relocations: (not relocatable)  
Version : 2.8.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 02:53:10 AM  
EST

Install Date: Tue 06 Aug 2013 05:18:34 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
fontconfig-2.8.0-3.el6.src.rpm  
Size : 450629 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:14:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fontconfig.org>  
Summary : Font configuration and customization library  
Description :  
Fontconfig is designed to locate fonts within the  
system and select them according to requirements specified by  
applications.

Name : libreport-plugin-kerneloops Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:51 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 18427 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:55 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's kerneloops reporter plugin  
Description :  
This package contains plugin which sends kernel crash information to specified  
server, usually to kerneloops.org.

Name : sed Relocations: (not relocatable)  
Version : 4.2.1 Vendor: CentOS  
Release : 10.el6 Build Date: Fri 22 Jun 2012 09:42:01 AM  
EDT

Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : Applications/Text Source RPM: sed-4.2.1-10.el6.src.rpm  
Size : 542324 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:20:22 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sed.sourceforge.net/>  
Summary : A GNU stream text editor

Description :  
The sed (Stream Editor) editor is a stream or batch (non-interactive) editor. Sed takes text as input, performs an operation or set of operations on the text and outputs the modified text. The operations that sed performs (substitutions, deletions, insertions, etc.) can be specified in a script file or from the command line.

Name : jpackage-utils Relocations: (not relocatable)  
Version : 1.7.5 Vendor: CentOS  
Release : 3.12.el6 Build Date: Thu 11 Nov 2010 11:24:41 AM EST

Install Date: Tue 06 Aug 2013 05:18:38 PM EDT Build Host:

c6b3.bsys.dev.centos.org

Group : Utilities Source RPM:  
jpackage-utils-1.7.5-3.12.el6.src.rpm  
Size : 168678 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:17:30 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.jpackage.org/>  
Summary : JPackage utilities

Description :  
Utilities for the JPackage Project <<http://www.jpackage.org/>>.

It contains also the License, man pages, documentation, XSL files of general use with maven2, a header file for spec files, etc. Please See the /usr/share/doc/jpackage-utils-1.7.5/jpackage-utils-README file for more information.

Name : gdb Relocations: (not relocatable)  
Version : 7.2 Vendor: CentOS  
Release : 60.el6 Build Date: Thu 21 Feb 2013 07:13:34 PM EST

Install Date: Tue 06 Aug 2013 05:20:52 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : Development/Debuggers Source RPM: gdb-7.2-60.el6.src.rpm  
Size : 5532820 License: GPLv3+ and GPLv3+ with exceptions and GPLv2+ and GPLv2+ with exceptions and GPL+ and LGPLv2+ and GFDL and BSD and Public Domain

Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:56 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gnu.org/software/gdb/>  
Summary : A GNU source-level debugger for C, C++, Java and other languages

Description :  
GDB, the GNU debugger, allows you to debug programs written in C, C++, Java, and other languages, by executing them in a controlled fashion and printing their data.

Name : sqlite Relocations: (not relocatable)  
Version : 3.6.20 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 17 Aug 2010 08:56:21 AM EDT

Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host:

c6b2.bsys.dev.centos.org

Group : Applications/Databases Source RPM: sqlite-3.6.20-1.el6.src.rpm  
Size : 641020 License: Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 01:02:22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.sqlite.org/>

Summary : Library that implements an embeddable SQL database engine

Description :

SQLite is a C library that implements an SQL database engine. A large subset of SQL92 is supported. A complete database is stored in a single disk file. The API is designed for convenience and ease of use. Applications that link against SQLite can enjoy the power and flexibility of an SQL database without the administrative hassles of supporting a separate database server. Version 2 and version 3 binaries are named to permit each to be installed on a single host

Name : libXft Relocations: (not relocatable)  
Version : 2.3.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:53:22 PM EST

Install Date: Tue 06 Aug 2013 05:18:42 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: libXft-2.3.1-2.el6.src.rpm

Size : 118762 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:35 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : X.Org X11 libXft runtime library

Description :

X.Org X11 libXft runtime library

Name : centos-release Relocations: (not relocatable)  
Version : 6 Vendor: CentOS  
Release : 4.el6.centos.10 Build Date: Mon 25 Feb 2013 03:57:43 AM EST

Install Date: Tue 06 Aug 2013 05:20:54 PM EDT Build Host:

c6b8.bsys.dev.centos.org

Group : System Environment/Base Source RPM:

centos-release-6-4.el6.centos.10.src.rpm

Size : 32670 License: GPLv2

Signature : RSA/SHA1, Fri 01 Mar 2013 09:01:26 AM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Summary : CentOS release file

Description :

CentOS release files

Name : desktop-file-utils Relocations: (not relocatable)  
Version : 0.15 Vendor: CentOS  
Release : 9.el6 Build Date: Wed 25 Aug 2010 11:37:06 AM EDT

Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host:

c6b3.bsys.dev.centos.org

Group : Development/Tools Source RPM:

desktop-file-utils-0.15-9.el6.src.rpm

Size : 143573 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:09:50 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.freedesktop.org/software/desktop-file-utils>

Summary : Utilities for manipulating .desktop files

Description :

.desktop files are used to describe an application for inclusion in GNOME or KDE menus. This package contains desktop-file-validate which checks whether a .desktop file complies with the specification at <http://www.freedesktop.org/standards/>, and desktop-file-install which installs a desktop file to the standard directory, optionally fixing it up in the process.

Name : libarchive Relocations: (not relocatable)  
Version : 2.8.3 Vendor: CentOS  
Release : 4.el6\_2 Build Date: Mon 09 Apr 2012 09:34:41 AM

EDT

Install Date: Tue 06 Aug 2013 05:18:44 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libarchive-2.8.3-4.el6\_2.src.rpm  
Size : 307255 License: BSD  
Signature : RSA/SHA1, Mon 09 Apr 2012 09:50:51 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/libarchive/>  
Summary : A library for handling streaming archive formats  
Description :  
Libarchive is a programming library that can create and read several different streaming archive formats, including most popular tar variants, several cpio formats, and both BSD and GNU ar variants. It can also write shar archives and read ISO9660 CDROM images and ZIP archives.

Name : iputils Relocations: (not relocatable)  
Version : 20071127 Vendor: CentOS  
Release : 16.el6 Build Date: Tue 19 Jul 2011 02:57:17 AM  
EDT

Install Date: Tue 06 Aug 2013 05:20:55 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
iputils-20071127-16.el6.src.rpm  
Size : 299349 License: BSD with advertising and  
GPLv2+ and Rdisc  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:31 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.skbuff.net/iputils>  
Summary : Network monitoring tools including ping  
Description :  
The iputils package contains basic utilities for monitoring a network, including ping. The ping command sends a series of ICMP protocol ECHO\_REQUEST packets to a specified network host to discover whether the target machine is alive and receiving network traffic.

Name : libxcb Relocations: (not relocatable)  
Version : 1.8.1 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 05:20:55 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libxcb-1.8.1-1.el6.src.rpm  
Size : 527664 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xcb.freedesktop.org/>  
Summary : A C binding to the X11 protocol  
Description :  
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a small footprint, latency hiding, direct access to the protocol, improved threading support, and extensibility.

Name : libsndfile Relocations: (not relocatable)  
Version : 1.0.20 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 23 Sep 2011 01:44:39 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:44 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libsndfile-1.0.20-5.el6.src.rpm  
Size : 770762 License: LGPLv2+ and GPLv2+ and BSD  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.mega-nerd.com/libsndfile/>  
Summary : Library for reading and writing sound files  
Description :

libsndfile is a C library for reading and writing sound files such as AIFF, AU, WAV, and others through one standard interface. It can currently read/write 8, 16, 24 and 32-bit PCM files as well as 32 and 64-bit floating point WAV files and a number of compressed formats. It compiles and runs on \*nix, MacOS, and Win32.

Name : libdrm Relocations: (not relocatable)  
Version : 2.4.39 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 04:02:20 PM EST  
Install Date: Tue 06 Aug 2013 05:20:58 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libdrm-2.4.39-1.el6.src.rpm  
Size : 261675 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:13 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://drif.sourceforge.net>  
Summary : Direct Rendering Manager runtime library  
Description :  
Direct Rendering Manager runtime library

Name : libXi Relocations: (not relocatable)  
Version : 1.6.1 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 09:02:07 PM EST  
Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXi-1.6.1-3.el6.src.rpm  
Size : 64699 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:01 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXi runtime library  
Description :  
X.Org X11 libXi runtime library

Name : libssh2 Relocations: (not relocatable)  
Version : 1.4.2 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 04:50:52 PM EST  
Install Date: Tue 06 Aug 2013 05:18:45 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libssh2-1.4.2-1.el6.src.rpm  
Size : 324941 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:16 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.libssh2.org/>  
Summary : A library implementing the SSH2 protocol  
Description :  
libssh2 is a library implementing the SSH2 protocol as defined by Internet Drafts: SECSH-TRANS(22), SECSH-USERAUTH(25), SECSH-CONNECTION(23), SECSH-ARCH(20), SECSH-FLEXFER(06)\*, SECSH-DHGEX(04), and SECSH-NUMBERS(10).

Name : usermode Relocations: (not relocatable)  
Version : 1.102 Vendor: CentOS  
Release : 3.el6 Build Date: Sun 22 Aug 2010 03:00:06 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:01 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Applications/System Source RPM: usermode-1.102-3.el6.src.rpm

Size : 798347 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:04:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/usermode/>  
Summary : Tools for certain user account management tasks  
Description :  
The usermode package contains the userhelper program, which can be used to allow configured programs to be run with superuser privileges by ordinary users.

Name : libXt Relocations: (not relocatable)  
Version : 1.1.3 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 02:11:43 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host:  
c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXt-1.1.3-1.el6.src.rpm  
Size : 476207 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:27 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXt runtime library  
Description :  
X.Org X11 libXt runtime library

Name : sound-theme-freedesktop Relocations: (not relocatable)  
Version : 0.7 Vendor: CentOS  
Release : 3.el6 Build Date: Sun 22 Aug 2010 05:18:33 AM  
EDT

Install Date: Tue 06 Aug 2013 05:18:46 PM EDT Build Host:  
c6b3.bsyz.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
sound-theme-freedesktop-0.7-3.el6.src.rpm  
Size : 483308 License: GPLv2+ and LGPLv2+ and  
CC-BY-SA and CC-BY  
Signature : RSA/8, Sun 03 Jul 2011 12:48:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Specifications/sound-theme-spec>  
Summary : freedesktop.org sound theme  
Description :  
The default freedesktop.org sound theme following the XDG theming specification. (<http://opointer.de/public/sound-theme-spec.html>).

Name : usermode-gtk Relocations: (not relocatable)  
Version : 1.102 Vendor: CentOS  
Release : 3.el6 Build Date: Sun 22 Aug 2010 03:00:06 PM  
EDT

Install Date: Tue 06 Aug 2013 05:21:06 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : Applications/System Source RPM: usermode-1.102-3.el6.src.rpm  
Size : 208099 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:04:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/usermode/>  
Summary : Graphical tools for certain user account management tasks  
Description :  
The usermode-gtk package contains several graphical tools for users: userinfo, usermount and userpasswd. Userinfo allows users to change their finger information. Usermount lets users mount, unmount, and format filesystems. Userpasswd allows users to change their passwords.

Install the usermode-gtk package if you would like to provide users with graphical tools for certain account management tasks.

Name : libvorbis Relocations: (not relocatable)  
Version : 1.2.3 Vendor: CentOS  
Release : 4.el6\_2.1 Build Date: Wed 15 Feb 2012 04:26:28 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host:  
c6b18n2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libvorbis-1.2.3-4.el6\_2.1.src.rpm  
Size : 2153576 License: BSD  
Signature : RSA/SHA1, Wed 15 Feb 2012 04:32:57 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.xiph.org/>  
Summary : The Vorbis General Audio Compression Codec.  
Description :  
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free,  
general-purpose compressed audio format for audio and music at fixed  
and variable bitrates from 16 to 128 kbps/channel.

The libvorbis package contains runtime libraries for use in programs  
that support Ogg Vorbis.

Name : sgml-common Relocations: (not relocatable)  
Version : 0.6.3 Vendor: CentOS  
Release : 32.el6 Build Date: Thu 11 Nov 2010 02:34:28 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:47 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Applications/Text Source RPM:  
sgml-common-0.6.3-32.el6.src.rpm  
Size : 135735 License: GPL+  
Signature : RSA/8, Sun 03 Jul 2011 12:47:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.w3.org/2003/entities/>  
Summary : Common SGML catalog and DTD files  
Description :  
The sgml-common package contains a collection of entities and DTDs  
that are useful for processing SGML, but that don't need to be  
included in multiple packages. Sgml-common also includes an  
up-to-date Open Catalog file.

Name : device-mapper-event-libs Relocations: (not relocatable)  
Version : 1.02.77 Vendor: CentOS  
Release : 9.el6 Build Date: Fri 22 Feb 2013 01:21:40 AM  
EST  
Install Date: Tue 06 Aug 2013 05:21:06 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: lvm2-2.02.98-9.el6.src.rpm  
Size : 21632 License: LGPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:50 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper event daemon shared library  
Description :  
This package contains the device-mapper event daemon shared library,  
libdevmapper-event.

Name : which Relocations: (not relocatable)  
Version : 2.19 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 23 Sep 2011 06:47:56 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:43 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : Applications/System Source RPM: which-2.19-6.el6.src.rpm

Size : 73004 License: GPLv3  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:13 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.xs4all.nl/~carlo17/whi ch/>  
Summary : Displays where a particular program in your path is located  
Description :  
The which command shows the full pathname of a specified program, if  
the specified program is in your PATH.

Name : festvox-slt-arctic-hts Relocations: (not relocatable)  
Version : 0.20061229 Vendor: CentOS  
Release : 18.el6 Build Date: Thu 11 Nov 2010 02:34:29 AM  
EST  
Install Date: Tue 06 Aug 2013 05:18:49 PM EDT Build Host:  
c6b4.bsyz.dev.centos.org  
Group : Applications/Multimedia Source RPM: festival-1.96-18.el6.src.rpm  
Size : 2257839 License: MIT and GPL+ and TCL  
Signature : RSA/8, Sun 03 Jul 2011 12:08:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cstr.ed.ac.uk/projects/festival/>  
Summary : US English female speaker "SLT" for Festival  
Description :  
US English female speaker ("SLT") voice for Festival.

This is a HMM-based Speech Synthesis System (HTS) voice from the Nagoya Institute of Technology, trained using the CMU ARCTIC database. This voice is based on 1132 utterances spoken by a US English female speaker. The speaker is experienced in building synthetic voices. This was recorded at 16bit 32KHz, in a sound proof room, in stereo, one channel was the waveform, the other EGG. The database was automatically labelled using CMU Sphinx using the FestVox labelling scripts. No hand correction has been made.

Name : cups Relocations: (not relocatable)  
Version : 1.4.2 Vendor: CentOS  
Release : 48.el6\_3.3 Build Date: Tue 20 Nov 2012 07:09:41 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:09 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
cups-1.4.2-48.el6\_3.3.src.rpm  
Size : 11213646 License: GPLv2  
Signature : RSA/SHA1, Wed 21 Nov 2012 08:43:42 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cups.org/>  
Summary : Common Unix Printing System  
Description :  
The Common UNIX Printing System provides a portable printing layer for UNIX® operating systems. It has been developed by Easy Software Products to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces.

Name : libexif Relocations: (not relocatable)  
Version : 0.6.21 Vendor: CentOS  
Release : 5.el6\_3 Build Date: Tue 11 Sep 2012 02:27:08 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:43 PM EDT Build Host:  
c6b10.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libexif-0.6.21-5.el6\_3.src.rpm  
Size : 1949111 License: LGPLv2+  
Signature : RSA/SHA1, Tue 11 Sep 2012 03:11:41 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://libexif.sourceforge.net/>  
Summary : Library for extracting extra information from image files



Description :

Most digital cameras produce EXIF files, which are JPEG files with extra tags that contain information about the image. The EXIF library allows you to parse an EXIF file and read the data from those tags.

Name : qt-sqlite Relocations: (not relocatable)  
Version : 4.6.2 Vendor: CentOS  
Release : 25.el6 Build Date: Fri 07 Sep 2012 12:33:27 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:50 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: qt-4.6.2-25.el6.src.rpm  
Size : 49800 License: (LGPLv2 with exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT  
Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:28 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.qtsoftware.com/>  
Summary : SQLite driver for Qt's SQL classes  
Description :  
SQLite driver for Qt's SQL classes.

Name : rarian Relocations: (not relocatable)  
Version : 0.8.1 Vendor: CentOS  
Release : 5.1.el6 Build Date: Wed 18 Aug 2010 07:01:23 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:10 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: rarian-0.8.1-5.1.el6.src.rpm  
Size : 340580 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:00:04 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://rarian.freedesktop.org/>  
Summary : Documentation meta-data library  
Description :  
Rarian is a documentation meta-data library that allows access to documents, man pages and info pages. It was designed as a replacement for scrollkeeper.

Name : libXdamage Relocations: (not relocatable)  
Version : 1.1.3 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 02:03:18 PM EST  
Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXdamage-1.1.3-4.el6.src.rpm  
Size : 24896 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:50 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X Damage extension library  
Description :  
X.Org X11 libXdamage runtime library.

Name : bind-libs Relocations: (not relocatable)  
Version : 9.8.2 Vendor: CentOS  
Release : 0.17.rc1.el6 Build Date: Thu 21 Feb 2013 10:10:36 PM EST  
Install Date: Tue 06 Aug 2013 05:18:52 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Applications/System Source RPM: bind-9.8.2-0.17.rc1.el6.src.rpm  
Size : 2302096 License: ISC  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.isc.org/products/BIND/>  
Summary : Libraries used by the BIND DNS packages  
Description :  
Contains libraries used by both the bind server package as well as the utils packages.

Name : metacity Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 23.el6 Build Date: Fri 22 Jun 2012 09:46:24 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:14 PM EDT Build Host: c6b10.bsyz.dev.centos.org  
Group : User Interface/Desktops Source RPM: metacity-2.28.0-23.el6.src.rpm  
Size : 7835698 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:01 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/metacity/>  
Summary : Unobtrusive window manager  
Description :  
Metacity is a window manager that integrates nicely with the GNOME desktop. It strives to be quiet, small, stable, get on with its job, and stay out of your attention.

Name : libsigc++20 Relocations: (not relocatable)  
Version : 2.2.4.2 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 17 Aug 2010 02:30:57 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Build Host: c6b2.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libsigc++20-2.2.4.2-1.el6.src.rpm  
Size : 154116 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:39:01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://libsigc.sourceforge.net/>  
Summary : Typesafe signal framework for C++  
Description :  
This library implements a full callback system for use in widget libraries, abstract interfaces, and general programming. Originally part of the Gtk+- widget set, libsigc++20 is now a separate library to provide for more general use. It is the most complete library of its kind with the ability to connect an abstract callback to a class method, function, or function object. It contains adaptor classes for connection of dissimilar callbacks and has an ease of use unmatched by other C++ callback libraries.

Package GTK+- (gtkmm), which is a C++ binding to the GTK+ library, starting with version 1.1.2, uses libsigc++20.

Name : fipscheck Relocations: (not relocatable)  
Version : 1.2.0 Vendor: CentOS  
Release : 7.el6 Build Date: Wed 07 Dec 2011 02:13:53 PM EST  
Install Date: Tue 06 Aug 2013 05:18:52 PM EDT Build Host: c6b18n3.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: fipscheck-1.2.0-7.el6.src.rpm  
Size : 28163 License: BSD  
Signature : RSA/SHA1, Thu 08 Dec 2011 02:58:48 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/fipscheck/>  
Summary : A library for integrity verification of FIPS validated modules  
Description :  
FIPSCheck is a library for integrity verification of FIPS validated

modules. The package also provides helper binaries for creation and verification of the HMAC-SHA256 checksum files.

Name : system-config-users-docs Relocations: (not relocatable)  
Version : 1.0.8 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 06:01:59 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:23 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Documentation Source RPM:  
system-config-users-docs-1.0.8-1.el6.src.rpm  
Size : 1610018 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:48:55 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/system-config-users-docs>  
Summary : Documentation for administering users and groups  
Description :  
This package contains the online documentation for system-config-users which is a graphical utility for administrating users and groups.

Name : jakarta-commons-logging Relocations: (not relocatable)  
Version : 1.0.4 Vendor: CentOS  
Release : 10.el6 Build Date: Sun 22 Aug 2010 04:55:43 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:45 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
jakarta-commons-logging-1.0.4-10.el6.src.rpm  
Size : 89412 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:16:52 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jakarta.apache.org/commons/logging/>  
Summary : Jakarta Commons Logging Package  
Description :  
The commons-logging package provides a simple, component oriented interface (org.apache.commons.logging.Log) together with wrappers for logging systems. The user can choose at runtime which system they want to use. In addition, a small number of basic implementations are provided to allow users to use the package standalone.  
commons-logging was heavily influenced by Avalon's Logkit and Log4J. The commons-logging abstraction is meant to minimize the differences between the two, and to allow a developer to not tie himself to a particular logging implementation.

Name : poppler Relocations: (not relocatable)  
Version : 0.12.4 Vendor: CentOS  
Release : 3.el6\_0.1 Build Date: Fri 24 Jun 2011 09:17:31 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:19:01 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
poppler-0.12.4-3.el6\_0.1.src.rpm  
Size : 1964853 License: GPLv2  
Signature : RSA/8, Tue 05 Jul 2011 09:45:01 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://poppler.freedesktop.org/>  
Summary : PDF rendering library  
Description :  
Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

Name : devicemapper-event Relocations: (not relocatable)  
Version : 1.02.77 Vendor: CentOS  
Release : 9.el6 Build Date: Fri 22 Feb 2013 01:21:40 AM

EST

Install Date: Tue 06 Aug 2013 05:21:24 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: lvm2-2.02.98-9.el6.src.rpm  
Size : 33283 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:19 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper event daemon  
Description :  
This package contains the dmeventd daemon for monitoring the state  
of device-mapper devices.

Name : shared-mime-info Relocations: (not relocatable)  
Version : 0.70 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 12:06:52 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:46 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
shared-mime-info-0.70-4.el6.src.rpm  
Size : 1411492 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:02:02 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/Software/shared-mime-info>  
Summary : Shared MIME information database  
Description :  
This is the freedesktop.org shared MIME info database.

Many programs and desktops use the MIME system to represent the types of files. Frequently, it is necessary to work out the correct MIME type for a file. This is generally done by examining the file's name or contents, and looking up the correct MIME type in a database.

Name : genisoimage Relocations: (not relocatable)  
Version : 1.1.9 Vendor: CentOS  
Release : 12.el6 Build Date: Mon 12 Nov 2012 06:44:52 AM  
EST

Install Date: Tue 06 Aug 2013 05:19:02 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Applications/System Source RPM: cdrkit-1.1.9-12.el6.src.rpm  
Size : 1512545 License: GPLv2  
Signature : RSA/SHA1, Mon 12 Nov 2012 09:34:31 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cdrkit.org/>  
Summary : Creates an image of an ISO9660 filesystem  
Description :  
The genisoimage program is used as a pre-mastering program; i.e., it generates the ISO9660 filesystem. Genisoimage takes a snapshot of a given directory tree and generates a binary image of the tree which will correspond to an ISO9660 filesystem when written to a block device. Genisoimage is used for writing CD-ROMs, and includes support for creating bootable El Torito CD-ROMs.

Install the genisoimage package if you need a program for writing CD-ROMs.

Name : udisks Relocations: (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 07 Dec 2011 05:01:07 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:25 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: udisks-1.0.1-4.el6.src.rpm

Size : 619471 License: GPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/udisks>  
Summary : Storage Management Service  
Description :  
udisks provides a daemon, D-Bus API and command line tools for managing disks and storage devices.

Name : pciutils-libs Relocations: (not relocatable)  
Version : 3.1.10 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 05:31:11 PM EST  
Install Date: Tue 06 Aug 2013 05:17:47 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: pciutils-3.1.10-2.el6.src.rpm  
Size : 48992 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:59 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>  
Summary : Linux PCI library  
Description :  
This package contains a library for inspecting and setting devices connected to the PCI bus.

Name : NetworkManager-glib Relocations: (not relocatable)  
Version : 0.8.1 Vendor: CentOS  
Release : 43.el6 Build Date: Fri 22 Feb 2013 01:32:10 AM EST  
Install Date: Tue 06 Aug 2013 05:19:02 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM: NetworkManager-0.8.1-43.el6.src.rpm  
Size : 560512 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Libraries for adding NetworkManager support to applications that use glib.  
Description :  
This package contains the libraries that make it easier to use some NetworkManager functionality from applications that use glib.

Name : nautilus Relocations: (not relocatable)  
Version : 2.28.4 Vendor: CentOS  
Release : 19.el6 Build Date: Fri 22 Jun 2012 04:07:58 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:28 PM EDT Build Host: c6b10.bsyz.dev.centos.org  
Group : User Interface/Desktops Source RPM: nautilus-2.28.4-19.el6.src.rpm  
Size : 17623887 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:31 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/nautilus/>  
Summary : File manager for GNOME  
Description :  
Nautilus is the file manager and graphical shell for the GNOME desktop that makes it easy to manage your files and the rest of your system. It allows to browse directories on local and remote filesystems, preview files and launch applications associated with them. It is also responsible for handling the icons on the GNOME desktop.

Name : hal -libs Relocations: (not relocatable)  
Version : 0.5.14 Vendor: CentOS  
Release : 11.el6 Build Date: Tue 19 Jul 2011 02:29:14 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:47 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM: hal-0.5.14-11.el6.src.rpm  
Size : 108320 License: AFL or GPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:12 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/Software/hal>  
Summary : Libraries for accessing HAL  
Description :  
Libraries for accessing HAL.

Name : libcurl Relocations: (not relocatable)  
Version : 7.19.7 Vendor: CentOS  
Release : 35.el6 Build Date: Fri 22 Feb 2013 01:06:45 AM EST  
Install Date: Tue 06 Aug 2013 05:19:05 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM: curl-7.19.7-35.el6.src.rpm  
Size : 340968 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://curl.haxx.se/>  
Summary : A library for getting files from web servers  
Description :  
This package provides a way for applications to use FTP, HTTP, Gopher and other servers for getting files.

Name : hal-info Relocations: (not relocatable)  
Version : 20090716 Vendor: CentOS  
Release : 3.1.el6 Build Date: Thu 11 Nov 2010 08:56:50 AM EST  
Install Date: Tue 06 Aug 2013 05:21:30 PM EDT Build Host:  
c6b3.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
hal-info-20090716-3.1.el6.src.rpm  
Size : 317340 License: AFL or GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:13:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/Software/hal>  
Summary : Device information files for HAL  
Description :  
The hal-info package contains various device information files (also known as .fdi files) for the hal package.

Name : libtirpc Relocations: (not relocatable)  
Version : 0.2.1 Vendor: CentOS  
Release : 5.el6 Build Date: Wed 07 Dec 2011 02:32:04 PM EST  
Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host:  
c6b18n3.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libtirpc-0.2.1-5.el6.src.rpm  
Size : 172487 License: SISSL and BSD  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:25:16 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://nfsv4.bullopensource.org/>  
Summary : Transport Independent RPC Library  
Description :  
This package contains SunLib's implementation of transport-independent RPC (TI-RPC) documentation. This library forms a piece of the base of

Open Network Computing (ONC), and is derived directly from the Solaris 2.3 source.

TI-RPC is an enhanced version of TS-RPC that requires the UNIX System V Transport Layer Interface (TLI) or an equivalent X/Open Transport Interface (XTI). TI-RPC is on-the-wire compatible with the TS-RPC, which is supported by almost 70 vendors on all major operating systems. TS-RPC source code (RPCSRC 4.0) remains available from several internet sites.

Name : rpm-libs Relocations: (not relocatable)  
Version : 4.8.0 Vendor: CentOS  
Release : 32.el6 Build Date: Thu 21 Feb 2013 09:13:55 PM EST  
Install Date: Tue 06 Aug 2013 05:19:06 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: rpm-4.8.0-32.el6.src.rpm  
Size : 772856 License: GPLv2+ and LGPLv2+ with exceptions  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:08 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.rpm.org/>  
Summary : Libraries for manipulating RPM packages  
Description :  
This package contains the RPM shared libraries.

Name : xorg-x11-drv-void Relocations: (not relocatable)  
Version : 1.4.0 Vendor: CentOS  
Release : 3.el6 Build Date: Sat 23 Feb 2013 03:21:18 PM EST  
Install Date: Tue 06 Aug 2013 05:21:31 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-void-1.4.0-3.el6.src.rpm  
Size : 10830 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:39 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 void input driver  
Description :  
X.Org X11 void input driver.

Name : libXcomposite Relocations: (not relocatable)  
Version : 0.4.3 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 01:56:08 PM EST  
Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXcomposite-0.4.3-4.el6.src.rpm  
Size : 31878 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:25 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X Composite Extension Library  
Description :  
X Composite Extension Library

Name : passwd Relocations: (not relocatable)  
Version : 0.77 Vendor: CentOS  
Release : 4.el6\_2.2 Build Date: Wed 22 Feb 2012 06:48:41 AM EST  
Install Date: Tue 06 Aug 2013 05:19:07 PM EDT Build Host: c6b18n3.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:

passwd-0.77-4.el6\_2.2.src.rpm  
Size : 357699 License: BSD or GPLv2+  
Signature : RSA/SHA1, Wed 22 Feb 2012 08:37:28 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/passwd>  
Summary : An utility for setting or changing passwords using PAM  
Description :  
This package contains a system utility (passwd) which sets or changes passwords, using PAM (Pluggable Authentication Modules) library.

Name : xorg-x11-drv-wacom Relocations: (not relocatable)  
Version : 0.16.1 Vendor: CentOS  
Release : 3.el6 Build Date: Sat 23 Feb 2013 03:22:38 PM EST  
Install Date: Tue 06 Aug 2013 05:21:32 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-wacom-0.16.1-3.el6.src.rpm  
Size : 780270 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:46 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 wacom input driver  
Description :  
X.Org X11 wacom input driver for Wacom tablets.

Name : libutempter Relocations: (not relocatable)  
Version : 1.1.5 Vendor: CentOS  
Release : 4.1.el6 Build Date: Wed 18 Aug 2010 12:14:02 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:49 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libutempter-1.1.5-4.1.el6.src.rpm  
Size : 40785 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:40:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.altlinux.org/pub/people/ldv/utempter>  
Summary : A privileged helper for utmp/wtmp updates  
Description :  
This library provides interface for terminal emulators such as screen and xterm to record user sessions to utmp and wtmp files.

Name : gpgme Relocations: (not relocatable)  
Version : 1.1.8 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 07:58:38 AM EST  
Install Date: Tue 06 Aug 2013 05:19:09 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Applications/System Source RPM: gpgme-1.1.8-3.el6.src.rpm  
Size : 729658 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:19:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://www.gnupg.org/related\\_software/gpgme/](http://www.gnupg.org/related_software/gpgme/)  
Summary : GnuPG Made Easy - high level crypto API  
Description :  
GnuPG Made Easy (GPGME) is a library designed to make access to GnuPG easier for applications. It provides a high-level crypto API for encryption, decryption, signing, signature verification and key management.

Name : gnome-session-xsession Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS



Release : 18. el 6 Build Date: Wed 07 Dec 2011 12:54:27 PM EST  
Install Date: Tue 06 Aug 2013 05:21:35 PM EDT Build Host: c6b18n2.bsyz.dev.centos.org  
Group : User Interface/Desktop Source RPM: gnome-session-2.28.0-18.el6.src.rpm  
Size : 6041 License: GPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:05:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : gnome-session desktop file  
Description :  
Desktop file to add GNOME to display manager session menu.

Name : bzip2 Relocations: (not relocatable)  
Version : 1.0.5 Vendor: CentOS  
Release : 7.el6\_0 Build Date: Fri 24 Jun 2011 09:45:55 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:49 PM EDT Build Host: c6b4.bsyz.dev.centos.org  
Group : Applications/File Source RPM: bzip2-1.0.5-7.el6\_0.src.rpm  
Size : 79087 License: BSD  
Signature : RSA/8, Tue 05 Jul 2011 09:37:17 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.bzip.org/>  
Summary : A file compression utility  
Description :  
Bzip2 is a freely available, patent-free, high quality data compressor. Bzip2 compresses files to within 10 to 15 percent of the capabilities of the best techniques available. However, bzip2 has the added benefit of being approximately two times faster at compression and six times faster at decompression than those techniques. Bzip2 is not the fastest compression utility, but it does strike a balance between speed and compression capability.

Install bzip2 if you need a compression utility.

Name : rhino Relocations: (not relocatable)  
Version : 1.7 Vendor: CentOS  
Release : 0.7.r2.2.el6 Build Date: Sat 21 Aug 2010 05:59:06 PM EDT  
Install Date: Tue 06 Aug 2013 05:19:10 PM EDT Build Host: c6b1.bsyz.dev.centos.org  
Group : Development/Libraries/Java Source RPM: rhino-1.7-0.7.r2.2.el6.src.rpm  
Size : 826259 License: GPL+ and LGPL+ and Netscape and MPLv1.0 and (MPLv1.1 or GPLv2+)  
Signature : RSA/8, Sun 03 Jul 2011 12:45:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/rhino/>  
Summary : JavaScript for Java  
Description :  
Rhino is an open-source implementation of JavaScript written entirely in Java. It is typically embedded into Java applications to provide scripting to end users.

Name : xorg-x11-drv-vmware Relocations: (not relocatable)  
Version : 12.0.2 Vendor: CentOS  
Release : 3.20120718gite5ac80d8f.el6 Build Date: Sat 23 Feb 2013 03:18:18 PM EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-vmware-12.0.2-3.20120718gite5ac80d8f.el6.src.rpm

Size : 55904 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:36 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 vmware video driver  
Description :  
X.Org X11 vmware video driver.

Name : gmp Relocations: (not relocatable)  
Version : 4.3.1 Vendor: CentOS  
Release : 7.el6\_2.2 Build Date: Wed 07 Mar 2012 02:48:51 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:51 PM EDT Build Host:  
c6b18n3.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: gmp-4.3.1-7.el6\_2.2.src.rpm  
Size : 657883 License: LGPLv2+ and GPLv3+ and  
LGPLv3+  
Signature : RSA/SHA1, Wed 07 Mar 2012 03:12:46 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gmplib.org/>  
Summary : A GNU arbitrary precision library  
Description :  
The gmp package contains GNU MP, a library for arbitrary precision arithmetic, signed integers operations, rational numbers and floating point numbers. GNU MP is designed for speed, for both small and very large operands. GNU MP is fast because it uses fullwords as the basic arithmetic type, it uses fast algorithms, it carefully optimizes assembly code for many CPUs' most common inner loops, and it generally emphasizes speed over simplicity/elegance in its operations.

Install the gmp package if you need a fast arbitrary precision library.

Name : sgpio Relocations: (not relocatable)  
Version : 1.2.0.10 Vendor: CentOS  
Release : 5.el6 Build Date: Sun 22 Aug 2010 01:59:21 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:19:29 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: sgpio-1.2.0.10-5.el6.src.rpm  
Size : 34278 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:02:01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://sources.redhat.com/ivm2/wiki/DMRAID\\_Eventing](http://sources.redhat.com/ivm2/wiki/DMRAID_Eventing)  
Summary : SGPIO captive backplane tool  
Description :  
Intel SGPIO enclosure management utility

Name : xorg-x11-drv-tdfx Relocations: (not relocatable)  
Version : 1.4.5 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 03:13:40 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-tdfx-1.4.5-2.el6.src.rpm  
Size : 63787 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:19 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 tdfx video driver  
Description :  
X.Org X11 tdfx video driver.

Name : libraw1394 Relocations: (not relocatable)  
Version : 2.0.4 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 09:03:52 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:51 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libraw1394-2.0.4-1.el6.src.rpm  
Size : 123381 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:38:19 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.dennedy.org/libraw1394/>  
Summary : Library providing low-level IEEE-1394 access  
Description :  
The libraw1394 library provides direct access to the IEEE-1394 bus through the Linux 1394 subsystem's raw1394 user space interface. Support for both the classic ieee1394 and new firewire linux driver stacks is included, with run-time detection of the active stack. Fedora comes with the firewire stack by default.

Name : ethtool Relocations: (not relocatable)  
Version : 3.5 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 02:47:59 PM EST  
Install Date: Tue 06 Aug 2013 05:19:30 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Applications/System Source RPM: ethtool-3.5-1.el6.src.rpm  
Size : 279515 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/gkernel/>  
Summary : Ethernet settings tool for PCI ethernet cards  
Description :  
This utility allows querying and changing settings such as speed, port, autonegotiation, PCI locations and checksum offload on many network devices, especially of ethernet devices.

Name : xorg-x11-drv-silicomotion Relocations: (not relocatable)  
Version : 1.7.7 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 03:06:13 PM EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-silicomotion-1.7.7-2.el6.src.rpm  
Size : 115438 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 silicomotion video driver  
Description :  
X.Org X11 silicomotion video driver.

Name : libmng Relocations: (not relocatable)  
Version : 1.0.10 Vendor: CentOS  
Release : 4.1.el6 Build Date: Thu 11 Nov 2010 09:05:35 AM EST  
Install Date: Tue 06 Aug 2013 05:17:52 PM EDT Build Host: c5b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libmng-1.0.10-4.1.el6.src.rpm  
Size : 544620 License: zlib  
Signature : RSA/8, Sun 03 Jul 2011 12:36:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.libmng.com/>  
 Summary : Library for Multiple-image Network Graphics support  
 Description :  
 LibMNG is a library for accessing graphics in MNG (Multi-image Network Graphics) and JNG (JPEG Network Graphics) formats. MNG graphics are basically animated PNGs. JNG graphics are basically JPEG streams integrated into a PNG chunk.

Name : libhangul Relocations: (not relocatable)  
 Version : 0.0.10 Vendor: CentOS  
 Release : 1.el6 Build Date: Tue 24 Aug 2010 09:08:43 PM EDT  
 Install Date: Tue 06 Aug 2013 05:19:31 PM EDT Build Host: c6b3.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: libhangul-0.0.10-1.el6.src.rpm  
 Size : 6597276 License: LGPLv2+  
 Signature : RSA/8, Sun 03 Jul 2011 12:35:21 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://kl dp.net/projects/hangul/>  
 Summary : Hangul input library  
 Description :  
 libhangul provides common features for Hangul input method programs.

Name : xorg-x11-drv-r128 Relocations: (not relocatable)  
 Version : 6.9.1 Vendor: CentOS  
 Release : 1.el6 Build Date: Sat 23 Feb 2013 03:01:42 PM EST  
 Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host: c6b9.bsys.dev.centos.org  
 Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-r128-6.9.1-1.el6.src.rpm  
 Size : 115364 License: MIT  
 Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:31 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.x.org>  
 Summary : Xorg X11 r128 video driver  
 Description :  
 X.Org X11 r128 video driver.

Name : libXScrnSaver Relocations: (not relocatable)  
 Version : 1.2.2 Vendor: CentOS  
 Release : 2.el6 Build Date: Thu 21 Feb 2013 02:24:54 PM EST  
 Install Date: Tue 06 Aug 2013 05:17:53 PM EDT Build Host: c6b7.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: libXScrnSaver-1.2.2-2.el6.src.rpm  
 Size : 36140 License: MIT  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:39 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.x.org>  
 Summary : X.Org X11 libXss runtime library  
 Description :  
 X.Org X11 libXss runtime library

Name : libevent Relocations: (not relocatable)  
 Version : 1.4.13 Vendor: CentOS  
 Release : 4.el6 Build Date: Fri 22 Jun 2012 07:58:49 AM EDT  
 Install Date: Tue 06 Aug 2013 05:19:32 PM EDT Build Host: c6b7.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: libevent-1.4.13-4.el6.src.rpm

Size : 232536 License: BSD  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:20 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://monkey.org/~provos/libevent/>  
Summary : Abstract asynchronous event notification library  
Description :  
The libevent API provides a mechanism to execute a callback function when a specific event occurs on a file descriptor or after a timeout has been reached. libevent is meant to replace the asynchronous event loop found in event driven network servers. An application just needs to call event\_dispatch() and can then add or remove events dynamically without having to change the event loop.

Name : xorg-x11-drv-nv Relocations: (not relocatable)  
Version : 2.1.20 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 02:57:34 PM EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-nv-2.1.20-4.el6.src.rpm  
Size : 178034 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:16 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 nv video driver  
Description :  
X.Org X11 nv video driver.

Name : xorg-x11-xkb-utils Relocations: (not relocatable)  
Version : 7.7 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 03:32:08 PM EST  
Install Date: Tue 06 Aug 2013 05:17:53 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
xorg-x11-xkb-utils-7.7-4.el6.src.rpm  
Size : 200383 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:17:10 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 xkb utilities  
Description :  
X.Org X11 xkb core utilities

Name : libgcj Relocations: (not relocatable)  
Version : 4.4.7 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 12:16:26 PM EST  
Install Date: Tue 06 Aug 2013 05:19:40 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: gcc-4.4.7-3.el6.src.rpm  
Size : 64997109 License: GPLv3+ and GPLv3+ with  
exceptions and GPLv2+ with exceptions  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:37 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gcc.gnu.org>  
Summary : Java runtime library for gcc  
Description :  
The Java(tm) runtime library. You will need this package to run your Java programs compiled using the Java compiler from GNU Compiler Collection (gcj).

Name : xorg-x11-drv-mga Relocations: (not relocatable)  
Version : 1.6.1 Vendor: CentOS

Release : 7. el 6 Build Date: Sat 23 Feb 2013 02:49:40 PM EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-mga-1.6.1-7.el6.src.rpm  
Size : 155388 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:50 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 mga video driver  
Description : X.Org X11 mga video driver.

Name : xz Relocations: (not relocatable)  
Version : 4.999.9 Vendor: CentOS  
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010 01:12:38 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:54 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : Applications/File Source RPM: xz-4.999.9-0.3.beta.20091007git.el6.src.rpm  
Size : 487887 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:06:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tukaani.org/xz/>  
Summary : LZMA compression utilities  
Description : XZ Utils are an attempt to make LZMA compression easy to use on free (as in freedom) operating systems. This is achieved by providing tools and libraries which are similar to use than the equivalents of the most popular existing compression algorithms.

LZMA is a general purpose compression algorithm designed by Igor Pavlov as part of 7-Zip. It provides high compression ratio while keeping the decompression speed fast.

Name : gnome-keyring Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 8.el6\_3 Build Date: Thu 04 Oct 2012 04:10:21 AM EDT  
Install Date: Tue 06 Aug 2013 05:19:42 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: gnome-keyring-2.28.2-8.el6\_3.src.rpm  
Size : 4764811 License: GPLv2+ and LGPLv2+  
Signature : RSA/SHA1, Thu 04 Oct 2012 12:07:38 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : Framework for managing passwords and other secrets  
Description : The gnome-keyring session daemon manages passwords and other types of secrets for the user, storing them encrypted with a main password. Applications can use the gnome-keyring library to integrate with the keyring.

Name : xorg-x11-drv-i128 Relocations: (not relocatable)  
Version : 1.3.6 Vendor: CentOS  
Release : 3.el6 Build Date: Sat 23 Feb 2013 02:41:23 PM EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-i128-1.3.6-3.el6.src.rpm  
Size : 55288 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 i128 video driver  
Description :  
X.Org X11 i128 video driver.

Name : libIDL Relocations: (not relocatable)  
Version : 0.8.13 Vendor: CentOS  
Release : 2.1.el6 Build Date: Thu 19 Aug 2010 11:17:34 AM  
EDT

Install Date: Tue 06 Aug 2013 05:17:55 PM EDT Build Host:

c6b3.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:

libIDL-0.8.13-2.1.el6.src.rpm

Size : 214847

License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:35:59 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Summary : Library for parsing IDL (Interface Definition Language)

Description :

libIDL is a library for parsing IDL (Interface Definition Language).

It can be used for both COM-style and CORBA-style IDL.

Name : unique Relocations: (not relocatable)  
Version : 1.1.4 Vendor: CentOS  
Release : 2.el6 Build Date: Tue 24 Aug 2010 04:11:15 PM  
EDT

Install Date: Tue 06 Aug 2013 05:19:43 PM EDT Build Host:

c6b2.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: unique-1.1.4-2.el6.src.rpm

Size : 157328

License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 01:04:30 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnome.org/~ebassi/source/>

Summary : Single instance support for applications

Description :

Unique is a library for writing single instance applications, that is applications that are run once and every further call to the same binary either exits immediately or sends a command to the running instance.

Name : xorg-x11-drv-fbdev Relocations: (not relocatable)  
Version : 0.4.3 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 02:34:44 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:

c6b8.bsys.dev.centos.org

Group : User Interface/X Hardware Support Source RPM:

xorg-x11-drv-fbdev-0.4.3-2.el6.src.rpm

Size : 22294

License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:57 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : Xorg X11 fbdev video driver

Description :

X.Org X11 fbdev video driver.

Name : net-tools Relocations: (not relocatable)  
Version : 1.60 Vendor: CentOS  
Release : 110.el6\_2 Build Date: Thu 10 May 2012 04:17:33 AM  
EDT

Install Date: Tue 06 Aug 2013 05:17:56 PM EDT Build Host:

c6b5.bsys.dev.centos.org

Group : System Environment/Base Source RPM:

net-tools-1.60-110.el6\_2.src.rpm

Size : 778085 License: GPL+  
Signature : RSA/SHA1, Thu 10 May 2012 06:02:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://net-tools.berlios.de/>  
Summary : Basic networking tools  
Description :  
The net-tools package contains basic networking tools, including ifconfig, netstat, route, and others.  
Most of them are obsolete. For replacement check iproute package.

Name : at-spi Relocations: (not relocatable)  
Version : 1.28.1 Vendor: CentOS  
Release : 2.el6.centos Build Date: Fri 02 Dec 2011 04:45:53 AM EST

Install Date: Tue 06 Aug 2013 05:19:54 PM EDT Build Host: c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: at-spi-1.28.1-2.el6.centos.src.rpm  
Size : 894826 License: LGPLv2+  
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:36 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://developer.gnome.org/projects/gap/>  
Summary : Assistive Technology Service Provider Interface  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

Name : xorg-x11-drv-ast Relocations: (not relocatable)  
Version : 0.97.0 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 02:27:14 PM EST

Install Date: Tue 06 Aug 2013 05:21:43 PM EDT Build Host: c6b8.bsys.dev.centos.org

Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-ast-0.97.0-2.el6.src.rpm  
Size : 76060 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 ast video driver  
Description :  
X.Org X11 ast video driver.

Name : libss Relocations: (not relocatable)  
Version : 1.41.12 Vendor: CentOS  
Release : 14.el6 Build Date: Thu 21 Feb 2013 06:51:14 PM EST

Install Date: Tue 06 Aug 2013 05:17:56 PM EDT Build Host: c6b7.bsys.dev.centos.org

Group : Development/Libraries Source RPM: e2fsprogs-1.41.12-14.el6.src.rpm  
Size : 71689 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:56 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Command line interface parsing library  
Description :  
This is libss, a command line interface parsing library, part of e2fsprogs.

This package includes a tool that parses a command table to generate a simple command-line interface parser, the include files needed to compile and use it, and the static libs.



It was originally inspired by the Multics SubSystem Library.

Name : classpathx-jaf Relocations: (not relocatable)  
Version : 1.0 Vendor: CentOS  
Release : 15.4.el6 Build Date: Wed 10 Nov 2010 09:40:45 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:56 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
classpathx-jaf-1.0-15.4.el6.src.rpm  
Size : 245293 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:06:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/classpathx/>  
Summary : GNU JavaBeans(tm) Activation Framework  
Description :  
JAF provides a means to type data and locate components suitable for  
performing various kinds of action on it. It extends the UNIX standard  
mime.types and mailcap mechanisms for Java.

Name : plymouth-utils Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:43 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 15816 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:06 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth related utilities  
Description :  
This package contains utilities that integrate with Plymouth  
including a boot log viewing application.

Name : hunspell Relocations: (not relocatable)  
Version : 1.2.8 Vendor: CentOS  
Release : 16.el6 Build Date: Thu 11 Nov 2010 03:17:38 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
hunspell-1.2.8-16.el6.src.rpm  
Size : 428940 License: (LGPLv2+ or GPLv2+ or  
MPLv1.1) and (LGPLv2+ or SISSL)  
Signature : RSA/8, Sun 03 Jul 2011 12:22:03 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://hunspell.sourceforge.net/>  
Summary : A spell checker and morphological analyzer library  
Description :  
Hunspell is a spell checker and morphological analyzer library and program  
designed for languages with rich morphology and complex word compounding or  
character encoding. Hunspell interfaces: Ispell-like terminal interface using  
Curses library, Ispell pipe interface, OpenOffice.org UNO module.

Name : libnotify Relocations: (not relocatable)  
Version : 0.5.0 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 05:41:32 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:57 PM EDT Build Host:  
c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
libnotify-0.5.0-1.el6.src.rpm  
Size : 79987 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:37:22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://live.gnome.org/libnotify>  
Summary : Desktop notification library

Description :  
libnotify is a library for sending desktop notifications to a notification daemon, as defined in the freedesktop.org Desktop Notifications spec. These notifications can be used to inform the user about an event or display some form of information without getting in the user's way.

Name : authconfig-gtk Relocations: (not relocatable)  
Version : 6.1.12 Vendor: CentOS  
Release : 13.el6 Build Date: Thu 21 Feb 2013 10:08:55 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:45 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Base Source RPM:  
authconfig-6.1.12-13.el6.src.rpm  
Size : 183966 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/authconfig>  
Summary : Graphical tool for setting up authentication from network services

Description :  
Authconfig-gtk is a GUI program which can configure a workstation to use shadow (more secure) passwords. Authconfig-gtk can also configure a system to be a client for certain networked user information and authentication schemes.

Name : libtar Relocations: (not relocatable)  
Version : 1.2.11 Vendor: CentOS  
Release : 17.el6 Build Date: Mon 09 Apr 2012 09:27:01 AM  
EDT

Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host:

c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
libtar-1.2.11-17.el6.src.rpm  
Size : 65398 License: MIT  
Signature : RSA/SHA1, Mon 09 Apr 2012 09:52:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.feep.net/libtar/>  
Summary : Tar file manipulation API

Description :  
libtar is a C library for manipulating tar archives. It supports both the strict POSIX tar format and many of the commonly-used GNU extensions.

Name : gdm-libs Relocations: (not relocatable)  
Version : 2.30.4 Vendor: CentOS  
Release : 39.el6 Build Date: Thu 21 Feb 2013 08:25:25 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:00 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : Development/Libraries Source RPM: gdm-2.30.4-39.el6.src.rpm  
Size : 78248 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:50 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gdm>  
Summary : GDM plugins

Description :  
The GDM libs subpackage contains experimental libraries for developing GDM plugins.

Name : python-iwlib Relocations: (not relocatable)  
 Version : 0.1 Vendor: CentOS  
 Release : 1.2.el6 Build Date: Sat 21 Aug 2010 10:03:39 AM EDT  
 Install Date: Tue 06 Aug 2013 05:21:45 PM EDT Build Host: c6b5.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: python-iwlib-0.1-1.2.el6.src.rpm  
 Size : 27300 License: GPLv2  
 Signature : RSA/8, Sun 03 Jul 2011 12:58:40 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://git.fedorahosted.org/git/python-iwlib.git>  
 Summary : Wireless settings python bindings  
 Description :  
 Python bindings for the iwlib kernel interface, that provides functions to examine the wireless network devices installed on the system.

Name : pth Relocations: (not relocatable)  
 Version : 2.0.7 Vendor: CentOS  
 Release : 9.3.el6 Build Date: Thu 11 Nov 2010 02:48:33 PM EST  
 Install Date: Tue 06 Aug 2013 05:17:58 PM EDT Build Host: c6b6.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: pth-2.0.7-9.3.el6.src.rpm  
 Size : 261931 License: LGPLv2+  
 Signature : RSA/8, Sun 03 Jul 2011 12:57:59 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.gnu.org/software/pth/>  
 Summary : The GNU Portable Threads Library  
 Description :  
 Pth is a very portable POSIX/ANSI-C based library for Unix platforms which provides non-preemptive priority-based scheduling for multiple threads of execution ("multithreading") inside server applications. All threads run in the same address space of the server application, but each thread has its own individual program-counter, run-time stack, signal mask and errno variable.

Name : gtkmm24 Relocations: (not relocatable)  
 Version : 2.18.2 Vendor: CentOS  
 Release : 1.el6 Build Date: Fri 20 Aug 2010 02:45:11 AM EDT  
 Install Date: Tue 06 Aug 2013 05:20:01 PM EDT Build Host: c6b2.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: gtkmm24-2.18.2-1.el6.src.rpm  
 Size : 5573311 License: LGPLv2+  
 Signature : RSA/8, Sun 03 Jul 2011 12:20:41 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://gtkmm.sourceforge.net/>  
 Summary : C++ interface for GTK2 (a GUI library for X)  
 Description :  
 gtkmm provides a C++ interface to the GTK+ GUI library. gtkmm2 wraps GTK+ 2. Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : sane-backends-libs Relocations: (not relocatable)  
 Version : 1.0.21 Vendor: CentOS  
 Release : 3.el6 Build Date: Thu 11 Nov 2010 04:59:36 PM EST  
 Install Date: Tue 06 Aug 2013 05:21:47 PM EDT Build Host: c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
sane-backends-1.0.21-3.el6.src.rpm  
Size : 7927072 License: GPLv2+ and GPLv2+ with  
exceptions and Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 01:01:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.sane-project.org>  
Summary : SANE Libraries  
Description :  
This package contains the SANE libraries which are needed by applications that want to access scanners.

Name : libpcap Relocations: (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 6.20091201git117cb5.el6 Build Date: Thu 11 Nov 2010 02:46:56 PM EST  
Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM:  
libpcap-1.0.0-6.20091201git117cb5.el6.src.rpm  
Size : 332194 License: BSD with advertising  
Signature : RSA/8, Sun 03 Jul 2011 12:37:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.tcpdump.org>  
Summary : A system-independent interface for user-level packet capture  
Description :  
libpcap provides a portable framework for low-level network monitoring. libpcap can provide network statistics collection, security monitoring and network debugging. Since almost every system vendor provides a different interface for packet capture, the libpcap authors created this system-independent API to ease in porting and to alleviate the need for several system-dependent packet capture modules in each application.

Install libpcap if you need to do low-level network traffic monitoring on your network.

Name : gnome-media-libs Relocations: (not relocatable)  
Version : 2.29.91 Vendor: CentOS  
Release : 6.el6 Build Date: Thu 11 Nov 2010 06:30:23 AM EST  
Install Date: Tue 06 Aug 2013 05:20:03 PM EDT Build Host:  
c6b3.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM:  
gnome-media-2.29.91-6.el6.src.rpm  
Size : 2766593 License: GPLv2+ and GFDL  
Signature : RSA/8, Sun 03 Jul 2011 12:18:14 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : Libraries for gnome-media  
Description :  
This package contains the libraries required for using encoding profiles in GNOME media applications.

Name : dhclient Relocations: (not relocatable)  
Version : 4.1.1 Vendor: CentOS  
Release : 34.P1.el6.centos Build Date: Fri 22 Feb 2013 06:18:54 AM EST  
Install Date: Tue 06 Aug 2013 05:21:48 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM:  
dhcp-4.1.1-34.P1.el6.centos.src.rpm  
Size : 625041 License: ISC  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://isc.org/products/DHCP/>  
Summary : Provides the dhclient ISC DHCP client daemon and dhclient-script  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhclient package provides the ISC DHCP client daemon.

Name : cups-libs Relocations: (not relocatable)  
Version : 1.4.2 Vendor: CentOS  
Release : 48.el6\_3.3 Build Date: Tue 20 Nov 2012 07:09:41 PM EST  
Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: cups-1.4.2-48.el6\_3.3.src.rpm  
Size : 664712 License: LGPLv2  
Signature : RSA/SHA1, Wed 21 Nov 2012 08:43:41 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cups.org/>  
Summary : Common Unix Printing System - Libraries  
Description :  
The Common UNIX Printing System provides a portable printing layer for UNIX® operating systems. It has been developed by Easy Software Products to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces. The cups-libs package provides libraries used by applications to use CUPS natively, without needing the lp/lpr commands.

Name : wsdl4j Relocations: (not relocatable)  
Version : 1.5.2 Vendor: CentOS  
Release : 7.8.el6 Build Date: Sat 21 Aug 2010 12:54:23 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:07 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : Text Processing/Markup/XML Source RPM: wsdl4j-1.5.2-7.8.el6.src.rpm  
Size : 346853 License: CPL  
Signature : RSA/8, Sun 03 Jul 2011 12:53:06 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/wsdl4j>  
Summary : Web Services Description Language Toolkit for Java  
Description :  
The Web Services Description Language for Java Toolkit (WSDL4J) allows the creation, representation, and manipulation of WSDL documents describing services. This codebase will eventually serve as a reference implementation of the standard created by JSR110.

Name : system-config-date-docs Relocations: (not relocatable)  
Version : 1.0.11 Vendor: CentOS  
Release : 1.el6 Build Date: Fri 22 Jun 2012 04:42:37 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:51 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Documentation Source RPM: system-config-date-docs-1.0.11-1.el6.src.rpm  
Size : 1604459 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:53 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <https://fedorahosted.org/system-config-date-docs>  
Summary : Documentation for setting the system date and time  
Description :  
This package contains the online documentation for system-config-date, with which you can configure date, time and the use of timeservers on your system.

Name : lm\_sensors-libs Relocations: (not relocatable)  
Version : 3.1.1 Vendor: CentOS  
Release : 17.el6 Build Date: Tue 25 Sep 2012 07:14:17 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:02 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: lm\_sensors-3.1.1-17.el6.src.rpm  
Size : 66192 License: GPLv2+  
Signature : RSA/SHA1, Tue 25 Sep 2012 12:19:03 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.lm-sensors.org/>  
Summary : Linux hardware monitoring core libraries  
Description :  
Core libraries for Linux hardware monitoring applications.

Name : bcel Relocations: (not relocatable)  
Version : 5.2 Vendor: CentOS  
Release : 7.2.el6 Build Date: Wed 10 Nov 2010 08:31:34 PM EST  
Install Date: Tue 06 Aug 2013 05:20:10 PM EDT Build Host: c6b3.bsyz.dev.centos.org  
Group : Development/Libraries/Java Source RPM: bcel-5.2-7.2.el6.src.rpm  
Size : 16256730 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:04:46 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jakarta.apache.org/bcel/>  
Summary : Byte Code Engineering Library  
Description :  
The Byte Code Engineering Library (formerly known as JavaClass) is intended to give users a convenient possibility to analyze, create, and manipulate (binary) Java class files (those ending with .class). Classes are represented by objects which contain all the symbolic information of the given class: methods, fields and byte code instructions, in particular. Such objects can be read from an existing file, be transformed by a program (e.g. a class loader at run-time) and dumped to a file again. An even more interesting application is the creation of classes from scratch at run-time. The Byte Code Engineering Library (BCEL) may be also useful if you want to learn about the Java Virtual Machine (JVM) and the format of Java .class files. BCEL is already being used successfully in several projects such as compilers, optimizers, obfuscators and analysis tools, the most popular probably being the Xalan XSLT processor at Apache.

Name : ypbind Relocations: (not relocatable)  
Version : 1.20.4 Vendor: CentOS  
Release : 30.el6 Build Date: Thu 21 Feb 2013 06:23:19 PM EST  
Install Date: Tue 06 Aug 2013 05:21:52 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
Group : System Environment/Daemons Source RPM: ypbind-1.20.4-30.el6.src.rpm  
Size : 93545 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:57 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.linux-nis.org/nis/ypbind-mt/index.html>  
Summary : The NIS daemon which binds NIS clients to an NIS domain  
Description :  
The Network Information Service (NIS) is a system that provides

network information (login names, passwords, home directories, group information) to all of the machines on a network. NIS can allow users to log in on any machine on the network, as long as the machine has the NIS client programs running and the user's password is recorded in the NIS passwd database. NIS was formerly known as Sun Yellow Pages (YP).

This package provides the ypbind daemon. The ypbind daemon binds NIS clients to an NIS domain. Ypbind must be running on any machines running NIS client programs.

Install the ypbind package on any machines running NIS client programs (included in the yp-tools package). If you need an NIS server, you also need to install the ypserv package to a machine on your network.

Name : perl-version Relocations: (not relocatable)  
Version : 0.77 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:18:02 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 51960 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Perl extension for Version Objects  
Description :  
Perl extension for Version Objects

Name : GConf2-gtk Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 6.el6 Build Date: Mon 23 Aug 2010 03:49:14 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:12 PM EDT Build Host: c6b2.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: GConf2-2.28.0-6.el6.src.rpm  
Size : 12784 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:15:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/gconf/>  
Summary : Graphical GConf utilities  
Description :  
The GConf2-gtk package contains graphical GConf utilities which require GTK+.

Name : cyrus-sasl Relocations: (not relocatable)  
Version : 2.1.23 Vendor: CentOS  
Release : 13.el6\_3.1 Build Date: Tue 27 Nov 2012 06:49:36 AM EST  
Install Date: Tue 06 Aug 2013 05:21:53 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: cyrus-sasl-2.1.23-13.el6\_3.1.src.rpm  
Size : 132742 License: BSD  
Signature : RSA/SHA1, Tue 27 Nov 2012 07:18:57 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : The Cyrus SASL library  
Description :  
The cyrus-sasl package contains the Cyrus implementation of SASL. SASL is the Simple Authentication and Security Layer, a method for adding authentication support to connection-based protocols.

Name : perl-Local e-Maketext-Simple Relocations: (not relocatable)  
Version : 0.18 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:09 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 13684 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Simple interface to Local e::Maketext::Lexicon  
Description :  
This module is a simple wrapper around Local e::Maketext::Lexicon, designed  
to alleviate the need of creating Language Classes for module authors.

Name : fpri ntd Relocations: (not relocatable)  
Version : 0.1 Vendor: CentOS  
Release : 20.gi t04fd09cfa.el 6 Build Date: Fri 22 Jun 2012 04:00:45 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:12 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
fpri ntd-0.1-20.gi t04fd09cfa.el 6.src.rpm  
Size : 107335 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:31 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.reactivated.net/fpri nt/wiki /Fpri ntd>  
Summary : D-Bus service for Fingerprint reader access  
Description :  
D-Bus service to access fingerprint readers.

Name : croni e Relocations: (not relocatable)  
Version : 1.4.4 Vendor: CentOS  
Release : 7.el 6 Build Date: Tue 19 Jul 2011 12:55:56 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:56 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: croni e-1.4.4-7.el 6.src.rpm  
Size : 169834 License: MIT and BSD and ISC and  
GPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/croni e>  
Summary : Cron daemon for executing programs at set times  
Description :  
Cronie contains the standard UNIX daemon crond that runs specified programs at  
scheduled times and related tools. It is a fork of the original vixie-cron and  
has security and configuration enhancements like the ability to use pam and  
SELinux.

Name : perl -devel Relocations: (not relocatable)  
Version : 5.10.1 Vendor: CentOS  
Release : 129.el 6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:10 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Languages Source RPM: perl-5.10.1-129.el 6.src.rpm  
Size : 1868671 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:59 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Header files for use in perl development  
Description :



This package contains header files and development modules.  
Most perl packages will need to install perl-devel to build.

Name : system-icon-theme Relocations: (not relocatable)  
Version : 6.0.0 Vendor: CentOS  
Release : 2.el6 Build Date: Tue 24 Aug 2010 08:56:52 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:18 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM: system-icon-theme-6.0.0-2.el6.src.rpm  
Size : 116387 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:48:57 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.redhat.com>  
Summary : System icon theme  
Description :  
This package contains the system icon theme.

Name : iptables-ipv6 Relocations: (not relocatable)  
Version : 1.4.7 Vendor: CentOS  
Release : 9.el6 Build Date: Thu 21 Feb 2013 08:45:54 PM EST  
Install Date: Tue 06 Aug 2013 05:21:57 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: iptables-1.4.7-9.el6.src.rpm  
Size : 188901 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.netfilter.org/>  
Summary : IPv6 support for iptables  
Description :  
The iptables package contains IPv6 (the next version of the IP protocol) support for iptables. Iptables controls the Linux kernel network packet filtering code, allowing you to set up firewalls and IP masquerading.

Install iptables-ipv6 if you need to set up firewalling for your network and you are using ipv6.

Name : perl-Compress-Raw-Zlib Relocations: (not relocatable)  
Version : 2.020 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:18:10 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 146579 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Low-Level Interface to the zlib compression library  
Description :  
This module provides a Perl interface to the zlib compression library. It is used by IO::Compress::Zlib.

Name : libgnomeui Relocations: (not relocatable)  
Version : 2.24.1 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 03:38:03 PM EST  
Install Date: Tue 06 Aug 2013 05:20:19 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libgnomeui-2.24.1-4.el6.src.rpm

Size : 3207721 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:34:40 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : GNOME base GUI library  
Description :

GNOME (GNU Network Object Model Environment) is a user-friendly set of GUI applications and desktop tools to be used in conjunction with a window manager for the X Window System. The libgnomeui package includes GUI-related libraries that are needed to run GNOME. (The libgnome package includes the library features that don't use the X Window System.)

Name : cj kuni -fonts-common Relocations: (not relocatable)  
Version : 0.2.20080216.1 Vendor: CentOS  
Release : 35.el6 Build Date: Fri 23 Sep 2011 06:55:38 AM EDT  
Install Date: Tue 06 Aug 2013 05:21:58 PM EDT Build Host: c6b18n1.dev.centos.org  
Group : User Interface/X Source RPM:  
cj kuni -fonts-0.2.20080216.1-35.el6.src.rpm  
Size : 0 License: Arphic  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:06 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://www.freedesktop.org/wiki/Software/CJKUni\\_fonts](http://www.freedesktop.org/wiki/Software/CJKUni_fonts)  
Summary : Common package of CJK Uni fonts  
Description :

CJK Uni fonts are Unicode TrueType fonts derived from original fonts made available by Arphic Technology under "Arphic Public License" and extended by the CJK Uni fonts project.

Common package of CJK Uni fonts.

Name : libieee1284 Relocations: (not relocatable)  
Version : 0.2.11 Vendor: CentOS  
Release : 9.el6 Build Date: Thu 11 Nov 2010 03:34:53 PM EST  
Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host: c6b1.bsdev.centos.org  
Group : System Environment/Libraries Source RPM:  
libieee1284-0.2.11-9.el6.src.rpm  
Size : 75477 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:36:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cyberelk.net/tim/libieee1284/>  
Summary : A library for interfacing IEEE 1284-compatible devices  
Description :  
The libieee1284 library is for communicating with parallel port devices.

Name : plymouth-plugin-two-step Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM EST  
Install Date: Tue 06 Aug 2013 05:20:19 PM EDT Build Host: c6b7.bsdev.centos.org  
Group : System Environment/Base Source RPM:  
plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 25472 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:06 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth "two-step" plugin

Descripti on :

This package contains the "two-step" boot splash plugin for Plymouth. It features a two phased boot process that starts with a progressing animation synced to boot time and finishes with a short, fast one-shot animation.

Name : kernel-firmware Relocations: (not relocatable)  
Version : 2.6.32 Vendor: CentOS  
Release : 358.el6 Build Date: Thu 21 Feb 2013 03:17:34 PM EST  
Install Date: Tue 06 Aug 2013 05:22:02 PM EDT Build Host: c6b8.bsyz.dev.centos.org  
Group : Development/System Source RPM: kernel-2.6.32-358.el6.src.rpm  
Size : 19542220 License: GPL+ and GPLv2+ and MIT and Redistributable, no modification permitted  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:55:06 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.kernel.org/>  
Summary : Firmware files used by the Linux kernel  
Description :  
Kernel-firmware includes firmware files required for some devices to operate.

Name : perl-Test-Simple Relocations: (not relocatable)  
Version : 0.92 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
Group : Development/Languages Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 188830 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:40 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Basic utilities for writing tests  
Description :  
Basic utilities for writing tests.

Name : gpm-libs Relocations: (not relocatable)  
Version : 1.20.6 Vendor: CentOS  
Release : 12.el6 Build Date: Fri 23 Sep 2011 08:49:21 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:20 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: gpm-1.20.6-12.el6.src.rpm  
Size : 23720 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:57 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.nico.schottelius.org/software/gpm/>  
Summary : Dynamic library for for the gpm  
Description :  
This package contains the libgpm.so dynamic library which contains the gpm system calls and library functions.

Name : xorg-x11-drv-intel Relocations: (not relocatable)  
Version : 2.20.2 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 02:45:46 PM EST  
Install Date: Tue 06 Aug 2013 05:22:14 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-intel-2.20.2-2.el6.src.rpm  
Size : 1591262 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 Intel video driver  
Description :  
X.Org X11 Intel video driver.

Name : perl-HTML-Parser Relocations: (not relocatable)  
Version : 3.64 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 19 Aug 2010 07:50:17 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:

c6b1.bsyz.dev.centos.org

Group : Development/Libraries Source RPM:

perl-HTML-Parser-3.64-2.el6.src.rpm

Size : 226598

License: GPL+ or Artistic

Signature : RSA/8, Sun 03 Jul 2011 12:55:33 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://search.cpan.org/dist/HTML-Parser/>

Summary : Perl module for parsing HTML

Description :

The HTML-Parser module for perl to parse and extract information from HTML documents, including the HTML::Entities, HTML::HeadParser, HTML::LinkExtor, HTML::PullParser, and HTML::Tokenizer modules.

Name : gstreamer-plugins-base Relocations: (not relocatable)  
Version : 0.10.29 Vendor: CentOS  
Release : 2.el6 Build Date: Tue 20 Nov 2012 07:20:39 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:21 PM EDT Build Host:

c6b8.bsyz.dev.centos.org

Group : Applications/Multimedia Source RPM:

gstreamer-plugins-base-0.10.29-2.el6.src.rpm

Size : 3227733

License: LGPLv2+

Signature : RSA/SHA1, Wed 21 Nov 2012 07:45:40 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://gstreamer.freedesktop.org/>

Summary : GStreamer streaming media framework base plug-ins

Description :

GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : systemtap-runtime Relocations: (not relocatable)  
Version : 1.8 Vendor: CentOS  
Release : 7.el6 Build Date: Thu 21 Feb 2013 11:15:03 PM  
EST

Install Date: Tue 06 Aug 2013 05:22:15 PM EDT Build Host:

c6b9.bsyz.dev.centos.org

Group : Development/System Source RPM:

systemtap-1.8-7.el6.src.rpm

Size : 539786

License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:20 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sourceware.org/systemtap/>

Summary : Programmable system-wide instrumentation system - runtime

Description :

SystemTap runtime contains the components needed to execute a systemtap script that was already compiled into a module using a local or remote systemtap-devel installation.

Name : perl-Module-Load Relocations: (not relocatable)  
Version : 0.16 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 7492 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:48 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Runtime require of both modules and files  
Description :  
Module: : Load eliminates the need to know whether you are trying to  
require either a file or a module.

Name : libsemanage Relocations: (not relocatable)  
Version : 2.0.43 Vendor: CentOS  
Release : 4.2.el6 Build Date: Thu 21 Feb 2013 07:21:47 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:22 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libsemanage-2.0.43-4.2.el6.src.rpm  
Size : 204095 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:35 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.selinuxproject.org>  
Summary : SELinux binary policy manipulation library  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number  
of utilities with enhanced security functionality designed to add  
mandatory access controls to Linux. The Security-enhanced Linux  
kernel contains new architectural components originally developed to  
improve the security of the Flask operating system. These  
architectural components provide general support for the enforcement  
of many kinds of mandatory access control policies, including those  
based on the concepts of Type Enforcement®, Role-based Access  
Control, and Multi-level Security.

libsemanage provides an API for the manipulation of SELinux binary policies.  
It is used by checkpolicy (the policy compiler) and similar tools, as well  
as by programs like load\_policy that need to perform specific transformations  
on binary policies such as customizing policy boolean settings.

Name : NetworkManager-gnome Relocations: (not relocatable)  
Version : 0.8.1 Vendor: CentOS  
Release : 43.el6 Build Date: Fri 22 Feb 2013 01:32:10 AM  
EST  
Install Date: Tue 06 Aug 2013 05:22:23 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Applications/Internet Source RPM:  
NetworkManager-0.8.1-43.el6.src.rpm  
Size : 1695877 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:25 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : GNOME applications for use with NetworkManager  
Description :  
This package contains GNOME utilities and applications for use with  
NetworkManager, including a panel applet for wireless networks.

Name : libshout Relocations: (not relocatable)

Version : 2.2.2 Vendor: CentOS  
Release : 5.1.el6 Build Date: Thu 19 Aug 2010 06:28:17 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libshout-2.2.2-5.1.el6.src.rpm  
Size : 96239 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:38:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.icecast.org/>  
Summary : Icecast source streaming library  
Description :  
libshout is a library for communicating with and sending data to an icecast server. It handles the socket connection, the timing of the data, and prevents most bad data from getting to the icecast server.

Name : xorg-x11-xinit Relocations: (not relocatable)  
Version : 1.0.9 Vendor: CentOS  
Release : 13.el6 Build Date: Mon 16 Aug 2010 07:15:59 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:22 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : User Interface/X Source RPM: xorg-x11-xinit-1.0.9-13.el6.src.rpm  
Size : 72314 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 01:06:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 X Window System xinit startup scripts  
Description :  
X.Org X11 X Window System xinit startup scripts

Name : tomcat6 Relocations: (not relocatable)  
Version : 6.0.24 Vendor: CentOS  
Release : 49.el6 Build Date: Fri 22 Feb 2013 12:42:25 AM EST  
Install Date: Tue 06 Aug 2013 05:22:38 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Networking/Daemons Source RPM: tomcat6-6.0.24-49.el6.src.rpm  
Size : 192051 License: ASL 2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:56 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tomcat.apache.org/>  
Summary : Apache Servlet/JSP Engine, RI for Servlet 2.5/JSP 2.1 API  
Description :  
Tomcat is the servlet container that is used in the official Reference Implementation for the Java Servlet and JavaServer Pages technologies. The Java Servlet and JavaServer Pages specifications are developed by Sun under the Java Community Process.

Tomcat is developed in an open and participatory environment and released under the Apache Software License version 2.0. Tomcat is intended to be a collaboration of the best-of-breed developers from around the world.

Name : libavc1394 Relocations: (not relocatable)  
Version : 0.5.3 Vendor: CentOS  
Release : 9.1.el6 Build Date: Thu 11 Nov 2010 08:54:29 AM EST  
Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libavc1394-0.5.3-9.1.el6.src.rpm

Size : 104860 License: GPLv2+ and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:31:53 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/libavc1394/>  
Summary : Audio/Video Control library for IEEE-1394 devices  
Description :  
The libavc1394 library allows utilities to control IEEE-1394 devices using the AV/C specification. Audio/Video Control allows applications to control devices like the tape on a VCR or camcorder.

Name : slang Relocations: (not relocatable)  
Version : 2.2.1 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 07:46:40 PM EDT

Install Date: Tue 06 Aug 2013 05:20:23 PM EDT Build Host:  
c6b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: slang-2.2.1-1.el6.src.rpm  
Size : 1800725 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:02:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.jedsoft.org/slang/>  
Summary : The shared library for the S-Lang extension language  
Description :  
S-Lang is an interpreted language and a programming library. The S-Lang language was designed so that it can be easily embedded into a program to provide the program with a powerful extension language. The S-Lang library, provided in this package, provides the S-Lang extension language. S-Lang's syntax resembles C, which makes it easy to recode S-Lang procedures in C if you need to.

Name : gnome-terminal Relocations: (not relocatable)  
Version : 2.31.3 Vendor: CentOS  
Release : 8.el6 Build Date: Wed 26 Sep 2012 04:42:38 AM EDT

Install Date: Tue 06 Aug 2013 05:22:41 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
gnome-terminal-2.31.3-8.el6.src.rpm  
Size : 7773318 License: GPLv2+ and GFDL  
Signature : RSA/SHA1, Wed 26 Sep 2012 09:14:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/>  
Summary : Terminal emulator for GNOME  
Description :  
gnome-terminal is a terminal emulator for GNOME. It supports translucent backgrounds, opening multiple terminals in a single window (tabs) and clickable URLs.

Name : keyutils Relocations: (not relocatable)  
Version : 1.4 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Jun 2012 02:20:38 AM EDT

Install Date: Tue 06 Aug 2013 05:18:13 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: keyutils-1.4-4.el6.src.rpm  
Size : 70677 License: GPLv2+ and LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:57 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/~dhowells/keyutils/>  
Summary : Linux Key Management Utilities  
Description :  
Utilities to control the kernel key management facility and to provide a mechanism by which the kernel call back to user space to get a key instantiated.

Name : python Relocations: (not relocatable)  
 Version : 2.6.6 Vendor: CentOS  
 Release : 36.el6 Build Date: Thu 21 Feb 2013 07:02:48 PM  
 EST  
 Install Date: Tue 06 Aug 2013 05:20:30 PM EDT Build Host:  
 c6b9.bsys.dev.centos.org  
 Group : Development/Languages Source RPM: python-2.6.6-36.el6.src.rpm  
 Size : 21275023 License: Python  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:18 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.python.org/>  
 Summary : An interpreted, interactive, object-oriented programming language  
 Description :  
 Python is an interpreted, interactive, object-oriented programming language often compared to Tcl, Perl, Scheme or Java. Python includes modules, classes, exceptions, very high level dynamic data types and dynamic typing. Python supports interfaces to many system calls and libraries, as well as to various windowing systems (X11, Motif, Tk, Mac and MFC).

Programmers can write new built-in modules for Python in C or C++. Python can be used as an extension language for applications that need a programmable interface. This package contains most of the standard Python modules, as well as modules for interfacing to the Tix widget set for Tk and RPM.

Note that documentation for Python is provided in the python-docs package.

Name : gdm-plugin-fingerprint Relocations: (not relocatable)  
 Version : 2.30.4 Vendor: CentOS  
 Release : 39.el6 Build Date: Thu 21 Feb 2013 08:25:25 PM  
 EST  
 Install Date: Tue 06 Aug 2013 05:22:43 PM EDT Build Host:  
 c6b7.bsys.dev.centos.org  
 Group : User Interface/Desktops Source RPM: gdm-2.30.4-39.el6.src.rpm  
 Size : 80805 License: GPLv2+  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:22 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://download.gnome.org/sources/gdm>  
 Summary : GDM fingerprint plugin  
 Description :  
 The GDM fingerprint plugin provides functionality necessary to use a fingerprint reader with GDM.

Name : gstreamer-tools Relocations: (not relocatable)  
 Version : 0.10.29 Vendor: CentOS  
 Release : 1.el6 Build Date: Thu 11 Nov 2010 03:01:36 PM  
 EST  
 Install Date: Tue 06 Aug 2013 05:18:13 PM EDT Build Host:  
 c6b1.bsys.dev.centos.org  
 Group : Applications/Multimedia Source RPM:  
 gstreamer-0.10.29-1.el6.src.rpm  
 Size : 69024 License: LGPLv2+  
 Signature : RSA/8, Sun 03 Jul 2011 12:20:15 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://gstreamer.freedesktop.org/>  
 Summary : common tools and files for GStreamer streaming media framework  
 Description :  
 GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data



types or processing capabilities can be added simply by installing new plugins.

This package contains wrapper scripts for the command-line tools that work with different major/minor versions of GStreamer.

Name : newt-python Relocations: (not relocatable)  
Version : 0.52.11 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 23 Sep 2011 12:24:28 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:31 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: newt-0.52.11-3.el6.src.rpm  
Size : 111017 License: LGPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:14 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/newt/>  
Summary : Python bindings for newt  
Description :  
The newt-python package contains the Python bindings for the newt library providing a python API for creating text mode interfaces.

Name : wacomexpresskeys Relocations: (not relocatable)  
Version : 0.4.2 Vendor: CentOS  
Release : 3.el6 Build Date: Tue 17 Aug 2010 12:10:21 AM EDT  
Install Date: Tue 06 Aug 2013 05:22:50 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: wacomexpresskeys-0.4.2-3.el6.src.rpm  
Size : 152792 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:05:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://expresskeys.ruiwo.org/>  
Summary : Wacom ExpressKeys and Touch Strips configuration utility  
Description :  
Configuration utility to bind Wacom tablet's ExpressKeys and Touch Strips to generate other input events.

Name : eog Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 01:52:31 AM EST  
Install Date: Tue 06 Aug 2013 05:22:57 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM: eog-2.28.2-4.el6.src.rpm  
Size : 5326487 License: GPLv2+ and GFDL  
Signature : RSA/8, Sun 03 Jul 2011 12:13:13 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://projects.gnome.org/eog/>  
Summary : Eye of GNOME image viewer  
Description :  
The Eye of GNOME image viewer (eog) is the official image viewer for the GNOME desktop. It can view single image files in a variety of formats, as well as large image collections.

eog is extensible through a plugin system.

Name : kexec-tools Relocations: (not relocatable)  
Version : 2.0.0 Vendor: CentOS  
Release : 258.el6 Build Date: Fri 22 Feb 2013 12:46:44 AM EST  
Install Date: Tue 06 Aug 2013 05:23:01 PM EDT Build Host: c6b9.bsys.dev.centos.org

Group : Applications/System Source RPM:  
kexec-tools-2.0.0-258.el6.src.rpm  
Size : 789114 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:05 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : The kexec/kdump userspace component.  
Description :  
kexec-tools provides /sbin/kexec binary that facilitates a new kernel to boot using the kernel's kexec feature either on a normal or a panic reboot. This package contains the /sbin/kexec binary and ancillary utilities that together form the userspace component of the kernel's kexec feature.

Name : glx-utils Relocations: (not relocatable)  
Version : 9.0 Vendor: CentOS  
Release : 0.7.el6 Build Date: Fri 22 Feb 2013 02:02:15 AM EST  
Install Date: Tue 06 Aug 2013 05:23:02 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: mesa-9.0-0.7.el6.src.rpm  
Size : 51510 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mesa3d.org>  
Summary : GLX utilities  
Description :  
The glx-utils package provides the glxinfo and glxgears utilities.

Name : iwl6050-firmware Relocations: (not relocatable)  
Version : 41.28.5.1 Vendor: CentOS  
Release : 2.el6 Build Date: Mon 18 Jul 2011 09:03:35 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:03 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
iwl6050-firmware-41.28.5.1-2.el6.src.rpm  
Size : 940307 License: Redistributable, no modification permitted  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:54 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://intel.linuxwireless.org/>  
Summary : Firmware for Intel (R) Wireless WiFi Link 6050 Series Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl6050 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : iwl6000-firmware Relocations: (not relocatable)  
Version : 9.221.4.1 Vendor: CentOS  
Release : 1.el6 Build Date: Wed 20 Jul 2011 08:24:35 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:03 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
iwl6000-firmware-9.221.4.1-1.el6.src.rpm  
Size : 461443 License: Redistributable, no modification permitted  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:53 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://intel.linuxwireless.org/>  
Summary : Firmware for Intel (R) Wireless WiFi Link 6000 Series AGN Adapter  
Description :  
This package contains the firmware required by the iwlagn driver

for Linux to support the iwl6000 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : dhcp Relocations: (not relocatable)  
Version : 4.1.1 Vendor: CentOS  
Release : 34.P1.el6.centos Build Date: Fri 22 Feb 2013 06:18:54 AM EST  
Install Date: Tue 06 Aug 2013 05:23:05 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM: dhcp-4.1.1-34.P1.el6.centos.src.rpm  
Size : 1965935 License: ISC  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://isc.org/products/DHCP/>  
Summary : Dynamic host configuration protocol software  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network. The dhcp package includes the ISC DHCP service and relay agent.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhcp package provides the ISC DHCP service and relay agent.

Name : rng-tools Relocations: (not relocatable)  
Version : 2 Vendor: CentOS  
Release : 13.el6\_2 Build Date: Sat 17 Dec 2011 11:45:47 AM EST  
Install Date: Tue 06 Aug 2013 05:23:06 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: rng-tools-2-13.el6\_2.src.rpm  
Size : 55349 License: GPLv2+  
Signature : RSA/SHA1, Sun 18 Dec 2011 07:13:56 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/gkernel/>  
Summary : Random number generator related utilities  
Description :  
Hardware random number generation tools.

Name : smartmontools Relocations: (not relocatable)  
Version : 5.43 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 05:26:22 PM EST  
Install Date: Tue 06 Aug 2013 05:23:07 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: smartmontools-5.43-1.el6.src.rpm  
Size : 1482949 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:37 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://smartmontools.sourceforge.net/>  
Summary : Tools for monitoring SMART capable hard disks  
Description :  
The smartmontools package contains two utility programs (smartctl and smartd) to control and monitor storage systems using the Self-Monitoring, Analysis and Reporting Technology System (SMART) built into most modern ATA and SCSI hard disks. In many cases, these utilities will provide advanced warning of disk degradation and failure.

Name : abrt-cli Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:08 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
abrt-2.0.8-15.el6.centos.src.rpm  
Size : 0 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:54 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : Virtual package to install all necessary packages for usage from  
command line environment  
Description :  
Virtual package to make easy default installation on non-graphical environments.

Name : yum-utils Relocations: (not relocatable)  
Version : 1.1.30 Vendor: CentOS  
Release : 14.el6 Build Date: Fri 22 Jun 2012 08:23:05 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:23:09 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Development/Tools Source RPM:  
yum-utils-1.1.30-14.el6.src.rpm  
Size : 308503 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:08 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://yum.baseurl.org/download/yum-utils/>  
Summary : Utilities based around the yum package manager  
Description :  
yum-utils is a collection of utilities and examples for the yum package  
manager. It includes utilities by different authors that make yum easier and  
more powerful to use. These tools include: debuginfo-install,  
find-repos-of-install, needs-restarting, package-cleanup, repoclosure,  
repodiff, repo-graph, repomanage, repoquery, repo-rss, reposync,  
repotrack, show-installed, show-changed-rco, verifytree, yumdownloader,  
yum-builddep, yum-complete-transaction, yum-config-manager, yum-debug-dump,  
yum-debug-restore and yum-groups-manager.

Name : ibus-pinyin Relocations: (not relocatable)  
Version : 1.3.8 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 12:03:38 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:10 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
ibus-pinyin-1.3.8-1.el6.src.rpm  
Size : 4775050 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:24:01 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus>  
Summary : The Chinese Pinyin and Bopomofo engines for IBus input platform  
Description :  
The Chinese Pinyin and Bopomofo input methods for IBus platform.

Name : ibus-rawcode Relocations: (not relocatable)  
Version : 1.3.0.20100421 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 02:29:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:11 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:

i bus-rawcode-1.3.0.20100421-2.el6.src.rpm

Size : 36344 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:24:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/i bus-rawcode/>  
Summary : The Rawcode engine for IBus input platform  
Description :  
The Rawcode engine for IBus platform.

Name : blktrace Relocations: (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 07 Dec 2011 03:27:41 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:13 PM EDT Build Host:

c6b6.bsys.dev.centos.org

Group : Development/System Source RPM: blktrace-1.0.1-6.el6.src.rpm  
Size : 1041979 License: GPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 02:46:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://brick.kernel.dk/snaps>  
Summary : Utilities for performing block layer IO tracing in the Linux kernel  
Description :

blktrace is a block layer IO tracing mechanism which provides detailed information about request queue operations to user space. This package includes both blktrace, a utility which gathers event traces from the kernel; and blkparse, a utility which formats trace data collected by blktrace.

You should install the blktrace package if you need to gather detailed information about IO patterns.

Name : xdg-user-dirs-gtk Relocations: (not relocatable)  
Version : 0.8 Vendor: CentOS  
Release : 7.el6 Build Date: Tue 24 Aug 2010 04:24:01 PM  
EDT

Install Date: Tue 06 Aug 2013 05:23:14 PM EDT Build Host:

c6b2.bsys.dev.centos.org

Group : User Interface/Desktops Source RPM:  
xdg-user-dirs-gtk-0.8-7.el6.src.rpm  
Size : 137561 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:05:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>  
Summary : Gnome integration of special directories  
Description :

Contains some integration of xdg-user-dirs with the gnome desktop, including creating default bookmarks and detecting locale changes.

Name : gtk2-immodule-xim Relocations: (not relocatable)  
Version : 2.18.9 Vendor: CentOS  
Release : 12.el6 Build Date: Thu 21 Feb 2013 11:43:14 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:16 PM EDT Build Host:

c6b8.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: gtk2-2.18.9-12.el6.src.rpm  
Size : 30416 License: LGPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gtk.org>  
Summary : XIM support for GTK+  
Description :

The gtk2-immodule-xim package contains XIM support for GTK+.

Name : java-1.6.0-openjdk-devel Relocations: (not relocatable)

Version : 1.6.0.0 Vendor: CentOS  
Release : 1.50.1.11.5.el6\_3 Build Date: Wed 17 Oct 2012 01:21:14 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:21 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Development/Tools Source RPM: java-1.6.0-openjdk-1.6.0.0-1.50.1.11.5.el6\_3.src.rpm  
Size : 35109079 License: ASL 1.1, ASL 2.0, GPL+, GPLv2, GPLv2 with exceptions, LGPL+, LGPLv2, MPLv1.0, MPLv1.1, Public Domain, W3C  
Signature : RSA/SHA1, Wed 17 Oct 2012 03:00:08 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://icedtea.classpath.org/>  
Summary : OpenJDK Development Environment  
Description :  
The OpenJDK development tools.

Name : bind-utils Relocations: (not relocatable)  
Version : 9.8.2 Vendor: CentOS  
Release : 0.17.rc1.el6 Build Date: Thu 21 Feb 2013 10:10:36 PM EST  
Install Date: Tue 06 Aug 2013 05:23:22 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Applications/System Source RPM: bind-9.8.2-0.17.rc1.el6.src.rpm  
Size : 448479 License: ISC  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.isc.org/products/BIND/>  
Summary : Utilities for querying DNS name servers  
Description :  
Bind-utils contains a collection of utilities for querying DNS (Domain Name System) name servers to find out information about Internet hosts. These tools will provide you with the IP addresses for given host names, as well as other information about registered domains and network addresses.

You should install bind-utils if you need to get information from DNS name servers.

Name : usbutils Relocations: (not relocatable)  
Version : 003 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 07 Dec 2011 03:45:22 PM EST  
Install Date: Tue 06 Aug 2013 05:23:24 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : Applications/System Source RPM: usbutils-003-4.el6.src.rpm  
Size : 179745 License: GPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:44 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.linux-usb.org/>  
Summary : Linux USB utilities  
Description :  
This package contains utilities for inspecting devices connected to a USB bus.

Name : xorg-x11-fonts-misc Relocations: (not relocatable)  
Version : 7.2 Vendor: CentOS  
Release : 9.1.el6 Build Date: Thu 11 Nov 2010 09:24:29 AM EST  
Install Date: Tue 06 Aug 2013 05:23:27 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.2-9.1.el6.src.rpm  
Size : 7134279 License: MIT and Lucida and Public

Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:54:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : misc bitmap fonts for the X Window System  
Description :  
This package contains misc bitmap Chinese, Japanese, Korean, Indic, and Arabic fonts for use with X Window System.

Name : pam\_passwdqc Relocations: (not relocatable)  
Version : 1.0.5 Vendor: CentOS  
Release : 6.el6 Build Date: Tue 24 Aug 2010 08:55:02 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:33 PM EDT Build Host: c6b2.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: pam\_passwdqc-1.0.5-6.el6.src.rpm  
Size : 64029 License: BSD and Copyright only  
Signature : RSA/8, Sun 03 Jul 2011 12:53:48 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openwall.com/passwdqc/>  
Summary : Pluggable password quality-control module  
Description :  
pam\_passwdqc is a simple password strength checking module for PAM-aware password changing programs, such as passwd(1). In addition to checking regular passwords, it offers support for passphrases and can provide randomly generated passwords. All features are optional and can be (re-)configured without rebuilding.

Name : tcsh Relocations: (not relocatable)  
Version : 6.17 Vendor: CentOS  
Release : 24.el6 Build Date: Thu 21 Feb 2013 11:19:26 PM EST  
Install Date: Tue 06 Aug 2013 05:23:34 PM EDT Build Host: c6b9.bsyz.dev.centos.org  
Group : System Environment/Shell Source RPM: tcsh-6.17-24.el6.src.rpm  
Size : 1196177 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.tcsh.org/>  
Summary : An enhanced version of csh, the C shell  
Description :  
Tcsh is an enhanced but completely compatible version of csh, the C shell. Tcsh is a command language interpreter which can be used both as an interactive login shell and as a shell script command processor. Tcsh includes a command line editor, programmable word completion, spelling correction, a history mechanism, job control and a C language like syntax.

Name : perl-Bit-Vector Relocations: (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 20 Aug 2010 07:50:37 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:35 PM EDT Build Host: c6b3.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM: perl-Bit-Vector-7.1-2.el6.src.rpm  
Size : 514999 License: (GPLv2+ or Artistic) and LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:54:34 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/Bit-Vector/>  
Summary : Efficient bit vector, set of integers and "big int" math library  
Description :

Bit::Vector is an efficient C library which allows you to handle bit vectors, sets (of integers), "big integer arithmetic" and boolean matrices, all of arbitrary sizes.

The library is efficient (in terms of algorithmical complexity) and therefore fast (in terms of execution speed) for instance through the widespread use of divide-and-conquer algorithms.

Name : valgrind Relocations: (not relocatable)  
Version : 3.8.1 Vendor: CentOS  
Release : 3.2.el6 Build Date: Thu 21 Feb 2013 08:15:16 PM EST  
Install Date: Tue 06 Aug 2013 05:23:49 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Development/Debuggers Source RPM: valgrind-3.8.1-3.2.el6.src.rpm  
Size : 181992782 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:55 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.valgrind.org/>  
Summary : Tool for finding memory management bugs in programs  
Description :  
Valgrind is a tool to help you find memory-management problems in your programs. When a program is run under Valgrind's supervision, all reads and writes of memory are checked, and calls to malloc/new/free/delete are intercepted. As a result, Valgrind can detect a lot of problems that are otherwise very hard to find/diagnose.

Name : xorg-x11-fonts-ISO8859-1-100dpi Relocations: (not relocatable)  
Version : 7.2 Vendor: CentOS  
Release : 9.1.el6 Build Date: Thu 11 Nov 2010 09:24:29 AM EST  
Install Date: Tue 06 Aug 2013 05:23:51 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.2-9.1.el6.src.rpm  
Size : 1070826 License: MIT and Lucida and Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:54:40 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : A set of 100dpi ISO-8859-1 fonts for X.  
Description :  
Contains a set of 100dpi fonts for ISO-8859-1.

Name : mllocate Relocations: (not relocatable)  
Version : 0.22.2 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 10 Oct 2012 05:06:25 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:52 PM EDT Build Host: c6b10.bsys.dev.centos.org  
Group : Applications/System Source RPM: mllocate-0.22.2-4.el6.src.rpm  
Size : 285873 License: GPLv2  
Signature : RSA/SHA1, Wed 10 Oct 2012 07:56:46 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/mllocate/>  
Summary : An utility for finding files by name  
Description :  
mllocate is a locate/updatedb implementation. It keeps a database of all existing files and allows you to lookup files by name.

The 'm' stands for "merging": updatedb reuses the existing database to avoid rereading most of the file system, which makes updatedb faster and does not



trash the system caches as much as traditional locate implementations.

```
Name       : ftp                               Relocations: (not relocatable)
Version   : 0.17                               Vendor: CentOS
Release   : 53.el6                             Build Date: Fri 09 Nov 2012 07:46:44 AM
EST
Install Date: Tue 06 Aug 2013 05:23:53 PM EDT   Build Host:
c6b9.bsyz.dev.centos.org
Group     : Applications/Internet              Source RPM: ftp-0.17-53.el6.src.rpm
Size      : 97005                               License: BSD with advertising
Signature : RSA/SHA1, Fri 09 Nov 2012 10:37:40 AM EST, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : ftp://ftp.uk.linux.org/pub/linux/Networking/netkit
Summary   : The standard UNIX FTP (File Transfer Protocol) client
Description:
The ftp package provides the standard UNIX command-line FTP (File
Transfer Protocol) client. FTP is a widely used protocol for
transferring files over the Internet and for archiving files.
```

If your system is on a network, you should install ftp in order to do file transfers.

```
Name       : m17n-contrib-marathi             Relocations: (not relocatable)
Version   : 1.1.10                             Vendor: CentOS
Release   : 4.el6_1.1                          Build Date: Fri 23 Sep 2011 06:12:49 AM
EDT
Install Date: Tue 06 Aug 2013 05:23:53 PM EDT   Build Host:
c6b5.bsyz.dev.centos.org
Group     : System Environment/Libraries       Source RPM:
m17n-contrib-1.1.10-4.el6_1.1.src.rpm
Size      : 14253                               License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:38 AM EDT, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : http://www.m17n.org/m17n-lib/index.html
Summary   : Contributed input maps for Marathi
Description:
This package provides contributed multilingualization (m17n) input maps
for Marathi.
```

```
Name       : unzip                             Relocations: (not relocatable)
Version   : 6.0                               Vendor: CentOS
Release   : 1.el6                             Build Date: Thu 11 Nov 2010 10:43:45 AM
EST
Install Date: Tue 06 Aug 2013 05:23:54 PM EDT   Build Host:
c6b3.bsyz.dev.centos.org
Group     : Applications/Archiving             Source RPM: unzip-6.0-1.el6.src.rpm
Size      : 320358                             License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:04:34 AM EDT, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : http://www.info-zip.org/UnZip.html
Summary   : A utility for unpacking zip files
Description:
The unzip utility is used to list, test, or extract files from a zip
archive. Zip archives are commonly found on MS-DOS systems. The zip
utility, included in the zip package, creates zip archives. Zip and
unzip are both compatible with archives created by PKWARE(R)'s PKZIP
for MS-DOS, but the programs' options and default behaviors do differ
in some respects.
```

Install the unzip package if you need to list, test or extract files from a zip archive.

```
Name       : scl-utils                         Relocations: (not relocatable)
Version   : 20120927                          Vendor: CentOS
```

Release : 2. el 6 Build Date: Thu 21 Feb 2013 09:09:37 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:54 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/File Source RPM:  
scl-utilities-20120927-2.el6.src.rpm  
Size : 14494 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:41 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jnovy.fedorapeople.org/scl-utilities/>  
Summary : Utilities for alternative packaging  
Description :  
Run-time utility for alternative packaging.

Name : Iohit-assamese-fonts Relocations: (not relocatable)  
Version : 2.4.3 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 23 Sep 2011 09:06:05 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:24:04 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
Iohit-assamese-fonts-2.4.3-5.el6.src.rpm  
Size : 170890 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/Iohit/>  
Summary : Free Assamese font  
Description :  
This package provides a free Assamese truetype/opentype font.

Name : Liberation-serif-fonts Relocations: (not relocatable)  
Version : 1.05.1.20090721 Vendor: CentOS  
Release : 5.el6 Build Date: Tue 13 Mar 2012 06:37:49 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:24:13 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
Liberation-fonts-1.05.1.20090721-5.el6.src.rpm  
Size : 595788 License: Liberation  
Signature : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/Liberation-fonts/>  
Summary : Serif fonts to replace commonly used Microsoft Times New Roman  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Serif TrueType fonts that replaced commonly used Microsoft Times New Roman.

Name : khmeros-base-fonts Relocations: (not relocatable)  
Version : 5.0 Vendor: CentOS  
Release : 9.el6 Build Date: Wed 25 Aug 2010 05:18:48 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:24:22 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
khmeros-fonts-5.0-9.el6.src.rpm  
Size : 733014 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:21:18 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>

Summary : Base KhmerOS font  
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

Base KhmerOS fonts.

Name : vlgothic-fonts Relocations: (not relocatable)  
Version : 20091202 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 10:06:07 AM  
EST  
Install Date: Tue 06 Aug 2013 05:24:31 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
vlgothic-fonts-20091202-2.el6.src.rpm  
Size : 3843798 License: mplus and BSD  
Signature : RSA/8, Sun 03 Jul 2011 12:52:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://dicey.org/vlgothic>  
Summary : Japanese TrueType font  
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project. Most of the glyphs are taken from the M+ and Sazanami Gothic fonts, but some have also been improved by the project.

This package provides the monospace VLGothic font.

Name : lohit-punjabi-fonts Relocations: (not relocatable)  
Version : 2.4.4 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 23 Sep 2011 11:36:44 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:24:39 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : User Interface/X Source RPM:  
lohit-punjabi-fonts-2.4.4-2.el6.src.rpm  
Size : 56070 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:27 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Punjabi font  
Description :  
This package provides a free Punjabi truetype/opentype font.

Name : stix-fonts Relocations: (not relocatable)  
Version : 0.9 Vendor: CentOS  
Release : 13.1.el6 Build Date: Thu 11 Nov 2010 09:29:29 AM  
EST  
Install Date: Tue 06 Aug 2013 05:24:50 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
stix-fonts-0.9-13.1.el6.src.rpm  
Size : 775068 License: STIX  
Signature : RSA/8, Sun 03 Jul 2011 12:48:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.stixfonts.org/>  
Summary : STIX scientific and engineering fonts  
Description :

The mission of the Scientific and Technical Information Exchange (STIX) font

creation project is the preparation of a comprehensive set of fonts that serve the scientific and engineering community in the process from manuscript creation through final publication, both in electronic and print formats.

This package includes base Unicode fonts containing most glyphs for standard use.

```
Name       : wdaemon                      Relocations: (not relocatable)
Version    : 0.17                          Vendor: CentOS
Release    : 5.el6                          Build Date: Thu 21 Feb 2013 03:45:43 PM
EST
Install Date: Tue 06 Aug 2013 05:24:59 PM EDT    Build Host:
c6b9.bsys.dev.centos.org
Group      : User Interface/X              Source RPM: wdaemon-0.17-5.el6.src.rpm
Size       : 95675                          License: GPLv3+
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:39:08 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://linuxwacom.sourceforge.net
Summary    : Hotplug helper for Wacom X.org driver
Description:
wdaemon is daemon to provide static input devices for devices that may be
%hotplugged at runtime.
```

```
Name       : traceroute                    Relocations: (not relocatable)
Version    : 2.0.14                          Vendor: CentOS
Release    : 2.el6                          Build Date: Thu 11 Nov 2010 10:30:39 AM
EST
Install Date: Tue 06 Aug 2013 05:24:59 PM EDT    Build Host:
c6b3.bsys.dev.centos.org
Group      : Applications/Internet          Source RPM:
traceroute-2.0.14-2.el6.src.rpm
Size       : 81494                          License: GPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 01:04:15 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://traceroute.sourceforge.net
Summary    : Traces the route taken by packets over an IPv4/IPv6 network
Description:
The traceroute utility displays the route used by IP packets on their way to a specified network (or Internet) host. Traceroute displays the IP number and host name (if possible) of the machines along the route taken by the packets. Traceroute is used as a network debugging tool. If you're having network connectivity problems, traceroute will show you where the trouble is coming from along the route.
```

Install traceroute if you need a tool for diagnosing network connectivity problems.

```
Name       : rdate                          Relocations: (not relocatable)
Version    : 1.4                              Vendor: CentOS
Release    : 16.el6                          Build Date: Thu 11 Nov 2010 02:20:51 PM
EST
Install Date: Tue 06 Aug 2013 05:24:59 PM EDT    Build Host:
c6b4.bsys.dev.centos.org
Group      : Applications/System            Source RPM: rdate-1.4-16.el6.src.rpm
Size       : 29675                          License: GPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 01:00:07 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : ftp://people.redhat.com/sopwith/
Summary    : Tool for getting the date/time from a remote machine
Description:
The rdate utility retrieves the date and time from another machine on your network, using the protocol described in RFC 868. If you run rdate as root, it will set your machine's local time to the time of the machine that you queried.
```

Name : b43-fwcutte r Rel ocations: (not rel ocatabl e)  
Versi on : 012 Vendor: CentOS  
Rel ease : 2. 2. el 6 Buil d Date: Wed 10 Nov 2010 07: 59: 08 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 25: 00 PM EDT Buil d Host:  
c6b1. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM:  
b43-fwcutte r-012-2. 2. el 6. src. rpm  
Si ze : 29806 License: BSD  
Si gnature : RSA/8, Sun 03 Jul 2011 12: 04: 15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http: //bugs. centos. org>  
URL : http: //bu3sch. de/b43/fwcutte r/  
Summary : Firmware extracti on tool for Broadcom wi rel ess dri ver  
Descri ption :  
This package contains the 'b43-fwcutte r' tool which is used to  
extract firmware for the Broadcom network devices.

See the README. Fedora file shipped in the package's documentati on for  
instructions on using this tool.

Name : m17n-db-thai Rel ocations: (not rel ocatabl e)  
Versi on : 1. 5. 5 Vendor: CentOS  
Rel ease : 1. 1. el 6 Buil d Date: Thu 19 Aug 2010 02: 00: 34 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05: 25: 00 PM EDT Buil d Host:  
c6b3. bsys. dev. centos. org  
Group : System Envi ronment/Li braries Source RPM:  
m17n-db-1. 5. 5-1. 1. el 6. src. rpm  
Si ze : 29371 License: LGPLv2+  
Si gnature : RSA/8, Sun 03 Jul 2011 12: 29: 25 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http: //bugs. centos. org>  
URL : http: //www. m17n. org/m17n-li b/i ndex. html  
Summary : m17n-db i nput maps for Thai  
Descri ption :  
This package contains m17n-db i nput maps for Thai .

Name : iwl5000-fi rmware Rel ocations: (not rel ocatabl e)  
Versi on : 8. 83. 5. 1\_1 Vendor: CentOS  
Rel ease : 1. el 6\_1. 1 Buil d Date: Tue 27 Sep 2011 09: 50: 38 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05: 25: 08 PM EDT Buil d Host:  
c6b5. bsys. dev. centos. org  
Group : System Envi ronment/Kernel Source RPM:  
iwl5000-fi rmware-8. 83. 5. 1\_1-1. el 6\_1. 1. src. rpm  
Si ze : 1045904 License: Redi stri butabl e, no  
modi fi cati on permi tted  
Si gnature : RSA/SHA1, Tue 27 Sep 2011 08: 34: 05 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http: //bugs. centos. org>  
URL : http: //i ntel li nuxwi rel ess. org/  
Summary : Firmware for Intel® PRO/Wi rel ess 5000 A/G/N network adaptors  
Descri ption :  
This package contains the firmware required by the iwl5000 dri ver for Linux.  
Usage of the firmware is subject to the terms and conditions contained  
i nside the provided LICENSE file. Please read it carefully.

Name : xorg-x11-drv-ati -fi rmware Rel ocations: (not rel ocatabl e)  
Versi on : 6. 99. 99 Vendor: CentOS  
Rel ease : 1. el 6 Buil d Date: Sat 23 Feb 2013 02: 27: 11 PM  
EST  
Instal l Date: Tue 06 Aug 2013 05: 25: 09 PM EDT Buil d Host:  
c6b7. bsys. dev. centos. org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-ati -6. 99. 99-1. el 6. src. rpm

Size : 464863 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : ATI firmware for R600/700/Evergreen/NI/PALM  
Description :  
Firmware for ATI R600/R700 IRQs + Evergreen/Northern Islands + Fusion

Name : iwl4965-firmware Relocations: (not relocatable)  
Version : 228.61.2.24 Vendor: CentOS  
Release : 2.1.el6 Build Date: Wed 18 Aug 2010 12:56:35 PM EDT

Install Date: Tue 06 Aug 2013 05:25:09 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : System Environment/Kernel Source RPM:  
iwl4965-firmware-228.61.2.24-2.1.el6.src.rpm

Size : 382618 License: Redistributable, no  
modification permitted

Signature : RSA/8, Sun 03 Jul 2011 12:16:29 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://intel.linuxwireless.org/>  
Summary : Firmware for Intel® PRO/Wireless 4965 A/G/N network adapters  
Description :

This package contains the firmware required by the iwl4965 driver for Linux.  
Usage of the firmware is subject to the terms and conditions contained  
inside the provided LICENSE file. Please read it carefully.

Name : rt73usb-firmware Relocations: (not relocatable)  
Version : 1.8 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 20 Aug 2010 09:37:13 PM EDT

Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:  
c6b5.bsys.dev.centos.org

Group : System Environment/Kernel Source RPM:  
rt73usb-firmware-1.8-7.el6.src.rpm

Size : 4151 License: Redistributable, no  
modification permitted

Signature : RSA/8, Sun 03 Jul 2011 12:45:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.ralinktech.com>  
Summary : Firmware for Ralink® RT2571W/RT2671 A/B/G network adapters  
Description :

This package contains the firmware required by the rt73usb driver for Linux.  
Usage of the firmware is subject to the terms and conditions contained  
inside the provided LICENSE.ralink-firmware.txt file.  
Please read it carefully.

Name : rootfiles Relocations: (not relocatable)  
Version : 8.1 Vendor: CentOS  
Release : 6.1.el6 Build Date: Wed 18 Aug 2010 10:50:16 AM EDT

Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : System Environment/Base Source RPM:  
rootfiles-8.1-6.1.el6.src.rpm

Size : 599 License: Public Domain

Signature : RSA/8, Sun 03 Jul 2011 12:45:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : The basic required files for the root user's directory  
Description :

The rootfiles package contains basic required files that are placed  
in the root user's account. These files are basically the same  
as those in /etc/skel, which are placed in regular  
users' home directories.

```

Name       : libuuid                               Relocations: (not relocatable)
Version   : 2.17.2                                 Vendor: CentOS
Release   : 12.9.el6                               Build Date: Fri 22 Feb 2013 12:00:18 AM
EST
Install Date: Tue 06 Aug 2013 05:25:13 PM EDT      Build Host:
c6b8.bsys.dev.centos.org
Group     : Development/Libraries                 Source RPM:
util-linux-ng-2.17.2-12.9.el6.src.rpm
Size      : 15200                                  License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:06 PM EST, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng
Summary   : Universally unique ID library
Description:
This is the universally unique ID library, part of util-linux-ng.

```

The libuuid library generates and parses 128-bit universally unique id's (UUID's). A UUID is an identifier that is unique across both space and time, with respect to the space of all UUIDs. A UUID can be used for multiple purposes, from tagging objects with an extremely short lifetime, to reliably identifying very persistent objects across a network.

See also the "uuid" package, which is a separate implementation.

```

Name       : libX11                               Relocations: (not relocatable)
Version   : 1.5.0                                 Vendor: CentOS
Release   : 4.el6                                 Build Date: Thu 21 Feb 2013 02:36:52 PM
EST
Install Date: Tue 06 Aug 2013 05:25:14 PM EDT      Build Host:
c6b7.bsys.dev.centos.org
Group     : System Environment/Libraries           Source RPM: libX11-1.5.0-4.el6.src.rpm
Size      : 1279048                               License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:44 PM EST, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : http://www.x.org
Summary   : Core X11 protocol client library
Description:
Core X11 protocol client library.

```

```

Name       : libXinerama                          Relocations: (not relocatable)
Version   : 1.1.2                                 Vendor: CentOS
Release   : 2.el6                                 Build Date: Thu 21 Feb 2013 01:56:10 PM
EST
Install Date: Tue 06 Aug 2013 05:25:14 PM EDT      Build Host:
c6b9.bsys.dev.centos.org
Group     : System Environment/Libraries           Source RPM:
libXinerama-1.1.2-2.el6.src.rpm
Size      : 31633                                  License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:22 PM EST, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : http://www.x.org
Summary   : X.Org X11 libXinerama runtime library
Description:
X.Org X11 libXinerama runtime library

```

```

Name       : perl-File-NCopy                       Relocations: (not relocatable)
Version   : 0.36                                  Vendor: Dag Apt Repository,
http://dag.wieers.com/apt/
Release   : 1.el6.rf                               Build Date: Wed 10 Nov 2010 11:48:50 PM
EST
Install Date: Tue 06 Aug 2013 05:27:40 PM EDT      Build Host:
lisse.hassel.t.wieers.com

```

Group : Applications/CPAN Source RPM:  
perl-File-NCopy-0.36-1.el6.rf.src.rpm  
Size : 26947 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:30:02 AM EST, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/File-NCopy/  
Summary : Copy files  
Description :  
Easy functions for copying files.

Name : perl-HTML-Template Relocations: (not relocatable)  
Version : 2.9 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el6.rf Build Date: Wed 10 Nov 2010 11:56:59 PM  
EST  
Install Date: Tue 06 Aug 2013 05:27:42 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN Source RPM:  
perl-HTML-Template-2.9-1.el6.rf.src.rpm  
Size : 164807 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:30:07 AM EST, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/HTML-Template/  
Summary : HTML Templates for CGI scripts  
Description :  
With this module, you can use HTML templates in CGI scripts.

Name : perl-Stat-IsMode Relocations: (not relocatable)  
Version : 0.50 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.2.el6.rf Build Date: Thu 11 Nov 2010 12:36:50 AM  
EST  
Install Date: Tue 06 Aug 2013 05:27:45 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN Source RPM:  
perl-Stat-IsMode-0.50-1.2.el6.rf.src.rpm  
Size : 10450 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:29 AM EST, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/Stat-IsMode/  
Summary : Format file modes like the ls -l command does  
Description :  
This module is for formatting file modes and permissions the way that  
ls -l does.

Name : perl-Text-Autoformat Relocations: (not relocatable)  
Version : 1.14.0 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 12 Nov 2010 09:02:16 AM  
EST  
Install Date: Tue 06 Aug 2013 05:27:46 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
perl-Text-Autoformat-1.14.0-5.el6.src.rpm  
Size : 53285 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:39:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
URL : http://search.cpan.org/dist/Text-Autoformat/  
Summary : Automatic text wrapping and reformatting  
Description :  
Text::Autoformat provides intelligent formatting of plaintext without the  
need for any kind of embedded mark-up. The module recognizes Internet  
quoting conventions, a wide range of bulleting and number schemes, centered  
text, and block quotations, and reformats each appropriately. Other options  
allow the user to adjust inter-word and inter-paragraph spacing, justify



text, and impose various capitalization schemes.

The module also supplies a re-entrant, highly configurable replacement for the built-in Perl format() mechanism.

```
Name       : perl-Tk-GBARR                Relocations: (not relocatable)
Version    : 2.08                        Vendor: (none)
Release    : 1                           Build Date: Thu 15 Jul 2010 08:44:47 AM EDT
Install Date: Tue 06 Aug 2013 05:27:50 PM EDT    Build Host: loraX
Group      : Applications/CPAN           Source RPM: perl-Tk-GBARR-2.08-1.src.rpm
Size       : 48283                       License: Artistic/GPL
Signature  : (none)
Packager   : Jason Messmer <Jason.Messmer@xerox.com>
URL        : http://search.cpan.org/dist/Tk-GBARR/
Summary    : A collection of Tk Widgets
Description:
A collection of Tk Widgets.
```

```
Name       : perl-I0-Stty                Relocations: (not relocatable)
Version    : .02                         Vendor: Dag Apt Repository,
http://dag.wieers.com/apt/
Release    : 1.2.el6.rf                  Build Date: Thu 11 Nov 2010 12:00:58 AM EST
Install Date: Tue 06 Aug 2013 05:27:53 PM EDT    Build Host:
Lisse.hassel.t.wieers.com
Group      : Applications/CPAN           Source RPM:
perl-I0-Stty-.02-1.2.el6.rf.src.rpm
Size       : 15894                       License: Artistic/GPL
Signature  : DSA/SHA1, Thu 11 Nov 2010 01:31:07 AM EST, Key ID a20e52146b8d79e6
Packager   : Dries Verachtert <dries@ulyssis.org>
URL        : http://search.cpan.org/dist/I0-Stty/
Summary    : Setting terminal parameters
Description:
The two perl items in this package are an stty shell script and a
module for setting terminal parameters.
```

```
Name       : fuse-ntfs-3g                Relocations: (not relocatable)
Version    : 2010.10.2                   Vendor: Dag Apt Repository,
http://dag.wieers.com/apt/
Release    : 1.el6.rf                    Build Date: Thu 11 Nov 2010 04:35:35 PM EST
Install Date: Tue 06 Aug 2013 05:28:15 PM EDT    Build Host:
Lisse.hassel.t.wieers.com
Group      : System Environment/Kernel     Source RPM:
fuse-ntfs-3g-2010.10.2-1.el6.rf.src.rpm
Size       : 1655169                      License: GPL
Signature  : DSA/SHA1, Thu 11 Nov 2010 10:50:00 PM EST, Key ID a20e52146b8d79e6
Packager   : Dag Wieers <dag@wieers.com>
URL        : http://www.ntfs-3g.org/
Summary    : Linux NTFS userspace driver
Description:
The ntfs-3g driver is an open source, GPL licensed, third generation Linux NTFS
driver. It provides full read-write access to NTFS, excluding access to
encrypted files, writing compressed files, changing file ownership, access
right.
```

Technically it's based on and a major improvement to the third generation Linux NTFS driver, ntfsmount. The improvements include functionality, quality and performance enhancements.

ntfs-3g features are being merged to ntfsmount. In the meanwhile, ntfs-3g is currently the only free, as in either speech or beer, NTFS driver for Linux that supports unlimited file creation and deletion.

Name : XRXT00LS Relocations: (not relocatable)  
 Version : 1.0.0.17 Vendor: Xerox Corporation  
 Release : 1 Build Date: Tue 19 Jun 2012 02:53:01 PM EDT  
 Install Date: Tue 06 Aug 2013 05:29:21 PM EDT Build Host: decaf  
 Group : Applications/Xerox Source RPM: XRXT00LS-1.0.0.17-1.src.rpm  
 Size : 330525 License: Copyright 1996-2010 Xerox Corporation  
 Signature : (none)  
 Packager : scmt  
 Summary : Xerox Print Engine Tools  
 Description :  
 Xerox Print Engine Tools for Development and Debugging

Name : vnc Relocations: (not relocatable)  
 Version : 4.1.2 Vendor: CentOS  
 Release : 14.el5\_6.6 Build Date: Wed 20 Apr 2011 12:13:55 PM EDT  
 Install Date: Tue 06 Aug 2013 05:29:58 PM EDT Build Host: builder10.centos.org  
 Group : User Interface/Desktops Source RPM: vnc-4.1.2-14.el5\_6.6.src.rpm  
 Size : 343724 License: GPL  
 Signature : DSA/SHA1, Wed 20 Apr 2011 12:27:58 PM EDT, Key ID a8a447dce8562897  
 URL : http://www.realvnc.com  
 Summary : A remote display system.  
 Description :  
 Virtual Network Computing (VNC) is a remote display system which allows you to view a computing 'desktop' environment not only on the machine where it is running, but from anywhere on the Internet and from a wide variety of machine architectures. This package contains a client which will allow you to connect to other desktops running a VNC server.

Name : xerces-c Relocations: (not relocatable)  
 Version : 3.1.1 Vendor: Xerox Corp.  
 Release : 2 Build Date: Fri 03 May 2013 11:03:01 AM EDT  
 Install Date: Tue 06 Aug 2013 05:39:35 PM EDT Build Host: oslabXE2.na.xerox.net  
 Group : Development/Libraries Source RPM: xerces-c-3.1.1-2.src.rpm  
 Size : 16232544 License: Apache  
 Signature : (none)  
 Packager : Joel Lissade <joel.lissade@usa.xerox.com>  
 URL : http://xml.apache.org/xerces-c/  
 Summary : Validating XML Parser  
 Description :  
 Xerces-C is a validating XML parser written in a portable subset of C++. Xerces-C makes it easy to give your application the ability to read and write XML data. A shared library is provided for parsing, generating, manipulating, and validating XML documents. Xerces-C is faithful to the XML 1.0 recommendation and associated standards (DOM 1.0, DOM 2.0, SAX 1.0, SAX 2.0, Namespaces).

Name : libXpm Relocations: (not relocatable)  
 Version : 3.5.5 Vendor: CentOS  
 Release : 3 Build Date: Sun 07 Jan 2007 04:57:41 AM EST  
 Install Date: Wed 07 Aug 2013 01:30:53 PM EDT Build Host: builder1.centos.org  
 Group : System Environment/Libraries Source RPM: libXpm-3.5.5-3.src.rpm  
 Size : 81106 License: MIT/X11  
 Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID a8a447dce8562897  
 URL : http://www.x.org  
 Summary : X.Org X11 libXpm runtime library  
 Description :  
 X.Org X11 libXpm runtime library

Name : ncurses-libs Relocations: (not relocatable)  
 Version : 5.7 Vendor: CentOS  
 Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010 11:34:04 AM EDT  
 Install Date: Wed 07 Aug 2013 01:31:00 PM EDT Build Host: c6b3.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: ncurses-5.7-3.20090208.el6.src.rpm  
 Size : 706896 License: MIT  
 Signature : RSA/8, Sun 03 Jul 2011 12:31:25 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://invisible-island.net/ncurses/ncurses.html>  
 Summary : Ncurses Libraries  
 Description :  
 The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : sos Relocations: (not relocatable)  
 Version : 2.2 Vendor: CentOS  
 Release : 38.el6.centos Build Date: Fri 22 Feb 2013 11:23:31 PM EST  
 Install Date: Tue 06 Aug 2013 05:20:33 PM EDT Build Host: c6b8.bsys.dev.centos.org  
 Group : Applications/System Source RPM: sos-2.2-38.el6.centos.src.rpm  
 Size : 735149 License: GPLv2+  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:59 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://fedorahosted.org/sos>  
 Summary : A set of tools to gather troubleshooting information from a system  
 Description :  
 Sos is a set of tools that gathers information about system hardware and configuration. The information can then be used for diagnostic purposes and debugging. Sos is commonly used to help support technicians and developers.

Name : setup Relocations: (not relocatable)  
 Version : 2.8.14 Vendor: CentOS  
 Release : 20.el6 Build Date: Mon 15 Oct 2012 05:15:31 AM EDT  
 Install Date: Tue 06 Aug 2013 05:17:09 PM EDT Build Host: c6b7.bsys.dev.centos.org  
 Group : System Environment/Base Source RPM: setup-2.8.14-20.el6.src.rpm  
 Size : 665890 License: Public Domain  
 Signature : RSA/SHA1, Mon 15 Oct 2012 12:30:05 PM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <https://fedorahosted.org/setup/>  
 Summary : A set of system configuration and setup files  
 Description :  
 The setup package contains a set of important system configuration and setup files, such as passwd, group, and profile.

Name : gok Relocations: (not relocatable)  
 Version : 2.28.1 Vendor: CentOS  
 Release : 5.el6 Build Date: Thu 11 Nov 2010 08:14:11 AM EST  
 Install Date: Tue 06 Aug 2013 05:23:00 PM EDT Build Host: c6b1.bsys.dev.centos.org  
 Group : User Interface/Desktops Source RPM: gok-2.28.1-5.el6.src.rpm

Size : 9411129 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:19:16 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gok.ca/>  
Summary : GNOME Onscreen Keyboard  
Description :  
The gok project aims to enable users to control their computer without having to rely on a standard keyboard or mouse, leveraging GNOME's built-in accessibility framework.

Name : ModemManager Relocations: (not relocatable)  
Version : 0.4.0 Vendor: CentOS  
Release : 3.git20100628.el6 Build Date: Wed 10 Nov 2010 06:38:04 PM EST

Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host: c6b1.bsys.dev.centos.org

Group : System Environment/Base Source RPM: ModemManager-0.4.0-3.git20100628.el6.src.rpm  
Size : 603939 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:45:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Mobile broadband modem management service  
Description :

The ModemManager service provides a consistent API to operate many different modems, including mobile broadband (3G) devices.

Name : gnome-python2-bonobo Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST

Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host: c6b5.bsys.dev.centos.org

Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm  
Size : 371311 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-python/>  
Summary : Python bindings for interacting with Bonobo  
Description :

This module contains a wrapper that allows the creation of bonobo components and the embedding of bonobo components in Python.

Name : jakarta-commons-collections Relocations: (not relocatable)  
Version : 3.2.1 Vendor: CentOS  
Release : 3.4.el6 Build Date: Sun 22 Aug 2010 08:12:26 AM EDT

Install Date: Tue 06 Aug 2013 05:17:13 PM EDT Build Host: c6b5.bsys.dev.centos.org

Group : Development/Libraries/Java Source RPM: jakarta-commons-collections-3.2.1-3.4.el6.src.rpm  
Size : 609360 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:16:36 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://jakarta.apache.org/commons/collections/>  
Summary : Provides new interfaces, implementations and utilities for Java Collections  
Description :

The introduction of the Collections API by Sun in JDK 1.2 has been a boon to quick and effective Java programming. Ready access to powerful data structures has accelerated development by reducing the need for custom container classes around each core object. Most Java2 APIs are significantly easier to use because of the Collections API.

However, there are certain holes left unfilled by Sun's implementations, and the Jakarta-Commons Collections Component strives to fulfill them. Among the features of this package are:

- special-purpose implementations of Lists and Maps for fast access
- adapter classes from Java1-style containers (arrays, enumerations) to Java2-style collections.
- methods to test or create typical set-theory properties of collections such as union, intersection, and closure.

Name : bfa-firmware Relocations: (not relocatable)  
Version : 3.0.3.1 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 04:22:51 PM EST  
Install Date: Tue 06 Aug 2013 05:23:02 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM: bfa-firmware-3.0.3.1-1.el6.src.rpm  
Size : 2716690 License: Redistributable, no modification permitted  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:02 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.brocade.com/sites/dotcom/services-support/drivers-downloads/CNA/Linux.page>  
Summary : Brocade Fibre Channel HBA Firmware  
Description : Brocade Fibre Channel HBA Firmware.

Name : patch Relocations: (not relocatable)  
Version : 2.6 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 12 Nov 2010 02:57:36 AM EST  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host: c6b1.bsys.dev.centos.org  
Group : Development/Tools Source RPM: patch-2.6-6.el6.src.rpm  
Size : 175662 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:54:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/patch/patch.html>  
Summary : Utility for modifying/upgrading files  
Description : The patch program applies diff files to originals. The diff command is used to compare an original to a changed file. Diff lists the changes made to the file. A person who has the original file can then use the patch command with the diff file to add the changes to their original file (patching the file).

Patch should be installed because it is a common way of upgrading applications.

Name : gnome-python2-gnomevfs Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST  
Install Date: Tue 06 Aug 2013 05:20:36 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm  
Size : 336197 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:18:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gnome-python/>  
Summary : Python bindings for interacting with gnome-vfs  
Description :

This module contains a wrapper that allows the use of gnome-vfs via python.

Name : tzdata-java Relocations: (not relocatable)  
Version : 2012j Vendor: CentOS  
Release : 1. el 6 Build Date: Wed 23 Jan 2013 06: 36: 31 AM  
EST  
Install Date: Tue 06 Aug 2013 05: 17: 17 PM EDT Build Host:  
c6b8. bsys. dev. centos. org  
Group : System Environment/Base Source RPM: tzdata-2012j -1. el 6. src. rpm  
Size : 278069 License: Public Domain  
Signature : RSA/SHA1, Wed 23 Jan 2013 06: 52: 56 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : https://www. iana. org/time-zones  
Summary : Timezone data for Java  
Description :  
This package contains timezone information for use by Java runtimes.

Name : iwl1000-firmware Relocations: (not relocatable)  
Version : 39. 31. 5. 1 Vendor: CentOS  
Release : 1. el 6 Build Date: Wed 07 Dec 2011 10: 00: 46 AM  
EST  
Install Date: Tue 06 Aug 2013 05: 23: 03 PM EDT Build Host:  
c6b18n2. bsys. dev. centos. org  
Group : System Environment/Kernel Source RPM:  
iwl1000-firmware-39. 31. 5. 1-1. el 6. src. rpm  
Size : 679399 License: Redistributable, no  
modification permitted  
Signature : RSA/SHA1, Thu 08 Dec 2011 03: 11: 11 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://intel. linuxwireless. org/  
Summary : Firmware for Intel® PRO/Wireless 1000 B/G/N network adaptors  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux to support the iwl1000 hardware. Usage of the firmware  
is subject to the terms and conditions contained inside the provided  
LICENSE file. Please read it carefully.

Name : m17n-db-assamese Relocations: (not relocatable)  
Version : 1. 5. 5 Vendor: CentOS  
Release : 1. 1. el 6 Build Date: Thu 19 Aug 2010 02: 00: 34 AM  
EDT  
Install Date: Tue 06 Aug 2013 05: 18: 17 PM EDT Build Host:  
c6b3. bsys. dev. centos. org  
Group : System Environment/Libraries Source RPM:  
m17n-db-1. 5. 5-1. 1. el 6. src. rpm  
Size : 6079 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12: 29: 00 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>  
URL : http://www. m17n. org/m17n-lib/index. html  
Summary : m17n-db input maps for Assamese  
Description :  
This package contains m17n-db input maps for Assamese.

Name : python-del\_tarpm Relocations: (not relocatable)  
Version : 3. 5 Vendor: CentOS  
Release : 0. 5. 20090913git. el 6 Build Date: Sat 21 Aug 2010 02: 40: 23 AM  
EDT  
Install Date: Tue 06 Aug 2013 05: 20: 38 PM EDT Build Host:  
c6b1. bsys. dev. centos. org  
Group : System Environment/Base Source RPM:  
del\_tarpm-3. 5-0. 5. 20090913git. el 6. src. rpm  
Size : 42138 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 12: 58: 32 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <http://bugs. centos. org>

URL : <http://gi tori ous.org/del tarpm/del tarpm>  
Summary : Python bi ndi ngs for del tarpm  
Descri pti on :  
Thi s package contai ns python bi ndi ngs for del tarpm.

Name : poppl er-data Rel ocati ons: (not rel ocatabl e)  
Versi on : 0.4.0 Vendor: CentOS  
Rel ease : 1. el 6 Buil d Date: Sat 21 Aug 2010 09:02:58 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05:17:19 PM EDT Buil d Host:  
c6b4. bsys. dev. centos. org  
Group : Devel opment/Li brari es Source RPM:  
poppl er-data-0.4.0-1. el 6. src. rpm  
Si ze : 11987205 Li cense: BSD and GPLv2  
Signat ure : RSA/8, Sun 03 Jul 2011 12:40:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <<http://bugs.centos.org>>  
URL : <http://poppl er.freedesktop.org/>  
Summary : Encodi ng fi les  
Descri pti on :  
Thi s package consists of encodi ng fi les for poppler. When i nstalled,  
the encodi ng fi les enables poppler to correctl y render CJK and Cyril lic  
properl y.

Name : readahead Rel ocati ons: (not rel ocatabl e)  
Versi on : 1.5.6 Vendor: CentOS  
Rel ease : 1. el 6 Buil d Date: Mon 23 Aug 2010 05:36:24 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05:23:07 PM EDT Buil d Host:  
c6b2. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM:  
readahead-1.5.6-1. el 6. src. rpm  
Si ze : 114714 Li cense: GPLv2+  
Signat ure : RSA/8, Sun 03 Jul 2011 01:00:09 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/readahead/>  
Summary : Read a preset li st of fi les i nto memory  
Descri pti on :  
readahead reads the contents of a li st of fi les i nto memory,  
whi ch causes them to be read from cache when they are actual l y  
needed. Its goal is to speed up the boot process.

Name : m17n-db-hi ndi Rel ocati ons: (not rel ocatabl e)  
Versi on : 1.5.5 Vendor: CentOS  
Rel ease : 1.1. el 6 Buil d Date: Thu 19 Aug 2010 02:00:34 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05:18:17 PM EDT Buil d Host:  
c6b3. bsys. dev. centos. org  
Group : System Envi ronment/Li brari es Source RPM:  
m17n-db-1.5.5-1.1. el 6. src. rpm  
Si ze : 12908 Li cense: LGPLv2+  
Signat ure : RSA/8, Sun 03 Jul 2011 12:29:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : m17n-db i nput maps for Hi ndi  
Descri pti on :  
Thi s package contai ns m17n-db i nput maps for Hi ndi .

Name : i bus-table Rel ocati ons: (not rel ocatabl e)  
Versi on : 1.2.0.20100111 Vendor: CentOS  
Rel ease : 4. el 6 Buil d Date: Sun 22 Aug 2010 06:05:42 AM  
EDT  
Instal l Date: Tue 06 Aug 2013 05:20:40 PM EDT Buil d Host:  
c6b3. bsys. dev. centos. org  
Group : System Envi ronment/Li brari es Source RPM:

i bus-table-1.2.0.20100111-4.el6.src.rpm

Size : 593230 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:15:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/i bus/>  
Summary : Table engine for IBus  
Description :  
The package contains Table engine for IBus.

Name : bash Relocations: (not relocatable)  
Version : 4.1.2 Vendor: CentOS  
Release : 14.el6 Build Date: Thu 21 Feb 2013 04:12:09 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:34 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Shell s Source RPM: bash-4.1.2-14.el6.src.rpm  
Size : 3139227 License: GPLv3+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/bash>  
Summary : The GNU Bourne Again shell

Description :

The GNU Bourne Again shell (Bash) is a shell or command language interpreter that is compatible with the Bourne shell (sh). Bash incorporates useful features from the Korn shell (ksh) and the C shell (csh). Most sh scripts can be run by bash without modification.

Name : vino Relocations: (not relocatable)  
Version : 2.28.1 Vendor: CentOS  
Release : 8.el6\_3 Build Date: Mon 21 Jan 2013 06:12:14 PM  
EST

Install Date: Tue 06 Aug 2013 05:23:09 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : User Interface/Desktops Source RPM: vino-2.28.1-8.el6\_3.src.rpm  
Size : 1997763 License: GPLv2+  
Signature : RSA/SHA1, Mon 21 Jan 2013 06:24:45 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : A remote desktop system for GNOME

Description :

Vino is a VNC server for GNOME. It allows remote users to connect to a running GNOME session using VNC.

Name : m17n-db-sinhala Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM  
EDT

Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:

c6b3.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
m17n-db-1.5.5-1.1.el6.src.rpm  
Size : 14255 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:29:21 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : m17n-db input maps for Sinhala

Description :

This package contains m17n-db input maps for Sinhala.

Name : PackageKit-glib Relocations: (not relocatable)  
Version : 0.5.8 Vendor: CentOS  
Release : 21.el6 Build Date: Thu 21 Feb 2013 05:42:20 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:42 PM EDT Build Host:



c6b9.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
PackageKit-0.5.8-21.el6.src.rpm  
Size : 751467 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:32 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.packagekit.org>  
Summary : GLib Libraries for accessing PackageKit  
Description :  
GLib Libraries for accessing PackageKit.

Name : info Relocations: (not relocatable)  
Version : 4.13a Vendor: CentOS  
Release : 8.el6 Build Date: Fri 20 Aug 2010 01:30:28 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:35 PM EDT Build Host:

c6b1.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: texinfo-4.13a-8.el6.src.rpm  
Size : 329482 License: GPLv3+  
Signature : RSA/8, Sun 03 Jul 2011 12:24:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/texinfo/>  
Summary : A stand-alone TTY-based reader for GNU texinfo documentation  
Description :  
The GNU project uses the texinfo file format for much of its documentation. The info package provides a stand-alone TTY-based browser program for viewing texinfo files.

Name : ibus-m17n Relocations: (not relocatable)  
Version : 1.3.0 Vendor: CentOS  
Release : 2.el6 Build Date: Mon 18 Jul 2011 06:43:10 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:23:11 PM EDT Build Host:

c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
ibus-m17n-1.3.0-2.el6.src.rpm  
Size : 53705 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:22 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus/>  
Summary : The M17N engine for IBus platform  
Description :  
M17N engine for IBus input platform. It allows input of many languages using the input table maps from m17n-db.

Name : time Relocations: (not relocatable)  
Version : 1.7 Vendor: CentOS  
Release : 37.1.el6 Build Date: Wed 18 Aug 2010 05:41:03 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:19 PM EDT Build Host:

c6b3.bsys.dev.centos.org  
Group : Applications/System Source RPM: time-1.7-37.1.el6.src.rpm  
Size : 39759 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:03:55 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/time/>  
Summary : A GNU utility for monitoring a program's use of system resources  
Description :  
The GNU time utility runs another program, collects information about the resources used by that program while it is running, and displays the results.

Name : libproxy-bin Relocations: (not relocatable)  
Version : 0.3.0 Vendor: CentOS

Release : 3.el6\_3 Build Date: Wed 14 Nov 2012 04:08:01 PM EST  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : Applications/System Source RPM: libproxy-0.3.0-3.el6\_3.src.rpm  
Size : 6800 License: LGPLv2+  
Signature : RSA/SHA1, Wed 14 Nov 2012 08:41:37 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/libproxy/>  
Summary : Binary to test libproxy  
Description :  
The libproxy-bin package contains the proxy binary for libproxy

Name : libpng Relocations: (not relocatable)  
Version : 1.2.49 Vendor: CentOS  
Release : 1.el6\_2 Build Date: Wed 25 Apr 2012 09:30:45 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:36 PM EDT Build Host: c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libpng-1.2.49-1.el6\_2.src.rpm  
Size : 654803 License: zlib  
Signature : RSA/SHA1, Wed 25 Apr 2012 09:58:17 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.libpng.org/pub/png/>  
Summary : A library of functions for manipulating PNG image format files  
Description :  
The libpng package contains a library of functions for creating and manipulating PNG (Portable Network Graphics) image format files. PNG is a bit-mapped graphics format similar to the GIF format. PNG was created to replace the GIF format, since GIF uses a patented data compression algorithm.

libpng should be installed if you need to manipulate PNG format image files.

Name : cups-pk-helper Relocations: (not relocatable)  
Version : 0.0.4 Vendor: CentOS  
Release : 12.el6 Build Date: Wed 10 Nov 2010 11:00:36 PM EST  
Install Date: Tue 06 Aug 2013 05:23:14 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: cups-pk-helper-0.0.4-12.el6.src.rpm  
Size : 77400 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:08:54 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.vuntz.net/download/cups-pk-helper/>  
Summary : A helper that makes system-config-printer use PolicyKit  
Description :  
cups-pk-helper is an application which makes cups configuration interfaces available under control of PolicyKit.

Name : libnih Relocations: (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 7.el6 Build Date: Wed 07 Dec 2011 12:40:52 PM EST  
Install Date: Tue 06 Aug 2013 05:18:21 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libnih-1.0.1-7.el6.src.rpm  
Size : 486830 License: GPLv2  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:21:23 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <https://launchpad.net/libnih>  
Summary : Lightweight application development library  
Description :  
libnih is a small library for C application development containing functions that, despite its name, are not implemented elsewhere in the standard library set.

libnih is roughly equivalent to other C libraries such as glib, except that its focus is on a small size and intended for applications that sit very low in the software stack, especially outside of /usr.

Name : abrt-libs Relocations: (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:39:47 PM EST  
Install Date: Tue 06 Aug 2013 05:20:46 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: abrt-2.0.8-15.el6.centos.src.rpm  
Size : 21368 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:05 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : Libraries for abrt  
Description :  
Libraries for abrt.

Name : tcp\_wrappers-libs Relocations: (not relocatable)  
Version : 7.6 Vendor: CentOS  
Release : 57.el6 Build Date: Wed 07 Dec 2011 12:45:47 PM EST  
Install Date: Tue 06 Aug 2013 05:17:37 PM EDT Build Host: c6b4.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: tcp\_wrappers-7.6-57.el6.src.rpm  
Size : 131475 License: BSD  
Signature : RSA/SHA1, Thu 08 Dec 2011 04:20:08 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.porcupine.org/pub/security/index.html>  
Summary : Libraries for tcp\_wrappers  
Description :  
tcp\_wrappers-libs contains the libraries of the tcp\_wrappers package.

Name : nspluginwrapper Relocations: (not relocatable)  
Version : 1.4.4 Vendor: CentOS  
Release : 1.el6\_3 Build Date: Tue 13 Nov 2012 09:19:01 AM EST  
Install Date: Tue 06 Aug 2013 05:23:16 PM EDT Build Host: c6b10.bsys.dev.centos.org  
Group : Applications/Internet Source RPM: nspluginwrapper-1.4.4-1.el6\_3.src.rpm  
Size : 482276 License: GPLv2+  
Signature : RSA/SHA1, Tue 13 Nov 2012 10:28:06 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gwenole.beauchesne.info/projects/nspluginwrapper/>  
Summary : A compatibility layer for Netscape 4 plugins  
Description :  
nspluginwrapper makes it possible to use Netscape 4 compatible plugins compiled for i386 architecture (e.g. flash-plugin) into Mozilla for another architecture, e.g. x86\_64.

This package consists in:

- \* npviewer: the plugin viewer
- \* npwrapper.so: the browser-side plugin

- \* nspluginplayer: stand-alone NPAPI plugin player
- \* mozilla-plugin-config: a tool to manage plugins installation and update

```

Name       : less                               Relocations: (not relocatable)
Version    : 436                               Vendor: CentOS
Release    : 10.el6                           Build Date: Wed 07 Dec 2011 04:21:45 PM
EST
Install Date: Tue 06 Aug 2013 05:18:31 PM EDT   Build Host:
c6b18n3.bsys.dev.centos.org
Group      : Applications/Text                 Source RPM: less-436-10.el6.src.rpm
Size       : 200427                             License: GPLv3+
Signature  : RSA/SHA1, Thu 08 Dec 2011 03:15:08 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.greenwoodsoftware.com/less/
Summary    : A text file browser similar to more, but better
Description:
The less utility is a text file browser that resembles more, but has
more capabilities. Less allows you to move backwards in the file as
well as forwards. Since less doesn't have to read the entire input file
before it starts, less starts up more quickly than text editors (for
example, vi).

```

You should install less because it is a basic utility for viewing text files, and you'll use it frequently.

```

Name       : libreport-plugin-logger           Relocations: (not relocatable)
Version    : 2.0.9                             Vendor: CentOS
Release    : 15.el6.centos                    Build Date: Fri 22 Feb 2013 11:25:32 PM
EST
Install Date: Tue 06 Aug 2013 05:20:50 PM EDT   Build Host:
c6b7.bsys.dev.centos.org
Group      : System Environment/Libraries     Source RPM:
libreport-2.0.9-15.el6.centos.src.rpm
Size       : 23253                             License: GPLv2+
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:38:53 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : https://fedorahosted.org/abrt/
Summary    : libreport's logger reporter plugin
Description:
The simple reporter plugin which writes a report to a specified file.

```

```

Name       : glib2                               Relocations: (not relocatable)
Version    : 2.22.5                             Vendor: CentOS
Release    : 7.el6                             Build Date: Fri 22 Jun 2012 02:17:20 AM
EDT
Install Date: Tue 06 Aug 2013 05:17:38 PM EDT   Build Host:
c6b10.bsys.dev.centos.org
Group      : System Environment/Libraries     Source RPM: glib2-2.22.5-7.el6.src.rpm
Size       : 5190068                           License: LGPLv2+
Signature  : RSA/SHA1, Sun 24 Jun 2012 06:16:52 PM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.gtk.org
Summary    : A library of handy utility functions
Description:
GLib is the low-level core library that forms the basis
for projects such as GTK+ and GNOME. It provides data structure
handling for C, portability wrappers, and interfaces for such runtime
functionality as an event loop, threads, dynamic loading, and an
object system.

```

This package provides version 2 of GLib.

```

Name       : pinfo                               Relocations: (not relocatable)
Version    : 0.6.9                             Vendor: CentOS

```

Release : 12.el6 Build Date: Fri 20 Aug 2010 09:43:27 PM EDT  
Install Date: Tue 06 Aug 2013 05:23:23 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: pinfo-0.6.9-12.el6.src.rpm  
Size : 300866 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:57:02 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://pinfo.alioth.debian.org>  
Summary : An info file viewer  
Description :  
Pinfo is an info file (or man page) viewer with a user interface similar to the Lynx Web browser's interface. Pinfo supports searching using regular expressions, and is based on the ncurses library.

Name : cairo Relocations: (not relocatable)  
Version : 1.8.8 Vendor: CentOS  
Release : 3.1.el6 Build Date: Wed 10 Nov 2010 09:23:08 PM EST  
Install Date: Tue 06 Aug 2013 05:18:37 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: cairo-1.8.8-3.1.el6.src.rpm  
Size : 797873 License: LGPLv2 or MPLv1.1  
Signature : RSA/8, Sun 03 Jul 2011 12:06:29 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cairographics.org>  
Summary : A 2D graphics library  
Description :  
Cairo is a 2D graphics library designed to provide high-quality display and print output. Currently supported output targets include the X Window System, OpenGL (via glitz), in-memory image buffers, and image files (PDF, PostScript, and SVG).

Cairo is designed to produce consistent output on all output media while taking advantage of display hardware acceleration when available (e.g. through the X Render Extension or OpenGL).

Name : libreport-newt Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM EST  
Install Date: Tue 06 Aug 2013 05:20:52 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 15416 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's newt interface  
Description :  
This package contains a simple newt application for reporting bugs

Name : readline Relocations: (not relocatable)  
Version : 6.0 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 22 Jun 2012 02:54:32 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: readline-6.0-4.el6.src.rpm  
Size : 433957 License: GPLv3+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:23 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>

Summary : A library for editing typed command lines

Description :

The Readline library provides a set of functions that allow users to edit command lines. Both Emacs and vi editing modes are available. The Readline library includes additional functions for maintaining a list of previously-entered command lines for recalling or editing those lines, and for performing csh-like history expansion on previous commands.

Name : xorg-x11-fonts-Type1

Relocations: (not relocatable)

Version : 7.2

Vendor: CentOS

Release : 9.1.el6

Build Date: Thu 11 Nov 2010 09:24:29 AM

EST

Install Date: Tue 06 Aug 2013 05:23:30 PM EDT

Build Host:

c6b4.bsys.dev.centos.org

Group : User Interface/X

Source RPM:

xorg-x11-fonts-7.2-9.1.el6.src.rpm

Size : 883992

License: MIT and Lucida and Public

Domain

Signature : RSA/8, Sun 03 Jul 2011 12:54:48 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : Type1 fonts provided by the X Window System

Description :

A collection of Type1 fonts which are part of the core X Window System distribution.

Name : qt

Relocations: (not relocatable)

Version : 4.6.2

Vendor: CentOS

Release : 25.el6

Build Date: Fri 07 Sep 2012 12:33:27 PM

EDT

Install Date: Tue 06 Aug 2013 05:18:44 PM EDT

Build Host:

c6b8.bsys.dev.centos.org

Group : System Environment/Libraries

Source RPM: qt-4.6.2-25.el6.src.rpm

Size : 15277280

License: (LGPLv2 with exceptions or

GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT

Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:26 PM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.qtsoftware.com/>

Summary : Qt toolkit

Description :

Qt is a software toolkit for developing applications.

This package contains base tools, like string, xml, and network handling.

Name : iproute

Relocations: (not relocatable)

Version : 2.6.32

Vendor: CentOS

Release : 23.el6

Build Date: Thu 21 Feb 2013 08:01:00 PM

EST

Install Date: Tue 06 Aug 2013 05:20:55 PM EDT

Build Host:

c6b7.bsys.dev.centos.org

Group : Applications/System

Source RPM:

iproute-2.6.32-23.el6.src.rpm

Size : 886109

License: GPLv2+ and Public Domain

Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:28 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://linux-net.osdl.org/index.php/Iproute2>

Summary : Advanced IP routing and network device configuration tools

Description :

The iproute package contains networking utilities (ip and rtmon, for example) which are designed to use the advanced networking capabilities of the Linux 2.4.x and 2.6.x kernel.

Name : libXau Relocations: (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 01:44:53 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:41 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXau-1.0.6-4.el6.src.rpm  
Size : 40009 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:25 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Sample Authorization Protocol for X  
Description :  
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : xorg-x11-utils Relocations: (not relocatable)  
Version : 7.5 Vendor: CentOS  
Release : 6.el6 Build Date: Sat 23 Feb 2013 03:32:13 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:34 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
xorg-x11-utils-7.5-6.el6.src.rpm  
Size : 220920 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:17:06 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 X client utilities  
Description :  
A collection of client utilities which can be used to query the X server for various information.

Name : pulseaudio-libs Relocations: (not relocatable)  
Version : 0.9.21 Vendor: CentOS  
Release : 14.el6\_3 Build Date: Thu 12 Jul 2012 01:11:51 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:45 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
pulseaudio-0.9.21-14.el6\_3.src.rpm  
Size : 2699924 License: LGPLv2+  
Signature : RSA/SHA1, Thu 12 Jul 2012 07:53:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://pulseaudio.org/>  
Summary : Libraries for PulseAudio clients  
Description :  
This package contains the runtime libraries for any application that wishes to interface with a PulseAudio sound server.

Name : mesa-dri-drivers Relocations: (not relocatable)  
Version : 9.0 Vendor: CentOS  
Release : 0.7.el6 Build Date: Fri 22 Feb 2013 02:02:15 AM  
EST  
Install Date: Tue 06 Aug 2013 05:21:00 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
mesa-9.0-0.7.el6.src.rpm  
Size : 15145043 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:40 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mesa3d.org>  
Summary : Mesa-based DRI drivers  
Description :  
Mesa-based DRI drivers.

Name : libXfixes Relocations: (not relocatable)  
Version : 5.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 02:21:20 PM EST  
Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXfixes-5.0-3.el6.src.rpm  
Size : 44159 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X Fixes Library  
Description :  
X Fixes Library.

Name : enscript Relocations: (not relocatable)  
Version : 1.6.4 Vendor: CentOS  
Release : 15.el6 Build Date: Thu 11 Nov 2010 01:44:36 AM EST  
Install Date: Tue 06 Aug 2013 05:23:49 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Applications/Publishing Source RPM:  
enscript-1.6.4-15.el6.src.rpm  
Size : 1865199 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:13:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/enscript>  
Summary : A plain ASCII to PostScript converter  
Description :  
GNU enscript is a free replacement for Adobe's Enscript program. Enscript converts ASCII files to PostScript(TM) and spools generated PostScript output to the specified printer or saves it to a file. Enscript can be extended to handle different output media and includes many options for customizing printouts

Name : libcanberra Relocations: (not relocatable)  
Version : 0.22 Vendor: CentOS  
Release : 1.el6.centos Build Date: Fri 02 Dec 2011 04:56:08 AM EST  
Install Date: Tue 06 Aug 2013 05:18:46 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libcanberra-0.22-1.el6.centos.src.rpm  
Size : 179160 License: LGPLv2+  
Signature : RSA/SHA1, Fri 02 Dec 2011 07:46:09 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.opointer.de/?p=libcanberra.git;a=summary>  
Summary : Portable Sound Event Library  
Description :  
A small and lightweight implementation of the XDG Sound Theme Specification (<http://opointer.de/public/sound-theme-spec.html>).

Name : device-mapper Relocations: (not relocatable)  
Version : 1.02.77 Vendor: CentOS  
Release : 9.el6 Build Date: Fri 22 Feb 2013 01:21:40 AM EST  
Install Date: Tue 06 Aug 2013 05:21:06 PM EDT Build Host:  
c6b8.bsys.dev.centos.org



Group : System Environment/Base Source RPM: lvm2-2.02.98-9.el6.src.rpm  
Size : 173919 License: GPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:49 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sources.redhat.com/dm>  
Summary : Device mapper utility  
Description :  
This package contains the supporting userspace utility, dmsetup,  
for the kernel device-mapper.

Name : libtiff Relocations: (not relocatable)  
Version : 3.9.4 Vendor: CentOS  
Release : 9.el6\_3 Build Date: Tue 18 Dec 2012 04:21:50 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:43 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
libtiff-3.9.4-9.el6\_3.src.rpm  
Size : 961971 License: libtiff  
Signature : RSA/SHA1, Wed 19 Dec 2012 05:07:11 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.remotesensing.org/libtiff/>  
Summary : Library of functions for manipulating TIFF format image files  
Description :

The libtiff package contains a library of functions for manipulating  
TIFF (Tagged Image File Format) image format files. TIFF is a widely  
used file format for bitmapped images. TIFF files usually end in the  
.tif extension and they are often quite large.

The libtiff package should be installed if you need to manipulate TIFF  
format image files.

Name : cyrus-sasl -plain Relocations: (not relocatable)  
Version : 2.1.23 Vendor: CentOS  
Release : 13.el6\_3.1 Build Date: Tue 27 Nov 2012 06:49:36 AM  
EST

Install Date: Tue 06 Aug 2013 05:23:52 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
cyrus-sasl-2.1.23-13.el6\_3.1.src.rpm  
Size : 37616 License: BSD  
Signature : RSA/SHA1, Tue 27 Nov 2012 07:18:56 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : PLAIN and LOGIN authentication support for Cyrus SASL  
Description :

The cyrus-sasl -plain package contains the Cyrus SASL plugins which support  
PLAIN and LOGIN authentication schemes.

Name : festival Relocations: (not relocatable)  
Version : 1.96 Vendor: CentOS  
Release : 18.el6 Build Date: Thu 11 Nov 2010 02:43:14 AM  
EST

Install Date: Tue 06 Aug 2013 05:18:49 PM EDT Build Host:  
c6b4.bsys.dev.centos.org

Group : Applications/Multimedia Source RPM: festival-1.96-18.el6.src.rpm  
Size : 9219750 License: MIT and GPL+ and TCL  
Signature : RSA/8, Sun 03 Jul 2011 12:14:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.cstr.ed.ac.uk/projects/festival/>  
Summary : Speech synthesis and text-to-speech system  
Description :

Festival is a general multi-lingual speech synthesis system developed  
at CSTR. It offers a full text to speech system with various APIs, as

well as an environment for development and research of speech synthesis techniques. It is written in C++ with a Scheme-based command interpreter for general control.

Name : xinetd Relocations: (not relocatable)  
Version : 2.3.14 Vendor: CentOS  
Release : 38.el6 Build Date: Thu 21 Feb 2013 10:03:37 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:10 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM: xinetd-2.3.14-38.el6.src.rpm  
Size : 265405 License: xinetd  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.xinetd.org>  
Summary : A secure replacement for inetd  
Description :  
Xinetd is a secure replacement for inetd, the Internet services daemon. Xinetd provides access control for all services based on the address of the remote host and/or on time of access and can prevent denial-of-access attacks. Xinetd provides extensive logging, has no limit on the number of server arguments, and lets you bind specific services to specific IP addresses on your host machine. Each service has its own specific configuration file for Xinetd; the files are located in the /etc/xinetd.d directory.

Name : libXmu Relocations: (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:15:34 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXmu-1.1.1-2.el6.src.rpm  
Size : 157664 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXmu/libXmu runtime libraries  
Description :  
X.Org X11 libXmu/libXmu runtime libraries

Name : m17n-contrib-urdu Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:23:53 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 3608 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Urdu  
Description :  
This package provides contributed multilingualization (m17n) input maps for Urdu.

Name : httpd-tools Relocations: (not relocatable)  
Version : 2.2.15 Vendor: CentOS  
Release : 26.el6.centos Build Date: Fri 22 Feb 2013 06:21:03 AM  
EST  
Install Date: Tue 06 Aug 2013 05:18:52 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : System Environment/Daemons Source RPM:  
httpd-2.2.15-26.el6.centos.src.rpm  
Size : 140449 License: ASL 2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://httpd.apache.org/>  
Summary : Tools for use with the Apache HTTP Server  
Description :  
The httpd-tools package contains tools which can be used with the Apache HTTP Server.

Name : system-config-users Relocations: (not relocatable)  
Version : 1.2.106 Vendor: CentOS  
Release : 7.el6 Build Date: Thu 18 Oct 2012 08:18:44 AM EDT

Install Date: Tue 06 Aug 2013 05:21:22 PM EDT Build Host:  
c6b8.bsys.dev.centos.org

Group : Applications/System Source RPM:  
system-config-users-1.2.106-7.el6.src.rpm  
Size : 1796437 License: GPLv2+  
Signature : RSA/SHA1, Thu 18 Oct 2012 09:49:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/system-config-users>  
Summary : A graphical interface for administering users and groups  
Description :  
system-config-users is a graphical utility for administering users and groups. It depends on the libuser library.

Name : file-libs Relocations: (not relocatable)  
Version : 5.04 Vendor: CentOS  
Release : 15.el6 Build Date: Thu 04 Oct 2012 10:51:20 AM EDT

Install Date: Tue 06 Aug 2013 05:17:45 PM EDT Build Host:  
c6b7.bsys.dev.centos.org

Group : Applications/File Source RPM: file-5.04-15.el6.src.rpm  
Size : 2508853 License: BSD  
Signature : RSA/SHA1, Thu 04 Oct 2012 12:14:32 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.darwinsys.com/file/>  
Summary : Libraries for applications using libmagic  
Description :

Libraries for applications using libmagic.

Name : jomolhari-fonts Relocations: (not relocatable)  
Version : 0.003 Vendor: CentOS  
Release : 8.1.el6 Build Date: Thu 19 Aug 2010 05:28:48 AM EDT

Install Date: Tue 06 Aug 2013 05:23:55 PM EDT Build Host:  
c6b3.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
jomolhari-fonts-0.003-8.1.el6.src.rpm  
Size : 2293163 License: OFL  
Signature : RSA/8, Sun 03 Jul 2011 12:17:29 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://chris.fynn.googlepages.com/jomolhari>  
Summary : Jomolhari a Bhutanese style font for Tibetan and Dzongkha  
Description :  
Jomolhari is an TrueType OpenType Bhutanese style font for Dzongkha and Tibetan text. It is based on Bhutanese manuscript examples, supports the Unicode and the Chinese encoding for Tibetan.  
The font supports the standard combinations used in most texts.

Name : poppler-utils Relocations: (not relocatable)

Version : 0.12.4 Vendor: CentOS  
 Release : 3.el6\_0.1 Build Date: Fri 24 Jun 2011 09:17:31 PM EDT  
 Install Date: Tue 06 Aug 2013 05:19:01 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
 Group : Applications/Text Source RPM: poppler-0.12.4-3.el6\_0.1.src.rpm  
 Size : 193170 License: GPLv2  
 Signature : RSA/8, Tue 05 Jul 2011 09:45:04 PM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://poppler.freedesktop.org/>  
 Summary : Command line utilities for converting PDF files  
 Description :  
 Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

This utils package installs a number of command line tools for converting PDF files to a number of other formats.

Name : parted Relocations: (not relocatable)  
 Version : 2.1 Vendor: CentOS  
 Release : 19.el6 Build Date: Thu 21 Feb 2013 06:11:35 PM EST  
 Install Date: Tue 06 Aug 2013 05:21:25 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
 Group : Applications/System Source RPM: parted-2.1-19.el6.src.rpm  
 Size : 2264791 License: GPLv3+  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:41 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.gnu.org/software/parted>  
 Summary : The GNU disk partition manipulation program  
 Description :  
 The GNU Parted program allows you to create, destroy, resize, move, and copy hard disk partitions. Parted can be used for creating space for new operating systems, reorganizing disk usage, and copying data to new hard disks.

Name : libidn Relocations: (not relocatable)  
 Version : 1.18 Vendor: CentOS  
 Release : 2.el6 Build Date: Mon 23 Aug 2010 08:51:25 PM EDT  
 Install Date: Tue 06 Aug 2013 05:17:47 PM EDT Build Host: c6b2.bsyz.dev.centos.org  
 Group : System Environment/Libraries Source RPM: libidn-1.18-2.el6.src.rpm  
 Size : 567612 License: LGPLv2+ and GPLv3+ and GFDL  
 Signature : RSA/8, Sun 03 Jul 2011 12:36:02 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.gnu.org/software/libidn/>  
 Summary : Internationalized Domain Name support library  
 Description :  
 GNU Libidn is an implementation of the Stringprep, Punycode and IDNA specifications defined by the IETF Internationalized Domain Names (IDN) working group, used for internationalized domain names.

Name : thai-scalable-waree-fonts Relocations: (not relocatable)  
 Version : 0.4.12 Vendor: CentOS  
 Release : 2.1.el6 Build Date: Thu 11 Nov 2010 09:33:51 AM EST  
 Install Date: Tue 06 Aug 2013 05:24:15 PM EDT Build Host: c6b1.bsyz.dev.centos.org  
 Group : User Interface/X Source RPM: thai-scalable-waree-fonts-0.4.12-2.1.el6.src.rpm  
 Size : 342320 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:50:48 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://linux.thai.net/projects/thai-fonts-scalable>  
Summary : Thai Waree fonts  
Description :

thai-fonts-scalable provides a collection of free scalable Thai fonts.

This package provides the Waree family of Thai fonts.

Name : nss-tools Relocations: (not relocatable)  
Version : 3.14.0.0 Vendor: CentOS  
Release : 12.el6 Build Date: Fri 22 Feb 2013 05:55:38 PM  
EST  
Install Date: Tue 06 Aug 2013 05:19:03 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: nss-3.14.0.0-12.el6.src.rpm  
Size : 2886944 License: MPLv2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:50 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Tools for the Network Security Services  
Description :  
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Install the nss-tools package if you need command-line tools to manipulate the NSS certificate and key database.

Name : pm-utils Relocations: (not relocatable)  
Version : 1.2.5 Vendor: CentOS  
Release : 10.el6 Build Date: Wed 18 Jul 2012 05:04:08 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:29 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM:  
pm-utils-1.2.5-10.el6.src.rpm  
Size : 260295 License: GPLv2  
Signature : RSA/SHA1, Wed 18 Jul 2012 07:06:43 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://pm-utils.freedesktop.org>  
Summary : Power management utilities and scripts  
Description :  
The pm-utils package contains utilities and scripts useful for tasks related to power management.

Name : plymouth-core-libs Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM:  
plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 177752 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:46 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth Libraries  
Description :  
This package contains the libply and libply-splash-core libraries

used by Plymouth.

Name : Iohi t-guj arati -fonts Rel ocations: (not rel ocatabl e)  
Versi on : 2. 4. 4 Vendor: CentOS  
Rel ease : 4. el 6 Buil d Date: Fri 23 Sep 2011 11: 28: 07 AM  
EDT  
Install Date: Tue 06 Aug 2013 05: 24: 33 PM EDT Buil d Host:  
c6b18n1. dev. centos. org  
Group : User Interface/X Source RPM:  
Iohi t-guj arati -fonts-2. 4. 4-4. el 6. src. rpm  
Si ze : 109904 License: GPLv2 with excepti ons  
Signature : RSA/SHA1, Mon 26 Sep 2011 12: 21: 25 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : https://fedorahosted. org/Iohi t/  
Summary : Free Gujarati font  
Descri ption :  
Thi s package provi des a free Gujarati truetype/opentype font.

Name : rpm Rel ocations: (not rel ocatabl e)  
Versi on : 4. 8. 0 Vendor: CentOS  
Rel ease : 32. el 6 Buil d Date: Thu 21 Feb 2013 09: 13: 55 PM  
EST  
Install Date: Tue 06 Aug 2013 05: 19: 06 PM EDT Buil d Host:  
c6b8. bsys. dev. centos. org  
Group : System Envi ronment/Base Source RPM: rpm-4. 8. 0-32. el 6. src. rpm  
Si ze : 2031240 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12: 42: 17 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://www. rpm. org/  
Summary : The RPM package management system  
Descri ption :  
The RPM Package Manager (RPM) is a powerful command line driven  
package management system capable of installing, uninstaling,  
verifying, querying, and updating software packages. Each software  
package consists of an archive of files along with information about  
the package like its version, a description, etc.

Name : xorg-x11-server-Xorg Rel ocations: (not rel ocatabl e)  
Versi on : 1. 13. 0 Vendor: CentOS  
Rel ease : 11. el 6. centos Buil d Date: Fri 22 Feb 2013 06: 32: 57 AM  
EST  
Install Date: Tue 06 Aug 2013 05: 21: 31 PM EDT Buil d Host:  
c6b7. bsys. dev. centos. org  
Group : User Interface/X Source RPM:  
xorg-x11-server-1. 13. 0-11. el 6. centos. src. rpm  
Si ze : 3455036 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12: 40: 03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS Buil dSystem <http://bugs. centos. org>  
URL : http://www. x. org  
Summary : Xorg X server  
Descri ption :  
X.org X11 is an open source implementation of the X Window System. It  
provides the basic low level functionality which full fledged  
graphical user interfaces (GUIs) such as GNOME and KDE are designed  
upon.

Name : lua Rel ocations: (not rel ocatabl e)  
Versi on : 5. 1. 4 Vendor: CentOS  
Rel ease : 4. 1. el 6 Buil d Date: Thu 19 Aug 2010 02: 15: 47 AM  
EDT  
Install Date: Tue 06 Aug 2013 05: 17: 48 PM EDT Buil d Host:  
c6b3. bsys. dev. centos. org  
Group : Devel opment/Languages Source RPM: lua-5. 1. 4-4. 1. el 6. src. rpm  
Si ze : 617799 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:43:34 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.lua.org/>  
Summary : Powerful light-weight programming language  
Description :

Lua is a powerful light-weight programming language designed for extending applications. Lua is also frequently used as a general-purpose, stand-alone language. Lua is free software. Lua combines simple procedural syntax with powerful data description constructs based on associative arrays and extensible semantics. Lua is dynamically typed, interpreted from bytecodes, and has automatic memory management with garbage collection, making it ideal for configuration, scripting, and rapid prototyping.

Name : l o h i t - t e l u g u - f o n t s Relocations: (not relocatable)  
Version : 2.4.5 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 29 Aug 2012 02:01:19 AM EDT

Install Date: Tue 06 Aug 2013 05:24:52 PM EDT Build Host: c6b8.bsys.dev.centos.org

Group : User Interface/X Source RPM:  
l o h i t - t e l u g u - f o n t s - 2 . 4 . 5 - 6 . e l 6 . s r c . r p m  
Size : 206381 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Wed 29 Aug 2012 08:05:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/l o h i t />  
Summary : Free Telugu font  
Description :

This package provides a free Telugu truetype/opentype font.

Name : l i b g s f Relocations: (not relocatable)  
Version : 1.14.15 Vendor: CentOS  
Release : 5.el6 Build Date: Thu 11 Nov 2010 02:06:19 PM EST

Install Date: Tue 06 Aug 2013 05:19:09 PM EDT Build Host: c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
l i b g s f - 1 . 1 4 . 1 5 - 5 . e l 6 . s r c . r p m  
Size : 346396 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:34:55 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/projects/libgsf/>  
Summary : GNOME Structured File Library  
Description :

A library for reading and writing structured files (eg MS OLE and Zip)

Name : x o r g - x 1 1 - d r v - v o o d o o Relocations: (not relocatable)  
Version : 1.2.5 Vendor: CentOS  
Release : 3.el6 Build Date: Sat 23 Feb 2013 03:21:54 PM EST

Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host: c6b9.bsys.dev.centos.org

Group : User Interface/X Hardware Support Source RPM:  
x o r g - x 1 1 - d r v - v o o d o o - 1 . 2 . 5 - 3 . e l 6 . s r c . r p m  
Size : 23812 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 voodoo video driver  
Description :

X.Org X11 voodoo video driver.

Name : d i f f u t i l s Relocations: (not relocatable)  
Version : 2.8.1 Vendor: CentOS

Release : 28. el 6 Build Date: Wed 10 Nov 2010 11:29:05 PM EST  
Install Date: Tue 06 Aug 2013 05:17:51 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Applications/Text Source RPM:  
diffutils-2.8.1-28.el6.src.rpm  
Size : 588813 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:10:10 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/diffutils/diffutils.html>  
Summary : A GNU collection of diff utilities  
Description :

Diffutils includes four utilities: diff, cmp, diff3 and sdiff. Diff compares two files and shows the differences, line by line. The cmp command shows the offset and line numbers where two files differ, or cmp can show the characters that differ between the two files. The diff3 command shows the differences between three files. Diff3 can be used when two people have made independent changes to a common original; diff3 can produce a merged file that contains both sets of changes and warnings about conflicts. The sdiff command can be used to merge two files interactively.

Install diffutils if you need to compare text files.

Name : setserial Relocations: (not relocatable)  
Version : 2.17 Vendor: CentOS  
Release : 25. el 6 Build Date: Sun 22 Aug 2010 07:06:32 PM EDT

Install Date: Tue 06 Aug 2013 05:24:59 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Applications/System Source RPM:  
setserial-2.17-25.el6.src.rpm  
Size : 31075 License: GPL+  
Signature : RSA/8, Sun 03 Jul 2011 01:01:58 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://setserial.sourceforge.net/>  
Summary : A utility for configuring serial ports  
Description :

Setserial is a basic system utility for displaying or setting serial port information. Setserial can reveal and allow you to alter the I/O port and IRQ that a particular serial device is using, and more.

Name : zip Relocations: (not relocatable)  
Version : 3.0 Vendor: CentOS  
Release : 1. el 6 Build Date: Thu 11 Nov 2010 10:26:40 AM EST

Install Date: Tue 06 Aug 2013 05:19:30 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Applications/Archiving Source RPM: zip-3.0-1.el6.src.rpm  
Size : 823612 License: BSD  
Signature : RSA/8, Sun 03 Jul 2011 01:07:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.info-zip.org/Zip.html>  
Summary : A file compression and packaging utility compatible with PKZIP  
Description :

The zip program is a compression and file packaging utility. Zip is analogous to a combination of the UNIX tar and compress commands and is compatible with PKZIP (a compression and file packaging utility for MS-DOS systems).

Install the zip package if you need to compress files using the zip program.

Name : xorg-x11-drv-sis Relocations: (not relocatable)



Version : 0.10.7 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 03:09:57 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-sis-0.10.7-2.el6.src.rpm  
Size : 556201 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:50 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 sis video driver  
Description :  
X.Org X11 sis video driver.

Name : plymouth-graphicss-libs Relocations: (not relocatable)  
Version : 0.8.3 Vendor: CentOS  
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:06:20 PM  
EST  
Install Date: Tue 06 Aug 2013 05:17:52 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
plymouth-0.8.3-27.el6.centos.src.rpm  
Size : 32648 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:24 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://freedesktop.org/software/plymouth/releases>  
Summary : Plymouth graphicss libraries  
Description :  
This package contains the libply-splash-graphicss library  
used by graphical Plymouth splashes.

Name : ltrace Relocations: (not relocatable)  
Version : 0.5.9 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 12:47:45 PM  
EST  
Install Date: Tue 06 Aug 2013 05:25:00 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Debuggers Source RPM: ltrace-0.5.9-2.el6.src.rpm  
Size : 357434 License: GPLv3+  
Signature : RSA/8, Sun 03 Jul 2011 12:31:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/jolsa/ltrace>  
Summary : LD\_AUDIT feature frontend for glibc 2.4+  
Description :  
allows you to trace library calls and get their statistics in a  
manner similar to the strace utility (syscall tracing)

Name : m17n-lib Relocations: (not relocatable)  
Version : 1.5.5 Vendor: CentOS  
Release : 2.el6\_1.1 Build Date: Fri 23 Sep 2011 07:12:17 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:19:32 PM EDT Build Host:  
c6b18n1.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-lib-1.5.5-2.el6\_1.1.src.rpm  
Size : 362868 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Multilingual text library  
Description :  
m17n-lib is a multilingual text library used primarily to allow  
the input of many languages with the input table maps from m17n-db.

Name : xorg-x11-drv-openchrome Relocations: (not relocatable)  
Version : 0.3.0 Vendor: CentOS  
Release : 3.20120806git.el6 Build Date: Sat 23 Feb 2013 02:57:50 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-openchrome-0.3.0-3.20120806git.el6.src.rpm  
Size : 471502 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:20 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openchrome.org>  
Summary : Xorg X11 openchrome video driver  
Description :  
X.Org X11 openchrome video driver.

Name : libxklavier Relocations: (not relocatable)  
Version : 4.0 Vendor: CentOS  
Release : 9.el6 Build Date: Fri 22 Jun 2012 04:18:27 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:53 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
libxklavier-4.0-9.el6.src.rpm  
Size : 142605 License: LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:46 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gswitchit.sourceforge.net/>  
Summary : High-level API for X Keyboard Extension  
Description :  
libxklavier is a library providing a high-level API for the X Keyboard  
Extension (XKB). This library is intended to support XFree86 and other  
commercial X servers. It is useful for creating XKB-related software  
(layout indicators etc).

Name : ql2100-firmware Relocations: (not relocatable)  
Version : 1.19.38 Vendor: CentOS  
Release : 3.1.el6 Build Date: Wed 18 Aug 2010 11:03:16 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:25:08 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
ql2100-firmware-1.19.38-3.1.el6.src.rpm  
Size : 78639 License: Redistributable, no  
modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:43:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.qllogic.com/outgoing/linux/firmware/>  
Summary : Firmware for qllogic 2100 devices  
Description :  
Firmware for qllogic 2100 devices.

Name : java-1.5.0-gcj Relocations: (not relocatable)  
Version : 1.5.0.0 Vendor: CentOS  
Release : 29.1.el6 Build Date: Thu 11 Nov 2010 09:36:07 AM  
EST  
Install Date: Tue 06 Aug 2013 05:19:40 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Development/Languages Source RPM:  
java-1.5.0-gcj-1.5.0.0-29.1.el6.src.rpm  
Size : 143079 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:25:54 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sources.redhat.com/rhug/java-gcj-compat.html>  
Summary : JPackage runtime compatibility layer for GCJ  
Description :  
This package installs directory structures, shell scripts and symbolic links to simulate a JPackage-compatible runtime environment with GCJ.

Name : xorg-x11-drv-i740 Relocations: (not relocatable)  
Version : 1.3.4 Vendor: CentOS  
Release : 5.el6 Build Date: Sat 23 Feb 2013 02:42:31 PM EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-i740-1.3.4-5.el6.src.rpm  
Size : 47385 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:33 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 i740 video driver  
Description :  
X.Org X11 i740 video driver.

Name : libgtop2 Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 05:50:23 PM EST  
Install Date: Tue 06 Aug 2013 05:17:55 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libgtop2-2.28.0-3.el6.src.rpm  
Size : 362541 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:35:04 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/libgtop/2.28>  
Summary : libgtop library (version 2)  
Description :  
libgtop is a library for portably obtaining information about processes, such as their PID, memory usage, etc.

Name : rt61pci-firmware Relocations: (not relocatable)  
Version : 1.2 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 20 Aug 2010 09:38:30 PM EDT  
Install Date: Tue 06 Aug 2013 05:25:09 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM: rt61pci-firmware-1.2-7.el6.src.rpm  
Size : 26679 License: Redistributable, no modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:45:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.ralinktech.com>  
Summary : Firmware for Ralink® RT2561/RT2661 A/B/G network adaptors  
Description :  
This package contains the firmware required by the rt61pci driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE.ralink-firmware.txt file. Please read it carefully.

Name : gnome-icon-theme Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 05:57:38 AM EST  
Install Date: Tue 06 Aug 2013 05:19:52 PM EDT Build Host:

c6b3.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
gnome-icon-theme-2.28.0-2.el6.src.rpm  
Size : 11781508 License: GPL+  
Signature : RSA/8, Sun 03 Jul 2011 12:10:54 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : GNOME icon theme

Description :  
This package contains the default icon theme used by the GNOME desktop.

Name : xorg-x11-drv-cirrus Relocations: (not relocatable)  
Version : 1.5.1 Vendor: CentOS  
Release : 2.el6 Build Date: Sat 23 Feb 2013 02:29:26 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:43 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-cirrus-1.5.1-2.el6.src.rpm  
Size : 76278 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:42 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 cirrus video driver

Description :  
X.Org X11 cirrus video driver.

Name : acl Relocations: (not relocatable)  
Version : 2.2.49 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 07 Dec 2011 11:53:55 AM  
EST

Install Date: Tue 06 Aug 2013 05:17:56 PM EDT Build Host:  
c6b6.bsys.dev.centos.org

Group : System Environment/Base Source RPM: acl-2.2.49-6.el6.src.rpm  
Size : 193226 License: GPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:13 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://acl.bestbits.at/>  
Summary : Access control list utilities

Description :  
This package contains the getfacl and setfacl utilities needed for  
manipulating access control lists.

Name : nss-softokn-freebl Relocations: (not relocatable)  
Version : 3.12.9 Vendor: CentOS  
Release : 11.el6 Build Date: Wed 07 Dec 2011 07:24:02 PM  
EST

Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:  
c6b4.bsys.dev.centos.org

Group : System Environment/Base Source RPM:  
nss-softokn-3.12.9-11.el6.src.rpm  
Size : 301154 License: MPLv1.1 or GPLv2+ or LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:09 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Freebl library for the Network Security Services

Description :  
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl  
library.

Name : classpathx-mail Relocations: (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 9.4.el6 Build Date: Wed 10 Nov 2010 09:43:20 PM

EST

Install Date: Tue 06 Aug 2013 05:19:56 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
classpathx-mail-1.1.1-9.4.el6.src.rpm  
Size : 842081 License: GPLv2+ with exceptions  
Signature : RSA/8, Sun 03 Jul 2011 12:02:24 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/classpathx/>  
Summary : GNU JavaMail (tm)  
Description :  
GNU JavaMail (tm) is a free implementation of the JavaMail API.

Name : pulseaudio-gdm-hooks Relocations: (not relocatable)  
Version : 0.9.21 Vendor: CentOS  
Release : 14.el6\_3 Build Date: Thu 12 Jul 2012 01:11:51 AM  
EDT

Install Date: Tue 06 Aug 2013 05:21:44 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/Multimedia Source RPM:  
pulseaudio-0.9.21-14.el6\_3.src.rpm  
Size : 385 License: LGPLv2+  
Signature : RSA/SHA1, Thu 12 Jul 2012 07:53:15 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://pulseaudio.org/>  
Summary : PulseAudio GDM integration  
Description :  
This package contains GDM integration hooks for the PulseAudio sound server.

Name : xorg-x11-font-utils Relocations: (not relocatable)  
Version : 7.2 Vendor: CentOS  
Release : 11.el6 Build Date: Wed 07 Dec 2011 10:04:33 AM  
EST

Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host:  
c6b18n3.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
xorg-x11-font-utils-7.2-11.el6.src.rpm  
Size : 300562 License: MIT  
Signature : RSA/SHA1, Thu 08 Dec 2011 04:42:58 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 font utilities  
Description :  
X.Org X11 font utilities required for font installation, conversion,  
and generation.

Name : libXext Relocations: (not relocatable)  
Version : 1.3.1 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:27:48 PM  
EST

Install Date: Tue 06 Aug 2013 05:25:14 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXext-1.3.1-2.el6.src.rpm  
Size : 83900 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:53 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXext runtime library  
Description :  
X.Org X11 libXext runtime library

Name : libgxi Relocations: (not relocatable)  
Version : 0.3.3 Vendor: CentOS  
Release : 3.1.el6 Build Date: Thu 11 Nov 2010 09:01:19 AM

EST

Install Date: Tue 06 Aug 2013 05:20:01 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libgxm-0.3.3-3.1.el6.src.rpm  
Size : 412847 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:35:18 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/libgxm/>  
Summary : GObject-based XIM protocol library

Description :  
libgxm is a X Input Method protocol library that is implemented by GObject.  
this library helps you to implement XIM servers or client applications to  
communicate through XIM protocol without using Xlib API directly, particularly  
if your application uses GObject-based main loop.

This package contains the shared library.

Name : sane-backends Relocations: (not relocatable)  
Version : 1.0.21 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 04:59:36 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:46 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
sane-backends-1.0.21-3.el6.src.rpm  
Size : 4629301 License: GPLv2+ and GPLv2+ with  
exceptions and Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 01:01:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.sane-project.org>  
Summary : Scanner access software

Description :  
Scanner Access Now Easy (SANE) is a universal scanner interface. The  
SANE application programming interface (API) provides standardized  
access to any raster image scanner hardware (flatbed scanner,  
hand-held scanner, video and still cameras, frame-grabbers, etc.).

Name : sg3\_utils-libs Relocations: (not relocatable)  
Version : 1.28 Vendor: CentOS  
Release : 4.el6 Build Date: Fri 23 Sep 2011 03:00:33 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:00 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
sg3\_utils-1.28-4.el6.src.rpm  
Size : 156912 License: GPLv2+ and BSD  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:23 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://sg.danny.cz/sg/sg3\\_utils.html](http://sg.danny.cz/sg/sg3_utils.html)  
Summary : Shared library for sg3\_utils

Description :  
This package contains the shared library for sg3\_utils.

Name : perl-File-NFSLock Relocations: (not relocatable)  
Version : 1.20 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el6.rf Build Date: Wed 10 Nov 2010 11:48:54 PM  
EST

Install Date: Tue 06 Aug 2013 05:27:41 PM EDT Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN Source RPM:  
perl-File-NFSLock-1.20-1.el6.rf.src.rpm  
Size : 38837 License: Artistic

Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:16 AM EST, Key ID a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : <http://search.cpan.org/dist/File-NFSLock/>  
Summary : Perl module to do NFS (or not) locking  
Description :  
File-NFSLock is a Perl module to do NFS (or not) locking.

Name : iok Relocations: (not relocatable)  
Version : 1.3.13 Vendor: CentOS  
Release : 3.el6 Build Date: Mon 13 Aug 2012 10:24:50 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:03 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Applications/System Source RPM: iok-1.3.13-3.el6.src.rpm  
Size : 362418 License: GPLv2+  
Signature : RSA/SHA1, Mon 13 Aug 2012 02:34:03 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://iok.sourceforge.net>  
Summary : Indic Onscreen Virtual Keyboard  
Description :  
iok is Indic Onscreen Keyboard. It provides virtual keyboard functionality. It currently works with Inscript and xkb keymaps for Indian languages. iok can even try to parse non-inscript keymaps and show them in iok.

Name : system-config-date Relocations: (not relocatable)  
Version : 1.9.60 Vendor: CentOS  
Release : 1.el6.centos Build Date: Mon 28 Nov 2011 08:06:05 PM EST  
Install Date: Tue 06 Aug 2013 05:21:50 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
system-config-date-1.9.60-1.el6.centos.src.rpm  
Size : 3724437 License: GPLv2+  
Signature : RSA/SHA1, Mon 28 Nov 2011 08:42:24 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/system-config-date>  
Summary : A graphical interface for modifying system date and time  
Description :  
system-config-date is a graphical interface for changing the system date and time, configuring the system time zone, and setting up the NTP daemon to synchronize the time of the system with an NTP time server.

Name : libtdb Relocations: (not relocatable)  
Version : 1.2.10 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 02:43:24 PM EST  
Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM: libtdb-1.2.10-1.el6.src.rpm  
Size : 69432 License: LGPLv3+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:51 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tdb.samba.org/>  
Summary : The tdb library  
Description :  
A library that implements a trivial database.

Name : perl-XML-Simple Relocations: (not relocatable)  
Version : 2.18 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 12 Nov 2010 08:29:42 AM EDT  
Install Date: Tue 06 Aug 2013 05:27:45 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:

perl-XML-Simple-2.18-6.el6.src.rpm

Size : 158675 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:39:44 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/XML-Simple/>  
Summary : Easy API to maintain XML in Perl

Description :

The XML::Simple module provides a simple API layer on top of an underlying XML parsing module (either XML::Parser or one of the SAX2 parser modules).

Name : mx4j Relocations: (not relocatable)  
Version : 3.0.1 Vendor: CentOS  
Release : 9.13.el6 Build Date: Sat 21 Aug 2010 12:46:57 PM EDT

Install Date: Tue 06 Aug 2013 05:20:10 PM EDT Build Host:

c6b5.bsys.dev.centos.org

Group : Development/Libraries Source RPM: mx4j-3.0.1-9.13.el6.src.rpm  
Size : 1777643 License: ASL 1.1

Signature : RSA/8, Sun 03 Jul 2011 12:30:44 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://mx4j.sourceforge.net/>

Summary : Open source implementation of JMX Java API

Description :

OpenJMX is an open source implementation of the Java(TM) Management Extensions (JMX).

Name : net-snmp Relocations: (not relocatable)  
Version : 5.5 Vendor: CentOS  
Release : 44.el6 Build Date: Thu 21 Feb 2013 06:34:52 PM EST

Install Date: Tue 06 Aug 2013 05:21:53 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Daemons Source RPM: net-snmp-5.5-44.el6.src.rpm  
Size : 835722 License: BSD

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:55 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://net-snmp.sourceforge.net/>

Summary : A collection of SNMP protocol tools and libraries

Description :

SNMP (Simple Network Management Protocol) is a protocol used for network management. The NET-SNMP project includes various SNMP tools: an extensible agent, an SNMP library, tools for requesting or setting information from SNMP agents, tools for generating and handling SNMP traps and a version of the netstat command which uses SNMP. This package contains the snmpd and snmptrapd daemons, documentation, etc.

You will probably also want to install the net-snmp-utils package, which contains NET-SNMP utilities.

Name : perl Relocations: (not relocatable)  
Version : 5.10.1 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST

Install Date: Tue 06 Aug 2013 05:18:09 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : Development/Languages Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 35281079 License: (GPL+ or Artistic) and

(GPLv2+ or Artistic) and Copyright Only and MIT and Public Domain and UCD

Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:08 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.perl.org/>

Summary : Practical Extraction and Report Language

Description :



Perl is a high-level programming language with roots in C, sed, awk and shell scripting. Perl is good at handling processes and files, and is especially good at handling text. Perl's hallmarks are practicality and efficiency. While it is used to do a lot of different things, Perl's most common applications are system administration utilities and web programming. A large proportion of the CGI scripts on the web are written in Perl. You need the perl package installed on your system so that your system can handle Perl scripts.

Install this package if you want to program in Perl or enable your system to handle Perl scripts.

Name : perl-Tk-HistoryEntry Relocations: (not relocatable)  
Version : 0.43 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010 08:45:55 AM EDT  
Install Date: Tue 06 Aug 2013 05:27:51 PM EDT Build Host: lora  
Group : Applications/CPAN Source RPM:  
perl-Tk-HistoryEntry-0.43-1.src.rpm  
Size : 21447 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : <http://search.cpan.org/dist/Tk-HistoryEntry/>  
Summary : Entry widget with history capability  
Description :  
Entry widget with history capability.

Name : fpri-ntd-pam Relocations: (not relocatable)  
Version : 0.1 Vendor: CentOS  
Release : 20.gi-t04fd09cfa.el6 Build Date: Fri 22 Jun 2012 04:00:45 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:12 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
fpri-ntd-0.1-20.gi-t04fd09cfa.el6.src.rpm  
Size : 17439 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:25 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.reactivated.net/fpri-nt/wiki/Fpri-ntd>  
Summary : PAM module for fingerprint authentication  
Description :  
PAM module that uses the fpri-ntd D-Bus service for fingerprint authentication.

Name : nfs-utils Relocations: (not relocatable)  
Version : 1.2.3 Vendor: CentOS  
Release : 36.el6 Build Date: Thu 21 Feb 2013 11:56:08 PM EST  
Install Date: Tue 06 Aug 2013 05:21:57 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM:  
nfs-utils-1.2.3-36.el6.src.rpm  
Size : 1000309 License: MIT and GPLv2 and GPLv2+ and BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:10 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/nfs>  
Summary : NFS utilities and supporting clients and daemons for the kernel NFS server  
Description :  
The nfs-utils package provides a daemon for the kernel NFS server and related tools, which provides a much higher level of performance than the traditional Linux NFS server used by most users.

This package also contains the showmount program. Showmount queries the mount daemon on a remote host for information about the NFS (Network File System) server on the remote host. For example, showmount can display the clients which are mounted on that host.

This package also contains the mount.nfs and umount.nfs program.

Name : perl-IO-Compress-Base Relocations: (not relocatable)  
Version : 2.020 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:10 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 137469 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:56 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Base Class for IO::Compress modules  
Description :  
This module is the base class for all IO::Compress and IO::Uncompress  
modules. This module is not intended for direct use in application  
code. Its sole purpose is to to be sub-classed by IO::Compress  
modules.

Name : jre Relocations: /usr/java  
Version : 1.6.0\_37 Vendor: Oracle and/or its  
affiliates.  
Release : fcs Build Date: Mon 24 Sep 2012 05:05:00 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:28:18 PM EDT Build Host:  
jb6-lin-amd64.sfbay.sun.com  
Group : Development/Tools Source RPM: jre-1.6.0\_37-fcs.src.rpm  
Size : 51450876 License: Copyright (c) 2011, Oracle  
and/or its affiliates. All rights reserved. Also under other license(s) as shown at  
the Description field.  
Signature : (none)  
Packager : Java Software <[jre-comments@java.sun.com](mailto:jre-comments@java.sun.com)>  
URL : <http://www.oracle.com/technetwork/java/javase/overview/index.html>  
Summary : Java(TM) Platform Standard Edition Runtime Environment  
Description :  
The Java Platform Standard Edition Runtime Environment (JRE) contains  
everything necessary to run applets and applications designed for the  
Java platform. This includes the Java virtual machine, plus the Java  
platform classes and supporting files.

The JRE is freely redistributable, per the terms of the included license.

Name : gnome-panel-libs Relocations: (not relocatable)  
Version : 2.30.2 Vendor: CentOS  
Release : 14.el6 Build Date: Tue 19 Jul 2011 12:37:01 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:19 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
gnome-panel-2.30.2-14.el6.src.rpm  
Size : 63064 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:54 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : Libraries for Panel Applets  
Description :  
This package contains the libpanel-applet library that

is needed by Panel Applets.

Name : centos-indexhtml Relocations: (not relocatable)  
Version : 6 Vendor: CentOS  
Release : 1.el6.centos Build Date: Tue 28 Jun 2011 07:55:27 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:59 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Documentation Source RPM:  
centos-indexhtml-6-1.el6.centos.src.rpm  
Size : 70748 License: Distributable  
Signature : RSA/8, Sun 03 Jul 2011 12:02:08 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Browser default start page for CentOS  
Description :  
The indexhtml package contains the welcome page shown by your Web browser, which you'll see after you've successfully installed CentOS Linux

Name : perl-IO-Zlib Relocations: (not relocatable)  
Version : 1.09 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 19686 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:40 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Perl IO::style interface to Compress::Zlib  
Description :  
This module provides an IO::style interface to the Compress::Zlib package. The main advantage is that you can use an IO::Zlib object in much the same way as an IO::File object so you can have common code that doesn't know which sort of file it is using.

Name : nedit Relocations: (not relocatable)  
Version : 5.5 Vendor: Fedora Project  
<<http://bugzilla.redhat.com/bugzilla>>  
Release : 16.el5 Build Date: Tue 22 Jan 2008 08:15:15 AM EST  
Install Date: Tue 06 Aug 2013 05:29:59 PM EDT Build Host:  
xenbuilder2.fedora.redhat.com  
Group : Applications/Editors Source RPM: nedit-5.5-16.el5.src.rpm  
Size : 1614890 License: GPLv2  
Signature : DSA/SHA1, Wed 23 Jan 2008 06:47:32 PM EST, Key ID 119cc036217521f6  
Packager : Fedora Project <<http://bugzilla.redhat.com/bugzilla>>  
URL : <http://nedit.org>  
Summary : A GUI text editor for systems with X  
Description :  
NEdit is a GUI text editor for the X Window System. NEdit is very easy to use, especially if you are familiar with the Macintosh(TM) or Microsoft(TM) Windows(TM) style of interface.

Name : libdaemon Relocations: (not relocatable)  
Version : 0.14 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 09:23:20 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:20 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libdaemon-0.14-1.el6.src.rpm  
Size : 58693 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:32:54 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://pointer.de/lenart/projects/libdaemon/>  
 Summary : Library for writing UNIX daemons  
 Description :  
 libdaemon is a lightweight C library which eases the writing of UNIX daemons.  
 It consists of the following parts:  
 \* A wrapper around fork() which does the correct daemonization  
 procedure of a process  
 \* A wrapper around syslog() for simpler and compatible log output to  
 Syslog or STDERR  
 \* An API for writing PID files  
 \* An API for serializing UNIX signals into a pipe for usage with  
 select() or poll()  
 \* An API for running subprocesses with STDOUT and STDERR redirected  
 to syslog.

Name : gvfs-fuse Relocations: (not relocatable)  
 Version : 1.4.3 Vendor: CentOS  
 Release : 15.el6 Build Date: Tue 31 Jul 2012 05:43:31 AM  
 EDT  
 Install Date: Tue 06 Aug 2013 05:22:15 PM EDT Build Host:  
 c6b7.bsys.dev.centos.org  
 Group : System Environment/Libraries Source RPM: gvfs-1.4.3-15.el6.src.rpm  
 Size : 32728 License: LGPLv2+  
 Signature : RSA/SHA1, Tue 31 Jul 2012 06:32:06 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.gtk.org>  
 Summary : FUSE support for gvfs  
 Description :  
 This package provides support for applications not using gio  
 to access the gvfs filesystems.

Name : perl-XML-RegExp Relocations: (not relocatable)  
 Version : 0.03 Vendor: CentOS  
 Release : 7.el6 Build Date: Thu 11 Nov 2010 09:36:26 AM  
 EST  
 Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:  
 c6b5.bsys.dev.centos.org  
 Group : Development/Libraries Source RPM:  
 perl-XML-RegExp-0.03-7.el6.src.rpm  
 Size : 9368 License: GPL+ or Artistic  
 Signature : RSA/8, Sun 03 Jul 2011 12:39:42 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://search.cpan.org/dist/XML-RegExp/>  
 Summary : Regular expressions for XML tokens  
 Description :  
 This package contains an utility module containing regular expressions  
 for the following XML tokens: BaseChar, Ideographic, Letter, Digit,  
 Extender, CombiningChar, NameChar, EntityRef, CharRef, Reference,  
 Name, NmToken, and AttValue.

Name : libmcpp Relocations: (not relocatable)  
 Version : 2.7.2 Vendor: CentOS  
 Release : 4.1.el6 Build Date: Wed 18 Aug 2010 11:52:52 AM  
 EDT  
 Install Date: Tue 06 Aug 2013 05:20:22 PM EDT Build Host:  
 c6b3.bsys.dev.centos.org  
 Group : Development/Languages Source RPM: mcpp-2.7.2-4.1.el6.src.rpm  
 Size : 138264 License: BSD  
 Signature : RSA/8, Sun 03 Jul 2011 12:36:40 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://mcpp.sourceforge.net/>  
 Summary : Alternative C/C++ preprocessor (library build)  
 Description :

This package provides a library build of mcpp.

Name : system-config-firewall-tui Relocations: (not relocatable)  
Version : 1.2.27 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 23 Sep 2011 01:04:13 PM EDT  
Install Date: Tue 06 Aug 2013 05:22:37 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: system-config-firewall-1.2.27-5.el6.src.rpm  
Size : 60799 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedorahosted.org/system-config-firewall>  
Summary : A text interface for basic firewall setup  
Description :  
system-config-firewall-tui is a text user interface for basic firewall setup.

Name : xorg-x11-server-common Relocations: (not relocatable)  
Version : 1.13.0 Vendor: CentOS  
Release : 11.el6.centos Build Date: Fri 22 Feb 2013 06:32:57 AM EST  
Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : User Interface/X Source RPM: xorg-x11-server-1.13.0-11.el6.centos.src.rpm  
Size : 134425 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:12 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg server common files  
Description :  
Common files shared among all X servers.

Name : newt Relocations: (not relocatable)  
Version : 0.52.11 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 23 Sep 2011 12:24:28 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:23 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: newt-0.52.11-3.el6.src.rpm  
Size : 174037 License: LGPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:13 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/newt/>  
Summary : A library for text mode user interfaces  
Description :  
Newt is a programming library for color text mode, widget based user interfaces. Newt can be used to add stacked windows, entry widgets, checkboxes, radio buttons, labels, plain text fields, scrollbars, etc., to text mode user interfaces. This package also contains the shared library needed by programs built with newt, as well as a /usr/bin/dialog replacement called whiptail. Newt is based on the slang library.

Name : gdm-user-switch-applet Relocations: (not relocatable)  
Version : 2.30.4 Vendor: CentOS  
Release : 39.el6 Build Date: Thu 21 Feb 2013 08:25:25 PM EST  
Install Date: Tue 06 Aug 2013 05:22:43 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM: gdm-2.30.4-39.el6.src.rpm  
Size : 122438 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:29 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/gdm>  
Summary : GDM User Switcher Panel Applet  
Description :  
The GDM user switcher applet provides a mechanism for changing among multiple simultaneous logged in users.

Name : iw Relocations: (not relocatable)  
Version : 0.9.17 Vendor: CentOS  
Release : 4.el6 Build Date: Sun 22 Aug 2010 05:07:08 PM EDT  
Install Date: Tue 06 Aug 2013 05:18:13 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: iw-0.9.17-4.el6.src.rpm  
Size : 75619 License: ISC  
Signature : RSA/8, Sun 03 Jul 2011 12:25:17 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.linuxwireless.org/en/users/Documentation/iw>  
Summary : A nl80211 based wireless configuration tool  
Description :  
iw is a new nl80211 based CLI configuration utility for wireless devices. Currently you can only use this utility to configure devices which use a mac80211 driver as these are the new drivers being written - only because most new wireless devices being sold are now SoftMAC.

Name : libsvg2 Relocations: (not relocatable)  
Version : 2.26.0 Vendor: CentOS  
Release : 5.el6\_1.1.0.1.centos Build Date: Fri 24 Feb 2012 06:23:59 PM EST  
Install Date: Tue 06 Aug 2013 05:20:31 PM EDT Build Host:  
c6b5.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libsvg2-2.26.0-5.el6\_1.1.0.1.centos.src.rpm  
Size : 370304 License: LGPLv2+  
Signature : RSA/SHA1, Fri 24 Feb 2012 10:16:13 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : An SVG library based on cairo  
Description :  
An SVG library based on cairo.

Name : gvfs-archi ve Relocations: (not relocatable)  
Version : 1.4.3 Vendor: CentOS  
Release : 15.el6 Build Date: Tue 31 Jul 2012 05:43:31 AM EDT  
Install Date: Tue 06 Aug 2013 05:22:55 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-15.el6.src.rpm  
Size : 143647 License: LGPLv2+  
Signature : RSA/SHA1, Tue 31 Jul 2012 06:32:06 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gtk.org>  
Summary : Archiving support for gvfs  
Description :  
This package provides support for accessing files inside Zip and Tar archives, as well as ISO images, to applications using gvfs.

Name : libXaw Relocations: (not relocatable)  
Version : 1.0.11 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:52:36 PM EST  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXaw-1.0.11-2.el6.src.rpm  
Size : 479081 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:30 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X Athena Widget Set  
Description :  
Xaw is a widget set based on the X Toolkit Intrinsics (Xt) Library.

Name : pyorbit Relocations: (not relocatable)  
Version : 2.24.0 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 20 Aug 2010 10:56:25 PM EDT  
Install Date: Tue 06 Aug 2013 05:20:33 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : Development/Languages Source RPM: pyorbit-2.24.0-5.el6.src.rpm  
Size : 124785 License: LGPLv2+  
Signature : RSA/SHA1, Sun 03 Jul 2011 12:58:21 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Python bindings for ORBit2.  
Description :  
pyorbit is an extension module for python that gives you access to the ORBit2 CORBA ORB.

Name : xkeyboard-config Relocations: (not relocatable)  
Version : 2.6 Vendor: CentOS  
Release : 6.el6 Build Date: Thu 21 Feb 2013 08:57:49 PM EST  
Install Date: Tue 06 Aug 2013 05:17:11 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
xkeyboard-config-2.6-6.el6.src.rpm  
Size : 4965855 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:59 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/XKeyboardConfig>  
Summary : X Keyboard Extension configuration data  
Description :  
This package contains configuration data used by the X Keyboard Extension (XKB), which allows selection of keyboard layouts when using a graphical interface.

Name : openssh-askpass Relocations: (not relocatable)  
Version : 5.3p1 Vendor: CentOS  
Release : 84.1.el6 Build Date: Thu 21 Feb 2013 10:51:49 PM EST  
Install Date: Tue 06 Aug 2013 05:23:02 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Applications/Internet Source RPM:  
openssh-5.3p1-84.1.el6.src.rpm  
Size : 12880 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:20 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openssh.com/portable.html>  
Summary : A passphrase dialog for OpenSSH and X  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package contains an X11 passphrase dialog for OpenSSH.

Name : eggedbus Relocations: (not relocatable)  
Version : 0.6 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 11 Nov 2010 01:35:51 AM EST  
Install Date: Tue 06 Aug 2013 05:18:16 PM EDT Build Host:  
c6b4.bsys.dev.centos.org

Group : Development/Libraries Source RPM: eggdbus-0.6-3.el6.src.rpm  
Size : 321013 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:12:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cgit.freedesktop.org/~david/eggdbus>  
Summary : Experimental D-Bus bindings for GObject  
Description :  
Experimental D-Bus bindings for GObject.

Name : libselinux-python Relocations: (not relocatable)  
Version : 2.0.94 Vendor: CentOS  
Release : 5.3.el6 Build Date: Fri 22 Jun 2012 03:51:44 AM EDT

Install Date: Tue 06 Aug 2013 05:20:35 PM EDT Build Host:

c6b8.bsys.dev.centos.org

Group : Development/Libraries Source RPM:  
libselinux-2.0.94-5.3.el6.src.rpm  
Size : 668698 License: Public Domain  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:48 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.selinuxproject.org>  
Summary : SELinux python bindings for libselinux  
Description :

The libselinux-python package contains the python bindings for developing SELinux applications.

Name : basesystem Relocations: (not relocatable)  
Version : 10.0 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 10 Nov 2010 08:12:57 PM EST

Install Date: Tue 06 Aug 2013 05:17:13 PM EDT Build Host:

c5b2.bsys.dev.centos.org

Group : System Environment/Base Source RPM:  
basesystem-10.0-4.el6.src.rpm  
Size : 0 License: Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:00:48 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : The skeleton package which defines a simple Red Hat Enterprise Linux system  
Description :

Basesystem defines the components of a basic Red Hat Enterprise Linux system (for example, the package installation order to use during bootstrapping). Basesystem should be in every installation of a system, and it should never be removed.

Name : iwlm6000g2a-firmware Relocations: (not relocatable)  
Version : 17.168.5.3 Vendor: CentOS  
Release : 1.el6 Build Date: Wed 07 Dec 2011 12:44:17 PM EST

Install Date: Tue 06 Aug 2013 05:23:03 PM EDT Build Host:

c6b6.bsys.dev.centos.org

Group : System Environment/Kernel Source RPM:  
iwlm6000g2a-firmware-17.168.5.3-1.el6.src.rpm  
Size : 450973 License: Redistributable, no modification permitted  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:11:19 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://intel.linuxwireless.org/>  
Summary : Firmware for Intel (R) Wireless WiFi Link 6005 Series Adapters  
Description :

This package contains the firmware required by the iwlmagn driver for Linux to support the iwlm6000g2a hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.



Name : m17n-contrib-bengali Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 9220 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:32 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Bengali  
Description :  
This package provides contributed multilingualization (m17n) input maps for Bengali.

Name : gnome-python2-applet Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 11 Nov 2010 07:11:34 AM EST  
Install Date: Tue 06 Aug 2013 05:20:37 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : Development/Languages Source RPM: gnome-python2-desktop-2.28.0-4.el6.src.rpm  
Size : 21705 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:18:28 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Python bindings for GNOME Panel applets.  
Description :  
This module contains a wrapper that allows GNOME Panel applets to be written in Python.

Name : khmeros-fonts-common Relocations: (not relocatable)  
Version : 5.0 Vendor: CentOS  
Release : 9.el6 Build Date: Wed 25 Aug 2010 05:18:48 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:17 PM EDT Build Host: c6b3.bsys.dev.centos.org  
Group : User Interface/X Source RPM: khmeros-fonts-5.0-9.el6.src.rpm  
Size : 0 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:21:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>  
Summary : Common files of khmeros-fonts  
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

This package consists of files used by other khmeros-fonts packages.

Name : quota Relocations: (not relocatable)  
Version : 3.17 Vendor: CentOS  
Release : 18.el6 Build Date: Tue 20 Nov 2012 07:06:54 PM EST  
Install Date: Tue 06 Aug 2013 05:23:06 PM EDT Build Host: c6b10.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: quota-3.17-18.el6.src.rpm

Size : 1012641 License: BSD and GPLv2+  
Signature : RSA/SHA1, Wed 21 Nov 2012 07:59:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sourceforge.net/projects/linuxquota/>  
Summary : System administration tools for monitoring users' disk usage  
Description :  
The quota package contains system administration tools for monitoring and limiting user and or group disk usage per filesystem.

Name : m17n-contrib-kannada Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM:

m17n-contrib-1.1.10-4.el6\_1.1.src.rpm

Size : 9535 License: LGPLv2+

Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:36 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.m17n.org/m17n-lib/index.html>

Summary : Contributed input maps for Kannada

Description :

This package provides contributed multilingualization (m17n) input maps for Kannada.

Name : pygpgme Relocations: (not relocatable)  
Version : 0.1 Vendor: CentOS  
Release : 18.20090824bzc68.el6 Build Date: Sun 22 Aug 2010 05:28:16 AM EDT

Install Date: Tue 06 Aug 2013 05:20:38 PM EDT Build Host:

c6b1.bsyz.dev.centos.org

Group : Development/Languages Source RPM:

pygpgme-0.1-18.20090824bzc68.el6.src.rpm

Size : 251432 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:58:12 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://cheeseshop.python.org/pypi/pygpgme/0.1>

Summary : Python module for working with OpenPGP messages

Description :

PyGPGME is a Python module that lets you sign, verify, encrypt and decrypt files using the OpenPGP format. It is built on top of GNU Privacy Guard and the GPGME library.

Name : ncurses-base Relocations: (not relocatable)  
Version : 5.7 Vendor: CentOS  
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010 11:42:34 AM EDT

Install Date: Tue 06 Aug 2013 05:17:19 PM EDT Build Host:

c6b3.bsyz.dev.centos.org

Group : System Environment/Base Source RPM:

ncurses-5.7-3.20090208.el6.src.rpm

Size : 193090 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:47:00 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://invisible-island.net/ncurses/ncurses.html>

Summary : Descriptions of common terminals

Description :

This package contains descriptions of common terminals. Other terminal descriptions are included in the ncurses-term package.

Name : prelink Relocations: (not relocatable)  
Version : 0.4.6 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 07 Dec 2011 06:36:38 PM

EST

Install Date: Tue 06 Aug 2013 05:23:08 PM EDT Build Host:  
c6b18n2.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: prelink-0.4.6-3.el6.src.rpm  
Size : 2050786 License: GPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:58:38 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : An ELF prelinking utility  
Description :  
The prelink package contains a utility which modifies ELF shared libraries and executables, so that far fewer relocations need to be resolved at runtime and thus programs come up faster.

Name : m17n-contrib-malayalam Relocations: (not relocatable)  
Version : 1.1.10 Vendor: CentOS  
Release : 4.el6\_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT

Install Date: Tue 06 Aug 2013 05:18:17 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
m17n-contrib-1.1.10-4.el6\_1.1.src.rpm  
Size : 64575 License: LGPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.m17n.org/m17n-lib/index.html>  
Summary : Contributed input maps for Malayalam  
Description :  
This package provides contributed multilingualization (m17n) input maps for Malayalam.

Name : python-pycurl Relocations: (not relocatable)  
Version : 7.19.0 Vendor: CentOS  
Release : 8.el6 Build Date: Sat 25 Jun 2011 04:30:00 AM EDT

Install Date: Tue 06 Aug 2013 05:20:41 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Languages Source RPM:  
python-pycurl-7.19.0-8.el6.src.rpm  
Size : 236939 License: LGPLv2+ or MIT  
Signature : RSA/8, Tue 05 Jul 2011 09:45:29 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://pycurl.sourceforge.net/>  
Summary : A Python interface to libcurl  
Description :  
PycURL is a Python interface to libcurl. PycURL can be used to fetch objects identified by a URL from a Python program, similar to the urllib Python module. PycURL is mature, very fast, and supports a lot of features.

Name : zlib Relocations: (not relocatable)  
Version : 1.2.3 Vendor: CentOS  
Release : 29.el6 Build Date: Thu 21 Feb 2013 06:02:17 PM EST

Install Date: Tue 06 Aug 2013 05:17:34 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: zlib-1.2.3-29.el6.src.rpm  
Size : 152305 License: zlib and Boost  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:52 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gzip.org/zlib/>  
Summary : The zlib compression and decompression library  
Description :  
Zlib is a general-purpose, patent-free, lossless data compression library which is used by many different programs.

Name : i bus-table-additional Relocations: (not relocatable)  
Version : 1.2.0.20100111 Vendor: CentOS  
Release : 4.el6 Build Date: Sun 22 Aug 2010 06:05:42 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:10 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
i bus-table-1.2.0.20100111-4.el6.src.rpm  
Size : 300534 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:15:38 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/ibus/>  
Summary : Additional tables for general table engine of IBus  
Description :  
This package contains additional tables for Ibus-Table.

Name : tomcat6-el-2.1-api Relocations: (not relocatable)  
Version : 6.0.24 Vendor: CentOS  
Release : 49.el6 Build Date: Fri 22 Feb 2013 12:42:25 AM EST  
Install Date: Tue 06 Aug 2013 05:18:18 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Development/Libraries/Java Source RPM:  
tomcat6-6.0.24-49.el6.src.rpm  
Size : 32107 License: ASL 2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:36 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tomcat.apache.org/>  
Summary : Expression Language v1.0 API  
Description :  
Expression Language 1.0.

Name : PackageKit-yum Relocations: (not relocatable)  
Version : 0.5.8 Vendor: CentOS  
Release : 21.el6 Build Date: Thu 21 Feb 2013 05:42:20 PM EST  
Install Date: Tue 06 Aug 2013 05:20:43 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
PackageKit-0.5.8-21.el6.src.rpm  
Size : 507322 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:51 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.packagekit.org>  
Summary : PackageKit YUM backend  
Description :  
A backend for PackageKit to enable yum functionality.

Name : chkconfig Relocations: (not relocatable)  
Version : 1.3.49.3 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 22 Jun 2012 06:09:02 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:35 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
chkconfig-1.3.49.3-2.el6.src.rpm  
Size : 670132 License: GPLv2  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:55 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : A system tool for maintaining the /etc/rc\*.d hierarchy  
Description :  
Chkconfig is a basic system utility. It updates and queries runlevel information for system services. Chkconfig manipulates the numerous

symbolic links in /etc/rc.d, to relieve system administrators of some of the drudgery of manually editing the symbolic links.

Name : gnome-screensaver Relocations: (not relocatable)  
Version : 2.28.3 Vendor: CentOS  
Release : 24.el6 Build Date: Thu 21 Feb 2013 11:24:41 PM  
EST  
Install Date: Tue 06 Aug 2013 05:23:13 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Amusements/Graphics Source RPM:  
gnome-screensaver-2.28.3-24.el6.src.rpm  
Size : 6150333 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:20 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : GNOME Screensaver  
Description :  
gnome-screensaver is a screen saver and locker that aims to have simple, sane, secure defaults and be well integrated with the desktop.

Name : libicu Relocations: (not relocatable)  
Version : 4.2.1 Vendor: CentOS  
Release : 9.1.el6\_2 Build Date: Sat 17 Dec 2011 12:07:49 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:21 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: icu-4.2.1-9.1.el6\_2.src.rpm  
Size : 19496136 License: MIT and UCD and Public  
Domain  
Signature : RSA/SHA1, Sun 18 Dec 2011 06:46:04 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.icu-project.org/>  
Summary : International Components for Unicode - Libraries  
Description :  
The International Components for Unicode (ICU) Libraries provide robust and full-featured Unicode services on a wide variety of platforms. ICU supports the most current version of the Unicode standard, and they provide support for supplementary Unicode characters (needed for GB 18030 repertoire support).  
As computing environments become more heterogeneous, software portability becomes more important. ICU lets you produce the same results across all the various platforms you support, without sacrificing performance. It offers great flexibility to extend and customize the supplied services.

Name : libreport-plugin-rhtsupport Relocations: (not relocatable)  
Version : 2.0.9 Vendor: CentOS  
Release : 15.el6.centos Build Date: Fri 22 Feb 2013 11:25:32 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:45 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libreport-2.0.9-15.el6.centos.src.rpm  
Size : 49616 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:16 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's RHTSupport plugin  
Description :  
Plugin to report bugs into RH support system.

Name : libacl Relocations: (not relocatable)  
Version : 2.2.49 Vendor: CentOS  
Release : 6.el6 Build Date: Wed 07 Dec 2011 11:53:55 AM

EST

Install Date: Tue 06 Aug 2013 05:17:36 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: acl-2.2.49-6.el6.src.rpm  
Size : 31280 License: LGPLv2+  
Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:15 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://acl.bestbits.at/>  
Summary : Dynamic library for access control list support  
Description :  
This package contains the libacl.so dynamic library which contains  
the POSIX 1003.1e draft standard 17 functions for manipulating access  
control lists.

Name : paps Relocations: (not relocatable)  
Version : 0.6.8 Vendor: CentOS  
Release : 13.el6.2 Build Date: Sat 25 Jun 2011 04:26:48 AM  
EDT

Install Date: Tue 06 Aug 2013 05:23:16 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Applications/Publishing Source RPM: paps-0.6.8-13.el6.2.src.rpm  
Size : 56705 License: LGPLv2+  
Signature : RSA/8, Tue 05 Jul 2011 09:44:33 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://paps.sourceforge.net/>  
Summary : Plain Text to PostScript converter  
Description :  
paps is a PostScript converter from plain text file using Pango.

Name : cdparanoia-libs Relocations: (not relocatable)  
Version : 10.2 Vendor: CentOS  
Release : 5.1.el6 Build Date: Wed 10 Nov 2010 09:25:55 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:29 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
cdparanoia-10.2-5.1.el6.src.rpm  
Size : 135344 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:06:39 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.xiph.org/paranoia/index.html>  
Summary : Libraries for libcdda\_paranoia (Paranoia III).  
Description :  
The cdparanoia-libs package contains the dynamic libraries needed for  
applications which read CD Digital Audio disks.

Name : libgweather Relocations: (not relocatable)  
Version : 2.28.0 Vendor: CentOS  
Release : 5.el6 Build Date: Tue 13 Mar 2012 06:46:12 PM  
EDT

Install Date: Tue 06 Aug 2013 05:20:48 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libgweather-2.28.0-5.el6.src.rpm  
Size : 18160111 License: GPLv2+  
Signature : RSA/SHA1, Tue 13 Mar 2012 07:02:08 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : A library for weather information  
Description :  
libgweather is a library to access weather information from online  
services for numerous locations.

Name : pkgconfi g Relocations: (not relocatable)

Version : 0.23 Vendor: CentOS  
 Release : 9.1.el6 Build Date: Wed 18 Aug 2010 11:30:32 PM EDT  
 Install Date: Tue 06 Aug 2013 05:17:37 PM EDT Build Host: c6b1.bsys.dev.centos.org  
 Group : Development/Tools Source RPM: pkgconfi g-0.23-9.1.el6.src.rpm  
 Size : 140091 License: GPLv2+  
 Signature : RSA/8, Sun 03 Jul 2011 12:57:05 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://pkgconfi g.freedesktop.org>  
 Summary : A tool for determining compilation options  
 Description :  
 The pkgconfi g tool determines compilation options. For each required library, it reads the configuration file and outputs the necessary compiler and linker flags.

Name : sudo Relocations: (not relocatable)  
 Version : 1.8.6p3 Vendor: CentOS  
 Release : 7.el6 Build Date: Fri 22 Feb 2013 01:26:41 AM EST  
 Install Date: Tue 06 Aug 2013 05:23:22 PM EDT Build Host: c6b8.bsys.dev.centos.org  
 Group : Applications/System Source RPM: sudo-1.8.6p3-7.el6.src.rpm  
 Size : 2461511 License: ISC  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:40 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.courtesan.com/sudo/>  
 Summary : Allows restricted root access for specified users  
 Description :  
 Sudo (superuser do) allows a system administrator to give certain users (or groups of users) the ability to run some (or all) commands as root while logging all commands and arguments. Sudo operates on a per-command basis. It is not a replacement for the shell. Features include: the ability to restrict what commands a user may run on a per-host basis, copious logging of each command (providing a clear audit trail of who did what), a configurable timeout of the sudo command, and the ability to use the same configuration file (sudoers) on many different machines.

Name : coreutils Relocations: (not relocatable)  
 Version : 8.4 Vendor: CentOS  
 Release : 19.el6 Build Date: Fri 22 Jun 2012 07:48:58 AM EDT  
 Install Date: Tue 06 Aug 2013 05:18:34 PM EDT Build Host: c6b7.bsys.dev.centos.org  
 Group : System Environment/Base Source RPM: coreutils-8.4-19.el6.src.rpm  
 Size : 12847033 License: GPLv3+  
 Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:26 PM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.gnu.org/software/coreutils/>  
 Summary : A set of basic GNU tools commonly used in shell scripts  
 Description :  
 These are the GNU core utilities. This package is the combination of the old GNU fileutils, sh-utils, and textutils packages.

Name : gstreamer-plugins-good Relocations: (not relocatable)  
 Version : 0.10.23 Vendor: CentOS  
 Release : 1.el6 Build Date: Sun 22 May 2011 05:34:22 PM EDT  
 Install Date: Tue 06 Aug 2013 05:20:51 PM EDT Build Host: c6b6.bsys.dev.centos.org  
 Group : Applications/Multimedia Source RPM: gstreamer-plugins-good-0.10.23-1.el6.src.rpm

Size : 4445593 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:20:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer plug-ins with good code and licensing

Description :  
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

GStreamer Good Plug-ins is a collection of well-supported plug-ins of good quality and under the LGPL license.

Name : dbus-glib Relocations: (not relocatable)  
Version : 0.86 Vendor: CentOS  
Release : 5.el6 Build Date: Wed 10 Nov 2010 11:22:35 PM  
EST

Install Date: Tue 06 Aug 2013 05:17:39 PM EDT Build Host:  
c6b1.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM:  
dbus-glib-0.86-5.el6.src.rpm  
Size : 579827 License: AFL and GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:09:33 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : GLib bindings for D-Bus  
Description :

D-Bus add-on library to integrate the standard D-Bus library with the GLib thread abstraction and main loop.

Name : wget Relocations: (not relocatable)  
Version : 1.12 Vendor: CentOS  
Release : 1.8.el6 Build Date: Wed 10 Oct 2012 05:06:55 AM  
EDT

Install Date: Tue 06 Aug 2013 05:23:25 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : Applications/Internet Source RPM: wget-1.12-1.8.el6.src.rpm  
Size : 1877052 License: GPLv3+ and GFDL  
Signature : RSA/SHA1, Wed 10 Oct 2012 07:50:30 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/wget/>  
Summary : A utility for retrieving files using the HTTP or FTP protocols  
Description :

GNU Wget is a file retrieval utility which can use either the HTTP or FTP protocols. Wget features include the ability to work in the background while you are logged out, recursive retrieval of directories, file name wildcard matching, remote file timestamp storage and comparison, use of Rest with FTP servers and Range with HTTP servers to retrieve files over slow or unstable connections, support for Proxy servers, and configurability.

Name : hwdata Relocations: (not relocatable)  
Version : 0.233 Vendor: CentOS  
Release : 7.9.el6 Build Date: Thu 21 Feb 2013 05:27:07 PM  
EST

Install Date: Tue 06 Aug 2013 05:18:39 PM EDT Build Host:  
c6b9.bsys.dev.centos.org

Group : System Environment/Base Source RPM: hwdata-0.233-7.9.el6.src.rpm  
Size : 4414810 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:09 PM EST, Key ID 0946fca2c105b9de



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://git.fedorahosted.org/git/hwdata.git>  
Summary : Hardware identification and configuration data  
Description :  
hwdata contains various hardware identification and configuration data,  
such as the pci.ids database and MonitorsDb databases.

Name : busybox Relocations: (not relocatable)  
Version : 1.15.1 Vendor: CentOS  
Release : 15.el6 Build Date: Fri 22 Jun 2012 06:51:34 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:53 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Shell s Source RPM:  
busybox-1.15.1-15.el6.src.rpm  
Size : 1116012 License: GPLv2  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:45 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.busybox.net>  
Summary : Statically linked binary providing simplified versions of system  
commands  
Description :  
Busybox is a single binary which includes versions of a large number  
of system commands, including a shell. This package can be very  
useful for recovering from certain types of system failures,  
particularly those involving broken shared libraries.

Name : xz-libs Relocations: (not relocatable)  
Version : 4.999.9 Vendor: CentOS  
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010 01:12:38 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:40 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
xz-4.999.9-0.3.beta.20091007git.el6.src.rpm  
Size : 214490 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:06:49 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://tukaani.org/xz/>  
Summary : Libraries for decoding LZMA compression  
Description :  
Libraries for decoding files compressed with LZMA or XZ utils.

Name : audit Relocations: (not relocatable)  
Version : 2.2 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 22 Jun 2012 05:43:24 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:33 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM: audit-2.2-2.el6.src.rpm  
Size : 979444 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:26 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : User space tools for 2.6 kernel auditing  
Description :  
The audit package contains the user space utilities for  
storing and searching the audit records generated by  
the audit subsystem in the Linux 2.6 kernel.

Name : logrotate Relocations: (not relocatable)  
Version : 3.7.8 Vendor: CentOS  
Release : 16.el6 Build Date: Wed 15 Aug 2012 12:26:39 PM EDT

Install Date: Tue 06 Aug 2013 05:18:44 PM EDT      Build Host:  
 c6b8.bsys.dev.centos.org  
 Group : System Environment/Base      Source RPM:  
 logrotate-3.7.8-16.el6.src.rpm  
 Size : 84725      License: GPL+  
 Signature : RSA/SHA1, Wed 15 Aug 2012 03:19:04 PM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <https://fedorahosted.org/logrotate/>  
 Summary : Rotates, compresses, removes and mails system log files  
 Description :  
 The logrotate utility is designed to simplify the administration of log files on a system which generates a lot of log files. Logrotate allows for the automatic rotation, compression, removal and mailing of log files. Logrotate can be set to handle a log file daily, weekly, monthly or when the log file gets to a certain size. Normally, logrotate runs as a daily cron job.

Install the logrotate package if you need a utility to deal with the log files on your system.

Name : initscripts      Relocations: (not relocatable)  
 Version : 9.03.38      Vendor: CentOS  
 Release : 1.el6.centos      Build Date: Fri 22 Feb 2013 06:18:53 AM EST  
 Install Date: Tue 06 Aug 2013 05:20:56 PM EDT      Build Host:  
 c6b7.bsys.dev.centos.org  
 Group : System Environment/Base      Source RPM:  
 initscripts-9.03.38-1.el6.centos.src.rpm  
 Size : 5714431      License: GPLv2 and GPLv2+  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:17 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://fedorahosted.org/releases/i/n/initscripts/>  
 Summary : The inittab file and the /etc/init.d scripts  
 Description :  
 The initscripts package contains the basic system scripts used to boot your Red Hat or Fedora system, change runlevels, and shut the system down cleanly. Initscripts also contains the scripts that activate and deactivate most network interfaces.

Name : libXext      Relocations: (not relocatable)  
 Version : 1.3.1      Vendor: CentOS  
 Release : 2.el6      Build Date: Thu 21 Feb 2013 02:28:43 PM EST  
 Install Date: Tue 06 Aug 2013 05:17:41 PM EDT      Build Host:  
 c6b7.bsys.dev.centos.org  
 Group : System Environment/Libraries      Source RPM: libXext-1.3.1-2.el6.src.rpm  
 Size : 89680      License: MIT  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:22 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.x.org>  
 Summary : X.Org X11 libXext runtime library  
 Description :  
 X.Org X11 libXext runtime library

Name : perl-Time-HiRes      Relocations: (not relocatable)  
 Version : 1.9721      Vendor: CentOS  
 Release : 129.el6      Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
 Install Date: Tue 06 Aug 2013 05:23:35 PM EDT      Build Host:  
 c6b7.bsys.dev.centos.org  
 Group : Development/Libraries      Source RPM: perl-5.10.1-129.el6.src.rpm  
 Size : 57406      License: GPL+ or Artistic  
 Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:33 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.perl.org/>  
Summary : High resolution alarm, sleep, gettimeofday, interval timers  
Description :  
The Time::HiRes module implements a Perl interface to the usleep, nanosleep, ualarm, gettimeofday, and setitimer/getitimer system calls, in other words, high resolution time and timers. See the "EXAMPLES" section below and the test scripts for usage; see your system documentation for the description of the underlying nanosleep or usleep, ualarm, gettimeofday, and setitimer/getitimer calls.

Name : polkit Relocations: (not relocatable)  
Version : 0.96 Vendor: CentOS  
Release : 2.el6\_0.1 Build Date: Sat 25 Jun 2011 08:49:09 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:45 PM EDT Build Host: c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: polkit-0.96-2.el6\_0.1.src.rpm  
Size : 615283 License: LGPLv2+  
Signature : RSA/8, Tue 05 Jul 2011 09:44:59 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>  
Summary : PolicyKit Authorization Framework  
Description :  
PolicyKit is a toolkit for defining and handling authorizations. It is used for allowing unprivileged processes to speak to privileged processes.

Name : qt-x11 Relocations: (not relocatable)  
Version : 4.6.2 Vendor: CentOS  
Release : 25.el6 Build Date: Fri 07 Sep 2012 12:33:27 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:05 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: qt-4.6.2-25.el6.src.rpm  
Size : 31244532 License: (LGPLv2 with exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT  
Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:27 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.qtsoftware.com/>  
Summary : Qt GUI-related libraries  
Description :  
Qt libraries used for drawing widgets and OpenGL items.

Name : libXcursor Relocations: (not relocatable)  
Version : 1.1.13 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:59:46 PM EST  
Install Date: Tue 06 Aug 2013 05:17:42 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXcursor-1.1.13-2.el6.src.rpm  
Size : 69445 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:03 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Cursor management library  
Description :  
This is a simple library designed to help locate and load cursors. Cursors can be loaded from files or memory. A library of common cursors exists which map to the standard X cursor names. Cursors can exist in several sizes and the library automatically picks the best size.

Name : crash-gcore-command Relocations: (not relocatable)  
Page 267

Version : 1.0 Vendor: FUJITSU LIMITED  
Release : 3.el6 Build Date: Fri 22 Jun 2012 02:10:01 AM EDT  
Install Date: Tue 06 Aug 2013 05:23:52 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : Development/Debuggers Source RPM:  
crash-gcore-command-1.0-3.el6.src.rpm  
Size : 88671 License: GPLv2  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:47 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL :  
<http://people.redhat.com/anderson/extensions/crash-gcore-command-1.0.tar.gz>  
Summary : Gcore extension module for the crash utility  
Description :  
Command for creating a core dump file of a user-space task that was running in a kernel dumpfile.

Name : ConsoleKit-x11 Relocations: (not relocatable)  
Version : 0.4.1 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 10 Nov 2010 05:09:29 PM EST  
Install Date: Tue 06 Aug 2013 05:18:48 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
ConsoleKit-0.4.1-3.el6.src.rpm  
Size : 43984 License: GPLv2+  
Signature : RSA/SHA1, Sun 03 Jul 2011 12:07:56 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>  
Summary : X11-requiring add-ons for ConsoleKit  
Description :  
ConsoleKit contains some tools that require Xlib to be installed, those are in this separate package so server systems need not install X. Applications (such as xorg-x11-xinit) and login managers (such as gdm) that need to register their X sessions with ConsoleKit needs to have a Requires: for this package.

Name : kpartx Relocations: (not relocatable)  
Version : 0.4.9 Vendor: CentOS  
Release : 64.el6 Build Date: Fri 22 Feb 2013 01:25:47 AM EST  
Install Date: Tue 06 Aug 2013 05:21:07 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
device-mapper-multipath-0.4.9-64.el6.src.rpm  
Size : 33358 License: GPL+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:17 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://christophe.varoqui.free.fr/>  
Summary : Partition device manager for device-mapper devices  
Description :  
kpartx manages partition creation and removal for device-mapper devices.

Name : libnl Relocations: (not relocatable)  
Version : 1.1 Vendor: CentOS  
Release : 14.el6 Build Date: Tue 19 Jul 2011 02:32:51 PM EDT  
Install Date: Tue 06 Aug 2013 05:17:43 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: libnl-1.1-14.el6.src.rpm  
Size : 361990 License: LGPLv2  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:47 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.infradead.org/~tgr/libnl/>

Summary : Convenience library for kernel netlink sockets

Description :

This package contains a convenience library to simplify using the Linux kernel's netlink sockets interface for network manipulation

Name : lsof Relocations: (not relocatable)  
Version : 4.82 Vendor: CentOS  
Release : 4.el6 Build Date: Tue 03 Apr 2012 11:46:27 AM EDT

Install Date: Tue 06 Aug 2013 05:23:53 PM EDT Build Host:

c6b6.bsys.dev.centos.org

Group : Development/Debuggers Source RPM: lsof-4.82-4.el6.src.rpm  
Size : 911411 License: zlib

Signature : RSA/SHA1, Tue 03 Apr 2012 12:02:30 PM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <ftp://lsof.itap.purdue.edu/pub/tools/unix/lsof>

Summary : A utility which lists open files on a Linux/UNIX system

Description :

Lsof stands for List Open Files, and it does just that: it lists information about files that are open by the processes running on a UNIX system.

Name : pciutils Relocations: (not relocatable)  
Version : 3.1.10 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 21 Feb 2013 05:31:11 PM EST

Install Date: Tue 06 Aug 2013 05:18:51 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : Applications/System Source RPM:

pciutils-3.1.10-2.el6.src.rpm

Size : 183931 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:10 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>

Summary : PCI bus related utilities

Description :

The pciutils package contains various utilities for inspecting and setting devices connected to the PCI bus. The utilities provided require kernel version 2.1.82 or newer (which support the /proc/bus/pci interface).

Name : gucharmap Relocations: (not relocatable)  
Version : 2.28.2 Vendor: CentOS  
Release : 2.el6 Build Date: Wed 25 Aug 2010 12:39:08 AM EDT

Install Date: Tue 06 Aug 2013 05:21:12 PM EDT Build Host:

c6b2.bsys.dev.centos.org

Group : Applications/System Source RPM:

gucharmap-2.28.2-2.el6.src.rpm

Size : 6551976 License: GPLv2+ and GFDL and MIT

Signature : RSA/8, Sun 03 Jul 2011 12:20:57 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://live.gnome.org/Gucharmap>

Summary : Unicode character picker and font browser

Description :

This program allows you to browse through all the available Unicode characters and categories for the installed fonts, and to examine their detailed properties. It is an easy way to find the character you might only know by its Unicode name or code point.

Name : redhat-menus Relocations: (not relocatable)  
Version : 14.0.0 Vendor: CentOS  
Release : 3.el6 Build Date: Wed 25 Aug 2010 03:25:30 AM EDT

EDT

Install Date: Tue 06 Aug 2013 05:17:44 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : User Interface/Desktops Source RPM:  
redhat-menus-14.0.0-3.el6.src.rpm  
Size : 776276 License: GPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:45:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.redhat.com>  
Summary : Configuration and data files for the desktop menus  
Description :

This package contains the XML files that describe the menu layout for GNOME and KDE, and the .desktop files that define the names and icons of "subdirectories" in the menus.

Name : attr Relocations: (not relocatable)  
Version : 2.4.44 Vendor: CentOS  
Release : 7.el6 Build Date: Fri 23 Sep 2011 02:54:00 PM  
EDT

Install Date: Tue 06 Aug 2013 05:23:54 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: attr-2.4.44-7.el6.src.rpm  
Size : 142313 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:12 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://acl.bestbits.at/>  
Summary : Utilities for managing filesystem extended attributes  
Description :

A set of tools for manipulating extended attributes on filesystem objects, in particular getfattr(1) and setfattr(1).  
An attr(1) command is also provided which is largely compatible with the SGI IRIX tool of the same name.

Name : ghostscript-fonts Relocations: (not relocatable)  
Version : 5.50 Vendor: CentOS  
Release : 23.1.el6 Build Date: Thu 11 Nov 2010 03:57:31 AM  
EST

Install Date: Tue 06 Aug 2013 05:18:56 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Applications/Printing Source RPM:  
ghostscript-fonts-5.50-23.1.el6.src.rpm  
Size : 1507709 License: GPLv2+ and Hershey and MIT  
and OFL and Public Domain

Signature : RSA/8, Sun 03 Jul 2011 12:09:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnu.org/software/ghostscript/>  
Summary : Fonts for the Ghostscript PostScript interpreter  
Description :

Ghostscript-fonts contains a set of fonts that Ghostscript, a PostScript interpreter, uses to render text. These fonts are in addition to the fonts shared by Ghostscript and the X Window System.

Name : openssh-clients Relocations: (not relocatable)  
Version : 5.3p1 Vendor: CentOS  
Release : 84.1.el6 Build Date: Thu 21 Feb 2013 10:51:49 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:24 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : Applications/Internet Source RPM:  
openssh-5.3p1-84.1.el6.src.rpm  
Size : 1049931 License: BSD  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.openssh.com/portable.html>  
Summary : An open source SSH client applications  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package includes the clients necessary to make encrypted connections to SSH servers.

Name : krb5-libs Relocations: (not relocatable)  
Version : 1.10.3 Vendor: CentOS  
Release : 10.el6 Build Date: Thu 21 Feb 2013 11:29:16 PM EST  
Install Date: Tue 06 Aug 2013 05:17:45 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: krb5-1.10.3-10.el6.src.rpm  
Size : 2126628 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:36 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://web.mit.edu/kerberos/www/>  
Summary : The shared libraries used by Kerberos 5  
Description :  
Kerberos is a network authentication system. The krb5-libs package contains the shared libraries needed by Kerberos 5. If you are using Kerberos, you need to install this package.

Name : lklug-fonts Relocations: (not relocatable)  
Version : 0.6 Vendor: CentOS  
Release : 4.20090803cvs.el6 Build Date: Tue 24 Aug 2010 02:51:19 PM EDT  
Install Date: Tue 06 Aug 2013 05:24:08 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
lklug-fonts-0.6-4.20090803cvs.el6.src.rpm  
Size : 327891 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:28:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://sinalha.sourceforge.net/>  
Summary : Fonts for Sinhala language  
Description :  
The lklug-fonts package contains fonts for the display of Sinhala. The original font for TeX/LaTeX is developed by Yannis Haralambous and are in GPL. OTF tables are added by Anuradha Ratnaweera and Harshani Devadithya.

Name : nss-sysinit Relocations: (not relocatable)  
Version : 3.14.0.0 Vendor: CentOS  
Release : 12.el6 Build Date: Fri 22 Feb 2013 05:55:38 PM EST  
Install Date: Tue 06 Aug 2013 05:19:02 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: nss-3.14.0.0-12.el6.src.rpm  
Size : 32822 License: MPLv2.0  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:22 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : System NSS Initialization  
Description :  
Default Operating System module that manages applications loading NSS globally on the system. This module loads the system defined PKCS #11 modules for NSS and chains with other NSS modules to load any system or user configured modules.

Name : gvfs Relocations: (not relocatable)  
Version : 1.4.3 Vendor: CentOS  
Release : 15.el6 Build Date: Tue 31 Jul 2012 05:43:31 AM

EDT

Install Date: Tue 06 Aug 2013 05:21:27 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-15.el6.src.rpm  
Size : 4855097 License: LGPLv2+  
Signature : RSA/SHA1, Tue 31 Jul 2012 06:32:07 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gtk.org>  
Summary : Backends for the gio framework in GLib  
Description :  
The gvfs package provides backend implementations for the gio framework in GLib. It includes ftp, sftp, cifs.

Name : dbus Relocations: (not relocatable)  
Version : 1.2.24 Vendor: CentOS  
Release : 7.el6\_3 Build Date: Thu 13 Sep 2012 01:04:30 PM EDT

Install Date: Tue 06 Aug 2013 05:17:47 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: dbus-1.2.24-7.el6\_3.src.rpm  
Size : 482857 License: GPLv2+ or AFL  
Signature : RSA/SHA1, Thu 13 Sep 2012 01:37:18 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : D-BUS message bus  
Description :  
D-BUS is a system for sending messages between applications. It is used both for the system-wide message bus service, and as a per-user-Login-session messaging facility.

Name : Liberation-mono-fonts Relocations: (not relocatable)  
Version : 1.05.1.20090721 Vendor: CentOS  
Release : 5.el6 Build Date: Tue 13 Mar 2012 06:37:49 PM EDT

Install Date: Tue 06 Aug 2013 05:24:26 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : User Interface/X Source RPM:  
Liberation-fonts-1.05.1.20090721-5.el6.src.rpm  
Size : 464440 License: Liberation  
Signature : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/Liberation-fonts/>  
Summary : Monospace fonts to replace commonly used Microsoft Courier New  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Monospace TrueType fonts that replaced commonly used Microsoft Courier \ New.

Name : xmlrpc-c-client Relocations: (not relocatable)  
Version : 1.16.24 Vendor: CentOS  
Release : 1209.1840.el6 Build Date: Fri 22 Jun 2012 05:25:01 AM EDT

Install Date: Tue 06 Aug 2013 05:19:05 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
xmlrpc-c-1.16.24-1209.1840.el6.src.rpm  
Size : 44336 License: BSD and MIT  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:15 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xmlrpc-c.sourceforge.net/>



Summary : C client libraries for xmlrpc-c  
Description :  
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C clients.

Name : DeviceKit-power Relocations: (not relocatable)  
Version : 014 Vendor: CentOS  
Release : 3.el6 Build Date: Fri 23 Sep 2011 03:53:31 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:31 PM EDT Build Host: c6b6.bsyz.dev.centos.org  
Group : System Environment/Libraries Source RPM: DeviceKit-power-014-3.el6.src.rpm  
Size : 247179 License: GPLv2+  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:34 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cgit.freedesktop.org/DeviceKit/DeviceKit-power/>  
Summary : Power Management Service  
Description :  
DeviceKit-power provides a daemon, API and command line tools for managing power devices attached to the system.

Name : avahi-glib Relocations: (not relocatable)  
Version : 0.6.25 Vendor: CentOS  
Release : 12.el6 Build Date: Thu 21 Feb 2013 05:22:11 PM EST  
Install Date: Tue 06 Aug 2013 05:17:48 PM EDT Build Host: c6b7.bsyz.dev.centos.org  
Group : System Environment/Base Source RPM: avahi-0.6.25-12.el6.src.rpm  
Size : 11040 License: LGPLv2  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:52 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://avahi.org>  
Summary : Glib libraries for avahi  
Description :  
Libraries for easy use of avahi from glib applications.

Name : un-core-dotum-fonts Relocations: (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 0.15.080608.el6 Build Date: Thu 11 Nov 2010 10:53:56 AM EST  
Install Date: Tue 06 Aug 2013 05:24:45 PM EDT Build Host: c5b2.bsyz.dev.centos.org  
Group : User Interface/X Source RPM: un-core-fonts-1.0.2-0.15.080608.el6.src.rpm  
Size : 7750439 License: GPLv2  
Signature : RSA/8, Sun 03 Jul 2011 12:51:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://kl dp.net/projects/unfonts/>  
Summary : Un Core fonts - UnDotum  
Description :

The UN set of Korean TrueType fonts is derived from the HLaTeX Type1 fonts made by Koaunghi Un in 1998. They were converted to TrueType with FontForge(PfaEdit) by Won-kyu Park in 2003.  
The Un Core set is composed of:

- UnBatang: serif
- UnDinaru: fantasy
- UnDotum: sans-serif

- UnGraphic: sans-serif style
- UnGungseo: cursive, brush-stroke
- UnPilgi: script

This package includes UnDotum, a sans-serif font.

```
Name       : deltarpm                Relocations: (not relocatable)
Version   : 3.5                      Vendor: CentOS
Release   : 0.5.20090913git.el6      Build Date: Sat 21 Aug 2010 02:40:23 AM
EDT
Install Date: Tue 06 Aug 2013 05:19:08 PM EDT    Build Host:
c6b1.bsys.dev.centos.org
Group     : System Environment/Base      Source RPM:
deltarpm-3.5-0.5.20090913git.el6.src.rpm
Size      : 192738                    License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:49 AM EDT, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : http://git.torion.org/deltarpm/deltarpm
Summary   : Create deltas between rpms
Description :
A deltarpm contains the difference between an old
and a new version of a rpm, which makes it possible
to recreate the new rpm from the deltarpm and the old
one. You don't have to have a copy of the old rpm,
deltarpm's can also work with installed rpms.
```

```
Name       : control-center          Relocations: (not relocatable)
Version   : 2.28.1                  Vendor: CentOS
Release   : 38.el6                  Build Date: Thu 21 Feb 2013 05:04:12 PM
EST
Install Date: Tue 06 Aug 2013 05:21:34 PM EDT    Build Host:
c6b7.bsys.dev.centos.org
Group     : User Interface/Desktops      Source RPM:
control-center-2.28.1-38.el6.src.rpm
Size      : 14253492                  License: GPLv2+ and GFDL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:23 PM EST, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : http://www.gnome.org
Summary   : Utilities to configure the GNOME desktop
Description :
This package contains configuration utilities for the GNOME desktop, which
allow to configure accessibility options, desktop fonts, keyboard and mouse
properties, sound setup, desktop theme and background, user interface
properties, screen resolution, and other settings.
```

```
Name       : apr                     Relocations: (not relocatable)
Version   : 1.3.9                    Vendor: CentOS
Release   : 5.el6_2                  Build Date: Thu 14 Jun 2012 06:53:03 AM
EDT
Install Date: Tue 06 Aug 2013 05:17:49 PM EDT    Build Host:
c6b5.bsys.dev.centos.org
Group     : System Environment/Libraries  Source RPM: apr-1.3.9-5.el6_2.src.rpm
Size      : 303205                    License: ASL 2.0
Signature : RSA/SHA1, Thu 14 Jun 2012 08:27:12 AM EDT, Key ID 0946fca2c105b9de
Packager  : CentOS BuildSystem <http://bugs.centos.org>
URL       : http://apr.apache.org/
Summary   : Apache Portable Runtime Library
Description :
The mission of the Apache Portable Runtime (APR) is to provide a
free library of C data structures and routines, forming a system
portability layer to as many operating systems as possible,
including Unixes, MS Win32, BeOS and OS/2.
```

```
Name       : mtr                     Relocations: (not relocatable)
```

Version : 0.75 Vendor: CentOS  
 Release : 5.el6 Build Date: Mon 16 Aug 2010 05:38:10 PM EDT  
 Install Date: Tue 06 Aug 2013 05:24:59 PM EDT Build Host: c6b1.bsys.dev.centos.org  
 Group : Applications/Internet Source RPM: mtr-0.75-5.el6.src.rpm  
 Size : 98413 License: GPLv2+  
 Signature : RSA/8, Sun 03 Jul 2011 12:46:00 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.BitWizzard.nl/mtr>  
 Summary : A network diagnostic tool  
 Description :  
 Mtr is a network diagnostic tool that combines ping and traceroute into one program. Mtr provides two interfaces: an ncurses interface, useful for using Mtr from a telnet session; and a GTK+ interface for X (provided in the mtr-gtk package).

Name : java-1.6.0-openjdk Relocations: (not relocatable)  
 Version : 1.6.0.0 Vendor: CentOS  
 Release : 1.50.1.11.5.el6\_3 Build Date: Wed 17 Oct 2012 01:21:14 PM EDT  
 Install Date: Tue 06 Aug 2013 05:19:29 PM EDT Build Host: c6b9.bsys.dev.centos.org  
 Group : Development/Languages Source RPM: java-1.6.0-openjdk-1.6.0.0-1.50.1.11.5.el6\_3.src.rpm  
 Size : 84765981 License: ASL 1.1, ASL 2.0, GPL+, GPLv2, GPLv2 with exceptions, LGPL+, LGPLv2, MPLv1.0, MPLv1.1, Public Domain, W3C  
 Signature : RSA/SHA1, Wed 17 Oct 2012 03:00:07 PM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://icedtea.classpath.org/>  
 Summary : OpenJDK Runtime Environment  
 Description :  
 The OpenJDK runtime environment.

Name : xorg-x11-drv-v4l Relocations: (not relocatable)  
 Version : 0.2.0 Vendor: CentOS  
 Release : 6.el6 Build Date: Sat 23 Feb 2013 03:14:11 PM EST  
 Install Date: Tue 06 Aug 2013 05:21:41 PM EDT Build Host: c6b8.bsys.dev.centos.org  
 Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-v4l-0.2.0-6.el6.src.rpm  
 Size : 18017 License: MIT  
 Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:26 PM EST, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <http://www.x.org>  
 Summary : Xorg X11 v4l video driver  
 Description :  
 X.Org X11 v4l video driver.

Name : sysvinit-tools Relocations: (not relocatable)  
 Version : 2.87 Vendor: CentOS  
 Release : 4.dsfl.el6 Build Date: Tue 19 Jul 2011 03:26:23 AM EDT  
 Install Date: Tue 06 Aug 2013 05:17:51 PM EDT Build Host: c6b5.bsys.dev.centos.org  
 Group : System Environment/Base Source RPM: sysvinit-2.87-4.dsfl.el6.src.rpm  
 Size : 112743 License: GPLv2+  
 Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:50 AM EDT, Key ID 0946fca2c105b9de  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 URL : <https://alioth.debian.org/projects/pkg-sysvinit/>  
 Summary : Tools used for process and utmp management.  
 Description :

The `sysvinit-tools` package contains various tools used for process management.

```
Name       : eject                      Relocations: (not relocatable)
Version    : 2.1.5                      Vendor: CentOS
Release    : 17.el6                    Build Date: Thu 11 Nov 2010 01:32:26 AM
EST
Install Date: Tue 06 Aug 2013 05:25:00 PM EDT      Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Base          Source RPM: eject-2.1.5-17.el6.src.rpm
Size       : 137173                          License: GPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:12:41 AM EDT, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.pobox.com/~tranter
Summary    : A program that ejects removable media using software control
Description:
The eject program allows the user to eject removable media (typically
CD-ROMs, floppy disks or Iomega Jaz or Zip disks) using software
control. Eject can also control some multi-disk CD changers and even
some devices' auto-eject features.
```

Install `eject` if you'd like to eject removable media using software control.

```
Name       : fuse-libs                  Relocations: (not relocatable)
Version    : 2.8.3                      Vendor: CentOS
Release    : 4.el6                      Build Date: Wed 07 Dec 2011 07:56:46 PM
EST
Install Date: Tue 06 Aug 2013 05:19:30 PM EDT      Build Host:
c6b4.bsys.dev.centos.org
Group      : System Environment/Libraries      Source RPM: fuse-2.8.3-4.el6.src.rpm
Size       : 256835                          License: LGPLv2+
Signature  : RSA/SHA1, Thu 08 Dec 2011 03:00:21 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://fuse.sf.net
Summary    : File System in Userspace (FUSE) Libraries
Description:
Devel With FUSE it is possible to implement a fully functional filesystem in a
userspace program. This package contains the FUSE Libraries.
```

```
Name       : xorg-x11-drv-s3vgr         Relocations: (not relocatable)
Version    : 1.10.6                     Vendor: CentOS
Release    : 2.el6                       Build Date: Sat 23 Feb 2013 03:05:34 PM
EST
Install Date: Tue 06 Aug 2013 05:21:41 PM EDT      Build Host:
c6b9.bsys.dev.centos.org
Group      : User Interface/X Hardware Support  Source RPM:
xorg-x11-drv-s3vgr-1.10.6-2.el6.src.rpm
Size       : 73973                          License: MIT
Signature  : RSA/SHA1, Sat 23 Feb 2013 04:15:40 PM EST, Key ID 0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.x.org
Summary    : Xorg X11 s3vgr video driver
Description:
X.Org X11 s3vgr video driver.
```

```
Name       : libxslt                    Relocations: /usr
Version    : 1.1.26                     Vendor: CentOS
Release    : 2.el6_3.1                  Build Date: Thu 13 Sep 2012 01:20:04 PM
EDT
Install Date: Tue 06 Aug 2013 05:17:53 PM EDT      Build Host:
c6b10.bsys.dev.centos.org
Group      : Development/Libraries          Source RPM:
libxslt-1.1.26-2.el6_3.1.src.rpm
```

Size : 2223955 License: MIT  
Signature : RSA/SHA1, Thu 13 Sep 2012 02:29:18 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xmlsoft.org/XSLT/>  
Summary : Library providing the Gnome XSLT engine  
Description :  
This C library allows to transform XML files into other XML files (or HTML, text, ...) using the standard XSLT stylesheet transformation mechanism. To use it you need to have a version of libxml2 >= 2.6.27 installed. The xsltproc command is a command line interface to the XSLT engine

Name : words Relocations: (not relocatable)  
Version : 3.0 Vendor: CentOS  
Release : 17.el6 Build Date: Fri 20 Aug 2010 09:35:18 PM EDT  
Install Date: Tue 06 Aug 2013 05:25:08 PM EDT Build Host: c6b6.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: words-3.0-17.el6.src.rpm  
Size : 4959484 License: Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:53:00 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : [http://en.wikipedia.org/wiki/Moby\\_Project](http://en.wikipedia.org/wiki/Moby_Project)  
Summary : A dictionary of English words for the /usr/share/dict directory  
Description :  
The words file is a dictionary of English words for the /usr/share/dict directory. Some programs use this database of words to check spelling. Password checkers use it to look for bad passwords.

Name : pango Relocations: (not relocatable)  
Version : 1.28.1 Vendor: CentOS  
Release : 7.el6\_3 Build Date: Wed 28 Nov 2012 05:00:17 AM EST  
Install Date: Tue 06 Aug 2013 05:19:32 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: pango-1.28.1-7.el6\_3.src.rpm  
Size : 1039145 License: LGPLv2+  
Signature : RSA/SHA1, Wed 28 Nov 2012 05:10:54 AM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.pango.org>  
Summary : System for layout and rendering of internationalized text  
Description :  
Pango is a library for laying out and rendering of text, with an emphasis on internationalization. Pango can be used anywhere that text layout is needed, though most of the work on Pango so far has been done in the context of the GTK+ widget toolkit. Pango forms the core of text and font handling for GTK+.

Pango is designed to be modular; the core Pango layout engine can be used with different font backends.

The integration of Pango with Cairo provides a complete solution with high quality text handling and graphics rendering.

Name : xorg-x11-drv-mouse Relocations: (not relocatable)  
Version : 1.8.1 Vendor: CentOS  
Release : 7.el6 Build Date: Sat 23 Feb 2013 02:50:32 PM EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-mouse-1.8.1-7.el6.src.rpm  
Size : 53385 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:00 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 mouse input driver  
Description :  
X.Org X11 mouse input driver.

Name : startup-notificati on Relocations: (not relocatable)  
Version : 0.10 Vendor: CentOS  
Release : 2.1.el6 Build Date: Thu 11 Nov 2010 09:17:43 AM  
EST  
Install Date: Tue 06 Aug 2013 05:17:54 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
startup-notificati on-0.10-2.1.el6.src.rpm  
Size : 88089 License: LGPLv2  
Signature : RSA/8, Sun 03 Jul 2011 01:02:26 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.freedesktop.org/software/startup-notificati on/>  
Summary : Library for tracking application startup  
Description :  
This package contains libstartup-notificati on which implements a  
startup notificati on protocol. Using this protocol a desktop  
environment can track the launch of an application and provide  
feedback such as a busy cursor, among other features.

Name : atmel-firmware Relocations: (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 7.el6 Build Date: Wed 10 Nov 2010 07:28:12 PM  
EST  
Install Date: Tue 06 Aug 2013 05:25:09 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
atmel-firmware-1.3-7.el6.src.rpm  
Size : 728154 License: Redistributable, no  
modificati on permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:00:05 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://at76c503a.berlios.de/>  
Summary : Firmware for Atmel at76c50x wireless network chips  
Description :  
The drivers for Atmel at76c50x wireless network chips in the Linux 2.6.x kernel  
but do not include the firmware.  
This firmware needs to be loaded by the host on most cards using these chips.

Name : libglade2 Relocations: (not relocatable)  
Version : 2.6.4 Vendor: CentOS  
Release : 3.1.el6 Build Date: Thu 19 Aug 2010 11:34:09 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:19:43 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libglade2-2.6.4-3.1.el6.src.rpm  
Size : 148718 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:34:09 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : The libglade library for loading user interfaces  
Description :  
Libglade is a small library that allows a program to load its user  
interface from an XML description at runtime. Libglade uses the XML  
file format used by the GLADE user interface builder GLADE, so  
libglade acts as an alternative to GLADE's code generation  
approach. Libglade also provides a simple interface for connecting  
handlers to the various signals in the interface (on platforms where

the gmodule library works correctly, it is possible to connect all the handlers with a single function call). Once the interface has been instantiated, libglade gives no overhead, so other than the short initial interface loading time, there is no performance tradeoff.

Name : xorg-x11-drv-glint Relocations: (not relocatable)  
Version : 1.2.8 Vendor: CentOS  
Release : 3.el6 Build Date: Sat 23 Feb 2013 02:38:41 PM  
EST  
Install Date: Tue 06 Aug 2013 05:21:42 PM EDT Build Host:  
c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM:  
xorg-x11-drv-glint-1.2.8-3.el6.src.rpm  
Size : 137940 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:23 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 glint video driver  
Description :  
X.Org X11 glint video driver.

Name : libbonobo Relocations: (not relocatable)  
Version : 2.24.2 Vendor: CentOS  
Release : 5.el6 Build Date: Fri 22 Jun 2012 03:56:17 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:17:55 PM EDT Build Host:  
c6b10.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libbonobo-2.24.2-5.el6.src.rpm  
Size : 1955069 License: GPLv2+ and LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:57 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ftp.gnome.org>  
Summary : Bonobo component system  
Description :  
Bonobo is a component system based on CORBA, used by the GNOME desktop.

Name : ql23xx-firmware Relocations: (not relocatable)  
Version : 3.03.27 Vendor: CentOS  
Release : 3.1.el6 Build Date: Wed 18 Aug 2010 10:59:16 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:25:10 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Kernel Source RPM:  
ql23xx-firmware-3.03.27-3.1.el6.src.rpm  
Size : 262821 License: Redistributable, no  
modification permitted  
Signature : RSA/8, Sun 03 Jul 2011 12:44:00 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <ftp://ftp.qllogic.com/outgoing/linux/firmware/>  
Summary : Firmware for qllogic 23xx devices  
Description :  
Firmware for qllogic 2300 and 2322 devices.

Name : xml-commons-apis Relocations: (not relocatable)  
Version : 1.3.04 Vendor: CentOS  
Release : 3.6.el6 Build Date: Wed 18 Aug 2010 05:16:05 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:19:55 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : Text Processing/Markup/XML Source RPM:  
xml-commons-apis-1.3.04-3.6.el6.src.rpm  
Size : 1672816 License: ASL 2.0 and W3C and Public  
Domain

Signature : RSA/8, Sun 03 Jul 2011 01:05:51 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://xml.apache.org/commons/>  
Summary : APIs for DOM, SAX, and JAXP  
Description :  
xml-commons-apis is designed to organize and have common packaging for the various externally-defined standard interfaces for XML. This includes the DOM, SAX, and JAXP.

Name : xorg-x11-drv-aiptek Relocations: (not relocatable)  
Version : 1.4.1 Vendor: CentOS  
Release : 4.el6 Build Date: Sat 23 Feb 2013 02:23:27 PM EST  
Install Date: Tue 06 Aug 2013 05:21:43 PM EDT Build Host: c6b8.bsys.dev.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-aiptek-1.4.1-4.el6.src.rpm  
Size : 27529 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:26 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Xorg X11 aiptek input driver  
Description :  
X.Org X11 aiptek input driver.

Name : portreserve Relocations: (not relocatable)  
Version : 0.0.4 Vendor: CentOS  
Release : 9.el6 Build Date: Tue 03 Apr 2012 11:33:39 AM EDT  
Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Daemons Source RPM: portreserve-0.0.4-9.el6.src.rpm  
Size : 35723 License: GPLv2+  
Signature : RSA/SHA1, Tue 03 Apr 2012 12:02:05 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://cyberelk.net/tim/portreserve/>  
Summary : TCP port reservation utility  
Description :  
The portreserve program aims to help services with well-known ports that lie in the portmap range. It prevents portmap from a real service's port by occupying it itself, until the real service tells it to release the port (generally in the init script).

Name : libXau Relocations: (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 4.el6 Build Date: Thu 21 Feb 2013 01:44:09 PM EST  
Install Date: Tue 06 Aug 2013 05:25:13 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXau-1.0.6-4.el6.src.rpm  
Size : 37669 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:00 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : Sample Authorization Protocol for X  
Description :  
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : gnome-keyring-pam Relocations: (not relocatable)  
Page 280



Version : 2.28.2 Vendor: CentOS  
Release : 8.el6\_3 Build Date: Thu 04 Oct 2012 04:10:21 AM EDT  
Install Date: Tue 06 Aug 2013 05:20:00 PM EDT Build Host: c6b9.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: gnome-keyring-2.28.2-8.el6\_3.src.rpm  
Size : 39936 License: LGPLv2+  
Signature : RSA/SHA1, Thu 04 Oct 2012 12:07:38 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : PAM module for unlocking keyrings  
Description :  
The gnome-keyring-pam package contains a pam module that can automatically unlock the "login" keyring when the user logs in.

Name : crda Relocations: (not relocatable)  
Version : 1.1.1\_2010.11.22 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 19 Jul 2011 01:48:02 PM EDT  
Install Date: Tue 06 Aug 2013 05:21:45 PM EDT Build Host: c6b5.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: crda-1.1.1\_2010.11.22-1.el6.src.rpm  
Size : 31721 License: ISC  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:21 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.linuxwireless.org/en/developers/Regulatory/CRDA>  
Summary : Regulatory compliance daemon for 802.11 wireless networking  
Description :  
CRDA acts as the udev helper for communication between the kernel and userspace for regulatory compliance. It relies on nl80211 for communication. CRDA is intended to be run only through udev communication from the kernel.

Name : libXdmcp Relocations: (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 3.el6 Build Date: Thu 21 Feb 2013 03:52:53 PM EST  
Install Date: Tue 06 Aug 2013 05:17:57 PM EDT Build Host: c6b7.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libXdmcp-1.1.1-3.el6.src.rpm  
Size : 59748 License: MIT  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:10 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X Display Manager Control Protocol Library  
Description :  
X Display Manager Control Protocol Library.

Name : perl-AppConfig Relocations: (not relocatable)  
Version : 1.66 Vendor: CentOS  
Release : 6.el6 Build Date: Fri 12 Nov 2010 08:11:34 AM EST  
Install Date: Tue 06 Aug 2013 05:27:39 PM EDT Build Host: c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-AppConfig-1.66-6.el6.src.rpm  
Size : 227866 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:36:56 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/AppConfig/>  
Summary : Perl module for reading configuration files

Descripti on :

AppConfig has a powerful but easy to use module for parsing configuration files. It also has a simple and efficient module for parsing command line arguments. For fully-featured command line parsing, a module is provided for interfacing AppConfig to Johan Vromans' extensive Getopt::Long module. Johan will continue to develop the functionality of this package and its features will automatically become available through AppConfig.

Name : gnome-mag Relocations: (not relocatable)  
Version : 0.15.9 Vendor: CentOS  
Release : 2.el6 Build Date: Thu 11 Nov 2010 06:07:04 AM  
EST

Install Date: Tue 06 Aug 2013 05:20:02 PM EDT Build Host:

c6b5.bsyz.dev.centos.org

Group : Desktop/Accessibility Source RPM:

gnome-mag-0.15.9-2.el6.src.rpm

Size : 732600 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:18:08 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnome.org/>

Summary : Screen magnifier for GNOME

Descripti on :

This package includes a screen magnifier, which allows you to zoom in on portions of the desktop. The magnifier is provided as a service for use by other applications and assistive technologies.

Name : oddjob Relocations: (not relocatable)  
Version : 0.30 Vendor: CentOS  
Release : 5.el6 Build Date: Sat 25 Jun 2011 07:15:38 AM  
EDT

Install Date: Tue 06 Aug 2013 05:21:47 PM EDT Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Daemons Source RPM: oddjob-0.30-5.el6.src.rpm

Size : 141168 License: BSD

Signature : RSA/8, Tue 05 Jul 2011 09:42:01 PM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.fedorahosted.org/oddjob>

Summary : A D-Bus service which runs odd jobs on behalf of client applications

Descripti on :

oddjob is a D-BUS service which performs particular tasks for clients which connect to it and issue requests using the system-wide message bus.

Name : libtasn1 Relocations: (not relocatable)  
Version : 2.3 Vendor: CentOS  
Release : 3.el6\_2.1 Build Date: Tue 27 Mar 2012 08:07:19 PM  
EDT

Install Date: Tue 06 Aug 2013 05:18:01 PM EDT Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM:

libtasn1-2.3-3.el6\_2.1.src.rpm

Size : 442852 License: GPLv3+ and LGPLv2+

Signature : RSA/SHA1, Tue 27 Mar 2012 08:41:33 PM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnu.org/software/libtasn1/>

Summary : The ASN.1 library used in GNUTLS

Descripti on :

This is the ASN.1 library used in GNUTLS. More up to date information can be found at <http://www.gnu.org/software/gnutls> and <http://www.gnutls.org>

Name : perl-Pod-POM Relocations: (not relocatable)  
Version : 0.25 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 12 Nov 2010 08:22:38 AM  
EST

Install Date: Tue 06 Aug 2013 05:27:43 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
perl-Pod-POM-0.25-2.el6.src.rpm  
Size : 155772 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:38:46 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/Pod-POM/>  
Summary : Object-oriented interface to Perl POD documents  
Description :

This module implements a parser to convert Pod documents into a simple object model form known hereafter as the Pod Object Model. The object model is generated as a hierarchical tree of nodes, each of which represents a different element of the original document. The tree can be walked manually and the nodes examined, printed or otherwise manipulated. In addition, Pod::POM supports and provides view objects which can automatically traverse the tree, or section thereof, and generate an output representation in one form or another.

Name : axis Relocations: (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 7.2.el6 Build Date: Wed 10 Nov 2010 08:03:43 PM  
EST

Install Date: Tue 06 Aug 2013 05:20:08 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: axis-1.2.1-7.2.el6.src.rpm  
Size : 1695171 License: ASL 2.0  
Signature : RSA/8, Sun 03 Jul 2011 12:00:37 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://ws.apache.org/axis/>  
Summary : A SOAP implementation in Java  
Description :  
Apache AXIS is an implementation of the SOAP ("Simple Object Access Protocol")  
submission to W3C.

From the draft W3C specification:

SOAP is a lightweight protocol for exchange of information in a decentralized, distributed environment. It is an XML based protocol that consists of three parts: an envelope that defines a framework for describing what is in a message and how to process it, a set of encoding rules for expressing instances of application-defined datatypes, and a convention for representing remote procedure calls and responses.

This project is a follow-on to the Apache SOAP project.

Name : firstboot Relocations: (not relocatable)  
Version : 1.110.14 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 21 Feb 2013 09:01:50 PM  
EST

Install Date: Tue 06 Aug 2013 05:21:51 PM EDT Build Host:  
c6b9.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
firstboot-1.110.14-1.el6.src.rpm  
Size : 665865 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:29 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fedoraproject.org/wiki/FirstBoot>  
Summary : Initial system configuration utility  
Description :

The firstboot utility runs after installation. It guides the user through a series of steps that allows for easier configuration of the machine.

Name : perl-Pod-Escapes Relocations: (not relocatable)

Version : 1.04 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM  
EST  
Install Date: Tue 06 Aug 2013 05:18:02 PM EDT Build Host:  
c6b7.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 21092 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:29 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Perl module for resolving POD escape sequences  
Description :  
This module provides things that are useful in decoding Pod E<...>  
sequences. Presumably, it should be used only by Pod parsers and/or  
formatters.

Name : perl-Tk Relocations: (not relocatable)  
Version : 804.028 Vendor: ATrpms.net  
Release : 11.el6 Build Date: Sat 22 Jan 2011 07:37:27 AM  
EST  
Install Date: Tue 06 Aug 2013 05:27:49 PM EDT Build Host: flocki.atrpms.net  
Group : Development/Libraries Source RPM:  
perl-Tk-804.028-11.el6.src.rpm  
Size : 6724064 License: GPL+ or Artistic  
Signature : DSA/SHA1, Sat 22 Jan 2011 07:37:33 AM EST, Key ID 508ce5e666534c2b  
Packager : ATrpms <<http://ATrpms.net/>>  
URL : <http://search.cpan.org/dist/Tk/>  
Summary : Perl Graphical User Interface Toolkit  
Description :  
This a re-port of a perl interface to Tk8.4.  
C code is derived from Tcl/Tk8.4.5.  
It also includes all the C code parts of Tix8.1.4 from SourceForge.  
The perl code corresponding to Tix's Tcl code is not fully implemented.

Perl API is essentially the same as Tk800 series Tk800.025 but has not  
been verified as compliant. There ARE differences see pod/804delta.pod.

Name : totem-pl-parser Relocations: (not relocatable)  
Version : 2.28.3 Vendor: CentOS  
Release : 1.el6 Build Date: Thu 11 Nov 2010 12:17:38 PM  
EST  
Install Date: Tue 06 Aug 2013 05:20:12 PM EDT Build Host:  
c5b2.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
totem-pl-parser-2.28.3-1.el6.src.rpm  
Size : 790734 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 01:04:11 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org/projects/totem/>  
Summary : Totem Playlist Parser Library  
Description :  
A library to parse and save playlists, as used in music and movie players.

Name : crontabs Relocations: (not relocatable)  
Version : 1.10 Vendor: CentOS  
Release : 33.el6 Build Date: Mon 26 Sep 2011 09:33:08 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:21:56 PM EDT Build Host:  
c6b6.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: crontabs-1.10-33.el6.src.rpm  
Size : 2495 License: Public Domain and GPLv2  
Signature : RSA/SHA1, Tue 27 Sep 2011 08:33:55 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Summary : Root crontab files used to schedule the execution of programs

Descripti on :

The crontabs package contains root crontab files and directories. You will need to install cron daemon to run the jobs from the crontabs. The cron daemon such as crontab or fcron checks the crontab files to see when particular commands are scheduled to be executed. If commands are scheduled, it executes them.

Crontabs handles a basic system function, so it should be installed on your system.

Name : perl-ExtUtils-MakeMaker                   Relocations: (not relocatable)  
Version : 6.55                                    Vendor: CentOS  
Release : 129.el6                                Build Date: Thu 21 Feb 2013 10:04:33 PM EST  
Install Date: Tue 06 Aug 2013 05:18:09 PM EDT       Build Host:  
c6b7.bsyz.dev.centos.org  
Group : Development/Languages                 Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 622458                                    License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:34 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Create a module Makefile  
Description :  
Create a module Makefile.

Name : perl-Expect                             Relocations: (not relocatable)  
Version : 1.21                                 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el6.rf                             Build Date: Wed 10 Nov 2010 11:46:57 PM EST  
Install Date: Tue 06 Aug 2013 05:27:54 PM EDT       Build Host:  
lisse.hassel.t.wieers.com  
Group : Applications/CPAN                     Source RPM:  
perl-Expect-1.21-1.el6.rf.src.rpm  
Size : 169206                                 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:31:48 AM EST, Key ID a20e52146b8d79e6  
Packager : Dries Verachtert <[dries@ulyssis.org](mailto:dries@ulyssis.org)>  
URL : <http://search.cpan.org/dist/Expect/>  
Summary : Expect for perl  
Description :  
This module contains a version of expect written in perl.

Name : libgnome                                Relocations: (not relocatable)  
Version : 2.28.0                               Vendor: CentOS  
Release : 11.el6                                Build Date: Thu 11 Nov 2010 08:04:22 PM EST  
Install Date: Tue 06 Aug 2013 05:20:18 PM EDT       Build Host:  
c5b2.bsyz.dev.centos.org  
Group : System Environment/Libraries         Source RPM:  
libgnome-2.28.0-11.el6.src.rpm  
Size : 2860946                                 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:34:17 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : GNOME base library  
Description :

GNOME (GNU Network Object Model Environment) is a user-friendly set of GUI applications and desktop tools to be used in conjunction with a window manager for the X Window System. The libgnome package includes non-GUI-related libraries that are needed to run GNOME. The libgnomeui package contains X11-dependent GNOME library features.

Name : foomatic-db-filtersystem                Relocations: (not relocatable)  
Page 285

Version : 4.0 Vendor: CentOS  
Release : 7.20091126.el6 Build Date: Thu 11 Nov 2010 02:54:20 AM  
EST  
Install Date: Tue 06 Aug 2013 05:21:58 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : System Environment/Base Source RPM:  
foomatic-db-4.0-7.20091126.el6.src.rpm  
Size : 0 License: Public Domain  
Signature : RSA/8, Sun 03 Jul 2011 12:08:56 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.openprinting.org>  
Summary : Directory layout for the foomatic package  
Description :

Directory layout for the foomatic package.

Name : libasyncns Relocations: (not relocatable)  
Version : 0.8 Vendor: CentOS  
Release : 1.1.el6 Build Date: Wed 18 Aug 2010 12:43:49 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libasyncns-0.8-1.1.el6.src.rpm  
Size : 52778 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:31:45 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://Opolnter.de/lenhart/projects/libasyncns/>  
Summary : Asynchronous Name Service Library  
Description :  
A small and lightweight library that implements easy to use asynchronous  
wrappers around the libc NSS functions getaddrinfo(), res\_query() and related.

Name : pygtksourceview Relocations: (not relocatable)  
Version : 2.8.0 Vendor: CentOS  
Release : 1.el6 Build Date: Mon 16 Aug 2010 08:34:54 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:29:57 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Languages Source RPM:  
pygtksourceview-2.8.0-1.el6.src.rpm  
Size : 124746 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:58:16 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://download.gnome.org/sources/pygtksourceview/>  
Summary : Python bindings for gtksourceview  
Description :  
The pygtksourceview package contains Python bindings for the gtksourceview  
library.

Name : paps-libs Relocations: (not relocatable)  
Version : 0.6.8 Vendor: CentOS  
Release : 13.el6.2 Build Date: Sat 25 Jun 2011 04:26:48 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:20 PM EDT Build Host:  
c6b5.bsys.dev.centos.org  
Group : Development/Libraries Source RPM: paps-0.6.8-13.el6.2.src.rpm  
Size : 38964 License: LGPLv2+  
Signature : RSA/8, Tue 05 Jul 2011 09:44:34 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://paps.sourceforge.net/>  
Summary : Libraries for paps  
Description :  
paps is a PostScript converter from plain text file using Pango.

This package contains the library for paps.

Name : fuse Relocations: (not relocatable)  
Version : 2.8.3 Vendor: CentOS  
Release : 4.el6 Build Date: Wed 07 Dec 2011 07:56:46 PM  
EST  
Install Date: Tue 06 Aug 2013 05:22:14 PM EDT Build Host:  
c6b4.bsys.dev.centos.org  
Group : System Environment/Base Source RPM: fuse-2.8.3-4.el6.src.rpm  
Size : 191803 License: GPL+  
Signature : RSA/SHA1, Thu 08 Dec 2011 03:00:18 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://fuse.sf.net>  
Summary : File System in Userspace (FUSE) utilities  
Description :  
With FUSE it is possible to implement a fully functional filesystem in a  
userspace program. This package contains the FUSE userspace tools to  
mount a FUSE filesystem.

Name : perl-Carp-Clan Relocations: (not relocatable)  
Version : 6.03 Vendor: CentOS  
Release : 2.el6 Build Date: Fri 20 Aug 2010 07:44:43 PM  
EDT  
Install Date: Tue 06 Aug 2013 05:18:11 PM EDT Build Host:  
c6b1.bsys.dev.centos.org  
Group : Development/Libraries Source RPM:  
perl-Carp-Clan-6.03-2.el6.src.rpm  
Size : 47415 License: GPL+ or Artistic  
Signature : RSA/8, Sun 03 Jul 2011 12:37:03 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://search.cpan.org/dist/Carp-Clan/>  
Summary : Perl module to print improved warning messages  
Description :  
This module reports errors from the perspective of the caller of a  
"clan" of modules, similar to "Carp.pm" itself. But instead of giving  
it a number of levels to skip on the calling stack, you give it a  
pattern to characterize the package names of the "clan" of modules  
which shall never be blamed for any error.

Name : libdv Relocations: (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 8.1.el6 Build Date: Tue 17 Aug 2010 03:58:41 AM  
EDT  
Install Date: Tue 06 Aug 2013 05:20:21 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM: libdv-1.0.0-8.1.el6.src.rpm  
Size : 182449 License: LGPLv2+  
Signature : RSA/8, Sun 03 Jul 2011 12:33:16 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://libdv.sourceforge.net/>  
Summary : Software decoder for DV format video  
Description :  
The Quasar DV codec (libdv) is a software codec for DV video, the  
encoding format used by most digital camcorders, typically those that  
support the IEEE 1394 (a.k.a. FireWire or i.Link) interface. libdv was  
developed according to the official standards for DV video: IEC 61834  
and SMPTE 314M.

Name : autofs Relocations: (not relocatable)  
Version : 5.0.5 Vendor: CentOS  
Release : 73.el6 Build Date: Fri 22 Feb 2013 12:12:33 AM  
EST  
Install Date: Tue 06 Aug 2013 05:22:16 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : System Environment/Daemons Source RPM: autofs-5.0.5-73.el6.src.rpm  
Size : 3170283 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:06 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://wiki.autofs.net/>  
Summary : A tool for automatically mounting and unmounting filesystems

Description :

autofs is a daemon which automatically mounts filesystems when you use them, and unmounts them later when you are not using them. This can include network filesystems, CD-ROMs, floppies, and so forth.

Name : perl-IPC-Cmd Relocations: (not relocatable)  
Version : 0.56 Vendor: CentOS  
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST

Install Date: Tue 06 Aug 2013 05:18:12 PM EDT Build Host:

c6b7.bsys.dev.centos.org

Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm  
Size : 58676 License: GPL+ or Artistic  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:43 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.perl.org/>  
Summary : Finding and running system commands made easy

Description :

IPC::Cmd allows you to run commands, interactively if desired, in a platform independent way, but have them still work.

Name : zlib-devel Relocations: (not relocatable)  
Version : 1.2.3 Vendor: CentOS  
Release : 29.el6 Build Date: Thu 21 Feb 2013 06:01:21 PM EST

Install Date: Wed 07 Aug 2013 01:30:57 PM EDT Build Host:

c6b9.bsys.dev.centos.org

Group : Development/Libraries Source RPM: zlib-1.2.3-29.el6.src.rpm  
Size : 117494 License: zlib and Boost  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:47 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gzip.org/zlib/>  
Summary : Header files and libraries for Zlib development

Description :

The zlib-devel package contains the header files and libraries needed to develop programs that use the zlib compression and decompression library.

Name : imsettings Relocations: (not relocatable)  
Version : 0.108.0 Vendor: CentOS  
Release : 3.6.el6 Build Date: Fri 22 Jun 2012 01:58:31 AM EDT

Install Date: Tue 06 Aug 2013 05:20:23 PM EDT Build Host:

c6b10.bsys.dev.centos.org

Group : Applications/System Source RPM:  
imsettings-0.108.0-3.6.el6.src.rpm  
Size : 832407 License: LGPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:08 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://code.google.com/p/imsettings/>  
Summary : Delivery framework for general Input Method configuration

Description :

IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.



This package contains the core Dbus services and some utilities.

Name : sysstat Relocations: (not relocatable)  
Version : 9.0.4 Vendor: CentOS  
Release : 20.el6 Build Date: Fri 22 Jun 2012 06:12:35 AM EDT  
Install Date: Tue 06 Aug 2013 05:22:38 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org  
Group : Applications/System Source RPM: sysstat-9.0.4-20.el6.src.rpm  
Size : 826040 License: GPLv2+  
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:23 PM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://perso.orange.fr/sebastien.godard/>  
Summary : The sar and iostat system monitoring commands  
Description :  
This package provides the sar and iostat commands for Linux. Sar and iostat enable system monitoring of disk, network, and other IO activity.

Name : elfutils Relocations: (not relocatable)  
Version : 0.152 Vendor: CentOS  
Release : 1.el6 Build Date: Tue 19 Jul 2011 11:14:19 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:13 PM EDT Build Host:  
c6b6.bsyz.dev.centos.org  
Group : Development/Tools Source RPM: elfutils-0.152-1.el6.src.rpm  
Size : 556527 License: GPLv2 with exceptions  
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:59 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <https://fedorahosted.org/elfutils/>  
Summary : A collection of utilities and DSOs to handle compiled objects  
Description :  
Elfutils is a collection of utilities, including ld (a linker), nm (for listing symbols from object files), size (for listing the section sizes of an object or archive file), strip (for discarding symbols), readelf (to see the raw ELF file structures), and elflint (to check for well-formed ELF files).

Name : rpm-python Relocations: (not relocatable)  
Version : 4.8.0 Vendor: CentOS  
Release : 32.el6 Build Date: Thu 21 Feb 2013 09:13:55 PM EST  
Install Date: Tue 06 Aug 2013 05:20:31 PM EDT Build Host:  
c6b8.bsyz.dev.centos.org  
Group : Development/Libraries Source RPM: rpm-4.8.0-32.el6.src.rpm  
Size : 120906 License: GPLv2+  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:23 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.rpm.org/>  
Summary : Python bindings for apps which will manipulate RPM packages  
Description :  
The rpm-python package contains a module that permits applications written in the Python programming language to use the interface supplied by RPM Package Manager Libraries.

This package should be installed if you want to develop Python programs that will manipulate RPM packages and databases.

Name : control-center-extra Relocations: (not relocatable)  
Version : 2.28.1 Vendor: CentOS  
Release : 38.el6 Build Date: Thu 21 Feb 2013 05:04:12 PM EST  
Install Date: Tue 06 Aug 2013 05:22:48 PM EDT Build Host:  
c6b7.bsyz.dev.centos.org

Group : User Interface/Desktops Source RPM:  
control-center-2.28.1-38.el6.src.rpm  
Size : 170385 License: GPLv2+ and GFDL  
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:02 PM EST, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.gnome.org>  
Summary : Additional utilities to configure the GNOME desktop  
Description :  
The control-center-extra package contains additional configuration utilities for the GNOME desktop.

Name : libXp Relocations: (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 15.1.el6 Build Date: Thu 19 Aug 2010 02:53:33 AM EDT  
Install Date: Tue 06 Aug 2013 05:18:14 PM EDT Build Host:  
c6b3.bsys.dev.centos.org  
Group : System Environment/Libraries Source RPM:  
libXp-1.0.0-15.1.el6.src.rpm  
Size : 39653 License: MIT  
Signature : RSA/8, Sun 03 Jul 2011 12:42:20 AM EDT, Key ID 0946fca2c105b9de  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
URL : <http://www.x.org>  
Summary : X.Org X11 libXp runtime library  
Description :  
X.Org X11 libXp runtime library