

**FCC RF EXPOSURE INFORMATION:**

**WARNING!!** Read this information before using your Smart Terminals  
In August 1986 the Federal Communications Commission (FCC) of the United States with its action in Report and Order FCC 96-326 adopted an updated safety standard for human exposure to radio frequency (RF) electromagnetic energy emitted by FCC regulated transmitters. Those guidelines are consistent with the safety standard previously set by both U.S. and international standards bodies. The design of this Smart Terminals complies with the FCC guidelines and these international standards. Use only the supplied or an approved antenna. Unauthorized antennas modifications, or attachments could impair call quality, damage the Smart Terminals, or result in violation of FCC regulations. Do not use the Smart Terminals with a damaged antenna. If a damaged antenna comes into contact with the skin, a minor burn may result. Please contact your local dealer for replacement antenna.

**BODY-WORN OPERATION:**

This device was tested for typical body-worn operations with the back/front of the phone kept 10mm from the body. To comply with FCC RF exposure requirements, a minimum separation distance of 10mm must be maintained between the user's body and the back/front of the phone, including the antenna. Third-party belt-clips, holsters and similar accessories containing metallic components shall not be used. Body-worn accessories that cannot maintain 10mm separation distance between the user's body and the back/front of the phone, and have not been tested for typical body-worn operations may not comply with FCC RF exposure limits and should be avoided. For more information about RF exposure, please visit the FCC website at [www.fcc.gov](http://www.fcc.gov)

Your Smart Terminals is a low power radio transmitter and receiver. When it is ON, it receives and also sends out radio frequency (RF) signals. In August, 1996, the Federal Communications Commissions (FCC) adopted RF exposure guidelines with safety levels for hand-held wireless Smart Terminals. Those guidelines are consistent with the safety standards previously set by both U.S. and international standards bodies:

<ANSIC95.1> (1992) / <NCRP Report 86> (1986) / <ICNIRP> (1999)

Those standards were based on comprehensive and periodic evaluations of the relevant scientific literature. For example, over 120 scientists, engineers, and physicians from universities, government health agencies, and industry reviewed the available body of

research to develop the ANSI Standard (C95.1). Nevertheless, we recommend that you use a hands-free kit with your Smart Terminals (such as an earpiece or headset) to avoid potential exposure to RF energy. The design of your Smart Terminals complies with the FCC guidelines (and those standards).

Use only the supplied or an approved replacement antenna. Unauthorized antennas, modifications, or attachments could damage the phone and may violate FCC regulations.

**NORMAL POSITION:**

Hold the phone as you would any other telephone with the antenna pointed up and over your shoulder.

**RF Exposure Information:**

This product is compliance to FCC RF Exposure requirements and refers to FCC website <https://apps.fcc.gov/oetcf/eas/reports/GenericSearch.cfm> search for FCC ID: 2A2UU-L200 to gain further information include SAR Values.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

-Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.


This device is acting as slave and operating in the 2.4 GHz (2412 ~ 2462 MHz) band. Ad Hoc function is supported but not able to operate on non-US frequencies.

All transmission frequencies of U-NII-1, U-NII-2A and U-NII-3 comply with 47 CFR FCC Part 15.407(g) and the manufacturer declares that their transmission is maintained within the U-NII-1, U-NII-2A and U-NII-3 bands.

# L200

## Quick Guide

### PRODUCT INTRODUCTION



#### Power button

Short Press: Light the screen, lock the screen.  
Long press: In shutdown state, long press 2-3 seconds to turn on.  
When in use, press 2-3 seconds for a long time, and you can choose to Power off, Restart or Screenshot.  
In the crash state, long press 10 seconds to restart automatically.

#### Volume button

Adjust the volume instantly by pressing the button.

#### NFC reader

Used for sensing Quick Pass Card.

#### NFC reader

Used for sensing Quick Pass Card.

#### Magnetic card reader

Used for reading the information stored in the magnetic stripe

of bank card.

#### IC Card socket

Used for inserting the bank chip card.

#### Type-C USB

Used For device charging, and you can also plug in OTG.

#### Audio jack

Used For plugging in headphones.

#### MIC

Used to make phone calls, video and voice conversations.

#### Speaker


Used For listening to music or sound amplification.

#### Receiver

Used to make calls to receive sound.

#### Rear camera

Supports photographing.



#### SD card slot and two Nano SIM card slot

Used for inserting the SIM Card and SD Card.

#### P-SAM card slot

Used for inserting the P-SAM Card.

### TECHNICAL INDICATORS OF PRODUCTS

- Android 10
- CPU Model: MT6761D
- Quad core 1.8GHz
- LTE/UMTS/GSM/WIFI 2.4&5G/Bluetooth
- 1GB RAM, 8GB ROM
- 5.0 inch HD
- Rear camera: 0.3M FF
- Bluetooth 5.0
- WiFi 802.11a/b/g/n (2.4G/5G)
- USB Type-C
- Battery 4.35V/3000mAh
- Device model: L200

### ATTENTION

#### PRODUCT SAFETY WARNINGS

Use responsibly. Read all instructions and safety information before use to avoid injury. The limit operating ambient temperature of the equipment declared by the manufacturer is -15~55°C.

#### Battery Safety

Charge battery only at ambient temperatures ranging from 40°C.  
(1) CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type of battery recommended by the manufacturer. Dispose of used batteries according to battery manufacturer's instructions.

(2) CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

(3) CAUTION: Battery charging temperature upper limit is 40°C.

#### Adapter Safety

When charging, please place the device in an environment that has a normal room temperature and good ventilation. It is recommended to charge the device in an environment with a temperature that ranges from 0°C~40°C. For altitude 2km below use only.

#### Wi-Fi Safety

Turn Wi-Fi off in areas where Wi-Fi use is prohibited or when it may cause interference or danger, such as in airplanes while flying.

