Test Report No.

Prüfbericht - Nr.:

14010720 001

Seite 5 von 8 Page 5 of 8

User manual



#9449/9450/9451/9452/9453/9454


Instruction Manual

read through this instruction manual, carefully before starting to operate ensure to remove all accessories and, components from packaging.





What is in the box







Transmitter

Battery requirements

Recommended to use alkaline batteries for best performance Vehicle: 3 x 1.5V (AA) size batteries
Transmitter: 1 x 9V (006P, 6F22) size Batteries

Battery installation Transmitter

- Remove battery cover located at the back.
 Insert 1 X 9V battery following the +/- marking.
 Replace battery cover.

Vehicle

- 1. Open battery cover located at the underside. 2. Insert 3 X 1.5V(AA) batteries following the $\,$ + / marking. 3. Close battery cover.







- MAINTENANCE AND CARE

 Never drive the vehicle on a wet floor, on sand, or in mud, rain or snow. These can damage it.
- Do not expose the vehicle to extreme temperatures.

 Be sure to remove the batteries from the vehicle and transmitter when storing the product away.

 To protect the vehicle's wheel mechanism from lint, thread, hair, and dust
- To protect the vehicle's wheel mechanism from lint, thread, hair, and dust particles. You can use a small brush, tweezers or tie a small bit of cloth to the tip of a toothoick, etc., and wipe off.

 Always keep vehicle clean, use a dampened cloth to wipe off, and then wipe all the water off with a dry cloth. Never use chemicals to clean the product. Keep this instruction manual carefully for future use.

 Avoid holding the wheels when rotating, this will cause the electronic components short circuit, overheating and will cause malfunction.

HELPFUL HINTS

- If vehicle does not respond to the transmitter, move closer to the vehicle
- If Venicle does increspond to the darismitter, more second as a second and try again.

 If vehicle starts to lose power, it may experience loss of performance ability. If this happens, simply replace with new batteries. If the vehicle moves slowly, try changing the batteries and check the wheel mechanisms for lint, thread, hair or dust.

 When the transmitter range decreases, replace the battery in the controller.
- If someone uses a CB nearby, it might interfere with control of the car. If this happens, move the car and transmitter away from the CB.

CAUTION

- Do not apply a big shock to vehicle and transmitter.

 Do not play in the thunderstorms.


 Do not touch the wheels when the switch is turned ON because it is extremely dangerous.
- Do not leave the vehicle or transmitter near sources of heat or under direct sunlight for long periods of time, which may damage sensitive electronic instruments.

 Do not operate the vehicle near small children, because it can be
- very dangerous.

- very dangerous.

 Do not mix old and new batteries together. Do not mix battery type or brands. Always select a safe place to play. Never drive your vehicle in the street. Non rechargeable batteries are not to be recharged Rechargeable batteries are to be removed from the toy being charged. Rechargeable batteries are to be removed from the toy being charged. Rechargeable batteries are only to be charged under adult supervision. Only batteries of the same or equivalent type as recommended are to be used. Batteries are to be inserted with the correct polarity. Exhausted batteries are to be removed from the toy. The supply terminals are not to be short circuited.

- Insert antenna wire through the hollow tube. Avoid pulling wire too light. Tie a knot on top to Secure.
- 2. Turn switch to "ON" position for power. You are set to run!



between the two front wheels

and is used to align the wheels for consistent straight line driving.

TROUBLE SUCCTIME

Problem	Causes	Correction
Vehicle doesn't move	Power switch is turned OFF. Vehicle is too far away from the controller. The metal tab in the battery cartridge is flattened and not touching the batteries installed.	Tum the power switch ON. Bring the vehicle closer to the controller. Lift up the metal tab so that it touches the tip of the battery
Loss of Control	Another radio control vehicle using the same frequency is operated near your vehicle	Race against other vehicles using different frequencies or channel.
Vehicle drives slowly	- Weak batteries in the vehicle.	- Replace with new batteries, following the + / - marking.
Poor range control	Weak battery in the transmitter. Strong interference at the surrounded area.	Replace with new battery. Move to a better location to Drive your vehicle.

Warning:

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of FCC Rules and R&TTE Directive 1999/5/EC. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference the radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Recordent or relocate the receiving antenna.

 Increase the separation between the equipment and receiver.

 Connect the equipment into an outlet on a circuit different from that to which the receiver is needed.

Consult the dealer or an experienced radio/TV technician for help.
 THIS PRODUCT IS FOR THE USE IN U.K., SPAIN, GERMANY, FRANCE, BELGIUM, ITALY,

SWITZERLAND, THE NETHERLANDS, DENMARK, U.S., CANADA AND PORTUGAL

CE0197

Another Quality Product From Character Character

English NO.9449/9450/9451/9452/9453/9454



Prüfbericht - Nr.:

14010720 001

Seite 6 von 8 Page 6 of 8

Test Report No.



#9456/9457

Instruction Manual

Please read through this instruction manual, carefully before starting to operate sories and, components from packaging ensure to remove all acces





What is in the box









Transmitter

Battery requirements

Recommended to use alkaline batteries for best performance Vehicle : $3 \times 1.5 \text{V}$ (AA) size batteries

Vehicle

Transmitter: 1 x 9V (006P, 6F22) size Batteries

Battery installation Transmitter

Manual

- Remove battery cover located at the back.
 Insert 1 X 9V battery following the +/- marking.
 Replace battery cover.

- **Vehicle**
- Open battery cover located at the underside.
 Insert 3 \ 1.5V(AA) batteries following the +/- marking.
 Close battery cover.







MAINTENANCE AND CARE

- Never drive the vehicle on a wet floor, on sand, or in mud, rain or snow. These can damage it.
- Do not expose the vehicle to extreme temperatures. Be sure to remove the batteries from the vehicle and transmitter when
- Be sure to remove the batteries from the vehicle and transmitter when storing the product away.

 To protect the vehicle's wheel mechanism from lint, thread, hair, and dust particles. You can use a small brush, tweezers or tie a small bit of cloth to the tip of a toothpick, etc., and wipe off.

 Always keep vehicle clean, use a dampened cloth to wipe off, and then wipe all the water off with a dry cloth. Never use chemicals to clean the product. Keep this instruction manual carefully for future use.

 Avoid holding the wheels when rotating, this will cause the electronic components short circuit, overheating and will cause malfunction.

HELPFUL HINTS

- If vehicle does not respond to the transmitter, move closer to the vehicle and try again.

- and try again. If vehicle starts to lose power. It may experience loss of performance ability. If this happens, simply replace with new batteries. If the vehicle moves slowly, try changing the batteries and check the wheel mechanisms for lint, thread, hair or dust. When the transmitter range decreases, replace the battery in the controller. If someone uses a CB nearby, it might interfere with control of the car. If this happens, move the car and transmitter away from the CB.

CAUTION

- Do not apply a big shock to vehicle and transmitter.

 Do not pilay in the thunderstorms.


 Do not touch the wheels when the switch is turned ON because it is extremely dangerous.
- Do not leave the vehicle or transmitter near sources of heat or under direct sunlight for long periods of time, which may damage sensitive electronic instruments.
- Do not operate the vehicle near small children, because it ca very dangerous.
- Do not mix old and new batteries together. Do not mix battery type or brands. Always select a safe place to play. Never drive your vehicle in the street. Non rechargeable batteries are not to be recharged.

- Rechargeable batteries are to be removed from the toy being charged. Rechargeable batteries are to be removed from the toy being charged. Rechargeable batteries are only to be charged under adult supervision. Only batteries of the same or equivalent type as recommended are to be used. Batteries are to be inserted with the correct polarity. Exhausted batteries are to be removed from the toy.
- The supply terminals are not to be short circuited.

How to Play

- 1. Insert antenna wire through the hollow tube. Avoid pulling wire too tight. Tie a knot on top to Secure.

 2. Turn switch to "ON" position for power. You are set to run!





Trim Switch Control

Trim switch is located on the underside of the vehicle. between the two front wheels. and is used to align the wheels for consistent straight line driving.

KOURLE SHOOTING		
Problem	Causes	Correction
Vehicle doesn't move	Power switch is turned OFF. Vehicle is too far away from the controller. The metal tab in the battery cartridge is flattened and not touching the batteries installed.	Turn the power switch ON. Bring the vehicle closer to the controller. Lift up the metal tab so that it touches the tip of the battery.
Loss of Control	Another radio control vehicle using the same frequency is operated near your vehicle	Race against other vehicles using different frequencies or channel.
Vehicle drives slowly	- Weak batteries in the vehicle.	- Replace with new batteries, following the + / - marking.
Poor range control	Weak battery in the transmitter. Strong interference at the surrounded area.	Replace with new battery. Move to a better location to Drive your vehicle.

Warning:

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of FCC Rules and R&TTE Directive 1999/5/EC. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference the radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is needed.
 Consult the dealer or an experienced radio/TV technician for help.
 THIS PRODUCT IS FOR THE USE IN U.M. SPAIN, GERMANY, FRANCE, BELGIUM, ITALY,

SWITZERLAND, THE NETHERLANDS, DENMARK, U.S., CANADA AND PORTUGAL

CE0197

Another Quality Product From MADE IN CHINA Printed In China Printed In China

NO./9456/9457 ©ZAPTOYS 2004

Appendix 4



LEFT / RIGHT STEERING

TÜV Rheinland Group

Prüfbericht - Nr.:

Test Report No.

14010720 001

Seite 7 von 8 Page 7 of 8

#9390

Instruction Manual

Please read through this instruction manual, carefully before starting to operate Please ensure to remove all accessories and, components from packaging.

What is required to play







Transmitter

Battery requirements

Recommended to use alkaline batteries for best performance. Vehicle: 3 x 1.5V (AA) size batteries Transmitter: 1 x 9V (006P, 6F22) size batteries

- Battery installation
 Transmitter

 1. Remove battery cover located at the back.
 2. Insert 1 X 9V battery following the +/- marking.
- Replace battery cover

Vehicle

- Open battery cover located at the underside.
 Insert 3 X 1.5V(AA) batteries following the + / marking.
 Close battery cover.









Trim Switch Control

Trim switch is located on the underside of the vehicle, between the two front wheels. and is used to align the wheels for consistent straight line driving

Stop

- MAINTENANCE AND CARE
 Never drive the vehicle on a wet floor, on sand, or in mud, rain or snow These can damage it.
- Do not expose the vehicle to extreme temperatures.

 Be sure to remove the batteries from the vehicle and transmitter when
- storing the product away.

 To protect the vehicle's wheel mechanism from lint, thread, hair, and dust particles. You can use a small brush, tweezers or tie a small bit of cloth to

- particles. You can use a small brush, tweezers of the a small brush, etc., and wipe off.

 Always keep vehicle clean, use a dampened cloth to wipe off, and then wipe all the water off with a dry cloth. Never use chemicals to clean the product. Keep this instruction manual carefully for future use.

 Avoid holding the wheels when rotating, this will cause the electronic components short circuit, overheating and will cause malfunction.

- HELPFUL HINTS
 If vehicle does not respond to the transmitter, move closer to the vehicle and try again.
- and by again. If vehicle starts to lose power. It may experience loss of performance ability. If this happens, simply replace with new batteries. If the vehicle moves slowly, try changing the batteries and check the wheel mechanisms for lint, thread, hair or dust. Remember the 9V in the controller will last longer than the 3 X1,5V(AA).
- When the transmitter range decreases, replace the battery in the controller. If someone uses a CB nearby, it might interfere with control of the car. If this happens, move the car and transmitter away from the CB.

CAUTION

- Do not apply a big shock to vehicle and transmitter. Do not play in the thunderstorms. Do not touch the wheels when the switch is turned ON because it is extremely dangerous.
- Do not leave the vehicle or transmitter near sources of heat or under direct
- sunlight for long periods of time, which may damage sensitive electronic instruments. Do not operate the vehicle near small children, because it can be
- Do not operate the vehicle near small children, because it can be very dangerous.

 Do not mix old and new batteries together. Do not mix battery type or brands. Always select a safe place to play. Never drive your vehicle in the street. Non rechargeable batteries are not to be recharged. Rechargeable batteries are to be removed from the toy being charged. Rechargeable batteries are only to be charged under adult supervision. Only batteries of the same or equivalent type as recommended are to be used. Batteries are to be inserted with the correct polarity.

- Exhausted batteries are to be removed from the toy The supply terminals are not to be short circuited.

TROUBLE SHOOTING

How to Play

INCODEE CHOCKING				
Causes	Correction			
 Power switch is turned OFF. Vehicle is too far away from the controller. The metal tab in the battery is flattened and not touching the batteries installed. 	- Turn the power switch ON Bring the vehicle closer to the controller Lift up the metal tab so that it touches the tip of the battery.			
- Weak batteries in the vehicle.	- Replace with new batteries, following the + / - marking.			
- Weak battery in the transmitter. -Strong interference at the surrounded area.	Replace with new battery. Move to a better location to Drive your vehicle.			
	Power switch is turned OFF. Vehicle is too far away from the controller. The metal tab in the battery is flattened and not touching the batteries installed. Weak batteries in the vehicle. Weak battery in the transmitterStrong interference at the			

Warning:

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of FCC Rules and R&TTE Directive 1999/S/EC. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference the radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference

- by one or more of the following measures:
 Reorient or relocate the receiving antenna.
 Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which
- the receiver is needed Consult the dealer or an experienced radio/TV technician for help

THIS PRODUCT IS FOR THE USE IN U.K. SPAIN, GERMANY, FRANCE, BELGIUM, ITALY, SWITZERLAND, THE NETHERLANDS, DENMARK, U.S., CANADA AND PORTUGAL

Intellectual Property Rights licensed by smart gmbh Licensed manufacturer; lucky Plastic Factory Limited



English NO.9390 ©ZAPTOYS 2004 MADE IN CHINA Printed in China

Test Report No.

Appendix 4



TÜV Rheinland Group

Prüfbericht - Nr.:

14010720 001


Seite 8 von 8 Page 8 of 8

#9456/9457/9485/9344/9356/9376/ 9462/9463/9409/9396/9404/9403

Instruction Manual

Please read through this instruction manual, carefully before starting to operate. Please ensure to remove all accessories and, components from packaging.

What is required to play



Battery requirements

Recommended to use alkaline batteries for best performance Vehicle: 3 x 1.5V (AA) size batteries. Transmitter: 1 x 9V (006P, 6F22) size battery

Battery installation

Transmitter

- 1. Remove battery cover located at the back.
- 2. Insert 1 X 9V battery following the +/- marking.
- 3. Replace battery cover.

Vehicle

- 1. insert 3 X 1.5V(AA) batteries into the battery cartridge following the + / marking
- 2. Place loaded battery cartridge on the underside of vehicle following the +/- marking.
- 3. Lock up to secure battery cartridge in position.







MAINTENANCE AND CARE

- Never drive the vehicle on a wet floor, on sand, or in mud, rain or snow These can damage it.
- Do not expose the vehicle to extreme temperatures.
 Be sure to remove the batteries from the vehicle and transmitter when storing the product away.
- To protect the vehicle's wheel mechanism from lint, thread, hair, and dust particles. You can use a small brush, tweezers or tie a small bit of cloth to the tip of a toothpick, etc., and wipe off.
- Always keep vehicle clean, use a dampened cloth to wipe off, and then wipe all the water off with a dry cloth. Never use chemicals to clean the product.
- Keep this instruction manual carefully for future use.
- Avoid holding the wheels when rotating, this will cause the electronic components to short circuit, overheat and cause malfunction.

HELPFUL HINTS

- If vehicle does not respond to the transmitter, move closer to the vehicle
- and try again.

 If vehicle starts to lose power, It may experience loss of performance. If this happens, simply replace with new batteries.

 If the vehicle moves slowly, try changing the batteries and check the wheel mechanisms for lint, thread, hair or dust. Remember the 9V in the controller will last longer than the 3 X1,5V(AA).
- When the transmitter range decreases, replace the battery in the controller.


 If someone uses a CB nearby, it might interfere with control of the car. If this happens, move the car and transmitter away from the CB.

CAUTION

- Do not apply a big shock to vehicle and transmitterDo not play in thunderstorms.
- Do not touch the wheels when the switch is turned ON because it is extremely dangerous.
- Do not leave the vehicle or transmitter near sources of heat or under direct sunlight for long periods of time, which may damage sensitive electronic instruments.
- Do not operate the vehicle near small children, because it can be very dangerous.
- Do not mix old and new batteries together. Do not mix battery type or brands
 Always select a safe place to play. Never drive your vehicle in the street.
- Non rechargeable batteries are not to be recharged
- Rechargeable batteries are to be removed from the toy being charged. Rechargeable batteries are only to be charged under adult supervision
- Only batteries of the same or equivalent type as recommended are to be used
- Batteries are to be inserted with the correct polarity.
 Exhausted batteries are to be removed from the toy

- The supply terminals are not to be short circuited

- Insert antenna wire through the hollow tube. Avoid pulling wire too tight. Tie a knot on top to secure.
- 2. Turn switch to "ON" position for power. You are set to run!



Trim switch is located on the underside of the vehicle, between the two front wheels and is used to align the wheels for consistent straight line driving.

TROUBLE SHOOTING

Problem	Causes	Correction
Vehicle doesn't move	Power switch is turned OFF. Vehicle is too far away from the controller. The metal tab in the battery cartridge is flattened and not touching the batteries installed.	Turn the power switch ON. Bring the vehicle closer to the controller. Lift up the metal tab so that it touches the tip of the battery.
Vehicle drives slowly	- Weak batteries in the vehicle.	- Replace with batteries, following the + / - marking.
Poor range control	- Weak battery in the transmitter Strong interference at the surrounded area.	Replace with new battery. Move to a better location to drive your vehicle.

Warning:

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

Tor compliance could void the user's autromity to operate the equipment

NOTE: This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to Part 15 of FCC Rules and R&TTE Directive 1999/5/EC. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is needed.

- Consult the dealer or an experienced radio/TV technician for help.

THIS PRODUCT IS FOR THE USE IN U.K., SPAIN, GERMANY, FRANCE, BELGIUM, ITALY, SWITZERLAND, THE NETHERLANDS, DENMARK, U.S., CANADA AND PORTUGAL.



English #9456/9457/9485/9344/9356/9376/ 9462/9463/9409/9396/9404/9403 ©ZAPTOYS 2004 MADE IN CHINA Printed in China