




**In-Door Use PIR Motion Detector**  
**(Human Body Detector)**  
Quick Start Guide

Please read the quick start guide carefully before you use this series product!

This quick start guide is for (including but not limited to) WP1 and DH-CE-S200 series product.



● **Pair**

Press it for a long time (About 6 seconds) to go to the pair mode.

● **Indicator light**

The blue light is flashing quickly when the device is in pair mode. The light becomes off when the pair mode is complete. The blue light flashes three times when there is an alarm. The blue light is on for three seconds and then turns off when you are inserting the battery. The red light flashes slowly, it is to alert you to change the batteries.

● **Battery cover**

Press it to install/replace three 7# batteries.

● **Bracket**

Use bracket to install on the wall or in the ceiling.

You can use this product to work with the LeBox, and then go to the client to set the mode to detect the human body movement.

**Quick Pair**

Please follow the steps listed below to pair the human body detector and the LeBox up.

**Step 1**

Open the software management interface and then select Add device button.

**Step 2**


Press the Pair button for about 6 seconds; you can go to the pair mode. Now you can see the blue indicator light becomes flashing quickly. The light becomes off after the pair mode is complete. You can view the pair is successful on the LeBox and the device is added to the human body detector category.

## Installation Mode

The product is mainly for standing upward on the plain surface. It supports wall mount and ceiling mount. Please follow the steps listed below.


### Step 1

Follow the arrow and keep the bracket facing up.



### Step2

Match the groove on bracket with the projection on the human body detector. Press down and then push to the left.



### Step3

Remove the double sided adhesive tape, paste it to the solid position. Press it for about 5 seconds and then release.

## Specifications

Rated Voltage	DC4.5V
Rate Current	30mA
Rate Power Consumption	≤1W
Working Temperature	-5°C-+45°C
Working Humidity	< 90%
Dimensions (mm)	65*65*55

## Download App

Use your cell phone to scan the QR on the right side or go to the App market and then search **LeChange**.



.....  
Please contact the service engineer or your local retailer if there is any problem.

Zhejiang Dahua Technology Co.,Ltd

No.1199 Bin'an Road, Binjiang District, Hangzhou, China, 310053.

Website: [www.lechange.cn](http://www.lechange.cn).

## **FCC Compliance Statement**

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

2. The users manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. In cases where the manual is provided only in a form other than paper, such as on a computer disk or over the Internet, the information required by this section may be included in the manual in that alternative form, provided the user can reasonably be expected to have the capability to access information in that form.

3. (b) For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.