

PRODUCT INSTRUCTION

MODEL: ZT-809 **PAGE:**

1 OF 4

DESCRIPTION

Wireless Camera

ZT-809

WIRELESS CAMERAL USER'S MANUAL

REVISIONS		DESCRIPTION		DATE	DESIGN
SHENZHEN ZI	HONG	WANG ELE	CTRON CO.,LTD	APPROVAL	
PAGES TOTAL	FILE NUMBER		ISSUE DATE	CHECK	
4				DESIGN	

FILE NUMBER: MODEL: ZT-809 PAGES: 2 OF 4

Operation instruction

- 1. Connecting receive antenna (figure 1).
- 2. Connecting 12V direct current stabilizer (figure 2), pilot lamp lighting (figure 3).
- 3. Connecting the audio and video output with the input of monitor, the television should be in AV model.
- 4. Connecting the regulated voltage power supply to the back of the wireless camera (figure 5).
- 5. Tuning the 4ch switch (figure 6) on receiver till receiving the picture of the wireless video camera.
- 6. Manually adjust the camera angle as well as the front lens of the camera (figure 7).

Notice

- 1. The machine is supplied with many different types, please provide with electric power according the value on the label
- 2. Obstructs by the building and so in will cause attenuation.
- 3. Normally that the machine will slightly warm up during operation.
- 4. Should any other malfunctions occur, please contact local distributor.
- 5. Under normal operational conditions, 1 years warranty is granted, if there are quality problems within 3 months, this company will unconditionally replace with a new camera.

Warning

This product is for the sole purpose of security and applicable for monitoring in residential houses, shops and companies the users shall observe local rules, regulations and laws, and shall be solely liable in this regard, this company shall not be liable for any illegalities therein.

SHENZHEN ZHONGWANG ELECTRON CO.,LTD

TEL: +86-755-8336 1499

FAX: +86-755-8336 1433

FILE NUMBER: MOI		EL: ZT-809	PAGES: 3 OF 4					
Technical data								
ITEM		ТҮР						
		Transmitter	Receiver					
Frequency		2.400~2.483GHz						
Electric power:		DC 5V	DC 12V					
Output power		$0\pm3 ext{dBm}$						
Video output:			$1V_{P-P}$					
Power consumption current		100mA	250mA					
Suitable environmental tempera	ature	-20℃~+60℃						
Effective range		30m(no obstacles)						


Including

- 1. Wireless camera
- 2. ZT704 2.4G Receiver
- 3. Receiver antenna
- 4. 12V direct current stabilizer for receiver use
- 5. 5V direct current stabilizer for camera use
- 6. Wire for video signal connecting


SHENZHEN ZHONGWANG ELECTRON CO.,LTD

TEL: +86-755-8336 1499 FAX: +86-755-8336 1433

http://www.ZTV.cc



Wireless transmission



2.4G Receiver

SHENZHEN ZHONGWANG ELECTRON CO.,LTD

TEL: +86-755-8336 1499

FAX: +86-755-8336 1433

http://www.ZTV.cc

Caution:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- --Increase the separation between the equipment and receiver.
- --Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.