

CyberLink

PhotoDirector

User's Guide



Copyright and Disclaimer

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, mechanical, photocopying, recording, or otherwise without the prior written permission of CyberLink Corporation.

To the extent allowed by law, PhotoDirector IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY FOR INFORMATION, SERVICES, OR PRODUCTS PROVIDED THROUGH OR IN CONNECTION WITH PhotoDirector AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, EXPECTATION OF PRIVACY, OR NON-INFRINGEMENT. BY USING THIS SOFTWARE, YOU AGREE THAT CYBERLINK WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, OR CONSEQUENTIAL LOSS ARISING FROM THE USE OF THIS SOFTWARE OR MATERIALS CONTAINED EITHER IN THIS PACKAGE.

The terms and conditions here under shall be governed and construed in accordance with the laws of Taiwan.

PhotoDirector is a registered trademark along with other company and product names mentioned in this publication, used for identification purposes and remain the exclusive property of their respective owners.

International Headquarters

Mailing Address CyberLink Corporation
15F., No. 100, Minguan Rd., Xindian Dist.
New Taipei City 231, Taiwan (R.O.C.)

Web Site <http://www.cyberlink.com>

Telephone 886-2-8667-1298

Fax 886-2-8667-1300

Copyright © 2012 CyberLink Corporation. All rights reserved.

Contents

Introduction.....1

| | |
|------------------------------|---|
| Welcome..... | 1 |
| Features | 1 |
| DirectorZone | 2 |
| Updating PhotoDirector | 2 |
| System Requirements..... | 3 |

Importing Photos.....5

| | |
|--|---|
| Supported File Formats..... | 5 |
| Importing Photos into the Library..... | 5 |
| Apply During Import | 7 |

The PhotoDirector

Workspace.....9

| | |
|----------------------------|----|
| PhotoDirector Modules..... | 10 |
| Library | 10 |
| Adjustment | 10 |
| Edit | 10 |
| Slideshow | 10 |
| Print | 10 |
| Library Panel..... | 11 |
| Project Tab | 11 |
| Tagging Faces | 16 |
| Metadata Tab | 19 |
| Adjustment Panel..... | 20 |

| | |
|--|-----------|
| Edit Panel..... | 20 |
| Slideshow Panel..... | 21 |
| Print Panel..... | 21 |
| Photo Browser Panel..... | 21 |
| Searching for Photos | 23 |
| Photo Viewer Window..... | 24 |
| Selecting View Mode | 24 |
| Selecting Viewer Display Mode | 25 |
| History | 27 |
| Photo Viewer Toolbar | 27 |
| Viewer Zoom | 28 |
| PhotoDirector Preferences..... | 29 |
| General Preferences | 29 |
| Project Preferences | 30 |
| DirectorZone Preferences | 30 |
| File Handling Preferences | 31 |
| Improvement Program Preferences | 31 |
| Adjustments..... | 33 |
| Creating Virtual Photos..... | 33 |
| Histogram..... | 34 |
| Converting Photos to Black and White | 34 |
| Viewing Exposed Areas | 35 |
| Regional Adjustment Tools..... | 35 |
| Cropping and Rotating Photos | 36 |
| Removing Spots | 39 |
| Removing Red-Eye | 40 |
| Using the Adjustment Brush | 41 |
| Using Adjustment Selection | 44 |
| Using a Gradient Mask | 47 |
| Regional Adjustment Options | 50 |
| Global Adjustment Tools..... | 52 |
| White Balance | 53 |

| | |
|---|-----------|
| Tone | 54 |
| HDR Effect | 55 |
| Level | 56 |
| Curve | 57 |
| HSL/Color | 58 |
| Black and White Mix | 60 |
| Detail | 61 |
| Correction | 63 |
| Copying Adjustments..... | 64 |
| Using Adjustment Presets..... | 65 |
| Downloading Presets from DirectorZone | 65 |
| Saving Custom Presets | 66 |
| Applying Presets on Photos | 67 |
| Uploading Presets to DirectorZone | 67 |
| Exporting/Import Presets | 67 |
| Viewing History..... | 68 |
| Turning Adjustments On/Off..... | 68 |
| Edits..... | 69 |
| People Beautifier..... | 69 |
| Tooth Brush | 69 |
| Eye Blinger | 70 |
| Skin Smoother | 72 |
| Wrinkle Remover | 72 |
| Body Shaper | 73 |
| Photo Effects..... | 76 |
| Using the Region Cleaner | 77 |
| Object Removal..... | 77 |
| Smart Patch | 78 |
| Content Aware Removal | 78 |
| Extract or Compose..... | 79 |
| Background Removal | 80 |
| Photo Composer | 81 |
| Frames & Watermarks..... | 82 |

| | |
|--|------------|
| Watermark Creator | 82 |
| Using Watermark Templates | 86 |
| Exporting and Sharing Photos..... | 89 |
| The Export Photo Process..... | 89 |
| Export Profiles | 92 |
| Sharing Photos..... | 92 |
| Uploading Photos to Facebook | 92 |
| Uploading Photos to Flickr | 93 |
| Slideshows..... | 95 |
| Creating Photo Slideshows..... | 95 |
| Producing Slideshows | 96 |
| Sharing Slideshow Videos on YouTube | 96 |
| Printing..... | 99 |
| Printing Photos..... | 99 |
| Customizing the Layout | 99 |
| Customizing the Image Settings | 100 |
| Customizing the Print Settings | 101 |
| Watermarks | 101 |
| PhotoDirector Hotkeys..... | 103 |
| Technical Support..... | 107 |
| Before Contacting Technical Support..... | 107 |
| Web Support..... | 108 |

Chapter 1:

Introduction

This chapter introduces CyberLink PhotoDirector and provides an overview of all its features. It also outlines the system requirements for installing and using the CyberLink PhotoDirector program.

Note: this document is for reference and informational use only. Its content and the corresponding program are subject to change without notice.

Welcome

Welcome to the CyberLink family of digital media tools. CyberLink PhotoDirector is a photography program that lets you manage and adjust your digital photos. You can then share your photos on Facebook or Flickr, use them in slideshows, produce slideshow videos you can upload to YouTube, and much more.

Features

This section outlines some of the main features of the CyberLink PhotoDirector program.

- Import and organize all your photos in the library for easy editing.
- Add and embed keyword tags and copyright information in photos.
- Analyze your photos for faces and tag the people you want in them.
- Crop and rotate photos, or apply touch-ups such as red-eye and spot removal.
- Modify photo color and white balance with easy to use adjustment controls.
- Use the HDR effect to recover the lost detail in over/underexposed areas in photos. Can also be used to give photos a more dramatic tone.
- Sharpen photos and correct photos that contain unwanted vignetting, image noise, distortion, chromatic aberrations, or the keystone effect.
- Beautify the people in your photos by whitening teeth, smoothing skin, reshape bodies, removing wrinkles, and more.
- Apply instant color effects to your photos, or use the removal tools (including the new Content Aware Removal) to remove objects or backgrounds.

- Create watermark templates that include frames, images, text and then apply them to your photos.
- Create dazzling photo slideshows and output them as video files.
- Share photos on Facebook and Flickr, and upload created photo slideshows directly to YouTube.
- Print off high resolution photos, one at a time, or with multiple photos on a single page.

DirectorZone

DirectorZone is a web service that lets you download adjustment presets created by other users, so you can use them on your photos. You may also share your own custom presets by uploading them to DirectorZone.

To access the benefits of DirectorZone, click the **Sign in to DirectorZone** link on the top of the CyberLink PhotoDirector window.


Go to <http://directorzone.cyberlink.com> to view more information on the features and benefits of the DirectorZone web site.

Updating PhotoDirector

Software upgrades and updates (patches) are periodically available from CyberLink. CyberLink PhotoDirector automatically prompts you when either is available.

Note: you must connect to the Internet to use this feature.

To update your software, do this:

1. Open the Upgrade Information window by doing one of the following:
 - click the  button.
 - click on the PhotoDirector logo in the top right corner, and then on the **Upgrade** button in the About PhotoDirector window.
2. Click the feature you would like to upgrade to, or the patch you want to update CyberLink PhotoDirector with.
3. A web browser window opens, where you can purchase product upgrades or download the latest patch update.

System Requirements

The system requirements listed below are recommended as minimums for using the CyberLink PhotoDirector program.

| System Requirements | |
|--------------------------|--|
| CPU Processor | <ul style="list-style-type: none">• Intel Pentium D 3.0 GHz CPU with hyper-threading or equivalent AMD CPU is minimal. |
| Screen Resolution | <ul style="list-style-type: none">• 1024 X 768, 16-bit color or above. |
| Operating System | <ul style="list-style-type: none">• Microsoft Windows 8.• Microsoft Windows 7 (32 bit and 64 bit).• Microsoft Windows Vista Home Premium, Business, Ultimate, or Enterprise (32 bit and 64 bit).• Microsoft Windows XP with Service Pack 3. |
| Memory | <ul style="list-style-type: none">• 2 GB is required. |
| Graphics Card | <ul style="list-style-type: none">• 128 MB VRAM and above. |
| Hard Disk Space | <ul style="list-style-type: none">• 1 GB of disk space for application and documentation. |

Chapter 2:

Importing Photos

The first step when using CyberLink PhotoDirector is to import your photos into the program. CyberLink PhotoDirector supports a variety of different photo file types, including most camera RAW file formats.

Supported File Formats

CyberLink PhotoDirector supports the following photo file formats:

Photos: JPEG, TIFF.

RAW photo formats: CyberLink PhotoDirector also supports the import of most camera RAW photo formats.

Importing Photos into the Library

You can import photos into CyberLink PhotoDirector from your computer's hard drive, a digital camera, and also from removable devices, such as memory cards and portable hard drives.

To import photos into CyberLink PhotoDirector, do this:

1. Click on **Library**, and then on the **Import** button at the bottom of the library panel.
2. Select one of the following import options:
 - **Photos:** select to import individual photo files. Once selected, browse to and then select all of the photos on your computer/removable device that you want to import, and then click **Open**. Thumbnails of all the photos display in the Photo Import window.

***Note:** if the photo files you want to import are not displayed in the current folder, ensure that the correct file type is selected in the bottom right corner of the Select Some Photos dialog.*

- **Folder:** select to import a folder that contains your photos. Once selected, browse to and then select the folder on your computer/removable device that



you want to import photos from, and then click **Select Folder**. Thumbnails of all the photos in the selected folder display in the Photo Import window.

- **From Camera**: select to import photos directly from a digital camera or a card reader. Ensure that your camera is connected to your computer (and turned on) and then select **From Camera** to import photos from it. Once selected, the Photo Import window displays. Select your camera (or card reader) from the **Source** drop-down to display thumbnails of all the photos in the Photo Import window.


Note: you can use  in the bottom right of the preview window to resize the photo thumbnails.

3. Select **Include subfolders**, if you are importing photos from a folder, device, or digital camera, to display and import photos that are in any subfolders.
4. Select **Exclude possible duplicates** to have CyberLink PhotoDirector filter out any photos that were imported previously.
5. Manually select the thumbnails of the photos you want to import, or use the  (deselect all) and  (select all) buttons if necessary.



6. Select one of the following two import options:
 - **Keep in current location**: keeps the photos in their original source location.
 - **Make extra copy in**: select this option if you want CyberLink PhotoDirector to copy the imported photos to another location you select in the **Destination** drop-down.
7. If copying the photos to another location, click  to select the **Destination** where the imported photos are copied. You can also click  to edit the name of the photo folders in this location, if required.
8. If copying the photos to another location, you can **Organize** the photos by


selecting one of the following:

- **Put in Single Folder:** puts all of the photos in one folder.
 - **By Original Folder Structure:** duplicates the original folder structure from the source location.
 - **By Capture Date:** puts the photos in a series of folders, labeled by the date they were captured. Click  to set the date format for the folder naming.
9. Click **Import**. CyberLink PhotoDirector imports the photos into your project library.

Apply During Import

CyberLink PhotoDirector can apply adjustment presets to photos during the import process. You can also begin organizing your photos by adding copyright information and keyword tags as they are imported.

Note: if you cannot find the **Apply During Import** section of the *Photo Import*


window, click  on the right edge of the window to display it.

- **Apply preset:** select to apply the adjustment preset you select from the drop-down to all of the photos during import. See [Using Adjustment Presets](#) for information on creating adjustment presets.
- **Copyright:** in the field provided, enter in the copyright text you would like to embed in each photo. The copyright information can be viewed and edited later on the Metadata tab in the library panel.
- **Tags:** in the field provided, enter in the keyword tags you want to apply to each photo, separated by a semi colon.

Chapter 3:

The PhotoDirector Workspace

This chapter outlines the CyberLink PhotoDirector workspace, and all of its features. Getting familiar with the workspace is helpful, because it is where you spend all of your time when using CyberLink PhotoDirector.



A - PhotoDirector Modules, B - Library/Adjustment/Edit/Slideshow/Print Panel, C - Photo Browser Panel, D - Photo Viewer Window

PhotoDirector Modules

CyberLink PhotoDirector is comprised of five main modules: **Library**, **Adjustment**, **Edit**, **Slideshow**, and **Print**.

Library

Click the **Library** button to open the photo library of CyberLink PhotoDirector. When you import photos into CyberLink PhotoDirector, they are stored in the photo library. Once in the library you can organize them in a smart collection, folder, album, and by keyword tags. See [Library Panel](#) for more information.

Adjustment

The adjustment module is where you touch up and make adjustments to the photos in your library. Click the **Adjustment** button apply presets, crop and rotate photos, apply gradients, remove spots, red-eye, and make other corrections. You can also adjust white balance, sharpness, color, and much, much more. See [Adjustments](#) for more information.

Edit

In the Edit module you can touch up the faces in your photos, apply effects, remove objects and backgrounds, add images on photos, and apply watermarks and frames on your photos. See [Edits](#) for more information.

Slideshow

In this module you can use your photos to create slideshows with background music, and then export them as video files or upload them directly to YouTube. Select the **Slideshow** button to access the slideshow module. See [Slideshows](#) for more information on all the features in this module.

Print

Once you have finished adjusting and editing your images, you can print them in the Print module. You can print off your photos one at a time, print multiple photos on a single sheet of paper, and also add watermarks to your printed photos. For more information see [Printing Photos](#).

Library Panel

The library panel is where you import, organize, and view all of the photos in CyberLink PhotoDirector. It also provides access to the metadata information for each individual photo.

The library panel has two tabs: **Project** and **Metadata**. To access either tab, simply click on it to view its contents.



Project Tab

Click **Project** to access all of the photos in the library. When photos are imported into the library, a CyberLink PhotoDirector project database keeps track of photo location, and associated photo information, including adjustments you make to each photo. If required you can add new projects, open existing projects, or export smart collections, albums, folders, and tags as new projects.

On the Project tab you can also organize imported photos by album, folder, keyword tags, and more.

Smart Collection


CyberLink PhotoDirector automatically organizes your photos in a Smart Collection for easy browsing. Every time you import, rate, or reject photos, CyberLink PhotoDirector updates the Smart Collection.

- **All Photos:** select to view all the photos you have imported into the current project database.
- **Latest Imports:** select to view the photos that were most recently imported into the library.
- **1 Star or Better:** select to view photos you have rated 1 or more stars.
- **5 Stars:** select to view all the photos you have rated 5 stars.
- **Rejected:** select to view all the rejected photos.

Right-click on a Smart Collection folder to export the photos, or create a new project that contains just the photos in the selected collection. You can also

Rename, Edit or **Delete** some folders out of the Smart Collection.

You can also create a custom Smart Collection based on rules you specify. To create a custom Smart Collection, do this:

1. Select the **Project** tab, and then click  in the Smart Collection section.
2. Select **Create Smart Collection**.
3. Enter the information in the fields as follows:
 - **Name:** enter a name for the new collection of photos.
 - **Match:** select whether to match at least one (**Any**) of the rules, **All** of the rules, or **None** of them.
4. Use the drop-down boxes to set the rules for the type of photos that you want to include in the Smart Collection.
5. Click on **Create** to finish. CyberLink PhotoDirector creates the collection based on your selected rules.

Folders

When photos are imported into the library, CyberLink PhotoDirector organizes them into folders based on the structure of the import source location.

Right-click on a folder to:

- **Synchronize Folder:** select to ensure the folder is up-to-date. Use this feature if the photos were added, deleted, or moved out of the folder. Synchronize folders as follows:

Synchronizing folder options

If CyberLink PhotoDirector detects any changes, the following related options become enabled.

- **Import new photos:** if photos were added to the folder, this option becomes enabled. Select it to import the specified number of photos into the folder.
- **Show import dialog before importing:** select if you want to display the Photo Import window before importing. If you do not select this option, CyberLink PhotoDirector performs a background import of the photos.
- **Remove missing photos:** if there are missing photos in the folder, this option


becomes enabled. Select it to remove the specified number of photos from the folder. Click the **Show Missing Photos** button to see which photos are missing.

Click the **Synchronize** button to begin the process.

- **Find Missing Folder:** select to locate the selected folder if it was moved to a different location. Click the  button to specify the New location of the missing folder.
- **Export Photos:** select to export the photos, with any changes applied to them, in the selected folder. See [Exporting and Sharing Photos](#) for more information.
- **Export Folder as New Project:** select to create a new project database that only includes the photos in the selected folder.
- **Remove from Library:** select to remove the selected folder, and all of the photos it contains, from the library.
- **Locate on Disk:** select to view the selected folder, and all of its contents, in Windows Explorer.
- **Rename Folder:** select to give the selected folder a different name.

Albums

You can organize your photos in custom albums. To create a new album, do this:

1. Select the **Project** tab, and then click  in the Albums section.
2. In the pop-up menu that displays:
 - select **Create Album with Selected Photos** to create a new album that contains all the current photos you have selected.
 - select **Create Empty Album** to create an album that does not have any photos in it.
 - select **Create Empty Album Set** to create a new album set. Album sets are comprised of a number of albums that you can group together. You cannot add photos directly into an album set, but it can contain multiple albums comprised of a number of photos.
3. Enter an **Album name** in the dialog that displays, and then click **Create** to add

it to the library.

To add photos into albums in the library, just drag them from the photo browser panel to the album in the library.



Right-click on an album to:


- **Export Album as New Project:** select to create a new project database that only includes the photos in the selected album.
- **Export Photos:** select to export the photos, with any changes applied to them, in the selected album. See [Exporting and Sharing Photos](#) for more information.
- **Rename:** select to give the selected album a different name.
- **Delete:** select to delete the selected album from the library. Any photos it contains are not removed from the project library.

Tags

You can add keyword tags to photos in the project library. Tags are useful for photo management and when sharing photos, as users search by tag keywords to find photos they are interested in.


To create a new tag, do this:

Note: you can also create new tags on the Metadata tab.

1. Select the **Project** tab, and then click  in the Tags section.
2. In the pop-up menu that displays:
 - select **Create Tag** to create new tag in the project library.
 - select **Create Tag with Selected Photos** to create a new tag and then add them to all the current photos you have selected.

3. Enter an **Tag name** in the dialog that displays, and then click **Create** to add it to the library.

To add keyword tags to photos in the library, just drag photos from the photo browser panel to the tag in the library.



Right-click on a tag to:

- **Export Tag as New Project:** select to create a new project database that only includes the photos with the selected tag.
- **Export Photos:** select to export the photos, with any changes applied to them, with the selected tag. See [Exporting and Sharing Photos](#) for more information.
- **Rename:** select to give the selected tag a different name.
- **Delete:** select to delete the selected tag from the library. Any photos with the tag are not removed from the project library.

Faces

When faces are tagged in your photos, they are added to this section of the library panel, organized by people. Click on a person in the list to view all the photos that he/she is tagged in, in the photo browser panel.

If you haven't tagged any faces yet, select a folder/album/smart collection/tag in the library, select the photos in the photo browser panel, and then click the **Tag Faces** button. See [Auto Tagging Faces](#) for instructions on how to tag the faces in your photos. If you want to manage the people and faces, see [Managing Faces in the Library](#).

Right-click on a face (person's name) in the list to:

- **Rename this Face:** select to give the selected face a different name.
- **Export Photos:** select to export the photos, with any changes applied to them, that contain the tagged face. See [Exporting and Sharing Photos](#) for more information.
- **Export Face as New Project:** select to create a new project database that only includes the photos with the tagged faces.
- **Remove this Person:** select to remove the selected face tag and the person from the library. The photos that were tagged are not removed from the project library.

Tagging Faces

CyberLink PhotoDirector can analyze the photos in your library, detecting any faces in them. You can then tag the people you want in your photos, by reviewing the results or by manually tagging them yourself. Once the faces are tagged, the photos are then categorized in the Faces section of the library, and included on Facebook if you choose to share them on the social media web site.

Analyzing Photos for Faces

CyberLink PhotoDirector uses face recognition to auto detect the faces in your photos. To have CyberLink PhotoDirector analyze photos for faces, do this:


1. Select all of the photos in the photo browser panel that you want to analyze.
2. Click the **Tag Faces** button. CyberLink PhotoDirector will analyze the photos and detect all the faces in them.
3. When the analysis process is complete, the Tag Faces window is displayed. See [Managing Faces in the Library](#) below for information on managing the faces you just finished analyzing.

Managing Faces in the Library



After CyberLink PhotoDirector has analyzed photos, it groups similar faces together in the Tag Faces window. In this window you can review each face and associate it with a person in the library, or add a new person. You can also skip faces if you

want to add them later.

The Tag Faces window can be access by the following methods:

- select photos in the photo browser panel, and then click the **Tag Faces** button. The Tag Faces window displays after analyzing the photos for faces.
- in the **Faces** section of the library panel, click  next to the item marked **Unknown** and then select one of the following:
 - **Tag Faces in Selected Photos** to have CyberLink PhotoDirector analyze the currently selected photos for faces.
 - **Tag Previously Unnamed Faces** to continue tagging and naming the faces previously analyzed.
 - **Continue Last Process** if you canceled the analysis process previously before the face tagging was complete on the selected photos.


Once in the Tag Faces window you can manage the tagged faces, for each group of faces, by doing the following:

Note: CyberLink PhotoDirector groups the similar faces together in the group browser. Select a group of faces to view them and tag the faces. Click on  to show the group browser if necessary, or  to hide it.

- if the person tagged in the group of photos is not in your library, select the check boxes on the photos, click on **Select**, and then enter the person's name in the **Add New Person** field. Click **OK** to add the person and tag them in the photos.


Note: if one of the photos in a group does not match the others, just deselect its checkbox before tagging the faces, so that it won't be included.

- select the check boxes on the photos, click on the **Select** button, and then select the person from the list that matches the face in the group of photos.
- if the person tagged in the group of photos is in the suggestion list above the group of photos, just select the button with the name of the person.

Note: if required, hover your mouse over a tagged face in the Tag Faces window and then click  to view the photo the face is tagged in.

- select **Skip** to ignore the tagged face. At any time you can click on the **Skipped** tab and tag the photos if required.



Click the **Done** button to close the tag faces window when you are finished.

Note: once you are done tagging a person in some photos, you can select more photos in the library, click  next to the person's name, and then select **Find More Faces of this Person in the Selected Photos**. CyberLink PhotoDirector will analyze all the selected photos, looking for more photos that contain this person.

Manually Tagging Faces

If CyberLink PhotoDirector missed faces during the auto tagging process, you can manually tag faces in your photos.

To manually tag faces, do this:

1. Select the photo in the browser panel you want to tag faces in.
2. Click the  button at the bottom of the photo viewer window to enter the tag face editor.
3. CyberLink PhotoDirector will place tag face boxes on all the faces it detects in the photo. If none are added, click on the  button to add one.
4. If required, drag and resize any manually placed face squares so that they fit on the person's face.
5. Do one of the following:
 - click on **Unnamed** and then enter the person's name in the **Add New Person** field. Click **OK** to add the person and tag them in the photo.
 - click on **Unnamed** and then select the person from the list that matches the face in the photo.
 - if CyberLink PhotoDirector thinks it recognizes the person tagged in the photo, it will display the suggested name below the photo. Click the check mark under it if it is correct. If incorrect, click on the suggested name and then select the person from the list. If it is a new person, enter his or her name in **Add New Person field** and then click **OK**.
6. If required, repeat the above steps to tag more faces in the photo as required.

Note: at any time you can hover your mouse over a tagged face and click the X to remove the face tag information.


Metadata Tab



Click the **Metadata** tab to view detailed embedded information for the current photos that are selected. Included on the Metadata tab are EXIF camera details and information about the captured photo, including date capture, shutter speed, exposure information. The tab also includes fields where you can manually enter IPTC metadata for your photos, including contact and copyright information.


Note: the photo EXIF metadata available on the Metadata tab is dependent on the information that was embedded in the photo when it was shot.

On the Metadata tab you can also:

- rate each photo by selecting the desired star rating.






- click  to flag a photo that you like and may want to use later. You can then filter flagged photos in the photo browser panel later.
- click  to reject a photo you do not like.
- add IPTC metadata to your photos. To do this, select all the photos you want to add IPTC metadata information to, click in the spaces next to the IPTC fields, and then enter the metadata in the fields provided.




- add IPTC copyright information to your photos. To do this, select all the photos you want to add copyright information to, and then select the **Copyright status** from the drop down in the **Copyright** section. Next, click in the spaces next to the **Copyright** section, and then enter the copyright info in the fields provided.



- select **Tags** to view all the tags for the selected photos. If required, you can create a new tag for all the selected photos by entering it in the field provided and then clicking .



- hover your mouse over a tag and then click  to remove it from a photo.

Adjustment Panel

The adjustment panel displays when in the adjustment window and contains all of the tools you use to touch up and adjust your photos. See [Adjustments](#) for a detailed description of the all the tools available on the adjustment panel.

Edit Panel

When in the edit window, the edit panel displays. It provides access to all of the editing options you can use on the photos in the library. See [Edits](#) for a detailed description of the all the options available on the edit panel.

Slideshow Panel


When in the slideshow module, you can set slideshow preferences and settings on the slideshow panel. See [Slideshows](#) for detailed information about the controls on the slideshow panel.

Print Panel

Use the options on the print panel to set up your photos for printing in the print window. See [Printing](#) for detail information on the available controls on the print panel.

Photo Browser Panel

The photo browser panel is where you can browse through all the photos in your project library. When you select a collection, folder, album, tag, etc. in the library panel, all the photos it contains display in the photo browser panel.





A - Thumbnail View, B - List View, C - Filter Photos, D - Resize Panel, E - Search, F - Tag Faces, G - Export Photos, H - Share Photos

Select a photo in the panel to display it in the photo viewer window.

Note: the time it takes for CyberLink PhotoDirector to load a preview of the photo, is dependent on the preview quality selected in File Handling Preferences. See **Preview cache** in [File Handling Preferences](#) for more information.

While browsing through photos in the panel, you can:






- select  to browse through photos in a thumbnail view that includes large photo thumbnails.
- select  to view more detailed information about photos, including date captured, aperture, and shutter speed. In list view you can sort the photos in

the panel by clicking on a column header.

Note: for best results when sorting photos in list view, try the **Browser Only** mode. See [Selecting View Mode](#) for more information.

- when in thumbnail view, select a photo and then rate it by selecting the desired star rating.



- when in thumbnail view, select a photo and then click  to flag a photo that you like and may want to use later.
- when in thumbnail view, select a photo and then click  to reject a photo you do not like or want to use.
- you can also group photos using color labels. To label, right-click on a photo in the photo browser panel, select the **Label** option, and then a color from the list.
- right-click on a photo in the panel (or in the viewer) and then select **Show Photos in Same Folder** to only display photos in the Library that are in the same folder as the selected photo.
- right-click on a photo in the panel (or in the viewer) and then select **Show Photos in Same Album** to only display photos in the Library that are in the same album as the selected photo.
- click  and then select an item in the list to filter the photos in the panel by their flagged and rejected status.
- click  and then select an item in the list to filter the photos in the panel by their label.
- click  and then select an option in the list to filter the photos in the panel by whether they have been adjusted or not.
- right-click on a photo and select **Create Virtual Photo** to create another copy you can use for editing. See [Creating Virtual Photos](#) for more information.

- click and drag the top edge of the photo browser panel to resize it and the size of the photo thumbnails (when in thumbnail view).
- if you are in the library module, click **Tag Faces** to have CyberLink PhotoDirector tag all the faces in the photos selected in the browser panel. See [Analyzing Photos for Faces](#) for more information.
- click **Export** to export, with the adjustments applied to them, the selected photos. See [Exporting and Sharing Photos](#) for more information.
- click **Share** to upload the selected photos to Flickr or Facebook. See [Sharing Photos](#) for more information.
- double-click in the photo viewer canvas area to hide the photo browser panel from view and get a larger view of the current photo (viewer only mode). Double-click on it again to redisplay the browser panel (viewer & browser mode).

Searching for Photos

If you are looking for specific photos in the browser panel, use the search function to find them using keyword tags.

To search for photos in the browser panel, do this:

1. Enter in a keyword in the search field located on top of the browser panel.



2. CyberLink PhotoDirector filters the photos based on the keywords entered.



Note: click on  to clear the search results and display all the photos in the browser panel.

Photo Viewer Window




The photo viewer window displays a preview of a photo selected in the photo browser panel. Any adjustments you make to photos are viewable in the photo viewer window as well.





A - Select View Mode, B - View at Full Screen, C - Secondary Monitor Display Mode, D - Zoom Tool, E - Pan Tool, F - Select Viewer Display Mode, G - View History, H - Show Original Photo, I - Photo Viewer Toolbar, J - Customize Toolbar, K - Viewer Zoom

Selecting View Mode

In the top left of the photo viewer window, select one of the following view modes when browsing through and viewing photos in CyberLink PhotoDirector:

-  **Viewer & Browser Mode** - select to display the photo viewer window and the photo browser panel for easy browsing and viewing of photos.
-  **Viewer Only Mode** - select to display a larger view of the photos.
-  **Browser Only Mode** - select to display a large photo browser panel. This view is ideal when sorting through photos when in list view.

***Note:** you can double-click in the photo viewer canvas area to hide the photo browser panel from view and get a larger view of the current photo (viewer only mode). Double-click on it again to redisplay the browser panel (viewer & browser mode).*

When previewing photos in the project library or when making adjustments, select  to view the current photo at full screen. Once in full screen mode, you can click  to display the library/adjustment/edit panel if required.

Selecting Viewer Display Mode

The photo viewer window has several display modes, including compare, mirror, and also the ability to view photos on more than one display device.

***Note:** if you have more than one display device connected to your computer, the primary device is listed as **Main Monitor**, while the secondary device is listed as **Secondary Monitor**. Click the  button to view the secondary monitor display mode options.*

Click the buttons in the bottom left corner of the photo viewer window to set the display mode.

***Note:** the buttons/modes that are available is dependent on which CyberLink PhotoDirector module you are currently within.*

Main Monitor













-  **Show one** - shows one preview window for the selected photo in the library and adjustment modules.
-  **Compare two** - when browsing through photos in your project library, use this display mode to compare two different photos in the library. The photo on the left (Current) is the photo you are comparing to other (Candidate) photos. Click the Set as Current button to set the Candidate photo as the Current photo, or the one you are using to compare. If zoomed in on a



photo in this mode, the following buttons are available:

-  **Link focus** - select to link the movement of two photos you are comparing when zoomed in.
-  **Sync** - select to quickly sync the zoomed in focus area of both photos you are comparing.
-  **Show multiple** - when browsing through photos in your project library, use this display mode to show multiple photos at once. To select multiple photos, hold down the Ctrl key on your keyboard and select as many photos as you want. In this view you can rate, flag, and reject each of the photos. Hover your mouse over a photo and then click the X in the top right corner to remove it from the view, if required.
-  **Compare before/after** - when in the adjustment module, click this button to display before and after panels, or a comparison between the original photo (Before) and the photo with the adjustments applied (After). There are four available comparison modes you can choose from:
 -  **Side by side** - select to compare adjustments to photos side by side.
 -  **Split - left/right** - select to split the photo, with the left half containing the original photo, and the right half of the photo with the adjustments applied.
 -  **Top/bottom** - select to compare adjustments to photos top to bottom.
 -  **Split - top/bottom** - select to split the photo, with the top half containing the original photo, and the bottom half of the photo with the adjustments applied.


Secondary Monitor


If you have more than one monitor connected to your computer and have extended your desktop, click the  button and select the display mode for the secondary monitor.

-  **Mirror**: duplicates the viewer display on the secondary monitor.

-  **Alternate:** provides a secondary view of the photos you are viewing. For example, if you are viewing a photo in normal mode, the photo displays at full screen on the secondary monitor. If you are in compare two mode, select one of the two photos to have it display at full screen on the secondary monitor.
-  **None:** select if you don't want anything displayed on your secondary monitor.

History

When in the adjustment or edit module, click  to view a history of all the adjustments and edits you have made to the current photo you are viewing. See [Viewing History](#) for more information.

You can also click and hold the  button to quickly view the original photo during the adjustment/edit process.






Note: when in the library module, these two buttons are hidden and replaced by  and . Use these buttons to manually tag people in selected photos. See [Manually Tagging Faces](#) for more information.

Photo Viewer Toolbar

When in the library, adjustment, or edit module, the photo viewer toolbar provides quick access to several useful tools you can use to manage the photos as you work.


Click on  to customize the tools on the photo viewer toolbar. The available tools are as follows:





- when viewing a photo, click  to flag a photo that you like and may want to use later.
- when viewing a photo, click  to reject a photo you do not like or want to use.
- when viewing a photo, rate it by selecting the desired star rating on the toolbar, or directly below the bottom left corner of the photo.



- when viewing a photo, click a color to label it. You can use color labels to

group photos together by selecting the same color label for similar types of photos.



- when viewing a photo, click  to rotate it 90 degrees in the counterclockwise direction.
- when viewing a photo, click  to rotate it 90 degrees in the clockwise direction.
- when viewing a photo, click  to select the previous photo in the browser panel, or  to select the next one.

Viewer Zoom


When previewing photos in the photo viewer window, use the **Zoom** drop-down to set the size of the photo preview. Select **Fit** to resize the selected photo so that it fits in the viewer window.

When you zoom in or out on a photo, a navigation thumbnail for the viewer displays above the drop-down. Click and drag the available box to change the focus area to suit your zooming requirements.




Note: the **Navigation** option must be selected in the **Zoom** drop-down for the navigation thumbnail to display.

You can also use the following zoom and pan tools for easier viewing of your photos in the photo viewer window:


-  - when selected, clicking the left mouse button in the photo viewer window zooms in on the current photo. Click the right mouse button to zoom out.

Note: when selected, hold down the left mouse button and then draw a square on the photo to quickly zoom in on a specific area.

-  - click to enable panning when zoomed in on a photo. To pan, just click on the photo and drag it to view different areas.

PhotoDirector Preferences

Use the CyberLink PhotoDirector preferences to set the UI language, project backup frequency, file handling, and more.

To set your preferences in CyberLink PhotoDirector, select **File > Preferences** from the menu, or click the  button.

General Preferences

In the Preferences window, select the **General** tab. The available options are as follows:

Language

- **Use system default language:** select this option for the language display to be the same as the language of your operating system.
- **User defined:** select this option and then select the language from the drop-down list that you want to use.

Update

- **Automatically check for software updates:** select to periodically check for updates or new versions of PhotoDirector automatically.

Warning messages

- Click the **Reset** button to reset all the "Never ask again" confirmation


dialogs back to the default settings. All of the confirmation dialogs will display again once selected.

Project Preferences

In the Preferences window, select the **Project** tab. The available options are as follows:

Project backup

It is recommended that you regularly back up your projects. Backing up your projects regularly ensures that you do not lose any of the adjustments or changes you made to your photos.

- **Auto backup reminder:** select from the drop-down how often you want CyberLink PhotoDirector to remind you to back up projects. Click the **Back Up Now** button to back up the project now.
- **Back up to:** click  to set the folder on your computer where project backups are stored.

Project information:

In this section CyberLink PhotoDirector displays the current project information, including date created and the date of the last backup.

DirectorZone Preferences

In the Preferences window, select the **DirectorZone** tab. The available options are as follows:

Auto sign in

- **Auto sign in to DirectorZone when PhotoDirector is launched:** select this option and then enter in your e-mail address and password to automatically sign in to DirectorZone when the program is opened. If you do not have a DirectorZone account, click on the **Get an account** link.

Privacy rules

- **Allow DirectorZone to gather editing information:** select this option to allow DirectorZone to collect the details about the adjustments you used in the presets you are uploading.

File Handling Preferences

In the Preferences window, select the **File Handling** tab. The available options are as follows:

Preview cache

When you select a photo in the browser panel, the time it takes for the photo to load is dependent on quality of the preview rendered. CyberLink PhotoDirector lets you render a preview of each photo (which is saved in the preview cache location folder) to enable faster load times when browsing through them.

- **Location:** the location on your computer where the preview data is saved.
- **Maximum size:** specify the maximum size allowed for the preview data on your computer's hard drive.
- **Preview quality:** specifies the current preview quality of the photos. If you would like to render previews to improve quality or free up disk space, just select the updated preview quality from the list.

Improvement Program Preferences

In the Preferences window, select the Improvement Program tab. The available options are as follows:

CyberLink Product Improvement Program

- **I want to participate:** select this item if you would like to participate in the CyberLink Product Improvement Program for PhotoDirector. Once enabled, CyberLink PhotoDirector will collect information about the hardware and software configuration of your computer system, as well as your usage behavior and statistics related to the software. Click the **Read more information about the improvement program online** link to view more detailed information about the content collected.

Note: the CyberLink Product Improvement Program for PhotoDirector will not collect any personal information for purposes of identifying you.



Chapter 4:

Adjustments

This chapter outlines all of the adjustments you can make to your photos in CyberLink PhotoDirector. It also provides a description of adjustment presets, and how you can use them to quickly edit your photos.

Click on the **Adjustment** button and then on the **Manual** tab to begin making adjustments to your photos. Any adjustments you make are not auto-applied to the original photo file. CyberLink PhotoDirector keeps a log of all the adjustments you want to make, and then applies them to each photo when it is exported, printed, shared, etc. This leaves the original photo untouched.

At any time during the adjustment process, you can:

- click  to quickly peek at the original photo.
- click  to view a log of the adjustments applied on a photo in History. See [Viewing History](#) for more information.
- click **Reset** at the bottom of the adjustment panel to revert all the changes back to the original photo.

Creating Virtual Photos

Before you begin making adjustments to your photos, you can duplicate them by creating virtual copies. To do this, right click on a photo in the photo browser panel and select **Create Virtual Photo**.


Virtual photos are not physical photos on your hard drive until you export them. This allows you to make a different set of adjustments on the same photo, simultaneously, and then export the different resulting photos together.

You can create as many virtual copies as you want. They are indicated in the photo browser panel as shown below.



Histogram

The histogram is a graphical representation of the color tone distribution in a selected photo. Below the histogram is some metadata information for the photo.



The X axis of the graph represents the RGB color tone value between 0 and 255, while the Y axis indicates the number of pixels in the photo that have this value.

The histogram is created with the three RGB (red, green, and blue) color values given to each pixel in a photo. The gray portions indicate where all three colors overlap on the histogram, while yellow, magenta, and cyan appear when two of the colors overlap.

Note: *hover the mouse pointer over any pixel on the selected photo to view its RGB tone value in the histogram.*

Converting Photos to Black and White


You can instantly convert a selected photo to black and white using the histogram.

To convert, select **B&W**. To convert back, select **Color** on the top of the histogram.


Note: *after you convert a photo to black and white, the Black and White section of the adjustment panel is enabled. See [Black and White Mix](#) for details on adjusting the lightness in black and white photos.*

Viewing Exposed Areas

The histogram can be used to determine if the photo was shot correctly. A photo with a histogram that arcs towards the left, indicates the photo was underexposed (contains a lot of dark pixels), while one that arcs towards the right means there was an overexposure (lots of lighter pixels).

Click  to view the areas of a photo that were so over and underexposed that all detail was lost, or clipped, in that area.



The areas that are overexposed are indicated in red. The areas of the photo that are underexposed, in blue. Click  to hide these areas.

Regional Adjustment Tools

Use the regional adjustment tools if you want to modify only a specific area of a photo. You can also use these tools to crop, rotate, remove spots and red-eye, and more.

The following sections outline the features and functions available in the regional

adjustment tools of CyberLink PhotoDirector.

- [Cropping and Rotating Photos](#)
- [Removing Spots](#)
- [Removing Red-Eye](#)
- [Using the Adjustment Brush](#)
- [Using Adjustment Selection](#)
- [Using a Gradient Mask](#)

To begin using a regional adjustment tool, just select it from the available icons.



Cropping and Rotating Photos



You can crop out portions of a photo you do not want, and rotate them up to 45 degrees for an effect or to straighten them if they are a little crooked or uneven.

To assist you when cropping and rotating photos, select a **Tool overlay** from the drop-down in the bottom right of the photo viewer window. Use the overlay that will best guide and assist you to more precisely crop and straighten a photo.

Cropping Photos

To crop a photo, do this:

1. Click  to display the available crop and rotate options.
2. To crop, do one of the following:
 - click  to manually crop out a section. Click and drag on the photo to manually set the crop area.
 - select a crop area shape from the **Aspect** drop-down. To create a custom shape, select **Enter Custom**, enter the **Aspect ratio** values in the field provided, and then click **OK**.

Note: click  if you want to manually resize the crop area's aspect ratio. Click  if you want the crop area to maintain its aspect ratio.



3. Click and drag the corners and sides of the crop area to resize, if necessary.

4. Click inside the shape and drag to move the crop area, if necessary.
5. Click **Done** to crop the photo.

Rotating Photos

To rotate a photo, do this:

Note: when you rotate a photo, some portions are cropped to make it square. You can rotate photos 90 degrees by right clicking on it and selecting **Rotate Right/Left**.

1. Click  to display the available crop and rotate options.
2. To rotate, do one of the following:
 - click  and then click and drag on the photo to draw a line along the part you want to be horizontal or vertical. For best results, draw on a straight line in the photo that you know should be level, as shown in the example below.



- click and drag the Angle slider until the photo appears to be level.

- hover the mouse outside the crop area until the mouse pointer becomes curved. Then click and drag on the photo to manually rotate it.




3. Click inside the crop area and drag to move it, if necessary. You can also resize the crop area as well.
4. Click **Done**. CyberLink PhotoDirector crops out the excess portions of the photo to make it square.




Removing Spots

The spot removal tool lets you fix any imperfections or blemishes in a photo.

To remove spots, do this:

1. Click  to open the spot removal tools.
2. Set the spot removal options as follows:
 - **Clone/Heal:** select and use **Clone** if you want to copy an area of the photo and use it to cover up the spot. Select and use **Heal** to touch up the spot using the photo information (texture, lighting, and shading) that surrounds it.
 - **Size:** use the slider to set the size of area that the tool covers up.
 - **Feather:** use the slider to set the transition level between the area being covered up and the pixels around the area.
 - **Opacity:** use the slider to set the transparency of the applied cover up.
3. Click on the part of the photo you want to touch up and then drag the spot removal tool to the part of the photo you want the spot to resemble.




4. Click **Done** to finish the adjustments and close the panel.

Removing Red-Eye

You can remove red-eye from photos using the tool in regional adjustments.

To remove red-eye, do this:

1. Click  to open the remove red-eye tools.
2. On the photo, click in the center of the affected eye, and drag the mouse to resize a color spot that is placed over the red-eye.



3. CyberLink PhotoDirector should auto detect the red-eye, and then fix it for you. If it is unable to detect it properly, click and drag the applied spot to

center it over the red area, and then use the available sliders to manually fix it as follows:


- **Pupil size:** use the slider to resize the spot on the red area of the pupil.
 - **Darken:** use the slider to darken the spot to the desired color.
4. Click **Done** to finish the adjustments and close the panel.

Using the Adjustment Brush

You can use the adjustment brush to select, or brush, just the parts of a photo that you want to adjust.

To use the adjustment brush, do this:

***Note:** you can adjust multiple areas of the photo using masks. See [Using Masks for Multiple Brush Adjustments](#) for more information.*

1. Click  to open the adjustment brush controls.
2. Click and drag on the photo to apply a brush stroke. CyberLink PhotoDirector displays a mask color on the area you apply.

***Note:** the mask disappears as soon as you start adjusting the brush options. See [Using Masks for Multiple Brush Adjustments](#) for more information.*


3. Set the adjustment brush options as follows:
 - **Brush/Eraser:** select the **Brush** to apply the set adjustments. Use the **Eraser** if you make some errors using the brush and want to remove areas of the applied adjustments.
 - **Size:** use the slider to set the size of the brushed or erased area. You can also use the mouse scroll wheel to adjust the diameter of the brush.
 - **Feather:** use the slider to set the transition level between the area being brushed and the pixels around the area. The area between the inner and outer circle is the size of the gradient that CyberLink PhotoDirector uses to create a smooth transition between the areas.
 - **Strength:** use the slider to set the amount of adjustment applied with a brush stroke.
 - **Fit to edges:** select this option to limit applied adjustments to areas of the photo that have a similar properties. CyberLink PhotoDirector auto applies them for you based on your brush strokes.

4. Set the type of **White Balance** adjustments you want to make using the available sliders. See [White Balance](#) for details on the available adjustment options.
5. Set the type of **Tone** adjustments you want to make using the available sliders. See [Tone](#) for details on the available adjustment options.
6. Set the type of **HSL/Color** adjustments you want to make using the available sliders. See [HSL/Color](#) for details on the available adjustment options.
7. Set the type of **Detail** adjustments you want to make using the available sliders. See [Detail](#) for details on the available adjustment options.
8. Click and drag on the other areas of the photo where the adjustments should be applied. Use the sliders to further refine the adjustments as required.
9. Click **Done** to finish the adjustments and close the panel.

Using Masks for Multiple Brush Adjustments


You can make up to five different brush adjustments on a photo. When you modify the adjustment options and use the brush to apply them to a photo, a mask is auto created and labeled by color.

The mask label is visible in the **Mask** drop-down at the top of the brush panel.




To create a new adjustment mask, do this:

1. Select **New** from the **Mask** drop-down to create a new mask.



2. Apply a brush stroke and then use the sliders to set the adjustments as required for the second adjustment.
3. CyberLink PhotoDirector labels the mask with another color in the **Mask** drop-down.



4. CyberLink PhotoDirector marks each mask on the photo with the color label.



Note: to remove a mask from a photo, just click its color label node and then press the Delete key on your keyboard.

5. Click the color label to toggle the masks on and off, and view the areas of the photo where each of the adjustments was applied.




Using Adjustment Selection

Adjustment selection lets you select only the pixels in a photo you want to adjust. This allows you to select and adjust objects in the photo, and areas that are similarly colored, only.


To use adjustment selection, do this:

Note: you can adjust multiple areas of the photo using masks. See [Using Masks for Multiple Adjustment Selections](#) for more information.

1. Click  to open the adjustment selection controls.
2. Set the adjustment selection options as follows:
 - **Brush/Eraser:** select the **Brush** to select areas (pixels) to adjust. Use the **Eraser** to deselect areas (pixels).
 - **Size:** use the slider to set the size of the selection tool. You can also use the mouse scroll wheel to adjust the diameter of the selection tool.
 - **Intelligent:** enable this option if you want CyberLink PhotoDirector to assist you when using the brush to select pixels. Once enabled, all pixels with similar properties are selected for you when you make a brush stroke.
 - **Feather:** use the slider to set the transition level between the area being selected and the pixels around the area. The area between the inner and outer circle is the size of the gradient that CyberLink PhotoDirector uses to create a smooth transition between the areas.
3. If **Brush** is selected, click on an area of the photo and CyberLink PhotoDirector will auto select a range of similar pixels. If there are some pixels selected that you don't want to adjust, use the **Eraser** to deselect them.

Note: CyberLink PhotoDirector displays a mask color on the area you select. See [Using Masks for Multiple Adjustment Selections](#) for more information.

4. Once you have the area of the photo selected, you can use the **Shift** slider to reduce or enlarge the selection area. Drag the slider left to shrink to selection area, or right to enlarge it.
5. Set the type of **White Balance** adjustments you want to make using the available sliders. See [White Balance](#) for details on the available adjustment options.
6. Set the type of **Tone** adjustments you want to make using the available sliders. See [Tone](#) for details on the available adjustment options.
7. Set the type of **HSL/Color** adjustments you want to make using the available sliders. See [HSL/Color](#) for details on the available adjustment options.
8. Set the type of **Detail** adjustments you want to make using the available sliders. See [Detail](#) for details on the available adjustment options.

Note: if required, click the  button in the brush tools to invert the selected pixels. When selected, CyberLink PhotoDirector will apply the adjustments to areas that were not selected.

9. Click **Done** to finish the adjustments and close the panel.

Using Masks for Multiple Adjustment Selections


You can make up to five different selected adjustments on a photo. When you select areas of the photo and modify the adjustment options, a mask is auto created and labeled by color.

The mask label is visible in the **Mask** drop-down at the top of the brush panel.



To create a new adjustment mask, do this:

1. Select **New** from the **Mask** drop-down to create a new mask.



2. Select an area of the photo and then use the sliders to set the adjustments as required for the second adjustment.
3. CyberLink PhotoDirector labels the mask with another color in the **Mask** drop-down.



4. CyberLink PhotoDirector marks each mask on the photo with the color label.




Note: to remove a mask from a photo, just click its color label node and then press the Delete key on your keyboard.

5. Click the color label to quickly select the mask, and view the selected areas (pixels) of the photo where each of the adjustments was applied.

Using a Gradient Mask

Use the gradient mask to apply adjustments gradually across a large area of a photo.

To use a gradient mask, to this:

1. Click  to open the gradient mask tools.
2. Click and drag on the photo to set the gradient across a portion of the photo. CyberLink PhotoDirector displays a mask color on the area you apply.

Note: the mask disappears as soon as you start adjusting the gradient mask options. See [Using Multiple Gradient Masks](#) for more information.


3. Set the type of **White Balance** adjustments you want to make using the available sliders. See [White Balance](#) for details on the available adjustment options.

4. Set the type of **Tone** adjustments you want to make using the available sliders. See [Tone](#) for details on the available adjustment options.
5. Set the type of **HSL/Color** adjustments you want to make using the available sliders. See [HSL/Color](#) for details on the available adjustment options.
6. Set the type of **Detail** adjustments you want to make using the available sliders. See [Detail](#) for details on the available adjustment options.
7. Click **Done** to finish the adjustments and close the panel.

Using Multiple Gradient Masks


You can use up to five gradient masks on a photo in CyberLink PhotoDirector. When you modify the adjustment options and use the gradient mask on the photo, CyberLink PhotoDirector auto creates a mask labeled by color.

The mask label is visible in the **Mask** drop-down at the top of the gradient mask panel.



To create a new gradient mask, do this:


1. Select **New** from the **Mask** drop-down to create a new mask.



2. Click and drag on the photo to set the gradient across a different portion of the photo.
3. Use the sliders to set the adjustments as required for the second gradient mask.
4. CyberLink PhotoDirector labels the mask with another color in the **Mask** drop-down.




5. CyberLink PhotoDirector marks each gradient mask on the photo with the color label.



Note: to remove a mask from a photo, just click its color label node and then press the *Delete* key on your keyboard.

6. Click the color label to toggle the masks on and off, and view the areas of the photo where the gradient was applied.



Regional Adjustment Options

When making regional adjustments with the adjustment brush, adjustment selection, or a gradient mask, the following options are available to you.

White Balance


- **Temp:** use to adjust the color temperature in the selected region of the photo. A negative value applies a colder temperature, while a positive value applies an atmosphere that is warmer.
- **Tint:** use to adjust the color level in the selected region of the photo.

Tone

- **Exposure:** use to adjust areas of the photo that are over or underexposed. A negative value darkens overexposed areas, while a positive value lightens underexposed areas.
- **Brightness:** use to adjust the brightness in parts of the photo.
- **Contrast:** use to adjust contrast, or the difference between light and dark areas of the photo.
- **Clarity:** use to adjust the clarity of details in the photo.
- **Vibrance:** use to make the colors in areas of a photo brighter and more vivid, by enhancing the duller colors.
- **Saturation:** use to adjust the intensity of a color in certain areas of the photo.

HSL/Color

See [HSL/Color](#) for a detailed explanation of the HSL/Color options available on the selected areas of your photo.

Note: the  tool is not available when adjusting the HSL/Color options with the regional adjustment tools.

Detail

Sharpness

- **Amount:** use the slider to adjust the amount of sharpness applied to the

photo.

Noise Reduction

Applying sharpness to areas of photos may result in some image noise. Use the following sliders to reduce the noise as required:

- **Luminance:** use this slider to slightly adjust the color brightness, by reducing any unwanted light grey spots in a photo that cause luminance noise.
- **Detail:** use this slider to adjust/recover detail in the photo that may be lost when reducing luminance noise from a photo.
- **Color:** use this slider to slightly adjust the overall color saturation, by reducing any unwanted color spots in a photo that cause color noise.
- **Detail:** use this slider to adjust/recover detail in the photo that may be lost when reducing color noise from a photo.

Global Adjustment Tools

Use the global adjustment tools to modify the entire photo. The following sections outline the features and functions available in the global adjustment tools of CyberLink PhotoDirector.

- [White Balance](#)
- [Tone](#)
- [HDR Effect](#)
- [Level](#)
- [Curve](#)
- [HSL/Color](#)
- [Black and White Mix](#)
- [Detail](#)
- [Correction](#)


White Balance

Use white balance for color correction or you can use it to adjust the color temperature of a photo to create a specific atmosphere. A warmer color shifts light toward the yellows and reds; a colder color shifts light toward the blues and greens.

To adjust the atmosphere of a photo using white balance, do this:

1. Drag the **Temp** slider to adjust the color temperature in the photo. A negative value applies a colder temperature, while a positive value applies an atmosphere that is warmer.
2. Drag the **Tint** slider to adjust the color level of in the photo.


To use white balance to color correct a photo, do one of the following:

- click  and then use the eye dropper to select a pixel in the photo that you believe should be grey.



CyberLink PhotoDirector auto corrects the color in the photo.

- select **Auto** in the drop-down to have CyberLink PhotoDirector auto adjust white balance and correct the color for you.




Note: to reset the white balance back to the original color values, select **As Shot** in the drop-down.

White Balance on RAW Photos

When adjusting the white balance on camera RAW photo formats, there are several

white balance presets available.




Select a preset from the list to have CyberLink PhotoDirector auto adjust the white balance for you.

Tone

In this section of the adjustment panel, the sliders available adjust the tone of the entire photo, while the Tinge sliders let you modify the clarity, vibrancy, and saturation levels. Use the histogram to assist you in the adjustment of some of the options.

To adjust the tonal level of your photos, do this:

1. Click  to have CyberLink PhotoDirector automatically adjust the color tone in the selected photo.
2. Manually adjust color tone using the available sliders as follows:
 - **Exposure:** use on photos that are over or underexposed. A negative value darkens the all the colors in the photo, while a positive value lightens them.
 - **Contrast:** use to adjust contrast, or the difference between light and dark areas of the photo.
 - **Brightest:** use to brighten/darken the colors in the photo that are close to

whites. Darkening the lighter colors can enhance their contrast and make highlights stand out more. Drag the slider left to darken, reducing the clipping in highlights. Drag it right to brighten and clip the colors that are close to white.

- **Bright:** is applied to areas of photos that are overexposed, which can recover detail in the highlights and brighter areas. Drag the slider left to recuperate lost detail in highlights by darkening them. Drag it right to brighten the photo without clipping the brighter areas.
 - **Midtone:** use to adjust the overall brightness of the photo by changing the midtone colors only. Drag the slider left to darken, or right to brighten.
 - **Dark:** can be used to help enhance detail in dark sections of the photo by brightening shadows and underexposed areas. Drag the slider left to darken the photo without clipping the shadows. Drag it right to recuperate lost detail in shadows by brightening them.
 - **Darkest:** use to brighten/darken the colors in the photo that are close to blacks. Brightening the darker colors can enhance their contrast and make shadows stand out more. Drag the slider left to darken and clip the dark colors. Drag it right to brighten and reduce clipping in shadows.
3. Manually adjust the sliders to adjust the photo tinge as follows:
- **Clarity:** use to adjust photo clarity. Dragging the slider to the right makes the photo appear crisper, while to the left makes it appear more "dreamy".
 - **Vibrance:** use to make the colors in a photo brighter and more vivid, by enhancing the duller colors.
 - **Saturation:** use to adjust the saturation of color in a photo. A negative value moves the colors towards black and white, while a positive value increases the overall intensity of color in the photo.

HDR Effect

In this section of the adjustment panel, use the sliders to apply an HDR effect on your photos. The HDR (high dynamic range) effect adjusts the lighting range on the edges in photos, allowing you to recover any loss of detail caused by contrasting brightness during photo exposure. Users can also use this effect to give photos a more dramatic tone.

Glow

Use the Glow sliders as follows to apply an HDR glow effect, or a "halo" edge, on contrast edges in your photos:

- **Strength:** use this slider to adjust the amount of the HDR glow effect applied to the photo.
- **Radius:** use the slider to adjust the radius of the HDR glow effect, or the amount of contrast applied to the edges in the photo.
- **Balance:** use the slider to adjust the balance (where it is applied) of the HDR glow effect. Moving the slider right applies it on the brighter parts (highlights) of edges. Moving it left applies it to the darker parts (shadows) of edges.

Edge

Use the Edge sliders as follows to apply the HDR effect on contrast edges in the photo:

- **Strength:** use this slider to adjust the amount of the HDR edge effect applied to the photo. Dragging it right will reveal more detail on the contrast edges. Dragging it left will blur them.
- **Radius:** use the slider to adjust the radius of the HDR edge effect, or the amount of contrast applied to the edges in the photo.
- **Balance:** use the slider to adjust the balance (where it is applied) of the HDR edge effect. Moving the slider right applies it on the brighter parts (highlights) of edges. Moving it left applies it to the darker parts (shadows) of edges.

Level


In the level section of the adjustment panel you can redefine the color in the photo by adjusting the RGB color levels. You can adjust using the available presets or manually with the histogram.


To redefine the color using the available presets, select a preset from the **Level preset** drop-down list that best suits the selected photo.

To manually redefine the color in photo, do this:

1. In the **Channel** drop-down, select whether you want to adjust just the **Red**, **Green**, or **Blue** color levels. Select **RGB** to adjust all three levels at once.

Note: if the photo is in black and white, the only channel available is for luminance, or overall brightness of the photo.

2. Click  to display the midtone controls.
3. Click and drag the sliders to adjust the color levels in the photo.




Note: in the above example, the colors in the photo are changed by redefining how many pixels should have a value of 0.

Dragging the sliders on the left, right, makes the colors in the photo darker. While dragging sliders left make the colors brighter.

Curve

In the Curve section, the tone curve graph and controls let you tweak the adjustments you made to the tone and white balance of a photo. You can also use the controls to change the tone scale, or overall contrast, of the photo.




If you click on the curve and drag it down, the photo becomes darker. When dragged up, the photo becomes lighter.

Dragging the sliders affect photos as follows:

- **Highlights:** affects the top end of the curve, and is applied to areas of photos that are overexposed to recover detail in the highlights and brighter areas.
- **Lights:** affects mainly the upper middle of the curve, and is used to adjust the color tone of the lighter pixels in the photo.
- **Darks:** affects mainly the bottom middle of the curve, and is used to adjust the color tone of the darker pixels in the photo.
- **Shadows:** affects the bottom end of the curve, and enhances detail in dark sections of the photo by lightening shadows and underexposed areas.

To broaden or limit the range of tones that are affected when you make changes to the curve, you can drag the **Region** control sliders at the bottom of the tone curve graph.



Doing so also fine tunes the shape of the curve and the overall tonal scale of the photo.


HSL/Color

In the HSL/color section you can fine tune the color in a photo by adjusting its hue, saturation, and lightness. CyberLink PhotoDirector lets you adjust the color in two different ways, but with the similar results.

Note: if you converted the selected photo to black and white, the HSL/color section displays as Black and White. See [Black and White Mix](#) for details on adjusting the lightness in black and white photos.

HSL


When you enter the HSL/color section of the adjustment panel, the HSL controls display.



These sliders let you adjust the entire hue, saturation, or lightness of a photo at the same time.


Hue

Click on **Hue** to fine tune the shade or purity of a specific color the photo. Use the sliders to adjust the eight color band ranges as required.

You can also click on , and then click and (while holding the mouse button down) drag on a specific color in the photo. Drag the mouse up to increase the hue, or down to decrease it.


Saturation

Click on **Saturation** to adjust the saturation of color in the photo. Dragging the sliders to right increases the amount of that color in the photo, while dragging it to the left reduces it. If you drag the slider all the way to the left, you can completely remove a color from the photo.

Use  to adjust the color saturation by clicking on a color in the photo and then dragging the mouse up or down. While holding the mouse button down, dragging the mouse up increases the color saturation. Dragging the mouse down decreases it.


Lightness

Click on **Lightness** to adjust color brightness. For each of the eight colors listed, you can adjust how light or dark the specific color is.

Use  to adjust the lightness of a specific color in the photo. Just click on the color and drag the mouse up to increase the brightness, or drag it down to decrease, making the color darker.

Color


You can also adjust the hue, saturation, and lightness of one specific color using the color palette. Click on **Color** to display the color palette and available sliders.




To use, select a color on the palette and then use the sliders to adjust the hue, saturation, and lightness as required. See the HSL descriptions above for information on the effects of using these sliders. Click on **HSL** to return to the HSL sliders.

Black and White Mix

When you convert photos to black and white in the histogram, this section becomes enabled, replacing the HSL/Color section. In it you can adjust the overall image lightness of the converted photos.



Use the **Lightness** sliders to adjust the brightness of the original colors, which are now black and white.


Use  to adjust the lightness of a specific area of the photo. Just click on the area and then drag the mouse up to increase the brightness, or drag it down to decrease, making the area darker.

Detail


You can adjust the sharpness in a photo in the detail section. The sharpness is applied to edges in a photo to enhance photo detail, where possible.

Magnifier

You can use the Magnifier to get a better view of the applied sharpness on a particular area of the photo. To change the area that is magnified, just click in the Magnifier and then drag your mouse to change the area of focus.



If the area you want to magnify is in a completely different area of the photo, it is

faster to change the area of focus in the Magnifier by clicking on . Then click on the area of the photo you want to magnify.

Adjusting Sharpness

To adjust the sharpness in the photo, use the available sliders as follows:

- **Amount:** use this slider to adjust the amount of sharpness applied to the photo.
- **Radius:** use the slider to adjust the radius or range of sharpness applied to edges in the photo.

*Note: to see the radius mask, ensure that **Show affected areas** is selected. When enabled, dragging the slider lets you see the applied range of sharpness.*

- **Edge mask:** use the slider to apply a mask over on the detected edges in the photo. Once a mask is applied, CyberLink PhotoDirector only applies the sharpness to the masked areas, leaving the surrounded areas untouched.

*Note: to see the edge mask, ensure that **Show affected areas** is selected. When enabled, dragging the slider lets you see the detected edges in the photo.*

Noise Reduction

Applying sharpness and other adjustments to photos may result in some image noise appearing on them. Use the following sliders to reduce the noise as required:

- **Luminance:** use this slider to slightly adjust the color brightness, by reducing any unwanted light grey spots in a photo that cause luminance noise.
- **Detail:** use this slider to adjust/recover detail in the photo that may be lost when reducing luminance noise from a photo.
- **Color:** use this slider to slightly adjust the overall color saturation, by reducing any unwanted color spots in a photo that cause color noise.
- **Detail:** use this slider to adjust/recover detail in the photo that may be lost when reducing color noise from a photo.

Correction

In the Correction section of the adjustment panel you can correct photos that have the keystone effect, appear distorted, or have a vignette effect, which is usually caused by the camera or lighting environment the photo was shot in. You can also add a custom vignetting effect to photos.

Keystone

The keystone section lets you correct the perspective of your photos. Use the available sliders if the subject in a photo appears off because it was taken at an incorrect angle.

Use the sliders to fix the perspective as follows:

- **Horizontal:** use the slider to adjust the horizontal perspective in the photo. This slider helps correct photos that were taken from a left or right angle from the intended subject.
- **Vertical:** use the slider to adjust the vertical perspective in the photo. This slider helps correct photos that were taken from an upward or downward angle, for example if the camera was tilted up or down.

Fisheye Distortion

The fisheye distortion section helps correct photos that appear distorted. Dragging the **Distortion** slider to the right straightens lines that bend away from the center, correcting barrel distortions. Dragging it to the left straightens lines that bend towards the center, fixing pincushion distortions in photos.

Chromatic Aberration

The chromatic aberration section helps to remove color distortions, or fringes, along boundaries that separate dark and bright colors in photos. These fringes are caused when a camera lens does not properly focus all the colors at these boundaries.

Use the sliders to fix the chromatic aberration as follows:

- **Blue/Yellow:** drag the slider left to remove the fringing in colors that are close to blue. Drag it right to remove the fringing in colors that are close to yellow.

- **Red/Cyan:** drag the slider left to remove the fringing in colors that are close to red. Drag it right to remove the fringing in colors that are close to cyan.

Vignette Removal

Use the following sliders to remove an unwanted vignette effect on photos that was caused by a camera lens or the lighting environment:

- **Amount:** use this slider to adjust the level of vignette removal on the photo.
- **Midpoint:** drag the midpoint slider to the left to increase the size of the area (towards the center of the photo) where the vignette removal is applied. Drag it right to decrease the size, towards the corners.

Vignetting Effect

You can add custom vignetting effects to photos in CyberLink PhotoDirector.

Note: the vignetting effect sliders also remove unwanted vignette effect on photos, however the degree of application is greater.

- **Shade:** use this slider to adjust the shade of the vignetting effect. Dragging the slider to the left darkens the corners of the photo towards black, while dragging it right lightens them towards white.
- **Size:** use this slider to adjust the size of the vignetting effect. Dragging the slider to the left increases the size of the vignette effect, closing in a circle on the center of the photo.
- **Roundness:** use this slider to adjust the overall shape of the vignetting effect.
- **Feather:** use this slider to adjust the edge sharpness of the vignetting effect. Dragging the slider to the left makes the edge blunt, while to right uses more of a variant.

Copying Adjustments

When you have finished applying adjustments to a photo, you can copy all of the adjustments you made and apply them to other photos by pasting them. This is useful if you took several photos in the same lighting environment and you need to apply similar adjustments.


To copy and apply adjustments to other photos in the library, do this:

1. At the bottom of the adjustment panel, click **Copy**.
2. In the Adjustment Copy window, select or deselect any adjustment types as required. This allows you to customize the copied adjustment if required.
3. Click the **Copy** button.
4. In the photo browser panel, browse to and select all of the photos you want apply the adjustments to.
5. Click the **Paste** button at the bottom of the adjustment panel to apply the adjustments to the selected photos.

Using Adjustment Presets

Adjustment presets are a saved set of adjustments that you can apply to your photos. You can also download and import presets created by other users, or save your own to use on other photos or share them by uploading to DirectorZone.


Click on the **Presets** tab to display the available adjustment presets.



Downloading Presets from DirectorZone

CyberLink PhotoDirector supplies you with some custom adjustment presets that you can use on your photos. On the Presets tab, these default adjustment presets are available in the Default Presets section.


To download additional adjustment presets from DirectorZone, do this:

1. Click on . CyberLink PhotoDirector launches DirectorZone in your default web browser.
2. You must first sign in to DirectorZone to download templates. If you don't have an account, click the **Create Account** link at the top of the page to get one for free.
3. Select the **PhotoDirector** tab to display all the available adjustment presets you can download.
4. Find a preset you want to download, and then click the **Download** link underneath it.
5. Click **Download** again.
6. Save the template to your computer. Find the location on your computer where you saved the preset .pdadj file, and then double-click on it to install it in the Presets window.

Saving Custom Presets

You can save all the adjustments you made on a photo into a custom preset, so that you can use them on other photos.

To save a custom adjustment preset, do this:

1. Click on  when on the Presets tab, or at the bottom of the **Manual** tab click on **Save**.
2. In the New Preset window, enter the following information:
 - **Name:** enter a custom name for the new preset.
 - **Save in:** select which preset folder on the Presets tab you want to save the preset in. Select **New Folder** if you want to save the custom preset in a new folder.
3. Select or deselect any adjustment types as required. This allows you to customize the adjustment if required.

Note: by default, all adjustment types are selected.

4. Click the **Save** button.

Note: before saving the preset, click the **Share** button if you want to upload it to DirectorZone. See [Uploading Presets to DirectorZone](#) for more information on uploading presets to DirectorZone.

Applying Presets on Photos

You can apply any of the adjustments presets in the Presets window on photos in your library.


To apply adjustment presets on photos, do this:

1. Select the photos you want to apply presets to in the photo browser panel and then click on the **Presets** tab.
2. Hover your mouse over each available preset to preview the current photo with the adjustment applied.
3. Click on the adjustment preset you want to use to apply it.

Uploading Presets to DirectorZone

You can share the custom presets you create by uploading them to DirectorZone.

To upload custom presets to DirectorZone, do this:

1. Select the preset that you want to upload and then click .
2. Follow the detailed steps in the Upload to DirectorZone wizard to complete the upload process.
3. Click **Close** once the upload is complete.

Exporting/Import Presets


You can export your adjustment presets for import and use on another computer.

To export an adjustment preset, do this:


1. Right-click on a preset and then select **Export**.
2. Enter a file name for the preset, and then select the location where you want to export it.
3. Click **Save**. CyberLink PhotoDirector saves the preset in the .pdadj file format.

To import an adjustment preset, do this:

Note: you can only import adjustment presets in the .pdadj file format via this import method. If you are trying to import an adjustment preset in the .pdadj format that you downloaded from DirectorZone, just double click on it.

1. Within the Downloaded Preset or My Created Presets section, click on  and then select **Import**.
2. Browse to location of the preset file and then select **Open** to complete the import.

Viewing History

Click on the  button below the photo viewer to view a history of all the adjustments and edits you made to the selected photo in CyberLink PhotoDirector.


Hover your mouse over an item in the history to view in the thumbnail what the photo looked like at that moment in the history.

If required, select an item to revert the photo back to that adjustment or edit. Click **Apply** to close the History window.


Turning Adjustments On/Off

You can turn off a set of adjustments applied to a photo instantly. This allows you to reset the one type of adjustments, instead of resetting all the adjustments by clicking **Reset**.

To do this, just deselect the check box associated to the applied adjustments.



At any time you can turn the adjustments back on by re-selecting the check box.

Note: you can also click the  button if you would like to reset a set of adjustments back to the default values.



Chapter 5:

Edits

This chapter outlines all of the features available in the Edit module. In this module you can use the People Beautifier tools to touch up the people in your photos, add effects to your photos, remove objects and backgrounds, and add images, frames, watermarks, and more to your photos.

Click on the **Edit** button to begin editing your photos. Any edits you make are **not** auto-applied to the original photo file. CyberLink PhotoDirector keeps a log of all the edits you want to make, and then applies them to each photo when it is exported, printed, shared, etc. This leaves the original photo untouched.

At any time during the edit process, you can:


- click  to quickly peek at the original photo.
- click  to view a log of the edits made on a photo in History. See [Viewing History](#) for more information.
- click **Clear** at the bottom of the edit panel to clear the most recent changes you made in an Edit window. This does not clear all the changes made in the Edit window.

People Beautifier


Select the **People Beautifier** option to touch up people in your photos by whitening teeth, brightening eyes, smoothing the skin, removing wrinkles, shaping bodies, and more.

Tooth Brush

Use the tooth brush to whiten teeth in your photos. To use the tooth brush, do this:

1. Click on **Tooth Brush** to open the panel.
2. Ensure  is selected.
3. Configure the Brush Settings as follows:
 - **Size:** use the slider to set the size of the brushed area.

- **Feather:** use the slider to set the transition level between the area being brushed and the pixels around the area. The area between the inner and outer circle is the size of the gradient that CyberLink PhotoDirector uses to create a smooth transition between the areas.
 - **Strength:** use the slider to set the strength, or intensity of the whitening applied.
 - **Fit to edges:** select this option to limit applied whitening to areas of the photo that have a similar properties. CyberLink PhotoDirector auto applies them for you based on your brush strokes.
4. Click and drag on the teeth in the photo to apply a brush stroke.

Note: if you brush areas on the photo by mistake, click  to enable the eraser. Then use your mouse to erase sections of the photo you brushed by mistake.


5. Once you are done, click on  to return to the main menu.

Eye Blinger


Use the Eye Blinger brushes to brighten the eyes in your photos, or darken the eyelashes, eyebrows, or other parts of the eye.

Eye White Brush

To use the eye white brush, do this:

1. Click on **Eye Blinger** to open the panel.
2. Ensure  is selected.
3. Configure the Brush Settings as follows:
 - **Size:** use the slider to set the size of the brushed area.
 - **Feather:** use the slider to set the transition level between the area being brushed and the pixels around the area. The area between the inner and outer circle is the size of the gradient that CyberLink PhotoDirector uses to create a smooth transition between the areas.
 - **Strength:** use the slider to set the strength, or intensity of the whitening applied.


- **Fit to edges:** select this option to limit applied whitening to areas of the photo that have a similar properties. CyberLink PhotoDirector auto applies them for you based on your brush strokes.
4. Click and drag on the white part of eyes in the photo to apply brush strokes.


Note: if you brush areas on the photo by mistake, click  to enable the eraser. Then use your mouse to erase sections of the photo you brushed by mistake.

5. Once you are done, click on  to return to the main menu.

Eyelash/Eyebrow Brush

To use the eyelash/eyebrow brush, do this:


1. Click on **Eye Blinger** to open the panel.
2. Click on  to select the eyelash/eyebrow brush.
3. Configure the Brush Settings as follows:
 - **Size:** use the slider to set the size of the brushed area.
 - **Feather:** use the slider to set the transition level between the area being brushed and the pixels around the area. The area between the inner and outer circle is the size of the gradient that CyberLink PhotoDirector uses to create a smooth transition between the areas.
 - **Strength:** use the slider to set the strength, or intensity of the darkening applied.
 - **Fit to edges:** select this option to limit applied darkening to areas of the photo that have a similar properties. CyberLink PhotoDirector auto applies them for you based on your brush strokes.
4. Click and drag on the areas of the photo you want to darken to apply brush strokes.


Note: if you brush areas on the photo by mistake, click  to enable the eraser. Then use your mouse to erase sections of the photo you brushed by mistake.

5. Once you are done, click on  to return to the main menu.

Skin Smoother

Use the Skin Smoother option to the smoothen skin on faces in your photos. To use the skin smoother brush, do this:



1. Click on **Skin Smoother** to open the panel.
2. Ensure  is selected.
3. Configure the Brush Settings as follows:
 - **Size:** use the slider to set the size of the brushed area.
 - **Feather:** use the slider to set the transition level between the area being brushed and the pixels around the area. The area between the inner and outer circle is the size of the gradient that CyberLink PhotoDirector uses to create a smooth transition between the areas.
 - **Strength:** use the slider to set the strength, or intensity of the smoothening applied.
 - **Fit to edges:** select this option to limit applied smoothening to areas of the photo that have a similar properties. CyberLink PhotoDirector auto applies them for you based on your brush strokes.
 - **Detail fine tune:** select this option to enable the following two sliders to adjust the amount of smoothness and adjust/recover detail.
 - **Smoothness:** use this slider to adjust the amount of smoothness applied to the brushed areas of the photo.
 - **Detail:** use this slider to adjust/recover detail in the photo that may be lost when smoothening areas of the face.
4. Click and drag on the skin area you want to smoothen to apply brush strokes.

Note: if you brush areas on the photo by mistake, click  to enable the eraser. Then use your mouse to erase sections of the photo you brushed by mistake.

5. Once you are done, click on  to return to the main menu.

Wrinkle Remover

The Wrinkle Remover option can eliminate wrinkles on the faces in your photos. To use the wrinkle remover tool, do this:

1. Click on **Wrinkle Remover** to open the panel.
2. Ensure  is selected.
3. Use the **Size** slider to set the size of the selection tool.
4. Mark the areas of the face that contain the wrinkles you want to remove. If required, you can click on multiple areas.
5. When you are done, click on **Done**.
6. Click on the marked area and then drag it to an area of the face that is smoother, i.e. has no wrinkles.
7. Use the **Size** slider to adjust the size and look of the area that covers up the wrinkles.
8. When you are done, click on the **Save to** button to save the changes you made in a new photo that is added to the library.
9. Once the save is complete, click on  to return to the main menu

Body Shaper



The Body Shaper option lets you easily reshape people and objects in your photos. When you enter the Body Shaper window, you can choose between the distortion tool, mesh tool, and the manual mesh tool.






Distortion Tool

The distortion tool lets you warp areas of a photo, changing the shape of objects in them.

To use the distortion tool to warp objects, do this:

1. Click on **Body Shaper** to open the panel.
2. Click on the  tab.


Note: before you begin using the warp tool, you can click  to enable and use the add protection brush. Use it to brush on areas of the photo you want to protect, or where the distortion tools won't have any effect. Use the **Size** slider to set the size of the brush and then brush the areas you want to protect. Select the **Show mask** option to see the area you brushed. Click on the  button to erase any areas you don't want to protect.

3. Click on the  button and then drag the mouse on the photo to warp areas by having the surrounding pixels dragged in the direction it is moving. Use the **Size** slider to set the size of the area being distorted. Use the **Strength** slider to change the amount of distortion applied when dragging the mouse.
4. Click on the  button and then drag the mouse on the photo to make areas pucker, or appear to sink in. Use the **Size** slider to set the size of the area being distorted. Use the **Strength** slider to change the amount of distortion applied when dragging the mouse on the photo.
5. Click on the  button and then drag the mouse on the photo to make areas bloated, or appear to bulge out. Use the **Size** slider to set the size of the area being distorted. Use the **Strength** slider to change the amount of distortion applied when dragging the mouse on the photo.
6. If you want to remove parts of the distorted areas you applied on a photo, you can use the recover brush to remove them. To do this, click on the  button and then brush the areas you want to recover/remove the distortion from. Use the **Size** slider to set the size of the recover brush. Use the **Strength** slider to change the amount of recovery applied when dragging the mouse on the photo.
7. When you are done, click on the **Save to** button to save the changes you made in a new photo that is added to the library.
8. Once the save is complete, click on  to return to the main menu.

Mesh Tool

The mesh tool lets you use the sliders to create a mesh grid that you use to reshape objects.


To use the mesh tool to reshape objects, do this:

1. Click on **Body Shaper** to open the panel.
2. Click on the  tab.
3. Use the **Rows** slider to set the number of rows in the mesh grid.
4. Use the **Columns** slider to set the number of columns in the mesh grid.
5. Click and drag a control point (the square that appears where each row and column intersect) and then drag it to a new position to reshape the object as required.

***Note:** you can reset a control point back to its original position by double-clicking on it.*

6. Continue clicking and dragging controls points until the object becomes the desired shape.



***Note:** if required, deselect the **Show mesh** option to preview the photo with the mesh grid hidden from view.*

7. When you are done, click on the **Save to** button to save the changes you made in a new photo that is added to the library.
8. Once the save is complete, click on  to return to the main menu.

Manual Mesh Tool

The manual mesh tool lets you manually add the control points, creating a customized mesh grid you can use to reshape objects.

To use the manual mesh tool to reshape objects, do this:

1. Click on **Body Shaper** to open the panel.
2. Click on the  tab.
3. Ensure  is selected.
4. Click on the photo to add control points, as required. Continue this process until you have added all the required control points you think you need to reshape the object. Note that CyberLink PhotoDirector also auto adds control points where the mesh grid lines intersect.

***Note:** to delete a control point, just right click on it.*

5. Click on a control point and drag it to a new position to reshape the object as

required.

Note: you can reset a control point back to its original position by double-clicking on it.

6. Continue clicking and dragging controls points until the object becomes the desired shape.

Note: if required, deselect the **Show mesh** option to preview the photo with the mesh hidden from view.


7. When you are done, click on the **Save to** button to save the changes you made in a new photo that is added to the library.
8. Once the save is complete, click on  to return to the main menu.


Photo Effects

In the Photo Effects section you can apply display and color effects to your photos, including black & white, sepia, tint, and also apply a blur effect.

Note: you can only apply one effect to each photo.

To apply a photo effect, do this:


Note: once you have applied an effect, you can use the Region Cleaner to remove parts of the effect from the photo. See [Using the Region Cleaner](#) for more information.


1. Click on **Effects** to open the panel.
2. Select one of the following effects:
 - **Black & White:** changes color photos into black and white photos.
 - **Sepia:** applies a dark brown-gray hue that resembles the effect of aging in old photographs.
 - **Tint:** the tint effect lets you add highlighted color throughout a photo. Click on the **Color** button to pick your desired color and then use the slider to adjust its **Intensity**.
 - **Blur:** adds a soft focus effect to your photo. Use the **Blur degree** slider to adjust the amount of blur applied.
3. Once you are done, click on  to return to the main menu.

Using the Region Cleaner

After you have applied an effect to a photo, you can use the Region Cleaner to return certain portions of the photo to the original color/setting. In effect, you are erasing the applied effect from the photo.

To use the Region Cleaner on an applied effect, do this:

1. After applying an effect to a photo, click on  to enable the Region Cleaner.
2. Configure the Brush Settings as follows:
 - **Size:** use the slider to set the size of the Region Cleaner area.
 - **Feather:** use the slider to set the transition level between the area being cleaned and the pixels around the area. The area between the inner and outer circle is the size of the gradient that CyberLink PhotoDirector uses to create a smooth transition between the areas.
 - **Strength:** use the slider to set the strength, or intensity of the Region Cleaner.
 - **Fit to edges:** select this option to limit applied cleaning to areas of the photo that have a similar properties. CyberLink PhotoDirector auto applies them for you based on your brush strokes.
3. Click and drag on the regions of the photo you want to clean to apply brush strokes.

***Note:** if you brush areas on the photo by mistake, click  to enable the eraser. Then use your mouse to erase sections of the photo you brushed by mistake.*

4. Once you are done, click on  to return to the main menu.


Object Removal

In the Object Removal section you can conceal objects in photos in by cloning an area using Smart Patch, or use Content Aware Removal to remove objects completely, replacing the pixels with the surrounding ones.


Smart Patch

In the Smart Patch section you can conceal objects in photos by cloning an area and using it as a mask to cover up the desired part of the photo.

To cover up an object in a photo, do this:

1. Click on **Smart Patch** to open the panel.
2. Ensure  is selected.
3. Click and hold down the left mouse button, and then draw an outline around the object you want to remove from the photo. Once you are done drawing the outline, release the mouse button.
4. Click on the outlined area and then drag it to a part of the photo that you can use to mask the object.

Note: CyberLink PhotoDirector uses the color of the surrounding pixels, not necessary the cloned area, to cover the object to better blend it with the background.

5. Use the **Size** slider to adjust the size and look of the area that covers up the object.
6. Click on **Apply**.
7. When you are done, click on the **Save to** button to save the changes you made in a new photo that is added to the library.
8. Once the save is complete, click on  to return to the main menu



Content Aware Removal


Use the Content Aware Removal option to remove objects in your photos. Using the manual selection and line drawer tools, you select the pixels that make up the object you want to remove. When you click apply, CyberLink PhotoDirector removes the unwanted pixels and then replaces them with the surrounding pixels to make the object essentially disappear.



To remove objects in a photo using Content Aware Removal, do this:


Note: when using Content Aware Removal, you can use both the manual selection brush and the line drawer to select the object you want to remove from the photo.

1. Click on **Content Aware Removal** to open the panel.

2. Click on the  tab to use the manual selection tool to select the object you want to remove. The manual selection tool lets you select the pixels you want to remove using a brush. Use the manual selection tool as follows:
 - Click on  to use the manual brush to select the pixels you want to remove. Use the **Size** slider to set the size of the brush and then brush on the object to select its pixels. Continue this process until the entire object is selected.


Note: if there are some pixels selected that shouldn't be, click the  button and then brush these areas to deselect them. You can also hold down the **Alt** key on your keyboard to quickly switch to the eraser and deselect the areas.

3. Click on the  tab to use the line drawer tool to select the object you want to remove. With the line drawer tool you draw a series of straight lines to select the pixels you want to remove. Use the line drawer tool as follows:
 - Click on  to enable the line brush tool. Use the **Size** slider to set the width of the line. Click on an area on the object, and then click on another to create a line that selects the pixels that you want to remove. Continue this process until the entire object is selected. Double-click to complete the selection.

Note: if there are some pixels selected that shouldn't be, click the  button and then brush these areas to deselect them.

4. Click on **Apply**. CyberLink PhotoDirector will remove the selected pixels and replace them with the surrounding pixels to fill in the gap.

Note: for best results, it is sometimes necessary to select the pixels around the object as well, and any shadow the object may have cast in the photo. If the object is not fully removed, redo the above process until you get the results you want.

5. When you are done, click on the **Save to** button to save the changes you made in a new photo that is added to the library.
6. Once the save is complete, click on  to return to the main menu

Extract or Compose



In the Extract or Compose section you can remove the background (or foreground) in a photo, making it transparent. You can also use the Photo Composer option to add logos and other images onto a photo.


Background Removal



Use the Background Removal feature to make the background or foreground in a photo transparent.

To use the Background Removal tools, do this:

Note: when using Background Removal, you can use both the magic selection brush and the smart lasso to select the area of the photo you want to remove.

1. Click on **Background Removal** to open the panel.
2. Click on the  tab to use the magic selection tool. The magic selection tool lets you highlight the pixels you want to select using a brush. Use the magic selection tools as follows:
 - Click on  to use the brush tool. Use the **Size** slider to set the size of the brush and then brush along the edges of the area you want to select. To make it easier to select the area, enable the **Intelligent** option to have CyberLink PhotoDirector assist you by selecting all the pixels with similar properties when you make a brush stroke. Continue using the brush tool until the entire area you want is selected.




Note: if there are some areas that are selected that shouldn't be, click the  button and then brush these areas to deselect them. You can also hold down the **Alt** key on your keyboard to quickly switch to the eraser and deselect the areas.

3. Click on the  tab to use the smart lasso to select the area. With the smart lasso, you drag your mouse along the edge of the area you want to select and it auto snaps the pixels on the edges for you. Use the smart lasso as follows:
 - Click on  and then use the **Cursor size** slider to set the size of the selection tool. Click on the edge of the area and then drag the cursor around the entire edge of the area you want to select. When you are done, double click to complete the selection.

Note: if required, you can click anywhere on the outline created and drag a node to adjust the selected area. You can also click on the line to add a new node, or right click on a node to remove it.

4. When you are done selecting the area using the magic selection tool or the smart lasso, select one of the following options.
 - **Remove foreground:** select this option if you want to make the selected area

transparent, removing it from the photo.

- **Remove background:** select this option if you want to keep the selected area in the photo, making the remaining portions of the photo transparent.
5. Click **Apply** to remove the specified area, making it transparent.
 6. If you need to refine the transparent/extracted area, do this:
 - click on  and then brush the edges of the extracted area to fine tune it as required.
 - if you removed the foreground, click on  and then brush on the foreground area to reveal it. If you removed the background, use this brush to cover up the foreground areas that are still showing.
 - if you removed the background, click on  and then brush on the background area to reveal it. If you removed the foreground, use this brush to cover up the background areas that are still showing.

***Note:** use the **Size** slider to set the size of the selected brush.*




7. If required, click the **Color Board** button and select a color for the extracted part of the photo. If you don't set a color, the extracted part is transparent in the new photo.
8. When you are done, click on the **Save to** button to save the changes you made in a new photo in the PNG format, which is then added to the library.
9. Once the save is complete, click on  to return to the main menu.

Photo Composer

In the Photo Composer section you can import logos and other images in the PNG or JPG format, adding them onto photos in your library.

To import an image onto a photo, do this:

1. Click on **Photo Composer** to open the panel.
2. Click on the  button.
3. Browse to and select the image you want to add, and then click on **Open**.
4. Click on the added image and place it in the required location on the photo.

5. Click and drag the edges of the image to resize it, as required.
6. Use the **Opacity** slider to set the amount of opacity for the imported image.
7. When you are done, click on the **Save to** button to save the changes you made in a new photo that is added to the library.
8. Once the save is complete, click on  to return to the main menu





Frames & Watermarks

In the Frames & Watermarks section you can create watermark templates that include frames, lines, text, images, photo information, and more. Once created, you can apply the templates to photos and then export, print, or share them on Facebook or Flickr.


Watermark Creator

You can create new watermark templates that include frames, lines, images, text, and photo information, in the Watermark Creator.


To create a new watermark template, do this:

1. Click on **Watermark Creator** to open the panel.
2. Click on the tabs to customize your watermark template as follows:
 - Click on  to add frames or lines onto your watermark template. See [Adding Frames and Lines](#) for detailed information.
 - Click on  to add text on your watermark template. See [Adding Text](#) for detailed information.
 - Click on  to add images onto your watermark template. See [Adding Images](#) for detailed information.
 - Click on  to add photo copyright and photo information on your watermark template. See [Adding Photo Information](#) for detailed information.
3. Once you are done, click on **Save Template** to save the customized watermark template. Enter a **Name** in the field provided and then click **OK**.
4. If required, you can apply the watermark template to photos in your library

and output them in a variety of ways. To do this, select all of the photos in the browser panel you want to apply the watermark template to, click the **Output Photo** button, and then select one of the following options:

- **Export:** select to export your current photo with the watermark template applied, creating a new copy in the library. See [The Export Photo Process](#) for detailed information.
 - **Print:** select to print off the current photo with the watermark template applied. See [Printing Photos](#) for more information.
 - **Flickr:** select to upload the current photo to Flickr with the watermark template applied. See [Uploading Photos to Flickr](#) for more detailed information.
 - **Facebook:** select to upload the current photo to Facebook with the watermark template applied. See [Uploading Photos to Facebook](#) for more detailed information.
5. Click on  to return to the main menu.

Adding Frames and Lines

When customizing a watermark template, click on  to add frames or lines on to it.

To add frames, do this:

1. In the Options section, select **Frame**.
2. If required, click on an inside corner of the frame and drag it to adjust its thickness.
3. If required, click on the frame and drag it to change its position on the photo.
4. Configure the frame settings as follows:
 - **Color:** click the button and then select the color of the frame. Click **OK** to set the color.
 - **Opacity:** use the slider to set the level of opacity for the frame.
 - **Shadow:** if required, drag the slider left or right to apply a shadow to the frame.


To add lines, do this:

1. In the Options section, select **Line**.
2. If required, click on the square node in the middle of the line and drag it to adjust its thickness.
3. If required, click on the line and drag it to change its position on the photo.
4. Select whether the line is **Vertical** or **Horizontal**.
5. Configure the line settings as follows:
 - **Color**: click the button and then select the color of the line. Click **OK** to set the color.
 - **Opacity**: use the slider to set the level of opacity for the line.
 - **Shadow**: if required, drag the slider left or right to apply a shadow to the line.

Adding Text

When customizing a watermark template, click on  to add text on to it.

To add text, do this:


1. Click on the  button. A new text box displays on the photo.
2. Click and drag the text box to the position on the watermark template where you want it located.
3. Configure the font settings as follows:
 - **Text color**: click on the button and then select the color of the text. Click **OK** to set the color.
 - **Border color**: if required, click on the button to add a colored border to the text. Select the color and then click **OK** to set it.
 - **Font**: select the type of font you want to use for the text.
 - **Font style**: select the desired font style and weight of the text from the drop down.
 - **Font size**: use the slider to set the size of the text.

- **Opacity:** use the slider to set the level of opacity on the text.
- **Shadow:** if required, use the slider to apply a shadow to the text.


Adding Images

When customizing a watermark template, click on  to add images on to it.

To add an image onto the watermark template, do this:

1. Click on the  button.
2. Browse to and select the image you want to add, and then click on **Open**.
3. Click on the added image and place it in the required location on the watermark template.
4. Click and drag the edges of the image to resize it, as required.
5. Use the **Opacity** slider to set the amount of opacity for the added image.

Adding Photo Information

When customizing a watermark template, click on  to add copyright and photo information onto it. When photos are outputted, each photo will contain its unique individual photo information, that can include date taken, aperture, shutter speed, and more.

To add photo information, do this:


1. Select all of the Photo Information items you want to include in the watermark template. If you select the **Copyright** option, enter the copyright wording you want to include on the watermark template in the field provided.
2. Configure the Text Settings for the copyright info as follows:
 - **Text color:** click on the button and then select the font color of the text. Click **OK** to set the color.
 - **Border color:** if required, click on the button to add a colored border to the text. Select the color and then click **OK** to set it.
 - **Font:** select the type of font you want to use for the text.


- **Font style:** select the desired font style and weight of the text from the drop down.
 - **Alignment:** set the text alignment from the drop down.
 - **Font size:** use the slider to set the size of the text.
3. If there is a frame in your watermark template, select the **Show photo information** option to place the copyright info on the bottom of the frame.

Using Watermark Templates

In the Watermark Templates section you can edit watermark templates and also use them to output photos in your library in a variety of ways. The watermark templates library includes predefined watermark templates and custom watermark templates you created.


To use a watermark template, do this:

1. Click on **Watermark Templates** to open the panel.
2. Browse through and then select the watermark template you want to use.
3. If required, hover your mouse over the selected watermark template and then click  to edit it. See the relevant sections in [Watermark Creator](#) for detailed information on editing and customizing watermark templates.

Note: at any time you can hover your mouse over a watermark template in the list and then click  to remove it.

4. Select all of the photos in the browser panel you want to apply the watermark template to, click the **Output Photo** button, and then select one of the following options:
 - **Export:** select to export your current photo with the watermark template applied, creating a new copy in the library. See [The Export Photo Process](#) for detailed information.
 - **Print:** select to print off the current photo with the watermark template applied. See [Printing Photos](#) for more information.
 - **Flickr:** select to upload the current photo to Flickr with the watermark template applied. See [Uploading Photos to Flickr](#) for more detailed information.
 - **Facebook:** select to upload the current photo to Facebook with the

watermark template applied. See [Uploading Photos to Facebook](#) for more detailed information.

5. Click on  to return to the main menu.

Chapter 6:

Exporting and Sharing Photos

When you make adjustments to photos, the last step is to export them. CyberLink PhotoDirector keeps a log of all the adjustments you want to make to a photo, and exporting it applies all these adjustments and creates a new photo file for you.

You can export multiple photos at once or export them one at a time. To export photos in CyberLink PhotoDirector, select the photos, folder, album, collection, etc., and then select **Export Photos** or click the **Export** button.

***Note:** if you have CyberLink PowerDirector 11 installed on your computer, you can also select a number of individual photos in the photo browser panel and then **File > Export to PowerDirector** from the menu to quickly send them directly to the PowerDirector timeline.*

The Export Photo Process

You can export one or more photos from many different locations in the program, but the process is always the same.

To export photos in CyberLink PhotoDirector, do this:

1. If required, select a custom export profile from the **Use profile** drop-down list. See [Export Profiles](#) for detailed information on creating and using export profiles.
2. In the **Export Destination** section of the Photo Export window, specify the export location as follows:
 - **Location options:** specify whether you want to:
 - **Put in Different Folder:** exports the photos into a different folder than where the original photos are located.
 - **Keep in Same Location as Original Photos:** exports the photos to the same folder as the original photos.
 - **Different Folder but Maintain Original Structure:** exports the photos into a different folder, but uses the same folder structure as in the original folder

for consistency.

- **Folder:** specify the folder that photos are exported to as follows:
 - Click on  to specify a specific folder on your computer where the photos are exported to.
 - **Put in subfolder:** select this option if you want to place the exported photos in a new subfolder. Input the name of the new folder in the field provided.
 - **Add exported photos to current project:** select this option if you want to add the photos into the library after they are exported.
 - **File naming conflicts:** select from the drop-down what you want CyberLink PhotoDirector to do if it encounters photos with the same file names in the export folder.
- 3. In the **Naming** section of the Photo Export window, if required, specify the naming conventions used on the exported photo files as follows:


*Note: see the **Example** field at the bottom of **Naming** section to view an example of the naming that will be used on the exported photos.*

- **Format:** select the format of the file name CyberLink PhotoDirector uses to auto name each exported photo. Select **File Name** if you want photos to have the same file name as the originals.
 - **Custom name:** if you want the photos to have new custom name, select one of the custom name options from the **Format** drop-down and then enter the name in the field provided.
 - **Start number:** if you want the file name to contain a number sequence, specify the starting number in the field provided.
4. In the **File Settings** section of the Photo Export window, if required, you can specify the file format, color space, and quality, as follows.
 - **Format:** specify whether you want to export the photos in the JPEG or TIFF file format.
 - **Color space:** select the type of color space you want used on the exported photos.
 - **Quality:** if exporting in the JPEG format, use the slider to set the quality of the exported photo. The higher the quality, the larger the resulting photo file

sizes. If exporting in the TIFF format, select **ZIP** in the **Compression** drop-down if you want to compress the photos during export.

5. In the **Image Sizing** section of the Photo Export window is where you can set the size of the exported photos, as follows:
 - **Keep original photo resolution:** select this option if you don't want the photos resized during the export process. Select the **Don't re-compress photo if original is a JPEG and no adjustments were made** if you don't want CyberLink PhotoDirector to re-compress the photos that you did not make any adjustments on.
 - **Resize to fit:** select this option if you want CyberLink PhotoDirector to resize the photos during the export process. In the drop-down provided, specify the new size as follows:
 - **Long Edge:** select this option to specify a new length for the longest side of each photo in the field provided.
 - **Width and Height:** select this option to specify the width or height of each photo in the fields provided. CyberLink PhotoDirector will resize photos to the specified size, and ensure the photos maintain their current aspect ratio.
 - **Short Edge:** select this option to specify a new length of shortest side of each photo in the field provided.
 - **Don't increase photo resolution:** select this option if you don't want CyberLink PhotoDirector to increase the resolution of photos whose original is smaller than the specified size. Selecting this option can prevent loss of quality.
 - **Sharpen after resizing:** select this option if you want CyberLink PhotoDirector to apply sharpness to each photo after resizing.
6. In the **Metadata** section of the Photo Export window, if required, specify the metadata to include in the exported photos:
 - **Remove EXIF:** select this option if you want CyberLink PhotoDirector to remove the Exchangeable Image Format (EXIF) data from each photo, if it exists.
 - **Remove IPTC:** select this option if you want CyberLink PhotoDirector to remove all International Press Telecommunications Council (IPTC) metadata from each photo, if it exists.
 - **Write tags into metadata:** select if you want any keyword tags added to be


embedded into the metadata of each photo.



- **Write copyright info into metadata:** select if you want any copyright information added to be embedded into the metadata of each photo.
7. In the **Watermark** section, you can add a watermark to all the exported photos, as follows:
 - **Add watermark:** select this option and then click . In the Watermark Template window, select the watermark you want to apply to all the exported photos, and then click on **OK**.
 8. Click **Export**. CyberLink PhotoDirector will export all the photos as specified.

Export Profiles

Once you have customized the Export Preferences in the Photo Export window, you can save it as a custom export profile that you can use again later.

To create a new export profile, do this:

1. In the Photo Export window, set the export preferences as required.
2. Click on .
3. Enter in a **Name** in the field provided.
4. Click on **OK** to save it in the **Use profile** list.

Note: if you make any changes to a profile, just click the  button to save the changes. Click the  button to delete the selected export profile if required.




Sharing Photos

You can share photos in your library with others by uploading them to both Facebook and Flickr.

Uploading Photos to Facebook



To share your photos by uploading them to Facebook, do this:


1. In the project library, select the collection/folder/album or keyword tag that contains the photos you want to share.

2. In the photo browser panel, select all of the photos you want to upload.
3. Click  above the panel and ensure **Facebook** is selected: .
4. Click on **Share** to launch the upload wizard.
5. If required, follow the instructions to authorize the upload of photos to your Facebook account, and then click **Continue**.
6. Select the Facebook album you want to upload the photos to in the **Add to album** drop down as follows:
 - **Add to Existing Album:** select this option if you want to upload the photos to an album that already exists on Facebook. Select the album you want to upload it to from the list.
 - **Create and Add to New Album:** select to add it to a new album. Enter the new album info in the fields provided, including the album **Privacy**.
7. If required, enter a **Description of the photo** in Photo Settings. This description is included on every photo you upload.
8. If required, select the **Add watermark** option and then click  to add a watermark to all of the photos you are uploading. In the Watermark Template window, select the watermark you want to apply, and then click on **OK**.
9. Click the **Upload** button to complete the upload process.

Uploading Photos to Flickr

To share your photos by uploading them to Flickr, do this:

1. In the project library, select the collection/folder/album or keyword tag that contains the photos you want to share.
2. In the photo browser panel, select all of the photos you want to upload.
3. Click  above the panel and ensure **Flickr** is selected: .
4. Click on **Share** to launch the upload wizard.
5. If required, follow the instructions to authorize the upload of photos to your Flickr account, and then click **Continue**.
6. Select the Flickr set you want to upload the photos to in the **Add to set** drop down as follows:

- **Add to Existing Set:** select this option if you want to upload the photos to a set that already exists on Flickr. Select the set you want to upload it to from the list.
 - **Create and Add to New Set:** select to add it to a new set. Enter the new **Set name**.
 - **Don't Add to Any Sets:** select if you don't want to include in a set on Flickr.
7. Set the Photo Settings as follows:
 - **Include tags:** select this option if you want any applied keyword tags to be included during the upload process. The tags will be visible on Flickr.
 - **Resize when uploading:** select this option if you want CyberLink PhotoDirector to resize each photo before uploading. Once selected, select the **File size** from the drop-down.
 8. Set the desired Privacy Settings for the uploaded photos.
 9. If required, select the **Add watermark** option and then click  to add a watermark to all of the photos you are uploading. In the Watermark Template window, select the watermark you want to apply, and then click on **OK**.
 10. Click the **Upload** button to complete the upload process.

Chapter 7:

Slideshows




You can use your photos in CyberLink PhotoDirector to create dazzling photo slideshows. These slideshows can be exported as video files or uploaded to YouTube to share with others.

Creating Photo Slideshows

To create a photo slideshow, do this:

1. In the project library, select the collection/folder/album or keyword tag that contains the photos you want to include in your slideshow.
2. Click on **Slideshow** to open the slideshow module.
3. In the photo browser panel, drag the photos you want to include in the slideshow to the preview window.

***Note:** you can rearrange the photo order by dragging each photo to a new position, as required.*

4. Click the  button to add text captions on photos in your slideshow. You can also combine with color boards to create titles and credits.
5. Click the  button to add a color board, or blank colored slide into the slideshow. Color boards let you insert a break into your slideshow, or you can use them for titles and credits. Select the color of the color board from the color panel, and then click **Add Color Board**.
6. Set the slideshow **Style** as follows:
 - **Effect:** select the effect used in the slideshow. **Fade** adds a fade in and fade out effect between the photos in your slideshow. **Wipe Left Soft** uses a wipe effect between slides. **Motion** adds pan and zoom effects to make your slideshow more engaging with the appearance of motion.
 - **Aspect ratio:** select the aspect ratio of the slideshow.
 - **Background music:** select this option if you want to add background music to your slideshow. Click  and select the music file you want to use as the background music in your slideshow.

- **Duration:** select the duration you want each photo displayed, before progressing to the next photo in the slideshow. Select **Fit to Music** to set the length of the slideshow to match the duration of the select background music.
7. Click the play button to preview the slideshow.

Producing Slideshows

You can produce your photo slideshows and export them as video files in the H.264 AVC, MPEG-4, or WMV format. You can also share the resulting video on YouTube.

To produce a slideshow, do this:

1. Click the **Produce** button.
2. Specify the **Output folder**, or the location where the produced video file is saved.
3. Select the video output format (H.264 AVC, MPEG-4, WMV) by selecting the corresponding button.
4. Select the video file **Profile** you want to use from the drop-down.
5. If required, set the **Audio format** for the audio in the outputted video file.
6. Click **Produce** to begin. CyberLink PhotoDirector proceeds to produce and create the slideshow video file.
7. Click **OK** when production is complete.

Sharing Slideshow Videos on YouTube

You can share a slideshow by uploading it to YouTube. During the upload process, CyberLink PhotoDirector first produces it as a high quality video suitable for YouTube.

To share a slideshow video on YouTube, do this:

1. Once you are done creating your slideshow, click **Share**.
2. Enter your YouTube account **Username** and **Password**, and then click **Sign In** to continue. If you need to create a YouTube account, click the **Get an account** link.

Note: select the **Remember me** check box if you want CyberLink PhotoDirector to save your username and password so you won't have to enter them next time, and skip automatically to the next window.

3. In the next upload window, select the **Quality** of the produced video, and then specify where the produced file is stored on our computer. Click **Next** to continue.
-

Note: select **Remove output file after upload** if you want CyberLink PhotoDirector to delete the produced slideshow video file from your computer after it is uploaded to YouTube.

4. In the next wizard window, enter the details about your video as follows:

- **Title:** enter the title of your slideshow video.
 - **Description:** enter in a short description of your slideshow video.
 - **Tags:** enter in several tags, separated by a comma, that describe your video. Tags are keywords that people can search for on YouTube.
-

Note: you must enter a title, description, and at least one tag before you can upload your video.

- **Category:** select the relevant video category type from the available list.
 - select whether to share your video with the world (**Public**) or set it as **Private**.
-

Note: select the **Share this video on DirectorZone** option if you want to share the slideshow video on DirectorZone as well.

5. Click **Next** to continue to the copyright and disclaimer window. Verify that your media is not copyrighted and then click **Next** to begin the upload process.
6. Once the upload process is done, click on **Close** to close the wizard window and return to CyberLink PhotoDirector.

Chapter 8:

Printing

Once you have finished organizing, adjusting, and editing your photos, you can print out high resolution copies in the Print window.

Printing Photos

Click on the **Print** button to open the Print window of CyberLink PhotoDirector. In the Print window you can print out photos one at a time, or print multiple photos on a single page.

To print photos, do this:

1. Customize the layout of the printing page. See [Customizing the Layout](#) for more information.
2. Drag and drop the photos you want to print into the available cells on the printing page.
3. Customize the image settings. See [Customizing the Image Settings](#) for more information.
4. Customize the print settings. See [Customizing the Print Settings](#) for more information.
5. Add watermark templates, if required. See [Watermarks](#) for more information.
6. Click the **Print** button to print off the specified photos.

Customizing the Layout

In the Layout section of the print panel, customize the layout of the printed page and photos as follows:

Paper Settings

- **Paper size:** select the desired paper size. This should match the type of paper you are going to use to print your photos on.
- **Orientation:** select whether to print off each page in **Landscape** or **Portrait** mode.

Page Grid

If you'd like include multiple photos on a printed page, use the Page Grid sliders to set up the required page layout.

- **Rows:** set the number of rows you want in the page grid.
- **Columns:** set the number of columns you want in the page grid.

Note: if you only want one photo on a printed page, set the value for each slider to 1.


Cell Size

Use the Cell Size sliders to set the size of each cell in the page grid.


- **Unit setting:** select the desired unit setting type from drop down list for the cell.
- **Height:** set the height of each cell.
- **Width:** set the width of each cell.

Customizing the Image Settings

In the Image Settings section of the print panel, you can customize how photos are displayed on the page as follows:

- **Zoom to fit:** select this option if you want CyberLink PhotoDirector to auto zoom in on each photo so it fits in the cell. Once selected you can click on  to enable the move function. Once enabled, click and drag on the photo to move it to the location you prefer to be the focus of the cell.




Select  to lock the photo in place. Note that the move function stays enabled for all cells, until you disable it.

- **Rotate to fit:** select this option to rotate the photo so that it fits in the cell.
- **Hide grid lines:** select this option to hide the grid lines that display on the printed page that help you with the layout.


Customizing the Print Settings

In the Print Settings section of the print panel, you can set the number of copies to be printed, select the printer, set the photo resolution, and more. Customize the Print Settings as follows:

- **Total copies:** enter the total number of copies you want to print out.
- **Printer:** select the printer you want to print the photos out on. Click  to set up the printer, if required.
- **Resolution:** in the field provided, specify the resolution of the printed photos.
- **ICC:** if required, select the ICC color profile from the drop down you want to use to color correct the photo so it prints out properly on your printer.

Watermarks

If required, you can apply watermark templates that include frames, lines, images, and more, to all of the photos you print. To apply watermark templates on photos during printing, do this:

1. Select the **Add watermark** option.
2. Click the  button and then select the watermark template you want to apply to the printed photos.
3. Click **OK** to close the Watermark Templates window.

Chapter 9:

PhotoDirector Hotkeys

The following is a list of the hotkeys available in CyberLink PhotoDirector for your convenience:

| Hotkey | Description | Module Available |
|------------------------------|--|---|
| File/Project Features | | |
| Ctrl+I | Import photos in the library. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+N | Create new project. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+O | Open existing project. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+E | Export selected photos. | Library, Adjustment, Edit*, Print |
| Ctrl+S | Save and apply current adjustments/edits to photo. | Library, Adjustment, Edit |
| Ctrl+Shift+S | Save and apply current adjustments as a new photo. | Library, Adjustment, Edit* |
| Alt+C | Open PhotoDirector preferences. | Library, Adjustment, Edit, Slideshow, Print |
| Right arrow key | Go to next photo in the browser panel. | Library, Adjustment, Edit, Slideshow, Print |
| Left arrow key | Go to previous photo in the browser panel. | Library, Adjustment, Edit, Slideshow, Print |
| Workspace | | |
| F3 | Switch to thumbnail view in browser panel. | Library, Adjustment, Edit, Slideshow, Print |
| F4 | Switch to list view in browser panel. | Library, Adjustment, Edit, Slideshow, Print |
| F6 | Switch to viewer & browser | Library, Adjustment, Edit |

| | | |
|--------------------|--|---|
| | mode in photo viewer window. | |
| F7 | Switch to viewer only mode in photo viewer window. | Library, Adjustment, Edit |
| F8 | Switch to browser only mode in photo viewer window. | Library, Adjustment, Edit |
| Alt+2 | Toggle compare mode on/off. | Library, Adjustment |
| Enter | Set as current when comparing two photos. | Library |
| Alt+3 | Toggle show multiple mode on/off. | Library |
| Alt+1 | Toggle show one mode on/off. | Library, Adjustment |
| Ctrl+Alt+M | Toggle mirror mode on/off (secondary monitor only). | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+Alt+A | Toggle alternate mode on/off (secondary monitor only). | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+Alt+N | Select to display nothing on the secondary monitor. | Library, Adjustment, Edit, Slideshow, Print |
| F | Toggle full screen mode. | Library, Adjustment, Edit |
| Alt + L | Open the library module. | Library, Adjustment, Edit, Slideshow, Print |
| Alt + A | Open the adjustment module. | Library, Adjustment, Edit, Slideshow, Print |
| Alt + E | Open the edit module. | Library, Adjustment, Edit, Slideshow, Print |
| Alt + S | Open the slideshow module. | Library, Adjustment, Edit, Slideshow, Print |
| Alt + P | Open the print module. | Library, Adjustment, Edit, Slideshow, Print |
| F1 | Open PhotoDirector help. | Library, Adjustment, Edit, Slideshow, Print |
| Operational | | |
| Ctrl+Z | Undo last adjustment/edit setting. | Adjustment, Edit |

| | | |
|--------|--|---|
| Ctrl+Y | Redo last adjustment/edit setting. | Adjustment, Edit |
| Ctrl+R | Reset adjustments/edits to default settings. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+A | Select all photos in the browser panel. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+D | Deselect all photos in the browser panel. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+[| Rotate photo left 90 degrees. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+] | Rotate photo right 90 degrees. | Library, Adjustment, Edit, Slideshow, Print |
| S | Turn flag for selected photo on/off. | Library, Adjustment, Edit, Slideshow, Print |
| X | Turn rejection for selected photo on/off. | Library, Adjustment, Edit, Slideshow, Print |
| U | Clear all flags for selected photo. | Library, Adjustment, Edit, Slideshow, Print |
| 0 | Remove rating from selected photo. | Library, Adjustment, Edit, Slideshow, Print |
| 1 | Set selected photo rating as 1. | Library, Adjustment, Edit, Slideshow, Print |
| 2 | Set selected photo rating as 2. | Library, Adjustment, Edit, Slideshow, Print |
| 3 | Set selected photo rating as 3. | Library, Adjustment, Edit, Slideshow, Print |
| 4 | Set selected photo rating as 4. | Library, Adjustment, Edit, Slideshow, Print |
| 5 | Set selected photo rating as 5. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+0 | Remove label from selected photo. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+1 | Set label for selected photo as red. | Library, Adjustment, Edit, Slideshow, Print |

| | | |
|------------------|--|---|
| Ctrl+2 | Set label for selected photo as blue. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+3 | Set label for selected photo as green. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+4 | Set label for selected photo as yellow. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+5 | Set label for selected photo as purple. | Library, Adjustment, Edit, Slideshow, Print |
| Ctrl+Shift+C | Copy adjustment settings for use on other photos. | Adjustment |
| Ctrl+Shift+V | Paste copied adjustments to selected photos. | Adjustment |
| Ctrl+' | Create a virtual photo for the selected photo. | Library, Adjustment, Edit, Slideshow, Print |
| Delete | Delete the selected photos from the library. | Library, Adjustment, Edit, Slideshow, Print |
| - | Remove a photo from viewer when viewing multiple photos. | Library |
| Spacebar | Zoom to fit/100%. | Library, Adjustment, Edit |
| Ctrl+Mouse wheel | Zoom in/out on photo in viewer window. Resize photo thumbnails in browser panel when in browser only mode. | Library, Adjustment, Edit |
| F2 | Rename selected folder/album/tag/preset. | Library, Adjustment, Edit, Slideshow, Print |
| J | Show/hide over and underexposed areas of current photo. | Adjustment |
| Alt+T | Apply auto tone on current photo. | Adjustment |
| Alt+W | Apply auto white balance on current photo. | Adjustment |

Note: * select windows only.

Chapter 10:

Technical Support

This chapter contains technical support information. It includes all the information to find the answers you need to assist you. You may also find answers quickly by contacting your local distributor/dealer.

Before Contacting Technical Support

Please take advantage of one of CyberLink's free technical support options:

- consult the user's guide or the online help installed with your program.
- refer to the Knowledge Base in the Support section of the CyberLink web site.

<http://www.cyberlink.com/prog/support/cs/index.do>

The FAQs may have information and helpful hints that are more current than the User Guide and online help.

When contacting technical support by email or phone, please have the following information ready:

- registered **serial number** (Your serial number can be found on the CD cover, the box cover, or in the e-mail received after you purchased CyberLink products on the CyberLink store).
- the product name, version and build number, which generally can be found by clicking on the product name image on the user interface.
- the version of Windows installed on your system.
- hardware devices on your system (capture card, sound card, VGA card) and their specifications.
- the wording of any warning messages that were displayed (You may want to write this down or take a screen capture).
- a detailed description of the problem and under what circumstances it occurred.

Web Support

Solutions to your problems are available 24 hours a day at no cost on the CyberLink web sites:

Note: *you must first register as a member before using CyberLink web support.*

CyberLink provides a wide range of web support options, including FAQs, in the following languages:

| Language | Web Support URL |
|---------------------|---|
| English | http://www.cyberlink.com/prog/support/cs/index.do |
| Traditional Chinese | http://tw.cyberlink.com/prog/support/cs/index.do |
| Japanese | http://support.jp.cyberlink.com |
| Italian | http://it.cyberlink.com/prog/support/cs/index.do |
| German | http://de.cyberlink.com/prog/support/cs/index.do |
| French | http://fr.cyberlink.com/prog/support/cs/index.do |
| Spanish | http://es.cyberlink.com/prog/support/cs/index.do |
| Simplified Chinese | http://cn.cyberlink.com/prog/support/cs/index.do |
| Korean | http://kr.cyberlink.com/prog/support/cs/index.do |

Note: *CyberLink's user community forum is only available in English and German.*

Index

A

- Adjustments 58
 - black and white 34
 - chromatic aberration 63
 - correction 63
 - curve 57
 - detail 61
 - distortion 63
 - global tools 52
 - histogram 34, 56
 - history 27
 - keystone 63
 - level 56
 - presets 65
 - regional tools 35
 - reset 33
 - resetting 68
 - tone 54
 - turning off/on 68
 - vignette removal 64
 - vignetting effect 64
 - white balance 53

Albums 13

B

- Background music 95
- Background removal 80
- Backup 30

- Black and white 34
- Bloat 73
- Body shaper 73
- Brightness 51
- Brush 41, 45

C

- Chromatic aberration 63
- Clarity 51, 55
- Clear
 - edits 69
- Clipped areas 35
- Clone 40
- Color 58
- Color board 95
- Color palette 60
- Color space 90
- Compose photos 79
- Content aware removal 78
- Contrast 51, 54, 55
- Control points 73
- Copyright 7
- Correction
 - distortion 63
 - keystone 63
 - vignette removal 64
- Crop
 - photos 36
 - tool overlay 36
- Curve 57
- CyberLink Product Improvement Program 31

D

Darks

- curve 58

Detail 52, 61, 62

DirectorZone

- downloading from 65

- overview 2

- preferences 30

- uploading to 67

Distort 73

Distortion 63

Download

- presets 66

downloading 66

E

Edge mask 62

Edits

- background removal 79

- clear 69

- eye blinger 70

- history 27

- people beautifier 69

- photo composer 81

- photo effects 76

- region cleaner 77

- remove tool 77

- skin smoother 72

- tooth brush 69

- watermark creator 82

- watermark templates 86

- wrinkle remover 72

Effects 76

- region cleaner 77

Eraser 41, 45

Export

- photos 89

- profiles 92

Exposure 51, 54

Extract or compose 79

Eye blinger 70

Eye white brush 70

Eyelash/eyebrow brush 71

F

Facebook 92

Faces 15

Fading 95

Feather 41, 45, 64, 70, 72, 77

File handling

- preferences 31

Fisheye 63

Fit to edges 41, 70, 71, 72, 77

Flag 19, 22, 27

Folders 12

- synchronizing 12

Format 90

Frames & watermarks 82

Full screen 25

G

Global adjustment tools 52

H

- HDR effect 55
- Heal 40
- Highlights
 - curve 58
- Histogram 34
 - level 56
- History 27
- Hotkeys 103
- HSL 58
- HSL/color 58
- Hue 59

I

- Import
 - adding copyright 7
 - apply during 7
 - applying presets 7
 - applying tags 7
 - destination 6
 - organizing 6
 - photos 5
- Invert 46
- IPTC 19

K

- Keystone 63

L

- Label 22
- Level 56
- Level preset 56
- Lightness 60
 - black and white 61
- Lights
 - curve 58
- Link focus 26
- List view 21
- Luminance 52, 62

M

- Magnetic lasso 80
- Magnifier 61
- Mesh 73
- Metadata 19
 - IPTC 19
- Midpoint 64
- Motion 95

N

- Navigation 29
- Noise reduction 52, 62

O

- Object removal 77
- Original photo 27, 33, 69

Overexposed 35

Overlay 36

P

People beautifier 69

Photo browser

view mode 24

Photo composer 81

Photo effects 76

Photos

black and white 34

create virtual 22, 33

cropping 36

exporting 89

faces 15

flagging 19, 22, 27

importing 5

labeling 22

loading previews 31

original 33, 69

printing 99

rating 19, 22, 27

rejecting 19, 22, 27

reshape 73

search for 23

sharing 92

supported formats 5

tagging faces 16

view original 27

PowerDirector 89

Preferences 29

Presets 65, 66

uploading 67

Preview cache 31

Preview quality 31

Print 99

Profiles 92

Projects 11

backing up 30

Pucker 73

Q

Quality 90

R

Radius 62

HDR effect - edge 56

Rate 19, 22, 27

RAW 5

Red-eye 40

Region cleaner 77

Regional adjustment tools 35

Reject 19, 22, 27

Remove

red-eye 40

spots 39

vignette 64

Remove tool 77

Reset 68

Resize 91

RGB 34

Rotate 28, 37

Roundness 64

S

- Saturation 51, 55, 59
- Search 23
- Shadows
 - curve 58
- Share 92
- Sharpness 61
- Skin smoother 72
- Slideshow
 - music 95
- Smart collection 11
 - creating 12
- Smart patch 78
- Spot removal 39
- Straighten
 - tool overlay 36
- Strength 41
- Support 107
- Supported formats 5
- Sync focus 26
- Synchronize folder 12
- System requirements 3

T

- Tag faces 16
- Tags 7, 14
- Technical support 107
- Temperature 53
- Thumbnail view 21
- Tint 53
- Tone 54

- Tool overlay 36
- Toolbar 27
- Tooth brush 69
- Turn off/on 68

U

- Underexposed 35
- Upload
 - presets 67

V

- Vibrance 51, 55
- View mode 24
- Views
 - list 21
 - thumbnail 21
- Vignette removal 64
- Vignetting effect 64
- Virtual photo 22, 33

W

- Warp 73
- Watermark creator 82
- Watermark templates 86
- Web support 108
- White balance 53
- Wipe left soft 95
- Wrinkle remover 72

Z

ZIP 90