


# www.tuv.com

# 1.6 User Manual





# www.tuv.com

# **TÜV Rheinland Group**

Page 3 Insert Battery

Insert one AAA battery or 1.2V 800mAh rechargeable battery into your BlueCON.

- Press the battery cover gently
   Insert the battery into the compartment
   Close the battery cover



Audio streaming time
For AAA alkaline battery, the streaming time is up to 6 hours

For 1.2V 800mA Ni-MH rechargeable battery, the streaming time is up to 4 hours.

When the BlueCON is on and the battery becomes low, the LED indicator will flash

Turning your BlueCON on and off

Press and hold the MFB for approximately 2 seconds until you see the LED flash

NOTE Press the MFB again each time you turn on the BlueCON to reactivate the pairing so that the connection between the BlueCON and headset is resumed. For pairing, please refer to "Pairing Your BlueCON" on page 5.

Turning Off Press and hold the MFB for approximately 3 seconds until you see the LED indicator  $\,$ will not flash

Pairing your BlueCON

- Open the Battery Compartment and insert the AAA battery into BlueCON35
  Press the "McFB" button and hold for 8 sec until the LED indicator flash "Blue" and "Red" alternately
  Press and hold your bluetooth headest (A2DP profile enabled) and start the
- 3 Press and hold your blueboth header (A2DP profile enabled) and start the pairing mode.
  4 i Tech BlueCON35 will start pairing automatically until the LED indicator flash. "Blue" only.
  5 Once pairing success, the LED indicator only flash "Blue".
  6 Enjoy your stereo music with i Tech BlueCON35.

Note: If LED indicator shows "Purple" or off, please repeat step 2 - 5 again

Troubleshooting

If you are unable to connect your BlueCON35 to the headset, please try the following:

- Ensure the BlueCON35 is turn on and the battery is full
   Ensure the BlueCON35 is paired with your stereo headset no more than 1 meter
- apart and ensure there is nothing in between

  Ensure the Stereo headset is turning on. Please refer to your stereo headset user guide for specific instruction
- Ensure the BlueCON35 is within a maximum of 10 meters of your stereo headset and there are no obstructions, such as walls or other electronic devices in

If the above steps do not resolve your problem, please reset your headset, remove both the batteries a while

The BlueCON35 is compliant with and adopts the Bluetooth Specification 1.2. However, interoperability between the device and other Ebustoth-enabled products is not guaranteed because it depends on compatibility. For more information on the compatibility between the device with other Ebustooth-enabled products, please check with manufacturer or browse

http://www.itechdynamic.com



# www.tuv.com

# **TÜV Rheinland Group**

### Page 7

### Safety Information

- Check local laws regarding use of a headset and BlueCON35 which connected to portable device while driving. If you see the headset while driving, ename your attention and focus remains on your responsibility of driving ag
- choking hazard
- Observe all signs that require an electrical device or RF radio product to be switched off in designated areas. These could include hospitals, blasting areas, and potentially explosive atmospheres.
- Turn off your BlueCON35 prior to boarding an aircraft. Do not use the BlueCON35 in an aircraft.
- Never mount or store your BlueCON35 over any air bag deployment area as serious injury may result when an air bag deploys.

### Page 8

### Care and Maintenance

- Please turn off your BlueCON35 before placing it in your pocket, bag or drawer.
- If the MFB is accidentally depressed, the connection will drop with your headset.

  Do not expose the BlueCON35 to liquid, moisture or humidity as it is not waterproof.

- waterproof

  Do not use abrasive cleaning solvents to clean the BlueCON35.

  Do not expose the BlueCON35 to extremely high or low temperatures

  Do not dispose of the BlueCON35 in a fire as it will result in an explosion

  Do not expose your BlueCON35 to condact with cause centriched and damage

  Do not stick anything inside the BlueCON35 as this may damage internal
- components

  Do not attempt to disassemble the BlueCON35 as it does not contain serviceable
- components
- If you do not use the BlueCON35 for long period, please remove the battery and be sure to store in a dry place, free from extreme temperatures and dust.

## Page 9

Bluetooth Specification: Version 1.2 Class 2
Bluetooth Profile Supported: A2DP
Audio Streaming Time: up to 6 hours
Range: Up to 10 meters
Dimensions: 17.5mm (W) x 42mm (L) x 14mm (H)
Weight(excluding battery): 14grams

# End

# у-тесн

lies with Part 15 of the FCC Rules. Operation is subject to the following two

CEO

(2) this device must accept any interference received, including interference that may cause

(2) this were trans accept any metric under red periods.

Caution: Changes or medifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.