TÜV Rheinland Group

1.6 User Manual

Cover Page



User Guide 用戶手冊




i.Tech

BlueCON35 Ile

Bluetooth®

Version 1





TÜV Rheinland Group

Page 0



Thank you for purchasing the i.Tech BlueCON35 IIe – Wireless Audio Dongle and welcome to join our wireless exciting world of Hi-Fi quality stereo music joyfulness. Please read this user guide carefully to ensure the better enjoyment.



TÜV Rheinland Group

Table of Content

i.Tech BlueCON35 II Overview	11
Getting Started	12
Charging your Dongle	13
Nominal Charging Time	14
Talk & Standby Time	14
Low Battery	14
Turning your Dongle on and off	16
Turning On	16
Turning Off	16
Pairing your dongle	18
Care and Maintenance	20
Dongle 20	
Built-in Battery	21
Charging	21
Safety Information	23
Troubleshooting	25
The Dongle	25
Declaration of Conformity (DOC)	
Product Specifications	29



.

TÜV Rheinland Group

Page 2



i.Tech BlueCON35 lle Overview




Fig. 1



www.tuv.com

Getting Started

To use your i.Tech BlueCON35 IIe ("the Dongle"), please follow these simple steps:

- ♦ Charge your Dongle
- ♦ Pair your Dongle with any Stereo Headset has A2DP profile

Page 3

Charging your Dongle




Fig. 2

The dongle comes with a built-in rechargeable battery. Prior to using the dongle, it is recommendable to charge the battery fully for the first time.



TÜV Rheinland Group

Charging Your Dongle

Connect the charger to an AC wall outlet and the charger plug to the dongle's charging socket (fig.2). The **LED** will be red while charging.

IMPORTANT Charging indication will be delayed for a few seconds if the headset has not been used for a long time or the battery is drained.

Nominal Charging Time

Charging the battery fully is normally within 3 hours. When the battery is fully charged, the **LED** will turn blue and remains on for 30 minutes. Disconnect the charger from AC wall outlet and the headset. Press and hold the **MFB** (fig.1) for 2 seconds to turn the headset on, please refer to "Turning Your Headset On and Off" on the next page.

Talk & Standby Time

The fully charged battery offers up to 6 hours talk time and up to 150 hours standby time. When no calls are in progress, the headset remains turned on in standby mode.

Low Battery

When the dongle is on and the battery becomes low, the **LED** flashes red. Please recharge the battery as described above.



Test Report No.: 14010785 001 Appendix 4 page 15 of 30



www.tuv.com

Turning your Dongle on and off

Turning On

Press and hold the MFB for approximately 2 seconds until you see the LED flash Blue.

NOTE Press the MFB again each time you turn on the Dongle to reactivate the pairing so that the connection between the Dongle and headset is resumed. For pairing, please refer to "Pairing Your BlueCON35 II" on page 5.

Turning Off

Press and hold the MFB for approximately 3 seconds until you see the LED indicator will not flash.



Page 5

TÜV Rheinland Group



www.tuv.com

Pairing your dongle

- 1. Press the "MFB" button and hold for 8 seconds until the LED indicator flash "Blue" and "Red" alternately
- 2. Press and hold your bluetooth headset (A2DP profile enabled) and start the pairing mode.
- 3. The dongle will start pairing automatically until the LED indicator flashes "Blue" only
- 4. Once the pairing has been successfully completed, the LED indicator will only flash "Blue"
- 5. Enjoy your stereo music with the dongle

Note:

- If LED indicator shows "Purple" or is off, please repeat step 2 5 again
- The default passkey of the dongle is "8888"



Page 6

TÜV Rheinland Group



www.tuv.com

Care and Maintenance

Dongle

- Consider turning your Dongle off before placing it in your pocket or bag. If the MFB is accidentally depressed, your mobile handset may place an unintended call.
- Do not expose the Dongle to liquid, moisture or humidity as it is not waterproof.
- Do not use abrasive cleaning solvents to clean the Dongle.
- Do not expose the Dongle to extremely high or low temperatures.
- Do not dispose of the Dongle in a fire as it will result in explosion.
- Do not expose your Dongle to contact with sharp objects as this will cause scratches and damage.
- Do not stick anything inside the Dongle as this may damage internal components.
- Do not attempt to disassemble the Dongle as it does not contain serviceable components.
- If you do not use the Dongle for long periods, be sure to store it in a dry place, free from extreme temperatures and dust.



www.tuv.com

Built-in Battery

- Do not attempt to replace the Dongle's battery yourself as it is in-built and is not changeable.
- Charge the battery in accordance with the instruction supplied with this user guide.
- Only use the manufacturer supplied charger when charging the Dongle.

Charging

- Only use the manufacturer supplied charger when charging the Dongle.
- Do not disassemble the charger as it may expose you to dangerous voltages of other risks. Incorrect reassembly can cause electric shock when the Dongle is subsequently used.
- Do not use the charger outdoors or in damp areas.
- Only charge the Dongle's built-in battery in accordance with the instructions of this user guide.
- Avoid charging the Dongle in extremely high and low temperatures.



Test Report No.: 14010785 001 Appendix 4 page 22 of 30



www.tuv.com

Safety Information

- Check local laws regarding use of a mobile handset and headset while driving. If you use the headset while driving, ensure your attention and focus remains on your responsibility of driving safely.
- Never allow children to play with the headset small parts may be a choking hazard.
- Observe all signs that require an electrical device or RF radio product to be switched off in designated areas. These could include hospitals, blasting areas, and potentially explosive atmospheres.
- Turn off your headset prior to boarding an aircraft. Do not use your headset in an aircraft.
- Never mount or store your headset over any air bag deployment area as serious injury may result when an air bag deploys.
- Do not open or mutilate the built-in battery.
- Dispose of batteries according to local regulations. Do not dispose as household waste



Test Report No.: 14010785 001 Appendix 4 page 24 of 30



www.tuv.com

Troubleshooting

The Dongle

If you are unable to connect your Dongle to the headset, please try the following:

- Ensure the Dongle is turn on and the battery is full
- Ensure the Dongle is paired with your stereo headset no more than 1 meter apart and ensure there is nothing in between
- Ensure the Stereo headset is turning on. Please refer to your stereo headset user guide for specific instruction
- Ensure the Dongle is within a maximum of 10 meters of your stereo headset and there are no obstructions, such as walls or other electronic devices in between

If the above steps do not resolve your problem, please reset your headset, remove both the batteries a while.

The i.Tech BlueCON35 IIe is compliant with and adopts the Bluetooth Specification 1.2. However, interoperability between the device and other Bluetooth-enabled products is not guaranteed because it depends on compatibility. For more information on the compatibility between the device with other Bluetooth-enabled products, please check with manufacturer or browse:

http://www.itechdynamic.com



Test Report No.: 14010785 001 Appendix 4 page 26 of 30



Declaration of Conformity (DOC)

We, i.Tech Dynamic Ltd., declare that the following product:

Product Name: BlueCON35 IIe Model No.: C51-A5049-XX

Is in conformity with the following essential requirements of Council Directive 1999/5/EC(referred to as R&TTE Directive): Article 3.1a, 3.1.b and 3.2. and the product is manufactured in accordance with Annex II of above directive.

A copy of the Declaration of Conformity can be found at:

http://www.itechdynamic.com



Test Report No.: 14010785 001 Appendix 4 page 28 of 30



www.tuv.com

Product Specifications

Bluetooth Specification: Version 1.2 Class 2

Bluetooth Profile Supported: A2DP

Range of Frequency: 2.4GHz Specturm

Transmitting Range: Up to 10 meters

Audio Streaming Time*: up to 9 hours

Dimensions: 63 mm (L) x 23 mm (W) x 12 mm (H)

Cable length: 55mm (Not include the jack)

Weight: 13.5 grams

* May vary with difference type of batteries and user mode of operation



www.tuv.com

(Back Cover)

© 2005 Hutchison Harbour Ring Enterprises Limited

All rights in this publication are reserved and no part may be reproduced without the prior written permission of the publisher. The contents of this publication are believed to be correct at the time of going to press, but any information, specifications, products or services mentioned may be modified, supplemented or withdrawn without further notice.

The Stylized i. Tech logos are trademarks owned by Hutchison Harbour Ring Enterprises Limited or its affiliates.

Bluetooth[®] and the Bluetooth logos are trademarks owned by Bluetooth SIG, Inc, USA and licensed to i.Tech Dynamic Limited.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

i.Tech declares under our sole responsibility that the product is in conformity with the provisions of the following Council Directives: 1999/5/EC

Printed in China

Dispose of the packaging and this product in accordance with the latest provisions.

