



Gasmate

Charmate
Great taste. *Good times!*

OUTDOOR HEATING

2021



SITRO GROUP
A U S T R A L I A



CONTENTS

Gasmate

Stellar Black Gas Fire Pit	4
Stellar Black Pyramid Flame Heater	6
Stellar Black Deluxe Area Heater	8
Stainless Steel Deluxe Area Heater	10
Stellar Black Deluxe Patio Heater	12
Solaris Freestanding Ceramic Radiant Heater	14
Solaris Wall Mount Ceramic Radiant Heaters	16

Charmate® Great taste. *Good times!*

Fletcher Cast Iron Fire Bowl	18
Furnace Cast Iron Chimenea	19
NEW Tuscan 72cm Cast Iron Fire Pit	20
NEW Humidor Cast Iron Chimenea & BBQ	22



ALL OUR PRODUCTS COME WITH A 12 MONTH DOMESTIC WARRANTY PERIOD AND WE HAVE A DEDICATED CUSTOMER SERVICE TEAM TO ANSWER ALL YOUR QUESTIONS.

The enchanting flame of this stylish, Decorative Gas Fire Pit provides a gentle warmth and complements any outdoor entertaining area.



Gasmate

STELLAR BLACK GAS FIRE PIT

GF2001BLK

Features include:



Flame Failure System

This safety feature instantly ceases gas supply if the flame goes out.



Approximate Run Time

Runs for approximately 17hrs on a full 9kg LPG cylinder.



For Outdoor Use Only

Designed and approved for outdoor use only - ideal for alfresco areas and patios.



Flame Guard

Glass flame guard provides added protection against naked flame.



Gas Connection Type

Includes hose & POL regulator.



Easy Assembly



12 Month Domestic Warranty
3 Month Commercial Warranty



Gas Certified to Australian Standards



Area Heater Cover

GMAHC

400 x 500 x 600mm

Black polyester with PVC lining plus rope and ball anchor for secure fit.

ALL ACCESSORIES ARE
SOLD SEPARATELY.

Model Number:	GF2001BLK
Gas Consumption:	29 MJ/h
Dimensions (mm):	500 W x 500 D x 1120 H
Gas Type:	Propane
Ignition Type:	Electronic Piezo
Burner Type:	Stainless Steel
Minimum Clearance:	Side: 500mm To combustible materials - with heat deflector fitted
Weight:	18kg



Entertain in style with the gentle, glowing warmth of the sophisticated Decorative Flame Heater.

Gasmate

STELLAR BLACK PYRAMID FLAME HEATER

FH200ODS

Features include:



Oxygen Depletion System

ODS safety device automatically switches off the heater when low oxygen levels are detected.



Safety Tip-Over Switch

This safety feature instantly ceases gas supply if the heater is knocked over.



Flame Failure System

This safety feature instantly ceases gas supply if the flame goes out.



Approximate Run Time

Runs for approximately 14hrs on a full 9kg LPG cylinder.



For Outdoor Use Only

Designed and approved for outdoor use only
- ideal for alfresco areas and patios.



Flame Guard

Grill flame guard provides added protection against naked flame.



Gas Connection Type

Includes hose & POL regulator.



Easy Assembly



12 Month Domestic Warranty
3 Month Commercial Warranty



Gas Certified to Australian Standards



Model Number:	FH200ODS
Gas Consumption:	33 MJ/h
Dimensions (mm):	500 W x 500 D x 1930 H
Gas Type:	Propane
Ignition Type:	Electronic Piezo
Burner Type:	Ceramic
Approx. Heat Coverage:	10m ²
Minimum Clearance:	Side: 500mm To combustible materials - with heat deflector fitted
Weight:	22 kg



STELLAR BLACK DELUXE AREA HEATER

AH2066

Features include:



Oxygen Depletion System

ODS safety device automatically switches off the heater when low oxygen levels are detected.



Safety Tip-Over Switch

This safety feature instantly ceases gas supply if the heater is knocked over.



Flame Failure System

This safety feature instantly ceases gas supply if the flame goes out.



Approximate Run Time

Runs for approximately 9hrs on a full 9kg LPG cylinder.



For Outdoor Use Only

Designed and approved for outdoor use only - ideal for alfresco areas and patios.



Flame Guard

Grill flame guard provides added protection against naked flame.



Gas Connection Type

Includes hose & POL regulator.



Easy Assembly



12 Month Domestic Warranty

3 Month Commercial Warranty



Gas Certified to Australian Standards

Model Number:	AH2066
Gas Consumption:	40 MJ/h
Dimensions (mm):	500 W x 500 D x 1350 H
Gas Type:	Propane
Ignition Type:	Rotary Direct
Burner Type:	Stainless Steel
Approx. Heat Coverage:	15m ²
Minimum Clearance:	Side: 500mm To combustible materials Above: 1000mm - with heat deflector fitted
Weight:	17kg



Area Heater Cover

GMAHC

400 x 500 x 600mm

Black polyester with PVC lining plus rope and ball anchor for secure fit.

ALL ACCESSORIES ARE SOLD SEPARATELY.

**A great heating alternative
in areas where ceiling
clearances may prohibit
the use of a mounted
radiant heater.**

**Freestanding
Gas Heaters**

Ideal for commercial use, this Deluxe Area Heater is equipped with the following features;

- 1mm emitter for greater durability and heat performance
- Stainless steel body for greater resistance to external elements and a stylish, clean finish that is easy to maintain when properly cared for
- Electronic piezo ignition for easy start-up, with adjustable heat output
- 12 month commercial warranty



STAINLESS STEEL DELUXE AREA HEATER

AH2069CS

Features include:



Oxygen Depletion System

ODS safety device automatically switches off the heater when low oxygen levels are detected



Safety Tip-Over Switch

This safety feature instantly ceases gas supply if the heater is knocked over.



Flame Failure System

This safety feature instantly ceases gas supply if the flame goes out.



Approximate Run Time

Runs for approximately 9hrs on a full 9kg LPG cylinder.



For Outdoor Use Only

Designed and approved for outdoor use only - ideal for alfresco areas and patios.



Flame Guard

Grill flame guard provides added protection against naked flame.



Gas Connection Type

Includes hose & POL regulator.



Easy Assembly



24 Month Domestic Warranty

12 Month Commercial Warranty



Gas Certified to Australian Standards



Area Heater Cover

GMAHC

400 x 500 x 600mm

Black polyester with PVC lining plus rope and ball anchor for secure fit.

ALL ACCESSORIES ARE SOLD SEPARATELY.

Model Number:	AH2069CS
Gas Consumption:	40 MJ/h
Dimensions (mm):	500 W x 500 D x 1350 H
Gas Type:	Propane
Ignition Type:	Electronic Piezo
Burner Type:	Stainless Steel
Approx. Heat Coverage:	15m ²
Minimum Clearance:	Side: 500mm To combustible materials Above: 1000mm - with heat deflector fitted
Weight:	17kg



STELLAR BLACK DELUXE PATIO HEATER

PH7056

Features include:



Safety Tip-Over Switch

This safety feature instantly ceases gas supply if the heater is knocked over.



Flame Failure System

This safety feature instantly ceases gas supply if the flame goes out.



Approximate Run Time

Runs for approximately 9hrs on a full 9kg LPG cylinder.



For Outdoor Use Only

Designed and approved for outdoor use only - ideal for alfresco areas and patios.



Gas Connection Type

Includes hose & POL regulator.



Easy Assembly



12 Month Domestic Warranty

3 Month Commercial Warranty



Gas Certified to Australian Standards



Patio Heater Cover

CPHD

940 x 240 x 650mm

Deluxe vinyl with felt lining plus zipper and two rods for easy fitting, secure with hook and loop fastening
ALL ACCESSORIES ARE SOLD SEPARATELY.


Model Number:	PH7056
Gas Consumption:	40 MJ/h
Dimensions (mm):	820 W x 820 D x 2130 H
Gas Type:	Propane
Ignition Type:	Rotary Direct
Burner Type:	Stainless Steel
Approx. Heat Coverage:	28m ²
Minimum Clearance:	Side: 500mm To combustible materials Above: 500mm - with heat deflector fitted
Weight:	17kg

A black Gasmate Deluxe Patio Heater stands on a wooden deck. In the background, there is a wooden sofa with white cushions and yellow pillows, and a matching ottoman. The scene is set outdoors with lush greenery and a wooden railing. The heater has a black base, a long black pole, and a glass-enclosed burner at the top. The Gasmate logo is visible on the pole.

Providing a strong radiant heat with easy-to-use features, the Deluxe Patio Heater is the perfect addition to any outdoor entertainment area, especially in the colder months.

**Freestanding
Gas Heaters**

The Solaris Ceramic Freestanding LPG Heater combines a stylish, modern look with strong, radiant heat output for entertaining all year round.



SOLARIS CERAMIC RADIANT HEATER & STAND

RH210

Features include:



For Outdoor Use Only

Designed and approved for outdoor use only
- ideal for alfresco areas and patios.



Gas Connection Type

Includes hose & POL regulator.



Easy Assembly



12 Month Domestic Warranty
3 Month Commercial Warranty



Gas Certified to Australian Standards

PROPANE



Model Number:	RH210
Gas Consumption:	35 MJ/h
Dimensions (mm):	684 W x 655 D x 2075 H
Gas Type:	Propane
Ignition Type:	Pull Cord
Burner Type:	5 x Ceramic Tiles
Approx. Heat Coverage:	20m ²
Minimum Clearance:	Side: 1000mm To combustible materials Above: 400mm - with heat deflector fitted Below: 2000mm
Weight:	Heater: 14kg Stand: 31kg Total: 45kg

A photograph of a rooftop bar at night. The ceiling is made of light-colored wooden planks. A Gasmate Ceramic Radiant Heater, which is a square-shaped device with a blue and red face, is mounted on the ceiling. The bar counter is dark and has a white fan on the left side. Behind the bar, there are shelves with various bottles. The floor is made of wooden planks. In the foreground, there are several high-top stools with grey upholstery. In the background, there is a city skyline with lit-up buildings under a dark blue sky. A white awning is visible on the right side of the image.

Gasmate Ceramic Radiant Heaters emit strong, comfortable directional warmth so you can enjoy the outdoors all year round.

SOLARIS CERAMIC RADIANT HEATER

RH205

Features include:



For Outdoor Use Only

Designed and approved for outdoor use only - ideal for alfresco areas and patios.



Gas Connection Type

Includes natural gas regulator.



Assembly

Wall mount bracket included. Requires professional installation by a qualified trades-person.



12 Month Domestic Warranty
3 Month Commercial Warranty



Gas Certified to Australian Standards


PR^oPANE




SOLARIS DELUXE CERAMIC RADIANT HEATER

RH200

Minimum Clearance



Heating Coverage



Model Number:	RH205	RH200
Gas Consumption:	35 MJ/h	35 MJ/h
Dimensions (mm):	684 W x 494 D x 409 H	684 W x 494 D x 409 H
Gas Type:	Natural Gas Only	Natural Gas Only
Ignition Type:	Pull Cord	Electric Wall Switch
Burner Type:	5 x Ceramic Tiles	5 x Ceramic Tiles
Approx. Heat Coverage:	20m ²	20m ²
Minimum Clearance:	Side: 1000mm To combustible materials - with heat deflector fitted	Side: 1000mm Above: 400mm Below: 2000mm
Weight:	14kg	15kg



FLETCHER CAST IRON FIRE BOWL

CM140-036

Features include:

- Large, durable cast iron bowl
- Robust, modern design to suit any outdoor area
- Burns wood or charcoal
- Enjoy the crackle and glow of a natural wood fire

Model Number:	CM140-036
Finish:	Cast Iron
Dimensions (mm):	900 W x 900 D x 270mm H
Weight:	16kg





FURNACE CAST IRON CHIMENEA

CM140-051

Features include:

- Hard-wearing cast iron with antique finish
- Chimney funnels smoke away and allows for a slower burn
- Removable mesh doors offer protection from embers and sparks
- Create an inviting warm atmosphere in your backyard

Model Number:	CM140-051
Finish:	Cast Iron
Dimensions (mm):	540 W x 540 D x 1120 H
Weight:	30kg



**Solid Fuel
Heaters**

Huddle around the natural warmth of the Charmate Tuscan Fire Pit and enjoy the ambience of natural flames.



TUSCAN 72CM CAST IRON FIRE PIT

CMFP72

Features include:



Enjoy the Ambience

Relax with the crackle and glow of a natural wood fire



Deep Bowl

Durable, deep cast iron bowl for a generous fire



Cast Iron Construction

Ensures effective heat distribution and unparalleled durability



Sturdy & Stable

Square cast iron base for stability



Burns Wood



Burns Charcoal



Model Number:	CMFP72
Finish:	Cast Iron
Dimensions (mm):	720 D x 290 H
Weight:	22kg

Easily transform the Charmate Humidor from Chimenea to Firepit to BBQ by adding or removing the cast iron grill and tabletop and flipping the top over.



HUMIDOR CAST IRON CHIMENEA & BBQ

CM140-093

Features include:



Use as Chimenea, Firepit or BBQ

By adding or removing the cast iron grill and tabletop and flipping the top over



Cast Iron Construction

Constructed in heavy-duty cast iron for durability and performance



45cm Cast Iron Grill

Cook over wood or charcoal on the 45cm cast iron grill



Bamboo Tabletop

Adds functionality and extra preparation space



Enjoy the Ambience

Relax with the crackle and glow of a natural wood fire



Easy Clean Up

With the removable fuel grate and ash guard



Burns Wood



Burns Charcoal



Model Number:	CM140-093
Finish:	Cast Iron
Grill:	Cast Iron
Tabletop:	Bamboo
Dimensions (mm):	500 D x 960 H
Weight:	58kg



Customer Service

1300 174 876

Monday to Friday 8am – 5pm AEST



www.gasmate.com.au



Follow us on Facebook and Instagram
[@gasmate_au](https://www.instagram.com/gasmate_au)

Available From:

All images are for reference only. Due to product development, product and images may differ.
Gasmate® and Charmate® are registered trademarks of Sitro Group Australia Pty. Ltd.
www.gasmate.com.au
www.charmate.com.au

04268 02/21