

EHEIM



Innovative aquarium technology

Trade catalogue



Aquariums | Filters | Filter media
Pumps | Accessories
Food | Water care

Product range

2017/18

New products for your success.

EHEIM

Dear business partner,

Welcome to our new 2017/2018 EHEIM catalogue. On the following pages you will find details of our extensive range of aquatic novelties and technical products.

As pioneers, we have spent decades concentrating our focus on the technical aspect of water treatment and our most recent example of this is the new „**professional 4+**“ external filter (page 39). At EHEIM, you will find a comprehensive product range for both fresh and marine water aquariums.

We have recently launched our new „**incipria marine**“ combination comprising of a 600 lt aquarium and powerLED+ lighting (page 21) as well as the open top „**proxima reef**“ (page 22). For beginners, we have introduced the „**aquastar63 marine**“ set (page 8) and, for nano enthusiasts, the „**nanomarine35**“ (page 13) complete with technical equipment.

The new „**powerLED+**“ lighting concept for fresh and marine water aquariums has proven to be both efficient and durable and can be adapted to fit most aquariums (pages 70-73).

The new „**vivalineLED**“ fresh water aquarium combination has interchangeable colour panels allowing you to create countless possible and individual colour combinations (pages 18/19). Last but not least, important accessories for aquarium enthusiasts include the „**rapidCleaner**“ glass cleaner (page 76), the „**thermopreset**“ aquarium heater with a preset temperature (page 74) and the new generation „**compactOn**“ compact pump (pages 50/51).

Our product ranges show that new ideas and technical innovations are, and will remain in the future, the main focus for EHEIM.

Let us inspire you with our ideas and products.

Your EHEIM team



Contents

More and more people are turning to fish keeping these days. In Germany alone, 85 million fish are swimming around in 3 million aquariums.

There are many reasons why people love aquariums. The bold and fascinating colours of an underwater world help you get lost in a calm and relaxing environment and, for the adults, it makes a statement in a home. Children love aquariums because it brings them a little closer to nature. If you look closely, aquarium life is exciting – a lot is happening in there.

EHEIM has always offered leading technology, aesthetic and functional design and lasting solutions. Our ground breaking inventions, ingenious innovations and highest quality have set the benchmark worldwide. Aquarists love to see Made in Germany on their products.

The name EHEIM is synonymous with quality, durability and reliability. Going back more than half a century our founder and engineer, Gunther Eheim, invented the aquarium suction filter and the engineer Eugen Jäger invented the “stick” heater. Both of these inventions helped pave the way to the modern aquarium and fish keeping hobby we know today. We are pioneers and market leaders for this reason.

Aquariums

		Page	
	Starter sets		
	Aquarium sets	aquastar 8	new
		aquabay 9	
		aquapro 9	
	Terrarium		
	Terrarium sets	terrastyle 10	
		terra set 11	
	Stands for sets	aquacab/DUO 12	new
	Combinations		
	Nano-aquatics	nano shrimp/nano marine 13	new
		aquastyle 13	
	Fresh water	incpiria 14/15	new
		proxima 16	
		proxima plus 17	
		vivalineLED 18/19	new
	Marine water	incpiria marine 20/21	new
		proxima reef 22	new
	Glass tanks	Glass aquariums 24	
		Glass terrariums 25	
	Filter		
	Micro filters	miniUP 28	
	Hang-on filters	miniFLAT 29	
	Internal filters	LiBERTY 31	
		PowerLine 32	
		pick up 33	
		aquaball 34	
		biopower 35	
		classic 36	
		ecco pro 37	
		eXperience 38	
		professionel 4+ 39	new
	External canister filters	professionel 3 39	
		professionel 4*+ 40	new
		professionel 3° 40/41	
		thermo 42/43	

Filter media

44-49

Pumps

Marine water	compactON 50/51	new
	streamON/streamON+ 52/53	
Fresh water	universal 54	
	air pump 55	

Accessories

56-83

UV-sterilizer	reflexUV 57	
Cleaning/care	skim350 58	
	skimmarine 59	new
Lighting	freshpower T5 60	
	marinepower T5 61	
	powerLED Nano 62/63	
	classicLED 64	new
	powerLED 66-69	
	powerLED+ 70-73	new
	thermopreset 74	new
Aquarium heater	thermocontrol 75	
Fish feeder	autofeeder 78	
	TWINfeeder 78	
	turtlefeeder 78	
	autoliquid 79	

Food

84-87

Fresh water	professionel food 86/87	
Marine water	professionel food 87	

Water care

water care 88

Plant care

plant care 89

Service

Technical data	Filter 90/91	
	Pumps 92/93	
	Aquariums/Terrariums 94	
	Recommended filters 95	
	Brochures 96/97	
	Technical support 98	

Sales aids (POS)

shopDesign

Shop fitting systems 100-105



EHEIM incipiria 500 marine

EHEIM lighting – two ideally matched lighting concepts. Technically perfect. Safe and efficient. With a daylight spectrum similar to sunlight.

EHEIM powerLED+ light

- An alternative to our already efficient T5 fluorescent tubes
- A further 30% saving in energy compared with T5 (comparison: T5 = 88 lm/W; LED = 120 lm/W, old performance classes)
- Optimum light output with full depth light penetration – even in deeper aquariums
- Ideal balance of spectrums and combined light colours for plants and/or corals
- Full sunlight spectrum
- Promote photosynthesis

EHEIM T5 Technology

- Improved light output: compact T5 HO (high-output) light tubes with a 20% increase in efficiency compared with T8 (comparison: T8 = 73 lm/W, T5: 88 lm/W)
- Optimum light output with full depth light penetration
- Also suitable for larger and deeper aquariums (over 50 cm in height)
- Suitable for both saltwater and reef aquariums
- Use of superior fluorescent tubes
- Optimum colour reproduction of fish and plants due to a daylight spectrum similar to sunlight
- Promote photosynthesis



Highest quality combined with good design, simple convenience and reliable safety

Decades of experience in the production of aquariums and aquarium furniture, forward-looking innovations and a wide product range make EHEIM one of the outstanding brands in the aquatics world. Quality made by EHEIM.

- All glass aquariums for all-round viewing; no unnecessary frames or braces
- High quality float glass, flaw free with diamond cut edges
- Extra thick glass with secure joints to withstand high water pressure
- Hidden crosspiece strengthens the upper area; the full volume of the aquarium can be utilised
- Bottom trims and aquarium hoods are manufactured using the new EHEIM thermo-bonding process; a further technical innovation

- Hermetic sealing and precise production according to ISO standard and DIN 32622 guarantees the highest security
- VARILUX aquarium hoods with sliding light units, "Air-flow"-technology, wider access to the aquarium and many more advantages
- Specially adapted T5 (on some models T8) lighting concept
- Customised Tech Packs, furniture and Starter Sets complete the range

A wide choice of aquarium and furniture designs with a variety of possible combinations can satisfy every taste and compliment every environment.



new

EHEIM vivalineLED 126

EHEIM Starter sets are the ideal solution for beginners.

EHEIM



Starter sets

	Fresh water	Fresh water + LED	Fresh water	Marine water
Technical data	aquastar 54	aquastar 54 LED	aquastar 96	aquastar 63 marine
Volume approx.	54 l	54	96	63
Tank dim. WxDxH	60x30x30 cm	60x30x30	80x30x40	60x30x35
Glass thickness	4 mm	4	6	5
Lighting	1x15 W	LED daylight 1x12	1x18	LED hybrid 2x12
Weight	11 kg	9	18	14
Art. No. (Europe)	black 0340677	0340645	0340806	0340701
Art. No. (UK)	black 0340887	0340647	0340807	0340703
Art. No. (Europe)	white 0340606	0340646	-	0340702
Art. No. (UK)	white 0340607	0340648	-	0340704
Accessories				
EHEIM internal filter/pump	2008	2008	2010	2204/3701/1070/3551
EHEIM heater	50 W	50 W	100 W	-
Thermometer	+	+	+	+
Fish net	-	-	-	-
Extras				
Bottom trim	-	+	-	+

	Fresh water	Fresh water
Technical data	aquabay 58	aquabay 104
Volume approx.	58 l	104
Tank dim. WxDxH	60x30/35x33 cm	80x30/37,5x40
Glass thickness	4 mm	6
Lighting	1x15 W	2x18
Weight	12 kg	18
Art. No. (Europe)	0346000	0348000
Art. No. (UK)	0346080	0348080
Art. No. (Europe)	-	-
Art. No. (UK)	-	-
Accessories		
EHEIM internal filter/pump	2401	2402
EHEIM heater	50 W	100 W
Thermometer	+	+
Fish net	+	+
Extras		
Bottom trim	+	+

	Fresh water	Fresh water	Fresh water
Technical data	aquapro 84	aquapro 126	aquapro 180
Volume approx.	84 l	126	180
Tank dim. WxDxH	60x35x40 cm	80x35x45	100x40x45
Glass thickness	6 mm	6/8	6/8
Lighting	2x15 W	2x18	2x30
Weight	16 kg	23,8	31
Art. No. (Europe)	0340635	0340835	0341035
Art. No. (UK)	0340622	0340831	0341031
Art. No. (Europe)	-	-	-
Art. No. (UK)	-	-	-
Accessories			
EHEIM internal filter/pump	2402	2402	2403
EHEIM heater	75 W	100 W	150 W
Thermometer	+	+	+
Fish net	+	+	+
Extras			
Bottom trim	+	+	+



aquastar aquarium set
 Complete with high quality accessories.
 Available as fresh and marine water sets. With T8 tubes or LED lighting.
 Can be combined with the "aquacab" stand (page 12).



New vistas
 The bow front glass gives an extra depth effect. Complete with high quality accessories EHEIM internal "aquaball" filter and EHEIM heater. Hood has cut-out for the EHEIM automatic fish feeder. Can be combined with "DUO" stand (page 12).



Professional aquarium set
 Complete starter kit with EHEIM internal filter "aquaball" and EHEIM heater. Certified safety standard. Extra large tank volume. Can be combined with „aquacab“ (aquapro 84/126) and cabinet „vivalineLED“ (aquapro 180) page 12.



A completely new kind of terrarium.
Intelligently designed, practical
and easy to maintain.

EHEIM
terrastyle

EHEIM



Terrarium

Technical data

		terrastyle 30	terrastyle 50	terrastyle 70
Tank dim. WxDxH	cm	31x31x36	31x31x55	40x40x45
Volume approx.	l	30	50	70
Glass thickness	mm	4	4	4
powerLED	W	7	7	7
Kelvin	K	6500	6500	6500
Lumen	(lm)	670	670	670
Lux		3100	3100	3100
Art. No. (Europe)		0472310	0472311	0472410
Art. No. (UK)		0473310	0473311	0473410

Practical tilting glass pane ①

- The front pane can be tilted or removed completely
- Easy and practical front access
- Can be adjusted to tilt on two settings (with safety catch) - for either feeding or cleaning
- Insects/inhabitants legs won't get trapped
- No slide sections to trap larvae
- Quiet closing mechanism
- Lockable (key lock optional - see accessories) ②



Effective ventilation ③

- Ensures the movement of air and prevents condensation, also prevents glass panes from steaming up and the formation of mildew etc
- Air intake through bottom (front) ventilation grille
- Air outlet through top ventilation grille (stainless steel/fine gauze, close-meshed, max. 0.63 mm)



LED-lighting - EHEIM powerLED ④

- Lamp is simply clipped on to the open fixing ring in the cover glass
- Light shines directly into the terrarium
- Does not increase the temperature in the terrarium (2-3 °C above room temperature) – good for inhabitants that prefer a lower temperature
- Humidity is maintained for long periods
- The heat is conducted upwards (convection/chimney effect)


terrastyle accessories (optional)

① **EHEIM powerLED actinic blue Art. No. 7602958**
With an enhanced blue-light/UV element for scorpions (fluorescence) – an exact fit and easy to replace

② **EHEIM terrastyle key lock, Art. No. 6470150**
Protects against the accidental opening of the tilting pane of glass (important if there are children around, party guests etc. or if you keep any dangerous species)

new

- Desert sand „Sahara“ Art. 6470240
- Desert sand „Namibia“ Art. 6470250
- Cork-background 30x35 cm Art. 6470300
- Cork-background 30x54 cm Art. 6470310
- Cork-background 39x44 cm Art. 6470320
- Sprayer Art. 6470170
- Thermo-/Hygrometer Art. 6470700



Starter terrarium

Technical data

		terra set 60	terra set 80
Tank dim. WxDxH	cm	60x37x40	80x40x50
Glass thickness	mm	4	5
Lighting	W	1x15	1x18
Weight	kg	13,9	26,8
Art. No. (Europe)	black	0460610	0460810
Art. No. (UK)		0460620	0460820

Extras

extra depth

extra depth



Optional accessory: EHEIM miniFLAT

Micro internal filter for a terrarium or paludarium with a shallow water area or water bowls (e.g. for frogs, semi-aquatic reptiles, cray fish etc.). Dimensions 127 x 33,4 x 54 mm (page 29). Not included.



CE



DIN CE

EHEIM furniture kits – suitable for starter sets.
Value for money and easy to assemble.

The mini underwater world as a decoration.
An invitation to look, to watch and to dream.

EHEIM



Furniture

Technical data	aquacab 54	aquacab 84	aquacab 126	DUO 60	DUO 80
Dimensions w x d	61x31	61x36	81x36		
Panel 1 cm	-	-	-	60x30	81x36
Panel 2 cm	-	-	-	60,5x36	80,5x37,5
Height cm	85	85	85	68	68
Weight kg	14	14,5	20	10	16
Art. No. black	0220639	0220649	0220839	0220616	0220888
EAN 4010251	133019	133033	133057	095966	096581
Art. No. white	0220633	0220643	0220833	-	-
EAN 4010251	133002	133026	133040	-	-
Suitable for set					
aquastar 54/LED/63 marine	●			●*	
aquastar 96			●		●
aquabay 58				●	
aquabay 104					●
aquapro 84		●			
aquapro 126			●		●
aquapro 180	MB vivalineLED 180 walnut (0251002) / white (0251003) / wenge (0251004)				

*only aquastar 54 (T8)



EHEIM aquacab – customised cabinet kit for the EHEIM complete sets.
Reasonable price, easy to assemble.

- Ideally suited for EHEIM aquastar54/54 LED complete sets, aquastar63 marine, aquapro84 and aquapro126
- Pleasant viewing height of 85 centimeters
- Reasonable price and easy to assemble
- Additional storage space for your aquarium accessories

The DUO cabinets have different sized bottom and top plates. By turning the cabinet over, it can be used for a different sized tank.



Nano

	Fresh water nano shrimp 35	Marine water nano marine 35	Fresh water aquastyle 35
Nano tank			
Art. No. (Europe)	6406020	6410020	6402020
Art. No. (UK)	6406 510	6410 510	6402 510
Cabinet (optional)			
Decor black	Art. No. 6502020	6502020	6502020
	EAN 4011708 000663	000663	000663
Decor white	Art. No. 6502023	6502023	6502023
	EAN 4011708 000670	000670	000670
Technical data			
Aquarium			
Volume approx. l	35	35	35
Tank dimensions WxDxH cm	31x31x36	31x31x36	31x31x36
Glass thickness mm	5	5	5
Lighting			
powerLED	daylight	daylight & actinic blue	daylight
		actinic blue	
Including EHEIM technology	under gravel filter 300 l/h pump	internal corner filter circulation pump	internal corner filter

Convenient cabinet with additional storage for accessories



EHEIM nano shrimp 35

The new Nano Aquariums

EHEIM nano shrimp 35 – The unique shrimp paradise. Specifically designed for keeping and breeding shrimp. With easy-care soil filter system – undergravel filter (priming principle) and EHEIM pump 300 l/h.

Marine water aquarium EHEIM nano marine 35
Including flow pump with magnetic holder and adjustable flow rate 1400 – 2000 l/h. The 3D setting allows for directional flow to the mini coral reef as well as optimal water circulation.



Accessories EHEIM nano marine 35

EHEIM aquastyle 35

Suitable as a planted aquarium or for keeping shrimps and snails.

Powerful internal corner filter, fully equipped with filter cartridge and bio-filter-material (SUBSTRATpro* recommendation: for fresh water use only)

Filter media

EHEIM filter nano marine/aquastyle 35		Pk
Filter sponge	2 x 2616000	6
EHEIM SUBSTRATpro*	250 ml 2510021	6
EHEIM AKTIV	250 ml 2513021	6
EHEIM phosphateout	390 g 2515051	6



High Quality in High Gloss

All-inclusive aquarium combination.
Complete with high quality technology.

EHEIM
incpiria

Pre-assembled

Combination



Technical data

	incpiria 200			incpiria 300			incpiria 400			incpiria 500			incpiria 600		
Volume approx.	200			300			400			500			600		
Tank dim. WxDxH	70x55x65			100x55x65			130x55x65			160x55x65			200x55x65		
Glass thickness	8			10			12			12			12		
Lighting T5	2x24			2x39			2x54			2x80			-		
Lighting powerLED+	1x17 daylight/1x20 plants			1x26 daylight/1x30 plants			1x35 daylight/1x39 plants			1x43 daylight/1x49 plants			2x26 daylight/2x30 plants		
Complete dim. WxDxH	70x55x140			100x55x140			130x55x140			160x55x140			200x55x140		
Decor	white high gloss	black high gloss	black* silver**												
Art. No. (Europe) powerLED+	0672023	0672028	0672029	0673023	0673028	0673029	0674023	0674028	0674029	0675023	0675028	0675029	0676023	0676028	0676029
Art. No. (UK) powerLED+	0672033	0672038	0672039	0673033	0673038	0673039	0674033	0674038	0674039	0675033	0675038	0675039	0676033	0676038	0676039
Art. No. (Europe) T5	0672003	0672008	0672009	0673003	0673008	0673009	0674003	0674008	0674009	0675003	0675008	0675009	-	-	-
Art. No. (UK) T5	0672013	0672018	0672019	0673013	0673018	0673019	0674013	0674018	0674019	0675013	0675018	0675019	-	-	-

*black = black high gloss / **silver = silver metallic

EHEIM incpiria – T5 or LED. The choice is yours.

- Tanks are 55 cm deep (ample room for decoration)
- Doors with recessed cup handles
- Internally fitted lighting (T5 incl. light tubes and reflectors)
- Convenient sliding top cover made of high quality black glass
- Integrated maintenance shaft (black glass) for hiding the water inlet and electricity cables
- Water outlet can be configured as required using the „InstallationsSet 2“ included (Art. 4005310)
- Discreet water return to the external filter via bottom drilled hole at the back of the tank
- Cabinet with high gloss finish (white or black)
- Available with the new powerLED+ as an accessory in spring/summer 2017 and with an optional controller for individual lighting requirements (page 70)
- Fully assembled

EHEIM incpiria 500


- Designed for use with external filters with 2 x suction hoses (professional 3 1200/1200 XLT)
- Includes InstallationsSet 1

NEW: EHEIM incpiria 600

- 2 holes drilled in the back (base) of the aquarium for external filter pipework
- Reinforced cabinet with double side walls



incpiria 500 + professional 3 1200XL
(Filter not included)



Power-Kit for light intensive aquarium applications
additional lighting system consisting of: light unit, light tubes and reflectors

Art. No. EU/UK	Power-Kit	Watt
0582002/0582003	(incpiria 200)	2x24 (T5)
0583002/0583003	(incpiria 300)	2x39 (T5)
0584002/0584003	(incpiria 400)	2x54 (T5)

incpiria 200-600 extendable with powerLED+

Accessories (optional): double tap Art. 4005410



incpiria sliding cover

Recommended EHEIM technology

Page 95

Made in Germany



Mix of modern materials combined with mocha - the latest colour trend – a classic

EHEIM
proxima

Open aquarium combinations – New dimensions for aquarium enthusiasts

EHEIM
proximaplus



white high gloss
mocha brown gloss



Combination

Technical data

		proxima 175	proxima 250	proxima 325
Volume approx.	l	175	250	325
Tank dim. WxDxH	cm	70x50x50	100x50x50	130x50x50
Glass thickness	mm	8	8/10*	12
Lighting T5	W	2x24	2x39	2x54
Lighting	W	1x17/1x20	1x26/1x30	1x35/1x39
powerLED+		daylight/plants	daylight/plants	daylight/plants
Complete dim. WxDxH	cm	71x51x132	101x51x132	131x51x132
Decor white high gloss T5	Art. (Euro)	0602203	0602223	0602243
Decor white high gloss T5	Art. (UK)	0602303	0602323	0602343
Decor mocha brown gloss T5	Art. (Euro)	0602206	0602226	0602246
Decor mocha brown gloss T5	Art. (UK)	0602306	0602326	0602346
Decor white gloss powerLED+	Art. (Euro)	0602403	0602423	0602443
Decor white gloss powerLED+	Art. (UK)	0602503	0602523	0602543
Decor mocha brown gloss LED+	Art. (Euro)	0602406	0602426	0602446
Decor mocha brown gloss LED+	Art. (UK)	0602506	0602526	0602546

* Side glass panes/Front

EHEIM proxima 175/250/325

Closed aquarium combination with a brushed aluminium Varilux light support and bottom frame

- Sliding glass covers made from high quality black glass
- Integrated lighting with efficient T5 technology and original **EHEIM freshpower daylight fluorescent tubes**
- Available with the new powerLED+ as an accessory in spring/summer 2017 and with an optional controller for individual lighting requirements (page 70)



white high gloss
mocha brown gloss

Recommended EHEIM technology

Page 95

Cover with glass tank and cabinet are also available separately.

Technical data

		proxima plus 175	proxima plus 250	proxima plus 325
Volume approx.	l	175	250	325
Tank dim. WxDxH	cm	70x50x50	100x50x50	130x50x50
Glass thickness	mm	8	8/10*	12
Lighting	W	1x17/1x20	1x26/1x30	1x35/1x39
powerLED+		daylight/plants	daylight/plants	daylight/plants
Complete dim. WxDxH	cm	71x51x145	101x51x145	131x51x145
Decor white gloss Art. No. (Euro)		0602213	0602233	0602253
Decor white gloss Art. No. (UK)		0602313	0602333	0602353
Decor mocha brown gloss (Euro)		0602216	0602236	0602256
Decor mocha brown gloss (UK)		0602316	0602336	0602356

* Side glass panes/Front

new

Simple elegance for modern homescapes

- Combination of glass, brushed aluminium and modern cabinets
- 50cm openings to accommodate the trend for "aquascaping" and "biotope aquariums"
- Sturdy cabinet in a gloss finish (white or mocha) with a subtle, recessed frame in brushed aluminium
- Doors (without handles) include "push to open" technology

The **open aquarium combination** offers greater freedom in underwater design

- Open top aquarium with no brace bars
- Brushed aluminium bottom frame
- Original **EHEIM powerLED+** lighting (1 x daylight/1 x fresh plants) with suspension wires for ceiling mounting or mounting brackets for fitting lights directly onto the aquarium

Recommended accessories for EHEIM proxima plus 175/250/325

InstallationsSET 1 (suction side)
InstallationsSET 2 (pressure side)
(Page 77)



(filter/filter media not included)

Made in Germany



Individual home environments fully equipped with high quality technical equipment



Combination

Technical data

		vivalineLED 126			vivalineLED 150			vivalineLED 180			vivalineLED 240		
Volume approx.	l	126			150			180			240		
Tank dim. WxDxH	cm	80x35x45			60x50x50			100x40x45			120x40x50		
Glass thickness	mm	6/8			8			6/8			8/10		
Lighting classicLED	W	1x13			2x12			1x17			1x20		
Complete dim. WxDxH	cm	81x36x119			61x51x124			101x41x119			121x41x124		
Decor		oak grey	white	anthracite									
Art. No. (Europe)		0613001	0613003	0613009	0613021	0613023	0613029	0613041	0613043	0613049	0613061	0613063	0613069
Art. No. (UK)		0615001	0615003	0615009	0615021	0615023	0615029	0615041	0615043	0615049	0615061	0615063	0615069

EHEIM vivalineLED is the new fresh water aquarium combination in four different sizes and countless colour combinations.

- Trendy cabinet – in three different basic colours (white, anthracite, oak grey)
- Including energy efficient and high performance EHEIM classic LED lighting
- Interchangeable decorative panel in different trendy colours
- Sliding LED lights for easy access
- Glued frame with cut outs for all pipework and cables
- Sliding panes made of high quality aluminium composite panels
- Fully equipped with high quality EHEIM technical equipment and biological filter media



Sliding panes made of high quality aluminium composite panels

Including EHEIM technology:

Filter	biopower	ecco pro	Heater thermocontrol
vivalineLED 126	160	-	100 W
vivalineLED 150	200	-	100 W
vivalineLED 180	200	-	150 W
vivalineLED 240	-	300	150 W

All vivalineLED cabinets are supplied with matching decorative boards in oak grey, white and anthracite. As well as these three standard colours, the interchangeable panels are also available in bordeaux, candy, lemon, sky and urban (light grey). The panels are simple to replace and can be screwed onto the cabinet even when the aquarium is full.



EHEIM vivalineLED 180 - white with decorative board in bordeaux

Made in Germany

Cover with glass tank and cabinet are also available separately.

Pre-assembled



new

Marine water

Technical data

	incpiria 200 marine			incpiria 300 marine			incpiria 400 marine			incpiria 500 marine			incpiria 600 marine		
Volume approx.	200			300			400			500			600		
Tank dim. WxDxH	70x55x65			100x55x65			130x55x65			160x55x65			200x55x65		
Glass thickness	8			10			12			12			12		
Lighting T5	4x24			2x39			4x54			-			-		
Lighting powerLED+	4x19,7 marine hybrid			4x29,5 marine hybrid			4x39,4 marine hybrid			4x49,2 marine hybrid			8x29,5 marine hybrid		
Complete dim. WxDxH	70x55x140			100x55x140			130x55x140			160x55x140			200x55x140		
Filtration tank															
Normal operation	22			27			33			41			51		
Rev. osmosis water supply	-			13			25			32			13		
Tank dimensions WxDxH	27x42,5x45			41x42,5x45			56x42,5x4			72x43x40			86x40x35		
EHEIM pump compactON+															
	2000			2000			3000			3000			3000		
Decor	white high gloss	black high gloss	black* silver**	white high gloss	black high gloss	black* silver**	white high gloss	black high gloss	black* silver**	white high gloss	black high gloss	black* silver**	white high gloss	black high gloss	black* silver**
Art. No. (Europe) powerLED+	0672243	0672248	0672249	0673243	0673248	0673249	0674243	0674248	0674249	0675203	0675208	0675209	0676203	0676208	0676209
Art. No. (UK) powerLED+	0672253	0672258	0672259	0673253	0673258	0673259	0674253	0674258	0674259	0675213	0675218	0675219	0676213	0676218	0676219
Art. No. (Europe) T5	0672203	0672208	0672209	0673203	0673208	0673209	0674203	0674208	0674209	-	-	-	-	-	-
Art. No. (UK) T5	0672213	0672218	0672219	0673213	0673218	0673219	0674213	0674218	0674219	-	-	-	-	-	-

*black = black high gloss / **silver = silver metallic

Available with the new powerLED+ as an accessory in spring/summer 2017 and with an optional controller for individual lighting requirements (page 70)



Maintenance shaft rear view

white high gloss black high gloss silver metallic + black high gloss

- Natural underwater colours exposed due to the use of pure white glass
- Sliding glass covers made from high quality black glass
- Integrated shaft for cables etc.
- Patented, silent overflow shaft
- Sump tank in the cabinet
- Filter tank with constant water level chamber (important for constant skimming quality)
- Overflow protection (emergency overflow even in the event of a power cut)
- Internal edges of the cabinet are sealed
- Doors with recessed handles (Incpiria marine) and soft-close hinges
- All pipe-work is pre-assembled (Plug & Play System)



Accessories - optional:

EHEIM streamON circulation pump, Page 52
EHEIM SKIMmarine protein skimmer, Page 52



EHEIM marine aquarium combinations.
The smart concept with a sump in the cabinet.

EHEIM
proximareef

white
high
gloss

mocha
brown
gloss

new

new

new

Marine water

Technical data

		proxima reef 175		proxima reef 250		proxima reef 325	
Volume approx.	l	175		250		325	
Tank dim. WxDxH	cm	70x50x50		100x50x50		130x50x50	
Glass thickness	mm	8		8/10		12	
Complete dim. WxDxH	cm	71x51x125		101x51x125		131x51x125	
Filtration tank							
Normal operation	l	23		30		36	
Maximal	l	52		74		100	
Rev. osmosis water supply	l	-		10		20	
Tank dimensions WxDxH	cm	27x42,5x45		41x42,5x45		56x42,5x45	
Glass thickness filtr. tank	mm	6		6		6	
EHEIM pump							
compact+	l/h	2000		2000		3000	
Weight	kg	84		108		149	
Decor gloss		white	mocha	white	mocha	white	mocha
Art. No. (Europe)		0670703	0670706	0671003	0671006	0671303	0671306
Art. No. (UK)		0670713	0670716	0671013	0671016	0671313	0671316

Plain but stylish – bringing the sea into your home

- Open top marine water aquarium
- Lights not included to allow for individual choice of lighting
- High quality black backing foil already attached at the factory
- Tried and tested EHEIM marine concept with patented, silent overflow shaft and a sump in the cabinet
- Pump included
- All pipework pre-assembled
- Internal cabinet edges sealed



EHEIM proxima reef 175
sump tank



EHEIM proxima reef
maintenance shaft

Accessories

Original EHEIM accessories for marine aquariums

UV-steriliser - EHEIM reflexUV

Reduces germs in water, quickly and effectively
Removes clouding caused by algae or bacteria

reflexUV 350 Art. (Europe) 3721210/Art. (UK) 3721350

reflexUV 500 Art. (Europe) 3722210/Art. (UK) 3722350

reflexUV 800 Art. (Europe) 3723210/Art. (UK) 3723350

Page 57

Surface skimmer - EHEIM skim350

Small surface skimmer for aquariums up to 350 litres.
Removes deposits of dirt and microorganisms from the surface of the water

skim350 Art. (Europe) 3536220/Art. (UK) 3536340

Page 58

Nanoskimmers - EHEIM skimmarine

For aquariums up to 300 lt

skimmarine 100 Art. 3551000

skimmarine 300 Art. 3549220 (Europe)/Art. (UK) 3549340

Page 59

Circulation pumps – EHEIM streamON/streamON+

Optimum water circulation with a gentle, natural flow

Compact circulation pumps with suction cup mounting bracket - for aquariums between 150 and 350 litres

EHEIM streamON 1800 Art. 1070220/Art. (UK) 1070340

EHEIM streamON 3000 Art. 1071220/Art. (UK) 1071340

EHEIM streamON 3800 Art. 1072220/Art. (UK) 1072340

Page 52

Compact circulation pumps with magnetic mounting bracket - for aquariums between 35 and 500 litres

EHEIM streamON+ 2000 Art. 1080220/Art. (UK) 1080340

EHEIM streamON+ 4000 Art. 1081220/Art. (UK) 1081340

EHEIM streamON+ 5000 Art. 1082220/Art. (UK) 1082340

Page 53

For further details visit: www.eheim.com

new

new



Tanks for customised solutions.

Whether used as a breeding tank, as an individual tank in a home environment, in combination with our furniture kits or as a complete set – you can be certain of one thing: with our glass tanks you have made the right choice. Because high quality, strong glass, the best of workmanship and additional strengtheners ensure complete safety.



Comfortable living space for tree and ground dwellers. Suitable for use with aquarium cabinets.



EHEIM

Aquariums

		Volume litre	Weight kg	Glass mm	Art. No.	EAN 4010251	Dim. cm WxDxH
GB 30	Breeder tank	12	2,8	4	0330300	074121	30x20x20
GB 40	Breeder tank	25	4,2	4	0330400	074138	40x25x25
GB 52	Breeder tank	45	6,3	4	0330520	074152	50x30x30
GB 60	Tank for set aquastar, MB aquacab 54	54	7,4	4	0330604	114049	60x30x30
GB 60XL	Tank for MB aquacab 84	84	12,5	6	0330612	096437	60x35x40
GB 61	Tank for set aquastar marine, MB aquacab 54	63	10,3	5	0330613	117729	60x30x35
GB 62	Tank for vivalineLED	150	28	8	0336050	132289	60x50x50
GB 80	Tank for set aquastar	96	16,8	6	0330800	083918	80x30x40
GB 81	Tank for MB aquacab 126	112	18	6	0330810	074176	80x35x40
GB 82	Tank for set aquapro, vivalineLED and MB aquacab 126	126	19,2	6/8	0330820	089194	80x35x45
GB 85	Tank for MB vivalineLED und MB aquacab 126	140	28,0	8	0330851	119624	80x35x50
GB 100	Tank for MB vivalineLED	200	37,9	8	0331070	119631	100x40x50
GB 102	Tank for MB vivalineLED	160	23,5	6	0331020	074206	100x40x40
GB 105	Tank for set aquapro, vivalineLED	180	28,3	6/8	0331060	116821	100x40x45
GB 123	Tank for vivalineLED	240	47	8/10	0331230	131558	120x40x50
GB 133	Tank for aquascaper	460	91	12	0331330	085943	130x60x60
GB 183	Tank for aquascaper	640	120	12	0331830	096444	180x60x60
GB proxima 175		175	29,5	8	0330750	122600	70x50x50
GB proxima 250		250	43	8/10	0331031	122617	100x50x50
GB proxima 325		325	71	12	0331310	122471	130x50x50



All aquariums comply with DIN standards and, depending on the size, come in various versions including strengthened front glass panes, glass struts 1 or additional strengthening bars 2.


EHEIM all glass aquariums/terrariums are available in a wide range of sizes.

EHEIM Guarantee of quality:
3 years' guarantee with the silicone sealing on all aquariums and terrariums.



Terrariums


		Volume litre	Weight kg	Glass mm	Art. No.	EAN 4010251	Dim. cm WxDxH
GTE 40	Terrarium for spiders and breeding	29	5,7	4	0470400	074251	40x25x29
GTE 60	Terrarium for breeding and MB aquacab 54	66	10,4	4	0470600	074268	60x30x37
GTE 80	Terrarium for MB aquacab 126, MB vivalineLED	112	17,8	5	0470800	074275	80x35x40
GTE 100	Terrarium for MB vivalineLED	200	31,8	6	0471000	074282	100x40x50
GTE 101	Terrarium for MB vivalineLED	320	50,9	6	0471100	084779	100x40x80
GTE 103	Terrarium for tropical and tree dwellers, MB proxima	400	63,6	6	0471120	085998	100x50x80
GTE 120	Terrarium for ground dwellers	360	57,3	6	0471200	086001	120x50x60
GTE 121	Terrarium for ground dwellers	480	76,3	6	0471210	086018	120x50x80
GTE 131	Terrarium for tree dwellers	780	92	8	0471310	076575	130x60x100



Details: top and bottom ventilation system.
Removable cap for subsequent assembly of lighting fixtures, etc.
Sliding doors fitted with soft edges.



Terrarium tank GTE 120 (120x50x60 cm)



EHEIM filter technology
From the classic to the newest high-tech models with electronic control. With or without a heater.

EHEIM pumps – the all purpose product range for aquariums and ponds, for fresh and salt water and for large and small applications – range includes air pumps.

EHEIM internal filter
Versatile, functional and made with exceptional quality.

Whether for breeding, quarantine tanks or simply for typically smaller “home” aquariums: internal filters are ideal. They take up little room and are extremely flexible. EHEIM offers various options for aquariums from 45 up to 260 litres: all of them (apart from the pickup) are modular and can be extended or reduced to suit all requirements. They can all be filled with various types of filter media. Technically perfect filters of outstanding quality, with reliable performance and guaranteed durability.

EHEIM external canister filters

With our large range of external filters you are sure to find exactly the right filter to suit your needs – for the smallest breeding tanks to aquariums up to 1500 lt.

All EHEIM aquariums have one thing in common: **QUALITY**. We work with the best materials, precise engineering and, with over 60 years of experience, we guarantee the highest quality products. Our canister filters are consistent, reliable and offer a long service life. Furthermore, you can be sure that the filter, accessories and filter media are tailored to complement each other.

EHEIM High Performance Ceramics

The impeller shafts and bushings (axles and bearings) (eccopro, eXperience, professionnel 3 and professionnel 4+) are made of high performance ceramics. This means exceptionally smooth and quiet running, maximum resilience and an extremely long service life.

With EHEIM pumps you can move a lot of water – reliably, quietly and continuously.

With an output of between 100 and 5000l/h, the EHEIM range of pumps and air pumps can be used in all aquatic applications, from small to large aquariums and planted aquascapes to ponds, water features and fountains. EHEIM pumps can be used anywhere to provide air and clean water conditions. They can be used in or out of water, for fresh or marine aquariums – whatever the application; EHEIM has a comprehensive range of products and features that can match any requirements. Their quality upholds the EHEIM promise: innovative technology, the best materials, outstanding workmanship, quiet running and guaranteed reliable continuous performance.

Small and large compact pumps, circulation pumps, a marine water pump for protein skimmers, universal pumps and air pumps – the choice is yours.



Designed for the smallest tanks.
Attractive, slim design.

EHEIM
miniUP

For frogs, amphibians & co.
Simple to install, connect and start up.

EHEIM
miniFLAT



Micro filter

Technical data

		miniUP
Aquarium size up to	l	30
Pump output	l/h	300
Delivery head	Hmax m	0,5
Filter volume	cm ³	78,9
Hose connection		
pressure side	ø mm	13
Power consumption	W	5
Dimension HxWxD	mm	128x33,4x54
Art.No. (Europe)		2204020
Art.No. (UK)		2204510
Packing dim. HxWxD	cm	13,5x9,0x8,15
Master pack quantity	pcs.	4
Filter media included	media+	+



The micro-internal filter for the smallest of aquariums (nano tanks) 25 to 30 l

It is small, attractive, gives excellent performance and is easy to attach to the tank with suction cups. The filter draws in the water from the front through vents, pumps it through the filter sponge and directs it, filtered, back into the tank. You can also attach an outflow hose to enable you to adjust the outlet direction.

- Attractive, slim design
- Front water intake
- Connector for outlet hose
- Comes fully equipped with filter sponge, ready for immediate use
- Only 5 W energy usage



Accessories (optional)

Suction cups 4x	7445848
Connector- Set	7481200



Filter media

EHEIM miniUP		Pk
Filter cartridge	2 x 2616030	1

Micro filter

Technical data

		miniFLAT
Pump output	l/h	300
Delivery head	Hmax m	0,5
Filter volume	cm ³	39,4
Hose connection		
pressure side	ø mm	13
Power consumption	W	5
Dimension HxWxD	mm	127x33,4x54
Art.No. (Europe)		2203020
Art.No. (UK)		2203510
Packing dim. HxWxD	cm	13,5x9,0x8,15
Master pack quantity	pcs.	4
Filter media included	media+	+




Micro internal filter for terrariums and paludariums with a shallow water area or water bowls

(e.g. for frogs, semi-aquatic reptiles, cray fish etc.)

This unique little flat water filter is designed differently to an internal aquarium filter: It doesn't hang on to anything, but rather sits horizontally in the water. It is fixed to the tank/bowl with suction cups. It draws the water in from below, pumps it through the filter sponge and directs it out, filtered, at the top. The surface water movement makes the reptiles drinking water visible. If you want to adjust the outflow direction, you can attach an outlet hose.

- Water intake from below
- Connection for water outlet hose
- Completely equipped with original EHEIM filter pad and ready to use
- Only 5 Watt power consumption



Example of usage with inlet pipe

Filter media

EHEIM miniFLAT		Pk
Filter cartridge	2 x 2616030	1

Accessories (optional)

Suction cups 4x	7445848
Connector- Set	7481200
Inlet pipe	7304450





Fully equipped and ready to use. Ideal for beginners but also for professionals and breeders.

EHEIM
LIBERTY




Hang-on filter

Technical data

		LIBERTY 75	LIBERTY 130	LIBERTY 200
Aquarium size up to approx.	l	75	130	200
Pump output approx.	l/h	150-380	220-570	320-760
Power consumption	W	2,5	3	4
Canister volume approx.	l	0,6	1,0	1,3
Filter volume approx.	cm ³	240	400	650
Dimensions HxWxD approx.	mm	180x105x135	180x145x135	180x195x135
Art. No. (Europe)		2040020	2041020	2042020
Packing dimensions HxWxD	cm	18,9x11,3x13,9	18,9x13,9x15,5	20x14,1x18,9
Master pack quantity	pcs.	3	3	3
Filter media included	media+	+	+	+

- **media+**: Comes complete with filter media
- Large filter sponge for high biological filter efficiency and longer life – can be removed for cleaning
- Various filtration options with different inserts
- Ready for immediate use
- Recommended for breeding tanks (use cartridge 2615270 on intake), goldfish and quarantine tanks
- Adjustable priming tube

- ① Silent inlet and perfect water distribution through water slides
- ② Adjustable pump output



Silent inflow and output control



Filter media

EHEIM LIBERTY		75/130/200	Pk
Filter sponge cartridge	1 x	2617411	6
Activated carbon cartridge	12 x	2628411	1
Activated carbon cartridge	2 x	2628401	6
Biofilter cartridge	2 x	2617401	6



The tried and tested internal filter for powerful water circulation and intense oxygen enrichment.

EHEIM
PowerLine




Internal filter

		PowerLine 200	PowerLine XL
Technical data			
Aquarium size up to	l	100-200	200
Pump output approx.	l/h	600	1200
Delivery head	Hmax m	1,5	2,0
Power consumption	W	10	28
Filter volume approx.	cm ³	390	700
Dim. HxWxD	mm	285x65x75	335x75x80
Art. No. (Europe)		2048020	2252020
Packing dim. HxWxD	cm	31,8x12,5x8,5	36,5x12,7x8,7
Master pack quantity	pcs.	1	1
Filter media included	media+	+	+

- Adaptor for connecting EHEIM installationSET 2 (on pressure side)
- Efficient modular internal filter for powerful flow in the aquarium
- Intense oxygen enrichment through supplied diffuser
- ① Variable filter volume: can be extended with additional modules
- ② Alternate partial cleaning of the cartridges in order to maintain good bacteria modular design

- **Easy fit media+** complete with Original EHEIM filter media



Upgrade-Kit
PowerLine 200
Art. 7478860



includes adaptor and diffuser

Accessories (optional)

Additional modules 2048	Art. 7478860
Additional modules 2252	Art. 7478050
Spray bar for InstallationSET 2	Art. 4009620
Wide-jet nozzle	Art. 4009680
Nozzles and adapters	Art. 4009700

Filter media

EHEIM PowerLine	200	Pk	XL	Pk
Filter cartridge	2x 2615480	6	2615510	1
Carbon cartr.	2x 2625480	6	2625520	1



2252



Fully equipped and ready to use. Ideal for beginners.

EHEIM
pickUp



Internal filter

		pickup 45	pickup 60	pickup 160	pickup 200
Technical data					
Aquarium size up to	l	max. 45	30-60	60-160	max. 200
Pump output approx.	l/h	50-180	150-300	220-500	220-570
Delivery head	Hmax m	0,35	0,35	0,40	0,40
Power consumption	W	3,5	4	6	6
Filter volume approx.	cm ³	85	195	330	470
Dim. HxWxD	mm	135x50x63	163x75x96	218x75x96	275x75x96
Art. No. (Europe)		2006020	2008020	2010020	2012020
Art. No. (UK)		2006510	2008510	2010510	2012510
Packing dimensions HxWxD	cm	19x11x6,5	20,1x15,5x7,9	22,8x15,5x7,9	28,5x15,5x7,9
Master pack quantity	pcs.	4	4	4	2
Filter media included	media+	+	+	+	+

A special feature of the pickup is that the filter canister and the cartridge can be removed from above but the pump unit remains in the water. This is a practical solution for cleaning or changing the filter cartridge and impeller without having to remove the entire filter.

- Water inlet is in the bottom of the filter
- Outlet nozzle rotates so that you can adjust the direction of the flow
- Filter canister and cartridge are easy to remove from above
- **Easy fit media+** Complete with filter cartridge
- Activated carbon cartridges can also be used (recommended during aquarium start-ups or after treating with medication)



Filter media

EHEIM pickup		45	Pk	60	Pk	160	Pk	200	Pk
Filter cartridge	2x	2615060	6	2617080	6	2617100	6	2617120	6
Carbon cartr.	2x	2625060	6	2627080	6	2627100	6	2627120	6



Spherical head provides all round flexibility.

EHEIM
aquaball



Internal filter

Technical data

	aquaball 60	aquaball 130	aquaball 180	aquaball powerhead 650
Aquarium size up to approx. l	30-60	60-130	80-180	-
Pump output approx. l/h	150-480	180-550	210-650	210-650
Delivery head approx. Hmax m	0,37	0,43	0,43	0,43
Power consumption W	5	6	6	6
Filter volume approx. cm ³	180	320	460	-
Dimensions WxH mm	96x160	96x215	96x270	96x150
Art. No. (Europe)	2401020	2402020	2403020	1212010
Art. No. (UK)	2401510	2402510	2403510	1212110
Packing dim. HxWxD cm	22,3x9,5x10,8	27,8x9,5x10,8	33,5x9,5x10,8	13,5x9,5x11
Master pack quantity pcs.	4	4	2	1
Filter media included media+	+	+	+	

- Multi-directional head for individual adjustment of the outflow direction
 - Accessories include: power diffusor for extra aeration and spray bar for natural water surface movement
 - Filter clip ensures secure support and ease of removal
 - Filter media box for different filter media solutions. New blue foam filter pad **5** = mechanical / biological filtration
Fine filter pad = fine filtration
SUBSTRATpro = the best biological filtration
EHEIM AKTIV = adsorptive filtration
- Easy fit media+** complete with Original EHEIM filter media



EHEIM aquaball powerhead 650
Universal pump for general water circulation and under-gravel filters



Accessories (optional)
Wide-jet nozzle Art. 4009680
Nozzle and adapter set Art. 4009700
Extension piece for InstallationSET1 Art. 4009610
Spray bar for InstallationSET2 Art. 4009620

Accessories (optional)

Up-grade-kit	Art. 4024000
Wide-jet nozzle	Art. 4009680
Nozzle and adapter set	Art. 4009700
Spray bar for InstallationSET 2	Art. 4009620

Filter media

EHEIM aquaball	60/130/180	Pk
Filter cartridge	2x 2618080	6
Carbon cartridge	2x 2628080	6
Fine filter pad*	3x 2616080	6
Foam filter pad*	2x 2616085	6
EHEIM phosphateout	2x 2638080	6
EHEIM SUBSTRATpro	250 ml 2510021	6
EHEIM AKTIV	250 ml 2513021	6
EHEIM bioMECH	1l 2508051	6
EHEIM phosphateout	130 g 2515021	6

* for filter media box (4)



The first internal filter with external filter technology and multi-layer filtration.

EHEIM
biopower



Internal filter

Technical data

	biopower 160	biopower 200	biopower 240
Aquarium size up to approx. l	80-160	100-200	160-240
Pump output approx. l/h	180-550	210-650	280-750
Delivery head approx. Hmax m	0,43	0,43	0,60
Power consumption W	6	6	8
Filter volume approx. cm ³	380	530	680
Dimensions WxH mm	96x215	96x270	96x325
Art. No. (Europe)	2411020	2412020	2413020
Art. No. (UK)	2411510	2412510	2413510
Packing dim. HxWxD cm	25x12x10,6	30x12x10,6	34x12x10,6
Master pack quantity pcs.	4	4	2
Filter media included media+	+	+	+

biopower – High performance internal filter

- Multi-layer filtration just like an external filter
- Modular construction with closed filter baskets, filled with EHEIM SUBSTRATpro; inlet basket with filter cartridge
- Easy-Klick function to easily put together and take apart filter baskets with a single click
- Fitted with power diffusor for strong oxygen enrichment and a wide jet nozzle for natural surface water movement
- Easy fit media+** fully equipped

Accessories (optional)


Wide-jet nozzle	Art. 4009680
Nozzle and adapter set	Art. 4009700
Spray bar for InstallationSET 2	Art. 4009620

Filter media

EHEIM biopower	160/200/240	Pk
Filter cartridge	2x 2618060	6
Filter cartridge	2x 2618080	6
Carbon cartridge	2x 2628080	6
EHEIM phosphateout	2x 2638080	6
EHEIM SUBSTRATpro	250 ml 2510021	6
EHEIM AKTIV	250 ml 2513021	6
EHEIM bioMECH	1l 2508051	6
EHEIM phosphateout	130 g 2515021	6



Made in Germany



biopower 200



Outstanding quality and economically priced.

EHEIM
classic



External filter

	classic 150	classic 250	classic 350	classic 600	classic 1500XL
Technical data					
Aquarium size up to approx.	l 50-150	80-250	120-350	180-600	300-1500
Pump output approx.	l/h 300	440	620	1000	2400
Delivery head approx.	Hmax m 1,2	1,5	1,8	2,3	3,7
Power consumption	W 5	8	15	20	65
Canister volume	l 1,3	3,5	4,8	6,6	23
Filter volume	l 1	3	4	6	18
Hose- ø suction/pressure side	mm 12/16 / 9/12	12/16 / 12/16	12/16 / 12/16	16/22 / 12/16	25/34 / 16/22
Dimensions WxH	mm 110x290	160x355	185x370	205x400	355x570
Art. No. (Europe)	2211010	2213 010/020/050 ¹	2215 010/020 ¹	2217 010/020 ¹	2260010
Art. No. (UK)	-	2213 500/510/520 ²	2215520	2217520	2260500
Packing dimensions HxWxD	cm 36,5x17,8x16,3	37x22x16	41x29x21	41x29x21	59x33x33
Master pack quantities	pcs. 1	1	1	1	1

¹ 010 without filter media/020 with pads and double taps/050 with bio media and double taps
² 500 without filter media/510 with pads and double taps/520 with bio media and double taps

- Permo-elastic silicon sealing ring ①, fixed on the pump head for easy and safe closing after cleaning
- Equipped with filter sponges and/or loose filter media
- Many different accessories
- classic 150 compact sized and stand supplied ② (fits the filter securely and safely)
- classic 250 with filter basket, each with one filter sponge, one filter pad and one activated carbon pad
- classic 1500XL for large aquariums, pump unit can be operated separately from the canister
- classic 1500XL with practical drain tap



Accessories included

Filter basket (only classic 250), spray bar, inlet pipe, hose and installation accessories (more accessories on page 76-83)



Filter media

EHEIM classic	150	Pk	250	Pk	350	Pk	600	Pk
Coarse filter pad	2x 2616111	6	2616131	6	2616151	6	2616171	6
Fine filter pad	3x 2616115	4	2616135	6	2616155	5	2616175	5
Carbon pad	3x 2628110	1	2628130	6	2628150	1	2628170	1
Filter wadding	1x -	-	2616130	1	-	-	-	-
Complete filter media set*	-	-	2522130	1	2522150	1	2522170	1

*MEDIA SET page 47

Less energy consumption with more power.

EHEIM
ecco pro



5 Watt



5 Watt



8 Watt

External filter

	ecco pro 130	ecco pro 200	ecco pro 300
Technical data			
Aquarium size up to approx.	l 60-130	100-200	160-300
Pump output approx.	l/h 500	600	750
Delivery head approx.	Hmax m 1,4	1,4	1,9
Power consumption	W 5	5	8
Canister volume	l 3,0	4,0	5,0
Filter volume	l 1,2+0,3 (prefilter)	2,0+0,3 (prefilter)	2,8+0,3 (prefilter)
Hose- ø suction/pressure side	mm 12/16 / 12/16	12/16 / 12/16	12/16 / 12/16
Dimensions WxH	mm 205x298	205x355	205x416
Art. No. (Europe)	2032020	2034020	2036020
Art. No. (UK)	2032510	2034510	2036510
Packing dimensions HxWxD	cm 38,7x20,7x18,4	42,2x23,5x18,4	44,0x24,5x18,4
Master pack quantities	pcs. 1	1	1
Filter media included	media+ +	+	+

- Low energy consumption with high performance
- Excellent biological and mechanical filtration due to optimum water throughflow
- ① Multi-function handle (for carrying + opening/closing + priming)
- Large volume self-priming
- ② Rotating shut off taps (more convenient handling)
- Runs extremely quietly due to ceramic axles and sleeves
- ③ Practical filter baskets, can be filled according to individual requirements
- ④ Additional prefilter (giving longer cleaning intervals for the other filter media)
- Long-life elastic silicon sealing ring in pumphead
- ⑤ **media+**: Completely equipped with original EHEIM filter media (pre-filled baskets)

Accessories included

2 x shut-off taps, outlet elbow, suction pipe, EHEIM quality hose, set-up accessories (further accessories on page 76-83)



Filter media

EHEIM ecco pro	130/200/300	Pk
1x prefilter/4x fine filter pads	2616320	3
Filter pad	3x 2616315	6
Activated carbon pad	3x 2628310	6



You can find a film clip of the external canister filter on our website at www.eheim.com



The sturdy basic model in our external filter generation with a square shape.

EHEIM
eXperience



External filter

Technical data

		eXperience 150	eXperience 250	eXperience 350
Aquarium size up to approx.	l	80-150	120-250	180-350
Pump output approx.	l/h	500	700	1050
Delivery head approx.	Hmax m	1,3	1,5	2,0
Power consumption	W	8	8	24
Canister volume	l	5	6	9
Filter volume	l	2,3	3,0	4,9
Hose- ø suction/pressure side	mm	12/16 / 12/16	12/16 / 12/16	16/22 / 16/22
Dimensions HxWxD	mm	290x178x178	340x178x178	375x210x210
Art. No. (Europe)		2422020	2424020	2426020
Art. No. (UK)		2422510	2424510	2426510
Packing dimensions HxWxD	cm	34x27x19,5	38x27x19,5	42x29x22
Master pack quantities	pcs.	1	1	1
Filter media included	media+	+	+	+

- Square base shape for large filter volume and high stability
- Detachable hose adapter with integrated shut-off taps, hose safety cut-off and locking lever as complete unit
- Removable filter media baskets with fold-away handles for easy handling and convenient cleaning

Accessories (included)

Spray bar, suction pipe, outlet pipe, EHEIM quality hose, all set-up accessories (further accessories on page 76-83)



Filter media

EHEIM eXperience	150/250	Pk	350	Pk
1 x coarse filter/2x fine filter pad	2616220	6	2616260	5
Coarse filter pad	3x 2616221	6	2616261	5
Fine filter pad	3x 2616225	6	2616265	5
Activated carbon pad	3x 2628220	4	2628260	4
Complete filter media set*	2522240	1	2520260	1

*MEDIA SET page 47

Made in Germany



High-end, top quality technology.

EHEIM
professionel4+

EHEIM
professionel3



Xtender



External filter

Technical data

		professionel 4+ 250	professionel 4+ 350	professionel 4+ 600	professionel 3 1200XL
Aquarium size up to approx.	l	120-250	180-350	240-600	400-1200
Pump output approx.	l/h	950	1050	1250	1700
Delivery head approx.	Hmax m	1,5	1,8	1,8	2,6
Power consumption	W	12	16	16	25
Canister volume	l	6,1	7,4	9,2	25
Filter volume	l	3,0+0,5 (prefilter)	4,5+0,5 (prefilter)	6,0+0,5 (prefilter)	12,0+1,5 (prefilter)
Hose- ø suction/pressure side	mm	16/22 / 16/22	16/22 / 16/22	16/22 / 16/22	2x16/22 / 16/22
Dimensions HxWxD	mm	358x238x244	398x238x244	453x238x244	567x330x330
Art. No. (Europe)		2271020	2273020	2275020	2080010
Art. No. (UK)		2271510	2273510	2275510	2080500
Packing dim. HxWxD	cm	40x29,5x24	44,3x29,8x24	49,5x29,8x24	70x38x38
Master pack quantities	pcs.	1	1	1	1
Filter media included	media+	+	+	+	

EHEIM professional 4+

The latest evolutionary development with emergency button (Xtender)

- Additional control function to counteract blocked filter media and extend intervals between cleaning
- Also available with integrated heater, page 42 „thermofilters”

Accessories (included)

1 x suction pipe (1200XL only = 2x suction pipes)
1 x spray bar, EHEIM quality hoses, set up accessories, prefilter drip tray (1200XL only)



professionel 4+ Normal operation (-)

professionel 4+ Xtender opened (+)

EHEIM professional 3 1200XL

- Triple hose connector (2x inlet pipes, 1x outlet pipe) for perfect water circulation in large aquariums
- Handling features: recessed handles, transport castors, 4 sturdy clips, multifunction adapter
- Maintenance and flow rate indicator (1200XL)
- Also available with integrated heater p. 43



Filter media EHEIM

	professionel 4+ 250/350/600	Pk	professionel 3 1200XL	Pk
1x pre-filter/4x fine filter pad	2617710	3	2616802	1
Activated carbon pad 3x	2628710	4	-	
Complete filter media set*	-		2520800	1

* MEDIA SET page 47

Made in Germany



The first aquarium filter in the world with electronic control.

Multiple features, constant monitoring, easy to regulate – even via a PC.

EHEIM
professional 3^e



USB connection



electronic

External filter

Technical data		professional 4 ⁺ 350	professional 3 [°] 450	professional 3 [°] 700
Aquarium size up to approx.	l	180-350	240-450	300-700
Pump output approx.	l/h	1500	1700	1850
Delivery head approx.	Hmax m	2,2	2,4	2,6
Power consumption	W	10-35	10-35	10-35
Canister volume	l	7,4	12,5	14,5
Filter volume	l	4,5+0,5 (prefilter)	6,0+0,6 (prefilter)	8,0+0,6 (prefilter)
Hose- ø suction/pressure side	mm	16/22 / 16/22	16/22 / 16/22	16/22 / 16/22
Dimensions HxWxD	mm	398x238x244	474x264x264	534x264x264
Art. No. (Europe)		2274020	2076010	2078010
Art. No. (UK)		2274510	2076500	2078500
Packing dimensions HxWxD	cm	44,3x29,8x24	51x33,5x27	57x33,5x27
Master pack quantities	pcs.	1	1	1
Filter media included	media+	+		

- 1 Integrated **self primer** for quick filling of the canister
- 2 Easy shut off **Safety hose adapter**; removal of the adapter is only possible when the taps are closed
- 3 **Electronic control** at the touch of a button
- 4 Top **prefilter** effectively traps large dirt particles and allows for longer intervals between cleaning. Easy to remove and simple to clean
- 5 Individual filter baskets professional 4e+ 350 **fully equipped** with Original EHEIM filter media
- 6 **Easy Clean** - simple and easy cleaning of the filter media using the cleaning tray (professional 4e+ 350)
 - **High quality ceramic axle** guarantees extremely quiet running and very long life
 - **Easy fit: media+** Complete with Original EHEIM fine and coarse filter pads and installation accessories



professional 4⁺ 350

Optional EHEIM Interface

Accessories not included


Revolutionary features and multiple settings – from your PC



Art. 4020740

The USB converter (length 3m.) makes it possible to connect the EHEIM professional 3[°]/4⁺ external filter via a USB port to a computer. With the EHEIM ControlCenter Software the functions can be easily adjusted, monitored and updated. The EHEIM ControlCenter Software can be downloaded free of charge from www.eheim.de

System requirements:
Windows® 10, Windows® 8/8.1, Windows® 7, Windows® Vista (32/64-Bit), Windows XP™



The user-friendly electronics offer a range of tangible benefits just a touch of a button or a mouse click away!



output control: The water flow can be increased or decreased for optimum conditions at the push of a button.



constant flow: Your selected flow rate is maintained even when the filter media starts to get blocked. The filter adjusts the pump power automatically



stream function: Electronically adjusted alternating flow creating a natural wave-like effect in your aquarium

12h bio function: You can set up two different flow rates within one day - like a day/night effect. Ideal for planted tanks.



service indicator: At the push of a button, the remaining time until the next cleaning interval is displayed by LEDs



auto air out: Air trapped under the pump head is recognised and automatically diverted



electronic error indicator: Permanent electronic system monitoring. Any imbalance is recognised and shown on the display. Simultaneously a programme starts, which automatically attempts to remedy the causes.



Accessories included

- 1x Suction pipe
- 1x Spray bar
- Outlet pipe
- EHEIM quality hose
- Set-up accessories
- Prefilter sponge
- Mains adapter 24V-DC
- CD ControlCenter

You can find a film clip of the external canister filter on our website at www.eheim.com



Filter media EHEIM		professional 3 [°] 450/700	Pk	professional 4 ⁺ 350	Pk
1x coarse pre-filter/4x fine filter pad		2616760	1	2617710	3
Activated carbon pad	3x	2628760	1	2628710	4
Complete filter media set*		2520780	1	-	

* MEDIA SET page 47



Made in Germany

External thermofilters Filtration plus heating

EHEIM
professionel4+

Only from EHEIM.

EHEIM
professionel3^e




thermo

only for fresh water

External filter

Technical data

	professionel 4+ 250T	professionel 4+ 350T	professionel 3 1200XLT	professionel 3e 600T
Aquarium size up to approx.	l	120-250	180-350	400-1200
Pump output approx.	l/h	950	1050	1700
Delivery head approx.	Hmax m	1,5	1,8	2,6
Power consumption	W	12	16	25
Heating power	W	210	210	500
Canister volume	l	7,1	8,9	25
Filter volume	l	3,0+0,5 (prefilter)	4,5+0,5 (prefilter)	12,0+1,5 (prefilter)
Hose- ø suction/pressure side	mm	16/22 / 16/22	16/22 / 16/22	2x 16/22 / 16/22
Dimensions HxWxD	mm	398x238x244	453x238x244	567x330x330
Art. No. (Europe)		2371020	2373020	2180010
Art. No. (UK)		2371510	2373510	2180500
Packing dimensions HxWxD	cm	44,3x29,8x24	49,5x29,8x24	70x38x38
Master pack quantities	pcs.	1	1	1
Filter media included	media+	+	+	+



The powerful and very convenient EHEIM thermofilters are not only equipped with the full range of features of the eXperience and professional 3 filter range, but also with a high quality heating element. They heat and filter your tank easily and simply.

- An easy to read and precise LED display shows the exact water temperature
- With a simple press of a button, the desired temperature can be precisely and easily set
- The integrated temperature control gives an accurate setting of 18-34C (or 65-93 F only on 1200XLT)
- 2+1 safety hose adapter - 2 inlet connections and 1 outlet connection ensure optimum water circulation throughout the aquarium (only on 1200XLT)
- Output display - easily visible in the adapter - shows the filter's performance (only on 1200XLT)
- Heater element protected in the base of the filter canister
- Heat probe located in filter container
- Supplied with 1x coarse filter pad, 1x fine filter pad and filter baskets



Accurate LED display
professionel 4+ 250T/350T
professionel 3e 600T

EHEIM professionnel 4+ 250T/350T
EHEIM professionnel 3e 600T
integrated LED Display ①

EHEIM professionnel 3 1200XLT
integrated LED Display ②



Filter media thermofilters

EHEIM	professionel 4+ 250T/350T	Pk	professionel 3 1200XLT	Pk	professionel 3 ^e 600T	Pk
1x prefilter pad /4x fine filter pad	Set	261+710	3	2616802	1	2616760
Activated carbon pad	3x	2628710	4	-	-	2628760
Complete filter media set ¹	-	-	-	2520800	1	2520780

¹ MEDIA SET page 47





EHEIM Filter media – The Original

EHEIM filter media – highly efficient, developed in our own laboratory, produced from the only the best raw materials, continuously checked and guaranteed free from pollutants.

Even the best internal and external filters are ineffective if they are not filled with the correct filter media. Filter media are made from various materials which perform multiple functions: they trap dirt and fine particles, provide biological decomposition of harmful substances, remove contaminants or effect a chemical change. Depending on the size and stocking levels of the aquarium, the type of filter used and the local water quality – appropriate filter media needs to be used and combined. The correct layering of the filter media is also critical to the water quality.

Mechanical filter media

Mechanical filter media trap dirt and fine particles. This takes place before the water flows through the rest of the cleaning process and also at later stages in the filtration.

Biological filter media

The main task of biological filter media is to offer the best colonisation conditions for bacteria cultures. The purification bacteria convert harmful substances in a natural way.

Mechanical-biological filter media

Dirt-trapping pockets in the media capture particles but at the same time the pore structure provides colonisation for purification bacteria.

Adsorptive filter media

Adsorptive filter media remove and retain harmful substances from the water - for example; chlorine, remains of cleaning agents, water treatments, colouring agents and so on.

Chemical filter media

Depending on which type, these filter media control the ph-value and the water hardness - or lower the phosphate content and inhibit the growth of algae.

Coarse and fine filter pads

Coarse and fine filter pads perform different functions in the media layering in EHEIM filters and, depending on the model, combine mechanical, biological and adsorptive filtration.

Filter cartridge for internal filters

The cartridges consist of special foam material, fit the appropriate internal filters and clean both mechanically and biologically. Adsorptive filter cartridges can be used to remove phosphate.

Media Sets

Filter Media Sets are customised to suit the different EHEIM filters. This means that all the medias necessary for the filtration of any particular filter, are in a single all-in-one pack.



EHEIM filter media for the best water in the world

EHEIM



MEDIA SET



Filter media

Filter media have various functions. They trap dirt and floating matter and perform the biological conversion or chemical alteration of the water. They are therefore divided into the following types: mechanical, biological, adsorptive and chemical filter media.

Mechanical filter media

Coarse material works directly where the filtration process begins. The water is swirled around and larger dirt particles become trapped. The water then flows through the rest of the filtering process. Various media perform this function. Particularly effective are EHEIM MECH and EHEIM bioMECH.

Biological filter media

After the initial mechanical media treatment, biological media begin the most important task in the filter. With the colonisation of important purification bacteria, a kind of bacterial lawn is formed, which feeds on and transforms all kinds of dirt particles harmful to the aquarium. The main role of the biomedium is to offer the best colonisation conditions for the purification bacteria. EHEIM biological media ensure stable conditions in the tank due to the best possible surface structure (eg. EHEIM SUBSTRATpro).

Tip: Never wash or change all the biomedium at the same time. This would destroy the colonies and hinder re-colonisation. The filter baskets in the external filter and the filter module in aquaball are ideal for partial cleaning.

mechanical

EHEIM SYNTH	Pk
Filterwadding/Fine filtration	
1,0 l	2504051 6
2,0 l	2504101 5

EHEIM FIX	Pk
Pre-filtering medium/ Fine filtration ●	
1,0 l	2506051 6
5,0 l	2506751 1

EHEIM MECH	Pk
Pre-filtering medium ●	
1,0 l	2507051 6
2,0 l	2507101 5
5,0 l	2507751 1

EHEIM MECHpro	Pk
Pre-filtering medium ●	
1,0 l	2505051 6
2,0 l	2505101 5

mechanical/biological

EHEIM bioMECH	Pk
Filter medium ●	
1,0 l	2508051 6
2,0 l	2508101 5
5,0 l	2508751 1

biological

EHEIM SUBSTRAT	Pk
Sintered glass granulate ●	
1,0 l	2509051 6
2,0 l	2509101 5
5,0 l	2509751 1

EHEIM SUBSTRATpro	Pk
Sintered pearl-shaped glass ●	
250 ml *	2510021 6
1,0 l	2510051 6
2,0 l	2510101 5
5,0 l	2510751 1

EHEIM LAV	Pk
Volcanic rock ●	
1,0 l	2519051 6
5,0 l	2519751 1

* Filter media box aquaball
● reusable

Tip: Use of EHEIM filter media

The use of biological filter media such as EHEIM SUBSTRAT, SUBSTRATpro and LAV as well as mechanical filter media like EHEIM MECHpro and MECH are only recommended for tanks that solely stock fish.

However, EHEIM SYNTH, FIX, AKTIV and phosphateout can be used in marine water aquariums which stock both fish and corals.

Adsorptive filter media

This type of filter material draws out and retains pollutants from the water. These can be chemical compounds, such as chlorine from tap water used when setting up your tank or chemical remains after the treatment of livestock.

TIP: Since adsorptive filter media retain pollutants but do not really convert them, they need to be changed regularly.

Chemical filtration

EHEIM TORFpellets chemically influence the pH value and water hardness.

TIP: TORF expands in water, therefore lightly rinse, not wash, before use. TORF must be changed after 3-6 weeks. Do not use TORF with activated carbon.

EHEIM phosphateout binds phosphate to iron and extracts it from the water circulation – hindering the growth of algae in the aquarium. Free from harmful substances and suitable for both fresh and marine water.

adsorptive

EHEIM KARBON **	Pk
Activated carbon	
1,0 l	2501051 6
2,0 l	2501101 5
5,0 l	2501751 1
1,0 l net bag	2501401 6
2,0 l net bag	2501451 5

EHEIM AKTIV	Pk
Special activated carbon	
250 ml *	2513021 6
1,0 l net bag	2513101 6
2,0 l net bag	2513051 5

chemical

EHEIM TORFpellets**	Pk
Filter peat	
1,0 l	2511051 6

EHEIM phosphateout	Pk
Phosphate remover	
130 g	2515021 6
390 g	2515051 6

Dosage phosphateout	Pk
130 g *	2x 65 g 100 l
390 g	6x 65 g 300 l

Made in Germany
(not EHEIM AKTIV)

**only for fresh water
* filter media box aquaball

Perfectly matched

These complete media sets are perfectly matched to our EHEIM filters. Your customers can have the correct media for their filter in one convenient pack.

EHEIM MEDIA SETs

classic	2213 Pk	2215 Pk	2217 Pk
Art. No.	2522130 1	2522150 1	2522170 1
MECH	1x1l	1x1l	1x1l
SUBSTRATpro	2x1l	3x1l	4x1l
Coarse filter pad	1x	1x	1x
Fine filter pad	1x	1x	1x

eXperience professional	2422/2424/2124 Pk	2222/2322 Pk	2224/2324 Pk
Art. No.	2522240 1		
MECH	1x 1l		
SUBSTRATpro	2x 1l		
Coarse filter pad	1x		
Fine filter pad	1x		

eXperience professional II	2426 Pk	2026/2126 Pk	2028/2128 Pk
Art. No.	2520260 1	2520280 1	
MECH	2x 1l	2x 1l	
SUBSTRATpro	2x 1l	4x 1l	
Coarse filter pad	1x	1x	
Fine filter pad	1x	1x	

professional 3	2080/2180 Pk
Art. No.	2520800 1
MECH	4x 1l
SUBSTRATpro	8x 1l
Pre-filter pad	1x
Fine filter pad	1x

professional 3e	2076/2078/2178 Pk
Art. No.	2520780 1
MECHpro	4x 1l
SUBSTRATpro	2x 1l
bioMECH	2x 1l
Pre-filter pad	1x
Fine filter pad	1x

Original EHEIM Cartridges and filter pads

EHEIM



EHEIM media set-up

EHEIM

Most EHEIM filters come pre-filled with the correct filter media. For after sales or for customised filtration we offer you a variety of media in complete filter media sets or single packs.

Filter media

EHEIM filter cartridges for internal filters

These are made of phenol-free foam materials and offer a large colonisation area. They can be easily changed and after a short run-in period they provide biological decomposition of harmful pollutants in addition to mechanical water cleaning. Specially treated activated carbon cartridges are also available which are excellent for adsorptive filtration.

EHEIM filter pads / foam filter pads

Specially structured materials provide outstanding purification. Water permeates them evenly, coarse particles and even the finest particle residues are trapped mechanically. After a short run-in period, purification bacteria lodge in the special foam material and ensure the intensive, biological decomposition of toxins. In addition, carbon pads have an adsorptive effect: dissolved pollutants are trapped on their surface and therefore removed from the water cycle.

EHEIM phosphate remover

phosphateout Art. 2638080 for aquaball 60/130/180
biopower 160/200/240
prefilter 4004320

These foam cartridges are soaked in an iron compound for chemical filtration that binds the phosphate to the iron and removes it from the water circulation. This lowers the phosphate content and inhibits the growth of algae in your aquarium. The cartridges are free from harmful substances. When the levels of phosphates in the aquarium begin to rise again, the cartridge is ready to be changed. These cartridges are for one time use only and can be used in fresh or marine water set ups.

All filter cartridges and fleeces can be found on: www.eheim.com

Filter cartridges				Carbon cartridges			
For filter Art.		Art. No.	Pk	Art. No.		Pk	
2000	2x	2616000	6	-			
2006	2x	2615060	6	2x	2625060	6	
2008	2x	2617080	6	2x	2627080	6	
2010	2x	2617100	6	2x	2627100	6	
2012	2x	2617120	6	2x	2627120	6	
2048	2x	2615480	6	2x	2625480	6	
2203/2204	2x	2616030	1	-			
2206	2x	2618060	6	-			
2208-12	2x	2618080	6	2x	2628080	6	
2252	2x	2615510	1	2x	2625520	1	
3536	2x	2615360	1	-			
4003000	2x	2615300	6	-			
Fine filter pad				Activ. carbon fine filter pads			
2004/2005				3x	2628040	6	
2026-2128	3x	2616265	5	-			
2208-12	3x	2616080*	6	-			
2211	3x	2616115	4	3x	2628110	1	
2213	3x	2616135	6	3x	2628130	6	
2215	3x	2616155	5	3x	2628150	1	
2217	3x	2616175	5	3x	2628170	1	
2222-2324	3x	2616225	6	-			
2226-2328	3x	2616265	5	-			
2231/33/35	3x	2616315	6	3x	2628310	6	
2232/34/36	3x	2616315	6	3x	2628310	6	
2422/2424/2124	3x	2616225	6	-			
2426	3x	2616265	5	-			
Set filter pad/coarse foam filter pad							
2004/2005	Set	2616040 (1x prefilter pad/1x filter pad/3x fine filter pad)		4			
2026-2128	Set	2616260 (1x coarse filter pad/2x fine filter pad)		5			
2032-2036	Set	2616320 (1x prefilter pad/4x fine filter pad)		3			
2071-2075	Set	2616710 (1x prefilter pad/4x fine filter pad)		3			
2271-2275	Set	2617710 (1x prefilter pad/4x fine filter pad)		3			
2076/2078	Set	2616760 (1x prefilter pad/4x fine filter pad)		1			
2080/2180	Set	2616802 (1x prefilter pad/4x fine filter pad)		1			
2222-2324	Set	2616220 (1x coarse filter pad/2x fine filter pad)		6			
2226-2328	Set	2616260 (1x coarse filter pad/2x fine filter pad)		5			
2422/2424/2124	Set	2616220 (1x coarse filter pad/2x fine filter pad)		6			
2426	Set	2616260 (1x coarse filter pad/2x fine filter pad)		5			
Coarse foam filter pad				Activ. carbon filter pads			
2208-12	2x	2616085*	6	-			
2211	2x	2616111	6	-			
2213	2x	2616131	6	-			
2215	2x	2616151	6	-			
2217	2x	2616171	6	-			
2231/33/35	3x	2616310	6	-			
2232/34/36	3x	2616310	6	-			
2026-2128	3x	2616261	5	3x	2628260	4	
2073-2075	-	-	-	3x	2628710	4	
2076/2078	-	-	-	3x	2628760	1	
2222-2324	3x	2616221	6	3x	2628220	4	
2226-2328	3x	2616261	5	3x	2628260	4	
2422/2424/2124	3x	2616221	6	3x	2628220	4	
2426	3x	2616261	5	3x	2628260	4	


* Filter media box aquaball

EHEIM classic

- EHEIM coarse and fine filter pads
These guarantee the basic mechanical and biological filtration.

EHEIM eXperience

- EHEIM fine filter pads – for additional mechanical and biological filtration.
- EHEIM SUBSTRAT – Standard biofilter medium with a large colonisation area for bacterial cultures
- EHEIM coarse filter pads – for mechanical (and biological) filtration



classic 350

eXperience 350

EHEIM ecco pro

- EHEIM filter pad – for additional mechanical and biological filtration.
- EHEIM fine filter pad - for fine filtration
- EHEIM SUBSTRATpro – bio-filter medium with perfect volume utilisation, longer cleaning intervals and high decomposition performance
- EHEIM bioMECH – mechanical-biological filter medium for combined water treatment
- EHEIM MECHpro – mechanical prefilter medium which although is mainly for trapping dirt particles, also encourages the colonisation of purification bacteria.



ecco pro 130

ecco pro 200

ecco pro 300

EHEIM professional 3 / EHEIM professional 4+

- EHEIM coarse filter pads – for additional mechanical and biological filtration and longer intervals between cleaning
- EHEIM fine filter pad - for fine filtration
- EHEIM SUBSTRATpro – biofilter medium with perfect volume utilisation, longer cleaning intervals and high decomposition performance
- EHEIM bioMECH – mechanical-biological filter medium for combined water treatment
- EHEIM MECHpro – mechanical prefilter medium



professional 4+ 250

professional 3 350

professional 3+ 600T

Compact, powerful and silent
Improved performance values and versatile accessories.

EHEIM
compactON



new



new



new



new



new



new



Pumps

Technical data

		compactON 300	compactON 600	compactON 1000	compactON 2100	compactON 3000	compactON 5000
Pump output approx.	l/h	170-300	250-600	400-1000	1400-2100	1800-3000	5000
Delivery head approx.	Hmax m	0,6	1,0	1,4	2,4	2,7	3,6
Power consumption	W	7	7	15	38	55	70
Connection on pressure side	ø	12/16	12/16	16/22 19/27	19/27 25/34	19/27 25/34	25/34 1 1/4"
Connection on suction side	ø	-	-	16/22 19/27	19/27 25/34	19/27 25/34	25/34 1 1/4"
Dimensions HxWxD	mm	72x38x62	72x38x62	79x47x73	142x70x109	142x70x109	154x92x142
Art. No. (Europe)		1020220	1021220	1022220	1030220	1031220	1032220
Art. No. (UK)		1020340	1021340	1022340	1030340	1031340	1032340
Packing dimensions HxWxD	cm	12x9,7x7,4	12x9,7x7,4	14x12x7	15x14x10	15x14x10	18x18,7x11
Master pack quantities	pcs.	1	1	1	1	1	1

For optimum flow and clear water

- Successor to the compact and compact+ series
- Attach to aquarium with robust suction cups
- Accessories include strainer and threaded connectors
- Very quiet due to ceramic shaft
- High performance with lower power consumption
- compactON 5000 available as an electronic version for extra efficiency


EHEIM compactON is the compact and yet powerful aquarium pump. Available in six sizes, for flow rates from 170 to 5000 liters per hour.

The EHEIM compactON aquarium pump is characterized by its name through a compact design and is thanks to the included accessory bag appropriate for versatile use – the EHEIM compactON 2100-5000 can also be modified for the use outside of the water. Thanks to the high quality material it is also possible to use them without problems in marine water.

For even more flexibility, the flow rate is adjustable for all models, except for the EHEIM compactON 5000.



compactON 600/1000/3000/5000*
* Energy-Saving: up to 37 % compared to the previous model compact/compact+



Accessories (included)

compactON 300/600


compactON 1000

compactON 2100/3000

compactON 5000

adjustable flow rate
EHEIM compactON
300/600/1000/2100/3000

not adjustable
EHEIM compactON
5000




Marine water flow pump for natural living conditions.

EHEIM
streamON

EHEIM
streamON+

Marine



Pumps

Technical data

	streamON 1800	streamON 3000	streamON 3800
Aquarium size up to approx. l	150	250	350
Pump output approx. l/h	1800	3000	3800
Power consumption W	3	4,5	7,5
Glass thickness mm			
Dimensions HxWxD mm	62x46x75	90x61x85	90x61x85
Art. No. (Europe)	1070220	1071220	1072220
Art. No. (UK)	1070340	1071340	1072340
Packing dim. HxWxD cm	13,6x9x8,2	16,3x11,5x8,3	16,3x11,5x8,3
Master pack quantities pcs.	4	3	3

Technical data

	streamON+ 2000	streamON+ 4000	streamON+ 5000
	adjustable pump output		
Aquarium size up to approx. l	35-200	150-350	350-500
Pump output approx. l/h	1400-2000	2400-4000	3800-5000
Power consumption W	3,5	5	10
Glass thickness mm	3-8	6-12	6-12
Dimensions HxWxD mm	62x46x75	90x61x85	90x61x85
Art. No. (Europe)	1080220	1081220	1082220
Art. No. (UK)	1080340	1081340	1082340
Packing dim. HxWxD cm	13,6x9x8,2	16,3x11,5x8,3	16,3x11,5x8,3
Master pack quantities pcs.	4	3	3

EHEIM streamON – the compact streaming pumps for marine and fresh water.

- Compact and practical design
- Optimum water circulation with enhanced aeration
- Natural and gentle flow pattern
- Recreates natural living conditions
- Flexible positioning due to rotating bracket
- 3D settings; 180° rotation
- Extremely quiet and low maintenance
- Low energy use and high energy efficiency
- High safety and reliability

In a **marine aquarium**, the flow of water from the pump is designed to stimulate the natural and vital currents in a coral reef. These currents provide the sessile corals with nutrients (phytoplankton, zooplankton, dissolved nutrients and oxygen) and simultaneously remove metabolic products from the corals.

In a **freshwater aquarium** the use of a water flow pump improves the aquarium environment due to the higher oxygen supply. Many tropical fish, such as Malawi /Tanganyika cichlids and loaches, react positively to the natural environment recreated by the natural current simulation.



streamON
1800/3000/3800
Quick and easy
fixing with suction
cup bracket



**The EHEIM streamON+ gives you more flexibility than any other streaming pump.
Suitable for both fresh and marine water.**

- Essential for corals in marine aquariums and beneficial for fresh water fish
- Flexible positioning – horizontal or vertical
- Rotates up to 180° (3D adjustable)
- With magnetic mounting bracket for 3-8mm glass thickness (streamON+ 2000) and 6-12mm (streamON+ 4000/5000)
- Outflow adjustable in small increments
- Extremely quiet and very low maintenance

streamON+
2000/4000/5000
with magnetic
bracket




Power for all occasions.

EHEIM
universal



Pumps

Technical data	universal 1005	universal 300	universal 600	universal 1200	universal 2400	universal 3400
Pump output approx. l/h	270	300	600	1200	2400	3400
Delivery head Hmax m	0,75	1,2	1,5	2,0	3,7	3,6
Power consumption W	4	5	10	28	65	80
Connection ø mm/Thread on intake side	17 / -	13 / G3/8"	13 / G3/8"	18 / G1/2"	28 / G3/4"	28 / G3/4"
on pressure side	13 / -	11 / G1/8"	13 / G1/4"	13 / G3/8"	18 / G3/4"	18 / G3/4"
Dimensions HxWxD mm	87x66x88	103x146x75	115x147x75	121x178x96	161x218x116	161x218x116
Art. No. (Europe) 1,5 m	1005215	1046219	1048219	1250219	1260210	1262210
Art. No. (UK) 1,5 m	-	-	-	-	1260350	1262350
Art. No. (Europe) 10 m	-	1046019	1048019	1250019	1260010	1262010
Art. No. (UK) 10 m	-	1046119	1048119	1250119	-	-
Packing dim. HxWxD cm	9,8x12,5x15,5	10x21x15	10x21x15	14x26,5x17	13,5x26,5x17	13,5x26,5x17
Master pack quantities pcs.	1	1	1	1	1	1



Universal pumps output diagram


Filter media universal	300	600	1200	2400/3400 Pk 1060
Coarse filter 2x	2615465	2615485	2615500	2615600 1

Types of usage in marine aquariums
Return (circulation) pump in sump tank

EHEIM universal	Aquarium size up to approx.
1200	200
2400	300-500
3400	500-600

EHEIM universal pumps

- Durable
- Ceramic shaft
- Designed for continuous use in or out of the water
- Hermetically sealed motor body guarantees continuous operation
- ① Integrated pre-filter
- ② Inlet connector for hose connection
- ③ Variable fixing options



Made in Germany



Silent Air.

EHEIM
air pump



Pumps

Technical data	air pump 100	air pump 200	air pump 400
Pump output approx. l/h	100	200 (2x100)	400 (2x200)
Power consumption W	3,5	3,5	4
Delivery head Hmax m	2	2	2
Hose connections	1	2	2
Hose diameter mm	4/6	4/6	4/6
Dimensions HxWxD mm	152x89x71	152x89x71	152x89x71
Art. No. (Europe)	3701010	3702010	3704010
Art. No. (UK)	3701110	3702110	3704110
Packing dimensions HxWxD cm	24x14,5x8,5	24x14,5x8,5	24x14,5x8,5
Master pack quantities pcs.	3	3	3

The **EHEIM air pump** offers several benefits:

- Continuously quiet operation
- Air flow can be regulated on the pump ①/②
- Additional adjustment of the air flow and bubble effect using the diffuser ③
- Fully equipped with
 - air pump 100 1x
 - air pump 200/400 2x
 - air hose 1 m
 - air pump 200/400 2 m

New: EHEIM diffuser

- Adjustable air flow and bubble pattern
- Replaceable felt pad (Art. No. 7400030)
- Clever design
- Durable


Accessories (optional):
air filter (page 79) Art. No. 4003000




Individually adjustable air flow: air pump 200/400



Practical strap with hole for hanging



Air pump output diagram



Accessories



Everything you need in ease of use products - for cleaning, maintenance, installations and much more ...

Whether you need an automatic fish feeder for when you are on holiday or a useful and perfectly functional cleaning aid for maintaining your aquarium (automatic gravel cleaner), whether you want to adjust the flow in your tank (see installation sets) or you are looking for a safe maintenance spray to keep your filter functioning freely – EHEIM offers a variety of products to give the aquarist more time to enjoy their aquarium with less time spent doing mundane tasks. With original EHEIM accessories, we can offer you well thought out, cleverly constructed, extensively tested and guaranteed high quality products.

The UV-steriliser with a new kind of reflector technology.

EHEIM
reeflexUV



UV-steriliser

Technical data


		reeflexUV 350	reeflexUV 500	reeflexUV 800
Aquarium size up to approx.	l	80-350	300-500	400-800
Dimensions HxWxD approx.	mm	309x106x128	383x106x149	523x106x149
Hose- ø	mm	ø 12/16	ø 16/22	ø 16/22
Pressure max.	bar	0,8	0,8	0,8
Turbidity	l/h	400	800	1200
Reduction of germs	l/h	200	400	600
Power consumption	W	7	9	11
Art. No. (Europe)		3721210	3722210	3723210
Art. No. (UK)		3721350	3723350	3723350
Packing dimensions HxWxD	cm	31,7x18,8x11	36,2x18,8x11	49,2x18,8x11
Master pack quantities	pcs.	1	1	1

1,8 times higher effectiveness and less energy consumption compared to conventional technology.

- Quickly and effectively reduces micro-organisms in the water
- Eliminates turbidity caused by algae or bacteria
- Internally fitted high gloss aluminium reflects the UV-C light and ensures extra efficient sterilisation
- No performance loss as, using a special design, the water is not redirected
- Ideal for use in breeding tanks, reduces risk of infection
- Colonised bacteria are retained in the filter as only floating organisms are eradicated
- Simple and safe maintenance and cleaning
- AUTO-OFF: automatic safety cut-off when the light is being changed
- Simple bracket for attaching UV to either the cabinet or the side of the tank

Accessories included

EHEIM UV-C-lamp, bracket, ballast with power cable, 2x hose connection taps
 ø 12/16 mm (reeflexUV 350)
 ø 16/22 mm (reeflexUV 500 und 800).



WARNING: UV-C radiation can harm eyes and skin even in small doses.

	ø 12/16 mm	ø 16/22 mm
Hose, 3 m	Art. 4004943	Art. 4005943
Shut-off tap	Art. 4004512	Art. 4005510
Reducer	16/22 > 12/16	Art. 4004980

Accessories (optional)		
Original EHEIM replacement lamp Art. No.		
7 Watt	for reflexUV 350	7315298
9 Watt	for reflexUV 500	7315168
11 Watt	for reflexUV 800	7315308

Made in Germany



The micro surface skimmer for smaller aquariums up to 350 l

EHEIM
skim350

Protein skimmer for marine water aquariums

EHEIM
skimmarine

Marine



Accessories

Technical data

		skim350
Aquarium size up to	l	350
Pump output	l/h	300
Delivery head	Hmax m	0,5
Prefilter volume	cm ³	19,7
Hose connection pressure side	ø mm	13
Power consumption	W	5
Dimension HxWxD	mm	132x40,5x54
Art. No. (Europe)		3536220
Art. No. (UK)		3536340
Packing dimensions HxWxD	cm	13,5x9,0x8,15
Master pack quantities	pcs.	1
Filter cartridge included	media+	+



Simple, quick and easy to set up. For alternate use in different aquariums. Ready for immediate use.

- Small surface skimmer for aquariums up to 350 l
- Removes dirt residue and microorganisms from the water surface (surface scum)
- This promotes natural gas exchange
- Practical for constant or intermittent use
- Quick set-up – easy to attach to the tank glass with suction cups
- For use when necessary – also adaptable to a range of different aquariums (be careful that no algae spores etc. are transferred)
- Connector for outlet hose
- Only 5 W energy consumption

Accessories (optional)

Suction cup 4x	7445848
Connector set	7481200



Filter media			Pk
EHEIM skim350			
Filter cartridge	2 x	2615360	1



Technical data

		skimmarine 100	skimmarine 300
Aquarium size up to	l	100	300
Pump output	l/h	100*	500
Volume skimmer cup	ml	65	270
Dimensions HxWxD	mm	25x7,5x4,5	347x153x91
Art. No. (Europe)		3551000	3549220
Art. No. (UK)		3551000	3549340
Packing dimensions HxWxD	cm	32,5x17,5x5,0	39x18,7x11,6
Master pack quantities	pcs.	1	1

* only in conjunction with EHEIM airpump 100

EHEIM skimmarine 100 Nano skimmer

- For small marine water aquariums up to approximately 100 litres
- Small and compact design
- Simple installation
- Can be removed for cleaning
- Silent due to the lime wood diffuser
- Does not disturb the natural plankton in the aquarium

Air pump required to operate skimmarine 100

EHEIM airpump 100

Art.No. (Europe)	3701010
Art.No. (UK)	3701110



EHEIM skimmarine 300 Motorised mini skimmer for marine aquariums up to 300 litres

- Easily installed using the magnetic holder
- Completely detachable for cleaning
- Silent
- Highly efficient skimmer pump with a needle wheel impeller
- Air intake: Self-priming (Dispersant principle)
- Adjustable air intake
- Low energy consumption
- High skim rate
- Ozone-resistant
- Compact design



EHEIM skimmarine 300



Aquarium lighting – shown in a new light T5 fluorescent tubes

EHEIM
freshpower

T5 fluorescent tubes - for marine aquariums

EHEIM
marinepower



marine


Lighting

EHEIM freshpower		daylight T5				plants T5			
		24 W	39 W	54 W	80 W	24 W	39 W	54 W	80 W
Technical Data									
Performance	W	24	39	54	80	24	39	54	80
Overall length	mm	549	849	1149	1449	549	849	1149	1449
Diameter	mm	16	16	16	16	16	16	16	16
Light colour	K	6500	6500	6500	6500	4000	4000	4000	4000
Rated light flux	lm	1850	3300	4750	6500	1200	2050	3050	4100
Energy efficiency class		A	A	A	A	B	B	B	B
Art. No.		4124015	4139015	4154015	4180015	4124025	4139025	4154025	4180025
EAN	4011708	410011	410028	410035	410042	410059	410066	410073	410080
Packing dimensions H	mm	678	980	1285	1585	678	980	1285	1585
Packing dimensions WxD	mm	26x26	26x26	27,5x27,5	27,5x27,5	26x26	26x26	27,5x27,5	27,5x27,5
Master pack quantities	pcs.	6	6	6	6	6	6	6	6


EHEIM marinepower		hybrid T5				actinic blue T5			
		24 W	39 W	54 W	80 W	24 W	39 W	54 W	80 W
Technical Data									
Performance	W	24	39	54	80	24	39	54	80
Overall length	mm	549	849	1149	1449	549	849	1149	1449
Diameter	mm	16	16	16	16	16	16	16	16
Light colour	K	17.000	17.000	17.000	17.000	> 25.000	> 25.000	> 25.000	> 25.000
Rated light flux	lm	1100	1950	2800	3900	525	850	1150	1550
Energy efficiency class		B	B	B	B	B	C	C	C
Art. No.		4124035	4139035	4154035	4180035	4124045	4139045	4154045	4180045
EAN	4011708	410097	410103	410110	410127	410134	410141	410158	410165
Packing dimensions H	mm	678	980	1285	1585	678	980	1285	1585
Packing dimensions WxD	mm	26x26	26x26	27,5x27,5	27,5x27,5	26x26	26x26	27,5x27,5	27,5x27,5
Master pack quantities	pcs.	6	6	6	6	6	6	6	6

The new EHEIM light concept creates considerably better living conditions in the aquarium.

- T5 tube, diameter 16 mm
- Clear light, high level of brightness
- Natural colour reproduction
- Low energy consumption
- Long life (20,000 hours)
- Suitable for most aquariums (tube lengths 549, 849, 1149 and 1449 mm)



Colour spectrum daylight



Colour spectrum plants

For freshwater aquariums

EHEIM freshpower daylight

- Daylight tubes (spectrum similar to sunlight)
- Natural colour reproduction of flora and fauna
- Balanced blue/red ratio for effective plant growth
- Maximum energy efficiency and brightness

EHEIM freshpower plants

- Optimised blue and red spectrum
- For effective growth in demanding plants
- Clear, bright light (no warm tones, no yellowing)
- Natural emphasis on blue and red elements of fish
- Due to light output, can also be used as sole source of light (more than one tube if necessary)

Optimum combination:

EHEIM freshpower daylight + freshpower plants




For marine aquariums

EHEIM marinepower hybrid


- Perfect combination of daylight and deep-blue tubes
- Balanced spectrum and optimum light output
- Ideal for reef aquariums with corals and invertebrates
- Good colour reproduction
- No additional actinic lighting required

EHEIM marinepower actinic blue


- Uses a specific spectrum to promote absorption of chlorophyll (400 – 480 nm)
- Amplifies natural fluorescence of corals and invertebrates
- Can be combined with EHEIM marinepower hybrid tubes



Colour spectrum hybrid



Colour spectrum actinic blue



High efficiency LED for open aquariums

Distributes the ideal light evenly throughout the aquarium, powerful and energy saving.

EHEIM
powerLED



Lighting

Technical Data

Aquarium size up to Height	cm	35
Dimension HxWxD	mm	175x265x90
Power consumption	W	7
Light temperature (blue)	K	-
Light temperature (white)	K	6500
Light colour (blue)	nm	-
Light intensity	Lux	3100
Energy efficiency class		A
Art. No. (Europe)		6471220
Art. No. (UK)		6471340
Packing dimensions HxWxD	cm	28x16,5x7,8
Master pack quantities	pcs.	3

powerLED daylight fresh water

High efficiency LED

Power-LED for all open aquariums up to max. 35 cm height

The stylish round lamp with high quality **energy-saving Power LED (up to 80% energy saving)** distributes light evenly throughout the tank and ensures a beautiful underwater world, due to a light spectrum and luminosity specially adapted for plants and their growth requirements.

- High quality LED (81 diodes) for optimum illumination right to the bottom of the tank
- High energy efficiency, only 7 watts
- Long service life approx. 20.000 service hours
- With practical clamps for variable fixing
- Up to 20 mm clamping width, also for open aquariums with frame moulding
- 12 volt mains adapter

EHEIM lighting is available for the following applications:

For fresh water

EHEIM powerLED daylight

For marine water


EHEIM powerLED daylight & actinic blue
EHEIM powerLED actinic blue

Original EHEIM replacement lamp

7602718	„daylight“
7602858	„daylight & actinic blue“
7602958	„actinic blue“



Marine



Technical Data

Aquarium size up to Height	cm	35	35
Dimension HxWxD	mm	175x265x90	175x265x90
Power consumption	W	7	7
Light temperature (blue)	K	>25000	>25000
Light temperature (white)	K	6500	-
Light colour (blue)	nm	450	450
Light intensity	Lux	1800	320
Energy efficiency class		B	C
Art. No. (Europe)		6471221	6471222
Art. No. (UK)		6471341	6471342
Packing dimensions HxWxD	cm	28x16,5x7,8	28x16,5x7,8
Master pack quantities	pcs.	3	3

powerLED daylight & actinic blue marine water

powerLED actinic blue marine water



EHEIM powerLED

For marine water aquariums

Promotes colour rendition and the growth of corals. The corals appear with the most vivid colours due to the stimulation of their inherent fluorescence. The EHEIM powerLED also gives excellent performance when compared to other comparable commercially available fluorescent lamps in the range of 400 to 500 nm

daylight & actinic blue

- High intensity full spectrum

actinic blue

- Additional blue lighting

Recommended colour combinations for marine water

Variant 1	powerLED ①+②	① = daylight & actinic blue
Variant 2	powerLED ①+①	② = actinic blue
Variant 3	powerLED ②+③	③ = daylight
Variant 4	powerLED ①+③	

EHEIM powerLED For fresh water aquariums

- **daylight**
- High quality lighting

EHEIM power LED not only covers the majority of the light spectrum, but also, compared to similar available neon light tubes, offers excellent performance in the range between 400 and 500 nm., which is important for photosynthesis.

Examples of use:



PowerLED with practical clamps




PowerLED attached to the EHEIM aquacorner



Natural colours – freshwater LED lights

EHEIM
classicLED



Lighting

new

new

new

new

Technical Data

		classicLED daylight fresh water	classicLED daylight fresh water	classicLED daylight fresh water	classicLED daylight fresh water
Performance	W	12	13	17	20
Overall length	mm	550	740	940	1140
Aquarium size up to	mm	550-635	740-825	940-1025	1140-1225
Light colour	K	6500	6500	6500	6500
Rated light flux	lm	800	1000	1300	1500
Energy efficiency class		A+	A+	A+	A+
Art. No.		4261011	4262011	4263011	4264011
EAN	4011708	002384	002407	002421	002445
Packing dimensions HxVxD	cm	71,4x15x4	71,4x15x4	110x15x6	130x15x6
Master pack quantities	pcs.	1	1	1	1
Replacement for EHEIM T8		T8/15 W 438 mm	T8/18 W 590 mm	T8/30 W 895 mm	T8/38 W 1047 mm
Replacement for EHEIM T5		-	T5/24 W 549 mm	T5/39 W 849 mm	-
Replacement for T5		T5/24 W 438 mm	T5/28 W 590 mm	T5/45 W 895 mm	T5/54 W 1047 mm
Suitable for EHEIM		vivalineLED 150	vivalineLED 126	vivalineLED 180	vivalineLED 240


EHEIM classicLED

Freshwater LED light

- Including safety power supply
- Various fitting options
- Waterproof (IPx7)
- Cost effective LED for beginners
- Compact
- Suitable for all aquariums 550 – 1140 mm
- Easy to fit using the extendable brackets
- Can be used to replace T5/T8 fluorescent tubes
- Enables the exchange of high energy fluorescent tubes to energy-saving, environmentally friendly LED lighting
- Beam angle 120°

Original EHEIM Accessories

classicLED Adapterset T5/T8
Art. 4200130 EAN 4011708003275



New dimensions in light: LED light bars for freshwater

Perfectly balanced for individual
lighting requirements.

EHEIM
powerLED

Lighting

EHEIM powerLED

Technical Data

		daylight LED							
		11 W	16 W	20 W	24 W	30 W	34 W	40 W	43 W
Performance	W	11	16	20	24	30	34	40	43
Overall length	mm	360	487	664	771	969	1074	1266	1374
Light colour	K	7000	7000	7000	7000	7000	7000	7000	7000
Rated light flux	lm	1320	1920	2400	2880	3600	4080	4800	5160
Energy efficiency class		A+	A+	A+	A+	A+	A+	A+	A+
Art. No.		4211010*	4216010*	4220010*	4224010*	not longer available	4234010*	4240010*	not longer available
EAN	4011708	420010	420058	420379	420171	not longer available	420454	420492	not longer available
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions WxD	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x50,5	65x50,5
Master pack quantities	pcs.	1	1	1	1	1	1	1	1


* While stock last

		plants LED							
		11 W	16 W	20 W	24 W	30 W	34 W	40 W	43 W
Performance	W	11	16	20	24	30	34	40	43
Overall length	mm	360	487	664	771	969	1074	1266	1374
Light colour	K	10.000	10.000	10.000	10.000	10.000	10.000	10.000	10.000
Rated light flux	lm	1100	1600	2000	2400	3000	3400	4000	4300
Energy efficiency class		A	A	A	A	A	A	A	A
Art. No.		4211020*	not longer available	not longer available	4224020*	not longer available	4234020*	4240020*	not longer available
EAN	420027	not longer available	not longer available	420188	not longer available	420461	420508	not longer available	not longer available
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions WxD	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x50,5	65x50,5
Master pack quantities	pcs.	1	1	1	1	1	1	1	1


For freshwater aquariums

EHEIM powerLED daylight

- Bright daylight (7,000 K) with full sunlight spectrum (full spectrum)
- Natural colour reproduction of flora and fauna
- Proportional balance of blue/red spectrum for good plant growth
- Maximum energy efficiency (120 lm/W) and brightness
- **For particularly demanding plants - may be combined with EHEIM powerLED plants**
- Beam angle 120°



Colour spectrum powerLED daylight



Colour spectrum powerLED plants

EHEIM powerLED lamps – the new generation aquarium lighting

- Alternative to efficient T5 fluorescent tubes (including reflector).
- 30% saving on energy (comparison: T5 = 88 lm/W; LED = 120 lm/W)
- Optimum light output and light penetration down to the substrate – even in deep aquariums
- Ideal spectrum and combined light colours for plants and/or corals
- Full sunlight spectrum - Promote photosynthesis

- Natural colour reproduction (CRI > 90 freshwater)
- Average life > 50.000 hours (13–14 years at 10 hours per day)
- Solid aluminium casing (anodised), water-resistant to DIN 8149-1
- Suitable for most aquariums measuring 37 - 154 cm due to extending brackets

The LED lamps can only be used with Original EHEIM safety power supplies (TÜV tested).

A safety power supply is required for the operation of the LED.

EHEIM offers the following LED power supplies:	
Power supply 20 Watt	Art. (Europe) 4201220
Power supply 20 Watt	Art. (UK) 4201340
Power supply 100 Watt	Art. (Europe) 4203210
Power supply 100 Watt	Art. (UK) 4203350

Original EHEIM Accessories

Adapter Set: 1x T5, 1x T8	Art. 4200000
Connector	Art. 4200010
Suspension wires	Art. 4200060
Double suspension wires	Art. 4200030
Mounting bracket	Art. 4200040



For freshwater aquariums

EHEIM powerLED plants

- Bright sunlight (10,000 K) with optimised spectrum (blue 465 nm and red 625 nm) for healthy growth in demanding plants
- Optimum requirements for Lake Malawi and Lake Tanganyika aquariums
- Natural emphasis on blue and red elements of fish and plants
- Maximum energy efficiency (100 lm/W) and brightness
- Due to light output, can also be used as sole source of light or in combination with EHEIM powerLED daylight
- Beam angle 120°

New dimensions in light: LED light bars for marine aquariums



Lighting

Perfectly balanced spectrums for specific lighting requirements



EHEIM
powerLED

Marine



EHEIM powerLED

Technical Data

		hybrid LED							
		11 W	16 W	20 W	24 W	30 W	34 W	40 W	43 W
Performance	W	11	16	20	24	30	34	40	43
Overall length	mm	360	487	664	771	969	1074	1266	1374
Light colour	K	17.000	17.000	17.000	17.000	17.000	17.000	17.000	17.000
Rated light flux	lm	787	1152	1440	1728	2160	2448	2880	3096
Energy efficiency class		A	A	A	A	A	A	A	A
Art. No.		4211030*	4216030*	4220030*	4224030*	not longer available	not longer available	4240030*	not longer available
EAN	4011708	420034	420072	420393	420195	not longer available	not longer available	420515	not longer available
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions WxD	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x50,5	65x50,5
Master pack quantities	pcs.	1	1	1	1	1	1	1	1

* While stock last


actinic blue LED

		actinic blue LED							
		11 W	16 W	20 W	24 W	30 W	34 W	40 W	43 W
Performance	W	11	16	20	24	30	34	40	43
Overall length	mm	360	487	664	771	969	1074	1266	1374
Light colour	K	> 25.000	> 25.000	> 25.000	> 25.000	> 25.000	> 25.000	> 25.000	> 25.000
Rated light flux	lm	253	368	460	552	690	782	920	989
Energy efficiency class		B	B	B	B	B	B	B	B
Art. No.		4211040*	4216040*	4220040*	4224040*	4230040*	4234040*	4240040*	4243040*
EAN		420041	420089	420409	420201	420447	420485	420522	420560
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions WxD	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x50,5	65x50,5
Master pack quantities	pcs.	1	1	1	1	1	1	1	1


For marine aquariums

EHEIM powerLED hybrid

- Optimum mix of white and actinic light (50:50)
- Balanced spectrums and high light output (400 - 500 nm) promote colour and growth in corals
- Ideal for reef aquariums with both corals and invertebrates
- Good colour reproduction and fluorescence
- Can be used as sole source of light with no additional actinic lighting required
- **Can be combined with EHEIM powerLED actinic blue**
- Beam angle 120°



Colour spectrum powerLED hybrid



Colour spectrum powerLED actinic blue

For marine aquariums

EHEIM powerLED actinic blue

- Pure actinic light
- Uses a specific spectrum (400 - 500 nm) to promote absorption of chlorophyll
- Amplifies natural fluorescence of corals and invertebrates
- **Can be combined with EHEIM powerLED hybrid**
- Beam angle 120°

Use of T5/T8-Adapter (for replacement of fluorescent tubes) for
EHEIM powerLED daylight, plants, hybrid and actinic blue

powerLED 11 W T5: 24 W (438 mm) T8: 15 W (438 mm)	powerLED 16 W T5: 24 W (549 mm) T5: 28 W (549 mm) T8: 18 W (590 mm)	powerLED 20 W T5: 35 W (742 mm)	powerLED 24 W T5: 45 W (895 mm) T5: 39 W (849 mm) T8: 30 W (895 mm)
powerLED 30 W T5: 54 W (1047 mm) T8: 38W (1047 mm)	powerLED 34 W T5: 54 W (1200 mm) T5: 54 W (1149 mm) T8: 36 W (1200 mm)	powerLED 40 W -	powerLED 43 W T5: 80 W (1449 mm) T8: 58 W (1500 mm)

Use: extending frame to fit different length aquariums
(suitable for min - max aquarium length) for EHEIM powerLED daylight,
plants, hybrid and actinic blue

powerLED 11 W 372 - 527 mm	powerLED 16 W 524 - 679 mm	powerLED 20 W 680 - 831 mm	powerLED 24 W 784 - 938 mm
powerLED 30 W 985 - 1136 mm	powerLED 34 W 1094 - 1241 mm	powerLED 40 W 1290 - 1433 mm	powerLED 43 W 1400 - 1543 mm

A safety power supply is required for the operation of the LED.

EHEIM offers the following LED power supplies:

20 Watt (Europe)	4201220
100 Watt (Europe)	4203210
20 Watt (UK)	4201340
100 Watt (UK)	4203350

Original EHEIM Accessories

Adapter Set T5/T8	4200000
Connector	4200010
Suspension wires	4200060
Double suspension wires	4200030
Mounting bracket	4200040

The new and efficient aquarium lighting for optimum illumination down to the bottom.

For fresh water aquariums
Ideal for fish and aquatic plants.

EHEIM+
powerLED+



new



LEDs for a golden sunlight

new

Lighting

EHEIM powerLED+		fresh daylight							
Total length	mm	360	487	664	771	953	1074	1226	1349
for aquariums up to	mm	372-540	499-667	680-844	787-951	973-1133	1094-1254	1250-1406	1373-1529
Technical data									
Power consumption	W	8,6	13,0	17,3	21,6	25,9	30,2	34,6	38,9
Light colour	K	6750	6750	6750	6750	6750	6750	6750	6750
Rated light flux	lm	1298	1946	2595	3244	3893	4542	5191	5839
Energy efficiency class		A++	A++	A++	A++	A++	A++	A++	A++
Art. No.		4251011	4252011	4253011	4254011	4255011	4256011	4257011	4258011
EAN	4011708	000069	000113	000168	000212	000267	000311	000366	000410
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions BxT	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x49	65x49
Master pack quantities	pcs.	1	1	1	1	1	1	1	1


EHEIM powerLED+		fresh plants							
Total length	mm	360	487	664	771	953	1074	1226	1349
for aquariums up to	mm	372-540	499-667	680-844	787-951	973-1133	1094-1254	1250-1406	1373-1529
Technical data									
Power consumption	W	9,8	14,8	19,7	24,6	29,5	34,4	39,4	44,3
Light colour	K	9200	9200	9200	9200	9200	9200	9200	9200
Rated light flux	lm	970	1456	1941	2426	2911	3397	3882	4367
Energy efficiency class		A	A	A	A	A	A	A	A
Art. No.		4251021	4252021	4253021	4254021	4255021	4256021	4257021	4258021
EAN	4011708	000076	000120	000175	000229	000274	000328	000373	000427
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions BxT	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x49	65x49
Master pack quantities	pcs.	1	1	1	1	1	1	1	1




For fresh water aquariums

EHEIM powerLED+ fresh daylight

- Bright daylight with sunlight full spectrum
- Maximum energy efficiency (150 lm / W) and light output
- For demanding aquatic plants and brilliant colour reproduction, can also be combined with powerLED+ fresh plants
- One EHEIM powerLED+ fresh daylight replaces one T5-/T8 fluorescent tube of the appropriate length including reflector
- Beam angle 120°



Colour spectrum powerLED+ fresh daylight



Colour spectrum powerLED+ fresh plants

A safety power supply is required for the operation of the LED.

EHEIM offers the following LED power supplies:

	Art.No Europe	Art.No UK
Power supply 20 Watt	4204210	4204350
Power supply 80 Watt	4206210	4206350
Power supply 130 Watt	4207210	4207350
Power supply 180 Watt	4208210	4208350

Original EHEIM Accessories

1 Adapter Set: 1xT5, 1xT8	4200000
2 Connector	4200050
3 Suspension wires	4200060
4 Double suspension wires	4200030
5 Mounting bracket	4200040



Application using mounting brackets

For fresh water aquariums

EHEIM powerLED+ fresh plants

- Promotes healthy growth of even the most demanding aquatic plants
- Emphasizes blue and red colouring of fish and aquatic plants in a natural way
- Very natural colour reproduction (simulates sunshine in the aquarium)
- Very high energy efficiency and light output
- Can be used as the sole source of light or in combination with EHEIM powerLED+ fresh daylight
- Beam angle 120°

EHEIM LEDcontrol (optional) Art.No 4200120

- From dawn to midday sun and sunset to moonlight: It is possible to simulate complete daily cycles
- Can be adapted to the individual taste and lighting requirements for special biotopes (Amazon, African, etc.)



The new and efficient aquarium lighting for optimum illumination down to the substrate.

For marine water aquariums
Ideal for corals and invertebrates.

EHEIM+
powerLED+



marine

Lighting

EHEIM powerLED+		marine hybrid							
Total length	mm	360	487	664	771	953	1074	1226	1349
for aquariums up to	mm	372-540	499-667	680-844	787-951	973-1133	1094-1254	1250-1406	1373-1529
Technische Daten									
Power consumption	W	9,8	14,8	19,7	24,6	29,5	34,4	39,4	44,3
Rated light flux	lm	770	1156	1541	1926	2311	2697	3082	3467
Energy efficiency class		A	A	A	A	A	A	A	A
Art. No.		4251032	4252032	4253032	4254032	4255032	4256032	4257032	4258032
EAN	4011708	000090	000144	000199	000243	000298	000342	000397	000441
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions BxT	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x49	65x49
Master pack quantities	pcs.	1	1	1	1	1	1	1	1

EHEIM powerLED+		marine actinic							
Total length	mm	360	487	664	771	953	1074	1226	1349
for aquariums up to	mm	372-540	499-667	680-844	787-951	973-1133	1094-1254	1250-1406	1373-1529
Technische Daten									
Power consumption	W	8,6	13,0	17,3	21,6	25,9	30,2	34,6	38,9
Rated light flux	lm	89	134	179	223	268	313	358	402
Energy efficiency class		D	D	D	D	D	D	D	D
Art. No.		4251041	4252041	4253041	4254041	4255041	4256041	4257041	4258041
EAN	4011708	000106	000151	000205	000250	000304	000359	000403	000519
Packing dimensions H	mm	544	544	828	828	1129	1129	1405	1405
Packing dimensions BxT	mm	65x49	65x49	65x49	65x49	65x49	65x49	65x49	65x49
Master pack quantities	pcs.	1	1	1	1	1	1	1	1

Examples of use
EHEIM powerLED+



With single suspension wires



With double suspension wires



With mounting bracket




with T5 or T8 adapter

For marine water aquariums

EHEIM powerLED+ marine hybrid

- Optimal combination of white and royal blue light (1:1)
- High light output and coordinated spectrum in the areas important for photosynthesis
- Promotes colour reproduction (fluorescence) and the growth of corals
- One EHEIM powerLED+ marine hybrid replaces one T8-/T5 fluorescent tube of the appropriate length including reflector
- Royal blue LEDs (445 nm)
- Beam angle 120°



Colour spectrum powerLED+ marine hybrid

A safety power supply is required for the operation of the LED.
EHEIM offers the following LED power supplies:

	Art.No Europe	Art.No UK
Power supply 20 Watt	4204210	4204350
Power supply 80 Watt	4206210	4206350
Power supply 130 Watt	4207210	4207350
Power supply 180 Watt	4208210	4208350

Original EHEIM Accessories


1 Adapter Set: 1xT5, 1xT8	4200000
2 Connector	4200050
3 Suspension wires	4200060
4 Double suspension wires	4200030
5 Mounting bracket	4200040



For marine water aquariums

EHEIM powerLED+ marine actinic

- Pure actinic light
- Royal blue LEDs (445 nm)
- Enhances the natural fluorescence of corals and invertebrates
- Can be combined with EHEIM powerLED+ marine hybrid
- Beam angle 120°



Colour spectrum powerLED+ marine actinic

EHEIM LEDcontrol (optional) Art. 4200120

- Can be adjusted to suit individual blue:white preference



Aquarium heater with preset temperature.

EHEIM
thermopreset



Preset heater

EHEIM thermopreset

Technical data

		50	100	150	200
Aquarium size up to	l	25-60	100-150	200-300	300-400
Performance	W	50	100	150	200
Total length	mm	168,5	183,5	223,5	253,5
Diameter	mm	28,2	28,2	28,2	28,2
Art. No. (Europe)		3652010	3654010	3656010	3657010
Art. No. (UK)		3652110	3654110	3656110	3657110
Packaging diameter HxWxD	cm	24,5x8,1x4,2	24,5x8,1x4,2	32x8,1x4,2	32x8,1x4,2
Master pack quantities	pcs.	1	1	1	1



NEW: EHEIM thermopreset Preset aquarium heater at 25°C

- Compact and user-friendly
- High temperature accuracy by electronic control
- Mechanical stability due to plastic protection
- With thermo-safety control (auto shut-off)
- Even heat distribution by highly efficient heating element
- Suction cups (included) for secure attachment
- Suitable for fresh and marine water



On/off indicator light



Precision aquarium heater.

EHEIM
thermocontrol



Heater

EHEIM thermocontrol

Technical data

		25	50	75	100	125	150	200	250	300
Aquarium size up to	l	20-25	25-60	60-100	100-150	150-200	200-300	300-400	400-600	600-1000
Performance	W	25	50	75	100	125	150	200	250	300
Total length	mm	243	243	270	319	319	345	406	452	506
Diameter	mm	36	36	36	36	36	36	36	36	36
Art. No. (Europe)		3611010	3612010	3613010	3614010	3615010	3616010	3617010	3618010	3619010
Art. No. (UK)		3611110	3612110	3613110	3614110	3615110	3616110	3617110	3618110	3619110
Packing dim. HxWxD	cm		34,5x6,5x5		42,5x6,5x5				58,5x6,5x5	
Master pack quantity	pcs.	6	6	6	6	6	6	6	6	6

With the EHEIM precision heater your fish have exactly the right temperature – in any aquarium.

- 1 Precise temperature adjustment from 18 to 34 °C
- 2 Simple and safe recalibration (± 2 °C)
 - Temperature control accuracy $\pm 0,5$ °C
 - Heat kept at a constant level
- 3 Heating function is indicated by a control lamp
 - Completely submersible (watertight)
 - With automatic dry run shut-off (Thermo Safety Control)
 - A glass jacket increases the heating surface and ensures optimum even heat emission
 - Practical cable length ca. 170 cm
 - Includes double suction cup holder
 - 9 sizes available for aquariums from 20 to 1000 lt
 - Suitable for fresh and marine water



Heat shield

Chrome-nickel coil

Temperature and shock resistant



Made in Germany

A well-balanced range of useful and functional products. All meeting the highest standard of quality, reliability and functionality.

EHEIM



Accessories



Glass scraper for fresh and marine water aquariums
rapidCleaner Art. No. 3591000 EAN 4011708350355 **Pk 1**

For easy and effective cleaning of interior aquarium glass

- Removes algae and dirt quickly and effectively from aquarium glass panes
- No tools necessary to change the blade
- Quick cleaning due to the extra wide 8cm working width
- Precision cut blade and blade protection
- Long life blade durability
- Integrated silicone protection prevents the blade cutting into the sealant
- Unbreakable glass fibre bar

Accessories: Algae brush (Art. 3591001), cleaning sponge (Art. 3591002), cleaning sponge 90° (Art. 3591003), blade holder (Art. 3591004)



Automatic gravel cleaner
Quick Vacpro Art. No. 3531000 EAN 4011708 350140 **Pk 4**

The battery operated gravel cleaner is used to clean the gravel substrate and can also be used between water changes. The power of the cleaner is designed to remove dirt without disturbing the gravel and the purifying bacteria. The mesh filter compartment retains the dirt while letting the filtered water straight back into the aquarium.

The filter compartment is simple to remove and easy to clean. Not suitable for sand.


- Batteries included



Gravel cleaner set Art. No. 4002510 EAN 4011708 401651 **Pk 3**

The perfect tool for the convenient and safe cleaning of the aquarium substrate while doing a partial water change. A number of new functions and fittings have improved use, safety and convenience.

- Integrated priming support for a convenient and hygienic start to the process
- Quick stop button, stalls the water flow immediately
- The hose clip 1 (also available separately, Art. no. 4002520) safely attaches the hose to the bucket
- Supplied complete with EHEIM quality hose and hose clip. Length 492 mm, can be extended with installation SET accessories
- Rounded triangular shape enables optimum cleaning in all areas of the tank base and guarantees easy access to corners



Surface skimmer Art. 3535000 EAN 4011708 350027 **Pk 1**

With floating inlet and automatic valve control.

The device ensures a permanently clean water surface without film residue.

For all EHEIM external filters (apart from 2074/2076/2078/2178/2274).

InstallationsSET 1 (suction/inlet side)

Modular installation set for easy connection to all external filters. Safe and water tight connection to hose. (The hose can be easily cleaned without removing the connection hose.) The inlet pipe can be lengthened or shortened as required. Safe and permanent fixing in the tank with EHEIM quality suction cup.

Versions:

Hose diameter 12/16 mm Art. No. 4004300 EAN 4011708 401378

Hose diameter 16/22 mm Art. No. 4005300 EAN 4011708 401361


InstallationsSET 2 (pressure/outlet side)

Ideal for the customised design of the outlet. Safe and water tight connection from the to hose to InstallationSET 2. The hose can be easily cleaned without disconnecting the kit.

Versions:

Hose diameter 12/16 mm Art. No. 4004310 EAN 4011708 401392

Hose diameter 16/22 mm Art. No. 4005310 EAN 4011708 401385



There are a wide range of clever accessories for the installationsSETs 1 + 2. They can be used to create different water movement and flow possibilities in the aquarium.

Accessories for InstallationsSET 1+2

Art. No.	EAN	4011708	
4003651	401668	①	Diffuser for InstallationsSET 2 and for hose ø 12/16 mm, suitable for filters 2213, 2222/2224, 2322/2324, 2422/2424/2124
4004651	401606	①	Diffuser for InstallationsSET 2 and for hose ø 12/16 und 16/22 mm, suitable for filters 2048, 2215/17, 2226/28, 2250
4005651	401613	①	Diffuser for InstallationsSET 2 and for hose ø 16/22 mm, suitable for filters 2026/2028, 2080, 2126/2128, 2252, 2260, 2426
4005600	401576	②	Ball joint for InstallationsSET 2
4009610	401491		Extension pipe for InstallationsSET 1 (2 pieces)
4009620	401507		Spray bar for InstallationsSET 2 (2 pieces)
4009630	401514	③	Elbow for InstallationsSET 1+2
4009640	401545	④	T piece for InstallationsSET 1+2
4009650	401521	⑤	Flow rate indicator for InstallationsSET 2
4009660	401712	⑥	Nozzle clip, adjustable for InstallationsSET (4 pieces)
4009670	401729	⑦	Diffuser clip for InstallationsSET 2
4009680	401736	⑧	Wide-jet nozzle for InstallationsSET 2
4009690	401743	⑨	Adapters from InstallationsSET to hose for hose diameter 12/16 and 16/22 mm
4009700	401750	⑩	Nozzles and adapters from hose to InstallationsSET for hose diameter 12/16 and 16/22 mm
7438018	744345	⑪	Adapter connector for 1250 and 2252 PowerLine
7440148	744338	⑫	Adapter connector for 1048 and 2048 PowerLine



EHEIM automatic fish feeders

The best care for your fish

EHEIM




Accessories


EHEIM autofeeder Art. No. 3581000 EAN 4011708 350102 **Pk 5**
Compact autofeeder with a rotating feeding chamber – mainly for flake food

EHEIM turtlefeeder Art. No. 3581001 EAN 4011708 350300 **Pk 5**
Feeding unit for terrarium inhabitants (e.g. water turtles)
Types of food: Fresh water shrimps, shrimps, food sticks and granules

- Easy to understand programming, includes batteries
- An additional programme for double feeding
- Actively aerated food chamber
- Capacity approx. 100 ml
- Additional “snacks” possible at the touch of a button
- Function keys are splash resistant
- Warning system quickly indicates low battery level
- Including bracket for mounting on an open-top aquarium or terrarium



Air filter



EHEIM feedingSTATION Art. No. 4001020 EAN 4011708 402030 **Pk 1**
Platform for EHEIM autofeeders

- Universal clamp for attachment to frames, glass brace bars and centre support bars,
Feed chute (without platform) also suitable for the feeder opening in EHEIM Varilux aquarium covers
 Can also be used without the autofeeder (for manual feeding)
 Feeding cylinder can also be used to thaw out diced frozen food
- Less food loss as food doesn't disperse
 - Less water pollution (nitrates and phosphates)
 - No oxygen depletion from bacterial decomposition
 - Less expense due to less wastage
 - All fish gather in one place so ideal for visual inspection of livestock

EHEIM autoliquid Art. No. 3585000 EAN 4011708 350133 **Pk 1**
Compact liquid doser

- Delivers liquid additives to fresh and salt water aquariums (fertiliser, minerals and other nutrients)
- Easy to programme
- LCD display with timer
- Dosage is measured by turns of the drum
- EHEIM autoFERTILISER - one rotation for 100 l aquarium water
- Low battery level is shown on display

Prefilter Art. No. 4004320 EAN 4011708 401910 **Pk 3**

- Traps larger dirt particles in the inlet area, preventing early blocking of the filter media
- The filter basket is simple to remove (Easy-Klick) as well as easy to clean
- All round suction for gentle filtration
- Comprises 2 filter containers with filter cartridges
- Can be extended at will and fit InstallationsSET 1
- For all EHEIM external filters (apart from 2274/2074/2076/2078/2178/2260)

Air filter

EHEIM air filter Art. No. 4003000 EAN 4011708 401828 **Pk 1**

For quarantine and breeding tanks.
 Modular construction for use with the EHEIM air pump or other aquarium air pumps.
 The compact filter cartridge ensures good filtration and protects small and weak aquarium inhabitants.

Extendable in many different ways using the EHEIM installationSET accessories.

Art. 4003010 EAN 4011708 401835 ExtensionSET for air filter 4003000

Art. 2615300 EAN 4011708 260920 Filter cartridge to air filter 4003000 (2 pieces)

Contents of
 ExtensionSET
 Examples of use



You can completely rely on original EHEIM accessories – in every respect.

EHEIM



Accessories

EHEIM flowpipe Art. No. 4005730 EAN 4011708 402061

Lily Pipe, natural flow pipe

- Gentle water flow
- Appropriate for fish preferring calmer water with plant growth
- Variable outlet direction

Undergravel filter

Reverse flow principle 1 Art. No. 3540000 EAN 4011708 350034

The purified water is taken up through the gravel floor and the floating particles of dirt are then taken to the priming area of the filter.

Suction principle 2 Art. No. 3541000 EAN 4011708 350041

It works the opposite way round, operating as an additional biological filter. It is particularly suitable for marine water aquariums and tanks without plants.

Accessories Art. No. 3545000 EAN 4011708 350065

Extension set for undergravel filter (6 plates)

Diffuser

Works with a filter to give a measured supply of oxygen into the aquarium (recommended only for aquariums with little plant growth or high fish stocking levels).

Double tap - quick release

With a flick of the wrist, you can disconnect and connect the hose safely, cleanly and without water backflow. With EHEIM quality hoses, they make safe and functional hose connections. Available in different sizes and types.

Wide-jet pipe and outlet pipe

The wide-jet nozzle with its flat outlet ensures high surface movement. There is less movement with the outlet pipe but the direction of flow can be adjusted as required.

EHEIM hoses

EHEIM quality hoses are available in different sizes and lengths (by the metre, 3m packs and as rolls). EHEIM hose is phenol-free, supple, kink-free but rigid enough to ensure safe hose connections. EHEIM shut-off taps and hose accessories guarantee safe and secure connections for all fishkeeping requirements.

Air line	ø 4/6 mm:	3 m	Art. No. 4002943	
Hose	ø 9/12 mm:	3 m	Art. No. 4003943	
	ø 12/16 mm:	3 m	Art. No. 4004943	50 m roll Art. No. 4004949
	ø 16/22 mm:	3 m	Art. No. 4005943	30 m roll Art. No. 4005940
anthracite	ø 16/22 mm:	3 m	Art. No. 4005843	



EHEIM MultiBox Art. No 4001010 EAN 4011708 402009 Pk 1

- Practical, hook-on container for maintenance work and aquascaping
- Compartment for plant remains, algae and other waste
- Can be used to transport wet items (internal filters) to the sink or waste to the bin
- Compartment for acclimatising new inhabitants to a different or new environment
- Can be used for quarantine and/or treatment
- Two-part lid prevents fish from jumping out
- Easy to hang over the aquarium glass or (if the aquarium cover does not permit it) on the cabinet door
- Hanger adjustable from 4 mm (aquarium glass) to 20 mm (cabinet door)
- Spacers for vertical adjustment
- 6 eyelets for hanging tools (tweezers, scissors, fish net, etc.)



Water-neutral aquarium maintenance spray Art. No. 4001000 EAN 4011708 723920

CFC-free, does not contain solvents or oils, free from environmentally toxic substances and harmless to fish. Moving filter parts which are subjected to aquarium water regularly tend to get tight or seize up entirely after some time. Just apply the spray to the part concerned and it soon becomes loose again. Supplied with spray tube for inaccessible areas.

Particularly recommended for ball valves, taps, hose adapter, sealing rings and much more.



TIP

Plant tongs

40 cm	Art. No. 3590050	EAN 4011708 350096
60 cm	Art. No. 3590000	EAN 4011708 350089



Cleaning brushes for hoses

100 cm	9/12 mm	Art. No. 4003551	EAN 4011708 401804
100 cm	12/16 mm	Art. No. 4004551	EAN 4011708 401798
100 cm	16/22 mm	Art. No. 4005551	EAN 4011708 401781
100 cm	19/27 + 25/34 mm	Art. No. 4007551	EAN 4011708 401774



Universal-Cleaning brushes Art. No. 4005570 EAN 4011708 401873
for hoses 9/12, 12/16, 16/22, 19/27, 25/34 mm

Cleaning brush-Set Art. No. 4009560 EAN 4011708 401842
For all EHEIM internal and external filters and EHEIM universal and compact pumps

fish nets 5" (12 x 10 cm) Art. No. 0691502 EAN 4010251 090404

Thermometer Art. No. 0360300 EAN 4010251 083512



So you will always recommend the right product:

EHEIM accessories for external canister filters



External filter	ecco ecco pro		classic professionnel eXperience			classic professionnel		professional III professionnel 3°/4+/4°+		classic	
	2231/2233/2235 comfort 2232/2234/2236 eccopro 2032/2034/2036		2211/2213/2215 2222/2224 / 2322/2324 2422/2424/2124			2217 2226/2228 / 2326/2328		2026/2028 / 2126/2128 2271/2273/2275/ 2071/2073/2075/2080 2371/2373/2171/2173/2180 2274/2074/2076/2078/2178 / 2426		2260	

Intake side/ Pressure side Diameter mm	Inlet 12/16	Outlet 12/16	Inlet 12/16	Outlet 12/16	Outlet 9/12 (only 2211)	Inlet 16/22	Outlet 12/16	Inlet 16/22	Outlet 16/22	Inlet 25/34	Outlet 16/22
---	----------------	-----------------	----------------	-----------------	----------------------------	----------------	-----------------	----------------	-----------------	----------------	-----------------

	Hoses 3 m/per m	4004943	4004943	4004943	4004943	4003943	4005943	4004943	4005943	4005943	4007940*	4005943
	Hoses 3 m/per m (anthracite)	-	-	-	-	-	-	-	4005843	4005843	-	-
	Double tap	4004412	4004412	4004412	4004412	4003412	4005410	4004412	4005410	4005410	4007410	4005410
	Shut-off tap	4004512	4004512	4004512	4004512	4003512	4005510	4004512	4005510	4005510	4007510	4005510
	InstallationsSET 1	4004300	-	4004300	-	-	4005300	-	4005300	-	-	-
	InstallationsSET 2	-	4004310	-	4004310	-	-	4004310	-	4005310	-	4005310
	Quick release coupling	4004522	4004522	4004522	4004522	4003522	4005520	4004522	4005520	4005520	-	4005520
	Elbow piece	4014050	4014050	4014050	4014050	4013000	4015100	4014050	4015100	4015100	4017200	4015100
	Hose holder	4014300	4014300	4014300	4014300	4013300	-	4014300	-	-	-	-
	T-piece	4004950	4004950	4004950	4004950	4003950	4005950	4004950	4005950	4005950	4007950	4005950
	Hose connection piece	4004970	4004970	4004970	4004970	4003970	4005970	4004970	4005970	4005970	4007970	4005970
	Suction cup with clip	4014100	4014100	4014100	4014100	4013050	4015150	4014100	4015150	4015150	4017300	4015150
	Variable outlet pipe	-	4004600	-	4004600	-	-	4004600	-	-	-	-
	Diffuser	-	4003651 ¹⁾ 4004651 ²⁾	-	4003651	4003660	-	4004651	-	4005651 ³⁾	-	4005651
	Hose clamp	4004530	4004530	4004530	4004530	4003530	4005530	4004530	4005530	4005530	4007530	4005530
	Cleaning brush	4004551	4004551	4004551	4004551	4003551	4005551	4004551	4005551	4005551	4007551	4005551
	All-purpose brush	4005570	4005570	4005570	4005570	4005570	4005570	4005570	4005570	4005570	-	4005570
	Wide-jet pipe	-	4004700	-	4004700	4003700	-	4004700	-	4005700	-	-
	Outlet pipe	-	4004710	-	4004710	4003710	-	4004710	-	4005710	-	4005710
	Outlet pipe (anthracite)	-	-	-	-	-	-	-	-	4005750	-	-



InstallationsSET 1
Modular inlet kit for easy connection to all external filters.



Diffuser
Precisely dosed supply of oxygen into the aquarium.



Wide-jet pipe
Ensures high surface movement.



InstallationsSET 2
Modular outflow kit for easy connection to all external filters – to customise the water flow



Cleaning brush
For thorough cleaning – different sizes for different hose diameters



Quick release joint
With a flick of the wrist, you can disconnect the hose.

¹⁾ 2032/2034 eccopro

²⁾ 2036 eccopro

³⁾ not for professional 3° 2074/2076/2078, 4°+ 2274



EHEIM professional food
Healthy diet – developed for both fish and water

EHEIM has taken another step towards supplying the aquarium-keeper's every need by launching a new food.

EHEIM professional food is a premium food that includes no harmful additives and contains only fresh and natural ingredients. The original nutrients, vitamins and trace elements are retained in their natural form due to a careful new production process and the optimum ratios of protein to fat and unsaturated fatty acids will keep fish healthy and active. The food also has low raw fibre and raw ash components which means better digestion, less excretion and minimal water pollution. The water remains clear with no clouding.

With this premium range of food, EHEIM has ensured clean, clear water and healthy conditions in the aquarium.

Stable consistency – no clouding - clear water

EHEIM professional food does not cloud the water. Any food that is not eaten immediately, doesn't disintegrate but retains its shape so no nutrients are lost and the vitamins do not dissolve. Flakes of food sink slowly to the bottom and then back to the surface so the fish can still eat it and the water remains clear.

Minimal raw fibre – minimal raw ash - less water pollution

In a fish's digestive tract, raw fibre and raw ash form a thick pulp. Too great a concentration will impede digestion and the fish will suffer. The water will also be polluted by an increase of excreta.

Only 2 % raw fibre

Raw fibre refers to the indigestible connective tissue and cellulose which is contained in food. Raw fibre acts as a platform for the bacteria and micro-organisms, which are essential to digestion, but only a very small amount is needed.

A high proportion of raw fibre will inhibit the digestibility of the food and be excreted as mull. At just 2 %, EHEIM professional food is the premium food with the lowest percentages of raw fibre.

Only 8 % raw ash

Raw ash is the non-organic component of the food and includes sand and other indigestible minerals, seeds etc. A high percentage is indicative of high fishmeal content. The lower the proportion of raw ash in fish food, the more nutritious it will be. The food is digested more easily, absorbed more completely, the fish excrete less and the quality of the water is improved. At just 8 %, EHEIM professional food is the premium food with one of the lowest percentages of raw ash.

Optimum ratio of protein to fat – optimum metabolism

Fish food must contain the best possible ratio of raw protein to raw fat, as the two substances have a mutual effect on each other. If the ratio is incorrect and fish have to draw their energy from burning protein, they will excrete more ammonium. For most fish, a protein to fat ratio of 3:1 is ideal. This is the exact ratio EHEIM have used in their professional food.

3 parts protein (raw protein)

Protein in particular assists growth, cell regeneration and the formation of reproductive tissues.

In comparison with the food offered by most other suppliers, EHEIM professional food contains less protein - a ratio of 3:1 (protein to fat) reflects the correct amount. A considerably greater proportion would be harmful.

1 part fat (raw fat)

Fat is the primary source of energy for fish. Thanks to a special production process, the natural fats (e.g. from whole, high-fat herrings) in EHEIM professional food remain in their original state. No "foreign" fats have been added.

Omega fatty acids – in the correct ratio

Omega 3 and 6 are unsaturated fatty acids which are important for the health of the nerves, cell walls and membranes and also for a fish's immune system and brain functions. Although some species of fish produce individual fatty acids themselves, in the context of food, the ratio of Omega 3 to Omega 6 should basically be 2:1 and this ratio is reflected in the EHEIM professional food.

Vitamins, minerals and trace elements

Due to careful processing, the natural ingredients in professional food are retained but, because natural products are involved, they are also subject to natural fluctuations. For this reason we cannot always be sure that all the ingredients are available in sufficient quantities so, to avoid specific shortages, vitamins, minerals and trace elements are added to the food.



The EHEIM comfort programme for fish: food, water care and high-quality equipment – perfectly balanced

EHEIM freshwater food
The highest quality from the aquarium experts.

EHEIM
professionelfood

EHEIM food for demanding fish.

EHEIM
professionelfood

Food



Art. No. EAN 4011708 Content Grams Pk Art. No. EAN 4011708 Content Grams Pk

Main food

tropical fish FLAKES
EHEIM professional food

4901010	490013	160 ml	15 g	6
4901110	490020	275 ml	30 g	3
4901310	490044	965 ml	130 g	1

tropical fish TABS
EHEIM professional food

4907010	490174	90 ml	45 g	6
4907110	490181	160 ml	80 g	6

new tropical micro GRANULES
EHEIM professional food

4924010	491843	90 ml	50 g	6
4924110	491874	160 ml	80 g	6

new tropical mini GRANULES
EHEIM professional food

4925010	491904	90 ml	50 g	6
4925110	491935	160 ml	80 g	6

omnivor CICHLID S
EHEIM professional food

4910010	490242	160 ml	90 g	6
4910110	490259	275 ml	150 g	3

omnivor CICHLID M
EHEIM professional food

4911010	490266	275 ml	120 g	3
---------	--------	--------	-------	---

discus GRANULES
EHEIM professional food

4915010	490365	275 ml	150 g	3
---------	--------	--------	-------	---

goldfish FLAKES
EHEIM professional food

4918010	490402	160 ml	15 g	6
4918110	490419	275 ml	30 g	3

Green food

green FLAKES
EHEIM professional food

4905010	490129	160 ml	15 g	6
4905110	490136	275 ml	30 g	3

green TABS
EHEIM professional food

4906010	490150	160 ml	80 g	6
4906110	490167	275 ml	130 g	3

herbivor CICHLID S
EHEIM professional food

4913010	490310	160 ml	90 g	6
4913110	490327	275 ml	150 g	3

herbivor CICHLID M
EHEIM professional food

4914010	490334	275 ml	120 g	3
---------	--------	--------	-------	---

The high quality of the ingredients guarantees a tasty and healthy diet.



new



new



Art. No. EAN 4011708 Content Grams Pk

Special food

delicate TABS FD
EHEIM professional food

4902010	490051	90 ml	45 g	6
4902110	490068	160 ml	80 g	6

energy FLAKES
EHEIM professional food

4903010	490075	160 ml	15 g	6
4903110	490082	275 ml	30 g	3

young fish FLAKES
EHEIM professional food

4904010	490105	90 ml	25 g	6
4904110	490112	160 ml	50 g	6

color FLAKES
EHEIM professional food

4908010	490204	160 ml	15 g	6
4908110	490211	275 ml	30 g	3

color GRANULES
EHEIM professional food

4909010	490228	275 ml	150 g	3
---------	--------	--------	-------	---

Nutritious Flakes for all ornamental fish

Main food for young fish

The special ingredients ensure optimum growth in young fish during the early stages of life. The nutrients – especially the protein and fat content – as well as vitamins, trace elements, etc., are ideally suited to the needs of young fish.

Marine



Art. No. EAN 4011708 Content Grams Pk

Main food

all fish GRANULES MARINE S
EHEIM professional food

4931010	490433	275 ml	150 g	3
---------	--------	--------	-------	---

Green food

green GRANULES MARINE
EHEIM professional food

4935010	490495	275 ml	30 g	3
---------	--------	--------	------	---

green FLAKES MARINE
EHEIM professional food

4936010	490501	275 ml	150 g	3
---------	--------	--------	-------	---

Complete premium food for marine fish.
The food contains everything that omnivorous fish need in a marine aquarium.



Gentle Water Care – almost natural.

EHEIM
watercare

First-class plant care products from EHEIM.

EHEIM
plantcare



Care

EHEIM water care
Gentle water care – almost natural

With its new line in water care products, EHEIM offers a logical extension to its technical programme and thereby, closes the circle for healthy water in the aquarium. This obviously places greater emphasis on the quality of the products but EHEIM water care is a premium range based on natural ingredients and no harmful chemicals. The ingredients consist, primarily, of microbiological materials which occur naturally. They provide careful but effective maintenance of the underwater environment and present no harmful threat to the ecological balance.

Persons who are interested in aquatics and want to get a preliminary overview will find practical tips and tricks for dealing with fish and plants in the new EHEIM app.



Download
iOS version
(AppStore)

Download
Android
version
(playStore)

Art. No. EAN 4011708 Content Range Pk

water care

water CONDITIONER

EHEIM water care

4801010	480014	140 ml	560 l	6
4801110	480021	250 ml	1.000 l	3
4801210	480038	500 ml	2.000 l	3

bio CLEAN

EHEIM water care

4802010	480045	140 ml	1.400 l	6
4802110	480052	250 ml	2.500 l	3

bacteria STARTER

EHEIM water care

4803010	480076	100 g	1.000 l	3
---------	--------	-------	---------	---

Algozid

EHEIM water care

4806010	480144	140 ml	1.400 l	6
4806110	480151	250 ml	2.500 l	3

life ESSENTIALS

EHEIM water care

4807010	480175	140 ml	1.850 l	6
---------	--------	--------	---------	---

pH/KH BUFFER

EHEIM water care

4808010	480205	85 g	1.700 l	6
---------	--------	------	---------	---

water CONDITIONER

For binding heavy metals and harmful chemicals from the mains water supply

bio CLEAN

Actively breaks down nitrates for initial aquarium set-ups and water changes

bacteria STARTER

Bacteria for seeding filtration material

Algozid

Biocide for controlling algae

life ESSENTIALS

Vitamins, macro-elements and trace elements act as a boost for both fish and plants

pH/KH BUFFER

A basic care product that regulates KH, GH and pH levels



EHEIM plant care
The best for plants – because you love your fish

With first-class plant care products, EHEIM completes its non-technical programme for clean and healthy water. EHEIM plant care fertilisers are an effective, carefully blended mix of top-quality nutrients and trace elements developed from natural ingredients. They do not contain unnecessary additives of any kind or any phosphates or nitrates which might disturb the biological balance in an adverse way. All ingredients are pure, natural and are not harmful to fish. Quality – naturally. From EHEIM.

Art. No. EAN 4011708 Content Range Pk

plant care

EHEIM plant care

24h dayly fertilizer

4820010	480243	140 ml	7.000 l	6
4820110	480250	250 ml	12.500 l	3

EHEIM plant care

7 day long-term fertilizer

4821010	480274	140 ml	1.400 l	6
4821110	480281	250 ml	2.500 l	3

EHEIM plant care

Iron complex fertilizer

4822010	480304	140 ml	920 l	6
4822110	480311	250 ml	1.650 l	3

EHEIM plant care

autoFERTILIZER

4823010	480335	3 ampoule	3.000 l	3
4823110	480342	6 ampoule	6.000 l	1

24-hour daily fertilizer

Complete, highly effective daily nourishment for your plants

7 day long-term fertilizer

Complete, weekly nourishment for your plants

Iron complex fertilizer

For healthy growth and green leaves

autoFERTILIZER

Concentrate for liquidoser

Additionally: EHEIM has of course complied with the requirements of the new, stricter Biocide Product Regulation under which, with effect from July 2015, only approved agents will be permitted.

So you will always recommend the right product:

Technical data of filters



Type	Aquarium size up to l	Pump output l/h	Canister volume l	Filter volume l	Filter media containers pcs.	Delivery head Hmax m	Power consumption W pump/heater	Dimensions mm HxWxD	Installation height* max cm	Hose connection Art./inlet side ø mm	Hose connection Art./outlet side ø mm
EHEIM Hang-on filters											
LIBERTY 75	75	150-380	0,6	240 cm ³	1	-	2,5	180x105x135	-	-	-
LIBERTY 130	130	220-570	1,0	400 cm ³	3	-	3	180x145x135	-	-	-
LIBERTY 200	200	320-760	1,3	650 cm ³	4	-	4	180x195x135	-	-	-
EHEIM Micro internal filters											
miniUP	30	300	-	78,9 cm ³	1	0,5	5	128x33,4x54	-	-	13
miniFLAT	-	300	-	39,4 cm ³	1	0,5	5	127x33,4x54	-	-	13
EHEIM Internal filters											
aquaball 60	30-60	150-480	-	180 cm ³	1	0,37	5	160xø 96	-	-	-
aquaball 130	60-130	180-550	-	320 cm ³	2	0,43	6	215xø 96	-	-	-
aquaball 180	80-180	210-650	-	460 cm ³	3	0,43	6	270xø 96	-	-	-
biopower 160	80-160	180-550	-	380 cm ³	2	0,43	6	215xø 96	-	-	-
biopower 200	100-200	210-650	-	530 cm ³	3	0,43	6	270xø 96	-	-	-
biopower 240	160-240	280-750	-	680 cm ³	4	0,60	8	325xø 96	-	-	-
PowerLine 200	100-200	600	-	390 cm ³	-	1,5	10	285x65x75	-	-	4004940 / 12/16
PowerLine XL	> 200	1200	-	700 cm ³	-	2,0	28	335x75x80	-	-	4004940 / 12/16
pickup 45	45	50-180	-	85 cm ³	-	0,35	3,5	135x50x63	-	-	-
pickup 60	30-60	150-300	-	195 cm ³	-	0,35	4	163x75x96	-	-	-
pickup 160	60-160	220-500	-	330 cm ³	-	0,40	6	218x75x96	-	-	-
pickup 200	200	220-570	-	470 cm ³	-	0,40	6	275x75x96	-	-	-
EHEIM External filters											
classic 150	50-150	300	1,3	1,0	-	1,2	4	290xø 110	180	4004940 / 12/16	4003940 / 9/12
classic 250	80-250	440	3,5	3,0	1	1,5	8	355xø 160	180	4004940 / 12/16	4004940 / 12/16
classic 350	120-350	620	4,8	4,0	-	1,8	15	370xø 185	180	4004940 / 12/16	4004940 / 12/16
classic 600	180-600	1000	6,6	6,0	-	2,3	20	400xø 205	180	4005940 / 16/22	4004940 / 12/16
classic 1500XL	300-1500	2400	23	18,0	-	3,7	65	570xø 355	150	4007940 / 25/34	4005940 / 16/22
ecco pro 130	60-130	500	3,0	1,5	1	1,4	5	298xø 205	150	4004940 / 12/16	4004940 / 12/16
ecco pro 200	100-200	600	4,0	2,3	2	1,4	5	355xø 205	150	4004940 / 12/16	4004940 / 12/16
ecco pro 300	160-300	750	5,0	3,1	3	1,9	8	416xø 205	150	4004940 / 12/16	4004940 / 12/16
eXperience 150	80-150	500	5,0	2,3	2	1,3	8	290x178x178	180	4004940 / 12/16	4004940 / 12/16
eXperience 250	120-250	700	6,0	3,0	2	1,5	8	340x178x178	180	4004940 / 12/16	4004940 / 12/16
eXperience 350	180-350	1050	9,0	4,9	2	2,0	24	375x210x210	180	4005940 / 16/22	4006940 / 16/22
professionel 3 1200XL	400-1200	1700	25	13,5	3+1	2,6	25	567x330x330	180	2x 4005940 / 16/22	4005940 / 16/22
professionel 3 1200XLT thermo	400-1200	1700	25	13,5	3+1	2,6	25 / 500	567x330x330	180	2x 4005940 / 16/22	4005940 / 16/22
professionel 3e 450	240-450	1700	12,5	6,6	3	2,4	10-35	474x264x264	180	4005940 / 16/22	4005940 / 16/22
professionel 3e 700	300-700	1850	14,5	8,6	4	2,6	10-35	534x264x264	180	4005940 / 16/22	4005940 / 16/22
professionel 3e 600T thermo	300-600	1850	14,2	8,6	4	2,6	10-35 / 210	534x264x264	180	4005940 / 16/22	4005940 / 16/22
professionel 4+ 250	120-250	950	6,1	3,5	2	1,5	12	358x238x244	180	4005940 / 16/22	4005940 / 16/22
professionel 4+ 250T thermo	120-250	950	7,1	3,5	2	1,5	12 / 210	398x238x244	180	4005940 / 16/22	4005940 / 16/22
professionel 4+ 350	180-350	1050	7,4	5,0	3	1,8	16	398x238x244	180	4005940 / 16/22	4005940 / 16/22
professionel 4+ 350T thermo	180-350	1050	8,9	5,0	3	1,8	16 / 210	453x238x244	180	4005940 / 16/22	4005940 / 16/22
professionel 4+ 600	240-600	1250	9,2	6,5	4	1,8	16	453x238x244	180	4005940 / 16/22	4005940 / 16/22
professionel 4e+ 350	180-350	1500	7,4	5,0	3	2,2	10-35	398x238x244	180	4005940 / 16/22	4005940 / 16/22

So you will always recommend the right product:

Technical data pumps



Type	Aquarium size up to l	Pump output l/h	Canister volume l	Filter volume l	Filter media containers pcs.	Delivery head Hmax m	Power consumption W pump/heater	Dimensions mm HxWxD	Installation height* max cm	Hose connection Art./inlet side ø mm	Hose connection Art./outlet side ø mm
EHEIM compact pumps											
compactON 300	-	17-300	-	-	-	0,6	7	72x38x62	-	-	4004940 / 12/16
compactON 600	-	250-600	-	-	-	1,0	7	72x38x62	-	-	4004940 / 12/16
compactON 1000	-	400-1000	-	-	-	1,4	15	79x47x73	-	4005940 / 16/22 19/27	4005940 / 16/22 19/27
compactON 2100	-	1400-2100	-	-	-	2,4	38	142x70x109	-	4006940 / 19/27 25/34	4006940 / 19/27 25/34
compactON 3000	-	1800-3000	-	-	-	2,7	55	142x70x109	-	4006940 / 19/27 25/34	4006940 / 19/27 25/34
compactON 5000	-	1110-1320	-	-	-	3,6	70	154x92x142	-	4007940 / 25/34 1 1/4"	4007940 / 25/34 1 1/4"
EHEIM universal pumps											
universal 300	-	300	-	-	-	1,2	5	103x145x75	-	4004940 / 12/16	4003940 / 9/12
universal 600	-	600	-	-	-	1,5	10	115x147x75	-	4004940 / 12/16	4004940 / 12/16
universal 1200	-	1200	-	-	-	2,0	28	121x178x95	-	4005940 / 16/22	4004940 / 12/16
universal 2400	-	2400	-	-	-	3,7	65	161x218x116	-	4007940 / 25/34	4005940 / 16/22
universal 3400	-	3400	-	-	-	3,6	80	161x218x116	-	4007940 / 25/34	4005940 / 16/22
aquaball powerhead 650	-	210-650	-	-	-	0,43	6	150xø 96	-	-	4006940 / 19/27
EHEIM marine water flow pumps											
streamON 1800	150	1800	-	-	-	-	2,8	62x46x75	-	-	-
streamON 3000	250	3000	-	-	-	-	4,5	90x61x85	-	-	-
streamON 3800	350	3800	-	-	-	-	7,0	90x61x85	-	-	-
streamON+ 2000	200	2000	-	-	-	-	3,0	62x46x75	-	-	-
streamON+ 4000	350	4000	-	-	-	-	5,0	90x61x85	-	-	-
streamON+ 5000	500	5000	-	-	-	-	8,0	90x61x85	-	-	-
EHEIM air pumps											
air pump 100	-	100	-	-	-	2,0	3,5	152x89x71	-	-	4002940 / 4/6
air pump 200	-	200	-	-	-	2,0	3,5	152x89x71	-	-	4002940 / 4/6
air pump 400	-	400	-	-	-	2,0	4	152x89x71	-	-	4002940 / 4/6

* Filter base to water surface

So you will always recommend the right product: Technical data of aquariums/terrariums

Typ	Volume	Glass thickness mm	Lighting	Dim. WxDxH cm
Aquarium starter kits				Tank
aquastar 54	54	4	1x15 W	60x30x30
aquastar 54 LED	54	4	1x12 W LED daylight	60x30x30
aquastar 96	96	6	1x18 W	80x30x40
aquastar 63 marine	63	5	2x12 W LED hybrid	60x30x35
aquabay 58	58	4	1x15 W	60x30/35x33
aquabay 104	104	6	2x18 W	80x30/35x40
aquapro 84	84	5	2x15 W	60x35x40
aquapro 126	126	6/8	2x18 W	80x35x45
aquapro 180	180	6/8	2x30 W	100x40x45
Terrarium				
terra set 60 starter kit	-	4	1x15 W	60x37x40
terra set 80 starter kit	-	5	1x18 W	80x40x50
terrastyle 30	30	4	7 W	31x31x36
terrastyle 50	50	4	7 W	31x31x55
terrastyle 70	70	4	7 W	40x40x45
Cabinets				
Panels	panel 1	panel 2	Height	
Dimensions	B x T cm	B x T cm	cm	
aquacab 54	61x31	-	85	
aquacab 84	61x36	-	85	
aquacab 126	81x36	-	85	
DUO 60	60x30	60,5x36	68	
DUO 80	81x36	80,5x37,5	68	
Nano-aquariums				Tank
nano shrimp 35	35	5	7 W	31x31x36
nano marine 35	35	5	2x7 W	31x31x36
aquastyle 35	35	5	7 W	31x31x36
Aquarium combinations				complete
incpiria 200	200	8	powerLED+	70x55x140
incpiria 300	300	10	powerLED+	100x55x140
incpiria 400	400	12	powerLED+	130x55x140
incpiria 500	500	12	powerLED+	160x55x140
incpiria 600	600	12	powerLED+	200x55x65
proxima 175	175	8	powerLED+	71x51x132
proxima 250	250	8/10	powerLED+	101x51x132
proxima 325	325	12	powerLED+	131x51x132
proxima plus 175	175	8	powerLED+	71x51x145
proxima plus 250	250	8/10	powerLED+	101x51x145
proxima plus 325	325	12	powerLED+	131x51x145
vivalineLED 126	126	6/8	classicLED	81x36x119
vivalineLED 150	150	8	classicLED	61x51x124
vivalineLED 180	180	6/8	classicLED	101x41x119
vivalineLED 240	240	8/10	classicLED	121x41x124
Marine water aquarium combinations				
incpiria 200 marine	200	8	powerLED+	70x55x140
incpiria 300 marine	300	10	powerLED+	100x55x140
incpiria 400 marine	400	12	powerLED+	130x55x140
incpiria 500 marine	500	12	powerLED+	160x55x140
incpiria 600 marine	600	12	powerLED+	200x55x140
proxima reef 175	175	8	-	71x51x125
proxima reef 250	250	8/10	-	101x51x125
proxima reef 325	325	12	-	131x51x125

Recommended EHEIM technology

EHEIM



Fresh water aquariums	EHEIM classic	EHEIM ecco pro	EHEIM eXperience	EHEIM professionnel 4+	EHEIM professionnel 4e+	EHEIM thermocontrol heater
proxima 175	250	200	250	250	350	125 W
proxima 175	-	-	250T (thermo)	250T (thermo)	600T (thermo)	-
proxima 250	350	300	350	350	350	150 W
proxima 250	-	-	-	350T (thermo)	600T (thermo)	-
proxima 325	350	300	350	600	450	200 W
proxima 325	-	-	-	350T (thermo)	600T (thermo)	-
proxima plus 175	250	200	250	250	350	125 W
proxima plus 175	-	-	250T (thermo)	250T (thermo)	600T (thermo)	-
proxima plus 250	350	300	350	350	350	150 W
proxima plus 250	-	-	-	350T (thermo)	600T (thermo)	-
proxima plus 325	350	300	350	600	450	200 W
proxima plus 325	-	-	-	350T (thermo)	600T (thermo)	-
incpiria 200	-	-	-	250	350	150W
incpiria 200	-	-	-	250T (thermo)	-	-
incpiria 300	-	-	-	350	350	200 W
incpiria 300	-	-	-	350T (thermo)	600T (thermo)	-
incpiria 400	-	-	-	600	450	250 W
incpiria 400	-	-	-	-	600T (thermo)	-
incpiria 500	-	-	-	professionel 3 1200XL	700	250 W
incpiria 500	-	-	-	1200XLT (thermo)	600T (thermo)	-
incpiria 600	-	-	-	1200XL	-	300 W
incpiria 600	-	-	-	1200XLT (thermo)	-	300 W (option)
page	36	37	38	39	40/41	75



Brochures



EHEIM Product range
Format DIN A4

	Art. no.	Pk
Dealer catalogue	English 7992020	25
shopDesign catalogue	English 7990220	25

EHEIM Guide
Format DIN A5

	Art. no.	Pk
Aquarium guide	English 7991220	25
Nano guide	English 7991420	25
Lighting guide	English 7994220	25
Marine water guide	English 7994820	25
Food guide	English 7998220	25
Care guide	English 7998320	25

EHEIM Flyer
Format DIN A5

	Art. no.	Pk
Fluorescent tubes T5	English 7984120	50
Steaming pumps	English 7990820	50
powerLED light	English 7992420	50
powerLED+ light	English 7990720	50
Marine water aquariums	English 7994620	25
Combination incipria	English 7992720	50
Combination proxima	English 7981020	50
Combination vivalineLED	English 7990120	50
professionel food	English 7998520	50
professionel care	English 7998620	50
Filter media	English 7991820	50
Nano terrarium	English 7993420	50
Compact pumps	English 7990520	50



EHEIM InfoCenter
Art. 7999620 EAN 4011708 797648
Practical brochure and flyer holder to fit DIN A5 format
Size HxWxD: 150x31x39 cm
Fill depth of compartment: ca. 50 mm
Internal width of compartment: ca. 150 mm
Weight: 4,5 kg

- Four level brochure racks each with 2x DIN A5 compartments
- 4 mm polystyrene
- Elegant matt grey colour
- No assembly necessary!


Please visit our website at www.eheim.com to download the product literature, instructions and spare parts lists.



EHEIM promotional display EHEIM fish feeder
Art. No. 8181000 EAN 4011708 810699
Display in dispenser format
Contains: 5x 3581000
Size: HxWxD: 41,5x9,5x15,3 cm
Displays while stock lasts!



Modular
solutions
for
pet shops



PRODUCT RANGE

Sales effective shop fitting units
in experience oriented design.



new

You will find detailed information
in the shopDesign catalogue Art. 7990220
or as download: www.eheim-shopdesign.de

ShopDesign

Animals and pets in general generate emotions in all of us. Emotions will generate sales. EHEIM shopDesign provides you with the right displays and where necessary can help create a real world of senses.

EHEIM shopDesign is your one stop partner. Get everything from a single source. Technology is manufactured by EHEIM in Germany and the units are individually planned by our CAD designers. If need be an interior designer can suggest a theme which meets desires and budgets. The close cooperation with BNA the federation for nature and protection of species guarantees that EHEIM shopDesign is always up-to-date in animal welfare. Our own installation engineers ensure a clean, fast and precise installation on site.

Experience-oriented worlds

From dream to reality

No matter what you are looking for whether it be a Maya temple, a jungle book inspired theme, a Roman building or a Mediterranean feeling, we can do it for you. Just provide us with a key word – and we get started. EHEIM shopDesign is the ideal partner at your side from the first sketches to the finished installation in your pet shop. Sales psychology included.



Fittings

The equipment of your salesrooms gives an overall impression of your pet shop and therefore weighs significantly on the success of your pet shop area. Do you want to emphasize your professional competence? Do you need a counter where you can give your customers professional advice? Or are you looking for a practical packing table, lighting, shelving systems and a promotional presentation system? EHEIM shopDesign always has the right solutions ready.

Please contact us at:
phone +49 6361 - 9216 - 0

More information: www.eheim-shopdesign.de

Animal Sales Displays

Irrespective of the model you choose, being professional or basic, the fish racks from EHEIM shopDesign are all based on modular systems. Detailed advice and concrete proposals for the installation are all part of the service. You select the size and the equipment as well as the desired trusted EHEIM mechanical and biological filtration technology ... and we do the rest.



Quality

By using high-quality materials and guaranteeing high manufacturing and assembly precision, the highest standards are met. The sophisticated technology and many years of experience ensure the smooth operation of the system.

Safety

All electric connections and cables have been manufactured in accordance with the VDE (German Association of Electrical Engineers) recommendations. The units are earthed. Even with water installations and aquariums, safety is assured.

Maintenance

By providing technically advanced systems and intelligent construction, we help to keep care and cleaning time to a minimum.

Expert planning

We plan everything for you right down to the very last detail. Comprehensive offers, expert CAD drawings, installation plans and personal visits are all part of our normal sales presentation.

Species-friendly husbandry

The best sales argument is healthy and lively animals. For this reason, we are mindful of species-appropriate husbandry and we adhere strictly to all rules and regulations of the TVT (German Veterinary Animal Welfare Association).

Design, colour and decor

The units can be designed according to your specific wishes. The surfaces can be swapped and customised at any time. The unit surfaces can be styled individually and can be replaced at any time. This way, a new ambience is created in your showroom again and again in a fast and uncomplicated way.

Carefully thought of, practical, species and maintenance friendly.

shopDesign



Aquatics

- User friendly and maintenance poor
- Tested and recognized materials thanks to decades of experience
- EHEIM equipment or made in-house
- Many additional options possible
- Modules are easily customised
- Assembled by our own engineers
- Modern aeration technology and ventilation where required
- Invisible corner connectors on the shop side
- Practical, prize winning flap doors



Reptiles

- Terrarium dimensions and equipment in accordance with veterinarian guidelines
- Generous ventilation areas for optimum air circulation
- Top covers made of Plexiglas = UV-transparent
- Elstein lamp (ceramic infrared lamp) with protective grid for reptile unit
- All units made with safety glass and lockable sliding doors
- Sprinkling unit, mister or heating on request
- All maintenance done from the front, even lamp changes
- Lower row suitable for dry goods merchandising



Are you looking for a perfect way to show your fish?

EHEIM shopDesign has a vast selection of standard racks in its portfolio whether it be for the individual pet shop or the large retail chain. EHEIM shopDesign can make your wishes come true. Possibilities are endless with the reputation of EHEIM technology coming as a standard.

Exoticism, thrill and amazement are key words in the vocabulary of reptiles enthusiasts. These sensations can be duplicated and brought forward to your customers with the high-quality reptile units from EHEIM shopDesign. Even the most unusual and demanding species will thrive in a carefully studied environment finished in a contemporary and stylish look.



The rodent area is simply the most magical attraction for all kids and adults alike.

EHEIM shopDesign provides ideal habitats for hamsters and other rodents. Spacious glass surfaces offer a perfect view and also keeps the small curious hands at bay. Easy-to-clean materials are the best prerequisites for hygienic conditions.



The aquatic plant sales unit is a real eye catcher in any aquatic department.

EHEIM shopDesign is the ideal partner by your side to advise you to choose the right unit for a flourishing plant display. Perfectly coordinated tank heights for the different kind of plants, suitable lighting and the legendary EHEIM filtration technology.

Aquatic plants

- High quality aluminium frame
- Corner connector with V2A steel core
- Double price tag rails
- EHEIM filter with integrated heater
- Water cascade made of V2A steel
- Plant baskets available on request
- Granite packing table top
- Customised lighting
- LED lighting optional

Rodents

- High quality aluminium frame
- Unit sizes and equipment in accordance with veterinarian guidelines
- Generous ventilation areas for optimum air circulation
- All units with lockable sliding glass doors
- Includes drinking bottles with bracket
- Removable divider panels available
- Hygienic husbandry conditions by use of easy to clean materials



The bird installation is a unique, acoustic, and visual addition to any each pet shop.

EHEIM shopDesign not only designs and builds practical bird cages and aviaries but also takes important details into considerations to ensure the wellbeing of your birds (such as pivoting food and water bowls for stress free feeding).

Birds

- Species-appropriate ventilation
- Handmade cages
- Litter tray made of stainless steel
- Anti-dirt seals in the cage bottom
- Antiglare shield (pearl Plexiglas)
- Adjustable perches and removable feeding trays
- Storage area underneath
- Removable divider panels made of PVC
- Aviaries with stainless steel bottoms
- Standard units according to veterinarian guidelines



These logos stand for quality



Product complies with the European guidelines



Safety tested:

Verified by the Verband Deutscher Elektrotechniker (Association for Electrical, Electronic & Information Technologies)



Approved by the Technischen Überwachungsverein (German Technical Supervisory Association)



DIN aquarium production standard (mp reg. no. 191/07)



Waterproof IPX7



EHEIM quality guarantee



Suitable for fresh water



Suitable for marine water



Cable length approx.



EHEIM High Performance Ceramics:

The axles and bearing sleeves of the impellers (ecco, professional, professional II, professional 3 and professional 3e) are made of High Performance Ceramics. This means exceptionally quiet running, smoothness, maximum resilience and extremely long service life.



ISO 9001 Zertifizierung



7992020/05.17-GB/UK Subject to technical alterations without notice/Errors excepted. © EHEIM



EHEIM

EHEIM GmbH & Co. KG
Plochinger Str. 54
73779 Deizisau
Germany
Tel. +49 7153/70 02-01
Fax +49 7153/70 02-174

**Müller + Pflieger
GmbH & Co. KG**
Industriegebiet
Kreuzwiese 13
67806 Rockenhausen
Germany
Tel. +49 6361/92 16-0
Fax +49 6361/76 44

Eugen Jäger GmbH
Auf dem Berg 31
71543 Wüstenrot-
Finsterrot
Germany
Tel. +49 7945/633
Fax +49 7945/13 61



www.eheim.com