

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Axis	205		M-JPEG	1	640x480	-	-	-	Yes	-	
Axis	206		M-JPEG	1	640x480	-	-	-	Yes	Yes	
Axis	206M		M-JPEG	1	1280x1024	-	-	-	Yes	Yes	
Axis	206W		M-JPEG	1	640x480	-	-	-	Yes	Yes	
Axis	207	4.40	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	207MW		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Axis	207W		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	Note:	Not support audio in M-JPEG									
Axis	209FD		MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Axis	209FD-R		MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Axis	209MFD		MPEG4 M-JPEG	1	1280x1024	-	-	Yes	Yes	Yes	
Axis	209MFD-R		MPEG4 M-JPEG	1	1280x1024	-	-	Yes	Yes	Yes	
Axis	210		MPEG4 M-JPEG	1	640x480	-	1/1	-	Yes	Yes	
Axis	210A	4.40	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	211		MPEG4 M-JPEG	1	640x480	-	1/1	-	Yes	Yes	
Axis	211A		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	211M		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Axis	211W		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	212 PTZ		MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Axis	212 PTZ-V		MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Axis	213 PTZ		MPEG4 M-JPEG	1	704x576	1-way	2/3	Yes	Yes	Yes	
Axis	214 PTZ	4.33	MPEG4 M-JPEG	1	704x480	1-way	1/1	Yes	Yes	Yes	
Axis	215 PTZ		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Axis	215 PTZ-E		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Axis	216FD		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	216FD-V		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	216MFD		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Axis	216MFD-V		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Axis	221		MPEG4 M-JPEG	1	640x480	-	2/1	-	Yes	Yes	
Axis	223M		MPEG4 M-JPEG	1	1600x1200	1-way	2/1	-	Yes	Yes	
Axis	225FD		MPEG4 M-JPEG	1	640x480	-	2/1	-	Yes	Yes	
Axis	231D		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	Yes	Yes	
Axis	232D		MPEG4 M-JPEG	1	704x576	-	4/4	Yes	Yes	Yes	
Axis	233D		MPEG4 M-JPEG	1	704x576	1-way	4/4	Yes	Yes	Yes	
Axis	2400		M-JPEG	4	704x576	-	4/1	-	Yes	Yes	
Axis	240Q		M-JPEG	4	704x576	-	4/4	-	Yes	Yes	
Axis	240Q Blade		M-JPEG	4	704x576	-	4/4	-	Yes	Yes	
Axis	241Q		MPEG4 M-JPEG	4	704x576	-	4/4	-	Yes	Yes	
Axis	241Q Blade		MPEG4 M-JPEG	4	704x576	-	4/4	-	Yes	Yes	
Axis	241QA	4.30	MPEG4 M-JPEG	4	704x576	1-way	4/4	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Axis	241S		MPEG4 M-JPEG	1	704x576	-	4/4	-	Yes	Yes	
Axis	241S Blade		MPEG4 M-JPEG	1	704x576	-	4/4	-	Yes	Yes	
Axis	241SA		MPEG4 M-JPEG	1	704x576	1-way	4/4	-	Yes	Yes	
Axis	242S		MPEG4 M-JPEG	1	704x576	-	4/4	-	Yes	Yes	
Axis	243Q		MPEG4 M-JPEG	1	704x576	-	1/1	-	Yes	Yes	
Axis	243Q Blade		MPEG4 M-JPEG	1	704x576	-	1/1	-	Yes	Yes	
Axis	243SA		MPEG4 M-JPEG	1	704x576	1-way	4/4	-	Yes	Yes	
Axis	2460		M-JPEG	4	704x576	-	4/1	-	Yes	Yes	
Axis	247S		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	Yes	Yes	
Axis	M1011	5.00	H.264 MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Axis	M1011-W	5.00	H.264 MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Axis	M1031-W	5.00	H.264 MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Axis	M1054	5.15	H.264 M-JPEG	1	1024x640	1-way	1/1	-	Yes	Yes	
Axis	M1103		H.264 M-JPEG	1	800x600	-	-	Yes	Yes	Yes*	
Axis	M1104	5.09	H.264 M-JPEG	1	1280x800	-	-	-	Yes	Yes*	
Axis	M1113	5.08	H.264 M-JPEG	1	800x600	-	-	Yes	Yes	Yes*	
Axis	M1114		H.264 M-JPEG	1	1280x800	-	-	-	Yes	Yes*	
Axis	M3011	5.01	H.264 MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Axis	M3014		H.264 M-JPEG	1	1280x800	-	-	-	Yes	Yes	
Axis	M3114-R	5.11	H.264 M-JPEG	1	1280x800	-	-	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Axis	M3203		H.264 M-JPEG	1	800x600	-	-	-	Yes	Yes	
Axis	M3203-V		H.264 M-JPEG	1	800x600	-	-	-	Yes	Yes	
Axis	M3204		H.264 M-JPEG	1	1280x800	-	-	-	Yes	Yes	
Axis	M3204-V		H.264 M-JPEG	1	1280x800	-	-	-	Yes	Yes	
Axis	P1311	5.01	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	P1343	5.06	H.264 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes*	
Axis	P1343-E		H.264 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Axis	P1344		H.264 M-JPEG	1	1280x800	1-way	1/1	Yes	Yes	Yes	
Axis	P1344-E		H.264 M-JPEG	1	1280x800	1-way	1/1	Yes	Yes	Yes	
Axis	P1346	5.06	H.264 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes*	
Axis	P1346-E		H.264 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Axis	P1347	5.11	H.264 M-JPEG	1	2560x1920	1-way	1/1	Yes	Yes	Yes*	
Axis	P1347-E		H.264 M-JPEG	1	2560x1920	1-way	1/1	Yes	Yes	Yes	
Axis	P3301	5.11	H.264 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	P3301-V		H.264 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Axis	P3343	5.06	H.264 M-JPEG	1	800x600	1-way	1/1	Yes	Yes	Yes	
Axis	P3343-V		H.264 M-JPEG	1	800x600	1-way	1/1	Yes	Yes	Yes	
Axis	P3343-VE		H.264 M-JPEG	1	800x600	1-way	1/1	Yes	Yes	Yes	
Axis	P3344	5.06	H.264 M-JPEG	1	1280x800	1-way	1/1	Yes	Yes	Yes	
Axis	P3344-V	5.06	H.264 M-JPEG	1	1280x800	1-way	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Axis	P3344-VE	5.06	H.264 M-JPEG	1	1280x800	1-way	1/1	Yes	Yes	Yes	
Axis	P3346	5.20	H.264 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes*	
Axis	P3346-V		H.264 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Axis	P3346-VE		H.264 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Axis	Note:	P3343, P3344 and P3346 series cameras support digital PTZ only.									
Axis	P5532	5.15	H.264 M-JPEG	1	720x480	1-way	2/2	Yes	Yes	Yes*	
Axis	P5532-E		H.264 M-JPEG	1	720x480	1-way	2/2	Yes	Yes	Yes	
Axis	P5534	5.15.1	H.264 M-JPEG	1	1280x720	1-way	2/2	Yes	Yes	Yes	
Axis	P5534-E		H.264 M-JPEG	1	1280x720	1-way	2/2	Yes	Yes	Yes	
Axis	P8221	5.10	H.264 MPEG4	1	-	1-way	4/4	-	-	Yes	
Axis	Q1755	5.02	H.264 M-JPEG	1	1920x1080	1-way	1/1	Yes	Yes	Yes	
Axis	Note:	M-JPEG: Due to the HW constraints, the frame rate and audio will be impacted if resolution and quality are high.									
Axis	Q1755-E		H.264 M-JPEG	1	1920x1080	1-way	1/1	Yes	Yes	Yes	
Axis	Q1910	5.06	H.264 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	
Axis	Q1910-E		H.264 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	
Axis	Q1921	5.11	H.264 M-JPEG	1	768x576	-	2/0	-	Yes	Yes*	
Axis	Q1921-E		H.264 M-JPEG	1	768x576	-	2/0	-	Yes	Yes	
Axis	Q6032-E	5.05	H.264 M-JPEG	1	704x576	-	-	Yes	Yes	Yes	
Axis	Q6034	5.20.3	H.264 M-JPEG	1	1280x720	1-way	2/2	Yes	Yes	Yes*	
Axis	Q7401		H.264 M-JPEG	1	704x576	1-way	2/2	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Axis	Q7404	5.02	H.264 M-JPEG	4	768x576	1-way	1/1	Yes	Yes	Yes	
Axis	Q7406		H.264 M-JPEG	6	704x576	-	1/1	Yes	Yes	Yes	
Panasonic	BB-HCE481		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
Panasonic	BB-HCM100	1.3	M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
Panasonic	BB-HCM110	1.3	M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	
Panasonic	BB-HCM311		M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	
Panasonic	BB-HCM331	1.3	M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	
Panasonic	BB-HCM371		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
Panasonic	BB-HCM381	1.3	M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Panasonic	BB-HCM403		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
Panasonic	BB-HCM511	1.3	MPEG4 M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	
Panasonic	BB-HCM515	3.11R01	MPEG4 M-JPEG	1	1280x1024	1-way	2/1	-	Yes	Yes	
Panasonic	Note:	No audio support in M-JPEG @ 1280x1024.									
Panasonic	BB-HCM527		MPEG4 M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
Panasonic	BB-HCM531	3.51R00	MPEG4 M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
Panasonic	BB-HCM547A	3.60R00	MPEG4 M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	
Panasonic	Note:	The camera is tested by link, so some functions can't be verified.									
Panasonic	BB-HCM580		MPEG4 M-JPEG	1	640x480	-	2/1	-	Yes	Yes	
Panasonic	BB-HCM581	1.3	MPEG4 M-JPEG	1	640x480	1-way	2/1	Yes	Yes	Yes	
Panasonic	BB-HCM701	4.30R00	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/0	-	Yes	Yes	
Panasonic	BB-HCM705	4.11R01	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/0	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Panasonic	BB-HCM715		H.264 MPEG4 M-JPEG	1	1280x960	1-way	2/1	Yes	Yes	Yes	
Panasonic	BB-HCM735	1.05-03 (100303-02)	H.264 MPEG4 M-JPEG	1	1280x960	1-way	2/1	Yes	Yes	Yes	
Panasonic	BB-HCS301		M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Panasonic	BL-C1		M-JPEG	1	640x480	-	-	-	Yes	Yes	
Panasonic	BL-C10		M-JPEG	1	640x480	-	-	Yes	Yes	Yes	
Panasonic	BL-C101	3.52R00	MPEG4 M-JPEG	1	640x480	1-way	1/0	-	Yes	Yes	
Panasonic	BL-C111	3.10R01	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	Yes	
Panasonic	BL-C121	3.52R00	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Panasonic	BL-C131		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Panasonic	BL-C140A	3.51R01	MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Panasonic	BL-C160	3.51R01	MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Panasonic	BL-C20		M-JPEG	1	640x480	-	-	-	Yes	Yes	
Panasonic	BL-C210	4.31R00	H.264 MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	Yes	
Panasonic	BL-C230		H.264 MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	Yes	
Panasonic	BL-C30		M-JPEG	1	640x480	-	-	Yes	Yes	Yes	
Panasonic	KX-HCM110		M-JPEG	1	640x480	1-way	2/1	-	Yes	Yes	
Panasonic	KX-HCM280A		M-JPEG	1	640x480	-	1/1	-	Yes	Yes	
Panasonic	DG-NF282		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
Panasonic	DG-NF302	1.5	MPEG4 M-JPEG	1	1280x960	1-way	-	-	Yes	-	
Panasonic	DG-NP240		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Panasonic	DG-NP244		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
Panasonic	DG-NP304	1.5	MPEG4 M-JPEG	1	1280x960	1-way	-	-	Yes	-	
Panasonic	DG-NS202		MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	DG-NS202A	2.6	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	DG-NS950	1.5	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	DG-NS954	1.5	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	DG-NW960	1.5	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	DG-NW964	1.5	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	DG-SF334	1.03 1.05	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	-	Yes	-	
Panasonic	Note:	Disable H.264 and MPEG4 will get MJPEG stream playing more smoothly.									
Panasonic	WJ-GXE500	1.03	H.264 MPEG4 M-JPEG	4	720x480	1-way	-	-	Yes	-	
Panasonic	Note:	On-edge motion works abnormally when "face detection" function is enabled. Not support PTZ currently.									
Panasonic	WJ-NT304	1.04	M-JPEG	4	640x480	-	-	Yes	-	-	
Panasonic	WJ-NT314		M-JPEG	4	640x480	1-way	-	Yes	-	-	
Panasonic	WV-NF284		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
Panasonic	WV-NF302	1.40E4_1.06	MPEG4 M-JPEG	1	1280x960	1-way	-	-	Yes	-	
Panasonic	WV-NM100		MPEG4 M-JPEG	1	640x480	-	-	Yes	-	-	
Panasonic	WV-NP1000		M-JPEG	1	1280x960	1-way	-	-	Yes	-	
Panasonic	WV-NP1004	1.21	M-JPEG	1	1280x960	1-way	-	-	Yes	-	
Panasonic	WV-NP240		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Panasonic	WV-NP244		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
Panasonic	WV-NP304	1.50E5_1.06	MPEG4 M-JPEG	1	1280x960	1-way	-	-	Yes	-	
Panasonic	WV-NP472		M-JPEG	1	640x480	-	-	-	Yes	-	
Panasonic	WV-NP502	1.00	H.264 MPEG4 M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
Panasonic	WV-NS202		MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	WV-NS202A	2.6	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	WV-NS324		M-JPEG	1	640x480	-	-	Yes	Yes	-	
Panasonic	WV-NS950	1.5	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	WV-NS954	1.06E0	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	Note:	Audio is abnormal in MPEG4 format.									
Panasonic	WV-SC385		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-SF332		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-SF335		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-SF336	1.05	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	Note:	On-edge motion works abnormally when "face detection" function is enabled.									
Panasonic	WV-SP102		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-SP105		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-SP302		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-SP305		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-SP306	1.04	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	Note:	On-edge motion works abnormally when "face detection" function is enabled.									

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Panasonic	WV-SW395		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	Yes	-	
Panasonic	WV-NW484S	1.10ED	MPEG4 M-JPEG	1	640x480	-	-	-	Yes	-	
Panasonic	WV-NW502S	1.00	H.264 MPEG4 M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
Panasonic	WV-NW960	1.5	MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Panasonic	WV-NW964		MPEG4 M-JPEG	1	640x480	1-way	-	Yes	Yes	-	
Mobotix	D12D-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	
Mobotix	D12D-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
Mobotix	D22M-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	
Mobotix	D22M-IT	MX-V3.4.0.9	MxPEG M-JPEG	1	640x480	1-way	2/2	-	Yes	-	
Mobotix	D22M-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
Mobotix	D24-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	
Mobotix	D24-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	
Mobotix	D24-Sec	MX-V4.0.1.15 (2009-07-20)	MxPEG M-JPEG	1	2048x1536	1-way	2/2	-	Yes	-	
Mobotix	M10D	M10-V2.2.2.17	MJPEG	1	2048x1536	1-way	-	-	Yes	-	
Mobotix	M12D-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	
Mobotix	M12D-Sec	MX-V3.4.0.9	MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
Mobotix	M12D-Web		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
Mobotix	M22M-IT		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	
Mobotix	M22M-Sec		MxPEG M-JPEG	1	2048x1536	1-way	-	-	Yes	-	
Mobotix	Q22M-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Mobotix	Q22M-Sec	MX-V3.4.5.10	MxPEG M-JPEG	1	2048x1536	1-way	2/2	-	Yes	-	
Mobotix	Q24-Basic		MxPEG M-JPEG	1	640x480	1-way	-	-	Yes	-	
Mobotix	Q24-Sec	MX-V4.0.1.7	MxPEG M-JPEG	1	2048x1536	1-way		-	Yes	-	
Samsung	SNB-2000		H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	-	-	
Samsung	SNB-3000		H.264 MPEG4 M-JPEG	1	720x576	1-way	2/2	-	-	-	
Samsung	SNC-B2315	2.01	MPEG4 M-JPEG	1	720x576	1-way	2/2	-	Yes	-	
Samsung	SNC-B2331	v1.00_090810	H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	Yes	-	
Samsung	SNC-B2335	v1.10_100129	H.264 MPEG4 M-JPEG	1	720x576	1-way	2/2	-	Yes	-	
Samsung	SNC-B5368	v1.00_091001	H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	Yes	-	
Samsung	SNC-B5395	2.10	MPEG4 M-JPEG	1	720x576	1-way	2/2	-	Yes	-	
Samsung	SNC-B5399	v1.10_091120	H.264 MPEG4 M-JPEG	1	720x576	1-way	2/2	-	Yes	-	
Samsung	SNC-C6225	1.01	MPEG4 M-JPEG	1	720x576	1-way	2/1	Yes	Yes	-	
Samsung	SNC-C7225	1.01	MPEG4 M-JPEG	1	720x576	1-way	2/1	Yes	Yes	-	
Samsung	SNC-C7478	v1.01_090625	MPEG4 M-JPEG	1	720x576	1-way	8/4	Yes	Yes	-	
Samsung	SNC-M300	v2.11_090729	MPEG4 M-JPEG	1	2048x1536	1-way	2/2	-	Yes	-	
Samsung	SND-3080		H.264 MPEG4 M-JPEG	1	720x576	-	2/2	-	-	-	
Samsung	SNV-3080		H.264 MPEG4 M-JPEG	1	720x576	1-way	2/2	-	-	-	
Pelco	D5118	Software Version : 1.6.13.9310- A1.4657 Hardware Version : 9310- A1.1-10345	H264 JPEG	1	1280x960	-	-	Yes	-	-	
Pelco	Note:	Do not support to "clear all" preset points.									

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Toshiba	IKWB21A	2.09.E.200.121	M-JPEG	1	1280x960	1-way	-	Yes	-	-	
Toshiba	IKWB70A	0100e	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Toshiba	IKWD01A	0100a	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Sony	SNC-CH110	1.27.00	H.264 MPEG4 M-JPEG	1	1280x960	-	-	-	Yes	-	
Sony	SNC-CH120	1.30.00	H.264 MPEG4 M-JPEG	1	1280x1024	-	1/0	-	Yes	-	
Sony	SNC-CH140	1.07.00	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/2	-	Yes	-	
Sony	SNC-CH160	1.13.00	H.264 MPEG4 M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
Sony	SNC-CH180	1.26.01	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/2	-	Yes	-	
Sony	SNC-CH210	1.12.00	H.264 MPEG4 M-JPEG	1	2048x1536	-	-	-	Yes	-	
Sony	SNC-CH220	1.21.02	H.264 MPEG4 M-JPEG	1	1920x1440	-	1/1	-	Yes	-	
Sony	SNC-CH240	1.10.01	H.264 MPEG4 M-JPEG	1	1920x1440	1-way	1/2	-	Yes	-	
Sony	SNC-CH260	1.30.00	H.264 MPEG4 M-JPEG	1	1920x1440	-	1/1	-	Yes	-	
Sony	SNC-CH280	1.26.01	H.264 MPEG4 M-JPEG	1	1920x1440	1-way	1/2	-	Yes	-	
Sony	SNC-CM120	1.00	MPEG4 M-JPEG	1	1280x960	1-way	1/2	-	Yes	-	
Sony	SNC-CS10		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	-	
Sony	SNC-CS11	1.05	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	-	
Sony	SNC-CS20		MPEG4 M-JPEG	1	768x576	1-way	1/2	-	Yes	-	
Sony	SNC-CS3		M-JPEG	1	736x480	-	1/2	-	-	-	
Sony	SNC-CS50	2.21	MPEG4 M-JPEG	1	640x480	1-way	2/2	-	Yes	-	
Sony	SNC-DF40	1.17	MPEG4 M-JPEG	1	640x480	1-way	1/2	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Sony	SNC-DF50	1.11	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/2	-	Yes	-	
Sony	SNC-DF70	1.17	MPEG4 M-JPEG	1	640x480	1-way	1/2	-	Yes	-	
Sony	SNC-DF80	1.11	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/2	-	Yes	-	
Sony	SNC-DF85		H.264 MPEG4 M-JPEG	1	640x480	1-way	1/2	-	Yes	-	
Sony	SNC-DH110	1.27.02	H.264 MPEG4 M-JPEG	1	1280x960	-	-	-	Yes	-	
Sony	SNC-DH120	1.12.03	H.264 MPEG4 M-JPEG	1	1280x1024	-	-	-	Yes	-	
Sony	SNC-DH140	1.07.00	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/2	-	Yes	-	
Sony	Note:	The issue that "motion detection will be turned off upon changing to maximum resolution" is fixed in 1.31.00.									
Sony	SNC-DH160	1.13.00	H.264 MPEG4 M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
Sony	SNC-DH180	1.10.02	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/2	-	Yes	-	
Sony	SNC-DH210		H.264 MPEG4 M-JPEG	1	2048x1536	-	-	-	Yes	-	
Sony	SNC-DH210T	1.27.00	H.264 MPEG4 M-JPEG	1	2048x1536	-	-	-	Yes	-	
Sony	SNC-DH240	1.11.00	H.264 MPEG4 M-JPEG	1	1920x1440	1-way	1/2	-	Yes	-	
Sony	SNC-DH260	1.30.00	H.264 MPEG4 M-JPEG	1	1280x960	-	1/1	-	Yes	-	
Sony	SNC-DH280	1.26.01	H.264 MPEG4 M-JPEG	1	1921x1440	1-Way	1/2	-	Yes	-	
Sony	SNC-DM110		MPEG4 M-JPEG	1	1280x960	1-way	1/2	-	Yes	-	
Sony	SNC-DM160	1.01	MPEG4 M-JPEG	1	1280x960	1-way	1/2	-	Yes	-	
Sony	SNC-DS10	1.01	H.264 MPEG4 M-JPEG	1	768x576	1-way	1/2	-	Yes	-	
Sony	SNC-DS60	1.00	MPEG4 M-JPEG	1	640x480	1-way	1/2	-	Yes	-	
Sony	SNC-P1	1.28	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Sony	SNC-P5	1.11	MPEG4 M-JPEG	1	640x480	1-way	2/1	Yes	Yes	-	
Sony	SNC-RH124	1.10.01	H.264 MPEG4 M-JPEG	1	1280x720	1-way	4/2	Yes	Yes	-	
Sony	SNC-RH164	1.10.01	H.264 MPEG4 M-JPEG	1	1280x720	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS44N		H.264 MPEG4 M-JPEG	1	720x480	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS44P		H.264 MPEG4 M-JPEG	1	720x576	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS46N		H.264 MPEG4 M-JPEG	1	720x480	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS46P	1.10.02	H.264 MPEG4 M-JPEG	1	720x576	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS84N		H.264 MPEG4 M-JPEG	1	720x480	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS84P		H.264 MPEG4 M-JPEG	1	720x576	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS86N		H.264 MPEG4 M-JPEG	1	720x480	1-way	4/2	Yes	Yes	-	
Sony	SNC-RS86P		H.264 MPEG4 M-JPEG	1	720x576	1-way	4/2	Yes	Yes	-	
Sony	SNC-RX530	3.00	H.264 MPEG4 M-JPEG	1	640x480	1-way	2/2	Yes	Yes	-	
Sony	SNC-RX550		H.264 MPEG4 M-JPEG	1	640x480	1-way	2/2	Yes	Yes	-	
Sony	SNC-RX570	3.01	H.264 MPEG4 M-JPEG	1	640x480	1-way	2/2	Yes	Yes	-	
Sony	SNC-RZ25	1.29	MPEG4 M-JPEG	1	640x480	1-way	2/2	Yes	Yes	-	
Sony	SNC-RZ30	3.14	M-JPEG	1	736x480	-	3/2	Yes	-	-	
Sony	SNC-RZ50	2.21	H.264 MPEG4 M-JPEG	1	640x480	1-way	2/2	Yes	Yes	-	
Sony	SNC-Z20	1.06	M-JPEG	1	736x480	-	1/2	Yes	-	-	
Sony	Note:	PTZ Support: zoom only.									
Sony	SNT-EP104		H.264 MPEG4 M-JPEG	4	720x480	-	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Sony	SNT-EP154	1.10.01	H.264 MPEG4 M-JPEG	4	720x480	-	-	-	Yes	-	
Sony	SNT-EX101		H.264 MPEG4 M-JPEG	1	720x480	1-way	2/2	Yes	Yes	-	
Sony	SNT-EX101E	1.10.01	H.264 MPEG4 M-JPEG	1	PAL:720x576 NTSC:720x480	1-way	2/2	Yes	Yes	-	
Sony	SNT-EX104	1.10.01	H.264 MPEG4 M-JPEG	4	PAL:720x576 NTSC:720x480	1-way	4/4	Yes	Yes	-	
Sony	SNT-EX154	1.10.01	H.264 MPEG4 M-JPEG	4	720x480	1-way	4/4	Yes	Yes	-	
Sony	SNT-V704	2.15	MPEG4 M-JPEG	4	720x480	1-way	1/4	-	-	-	
Sony	Note:	There are some restrictions of motion detection on some 5th Generation models, please check with camera vendor for details. 5th Generation models for example: SNC-CH110, SNC-CH120, ..., SNC-DH160, SNC-DH260.									
ACTi	ACD2000Q	A4Q-220-V3.02.04-AC	MPEG4 M-JPEG	4	720x480	1-way	2/2	Yes	Yes	-	
ACTi	ACD2100	A1D-220-V3.08.08-AC	MPEG4 M-JPEG	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	ACD2200		MPEG4 M-JPEG	4	720x480	1-way	8/8	Yes	Yes	-	
ACTi	ACD2300		MPEG4 M-JPEG	8	720x480	1-way	16/16	Yes	Yes	-	
ACTi	ACD2400	AGDR2N-V2.05.02-AC	MPEG4 M-JPEG	16	720x480	1-way	32/32	Yes	Yes	-	
ACTi	ACM1011	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
ACTi	ACM1231		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM1232		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM1311		MPEG4 M-JPEG	1	720x480	1-way	-	-	Yes	-	
ACTi	ACM1431		MPEG4 M-JPEG	1	720x480	1-way	-	-	Yes	-	
ACTi	ACM1432		MPEG4 M-JPEG	1	720x480	1-way	-	-	Yes	-	
ACTi	ACM1511		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM3001		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACTi	ACM3011		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
ACTi	ACM3211		MPEG4 M-JPEG	1	720x480	1-way	-	Yes	Yes	-	
ACTi	ACM3311		MPEG4 M-JPEG	1	720x480	1-way	-	Yes	Yes	-	
ACTi	ACM3401		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM3411		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM3511		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM3601	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	640x480	-	-	-	Yes	-	
ACTi	ACM3603		MPEG4 M-JPEG	1	640x480	-	-	-	Yes	-	
ACTi	ACM3701	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	1280x1024	-	-	-	Yes	-	
ACTi	ACM3703		MPEG4 M-JPEG	1	1280x1024	-	-	-	Yes	-	
ACTi	ACM4000		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
ACTi	ACM4001		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
ACTi	ACM4100	A1D-220-V3.09.14-AC	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	-	
ACTi	ACM4200		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM4201		MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	ACM5001		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	-	
ACTi	ACM5601	A1D-220-V3.08.08-AC	MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	-	
ACTi	ACM5611		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	-	
ACTi	ACM5711	A1D-220-V3.08.08-AC	MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	-	
ACTi	ACM5811	A1D-220-V3.12.13-AC	MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACTi	ACM7411	A1D-220-V3.09.14-AC	MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	-	
ACTi	Note:	A1D-220-V3.09.14-AC: There is problem at 160x112 resolution.									
ACTi	ACM7511	A1D-220-V3.12.13-AC	MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	
ACTi	ACM8201	A1D-220-V3.10.22-AC	MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	-	
ACTi	Note:	A1D-220-V3.09.14-AC: There is problem at 160x112 resolution.									
ACTi	ACM8211	A1D-220-V3.09.14-AC	MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	-	
ACTi	ACM8511	A1D-220-V3.11.13-AC	MPEG4 M-JPEG	1	720x480	1-way	1/1	Yes	Yes	-	
ACTi	AMU9401	A1D-220-V3.10.22-NB	MPEG4 M-JPEG	1	1280x1024	1-way	0/0	-	Yes	-	
ACTi	AMU9711	A1D-220-V3.10.22-NB	MPEG4 M-JPEG	1	1280x1024	1-way	0/0	-	Yes	-	
ACTi	CAM5130		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM5140		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM5150		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM5200		MPEG4	1	720x480	-	1/1	-	Yes	-	
ACTi	CAM5201		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM5221	A1D-M2N-V2.08.11-AC	MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM5300		MPEG4	1	720x480	-	1/1	-	Yes	-	
ACTi	CAM5301		MPEG4	1	720x480	-	1/1	-	Yes	-	
ACTi	CAM5321		MPEG4	1	720x480	-	1/1	-	Yes	-	
ACTi	CAM5500		MPEG4	1	720x480	-	1/1	-	Yes	-	
ACTi	CAM6100		MPEG4	1	720x480	-	2/2	Yes	Yes	-	
ACTi	CAM6200	A1D-2.07.14-AC	MPEG4	1	720x480	-	2/2	Yes	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACTi	CAM6220	A1D-2.07.14-AC	MPEG4	1	720x480	-	2/2	Yes	Yes	-	
ACTi	CAM6500		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	CAM6510	A1D-M2N-V2.08.11-AC	MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	CAM6520		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	CAM6600		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	CAM6610		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	CAM6620		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	CAM6630		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	CAM7100		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7120		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7200		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7220		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7300		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7301		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7320		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7321		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	CAM7322		MPEG4	1	720x480	1-way	1/1	-	Yes	-	
ACTi	SED2100		MPEG4	1	720x480	1-way	2/2	-	Yes	-	
ACTi	SED2120	A1D-M2N-V2.08.11-AC	MPEG4	1	720x480	-	2/2	Yes	Yes	-	
ACTi	SED2140		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACTi	SED2310Q		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	SED2320Q		MPEG4	1	720x480	1-way	2/2	Yes	Yes	-	
ACTi	SED2400		MPEG4	2	720x480	1-way	2/2	Yes	Yes	-	
ACTi	SED2420	A1D-220-V3.08.08-AC	MPEG4	2	720x480	1-way	-	-	Yes	-	
ACTi	SED2600		MPEG4	8	720x480	1-way	16/16	Yes	Yes	-	
ACTi	SED2610		MPEG4	8	720x480	1-way	16/16	Yes	Yes	-	
ACTi	SED26X0		MPEG4	8	720x480	1-way	16/16	Yes	Yes	-	
ACTi	TCD2100	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	720x480	-	1/1	Yes	Yes	Yes	
ACTi	TCD2500	A1D-310-V4.06.08-AC	H.264 MPEG4 M-JPEG	1	720x480	1-way	2/1	Yes	Yes	Yes	
ACTi	TCM1231	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
ACTi	TCM1232		H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
ACTi	TCM1511	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
ACTi	TCM3001		H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
ACTi	TCM3011	A1D-310-V4.07.10-AC	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
ACTi	TCM3401		H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
ACTi	TCM3411	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
ACTi	TCM3511	AID-310-V4.06.00-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
ACTi	TCM4101		H.264 MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
ACTi	TCM4201	A1D-310-V4.07.15-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
ACTi	TCM4301	A1D-310-V4.05.13-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
ACTi	TCM5001	A1D-310-V4.07.15-AC	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
ACTi	TCM5311	A1D-310-V4.05.13-AC	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	-	
ACTi	TCM5312		H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
ACTi	TCM5601	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	-	Yes	
ACTi	TCM5611	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	-	Yes	
ACTi	TCM7011	A1D-310-V4.06.09-AC	H.264 MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
ACTi	TCM7411		H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	-	Yes	
ACTi	TCM7811	A1D-310-V4.07.15-AC	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
ACTi	TMU9811	A1D-310-V4.07.10-NB	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	-	-	
ACTi	TMU9911	A1D-310-V4.07.10-NB	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	-	-	
ACTi	Note:	ACD / ACM series cameras do not support FW 3.11.11.									
ACTi	Note:	Only two I/O are shown on the interface as adding one channel on video server.									
Arecont	AV1300	64328	M-JPEG	1	1280x1024	-	-	-	Yes	-	
Arecont	AV1305	64331	H.264 M-JPEG	1	1280x1024	-	-	-	Yes	-	
Arecont	AV1310		M-JPEG	1	1280x1024	-	-	-	Yes	-	
Arecont	AV1315	65191	M-JPEG H.264	1	1280x1024	-	-	-	Yes	-	
Arecont	AV1355	65130	H.264 M-JPEG	1	1280x1024	-	-	-	Yes	-	
Arecont	AV2000	64328	M-JPEG	1	1600x1184	-	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Arecont	AV2100	64328	M-JPEG	1	1600x1184	-	-	-	Yes	-	
Arecont	AV2105	64331	H.264 M-JPEG	1	1600x1184	-	-	-	Yes	-	
Arecont	AV2110		M-JPEG	1	1600x1184	-	-	-	Yes	-	
Arecont	AV2155	64803	H.264 M-JPEG	1	1600x1184	-	-	-	Yes	-	
Arecont	AV2805	65150	H.264 M-JPEG	1	1920x1080	-	1/1	-	Yes	-	
Arecont	AV2815	65191	H.264 M-JPEG	1	1920x1080	-	1/1	-	Yes	-	
Arecont	AV3100	64328	M-JPEG	1	2048x1536	-	-	-	Yes	-	
Arecont	AV3105	64331	H.264 M-JPEG	1	2048x1536	-	-	-	Yes	-	
Arecont	AV3110		M-JPEG	1	1920x1216	-	-	-	Yes	-	
Arecont	AV3130	61906	M-JPEG	1	2048x1536	-	-	-	Need to retest	-	
Arecont	AV3135	65135	H.264 M-JPEG	1	2048x1536	-	1/1	-	Yes	-	
Arecont	AV3155	65113	H.264 M-JPEG	1	2048x1536	-	-	-	Yes	-	
Arecont	AV5100	61906	M-JPEG	1	2560x1600	-	-	-	Yes	-	
Arecont	AV5105	64331	H.264 M-JPEG	1	2560x1600	-	1/1	-	Yes	-	
Arecont	AV5110		M-JPEG	1	2560x1600	-	-	-	Yes	-	
Arecont	AV5155	65113	H.264 M-JPEG	1	2560x1600	-	-	-	Yes	-	
Arecont	AV8180	65010	M-JPEG	4	1600x1184	-	-	-	Yes	-	
Arecont	AV8185	64803	H.264 M-JPEG	4	1600x1200	-	-	-	Yes	-	
Arecont	AV8360	65010	M-JPEG	4	1600x1184	-	-	-	Yes	-	
Arecont	AV8365	65026	H.264 M-JPEG	4	1600x1184	-	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Arecont	AV8365DN		H.264 M-JPEG	4	1600x1184	-	-	-	Yes	-	
Arecont	AV10005	65147	H.264 M-JPEG	1	3648x2752	-	-	-	Yes	-	
Arm Electronics	MP13DDNV D		MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	-	
Arm Electronics	MP13VPDN		MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	-	
Basler	BIP-640c		H.264 MPEG4 M-JPEG	1	640x480	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-640c-dn		H.264 MPEG4 M-JPEG	1	640x480	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-1000c		H.264 MPEG4 M-JPEG	1	1024x768	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-1000c-dn		H.264 MPEG4 M-JPEG	1	1024x768	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-1300c		H.264 MPEG4 M-JPEG	1	1280x960	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-1300c-dn	BIP-1300c-dn-1.6- 2	H.264 MPEG4 M-JPEG	1	1280x960	-	1/1	-	Yes	-	
Basler	Note:	On-edge motion: H.264 and MJPEG.									
Basler	BIP-1600c		H.264 MPEG4 M-JPEG	1	1600x1200	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-1600c-dn		H.264 MPEG4 M-JPEG	1	1600x1200	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-D1000c- dn		H.264 MPEG4 M-JPEG	1	1024x768	-	1/1	-	-	-	Tested by manufacturer
Basler	BIP-D1300c- dn	BIP-D1300c-dn- 1.6-1	H.264 MPEG4 M-JPEG	1	1280x960	-	1/1	-	Yes	-	
Basler	Note:	On-edge motion: H.264 and MJPEG.									
Bosch	NWC-0455	19500410	H.264 M-JPEG	1	704x576	-	-	-	-	-	
Brickcom	CB-100Ae	v3.0.2.4	MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	Tested by manufacturer
Brickcom	CB-100Ap	v3.0.2.4	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	Tested by manufacturer
Brickcom	FB-100Ae	v3.0.2.3	MPEG4 M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
Brickcom	FB-100Ap	v3.0.2.3	H.264 MPEG4 M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Brickcom	FD-100Ae	v3.0.2.3	MPEG4 M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
Brickcom	FD-100Ap	v2.3.7.8	H.264 MPEG4 M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	
Brickcom	WCB-100Ae	v3.0.2.4	MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	Tested by manufacturer
Brickcom	WCB-100Ap	v2.3.7.8	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
Brickcom	WFB-100Ae	v3.0.2.3	MPEG4 M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	Tested by manufacturer
Brickcom	WFB-100Ap	v2.3.7.8	H.264 MPEG4 M-JPEG	1	1280x800	1-way	1/0	-	Yes	Yes	
Brickcom	Note:	On-edge motion is only workable when stream 1 is MPEG4 with the bitrate under 1.5Mbps or quality under 3. We don't promise the performance of MD if the configuration isn't within the limitation.									
Cisco	CIVS-IPC-2500	V1.1.3R15	MPEG4 M-JPEG	1	720x480	1-way	2/2	-	-	Yes	
Cisco	CIVS-IPC-2500W	V1.1.3R03	MPEG4 M-JPEG	1	720x480	1-way	2/2	-	-	Yes	
Cisco	PVC-300	1.0.0	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Cisco	Note:	PTZ is only supported by external RS-485 device.									
CNB Technology	IBE3815NVR		H.264 MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	Yes	
CNB Technology	IBE3815PVR		H.264 MPEG4 M-JPEG	1	704x576	1-way	-	Yes	-	Yes	
CNB Technology	IBE5810NCR		H.264 MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	Yes	
CNB Technology	IBE5810PCR		H.264 MPEG4 M-JPEG	1	704x576	1-way	-	Yes	-	Yes	
CNB Technology	IDP4000VD	XNET.A1-1.1.9.1104	H.264 MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
CNB Technology	IDP4000VR	XNET.A1-1.1.9.1104	H.264 MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
CNB Technology	IDP4030VR		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	-	-	Yes	
CNB Technology	IGP1000		H.264 MPEG4 M-JPEG	1	640x480	1-way	-	Yes	-	Yes	
CNB Technology	IGP1030	XNET.A1-1.1.9.1104	H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	Yes	-	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
CNB Technology	IJB2000		H.264 MPEG4 M-JPEG	1	704x576	1-way	-	Yes	-	Yes	
CNB Technology	INS2000	XNET.A1-1.1.9.1104	H.264 MPEG4 M-JPEG	1	704x576	1-way	-	Yes	-	Yes	
CNB Technology	IPM3063N		H.264 MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	Yes	
CNB Technology	IPM3063P		H.264 MPEG4 M-JPEG	1	704x576	1-way	-	Yes	-	Yes	
CNB Technology	ISMC1063N		H.264 MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	Yes	
CNB Technology	ISMC1063P		H.264 MPEG4 M-JPEG	1	704x576	1-way	-	Yes	-	Yes	
CNB Technology	ISS2765NW		H.264 MPEG4 M-JPEG	1	704x480	1-way	-	Yes	-	Yes	
CNB Technology	ISS2765PW		H.264 MPEG4 M-JPEG	1	704x576	1-way	-	Yes	-	Yes	
CNB Technology	IVP4000VR	XNET.A1-1.1.9.1028	H.264 MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
CNB Technology	IVP4030VR		H.264 MPEG4 M-JPEG	1	1280x960	1-way	-	-	-	Yes	
D-Link	DCS-1100	1.00	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
D-Link	DCS-1130	1.00	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
D-Link	DCS-2100		H.263	1	720x576	1-way	-	-	Yes	Yes	
D-Link	DCS-2100G		H.263	1	720x576	1-way	-	-	Yes	Yes	
D-Link	DCS-2102		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
D-Link	DCS-2120(TW)	0201tw	MPEG4	1	720x576	1-way	1/1	-	Yes	Yes	
D-Link	DCS-2120		MPEG4	1	720x576	1-way	-	-	Yes	Yes	
D-Link	DCS-2121		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
D-Link	DCS-3110		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
D-Link	DCS-3220		MPEG4	1	720x576	1-way	1/1	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
D-Link	DCS-3220G		MPEG4	1	720x576	1-way	1/1	-	Yes	Yes	
D-Link	DCS-3410		MPEG4 M-JPEG	1	704x576	1-way	2/1	-	Yes	Yes	
D-Link	DCS-3415	1.00	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
D-Link	Note:	PTZ Support: zoom only.									
D-Link	DCS-3420		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
D-Link	DCS-5220(TW)		MPEG4	1	720x576	1-way	-	Yes	Yes	Yes	
D-Link	DCS-5220	0200	MPEG4	1	720x576	1-way	-	Yes	Yes	Yes	
D-Link	DCS-5300	1.05	MPEG4	1	704x576	1-way	1/1	Yes	Yes	Yes	
D-Link	DCS-5300G		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
D-Link	DCS-5610		MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	
D-Link	DCS-6110	1.00	M-JPEG	1	720x576	-	1/1	-	Yes	Yes	
D-Link	DCS-6111	1.00	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
D-Link	DCS-6410	1.00	MPEG4 M-JPEG	1	704x576	1-way	2/1	-	Yes	Yes	
D-Link	DCS-6620	1.05	MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
D-Link	DCS-6620G	1.05	MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	
D-Link	DCS-7510	1.00	MPEG4 M-JPEG	1	704x576	1-way	2/1	-	Yes	Yes	
D-Link	DCS-900	1.00	MPEG4	1	640x480	1-way	-	-	-	Yes	
D-Link	DCS-910	1.00	MPEG4	1	640x480	-	-	-	-	Yes	
D-Link	DCS-920		M-JPEG	1	640x480	-	-	-	-	Yes	
D-Link	DCS-950		MPEG4	1	640x480	1-way	-	-	-	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
D-Link	DCS-950G		MPEG4	1	640x480	1-way	-	-	-	Yes	
D-Link	DCS-G900		M-JPEG	1	640x480	-	-	-	-	Yes	
D-Link	DVS-104		M-JPEG	4	720x576	-	4/2	-	Yes	Yes	
D-Link	DVS-301		H.263	1	704x576	1-way	1/1	-	Yes	Yes	
Dynacolor	NH061-CCD	CCD-cameraFw-100205P	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
Dynacolor	Note:	Camera FW is not stable enough, so camera is likely disconnected after modifying parameters. Current workaround is turning off and on to reboot camera. Remove resolution 1280x720 in H.264 codec due to broken image problem. Known FW issue: audio may be broken in certain operation.									
Dynacolor	NH221-CCD	CCD-cameraFw-100205P	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
Dynacolor	Note:	Remove resolution 1280x720 in H.264 codec due to broken image problem. The image is broken badly when configuring to the highest resolution, fps, and quality under H.264/MPEG4 with UDP protocol. Known FW issue: audio may be broken in certain operation.									
Dynacolor	V1-A		H.264 M-JPEG	1	1920x1080	-	-	-	Yes	Yes	
Dynacolor	V1-B	d20100630NS	H.264 M-JPEG	1	1920x1080	1-way	-	-	Yes	Yes	
Dynacolor	Note:	There is high possibility to get broken image on the edge under H.264 codec with UDP protocol.									
Dynacolor	V2-A		H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Dynacolor	V2-B	d20100826NS	H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Dynacolor	V6-A		H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Dynacolor	V6-B	d20100630NS	H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Dynacolor	Note:	The image is broken badly when configuring to the highest resolution, fps, quality, etc.									
Dynacolor	Note:	Model A is referred to model B, promised by the manufacturer, so model A may encounter same issues of model B.									
Eneo	GLC-1401	1.42	MPEG4 M-JPEG	1	720x576	1-way	1/0	Yes	Yes	Yes	
Eneo	GLC-1601	1.43	MPEG4 M-JPEG	1	720x576	1-way	1/0	Yes	Yes	Yes	
Eneo	GLC-1602H	1.43	H.264 M-JPEG	1	720x576	1-way	1/0	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Eneo	GLC-1610H		H.264 M-JPEG	1	720x480	1-way	1/1	Yes	Yes	Yes	
Eneo	GLC-1701/IR	1.45	MPEG4 M-JPEG	1	720x576	-	1/0	-	Yes	Yes	
Eneo	GLD-1401	1.40	MPEG4 M-JPEG	1	720x576	-	1/0	-	Yes	Yes	
Eneo	GLD-1501	1.43	MPEG4 M-JPEG	1	720x576	1-way	1/0	Yes	Yes	Yes	
Eneo	GLS-2101	1.45	MPEG4 M-JPEG	1	720x576	1-way	1/0	Yes	Yes	Yes	
Eneo	GLS-2104	1.78	M-JPEG	4	704x272	1-way	-	Yes	Yes	Yes	
Eneo	GLS-2301H	1.09	H.264 M-JPEG	1	720x480	1-way	-	-	Yes	Yes	
Eneo	NLC-1401	v1.5.6	H.264 MPEG4	1	704x576	1-way	1/0	Yes	Yes	Yes	
Eneo	NLD-1401	v1.5.6	H.264 MPEG4	1	704x576	1-way	1/0	-	Yes	Yes	
Eneo	NLS-1401	v1.5.6	H.264 MPEG4	1	704x576	1-way	2/0	Yes	Yes	Yes	
Eneo	NXC-1301M	v2.1.2	H.264	1	1280x720	-	2/0	-	Yes	Yes	
Eneo	NXC-1302M	v2.1.2	H.264	1	1600x1200	-	2/0	-	Yes	Yes	
Eneo	NXC-1401M	v2.1.2	H.264	1	1280x720	-	2/0	-	Yes	Yes	
Eneo	NXC-1402M	v2.1.2	H.264	1	1600x1200	-	2/0	-	Yes	Yes	
Eneo	NXD-1301M	v2.1.2	H.264	1	1280x720	-	2/0	-	Yes	Yes	
Eneo	NXD-1302M	v2.1.2	H.264	1	1600x1200	-	2/0	-	Yes	Yes	
Eneo	NXD-1401M	v2.1.2	H.264	1	1280x720	-	2/0	-	Yes	Yes	
Eneo	NXD-1402M	v2.1.2	H.264	1	1600x1200	-	2/0	-	Yes	Yes	
Eneo	Note:	Audio is disabled currently for camera FW bug: NXC-1301M, NXC-1302M, NXC-1401M, NXC-1402M, NXD-1301M, NXD-1302M, NXD-1401M and NXD-1402M									
Eneo	Note:	PTZ is only supported by external RS-485 device.									

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
EverFocus	EAN3200	1.0.14	H.264 MJPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
EverFocus	EDN3240	1.0.14	H.264 MJPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
EverFocus	EHN3200	1.0.14	H.264 MJPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
EverFocus	EVS410	1.0.14	H.264 MJPEG	4	704x480	1-way	4/1	Yes	Yes	Yes	
EverFocus	Note:	PTZ is only supported by external RS-485 device.									
EverFocus	EZN3240	1.0.14	H.264 MJPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
EverFocus	Note:	Motion detection of cameras above can only work as the camera is added in the first channel of NVR.									
FINE	CDV-3V930		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	-	
FINE	CDV-3V930U		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	-	
FINE	CDV-3VM301		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	-	
FINE	CDV-3VM501		H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	
FINE	CDV-3VWD960	V1.0.16_F	H.264 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	
FINE	CDV-3VWD960H		H.264 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	
FINE	EDH-02H	V1.0.20_F	H.264 M-JPEG	1	720x480	1-way	1/1	Yes	Yes	-	
FINE	EP-201		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-221		MPEG4 M-JPEG	1	720x480	1-way	1/0	Yes	Yes	-	
FINE	EP-221DN		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-601		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-601HW		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-908		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-908HW		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FINE	EP-936		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-936HW		MPEG4 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-HTQ935	V3.2.56_F	MPEG4 M-JPEG	1	720x480	-	0/0	Yes	Yes	-	
FINE	EP-Q2018H-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-Q2018HW-IP	V1.0.8_F	H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-Q2026H-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-Q2026HW-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-Q2036H-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	EP-Q2036HW-IP		H.264 M-JPEG	1	720x480	1-way	0/0	Yes	Yes	-	
FINE	MD-D1200		MPEG4 M-JPEG	1	720x480	1-way	1/1	Yes	Yes	-	
FINE	MD-D1612	V1.0.16_F	H.264 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	-	
FINE	SP-PYIR737-LA-IP		H.264 M-JPEG	1	720x480	1-way	-	Yes	Yes	-	
FINE	SP-PTIR737-IP	V1.0.16_F	H.264 M-JPEG	1	720x576	1-way	0/0	Yes	Yes	-	
FINE	TCMA-99		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	-	
FINE	TCMP-99		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	-	
FINE	TCP-1200AV	V1.0.26_F	H.264 M-JPEG	1	640x480	1-way	-	-	Yes	-	
FINE	TCP-1300AM	V1.0.26_F	H.264 M-JPEG	1	1280x1024	1-way	-	-	Yes	-	
FINE	TCP-670DNU		MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	
FINE	TCP-680DNU		MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	
FINE	TCP-690		MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FINE	TCP-690DN		MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	
FINE	TCP-690U	V3.2.60_F	MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	
FINE	TCP-HP930		MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	
FINE	TCP-HP930U		MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	
FINE	TCP-IPWD690		MPEG4 M-JPEG	1	720x480	1-way	2/2	-	Yes	-	
FINE	TCP- IPWD700DN	V1.0.16_F	H.264 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	
FINE	TCP-IR590- WD30	V1.0.20_F	H.264 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	
FINE	TCP-IR590- WD50		H.264 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	
FINE	TCP- IRH5030C	V1.0.20_F	H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	
FINE	TCP- IRH5040C		H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	
FINE	TCP-IRV540		MPEG4 M-JPEG	1	720x480	1-way	0/0	-	Yes	-	
FINE	TCP-IRV560		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	-	
FINE	TCP-M912DN	V1.2.28_F	MPEG4 M-JPEG	1	MPEG4: 640x480 M-JPEG: 1280x960	1-way	2/2	-	Yes	-	
FINE	TCP-MH802	V1.0.8_F	H.264 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	-	
FINE	TCP-VM201		MPEG4 M-JPEG	1	1280x1024	1-way	0/0	-	Yes	-	
FINE	TCP-VM501	V1.0.14_F	H.264 M-JPEG	1	1600x1200	1-way	1/1	-	yes	-	
FINE	WB-8211SD		MPEG4 M-JPEG	1	720x480	1-way	2/4	-	Yes	-	
FINE	WB-8211SDU		MPEG4 M-JPEG	1	720x480	1-way	2/4	-	Yes	-	
FINE	WB-8411		MPEG4 M-JPEG	4	720x480	1-way	4/1	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
FINE	WB-8412	V2.2.26_F	MPEG4 M-JPEG	4	688x448	1-way	4/4	Yes	Yes	-	
FINE	WB-H811		H.264 M-JPEG	1	720x480	1-way	2/2	Yes	Yes	-	
FINE	WB-H814	V1.0.40_F	H.264 M-JPEG	4	720x576	1-way	4/4	Yes	Yes	-	
Grundig	GCI-0735P		H.264 MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	
Grundig	GCI-C0745P	720110412NS	H.264 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	
Grundig	GCI-H0503B	720110422NS	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	Yes	
Grundig	GCI-H0522V		H.264 MPEG4 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Grundig	GCI-H0602B		H.264 MPEG4 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Grundig	GCI-K0322V	720110413NS	H.264 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Grundig	GCI-K0503B		H.264 MPEG4 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Grundig	GCI-K0512W		H.264 MPEG4 M-JPEG	1	1920x1080	-	1/1	-	Yes	Yes	
Grundig	GCI-K0523T		H.264 MPEG4 M-JPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	
Grundig	Note:	With HW restrictions, the video @ H.264 with TCP protocol is not smooth in the conditions of high resolution, fps and bitrate. We recommend to lower bitrate to 4000.									
HIKVISION	DS-2CD702NFE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD702PFE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD712NFE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD712PFE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD7133-E	V2.0 100628	H.264	1	640x480	-	-	-	Yes	-	
HIKVISION	DS-2CD7153-E	V2.0 100628	H.264	1	1600x1200	-	-	-	Yes	-	
HIKVISION	DS-2CD732FE	20100320	H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
HIKVISION	DS-2CD733F-E	V2.0 100716	H.264	1	640x480	1-way	2/2	Yes	Yes	-	Tested by manufacturer
HIKVISION	DS-2CD752MF-E		H.264	1	1600x1200	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD752MF-FB	20100320	H.264	1	1600x1200	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD753F-E	V2.0 100628	H.264	1	1600x1200	1-way	2/2	Yes	Yes	-	Tested by manufacturer
HIKVISION	DS-2CD762MF-FB	20100320	H.264	1	1280x960	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD792NF-E		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD792PF-E		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD793PFW-DE	V2.0 100628	H.264	1	704x576	1-way	2/2	Yes	Yes	No	Tested by manufacturer
HIKVISION	DS-2CD802NF		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802NF-E		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802NF-W		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802PF		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802PF-E		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802PF-W		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802N-IR1		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802N-IR3		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802N-IR5		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802P-IR1		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802P-IR3		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD802P-IR5		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
HIKVISION	DS-2CD812NF		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812NFE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812NF-W		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812PF		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812PFE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812PF-W		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812N-IR1		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812N-IR3		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812N-IR5		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812P-IR1		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812P-IR3		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD812P-IR5		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD832F		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD832FE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD852MFE	20100320	H.264	1	1600x1200	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD862MFE		H.264	1	1280x960	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD863PFE	V2.0 100628	H.264	1	1280x960	1-way	1/1	Yes	Yes	-	Tested by manufacturer
HIKVISION	DS-2CD892NF		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892NFE		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892NF-W		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
HIKVISION	DS-2CD892PF		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892PF-E		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892PF-W		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892N-IR1		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892N-IR3		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892N-IR5		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892P-IR1		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892P-IR3		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-2CD892P-IR5		H.264	1	704x576	1-way	1/1	Yes	Yes	Yes	
HIKVISION	DS-6101HFI-IP	V2.0 101112	H.264	1	704x576	-	1/1	-	Yes	-	
HIKVISION	Note:	PTZ is only supported by external RS-485 device.									
Honeywell	ACUIX	1.5.6	MPEG4	1	4CIF	-	-	Yes	-	-	
Honeywell	Note:	Sometimes the PTZ function doesn't work properly due to camera FW; users have to restart to make it work. The speed of PTZ is not correspondent with camera web, which might be due to camera FW.									
Honeywell	HCD554IP	5.4.5	MPEG4	1	4CIF	1-way	0/1	-	-	-	
Honeywell	Note:	Disable input function due to camera FW.									
Honeywell	HD3MDIP	7.07	MPEG4	1	1280x720	1-way	-	-	Yes	-	
Honeywell	HD4MDIP	8.04	MPEG4	1	1280x720	1-way	-	-	Yes	-	
Honeywell	HNVE1	6.3.4	MPEG4	1	4CIF	1-way	-	-	-	-	
Honeywell	Note:	Disable I/O function due to camera FW.									
Honeywell	Note:	HD3MDIP, HD4MDIP: Not support I/O currently. All models: Users may be confused because the username on login page of camera web is "administrator", but it's "admin" actually. If you type in "administrator", you are no longer to connect the cameras.									
IQinVision	IQ040S		M-JPEG	1	720x480	-	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IQinVision	IQ041S		M-JPEG	1	1280x1024	-	-	-	Yes	-	
IQinVision	IQ042S	V3.1/6	M-JPEG	1	1600x1200	-	-	-	Yes	-	
IQinVision	IQ540S		M-JPEG	1	720x480	-	-	-	Yes	-	
IQinVision	IQ541S		M-JPEG	1	1280x1024	-	-	-	Yes	-	
IQinVision	IQ542S	V3.1/6	M-JPEG	1	1600x1200	-	-	-	Yes	-	
IQinVision	IQA15N	V3.0/8(100702)	M-JPEG	1	2560x1920	-	1/1	-	Yes	-	
IQinVision	IQA25S	V2.9/6	M-JPEG	1	1280x1024	-	1/1	-	-	-	
IQinVision	IQD30S	V3.1/6	H.264 M-JPEG	1	720x480	1-way	-	-	Yes	-	
IQinVision	Note:	Not support audio in M-JPEG.									
IQinVision	IQD31S	V3.1/6	H.264 M-JPEG	1	1280x720	1-way	-	-	Yes	-	
IQinVision	Note:	Not support audio in M-JPEG									
IQinVision	IQD40S		M-JPEG	1	720x480	-	-	-	Yes	-	
IQinVision	IQD41S		M-JPEG	1	1280x1024	-	-	-	Yes	-	
IQinVision	IQD42S	V3.1/6	M-JPEG	1	1600x1200	-	-	-	Yes	-	
IQinVision	IQeye301		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye301m		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye301w		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye302		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye302w		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye303		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye303w		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
IQinVision	IQeye501		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye510	B2.8/608	M-JPEG	1	752x480	-	-	-	Yes	-	
IQinVision	IQeye511	V2.8/6	M-JPEG	1	1280x1024	-	-	-	Yes	-	
IQinVision	IQeye601		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye602		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye603		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye701	V2.8/6	M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye702	V2.8/6	M-JPEG	1	1600x1200	-	1/1	-	Yes	-	
IQinVision	IQeye703	V2.8/6	M-JPEG	1	2048x1536	-	1/1	-	Yes	-	
IQinVision	IQeye705	V2.8/6	M-JPEG	1	2560x1920	-	1/1	-	Yes	-	
IQinVision	IQeye751		M-JPEG	1	1280x1024	-	1/1	-	Yes	-	
IQinVision	IQeye752	V2.8/6	M-JPEG	1	1600x1200	-	1/1	-	Yes	-	
IQinVision	IQeye753		M-JPEG	1	2048x1536	-	1/1	-	Yes	-	
IQinVision	IQeye755	V2.8/6	M-JPEG	1	2560x1920	-	1/1	-	Yes	-	
IQinVision	IQeye855	V2.8/6	M-JPEG	1	2560x1920	-	1/1	-	Yes	-	
Level One	FCS-0010		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
Level One	FCS-0020		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
Level One	FCS-1010	0102d	H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
Level One	FCS-1030V1.0		H.263	1	720x576	1-way	-	-	Yes	Yes	
Level One	FCS-1030V2.0		MPEG4	1	720x576	1-way	-	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Level One	FCS-1040	0102a	MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	
Level One	FCS-1050		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Level One	FCS-1060	0202a	MPEG4	1	720x576	1-way	-	Yes	Yes	Yes	
Level One	FCS-1070		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Level One	FCS-1081		MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Level One	FCS-1081A		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Level One	FCS-1091		MPEG4 M-JPEG	1	640x480	1-way	2/2	-	-	Yes	
Level One	FCS-1101		MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Level One	FCS-3000	0101a	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Level One	FCS-3021		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Level One	FCS-4010		MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	
Level One	FCS-4x00		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Level One	FCS-5011	0100c	MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	
Level One	FCS-5030	0100a2	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Level One	Note:	No audio support in M-JPEG.									
Level One	FCS-7011		MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Level One	WCS-0010		MPEG4 M-JPEG	1	640x480	1-way	-	-	-	Yes	
Level One	WCS-0020		MPEG4 M-JPEG	1	640x480	1-way	-	Yes	-	Yes	
Level One	WCS-1090		MPEG4 M-JPEG	1	640x480	1-way	2/2	-	-	Yes	
Level One	WCS-2010V1.0		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Level One	WCS-2010V2.0		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
Level One	WCS-2030V1.0	0200d	H.263	1	720x576	1-way	-	-	Yes	Yes	
Level One	WCS-2030V2.0		H.263	1	720x576	1-way	-	-	Yes	Yes	
Level One	WCS-2030V3.0		MPEG4	1	720x576	1-way	-	-	Yes	Yes	
Level One	WCS-2040	0101b	MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Level One	WCS-2060		MPEG4	1	720x576	1-way	-	-	Yes	Yes	
Level One	WCS-2070	0100b	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Linksys	PVC2300	V1.1.0(xVC2300_FW_V1.1.0R05)	MPEG4 M-JPEG	1	640x480	1-way	2/2	Yes	-	Yes	
Linksys	WVC210		MPEG4 M-JPEG	1	640x480	1-way	-	Yes	-	Yes	
Linksys	WVC2300	V1.1.0(xVC2300_FW_V1.1.0R05)	MPEG4 M-JPEG	1	640x480	1-way	2/2	Yes	-	Yes	
Linksys	Note:	PTZ is only supported by external RS-485 device.									
Lumenera	le045c		M-JPEG	1	720x480	-	-	-	-	-	
Lumenera	le045c-dn		M-JPEG	1	720x480	-	-	-	-	-	
Lumenera	le075c		M-JPEG	1	640x480	-	-	-	-	-	
Lumenera	le075c-dn		M-JPEG	1	640x480	-	-	-	-	-	
Lumenera	le11059c		M-JPEG	1	4000x2656	-	-	-	-	-	
Lumenera	le165c		M-JPEG	1	1376x1032	-	-	-	-	-	
Lumenera	le165c-dn		M-JPEG	1	1376x1032	-	-	-	-	-	
Lumenera	le175c		M-JPEG	1	1280x1024	-	-	-	-	-	
Lumenera	le175c-dn		M-JPEG	1	1280x1024	-	-	-	-	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Lumenera	le259c		M-JPEG	1	1920x1080	-	-	-	-	-	
Lumenera	le275c		M-JPEG	1	1600x1200	-	-	-	-	-	
Lumenera	le275c-dn		M-JPEG	1	1600x1200	-	-	-	-	-	
Lumenera	le375c		M-JPEG	1	2048x1536	-	-	-	-	-	
Lumenera	le375c-dn		M-JPEG	1	2048x1536	-	-	-	-	-	
Lumenera	li165c	5626	M-JPEG	1	1376x1032	-	-	-	-	-	
Network Camera	GE-100-CB	v1.0.0.15	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
Network Camera	GP-100-CB	v1.0.0.13	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
Network Camera	WGE-100-CB	v1.0.0.13	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
Network Camera	WGP-100-CB	v1.0.0.16	H.264 MPEG4 M-JPEG	1	1280x800	1-way	-	-	Yes	Yes	
Network Camera	Note:	On-edge motion is only workable when stream 1 is MPEG4 with the bitrate under 1.5Mbps or quality under 3. We don't promise the performance of MD if the configuration isn't within the limitation.									
ONVIF	BOSCH NWC-0455	19500410	H.264 M-JPEG	1	704x576	-	-	-	-	-	
ONVIF	Note:	ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software. To confirm the compatibility, it is recommended to execute testing prior to any further usage. The above product has been verified by NUUO.									
Pixord	P600	2.0.3_225	H264 M-JPEG	1	1600x1200	1-way	2/1	-	-	Yes	
Pixord	P606	2.0.3_225	H264 M-JPEG	1	1600x1200	1-way	-	-	-	Yes	
Pixord	PB630	2.0.3_225	H264 M-JPEG	1	640x480	1-way	-	-	-	Yes	
Pixord	PD634	2.0.3_225	H264 M-JPEG	1	640x480	1-way	-	-	-	Yes	
Pixord	PD636	2.0.0_1	H.264	1	1600x1200	-	-	-	-	Yes	
Pixord	Note:	Limited integration: camera supports video stream of H.264/1600x1200/15fps only, no other features									
Pixord	PL621	2.0.3_225	H264 M-JPEG	1	1600x1200	1-way	1/1	-	-	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Pixord	PV6901	2.0.3_225	H264 M-JPEG	1	720x480	1-way	1/1	Yes	-	Yes	
Pixord	Note:	Focus function doesn't work properly in FW v2.5, which will be fixed in next version.									
Pixord	Note:	All models: Image is broken easily when modifying camera parameter. All models: Remove motion detection function because camera FW is not ready for it. All models: Camera is easily disconnected as two M-JPEG stream existed, so dual stream function is disabled. However, the issue is remained if connecting same camera twice.									
Santec	SNC-3901MDN	5.2.3	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	
Santec	SNC-3903M	9.6.1	H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Santec	Note:	PTZ is only supported by external RS-485 device.									
Santec	SNC-390DN/W	1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	Yes	
Santec	Note:	PTZ is only supported by external RS-485 device.									
Santec	SNC-5211MIR	5.2.2	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Santec	SNC-521IR/W	1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Santec	SNC-5321MIR		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Santec	SNC-565IR/W	1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Santec	SNC-6163ID		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Santec	SNC-620/W	1.0.1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	-	Tested by manufacturer
Santec	SNC-6201M	5.2.2	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Santec	SNC-6221MIR	5.2.2	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Santec	SNC-6223MIR		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Santec	SNC-6301M	5.2.2	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Santec	SNC-6303M		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Santec	SNC-670ID/W	1.0.1.5	MPEG4 M-JPEG	1	720x576	1-way	1/1	Yes	Yes	-	Tested by manufacturer
Santec	SNC-P3601M	5.2.2	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Santec	SNC-P3603M		H.264 MPEG4 M-JPEG	1	2048x1536	1-way	1/1	Yes	Yes	Yes	
Santec	Note:	On-edge motion: H.264 and MPEG4 (3 megapixel cameras).									
Santec	SVS-1100	1.1.8	H.264 MPEG4 M-JPEG	1	720x576	1-way	2/2	Yes	Yes	Yes	
Santec	Note:	1.3 megapixel cameras: frame rate of MJPEG format is not synchronized as camera actually sends, for example, we set fps to 5 fps, but the video is 3 fps. This issue is fixed in camera FW v5.2.6.									
Santec	Note:	1.3 megapixel and 3 megapixel cameras: with HW restrictions, the video @ H.264 with TCP protocol is not smooth in the conditions of high resolution, fps and bitrate.									
Sanyo	VCC-HD2100		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VCC-HD2100P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VCC-HD2300		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VCC-HD2300P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VCC-HD2500	CAM MAIN 1.00-10, CAM SUB 1.00-00, NET MAIN 1.00-06, NET SUB 1.00-01	H.264 M-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	
Sanyo	VCC-HD2500P	CAM MAIN 1.00-10, CAM SUB 1.00-00, NET MAIN 1.01-02, NET SUB 0.00-00	H.264 M-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	
Sanyo	VCC-HDNT1 / VCC-HD4000 / VCC-HD4000P / VCC-HD4000PC	MAIN 1.05-04, SUB 1.00-03	H.264 M-JPEG	1	2288x1712	-	2/1	Yes	Yes	-	
Sanyo	Note:	PTZ support: zoom, preset, and focus									
Sanyo	VCC-HD4600	CAM MAIN 1.00-05, CAM SUB 1.00-01, NET MAIN 1.00-04, NET SUB 1.00-04	H.264 M-JPEG	1	2288x1712	1-way	2/2	Yes	Yes	-	
Sanyo	Note:	PTZ support: zoom, preset, and focus									
Sanyo	VCC-HD4600P		H.264 M-JPEG	1	2288x1712	1-way	2/2	Yes	Yes	-	
Sanyo	VCC-HD5400		H.264 M-JPEG	1	2288x1712	1-way	4/2	Yes	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Sanyo	VCC-HD5400P		H.264 M-JPEG	1	2288x1712	1-way	4/2	Yes	Yes	-	
Sanyo	VCC-HD5600	CAM MAIN 1.00-04, CAM SUB 1.00-00, MEC MAIN 1.04-00, I/O MAIN 1.03-00, NET MAIN 1.00-04, NET SUB 1.00-02	H.264 M-JPEG	1	2288x1712	1-way	8/2	Yes	Yes	-	
Sanyo	Note:	PTZ Support: enable move feature is supported in NVRmini v2.3.2 and above version; 9~16 preset point are invalid in NVRmini v2.3.1 Max Resolution: 2288x1712(M-JPEG), 1920*1080(H.264)									
Sanyo	VCC-HD5600P		H.264 M-JPEG	1	2288x1712	1-way	8/2	Yes	Yes	-	
Sanyo	Note:	PTZ Support: enable move feature is supported in NVRmini v2.3.2 and above version; 9~16 preset point are invalid in NVRmini v2.3.1 Max Resolution: 2288x1712(M-JPEG), 1920*1080(H.264)									
Sanyo	VDC-HD3100		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VDC-HD3100P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VDC-HD3300	MAIN 1.00-14, SUB 1.00-02	H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VDC-HD3300P		H.264 M-JPEG	1	2288x1712	-	2/2	-	Yes	-	
Sanyo	VDC-HD3500		H.264 M-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	
Sanyo	VDC-HD3500P		H.264 M-JPEG	1	2288x1712	1-way	2/2	-	Yes	-	
Sanyo	Note:	Administrator privilege account / number: VCC-HD2100/2300/3100/3300: admin / 3; operator / 1 VCC-HD2500/3500/4600/5400/5600: admin / 1; operator / 2 VCC-HD4000: admin / 1									
StarDot	SD130B		M-JPEG	1	1296x960	-	-	-	Yes	-	
StarDot	SD130BN		M-JPEG	1	1296x960	-	-	-	Yes	-	
StarDot	SD130V	NetCamSC 1.1.63	M-JPEG	1	1296x960	-	-	-	Yes	-	
StarDot	SD130VN		M-JPEG	1	1296x960	-	-	-	Yes	-	
StarDot	SD300B		M-JPEG	1	2048x1536	-	-	-	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
StarDot	SD300V		M-JPEG	1	2048x1536	-	-	-	Yes	-	
StarDot	SD500B		M-JPEG	1	2595x1944	-	-	-	Yes	-	
StarDot	SD500BN	NetCamSC 1.1.63	M-JPEG	1	2595x1944	-	-	-	Yes	-	
StarDot	SD500V		M-JPEG	1	2595x1944	-	-	-	Yes	-	
StarDot	SD500VN		M-JPEG	1	2595x1944	-	-	-	Yes	-	
StarDot	SDEXP2	ExpressXL 1.1.61	M-JPEG	2	704x480	-	-	-	Yes	-	
StarDot	Note:	Camera doesn't support adjust framerate.									
StarDot	SDEXP4	ExpressXL 1.1.63	M-JPEG	4	704x480	-	-	-	Yes	-	
StarDot	Note:	Camera doesn't support adjust framerate.									
StarDot	SDH130B		H264 M-JPEG	1	1296x976	-	1/0	-	Yes	-	
StarDot	SDH130V		H264 M-JPEG	1	1296x960	-	1/0	-	Yes	-	
StarDot	SDH130BN		H264 M-JPEG	1	1296x976	-	1/0	-	Yes	-	
StarDot	SDH130VN		H264 M-JPEG	1	1296x960	-	1/0	-	Yes	-	
StarDot	SDH300B		H264 M-JPEG	1	2048x1536	-	1/0	-	Yes	-	
StarDot	SDH300V		H264 M-JPEG	1	2048x1536	-	1/0	-	Yes	-	
StarDot	SDH500B		H264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	
StarDot	SDH500V		H264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	
StarDot	SDH500BN	1.1.68	H264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	
StarDot	SDH500VN		H264 M-JPEG	1	2560x1944	-	1/0	-	Yes	-	
Truen	TCS-200	Enc: V1.104A-035	H.264	1	720x576	1-way	2/2	Yes	Yes	-	
Truen	TCS-2000	Enc: V1.103C-005	H.264 MJPEG	1	1920x1080	1-way	2/2	Yes	Yes	-	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Truen	TCS-300	Enc: V1.103C-005	H.264 MJPEG	1	720x576	1-way	2/2	Yes	Yes	-	
Truen	TCAM-330		H.264 MJPEG	1	720x576	1-way	0/0	Yes	Yes	-	
Truen	TCAM-351		H.264 MJPEG	1	720x576	1-way	0/0	Yes	Yes	-	
Truen	TCAM-370	Enc: V1.103C-005	H.264 MJPEG	1	720x576	1-way	0/0	Yes	Yes	-	
Truen	Note:	Do not support NTSC on TCAM-3XX (330,351,370).									
Truen	TCAM-530	Enc: V1.103C-005	H.264 MJPEG	1	1920x1280	1-way	1/1	-	Yes	-	
Truen	TCAM-531	Enc: V1.103C-005	H.264 MJPEG	1	1280x960	1-way	1/1	-	Yes	-	
Truen	TCAM-531BIR		H.264 MJPEG	1	1280x960	1-way	1/1	-	Yes	-	
Truen	TCAM-540	Enc: V1.103C-006	H.264 MJPEG	1	1920x1280	1-way	1/1	-	Yes	-	
Truen	Note:	Get severe broken image at the highest resolution 1920x1280, which will be improved in future new camera FW. (approx. three months later)									
Truen	TCAM-551		H.264 MJPEG	1	1280x960	1-way	1/1	-	Yes	-	
Truen	TCAM-570	Enc:V1.103A-031	H.264 M-JPEG	1	1920x1080	1-way	2/2	Yes	Yes	-	
Truen	Note:	The resolution for dual stream is 352x240, however, the quality is bad on 352x240 by connecting through HTTP. Please switch to other protocols.									
Truen	Note:	All cameras: The video @ H.264 with TCP protocol is not smooth in the conditions of high resolution, fps and bitrate, which will be improved in future camera FW. (approx. three months later)									
Vidosec	IBF-211	5.0.2.3874	H.264 MPEG4 M-IPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	
Vidosec	ICS-13	CCD-cameraFw-100811P ef20110215NS	H.264 MPEG4 M-JPEG	1	1280x960	1-way	1/1	-	Yes	-	
Vidosec	ICS-20F	ef20110215ANS	MJPEG H2.64	1	1920x1080	1-way	1/1	-	Yes	Yes	
Vidosec	Note:	With HW restrictions, the video @ H.264 with TCP protocol is not smooth in the second and third high resolution.									
Vidosec	ID-20	ef20110215ANS	MJPEG H2.64	1	1920x1080	1-way	-	-	Yes	Yes	
Vidosec	Note:	With HW restrictions, the video @ H.264 with TCP protocol is not smooth in the second and third high resolution.									

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Videosec	IDA-210		H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	Tested by manufacturer
Videosec	IP-206M	5.a.2.4031	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	Yes	
Videosec	IS-240		H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	Tested by manufacturer
Videosec	Note:	To solve the disconnection problems on SXGA resolution with quality 99 and 100, please upgrade to the following FW, which is certified by manufacturer. IBF-211 and IDA-210: 5.0.2.4437; IP-206M and IS-240: 5.a.2.4441									
Vivotek	FD61x1		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	
Vivotek	FD61x2		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	
Vivotek	FD7130	0100e	MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Vivotek	FD7131		MPEG4 M-JPEG	1	720x480	1-way	1/1	-	Yes	Yes	
Vivotek	FD7132	0100f	MPEG4 M-JPEG	1	640x480	-	1/1	-	Yes	Yes	
Vivotek	FD7141	0100g	MPEG4 M-JPEG	1	720x480	-	1/1	-	Yes	Yes	
Vivotek	Note:	MPEG4: Unable to connect through HTTP.									
Vivotek	FD7160		MPEG4 M-JPEG	1	1600x1200	-	-	-	Yes	Yes	
Vivotek	FD8133		H.264 MPEG4 M-JPEG	1	1280x800	-	1/0	-	Yes	Yes	
Vivotek	FD8134	0100e	H.264 MPEG4 M-JPEG	1	1280x800	-	1/0	-	Yes	Yes	
Vivotek	FD8161	0100h	H.264 MPEG4 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	
Vivotek	FD8361	0100d1	H.264 MPEG5 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	
Vivotek	IP21x1		M-JPEG	1	720x576	-	1/1	-	Yes	Yes	
Vivotek	IP21x2		M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP3132		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP3133		H.263	1	720x576	1-way	1/1	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Vivotek	IP3135		H.263	1	720x576	1-way	-	-	Yes	Yes	
Vivotek	IP3135-PLNK		H.263	1	720x576	1-way	1/2	-	Yes	Yes	
Vivotek	IP3136		H.263	1	720x576	1-way	-	-	Yes	Yes	
Vivotek	IP3136-PLNK		H.263	1	720x576	1-way	1/2	-	Yes	Yes	
Vivotek	IP3137		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP31x1		H.263	1	720x576	-	1/1	-	Yes	Yes	
Vivotek	IP31x1TLFN		H.263	1	720x576	-	1/1	-	Yes	Yes	
Vivotek	IP31x2		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP31x7		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP51x2		MPEG4	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP51x4		MPEG4	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP6114		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP6124		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP61x2		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP61x4		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP61X7		MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP7130	0100c	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Vivotek	IP7131		MPEG4	1	704x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP7132		MPEG4	1	704x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP7133	0100b	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Vivotek	IP7134	0100b	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Vivotek	IP7135		MPEG4	1	704x576	1-way	-	-	Yes	Yes	
Vivotek	IP7137		MPEG4	1	704x576	1-way	-	-	Yes	Yes	
Vivotek	IP7138	0101h	MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Vivotek	IP7139		MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Vivotek	IP7142		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP7151		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP7152		MPEG4 M-JPEG	1	704x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP7153		MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Vivotek	IP7154	0100b	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Vivotek	IP7160	0101b	MPEG4 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	
Vivotek	IP7161		MPEG4 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	
Vivotek	IP71x7		MPEG4	1	704x576	1-way	1/1	-	Yes	Yes	
Vivotek	IP7251	0100f	MPEG4	1	640x480	1-way	1/1	Yes	Yes	Yes	
Vivotek	Note:	MPEG4: Unable to connect through HTTP.									
Vivotek	IP7330		MPEG4 M-JPEG	1	640x480	-	1/0	-	Yes	Yes	
Vivotek	IP7361		MPEG4 M-JPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	
Vivotek	IP8132		H.264 MPEG4 M-JPEG	1	1280x800	-	1/0	-	Yes	Yes	
Vivotek	IP8151	0200a	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	
Vivotek	Note:	This camera FW is under testing by manufacturer, so there are two issues existed which should be fixed in the official release: video stream of M-JPEG is not continuous; there is an image problem on resolution 176x144 @H.264.									

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Vivotek	IP8161	0100k	H.264 MPEG4 M-JPEG	1	1600x1200	1-way	1/1	Yes	Yes	Yes	
Vivotek	IP8330	0100e	H.264 MPEG4 M-JPEG	1	640x480	-	1/0	-	Yes	Yes	
Vivotek	IP8332		H.264 MPEG4 M-JPEG	1	1280x800	-	1/0	-	Yes	Yes	
Vivotek	IZ7151		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	Note:	PTZ Support: zoom only.									
Vivotek	MD7560	0100c	H.264 MPEG4 M-JPEG	1	1600x1200	1-way	1/0	-	Yes	Yes	
Vivotek	PT3134		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PT31x2		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PT31x3		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PT31x4		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PT31x7		H.263	1	720x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PT7000		MPEG4	1	720x576	1-way	-	Yes	Yes	Yes	
Vivotek	PT7135		MPEG4	1	720x576	1-way	-	Yes	Yes	Yes	
Vivotek	PT7137		MPEG4	1	704x576	1-way	-	Yes	Yes	Yes	
Vivotek	PZ61x2		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PZ61x4		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PZ7131	0100b	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Vivotek	PZ7132		MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Vivotek	PZ7151	0101b	MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	Note:	MPEG4: Unable to connect through HTTP.									
Vivotek	PZ7152		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Vivotek	PZ71X1		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	PZ71X2		MPEG4 M-JPEG	1	704x576	1-way	1/1	Yes	Yes	Yes	
Vivotek	SD61x2		MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	
Vivotek	SD7151	0101d	MPEG4 M-JPEG	1	720x576	1-way	4/1	Yes	Yes	Yes	
Vivotek	Note:	No audio support in M-JPEG format. MPEG4: Unable to connect through HTTP.									
Vivotek	SD73X3		MPEG4 M-JPEG	1	704x576	1-way	4/1	Yes	Yes	Yes	
Vivotek	SD81X1	0100e	MPEG4 M-JPEG	1	704x576	1-way	4/1	Yes	Yes	Yes	
Vivotek	TC5330		MPEG4 M-JPEG	1	640x480	-	-	-	Yes	Yes	
Vivotek	TC5331		MPEG4	1	720x576	1-way	-	-	Yes	Yes	
Vivotek	TC5630		MPEG4	1	720x576	1-way	-	-	Yes	Yes	
Vivotek	TC5631		MPEG4	1	720x576	1-way	-	-	Yes	Yes	
Vivotek	VS2101		M-JPEG	1	720x576	-	1/1	-	Yes	Yes	
Vivotek	VS2401		M-JPEG	4	720x576	-	4/2	-	Yes	Yes	
Vivotek	VS2402		M-JPEG	4	720x576	-	4/2	-	Yes	Yes	
Vivotek	VS2403	0103b	M-JPEG	4	720x576	1-way	4/4	Yes	Yes	Yes	
Vivotek	VS3100		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	VS3101		H.263	1	720x576	-	1/1	-	Yes	Yes	
Vivotek	VS3102		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	VS3102-XLTH		H.263	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	VS7100	0101e	MPEG4 M-JPEG	1	720x576	-	1/1	Yes	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Vivotek	Note:	MPEG4: Unable to connect through HTTP.									
Vivotek	VS8102		H.264 MPEG4 M-JPEG	1	720x576	1-way	1/1	-	Yes	Yes	
Vivotek	VS8801	0100h	H.264 MPEG4 M-JPEG	8	720x480	1-way	8/8	Yes	Yes	-	
Vivotek	Note:	Audio: All cameras don't support AAC audio codec, but GSM-AMR.									
Zavio	B5110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Zavio	B6110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Zavio	D510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	D520E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	D610A	LM.1.6.16	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Zavio	D6111	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Zavio	D611E	LM.1.6.16	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Zavio	F210A	LM.1.6.15	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Zavio	F3100	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	Yes	
Zavio	F3105	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	-	-	Yes	Yes	
Zavio	F312A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Zavio	F5100	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Zavio	F5105	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Zavio	F510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F510W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F5110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	
Zavio	F5115	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	-	Yes	Yes	

Company	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Remarks
Zavio	F511E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F511W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F520E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F521E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F610A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F611E	LM.1.6.16.007	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	F721A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	-	-	Yes	Yes	
Zavio	F731E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	-	Yes	Yes	
Zavio	M510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Zavio	Note:	PTZ Support: pan and tilt only									
Zavio	M510W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Zavio	Note:	PTZ Support: pan and tilt only									
Zavio	M511E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Zavio	Note:	PTZ Support: pan and tilt only									
Zavio	M511W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	
Zavio	Note:	PTZ Support: pan and tilt only									
Zavio	P5110	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	
Zavio	Note:	PTZ Support: pan and tilt only									
Zavio	P5115	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	1280x1024	1-way	1/1	Yes	Yes	Yes	
Zavio	Note:	PTZ Support: pan and tilt only									
Zavio	V111T	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	1-way	1/1	Yes	Yes	Yes	