





THERE'S BEAUTY IN THE BOTTOM LINE



AT-A-GLANCE

PRODUCTIVITY

- Production speeds of up to 70 ipm (color)
- Up to 10,000-sheet feeding capacity with up to eight different sources
- Many in-line feeding and finishing options

IMAGE QUALITY

- Up to 1200 x 1200 dpi
- V Toner with oil-less fusing
- Gloss optimization
- Accurate registration

CHOICE OF WORKFLOWS

- PRISMAsync Controller*
- imagePRESS Server A3300/A2300**
- imagePRESS CR Server A7300**

ENVIRONMENT

- INGEDE de-inkability score of 98
- Compliant with RoHS
- Recyclable toner bottles
- No VOCs in consumables

COLOR DIGITAL PRESSES WITH ALL THE ADVANCED CAPABILITIES TO SUCCEED.

EXCEED CUSTOMER EXPECTATIONS

With the Canon imagePRESS c7011 Series, creativity comes to life with vibrant image quality. Smart color management capabilities and harmonious, cutting-edge technologies deliver precise, consistent output that looks and feels like offset printing.

CONFIGURE A RIGHT-SIZE SOLUTION

Modular architecture enables scalability and seamless upgrades. Choose from in-line feeding and finishing options that please your customers and help boost your bottom line.

ACHIEVE PEAK PERFORMANCE

With end-to-end automation and intuitive operation, these digital presses deliver efficient solutions that can help expand opportunities, speed up turnaround times, and reduce costs.

BENEFIT FROM MAXIMUM UPTIME

Robust metal construction means these presses are built to perform. Alert functions, reliable paper-feeding technologies, and on-the-fly replacements of paper and toner help keep productivity high.

ENTER LUCRATIVE MARKETS


Grow your business more efficiently and cost-effectively. With enhanced media-handling capabilities and extensive in-line finishing options, these digital presses let you capture more jobs from new sources.

BENEFIT FROM A SOLID COLLABORATION

Canon continues to deepen its understanding of the marketplace by improving productivity and opening new markets. This expertise, along with Canon's cutting-edge technologies, can help you transform your business.



EXPANDED CAPABILITIES



LARGER FORMAT**

Print sheets up to 13"x 26" with the Long Sheet Feeder. The large sheet size means you can offer more diverse applications and produce more impositions per sheet.



EXPANDED FINISHING

Pleasant customers with the ability to bind manuals and books in-line. Or produce up to 30-sheet (120-page), saddle-stitched booklets with professional, square -folded spines.



MORE MEDIA OPTIONS***

Be productive on thin, thick, and coated stocks. Run media as thick as 120 lb. Cover (325gsm), including coated, uncoated, recycled, and synthetic stocks.



INCREASED AUTOMATION

Canon's advanced automated workflow tools facilitate streamlined production and help enable printers to increase productivity and achieve faster turnaround times.

*** See specialty media handling guide for listing of approved media.

IMAGES THAT RIVAL OFFSET

SUPERB IMAGE QUALITY

GLOSS OPTIMIZATION

As with offset printing, images closely match the gloss levels of the paper stock. The combination of toner characteristics and advanced fusing techniques minimizes deviations in gloss reflectance.

V TONER

Canon's oil-free V Toner has ultra-fine particles and oil-less fusing characteristics that help ensure a lay-flat finish, even on pages with high toner coverage.

IMAGE BELT TRANSFER

A three-layer belt transfers all four colors to paper in a single pass. It penetrates the paper surface for reliable adhesion on plain, coated, and textured stocks.



CANON V TONER

The small particle size enables quality printing on smooth and textured stocks.

OUTSTANDING CONSISTENCY



REAL-TIME CALIBRATION

Color density is measured and adjusted every other sheet during a print run to minimize fluctuation. Predictable color also helps ensure consistent reprint quality.



ACCURATE REGISTRATION

In-track registration, a side guide, and a timing sensor—like those on offset presses—help ensure tight front-to-back registration.



HUMIDITY SENSOR/AIRFLOW UNIT

Precise controls for internal environment and density stabilization help deliver and maintain the highest quality throughout a run.



BUILT TO PERFORM



MAXIMUM UPTIME



ULTRASONIC MULTIFEED DETECTION

Detect and divert any multisheet feeds to an escape tray while maintaining throughput.



ON-THE-FLY REPLACEMENTS

Keep work flowing with the ability to replace paper and toner. Even empty waste toner, without stopping the press.



DUAL FUSING AND CONSISTENT SPEED

Keep the press productive on regular and mixed media jobs while still maintaining control over gloss and image quality.

ADVANCED PAPER FEEDING

SUCTION FEEDING TECHNOLOGY

As in a sheet-fed, offset press, the top sheet is picked up by air, stabilizing the page as it enters the press.

AIR ASSIST TECHNOLOGY

This assists in feeding media by blowing air throughout the POD Deck and paper trays to reduce double-feeds. A heater absorbs moisture, which is critical for coated stocks.


AIR SEPARATION TECHNOLOGY

To prevent double-feeds and minimize operator intervention, air is blown into the first few sheets, separating them during feeding.



END-TO-END PRODUCTIVITY

ALL THE FEATURES TO HELP ACCELERATE
THE GROWTH OF YOUR BUSINESS



imagePRESS C7011VPS engine shown with options.

KEY FEATURES

FINISHING

1 DECURLING UNIT

This feature uses pressure to help sheets lie flat, even after being exposed to the heat of the fusing unit.

2 SADDLE-STITCH FINISHER

The finisher stitches up to 25 sheets, up to 13" x 19.2" in size, to create 100-page booklets. The unique Saddle Press Technology allows users to adjust pressure applied to the booklet fold based on the thickness and number of sheets, so booklets lie flat.

3 TRIMMING MODULES

These modules work with the Saddle Finisher to produce professional, full-bleed booklets in-line.

STACKERS

4 HIGH-CAPACITY STACKER-C1

Stack flat sheets professionally and use a removable dolly to transfer output to off-line finishing or shipping departments.

HIGH-CAPACITY STACKER-F1

(NOT SHOWN)

This stacker has an unload-while-run capability, providing uninterrupted printing and virtually unlimited stacking.

LONG-SHEET FEEDER*

(NOT SHOWN)

Run sheets up to 13" x 26" with the Long Sheet Feeder. The large sheet size means you can offer more diverse applications and produce more impositions per page.

IMAGING

5 V TONER

Oil-free, wide-gamut colorants enable vivid colors and a realistic finish.

6 E-DRUM

The drum is engineered for optimal image transfer and durability.

7 DUAL FUSING

This feature allows the press to achieve maximum output speeds while stabilizing gloss and coverage across the page.

8 HUMIDITY SENSOR AND AIRFLOW UNIT

Precise controls for internal environment and density stabilization help maintain color and deliver the highest quality throughout a run.

WORK THE WAY YOU WANT



PRISMAsync CONTROLLER*

A HIGHLY ADVANCED AND PRODUCTIVE CONTROLLER WITH EXCEPTIONAL EASE OF USE.

A SINGLE POINT OF CONTROL

The PRISMAsync controller offers a single point of control for your entire production system. From simple print jobs to complex color operations, you can run a wide variety of tasks easily from the same user interface.

INTUITIVE OPERATION

The Printer Driver emulates the user interface screen, so prepress and production tasks are intuitively easy to understand.

EFFICIENT TASK SPLITTING

Structure your work by clearly separating prepress and print production tasks. You can even assign specific jobs to a prepress operator, and store and access work in personalized folders.

TOTAL PRODUCTION CONTROL

Accelerate turnaround times with up to eight hours of plan-ahead production. The unique Job Scheduler provides operators with the ability to monitor multiple jobs, receive custom notifications, and change priorities, as needed. DocBox and Page Programming features let operators store and manipulate jobs on the PRISMAsync controller interface without having to push back on prepress, which can save costly time.

PRISMAsync REMOTE MANAGER

Operators and administrators can manage queues, submit print jobs, and reroute jobs among multiple PRISMAsync-driven engines via the standard PRISMAsync Remote Manager software. The unique, Web-based Multi-Engine Scheduler provides remote monitoring from virtually any workstation or mobile device on your network.



SMART COLOR MANAGEMENT

Easy-to-use color presets help ensure high-quality, consistent color reproduction.

PRODUCTIVE CONTROL

Make adjustments at the press. If a white gap or artificial edge appears between intersecting objects, it can be corrected at the control panel, without going back to prepress.

*Only available on the imagePRESS C7011VPS model.

imagePRESS SERVER A3300/A2300*

HIGH-PERFORMANCE, SCALABLE PRINT CONTROLLERS
POWERED BY FIERY® TECHNOLOGY.

EFFICIENT JOB MANAGEMENT

An interactive interface on the Fiery Command WorkStation® makes it easy to monitor, control, and troubleshoot production from multiple desktops or at the Fiery controller.

WORK ACROSS PLATFORMS

These controllers seamlessly integrate with your current prepress workflows, third-party software, and other EFI™ solutions. Native end-to-end PDF workflow is supported, enabling a smooth process from design to print production.

SPOT-ON™

Backed by Fiery technology, these controllers achieve accurate color with integrated, user-friendly tools. Robust calibration features help ensure consistent, repeatable color.



LATE-STAGE IMAGE EDITING

Optimize images on the RIP without affecting other aspects of the print.

imagePRESS CR SERVER A1300*

A CREO® CONTROLLER FOR DEMANDING GRAPHIC
ARTS PRINTING AND COMPLEX VDP JOBS.

TIGHT INTEGRATION


Simplify and centralize your workflow. Capabilities such as JDF job ticketing automate jobs, including paper tray selection and finishing options. These controllers work with other prepress systems, further streamlining job management.

POWERFUL PROCESSING

With its patented Fusion® board, this color controller delivers the power to recall previously used images within the same job for variable print applications without re-RIPping. Operators have the flexibility to start printing a job while it's still RIPping.

SUPERB COLOR CONTROL

Powered by Creo Color Server Technology, these controllers provide outstanding color and image control. Predefined color sets and the spot color editor assist operators in optimizing images before going on press.



*Only available on the imagePRESS C7011VP model.

FINISHING TOUCHES

GROW YOUR BUSINESS

EXTEND YOUR MARKETS


From book covers to manuals to posters, the imagePRESS C7011VP/S lets you tap into new markets. With a wide range of in-line feeding and finishing modules designed to meet a broad range of customer needs, you can effectively grow your business.

REALIZE MULTIPLE SAVINGS

Help reduce lead times and costs—all without compromising quality. The imagePRESS C7011VP/S enables you to produce and finish more jobs in-line and without interruption.



KEY FINISHING OPTIONS



LONG SHEET FEEDER

Run sheets up to 13" x 26" The large sheet size means you can offer more diverse applications and produce more impositions per page.



SADDLE-STITCH FINISHER

Stitch up to 25 sheets, up to 13" x 19.2" in size, to create 100-page booklets. Saddle Press Technology ensures that booklets lie flat.



PERFECT BINDER

Using hot glue, this module binds covers to book blocks of up to 400 pages and can trim on all three sides.



UV COATER

Enhance the appeal and extend the life of your prints with an ultra-violet (UV) protective coating. This in-line solution offers gloss, matte, or satin finishes.



PROFESSIONAL BOOKLET-MAKER

Produce 30-sheet, saddle-stitched booklets with professional square-folded spines. The unique rotator feature keeps work moving even while printing letter-sized, landscape booklets.



BOOKLET AND TWO-KNIFE TRIMMER

Use this module with the Saddle-Stitch Finisher to create full-bleed, saddle-stitched booklets.



PROFESSIONAL PUNCH

Perfect for manuals, presentations, and calendar applications, this module offers numerous standard—and customized die patterns for document preparation in-line.



RING BINDER

Produce up to 50- or 100-sheet ring-bound booklets in-line to eliminate the handling and finishing steps between printing and binding.

A VALUABLE COMBINATION

POWER YOUR BUSINESS

A COMPETITIVE DIFFERENCE

Give your business a competitive edge by letting Canon help you increase productivity and improve your bottom line. Canon's extensive print experience has deep insight into industry characteristics and trends—and its customers' challenges and aspirations. Canon's exceptional, detailed understanding of various printing markets allows it to tailor its solutions to help meet your specific needs.


TOTAL SOLUTIONS

Canon's portfolio of technology offerings is among the broadest in the industry. From digital cut-sheet, continuous-feed, and wide-format to inkjet, photo printers, and workflow solutions, Canon customizes its offerings to help its customers meet their goals.



LEARN FROM EXPERIENCE

USA.CANON.COM/PRODUCTIONPRINTING



SPECIFICATIONS



MARKING ENGINE

Technology:	Electrophotography
Resolution:	Up to 1200 x 1200 dpi
Halftones:	256-Level Grayscale
Print Speed (IPM)	Simplex/Duplex
8.5" x 11":	70
11" x 17":	37
12" x 18":	35
13" x 19":	33
Paper Size:	7.2" x 7.2" to 13" x 19.2"
Paper Feeding	
Standard:	2,000 Sheets (20 lb. Bond)
Maximum:	10,000 Sheets (20 lb. Bond)
Paper Weight:	16 lb. Bond to 120 lb. Cover (60 gsm to 325 gsm)
Duplexing/Perfecting:	Automatic Duplex/Perfect Any Supported Stock
Power Source	3-Phase 208 V/30 A
Dimensions (H x W x D):	52.4" x 101.8" x 45.4"

INPUT ACCESSORIES

POD Deck-AI

Paper Capacity:	4,000 Sheets (20 lb. Bond)
Paper Size:	7.2" x 7.2" to 13" x 19.2"
Paper Weight:	16 lb. Bond to 120 lb. Cover (60 gsm to 325 gsm)
Dimensions (H x W x D):	43.1" x 38.7" x 31.2"
Power Source:	208 V/15 A

Secondary POD Deck-AI

Paper Capacity:	4,000 Sheets (20 lb. Bond)
Paper Size:	7.2" x 7.2" to 13" x 19.2"
Paper Weight:	16 lb. Bond to 120 lb. Cover (60 gsm to 325 gsm)
Dimensions (H x W x D):	43.1" x 31.9" x 31.2"
Power Source:	From POD Deck-AI

Paper Deck-ACI

Paper Capacity:	3,500 Sheets (20 lb. Bond)
Paper Size:	Letter, Letter-R, Legal, 11" x 17", 12" x 18", 13" x 19.2"
Paper Weight:	17 lb. Bond to 110 lb. Cover (64 gsm to 300 gsm)
Dimensions (H x W x D):	22.4" x 23.7" x 24.4"

Stack Bypass-AI

Paper Capacity:	100 Sheets (20 lb. Bond)
Paper Size:	5.5" x 7.2" to 13" x 19"
Paper Weight:	17 lb. Bond to 140 lb. Index (64 gsm to 256 gsm)

Color Image Reader-HI

Image Sensor:	CCD
Document Size:	Statement to 11" x 17"
Resolution:	600 x 600 dpi, 256 Gradations

DADF (Duplex Automatic Document Feeder)-RI

Tray Capacity:	100 Sheets (20 lb. Bond)
Scanning Speed:	Up to 80 ipm (300 dpi) Up to 50 ipm (600 dpi)
Original Size:	Statement to 11" x 17"
Paper Weight:	13 lb. Bond to 80 lb. Cover (50 gsm to 216 gsm)

FINISHING ACCESSORIES

Professional Puncher-BI/Integration Unit-AI

Original Size:	LTR, LTR-Tab Paper
Paper Weight:	20 lb. Bond to 80 lb. Cover (75gsm to 216gsm)
Die Set Patterns:	Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, ProClick 32-Hole, Color Coil 44-Hole

Dimensions (H x W x D):	40.9" x 22.0" x 31.2"
Power Supply:	120 V/15 A

High-Capacity Stacker-CI/FI

Offset Stack Capacity:	CI: 5,000 Sheets (20 lb. Bond) FI: 6,000 Sheets (20 lb. Bond)
Top Tray Capacity:	CI: 1,000 Sheets (20 lb. Bond) FI: 200 Sheets (20 lb. Bond)

Paper Size:	Up to 13" x 19.2"
Paper Weight	CI: 16 lb. Bond to 120 lb. Cover (60 gsm to 325 gsm) FI: 16 lb. Bond to 120 lb. Cover (60 gsm to 325 gsm)

Max. Connectivity:	CI: 2 Units FI: 1 Unit
Dimensions (H x W x D):	CI: 48.8" x 33.9" x 30.1" FI: 40.9" x 35.4" x 29.3"
Power Source:	120 V/15 A

Finisher-AJI/Saddle Finisher-AJ2

Tray Capacity	
Top Tray:	3,000 Sheets (20 lb. Bond)
Lower Tray:	2,000 Sheets (20 lb. Bond)
Saddle-Stitch Tray:	30 Booklets or Limitless
Staple Positions:	Corner Stapling, Double Stapling
Paper Weight:**	16 lb. Bond to 120 lb. Cover (60gsm to 325gsm)

Paper Size	
Stapling:	Executive, Letter-R, Letter, Legal, 11" x 17"
Saddle Finisher:	Letter-R, Legal, 11" x 17", 12" x 18", 13" x 19", Custom Size
Stapling Capacity:	Up to 100 Sheets
Booklet Stapling Capacity	
Uncoated:	Up to 25 Sheets
Coated:	Up to 15 Sheets
V-Folding:	Up to 5 Sheets without Stitch (20 lb. Bond)
Dimensions (H x W x D):	AJ1: 46.5" x 35.0" x 31.2" AJ2: 46.5" x 41.7" x 31.2"
Power Source:	120 V/15 A

Perfect Binder-BI

Cutting Method:	3-Side Cut/1-Side Cut/No Cut
Finished Book Size:	5.4" x 7.99" to 8.5" x 11.69"
Book Thickness:	10 to 200 Sheets (20 lb. Bond) (up to 0.98")
Body Paper Weight:	16 lb. Bond to 43 lb. Bond (60 gsm to 163 gsm)
Cover Paper Weight:	28 lb. Bond to 110 lb. Cover (91 gsm to 300 gsm)
Trim Range	
Top/Bottom:	.26" to 1.56"
Side:	.26" to 1.95"
Dimensions (H x W x D):	53.5" x 36.3" x 31.1"
Power Source:	208 V/15 A

Booklet Trimmer-DI***

Margin Trimming:	Open-end Only
Trim Amount:	0.08" to 0.78"
Trim Thickness:	50 Sheets
Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
Output Tray Capacity:	30 Booklets
Dimensions (H x W x D):	40.9" x 62.1" x 30.3"

Two-Knife Booklet Trimmer-AI†

Margin Trimming:	Top and Bottom
Trim Amount:	0.08" to 0.59"
Trim Thickness:	50 Sheets
Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
Dimensions (H x W x D):	40.9" x 21.1" x 30.3"
Power Supply:	120 V/15 A

Puncher Unit-BBI (Option for Finisher/Saddle Finisher)

Paper Weight:	16 lb. Bond to 110 lb. Index (60 gsm to 200 gsm)
Paper Sizes	
2-Hole:	Legal, Letter-R
3-Hole:	11" x 17", Letter, Executive

Document Insertion Unit-CI (Option for Finisher/Saddle Finisher)

Tray Capacity	
Upper Tray:	200 Sheets
Lower Tray:	200 Sheets
Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
Paper Size	
Upper Tray:	7.2" x 7.2" to 11.7" x 13"
Lower Tray:	7.2" x 7.2" to 13" x 19.2"

* Size includes Professional Puncher Integration Unit-AI.

** Saddle-stitching cannot handle over 110 lb. Cover.

*** Must connect to Saddle Finisher-AJ2.

† Must connect to Booklet Trimmer-DI.

USA.CANON.COM/PRODUCTIONPRINTING



The imagePRESS C7011VP/S contains multiple components, some of which are manufactured by third parties. Accordingly, Canon makes no representations or warranties with respect to such third-party products. For additional information on any Canon or third-party accessories, contact your Canon representative. Canon, imagePRESS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. All printer output images are simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.

©2015 Canon U.S.A., Inc. All rights reserved.

1115R-C7011VP/S-PDF-IH

