

SECTION I - Alphabetical index to diseases and nature of injury**A****Aarskog's syndrome** Q87.1 2a**Abandonment** T74.0**Abasia(-astasia) (hysterical)** F44.4**Abdomen, abdominal** - *see also condition*

- acute R10.0 2b

- convulsive equivalent G40.8

- muscle deficiency syndrome Q79.4

Abdominalgia R10.4 2b

- periodic E85.9 2b

Abduction contracture, hip or other joint - *see* Contraction, joint**Aberrant (congenital)** - *see also* Malposition, congenital

- adrenal gland Q89.1

- artery (peripheral) NEC Q27.8 2a 2b

- breast Q83.8

- endocrine gland Q89.2

- hepatic duct Q44.5

- pancreas Q45.3

- parathyroid gland Q89.2

- pituitary gland Q89.2

- sebaceous glands, mucous membrane, mouth, congenital Q38.6

- spleen Q89.0

- subclavian artery Q27.8 2a 2b

- thymus (gland) Q89.2

- thyroid gland Q89.2

- vein (peripheral) NEC Q27.8 2a 2b

Aberration, mental F99 2a 2b**Abetalipoproteinemia** E78.6**Abiotrophy** R68.8 2a 2b**Ablatio, ablation**

- pituitary (gland) E23.0 2b

- placentae (*see also* Abruptio placentae) O45.9 2b

- - affecting fetus or newborn P02.1 2a

- - retinæ (*see also* Detachment, retina) H33.2

- - uterus Z90.7(1)

Ablepharia, ablepharon Q10.3**Abnormal, abnormality, abnormalities** - *see also* Anomaly

- acid-base balance (mixed) E87.4

- - due to

- - - medical care NEC E89.8 2b

- - fetus - *see* Distress, fetal

- albumin R77.0

- alphafetoprotein R77.2

- - maternal, affecting fetus or newborn P00.8

- amnion, amniotic fluid O41.9

- - affecting fetus or newborn P02.9

- anticoagulation D68.9 2b

- - newborn (transient) P61.6

- apertures, congenital, diaphragm Q79.1 2b

- auditory perception NEC H93.2

- autosomes NEC Q99.9

- - 12 Q99.8 2a

- - 21 Q90.9 2b

- - fragile site Q95.5

- basal metabolic rate R94.8

- biosynthesis, testicular androgen E29.1

- blood level (of)

- - cobalt R79.0
- - copper R79.0
- - iron R79.0
- - lithium R78.8 2b
- - magnesium R79.0
- - mineral NEC R79.0
- - zinc R79.0
- blood-gas level R79.8 2a 2b
- bowel sounds R19.1
- breathing NEC R06.8 2a 2b
- caloric test R94.1
- cervix NEC (acquired) (congenital), in pregnancy or childbirth O34.4
- - causing obstructed labor O65.5
- - - affecting fetus or newborn P03.1
- chemistry, blood R79.9 2b
- - specified NEC R79.8 2a 2b
- chest sounds (friction) (rales) R09.8 2b
- chorion O41.9
- - affecting fetus or newborn P02.9
- chromosome, chromosomal Q99.9
- - 13-15 Q91.7
- - 16-18 Q91.3
- - analysis result R89.8
- - dicentric replacement Q93.2
- - female with more than three X chromosomes Q97.1
- - fetal (suspected), affecting management of pregnancy O35.1
- - ring replacement Q93.2
- - sex Q99.8 2a
- - - female phenotype Q97.9
- - - - specified NEC Q97.8
- - - male phenotype Q98.9
- - - - specified NEC Q98.8
- - - structural, male Q98.6
- - specified NEC Q99.8 2a
- clinical findings NEC R68.8 2a 2b
- coagulation D68.9 2b
- - newborn, transient P61.6
- communication - *see* Fistula
- course, eustachian tube Q16.4
- diagnostic imaging
 - - abdomen, abdominal region NEC R93.5
 - - biliary tract R93.2
 - - breast R92
 - - central nervous system NEC R90.8
 - - coronary circulation R93.1
 - - digestive tract NEC R93.3
 - - gastrointestinal (tract) R93.3
 - - genitourinary organs R93.8
 - - head R93.0
 - - heart R93.1
 - - intrathoracic organs NEC R93.8
 - - limbs R93.6
 - - liver R93.2
 - - lung (field) R91 2a 2b
 - - musculoskeletal system NEC R93.7
 - - retroperitoneum R93.5
 - - sites specified NEC R93.8
 - - skin and subcutaneous tissue R93.8
 - - skull R93.0
 - - urinary organs R93.4
- ear ossicles, acquired NEC H74.3
- echocardiogram R93.1
- echoencephalogram R90.8
- echogram - *see* Abnormal, diagnostic imaging
- electrocardiogram (ECG) (EKG) R94.3

- electroencephalogram (EEG) R94.0
- electrolyte (*see also* Imbalance, electrolyte) E87.8
- electromyogram (EMG) R94.1
- electro-oculogram (EOG) R94.1
- electrophysiological intracardiac studies R94.3
- electroretinogram (ERG) R94.1
- feces (color) (contents) (mucus) R19.5
- fetus, fetal
 - - acid-base balance, complicating labor and delivery O68.3
 - - affecting management of pregnancy O35.9
 - - causing disproportion O33.7
 - - - with obstructed labor O66.3
 - - - affecting fetus or newborn P03.1
 - - heart rate - *see* Distress, fetal
- finding
 - - antenatal screening, mother O28.9
 - - - chromosomal NEC O28.5
 - - - cytological NEC O28.2
 - - - genetic NEC O28.5
 - - - hematological NEC O28.0
 - - - radiological NEC O28.4
 - - - specified NEC O28.8
 - - - ultrasonic O28.3
 - - specimen - *see* Abnormal, specimen
- fluid
 - - amniotic O41.9
 - - cerebrospinal R83-
 - - peritoneal R85-
 - - pleural R84-
 - - respiratory organs (bronchial washings) (nasal secretions) (pleural fluid) (sputum) (throat scrapings) R84-
 - - synovial R89-
 - - thorax (bronchial washings) (pleural fluid) R84-
 - - vaginal R87-
- forces of labor O62.9
- - affecting fetus or newborn P03.6
- - specified type NEC O62.8
- form
 - - teeth K00.2
 - - uterus - *see* Anomaly, uterus
- function
 - - lung, adult R06.8 2a 2b
 - - pulmonary, adult R06.8 2a 2b
 - - function studies
 - - bladder R94.8
 - - brain R94.0
 - - cardiovascular R94.3
 - - endocrine NEC R94.7
 - - kidney R94.4
 - - liver R94.5
 - - nervous system
 - - - central R94.0
 - - - peripheral R94.1
 - - pulmonary R94.2
 - - special senses R94.1
 - - spleen R94.8
 - - thyroid R94.6
- gait (*see also* Gait) R26.8 2b
 - - ataxic R26.0 2b
 - - hysterical F44.4
- globulin R77.1 2b
- - cortisol-binding E27.8
- - thyroid-binding E07.8
- glomerular, minor - *code to N00-N07 with fourth character .0* N05.0
- glucose tolerance (test) R73.0 2b
 - - in pregnancy, childbirth or puerperium O99.8 2b

- gravitational (G) forces or states (effect of) T75.8 2b
- hair (color) (shaft) L67.9
- - specified NEC L67.8
- hard tissue formation in pulp (dental) K04.3
- head movement R25.0 2b
- heart
 - - rate NEC R00.8 2b
 - - - fetus - *see* Distress, fetal
 - - shadow R93.1
 - - sounds NEC R01.2 2b
- hematological NEC, resulting from HIV disease B23.2
- hemoglobin (disease) (*see also* Disease, hemoglobin) D58.2 2b
- - trait - *see* Trait, hemoglobin, abnormal
- histology NEC R89.7 2b
- immunological findings R89.4
- - in serum R76.9
- - - specified NEC R76.8
- - resulting from HIV disease B23.2
- involuntary movement R25.8 2b
- jaw closure K07.5
- karyotype R89.8
- kidney function test R94.4
- labor NEC O75.8
 - - affecting fetus or newborn P03.6
- leukocyte (cell) (differential) NEC R72 2b
- liver studies R94.5
- loss of weight R63.4
- mandible K07.8
- Mantoux test R76.1
- membranes (fetal)
 - - affecting fetus or newborn P02.9
 - - complicating pregnancy O41.9
 - - specified type NEC, affecting fetus or newborn P02.8
- metabolism, metabolic E88.9
- movement (disorder) (*see also* Disorder, movement) G25.9
- - head R25.0 2b
- - involuntary R25.8 2b
- myoglobin (Aberdeen) (Annapolis) R89-
- organs or tissues of pelvis NEC
 - - in pregnancy or childbirth O34.9
 - - - affecting fetus or newborn P03.8
 - - - causing obstructed labor O65.5
 - - - - affecting fetus or newborn P03.1
 - - - specified NEC O34.8
- palmar creases Q82.8 2b
- Papanicolaou (smear)
- - cervix R87.6
- - sites NEC R89.6
- parturition
 - - affecting fetus or newborn P03.9
 - - mother - *see* Delivery, complicated
 - - pelvis (bony) - *see* Deformity, pelvis
 - - percussion, chest (tympany) R09.8 2b
 - - periods (grossly) (*see also* Menstruation) N92.6
 - - phonocardiogram R94.3
 - - placenta NEC (*see also* Placenta, abnormal) O43.1
 - - plasma
 - - protein R77.9
 - - - specified NEC R77.8
 - - viscosity R70.1
 - - platelets D69.1
 - - pleural (folds) Q34.0
 - - position - *see* Malposition
 - - posture R29.3
 - - presentation (fetus) (*see also* Presentation, fetal, abnormal) O32.9

- - before labor, affecting fetus or newborn P01.7
- product of conception O02.9
- - specified type NEC O02.8
- pulmonary
 - - artery, congenital Q25.7
 - - function, newborn P28.8
- - test results R94.2
- - ventilation, newborn P28.8
- pupillary function (reaction) (reflex) H57.0
- radiological examination - *see* Abnormal, diagnostic imaging
- red blood cell(s) (morphology) (volume) R71
- reflex NEC (*see also* Reflex) R29.2
- renal function test R94.4
- response to nerve stimulation R94.1
- retinal correspondence H53.3
- rhythm, heart (*see also* Arrhythmia) I49.9 2b
- - fetus - *see* Distress, fetal
- saliva R85-
- secretion
 - - gastrin E16.4
 - - glucagon E16.3
- semen, seminal fluid R86-
- serum level (of)
 - - acid phosphatase R74.8
 - - alkaline phosphatase R74.8
 - - amylase R74.8
 - - enzymes (liver) R74.9
 - - - specified NEC R74.8
 - - lipase R74.8
 - - triacylglycerol lipase R74.8
- shape, gravid uterus - *see* Anomaly, uterus
- sinus venosus Q21.1 2b
- size, tooth, teeth K00.2
- spacing, tooth, teeth K07.3
- specimen
 - - cervix uteri R87-
 - - digestive organs (peritoneal fluid) (saliva) R85-
 - - female genital organs (secretions) (smears) R87-
 - - male genital organs (prostatic secretions) (semen) R86-
 - - nipple discharge R89-
 - - respiratory organs (bronchial washings) (nasal secretions) (pleural fluid) sputum) (throat scrapings) R84-
 - - specified organ, system or tissue NEC R89-
 - - synovial fluid R89-
 - - thorax (bronchial washings) (pleural fluids) R84-
 - - vagina (secretion) (smear) R87-
 - - vulva (secretion) (smear) R87-
 - - wound secretion R89-
- spermatozoa R86-
- sputum (amount) (color) (odor) R09.3
- stool (color) (contents) (mucus) R19.5
- synchondrosis Q78.8
- thermography - *see* Abnormal, diagnostic imaging
- thyroid-binding globulin E07.8
- tooth, teeth (form) (size) K00.2
- toxicology (findings) R78.9
- transport protein E88.0 2b
- ultrasound results - *see* Abnormal, diagnostic imaging
- umbilical cord
 - - affecting fetus or newborn P02.6
 - - complicating delivery O69.9
- urination NEC R39.1 2b
- urine (constituents) NEC R82.9 2b
- - cytological examination R82.8
- - heavy metals R82.6 2a 2b
- - histological examination R82.8

- - microbiological examination (culture) R82.7
- - positive culture R82.7
- - specified NEC R82.9 2b
- - substances nonmedical R82.6 2a 2b
- - vagina (acquired) (congenital), in pregnancy or childbirth O34.6
- - causing obstructed labor O65.5
- - - affecting fetus or newborn P03.1
- vectorcardiogram R94.3
- visually evoked potential (VEP) R94.1
- vulva and perineum (acquired) (congenital), in pregnancy or childbirth O34.7
- - causing obstructed labor O65.5
- - - affecting fetus or newborn P03.1
- white blood cells NEC R72 2b
- X-ray examination - *see* Abnormal, diagnostic imaging

Abnornmity (any organ or part) - *see* Anomaly

ABO hemolytic disease (fetus or newborn) P55.1

Abolition, language R48.8

Aborter, habitual or recurrent NEC

- care in current pregnancy O26.2
- current abortion - *see* categories O03-O06
- - affecting fetus or newborn P01.8
- without current pregnancy N96
- Abortion (complete) (incomplete)** O06-
- accidental O03-
- - fetus or newborn P01.8
- attempted (failed) (induced) (nonmedical) O07.9
- - complicated by
 - - - afibrinogenemia O07.6
 - - - cardiac arrest O07.8
 - - - chemical damage of pelvic organ(s) O07.8
 - - - circulatory collapse O07.8
 - - - defibrillation syndrome O07.6
 - - - electrolyte imbalance O07.8
 - - - embolism (amniotic fluid) (blood clot) (pulmonary) (septic) (soap) O07.7
 - - - endometritis O07.5
 - - - hemorrhage (delayed) (excessive) O07.6
 - - - infection, genital tract or pelvic O07.5
 - - - intravascular coagulation O07.6
 - - - laceration of pelvic organ(s) O07.8
 - - - oliguria O07.8
 - - - oophoritis O07.5
 - - - parametritis O07.5
 - - - pelvic peritonitis O07.5
 - - - perforation of pelvic organ(s) O07.8
 - - - renal failure or shutdown O07.8
 - - - salpingitis or salpingo-oophoritis O07.5
 - - - sepsis O07.5
 - - - septic shock O07.5
 - - - septicemia O07.5
 - - - shock O07.8
 - - - - septic O07.5
 - - - specified condition NEC O07.8
 - - - tubular necrosis (renal) O07.8
 - - - urinary infection O07.8
- - illegal O07-
- - medical O07.4
- - - complicated by
 - - - - afibrinogenemia O07.1
 - - - - cardiac arrest O07.3
 - - - - chemical damage of pelvic organ(s) O07.3
 - - - - circulatory collapse O07.3
 - - - - defibrillation syndrome O07.1
 - - - - electrolyte imbalance O07.3
 - - - - embolism (amniotic fluid) (blood clot) (pulmonary) (septic) (soap) O07.2
 - - - - endometritis O07.0

- - - hemorrhage (delayed) (excessive) O07.1
 - - - infection, genital tract or pelvic O07.0
 - - - intravascular coagulation O07.1
 - - - laceration of pelvic organ(s) O07.3
 - - - oliguria O07.3
 - - - ophoritis O07.0
 - - - parametritis O07.0
 - - - pelvic peritonitis O07.0
 - - - perforation of pelvic organ(s) O07.3
 - - - renal failure or shutdown O07.3
 - - - salpingitis or salpingo-oophoritis O07.0
 - - - sepsis O07.0
 - - - septic shock O07.0
 - - - septicemia O07.0
 - - - shock O07.3
 - - - septic O07.0
 - - - specified condition NEC O07.3
 - - - tubular necrosis (renal) O07.3
 - - - urinary infection O07.3

Complication of abortion, current episode (O03-O06)		Complication of pregnancy with abortive outcome, subsequent episode (O08 2a 2b)
complete or unspecified	incomplete	

Note: The following fourth-character list is provided to be used with categories O03-O06 and O08 2a 2b A distinction is made between an episode of care at which a disease or injury and resulting complications or manifestations are treated together—"current episode"—and an episode of care for complications or manifestations of diseases or injuries treated previously—"subsequent episode".

- complicated (by)	.8	.3	.9
- - afibrinogenemia	.6	.1	.1
- - cardiac arrest	.8	.3	.8
- - chemical damage			
- - - bladder	.8	.3	.6
- - - bowel	.8	.3	.6
- - - broad ligament	.8	.3	.6
- - - cervix	.8	.3	.6
- - - periurethral tissue	.8	.3	.6
- - - uterus	.8	.3	.6
- - circulatory collapse	.8	.3	.3
- - damage to pelvic organs or tissues NEC	.8	.3	.6
- - defibrillation syndrome	.6	.1	.1
- - electrolyte imbalance	.8	.3	.5
- - embolism	.7	.2	.2
- - air	.7	.2	.2
- - amniotic fluid	.7	.2	.2
- - blood clot	.7	.2	.2
- - pulmonary	.7	.2	.2
- - pyemic	.7	.2	.2
- - septic	.7	.2	.2
- - septicopyemic	.7	.2	.2

Complication of abortion, current episode (O03-O06)		Complication of pregnancy with abortive outcome, subsequent episode (O08 2a 2b)
complete or unspecified	incomplete	

- - - soap	.7	.2	.2
- - endometritis	.5	.0	.0
- - hemoperitoneum	.1		
- - hemorrhage (delayed) (excessive)	.6	.1	.1
- - ill defined conditions NEC	.8		

- - infection	.5	.0	.0
- - genital	.5	.0	.0
- - pelvic	.8	.3	.8
- - urinary tract	.6	.1	.1
- - intravascular coagulation			
- - laceration			
- - - bladder	.8	.3	.6
- - - bowel	.8	.3	.6
- - - broad ligament	.8	.3	.6
- - - cervix	.8	.3	.6
- - - periurethral tissue	.8	.3	.6
- - - uterus	.8	.3	.6
- - metabolic disorder	.8	.3	.5
- - oliguria	.8	.3	.4
- - oophoritis	.5	.0	.0
- - parametritis	.5	.0	.0
- - pelvic peritonitis	.5	.0	.0
- - perforation			
- - - bladder	.8	.3	.6

	Complication of abortion, current episode (O03-O06)		Complication of pregnancy with abortive outcome, subsequent episode (O08 2a 2b)
	complete or unspecified	incomplete	

- - - bowel	.8	.3	.6
- - - cervix	.8	.3	.6
- - - uterus	.8	.3	.6
- - renal failure (acute)	.8	.3	.4
- - renal shutdown	.8	.3	.4
- - salpingitis	.5	.0	.0
- - salpingo-oophoritis	.5	.0	.0
- - sepsis	.5	.0	.0
- - septic shock	.5	.0	.0
- - septicemia	.5	.0	.0
- - shock (postoperative)	.8	.3	.3
- - tear			
- - - bladder	.8	.3	.6
- - - bowel	.8	.3	.6
- - - broad ligament	.8	.3	.6
- - - cervix	.8	.3	.6
- - - periurethral tissue	.8	.3	.6
- - - uterus	.8	.3	.6
- - tubular necrosis (renal)	.8	.3	.4
- - uremia	.8	.3	.4
- - urinary infection	.8	.3	.8
- failed - <i>see</i> Abortion, attempted			
- fetus or newborn P96.4 2b			
- - in fetal death file P01.8			
- following threatened abortion O03-			
- habitual or recurrent N96			
- - with current abortion - <i>see</i> categories O03-O06			
- - - fetus P01.8			
- - care in current pregnancy O26.2			
- - without current pregnancy N96			
- idiopathic O03-			
- - fetus or newborn P01.8			
- illegal O05-			
- induced O06-			
- - for			
- - - legal indications O04-			
- - - medical indications O04-			
- - - psychiatric indications O04-			
- - nonmedical O05-			

- inevitable O03-
- - fetus or newborn P01.8
- infected O03-
- - fetus or newborn P01.8
- legal (induced) O04-
- - fetus P96.4 2b
- medical O04-
- - fetus P96.4 2b
- missed O02.1
- - fetus or newborn P01.8
- natural O03-
- - fetus or newborn P01.8
- operative - *see* Abortion, medical
- previous (habitual) (recurrent) (spontaneous) O03-
- - affecting fetus or newborn P01.8
- recurrent O03-
- - fetus or newborn P01.8
- retained O02.1
- - fetus or newborn P01.8
- septic O03-
- - fetus or newborn P01.8
- spontaneous O03-
- - fetus P01.8
- - threatened O20.0
- - - affecting fetus or newborn P01.8
- therapeutic O04-
- - fetus P96.4 2b
- threatened (spontaneous) O20.0
- - affecting fetus or newborn P01.8
- tubal O00.1 2b
- - fetus or newborn P01.4
- unavoidable O03-
- - fetus or newborn P01.8
- unintended O03-
- - fetus or newborn P01.8

Abrami's disease D59.8

Abrasio (*see also* Injury, superficial) T14.0 2b

- tooth, teeth (dentifrice) (habitual) (hard tissues) (occupational) (ritual) (traditional) (wedge defect) K03.1

Abruptio placentae O45.9 2b

- with coagulation defect O45.0
- affecting fetus or newborn P02.1 2a

Abruptio, placenta - *see* Abruptio placentae

Abscess (embolic) (infective) (metastatic) (multiple) (perforated) (pyogenic) (septic) L02.9

- with
 - - diverticular disease (intestine) K57.8
 - - - large K57.2
 - - - - and small K57.4 2b
 - - - small K57.0 2b
 - - lymphangitis - *code by site under Abscess*
 - abdomen, abdominal NEC K65.0 2a 2b
 - - cavity K65.0 2a 2b
 - - - - newborn P78.1 2b
 - - newborn P78.1 2b
 - - wall L02.2
 - abdominopelvic K65.0 2a 2b
 - - newborn P78.1 2b
 - accessory sinus (chronic) (*see also* sinusitis) J32.9
 - - acute (*see also* Sinusitis, acute) J01.9
 - alveolar K04.7
 - amebic A06.4
 - - brain (and liver or lung abscess) A06.6† 2b G07* 2b
 - - liver (without mention of brain or lung abscess) A06.4† K77.0*
 - - lung (and liver) (without mention of brain abscess) A06.5† J99.8*
 - - specified site NEC A06.8
 - - spleen A06.8† D77* 2b

- ankle L02.4
- anorectal K61.2
- antecubital space L02.4
- antrum (chronic) (Highmore) (*see also* Sinusitis, maxillary) J32.0
- anus K61.0
- apical (tooth) K04.7
- - with sinus (alveolar) K04.6
- appendix K35.3
- areola (acute) (chronic) (nonpuerperal) N61 2b
- - puerperal, postpartum or gestational O91.0
- arm (any part) L02.4
- artery (wall) I77.8 2a 2b
- auricle, ear H60.0
- axilla (region) L02.4
- - lymph gland or node L04.2
- back (any part, except buttock) L02.2
- Bartholin's gland N75.1
- Bezold's H70.0
- bladder (wall) N30.8 2a 2b
- bone (subperiosteal) M86.9
- - accessory sinus (chronic) (*see also* Sinusitis) J32.9
- - chronic M86.6
- - jaw (lower) (upper) K10.2
- - mastoid H70.0
- - petrous H70.2
- - spinal (tuberculous) A18.0† 2a 2b M49.0*
- - - nontuberculous M46.2 2a 2b
- bowel K63.0 2a 2b
- brain (any part) G06.0 2a 2b
- - amebic (with abscess of any other site) A06.6† 2b G07* 2b
- - cystic G06.0 2a 2b
- - gonococcal A54.8† 2b G07* 2b
- - otogenic G06.0 2a 2b
- - pheomycotic (chromomycotic) B43.1† G07* 2b
- - tuberculous A17.8† 2a 2b G07* 2b
- breast (acute) (chronic) (nonpuerperal) N61 2b
- - gestational O91.1
- - newborn P39.0
- - puerperal, postpartum O91.1
- broad ligament (*see also* Disease, pelvis, inflammatory) N73.2
- Brodie's (chronic) (localized) M86.8
- bronchi J98.0
- buccal cavity K12.2
- bulbourethral gland N34.0
- bursa M71.0
- - pharyngeal J39.1
- buttock L02.3
- canthus H10.5
- cartilage M94.8
- cerebellum, cerebellar G06.0 2a 2b
- cerebral (embolic) G06.0 2a 2b
- cervical (meaning neck) L02.1
- - lymph gland or node L04.0
- cervix (uteri) (*see also* Cervicitis) N72
- cheek (external) L02.0
- chest J86.9
- - with fistula J86.0
- - wall L02.2
- chin L02.0
- choroid H30.0
- ciliary body H20.8
- cold (lung) (tuberculous) (*see also* Tuberculosis, abscess, lung) A16.2 2a 2b
- - articular - *see* Tuberculosis, joint
- colon (wall) K63.0 2a 2b
- colostomy or enterostomy K91.4

- conjunctiva H10.0
- connective tissue NEC L02.9
- cornea H16.3
- corpus
 - - cavernosum N48.2
 - - luteum (*see also* Salpingo-oophoritis) N70.9
- Cowper's gland N34.0
- cranium G06.0 2a 2b
- Crohn's disease K50.9
- - large intestine K50.1
- - - and small intestine K50.8
- - small intestine (duodenum, ileum or jejunum) K50.0 2b
- cul-de-sac (Douglas') (posterior) (*see also* Peritonitis, pelvic, female) N73.5
- cutaneous (*see also* Abscess, by site) L02.9
- dental K04.7
 - - with sinus (alveolar) K04.6
 - dentoalveolar K04.7
 - - with sinus K04.6
- diaphragm, diaphragmatic K65.0 2a 2b
- - newborn P78.1 2b
- Douglas' cul-de-sac or pouch (*see also* Peritonitis, pelvic, female) N73.5
- ear (middle) H66.4
 - - acute H66.0
 - - external H60.0
- entamebic - *see* Abscess, amebic
- epididymis N45.0
- epidural G06.2
 - - brain G06.0 2a 2b
 - - spinal (cord) G06.1
- epiglottis J38.7
- epiploon, epiplioic K65.0 2a 2b
- - newborn P78.1 2b
- erysipelatous (*see also* Erysipelas) A46 2a
- esophagus K20
- ethmoid (bone) (chronic) (sinus) J32.2
- external auditory canal H60.0
- extradural G06.2
 - - brain G06.0 2a 2b
 - - spinal cord G06.1
- extraperitoneal K65.0 2a 2b
- - newborn P78.1 2b
- eye H44.0
- eyelid H00.0
- face (any part, except ear, eye and nose) L02.0
- fallopian tube (*see also* Salpingo-oophoritis) N70.9
- fascia M72.8
- fauces J39.1
- femoral (region) L02.4
- filaria, filarial (*see also* Infestation, filarial) B74.9
- finger (any) L02.4
 - - nail L03.0
- fistulous NEC L02.9
- foot (any part) L02.4
- forehead L02.0
- frontal sinus (chronic) J32.1
- gallbladder (*see also* Cholecystitis, acute) K81.0
- genital organ or tract NEC
 - - female (external) N76.4
 - - - following
 - - - - abortion (subsequent episode) O08.0 2b
 - - - - ectopic or molar pregnancy O08.0 2b
 - - male N49.9
 - - - multiple sites N49.8
 - - - specified NEC N49.8
- gingival K05.2

- gland, glandular (lymph) (acute) (*see also* Lymphadenitis, acute) L04.9
- gluteal (region) L02.3
- gonorreal NEC (*see also* Gonococcus) A54.1
- groin L02.2
- gum K05.2
- hand L02.4
- head NEC L02.8
- heart (*see also* Carditis) I51.8 2a 2b
 - - valve, valvular - *see* Endocarditis, acute I33.9 2a 2b
- heel L02.4
- hepatic (cholangitic) (hematogenic) (lymphogenic) (pylephlebitic) K75.0
- hip (region) L02.4
- ileocecal K35.3
- ileostomy (bud) K91.4
- iliac (region) L02.2
- infraclavicular (fossa) L02.4
- inguinal (region) L02.2
 - - lymph gland or node L04.1
- intestine, intestinal NEC K63.0 2a 2b
 - - rectal K61.1
- intra-abdominal (*see also* Abscess, peritoneum) K65.0 2a 2b
 - - newborn P78.1 2b
- intracranial G06.0 2a 2b
- intramammary - *see* Abscess, breast
- intraorbital H05.0
- intraperitoneal K65.0 2a 2b
 - - newborn P78.1 2b
- intraspinal G06.1
- intratonsillar J36
- iris H20.8
- ischiorectal (fossa) K61.3
- jaw (bone) (lower) (upper) K10.2
- joint M00.9 2a 2b
 - - spine (tuberculous) A18.0† 2a 2b M49.0*
 - - - nontuberculous M46.5
- kidney N15.1 2a 2b
 - - with calculus N20.0 2a
 - - - with hydronephrosis N13.6 2a 2b
 - - complicating pregnancy O23.0
 - - - affecting fetus or newborn P00.1
 - - puerperal, postpartum O86.2
- knee L02.4
- - joint M00.9 2a 2b
- labium (majus) (minus) N76.4
- - complicating pregnancy O23.5
- - puerperal, postpartum O86.1
- lacrimal
 - - caruncle H04.3
 - - gland H04.0
- - passages (duct) (sac) H04.3
- larynx J38.7
- leg (any part) L02.4
- lens H27.8
- limb (lower) (upper) L02.4
- lingual K14.0
- lip K13.0
- Littré's gland N34.0
- liver (cholangitic) (hematogenic) (lymphogenic) (pylephlebitic) K75.0
 - - amebic A06.4
 - - - with
 - - - - brain abscess (and lung abscess) A06.6† 2b G07* 2b
 - - - - lung abscess A06.5† J99.8*
 - - due to *Entamoeba histolytica* (*see also* Abscess, liver, amebic) A06.4
- loin (region) L02.2

- lumbar (tuberculous) A18.0† 2a 2b M49.0*
- - nontuberculous L02.2
- lung (miliary) (putrid) J85.2
- - with pneumonia J85.1
 - - - due to specified organism - *see* Pneumonia, in (due to)
- - amebic (with liver abscess) A06.5† J99.8*
- - - with
 - - - brain abscess A06.6† 2b G07* 2b
 - - - pneumonia A06.5† J17.0*
- lymph, lymphatic, gland or node (acute) (*see also* Lymphadenitis, acute) L04.9
- mesentery I88.0
- mammary gland - *see* Abscess, breast
- marginal, anus K61.0
- mastoid H70.0
- maxilla, maxillary K10.2
- - sinus (chronic) J32.0
- mediastinum J85.3
- meibomian gland H00.0
- meninges G06.2
- mesentery, mesenteric (*see also* Abscess, peritoneum) K65.0 2a 2b
 - - newborn P78.1 2b
- mesosalpinx (*see also* Salpingo-oophoritis) N70.9
- mons pubis L02.2
- mouth (floor) K12.2
- muscle M60.0 2a 2b
- myocardium I40.0
- - rheumatic I09.0 2a 2b
 - - - active or acute I01.2 2a 2b
- nabothian (follicle) (*see also* Cervicitis) N72
- nail (chronic) (with lymphangitis) L03.0
- nasopharyngeal J39.1
- navel L02.2
 - - newborn P38
- neck (region) L02.1
- - lymph gland or node L04.0
- nephritic (*see also* Abscess, kidney) N15.1 2a 2b
- nipple N61 2b
 - - puerperal, postpartum or gestational O91.0
- nose (external) (fossa) (septum) J34.0
- - sinus (chronic) (*see also* Sinusitis) J32.9
- omentum (*see also* Abscess, peritoneum) K65.0 2a 2b
 - - newborn P78.1 2b
- operative wound T81.4 2b
- orbit, orbital H05.0
- ovary, ovarian (corpus luteum) (*see also* Salpingo-oophoritis) N70.9
- oviduct (*see also* Salpingo-oophoritis) N70.9
- palate (soft) K12.2
 - - hard K10.2
- palmar (space) L02.4
- pancreas (duct) K85.9 2a 2b
- parodontal K05.2
- parametric, parametrium (*see also* Disease, pelvis, inflammatory) N73.2
- parapharyngeal J39.0
- pararectal K61.1
- parasinus (*see also* Sinusitis) J32.9
- parauterine (*see also* Disease, pelvis, inflammatory) N73.2
- paravaginal N76.0
- parietal region (scalp) L02.8
- parotid (duct) (gland) K11.3
- pectoral (region) L02.2
- pelvic, pelvic
 - - female (*see also* Disease, pelvis, inflammatory) N73.9
 - - male, peritoneal K65.0 2a 2b
 - - - newborn P78.1 2b
- penis N48.2

- - gonococcal (accessory gland) (periurethral) A54.1
- perianal K61.0
- periaortic I77.8 2a 2b
- periapical K04.7
- - with sinus (alveolar) K04.6
- periappendicular K35.3
- pericardial I30.1
- - rheumatic I09.2 2b
- - - active or acute I01.0 2a 2b
- pericemental K05.2
- pericoronal K05.2
- peridental K05.2
- perimetric (*see also* Disease, pelvis, inflammatory) N73.2
- perinephric, perinephritic (*see also* Abscess, kidney) N15.1 2a 2b
- perineum, perineal (superficial) L02.2
- - urethra N34.0
- periodontal (parietal) K05.2
- periosteum, periosteal M86.8
- - with osteomyelitis M86.8
- - - acute M86.1
- - - chronic M86.6
- peripharyngeal J39.0
- periprostatic N41.2
- perirectal K61.1
- perirenal (tissue) (*see also* Abscess, kidney) N15.1 2a 2b
- peritoneum, peritoneal (perforated) (ruptured) K65.0 2a 2b
- - with appendicitis K35.3
- - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - ectopic or molar pregnancy O08.0 2b
- - newborn P78.1 2b
- - pelvic
 - - - female (*see also* Peritonitis, pelvic, female) N73.5
 - - - male K65.0 2a 2b
 - - - - newborn P78.1 2b
- - postoperative T81.4 2b
- - puerperal, postpartum, childbirth O85
- - tuberculous A18.3† K67.3*
- peritonsillar J36
- periureteral N28.8 2a 2b
- periurethral N34.0
 - - gonococcal (accessory gland) (periurethral) A54.1
- periuterine (*see also* Disease, pelvis, inflammatory) N73.2
- perivesical N30.8 2a 2b
- pernicious NEC L02.9
- petrous bone H70.2
- phagedenic NEC L02.9
- - chancroid A57
- pharynx, pharyngeal (lateral) J39.1
- pilonidal L05.0
- pituitary (gland) E23.6
- pleura J86.9
 - - with fistula J86.0
- popliteal L02.4
- postlaryngeal J38.7
- postnasal J34.0
- postoperative (any site) T81.4 2b
- postpharyngeal J39.0
- post-tuberculosis A01.0
- pouch of Douglas (*see also* Peritonitis, pelvic, female) N73.5
- premammary - *see* Abscess, breast
- prepatellar L02.4
- prostate N41.2
 - - gonococcal (acute) (chronic) A54.2† N51.0*
- psoas (nontuberculous) M60.0 2a 2b

- pubis L02.2
- puerperal - code by site under Puerperal, abscess
- pulmonary - *see* Abscess, lung
- pulp, pulpal (dental) K04.0
- pyemic - *see* Septicemia
- - newborn (*see also* Septicemia, newborn) P36.9
- rectovesical N30.8 2a 2b
- rectum K61.1
- regional NEC L02.8
- renal (*see also* Abscess, kidney) N15.1 2a 2b
- respiratory, upper J39.8
- retina H30.0
- retrobulbar H05.0
- retrocecal K65.0 2a 2b
- - newborn P78.1 2b
- retrolaryngeal J38.7
- retromammary - *see* Abscess, breast
- retroperitoneal K65.0 2a 2b
- - newborn P78.1 2b
- retropharyngeal J39.0
- retrouterine (*see also* Peritonitis, pelvic, female) N73.5
- retrovesical N30.8 2a 2b
- round ligament (*see also* Disease, pelvis, inflammatory) N73.2
- rupture (spontaneous) NEC L02.9
- sacrum (tuberculous) A18.0† 2a 2b M49.0*
- - nontuberculous M46.2 2a 2b
- salivary (duct) (gland) K11.3
- scalp (any part) L02.8
- scapular M86.8
- sclera H15.0
- scrofulous (tuberculous) A18.2
- scrotum N49.2
- seminal vesicle N49.0
- shoulder (region) L02.4
- sigmoid K63.0 2a 2b
- sinus (accessory) (chronic) (nasal) (*see also* Sinusitis) J32.9
- - intracranial venous (any) G06.0 2a 2b
- Skene's duct or gland N34.0
- skin (*see also* Abscess, by site) L02.9
- sloughing NEC L02.9
- specified site NEC L02.8
- spermatic cord N49.1
- sphenoidal (sinus) (chronic) J32.3
- spinal cord (any part) (staphylococcal) G06.1
- - tuberculous A17.8† 2a 2b G07* 2b
- spine (column) (tuberculous) A18.0† 2a 2b M49.0*
- - nontuberculous M46.2 2a 2b
- spleen D73.3
- - amebic A06.8† D77* 2b
- stitch T81.4 2b
- subarachnoid G06.2
- - brain G06.0 2a 2b
- - spinal cord G06.1
- subareolar (*see also* Abscess, breast) N61 2b
- - puerperal, postpartum O91.1
- subcutaneous (*see also* Abscess, by site) L02.9
- - pheomycotic (chromomycotic) B43.2† L99.8*
- subdiaphragmatic K65.0 2a 2b
- - newborn P78.1 2b
- subdural G06.2
- - brain G06.0 2a 2b
- - spinal cord G06.1
- subgaleal L02.8
- subhepatic K65.0 2a 2b
- - newborn P78.1 2b

- sublingual K12.2
- - gland K11.3
- submammary - *see Abscess, breast*
- submandibular (region) (space) (triangle) K12.2
- - gland K11.3
- submaxillary (region) L02.0
- submental L02.0
- subperiosteal - *see Abscess, bone*
- subphrenic K65.0 2a 2b
- - newborn P78.1 2b
- - postoperative T81.4 2b
- subthyroid E06.0
- suburethral N34.0
- sudoriparous L75.8
- suppurative NEC L02.9
- supraclavicular (fossa) L02.4
- sweat gland L74.8
- tear duct H04.3
- temple L02.0
- temporal region L02.0
- temporosphenoidal G06.0 2a 2b
- tendon (sheath) M65.0
- testis N45.0
- thigh L02.4
- thorax J86.9
- - with fistula J86.0
- throat J39.1
- thumb L02.4
- - nail L03.0
- thymus (gland) E32.1
- thyroid (gland) E06.0
- toe (any) L02.4
- - nail L03.0
- tongue (staphylococcal) K14.0
- tonsil(s) J36
- tonsillopharyngeal J36
- tooth, teeth (root) K04.7
- - with sinus (alveolar) K04.6
- - supporting structures NEC K05.2
- trachea J39.8
- trunk L02.2
- tubal (*see also* Salpingo-oophoritis) N70.9
- tuberculous - *see* Tuberculosis, abscess
- tubo-ovarian (*see also* Salpingo-oophoritis) N70.9
- tunica vaginalis N49.1
- umbilicus L02.2
- - newborn P38
- urethral (gland) N34.0
- uterus, uterine (wall) (*see also* Endometritis) N71.9 2b
- - ligament (*see also* Disease, pelvis, inflammatory) N73.2
- - neck (*see also* Cervicitis) N72
- vagina (wall) (*see also* Vaginitis) N76.0
- vaginorectal (*see also* Vaginitis) N76.0
- vas deferens N49.1
- veriform appendix K35.3
- vertebra (column) (tuberculous) A18.0† 2a 2b M49.0*
- - nontuberculous M46.2 2a 2b
- vesical N30.8 2a 2b
- viscera (multiple) NEC K65.0 2a 2b
- - newborn P78.1 2b
- vesico-uterine pouch (*see also* Peritonitis, pelvic, female) N73.5
- vitreous (humor) H44.0
- vocal cord J38.3
- von Bezold's H70.0
- vulva N76.4

- - complicating pregnancy O23.5
- - puerperal, postpartum O86.1
- vulvovaginal gland N75.1
- web space L02.4
- wound T81.4 2b
- wrist L02.4

Absence (organ or part) (complete or partial)

- adrenal (gland) (congenital) Q89.1
- - acquired E89.6
- albumin in blood E88.0 2b
- alimentary tract (congenital) Q45.8 2b
- - upper Q40.8
- amniotic fluid O41.0
- - affecting fetus or newborn P01.2 2a
- ankle (acquired) - *see* Absence, foot and ankle
- anus (congenital) Q42.3
- - with fistula Q42.2
- aorta (congenital) Q25.4
- appendix, congenital Q42.8
- arm (acquired) (unilateral) Z89.2(2)
- - with leg (any level) Z89.8(3)
- - bilateral (any level) Z89.3(4)
- - - with leg(s) (any level) Z89.8(5)
- - congenital Q71.9
- artery (congenital) (peripheral) Q27.8 2a 2b
- - brain Q28.3 2a 2b
- - coronary Q24.5
- - pulmonary Q25.7
- atrial septum (congenital) Q21.1 2b
- auditory canal (congenital) (external) Q16.1
- auricle (ear), congenital Q16.0
- bile, biliary duct, congenital Q44.5
- bladder (acquired) Z90.6(6)
- - congenital Q64.5
- bowel sounds R19.1
- brain Q00.0
- - part of Q04.3
- breast(s) (acquired) Z90.1(7)
- - congenital Q83.8
- broad ligament Q50.6
- bronchus (congenital) Q32.4
- canaliculus lacrimalis, congenital Q10.4
- cerebellum (vermis) Q04.3
- cervix (acquired) Z90.7(8)
- - congenital Q51.5
- chin (congenital) Q18.8
- cilia (congenital) Q10.3
- - acquired H02.7
- clitoris (congenital) Q52.6
- coccyx (congenital) Q76.4
- cold sense R20.8
- congenital
 - - lumen - *see* Atresia
 - - organ or site NEC - *see* Agenesis
 - - septum - *see* Imperfect, closure
- corpus callosum Q04.0
- cricoid cartilage, congenital Q31.8
- diaphragm (with hernia), congenital Q79.1 2b
- diastolic flow (umbilical) P02.2
- digestive organ(s) or tract (acquired) Z90.4(9)
- - congenital Q45.8 2b
- duodenum (acquired) Z90.4(10)
- - congenital Q41.0
- ear (acquired) Z90.0(11)
- - congenital Q16.9

- - - auricle Q16.0
- - - lobe, lobule Q17.8
- ejaculatory duct (congenital) Q55.4
- endocrine gland (congenital) NEC Q89.2
- - acquired E89.9
- epididymis (congenital) Q55.4
- - acquired Z90.7(12)
- epiglottis, congenital Q31.8
- epileptic NEC G40.7
- - status G41.1
- esophagus (congenital) Q39.8
- - acquired (partial) Z90.4(13)
- eustachian tube (congenital) Q16.2
- extremity (acquired) Z89.9(14)
- - congenital Q73.0
 - - lower (above knee) (unilateral) Z89.6(15)
 - - - with upper extremity (any level) Z89.8(16)
 - - - below knee (unilateral) Z89.5(17)
 - - - bilateral (any level) Z89.7(18)
 - - - - with upper extremity (any level) Z89.8(19)
 - - upper (unilateral) Z89.2(20)
 - - - with lower extremity (any level) Z89.8(21)
 - - - bilateral (any level) Z89.3(22)
- eye (acquired) Z90.0(23)
- - congenital Q11.1
- - muscle (congenital) Q10.3
- eyeball (acquired) Z90.0(24)
- eyelid (fold) (congenital) Q10.3
- - acquired Z90.0(25)
- fallopian tube(s) (acquired) Z90.7(26)
- - congenital Q50.6
- family member (causing problem in home) Z63.3(27)
- femur, congenital Q72.4
- fetal heart tone P95 2a 2b
- finger(s) (acquired) (unilateral) Z89.0(28)
- - bilateral Z89.3(29)
- - congenital Q71.3
- foot and ankle (acquired) (unilateral) Z89.4(30)
- - with upper limb (any level) Z89.8(31)
- - bilateral Z89.7(32)
 - - - with upper limb (any level) Z89.8(33)
- - congenital Q72.3
- forearm (acquired) (unilateral) (*see also* Absence, arm) Z89.2(34)
- - congenital Q71.1
- - - and hand Q71.2
- gallbladder (acquired) Z90.4(35)
- - congenital Q44.0
- gamma globulin in blood D80.1 2b
- genital organs
 - - acquired (female) (male) Z90.7(36)
 - - female, congenital Q52.8 2b
 - - - external Q52.7
 - - - internal NEC Q52.8 2b
 - - male, congenital Q55.8
 - - genitourinary organs, congenital NEC
 - - female Q52.8 2b
 - - male Q55.8
- globe (acquired) Z90.0(37)
- - congenital Q11.1
- glottis, congenital Q31.8
- hand and wrist (acquired) (unilateral) Z89.1(38)
- - with lower limb (any level) Z89.8(39)
- - bilateral Z89.3(40)
 - - - with lower limb (any level) Z89.8(41)
- - congenital Q71.3

- head, part (acquired) NEC Z90.0(42)
- heart Q89.8
- heat sense R20.8
- hymen (congenital) Q52.4
- ileum (acquired) Z90.4(43)
 - - congenital Q41.2
- incus (acquired) H74.3
 - - congenital Q16.3
- inner ear, congenital Q16.5
- intestine (acquired) (small) Z90.4(44)
 - - congenital Q41.9 2b
 - - - specified NEC Q41.8
 - - large Z90.4(45)
 - - - congenital Q42.9
 - - - - specified NEC Q42.8
 - iris, congenital Q13.1
 - jejunum (acquired) Z90.4(46)
 - - congenital Q41.1
 - joint, congenital NEC Q74.8
 - kidney(s) (acquired) Z90.5(47)
 - - congenital Q60.2
 - - - bilateral Q60.1
 - - - unilateral Q60.0
 - larynx (congenital) Q31.8
 - - acquired Z90.0(48)
 - leg (acquired) (above knee) (unilateral) Z89.6(49)
 - - with arm(s) (any level) Z89.8(50)
 - - below knee Z89.5(51)
 - - bilateral (any level) Z89.7(52)
 - - - with arm(s) (any level) Z89.8(53)
 - - congenital Q72.8
 - lens (acquired) H27.0
 - - congenital Q12.3
 - limb (acquired) - *see Absence, extremity*
 - liver (congenital) Q44.7
 - lung (fissure) (lobe) (bilateral) (unilateral) (congenital) Q33.3
 - - acquired (any part) Z90.2(54)
 - menstruation (*see also Amenorrhea*) N91.2
 - muscle (congenital) (pectoral) Q79.8 2b
 - - ocular Q10.3
 - neutrophil D70
 - nipple, congenital Q83.2
 - nose (congenital) Q30.1
 - - acquired Z90.0(55)
 - organ
 - - acquired Z90.8(56)
 - - congenital Q89.8
 - - of Corti, congenital Q16.5
 - ovary (acquired) Z90.7(57)
 - - congenital Q50.0
 - oviduct (acquired) Z90.7(58)
 - - congenital Q50.6
 - pancreas (congenital) Q45.0
 - - acquired Z90.4(59)
 - parathyroid gland (acquired) E89.2 2b
 - - congenital Q89.2
 - patella, congenital Q74.1
 - pelvis Q74.2
 - penis (congenital) Q55.5
 - - acquired Z90.7(60)
 - pericardium (congenital) Q24.8 2b
 - pituitary gland (congenital) Q89.2
 - - acquired E89.3
 - prostate (acquired) Z90.7(61)
 - - congenital Q55.4

- punctum lacrimale (congenital) Q10.4
- radius, congenital Q71.4
- rectum (congenital) Q42.1
 - - with fistula Q42.0
 - - acquired Z90.4(62)
- rib (acquired) Z90.8(63)
- - congenital Q76.6
- sacrum, congenital Q76.4
- salivary gland(s), congenital Q38.4
- scrotum, congenital Q55.2
- seminal vesicles (congenital) Q55.4
 - - acquired Z90.7(64)
- septum
- - atrial (congenital) Q21.1 2b
- - between aorta and pulmonary artery Q21.4
- - ventricular (congenital) Q20.4 2b
- sex chromosome
- - female phenotype Q97.8
- - male phenotype Q98.8
- skull bone Q75.8 2b
- - with
 - - - anencephaly Q00.0
 - - - encephalocele (*see also* Encephalocele) Q01.9
 - - - hydrocephalus Q03.9 2a 2b
 - - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- - - microcephaly Q02
- spermatic cord, congenital Q55.4
- spine, congenital Q76.4
- spleen (congenital) Q89.0
 - - acquired D73.0
- sternum, congenital Q76.7
- stomach (acquired) (partial) Z90.3(65)
- - congenital Q40.2
- superior vena cava, congenital Q26.8
- tendon (congenital) Q79.8 2b
- testis (congenital) Q55.0
 - - acquired Z90.7(66)
- thumb (acquired) (unilateral) Z89.0(67)
- - bilateral Z89.3(68)
- - congenital Q71.3
- thyroid (gland) (acquired) E89.0 2b
- - cartilage, congenital Q31.8
- - congenital E03.1
- toe(s) (acquired) (unilateral) (bilateral) Z89.4(69)
- - with foot - *see* Absence, foot and ankle
- - congenital Q72.3
- tongue, congenital Q38.3
- tooth, teeth (congenital) K00.0
 - - acquired K08.1
 - - - with malocclusion K07.3
- trachea (cartilage), congenital Q32.1
- transverse aortic arch, congenital Q25.4
- umbilical
 - - artery, congenital Q27.0
 - - diastolic flow P02.2
- upper arm and forearm with hand present, congenital Q71.1
- ureter (congenital) Q62.4 2a
 - - acquired Z90.6(70)
- urethra, congenital Q64.5
- uterus (acquired) Z90.7(71)
- - congenital Q51.0
- uvula, congenital Q38.5
- vagina, congenital Q52.0
- vas deferens (congenital) Q55.4
 - - acquired Z90.7(72)

- vein (peripheral), congenital Q27.8 2a 2b
- - brain Q28.3 2a 2b
- - great Q26.8
- - portal Q26.5
- - specified NEC Q27.8 2a 2b
- vena cava (inferior) (superior), congenital Q26.8
- vertebra, congenital Q76.4
- vulva, congenital Q52.7
- wrist (acquired) (*see also* Absence, hand and wrist) Z89.1(73)

Absent or reverse end diastolic flow (AREDF) P02.2

Absinthemia F10.9 2b

- excessive T51.9 2a 2b

Absinthemism F10.2 2a 2b

Absinthism F10.2 2a 2b

Absorption

- carbohydrate, disturbance K90.4
- chemical T65.9 2b
- - specified chemical or substance - *see* Table of drugs and chemicals
- - through placenta (fetus or newborn) P04.9
- - - environmental substance P04.6
- - - nutritional substance P04.5
- - - obstetric anesthetic or analgesic drug P04.0
- - - suspected, affecting management of pregnancy O35.8
- drug NEC (*see also* Reaction, drug) T88.7 2a 2b
- - addictive
- - - through placenta(fetus or newborn) P04.4
- - - - suspected, affecting management of pregnancy O35.5
- - through placenta (fetus or newborn) P04.1
- - - obstetric anesthetic or analgesic medication P04.0
- fat, disturbance K90.4
- - pancreatic K90.3
- maternal medication NEC through placenta (fetus or newborn) P04.1
- noxious substance - *see* Absorption, chemical
- protein, disturbance K90.4
- starch, disturbance K90.4
- toxic substance - *see* Absorption, chemical
- uremic - *see* Uremia

Abstinence symptoms, syndrome

- alcohol F10.3
- drug - *see* F11-F19 with fourth character .3

Abulia R68.8 2a 2b

Abuse

- alcohol (nondependent) F10.1 2a 2b
- - counseling and surveillance Z71.4(74)
- - personal history of (no longer current) Z86.4(75)
- - rehabilitation measures Z50.2(76)
- amphetamine (or related substance) F15.1
- antacids F55 2b
- anxiolytic F13.1
- cannabis, cannabinoids F12.1
- child T74.9
- - physical, alleged Z61.6(77)
- - sexual, alleged (by)
- - - family member Z61.4(78)
- - - person outside family Z61.5(79)
- - specified NEC T74.8
- cocaine F14.1 2b
- drug(s) (acute) (nondependent) NEC F19.1 2b
- - anxiolytics F13.1
- - counseling and surveillance Z71.5(80)
- - hypnotics F13.1
- - non-dependent (psychoactive) F55 2b
- - - amphetamine-type F15.1
- - - analgesics (non-prescribed) F55 2b
- - - antacids F55 2b

- - - antidepressants F55 2b
- - - barbiturates F13.1
- - - caffeine F15.1
- - - cannabis F12.1
- - - cocaine-type F14.1 2b
- - - hallucinogens F16.1
- - - hashish F12.1
- - - herbal or folk remedies F55 2b
- - - hormones F55 2b
- - - laxatives F55 2b
- - - LSD F16.1
- - - marihuana F12.1
- - - mixed F19.1 2b
- - - morphine-type (opioids) F11.1 2b
- - - sedatives F13.1
- - - specified NEC F19.1 2b
- - - steroids F55 2b
- - - stimulants NEC F15.1
- - - tranquilizers F13.1
- - - vitamins F55 2b
- - personal history of (no longer current) Z86.4(81)
- - rehabilitation measures Z50.3(82)
- - sedatives F13.1
- - stimulants NEC F15.1
- ethanol F10.1 2a 2b
- ethyl alcohol F10.1 2a 2b
- hallucinogens F16.1
- herbal or folk remedies F55 2b
- hormones F55 2b
- hypnotics F13.1
- inhalants F18.1 2b
- laxatives F55 2b
- opioids F11.1 2b
- PCP (phencyclidine) (or related substance) F19.1 2b
- physical (adult) (child) T74.1
- psychoactive substance (specified NEC) F19.1 2b
- psychological (adult) (child) T74.3
- sedative F13.1
- sexual T74.2
- - child, alleged (by)
- - - family member Z61.4(83)
- - - person outside family Z61.5(84)
- solvent F18.1 2b
- steroids F55 2b
- substance NEC F19.1 2b
- tobacco F17.1 2b
- - counseling and surveillance Z71.6(85)
- - personal history of (no longer current) Z86.4(86)
- vitamins F55 2b

Acalculia R48.8

- developmental F81.2

Acanthamebiasis (with) B60.1

- conjunctiva B60.1† H13.1*
- keratoconjunctivitis B60.1† H19.2*

Acanthocephaliasis B83.8**Acanthocheilonemiasis** B74.4**Acanthocytosis** E78.6**Acantholysis** L11.9**Acanthosis (acquired) (nigricans)** L83

- benign Q82.8 2b
- congenital Q82.8 2b
- seborrheic L82
- tongue K14.3

Acardia, acardius Q89.8**Acardiacus amorphus** Q89.8

Acariasis B88.0

- scabies B86

Acarodermatitis (urticarioides) B88.0† L99.8*

Acarophobia F40.2

Acatalasemia, acatalasia E80.3 2b

Accelerated atrioventricular conduction I45.6

Accentuation of personality traits (type A) Z73.1(87)

Accessory (congenital)

- adrenal gland Q89.1

- anus Q43.4

- appendix Q43.4

- atrioventricular conduction I45.6

- auditory ossicles Q16.3

- auricle (ear) Q17.0

- biliary duct or passage Q44.5

- bladder Q64.7

- blood vessels NEC Q27.9

- bone NEC Q79.8 2b

- breast tissue, axilla Q83.1

- carpal bones Q74.0

- cecum Q43.4

- chromosome(s) NEC (non-sex) Q92.9

- - with complex rearrangements NEC Q92.5

- - - seen only at prometaphase Q92.4

- - partial Q92.9

- - sex

- - - female phenotype Q97.8

- - - male phenotype Q98.8

- - 13 - *see* Trisomy, 13

- - 18 - *see* Trisomy, 18

- - 21 - *see* Trisomy, 21

- coronary artery Q24.5

- cusp(s), heart valve NEC Q24.8 2b

- - pulmonary Q22.3 2a 2b

- cystic duct Q44.5

- digit(s) Q69.9

- ear (auricle) (lobe) Q17.0

- endocrine gland NEC Q89.2

- eye muscle Q10.3

- eyelid Q10.3

- face bone(s) Q75.8 2b

- fallopian tube (fimbria) (ostium) Q50.6

- finger(s) Q69.0

- foreskin N47

- frontonasal process Q75.8 2b

- gallbladder Q44.1

- genital organ(s)

- - female Q52.8 2b

- - - external Q52.7

- - - internal NEC Q52.8 2b

- - male Q55.8

- hallux Q69.2

- heart Q24.8 2b

- - valve NEC Q24.8 2b

- - - pulmonary Q22.3 2a 2b

- hepatic ducts Q44.5

- hymen Q52.4

- intestine (large) (small) Q43.4

- kidney Q63.0

- lacrimal canal Q10.6

- leaflet, heart valve NEC Q24.8 2b

- liver Q44.7

- - duct Q44.5

- lobule (ear) Q17.0

- lung (lobe) Q33.1

- muscle Q79.8 2b
- navicular of carpus Q74.0
- nervous system, part NEC Q07.8
- nipple Q83.3
- nose Q30.8
- organ or site not listed - *see Anomaly, by site*
- ovary Q50.3
- oviduct Q50.6
- pancreas Q45.3
- parathyroid gland Q89.2
- parotid gland (and duct) Q38.4
- pituitary gland Q89.2
- preauricular appendage Q17.0
- prepuce N47
- renal arteries (multiple) Q27.2
- rib Q76.6
 - - cervical Q76.5
- roots (teeth) K00.2
- salivary gland Q38.4
- sesamoid bones Q74.8
 - - foot Q74.2
 - - hand Q74.0
- skin tags Q82.8 2b
- spleen Q89.0
- sternum Q76.7
- submaxillary gland Q38.4
- tarsal bones Q74.2
- tendon Q79.8 2b
- thumb Q69.1
- thymus gland Q89.2
- thyroid gland Q89.2
- toes Q69.2
- tongue Q38.3
- tooth, teeth K00.1
 - - causing crowding K07.3
- tragus Q17.0
- ureter Q62.5
- urethra Q64.7
- urinary organ or tract NEC Q64.8
- uterus Q51.2
- vagina Q52.1
- valve, heart NEC Q24.8 2b
- vertebra Q76.4
- vocal cords Q31.8
- vulva Q52.7

Accident

- birth - *see Birth, injury*
- cardiac (*see also* Infarct, myocardium) I21.9 2a 2b
- cardiovascular (*see also* Disease, cardiovascular) I51.6 2a 2b
- cerebral I64 2a 2b
 - - bilateral (multiple) I64.00 2a 2b
 - - multiple (bilateral) I64.00 2a 2b
- cerebrovascular I64 2a 2b
 - - bilateral (multiple) I64.00 2a 2b
 - - embolic I63.4 2a 2b
 - - - bilateral (multiple) I63.40 2a 2b
 - - - multiple (bilateral) I63.40 2a 2b
 - - healed or old I69.4 2a 2b
 - - - bilateral (multiple) I69.40 2a 2b
 - - - multiple (bilateral) I69.40 2a 2b
 - - hemorrhagic I61.9 2a 2b
 - - - bilateral (multiple) I61.90 2a 2b
 - - - multiple (bilateral) I61.90 2a 2b
 - - ischemic (*see also* Infarction, cerebral) I63.9 2a 2b
 - - multiple (bilateral) I64.00 2a 2b

- - remote I69.4 2a 2b
- - - bilateral (multiple) I69.40 2a 2b
- - - multiple (bilateral) I69.40 2a 2b
- - thromboembolic I63.4 2a 2b
- - - bilateral (multiple) I63.40 2a 2b
- - - multiple (bilateral) I63.40 2a 2b
- - thrombotic I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- cord (umbilical) P02.6
- coronary (*see also* Infarct, myocardium) I21.9 2a 2b
- craniovascular I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- during pregnancy, to mother
- - affecting fetus or newborn P00.5
- therapeutic T88.9 2b
- vascular I99 2a 2b
- - abdominal I99 2a 2b
- - brain I64 2a 2b
- - - bilateral (multiple) I64.00 2a 2b
- - - multiple (bilateral) I64.00 2a 2b
- - embolic I74.9 2a 2b
- - hemorrhagic R58 2a 2b
- - mesenteric K55.0 2a 2b
- - peripheral I73.9 2a 2b
- - thrombotic I82.9 2a 2b

Accidental - *see condition*

Accommodation (disorder) (paresis) (spasm) (*see also condition*) H52.5

- hysterical paralysis of F44.8

Accouchement - *see Delivery*

Accreta placenta

- complication during delivery (with hemorrhage) O72.0
- - without hemorrhage O73.0
- maternal care 043.2

Accretio cordis I31.0

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Accretions, tooth, teeth K03.6

Acculturation difficulty Z60.3(88)

Accumulation secretion, prostate N42.8

Acephalia, acephalism, acephalus, acephaly Q00.0

Acephalobrachia monster Q89.8

Acephalochirus monster Q89.8

Acephalogaster Q89.8

Acephalostomus monster Q89.8

Acephalothorax Q89.8

Acetonemia R79.8 2a 2b

- diabetic - *see* E10-E14 with fourth character .1

Acetonuria R82.4 2b

Achalasia (cardia) (esophagus) K22.0

- congenital Q39.5

- pylorus Q40.0

Ache(s) - *see Pain*

Achillobursitis M76.6

Achillodynbia M76.6

Achlorhydria, achlorhydric (neurogenic) K31.8 2a

- anemia D50.8

- diarrhea K31.8 2a

- psychogenic F45.3 2b

- secondary to vagotomy K91.1 2b

Acholuric jaundice (familial) (splenomegalic) (*see also* Spherocytosis) D58.0

- acquired D59.8

Achondrogenesis Q77.0

Achondroplasia (osteosclerosis congenita) Q77.4

Achromatism, achromatopsia (acquired) (congenital) H53.5

Achyilia gastrica K31.8 2a

- psychogenic F45.3 2b

Acid

- burn - *see* Corrosion
- deficiency
 - - amide nicotinic E52 2a 2b
 - - ascorbic E54 2a 2b
 - - folic E53.8 2a 2b
 - - nicotinic E52 2a 2b
 - - pantothenic E53.8 2a 2b
- intoxication E87.2 2a 2b
- - due to
 - - - medical care NEC E89.8 2b
- phosphatase deficiency E83.3
- stomach K31.8 2a
- - psychogenic F45.3 2b

Acidemia E87.2 2a 2b

- argininosuccinic E72.2
- due to
 - - medical care NEC E89.8 2b
- fetal - *see* Distress, fetal
- isovaleric E71.1 2b
- methylmalonic E71.1 2b
- pipecolic E72.3
- propionic E71.1 2b

Acidity, gastric (high) (low) K31.8 2a

- psychogenic F45.3 2b

Acidosis (lactic) (respiratory) E87.2 2a 2b

- diabetic - *see* E10-E14 with fourth character .1
- dialysis T80.9
- due to
 - - medical care NEC E89.8 2b
- fetal - *see* Distress, fetal
- intrauterine - *see* Distress, fetal
- kidney, tubular N25.8
- mesenteric K66.8
- metabolic NEC E87.2 2a 2b
- - due to
 - - - medical care NEC E89.8 2b
 - - late, of newborn P74.0
- - newborn - *see* Distress, fetal
- renal (hyperchlloremic) (tubular) N25.8

Aciduria

- argininosuccinic E72.2
- glutaric E72.3
- orotic (congenital) (hereditary) (pyrimidine deficiency) E79.8 2b
- - anemia D53.0

Aclasis, diaphyseal Q78.6

Acne L70.9

- artificialis L70.8
- atrophica L70.2
- cachecticum (Hebra) L70.8
- conglobata L70.1
- cystic L70.0
- decalvans L66.2
- excoriée (des jeunes filles) L70.5 2b
- frontalis L70.2
- indurata L70.0
- infantile L70.4
- keloid L73.0
- necrotic, necrotica (miliaris) L70.2
- nodular L70.0
- occupational L70.8
- pustular L70.0

- rosacea L71.9
- specified NEC L70.8
- tropica L70.3
- varioliformis L70.2
- vulgaris L70.0

Acnitis (primary) A18.4

Acosta's disease T70.2

Acoustic - see condition

Acquired - see also condition

- immunodeficiency syndrome (AIDS) (see also Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- - complicating pregnancy, childbirth or the puerperium 098.7

Acrania Q00.0

Acroasphyxia, chronic I73.8

Acrocephalopolysyndactyly Q87.0

Acrocephalosyndactyly Q87.0

Acrocephaly Q75.0

Acrocyanosis I73.8

- newborn P28.2

Acrodermatitis L30.8

- atrophicans (chronica) L90.4
- continua (Hallopeau) L40.2
- enteropathica (hereditary) E83.2
- Hallopeau's L40.2
- infantile papular L44.4
- perstans L40.2
- pustulosa continua L40.2
- recalcitrant pustular L40.2

Acrodynia T56.1

Acromegaly, acromegalia E22.0 2a

Acromicria, acromikria Q79.8 2b

Acroparesthesia (simple) (vasomotor) I73.8

Acrophobia F40.2

Acroscleriasis, acroscleroderma, acrosclerosis (see also Scleroderma) M34.8

Acrospiroma, eccrine (M8402/0 - see Neoplasm, skin, benign

ACTH ectopic syndrome E24.3 2b

Actinic - see condition

Actinobacillosis, actinobacillus A28.8

Actinomyces israelii (infection) - see Actinomycosis

Actinomycetoma (foot) B47.1

Actinomycosis, actinomycotic A42.9

- with pneumonia A42.0† J17.0*
- abdominal A42.1
- cervicofacial A42.2
- cutaneous A42.8 2b
- gastrointestinal A42.1
- pulmonary A42.0
- septicemia A42.7
- specified site NEC A42.8 2b

Actinoneuritis G62.8

Action, heart

- disorder I49.9 2b
- - newborn P29.1
- irregular I49.9 2b
- - newborn P29.1
- - psychogenic F45.3 2b

Active - see condition

Acute - see also condition

- abdomen NEC R10.0 2b

Acyanotic heart disease (congenital) Q24.9 2a 2b

Acystia Q64.5

Adamantinoblastoma (M9310/0) - see Adamantinoma

Adamantinoma (M9310/0) D16.5

- jaw (bone) (lower) D16.5
- - upper D16.4
- long bones (M9261/3) C40.9

- malignant (M9310/3) C41.1

- - jaw (bone) (lower) C41.1

- - - upper C41.0

- mandible D16.5

- tibial (M9261/3) C40.2 2a 2b

Adamantoblastoma (M9310/0) - *see* Adamantinoma

Adams-Stokes(-Morgagni) disease or syndrome I45.9 2a 2b

Adaptation reaction F43.2

Addiction (*see also* Dependence) - *code to* F10-F19 with fourth character .2

- absinthe F10.2 2a 2b

- alcohol, alcoholic (ethyl) (methyl) (wood) F10.2 2a 2b

- - complicating pregnancy, childbirth or puerperium O99.3

- - - affecting fetus or newborn P04.3

- - suspected damage to fetus affecting management of pregnancy O35.4 2a

- drug F19.2 2b

- ethyl alcohol F10.2 2a 2b

- heroin F11.2 2b

- methyl alcohol F10.2 2a 2b

- methylated spirit F10.2 2a 2b

- morphine(-like substances) F11.2 2b

- nicotine F17.2

- opium and opioids F11.2 2b

- tobacco F17.2

Addisonian crisis E27.2

Addison's

- anemia D51.0 2a 2b

- disease (bronze) or syndrome E27.1

- - tuberculous A18.7† 2b E35.1*

- keloid L94.0

Addison-Schilder complex E71.3 2b

Additional - *see* Accessory

Adduction contracture, hip or other joint - *see* Contraction, joint

Adenitis (*see also* Lymphadenitis) I88.9

- acute, unspecified site L04.9

- axillary I88.9

- - acute L04.2

- - chronic or subacute I88.1

- Bartholin's gland N75.8

- bulbourethral gland (*see also* Urethritis) N34.2

- cervical I88.9

- - acute L04.0

- - chronic or subacute I88.1

- chancroid (*Haemophilus ducreyi*) A57

- chronic, unspecified site I88.1

- Cowper's gland (*see also* Urethritis) N34.2

- epidemic, acute B27.0

- gangrenous L04.9

- gonorrhreal NEC A54.8 2b

- groin I88.9

- - acute L04.1

- - chronic or subacute I88.1

- infectious (acute) (epidemic) B27.0

- inguinal I88.9

- - acute L04.1

- - chronic or subacute I88.1

- lymph gland or node, except mesenteric I88.9

- - acute (*see also* Lymphadenitis, acute) L04.9

- - chronic or subacute I88.1

- mesenteric (acute) (chronic) (nonspecific) (subacute) I88.0

- parotid gland (suppurative) K11.2

- salivary gland (any) (recurring) (suppurative) K11.2

- scrofulous (tuberculous) A18.2

- Skene's duct or gland (*see also* Urethritis) N34.2

- strumous, tuberculous A18.2

- subacute, unspecified site I88.1

- sublingual gland (suppurative) K11.2
- submandibular gland (suppurative) K11.2
- tuberculous (*see also* Tuberculosis, lymph gland) A18.2
- urethral gland (*see also* Urethritis) N34.2

Adenoacanthoma (M8570/3) - *see* Neoplasm, malignant

Adenoameloblastoma (lower jaw)(M9300/0) D16.5

- upper jaw (bone) D16.4

Adenocarcinoid (tumor) (M8245/3) - *see* Neoplasm, malignant

Adenocarcinoma (M8140/3) - *see also* Neoplasm, malignant

Note - The list of adjectival modifiers below is not exhaustive. A description of adenocarcinoma that does not appear in this list should be coded in the same manner as carcinoma with that description. Thus, "mixed acidophil-basophil adenocarcinoma" should be coded in the same manner as "mixed acidophil-basophil carcinoma", which appears in the list under "Carcinoma."

Except where otherwise indicated, the morphological varieties of adenocarcinoma in the list below should be coded by site as for "Neoplasm, malignant".

- with

- - apocrine metaplasia (M8573/3)
- - cartilaginous (and osseous) metaplasia (M8571/3)
- - osseous (and cartilaginous) metaplasia (M8571/3)
- - spindle cell metaplasia (M8572/3)
- - squamous metaplasia (M8570/3)
- - acidophil (M8280/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C75.1 2b
- acinar (M8550/3)
- acinic cell (M8550/3)
- adrenal cortical (M8370/3) C74.0
- alveolar (M8251/3) - *see* Neoplasm, lung, malignant
- - lower - *see* Neoplasm, alveolar, ridge or process, carcinoma, lower
- - mucosa - *see* Neoplasm, alveolar, mucosa
- - upper - *see* Neoplasm, alveolar, ridge or process, carcinoma, upper
- and
- - carcinoid, combined (M8244/3)
- - epidermoid carcinoma, mixed (M8560/3)
- - squamous cell carcinoma, mixed (M8560/3)
- - apocrine (M8401/3)
- - breast - *see* Neoplasm, breast, malignant
- - in situ (M8401/2)
- - - breast D05.7
- - - specified site NEC - *see* Neoplasm, skin, in situ
- - - unspecified site D04.9
- - - specified site NEC - *see* Neoplasm, skin, malignant
- - - unspecified site C44.9 2b
- basal cell (M8147/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C08.9
- - basophil (M8300/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C75.1 2b
- bile duct type (M8160/3) C22.1 2a
- - liver C22.1 2a
- - specified site NEC - *see* Neoplasm, malignant
- - unspecified site C22.1 2a
- bronchiolar (M8250/3) - *see* Neoplasm, lung, malignant
- bronchioloalveolar (M8250/3) - *see* Neoplasm, lung, malignant
- ceruminous (M8420/3) C44.2
- chromophobe (M8270/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C75.1 2b
- clear cell (mesonephroid) (M8310/3)
- colloid (M8480/3)
- cylindroid (M8200/3)
- diffuse type (M8145/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C16.9 2a 2b
- - duct (M8500/3)

- - infiltrating (M8500/3)
- - - with Paget's disease (M8541/3) - *see* Neoplasm, breast, malignant
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site (female) C50.9 2a 2b
- Duke's C18.9 2a 2b
- embryonal (M9070/3)
- endometrioid (M8380/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site
- - - female C56 2a 2b
- - - male C61 2a 2b
- eosinophil (M8280/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C75.1 2b
- follicular (M8330/3)
- - with papillary (M8340/3) C73 2b
- - moderately differentiated (M8332/3) C73 2b
- - specified site - *see* Neoplasm, malignant
- - trabecular (M8332/3) C73 2b
- - unspecified site C73 2b
- - well differentiated (M8331/3) C73 2b
- gelatinous (M8480/3)
- granular cell (M8320/3)
- Hurthle cell (M8290/3) C73 2b
- in
 - - adenomatous
 - - - polyp (M8210/3)
 - - - - multiple (M8221/3)
 - - - polyposis coli (M8220/3) C18.9 2a 2b
 - - - polyp (adenomatous) (M8210/3)
 - - - multiple (M8221/3)
 - - - polypoid adenoma (M8210/3)
 - - - tubular adenoma (M8210/3)
 - - - tubulovillous adenoma (M8263/3)
 - - - villous adenoma (M8261/3)
- infiltrating duct (M8500/3)
- - with Paget's disease (M8541/3) - *see* Neoplasm, breast, malignant
- - specified site - *see* Neoplasm, malignant
- - unspecified site C50.9 2a 2b
- inflammatory (M8530/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C50.9 2a 2b
- intestinal type (M8144/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C16.9 2a 2b
- intracystic papillary (M8504/3)
- intraductal (M8500/2)
- breast D05.1
 - - noninfiltrating (M8500/2)
 - - - breast D05.1
 - - - papillary (M8503/2)
 - - - - with invasion (M8503/3)
 - - - - - specified site - *see* Neoplasm, malignant
 - - - - - unspecified site C50.9 2a 2b
 - - - - breast D05.1
 - - - - - specified site NEC - *see* Neoplasm, in situ
 - - - - - unspecified site D05.1
 - - - - specified site NEC - *see* Neoplasm, in situ
 - - - - unspecified site D05.1
 - - - papillary (M8503/2)
 - - - with invasion (M8503/3)
 - - - - specified site - *see* Neoplasm, malignant
 - - - - unspecified site C50.9 2a 2b
 - - - breast D05.1
 - - - - specified site - *see* Neoplasm, in situ

- - - unspecified site D05.1
- - specified site NEC - *see* Neoplasm, in situ
- - unspecified site D05.1
- islet cell (M8150/3)
 - - with exocrine, mixed (M8154/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C25.9 2a 2b
- - pancreas C25.4
 - - specified site NEC - *see* Neoplasm, malignant
- - unspecified site C25.4
- lobular (M8520/3)
 - - in situ (M8520/2)
- - - breast D05.0
 - - - specified site NEC - *see* Neoplasm, in situ
- - - unspecified site D05.0
- - specified site - *see* Neoplasm, malignant
- - unspecified site C50.9 2a 2b
- medullary (M8510/3)
 - mesonephric (M9110/3)
 - mixed cell (M8323/3)
 - mucinous (M8480/3)
 - mucin-producing (M8481/3)
 - mucin-secreting (M8481/3)
 - mucoid (M8480/3) - *see also* Neoplasm, malignant
- - cell (M8300/3)
 - - - specified site - *see* Neoplasm, malignant
- - - unspecified site C75.1 2b
- mucous (M8480/3)
- nonencapsulated sclerosing (M8350/3) C73 2b
 - oncocytic (M8290/3)
 - oxyphilic (M8290/3)
 - papillary (M8260/3)
 - - with follicular (M8340/3) C73 2b
 - - follicular variant (M8340/3) C73 2b
 - - intraductal (noninfiltrating) (M8503/2)
 - - - with invasion (M8503/3)
- - - - specified site - *see* Neoplasm, malignant
- - - - unspecified site C50.9 2a 2b
- - - breast D05.1
 - - - specified site NEC - *see* Neoplasm, in situ
- - - unspecified site D05.1
- - serous (M8460/3)
 - - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- papillocystic (M8450/3)
 - - specified site - *see* Neoplasm, malignant
- - unspecified site C56 2a 2b
- pseudomucinous (M8470/3)
 - - specified site - *see* Neoplasm, malignant
- - unspecified site C56 2a 2b
- renal cell (M8312/3) C64 2a 2b
- scirrhous (M8141/3)
- sebaceous (M8410/3) - *see* Neoplasm, skin, malignant
- serous (M8441/3) - *see also* Neoplasm, malignant
- - papillary (M8460/3)
 - - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- signet ring cell (M8490/3)
- superficial spreading (M8143/3)
- sweat gland (M8400/3) - *see* Neoplasm, skin, malignant
- trabecular (M8190/3)
- tubular (M8211/3)
- villous (M8262/3)
- water-clear cell (M8322/3) C75.0 2a 2b

Adenocarcinoma in situ (M8140/2) - *see also* Neoplasm, in situ

- breast D05.9
- in
 - - adenoma (polypoid) (tubular) (M8210/2)
 - - - tubulovillous (M8263/2)
 - - - villous (M8261/2)
 - - polyp, adenomatous (M8210/2)

Adenofibroma (M9013/0)

- clear cell (M8313/0) - *see* Neoplasm, benign
- endometrioid (M8381/0) D27
- - borderline malignancy (M8381/1) D39.1
- - malignant (M8381/3) C56 2a 2b
- mucinous (M9015/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- papillary (M9013/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- prostate D29.1
- serous (M9014/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- specified site - *see* Neoplasm, benign
- unspecified site D27

Adenofibrosis, breast N60.2

Adenoiditis (chronic) J35.0

- acute J03.9

Adenoids - *see condition*

Adenolipoma (M8324/0) - *see* Neoplasm, benign

Adenolipomatosis, Launois-Bensaude E88.8 2a 2b

Adenolymphoma (M8561/0)

- specified site - *see* Neoplasm, benign
 - unspecified site D11.9
- Adenoma (M8140/0) - *see also* Neoplasm, benign**
- Note* - Except where otherwise indicated, the morphological varieties of adenoma in the list below should be coded by site as for "Neoplasm, benign".
- acidophil (M8280/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site D35.2 2b
 - acidophil-basophil, mixed (M8281/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site D35.2 2b
 - acinar (cell) (M8550/0)
 - acinic cell (M8550/0)
 - adrenal (cortical) (M8370/0) D35.0 2a 2b
 - - clear cell (M8373/0) D35.0 2a 2b
 - - compact cell (M8371/0) D35.0 2a 2b
 - - glomerulosa cell (M8374/0) D35.0 2a 2b
 - - heavily pigmented variant (M8372/0) D35.0 2a 2b
 - - mixed cell (M8375/0) D35.0 2a 2b
 - alpha-cell (M8152/0)
 - - pancreas D13.7 2a
 - - specified site NEC - *see* Neoplasm, benign
 - - unspecified site D13.7 2a
 - alveolar (M8251/0) D14.3
 - apocrine (M8401/0)
 - - breast D24
 - - specified site NEC - *see* Neoplasm, skin, benign
 - - unspecified site D23.9
 - basal cell (M8147/0) D11.9
 - basophil (M8300/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site D35.2 2b
 - basophil-acidophil, mixed (M8281/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site D35.2 2b

- beta-cell (M8151/0)
- - pancreas D13.7 2a
- - specified site NEC - *see* Neoplasm, benign
- - unspecified site D13.7 2a
- bile duct (M8160/0) D13.4
- - common D13.5
- - extrahepatic D13.5
- - intrahepatic D13.4
- - specified site NEC - *see* Neoplasm, benign
- - unspecified site D13.4
- black (M8372/0) D35.0 2a 2b
- bronchial (M8140/1) D38.1
- - carcinoid type (M8240/3) - *see* Neoplasm, lung, malignant
- - cylindroid type (M8200/3) - *see* Neoplasm, lung, malignant
- ceruminous (M8420/0) D23.2
- chief cell (M8321/0) D35.1
- chromophobe (M8270/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D35.2 2b
- clear cell (M8310/0)
- colloid (M8334/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D34
- duct (M8503/0)
- eccrine, papillary (M8408/0) - *see* Neoplasm, skin, benign
- embryonal (M8191/0)
- endocrine, multiple (M8360/1)
- - single specified site - *see* Neoplasm, uncertain behavior
- - two or more specified sites D44.8 2b
- - unspecified site D44.8 2b
- endometrioid (M8380/0) - *see also* Neoplasm, benign
- - borderline malignancy (M8380/1) - *see* Neoplasm, uncertain behavior
- eosinophil (M8280/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D35.2 2b
- fetal (M8333/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D34
- follicular (M8330/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D34
- hepatocellular (M8170/0) D13.4
- Hurthle cell (M8290/0) D34
- intracystic papillary (M8504/0)
- islet cell (M8150/0)
- - pancreas D13.7 2a
- - specified site NEC - *see* Neoplasm, benign
- - unspecified site D13.7 2a
- liver cell (M8170/0) D13.4
- macrofollicular (M8334/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D34
- malignant (M8140/3) - *see* Neoplasm, malignant
- mesonephric (M9110/0)
- microcystic (M8202/0)
- - pancreas D13.6 2a
- - specified site NEC - *see* Neoplasm, benign
- - unspecified site D13.6 2a
- microfollicular (M8333/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D34
- mixed cell (M8323/0)
- monomorphic (M8146/0)
- mucinous (M8480/0)
- mucoïd cell (M8300/0)

- - specified site - *see* Neoplasm, benign
 - - unspecified site D35.2 2b
 - multiple endocrine (M8360/1)
 - - single specified site - *see* Neoplasm, uncertain behavior
 - - two or more specified sites D44.8 2b
 - - unspecified site D44.8 2b
 - nipple (M8506/0) D24
 - oncocytic (M8290/0)
 - oxyphilic (M8290/0)
 - papillary (M8260/0) - *see also* Neoplasm, benign
 - - eccrine (M8408/0) - *see* Neoplasm, skin, benign
 - - intracystic (M8504/0)
 - papillotubular (M8263/0)
 - Pick's tubular (M8640/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site
 - - - female D27
 - - - male D29.2
 - pleomorphic (M8940/0)
 - - carcinoma in (M8941/3) - *see* Neoplasm, salivary gland, malignant
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C08.9
 - polypoid (M8210/0) - *see also* Neoplasm, benign
 - - adenocarcinoma in (M8210/3) - *see* Neoplasm, malignant
 - - adenocarcinoma in situ (M8210/2) - *see* Neoplasm, in situ
 - prostate D29.1
 - sebaceous (M8410/0) - *see* Neoplasm, skin, benign
 - Sertoli cell (M8640/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site
 - - - female D27
 - - - male D29.2
 - skin appendage (M8390/0) - *see* Neoplasm, skin, benign
 - sudoriferous gland (M8400/0) - *see* Neoplasm, skin, benign
 - sweat gland (M8400/0) - *see* Neoplasm, skin, benign
 - testicular (M8640/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site
 - - - female D27
 - - - male D29.2
 - trabecular (M8190/0)
 - tubular (M8211/0) - *see also* Neoplasm, benign
 - - adenocarcinoma in (M8210/3) - *see* Neoplasm, malignant
 - - adenocarcinoma in situ (M8210/2) - *see* Neoplasm, in situ
 - - Pick's (M8640/0)
 - - - specified site - *see* Neoplasm, benign
 - - - unspecified site
 - - - - female D27
 - - - - male D29.2
 - tubulovillous (M8263/0) - *see also* Neoplasm, benign
 - - adenocarcinoma in (M8263/3) - *see* Neoplasm, malignant
 - - adenocarcinoma in situ (M8263/2) - *see* Neoplasm, in situ
 - villoglandular (M8263/0)
 - villous (M8261/1) - *see* Neoplasm, uncertain behavior
 - - adenocarcinoma in (M8261/3) - *see* Neoplasm, malignant
 - - adenocarcinoma in situ (M8261/2) - *see* Neoplasm, in situ
 - water-clear cell (M8322/0) D35.1
 - wolffian duct (M9110/0)
- Adenomatosis (M8220/0)**
- endocrine (multiple) (M8360/1)
 - - single specified site - *see* Neoplasm, uncertain behavior
 - - two or more specified sites D44.8 2b
 - - unspecified site D44.8 2b
 - erosive of nipple (M8506/0) D24
 - pluriendocrine (M8360/1) - *see* Adenomatosis, endocrine (multiple)

- pulmonary (M8250/1) D38.1
- malignant (M8250/3) - *see* Neoplasm, lung, malignant
- specified site - *see* Neoplasm, benign
- unspecified site D12.6

Adenomatous

- goiter (nontoxic) E04.9
- - with hyperthyroidism E05.2
- - toxic E05.2

Adenomyoma (M8932/0) - *see also* Neoplasm, benign

- prostate D29.1

Adenomyosis N80.0

Adenopathy (lymph gland) R59.9 2b

- generalized R59.1 2b
- inguinal R59.0 2b
- localized R59.0 2b
- mediastinal R59.0 2b
- mesentery R59.0 2b
- syphilitic (secondary) A51.4
- tracheobronchial R59.0 2b
- - tuberculous A16.3 2a 2b
- - - primary (progressive) A16.7 2a 2b
- - tuberculous (*see also* Tuberculosis, lymph gland) A18.2
- - tracheobronchial A16.3 2a 2b
- - - primary (progressive) A16.7 2a 2b

Adenosarcoma (M8933/3) - *see* Neoplasm, malignant

Adenosclerosis I88.8 2b

Adenosis (sclerosing) breast N60.2

Adenovirus - *see* Infection, adenovirus

Adherent - *see also* Adhesions

- labia (minora) N90.8
- pericardium I31.0
- - rheumatic I09.2 2b
- placenta (morbidly) O43.2
- prepuce N47
- scar (skin) L90.5

Adhesions, adhesive (postinfective) K66.0 2a 2b

- with intestinal obstruction K56.5 2a
- abdominal (wall) (*see also* Adhesions, peritoneum) K66.0 2a 2b
- amnion to fetus O41.8
- - affecting fetus or newborn P02.8
- appendix K38.8
- bile duct (common) (hepatic) K83.8
- bladder (sphincter) N32.8
- bowel (*see also* Adhesions, peritoneum) K66.0 2a 2b
- cardiac I31.0
- - rheumatic I09.2 2b
- - - active or acute I01.0 2a 2b
- cecum (*see also* Adhesions, peritoneum) K66.0 2a 2b
- cervicovaginal N88.1
- - congenital Q52.8 2b
- - postpartal O90.8 2b
- - - old N88.1
- cervix N88.1
- ciliary body NEC H21.5
- clitoris N90.8
- colon (*see also* Adhesions, peritoneum) K66.0 2a 2b
- common duct K83.8
- congenital (*see also* Anomaly, by site)
- - fingers Q70.0
- - omental, anomalous Q43.3
- - peritoneal Q43.3
- - toes Q70.2
- - tongue (to gum or roof of mouth) Q38.3
- conjunctiva (acquired) H11.2 2a 2b
- - congenital Q15.8

- cystic duct K82.8
- diaphragm (*see also* Adhesions, peritoneum) K66.0 2a 2b
- due to foreign body - *see* Foreign body
- duodenum (*see also* Adhesions, peritoneum) K66.0 2a 2b
- epididymis N50.8
- epidural - *see* Adhesions, meninges
- epiglottis J38.7
- eustachian tube H69.8
- eyelid H02.5
- female pelvis N73.6
- gallbladder K82.8
- globe H44.8
- heart I31.0
 - - rheumatic I09.2 2b
 - - - active or acute I01.0 2a 2b
- ileocecal (coil) (*see also* Adhesions, peritoneum) K66.0 2a 2b
- ileum (*see also* Adhesions, peritoneum) K66.0 2a 2b
- intestine (*see also* Adhesions, peritoneum) K66.0 2a 2b
 - - with obstruction K56.5 2a
- intra-abdominal (*see also* Adhesions, peritoneum) K66.0 2a 2b
- iris NEC H21.5
- - to corneal graft T85.8 2b
- joint M24.8
- - knee M23.8
- labium (majus) (minus), congenital Q52.5
- liver (*see also* Adhesions, peritoneum) K66.0 2a 2b
- lung J98.4 2a 2b
 - - newborn P28.8
- mediastinum J98.5
- meninges
 - - cerebral G96.1 2b
 - - - congenital Q04.8
 - - congenital Q07.8
 - - spinal G96.1 2b
 - - - congenital Q06.8
 - - tuberculous (cerebral) (spinal) A17.0† 2a 2b G01* 2b
- mesenteric (*see also* Adhesions, peritoneum) K66.0 2a 2b
- nasal (septum) (to turbinates) J34.8
- nerve root NEC G54.8
- ocular muscle H50.6
- omentum (*see also* Adhesions, peritoneum) K66.0 2a 2b
- ovary N73.6
 - - congenital (to cecum, kidney or omentum) Q50.3
- paraovarian N73.6
- pelvic (peritoneal)
 - - female N73.6
 - - - postprocedural N99.4
 - - male (*see also* Adhesions, peritoneum) K66.0 2a 2b
 - - postpartal (old) N73.6
 - - tuberculous A18.1† 2a 2b N74.1*
- penis to scrotum (congenital) Q55.8
- periappendiceal (*see also* Adhesions, peritoneum) K66.0 2a 2b
- pericardium I31.0
 - - focal I31.8
 - - - rheumatic I09.2 2b
 - - - - active or acute I01.0 2a 2b
 - - rheumatic I09.2 2b
 - - - active or acute I01.0 2a 2b
 - - tuberculous A18.8† 2a 2b I32.0*
- perigastric (*see also* Adhesions, peritoneum) K66.0 2a 2b
- periovarian N73.6
- periprostatic N42.8
- perirenal N28.8 2a 2b
- peritoneum, peritoneal K66.0 2a 2b
 - - with obstruction (intestinal) K56.5 2a

- - congenital Q43.3
- - pelvic, female N73.6
- - - postprocedural N99.4
- - postpartal, pelvic N73.6
- - to uterus N73.6
- peritubal N73.6
- periureteral N28.8 2a 2b
- periuterine N73.6
- perivesical N32.8
- perivesicular (seminal vesicle) N50.8
- pleura, pleuritic J94.8
- - tuberculous NEC A16.5 2a 2b
- pleuropericardial J94.8
- postoperative K91.8 2a 2b
- - with obstruction K91.3 2b
- - due to foreign body accidentally left in wound T81.5
- - pelvic peritoneal N99.4
- - vagina N99.2
- postpartal, old (vulva or perineum) N90.8
- preputial, prepuce N47
- pulmonary J98.4 2a 2b
- - newborn P28.8
- pylorus (*see also* Adhesions, peritoneum) K66.0 2a 2b
- sciatic nerve G57.0
- seminal vesicle N50.8
- shoulder (joint) M75.0
- sigmoid flexure (*see also* Adhesions, peritoneum) K66.0 2a 2b
- spermatic cord (acquired) N50.8
- - congenital Q55.4
- spinal canal G96.1 2b
- stomach (*see also* Adhesions, peritoneum) K66.0 2a 2b
- subscapular M75.0
- tendinitis M65.8
- - shoulder M75.0
- testis N50.8
- tongue, congenital (to gum or roof of mouth) Q38.3
- trachea J39.8
- tubo-ovarian N73.6
- tunica vaginalis N50.8
- uterus N73.6
 - - affecting fetus or newborn P03.8
 - - internal N85.6
 - - to abdominal wall N73.6
- vagina (chronic) N89.5
- - postoperative N99.2
- vitreous H43.8
- vulva N90.8

Adiaspiromycosis B48.8

Adie(-Holmes) pupil or syndrome H57.0

Adiponecrosis neonatorum P83.8

Adiposis E66.9 2b

- cerebralis E23.6

- dolorosa E88.2

Adiposity E66.9 2b

- heart (*see also* Degeneration, myocardial) I51.5 2a 2b

- - arteriosclerotic I51.50 2a 2b

- localized E65

Adiposogenital dystrophy E23.6

Adipsia R63.8

Adjustment

- disorder F43.2

- implanted device - *see* Management

- prosthesis, external - *see* Fitting

- reaction F43.2

Administration, prophylactic

- antibiotics Z29.2(89)
- chemotherapeutic agents NEC Z29.2(90)
- gamma globulin Z29.1(91)
- immunoglobulin Z29.1(92)

Admission (for)

- *in vitro* fertilization Z31.2(93)
- observation - *see* Observation
- ovum harvesting or implantation Z31.2(94)
- prophylactic organ removal Z40.0(95)

Adnexitis (suppurative) (*see also* Salpingo-oophoritis) N70.9

Adrenal (gland) - *see condition*

Adrenalinism, tuberculous A18.7† 2b E35.1*

Adrenalitis, adrenitis E27.8

- autoimmune E27.1
- meningococcal, hemorrhagic A39.1† 2a E35.1*

Adrenocortical syndrome - *see* Cushing'ssyndrome

Adrenogenital syndrome E25.9

- acquired E25.8
- congenital E25.0
- salt loss E25.0

Adrenogenitalism, congenital E25.0

Adrenoleukodystrophy E71.3 2b

Adventitious bursa M71.8

Advice - *see* Counseling

Adynamia episodica hereditaria G72.3

Aeration lung imperfect, newborn P28.1 2b

Aerobullosis T70.3

Aerocele - *see* Embolism, air

Aerodontalgia T70.2

Aeroembolism T70.3

Aero-otitis media T70.0

Aerophagy, aerophagia (psychogenic) F45.3 2b

Aerosinusitis T70.1

Aerotitis T70.0

Affair

- cerebrovascular I67.8

Affection - *see* Disease

Afibrinogenemia (*see also* Defect,coagulation) D68.8

- acquired D65 2b
- congenital D68.2 2a 2b

Aftercare (*see also* Care) Z51.9(96)

- following surgery Z48.9(97)
 - - specified NEC Z48.8(98)
- involving dialysis
 - - extracorporeal Z49.1(99)
 - - peritoneal Z49.2(100)
 - - renal Z49.1(101)
- orthodontics Z51.8(102)
- orthopedic (*see also* Removal) Z47.9(103)
 - - specified NEC Z47.8(104)
- specified type NEC Z51.8(105)

After-cataract H26.4 2b

Agalactia (primary) O92.3

- elective, secondary or therapeutic O92.5

Agammaglobulinemia D80.1 2b

- with
 - - immunoglobulin-bearing B-lymphocytes D80.1 2b
 - - lymphopenia D81.9
- acquired (secondary) D80.1 2b
- autosomal recessive (Swiss type) D80.0
- Bruton's X-linked D80.0
- common variable (CVAgamma) D80.1 2b
- congenital sex-linked D80.0
- hereditary D80.0
- lymphopenic D81.9

- nonfamilial D80.1 2b
- Swiss type (autosomal recessive) D80.0
- X-linked (with growth hormone deficiency) (Bruton) D80.0

Aganglionosis (bowel) (colon) Q43.1

- renal Q63.8

Age (old) (*see also* Senility) R54 2a 2b

Agenesis

- adrenal (gland) Q89.1
- alimentary tract (complete) (partial) NEC Q45.8 2b
 - - upper Q40.8
- anus, anal (canal) Q42.3
- - with fistula Q42.2
- aorta Q25.4
- appendix Q42.8
- arm (complete) Q71.0
- artery (peripheral) Q27.9
- - brain Q28.3 2a 2b
- - coronary Q24.5
- - pulmonary Q25.7
- - specified NEC Q27.8 2a 2b
- - umbilical Q27.0
- auditory (canal) (external) Q16.1
- auricle (ear) Q16.0
- bile duct or passage Q44.5
- bladder Q64.5
- bone NEC Q79.9 2a 2b
- brain Q00.0
- - part of Q04.3
- breast (with nipple present) Q83.8
- - with absent nipple Q83.0
- bronchus Q32.4
- canaliculus lacrimalis Q10.4
- carpus Q71.3
- cartilage Q79.9 2a 2b
- cecum Q42.8
- cerebellum Q04.3
- cervix Q51.5
- chin Q18.8
- cilia Q10.3
- circulatory system, part NEC Q28.9 2b
- clavicle Q74.0
- clitoris Q52.6
- coccyx Q76.4
- colon Q42.9
 - - specified NEC Q42.8
- corpus callosum Q04.0
- cricoid cartilage Q31.8
- diaphragm (with hernia) Q79.1 2b
- digestive organ(s) or tract (complete) (partial) NEC Q45.8 2b
 - - upper Q40.8
- duodenum Q41.0
- ear Q16.9
 - - auricle Q16.0
 - - lobe Q17.8
- ejaculatory duct Q55.4
- endocrine (gland) NEC Q89.2
- epiglottis Q31.8
- esophagus Q39.8
- eustachian tube Q16.2
- eye Q11.1
 - - adnexa Q15.8
- eyelid (fold) Q10.3
- face
 - - bones NEC Q75.8 2b
 - - specified part NEC Q18.8

- fallopian tube Q50.6
- femur Q72.4
- fibula Q72.6
- finger (complete) (partial) Q71.3
- foot (and toes) (complete) (partial) Q72.3
- gallbladder Q44.0
- gastric Q40.2
- genitalia, genital (organ(s))
 - - female Q52.8 2b
 - - - external Q52.7
 - - - internal NEC Q52.8 2b
- - male Q55.8
- glottis Q31.8
- hair Q84.0
- hand (and fingers) (complete) (partial) Q71.3
- heart Q24.8 2b
- - valve NEC Q24.8 2b
- hepatic Q44.7
- humerus Q71.8
- hymen Q52.4
- ileum Q41.2
- incus Q16.3
- intestine (small) Q41.9 2b
- - large Q42.9
- - - specified NEC Q42.8
- iris (dilator fibers) Q13.1
- jaw K07.0
- jejunum Q41.1
- kidney(s) (partial) Q60.2
- - bilateral Q60.1
- - left Q60.0
- - right Q60.0
- - unilateral Q60.0
- labium (majus) (minus) Q52.7
- labyrinth, membranous Q16.5
- lacrimal apparatus Q10.4
- larynx Q31.8
- leg
 - - lower Q72.8
 - - - and foot Q72.2
 - - meaning lower limb Q72.0
- lens Q12.3
- limb (complete) Q73.0
- - lower Q72.0
- - upper Q71.0
- lip Q38.0
- liver Q44.7
- lung (fissure) (lobe) (bilateral) (unilateral) Q33.3
- mandible, maxilla K07.0
- metacarpus Q71.3
- metatarsus Q72.3
- muscle Q79.8 2b
 - - eyelid Q10.3
 - - ocular Q15.8
- musculoskeletal system NEC Q79.8 2b
- nail(s) Q84.3
- neck, part Q18.8
- nerve Q07.8
- nervous system, part NEC Q07.8
- nipple Q83.2
- nose Q30.1
- nuclear Q07.8
- oesophagus Q39.8
- organ
 - - of Corti Q16.5

- - or site not listed - *see* Anomaly, by site
- osseous meatus (ear) Q16.1
- ovary Q50.0
- oviduct Q50.6
- pancreas Q45.0
- parathyroid (gland) Q89.2
- parotid gland(s) Q38.4
- patella Q74.1
- pelvic girdle (complete) (partial) Q74.2
- penis Q55.5
- pericardium Q24.8 2b
- pituitary (gland) Q89.2
- prostate Q55.4
- punctum lacrimale Q10.4
- radioulnar Q71.8
- radius Q71.4
- rectum Q42.1
- - with fistula Q42.0
- renal Q60.2
- - bilateral Q60.1
- - unilateral Q60.0
- respiratory organ NEC Q34.8
- rib Q76.6
- roof of orbit Q75.8 2b
- round ligament Q52.8 2b
- sacrum Q76.4
- salivary gland Q38.4
- scapula Q74.0
- scrotum Q55.2
- seminal vesicles Q55.4
- septum
 - - atrial Q21.1 2b
 - - between aorta and pulmonary artery Q21.4
 - - ventricular Q20.4 2b
- shoulder girdle (complete) (partial) Q74.0
- skull (bone) Q75.8 2b
- - with
 - - - anencephaly Q00.0
 - - - encephalocele (*see also* Encephalocele) Q01.9
 - - - hydrocephalus Q03.9 2a 2b
 - - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
 - - - microcephaly Q02
- spermatic cord Q55.4
- spinal cord Q06.0
- spine Q76.4
- spleen Q89.0
- sternum Q76.7
- stomach Q40.2
- submaxillary gland(s) (congenital) Q38.4
- tarsus Q72.3
- tendon Q79.8 2b
- testicle Q55.0
- thymus (gland) Q89.2
- thyroid (gland) E03.1
- - cartilage Q31.8
- tibia Q72.5
- tibiofibular Q72.8
- toe (and foot) (complete) (partial) Q72.3
- tongue Q38.3
- trachea (cartilage) Q32.1
- ulna Q71.5
- upper limb Q71.0
- - with hand present Q71.1
- ureter Q62.4 2a
- urethra Q64.5

- urinary tract NEC Q64.8
- uterus Q51.0
- uvula Q38.5
- vagina Q52.0
- vas deferens Q55.4
- vein(s) (peripheral) Q27.9
 - - brain Q28.3 2a 2b
 - - great NEC Q26.8
 - - portal Q26.5
- vena cava (inferior) (superior) Q26.8
- vermis of cerebellum Q04.3
- vertebra Q76.4
- vulva Q52.7

Ageusia R43.2

Agitated - *see condition*

Agitation R45.1

Aglossia (congenital) Q38.3

Aglossia-adactylia syndrome Q87.0

Agnosia (body image) (tactile) (other senses) R48.1

- developmental F88
- verbal R48.1
- - auditory R48.1
- - - developmental F80.2
- - developmental F80.2
- - visual R48.1

Agoraphobia (with history of panic disorder) F40.0

Agrammatism R48.8

Agranulocytosis (angina) (chronic) (cyclical) (genetic) (infantile) (periodic) (pernicious) D70

Agraphia (absolute) R48.8

- developmental F81.8

Ague - *see Malaria*

Agyria Q04.3

Ahumada-del Castillo syndrome E23.0 2b

Aicardi's syndrome Q04.0

AIDS (related complex) (*see also* Human,immunodeficiency virus (HIV) disease) B24 2a 2b

- complicating pregnancy, childbirth or the puerperium O98.7

Ailment, heart - *see Disease, heart*

Ainhum (disease) L94.6 2b

Air

- anterior mediastinum J98.2 2b
- conditioner lung or pneumonitis J67.7
- embolism (artery) (cerebral) (any site) (*see also* Embolism, air) T79.0
 - - due to implanted device NEC - *see* Complications, by site and type, specified NEC
 - - following infusion, therapeutic injection or transfusion T80.0
 - - in pregnancy, childbirth or puerperium O88.0
 - - traumatic T79.0
- hunger, psychogenic F45.3 2b
- pollution Z58.1(106)
 - - occupational NEC Z57.3(107)
- rarefied, effects of - *see* Effect, adverse, high altitude
- sickness T75.3

Akathisia, treatment-induced G21.1

Akinesia R29.8 2b

- fetal deformation sequence (FADS) Q74.3

Akinetic mutism R41.8

Akureyri's disease G93.3 2b

Alactasia, congenital E73.0 2b

Alagille's syndrome Q44.7

Alalia R47.0

- developmental F80.0

Alastrim B03 2a

Albers-Schönberg syndrome Q78.2

Albert's syndrome M76.6

Albinism, albino (cutaneous) (generalized) (isolated) (partial) E70.3 2b

- ocular, oculocutaneous E70.3 2b

Albinismus E70.3 2b

Albright(-McCune)(-Sternberg) syndrome Q78.1

Albuminous - see condition

Albuminuria, albuminuric (acute) (chronic) (subacute) (see also Proteinuria) R80 2b

- complicating pregnancy, childbirth or puerperium O12.1
- - with
 - - gestational hypertension (see also Pre-eclampsia) O14.9 2a
 - - pre-existing hypertensive disorder O11
- gestational O12.1
- - with
 - - gestational hypertension (see also Pre-eclampsia) O14.9 2a
 - - pre-existing hypertensive disorder O11
- orthostatic N39.2 2b
- postural N39.2 2b
- pre-eclamptic (see also Pre-eclampsia) O14.9 2a
- - affecting fetus or newborn P00.0
- - severe O14.1
- - - affecting fetus or newborn P00.0
- retinitis N18.5† 2b H32.8*

Alcaptonuria E70.2

Alcohol, alcohol-induced F10.9 2b

- addiction F10.2 2a 2b
- brain syndrome, chronic F10.7 2a
- consumption F10.9 2b
- convulsions F10.3
- counseling and surveillance Z71.4(108)
- delirium (acute) (tremens) (withdrawal) F10.4 2a
- - chronic F10.6 2a 2b
- dementia F10.7 2a
- dependence F10.2 2a 2b
- detoxification therapy Z50.2(109)
- drinking F10.9 2b
- hallucinosis (acute) F10.5
- in blood (percentage) R78.0 2a 2b
- in body fluid R89.3 2a 2b
- in urine R82.6 2a 2b
- intoxication (acute) T51.9 2a 2b
- - with delirium F10.0 2b
- - specified type - see Table of drugs and chemicals
- jealousy F10.5
- liver K70.9 2a 2b
- overdose T51.9 2a 2b
- over indulgence F10.1 2a 2b
- paranoia, paranoid (type) psychosis F10.5
- pellagra E52 2a 2b
- poisoning, accidental (acute) NEC T51.9 2a 2b
- - specified type of alcohol - see Table of drugs and chemicals
- psychosis - see Psychosis, alcoholic
- rehabilitation measures Z50.2(110)
- seizures F10.3
- use (liberal) NEC F10.9 2b
- - chronic F10.1 2a 2b
- withdrawal F10.3
- - with delirium F10.4 2a

Alcoholic (recovering) (see also Alcohol,alcohol induced) F10.2 2a 2b

Alcoholism (chronic) F10.2 2a 2b

- with psychosis (see also Psychosis, alcoholic) F10.5
- acute - see Table of drugs and chemicals
- complicating pregnancy, childbirth or puerperium O99.3
- - affecting fetus or newborn P04.3
- Korsakov's F10.6 2a 2b
- suspected damage to fetus affecting management of pregnancy O35.4 2a

Alder's anomaly or syndrome D72.0 2b

Aldosteroma, Aldosteronoma E26.0

Aldosteronism (see also Hyperaldosteronism) E26.9 2b

Aldrich(-Wiskott) syndrome D82.0 2b

Aleppo boil B55.1

Aleukemia (*see also condition*) D70

Aleukia hemorrhagica D61.9 2b

Alexander's syndrome E75.2 2b

Alexia R48.0

- developmental F81.0

Algoneurodystrophy M89.0

Alienation, mental (*see also Psychosis*) F29 2a 2b

Alkalemia E87.3

- due to

- - medical care NEC E89.8 2b

Alkalosis (metabolic) (respiratory) E87.3

- due to

- - medical care NEC E89.8 2b

Alkaptonuria E70.2

Allen-Masters syndrome N83.8

Allergy, allergic (reaction) T78.4 2b

- airborne substance NEC (rhinitis) J30.3

- animal (dander) (epidermal) (hair) (rhinitis) J30.3

- biological - *see Allergy, drug, medicament and biological*

- colitis K52.2

- dander (animal) (rhinitis) J30.3

- dandruff (rhinitis) J30.3

- dermatitis (*see also Dermatitis, due to*) L23.9

- drug, medicament and biological (any) (correct medicinal substance properly administered) (external) (internal) T88.7 2a 2b

- - wrong substance given or taken NEC T50.9 2a 2b

- - - specified drug or substance - *see Table of drugs and chemicals*

- dust (house) (stock) (rhinitis) J30.3

- - with asthma J45.0 2b

- eczema (*see also Dermatitis, due to*) L23.9

- epidermal (animal) (rhinitis) J30.3

- feathers (rhinitis) J30.3

- food (any) (ingested) NEC T78.1

- - anaphylactic shock T78.0

- - dietary counseling and surveillance Z71.3(111)

- - in contact with skin L23.6

- gastrointestinal K52.2

- grass (hay fever) (pollen) J30.1

- - asthma J45.0 2b

- hair (animal) (rhinitis) J30.3

- horse serum - *see Allergy, serum*

- inhalant (rhinitis) J30.3

- kapok (rhinitis) J30.3

- medicine - *see Allergy, drug, medicament and biological*

- nasal, seasonal due to pollen J30.1

- pollen (any) (hay fever) J30.1

- - asthma J45.0 2b

- ragweed (hay fever) (pollen) J30.1

- - asthma J45.0 2b

- respiratory (upper) J30.4

- rose (pollen) J30.1

- *Senecio jacobae* (pollen) J30.1

- serum (prophylactic) (therapeutic) T80.6 2b

- - anaphylactic shock T80.5

- shock (anaphylactic) T78.2

- - due to

- - - adverse effect of correct medicinal substance properly administered T88.6 2b

- - - serum or immunization T80.5

- tree (any) (hay fever) (pollen) J30.1

- - asthma J45.0 2b

- vaccine - *see Allergy, serum*

Allescheriasis B48.2

Alligator skin disease Q80.9

Allocheiria, allochiria R20.8

Almeida's disease (*see also* Paracoccidioidomycosis) B41.9

Alopecia (hereditaria) (seborrheica) L65.9

- androgenic L64.9
- - drug-induced L64.0
- - specified NEC L64.8
- areata L63.9
- - specified NEC L63.8
- cicatricial L66.9
- - specified NEC L66.8
- circumscripta L63.9
- congenital, congenitalis Q84.0
- due to cytotoxic drugs NEC L65.8
- mucinosa L65.2
- postinfective NEC L65.8
- postpartum L65.0
- premature L64.8
- specific (syphilitic) A51.3† L99.8*
- specified NEC L65.8
- syphilitic (secondary) A51.3† L99.8*
- totalis (capitis) L63.0
- universalis (entire body) L63.1
- X-ray L58.1 2b

Alpers' disease G31.8

Alpine sickness T70.2

Alport's syndrome Q87.8 2b

Altered

- consciousness (level) R41.8
- mental status F99.2a 2b
- pattern of family relationships affecting child Z61.2(112)

Alternating - *see condition*

Altitude, high (effects) - *see* Effect, adverse, high altitude

Aluminosis (of lung) J63.0

Alveolitis J84.8

- allergic (extrinsic) J67.9
- - due to
- - - inhaled organic dusts NEC J67.8
- - - organisms (fungal, thermophilic actinomycetes, other) growing in ventilation (air conditioning) systems J67.7
- due to
- - *Aspergillus clavatus* J67.4
- - *Cryptostroma corticale* J67.6
- fibrosing (cryptogenic) (idiopathic) J84.1 2a 2b
- jaw K10.3

Alveolus, alveolar - *see condition*

Alymphocytosis D72.8 2b

- thymic (with immunodeficiency) D82.1 2b

Alymphoplasia, thymic D82.1 2b

Alzheimer's disease or sclerosis G30.9 2a 2b

- dementia in G30.9† 2a 2b F00.9*
- - atypical or mixed G30.8† F00.2*
- - early (onset) (presenile) G30.0† F00.0*
- - late (onset) (senile) G30.1† 2a 2b F00.1*
- early (onset) (presenile) G30.0
- late (onset) (senile) G30.1 2a 2b
- specified NEC G30.8

Amastia (with nipple present) Q83.8

- with absent nipple Q83.0

Amaurosis (acquired) (binocular) (both eyes) (congenital) (*see also* Blindness) H54.0

- fugax G45.3
- hysterical F44.6
- Leber's congenital H35.5
- uremic - *see* Uremia

Amaurotic idiocy (infantile) (juvenile) (late) E75.4 2b

Ambiguous genitalia Q56.4

Amblyopia (congenital) (deprivation) (partial) (strabismic) (suppression) H53.0

- anisometropic H53.0

- ex anopsia H53.0
- hysterical F44.6
- nocturnal H53.6
- - vitamin A deficiency E50.5† H58.1*
- tobacco H53.8
- toxic NEC H53.8
- uremic - *see* Uremia

Ameba, amebic - *see* Amebiasis

Amebiasis A06.9

- with abscess - *see* Abscess, amebic
- acute A06.0
- chronic (intestine) A06.1
- - with abscess - *see* Abscess, amebic
- cutaneous A06.7
- hepatic (*see also* Abscess, liver, amebic) A06.4
- intestine A06.0
- nondysenteric colitis A06.2
- skin A06.7
- specified site NEC A06.8

Ameboma (of intestine) A06.3

Amelia Q73.0

- lower limb Q72.0
- upper limb Q71.0

Ameloblastoma (M9310/0) D16.5

- jaw (bone) (lower) D16.5
- - upper D16.4
- long bones (M9261/3) C40.9
- malignant (M9310/3) C41.1
- - jaw (bone) (lower) C41.1
- - - upper C41.0
- mandible D16.5
- tibial (M9261/3) C40.2 2a 2b

Amelogenesis imperfecta K00.5

- nonhereditaria (segmentalis) K00.4

Amenorrhea N91.2

- hyperhormonal E28.8
- primary N91.0
- secondary N91.1

Amentia (*see also* Retardation, mental) F79 2a 2b

Ametropia H52.7

Amianthosis J61

Amimia R48.8

Amino-acid disorder E72.9

- anemia D53.0

Aminoacidopathy E72.9

Aminoaciduria E72.9

Amnes(t)ic syndrome

- alcohol-induced F10.6 2a 2b
- drug-induced - *see* F11-F19 with fourth character .6

Amnesia R41.3

- anterograde R41.1
- auditory R48.8
- dissociative F44.0
- hysterical F44.0
- postictal in epilepsy G40.9
- psychogenic F44.0
- retrograde R41.2
- transient global G45.4

Amniocentesis screening (for) Z36.2(113)

- alphafetoprotein level, raised Z36.1(114)
- chromosomal anomalies Z36.0(115)

Amnion, amniotic - *see also* condition

- fluid
- - absent P01.2 2a
- fluid index (AFI)

- - less than 1.4 - *see* Oligohydramnios
- - more than 3.8 - *see* Polyhydramnios

Amnionitis

- affecting fetus or newborn P02.7
- complicating pregnancy O41.1

Amok F68.8

Amoral traits F61

Ampulla

- lower esophagus K22.8
- phrenic K22.8

Amputation - *see also* Absence, by limb or organ, acquired

- any part of fetus, to facilitate delivery P03.8
- cervix (uteri) Z90.7(116)
- - in pregnancy or childbirth O34.4
- neuroma T87.3
- stump (surgical)
- - abnormal, painful, or with complication (late) T87.6
- - healed or old NEC Z89.9(117)
- traumatic (complete) (partial) T14.7 2a 2b
- - abdomen, lower back and pelvis NEC S38.3
- - arm
 - - - meaning upper limb - *see* Amputation, traumatic, limb, upper
 - - - upper S48.9
 - - - at shoulder joint S48.0
 - - - between shoulder and elbow S48.1
- - ear S08.1
- - finger
 - - - one (except thumb) S68.1
 - - - with other parts of wrist and hand S68.3
 - - - two or more (except thumb) S68.2
 - - - with other parts of wrist and hand S68.3
- - foot S98.4
 - - - at ankle level S98.0
 - - - both T05.3
 - - - one toe S98.1
 - - - other parts S98.3
 - - - parts of foot and toe(s) S98.3
 - - - two or more toes S98.2
- - forearm S58.9
 - - - at elbow level S58.0
 - - - between elbow and wrist S58.1
- - genital organ(s) (external) S38.2
- - hand S68.9
 - - - and wrist S68.9
 - - - parts NEC S68.8
- - at wrist level S68.4
- - both T05.0
- - parts NEC S68.8
- - head
 - - - decapitation (at neck level) S18
 - - - ear S08.1
 - - - nose S08.8
 - - - part S08.9
 - - - scalp S08.0
 - - - specified NEC S08.8
- - hip (and thigh) S78.9
- - at hip joint S78.0
- - labium (majus) (minus) S38.2
- - leg
 - - - lower S88.9
 - - - at knee level S88.0
 - - - between knee and ankle S88.1
 - - - both (any level) T05.5
 - - - meaning lower limb - *see* Amputation, traumatic, limb, lower
- - limb T14.7 2a 2b

- - - lower T13.6
- - - both T05.5
- - - upper T11.6
- - - both T05.2
- - lower limb(s) except toe(s) T13.6
- - multiple T05.9
- - - specified site - *see Amputation, traumatic, by site*
- - nose S08.8
- - pelvis S38.3
- - penis S38.2
- - scrotum S38.2
- - shoulder S48.9
- - - at shoulder joint S48.0
- - testis S38.2
- - thigh S78.9
- - - at hip joint S78.0
- - - between hip and knee S78.1
- - thorax, part of S28.1
- - thumb S68.0
- - toe
 - - - one S98.1
 - - - with other parts of foot S98.3
 - - - two or more S98.2
 - - - with other parts of foot S98.3
- - trunk NEC T09.6
- - upper limb(s) T11.6
- - - both T05.2
- - vulva S38.2
- - wrist S68.9
- - - parts NEC S68.8

Amputee (bilateral) (old) Z89.9(118)

Amsterdam dwarfism Q87.1 2a

Amusia R48.8

- developmental F80.8

Amyelencephalus, amyelencephaly Q00.0

Amyelia Q06.0

Amygdalitis - *see Tonsillitis*

Amygdalolith J35.8

Amyloid heart (disease) E85.4† I43.1*

Amyloidoma E85.4

Amyloidosis (generalized) (primary) E85.9 2b

- with lung involvement E85.4† J99.8*

- familial E85.2

- genetic E85.2

- heart E85.4† I43.1*

- hemodialysis-associated E85.3

- heredofamilial E85.2

- - neuropathic E85.1

- - non-neuropathic E85.0

- liver E85.4† K77.8*

- localized E85.4

- neuropathic heredofamilial E85.1

- non-neuropathic heredofamilial E85.0

- organ-limited E85.4

- Portuguese E85.1

- pulmonary E85.4† J99.8*

- secondary (systemic) E85.3

- skin (lichen) (macular) E85.4† L99.0*

- specified NEC E85.8

- subglottic E85.4† J99.8*

Amylopectinosis (brancher enzyme deficiency) E74.0 2a 2b

Amyoplasia congenita Q79.8 2b

Amyotonia M62.8

- congenita G70.2

Amyotrophy, amyotrophic G71.8 2a

- congenita Q79.8 2b
- diabetic (*see also* E10-E14 with fourth character .4) E14.4† G73.0*
- lateral sclerosis G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
- neuralgic G54.5
- spinal progressive G12.2 2a 2b
 - - Advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b

An acidity, gastric K31.8 2a

- psychogenic F45.3 2b

Anaerosis of newborn P28.8

Analbuminemia E88.0 2b

Analgesia (*see also* Anesthesia) R20.0 2b

Analphalipoproteinemia E78.6

Anaphylactic shock or reaction - *see* Shock, anaphylactic

Anaphylactoid shock or reaction - *see* Shock, anaphylactic

Anaphylactoid syndrome of pregnancy O88.1

Anaphylaxis - *see* Shock, anaphylactic

Anaplasia cervix (*see also* Dysplasia,cervix) N87.9

Anaplasmosis A77.8 2a

Anarthria R47.1

Anasarca R60.1 2b

- cardiac (*see also* Failure, heart, congestive) I50.0 2a 2b

- fetus or newborn P83.2

Anastomosis

- aneurysmal - *see* Aneurysm
- arteriovenous, ruptured, brain I60.8 2a 2b
- intestinal K63.8
- retinal and choroidal vessels (congenital) Q14.8

Anatomical narrow angle H40.0

Ancylostoma (infection) (infestation), ancylostomiasis (*braziliense*) (*caninum*) (*ceylanicum*) (*duodenale*) B76.0

Andersen's disease (glycogen storage) E74.0 2a 2b

Anderson-Fabry disease E75.2 2b

Andes disease T70.2

Androblastoma (M8630/1)

- benign (M8630/0)
 - - specified site - *see* Neoplasm, benign
 - - unspecified site
 - - - female D27
 - - - male D29.2
- malignant (M8630/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site
 - - - female C56 2a 2b
 - - - male C62.9
- specified site - *see* Neoplasm, uncertain behavior
- tubular (M8640/0)
 - - with lipid storage (M8641/0)
 - - - specified site - *see* Neoplasm, benign
 - - - unspecified site
 - - - - female D27
 - - - - male D29.2
 - - specified site - *see* Neoplasm, benign
 - - unspecified site
 - - - female D27
 - - - male D29.2
- - - female D39.1
- - male D40.1

Androgen resistance syndrome E34.5

Android pelvis Q74.2

- with disproportion (fetopelvic) O33.3

- - affecting fetus or newborn P03.1
- - causing obstructed labor O65.3
- Anemia** D64.9 2a 2b
 - with disorder of
 - - anaerobic glycolysis D55.2
 - - pentose phosphate pathway D55.1
 - achlorhydric D50.8
 - achrestic D53.1
 - Addison(-Biermer) D51.0 2a 2b
 - amino-acid-deficiency D53.0
 - aplastic D61.9 2b
 - - congenital D61.0
 - - constitutional D61.0
 - - drug-induced D61.1 2b
 - - due to
 - - - drugs D61.1 2b
 - - - external agents NEC D61.2 2b
 - - - infection D61.2 2b
 - - - radiation D61.2 2b
 - - idiopathic D61.3
 - - red cell (pure) D60.9
 - - - chronic D60.0
 - - - congenital D61.0
 - - - specified type NEC D60.8
 - - - transient D60.1
 - - specified type NEC D61.8
 - - toxic D61.2 2b
 - aregenerative D61.9 2b
 - - chronica congenital D61.0
 - siderotic D50.9
 - atypical (primary) D64.9 2a 2b
 - Baghdad spring D55.0
 - *Balantidium coli* A07.0
 - Biermer's D51.0 2a 2b
 - blood loss D50.0
 - - acute D62
 - brickmaker's B76.9† D63.8*
 - cerebral I67.8
 - childhood D64.9 2a 2b
 - chlorotic D50.8
 - chronic simple D53.9 2b
 - combined system disease NEC D51.0† 2a 2b G32.0*
 - - due to dietary vitamin B₁₂ deficiency D51.3† G32.0*
 - complicating pregnancy, childbirth or puerperium O99.0 2b
 - congenital P61.4 2b
 - - due to isoimmunization NEC P55.9
 - - dyserythropoietic, dyshematopoietic D64.4
 - - following fetal blood loss P61.3
 - - Heinz body D58.2 2b
 - - hereditary hemolytic NEC D58.9 2a 2b
 - Cooley's (erythroblastic) D56.1
 - deficiency D53.9 2b
 - - amino-acid D53.0
 - - 2,3-diphosphoglycerate mutase (2,3-PG) D55.2
 - - enzyme D55.9
 - - - drug-induced (hemolytic) D59.2 2b
 - - - glucose-6-phosphate dehydrogenase (G6PD) D55.0
 - - - glycolytic D55.2
 - - - nucleotide metabolism D55.3
 - - - related to hexose monophosphate (HMP) shunt pathway NEC D55.1
 - - - specified type NEC D55.8
 - - erythrocytic glutathione D55.1
 - - folate D52.9
 - - - dietary D52.0
 - - - drug-induced D52.1

- - folic acid D52.9
- - - dietary D52.0
- - - drug-induced D52.1
- - GSH D55.1
- - GGS-R D55.1
- - glucose-6-phosphate dehydrogenase (G6PD) D55.0
- - glutathione reductase (GGS-R) D55.1
- - glyceraldehyde phosphate dehydrogenase D55.2
- - G6PD D55.0
- - hexokinase D55.2
- - iron D50.9
- - - secondary to blood loss (chronic) D50.0
- - nutritional D53.9 2b
- - - with
 - - - - poor iron absorption D50.8
 - - - - specified deficiency NEC D53.8
- - 2,3-PG D55.2
- - 6-PGD D55.1
- - phosphofructo-aldolase D55.2
- - 6-phosphogluconate dehydrogenase (6-PGD) D55.1
- - phosphoglycerate kinase (PK) D55.2
- - PK D55.2
- - protein D53.0
- - pyruvate kinase D55.2
- - transcobalamin II D51.2
- - triose-phosphate isomerase D55.2
- - vitamin B₁₂ D51.9
- - - dietary D51.3
- - - due to
 - - - - intrinsic factor deficiency D51.0 2a 2b
 - - - - selective vitamin B₁₂ malabsorption with proteinuria D51.1 2b
- - - specified type NEC D51.8
- Diamond-Blackfan D61.0
- dimorphic D53.1
- diphasic D53.1
- *Diphyllobothrium (Dibothriocephalus)* B70.0† D63.8*
- drepanocytic (*see also* Disease, sickle-cell) D57.1
- due to
 - - deficiency
 - - - amino-acid D53.0
 - - - copper D53.8
 - - - folate (folic acid) D52.9
 - - - dietary D52.0
 - - - drug-induced D52.1
 - - - iron D50.9
 - - - molybdenum D53.8
 - - - protein D53.0
 - - - zinc D53.8
 - - dietary vitamin B₁₂ deficiency D51.3
- - disorder of
 - - - glutathione metabolism D55.1
 - - - nucleotide metabolism D55.3
 - - enzyme disorder D55.9
- - fetal blood loss P61.3
- - hemorrhage (chronic) D50.0
- - - acute D62
- - loss of blood (chronic) D50.0
- - - acute D62
- - myxedema E03.9† 2a 2b D63.8*
- - prematurity P61.2 2a 2b
- - selective vitamin B₁₂ malabsorption with proteinuria D51.1 2b
- - transcobalamin II deficiency D51.2
- Dyke-Young type (secondary) (symptomatic) D59.1

- dyserythropoietic (congenital) D64.4
 - dyshematopoietic (congenital) D64.4
 - Egyptian B76.9† D63.8*
 - elliptocytosis (*see also* Elliptocytosis) D58.1
 - enzyme-deficiency, drug-induced D59.2 2b
 - erythroblastic
 - - familial D56.1
 - - fetus or newborn (*see also* Disease, hemolytic) P55.9
 - - of childhood D56.1
 - erythrocytic glutathione deficiency D55.1
 - erthromegalocaryocytic (acute) (chronic) D64.8 2a 2b
 - essential D64.9 2a 2b
 - excess blasts D64.9 2a 2b
 - familial erythroblastic D56.1
 - Fanconi's D61.0
 - favism D55.0
 - fetus or newborn P61.4 2b
 - - due to
 - - - ABO (antibodies) (isoimmunization) (maternal/fetal incompatibility) P55.1
 - - - Rh (antibodies) (isoimmunization) (maternal/fetal incompatibility) P55.0 2b
 - - following fetal blood loss P61.3
 - folate (folic acid) deficiency D52.9
 - general D64.9 2a 2b
 - glucose-6-phosphate dehydrogenase (G6PD) deficiency D55.0
 - glutathione-reductase deficiency D55.1
 - goat's milk D52.0
 - granulocytic D70
 - Heinz body, congenital D58.2 2b
 - hemoglobin deficiency D64.9 2a 2b
 - hemolytic D58.9 2a 2b
 - - acquired D59.9
 - - - with hemoglobinuria NEC D59.6
 - - - autoimmune NEC D59.1
 - - - infectious D59.4 2a 2b
 - - - non-autoimmune NEC D59.4 2a 2b
 - - - drug-induced D59.2 2b
 - - - specified type NEC D59.8
 - - - toxic D59.4 2a 2b
 - - acute D59.9
 - - due to enzyme deficiency specified type NEC D55.8
 - - fetus or newborn (*see also* Disease, hemolytic) P55.9
 - - Lederer's D59.1
 - - autoimmune D59.1
 - - drug-induced D59.0
 - - chronic D58.9 2a 2b
 - - idiopathic D59.9
 - - cold type (secondary) (symptomatic) D59.1
 - - congenital (spherocytic) (*see also* Spherocytosis) D58.0
 - - due to
 - - - cardiac conditions D59.4 2a 2b
 - - - drugs (nonautoimmune) D59.2 2b
 - - - autoimmune D59.0
 - - - enzyme disorder D55.9
 - - - drug-induced D59.2 2b
 - - - presence of shunt or other internal prosthetic device D59.4 2a 2b
 - - familial D58.9 2a 2b
 - - hereditary D58.9 2a 2b
 - - due to enzyme disorder D55.9
 - - - specified type NEC D55.8
 - - - specified type NEC D58.8
 - - idiopathic (chronic) D59.9
 - - mechanical D59.4 2a 2b
 - - microangiopathic D59.4 2a 2b
 - - nonautoimmune D59.4 2a 2b
 - - - drug-induced D59.2 2b

- - nonspherocytic
- - - congenital or hereditary NEC D55.8
- - - - glucose-6-phosphate dehydrogenase deficiency D55.0
- - - - pyruvate kinase deficiency D55.2
- - - - type I D55.1
- - - - type II D55.2
- - - type I D55.1
- - - type II D55.2
- - secondary D59.4 2a 2b
- - - autoimmune D59.1
- - - drug-induced D59.0
- - specified (hereditary) type NEC D58.8
- - Stransky-Regala type (*see also* Hemoglobinopathy) D58.2 2b
- - symptomatic D59.4 2a 2b
- - autoimmune D59.1
- - toxic NEC D59.4 2a 2b
- - warm type (secondary) (symptomatic) D59.1
- hemorrhagic (chronic) D50.0
- - acute D62
- Herrick's (*see also* Disease, sickle-cell) D57.1
- hexokinase deficiency D55.2
- hookworm B76.9† D63.8*
- hypochromic D50.9
- - familial sex-linked D64.0
- - microcytic D50.8
- - normoblastic D50.8
- - pyridoxine-responsive D64.3 2a 2b
- - sideroblastic, sex-linked D64.0
- hypoplasia, red blood cells D61.9 2b
- - congenital or familial D61.0
- hypoplastic D61.9 2b
- - congenital or familial D61.0
- hypoproliferative (refractive) D61.9 2b
- idiopathic D64.9 2a 2b
- - aplastic D61.3
- - hemolytic, chronic D59.9
- in
 - - chronic kidney disease
 - - - stage 3 N18.3† D63.8*
 - - - stage 4 N18.4† D63.8*
 - - - stage 5 N18.5† 2b D63.8*
 - - - unspecified N18.9† 2a 2b D63.8*
- - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b D63.0*
- infantile D64.9 2a 2b
- iron deficiency D50.9
- - secondary to blood loss (chronic) D50.0
- - specified type NEC D50.8
- Lederer's (hemolytic) D59.1
- leukoerythroblastic D64.8 2a 2b
- leukomyeloblastic (acute) (chronic) D64.8 2a 2b
- lymphatic (acute) (chronic) D81.9
- lymphoblastic (acute) (chronic) D64.8 2a 2b
- lymphocytic (acute) (chronic) D64.8 2a 2b
- macrocytic D52.9
- - nutritional D52.0
- - of or complicating pregnancy O99.0 2b
- - tropical D52.8
- malarial (*see also* Malaria) B54 2b D63.8*
- malignant D51.0 2a 2b
- malnutrition D53.9 2b
- marsh (*see also* Malaria) B54† 2b D63.8*
- Mediterranean D56.9
- megaloblastic D53.1
- - hereditary D51.1 2b
- - nutritional D52.0

- - of or complicating pregnancy O99.0 2b
- - orotic aciduria D53.0
- - refractory D53.1
- - specified type NEC D53.1
- megalocytic D53.1
- metaplastic (*see also* Anemia, pernicious) D51.0 2a 2b
- microcytic D50.8
- - due to blood loss (chronic) D50.0
 - - - acute D62
 - - familial D56.8
 - - hypochromic D50.8
- microelliptopoikilocytic (Rietti-Greppi-Micheli) D56.9
- miner's B76.9† D63.8*
- monocytic, chronic D64.8 2a 2b
- myelodysplastic (M9989/1) D46.9
- myelofibrosis (M9960/1) D47.1† 2b D63.0*
- myelogenous D64.8 2a 2b
- myelopathic D64.8 2a 2b
- myelophthisic D61.9 2b
- myeloproliferative (M9960/1) D47.1 2b
- newborn P61.4 2b
- - posthemorrhagic (fetal) P61.3
- nonspherocytic hemolytic - *see* Anemia, hemolytic, nonspherocytic
- normocytic (infection) D64.9 2a 2b
- - due to blood loss (chronic) D50.0
 - - - acute D62
 - - myelophthisic D61.9 2b
 - - nutritional (deficiency) D53.9 2b
 - - with poor iron absorption D50.8
- - megaloblastic D52.0
- - specified NEC D53.8
- of or complicating pregnancy O99.0 2b
- - affecting fetus or newborn P00.8
- of prematurity P61.2 2a 2b
- orotaciduric D53.0
- osteosclerotic D64.8 2a 2b
- paludal (*see also* Malaria) B54† 2b D63.8*
- pernicious (congenital) (malignant) (progressive) D51.0 2a 2b
- - of or complicating pregnancy O99.0 2b
- pleochromic D64.8 2a 2b
 - - of sprue D52.8
- posthemorrhagic (chronic) D50.0
 - - acute D62
 - - newborn P61.3
 - - pressure D64.8 2a 2b
 - - primary D64.9 2a 2b
 - - profound D64.9 2a 2b
 - - progressive D64.9 2a 2b
 - - protein-deficiency D53.0
 - - pseudoleukemic infantum D64.8 2a 2b
 - - puerperal O99.0 2b
 - - pure red cell D60.9
 - - congenital D61.0
 - - pyridoxine-responsive D64.3 2a 2b
 - - pyruvate kinase deficiency D55.2
 - - refractory (M9980/1) D46.4
 - - with
 - - - hemochromatosis (M9982/1) D46.1 2b
 - - - sideroblasts (M9982/1) D46.1 2b
 - - - excess (of) blasts (M9983/1) D46.2
 - - - transformation (M9984/1) D46.3
 - - - sideroblastic (M9982/1) D46.1 2b
 - - - sideropenic D50.9
 - - - without sideroblasts (M9981/1) D46.0
- Rietti-Greppi-Micheli D56.9

- scorbatic D53.2
- secondary to
 - - blood loss (chronic) D50.0
 - - acute D62
 - - hemorrhage (chronic) D50.0
 - - acute D62
- semiplastic D61.8
- septic D64.8 2a 2b
- sickle-cell D57.1
 - - with crisis D57.0
- sideroblastic D64.3 2a 2b
- - hereditary D64.0
- - hypochromic, sex-linked D64.0
- - pyridoxine-responsive NEC D64.3 2a 2b
- - secondary (due to)
 - - disease D64.1 2a 2b
 - - drugs and toxins D64.2 2a 2b
 - - specified type NEC D64.3 2a 2b
- - sideropenic (refractory) D50.9
- simple chronic D53.9 2b
- specified type NEC D64.8 2a 2b
- spherocytic (hereditary) (*see also* Spherocytosis) D58.0
- splenic D64.8 2a 2b
- splenomegalic D64.8 2a 2b
- syphilitic (acquired) (late) A52.7† 2a 2b D63.8*
- target cell D64.8 2a 2b
- thalassemia D56.9
- thrombocytopenic (*see also* Thrombocytopenia) D69.6 2a 2b
- toxic D61.2 2b
- tropical B76.9† D63.8*
- - macrocytic D52.8
- - tuberculous A18.8† 2a 2b D63.8*
- vegan D51.3
- vitamin B₆-responsive D64.3 2a 2b
- vitamin B₁₂ D51.9
- von Jaksch's D64.8 2a 2b
- Witts' D50.8

Anencephalus, anencephaly Q00.0

- fetus (suspected), affecting management of pregnancy O35.0

Anesthesia, anesthetic (*see also* Effect, adverse, anesthesia) R20.0 2b

- complication or reaction NEC (*see also* Complications, anesthesia) T88.5 2b
 - - due to
 - - - correct substance properly administered T88.5 2b
 - - - overdose or wrong substance given T41-
 - - - - specified anesthetic - *see* Table of drugs and chemicals
- cornea H18.8
- death from
 - - correct substance properly administered T88.2 2b
 - - during delivery O74.8 2b
 - - in pregnancy O29.9
 - - overdose or wrong substance given T41-
 - - - specified anesthetic - *see* Table of drugs and chemicals
 - - postpartum, puerperal O89.8
- dissociative F44.6
- functional (hysterical) F44.6
- hysterical F44.6
- local skin lesion R20.0 2b
- sexual (psychogenic) F52.1
- shock T88.2 2b
 - - correct substance properly administered T88.2 2b
 - - overdose or wrong substance given T41-
 - - - specified anesthetic - *see* Table of drugs and chemicals
- skin R20.0 2b

Anetoderma (maculosum) (of) L90.8

- Jadassohn-Pellizzari L90.2

- Schweniger-Buzzi L90.1

Aneuploidy Q99.9

Aneurin deficiency E51.9

Aneurysm (anastomotic) (artery) (cirsoid) (diffuse) (false) (fusiform) (multiple) (saccular) (thrombosed) I72.9 2b

- abdominal (aorta) I71.4

- - congenital Q25.4

- - dissecting (ruptured) I71.0 2b

- - ruptured I71.3

- - syphilitic A52.0† 2b I79.0*

- aorta, aortic (leaking) (nonsyphilitic) I71.9 2a 2b

- - abdominal I71.4

- - - ruptured I71.3

- - arch I71.2

- - - ruptured I71.1

- - arteriosclerotic NEC I71.9 2a 2b

- - - ruptured I71.8

- - - specified site - *see* Aneurysm, specified site

- - ascending I71.2

- - - ruptured I71.1

- - congenital Q25.4

- - descending I71.9 2a 2b

- - - abdominal I71.4

- - - - ruptured I71.3

- - - ruptured I71.8

- - - thoracic I71.2

- - - - ruptured I71.1

- - dissecting (any part) (ruptured) I71.0 2b

- - ruptured I71.8

- - sinus (congenital) Q25.4

- - syphilitic A52.0† 2b I79.0*

- - thoracoabdominal I71.6

- - - ruptured I71.5

- - thoracolumbar I71.2

- - thorax, thoracic (arch) I71.2

- - - ruptured I71.1

- - transverse I71.2

- - - ruptured I71.1

- - valve (heart) (*see also* Endocarditis, aortic) I35.8

- arteriosclerotic I72.9 2b

- - cerebral I67.1

- - - ruptured I60.90 2a 2b

- - - specified site - *see* Aneurysm, specified site

- arteriovenous (congenital) (peripheral) Q27.3

- - acquired I77.0 2b

- - - brain I67.1

- - - pulmonary I28.0

- - brain Q28.20 2a 2b

- - - ruptured I60.80 2a 2b

- - coronary Q24.5

- - precerebral vessels (nonruptured) Q28.0

- - - ruptured I72.5

- - - specified site NEC Q27.3

- - - acquired I77.0 2b

- - - traumatic (complication) (early) NEC T14.5

- - - specified site - *see* Injury, blood vessel, by site, specified

- basal (*see also* Aneurysm, precerebral) I72.5

- - ruptured I60.00 2a 2b

- berry NEC - *see* Aneurysm, brain

- brain I67.1

- - arteriosclerotic I67.1

- - - ruptured (*see also* Hemorrhage, subarachnoid) I60.90 2a 2b

- - arteriovenous (congenital) (nonruptured) Q28.20 2a 2b

- - - acquired I67.1

- - - - ruptured I60.80 2a 2b

- - - ruptured I60.80 2a 2b
- - berry (nonruptured) I67.1
- - - congenital Q28.30 2a 2b
- - - - ruptured I60.70 2a 2b
- - - ruptured (*see also* Hemorrhage, subarachnoid) I60.70 2a 2b
- - congenital (any part NEC) Q28.30 2a 2b
- - - berry (nonruptured) Q28.30 2a 2b
- - - - ruptured I60.70 2a 2b
- - - ruptured I60.90 2a 2b
- - - - specified part NEC I60.80 2a 2b
- - meninges I67.1
- - - congenital Q28.30 2a 2b
- - - - ruptured I60.80 2a 2b
- - - ruptured I60.80 2a 2b
- - - ruptured I60.80 2a 2b
- - - ruptured NEC (*see also* Hemorrhage, subarachnoid) I60.90 2a 2b
- - specified part NEC I67.1
- - - ruptured I60.80 2a 2b
- - syphilitic (hemorrhage) A52.0† 2b I68.8*
- cardiac (false) (*see also* Aneurysm, heart) I25.3 2a
- carotid (internal) I72.0
- - ruptured (into brain) I60.00 2a 2b
- - syphilitic A52.0† 2b I79.8*
- - - intracranial A52.0† 2b I68.8*
- cavernous sinus I67.1
- - arteriovenous (congenital) (nonruptured) Q28.30 2a 2b
- - - ruptured I60.80 2a 2b
- - - congenital Q28.30 2a 2b
- - - ruptured I60.80 2a 2b
- central nervous system, syphilitic A52.0† 2b I68.8*
- cerebral - *see* Aneurysm, brain
- chest - *see* Aneurysm, thorax
- circle of Willis I67.1
- - congenital Q28.30 2a 2b
- - - ruptured I60.60 2a 2b
- - - ruptured I60.60 2a 2b
- communicating artery (anterior) (posterior) I67.1
- - ruptured I60.70 2a 2b
- congenital NEC (peripheral) Q27.80 2a 2b
- - brain (any part NEC) Q28.30 2a 2b
- - - ruptured NEC (*see also* Hemorrhage, subarachnoid) I60.90 2a 2b
- - - - specified part NEC I60.80 2a 2b
- coronary Q24.5
- - heart Q24.8 2b
- - pulmonary Q25.7
- - retina Q14.1
- - specified site NEC Q28.8
- conjunctiva H11.4
- conus arteriosus (*see also* Aneurysm, heart) I25.3 2a
- coronary (arteriosclerotic) (artery) I25.4
- - arteriovenous (congenital) Q24.5
- - congenital Q24.5
- - ruptured (*see also* Infarct, myocardium) I21.9 2a 2b
- - syphilitic A52.0† 2b I52.0*
- - vein I25.8 2a 2b
- cylindroid (aorta) I71.9 2a 2b
- - ruptured I71.8
- - syphilitic A52.0† 2b I79.0*
- dissecting (*see also* Dissection, artery) I72.9 2b
- - any site NEC - *see* Aneurysm, by site
- - aorta (any part) (ruptured) I71.0 2b
- - syphilitic A52.0† 2b I79.0*
- femoral (artery) (ruptured) I72.4
- heart (wall) (chronic or with a stated duration of over 4 weeks) I25.3 2a
- - acute or with a stated duration of 4 weeks or less I21.9 2a 2b
- - valve - *see* Endocarditis

- - - traumatic - *see* Injury, heart
- iliac (common) (artery) (ruptured) I72.3
- infective I72.9 2b
- innominate (nonsyphilitic) I72.8
- - syphilitic A52.0† 2b I79.8*
- interauricular septum (*see also* Aneurysm, heart) I25.3 2a
- interventricular septum (*see also* Aneurysm, heart) I25.3 2a
- intrathoracic (nonsyphilitic) I71.2
- - ruptured I71.1
- - syphilitic A52.0† 2b I79.0*
- jugular vein I86.8
- lower limb I72.4
- mediastinal (nonsyphilitic) I72.8
- - syphilitic A52.0† 2b I79.8*
- meningeal artery NEC - *see* Aneurysm, brain
- miliary I67.1
- - congenital Q28.30 2a 2b
- - - ruptured I60.70 2a 2b
- - ruptured I60.70 2a 2b
- mitral (heart) (valve) I34.8
- mural (*see also* Aneurysm, heart) I25.3 2a
- mycotic I72.9 2b
- - ruptured, brain I60.90 2a 2b
- myocardium (*see also* Aneurysm, heart) I25.3 2a
- perforated - *see* Aneurysm, by site ruptured
- peripheral NEC I72.8
- - congenital Q27.80 2a 2b
- popliteal (artery) (ruptured) I72.4
- precerebral NEC I72.5
- - basal I72.5
 - - carotid (internal) I72.0
 - - congenital (nonruptured) Q28.1
- - ruptured, any site NEC - *see* Hemorrhage, subarachnoid
- - vertebral I72.5
- pulmonary I28.1
- - arteriovenous Q25.7
- - - acquired I28.0
- - syphilitic A52.0† 2b I79.8*
- - valve (heart) (*see also* Endocarditis, pulmonary) I37.8
- racemose (peripheral) I72.9 2b
- - congenital Q27.80 2a 2b
- Rasmussen's NEC A16.2 2a 2b
- renal (artery) I72.2
- retina H35.0 2a
- - congenital Q14.1
- - diabetic (*see also* E10-E14 with fourth character .3) E14.3† H36.0*
- sinuses of Valsalva Q25.4
- spinal (cord) I72.8
- - syphilitic (hemorrhage) A52.0† 2b I79.8*
- splenic I72.8
- subclavian (artery) (ruptured) I72.8
- - syphilitic A52.0† 2b I79.8*
- syphilitic (aorta) A52.0† 2b I79.0*
- - central nervous system A52.0† 2b I68.8*
- - congenital (late) A50.5† I79.0*
- - spine, spinal A52.0† 2b I79.8*
- thoracoabdominal (aorta) I71.6
- - ruptured I71.5
- thorax, thoracic (aorta) (arch) (nonsyphilitic) I71.2
- - dissecting (ruptured) I71.0 2b
- - ruptured I71.1
- - syphilitic A52.0† 2b I79.0*
- traumatic (complication) (early), specified site - *see* Injury, blood vessel
- tricuspid (heart) (valve) I07.8
- upper limb (ruptured) I72.1

- valve, valvular - *see* Endocarditis
- venous (*see also* Varix) I86.8
- - congenital Q27.80 2a 2b
- ventricle (*see also* Aneurysm, heart) I25.3 2a
- vertebral - *see* Aneurysm, precerebral

Angelman syndrome Q93.5

Anger R45.4

Angiectasis, angiectopia I99 2a 2b

Angiitis (*see also* Vasculitis) I77.6 2b

- allergic granulomatous M30.1
- hypersensitivity M31.0 2a 2b
- necrotizing M31.9
- - specified NEC M31.8

Angina (attack) (cardiac) (chest) (heart) (pectoris) (syndrome) (vasomotor) I20.9

- with documented spasm I20.1
- abdominal K55.1
- agranulocytic D70
- angiospastic I20.1
- aphthous B08.5
- crescendo I20.0
- cruris I73.9 2a 2b
- de novo effort I20.0
- decubitus I20.0
- diphtheritic, membranous A36.0
- Ludwig's K12.2
- lymphocytic B27.9 2a 2b
- membranous J31.2
- - diphtheritic A36.0
- - Vincent's A69.1 2a
- mesenteric K55.1
- monocytic (*see also* Mononucleosis, infectious) B27.9 2a 2b
- of effort I20.8
- pre-infarctional I20.0
- Prinzmetal I20.1
- pseudomembranous A69.1 2a
- septic J02.0 2a 2b
- spasm-induced I20.1
- specified NEC I20.8
- stable I20.8
- unstable I20.0
- variant I20.1
- Vincent's A69.1 2a
- worsening effort I20.0

Angioblastoma (M9161/1) - *see* Neoplasm, connective tissue, uncertain behavior

Angiocholangitis (*see also* Cholangitis, acute) K81.0

Angiodysplasia (cecum) (colon) K55.2

Angioedema (allergic) (any site) (with urticaria) T78.3 2b

- hereditary D84.1

Angiendothelioma (M9130/1) - *see also* Neoplasm, uncertain behavior D48.9 2a 2b

- benign (M9130/0) D18.0
- bone (M9130/3) - *see* Neoplasm, bone, malignant
- Ewing's (M9260/3) - *see* Neoplasm, bone, malignant
- nervous system (M9130/0) D18.0

Angiendotheliomatosis (M9712/3) C85.7

Angiofibroma (M9160/0) - *see also* Neoplasm, benign

- juvenile (M9160/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D10.6

Angiohemophilia (A) (B) D68.0 2a 2b

Angioid streaks (choroid) (macula) (retina) H35.3

Angiokeratoma (M9141/0) - *see* Neoplasm, skin, benign

- corporis diffusum E75.2 2b

Angioleiomyoma (M8894/0) - *see* Neoplasm, connective tissue, benign

Angiolipoma (M8861/0) (*see also* Lipoma) D17.9

- infiltrating (M8856/0) - *see* Lipoma

Angioma (M9120/0) D18.0

- malignant (M9120/3) - *see* Neoplasm, connective tissue, malignant
- placenta O43.1
- plexiform (M9131/0) D18.0
- senile I78.1
- serpiginosum L81.7
- spider I78.1
- stellate I78.1

Angiomatosis Q82.8 2b

- encephalotrigeminal Q85.8
- liver K76.4

Angiomyolipoma (M8860/0) - *see* Lipoma**Angiomyoliposarcoma** (M8860/3) - *see* Neoplasm, connective tissue, malignant**Angiomyoma** (M8894/0) - *see* Neoplasm, connective tissue, benign**Angiomyosarcoma** (M8894/3) - *see* Neoplasm, connective tissue, malignant**Angiomyxoma** (M8841/1) - *see* Neoplasm, connective tissue, uncertain behavior**Angioneurosis** F45.3 2b**Angioneurotic edema (allergic) (any site) (with urticaria)** T78.3 2b

- hereditary D84.1

Angiopathia, angiopathy I99 2a 2b

- cerebral I67.9 2a 2b
- - amyloid E85.4† I68.0*
- diabetic (peripheral) (*see also* E10-E14 with fourth character .5) E14.5† 2a 2b I79.2*
- peripheral I73.9 2a 2b
- - diabetic (*see also* E10-E14 with fourth character .5) E14.5† 2a 2b I79.2*
- retinae syphilitica A52.0† 2b H36.8*

Angiosarcoma (M9120/3) - *see also* Neoplasm, connective tissue, malignant

- liver C22.3 2a

Angiosclerosis - *see* Arteriosclerosis**Angospasm** I73.9 2a 2b

- cerebral G45.9 2b
- peripheral NEC I73.9 2a 2b
- traumatic (foot) (leg) I73.9 2a 2b
- vessel (peripheral) I73.9 2a 2b

Angiostrongyliasis

- due to
 - - *Angiostrongylus*
 - - - *cantonensis* B83.2 2b
 - - - *costaricensis* B81.3
 - - *Parastromyulus*
 - - - *cantonensis* B83.2 2b
 - - - *costaricensis* B81.3
 - intestinal B81.3

Anguillulosis (*see also* Strongyloidiasis) B78.9**Angulation**

- cecum (*see also* Obstruction, intestine) K56.6 2a 2b
- coccyx (acquired) M43.8
- - congenital NEC Q76.4
- femur (acquired) M21.8
- - congenital Q74.2
- intestine (large) (small) (*see also* Obstruction, intestine) K56.6 2a 2b
- sacrum (acquired) M43.8
- - congenital NEC Q76.4
- sigmoid (flexure) (*see also* Obstruction, intestine) K56.6 2a 2b
- spine (*see also* Curvature, spine) M43.8
- tibia (acquired) M21.8
- - congenital Q74.2
- ureter N13.5
- - with infection N13.6 2a 2b
- wrist (acquired) M21.8
- - congenital Q74.0

Angulus infectious (lips) K13.0**Anhedonia** R45.8

- sexual F52.1

Anhidrosis L74.4

Anhydramnios O41.0

- affecting fetus or newborn P01.2 2a

Anhydramnios, anhydremia E86 2a 2b

- due to

- - medical care NEC E89.8 2b

Anidrosis L74.4**Aniridia (congenital)** Q13.1**Anisakiasis (infection) (infestation)** B81.0

Anisakis larvae infestation B81.0

Aniseikonia H52.3**Anisocoria (pupil)** H57.0

- congenital Q13.2

Anisocytosis R71**Anisometropia (congenital)** H52.3

Ankle - see condition

Ankyloblepharon (eyelid) (acquired) H02.5

- filiforme (adnatum) (congenital) Q10.3

- total Q10.3

Ankyloglossia Q38.1**Ankylosis (fibrous) (osseous) (joint)** M24.6

- ankle M24.6

- cricoarytenoid (cartilage) (larynx) J38.7

- dental K03.5

- ear ossicles H74.3

- elbow M24.6

- finger M24.6

- hip M24.6

- incudostapedial (infectious) H74.3

- knee M24.6

- lumbosacral M43.2

- multiple sites, except spine M24.6

- postoperative (status) Z98.1(119)

- produced by surgical fusion Z98.1(120)

- sacro-iliac M43.2

- shoulder M24.6

- specified site NEC M24.6

- spine M43.2

- - spondylitic M45

- - - specified NEC M43.2

- surgical M24.6

- tooth, teeth (hard tissues) K03.5

- wrist M24.6

Ankylostoma - see *Ancylostoma*

Ankylostomiasis - see *Ancylostoma*

Ankylurethria (see also Stricture, urethra) N35.9 2b

Annular - see also condition

- organ or site, congenital NEC - see Distortion

- pancreas (congenital) Q45.1

Anodontia (complete) (partial) (vera) K00.0

- acquired K08.1

Anomaly, anomalous (congenital) (unspecified type) Q89.9 2a 2b

- abdominal organs outside of body (intestines) (liver) (spleen) Q79.2

- abdominal wall NEC Q79.5

- acoustic nerve Q07.8

- adrenal (gland) Q89.1

- Alder's D72.0 2b

- alimentary tract Q45.9

- - upper Q40.9

- ankle (joint) Q74.2

- anus Q43.9

- aorta (arch) NEC Q25.4

- - coarctation (preductal) (postductal) Q25.1

- aortic cusp or valve NEC Q23.9

- appendix Q43.8

- apple peel syndrome Q41.1

- aqueduct of Sylvius Q03.0
- - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- arm Q74.0
- artery (peripheral) Q27.9
- - basilar NEC Q28.1
- - cerebral Q28.3 2a 2b
- - coronary Q24.5
- - eye Q15.8
- - great Q25.9
- - - specified NEC Q25.8
- - peripheral Q27.9
- - - specified NEC Q27.8 2a 2b
- - pulmonary NEC Q25.7
- - retina Q14.1
- - vertebral NEC Q28.1
- aryteno-epiglottic folds Q31.8
- atrial
- - appendage Q20.8 2b
- - bands or folds Q20.8 2b
- - septa Q21.1 2b
- atrioventricular excitation I45.6
- auditory canal Q17.8
- auricle
- - ear Q17.8
- - - causing impairment of hearing Q16.9
- - heart Q20.8 2b
- Axenfeld's Q15.0
- band
- - atrial Q20.8 2b
- - heart Q24.8 2b
- - ventricular Q24.8 2b
- Bartholin's duct Q38.4
- biliary duct or passage Q44.5
- bladder (neck) Q64.7
- body stalk Q79.5
- bone NEC Q79.9 2a 2b
- - arm Q74.0
- - face Q75.9
- - leg Q74.2
- - pelvic girdle Q74.2
- - shoulder girdle Q74.0
- - skull Q75.9
- - - with
- - - - anencephaly Q00.0
- - - - encephalocele (*see also* Encephalocele) Q01.9
- - - - hydrocephalus Q03.9 2a 2b
- - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- - - - microcephaly Q02
- brain (multiple) Q04.9
- - vessel Q28.3 2a 2b
- breast Q83.9
- broad ligament Q50.6
- bronchus Q32.4
- bursa Q79.9 2a 2b
- canal of Nuck Q52.4
- canthus Q10.3
- capillary Q27.9
- cardiac Q24.9 2a 2b
- - chambers Q20.9 2b
- - - specified NEC Q20.8 2b
- - septal closure Q21.9 2b
- - - specified NEC Q21.8
- - valve NEC Q24.8 2b
- - - pulmonary Q22.3 2a 2b
- cardiovascular system Q28.8

- carpus Q74.0
- caruncle, lacrimal Q10.6
- cauda equina Q06.3
- cecum Q43.9
- cerebral Q04.9
- - vessels Q28.3 2a 2b
- cervix Q51.9
 - - in pregnancy or childbirth O34.4
 - - - affecting fetus or newborn P03.8
 - - - causing obstructed labor O65.5
 - - - - affecting fetus or newborn P03.1
- Chediak-Higashi(-Steinbrinck) E70.3 2b
- cheek Q18.9
- chest wall Q67.8
- - bones Q76.9
- chin Q18.9
- chordae tendineae Q24.8 2b
- choroid Q14.3
- - plexus Q07.8
- chromosomes, chromosomal Q99.9
- - 45X Q96.9
 - - - male Q87.1 2a
 - - D(1) - *see condition*, chromosome I3
 - - E(3) - *see condition*, chromosome I8
 - - G - *see condition*, chromosome 21
- - sex
 - - - female phenotype Q97.9
 - - - - specified NEC Q97.8
 - - - gonadal dysgenesis (pure) Q99.1
 - - - Klinefelter's Q98.4
 - - - male phenotype Q98.9
 - - - - specified NEC Q98.8
 - - - Turner's Q96.9
 - - - - specified NEC Q96.8
 - - - specified NEC Q99.8 2a
- cilia Q10.3
- circulatory system NEC Q28.9 2b
- clavicle Q74.0
- clenched fist Q74.0
- clitoris Q52.6
- coccyx Q76.4
- colon Q43.9
- common duct Q44.5
- concha (ear) Q17.3
- connection
 - - portal vein Q26.5
 - - pulmonary venous Q26.4
 - - - partial Q26.3
 - - - total Q26.2
- - renal artery with kidney Q27.2
- cord P02.6
- cornea (shape) Q13.4
- coronary artery or vein Q24.5
- cranium - *see Anomaly, skull*
- cricoid cartilage Q31.8
- cystic duct Q44.5
- dental arch relationship K07.2
- dentofacial K07.9
 - - functional K07.5
 - - - specified NEC K07.8
- dermatoglyphic Q82.8 2b
- diaphragm (apertures) NEC Q79.1 2b
- digestive organ(s) or tract NEC Q45.9
 - - lower Q43.9
 - - upper Q40.9

- ductus
 - - arteriosus Q25.0 2b
 - - botalli Q25.0 2b
- duodenum Q43.9
- dura (brain) Q04.9
- - spinal cord Q06.9
- ear Q17.9
 - - causing impairment of hearing Q16.9
 - - inner Q16.5
 - - middle (causing impairment of hearing) Q16.4
- - ossicles Q16.3
- Ebstein's Q22.5
- ectodermal Q82.9
- ejaculatory duct Q55.4
- elbow Q74.0
- endocrine gland NEC Q89.2
- epididymis Q55.4
- epiglottis Q31.8
- esophagus Q39.9
- eustachian tube Q16.4
- eye Q15.9
 - - anterior segment Q13.9
 - - posterior segment Q14.9
 - - specified NEC Q15.8
- eyelid Q10.3
- face Q18.9
 - - bone(s) Q75.9
- fallopian tube Q50.6
- fascia Q79.9 2a 2b
- femur NEC Q74.2
- fibula NEC Q74.2
- finger Q74.0
- fixation, intestine Q43.3
- flexion (joint) NEC Q74.9
- - hip or thigh Q65.8
- foot NEC Q74.2
 - - varus (congenital) Q66.3
- foramen magnum Q75.9
- forearm Q74.0
- forehead (see also Anomaly, skull) Q75.8 2b
- fovea centralis Q14.1
- frontal bone (see also Anomaly, skull) Q75.9
- gallbladder (position) (shape) (size) Q44.1
- Gartner's duct Q50.6
- gastrointestinal tract NEC Q45.9
- gene, genetic Q89.9 2a 2b
- genitalia, genital organ(s) or system
 - - female Q52.9
 - - - external Q52.7
 - - - internal NEC Q52.9
 - - male Q55.9
 - - - specified NEC Q55.8
- genitourinary NEC
 - - female Q52.9
 - - male Q55.9
- glottis Q31.8
- granulation or granulocyte, genetic D72.0 2b
- gum Q38.6
- hair Q84.2
- hand Q74.0
- head (*see also* Anomaly, skull) Q75.9
- heart Q24.9 2a 2b
 - - auricle Q20.8 2b
 - - bands or folds Q24.8 2b
 - - septum Q21.9 2b

- - - auricular Q21.1 2b
- - - specified NEC Q21.8
- - - ventricular Q21.0 2b
- - valve NEC Q24.8 2b
- - - pulmonary Q22.3 2a 2b
- - ventricle Q20.8 2b
- heel NEC Q74.2
- Hegglin's D72.0 2b
- hepatic duct Q44.5
- hip NEC Q74.2
- humerus Q74.0
- hydatid of Morgagni
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.2
- hymen Q52.4
- hypophyseal Q89.2
- ileocecal (coil) (valve) Q43.9
- ileum Q43.9
- ilium NEC Q74.2
- integument Q84.9
- - specified NEC Q84.8 2b
- intervertebral cartilage or disc Q76.4
- intestine (large) (small) Q43.9
- - with anomalous adhesions, fixation or malrotation Q43.3
- iris Q13.2
- ischium NEC Q74.2
- jaw K07.9
- - size (major) K07.0
- - specified NEC K07.8
- jaw-cranial base relationship K07.1
- jejunum Q43.9
- joint NEC Q74.9
- - specified NEC Q74.8
- kidney(s) (calyx) (pelvis) Q63.9
- - artery Q27.2
- - specified NEC Q63.8
- knee Q74.1
- labium (majus) (minus) Q52.7
- labyrinth, membranous Q16.5
- lacrimal apparatus or duct Q10.6
- larynx, laryngeal (muscle) Q31.9
- - web(bed) Q31.0
- lens Q12.9
- leukocytes, genetic D72.0 2b
- lid (fold) Q10.3
- ligament Q79.9 2a 2b
- - broad Q50.6
- - round Q52.8 2b
- limb Q74.9
- - lower NEC Q74.2
- - - reduction deformity Q72.8
- - upper Q74.0
- lip Q38.0
- liver Q44.7
- - duct Q44.5
- - outside of body Q79.2
- lower limb NEC Q74.2
- lumbosacral (joint) (region) Q76.4
- lung (fissure) (lobe) Q33.9
- May-Hegglin D72.0 2b
- meatus urinarius NEC Q64.7
- meningeal bands or folds Q07.9
- - constriction of Q07.8
- - spinal Q06.9

- meninges Q07.9
- - cerebral Q04.8
- - spinal Q06.9
- mesentery Q45.9
- metacarpus Q74.0
- metatarsus NEC Q74.2
- middle ear Q16.4
- mitral (leaflets) (valve) Q23.9
- - specified NEC Q23.8
- mouth Q38.6
- multiple NEC Q89.7 2a 2b
- muscle Q79.9 2a 2b
- - eyelid Q10.3
- musculoskeletal system, except limbs Q79.9 2a 2b
- myocardium Q24.8 2b
- nail Q84.6
- narrowness, eyelid Q10.3
- nasal sinus (wall) Q30.9
- neck (any part) Q18.9
- nerve Q07.9
 - - acoustic Q07.8
 - - optic Q07.8
- nervous system (central) NEC Q07.9
- nipple Q83.9
- nose, nasal (bones) (cartilage) (septum) (sinus) Q30.9
 - - specified NEC Q30.8
- ocular muscle Q15.8
- oesophagus Q39.9
- opening, pulmonary veins Q26.4
- optic
 - - disc Q14.2
 - - nerve Q07.8
 - - optociliary vessels Q13.2
 - orbit (eye) Q10.7
- organ NEC Q89.9 2a 2b
 - - of Corti Q16.5
- origin
 - - artery
 - - - innominate Q25.8
 - - - pulmonary Q25.7
 - - - renal Q27.2
 - - - subclavian Q25.8
 - - osseous meatus (ear) Q16.1
- ovary NEC Q50.3
- oviduct Q50.6
- palate (hard) (soft) NEC Q38.5
- pancreas or pancreatic duct Q45.3
- papillary muscles Q24.8 2b
- parathyroid gland Q89.2
- paraurethral ducts Q64.7
- parotid (gland) Q38.4
- patella Q74.1
- Pelger-Huet D72.0 2b
- pelvic girdle NEC Q74.2
- pelvis (bony) NEC Q74.2
- penis (glans) Q55.6
- pericardium Q24.8 2b
- peripheral vascular system Q27.9
- Peter's Q13.4
- pharynx Q38.8
- pigmentation L81.9
- pituitary (gland) Q89.2
- pleural (folds) Q34.0
- portal vein Q26.5
 - - connection Q26.5

- position, tooth, teeth K07.3
- precerebral vessel Q28.1
- prepuce Q55.6
- prostate Q55.4
- pulmonary Q33.9
 - - artery NEC Q25.7
 - - valve Q22.3 2a 2b
 - - vein NEC Q26.9
- - venous connection Q26.4
 - - - partial Q26.3
 - - - total Q26.2
- pupil Q13.2
- - function H57.0
- pylorus Q40.3
- radius Q74.0
- rectum Q43.9
- reduction (extremity) (limb) Q73.8
 - - femur (longitudinal) Q72.4
 - - fibula (longitudinal) Q72.6
 - - lower limb Q72.9
 - - - specified NEC Q72.8
 - - radius (longitudinal) Q71.4
 - - tibia (longitudinal) Q72.5
 - - ulna (longitudinal) Q71.5
 - - upper limb Q71.9
 - - - specified NEC Q71.8
- refraction H52.7
- renal Q63.9
 - - artery Q27.2
 - - pelvis Q63.9
 - - - specified NEC Q63.8
- respiratory system Q34.9
 - - specified NEC Q34.8
- retina Q14.1
- rib Q76.6
- - cervical Q76.5
- Rieger's Q13.8
- rotation - *see also* Malrotation Q43.3
- - hip or thigh Q65.8
- round ligament Q52.8 2b
- sacroiliac (joint) NEC Q74.2
- sacrum NEC Q76.4
- salivary duct or gland Q38.4
- scapula Q74.0
- scrotum Q55.2
- sebaceous gland Q82.9
- seminal vesicles Q55.4
- sense organs NEC Q07.8
- sex chromosomes NEC - *see* Anomaly, chromosomes, sex
- shoulder (girdle) (joint) Q74.0
- sigmoid (flexure) Q43.9
- simian crease Q82.8 2b
- sinus of Valsalva Q25.4
- skeleton Q79.9 2a 2b
 - - generalized Q78.9
 - - skin (appendage) Q82.9
 - - skull Q75.9
 - - with
 - - - anencephaly Q00.0
 - - - encephalocele (*see also* Encephalocele) Q01.9
 - - - hydrocephalus Q03.9 2a 2b
 - - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
 - - - microcephaly Q02
- specified organ or site NEC Q89.8
- spermatic cord Q55.4

- spine, spinal NEC Q76.4
- - column NEC Q76.4
- - cord Q06.9
- - nerve root Q07.8
- spleen Q89.0
- stenonian duct Q38.4
- sternum NEC Q76.7
- stomach Q40.3
- submaxillary gland Q38.4
- tarsus NEC Q74.2
- tendon Q79.9 2a 2b
- testis Q55.2
- thigh NEC Q74.2
- thorax (wall) Q67.8
- - bony Q76.9
- throat Q38.8
- thumb Q74.0
- thymus gland Q89.2
- thyroid (gland) Q89.2
- - cartilage Q31.8
- tibia NEC Q74.2
- toe Q74.2
- tongue Q38.3
- tooth, teeth NEC K00.9
- - eruption K00.6
- - position K07.3
- - spacing K07.3
- trachea (cartilage) Q32.1
- trichromata, trichromatopsia H53.5
- tricuspid (leaflet) (valve) Q22.9
- - atresia or stenosis Q22.4
- - Ebstein's Q22.5
- Uhl's (hypoplasia of myocardium, right ventricle) Q24.8 2b
- ulna Q74.0
- umbilical cord NEC P02.6
- union
 - - cricoid cartilage and thyroid cartilage Q31.8
 - - thyroid cartilage and hyoid bone Q31.8
 - - trachea with larynx Q31.8
- univentricular Q20.4 2b
- upper limb Q74.0
- urachus Q64.4
- ureter Q62.8
- - obstructive NEC Q62.3 2a
- urethra NEC Q64.7
- - obstructive Q64.3
- urinary tract Q64.9
- uterus Q51.9
 - - with only one functioning horn Q51.8
 - - in pregnancy or childbirth NEC O34.0
 - - - affecting fetus or newborn P03.8
 - - - causing obstructed labor O65.5
 - - - - affecting fetus or newborn P03.1
- uvula Q38.5
- vagina Q52.4
- valleculae Q31.8
- valve (heart) NEC Q24.8 2b
 - - coronary sinus Q24.5
 - - inferior vena cava Q24.8 2b
 - - pulmonary Q22.3 2a 2b
 - - sinus coronario Q24.5
 - - venae cavae inferioris Q24.8 2b
- vas deferens Q55.4
- vascular NEC Q27.9
- - brain Q28.3 2a 2b

- - ring Q25.4
- - vein(s) (peripheral) Q27.9
- - brain Q28.3 2a 2b
- - cerebral Q28.3 2a 2b
- - coronary Q24.5
- - Galen (of) Q28.3 2a 2b
- - great Q26.9
- - - specified NEC Q26.8
- - pulmonary Q26.9
- vena cava (inferior) (superior) Q26.9
- venous return Q26.8
- ventricular
- - bands or folds Q24.8 2b
- - septa Q21.0 2b
- vertebra Q76.4
- vesicourethral orifice NEC Q64.7
- vessel(s) Q27.9
- - optic papilla Q14.2
- - precerebral Q28.1
- vitreous body or humor Q14.0
- vulva Q52.7
- wrist (joint) Q74.0

Anaplasnosis A77.8 2a

Anomia R48.8

Anonychia (congenital) Q84.3

- acquired L60.8

Anophthalmos, anophthalmus (congenital) (globe) Q11.1

- acquired Z90.0(121)

Anopia, anopsia, quadrant H53.4

Anorchia, anorchism, anorchidism Q55.0

Anorexia R63.0 2a 2b

- hysterical F44.8
- nervosa F50.0 2b
- - atypical F50.1
- - binge-eating type F50.2
- voluntary F50.8

Anorgasmy (psychogenic) F52.3

Anosmia (*see also* Disturbance, sensation) R43.0

- hysterical F44.6

Anosognosia R41.8

Anovulatory cycle N97.0

Anoxemia (*see also* Anoxia) R09.0 2b

- newborn (*see also* Asphyxia, newborn) P21.9 2a 2b

Anoxia (*see also* Hypoxia) R09.0 2b

- altitude T70.2

- cerebral G93.1 2a 2b

- - complicating

- - - anesthesia (general) (local) or other sedation

- - - - in labor and delivery O74.3

- - - - in pregnancy O29.2

- - - - postpartum, puerperal O89.2

- - - delivery (cesarean) (instrumental) O75.4 2b

- - during or resulting from a procedure G97.8 2b

- - newborn (*see also* Asphyxia, newborn) P21.9 2a 2b

- due to drowning T75.1 2a 2b

- fetal, fetus (*see also* Distress, fetal) P20-

- heart - *see* Insufficiency, coronary

- high altitude T70.2

- intrauterine - *see* Hypoxia, intrauterine

- myocardial - *see* Insufficiency, coronary

- newborn (*see also* Asphyxia, newborn) P21.9 2a 2b

- pathological R09.0 2b

Anteflexion - *see* Anteversion

Antenatal

- care, normal pregnancy Z34.9(122)

- - first Z34.0(123)
- - specified NEC Z34.8(124)
- screening (for) Z36.9(125)
- - abnormal findings - *see* Abnormal, finding, antenatal screening, mother
- - based on amniocentesis Z36.2(126)
- - chromosomal anomalies Z36.0(127)
- - fetal growth retardation using ultrasound and other physical methods Z36.4(128)
- - hemoglobinopathy Z36.8(129)
- - isoimmunization Z36.5(130)
- - malformations using ultrasound and other physical methods Z36.3(131)
- - raised alphafetoprotein levels in amniotic fluid Z36.1(132)
- - specified NEC Z36.8(133)

Antepartum - *see condition*

Anterior - *see condition*

Anteversion

- cervix (*see also* Anteversion, uterus) N85.4
- femur (neck), congenital Q65.8
- uterus, uterine (cervix) (postinfectional) (postpartal, old) N85.4
- - congenital Q51.8
- - in pregnancy or childbirth O34.5
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1

Anthracosilicosis J60 2a 2b

Anthracosis (lung) J60 2a 2b

Anthrax A22.9 2b

- with pneumonia A22.1† 2b J17.0*
- cerebral A22.8† 2b G01* 2b
- cutaneous A22.0
- gastrointestinal A22.2† K93.8*
- inhalation A22.1† 2b J17.0*
- meningitis A22.8† 2b G01* 2b
- pulmonary A22.1† 2b J17.0*
- respiratory A22.1† 2b J17.0*
- septicemia A22.7
- specified manifestation NEC A22.8 2b

Anthropoid pelvis Q74.2

- with disproportion (fetopelvic) O33.0
- - affecting fetus or newborn P03.1

Anthropophobia F40.1

Antibodies, maternal (blood group) (*see also* Incompatibility) O36.1

- anti-D O36.0
- - fetus or newborn P55.0 2b
- anti-Kell O36.0
- - fetus or newborn P55.8

Anticardiolipin syndrome D68.6

Antidiuretic hormone syndrome E22.2

Antimarial cholera T56.8

Antiphospholipid syndrome D68.6

Antisocial personality F60.2

Antithrombinemia (*see also* Circulating anticoagulants) D68.5

Antithromboplastinemia (*see also* Circulating anticoagulants) D68.3

Antithromboplastinogenemia (*see also* Circulating anticoagulants) D68.3

Antitoxin complication or reaction - *see* Complications, vaccination

Antley-Bilzler syndrome Q89.8

Antritis (chronic) J32.0

- acute J01.0

Antrum, antral - *see condition*

Anuria R34 2b

- calculous (impacted) (recurrent) (*see also* Calculus, urinary) N20.9 2a 2b
- following
- - abortion (subsequent episode) O08.4 2b
- - - current episode - *see* Abortion
- - ectopic or molar pregnancy O08.4 2b
- newborn P96.0 2a

- postprocedural N99.0 2b
- sulfonamide
- - correct substance properly administered R34 2b
- - overdose or wrong substance given or taken T37.0
- traumatic (following crushing) T79.5 2b

Anus, anal - *see condition*

Anusitis K62.8

Anxiety F41.9 2b

- depression F41.2
- episodic paroxysmal F41.0
- generalized F41.1
- hysteria F41.8
- neurosis F41.1
- reaction F41.1
- separation, abnormal (of childhood) F93.0
- specified NEC F41.8
- state F41.1

Aorta, aortic - *see condition*

Aortitis (nonsyphilitic) (calcific) I77.6 2b

- arteriosclerotic I70.0 2a
- Doeble-Heller A52.0† 2b I79.1*
- luetic A52.0† 2b I79.1*
- rheumatic (*see also* Endocarditis, acute, rheumatic) I01.1 2a 2b
- specific (syphilitic) A52.0† 2b I79.1*
- syphilitic A52.0† 2b I79.1*
- - congenital A50.5† I79.1*

Apathy R45.3

Apepsia K31.8 2a

- psychogenic F45.3 2b

Apert's syndrome Q87.0

Apgar (score)

- low NEC, with asphyxia P21.9 2a 2b
- 0-3 at 1 minute, with asphyxia P21.0
- 4-7 at 1 minute, with asphyxia P21.1

Aphagia R63.0 2a 2b

- psychogenic F50.1

Aphagopyrexia (*see also* Dysphagia) R13 2a 2b

Aphakia (acquired) H27.0

- congenital Q12.3

Aphasia (amnestic) (global) (nominal) (semantic) (syntactic) R47.0

- acquired, with epilepsy (Landau-Kleffner syndrome) F80.3
- auditory (developmental) F80.2
- developmental (receptive type) F80.2
- - expressive type F80.1
- - Wernicke's F80.2
- progressive isolated G31.0
- sensory F80.2
- syphilis, tertiary A52.1† 2a 2b G94.8*
- uremic (*see also* Uremia) N19 2a 2b
- Wernicke's (developmental) F80.2

Aphemia R47.0

Aphonias R49.1

- hysterical F44.4
- organic R49.1
- psychogenic F44.4

Aphthae, aphthous - *see also condition*

- Bednar's K12.0
- epizootic B08.8
- fever B08.8
- oral (recurrent) K12.0
- stomatitis (major) (minor) K12.0
- thrush B37.0 2b
- ulcer (oral) (recurrent) K12.0
- - genital organ(s) NEC
- - - female N76.6

- - - male N50.8

- - larynx J38.7

Apical - *see condition*

Aplasia - *see also* Agenesis

- abdominal muscle syndrome Q79.4

- alveolar process (acquired) K08.8 2a 2b

- - congenital Q38.6

- aorta (congenital) Q25.4

- axialis extracorticalis (congenita) E75.2 2b

- bone marrow (myeloid) D61.9 2b

- brain Q00.0

- - part of Q04.3

- bronchus Q32.4

- cementum K00.4

- cerebellum Q04.3

- cervix (congenital) Q51.5

- corpus callosum Q04.0

- cutis congenita Q84.8 2b

- erythrocyte (*see also* Aplasia, red cell) D61.8

- - congenital D61.0

- extracortical axial E75.2 2b

- eye Q11.1

- fovea centralis (congenital) Q14.1

- gallbladder, congenital Q44.0

- labyrinth, membranous Q16.5

- limb (congenital) Q73.0

- - lower Q72.0

- - upper Q71.0

- lung, congenital (bilateral) (unilateral) Q33.3

- pancreas Q45.0

- parathyroid-thymic D82.1 2b

- Pelizaeus-Merzbacher E75.2 2b

- penis Q55.5

- prostate Q55.4

- red cell (pure) (with thymoma) D60.9

- - chronic D60.0

- - congenital D61.0

- - of infants D61.0

- - primary D61.0

- - specified type NEC D60.8

- - transient D60.1

- round ligament Q52.8 2b

- skin Q84.8 2b

- spermatic cord Q55.4

- testicle Q55.0

- thymic, with immunodeficiency D82.1 2b

- thyroid (congenital) (with myxedema) E03.1

- uterus Q51.0

- ventral horn cell Q06.1 2b

Apnea, apneic (spells) R06.8 2a 2b

- newborn NEC (obstructive) P28.4

- - sleep (central) (primary) P28.3

- prematurity (of) P28.4

- sleep (central) (obstructive) G47.3 2b

Apocrine metaplasia (breast) N60.8

Apophysitis (bone) (*see also* Osteochondrosis) M93.9

- calcaneus M92.8

- juvenile M92.9

Apoplectiform convulsions (cerebral ischemia) I67.8

Apoplexia, apoplexy, apoplectic (*see also* Stroke) I64 2a 2b

- attack I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- basilar I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b
- bilateral (multiple) I64.00 2a 2b
- brain I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- bulbar I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- capillary I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- cerebral I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- chorea I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- congestive I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- embolic I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- fit I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- heart (auricle) (ventricle) (*see also* Infarct, myocardium) I21.9 2a 2b
- heat T67.0
- hemorrhagic (stroke) (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- ischemic (stroke) (*see also* Infarction, cerebral) I63.9 2a 2b
- meninges, hemorrhagic (*see also* Hemorrhage, subarachnoid) I60.9 2a 2b
- multiple (bilateral) I64.00 2a 2b
- progressive I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- pulmonary (artery) (vein) (*see also* Embolism, pulmonary) I26.9 2a 2b
- seizure I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- stroke I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- thrombotic I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- uremic N18.5† 2b I68.8*

Apoptosis R99 2a 2b

Appearance

- bizarre R46.1
- specified NEC R46.8
- very low level of personal hygiene R46.0

Appendage

- epididymal (organ of Morgagni) Q55.4
- intestine (epiploic) Q43.8
- preauricular Q17.0
- testicular (organ of Morgagni) Q55.2

Appendicitis K37 2a 2b

- with
 - - peritoneal abscess K35.3
 - - peritonitis, generalized K35.2
 - - - with mention of perforation or rupture K35.2
 - - peritonitis, localized K35.3
 - - - with mention of perforation or rupture K35.3

- - peritonitis NOS K35.3
- acute (catarrhal) (fulminating) (gangrenous) (obstructive) (retrocecal) (suppurative) K35.8 2b
- - with
- - - peritoneal abscess K35.3
- - - peritonitis, generalized K35.2
- - - with mention of perforation or rupture K35.2
- - peritonitis, localized K35.3
- - - with mention of perforation or rupture K35.3
- amebic A06.8
- chronic (recurrent) K36
- exacerbation - *see* Appendicitis, acute
- gangrenous - *see* Appendicitis, acute
- healed (obliterative) K36
- interval K36
- obstructive K36
- perforated K35.8 2b
- pneumococcal K37 2a 2b
- recurrent K36
- retrocecal K37 2a 2b
- subacute (adhesive) K36
- suppurative - *see* Appendicitis, acute
- tuberculous A18.3† K93.0*

Appendix, appendicular - *see also condition*

- epididymis Q55.4
- Morgagni
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.2
- testis Q55.2

Appetite

- decreased R63.8
- depraved F50.8
- - in childhood F98.3
- excessive R63.2 2a 2b
- lack or loss (*see also* Anorexia) R63.0 2a 2b
- - nonorganic origin F50.8
- - psychogenic F50.8
- perverted (hysterical) F50.8

Apprehension state F41.1

Apprehensiveness, abnormal F41.9 2b

Apraxia (classic) (ideational) (ideokinetic) (ideomotor) (motor) (verbal) R48.2

- oculomotor, congenital H51.8

Aptyalism K11.7

Apudoma (M8248/1) - *see* Neoplasm, uncertain behavior

Arachnidism T63.3

Arachnitis - *see* Meningitis

Arachnodactyly Q87.4

Arachnoiditis (acute) (adhesive) (basal) (cerebrospinal) (*see also* Meningitis) G03.9 2a 2b

- chronic NEC G03.1
- meningococcal (chronic) A39.0† 2a G01* 2b
- syphilitic (late) (tertiary) A52.1† 2a 2b G01* 2b
- tuberculous A17.0† 2a 2b G01* 2b

Arachnophobia F40.2

Araneism T63.3

Arboencephalitis, Australian A83.4

Arborization block (heart) I45.5

ARC (AIDS-related complex) (*see also* Human, immunodeficiency virus (HIV)disease) B24 2a 2b

- complicating pregnancy, childbirth or the puerperium O98.7

Arches - *see condition*

Arcuatus uterus Q51.8

Arcus senilis (cornea) H18.4

Arc-welder's lung J63.4

Areola - *see condition*

Argentaffinoma (M8241/1) - *see also* Neoplasm, uncertain behavior

- malignant (M8241/3) - *see* Neoplasm, malignant

Argininemia E72.2

Argonz-Del Castillo syndrome E23.0 2b

Argyll Robertson phenomenon, pupil or syndrome (syphilitic) A52.1† 2a 2b H58.0*

- atypical H57.0

- nonsyphilitic H57.0

Argyria, argyriasis, argyrosis NEC T56.8

- conjunctival H11.1

- from drug or medicament

- - correct substance properly administered L81.8 2b

- - overdose or wrong substance given or taken T37.8

Arhinencephaly Q04.1

Ariboflavinosis E53.0

Arm - *see condition*

Arnold-Chiari obstruction or syndrome Q07.0

Aromatic amino-acid metabolism disorder E70.9

- specified NEC E70.8

Arrest, arrested

- active phase of labor O62.1 2a 2b

- - affecting fetus or newborn P03.6

- any plane in pelvis

- - complicating delivery O66.9 2b

- arrhythmic (cardiac) I46.9 2a 2b

- bradiacardiac, bradycardia I46.9 2a 2b

- cardiac (anoxic) I46.9 2a 2b

- - with successful resuscitation I46.0 2b

- - complicating

- - - anesthesia (general) (local) or other sedation

- - - - correct substance properly administered I46.9 2a 2b

- - - - in labor and delivery O74.2 2b

- - - - in pregnancy O29.1

- - - - overdose or wrong substance given T41-

- - - - - specified anesthetic - *see Table of drugs and chemicals*

- - - - postpartum, puerperal O89.1

- - - delivery (cesarean) (instrumental) O75.4 2b

- - - surgery T81.8 2a 2b

- - fetal, fetus P29.8

- - newborn P29.1

- - postoperative I97.8 2b

- - - long-term effect of cardiac surgery I97.1

- cardiopulmonary (*see also Arrest, cardiac*) I46.9 2a 2b

- cardiorespiratory (*see also Arrest, cardiac*) I46.9 2a 2b

- cardiovascular (*see also Arrest, cardiac*) I46.9 2a 2b

- cerebrovascular I67.8

- circulatory (*see also Arrest, cardiac*) I46.9 2a 2b

- coronary (acute or with a stated duration of 4 weeks or less) I24.8

- - chronic or with a stated duration of over 4 weeks I25.8 2a 2b

- - infant P29.1

- deep transverse O64.0

- - affecting fetus or newborn P03.1

- development or growth

- - bone M89.2

- - child R62.8 2b

- - fetus P05.9

- - - affecting management of pregnancy O36.5

- - tracheal rings Q32.1

- epiphyseal M89.1

- heart - *see Arrest, cardiac*

- legal, anxiety concerning Z65.3(134)

- maturation of spermatogenesis N46 2a

- medullary R68.8 2a 2b

- myocardial (*see also Arrest, cardiac*) I46.9 2a 2b

- pulmonary (*see also Arrest, respiratory*) R09.2 2a 2b

- respiratory R09.2 2a 2b

- - newborn P28.5 2a 2b

- sinus I45.5

- spermatogenesis (complete) (incomplete) N46 2a
- transverse (deep) O64.0
- ventricle (*see also* Arrest, cardiac) I46.9 2a 2b

Arrhenoblastoma (M8630/1)

- benign (M8630/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site
- - - female D27
- - - male D29.2
- malignant (M8630/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site
- - - female C56 2a 2b
- - - male C62.9
- specified site - *see* Neoplasm, uncertain behavior
- unspecified site
- - female D39.1
- - male D40.1

Arrhythmia (cardiac) (ventricular) (*see also* Dysrhythmia) I49.9 2b

- extrasystolic I49.4
- - newborn P29.1
- fetal P29.8
- psychogenic F45.3 2b
- sinus I49.8
- - newborn P29.1
- specified NEC I49.8
- - newborn P29.1
- ventricular re-entry I47.0

Arsenical pigmentation L81.8 2b

- from drug or medicament - *see* Table of drugs and chemicals

Arterial - *see condition***Arteriofibrosis** - *see* Arteriosclerosis**Arteriolar sclerosis** - *see* Arteriosclerosis**Arteriolith** - *see* Arteriosclerosis**Arteriolitis** I77.6 2b

- renal - *see* Hypertension, kidney

Arteriolosclerosis - *see* Arteriosclerosis**Arterionephrosclerosis** (*see also* Hypertension, kidney) I12.9 2a 2b**Arteriopathy** I77.9 2a 2b**Arteriosclerosis, arteriosclerotic (diffuse) (disease) (general) (obliterans) (senile) (with calcification)** I70.9 2a 2b

- aorta I70.0 2a
- arteries of extremities I70.2 2a 2b
- brain I67.2 2a 2b
- cardiac I25.1 2a 2b
- cardiopathy I25.1 2a 2b
- cardiopulmonary I27.0
- cardiorenal (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- cardiovascular I25.0 2a 2b
- - and renal (disease) I13.9 2a 2b
- carotid (artery) I67.2 2a 2b
- central nervous system I67.2 2a 2b
- cerebral I67.2 2a 2b
- cerebrovascular I67.2 2a 2b
- coronary (artery) (vascular) I25.1 2a 2b
- extremities I70.2 2a 2b
- glomerulo I12.9 2a 2b
- heart (decompensated) (disease) I25.1 2a 2b
- intestine K55.1
- kidney (*see also* Hypertension, kidney) I12.9 2a 2b
- medial I70.2 2a 2b
- mesenteric (chronic) K55.1
- Mönckeberg's I70.2 2a 2b
- myocardium I51.50 2a 2b
- peripheral (of extremities) (vascular) I70.2 2a 2b
- pulmonary I27.0

- renal (arterioles) (*see also* Hypertension, kidney) I12.9 2a 2b

- - artery I70.1 2b

- retina (vascular) I70.8

- specified artery NEC I70.8

- spinal (cord) G95.1 2b

- vertebral (artery) I67.2 2a 2b

Arteriospasm I73.9 2a 2b

Arteriovenous - *see condition*

Arteritis I77.6 2b

- allelagic M31.0 2a 2b

- aorta (nonsyphilitic) I77.6 2b

- - syphilitic A52.0† 2b I79.1*

- aortic arch M31.4

- brachiocephalic M31.4

- brain I67.7

- - syphilitic A52.0† 2b I68.1*

- branchial M31.4

- cerebral I67.7

- - in systemic lupus erythematosus M32.1† 2a 2b I68.2*

- - listerial A32.8† I68.1*

- - syphilitic A52.0† 2b I68.1*

- - tuberculous A18.8† 2a 2b I68.1*

- coronary (artery) I25.8 2a 2b

- - rheumatic I01.8 2a

- - - chronic I09.8

- - syphilitic A52.0† 2b I52.0*

- cranial (giant cell) (left) (right) M31.6

- deformans - *see Arteriosclerosis*

- giant cell NEC M31.6

- - with polymyalgia rheumatica M31.5

- necrosing or necrotizing M31.9

- - specified NEC M31.8

- nodosa M30.0 2b

- obliterans - *see Arteriosclerosis*

- rheumatic - *see Fever, rheumatic*

- senile - *see Arteriosclerosis*

- suppurative I77.2

- syphilitic (general) A52.0† 2b I79.8*

- - brain A52.0† 2b I68.1*

- - coronary A52.0† 2b I52.0*

- - spinal A52.0† 2b I79.8*

- temporal (giant cell) M31.6

- young female syndrome (aortic arch) M31.4

Artery, arterial - *see also condition*

- abscess I77.8 2a 2b

- single umbilical Q27.0

Arthralgia (allergic) M25.5

- psychogenic F45.4

Arthritis, arthritic (acute) (chronic) (subacute) M13.9 2a 2b

- allergic M13.8 2b

- ankylosing (crippling) (spine) M45

- - sites other than spine M13.8 2b

- atrophic M19.9 2a 2b

- - advanced M19.90 2a 2b

- - grave M19.90 2a 2b

- - severe M19.90 2a 2b

- - spine M45

- autoimmune M13.8 2b

- back (*see also* Arthritis, spine) M46.9

- blennorrhagic (gonococcal) A54.4† 2b M01.3*

- Charcot's (tabetic) A52.1† 2a 2b M14.6*

- - diabetic (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b M14.6*

- - nonsyphilitic NEC G98† 2a 2b M14.6*

- - syringomyelic G95.0† 2a 2b M49.4*

- chylous (filarial) B74.9† M01.8*

- climacteric (any site) NEC M13.8 2b
- crystal(-induced) M11.9
- deformans M19.9 2a 2b
 - - advanced M19.90 2a 2b
 - - grave M19.90 2a 2b
 - - severe M19.90 2a 2b
- degenerative (*see also* Arthrosis)
- - generalized M15.9 2b
- epidemic erythema A25.1
- febrile - *see* Fever, rheumatic
- gonococcal A54.4† 2b M01.3*
- gouty (acute) M10.0
- hypertrophic (*see also* Arthrosis)
- - generalized M15.9 2b
- in (due to)
 - - acromegaly E22.0† 2a M14.5*
 - - amyloidosis E85.4† M14.4*
 - - bacterial disease A49.9† 2b M01.3*
 - - - specified NEC A48.8† M01.3*
 - - Behçet's disease M35.2 2b
 - - caisson disease T70.3† M14.8*
 - - coliform bacilli (*Escherichia coli*) M00.8
 - - colitis, ulcerative K51† M07.5*
 - - Crohn's disease K50† M07.4*
 - - crystals M11.9
 - - - dicalcium phosphate M11.8
 - - - hydroxyapatite M11.0
 - - - pyrophosphate M11.8
 - - - specified NEC M11.8
 - - dermatoarthritis, lipoid E78.8† M14.3*
 - - draconiasis (dracunculiasis) B72† 2a M01.8*
 - - endocrine disorder NEC E34.9† 2b M14.5*
 - - enteritis NEC A09.9† 2a 2b M03* 2b
 - - - infectious NEC A09.0† 2a 2b M03* 2b
 - - - regional K50† M07.4*
 - - - specified organism NEC A08.5† M01.8*
 - - erythema
 - - - multiforme L51† M14.8*
 - - - nodosum L52† M14.8*
 - - gastrointestinal condition NEC K63.9† 2a 2b M03.6*
 - - gout M10.0
 - - *Haemophilus influenzae* M00.8
 - - helminthiasis NEC B83.9† M01.8*
 - - hematological disorder NEC D75.9† M36.3*
 - - hemochromatosis E83.1† 2a 2b M14.5*
 - - hemoglobinopathy NEC D58.2† 2b M36.3*
 - - hemophilia NEC D66† 2a 2b M36.2*
 - - Henoch(-Schönlein) purpura D69.0† 2a 2b M36.4*
 - - hyperparathyroidism NEC E21.3† 2a 2b M14.1*
 - - hypersensitivity reaction NEC T78.4† 2b M36.4*
 - - hypogammaglobulinemia D80.1† 2b M14.8*
 - - hypothyroidism NEC E03.9† 2a 2b M14.5*
 - - infection M00.9 2a 2b
 - - - spine M46.5
 - - - infectious disease NEC B99† 2a 2b M01.8*
 - - leprosy A30† 2a 2b M01.3*
 - - leukemia NEC (M9800/3) C95.9† 2a 2b M36.1*
 - - lipoid dermatoarthritis E78.8† M14.3*
 - - Lyme disease A69.2† 2b M01.2*
 - - Mediterranean fever, familial E85.0† M14.4*
 - - meningococcus A39.8† M01.0*
 - - metabolic disorder NEC E88.9† M14.5*
 - - multiple myeloma (M9732/3) C90.0† 2b M36.1*
 - - mumps B26.8† 2b M01.5*
 - - mycosis NEC B49† M01.6*

- - myelomatosis (multiple) (M9732/3) C90.0† 2b M36.1*
- - neurological disorder NEC G98† 2a 2b M14.6*
- - ochronosis E70.2† M14.5*
- - O'nyong-nyong A92.1† M01.5*
- - parasitic disease NEC B89† 2a 2b M01.8*
- - paratyphoid fever A01† 2a M01.3*
- - *Pseudomonas* M00.8
- - psoriasis L40.5† M07.3*
- - pyogenic organism NEC M00.8
- - regional enteritis K50† M07.4*
- - Reiter's disease M02.3 2b
- - respiratory disorder NEC J98.9† 2a 2b M14.8*
- - reticulosis, malignant (M9713/3) C85.7† M14.8*
- - rubella B06.8† M01.4*
- - *Salmonella (arizonaee) (cholerae-suis) (enteritidis) (typhimurium)* A02.2† 2b M01.3*
- - sarcoidosis D86.8† M14.8*
- - sporotrichosis B42.8† 2b M01.6*
- - syringomyelia G95.0† 2a 2b M49.4*
- - thalassemia NEC D56.9† M36.3*
- - tuberculosis - *see* Tuberculosis, arthritis
- - typhoid fever A01.0† M01.3*
- - ulcerative colitis K51† M07.5*
- - urethritis, Reiter's M02.3 2b
- - viral disease NEC B34.9† 2b M01.5*
- infectious or infective (*see also* Arthritis, in) M00.9 2a 2b
- - spine M46.5
- inflammatory M13.9 2a 2b
- juvenile M08.9
- - with systemic onset M08.2
- - in (due to)
 - - - Crohn's disease K50† M09.1*
 - - - psoriasis L40.5† M09.0*
 - - - regional enteritis K50† M09.1*
 - - - ulcerative colitis K51† M09.2*
- - pauciarticular M08.4
- - rheumatoid M08.0
- - specified NEC M08.8
- meningococcal A39.8† M01.0*
- menopausal (any site) NEC M13.8 2b
- multiple joints - *see* Polyarthritis
- mutilans (psoriatic) L40.5† M07.1*
- mycotic NEC B49† M01.6*
- neuropathic (Charcot) (tabetic) A52.1† 2a 2b M14.6*
- - diabetic (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b M14.6*
- - nonsyphilitic NEC G98† 2a 2b M14.6*
- - syringomyelic G95.0† 2a 2b M49.4*
- nonpyogenic NEC M13.9 2a 2b
- ochronotic E70.2† M14.5*
- palindromic (any site) M12.3
- pneumococcal (any site) M00.1
- postdysenteric M02.1 2b
- postmeningococcal A39.8† M03.0*
- postrheumatic, chronic M12.0 2b
- primary progressive M13.8 2b
- - spine M45
- psoriatic L40.5† M07.3*
- purulent (any site, except spine) M00.9 2a 2b
- - spine M46.5
- pyogenic or pyemic (any site, except spine) M00.9 2a 2b
- - spine M46.5
- rheumatic, acute or subacute - *see* Fever, rheumatic
- rheumatoid (deforming) (degenerative) M06.9 2a 2b
- - with
 - - - carditis M05.3† I52.8*
 - - - endocarditis M05.3† I39.8*

- - - heart involvement NEC M05.3† I52.8*
- - - lung involvement M05.1† J99.0*
- - - myocarditis M05.3† I41.8*
- - - myopathy M05.3† G73.7*
- - - pericarditis M05.3† I32.8*
- - - polyneuropathy M05.3† G63.6*
- - - splenoadenomegaly and leukopenia M05.0
- - - systemic involvement NEC M05.3
- - - torticollis M06.8
- - - vasculitis M05.2 2b
- - - visceral involvement NEC M05.3
- - juvenile (with or without rheumatoid factor) M08.0
- - seronegative M06.0
- - seropositive M05.9
- - - specified NEC M05.8
- - - specified NEC M06.8
- - spine M45
- rubella B06.8† M01.4*
- scorbatic E54† 2a 2b M14.5*
- senile or senescent (*see also* Arthrosis) M19.9 2a 2b
- - generalized M15.9 2b
- - specified site NEC M19.9 2a 2b
- septic (any site, except spine) M00.9 2a 2b
- - spine M46.5
- serum (nontherapeutic) (therapeutic) M02.2
- specified form NEC M13.8 2b
- spine M46.9
- - infectious or infective NEC M46.5
- - Marie-Strümpell M45
- - pyogenic M46.5
- - rheumatoid M45
- - traumatic (old) M48.3
- - tuberculous A18.0† 2a 2b M49.0*
- staphylococcal (any site) M00.0
- streptococcal NEC (any site) M00.2
- suppurative (any site) M00.9 2a 2b
- syphilitic (late) A52.1† 2a 2b M03.1*
- - congenital A50.5† M03.1*
- syphilitica deformans (Charcot) A52.1† 2a 2b M14.6*
- temporomandibular K07.6
- toxic of menopause (any site) M13.8 2b
- transient M12.8
- traumatic (chronic) M12.5
- tuberculous A18.0† 2a 2b M01.1*
- - spine A18.0† 2a 2b M49.0*
- uratic M10.0
- urethritis, Reiter's M02.3 2b
- vertebral (*see also* Arthritis, spine) M46.9
- villous (any site) M12.8

Arthrocele M25.4**Arthrodesis status** Z98.1(135)**Arthrodynia** M25.5

- psychogenic F45.4

Arthrobiosis, joint M24.6**Arthrogryposis (congenital)** Q68.8

- multiplex congenita Q74.3

Arthrokatakyisis M24.7**Arthropathy** (*see also* Arthritis) M13.9 2a 2b

- Charcot's (tabetic) A52.1† 2a 2b M14.6*
- - diabetic (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b M14.6*
- - nonsyphilitic NEC G98† 2a 2b M14.6*
- - syringomyelic G95.0† 2a 2b M49.4*
- cryoarytenoid J38.7
- crystal(-induced) M11.9
- diabetic NEC (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b M14.2*

- - neuropathic E14.6† 2a 2b M14.6*
- distal interphalangeal, psoriatic L40.5† M07.0*
- following intestinal bypass M02.0
- gouty M10.0
- - in (due to)
 - - - Lesch-Nyhan syndrome E79.1† M14.0*
 - - - sickle-cell disorders D57† M14.0*
 - hemophilic NEC D66† 2a 2b M36.2*
 - - in (due to)
 - - - hyperparathyroidism NEC E21.3† 2a 2b M14.1*
 - - - metabolic disease NEC E88.9† M14.1*
 - in (due to)
 - - acromegaly E22.0† 2a M14.5*
 - - amyloidosis E85† M14.4*
 - - blood disorder NEC D75.9† M36.3*
 - - Crohn's disease K50† M07.4*
 - - diabetes (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b M14.2*
 - - endocrine disorder NEC E34.9† 2b M14.5*
 - - enteritis NEC A09.9† 2a 2b M03* 2b
 - - - infectious NEC A09.0† 2a 2b M03* 2b
 - - - enteropathic NEC A09.9† 2a 2b M07.6*
 - - - infectious A09.0† 2a 2b M03* 2b
 - - erythema
 - - - multiforme L51† M14.8*
 - - - nodosum L52† M14.8*
 - - - hemochromatosis E83.1† 2a 2b M14.5*
 - - - hemoglobinopathy NEC D58.2† 2b M36.3*
 - - - hemophilia NEC D66† 2a 2b M36.2*
 - - - Henoch-Schönlein purpura D69.0† 2a 2b M36.4*
 - - - hyperthyroidism E05† 2b M14.5*
 - - - hypothyroidism E03.9† 2a 2b M14.5*
 - - - infective endocarditis I33.0† 2a 2b M03.6*
 - - - leukemia NEC (M9800/3) C95.9† 2a 2b M36.1*
 - - - malignant histiocytosis (M9720/3) C96.1† M36.1*
 - - - metabolic disorder NEC E88.9† M14.5*
 - - - multiple myeloma (M9732/3) C90.0† 2b M36.1*
 - - - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b M36.1*
 - - - nutritional deficiency E63.9† 2a 2b M14.5*
 - - - psoriasis NEC L40.5† M07.3*
 - - - regional enteritis K50† M07.4*
 - - - sarcoidosis D86.8† M14.8*
 - - - syphilis (late) A52.7† 2a 2b M03.1*
 - - - congenital A50.5† M03.1*
 - - - thyrotoxicosis E05† 2b M14.5*
 - - - ulcerative colitis K51† M07.5*
 - - - viral hepatitis (postinfectious) NEC B19.9† M03.2*
 - - Whipple's disease K90.8† 2b M14.8*
 - Jaccoud M12.0 2b
 - juvenile - *see* Arthritis, juvenile
 - neurogenic, neuropathic (Charcot) (tabetic) A52.1† 2a 2b M14.6*
 - - diabetic (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b M14.6*
 - - nonsyphilitic NEC G98† 2a 2b M14.6*
 - - syringomyelic G95.0† 2a 2b M49.4*
 - osteopulmonary M89.4 2a 2b
 - postdysenteric M02.1 2b
 - postimmugization M02.2
 - postinfectious NEC B99† 2a 2b M03.2*
 - - in (due to)
 - - - enteritis due to *Yersinia enterocolitica* A04.6† M03.2*
 - - - syphilis A52.7† 2a 2b M03.1*
 - - - viral hepatitis NEC B19.9† M03.2*
 - - postrheumatic, chronic (Jaccoud) M12.0 2b
 - - psoriatic NEC L40.5† M07.3*
 - - interphalangeal, distal L40.5† M07.0*
 - reactive M02.9

- - in infective endocarditis I33.0† 2a 2b M03.6*

- - specified NEC M02.8

- specified NEC M12.8

- syringomyelic G95.0† 2a 2b M49.4*

- tabes dorsalis A52.1† 2a 2b M14.6*

- tabetic A52.1† 2a 2b M14.6*

- traumatic M12.5

Arthropysis M00.9 2a 2b

Arthrosis (deformans) (degenerative) M19.9 2a 2b

- advanced M19.90 2a 2b

- erosive M15.4

- first carpometacarpal joint M18.9

- - post-traumatic (unilateral) M18.3

- - - bilateral M18.2

- - primary (unilateral) M18.1

- - - bilateral M18.0

- - secondary NEC (unilateral) M18.5

- - - bilateral M18.4

- generalized (severe) NEC M15.9 2b

- - primary M15.0

- - secondary M15.3 2b

- grave M19.90 2a 2b

- hip - *see* Coxarthrosis

- joint NEC

- - post-traumatic M19.1

- - primary M19.0

- - secondary NEC M19.2 2b

- - - multiple M15.3 2b

- knee - *see* Gonarthrosis

- localized M19.9 2a 2b

- - advanced M19.90 2a 2b

- - grave M19.90 2a 2b

- - severe M19.90 2a 2b

- polyarticular M15.9 2b

- post-traumatic NEC M19.1

- primary NEC M19.0

- secondary NEC M19.2 2b

- - multiple M15.3 2b

- severe M19.90 2a 2b

- specified NEC M19.8

- specified site NEC M19.9 2a 2b

- - advanced M19.90 2a 2b

- - grave M19.90 2a 2b

- - severe M19.90 2a 2b

- spine M47.9 2a 2b

- - lumbar M47.8

- - specified site M47.8

Arthus' phenomenon or reaction T78.4 2b

- due to

- - correct substance properly administered T88.7 2a 2b

- - overdose or wrong substance given or taken T50.9 2a 2b

- - - specified drug - *see* Table of drugs and chemicals

- - serum T80.6 2b

Articular - *see* condition

Artificial

- insemination Z31.1(136)

- - complication (*see also* Complications, artificial, fertilization or insemination) N98.9

- vagina status Z93.8(137)

Arytenoid - *see* condition

Asbestosis J61

Ascariasis, ascaridosis, ascaridiasis B77.9

- with

- - complications NEC B77.8

- - intestinal complications B77.0† K93.8*

- - pneumonia, pneumonitis B77.8† J17.3*

Ascaris (infection) (infestation) (*lumbricoides*) (see also Ascariasis) B77.9

Ascending - see condition

Aschoff's bodies (see also Myocarditis,rheumatic) I09.0 2a 2b

Ascites (abdominal) R18 2b

- chylous (nonfilarial) I89.8 2b

- - filarial (see also Filaria) B74.9

- congenital R18 2b

- fetal, causing obstructed labor (mother) O66.3

- fetal, fetus R18 2b

- malignant C78.6 2a 2b

- syphilitic A52.7 2a 2b

- tuberculous A18.3

Aseptic - see condition

Asherman's syndrome N85.6

Asalia K11.7

Askin's tumor (M8803/3) - see Neoplasm,connective tissue, malignant

Asocial personality F60.2

Aspartylglucosaminuria E77.1

Asperger's disease or syndrome F84.5

Aspergillosis, aspergilloma B44.9

- with pneumonia B44† J17.2*

- angioinvasive B44.0

- disseminated B44.7

- generalized B44.7

- pulmonary NEC B44.1† J99.8*

- - invasive B44.0† J99.8*

- specified NEC B44.8

- tonsillar B44.2† J99.8*

Aspergillus (flavus) (fumigatus) (infection) (terreus) (see also Aspergillosis) B44.9

Aspermatogenesis N46 2a

Aspermia (testis) N46 2a

Asphyxia, asphyxiation (by) R09.0 2b

- antenatal (see also Distress, fetal) P20.9

- bedclothes T71 2a 2b

- birth (see also Asphyxia, newborn) P21.9 2a 2b

- carbon monoxide T58 2b

- cave-in T71 2a 2b

- - crushing S28.0 2b

- constriction T71 2a 2b

- crushing S28.0 2b

- drowning T75.1 2a 2b

- fetal (see also Distress, fetal) P20.9

- food or foreign body (in) T17.9 2b

- - bronchioles T17.8

- - bronchus (main) T17.5

- - larynx T17.3

- - lung T17.8

- - nasal sinus T17.0

- - nasopharynx T17.2 2b

- - newborn P24.3

- - nose, nostril T17.1

- - pharynx T17.2 2b

- - postprocedural NEC J95.8 2b

- - respiratory tract T17.9 2b

- - - specified part NEC T17.8

- - throat T17.2 2b

- - trachea T17.4 2b

- gas, fumes, or vapor T59.9 2b

- - specified - see Table of drugs and chemicals

- gravitational changes T71 2a 2b

- hanging T71 2a 2b

- inhalation - see Inhalation

- intrauterine (see also Distress, fetal) P20.9

- local I73.0

- mechanical T71 2a 2b

- mucus (in) T17.9 2b
- - bronchioles T17.8
- - bronchus (main) T17.5
- - larynx T17.3
- - lung T17.8
- - nasal sinus T17.0
- - nasopharynx T17.2 2b
- - newborn P24.1
- - nose, nostril T17.1
- - pharynx T17.2 2b
- - postprocedural NEC J95.8 2b
- - respiratory tract T17.9 2b
- - - specified part NEC T17.8
- - throat T17.2 2b
- - trachea T17.4 2b
- newborn P21.9 2a 2b
- - with 1-minute Apgar score
- - - low NEC P21.9 2a 2b
- - - 0-3 P21.0
- - - 4-7 P21.1
- - blue P21.1
- - livida P21.1
- - mild or moderate P21.1
- - pallida P21.0
- - severe P21.0
- - white P21.0
- pathological R09.0 2b
- perinatal (*see also* Asphyxia, newborn) P21.9 2a 2b
- postnatal (*see also* Asphyxia, newborn) P21.9 2a 2b
- - mechanical T71 2a 2b
- prenatal (*see also* Distress, fetal) P20.9
- pressure T71 2a 2b
- reticularis R23.1
- strangulation T71 2a 2b
- submersion T75.1 2a 2b
- traumatic NEC T71 2a 2b
- - due to crushed chest S28.0 2b
- vomiting, vomitus - *see* Asphyxia, food or foreign body

Aspiration T17.9 2b

- amniotic fluid (newborn) P24.1
- blood, newborn P24.2
- bronchitis J40 2a 2b
- food or foreign body (with asphyxiation) - *see* Asphyxia, food or foreign body
- - postprocedural NEC J95.8 2b
- - liquor (amnii) (newborn) P24.1
- - meconium (newborn) P24.0
- - milk (newborn) P24.3
- - mucus T17.9 2b
- - - into
- - - - bronchioles T17.8
- - - - bronchus (main) T17.5
- - - - larynx T17.3
- - - - lung T17.8
- - - - nasal sinus T17.0
- - - - nose, nostril T17.1
- - - - pharynx T17.2 2b
- - - - respiratory tract T17.9 2b
- - - - - specified part NEC T17.8
- - - - throat T17.2 2b
- - - - trachea T17.4 2b
- - - newborn P24.1
- - - postprocedural NEC J95.8 2b
- - newborn (massive) (syndrome) P24.9
- - - meconium P24.0
- - postprocedural J95.8 2b

- specified site - *see* Asphyxia, food orforeign body, by site

- vernix caseosa (newborn) P24.8

Asplenia (congenital) Q89.0

- postsurgical D73.0

Assam fever B55.0

Assmann's focus NEC A16.2 2a 2b

Astasia(-abasia) (hysterical) F44.4

Asteatosis cutis L85.3

Astereognosis R48.1

Asterixis R48.1

Asthenia, asthenic R53 2b

- cardiac (*see also* Failure, heart) I50.9 2a 2b

- - psychogenic F45.3 2b

- cardiovascular (*see also* Failure, heart) I50.9 2a 2b

- - psychogenic F45.3 2b

- heart (*see also* Failure, heart) I50.9 2a 2b

- - psychogenic F45.3 2b

- hysterical F44.4

- myocardial (*see also* Failure, heart) I50.9 2a 2b

- - psychogenic F45.3 2b

- nervous F48.0

- neurocirculatory F45.3 2b

- neurotic F48.0

- psychogenic F48.0

- psychoneurotic F48.0

- psychophysiologic F48.0

- reaction (psychophysiologic) F48.0

- senile R54 2a 2b

- tropical anhidrotic L74.2

Asthenopia H53.1

- accommodative H52.5

- hysterical F44.6

- psychogenic F44.6

Asthenospermia R86.9

Asthma, asthmatic (bronchial) (catarrh) (spasmodic) J45.9

- with

- - hay fever J45.0 2b

- - rhinitis, allergic J45.0 2b

- acute, severe J46 2a

- allergic (extrinsic) J45.0 2b

- atopic J45.0 2b

- cardiac (*see also* Failure, ventricular, left) I50.1 2a

- childhood J45.0 2b

- collier's J60 2a 2b

- croup J45.9

- due to detergent J69.8 2a 2b

- eosinophilic J82

- extrinsic (allergic) J45.0 2b

- grinder's J62.8

- heart I50.1 2a

- - fetal, fetus P29.8

- - newborn P29.0

- idiosyncratic J45.1

- intrinsic (non-allergic) J45.1

- late-onset J45.9

- Millar's J38.5 2b

- miner's J60 2a 2b

- mixed J45.8

- nervous J45.1

- nonallergic J45.1

- obstructive, chronic J44.8 2a

- platinum J45.0 2b

- pneumoconiotic NEC J64 2a 2b

- potter's J62.8

- predominantly allergic J45.0 2b

- pulmonary eosinophilic J82
- Rostan's I50.1 2a
 - - fetal, fetus P29.8
 - - newborn P29.0
- sandblaster's J62.8
- severe, acute J46 2a
- status J46 2a
- stonemason's J62.8
- tuberculous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b

Astigmatism (compound) (congenital) (any type) H52.2

Astroblastoma (M9430/3)

- specified site - *see* Neoplasm, malignant

- unspecified site C71.9 2a 2b

Astrocytoma (cystic) (M9400/3)

- anaplastic (M9401/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- fibrillary (M9420/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- fibrous (M9420/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- gemistocytic (M9411/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- juvenile (M9421/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- pilocytic (M9421/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- piloid (M9421/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- protoplasmic (M9410/3)

- - specified site - *see* Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- specified site NEC - *see* Neoplasm, malignant

- subependymal (M9383/1) D43.2 2a 2b

- - giant cell (M9384/1)

- - - specified site - *see* Neoplasm, uncertain behavior

- - - unspecified site D43.2 2a 2b

- - specified site - *see* Neoplasm, uncertain behavior

- - unspecified site D43.2 2a 2b

- unspecified site C71.9 2a 2b

Astroglioma (M9400/3)

- specified site - *see* Neoplasm, malignant

- unspecified site C71.9 2a 2b

Asymbolia R48.8

Asymmetry - *see also* Distortion

- face Q67.0

- jaw K07.1

- pelvis with disproportion (fetopelvic) O33.0

- - affecting fetus or newborn P03.1

- - causing obstructed labor O65.0

Asynergia, asynergy R27.8 2b

Asystole (heart) (*see also* Arrest, cardiac) I46.9 2a 2b

Ataxia, ataxy, ataxic R27.0 2b

- brain (hereditary) G11.9

- cerebellar (hereditary) G11.9

- - with defective DNA repair G11.3

- - alcoholic G31.2 2a 2b

- - early-onset G11.1 2a 2b

- - in

- - - alcoholism G31.2 2a 2b
- - - myxedema E03.9† 2a 2b G13.2*
- - - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G13.1*
- - late-onset (Marie's) G11.2
- cerebral (hereditary) G11.9
- congenital nonprogressive G11.0
- family, familial - *see* Ataxia, hereditary
- Friedreich's (cerebellar) (heredofamilial) (spinal) G11.1 2a 2b
- gait R26.0 2b
- - hysterical F44.4
- general R27.8 2b
- hereditary G11.9
- - with neuropathy G60.2
- - cerebellar - *see* Ataxia, cerebellar
- - spastic G11.4
- - specified NEC G11.8
- - spinal (Friedreich's) G11.1 2a 2b
- heredofamilial - *see* Ataxia, hereditary
- Hunt's G11.1 2a 2b
- hysterical F44.4
- Levy's G60.0 2a 2b
- locomotor (partial) (progressive) (spastic) (syphilitic) A52.1 2a 2b
- Marie's (cerebellar) (heredofamilial) (late-onset) G11.2
- nonorganic origin F44.4
- nonprogressive, congenital G11.0
- psychogenic F44.4
- Roussy-Lévy G60.0 2a 2b
- Sanger-Brown's (hereditary) G11.2
- spinal
 - - hereditary (Friedreich's) G11.1 2a 2b
 - - progressive (syphilitic) A52.1 2a 2b
 - - spinocerebellar (X-linked recessive) G11.1 2a 2b
 - - telangiectasia (Louis-Bar) G11.3

Ataxia-telangiectasia (Louis-Bar) G11.3

- Atelectasis (massive) (partial) (pressure) (pulmonary)** J98.1 2b
- fetus or newborn (secondary) P28.1 2b
 - - due to resorption P28.1 2b
 - - partial P28.1 2b
 - - primary P28.0 2a 2b
 - - subtotal P28.0 2a 2b
 - primary (newborn) P28.0 2a 2b
 - tuberculous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b

Atelocardia Q24.9 2a 2b

Atelomyelia Q06.1 2b

Atheroembolism - *see* Embolism

Atherogenesis (*see also* Arteriosclerosis) I70.9 2a 2b

Atheroma, atheromatous (*see also* Arteriosclerosis) I70.9 2a 2b

- aorta, aortic I70.0 2a
- - valve (*see also* Endocarditis, aortic) I35.8
- aorto-iliac I70.0 2a
- artery - *see* Arteriosclerosis
- basilar (artery) I67.2 2a 2b
- carotid (artery) (common) (internal) I67.2 2a 2b
- cerebral (arteries) I67.2 2a 2b
- coronary (artery) I25.1 2a 2b
- degeneration - *see* Arteriosclerosis
- heart, cardiac I25.1 2a 2b
- mitral (valve) I34.8
- myocardium, myocardial I25.1 2a 2b
- occlusive coronary sclerosis I25.1 2a 2b
- pulmonary valve (heart) (*see also* Endocarditis, pulmonary) I37.8
- tricuspid (heart) (valve) I36.8
- valve, valvular - *see* Endocarditis
- vertebral (artery) I67.2 2a 2b

Atheromatosis - *see* Arteriosclerosis

Atherosclerosis - *see Arteriosclerosis*

Athetosis (acquired) R25.8 2b

- bilateral (congenital) G80.3
- congenital (bilateral) (double) G80.3
- double (congenital) G80.3
- unilateral R25.8 2b

Athlete's

- foot B35.3
- heart I51.7

Athyreia (acquired) - *see Hypothyroidism*

Atonia, atony, atonic

- bladder (sphincter) (neurogenic) N31.2
- capillary I78.8
- cecum K59.8
- - psychogenic F45.3 2b
- colon - *see Atonia, intestine*
- congenital P94.2
- esophagus K22.8
- intestine K59.8
- - psychogenic F45.3 2b
- stomach K31.8 2a
- - neurotic or psychogenic F45.3 2b
- uterus, during labor O62.2 2a 2b
- - affecting fetus or newborn P03.6

Atopy - *see Hypersensitive*

ATransferrinemia, congenital E88.0 2b

Atresia, atretic

- alimentary organ or tract NEC Q45.8 2b
- - upper Q40.8
- ani, anus, anal (canal) Q42.3
- - with fistula Q42.2
- aorta (arch) (ring) Q25.2
- aortic (orifice) (valve) Q23.0 2a
- - arch Q25.2
- - congenital with hypoplasia of ascending aorta and defective development of left ventricle (with mitral stenosis) Q23.4
- - in hypoplastic left heart syndrome Q23.4
- aqueduct of Sylvius Q03.0
- - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- artery NEC Q27.8 2a 2b
- - cerebral Q28.3 2a 2b
- - coronary Q24.5
- - eye Q15.8
- - pulmonary Q25.5
- - umbilical Q27.0
- auditory canal (external) Q16.1
- bile duct (common) (congenital) (hepatic) Q44.2
- - acquired (*see also* Obstruction, bile duct) K83.1
- biliary NEC Q44.2
- bladder (neck) Q64.3
- bronchus Q32.4
- cecum Q42.8
- cervix (acquired) N88.2
- - congenital Q51.8
- - in pregnancy or childbirth O34.4
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1
- choana Q30.0
- colon Q42.9
- - specified NEC Q42.8
- common duct Q44.2
- cystic duct Q44.2
- - acquired (*see also* Obstruction, gallbladder) K82.0
- digestive organs NEC Q45.8 2b
- duodenum Q41.0
- ear canal Q16.1

- ejaculatory duct Q55.4
- esophagus Q39.0
 - - with tracheoesophageal fistula Q39.1
- eustachian tube Q16.4
- fallopian tube (congenital) Q50.6
 - - acquired N97.1
- foramen of
 - - Luschka Q03.1
 - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- - Magendie Q03.1
 - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- gallbladder Q44.1
- genital organ
 - - external
 - - - female Q52.7
 - - - male Q55.8
 - - internal
 - - - female Q52.8 2b
 - - - male Q55.8
 - - gullet Q39.0
 - - with tracheoesophageal fistula Q39.1
 - - heart valve NEC Q24.8 2b
 - - pulmonary Q22.0 2b
 - - tricuspid Q22.4
 - - hymen Q52.3
 - - acquired (postinfective) N89.6
 - - ileum Q41.2
 - - intestine (small) Q41.9 2b
 - - large Q42.9
 - - - specified NEC Q42.8
 - - iris, filtration angle Q15.0
 - - jejunum Q41.1
 - - lacrimal apparatus Q10.4
 - - larynx Q31.8
 - - meatus urinarius Q64.3
 - - mitral valve Q23.2
 - - in hypoplastic left heart syndrome Q23.4
 - - nares (anterior) (posterior) Q30.0
 - - nasopharynx Q34.8
 - - nose, nostril Q30.0
 - - acquired J34.8
 - - oesophagus Q39.0
 - - with tracheoesophageal fistula Q39.1
 - - organ or site NEC Q89.8
 - - osseous meatus (ear) Q16.1
 - - oviduct (congenital) Q50.6
 - - acquired N97.1
 - - parotid duct Q38.4
 - - acquired K11.8
 - - pulmonary (artery) Q25.5
 - - valve Q22.0 2b
 - - vein Q26.3
 - - pupil Q13.2
 - - rectum Q42.1
 - - with fistula Q42.0
 - - salivary duct Q38.4
 - - acquired K11.8
 - - sublingual duct Q38.4
 - - acquired K11.8
 - - submandibular duct Q38.4
 - - acquired K11.8
 - - trachea Q32.1
 - - tricuspid valve Q22.4
 - - ureter Q62.1 2a
 - - ureteropelvic junction Q62.1 2a

- ureterovesical orifice Q62.1 2a
- urethra (valvular) Q64.3
- urinary tract NEC Q64.8
- uterus Q51.8
 - - acquired N85.8
 - - vagina (congenital) Q52.4
 - - acquired (postinfectional) (senile) N89.5
- vas deferens Q55.3
- vascular NEC Q27.8 2a 2b
 - - cerebral Q28.3 2a 2b
- vein NEC Q27.8 2a 2b
- - great Q26.8
- - portal Q26.5
- - pulmonary Q26.3
- vena cava (inferior) (superior) Q26.8
- vesicourethral orifice Q64.3
- vulva Q52.7
 - - acquired N90.5

Atrichia, atrichosis (*see also* Alopecia) L65.9

- congenital (universal) Q84.0

Atrophy - *see also* Atrophy

- cutis senilis L90.8
- - due to radiation L57.8
- gyrata of choroid and retina H31.2
- senilis R54 2a 2b
 - - dermatological L90.8
 - - - due to radiation (nonionizing) (solar) L57.8
- unguium L60.3
- - congenita Q84.6

Atrophie blanche (en plaque) (de Milian) L95.0

Atrophoderma, atrophodermia (of) L90.9

- diffusum (idiopathic) L90.4
- maculatum L90.8
- - et striatum L90.8
 - - - due to syphilis A52.7† 2a 2b L99.8*
 - - syphilitic A51.3† L99.8*
- neuriticum L90.8
- Pasini and Pierini L90.3
- pigmentosum Q82.1
- reticulatum symmetricum faciei L66.4
- senile L90.8
 - - due to radiation (nonionizing) (solar) L57.8
 - vermiculata (cheeks) L66.4

Atrophy, atrophic

- adrenal (capsule) (cortical) (gland) E27.4
- - primary E27.1
- alveolar process or ridge (edentulous) K08.2
- appendix K38.8
- arteriosclerotic - *see* Arteriosclerosis
- bile duct (common) (hepatic) K83.8
- bladder N32.8
 - - neurogenic N31.8
- blanche (en plaque) (of Milian) L95.0
- bone (senile) NEC M89.8 2b
- - due to
 - - - tabes dorsalis (neurogenic) A52.1† 2a 2b M90.2*
 - - - brain (cortex) (progressive) (*see also* Degeneration, brain) G31.9
 - - circumscribed G31.0
 - - - dementia in G31.0† F02.0*
 - - congenital Q04.8
 - - presenile NEC G31.8
 - - - dementia in G31.8† F02.8*
 - - - senile NEC G31.1
 - - breast N64.2
 - - puerperal, postpartum O92.2

- buccal cavity K13.7
- cardiac (*see also* Degeneration, myocardial) I51.5 2a 2b
 - - arteriosclerotic I51.50 2a 2b
- cartilage (infectional) (joint) M94.8
- cerebellar - *see* Atrophy, brain
- cerebral - *see* Atrophy, brain
- cervix (mucosa) (senile) (uteri) N88.8
 - - menopausal N95.8
- Charcot-Marie-Tooth G60.0 2a 2b
- choroid (central) (macular) (myopic) (retina) (senile) H31.1
 - - gyrate H31.2
- ciliary body H21.2
- conjunctiva (senile) H11.8
- corpus cavernosum N48.8
- cortical (*see also* Atrophy, brain) G31.9
 - - adrenal E27.4
- cystic duct K82.8
- Déjerine-Thomas G23.8
- dentatorubral-pallidoluysian G11.9
- disuse NEC M62.5
- Duchenne-Aran G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
- ear H93.8
- edentulous alveolar ridge K08.2
- endometrium (senile) N85.8
 - - cervix N88.8
- enteric K63.8
- epididymis N50.8
- eyeball H44.5
- eyelid (senile) H02.7
- facial (skin) L90.9
- facioscapulohumeral G71.0
- fallopian tube (senile) N83.3
- fatty, thymus (gland) E32.8
- gallbladder K82.8
- gastric K29.4
- gastrointestinal K63.8
- glandular I89.8 2b
- globe H44.5
- gum K06.0
- hair L67.8
- hemifacial Q67.4
 - - Romberg G51.8
- infantile paralysis, acute (*see also* Poliomyelitis, paralytic) A80.3
- intestine K63.8
- iris (essential) (progressive) H21.2
- kidney (senile) (terminal) (*see also* Sclerosis, renal) N26 2a
 - - arteriosclerotic (*see also* Hypertension, kidney) I12.9 2a 2b
 - - congenital or infantile Q60.5
 - - - bilateral Q60.4
 - - - unilateral Q60.3
 - - hydronephrotic N13.3
 - - - with infection N13.6 2a 2b
- lacrimal gland H04.1
- Landouzy-Déjerine G71.0
- laryngitis, infective J37.0
- larynx J38.7
- Leber's optic (hereditary) H47.2
- lip K13.0
- liver (yellow) K72.9 2a 2b
 - - acute, subacute K72.0 2a 2b
 - - chronic K72.1 2a 2b
- lung (senile) J98.4 2a 2b

- - newborn P28.8
- macular (dermatological) L90.8
- - syphilitic, skin A51.3† L99.8*
- - - striated A52.7† 2a 2b L99.8*
- multiple systemic G31.8
- muscle, muscular M62.5
- - diffuse M62.5
- - Duchenne-Aran G12.2 2a 2b
- - - advanced G12.20 2a 2b
- - - grave G12.20 2a 2b
- - - severe G12.20 2a 2b
- - general M62.5
- - limb (lower) (upper) M62.5
- - myelopathic - *see Atrophy, muscle, spinal*
- - neuritic G58.9
- - neuropathic (peroneal) (progressive) G60.0 2a 2b
- - peroneal G60.0 2a 2b
- - primary (idiopathic) M62.5
- - progressive (bulbar) (spinal) G12.2 2a 2b
- - - advanced G12.20 2a 2b
- - - grave G12.20 2a 2b
- - - severe G12.20 2a 2b
- - pseudohypertrophic G71.0
- - spinal (homozygous) G12.9
- - - adult form G12.1
- - - childhood form, type II G12.1
- - - distal G12.1
- - - hereditary NEC G12.1
- - - infantile, type I (Werdnig-Hoffmann) G12.0
- - - juvenile form, type III (Kugelberg-Welander) G12.1
- - - progressive G12.2 2a 2b
- - - - advanced G12.20 2a 2b
- - - - grave G12.20 2a 2b
- - - - severe G12.20 2a 2b
- - - scapuloperoneal form G12.1
- - - specified NEC G12.8
- - syphilitic A52.7† 2a 2b M63.8*
- myocardium (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- myometrium (senile) N85.8
- - cervix N88.8
- myopathic NEC M62.5
- nail L60.3
- nasopharynx J31.1
- nerve - *see also* Disorder, nerve
- - abducens H49.2
- - cranial
- - - fourth (trochlear) H49.1
- - - second (optic) H47.2
- - - sixth (abducens) H49.2
- - - third (oculomotor) H49.0
- - oculomotor H49.0
- - optic (papillomacular bundle) H47.2
- - - syphilitic (late) A52.1† 2a 2b H48.0*
- - - - congenital A50.4† H48.0*
- - trochlear H49.1
- nervous system (acquired) G98 2a 2b
- - congenital Q07.8
- neurogenic, bone, tabetic A52.1† 2a 2b M90.2*
- old age R54 2a 2b
- olivopontocerebellar G23.8
- orbit H05.3
- ovary (senile) N83.3
- oviduct (senile) N83.3
- palsy, diffuse (progressive) G12.2 2a 2b

- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- pancreas (duct) (senile) K86.8 2b
- parotid gland K11.0
- penis N48.8
- pharynx J39.2
- pluriglandular E31.8
- - autoimmune E31.0
- polyarthritis M15.9 2b
- prostate N42.2
- pseudohypertrophic (muscle) G71.0
- renal (*see also* Sclerosis, renal) N26 2a
- retina, retinal (postinfectional) H35.8
- salivary gland K11.0
- scar L90.5
- sclerosis, lobar (of brain) G31.0
- - dementia in G31.0† F02.0*
- scrotum N50.8
- seminal vesicle N50.8
- senile R54 2a 2b
 - - due to radiation (nonionizing) (solar) L57.8
- skin (patches) (spots) L90.9
- - degenerative (senile) L90.8
- - due to radiation (nonionizing) (solar) L57.8
- - senile L90.8
- spermatic cord N50.8
- spinal (cord) G95.8 2b
 - - muscular (*see also* Atrophy, muscle, spinal) G12.9
 - - paralysis G12.2 2a 2b
 - - - advanced G12.20 2a 2b
 - - - grave G12.20 2a 2b
 - - - infantile (*see also* Poliomyelitis, paralytic) B91 2a 2b
 - - - - active A80.3
 - - - - acute A80.3
 - - - - meaning progressive muscular atrophy G12.2 2a 2b
 - - - - advanced G12.20 2a 2b
 - - - - grave G12.20 2a 2b
 - - - - severe G12.20 2a 2b
 - - - - severe G12.20 2a 2b
 - - - Sudeck's M89.0
 - - - suprarenal (capsule) (gland) E27.4
 - - - primary E27.1
 - - systemic, affecting central nervous system
 - - in
 - - - myxedema E03.9† 2a 2b G13.2*
 - - - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G13.1*
 - - tarso-orbital fascia, congenital Q10.3
 - - testis N50.0
 - - thymus (fatty) E32.8
 - - thyroid (gland) (acquired) E03.4 2b
 - - with cretinism E03.1
 - - congenital (with myxedema) E03.1
 - - tongue (senile) K14.8
 - - papillae K14.4
 - - trachea J39.8
 - - tunica vaginalis N50.8

- turbinete J34.8
- upper respiratory tract J39.8
- uterus, uterine (senile) N85.8
- - cervix N88.8
- - due to radiation (intended effect) N85.8
- - - adverse effect or misadventure N99.8 2b
- vagina (senile) N95.2
- vas deferens N50.8
- vascular I99 2a 2b
- vertebra (senile) M48.8
- vulva (senile) N90.5
- yellow (*see also* Failure, hepatic) K72.9 2a 2b

Attack

- Adams-Stokes I45.9 2a 2b
- akinetic - *see* Epilepsy
- angina - *see* Angina
- atonic G40.3
- cardiovascular (*see also* Disease, cardiovascular) I51.6 2a 2b
- cataleptic - *see* Catalepsy
- cerebral I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- coronary - *see* Infarct, myocardium
- cyanotic, newborn P28.2
- epileptic - *see* Epilepsy
- epileptiform R56.8 2b
- heart - *see* Infarct, myocardium
- hysterical F44.9 2b
- jacksonian G40.1
- myoclonic G40.3
- panic F41.0
- paroxysmal R56.8 2b
- psychomotor (*see also* Epilepsy) G40.2
- respiration, respiratory R09.8 2b
- - newborn P28.8
- salaam G40.4
- schizophreniform, brief F23.2
- sensory and motor R56.8 2b
- Stokes-Adams I45.9 2a 2b
- syncope R55
- transient ischemic (TIA) G45.9 2b
- - specified NEC G45.8
- unconsciousness R55
- - hysterical F44.8
- vasomotor R55
- vasovagal (paroxysmal) (idiopathic) R55

Attention (to)

- artificial
- - opening (of) Z43.9(138)
- - - digestive tract NEC Z43.4(139)
- - - specified NEC Z43.8(140)
- - - urinary tract NEC Z43.6(141)
- - vagina Z43.7(142)
- colostomy Z43.3(143)
- cystostomy Z43.5(144)
- deficit disorder or syndrome F98.8
- - with hyperactivity F90.0
- - hyperactive F90.0
- gastrostomy Z43.1(145)
- ileostomy Z43.2(146)
- nephrostomy Z43.6(147)
- surgical dressings Z48.0(148)
- sutures Z48.0(149)
- tracheostomy Z43.0(150)
- ureterostomy Z43.6(151)

- urethrostomy Z43.6(152)

Attrition

- general R53 2b

- tooth, teeth (excessive) (hard tissues) K03.0

Atypical, atypism - see also condition

- endometrium N85.9 2a 2b

- - hyperplasia (adenomatous) N85.1

- parenting situation Z60.1(153)

Auditory - see condition

Aujeszky's disease B33.8

Aura, jacksonian G40.1

Aurantiasis, cutis E67.1

Auricle, auricular - see also condition

- cervical Q18.2

Austin Flint murmur (aortic insufficiency) I35.1 2b

Australian

- Q fever A78 2a

- X disease A83.4

Autism, autistic (childhood) (infantile) F84.0

- atypical F84.1

Autodigestion R68.8 2a 2b

Autoerythrocyte sensitization (syndrome) D69.2 2b

Autographism L50.3

Autohemolysis D75.8 2a 2b

Autoimmune disease (systemic) NEC M35.9 2a 2b

Autointoxication R68.8 2a 2b

Autolysis of blood D75.8 2a 2b

Automatism

- epileptic G40.2

- paroxysmal (idiopathic) G40.2

Autonomic, autonomous

- bladder (neurogenic) N31.2

- hysteria seizure F44.5

Autosensitivity, erythrocyte D69.2 2b

Autosensitization, cutaneous L30.2

Autosome - see condition by chromosome involved

Autotopagnosia R48.1

Autotoxemia R68.8 2a 2b

Autumn - see condition

Avellis' syndrome I63.2† 2a 2b G46.8*

- bilateral (multiple) I63.20 2a 2b

- multiple (bilateral) I63.20 2a 2b

Aversion, sexual F52.1

Aviator's

- disease or sickness (see also Effects, adverse, high altitude) T70.2

- ear T70.0

Avitaminosis (multiple NEC) (see also Deficiency, vitamin) E56.9 2b

AVNRT (atrioventricular nodal re-entrant tachycardia) I47.1

AVRT (atrioventricular nodal re-entrant tachycardia) I47.1

Avulsion (traumatic) T14.7 2a 2b

- blood vessel - see Injury, blood vessel

- bone - see Fracture, by site

- brain S06.8 2a 2b

- cartilage (see also Dislocation, by site) T14.3

- - symphyseal (inner), complicating delivery O71.6

- external site other than limb - see Wound, by site

- eye S05.7

- head NEC (intracranial) S08.9

- - complete S18

- - external site NEC S08.8

- - scalp S08.0

- internal organ or site - see Injury, by site

- joint (see also Dislocation, by site) T14.3

- - capsule - see Sprain, by site

- ligament - see Sprain, by site

- limb - *see also* Amputation, traumatic, by site
- skin and subcutaneous tissue - *see* Wound, by site
- muscle - *see* Injury, muscle
- nerve (root) - *see* Injury, nerve
- scalp S08.0
- skin and subcutaneous tissue - *see* Wound, by site
- symphyseal cartilage (inner), complicating delivery O71.6
- tendon - *see* Injury, muscle
- tooth S03.2

Awareness of heart beat R00.2 2b

- fetal P20.9
- newborn P29.1

Axenfeld's

- anomaly or syndrome Q15.0
- degeneration (calcareous) Q13.4

Axilla, axillary - *see also* condition

- breast Q83.1

Axonotmesis - *see* Injury, nerve

Ayerza's disease or syndrome I27.0

Azoospermia N46 2a

Azotemia (pre-renal) R79.8 2a 2b

- excessive - *see* Uremia

Aztec ear Q17.3

Azygos

- continuation inferior vena cava Q26.8

- lobe (lung) Q33.1

B

Baastrup's disease M48.2

Babesiosis B60.0

Babinski's syndrome A52.7 2a 2b

Baby

- crying constantly R68.1 2b
- floppy (syndrome) P94.2

Bacillary - *see* condition

Bacilluria N39.0 2a 2b

Bacillus (*see also* Infection, *Bacillus*)

Back - *see* condition

Backache (postural) M54.9

- psychogenic F45.4
- sacroiliac M53.3
- specified NEC M54.8

Backflow - *see* Reflux

Backward reading (dyslexia) F81.0

Bacteremia A49.9 2b

- with sepsis - *see* Septicemia
- due to
 - - specified bacteria (*see also* Infection, by specified bacteria) A49.8
 - - - newborn - *see* Sepsis, newborn, by specified bacteria
 - meningococcal (*see also* Meningococcemia) A39.4 2a
 - newborn (any bacteria classifiable to A49-) - *see* Sepsis, newborn, by specified bacteria
 - organism other than bacteria - *see* Septicemia
 - - newborn - *see* Infection, congenital, by organism
 - postprocedural T81.4 2b
 - specified bacterial organism NEC A49.8
 - specified named bacterial organism - *see* Infection by specified named bacterial organism
 - urinary (tract) (*see also* Infection, urinary (tract)) N39.0 2a 2b

Bacterid, bacteride (pustular) L40.3

Bacterium, bacteria, bacterial - *see also* condition, *see also* Infection, bacterial

- agent NEC - *see* Infection, by agent
- in blood - *see* Bacteremia
- infection NEC, resulting from HIV disease B20.1
- in urine - *see* Bacteriuria

Bacteriuria, bacteruria N39.0 2a 2b

- asymptomatic N39.0 2a 2b
- - in pregnancy O23.4
- - puerperal, postpartum O86.2
- in pregnancy
- - affecting fetus or newborn P00.1

Bad

- heart - *see* Disease, heart
- trip - *see* F11-F19 with fourth character .0

Baelz's disease K13.0

Bagasse disease or pneumonitis J67.1

Bagassosis J67.1

Baker's cyst M71.2

- tuberculous A18.0† 2a 2b M01.1*

Bakwin-Krida syndrome (craniometaphyseal dysplasia) Q78.5 2b

Balance of mind disturbed F99 2a 2b

Balanitis (circinata) (erosiva) (gangrenosa) (infectional) (nongonococcal) (phagedenic) (vulgaris) N48.1

- amebic A06.8† N51.2*
- candidal B37.4† 2b N51.2*
- due to *Haemophilus ducreyi* A57
- gonococcal (acute) (chronic) A54.0
- venereal NEC A64† N51.2*
- xerotica obliterans N48.0

Balanoposthitis N48.1

- gonococcal (acute) (chronic) A54.0
- ulcerative (specific) A63.8† N51.2*

Balanorrhagia - *see* Balanitis

Balantidiasis, balantidiosis A07.0

Baldness (*see also* Alopecia) L65.9

- male-pattern (*see also* Alopecia, androgenic) L64.9

Balkan gripe A78 2a

Balloon disease (*see also* Effect, adverse, high altitude) T70.2

Ballooning

- membranes
- - affecting fetus or newborn P01.0
- Balo's disease (concentric sclerosis)** G37.5
- Bamberger-Marie disease** M89.4 2a 2b
- Bancroft's filariasis** B74.0
- Band(s)**
 - adhesive (*see also* Adhesions, peritoneum) K66.0 2a 2b
 - amniotic
 - - affecting fetus or newborn NEC Q79.8 2b
 - - umbilical cord P02.5
 - anomalous or congenital - *see also* Anomaly, by site
 - - heart (atrial) (ventricular) Q24.8 2b
 - - omentum Q43.3
 - cervix N88.1
 - constricting, congenital Q79.8 2b
 - gallbladder (congenital) Q44.1
 - intestinal (adhesive) (*see also* Adhesions, peritoneum) K66.0 2a 2b
 - obstructive
 - - intestine K56.5 2a
 - - peritoneum K56.5 2a
 - - periappendiceal, congenital Q43.3
 - peritoneal (adhesive) (*see also* Adhesions, peritoneum) K66.0 2a 2b
 - uterus N73.6
 - - internal N85.6
 - vagina N89.5

Bandl's ring (contraction), complicating delivery O62.4

- affecting fetus or newborn P03.6

Bangunut's syndrome R96.0 2b

Bankruptcy, anxiety concerning Z59.8(154)

Bannister's disease T78.3 2b

- hereditary D84.1

Banti's disease or syndrome (with cirrhosis) (with portal hypertension) K76.6 2b

Bar, median, prostate N40 2a 2b

Barcoo disease or rot (*see also* Ulcer, skin) L98.4 2a 2b

Barlow's disease E54 2a 2b

Barodontalgia T70.2

Baron Münchhausen syndrome F68.1

Barosinusitis T70.1

Barotitis T70.0

Barotrauma T70.2

- nontraumatic J98.4 2a 2b

- - newborn P28.8

- odontalgia T70.2

- otitic T70.0

- sinus T70.1

Barraquer(-Simons) disease or syndrome E88.1

Barré-Guillain disease or syndrome G61.0

Barrel chest M95.4

Barrett's

- disease K22.7

- esophagus K22.7

- syndrome K22.7

- ulcer K22.1

Barsony-Polgar syndrome (corkscrew esophagus) K22.4

Barsony-Teschendorf syndrome (corkscrew esophagus) K22.4

Bartholinitis (suppurating) N75.8

- gonococcal (acute) (chronic) (with abscess) A54.1

Bartonellosis A44.9

- cutaneous A44.1

- mucocutaneous A44.1

- specified NEC A44.8

- systemic A44.0

Bartter's syndrome E26.8

Basal - *see condition*

Baseball finger S63.1

Basedow's disease E05.0 2b

Basic - *see condition*

Basilar - *see condition*

Basophilia D75.8 2a 2b

Basophilism (cortico-adrenal) (Cushing's) (pituitary) E24.0 2b

Bassen-Kornzweig disease or syndrome E78.6

Bat ear Q17.5

Bateman's disease B08.1

Bathing cramp T75.1 2a 2b

Bathophobia F40.2

Bathycephaly Q75.8 2b

Batten(-Mayou) disease E75.4 2b

- retina E75.4† 2b H36.8*

Battered

- baby or child (syndrome) NEC T74.1

- spouse syndrome T74.1

Battey mycobacterium infection A31.0

Battle exhaustion F43.0

Battledore placenta - *see Placenta, abnormal*

Baumgarten-Cruveilhier cirrhosis, disease or syndrome K74.6 2a 2b

Bauxite fibrosis (of lung) J63.1

Bayle's disease (general paresis) A52.1 2a 2b

Bazin's disease (primary) (tuberculous) A18.4

Beach ear H60.3

Beaded hair (congenital) Q84.1

Béal conjunctivitis or syndrome B30.2† H13.1*

Beard's disease F48.0

Beat(s)

- atrial, premature I49.1

- - newborn P29.1

- ectopic I49.4

- - newborn P29.1

- elbow M70.3
- escaped, heart I49.4
- - newborn P29.1
- hand M70.1
- knee M70.5
- premature I49.4
- - atrial I49.1
- - - newborn P29.1
- - newborn P29.1
- - nodal I49.4
- - - newborn P29.1
- - ventricular (supra) I49.3 2b
- - - newborn P29.1

Beau's lines L60.4

Bechterev's syndrome M45

Becker's

- cardiomyopathy I42.8 2a 2b
- - familial I42.80 2a 2b
- - idiopathic I42.80 2a 2b
- - primary I42.80 2a 2b
- dystrophy G71.0
- pigmented hairy nevus (M8720/0) D22.5

Beckwith-Wiedemann syndrome Q87.3

Bed patient R26.3 2a 2b

Bedbound R26.3 2a 2b

Bedclothes, asphyxiation or suffocation by T71 2a 2b

Bedfast NEC R26.3 2a 2b

Bednar's

- aphthae K12.0
 - tumor (M8833/3) - *see* Neoplasm, malignant
- Bedrest** R26.3 2a 2b
- Bedridden** R26.3 2a 2b
- Bedsore** (*see also* Decubitus) L89.9
- stage
 - - I L89.0
 - - II L89.1
 - - III L89.2
 - - IV L89.3

Bedwetting (*see also* Enuresis) R32 2b

Bee sting (with allergic or anaphylactic shock) T63.4

Beer drinker's heart (disease) I42.6 2a 2b

Behavior

- antisocial, child or adolescent Z72.8(155)
- disorder, disturbance - *see* Disorder, conduct
- disruptive (*see also* Disorder, conduct) F91.8
- inexplicable R46.2
- marked evasiveness R46.5
- overactivity R46.3
- poor responsiveness R46.4
- self-damaging (lifestyle) Z72.8(156)
- slowness R46.4
- specified NEC R46.8
- strange (and inexplicable) R46.2
- suspiciousness R46.5
- type A pattern Z73.1(157)
- undue concern or preoccupation with stressful events R46.6
- verbosity and circumstantial detail obscuring reason for contact R46.7

Behçet's disease or syndrome M35.2 2b

Behr's disease H35.5

Beigel's disease B36.8

Bejel A65 2a

Bekhterev's syndrome M45

Belching (*see also* Eructation) R14

Bell's

- mania F30.8

- palsy, paralysis G51.0 2b

- spasm G51.3

Bence Jones albuminuria or proteinuria NEC R80 2b

Bends T70.3

Benedikt's paralysis or syndrome I67.9† 2a 2b G46.3*

Bennett's fracture S62.2

Benson's disease H43.2

Bent

- back (hysterical) F44.4

- nose M95.0

- - congenital Q67.4

Berardinelli syndrome E88.1

Bereavement (uncomplicated) Z63.4(158)

Bergeron's disease (hysterical chorea) F44.4

Berger's disease - see Nephropathy, IgA

Beriberi (dry) E51.1

- wet E51.1

- - involving circulatory system E51.1† I98.8*

- - polyneuropathy E51.1† G63.4*

Berlin's disease or edema (traumatic) S05.8

Berlock (berloque) dermatitis L56.2

Bernard-Horner syndrome G90.2

Bernard-Soulier disease or thrombopathia D69.1

Bernhardt(-Roth) disease or paresthesia G57.1

Bernheim's syndrome (see also Failure, heart, congestive) I50.0 2a 2b

Bertielliasis B71.8

Berylliosis (lung) J63.2

Besnier-Boeck(-Schaumann) disease (see also Sarcoidosis) D86.9

Besnier's

- lupus pernio D86.3

- prurigo L20.0

Bestiality F65.8

Best's disease H35.5

Betalipoproteinemia, broad or floating E78.2 2b

- excessive - see Hyperbetalipoproteinemia

Betting and gambling Z72.6(159)

- pathological (compulsive) F63.0

Bezoar T18.9

- intestine T18.3

- stomach T18.2

Bezold's abscess H70.0

Bianchi's syndrome R48.8

Bicornate or bicornis uterus Q51.3

- in pregnancy or childbirth O34.0

- - affecting fetus or newborn P03.8

- - causing obstructed labor O65.5

Bicuspid aortic valve Q23.1

Biedl-Bardet syndrome Q87.8 2b

Bielschowsky(-Jansky) disease E75.4 2b

Biemond's syndrome Q87.8 2b

Biermer's anemia or disease D51.0 2a 2b

Biett's disease L93.0 2a 2b

Bifid (congenital)

- apex, heart Q24.8 2b

- clitoris Q52.6

- kidney Q63.8

- nose Q30.2

- patella Q74.1

- scrotum Q55.2

- toe NEC Q74.2

- tongue Q38.3

- ureter Q62.8

- uterus Q51.3

- uvula Q35.7

Biforis uterus (suprasimplex) Q51.3

Bifurcation (congenital)

- gallbladder Q44.1
- kidney pelvis Q63.8
- renal pelvis Q63.8
- rib Q76.6
- tongue Q38.3
- trachea Q32.1
- ureter Q62.8
- urethra Q64.7
- vertebra Q76.4

Bigeminal pulse R00.8 2b

- fetal P20.9
- newborn P29.1

Bilateral - *see condition***Bile**

- duct - *see condition*
- pigments in urine R82.2

Bilharziasis (*see also* Schistosomiasis) B65.9

- chyluria B65.0
- galacturia B65.0
- hematochyluria B65.0
- intestinal B65.1
- lipuria B65.0
- oriental B65.2
- pulmonary NEC B65† 2a J99.8*
- - pneumonia B65† 2a J17.3*
- tropical hematuria B65.0
- vesical B65.0

Biliary - *see condition***Bilious (attack)** (*see also* Vomiting) R11 2a 2b**Bilirubin metabolism disorder** E80.7

- specified NEC E80.6

Bilirubinemia, familial nonhemolytic (*see also* Hyperbilirubinemia) E80.4**Biliuria** R82.2**Bilocular stomach** K31.2**Binge (alcohol) (drinking)** T51.9 2a 2b

- ethanol T51.0 2b

Binswanger's dementia or disease I67.3**Biparta, bipartite**

- carpal scaphoid Q74.0
- patella Q74.1
- vagina Q52.1

Bipolar (illness) F31.9**Bird**

- face Q75.8 2b
- fancier's disease or lung J67.2

Birth

- abnormal NEC, affecting fetus or newborn P03.9
- complications in mother - *see* Delivery, complicated
- defect - *see* Anomaly
- delayed, fetus P03.8
- difficult NEC, affecting fetus or newborn P03.9
- forced NEC, affecting fetus or newborn P03.8
- forceps, affecting fetus or newborn P03.2
- immature (between 28 and 37 completed weeks) P07.3 2a 2b
- - extremely (less than 28 completed weeks) P07.2 2b
- inattention, at or after T74.0
- induced, affecting fetus or newborn P03.8
- injury P15.9 2a 2b
 - - basal ganglia P11.1 2a
 - - brachial plexus NEC P14.3
 - - brain (compression) (pressure) P11.2 2a 2b
 - - - anoxic P21.9 2a 2b
 - - - central nervous system NEC P11.9 2a 2b
 - - cerebellum P11.1 2a

- - cerebral hemorrhage P10.1 2a 2b
- - external genitalia P15.5
- - eye P15.3
- - face P15.4
- - fracture
 - - - bone P13.9
 - - - - specified NEC P13.8
 - - - clavicle P13.4
 - - - femur P13.2 2b
 - - - humerus P13.3
 - - - long bone, except femur P13.3
 - - - radius and ulna P13.3
 - - - skull P13.0 2a 2b
 - - - spine P11.5 2a 2b
 - - - tibia and fibula P13.3
- - intracranial P11.2 2a 2b
- - laceration or hemorrhage P10.9
- - - - specified NEC P10.8
- - intraventricular hemorrhage P10.2
- - laceration
 - - - brain P10.1 2a 2b
 - - - by scalpel P15.8
- - peripheral nerve P14.9
- - liver P15.0
- - meninges
- - - brain P11.1 2a
- - - spinal cord P11.5 2a 2b
- - nerve
 - - - brachial plexus P14.3
 - - - cranial NEC (except facial) P11.4
 - - - facial P11.3
 - - - peripheral P14.9
 - - - phrenic (paralysis) P14.2
- - penis P15.5
- - scalp P12.9
- - scalpel wound P15.8
- - scrotum P15.5
- - skull NEC P13.1
- - fracture P13.0 2a 2b
- - specified site or type NEC P15.8
- - spinal cord P11.5 2a 2b
- - spine P11.5 2a 2b
- - spleen P15.1
- - sternomastoid (hematoma) P15.2
- - subarachnoid hemorrhage P10.3
- - subcutaneous fat necrosis P15.6
- - subdural hemorrhage P10.0
- - tentorial tear P10.4
- - testes P15.5
- - vulva P15.5
- instrumental NEC, affecting fetus or newborn P03.8
- lack of care, at or after T74.0
- multiple, affecting fetus or newborn P01.5 2b
- neglect, at or after T74.0
- palsy or paralysis, newborn, NEC (birth injury) P14.9
- post-term (42 weeks or more) P08.2 2b
- precipitate, affecting fetus or newborn P03.5
- premature (infant) P07.3 2a 2b
- prolonged, affecting fetus or newborn P03.8
- retarded, affecting fetus or newborn P03.8
- shock, newborn P96.8
- trauma - *see Birth, injury*
- twin, affecting fetus or newborn P01.5 2b
- vacuum extractor, affecting fetus or newborn P03.3
- ventouse, affecting fetus or newborn P03.3

- weight - *see also* Weight
- - low (between 1000 and 2499 grams) P07.1 2b
- - - extremely (999 grams or less) P07.0 2b
- - 4500 grams or more P08.0 2b

Birthmark Q82.5**Bisalbuminemia** E88.0 2b**Biskra's button** B55.1**Bite(s)**

- amphibian (venomous) T63.8
- animal NEC (*see also* Wound) T14.1 2a 2b
- - multiple T01.9 2b
- - - specified site - *see* Wound, by site, multiple
- - venomous T63.9
- - - specified NEC T63.8
- arthropod NEC T63.4
- centipede T63.4
- chigger B88.0
- flea - *see* Injury, superficial
- human (open wound) (*see also* Wound) T14.1 2a 2b
- insect (nonvenomous) (*see also* Injury, superficial) T14.0 2b
- - venomous T63.4
- lizard (venomous) T63.1
- marine animal (venomous) NEC T63.6
- poisonous (*see also* Bite(s), venomous) T63.9
- reptile NEC T63.1
- - nonvenomous - *see* Wound
- scorpion T63.2
- sea-snake (venomous) T63.0
- snake T63.0
- - nonvenomous - *see* Wound
- spider (venomous) T63.3
- - nonvenomous (*see also* Injury, superficial) T14.0 2b
- venomous T63.9
- - specified NEC T63.8

Biting, cheek or lip K13.1**Biventricular failure (heart)** I50.0 2a 2b

- fetal, fetus P29.8
- newborn P29.0

Black

- eye S00.1
- hairy tongue K14.3
- lung J60 2a 2b

Blackfan-Diamond anemia or syndrome D61.0**Blackhead** L70.0**Blackout** R55**Bladder** - *see condition***Blast (air) (hydraulic) (immersion) (underwater)**

- blindness S05.8
- injury T14.8 2a 2b
- - abdomen or thorax - *see* Injury, by site
- - syndrome NEC T70.8

Blastoma (M8000/3) - *see* Neoplasm, malignant

- pulmonary (M8972/3) - *see* Neoplasm, lung, malignant

Blastomycosis, blastomycotic B40.9

- Brazilian (*see also* Paracoccidioidomycosis) B41.9
- cutaneous B40.3† J99.8*
- disseminated B40.7
- European (*see also* Cryptococcosis) B45.9
- generalized B40.7
- keloidal B48.0
- North American B40.9
- primary pulmonary B40.0† J99.8*
- pulmonary B40.2† J99.8*
- - acute B40.0† J99.8*
- - chronic B40.1† J99.8*

- skin B40.3† L99.8*
- South American (*see also* Paracoccidioidomycosis) B41.9
- specified NEC B40.8

Bleb(s) R23.8 2b

- emphysematous (lung) J43.9 2a 2b
- lung (ruptured) J43.9 2a 2b
- - fetus or newborn P25.8

Bleeder (familial) (hereditary) (*see also* Defect, coagulation) D68.9 2b

Bleeding (*see also* Hemorrhage) R58.00 2a 2b

- abnormal R58.00 2a 2b
- abnormality D69.9
- atonic, following delivery O72.1 2b
- capillary I78.8
- - puerperal O72.2
- contact (postcoital) N93.0
- familial (*see also* Defect, coagulation) D68.9 2b
- following intercourse N93.0
- hemorrhoids NEC I84.8
- intermenstrual (regular) N92.3
- - irregular N92.1
- irregular N92.6
- ovulation N92.3
- postclimacteric N95.0
- postcoital N93.0
- postmenopausal N95.0
- postoperative T81.0 2a 2b
- puberty (excessive, with onset of menstrual periods) N92.2
- rectum, rectal K62.5
- - newborn P54.2
- tendencies (*see also* Defect, coagulation) D68.9 2b
- tooth socket (post-extraction) T81.0 2a 2b
- umbilical stump P51.9
- uterus, uterine NEC N93.9
- - climacteric N92.4 2b
- - dysfunctional or functional N93.8
- - menopausal N92.4 2b
- - preclimacteric or premenopausal N92.4 2b
- - unrelated to menstrual cycle N93.9
- vagina, vaginal (abnormal) N93.9
- - dysfunctional or functional N93.8
- - maternal
 - - - affecting fetus or newborn P02.1 2a
 - - newborn P54.6 2b
- vicarious N94.8 2b

Blennorrhagia, blennorrhagic - *see* Gonorrhea

Blennorrhea (acute) (chronic) (*see also* Gonorrhea) A54.9

- lower genitourinary tract (gonococcal) A54.0
- neonatorum (gonococcal ophthalmia) A54.3† H13.1*

Blepharelosis H02.0

Blepharitis (angularis) (ciliaris) (eyelid) (marginal) (nonulcerative) (squamous) (ulcerative) H01.0

- zoster (herpes) B02.3† H03.1*

Blepharochalasis H02.3

- congenital Q10.0

Blepharoclonus H02.5

Blepharoconjunctivitis H10.5

Blepharophimosis (eyelid) H02.5

- congenital Q10.3

Blepharoptosis H02.4

- congenital Q10.0

Blepharopyorrhea, gonococcal A54.3† H03.1*

Blepharospasm G24.5

Blighted ovum O02.0

- affecting fetus or newborn P01.8

Blind - *see also* Blindness

- bronchus (congenital) Q32.4

- loop syndrome K90.2
- - congenital Q43.8
- sac, fallopian tube (congenital) Q50.6
- spot, enlarged H53.4
- tract or tube, congenital NEC - *see* Atresia, by site

Blindness (acquired) (binocular) (both eyes) (complete) (congenital) H54.0

- blast S05.8
- color H53.5
- concussion S05.8
- day H53.1
- due to injury (current episode) S05.9
- - sequelae T90.4 2b
- eclipse (total) H31.0
- emotional (hysterical) F44.6
- hysterical F44.6
- mind R48.8
- monocular H54.4
- night H53.6
- - vitamin A deficiency E50.5
- one eye (other eye normal) H54.4
- - low vision, other eye H54.4
- psychic F44.6
- river B73† 2a H45.1*
- snow H16.1
- sun, solar H31.0
- transient H53.1
- traumatic (current episode) S05.9
- uremic N19 2a 2b
- word (developmental) F81.0

Blister - *see also* Injury, superficial

- beetle dermatitis L24.8
- due to burn - *see* Burn, by site, second degree
- fetal, fetus R23.8 2b
- - traumatic - *see* Injury, superficial
- fever B00.1
- multiple, skin, nontraumatic R23.8 2b

Bloating R14

Bloch-Siemen's syndrome (incontinentia pigmenti) Q82.3

Bloch-Sulzberger disease or syndrome Q82.3

Block, blockage (*see also* Obstruction)

- alveolocapillary J84.1 2a 2b
- arborization (heart) I45.5
- arrhythmic I45.9 2a 2b
- atrioventricular (incomplete) (partial) I44.3
- - complete I44.2
- - first degree I44.0
- - second degree (types I and II) I44.1
- - specified NEC I44.3
- - third degree I44.2
- - types I and II I44.1
- auriculoventricular - *see* Block, atrioventricular
- bifascicular I45.2
- bundle-branch (complete) (false) (incomplete) I45.4
- - bilateral I45.4
- - left I44.7
- - - hemiblock I44.6
- - - - anterior I44.4
- - - - posterior I44.5
- - right I45.1
- - Wilson's type I45.1
- cardiac I45.9 2a 2b
- conduction I45.9 2a 2b
- fascicular (left) I44.6
- - anterior I44.4
- - posterior I44.5

- - right I45.0
- foramen Magendie (acquired) G91.1
- - congenital Q03.1
- - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- heart I45.9 2a 2b
- - complete (atrioventricular) I44.2
- - congenital Q24.6
- - first degree (atrioventricular) I44.0
- - incomplete I45.9 2a 2b
- - intra-atrial I45.9 2a 2b
- - second degree (atrioventricular) I44.1
- - specified type NEC I45.5
- - third degree (atrioventricular) I44.2
- hepatic vein I82.0
- intraventricular (nonspecific) I45.4
- kidney (*see also* Failure, renal) N19 2a 2b
- - postcystoscopic or postprocedural N99.0 2b
- Möbitz (types I and II) I44.1
- myocardial (*see also* Block, heart) I45.9 2a 2b
- nodal I45.5
- organ or site, congenital NEC - *see* Atresia, by site
- portal (vein) I81 2a 2b
- sinoatrial I45.5
- sinoauricular I45.5
- trifascicular I45.3
- tubal N97.1
- vein NEC I82.9 2a 2b
- Wenckebach (types I and II) I44.1

Blocq's disease F44.4**Blood**

- constituents, abnormal R78.9
- disease D75.9
- dyscrasia D75.9
- - fetus or newborn P61.9
- - puerperal, postpartum O72.3
- flukes NEC (*see also* Schistosomiasis) B65.9
- in
 - - amniotic fluid P02.1 2a
 - - feces (*see also* Melena) K92.1
 - - - occult R19.5
 - - - urine (*see also* Hematuria) R31 2a 2b
- mole O02.0
- pressure
- - decreased, due to shock following injury T79.4 2a 2b
- - examination only Z01.3(160)
- - fluctuating I99 2a 2b
- - high (*see also* Hypertension) I10 2a 2b
- - - incidental reading, without diagnosis of hypertension R03.0 2b
- - low (*see also* Hypotension) I95.9 2a 2b
- - - incidental reading, without diagnosis of hypotension R03.1
- spitting (*see also* Hemoptysis) R04.2 2b
- staining cornea H18.0
- transfusion
 - - reaction or complication - *see* Complications, transfusion
 - - without reported diagnosis Z51.3(161)
- vessel rupture - *see* Hemorrhage
- vomiting (*see also* Hematemesis) K92.0 2a

Blood-forming organs, disease D75.9**Bloodgood's disease** N60.1**Bloom(-Machacek)(-Torre) syndrome** Q82.8 2b**Blount's disease or osteochondrosis** M92.5**Blowout**

- duodenal stump K91.8 2a 2b

Blue

- baby Q24.9 2a 2b

- dome cyst (breast) N60.0
- dot cataract Q12.0
- nevus (M8780/0) D22.9
- sclera Q13.5
- - with fragility of bone and deafness Q78.0

Blueness - *see* Cyanosis

Blushing (abnormal) (excessive) R23.2

Boarder, hospital NEC Z76.4(162)

- accompanying sick person Z76.3(163)

Bockhart's impetigo L01.0 2a

Bodechtel-Guttman disease (subacute sclerosing panencephalitis) A81.1

- late effects B94.8 2a 2b

Body, bodies

- Aschoff's (*see also* Myocarditis, rheumatic) I09.0 2a 2b
- cytoid (retina) H34.2
- drusen (degenerative) (macula) (retinal) H35.3
- - optic disc H47.3
- foreign - *see* Foreign body
- loose
- - joint, except knee M24.0
- - - knee M23.4
- - sheath, tendon M67.8
- Mallory's R89.7 2b
- Mooser's A75.2
- rice M24.0
- - knee M23.4

Body mass index (BMI)

- less than 18.5 R62.8 2b
- 25 and above E66.9 2b

Boeck's

- disease or sarcoid (*see also* Sarcoidosis) D86.9
- lupoid (miliary) D86.3

Boerhaave's syndrome (spontaneous esophageal rupture) K22.3 2b

Boggy

- cervix N88.8
 - uterus N85.8
- Boil** (*see also* Abscess, by site) L02.9
- Aleppo B55.1
 - Baghdad B55.1
 - corpus cavernosum N48.2
 - Delhi B55.1
 - eyelid H00.0
 - lacrimal
 - - gland H04.0
 - - passages (duct) (sac) H04.3
 - Natal B55.1
 - orbit, orbital H05.0
 - penis N48.2
 - tropical B55.1

Bombé, iris H21.4

Bone - *see condition*

Bonnevie-Ullrich syndrome Q87.1 2a

Bonnier's syndrome H81.8

Bonvale dam fever T73.3

Bony block of joint M24.6

Born in toilet (*see also* Birth, precipitate fetus or newborn) P03.5

Bornholm disease B33.0 2a

Boston exanthem A88.0

Botulism (foodborne intoxication) A05.1 2a 2b

- infant A05.1 2a 2b
- not food poisoning (infant) A05.1 2a 2b
- wound A05.1 2a 2b

Bouba (*see also* Yaws) A66.9

Bouchard's nodes (with arthropathy) M15.2

Bouffée délirante (without symptoms of schizophrenia) F23.0

- with symptoms of schizophrenia F23.1

Bouillaud's disease or syndrome I01.8 2a

Bourneville's disease Q85.1

Boutonnière deformity (finger) M20.0

Bouveret(-Hoffmann) syndrome I47.9

Bovine heart - see Hypertrophy, cardiac

Bowel - see condition

Bowen's

- dermatosis (precancerous) (M8081/2) - see Neoplasm, skin, in situ

- disease (M8081/2) - see Neoplasm, skin, in situ

- epithelioma (M8081/2) - see Neoplasm, skin, in situ

- type

- - epidermoid carcinoma in situ (M8081/2) - see Neoplasm, skin, in situ

- - intraepidermal squamous cell carcinoma (M8081/2) - see Neoplasm, skin, in situ

Bowing

- femur M21.8

- - congenital Q68.3

- fibula M21.8

- - congenital Q68.4

- forearm M21.8

- leg(s), long bones, congenital Q68.5

- radius M21.8

- tibia M21.8

- - congenital Q68.4

Bowleg(s) (acquired) M21.1

- congenital Q68.5

- rachitic E64.3 2a 2b

Boyd's dysentery A03.2

BPDCN (blastic plasmacytoid dendritic cell neoplasm) C92.7

Brachial - see condition

Brachycardia R00.1 2b

- fetal P20.9

- newborn P29.1

Brachycephaly Q75.0

Bradley's disease A08.1

Bradyarrhythmia, cardiac I49.8

- newborn P29.1

Bradycardia (sinoatrial) (sinus) (vagal) R00.1 2b

- fetal - see Distress, fetal

- newborn P29.1

Bradypnea R06.8 2a 2b

Bradytachyarrhythmia I49.5

- newborn P29.1

Bradytachycardia I49.5

- newborn P29.1

Braillsford's disease or osteochondrosis M92.1

Brain - see also condition

- syndrome - see Syndrome, brain

Branched-chain amino-acid disorder E71.2

Branchial - see condition

- cartilage, congenital Q18.2

Branchiogenic remnant (in neck) Q18.0

Brash (water) R12

Brass-founders' ague T56.8

Bravais-jacksonian epilepsy G40.1

Braziers' disease T56.8

Break, retina (without detachment) H33.3

- with retinal detachment H33.0

Breakdown

- device, graft or implant (see also Complications, by site and type, mechanical) T85.8 2b

- - arterial graft NEC T82.3

- - - coronary (bypass) T82.2

- - breast T85.4

- - catheter NEC T85.6

- - - dialysis (renal) T82.4

- - - intraperitoneal T85.6
- - - infusion NEC T82.5
- - - spinal (epidural) (subdural) T85.6
- - - urinary (indwelling) T83.0
- - corneal T85.3
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.3
- - - cardiac T82.1
- - - nervous system (brain) (peripheral nerve) (spinal) T85.1
- - - urinary T83.1
- - fixation, internal (orthopedic) NEC T84.2
- - - bones of limb T84.1
- - gastrointestinal (bile duct) (esophagus) T85.5
- - genital NEC T83.4
- - - intrauterine contraceptive device T83.3 2b
- - heart NEC T82.5
- - - valve (prosthesis) T82.0
- - - graft T82.2
- - joint prosthesis T84.0
- - ocular (corneal graft) (orbital implant) NEC T85.3
- - - intraocular lens T85.2
- - orthopedic NEC T84.4
- - - bone graft T84.3
- - specified NEC T85.6
- - urinary NEC T83.1
- - - graft T83.2
- - vascular NEC T82.5
- - ventricular intracranial shunt T85.0
- nervous F48.8
- perineum (obstetric) O90.1

Breast - *see condition*

Breath

- foul R19.6
- holder, child R06.8 2a 2b
- holding spells R06.8 2a 2b
- shortness R06.0 2b

Breathing

- exercises Z50.1(164)
- labored (*see also* Hyperventilation) R06.4 2b
- mouth R06.5
- periodic R06.3

Breathlessness R06.8 2a 2b

Breda's disease (*see also* Yaws) A66.9

Breech

- delivery NEC O75.9 2a 2b
- - affecting fetus or newborn P03.0 2b
- - assisted NEC O75.9 2a 2b
- extraction O75.9 2a 2b
- - affecting fetus or newborn P03.0 2b
- presentation (mother) O32.1 2b
- - affecting fetus or newborn P01.7
- - before labor, affecting fetus or newborn P01.7
- - causing obstructed labor O64.1
- - during labor, affecting fetus or newborn P03.0 2b

Breisky's disease N90.4

Brennemann's syndrome I88.0

Brenner

- tumor (benign) (M9000/0) D27
- - borderline malignancy (M9000/1) D39.1
- - malignant (M9000/3) C56 2a 2b
- - proliferating (M9000/1) D39.1

Brettonneau's disease or angina A36.0

Breus' mole O02.0

Brevicollis Q76.4

Bridging

- myocardial Q24.5

Bright's

- disease (see also Nephritis) N05-

- - arteriosclerotic (*see also* Hypertension, kidney) I12.9 2a 2b

Brill(-Zinsser) disease A75.1

Brill-Symmers' disease (M9690/3) C82.9

Briquet's disorder or syndrome F45.0

Brissaud's infantilism or dwarfism E23.0 2b

Brittle

- bones disease Q78.0

- nails L60.3

- - congenital Q84.6

Broad ligament - *see also* condition

- laceration syndrome N83.8

Broad- or floating-betalipoproteinemia E78.2 2b

Brock's syndrome J98.1 2b

Brodie's abscess or disease M86.8

Broken

- arches M21.4

- - congenital Q66.5

- arm T10 2b

- - meaning upper limb - *see* Fracture, limb, upper

- - upper - *see* Fracture, arm, upper

- back - *see* Fracture, vertebra

- bone - *see* Fracture

- heart syndrome I42.8 2a 2b

- implant or internal device - *see* Complications, by site and type, mechanical

- leg T12 2b

- - lower - *see* Fracture, leg, lower

- - meaning lower limb - *see* Fracture, limb, lower

- neck S12.9 2b

- nose S02.2

- tooth, teeth S02.5

Bromhidrosis, bromidrosis L75.0

Bromidism, bromism NEC F13.2

- acute, overdose or wrong substance given or taken T42.6 2b

- chronic (dependence) F13.2

- correct substance properly administered G92 2b

Bromidrosophobia F40.2

Bronchi, bronchial - *see* condition

Bronchiectasis (cylindrical) (cystic) (diffuse) (fusiform) (localized) (saccular) J47 2a 2b

- congenital Q33.4

- tuberculous NEC (*see also* Tuberculosis, pulmonary) A16.2 2a 2b

Bronchiolectasis - *see* Bronchiectasis

Bronchiolitis (acute) (infective) (subacute) J21.9

- with

- - bronchospasm or obstruction J21.9

- - influenza, flu or grippé (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- chemical (chronic) J68.4

- chronic (fibrosing) (obliterative) J44.8 2a

- due to

- - external agent - *see* Bronchitis, acute or subacute, due to

- - human metapneumovirus J21.1

- - respiratory syncytial virus J21.0

- - specified organism NEC J21.8

- fibrosa obliterans J44.8 2a

- influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- obliterans, obliterative (chronic) (subacute) J44.8 2a

- - due to chemicals, gases, fumes or vapors (inhalation) J68.4

- viral J21.8

Bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (membranous) (with tracheitis) (15 years of age and above) J40

2a 2b

- with

- - influenza, flu or grippé (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- - obstruction (airway) (lung) J44.8 2a

- acute or subacute (with bronchospasm or obstruction) J20.9 2a 2b
- - chemical (due to gases, fumes or vapors) J68.0 2b
- - due to
 - - - coxsackievirus J20.3
 - - - echovirus J20.7
 - - - *Haemophilus influenzae* J20.1
 - - - human metapnuemovirus J20.8 2a
 - - - *Mycoplasma pneumoniae* J20.0
 - - - parainfluenza virus J20.4
 - - - radiation J70.0 2b
 - - - respiratory syncytial virus J20.5
 - - - rhinovirus J20.6
 - - - specified organism NEC J20.8 2a
 - - - streptococcus J20.2
- - viral NEC J20.8 2a
- allergic (acute) (*see also* Asthma, allergic extrinsic) J45.0 2b
- arachidic T17.5
- aspiration J40 2a 2b
- asthmatic - *see* Asthma
 - - acute J45.9
 - - chronic (obstructive) J44.8 2a
 - - capillary (*see also* Pneumonia, broncho) J18.0 2a 2b
 - - caseous (tuberculous) A16.4 2a 2b
 - - catarrhal (15 years of age and above) J40 2a 2b
 - - acute - *see* Bronchitis, acute or subacute
 - - chronic J41.0
 - - under 15 years of age J20.9 2a 2b
 - - chemical (acute) (subacute) J68.0 2b
 - - chronic J68.4
 - - chronic J42 2a 2b
 - - with
 - - - airways obstruction J44.8 2a
 - - - tracheitis (chronic) J42 2a 2b
 - - - asthmatic (obstructive) J44.8 2a
 - - - chemical (due to fumes or vapors) J68.4
 - - due to
 - - - chemicals, gases, fumes or vapors (inhalation) J68.4
 - - - radiation J70.1 2b
 - - - emphysematous J44.8 2a
 - - - mucopurulent J41.1
 - - - obliterans J44.8 2a
 - - - obstructive J44.8 2a
 - - - purulent J41.1
 - - - simple J41.0
 - - croupous (*see also* Bronchitis, acute or subacute) J20.9 2a 2b
 - - due to gases, fumes or vapors (chemical) J68.0 2b
 - - emphysematous (obstructive) J44.8 2a
 - - exudative (*see also* Bronchitis, acute or subacute) J20.9 2a 2b
 - - fetid J41.1
 - - grippal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
 - - in those under 15 years of age - *see also* Bronchitis, acute or subacute J20.9 2a 2b
 - - chronic - *see* Bronchitis, chronic
 - - influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
 - - membranous, acute or subacute (*see also* Bronchitis, acute or subacute) J20-
 - - mixed simple and mucopurulent J41.8
 - - mucopurulent (chronic) (recurrent) J41.1
 - - acute or subacute J20.9 2a 2b
 - - and simple (mixed) J41.8
 - - obliterans (chronic) J44.8 2a
 - - obstructive (chronic) (diffuse) J44.8 2a
 - - pneumococcal, acute or subacute J20.2
 - - purulent (chronic) (recurrent) J41.1
 - - acute or subacute (*see also* Bronchitis, acute or subacute) J20.9 2a 2b
 - - senile (chronic) J42 2a 2b
 - - septic, acute or subacute (*see also* Bronchitis, acute or subacute) J20.9 2a 2b

- simple and mucopurulent (mixed) J41.8
- smokers' (chronic) J41.0
- spirochetal NEC A69.8† J99.8*
- subacute - *see* Bronchitis, acute or subacute
- suppurative (chronic) J41.1
- - acute or subacute (*see also* Bronchitis, acute or subacute) J20-
- tuberculous A16.4 2a 2b
- under 15 years of age - *see also* Bronchitis, acute or subacute J20.9 2a 2b
- - chronic - *see* Bronchitis, chronic
- viral NEC (acute or subacute) (*see also* Bronchitis, acute or subacute) J20.8 2a

Bronchoaspergillosis B44.1† J99.8***Broncholithiasis** J98.0

- tuberculous NEC A16.4 2a 2b

Bronchomalacia J98.0

- congenital Q32.2

Bronchomycosis NEC B49† J99.8*

- candidal B37.8† 2a 2b J99.8*

Bronchopleuropneumonia - *see* Pneumonia,broncho**Bronchopneumonia** (*see also* Pneumonia,broncho) J18.0 2a 2b**Bronchopneumonitis** - *see* Pneumonia,broncho**Bronchopulmonary** - *see condition***Bronchopulmonitis** - *see* Pneumonia,broncho**Bronchorrhagia** - *see* Hemoptysis**Bronchorrhea** J98.0

- chronic (infective) (purulent) J42 2a 2b

Bronchospasm J98.0

- with
- - bronchiolitis, acute J21.9
- - bronchitis, acute (conditions in J20-) (*see also* Bronchitis, acute or subacute) J20.9 2a 2b

Bronchospirochetosis A69.8

- Castellani A69.8

Bronchostenosis J98.0**Bronchus** - *see condition***Bronze baby syndrome** P83.8**Brooke's tumor** (M8100/0) - *see* Neoplasm,skin, benign**Brown's (tendon) sheath syndrome** H50.6**Brown-Séquard disease, paralysis or syndrome** G83.8**Bruce septicemia** A23.0**Brucella, brucellosis (infection)** A23.9

- *abortus* A23.1
- *canis* A23.3
- *melitensis* A23.0
- mixed A23.8
- septicemia A23.9
- - *melitensis* A23.0
- - specified NEC A23.8
- *suis* A23.2

Bruck-de Lange disease Q87.1 2a**Bruck's disease** M21.8**Brugsch's syndrome** Q82.8 2b**Bruise (skin surface intact)** (*see also* Contusion) T14.0 2b

- with open wound - *see* Wound
- fetus or newborn P54.5
- internal organ - *see* Injury, by site
- scalp, due to birth injury, newborn P12.3
- umbilical cord O69.5
- - affecting fetus or newborn P02.6

Bruit (arterial) R09.8 2b

- cardiac R01.1 2b

Brushburn - *see* Burn, by site**Bruton's X-linked agammaglobulinemia** D80.0**Bruxism** F45.8**Bubbly lung syndrome** P27.0**Bubo** I88.8 2b

- blennorrhagic (gonococcal) A54.8 2b

- chancroidal A57
- climatic A55
- due to
 - - *Haemophilus ducreyi* A57
 - - *Yersinia pestis* A20.0
- gonococcal A54.8 2b
- inguinal (nonspecific) I88.8 2b
- - chancroidal A57
- - climatic A55
- - due to *Haemophilus ducreyi* A57
- - infective I88.8 2b
- - venereal A64
- scrofulous (tuberculous) A18.2
- soft chancre A57
- suppurating (*see also* Lymphadenitis, acute) L04.9
- syphilitic (primary) A51.0 2a
- - congenital A50.0 2a 2b
- tropical A55
- venereal A64
- virulent (chancroidal) A57

Bubonocele - *see* Hernia, inguinal

Buccal - *see condition*

Buchanan's disease or osteochondrosis M91.0

Bucket-handle fracture or tear (semilunar cartilage) (*see also* Tear, meniscus) S83.2

Budd-Chiari syndrome I82.0

Budgerigar fancier's disease or lung J67.2

Buerger's disease I73.1

Bulbar - *see condition*

Bulbus cordis (left ventricle) (persistent) Q21.8

Bulging membranes P02.8

Bulimia (nervosa) F50.2

- atypical F50.3

- normal weight F50.3

Bulky

- stools R19.5

- uterus N85.2

Bulla(e) R23.8 2b

- lung J43.9 2a 2b

- - fetus or newborn P25.8

Bullet wound - *see also* Wound

- fracture - *code as* Fracture, by site

- internal organ - *see* Injury, by site

Bundle

- branch block (complete) (false) (incomplete) - *see* Block, bundle-branch

- of His - *see condition*

Bunion M20.1

Buphthalmia, buphthalmos (congenital) Q15.0

Burdwan fever B55.0

Bürger-Grütz disease or syndrome E78.3

Burger's disease I73.1

Buried roots K08.3

Burkholderia NEC A49.8

- *mallei* A24.0 2a

- *pseudomallei* (*see also* Melioidosis) A24.4

Burkitt's

- leukemia (cell) (M9826/3) C91.0 2a 2b

- lymphoma (malignant) (M9687/3) C83.7

- - resulting from HIV disease B21.1

- - small noncleaved, diffuse (M9687/3) C83.7

- - undifferentiated (M9687/3) C83.7

- tumor (*see also* Burkitt's, lymphoma) (M9687/3) C83.7

- type

- - acute lymphoblastic leukemia (M9826/3) C91.0 2a 2b

- - undifferentiated (M9687/3) C83.7

Burn (electricity) (flame) (hot gas, liquid or object) (radiation) (steam) (thermal) T30.0 2a 2b

Note - The following fourth-character subdivisions are for use with categories T20-T25 and T30:

- .0 Unspecified degree
- .1 First degree
 - Erythema
- .2 Second degree
 - Blisters, epidermal loss
- .3 Third degree
 - Deep necrosis of underlying tissue
 - Full-thickness skin loss
- abdomen, abdominal (muscle) (wall) T21-
- acid (caustic) (external) (internal) - *see* Corrosion, by site
- alimentary tract NEC T28.2
- alkaline (caustic) (external) (internal) - *see* Corrosion, by site
- ankle (and foot) T25-
- anus T21-
- arm (lower) (upper) - *see* Burn, limb, upper
- axilla T22-
- back (lower) T21-
- beyond recognition T31.9
- blisters - *code as* Burn, by site, with fourth character .2
- body T21.0 2b
 - 100% T31.9
 - entire T31.9
 - total T31.9
 - third degree T31.9
- breast(s) T21-
- buttock(s) T21-
- caustic acid or alkaline - *see* Corrosion, by site
- cervix T28.3
- chemical (acids) (alkalines) (caustics) (external) (internal) - *see* Corrosion, by site
- chest wall T21-
- colon T28.2
- conjunctiva (and cornea) T26.1
 - chemical T26.6
 - cornea (and conjunctiva) T26.1
 - chemical T26.6
- corrosion (external) (internal) - *see* Corrosion, by site
- deep necrosis of underlying tissue - *code as* Burn, by site, with fourth character .3
- due to ingested chemical agent - *see* Corrosion, by site
- ear (auricle) (canal) (drum) (external) T20-
- entire body T31.9
- epidermal loss - *code as* Burn, by site, with fourth character .2
- erythema, erythematous - *code as* Burn, by site, with fourth character .1
- esophagus T28.1
- extremities T30.0 2a 2b
 - extremity - *see* Burn, limb
 - eye(s) and adnexa T26.4
 - with resulting rupture and destruction of eyeball T26.2
 - specified part (*see also* Burn, by site) T26.3
 - eyelid(s) T26.0
 - chemical T26.5
- face T20-
- finger(s) (nail) (subungual) T23-
- first degree - *code as* Burn, by site, with fourth character .1 T30.1
- flank T21-
- foot (and ankle) (phalanges) T25-
- fourth degree - *code as* Burn, by site, with fourth character .3
- friction - *see* Burn, by site
- from swallowing caustic or corrosive substance NEC - *see* Corrosion, by site
- full-thickness skin loss - *code as* Burn, by site, with fourth character .3
- gastrointestinal tract NEC T28.2
 - from swallowing caustic or corrosive substance T28.7
- genitourinary organs
 - external T21-

- - internal T28.3
- - - from caustic or corrosive substance T28.8
- groin T21-
- hand(s) (phalanges) (and wrist) T23-
- head (and face) (and neck) T20-
- - eye(s) only - *see* Burn, eye(s) and adnexa
- - - specified part - *see* Burn, by site
- hip(s) T24-
- inhalation NEC (*see also* Burn, by site) T27.3
- - caustic or corrosive substance (fumes) - *see* Corrosion, by site
- internal organs NEC (*see also* Burn, by site) T28.4
- - from caustic or corrosive substance (swallowing) NEC (*see also* Corrosion, by site) T28.9
- interscapular region T21-
- intestine (large) (small) T28.2
- knee T24-
- labium (majus) (minus) T21-
- lacrimal apparatus, duct, gland or sac T26.3
- - chemical T26.8
- larynx T27.0
- - with lung T27.1
- leg(s) (lower) (upper) - *see* Burn, limb(s), lower
- lightning - *see* Burn, by site
- limb(s) T30.0 2a 2b
- - lower (except ankle or foot alone) T24-
- - upper (except wrist and hand alone) T22-
- lip(s) T20-
- lower back T21-
- lung (with larynx and trachea) T27.1
- mouth T28.0
- multiple body regions (sites classifiable to more than one category in T20-T28) T30.0 2a 2b
- - first degree (only, without second or third degree) T30.1
- - second degree (with first degree) T30.2
- - third degree (with first and second degree) T30.3 2a 2b
- neck T20-
- nose (septum) T20-
- ocular adnexa T26.4
- palm(s) T23-
- partial thickness skin damage - *code as* Burn, by site, with fourth character .2
- pelvis T21-
- penis T21-
- perineum T21-
- periocular area T26.0
- - chemical T26.5
- pharynx T28.0
- rectum T28.2
- respiratory tract T27.3
- - specified part NEC T27.2
- scalp T20-
- scapular region T22-
- sclera T26.3
- scrotum T21-
- second degree - *code as* Burn, by site, with fourth character .2 T30.2
- shoulder(s) T22-
- skin NEC T30.0 2a 2b
- stomach T28.2
- temple T20-
- testis T21-
- thigh(s) T24-
- third degree - *code as* Burn, by site, with fourth character .3 T30.3 2a 2b
- thorax (external) T21-
- throat (meaning pharynx) T28.0
- thumb(s) T23-
- to death T31.9
- toe(nail) (subungual) T25-
- tongue T28.0

- tonsil(s) T28.0
- total (body) T31.9
- trachea T27.0
- - with lung T27.1
- trunk T21-
- unspecified site with extent of body surface involved specified
 - less than 10 per cent T31.0
 - - 10-19 per cent T31.1
 - - 20-29 per cent T31.2
 - - 30-39 per cent T31.3
 - - 40-49 per cent T31.4 2b
 - - 50-59 per cent T31.5 2b
 - - 60-69 per cent T31.6
 - - 70-79 per cent T31.7
 - - 80-89 per cent T31.8
 - - 90 per cent or more T31.9
- uterus T28.3
- vagina T28.3
- vulva T21-
- wrist (and hand) T23-

Burnett's syndrome E83.5 2a 2b

Burning

- feet syndrome E53.9 2b
- sensation R20.8
- tongue K14.6

Burn-out (state) Z73.0(165)

Burns' disease or osteochondrosis M92.1

Bursa - see condition

Bursitis M71.9

- Achilles M76.6
- adhesive M71.5
- ankle M76.8
- calcaneal M77.5
- due to use, overuse or pressure M70.9
- - specified NEC M70.8
- Duplay's M75.0
- elbow NEC M70.3
- finger M70.8
- foot M77.5
- gonococcal A54.4† 2b M73.0*
- gouty M10.0
- hand M70.1
- hip NEC M70.7
- infective NEC M71.1
- ischial M70.7
- knee NEC M70.5
- occupational NEC M70.9
- olecranon M70.2
- pharyngeal J39.1
- popliteal M70.5
- prepatellar M70.4
- radiohumeral M77.8
- rheumatoid M06.2
- scapulohumeral M75.5
- semimembranous muscle (knee) M70.5
- septic M71.1
- shoulder M75.5
- specified NEC M71.5
- subacromial M75.5
- subcoracoid M75.5
- subdeltoid M75.5
- syphilitic A52.7† 2a 2b M73.1*
- Thornwaldt, Tornwaldt J39.2
- tibial collateral M76.4
- toe M77.5

- trochanteric (area) M70.6

- wrist M70.1

Bursopathy (*see also* Bursitis) M71.9

- specified NEC M71.8

Burst stitches or sutures (complication of surgery) T81.3 2b

Buruli ulcer A31.1

Bury's disease L95.1 2b

Buschke's

- disease B45.3† M90.2*

- scleredema M34.8

Busse-Buschke disease B45.3† M90.2*

Buttock - *see condition*

Button

- Biskra B55.1

- Delhi B55.1

- oriental B55.1

Buttonhole deformity (finger) M20.0

Bwamba fever A92.8

Byssinosis J66.0

Bywaters' syndrome T79.5 2b

C

Cachexia R64 2b

- age (old) R54 2a 2b

- cancer C80 2a 2b

- cancerous (M8000/3) C80 2a 2b

- carcinoma C80 2a 2b

- carcinomatous C80 2a 2b

- cardiac -*see* Disease, heart

- due to malnutrition E41 2b

- heart - *see* Disease, heart

- hypophyseal E23.0 2b

- hypopituitary E23.0 2b

- lead T56.0

- malignant (M8000/3) C80 2a 2b

- marsh (*see also* Malaria) B54 2b

- metastatic R64 2b

- - due to a

- - - malignant neoplasm C80 2a 2b

- nervous F48.0

- old age R54 2a 2b

- paludal (*see also* Malaria) B54 2b

- pituitary E23.0 2b

- pulmonary J98.4 2a 2b

- renal (*see also* Disease, kidney) N28.9 2a 2b

- saturnine T56.0

- senile R54 2a 2b

- Simmonds' E23.0 2b

- splenica D73.0

- strumipriva E03.4 2b

- tuberculous NEC (*see also* Tuberculosis) A16.9 2a 2b

CADASIL I67.3 F03 2a 2b

Café au lait spots L81.3

Café coronary - *see* Aspiration, food

Caffey's syndrome M89.8 2b

Caisson disease T70.3

Cake kidney Q63.1

Caked breast (postpartum) (puerperal) O92.2

Calabar swelling B74.3

Calcaneo-apophysitis M92.8

Calcareous - *see condition*

Calcemia R89.7 2b

- excessive E83.5 2a 2b

Calcicosis J62.8**Calcification**

- adrenal (capsule) (gland) E27.4
- - tuberculous B90.8† 2a 2b E35.1*
- aorta I70.0 2a
- artery (annular) - *see Arteriosclerosis*
- auricle (ear) H61.1
- basal ganglia G23.8
- bladder N32.8
- brain (cortex) - *see Calcification, cerebral*
- bronchus J98.0
- bursa NEC M71.4
- - shoulder M75.3
- cerebral (cortex) G93.8 2b
- - artery I67.2 2a 2b
- cervix (uteri) N88.8
- choroid plexus G93.8 2b
- conjunctiva H11.1
- corpus cavernosum (penis) N48.8
- cortex (brain) - *see Calcification, cerebral*
- dental pulp (nodular) K04.2
- dentinal papilla K00.4
- falx cerebri G96.1 2b
- gallbladder K82.8
- general E83.5 2a 2b
- heart (*see also Degeneration, myocardial*) I51.5 2a 2b
 - - arteriosclerotic I51.50 2a 2b
 - - valve - *see Endocarditis*
 - - idiopathic infantile arterial Q28.8
 - - intervertebral cartilage or disc (postinfective) M51.8
 - - intracranial - *see Calcification, cerebral*
 - - joint M25.8
 - - kidney N28.8 2a 2b
 - - - tuberculous B90.1† N29.1*
 - - larynx (senile) J38.7
 - - lens H26.8
 - - lung (active) (postinfectional) J98.4 2a 2b
 - - newborn P28.8
 - - - tuberculous B90.9 2a 2b
 - - lymph gland or node (postinfectional) I89.8 2b
 - - - tuberculous B90.8 2a 2b
 - - massive (paraplegic) M61.2
 - - meninges (cerebral) (spinal) G96.1 2b
 - - metastatic E83.5 2a 2b
 - - Mönckeberg's I70.2 2a 2b
 - - muscle M61.9
 - - due to burns M61.3
 - - paralytic M61.2
 - - specified NEC M61.4
 - - myocardium, myocardial (*see also Degeneration, myocardial*) I51.5 2a 2b
 - - arteriosclerotic I51.50 2a 2b
 - - ovary N83.8
 - - pancreas K86.8 2b
 - - penis N48.8
 - - perarticular M25.8
 - - pericardium (*see also Pericarditis*) I31.1
 - - rheumatic I09.2 2b
 - - - active or acute I01.0 2a 2b
 - - pineal gland E34.8
 - - pleura J94.8
 - - postinfectional J94.8
 - - - tuberculous NEC B90.9 2a 2b
 - - pulpal (dental) (nodular) K04.2
 - - sclera H15.8
 - - spleen D73.8

- subcutaneous L94.2
- suprarenal (capsule) (gland) E27.4
- tendon (sheath) M65.8
- - with bursitis, synovitis or tenosynovitis M65.2
- trachea J39.8
- umbilical cord P02.6
- ureter N28.8 2a 2b
- uterus N85.8
- vascular I99 2a 2b
- vitreous H43.2

Calcified - *see* Calcification

Calcinosis (interstitial) (tumoral) (universalis) E83.5 2a 2b

- with Raynaud's phenomenon, esophageal dysfunction, sclerodactyly, telangiectasia (CREST syndrome) M34.1
- circumscripta (skin) L94.2
- cutis L94.2
- myocardium, myocardial I51.5 2a 2b

Calciphylaxis E83.5 2a 2b

Calcium

- deposits - *see* Calcification, by site
- metabolism disorder E83.5 2a 2b
- salts or soaps in vitreous (body) H43.2

Calciuria R82.9 2b

- excessive (idiopathic) E83.5 2a 2b

Calculi - *see* Calculus

Calculus, intrahepatic (*see also* Choledocholithiasis) K80.5

Calculus, calculi, calculous (*see also* Stone)

- ampulla of Vater (*see also* Choledocholithiasis) K80.5
- appendix K38.1
- bile duct (common) (hepatic) (*see also* Choledocholithiasis) K80.5
- - with cholangitis K80.3
- biliary (*see also* Cholelithiasis) K80.2 2a 2b
 - - specified NEC K80.8
 - bilirubin, multiple (*see also* Cholelithiasis) K80.2 2a 2b
 - bladder (diverticulum) (encysted) (impacted) (urinary) N21.0
 - bronchus J98.0
 - calyx (kidney) (renal) (*see also* Calculus, kidney) N20.0 2a
 - - congenital Q63.8
 - cholesterol (pure) (solitary) (*see also* Cholelithiasis) K80.2 2a 2b
 - common duct (bile) (*see also* Choledocholithiasis) K80.5
 - conjunctiva H11.1
 - cystic N21.0
 - - duct (*see also* Cholelithiasis) K80.2 2a 2b
 - dental (subgingival) (supragingival) K03.6
 - diverticulum
 - - bladder N21.0
 - - kidney N20.0 2a
 - - epididymis N50.8
 - gallbladder K80.2 2a 2b
 - - with cholecystitis (chronic) K80.1 2a
 - - - acute K80.0
 - hepatic (duct) (bile) (*see also* Choledocholithiasis) K80.5
 - hepatobiliary K80.8
 - intestinal (impaction) (obstruction) K56.4 2b
 - kidney (impacted) (multiple) (pelvis) (recurrent) (staghorn) N20.0 2a
 - - with calculus, ureter - *see* Calculus, ureter, with calculus, kidney
 - - congenital Q63.8
 - lacrimal passages H04.5
 - liver (impacted) K80.5
 - lung J98.4 2a 2b
 - - newborn P28.8
 - nephritic (impacted) (recurrent) (*see also* Calculus, kidney) N20.0 2a
 - nose J34.8
 - pancreas (duct) K86.8 2b
 - parotid duct or gland K11.5
 - pelvis, encysted (*see also* Calculus, kidney) N20.0 2a

- prostate N42.0
- pulmonary J98.4 2a 2b
- - newborn P28.8
- pyelitis (impacted) (recurrent) N20.9 2a 2b
- - with hydronephrosis N13.2
- pyelonephritis (impacted) (recurrent) N20.9 2a 2b
- - with hydronephrosis N13.2
- renal (impacted) (recurrent) (*see also* Calculus, kidney) N20.0 2a
- - congenital Q63.8
- salivary (duct) (gland) K11.5
- seminal vesicle N50.8
- staghorn (*see also* Calculus, kidney) N20.0 2a
- Stensen's duct K11.5
- stomach K31.8 2a
- sublingual duct or gland K11.5
- - congenital Q38.4
- submandibular duct, gland or region K11.5
- suburethral N21.8
- tonsil J35.8
- tooth, teeth (subgingival) (supragingival) K03.6
- tunica vaginalis N50.8
- ureter (impacted) (recurrent) N20.1
- - with
 - - - calculus, kidney N20.2
 - - - - with hydronephrosis N13.2
 - - - - with infection N13.6 2a 2b
- - hydronephrosis N13.2
- - - with infection N13.6 2a 2b
- urethra (impacted) N21.1
- urinary (duct) (impacted) (passage) (tract) N20.9 2a 2b
- - with hydronephrosis N13.2
- - - with infection N13.6 2a 2b
- - lower NEC N21.9
- - - specified NEC N21.8
- vagina N89.8
- vesical (impacted) N21.0
- Wharton's duct K11.5
- xanthine E79.8† 2b N22.8*

Calicectasis N28.8 2a 2b

California disease B38.9

Callositas, callosity (infected) L84

Callus (infected) L84

- excessive, following fracture - *see* Sequelae, fracture

Calorie deficiency (*see also* Malnutrition) E46 2a 2b

Calvé-Perthes disease M91.1

Calvé's disease M42.0

Calvities (*see also* Alopecia, androgenic) L64.9

Cameroon fever (*see also* Malaria) B54 2b

Campnocormia (hysterical) F44.4

Camurati-Engelmann syndrome Q78.3

Canal - *see also* condition

- atrioventricular common Q21.2 2b

- - complete Q21.2 2b

Canaliculitis (acute) (lacrimal) (subacute) H04.3

- *Actinomyces* A42.8 2b

- chronic H04.4

Canavan's disease E75.2 2b

Cancelled procedure (surgical) Z53.9(166)

- because of

- - contraindication Z53.0(167)

- - patient's decision NEC Z53.2(168)

- - - for reasons of belief or group pressure Z53.1(169)

- - specified reason NEC Z53.8(170)

- vaccination Z28.9(171)

- - because of

- - - contraindication Z28.0(172)
- - - patient's decision NEC Z28.2(173)
- - - for reasons of belief or group pressure Z28.1(174)
- - - specified reason NEC Z28.8(175)

Cancer (M8000/3) - *see also* Neoplasm,malignant

Note - The term "cancer", when modified by an adjective or adjectival phrase indicating a morphological type, should be coded in the same manner as "carcinoma" with that adjective or phrase. Thus, "squamous cell cancer" should be coded in the same manner as "squamous cell carcinoma", which appears in the list under "Carcinoma".

- blood - *see* Leukemia
- cachexia C80 2a 2b
- napkin ring (*see also* Neoplasm, malignant) C80 2a 2b

Cancer(o)phobia F45.2

Cancerous (M8000/3) - *see* Neoplasm,malignant

Cancreum oris A69.0

Candidemia B37.7 2b

Candidiasis, candidal B37.9 2a 2b

- balanitis B37.4† 2b N51.2*
- congenital P37.5
- disseminated B37.8 2a 2b
- endocarditis B37.6† 2a 2b I39.8*
- intertrigo B37.2 2b
- lung B37.1† 2b J99.8*
- meningitis B37.5† 2a 2b G02.1*
- mouth B37.0 2b
- nails B37.2 2b
- neonatal P37.5
- onychia B37.2 2b
- paronychia B37.2 2b
- pneumonia B37.1† 2b J17.2*
- resulting from HIV disease B20.4
- septicemia B37.7 2b
- skin B37.2 2b
- specified site NEC B37.8 2a 2b
- systemic B37.8 2a 2b
- urethritis B37.4† 2b N37.0*
- urogenital site NEC B37.4 2b
- vagina B37.3† 2b N77.1*
- vulva B37.3† 2b N77.1*
- vulvovaginitis B37.3† 2b N77.1*

Candid L30.2

Candidosis - *see* Candidiasis

Candiru infection or infestation B88.8 2b

Canities (premature) L67.1

- congenital Q84.2

Canker (sore) (mouth) K12.0

Cannabinosis J66.2

Cantrell's syndrome Q87.8 2b

Capillariasis (intestinal) B81.1

- hepatic B83.8

Capillary - *see condition*

Caplan's syndrome M05.1† J99.0*

Capsule - *see condition*

Capsulitis (joint) M77.9

- adhesive M77.9
- - shoulder M75.0
- hepatic K65.8 2b
- - newborn P78.1 2b
- labyrinthine H80.8

Caput

- crepitus Q75.8 2b
- medusae I86.8
- succedaneum P12.8

Car sickness T75.3

Carapata (disease) A68.0

Carate - *see* Pinta

Carbon lung J60 2a 2b

Carboxyhemoglobinemia T58 2b

Carbuncle (*see also* Abscess, by site) L02.9

- auricle, ear H60.0
- corpus cavernosum N48.2
- ear (external) (middle) H60.0
- external auditory canal H60.0
- eyelid H00.0
- kidney (*see also* Abscess, kidney) N15.1 2a 2b
- labium (majus) (minus) N76.4
- lacrimal
 - - gland H04.0
 - - passages (duct) (sac) H04.3
- malignant A22.0
- nose J34.0
- orbit, orbital H05.0
- penis N48.2
- urethra N34.0
- vulva N76.4

Carcinoid (tumor) (M8240/3) - *see also* Neoplasm, malignant

- with struma ovarii (M9091/1) D39.1
- appendix (M8240/1) D37.3
- argentaffin (M8241/1) - *see* Neoplasm, uncertain behavior
- - malignant (M8241/3) - *see* Neoplasm, malignant
- composite (M8244/3) - *see* Neoplasm, malignant
- goblet cell (M8243/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C18.1
- malignant (M8240/3) - *see* Neoplasm, malignant
- mucinous (M8243/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C18.1
- strumal (M9091/1) D39.1
- syndrome E34.0
- type bronchial adenoma (M8240/3) - *see* Neoplasm, lung, malignant

Carcinoma (M8010/3) - *see also* Neoplasm, malignant

Note - Except where otherwise indicated, the morphological varieties of carcinoma in the list below should be coded by site as for Neoplasm, malignant.

- with
 - - apocrine metaplasia (M8573/3)
 - - cartilaginous (and osseous) metaplasia (M8571/3)
 - - osseous (and cartilaginous) metaplasia (M8571/3)
 - - productive fibrosis (M8141/3)
 - - spindle cell metaplasia (M8572/3)
 - - squamous metaplasia (M8570/3)
- acidophil (M8280/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C75.1 2b
- acidophil-basophil, mixed (M8281/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C75.1 2b
- acinar (cell) (M8550/3)
- acinic cell (M8550/3)
- adenocystic (M8200/3)
- adenoid
 - - cystic (M8200/3)
 - - squamous cell (M8075/3)
- adenosquamous (M8560/3)
- adnexal (skin) (M8390/3) - *see* Neoplasm, skin, malignant
- adrenal cortical (M8370/3) C74.0
- alveolar (M8251/3) - *see* Neoplasm, lung, malignant
- - cell (M8250/3) - *see* Neoplasm, lung, malignant
 - - lower - *see* Neoplasm, alveolar ridge or process, carcinoma, lower
 - - mucosa - *see* Neoplasm, alveolar, mucosa
 - - ridge or process - *see* Neoplasm, alveolar, ridge or process, carcinoma

- - upper - *see* Neoplasm, alveolar, ridge or process, carcinoma, upper
- ameloblastic (M9270/3) C41.1
- - upper jaw (bone) C41.0
- anaplastic type (M8021/3)
- apocrine (M8401/3)
- - breast - *see* Neoplasm, breast, malignant
- - specified site NEC - *see* Neoplasm, skin, malignant
- - unspecified site C44.9 2b
- basal cell (pigmented) (M8090/3) - *see also* Neoplasm, skin, malignant
- - fibro-epithelial (M8093/3) - *see* Neoplasm, skin, malignant
- - morphea (M8092/3) - *see* Neoplasm, skin, malignant
- - multicentric (M8091/3) - *see* Neoplasm, skin, malignant
- basaloid (M8123/3)
- basal-squamous cell, mixed (M8094/3) - *see* Neoplasm, skin, malignant
- basophil (M8300/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C75.1 2b
- basophil-acidophil, mixed (M8281/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C75.1 2b
- - basosquamous (M8094/3) - *see* Neoplasm, skin, malignant
- bile duct (M8160/3)
 - - with hepatocellular, mixed (M8180/3) C22.0 2a 2b
 - - liver C22.1 2a
 - - specified site NEC - *see* Neoplasm, malignant
 - - unspecified site C22.1 2a
- branchial or branchiogenic C10.4
- bronchial or bronchogenic - *see* Neoplasm, lung, malignant
- bronchiolar (M8250/3) - *see* Neoplasm, lung, malignant
- bronchioloalveolar (M8250/3) - *see* Neoplasm, lung, malignant
- cachexia C80 2a 2b
- C cell (M8510/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C73 2b
- ceruminous (M8420/3) C44.2
- chorionic (M9100/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site
 - - - female C58
 - - - male C62.9
- chromophobe (M8270/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C75.1 2b
- clear cell (mesonephroid) (M8310/3)
- cloacogenic (M8124/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C21.2
- colloid (M8480/3)
- cribriform (M8201/3)
- cylindroid (M8200/3)
- diffuse type (M8145/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C16.9 2a 2b
- duct (cell) (M8500/3)
 - - with Paget's disease (M8541/3) - *see* Neoplasm, breast, malignant
 - - infiltrating (M8500/3)
 - - - with lobular carcinoma (in situ) (M8522/3)
 - - - - specified site - *see* Neoplasm, malignant
 - - - - unspecified site C50.9 2a 2b
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site (female) C50.9 2a 2b
- ductal (M8500/3)
 - - with lobular (M8522/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C50.9 2a 2b

- ductular, infiltrating (M8521/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C50.9 2a 2b
- embryonal (M9070/3)
 - - with teratoma, mixed (M9081/3)
 - - combined with choriocarcinoma (M9101/3)
 - - infantile type (M9071/3)
 - - liver C22.7
 - - polyembryonal type (M9072/3)
 - - endometrioid (M8380/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site
 - - female C56 2a 2b
 - - male C61 2a 2b
- eosinophil (M8280/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C75.1 2b
- epidermoid (M8070/3) - *see also* Carcinoma, squamous cell
 - - with adenocarcinoma, mixed (M8560/3)
 - - in situ, Bowen's type (M8081/2) - *see* Neoplasm, skin, in situ
 - - keratinizing (M8071/3)
 - - large cell, nonkeratinizing (M8072/3)
 - - small cell, nonkeratinizing (M8073/3)
 - - spindle cell (M8074/3)
 - - verrucous (M8051/3)
 - - epithelial-myoeithelial (M8562/3)
- fibroepithelial, basal cell (M8093/3) - *see* Neoplasm, skin, malignant
 - - follicular (M8330/3)
 - - with papillary (mixed) (M8340/3) C73 2b
 - - moderately differentiated (M8332/3) C73 2b
 - - pure follicle (M8331/3) C73 2b
 - - specified site - *see* Neoplasm, malignant
 - - trabecular (M8332/3) C73 2b
 - - unspecified site C73 2b
 - - well differentiated (M8331/3) C73 2b
- gelatinous (M8480/3)
- giant cell (M8031/3)
 - - with spindle cell (M8030/3)
- glycogen-rich (M8315/3) - *see* Neoplasm, breast, malignant
- granular cell (M8320/3)
 - - granulosa cell (M8620/3) C56 2a 2b
 - - hepatic cell (M8170/3) C22.0 2a 2b
 - - hepatocellular (M8170/3) C22.0 2a 2b
 - - with bile duct, mixed (M8180/3) C22.0 2a 2b
 - - fibrolamellar (M8171/3) C22.0 2a 2b
 - - hepatocholangiolitic (M8180/3) C22.0 2a 2b
 - - Hurthle cell (M8290/3) C73 2b
- in
 - - adenomatous
 - - polyp (M8210/3)
 - - - polyposis coli (M8220/3) C18.9 2a 2b
 - - - pleomorphic adenoma (M8941/3) - *see* Neoplasm, salivary gland, malignant
 - - polyp (M8210/3)
 - - polypoid adenoma (M8210/3)
 - - - situ (M8010/2) - *see* Carcinoma in situ
 - - tubular adenoma (M8210/3)
 - - villous adenoma (M8261/3)
 - - infiltrating
 - - duct (M8500/3)
 - - - with lobular (M8522/3)
 - - - - specified site - *see* Neoplasm, malignant
 - - - - unspecified site C50.9 2a 2b
 - - - - with Paget's disease (M8541/3) - *see* Neoplasm, breast, malignant
 - - - - specified site - *see* Neoplasm, malignant
 - - - - unspecified site (female) C50.9 2a 2b

- - ductular (M8521/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C50.9 2a 2b
- - lobular (M8520/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C50.9 2a 2b
- - inflammatory (M8530/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site (female) C50.9 2a 2b
- - intestinal type (M8144/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C16.9 2a 2b
- - intracystic (M8504/3)
 - - noninfiltrating (M8504/2) - *see* Neoplasm, in situ
 - - intraductal (noninfiltrating) (M8500/2)
 - - with Paget's disease (M8543/3) - *see* Neoplasm, breast, malignant
 - - breast D05.1
 - - papillary (M8503/2)
 - - - with invasion (M8503/3)
 - - - - specified site - *see* Neoplasm, malignant
 - - - - unspecified site C50.9 2a 2b
 - - - breast D05.1
 - - - specified site NEC - *see* Neoplasm, in situ
 - - - unspecified site D05.1
 - - - specified site NEC - *see* Neoplasm, in situ
 - - - unspecified site D05.1
 - - intraepidermal (M8070/2) - *see* Neoplasm, in situ
 - - squamous cell, Bowen's type (M8081/2) - *see* Neoplasm, skin, in situ
 - - intraepithelial (M8010/2) - *see* Neoplasm, in situ
 - - squamous cell (M8070/2) - *see* Neoplasm, in situ
 - - intraosseous (M9270/3) C41.1
 - - upper jaw (bone) C41.0
 - - islet cell (M8150/3)
 - - with exocrine, mixed (M8154/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C25.9 2a 2b
 - - pancreas C25.4
 - - specified site NEC - *see* Neoplasm, malignant
 - - unspecified site C25.4
 - - juvenile, breast (M8502/3) - *see* Neoplasm, breast, malignant
 - - Klatskin (*see also* Neoplasm, malignant, bile duct) C24.0
 - - large cell (M8012/3)
 - - small cell (M8045/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C34.9 2a 2b
 - - squamous cell (M8070/3)
 - - - keratinizing (M8071/3)
 - - - nonkeratinizing (M8072/3)
 - - Leydig cell (testis) (M8650/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site
 - - - female C56 2a 2b
 - - - male C62.9
 - - lipid-rich (M8314/3) C50.9 2a 2b
 - - liver cell (M8170/3) C22.0 2a 2b
 - - lobular (infiltrating) (M8520/3)
 - - with intraductal (M8522/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C50.9 2a 2b
 - - noninfiltrating (M8520/2)
 - - - specified site NEC - *see* Neoplasm, in situ
 - - - unspecified site D05.0
 - - breast D05.0
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site (female) C50.9 2a 2b

- lymphoepithelial (M8082/3)
- medullary (M8510/3)
 - - with
 - - - amyloid stroma (M8511/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C73 2b
 - - lymphoid stroma (M8512/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site (female) C50.9 2a 2b
- Merkel cell (M8247/3) - *see* Neoplasm, skin, malignant
- mesometanephric (M9110/3)
- mesonephric (M9110/3)
- metatypical (M8095/3) - *see* Neoplasm, skin, malignant
- morphea, basal cell (M8092/3) - *see* Neoplasm, skin, malignant
- mucinous (M8480/3)
 - mucin-producing (M8481/3)
 - mucin-secreting (M8481/3)
 - mucoepidermoid (M8430/3)
 - mucoid (M8480/3)
 - - cell (M8300/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C75.1 2b
 - mucous (M8480/3)
- Müllerian, mixed (M8950/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C54.9
- myoepithelial-epithelial (M8562/3)
- neuroectodermal (see also Neoplasm, malignant) C80 2a 2b
- neuroendocrine (M8246/3) C80 2a 2b
 - - specified site - *see* Neoplasm, malignant
- nonencapsulated sclerosing (M8350/3) C73 2b
- noninfiltrating (M8010/2)
 - - intracystic (M8504/2) - *see* Neoplasm, in situ
 - - intraductal (M8500/2)
 - - - breast D05.1
 - - - papillary (M8503/2)
 - - - - breast D05.1
 - - - - specified site NEC - *see* Neoplasm, in situ
 - - - - unspecified site D05.1
 - - - - specified site - *see* Neoplasm, in situ
 - - - - unspecified site D05.1
 - - lobular (M8520/2)
 - - - breast D05.0
 - - - specified site NEC - *see* Neoplasm, in situ
 - - - unspecified site D05.0
- oat cell (M8042/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C34.9 2a 2b
- odontogenic (M9270/3) C41.1
 - - upper jaw (bone) C41.0
- oncocytic (M8290/3)
- oxyphilic (M8290/3)
- papillary (M8050/3)
 - - with follicular (mixed) (M8340/3) C73 2b
 - - epidermoid (M8052/3)
 - - follicular variant (M8340/3) C73 2b
 - - intraductal (noninfiltrating) (M8503/2)
 - - - with invasion (M8503/3)
 - - - - specified site - *see* Neoplasm, malignant
 - - - - unspecified site C50.9 2a 2b
- - breast D05.1
 - - - specified site NEC - *see* Neoplasm, in situ
 - - - unspecified site D05.1
- - serous (M8460/3)
- - - specified site - *see* Neoplasm, malignant

- - - surface (M8461/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - unspecified site C56 2a 2b
- - squamous cell (M8052/3)
- - transitional cell (M8130/3)
- - papillocystic (M8450/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C56 2a 2b
- - parafollicular cell (M8510/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C73 2b
- - pilomatrix (M8110/3) - *see* Neoplasm, skin, malignant
- - pleomorphic (M8022/3)
- - polygonal cell (M8034/3)
- - pseudoglandular, squamous cell (M8075/3)
- - pseudomucinous (M8470/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C56 2a 2b
- - pseudosarcomatous (M8033/3)
- - renal cell (M8312/3) C64 2a 2b
- - reserve cell (M8041/3)
- - round cell (M8041/3)
- - sarcomatoid (*see also* Neoplasm, malignant) C80 2a 2b
- - Schmincke (M8082/3) - *see* Neoplasm, nasopharynx, malignant
- - Schneiderian (M8121/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C30.0
- - scirrhous (M8141/3)
- - sebaceous (M8410/3) - *see* Neoplasm, skin, malignant
- - secondary (M8010/6) - *see* Neoplasm, secondary
- - secretory, breast (M8502/3) - *see* Neoplasm, breast, malignant
- - serous (M8441/3)
- - papillary (M8460/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - surface, papillary (M8461/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - Sertoli cell (M8640/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C62.9
- - - female C56 2a 2b
- - - male C62.9
- - signet ring cell (M8490/3)
- - simplex (M8231/3)
- - skin appendage (M8390/3) - *see* Neoplasm, skin, malignant
- - small cell (M8041/3)
- - fusiform cell (M8043/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C34.9 2a 2b
- - intermediate cell (M8044/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C34.9 2a 2b
- - large cell (M8045/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C34.9 2a 2b
- - squamous cell, nonkeratinizing (M8073/3)
- - solid (M8230/3)
- - spheroidal cell (M8010/3)
- - spindle cell (M8032/3)
- - with giant cell (M8030/3)
- - spinous cell (M8070/3)
- - squamous (cell) (M8070/3)
- - with adenocarcinoma, mixed (M8560/3)

- - adenoid (M8075/3)
- - keratinizing, large cell (M8071/3)
- - large cell, nonkeratinizing (M8072/3)
- - microinvasive (M8076/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C53.9 2a
- - nonkeratinizing (large cell) (M8072/3)
- - papillary (M8052/3)
- - pseudoglandular (M8075/3)
- - small cell, nonkeratinizing (M8073/3)
- - spindle cell (M8074/3)
- - verrucous (M8051/3)
- superficial spreading (M8143/3)
- sweat gland (M8400/3) - *see also* Neoplasm, skin, malignant
- theca cell (M8600/3) C56 2a 2b
- thymic (M8580/3) C37
- trabecular (M8190/3)
- transitional (cell) (M8120/3)
- - papillary (M8130/3)
- - spindle cell (M8122/3)
- tubular (M8211/3)
- undifferentiated (M8020/3)
- urothelial (M8120/3)
- verrucous (epidermoid)(squamous cell) (M8051/3)
- villous (M8262/3)
- water-clear cell (M8322/3) C75.0 2a 2b
- wolffian duct (M9110/3)

Carcinoma in situ (M8010/2) - *see also* Neoplasm, in situ

- breast NEC D05.9
- epidermoid (M8070/2) - *see also* Neoplasm, in situ
- - with questionable stromal invasion (M8076/2)
- - - cervix D06.9
- - - specified site NEC - *see* Neoplasm, in situ
- - - unspecified site D06.9
- - Bowen's type (M8081/2) - *see* Neoplasm, skin, in situ
- in
 - - adenomatous polyp (M8210/2)
 - - polyp NEC (M8210/2)
 - - intraductal (M8500/2)
 - - breast D05.1
 - - specified site NEC - *see* Neoplasm, in situ
 - - unspecified site D05.1
 - - lobular (M8520/2)
 - - with
 - - - infiltrating duct (M8522/3)
 - - - breast C50.9 2a 2b
 - - - specified site NEC - *see* Neoplasm, malignant
 - - - unspecified site C50.9 2a 2b
 - - - intraductal (M8522/2)
 - - - breast D05.7
 - - - specified site NEC - *see* Neoplasm, in situ
 - - - unspecified site D05.7
 - - breast D05.0
 - - specified site NEC - *see* Neoplasm, in situ
 - - unspecified site D05.0
 - - papillary (M8050/2) - *see* Neoplasm, in situ
 - - squamous cell (M8070/2) - *see also* Neoplasm, in situ
 - - with questionable stromal invasion (M8076/2)
 - - - cervix D06.9
 - - - specified site NEC - *see* Neoplasm, in situ
 - - - unspecified site D06.9
 - - transitional cell (M8120/2) - *see* Neoplasm, in situ
- Carcinomaphobia** F45.2
- Carcinomatosis**
- peritonei (M8010/6) C78.6 2a 2b

- peritoneum (M8010/6) C78.6 2a 2b
- specified site NEC (M8010/3) - *see* Neoplasm, malignant
- unspecified site (M8010/6) C80 2a 2b

Carcinomatous C80 2a 2b

- cachexia C80 2a 2b

Carcinosarcoma (M8980/3) - *see* Neoplasm,malignant

- embryonal (M8981/3) - *see* Neoplasm, malignant

Cardia, cardial - *see condition*

Cardiac - *see also condition*

- death, sudden I46.1 2a 2b

- pacemaker

- - in situ Z95.0(176)

- - management or adjustment Z45.0(177)

- tamponade I31.9 2b

- - rheumatic I09.2 2b

- - - active or acute I01.0 2a 2b

Cardialgia (*see also* Pain, precordial) R07.2

Cardiectasis - *see* Hypertrophy, cardiac

Cardiochalasia K21.9

Cardiomalacia (*see also* Degeneration,myocardial) I51.5 2a 2b

Cardiomegalia glycogenica diffusa E74.0† 2a 2b I43.1*

Cardiomegaly (*see also* Hypertrophy,cardiac) I51.7

- congenital Q24.8 2b

- glycogen E74.0† 2a 2b I43.1*

- idiopathic I51.7

Cardiomyopathy (obstructive) (secondary) I42.9 2a 2b

- alcoholic (congestive) (constrictive) (dilated) (restrictive) I42.6 2a 2b

- amyloid (congestive) (constrictive) (dilated) (restrictive) E85.4† I43.1*

- arrhythmogenic right ventricular (ARVC) (*see also* Dysplasia, arrhythmogenic right ventricular) I42.8 2a 2b

- arteriosclerotic (congestive) (constrictive) (dilated) (restrictive) I25.1 2a 2b

- beriberi (congestive) (constrictive) (dilated) (restrictive) E51.1† I43.2*

- complicating pregnancy (congestive) (constrictive) (dilated) (restrictive) O99.4 2b

- congenital (congestive) (constrictive) (dilated) (restrictive) I42.4 2a 2b

- congestive I42.0 2a 2b

- - familial I42.00 2a 2b

- - idiopathic I42.00 2a 2b

- - primary I42.00 2a 2b

- constrictive (congestive) (dilated) I42.5 2a 2b

- - familial I42.50 2a 2b

- - idiopathic I42.50 2a 2b

- - primary I42.50 2a 2b

- coronary (congestive) (constrictive) (dilated) (restrictive) I25.1 2a 2b

- dilated I42.0 2a 2b

- - familial I42.00 2a 2b

- - idiopathic I42.00 2a 2b

- - primary I42.00 2a 2b

- due to

- - alcohol I42.6 2a 2b

- - drugs I42.7

- - external agents NEC I42.7

- familial I42.90 2a 2b

- hypertensive (congestive) (constrictive) (dilated) (hypertrophic) (restrictive) (*see also* Hypertension, heart) I11.9 2a 2b

- - benign I11.9 2a 2b

- - malignant I11.9 2a 2b

- hypertrophic (congenital) (congestive) (constrictive) (dilated) (nonobstructive) (restrictive) I42.2 2a 2b

- - familial I42.20 2a 2b

- - idiopathic I42.20 2a 2b

- - obstructive I42.1 2a 2b

- - - congenital Q24.8 2b

- - - familial I42.10 2a 2b

- - - idiopathic I42.10 2a 2b

- - - primary I42.10 2a 2b

- - primary I42.20 2a 2b

- - idiopathic I42.90 2a 2b

- in

- - Chagas' disease (chronic) B57.2† I41.2*
- - acute B57.0† I41.2*
- - sarcoidosis D86.8† I43.8*
- ischemic (congestive) (constrictive) (dilated) (hypertensive) (hypertrophic) (restrictive) I25.5 2a 2b
- metabolic (congestive) (constrictive) (dilated) (nonobstructive) (restrictive) E88.9† I43.1*
- nutritional (congestive) (constrictive) (dilated) (nonobstructive) (restrictive) E63.9† 2a 2b I43.2*
- obscure of Africa (congestive) (constrictive) (dilated) (nonobstructive) (restrictive) I42.8 2a 2b
- - familial I42.80 2a 2b
- - idiopathic I42.80 2a 2b
- - primary I42.80 2a 2b
- postpartum (congestive) (constrictive) (dilated) (restrictive) O90.3
- primary I42.90 2a 2b
- restrictive (congestive) (dilated) NEC I42.5 2a 2b
- - familial I42.50 2a 2b
- - idiopathic I42.50 2a 2b
- - primary I42.50 2a 2b
- rheumatic (congestive) (constrictive) (dilated) (restrictive) I09.0 2a 2b
- - active or acute I01.2 2a 2b
- thyrotoxic (congestive) (constrictive) (dilated) (restrictive) E05.9† 2b I43.8*
- tuberculous (congestive) (constrictive) (dilated) (restrictive) A18.8† 2a 2b I43.0*
- valvular (congestive) (constrictive) (dilated) (ischemic) (restrictive) I38 2a
- viral (congestive) (constrictive) (dilated) (restrictive) B33.2† 2a 2b I43.0*

Cardionephritis (*see also* Hypertension,cardiorenal) I13.9 2a 2b

Cardionephropathy (*see also* Hypertension,cardiorenal) I13.9 2a 2b

Cardionephrosis (*see also* Hypertension,cardiorenal) I13.9 2a 2b

Cardiopathy (*see also* Disease, heart) I51.9 2a 2b

- idiopathic I42.90 2a 2b
- mucopolysaccharidosis E76.3† I52.8*

Cardiopericarditis (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Cardiophobia F45.2

Cardiorenal - *see condition*

Cardiorrhexis (*see also* Infarct,myocardium) I21.9 2a 2b

Cardiosclerosis I25.1 2a 2b

Cardiosis - *see* Disease, heart

Cardiospasm (esophagus) (reflex) (stomach) K22.0

- congenital (without mention of megaesophagus) Q40.2
- - with megaesophagus Q39.5

Cardiostenosis - *see* Disease, heart

Cardiovascular - *see condition*

Carditis (acute) (chronic) (subacute) I51.8 2a 2b

- meningococcal A39.5† I52.0*
- rheumatic - *see* Disease, heart, rheumatic
- rheumatoid M05.3† I52.8*
- viral B33.2† 2a 2b I52.1*

Care (of) (for) (following)

- child (routine) Z76.2(178)
- family member (handicapped) (sick) Z63.6(179)
- foundling Z76.1(180)
- holiday relief Z75.5(181)
- improper T74.0
- lack of (at or after birth) (infant) T74.0
- lactating mother Z39.1(182)
- orthodontic Z51.8(183)
- palliative Z51.5(184)
- postpartum
 - - immediately after delivery Z39.0(185)
 - - routine follow-up Z39.2(186)
- pregnancy - *see* Maternal care
- preparatory, for subsequent treatment Z51.4(187)
- - for dialysis Z49.0(188)
- respite Z75.5(189)
- unavailable, due to
 - - absence of person rendering care Z74.2(190)

- - inability (any reason) of person rendering care Z74.2(191)

- well-baby Z76.2(192)

Caries

- bone NEC A18.0† 2a 2b M90.0*
- cementum K02.2
- - arrested K02.3
- - specified NEC K02.8
- dental K02.9 2a
- dentin (acute) (chronic) K02.1
- enamel (acute) (chronic, incipient) K02.0
- external meatus H61.8
- hip (tuberculous) A18.0† 2a 2b M01.1*
- initial K02.0
- knee (tuberculous) A18.0† 2a 2b M01.1*
- labyrinth H83.8
- limb NEC (tuberculous) A18.0† 2a 2b M90.0*
- mastoid process (chronic) H70.1
- - tuberculous A18.0† 2a 2b H75.0*
- middle ear H74.8
- nose (tuberculous) A18.0† 2a 2b M90.0*
- orbit (tuberculous) A18.0† 2a 2b M90.0*
- ossicles, ear H74.3
- petrous bone H70.2
- sacrum (tuberculous) A18.0† 2a 2b M49.0*
- spine, spinal (column) (tuberculous) A18.0† 2a 2b M49.0*
- syphilitic A52.7† 2a 2b M90.2*
- - congenital (early) A50.0† 2a 2b M90.2*
- tooth, teeth K02.9 2a
- tuberculous A18.0† 2a 2b M90.0*
- vertebra (column) (tuberculous) A18.0† 2a 2b M49.0*

Carious teeth K02.9 2a

Carneous mole O02.0

Caroli's syndrome Q44.5

Carotid body or sinus syndrome G90.0

Carotinosis (cutis) (skin) E67.1

Carpal tunnel syndrome G56.0

Carpenter's syndrome Q87.0

Carpopedal spasm (*see also* Tetany) R29.0 2b

Carr-Barr-Plunkett syndrome Q97.1

Carrier (suspected) of

- amebiasis Z22.1(193)
- bacterial disease NEC Z22.3(194)
- cholera Z22.1(195)
- diphtheria Z22.2(196)
- gastrointestinal pathogens NEC Z22.1(197)
- gonorrhea Z22.4(198)
- HB(c)(s)Ag Z22.5(199)
- hepatitis
 - - Australia antigen (HAA) Z22.5(200)
 - - B surface antigen (HBsAg) Z22.5(201)
 - - - with acute delta-(super)infection B17.0
 - - viral Z22.5(202)
- human T-cell lymphotropic virus type 1 (HTLV-1) infection Z22.6(203)
- infectious organism Z22.9(204)
- - specified NEC Z22.8(205)
- meningococci Z22.3(206)
- staphylococci Z22.3(207)
- streptococci Z22.3(208)
- syphilis Z22.4(209)
- typhoid Z22.0(210)
- venereal disease NEC Z22.4(211)

Carrion's disease A44.0

Carter's relapsing fever (Asiatic) A68.1

Cartilage - *see condition*

Caruncle (inflamed)

- labium (majus) (minus) N90.8

- lacrimal H04.3

- myrtiform N89.8

- urethral (benign) N36.2

Caseation lymphatic gland (tuberculous) A18.2

Castellani's disease A69.8

Castleman's disease R59.9 2b

Castleman's-Bland syndrome I26.9 2a 2b

Castration, traumatic, male S38.2

Casts in urine R82.9 2b

Cat

- cry syndrome Q93.4

- ear Q17.3

- eye syndrome Q92.8

Catabolism, senile R54 2a 2b

Catalepsy (hysterical) F44.2

- schizophrenic F20.2

Cataplexy (idiopathic) G47.4

Cataract (cortical) (immature) (incipient) (*see also* Cataracta) H26.9 2a 2b

- anterior

- - and posterior axial embryonal Q12.0

- - pyramidal Q12.0

- blue Q12.0

- central Q12.0

- cerulean Q12.0

- complicated H26.2

- congenital Q12.0

- coralliform Q12.0

- coronary Q12.0

- crystalline Q12.0

- diabetic (*see also* E10-E14 with fourth character .3) E14.3† H28.0*

- drug-induced H26.3

- due to radiation H26.8

- electric H26.8

- glass-blower's H26.8

- heat ray H26.8

- heterochromic H26.2

- in (due to)

- - chronic iridocyclitis H26.2

- - diabetes (*see also* E10-E14 with fourth character .3) E14.3† H28.0*

- - endocrine disease NEC E34.9† 2b H28.1*

- - eye disease H26.2

- - hypoparathyroidism E20† H28.1*

- - malnutrition-dehydration E46† 2a 2b H28.1*

- - metabolic disease NEC E88.9† H28.1*

- - myotonic disorders G71.1† 2a H28.2*

- - nutritional disease NEC E63.9† 2a 2b H28.1*

- infantile H26.0

- irradiational H26.8

- juvenile H26.0

- malnutrition-dehydration E46† 2a 2b H28.1*

- morgagnian H25.2

- myotonic G71.1† 2a H28.2*

- myxedema E03.9† 2a 2b H28.1*

- - advanced E03.90 2a 2b

- - grave E03.90 2a 2b

- - severe E03.90 2a 2b

- nuclear

- - embryonal Q12.0

- - sclerosis H25.1

- presenile H26.0

- secondary H26.4 2b

- - to eye disease H26.2

- senile H25.9

- - brunescens H25.1

- - combined forms H25.8
- - coronary H25.0
- - cortical H25.0
- - hypermature H25.2
- - incipient H25.0
- - morgagnian type H25.2
- - nuclear (sclerosis) H25.1
- - polar subcapsular (anterior) (posterior) H25.0
- - punctate H25.0
- - specified NEC H25.8
- - subcapsular polar (anterior) (posterior) H25.0
- toxic H26.3
- traumatic H26.1
- zonular (perinuclear) Q12.0

Cataracta (*see also* Cataract) H26.9 2a 2b

- brunescens H25.1

- centralis pulverulenta Q12.0

- cerulea Q12.0

- complicata H26.2

- congenita Q12.0

- coralliformis Q12.0

- coronaria Q12.0

- membranacea

- - accreta H26.4 2b

- - congenita Q12.0

- sunflower H26.2

Catarrh, catarrhal (inflammation) (*see also* condition) J00 2a 2b

- acute J00 2a 2b

- bronchial - *see* Bronchitis

- chronic J31.0

- enteric - *see* Enteritis

- eustachian H68.0

- eye (acute) H10.2

- fauces (*see also* Pharyngitis) J02.9 2a 2b

- febrile J00 2a 2b

- gastrointestinal - *see* Enteritis

- hay fever J30.1

- - with asthma J45.0 2b

- infectious J00 2a 2b

- intestinal - *see* Enteritis

- larynx, chronic J37.0

- middle ear, chronic H65.2

- nasal (chronic) (*see also* Rhinitis) J31.0

- - acute J00 2a 2b

- - nasopharyngeal (chronic) J31.1

- - acute J00 2a 2b

- - spring (eye) (vernal) H10.1

- summer (hay) (*see also* Fever, hay) J30.1

- throat J31.2

- tubotympanal H65.9

- - chronic H65.2

Catastrophe, catastrophe

- abdominal (acute) R10.4 2b

- cardiorespiratory R09.8 2b

- - newborn P28.8

- cardiovascular I51.6 2a 2b

- vascular I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

Catatonia (schizophrenic) F20.2

Cat scratch (*see also* Injury, superficial) T14.0 2b

- disease or fever A28.1

Cauda equina - *see* condition

Caul over face (causing asphyxia) P21.9 2a 2b

Cauliflower ear M95.1

Causalgia G56.4

Cause

- external, general effects T75.8 2b
- not stated R97 2a 2b
- unknown R97 2a 2b

Caustic burn - see Corrosion, by site

Cavare's disease G72.3

Cave-in, injury

- crushing (severe) T14.7 2a 2b
- suffocation T71 2a 2b

Cavernitis (penis) N48.2

Cavernositis N48.2

Cavernous - see condition

Cavitation of lung (see also Tuberculosis, pulmonary) A16.2 2a 2b

- nontuberculous J98.4 2a 2b
- - newborn P28.8

Cavity

- lung - see Cavitation of lung
- optic papilla Q14.2
- pulmonary - see Cavitation of lung

Cavus foot (congenital) Q66.7

- acquired M21.6

Cazenave's disease L10.2

Cekocephaly Q89.8

Cecitis K52.9 2a 2b

- with perforation, peritonitis, or rupture K65.8 2b
- - newborn P78.1 2b
- regional K50.1

Cecum - see condition

Cell(s), cellular - see also condition

- abdominal wall L03.3
 - anaerobic A48.0 2a
 - anterior chamber (eye) H20.0
 - in urine R82.9 2b
- Cellulitis (diffuse) (with lymphangitis)** L03.9
- ankle L03.1
 - anus K61.0
 - arm (any part, except finger or thumb) L03.1
 - auricle (ear) H60.1
 - axilla L03.1
 - back (any part) L03.3
 - breast N61 2b
 - buttock L03.3
 - cervical (meaning neck) L03.8
 - cervix (uteri) (see also Cervicitis) N72
 - chest wall L03.3
 - chronic NEC L03.9
 - clostridial A48.0 2a
 - corpus cavernosum N48.2
 - decubital (see also Decubitus) L89.9
 - drainage site (following operation) T81.4 2b
 - ear (external) H60.1
 - eosinophilic (granulomatous) L98.3
 - erysipelatous (see also Erysipelas) A46 2a
 - external auditory canal H60.1
 - eyelid H00.0
 - face (any part, except ear, eye and nose) L03.2
 - finger (intrathecal) (periosteal) (subcutaneous) (subcuticular) L03.0
 - foot (except toe(s)) L03.1
 - gangrenous (see also Gangrene) R02 2a 2b
 - genital organ NEC
 - - female (external) N76.4
 - - male N49.9
 - - - multiple sites N49.8
 - - - specified NEC N49.8

- gluteal (region) L03.3
- gonococcal NEC A54.8 2b
- groin L03.3
- hand (except finger or thumb) L03.1
- head NEC L03.8
- heel L03.1
- hip L03.1
- jaw (region) L03.2
- knee L03.1
- labium (majus) (minus) (*see also* Vulvitis) N76.4
- lacrimal apparatus H04.3
- larynx J38.7
- leg (except toe(s)) L03.1
- mouth (floor) K12.2
- multiple sites, so stated L03.8
- nasopharynx J39.1
- navel L03.3
- - newborn P38
- neck (region) L03.8
- necrotic (*see also* Gangrene) R02 2a 2b
- nose (external) (septum) J34.0
- orbit, orbital H05.0
- pectoral (region) L03.3
- pelvis, pelvic (chronic)
 - - female (*see also* Disease, pelvis, inflammatory) N73.2
- - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy O08.0 2b
- - male K65.0 2a 2b
- - newborn P78.1 2b
- penis N48.2
- perineal, perineum L03.3
- perirectal K61.1
- peritonsillar J36
- periurethral N34.0
- periuterine (*see also* Disease, pelvis, inflammatory) N73.2
- pharynx J39.1
- rectum K61.1
- retroperitoneal K65.0 2a 2b
- - newborn P78.1 2b
- sacral L03.3
- scalp (any part) L03.8
- scrotum N49.2
- septic NEC L03.9
- shoulder L03.1
- specified site NEC L03.8
- suppurative NEC L03.9
- thigh L03.1
- thumb (intrathecal) (periosteal) (subcutaneous) (subcuticular) L03.0
- toe (intrathecal) (periosteal) (subcutaneous) (subcuticular) L03.0
- tongue K14.0
- tonsil J36
- trunk L03.3
- tuberculous (primary) A18.4
- umbilicus L03.3
 - - newborn P38
- vaccinal T88.0
- vocal cord J38.3
- vulva (*see also* Vulvitis) N76.2
- wrist L03.1

Cementoblastoma, benign (M9273/0) D16.5

- upper jaw (bone) D16.4

Cementoma (M9272/0) D16.5

- gigantiform (M9275/0) D16.5

- - upper jaw (bone) D16.4

- upper jaw (bone) D16.4

Cementosis K03.4

Cephalematocele, cephal(o)hematocele

- fetus or newborn P52.8

- - birth injury P10.8

- traumatic S09.8

Cephalematoma, cephalhematoma (calcified)

- fetus or newborn (birth injury) P12.0

- traumatic S09.8

Cephalgia, cephalalgia (*see also* Headache) R51

- nonorganic origin F45.4

Cephalic - *see condition*

Cephalitis - *see* Encephalitis

Cephalocele (*see also* Encephalocele) Q01.9

Cephalomalacia (*see also* Softening, brain) G93.8 2b

Cephalomenia N94.8 2b

Cephalopelvic - *see condition*

Cerclage (with cervical incompetence) in pregnancy O34.3

Cerebellitis - *see* Encephalitis

Cerebellum, cerebellar - *see condition*

Cerebral - *see condition*

Cerebritis - *see* Encephalitis

- fungal B49

Cerebrohepatorenal syndrome Q87.8 2b

Cerebromalacia (*see also* Softening, brain) G93.8 2b

Cerebrorhinorrea G96.0

Cerebroside lipidosis E75.2 2b

Cerebrospasticity (congenital) G80.1

Cerebrospinal - *see condition*

Cerebrum - *see condition*

Ceroid-lipofuscinosis, neuronal E75.4 2b

Cerumen (accumulation) (impacted) H61.2

Cervical - *see also* condition

- auricle Q18.2

- dysplasia in pregnancy O34.4

- erosion in pregnancy O34.4

- fibrosis in pregnancy O34.4

- fusion syndrome Q76.1

- rib Q76.5

Cervicalgia M54.2

Cervicitis (acute) (chronic) (nonvenereal) (subacute) (with ulceration) N72

- chlamydial A56.0

- complicating pregnancy O23.5

- - affecting fetus or newborn P00.8

- gonococcal A54.0

- herpesviral A60.0† N74.8*

- puerperal, postpartum O86.1

- senile (atrophic) N72

- syphilitic A52.7† 2a 2b N74.2*

- trichomonal A59.0† N74.8*

- tuberculous A18.1† 2a 2b N74.0*

Cervicocolpitis (emphysematosa) (*see also* Cervicitis) N72

Cervix - *see condition*

Cesarean

- emergency O75.9 2a 2b

- operation or section NEC (*see also* Delivery, cesarean) O75.9 2a 2b

- - with hysterectomy O75.9 2a 2b

- - affecting fetus or newborn P03.4

- - post mortem, affecting fetus or newborn P01.6

- - previous, affecting management of pregnancy O34.2

Cessation

- cardiac I46.9 2a 2b

- - newborn P29.0

- cardiorespiratory I46.9 2a 2b

- - newborn P29.0
- circulation, circulatory I46.9 2a 2b
- respiratory R09.2 2a 2b
- - newborn P28.5 2a 2b

Cestan(-Chenais) paralysis or syndrome I63.0† 2a 2b G46.3*

- bilateral (multiple) I63.00 2a 2b
- multiple (bilateral) I63.00 2a 2b

Cestode infection or infestation B71.9 2b

- specified type NEC B71.8

Cestodiasis B71.9 2b

Chafing L30.4

Chagas'(-Mazza) disease (chronic) B57.2

- with
 - - cardiovascular involvement NEC B57.2† I98.1*
 - - digestive system involvement NEC B57.3† K93.8*
 - - megacolon B57.3† K93.1*
 - - megaesophagus B57.3† K23.1*
 - - myocarditis B57.2† I41.2*
 - - nervous system involvement B57.4† G99.8*
 - - other organ involvement B57.5
 - acute (with) B57.1
 - - cardiovascular NEC B57.0† I98.1*
 - - myocarditis B57.0† I41.2*

Chagres fever B50.9

Chairfast NEC R26.3 2a 2b

Chalasia (cardiac sphincter) K21.9

Chalazion H00.1

Chalcosis H44.3

- cornea H18.0
- crystalline lens H26.2
- retina H35.8

Chalicosis J62.8

Chancre (genital) (hard) (primary) (seronegative) (seropositive) (syphilitic) A51.0 2a

- conjunctiva A51.2
- Ducrey's A57
- extragenital A51.2
- eyelid A51.2
- hunterian A51.0 2a
- lip A51.2
- mixed A51.0 2a
- nipple A51.2
- of
 - - carate A67.0
 - - pinta A67.0
 - - yaws A66.0
- simple A57
- soft A57
- - bubo A57
- - palate A51.2
- urethra A51.0 2a

Chancroid (anus) (genital) (rectum) A57

Change(s) (of) - see also Removal

- arteriosclerotic - see Arteriosclerosis
- bone M89.9 2a
- - diabetic E14.6† 2a 2b M90.8*
- bowel habit R19.4
- cardiorenal (vascular) (see also Hypertension, cardiorenal) I13.9 2a 2b
- cardiovascular - see Disease, cardiovascular
- cerebral G93.8 2b
- circulatory I99 2a 2b
- cognitive (mild) (organic) due to or secondary to general medical condition F06.7
- color, tooth, teeth
 - - during formation K00.8
 - - posteruptive K03.7
- contraceptive device Z30.5(212)

- corneal membrane H18.3
- degenerative, spine or vertebra M47.9 2a 2b
- dressing Z48.0(213)
- fixation device (internal) Z47.0(214)
 - - external Z47.8(215)
- heart - *see Disease, heart*
- hyperplastic larynx J38.7
- hypertrophic
- - nasal sinus J34.8
- - upper respiratory tract J39.8
- indwelling catheter Z46.6(216)
- inflammatory - *see also Inflammation*
- - sacroiliac M46.1
- job, anxiety concerning Z56.1(217)
- Kirschner wire Z47.0(218)
- malignant (M8000/3) - *code as primary malignant neoplasm of the site of the lesion*

Note - For malignant change occurring in a neoplasm, use the appropriate M code with behavior code /3, e.g. malignant change in uterine fibroid, M8890/3 For malignant change occurring in a non-neoplastic condition (e.g. gastric ulcer) use the M code M8000

- mental NEC F99 2a 2b
- minimal (glomerular) - *code to N00-N07*, with fourth character .0 N05.0
- myocardium, myocardial - *see Degeneration, myocardial*
- neurological G98 2a 2b
- of life (*see also Menopause*) N95.1
- pacemaker Z45.0(219)
- personality (enduring) (*see also Personality, change*) F62.9 2b
- - due to (secondary to) general medical condition F07.0 2b
- - secondary (nonspecific) F61
- plaster cast Z47.8(220)
- renal (*see also Disease, kidney*) N28.9 2a 2b
- retina, myopic H44.2
- sacroiliac joint M53.3
- senile (*see also condition*) R54 2a 2b
- sensory R20.8
- skin R23.8 2b
 - - acute, due to ultraviolet radiation L56.9
 - - - specified NEC L56.8
 - - chronic, due to nonionizing radiation L57.9
 - - - specified NEC L57.8
 - - texture R23.4
- splint, external Z47.8(221)
- suture Z48.0(222)
- traction device Z47.8(223)
- vascular I99 2a 2b
- vasomotor I73.9 2a 2b
- voice R49.8
 - - psychogenic F44.4

Chapping skin T69.8

Charcot-Marie-Tooth disease, paralysis or syndrome G60.0 2a 2b

Charcot's

- arthropathy (tabetic) A52.1† 2a 2b M14.6*
- - diabetic (*see also E10-E14 with fourth character .6*) E14.6† 2a 2b M14.6*
- - nonsyphilitic NEC G98† 2a 2b M14.6*
- - syringomyelic G95.0† 2a 2b M49.4*
- cirrhosis K74.3 2b
- disease (tabetic arthropathy) - *see Charcot's arthropathy*
- joint (disease) (tabetic) - *see Charcot's arthropathy*
- syndrome I73.9 2a 2b

Charles Bonnet syndrome R44.1

Charley-horse (quadriceps) S76.1

- muscle, except quadriceps
- - non traumatic - *see Cramp(s)*
- - traumatic - *see Injury, muscle*

Charred T31.9

- specified anatomical sites - *code Burns of specified site plus fourth digit .3 (deep third degree burns)*

Cheadle's disease E54 2a 2b

Checking (of)

- cardiac pacemaker (battery) (electrode(s)) (pulse generator) Z45.0(224)
- device
- - contraceptive Z30.5(225)
- - fixation (internal) Z47.0(226)
- - - external Z47.8(227)
- - traction Z47.8(228)
- Kirschner wire Z47.0(229)
- plaster cast Z47.8(230)
- splint, external Z47.8(231)

Check-up, health (routine) Z00.0(232)

- infant (not sick) Z00.1(233)
- occupational Z10.0(234)

Cheiniak-Higashi(-Steinbrinck) anomaly, disease or syndrome E70.3 2b

Cheek - *see condition*

Cheese itch B88.0**Cheese-washer's lung** J67.8**Cheese-worker's lung** J67.8**Cheilitis (angular) (exfoliative) (glandular)** K13.0

- actinic (due to sun) L56.8
- - other than from sun L59.8
- candidal B37.8 2a 2b

Cheilodynna K13.0**Cheiloschisis** (*see also* Cleft, lip) Q36.9**Cheilosis (angular)** K13.0

- with pellagra E52† 2a 2b K93.8*
- due to vitamin B2 (riboflavin) deficiency E53.0† K93.8*

Cheiromegaly M79.8**Cheiropompholyx** L30.1**Cheloid** (*see also* Keloid) L91.0**Chemical burn** - *see also* Corrosion, by site

- following induced abortion O08.6

Chemodectoma (M8693/1) - *see* Paraganglioma, nonchromaffin**Chemoprophylaxis** Z29.2(235)**Chemosis, conjunctiva** H11.4**Chemotherapy (session) (for)** Z51.2(236)

- cancer Z51.1(237)
- - maternal, affecting fetus or newborn P04.1
- maintenance NEC Z51.2(238)
- - neoplasm Z51.1(239)
- neoplasm Z51.1(240)
- prophylactic NEC Z29.2(241)

Cherubism K10.8

Chest - *see condition*

Cheyne-Stokes breathing (respiration) R06.3**Chiari's**

- disease or syndrome I82.0
- malformation Q07.0
- net Q24.8 2b

Chicago disease B40.9**Chickenpox** (*see also* Varicella) B01.9

- congenital P35.8

Chiclero ulcer or sore B55.1**Chigger (infestation)** B88.0**Chignon (disease)** B36.8

- fetus or newborn (birth injury) (from vacuum extraction) P12.1

Chilblain(s) T69.1**Child behavior causing concern** Z63.8(242)**Childbirth (mother)** (*see also* Delivery) O75.9 2a 2b**Chill(s)** R68.8 2a 2b

- with fever R50.8

- septic - *see* Septicemia

Chilmastigiasis A07.8 2b**Chimera 46,XX/46,XY** Q99.0

Chin - *see condition*

- Chlamydia, chlamydial** A74.9
- cervicitis A56.0
- conjunctivitis A74.0† H13.1*
- cystitis A56.0
- endometritis A56.1† N74.4*
- epididymitis A56.1† N51.1*
- female
 - - pelvic inflammatory disease A56.1† N74.4*
 - - pelviperitonitis A56.1† N74.4*
- orchitis A56.1† N51.1*
- peritonitis A74.8† K67.0*
- pharyngitis A56.4
- proctitis A56.3
- *psittaci* (infection) A70 2a
- salpingitis A56.1† N74.4*
- sexually transmitted infection NEC A56.8
- specified NEC A74.8
- urethritis A56.0
- vulvovaginitis A56.0

Chlamydiosis (*see also Chlamydia*) A74.9

Chloasma (idiopathic) (symptomatic) L81.1

- eyelid H02.7
- - hyperthyroid E05.9† 2b H03.8*

Chloroma (M9930/3) C92.3

Chlorosis D50.8

- Egyptian B76.9† D63.8*
- miner's B76.9† D63.8*

Chocolate cyst (ovary) N80.1

Choked, choking NEC T17.9 2b

- disk H47.1

- on food, phlegm, or vomitus NEC (*see also Asphyxia, food or foreign body*) T17.9 2b
- while vomiting NEC (*see also Asphyxia, food or foreign body*) T17.9 2b

Chokes (resulting from bends) T70.3

Choking sensation R06.8 2a 2b

Cholangiectasis K83.8

Cholangiocarcinoma (M8160/3)

- with hepatocellular carcinoma (any C22.0 2a 2b), combined (M8180/3) C22.0 2a 2b
- liver C22.1 2a
- specified site NEC - *see Neoplasm, malignant*
- unspecified site C22.1 2a

Cholangiohepatoma (M8180/3) C22.0 2a 2b

Cholangiolitis (acute) (chronic) (extrahepatic) (gangrenous) (intrahepatic) K83.0

Cholangioma (M8160/0) D13.4

- malignant (M8160/3) - *see Cholangiocarcinoma*

Cholangiopathy K83.9 2a 2b

Cholangiosarcoma C22.1 2a

Cholangitis (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) K83.0

- with calculus, bile duct K80.3
- - and cholecystitis K80.4
- chronic nonsuppurative destructive K74.3 2b

Cholecystectomy K82.8

Cholecystitis K81.9 2a 2b

- with

- - calculus, stones in
 - - - bile duct (common) (hepatic) K80.4
 - - - biliary (chronic) K80.1 2a
 - - - cystic duct K80.1 2a
 - - - gallbladder K80.1 2a
 - - - cholezystolithiasis (chronic) K80.1 2a
 - - - choledocholithiasis K80.4
 - - - cholelithiasis K80.1 2a
 - - acalculus K81.9 2a 2b
 - - acute K81.0
 - - with
 - - - calculus, stones in

- - - biliary K80.0
- - - cystic duct K80.0
- - - gallbladder K80.0
- - - cholezystolithiasis K80.0
- - - choledocholithiasis K80.4
- - - cholelithiasis K80.0
- - - bile duct (common) (hepatic) K80.4
- - - - and cholangitis K80.4
- - - colic
- - - - biliary K80.4
- - - - gallbladder K80.0
- calculus K80.1 2a
- chronic K81.1
- - with
- - - calculus, stones in
- - - - biliary K80.1 2a
- - - - cystic duct K80.1 2a
- - - - gallbladder K80.1 2a
- - - - cholezystolithiasis K80.1 2a
- - - - choledocholithiasis K80.4
- - - - cholelithiasis K80.1 2a
- - - - bile duct (common) (hepatic) K80.4
- - - - - and cholangitis K80.4
- - - colic
- - - - biliary K80.4
- - - - gallbladder (recurrent) K80.1 2a
- - - gallstone K80.1 2a
- - - - bile duct (common) (hepatic) K80.4
- - - - - and cholangitis K80.4
- emphysematous (acute) K81.0
- gangrenous K81.0
- specified NEC K81.8
- suppurative K81.0

Cholezystolithiasis K80.2 2a 2b

Choledochitis (suppurative) K83.0

Choledocholith K80.5

Choledocholithiasis (bile duct) (common duct) (hepatic) K80.5

- with
- - cholangitis K80.3
- - - and cholecystitis K80.4
- - cholecystitis (and cholangitis) K80.4
- - cystic K80.2 2a 2b

Cholelithiasis (biliary) (cystic duct) (gallbladder) (impacted) (multiple) K80.2 2a 2b

- with cholecystitis (chronic) K80.1 2a
- - acute K80.0
- bile duct (common) (hepatic) K80.5
- - with
- - - cholangitis K80.3
- - - - and cholecystitis (acute) (chronic) K80.4
- - - cholecystitis K80.4
- common duct (*see also* Cholelithiasis, bile duct) K80.5
- hepatic duct K80.5
- specified NEC K80.8

Cholemia (*see also* Jaundice) R17 2b

- familial (simple) (congenital) E80.4
- Gilbert's E80.4

Choleperitoneum, choleperitonitis K65.8 2b

- newborn P78.1 2b

Cholera (Asiatic) (epidemic) (malignant) A00.9

- antimonial T56.8
- classical A00.0
- due to *Vibrio cholerae* O1 A00.9
- - biovar cholerae A00.0
- - biovar eltor A00.1
- pancreatic K86.8 2b

Cholestasis NEC K83.1

- with hepatocyte injury K71.0
- pure K71.0

Cholesteatoma (ear) (middle) (mastoid) (with reaction) H71

- external ear (canal) H60.4
- postmastoidectomy cavity (recurrent) H95.0
- tympani H71

Cholesterin in vitreous (body) H43.2**Cholesterol deposit**

- retina H35.8
- vitreous (body) H43.2

Cholesterolemia (essential) (familial) (hereditary) (pure) E78.0**Cholesterosis, cholesterosis (gallbladder)** K82.4

- cerebrotendinous E75.5

Choluria R82.2**Chondritis** M94.8

- costal M94.0
- - Tietze's M94.0
- purulent M94.8
- tuberculous NEC A18.0† 2a 2b M01.1*
- - intervertebral A18.0† 2a 2b M49.0*

Chondroblastoma (M9230/0) - *see also* Neoplasm, bone, benign

- malignant (M9230/3) - *see* Neoplasm, bone, malignant

Chondrocalcinosis M11.2

- familial M11.1
- specified NEC M11.2

Chondrodermatitis nodularis chronica helicis or anthelcis H61.0**Chondrodysplasia** Q78.9

- with hemangioma Q78.4
- calcificans congenita Q77.3
- fetalis Q77.4
- metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.5 2b
- punctata Q77.3

Chondrodystrophy, chondrodystrophia (familial) (fetalis) (hypoplastic) Q78.9

- calcificans congenita Q77.3
- punctata Q77.3

Chondroectodermal dysplasia Q77.6**Chondrogenesis imperfecta** Q77.4**Chondrolysis** M94.3**Chondroma** (M9220/0) - *see also* Neoplasm, cartilage, benign

- juxtacortical (M9221/0) - *see* Neoplasm, bone, benign
- periosteal (M9221/0) - *see* Neoplasm, bone, benign

Chondromalacia M94.2

- patella, patellae M22.4
- systemic M94.2

Chondromatosis (M9220/1) - *see also* Neoplasm, cartilage, uncertain behavior

- internal Q78.4

Chondromyxosarcoma(M9220/3) - *see* Neoplasm, cartilage, malignant**Chondro-osteodysplasia (Morquio-Brailsford type)** E76.2**Chondro-osteodystrophy** E76.2**Chondro-osteoma** (M9210/0) - *see* Neoplasm, bone, benign**Chondropathia tuberosa** M94.0**Chondrosarcoma** (M9220/3) - *see also* Neoplasm, cartilage, malignant C41.9 2a 2b

- juxtacortical (M9221/3) - *see* Neoplasm, bone, malignant
- mesenchymal (M9240/3) - *see* Neoplasm, connective tissue, malignant
- myxoid (M9231/3) - *see* Neoplasm, cartilage, malignant

Chordee (nonvenereal) N48.8

- congenital Q54.4
- gonococcal A54.0

Chorditis (fibrinous) (nodosa) (tuberous) J38.2**Chordoma** (M9370/3) - *see* Neoplasm, malignant**Chorea (gravis) (spasmodic)** G25.5 2a

- with

- - heart involvement I02.0

- - active or acute (conditions in I01-) I02.0

- - rheumatic heart disease (chronic) (inactive) (quiescent) - *code to rheumatic heart condition involved*
- apoplectic I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- chronic G25.5 2a
- drug-induced G25.4
- habit F95.8
- hereditary G10 2a
- Huntington's G10 2a
- hysterical F44.4
- minor I02.9
- - with heart involvement I02.0
- posthemiplegic G25.5 2a
- progressive G25.5 2a
- - hereditary G10 2a
- rheumatic (chronic) I02.9
- - with heart involvement I02.0
- senile G25.5 2a
- Sydenham's I02.9
- - with heart involvement I02.0

Choreoathetosis (paroxysmal) G25.5 2a

Chorioadenoma (destruens) (M9100/1) D39.2

Chorioamnionitis O41.1

- fetus or newborn P02.7

Chorioangioma O02.8

- affecting fetus or newborn P02.2

Choriocarcinoma (female) (M9100/3) C58

- combined with
 - - embryonal carcinoma (M9101/3) - *see Neoplasm, malignant*
 - - other germ cell elements (M9101/3) - *see Neoplasm, malignant*
 - - teratoma (M9101/3) - *see Neoplasm, malignant*
- male C62.9
- specified site - *see Neoplasm, malignant*
- unspecified site
- - female C58
- - male C62.9

Chorioencephalitis (acute) (lymphocytic) (serous) A87.2† G05.1*

Chorioepithelioma (M9100/3) - *see Choriocarcinoma*

Choriomeningitis (acute) (lymphocytic) (serous) A87.2† G02.0*

Chorione epithelioma (M9100/3) - *see Choriocarcinoma*

Chorioretinitis H30.9 2a

- disseminated H30.1
- - in neurosyphilis A52.1† 2a 2b H32.0*
- focal (acute) (chronic) (central) (exudative) (Jensen's) H30.0
- histoplasmic B39.9† H32.0*
- in (due to)
 - - histoplasmosis B39.9† H32.0*
 - - syphilis (secondary) - *see Chorioretinitis, syphilitic*
 - - toxoplasmosis (acquired) B58.0† H32.0*
 - - - congenital (active) P37.1† H32.0*
 - - tuberculosis A18.5† H32.0*
- juxtapapillary, juxtapapillaris H30.0
- progressive myopia (degeneration) H44.2
- specified NEC H30.8
- syphilitic (secondary) A51.4† H32.0*
- - congenital (early) A50.0† 2a 2b H32.0*
- - - late A50.3† H32.0*
- - late A52.7† 2a 2b H32.0*
- tuberculous A18.5† H32.0*

Chorioretinopathy, central serous H35.7

Choroid - *see condition*

Choroideremia H31.2

Chroiditis (*see also* Chorioretinitis) H30.9 2a

- leprosus A30† 2a 2b H32.0*
- syphilitic (secondary) A51.4† H32.0*

- - congenital (early) A50.0† 2a 2b H32.0*

- - - late A50.3† H32.0*

- - late A52.7† 2a 2b H32.0*

- tuberculous A18.5† H32.0*

Choroidopathy H31.9

- degenerative H31.1

- hereditary H31.2

Choroidoretinitis - *see* Chorioretinitis

Choroidoretinopathy, central serous H35.7

Christian-Weber disease M35.6

Christmas disease D67 2a 2b

Chromaffinoma (M8700/0) - *see also* Neoplasm, benign

- malignant (M8700/3) - *see* Neoplasm, malignant

Chromatopsia H53.1

Chromhidrosis, chromidrosis L75.1

Chromoblastomycosis (*see also* Chromomycosis) B43.9

Chromomycosis B43.9

- brain abscess B43.1† G07* 2b

- cerebral B43.1† G07* 2b

- cutaneous B43.0† L99.8*

- skin B43.0† L99.8*

- specified NEC B43.8

- subcutaneous abscess or cyst B43.2† L99.8*

Chromophytosis B36.0

Chromosome - *see condition* by chromosome involved

- D(1) - *see condition*, chromosome I3

- E(3) - *see condition*, chromosome I8

- G - *see condition*, chromosome 21

- long arm I8 or 21 syndrome Q93.5

Chronic - *see condition*

Churg-Strauss syndrome M30.1

Chyle cyst, mesentery I89.8 2b

Chylocele (nonfilarial) I89.8 2b

- filarial (*see also* Filaria) B74† 2a N51.8*

- tunica vaginalis N50.8

- - filarial (*see also* Filaria) B74† 2a N51.8*

Chylopericardium I31.3

- rheumatic I09.2 2b

- - active or acute I01.0 2a 2b

Chylothorax (nonfilarial) I89.8 2b

- fetal, fetus P28.8

- filarial (*see also* Filaria) B74.9† J91* 2b

Chylous - *see condition*

Chyluria R82.0

- due to

- - *Brugia (malayi)* B74.1

- - - *timori* B74.2

- - schistosomiasis (bilharziasis) B65.0

- - *Wuchereria (bancrofti)* B74.0

- filarial (*see also* Filaria) B74.9

- nonfilarial R82.0

Cicatricial (deformity) - *see* Cicatrix

Cicatrix (adherent) (contracted) (painful) (vicious) (*see also* Scar) L90.5

- adenoid (and tonsil) J35.8

- anus K62.8

- auricle H61.1

- bile duct (common) (hepatic) K83.8

- bladder N32.8

- bone M89.8 2b

- brain G93.8 2b

- cervix (postoperative) (postpartal) N88.1

- common duct K83.8

- cornea H17.9

- - tuberculous A18.5† H19.8*

- duodenum (bulb), obstructive K31.5

- eyelid H02.5
- hypopharynx J39.2
- lacrimal passages H04.5
- larynx J38.7
- lung J98.4 2a 2b
 - - newborn P28.8
- middle ear H74.8
- mouth K13.7
- muscle M62.8
 - - with contracture M62.4
- nasopharynx J39.2
- palate (soft) K13.7
- penis N48.8
- pharynx J39.2
- prostate N42.8
- rectum K62.8
- retina H31.0
- semilunar cartilage - *see* Derangement, meniscus
- seminal vesicle N50.8
- skin L90.5
 - - infected L08.8
 - - postinfective L90.5
 - - tuberculous B90.8 2a 2b
- throat J39.2
- tongue K14.8
- tonsil (and adenoid) J35.8
- trachea J39.8
- tuberculous NEC B90.9 2a 2b
- urethra N36.8
- uterus N85.8
- vagina N89.8
 - - postoperative N99.2
- vocal cord J38.3

CIN - *see* Neoplasia, intraepithelial, cervix

Cinchonism

- correct substance properly administered H91.0
- overdose or wrong substance given or taken T37.2

Circle of Willis - *see condition*

Circular - *see condition*

Circulating anticoagulants D68.3

- following childbirth O72.3

Circulation

- collateral, any site I99 2a 2b
- defective I99 2a 2b
- - congenital Q28.9 2b
- failure (peripheral) R57.9 2a 2b
- - fetus or newborn P29.8
- persistent (fetal)
- - fetus Q28.8
- - newborn P29.3 2b
- heart, incomplete Q28.9 2b

Circulatory system - *see condition*

Circulus senilis (cornea) H18.4

Circum nuchal cord (X2) (X3) (X4) (X5) P02.5

Circumcision (in absence of medical indication) (ritual) (routine) Z41.2(243)

Circumscribed - *see condition*

Circumvallate placenta (*see also* Placenta, abnormal) O43.1

Cirrhosis, cirrhotic (hepatic) K74.6 2a 2b

- alcohol, alcoholic K70.3 2a 2b
- alcohol related K70.3 2a 2b
- atrophic - *see* Cirrhosis, liver
- Baumgarten-Cruveilhier K74.6 2a 2b
- biliary (cholangiolitic) (cholangitic) (hypertrophic) (pericholangiolitic) K74.5 2a 2b
 - - primary K74.3 2b
 - - secondary K74.4 2a 2b

- cardiac (of liver) K76.1 2a 2b
- Charcot's K74.3 2b
- cholangiolitic, cholangitic, cholestatic (primary) K74.3 2b
- congestive K76.1 2a 2b
- Cruveilhier-Baumgarten K74.6 2a 2b
- cryptogenic - *see* Cirrhosis, liver
- dietary K74.6 2a 2b
- fatty K74.6 2a 2b
- Hanot's (hypertrophic) K74.3 2b
- hypertrophic K74.3 2b
- Indian childhood K74.6 2a 2b
- kidney - *see* Sclerosis, renal
- Laennec's K70.3 2a 2b
- - alcoholic K70.3 2a 2b
- - nonalcoholic K74.6 2a 2b
- liver (chronic) (fatty) (hepatolienal) (hypertrophic) (nodular) (nonalcoholic) (splenomegalic) K74.6 2a 2b
- - alcoholic K70.3 2a 2b
- - congenital P78.8
- - syphilitic A52.7† 2a 2b K77.0*
- lung (chronic) - *see* Fibrosis, lung
- macronodular K74.6 2a 2b
- - alcoholic K70.3 2a 2b
- micronodular K74.6 2a 2b
- - alcoholic K70.3 2a 2b
- mixed type K74.6 2a 2b
- monolobular K74.3 2b
- nodular K74.6 2a 2b
- nutritional K74.6 2a 2b
- - alcoholic K70.3 2a 2b
- obstructive - *see* Cirrhosis, biliary
- pancreas (duct) K86.8 2b
- periportal K74.6 2a 2b
- Popper's florid, florid (alcoholic) K70.3 2a 2b
- portal K74.6 2a 2b
- - alcoholic K70.3 2a 2b
- posthepatitic K74.6 2a 2b
- postnecrotic K74.6 2a 2b
- - alcoholic K70.3 2a 2b
- pulmonary - *see* Fibrosis, lung
- septal K74.6 2a 2b
- stasis K76.1 2a 2b
- steatohepatitis K74.6 2a 2b
- Todd's K74.3 2b
- trabecular K74.6 2a 2b
- unilobar K74.3 2b

Citrullinemia E72.2

Citrullinuria E72.2

Civatte's disease or poikiloderma L57.3 2b

Clammy skin R23.1

Clap - *see* Gonorrhea

Clastothrix L67.8

Claude Bernard-Horner syndrome G90.2

- traumatic S14.5

Claude's disease or syndrome I63.5† 2a 2b G46.3*

- bilateral (multiple) I63.50 2a 2b

- multiple (bilateral) I63.50 2a 2b

Claudication, intermittent I73.9 2a 2b

- cauda equina G95.1 2b

- cerebral (artery) G45.9 2b

- spinal cord (arteriosclerotic) G95.1 2b

- syphilitic A52.0† 2b I79.8*

- venous (axillary) I87.8 2b

Claustrophobia F40.2

Clavus (infected) L84

Clawfoot (congenital) Q66.8

- acquired M21.5

Clawhand (acquired) M21.5

- congenital Q68.1

Clawtoe (congenital) Q66.8

- acquired M20.5

Cleansing of artificial opening - *see* Attention, artificial, opening

Cleft (congenital) - *see also* Imperfect,closure

- alveolar process K08.8 2a 2b

- branchial (cyst) (persistent) Q18.2

- cricoid cartilage, posterior Q31.8

- facial Q18.9

- lip (unilateral) Q36.9

- - with cleft palate Q37.9

- - - hard Q37.1

- - - - and soft Q37.5

- - - soft Q37.3

- - bilateral Q36.0

- - - with cleft palate Q37.8

- - - - hard Q37.0

- - - - - and soft Q37.4

- - - - soft Q37.2

- - median Q36.1

- nose Q30.2

- palate Q35.9

- - with cleft lip (unilateral) Q37.9

- - - bilateral Q37.8

- - hard Q35.1

- - - with cleft

- - - - lip (unilateral) Q37.1

- - - - - bilateral Q37.0

- - - - soft palate Q35.5

- - - - - with cleft lip (unilateral) Q37.5

- - - - - bilateral Q37.4

- - medial Q35.5

- - soft Q35.3

- - - with cleft

- - - - hard palate Q35.5

- - - - - with cleft lip (unilateral) Q37.5

- - - - - bilateral Q37.4

- - - - lip (unilateral) Q37.3

- - - - - bilateral Q37.2

- penis Q55.6

- scrotum Q55.2

- thyroid cartilage Q31.8

- uvula Q35.7

Cleidocranial dysostosis Q74.0

Cleidotomy, fetus or newborn P03.8

- to facilitate delivery O75.9 2a 2b

Clenched fist, fetus Q74.0

Clicking hip (newborn) R29.4

Climacteric (*see also* Menopause) N95.1

- arthritis (any site) NEC M13.8 2b

- depression (single episode) F32.8

- disease (female) N95.1

- male (symptoms) (syndrome) NEC N50.8

- paranoid state F22.8

- polyarthritis NEC M13.8 2b

- symptoms (female) N95.1

Clinical research investigation (control subject) Z00.6(244)

Clitoris - *see* condition

Cloaca (persistent) Q43.7

Clonorchiensis, clonorchis infection B66.1

- liver B66.1† K77.0*

Clonus R25.8 2b

Clostridium perfringens - *see* Infection,

Clostridium, perfringens**Closure**

- cranial sutures, premature Q75.0
- defective or imperfect NEC - *see* Imperfect, closure
- fistula, delayed - *see* Fistula
- foramen ovale, imperfect Q21.1 2b
- hymen N89.6
- interauricular septum, defective Q21.1 2b
- interventricular septum, defective Q21.0 2b
- lacrimal duct H04.5
- - congenital Q10.5
- nose, congenital Q30.0
- of artificial opening - *see* Attention, artificial, opening
- vagina N89.5
- valve - *see* Endocarditis
- vulva N90.5

Clot (blood) (*see also* Embolism) I74.9 2a 2b

- artery (obstruction) (occlusion) (*see also* Embolism) I74.9 2a 2b
- bladder N32.8
- brain (intradural or extradural) (*see also* Occlusion, artery, cerebral) I63.5 2a 2b
 - - bilateral (multiple) I63.50 2a 2b
 - - multiple (bilateral) I63.50 2a 2b
- cerebral artery I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- circulation I74.9 2a 2b
- coronary (*see also* Infarct, myocardium) I21.9 2a 2b
- - not resulting in infarction I21.9 2a 2b
- placenta P02.2
- umbilical cord P02.6
- vascular I74.9 2a 2b
- vein (*see also* Thrombosis) I82.9 2a 2b

Clotting

- disseminated
- - intravascular D65 2b
- - - newborn P60

Clouded state R40.1 2b

- epileptic G40.8
- paroxysmal G40.8

Cloudy antrum, antra J32.0**Clouston's (hidrotic) ectodermal dysplasia** Q82.8 2b**Clubbed nail pachydermoperiostosis** M89.4† 2a 2b L62.0***Clubbing of finger(s) (nails)** R68.3**Clubfinger** R68.3

- congenital Q68.1

Clubfoot (congenital) Q66.8

- acquired M21.5
- paralytic M21.5

Clubhand (congenital) (radial) Q71.4

- acquired M21.5

Clubnail R68.3

- congenital Q84.6

Clump, kidney Q63.1**Clumsiness, clumsy child syndrome** F82**Cluttering** F98.6**Clutton's joints** A50.5† M03.1***Coagulation**

- intravascular (diffuse) (disseminated) (*see also* Defibrillation) D65 2b
 - - fetus or newborn P60
 - umbilical cord P02.6

Coagulopathy (*see also* Defect, coagulation) D68.9 2b

- consumption D65 2b
 - - newborn P60
- disseminated D65 2b
 - - newborn P60

- intravascular D68.9 2b
- - diffuse D65 2b
- - - newborn P60
- - disseminated D65 2b
- - - newborn P60

Coalminer's

- elbow M70.2
- lung or pneumoconiosis J60 2a 2b

Coalition

- calcaneo-scaphoid Q66.8
- tarsal Q66.8

Coalworker's lung or pneumoconiosis J60 2a 2b**Coarctation of aorta (preductal) (postductal)** Q25.1**Coated tongue** K14.3**Coats' disease (exudative retinopathy)** H35.0 2a**Cocainism** F14.2 2b**Coccidioidomycosis, coccidioidosis** B38.9

- cutaneous B38.3† L99.8*
- disseminated B38.7
- generalized B38.7
- meninges B38.4† 2b G02.1*
- prostate B38.8† N51.0*
- pulmonary B38.2† J17.2*
- - acute B38.0† J17.2*
- - chronic B38.1† J17.2*
- skin B38.3† L99.8*
- specified NEC B38.8

Coccidiosis (intestinal) A07.3**Coccydynia, coccygodynia** M53.3

Coccyx - *see condition*

Cockayne's syndrome Q87.1 2a**Cocked up toe** M20.5**Cock's peculiar tumor** L72.1**Codman's tumor** (M9230/0) - *see Neoplasm, bone, benign***Coenurosis** B71.8**Coffee-worker's lung** J67.8**Cogan's syndrome** H16.3

- oculomotor apraxia H51.8

Coitus, painful (female) N94.1

- male N48.8
- psychogenic F52.6

Cold J00 2a 2b

- with influenza, flu, or gripe (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- agglutinin disease or hemoglobinuria D59.1
- bronchial or chest - *see* Bronchitis
- common (head) J00 2a 2b
- effects of T69.9 2b
- - specified NEC T69.8
- excessive, effects of T69.9 2b
- - specified NEC T69.8
- exhaustion from T69.8
- exposure to T69.9 2b
- - specified effect NEC T69.8
- injury syndrome (newborn) P80.0
- sensitivity, auto-immune D59.1
- virus J00 2a 2b

Cold sore B00.1**Colibacillosis NEC** A49.8

- generalized A41.5
- - newborn P36.8

Colic (recurrent) R10.4 2b

- abdomen R10.4 2b
- - psychogenic F45.3 2b
- appendix, appendicular K38.8
- bile duct (*see also* Choledocholithiasis) K80.5

- biliary K80.5
- bilious R10.4 2b
- common duct K80.5
- cystic duct (*see also* Cholelithiasis) K80.2 2a 2b
- Devonshire NEC T56.0
- flatulent R14
- gallbladder K80.2 2a 2b
- - with
 - - - cholecystitis (chronic) K80.1 2a
 - - - acute K80.0
- gallstone K80.2 2a 2b
- - gallbladder or cystic duct (*see also* Cholelithiasis) K80.2 2a 2b
- hepatic (duct) (*see also* Choledocholithiasis) K80.5
- hysterical F45.3 2b
- infantile R10.4 2b
- intestinal R10.4 2b
- kidney N23
- lead NEC T56.0
- nephritic N23
- painter's NEC T56.0
- psychogenic F45.3 2b
- renal N23
- saturnine NEC T56.0
- spasmodic R10.4 2b
- ureter N23
- urethral N36.8
- - due to calculus N21.1
- uterus NEC N94.8 2b
- - menstrual (*see also* Dysmenorrhea) N94.6 2b

Colicystitis (*see also* Cystitis) N30.8 2a 2b

Colitis (acute) (catarrhal) (hemorrhagic) (*see also* Diarrhea, Enteritis, Enterocolitis, Gastroenteritis) A09.9 2a 2b

- allergic K52.2
- amebic (acute) (*see also* Amebiasis) A06.0
- - nondysenteric A06.2
- anthrax A22.2
- bacillary (*see also* Infection, *Shigella*) A03.9
- balantidial A07.0
- chronic (noninfectious) K52.9 2a 2b
- coccidial A07.3
- collagenous K52.8
- *Cryptosporidium* A07.2
- cystica superficialis K52.8
- cytomegalic, cytomegalovirus B25.8 2b
- dietary counseling and surveillance (for) Z71.3(245)
- dietetic K52.2
- due to radiation K52.0 2b
- food hypersensitivity K52.2
- giardial A07.1
- granulomatous K50.1
- hemi-, left K51.5
- indeterminate K52.3
- infectious (*see also* Enteritis, infectious) A09.0 2a 2b
- - due to Clostridium difficile A04.7
- ischemic K55.9 2b
- - acute (fulminant) (subacute) K55.0 2a 2b
- - chronic K55.1
- - fulminant (acute) K55.0 2a 2b
- left sided K51.5
- lymphocytic K52.8
- microscopic K52.8
- noninfectious K52.9 2a 2b
- - specified NEC K52.8
- pan-, ulcerative (chronic) K51.0
- polyposa K51.4
- protozoal A07.9

- pseudomembranous A04.7
- regional K50.1
- septic (*see also* Enteritis, infectious) A09.0 2a 2b
- spastic K58.9
 - - with diarrhea K58.0
- toxic NEC K52.1 2b
 - - due to Clostridium difficile A04.7
- trichomonal A07.8 2b
- tuberculous (ulcerative) A18.3† K93.0*
- ulcerative (chronic) K51.9 2a 2b
 - - specified NEC K51.8

Collagenosis, collagen disease (nonvascular) (vascular) M35.9 2a 2b

- cardiovascular I42.8 2a 2b
 - - familial I42.80 2a 2b
 - - idiopathic I42.80 2a 2b
 - - primary I42.80 2a 2b
- reactive perforating L87.1
- specified NEC M35.8 2b

Collapse R55

- adrenal E27.2
- cardiocirculatory R57.9 2a 2b
 - - newborn P29.8
 - - cardiopulmonary R57.0 2b
 - - newborn P29.8
 - - cardiorenal I13.2 2a
 - - cardiorespiratory R57.0 2b
 - - newborn P29.8
 - - cardiovascular R57.9 2a 2b
 - - newborn P29.8
 - - central nervous system (CNS) G96.8
 - - cerebrovascular I64 2a 2b
 - - bilateral (multiple) I64.00 2a 2b
 - - multiple (bilateral) I64.00 2a 2b
 - - chest - *see* Pneumothorax
 - - circulatory (peripheral) R57.9 2a 2b
 - - during or after labor and delivery O75.1
 - - fetus or newborn P29.8
 - - following
 - - - abortion (subsequent episode) O08.3 2b
 - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy O08.3 2b
 - - pressure due to anesthesia (general) (local) or other sedation T88.2 2b
 - - - during labor and delivery O74.1
 - - - in pregnancy O29.0
 - - - postpartum, puerperal O89.0
 - - myocardial - *see* Disease, heart
 - - nervous F48.8
 - - neurocirculatory F45.3 2b
 - - nose M95.0
 - - nutritional E63.9 2a 2b
 - - pituitary E23.6
 - - postoperative (any R57-) (cardiovascular) T81.1 2b
 - - pulmonary (*see also* Atelectasis) J98.1 2b
 - - renal (*see also* Failure, renal) N19 2a 2b

- respiratory R09.8 2b
- - newborn P28.8
- thorax - *see* Pneumothorax
- trachea J39.8
- tracheobronchial J98.0
- valvular - *see* Endocarditis
- vascular (peripheral) R57.9 2a 2b
- - cerebral I64 2a 2b
 - - - bilateral (multiple) I64.00 2a 2b
 - - - multiple (bilateral) I64.00 2a 2b
- - during or after labor and delivery O75.1
- - - affecting fetus or newborn P03.8
- - fetus or newborn P29.8
- vertebra NEC M48.5
- - in (due to)
 - - - metastasis (M8000/6) C79.5† 2a 2b M49.5*
 - - - osteoporosis (*see also* Osteoporosis) M80.9 2a

Colles' fracture S52.5

Collet(-Sicard) syndrome G52.7

Collier's asthma or lung J60 2a 2b

Collodion baby Q80.2

Colloid nodule (cystic) (of thyroid) E04.1

Coloboma Q13.0

- eyelid Q10.3
- fundus Q14.8
- iris Q13.0
- lens Q12.2
- optic disk Q14.2

Coloenteritis - *see* Enteritis

Colon - *see condition*

Coloptosis K63.4

Color blindness H53.5

Colostomy

- attention to Z43.3(246)
- fitting or adjustment Z46.5(247)
- malfunctioning K91.4
- status Z93.3(248)

Colpitis (acute) (*see also* Vaginitis) N76.0

Colpocele N81.1

Colpocystitis (*see also* Vaginitis) N76.0

Column, spinal, vertebral - *see condition*

Coma R40.2 2a 2b

- apoplectic I64 2a 2b
- - bilateral (multiple) I64.00 2a 2b
- - multiple (bilateral) I64.00 2a 2b
- diabetic (with ketoacidosis) (hyperosmolar) - *code to* E10-E14 with fourth character .0 E14.0 2b
- eclamptic (*see also* Eclampsia) R56.8 2b
- epileptic G40.8
- hepatic (*see also* Failure, hepatic) K72.9 2a 2b
- hyperglycemic (diabetic) E14.0 2b
- hyperosmolar (diabetic) E14.0 2b
- hypoglycemic (nondiabetic) E15 2a 2b
 - - diabetic - *code to* E10-E14 with fourth character .0 E14.0 2b
 - - insulin - *code to* E10-E14 with fourth character .0 E14.0 2b
 - - drug-induced - *code to* E10-E14 with fourth character .0 E14.0 2b
- - - in nondiabetic E15 2a 2b
- - in nondiabetic (drug-induced) E15 2a 2b
- kidney - *see* Coma, uremic
- Kussmaul's - *code to* E10-E14 with fourth character .0 E14.0 2b
- myxedematous E03.5
- newborn P91.5
- prolonged, due to intracranial injury S06.7
- renal - *see* Coma, uremic
- uremic (*see also* Uremia) N19 2a 2b

Comatose R40.2 2a 2b

Combat fatigue F43.0**Combined** - *see condition***Comedo, comedones (giant)** L70.0**Comedocarcinoma** (M8501/3) - *see also* Neoplasm, breast, malignant

- noninfiltrating (M8501/2)

- - breast D05.7

- - specified site - *see* Neoplasm, in situ

- - unspecified site D05.7

Comedomastitis N60.4**Comminuted fracture** - *code as* Fracture,closed**Common**

- arterial trunk Q20.0

- atrioventricular canal Q21.2 2b

- atrium Q21.1 2b

- truncus (arteriosus) Q20.0

- variable immunodeficiency - *see* Immunodeficiency, common variable

- ventricle Q20.4 2b

Commotio, commotion (current)

- brain S06.0 2b

- cerebri S06.0 2b

- cordis S29.9 2a 2b

- retinae S05.8

- spinal cord - *see* Injury, spinal cord, by region- spinalis - *see* Injury, spinal cord, by region**Communication**

- between

- - base of aorta and pulmonary artery Q21.4

- - left ventricle and right atrium Q20.5

- - pericardial sac and pleural sac Q34.8

- - pulmonary artery and pulmonary vein, congenital Q25.7

- - uterus and digestive or urinary tract, congenital Q51.7

Compensation- failure - *see* Disease, heart

- neurosis, psychoneurosis F68.0

Complaint - *see also* Disease

- bowel, functional K59.9

- - psychogenic F45.3 2b

- intestine, functional K59.9

- - psychogenic F45.3 2b

- kidney (*see also* Disease, kidney) N28.9 2a 2b**Complete** - *see condition***Complex**

- Addison-Schilder E71.3 2b

- cardiorenal (*see also* Hypertension, cardiorenal) I13.9 2a 2b

- Costen's K07.6

- Eisenmenger I27.8

- hypersexual F52.7

- jumped process, spine - *see* Dislocation, vertebra

- limb body wall (LBWC) Q89.7 2a 2b

- primary, tuberculous A16.7 2a 2b

- Schilder-Addison E71.3 2b

- Shone Q24.8 2b

- subluxation (vertebral) M99.1

- Taussig-Bing Q20.1

Complications (from) (of)

- accidental puncture or laceration during procedure T81.2 2a 2b

- amputation stump (late) (surgical) T87.6

- - infection or inflammation T87.4 2b

- - necrosis T87.5

- - neuroma T87.3

- - specified NEC T87.6

- anastomosis (and bypass) NEC T85.9

- - infection or inflammation NEC T85.7

- - intestinal tract (internal) (of) NEC T85.9

- - - with intestinal tract complications - *see* K91-

- - - with urinary tract complications - *see* N99-
- - urinary tract (involving intestinal tract) (of) T83.9
- - - with intestinal tract complications - *see* K91-
- - - with urinary tract complications - *see* N99-
- - vascular T82.9
 - - - infection or inflammation T82.7
 - - - mechanical T82.3
 - - - specified NEC T82.8 2b
- - anesthesia, anesthetic NEC (*see also* Anesthesia, complication or reaction NEC) T88.5 2b
- - brain, postpartum, puerperal O89.2
- - cardiac
 - - - in labor and delivery O74.2 2b
 - - - in pregnancy O29.1
- - postpartum, puerperal O89.1
- - central nervous system
 - - - in labor and delivery O74.3
 - - - in pregnancy O29.2
- - postpartum, puerperal O89.2
- - difficult or failed intubation T88.4
- - hyperthermia, malignant T88.3
- - hypothermia NEC T88.5 2b
- - in
 - - - abortion - *see* Abortion
 - - - labor and delivery O74.9 2b
 - - - - specified NEC O74.8 2b
 - - - postpartum, puerperal O89.9
 - - - - specified NEC O89.8
 - - - pregnancy O29.9
 - - - - specified NEC O29.8
- - malignant hyperthermia T88.3
- - pulmonary NEC
 - - - in labor and delivery O74.1
 - - - in pregnancy O29.0
- - postpartum, puerperal O89.0
- - shock T88.2 2b
- - spinal and epidural
 - - - in labor and delivery NEC O74.6
 - - - - headache O74.5
 - - - in pregnancy NEC O29.5
 - - - - headache O29.4
 - - - postpartum, puerperal NEC O89.5
 - - - - headache O89.4
- aortic (bifurcation) graft - *see* Complications, graft, arterial
- aortocoronary (bypass) graft - *see* Complications, coronary artery (bypass) graft
- aortofemoral (bypass) graft - *see* Complications, graft, arterial
- arteriovenous fistula or shunt, surgically created T82.9
- - infection or inflammation T82.7
- - mechanical T82.5
- - specified NEC T82.8 2b
- - arthroplasty T84.9
- - mechanical T84.0
- - specified NEC T84.8
- - artificial
 - - - fertilization or insemination N98.9
 - - - attempted introduction (of)
 - - - - embryo in embryo transfer N98.3
 - - - - ovum following *in vitro* fertilization N98.2
 - - - hyperstimulation of ovaries N98.1
 - - - infection N98.0 2b
 - - - specified NEC N98.8
- - heart T82.9
 - - - infection or inflammation T82.7
 - - - mechanical T82.5
 - - - specified NEC T82.8 2b
- - balloon implant or device

- - gastrointestinal T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.5
- - - specified NEC T85.8 2b
- - vascular (counterpulsation) T82.9
- - - infection or inflammation T82.7
- - - mechanical T82.5
- - - specified NEC T82.8 2b
- bile duct implant (prosthetic) T85.9
- - infection or inflammation T85.7
- - mechanical T85.5
- - specified NEC T85.8 2b
- bladder device (auxiliary) T83.9
- - infection or inflammation T83.5 2b
- - mechanical T83.1
- - specified NEC T83.8 2b
- bone
 - - graft T84.9
 - - - infection or inflammation T84.7
 - - - mechanical T84.3
 - - - specified NEC T84.8
- - growth stimulator (electrode) T84.9
- - - infection or inflammation T84.7
- - - mechanical T84.3
- - - specified NEC T84.8
- brain neurostimulator (electrode) T85.9
- - infection or inflammation T85.7
- - mechanical T85.1
- - specified NEC T85.8 2b
- breast implant (prosthetic) T85.9
- - infection or inflammation T85.7
- - mechanical T85.4
- - specified NEC T85.8 2b
- bypass (*see also* Complications, graft) T85.9
- - aortocoronary - *see* Complications, coronary artery (bypass) graft
- - arterial NEC - *see* Complications, graft, arterial
- cardiac (*see also* Disease, heart) I51.9 2a 2b
- - device, implant or graft T82.9
- - - infection or inflammation T82.7
- - - mechanical T82.5
- - - pacemaker (electrode) (pulse generator) T82.9
- - - - infection or inflammation T82.7
- - - - mechanical T82.1
- - - - specified NEC T82.8 2b
- - - specified NEC T82.8 2b
- - valve graft T82.9
- - - - infection or inflammation T82.7
- - - - mechanical T82.2
- - - - specified NEC T82.8 2b
- - - valve prosthesis T82.9
- - - - infection or inflammation T82.6
- - - - mechanical T82.0
- - - - specified NEC T82.8 2b
- - pacemaker (electrode) (pulse generator) T82.9
- - - infection or inflammation T82.7
- - - mechanical T82.1
- - - specified NEC T82.8 2b
- - postoperative I97.9
- - - specified NEC I97.8 2b
- - valve
 - - - graft T82.9
 - - - - infection or inflammation T82.7
 - - - - mechanical T82.2
 - - - - specified NEC T82.8 2b
- - - prosthesis T82.9

- - - infection or inflammation T82.6
- - - mechanical T82.0
- - - specified NEC T82.8 2b
- cardiorenal I13.2 2a
- carotid artery (bypass) graft - *see Complications, graft, arterial*
- catheter (device) NEC T83.9
- - cardiac - *see Complications, cardiac, device, implant or graft*
- - cystostomy - *see Complications, catheter, urinary*
- - infection or inflammation T83.5 2b
- - mechanical T83.0
- - specified NEC T83.8 2b
- - urethral, indwelling - *see Complications, catheter, urinary*
- - urinary (indwelling) T83.9
- - - infection or inflammation T83.5 2b
- - - mechanical T83.0
- - - specified NEC T83.8 2b
- - - urethral stricture N99.1 2b
- - vascular - *see Complications, vascular, device, implant or graft*
- cecostomy, malfunction (stoma) K91.4
- cesarean section wound NEC O90.8 2b
- - disruption O90.0
- - hematoma O90.2
- - infection (following delivery) O86.0
- chin implant (prosthetic) T85.9
- - infection or inflammation T85.7
- - mechanical T85.6
- - specified NEC T85.8 2b
- circulatory I99 2a 2b
- - postoperative I97.9
- - - specified NEC I97.8 2b
- colostomy, malfunction (stoma) K91.4
- contraceptive device, intrauterine T83.9
- - infection or inflammation T83.6
- - mechanical T83.3 2b
- - specified NEC T83.8 2b
- cord (umbilical) - *see Complications, umbilical cord NEC*
- corneal graft T85.9
- - infection or inflammation T85.7
- - mechanical T85.3
- - specified NEC T85.8 2b
- coronary artery (bypass) graft T82.9
- - infection or inflammation T82.7
- - mechanical T82.2
- - specified NEC T82.8 2b
- counterpulsation device (balloon), intra-aortic T82.9
- - infection or inflammation T82.7
- - mechanical T82.5
- - specified NEC T82.8 2b
- cystostomy, malfunction (stoma) N99.5
- - catheter - *see Complications, catheter, urinary*
- delivery (*see also* Complications, obstetric) O75.9 2a 2b
- - procedure (instrumental) (manual) (surgical) O75.4 2b
- - specified NEC O75.8
- device NEC T85.8 2b
- dialysis (renal) (*see also* Complications, infusion) T80.9
- - catheter (vascular) T82.9
- - - infection or inflammation T82.7
- - - mechanical T82.4
- - - peritoneal, intraperitoneal - *see Complications, catheter*
- - - specified NEC T82.8 2b
- ear H93.9
- - postoperative H95.9
- - - specified NEC H95.8
- electronic stimulator device (electrode(s)) (pulse generator)
- - bladder (urinary) T83.9

- - - infection or inflammation T83.5 2b
- - - mechanical T83.1
- - - specified NEC T83.8 2b
- - bone T84.9
- - - infection or inflammation T84.7
- - - mechanical T84.3
- - - specified NEC T84.8
- - cardiac (defibrillator) (pacemaker) T82.9
- - - infection or inflammation T82.7
- - - mechanical T82.1
- - - specified NEC T82.8 2b
- - muscle T84.9
- - - infection or inflammation T84.7
- - - mechanical T84.4
- - - specified NEC T84.8
- - nervous system (brain) (peripheral nerve) (spinal cord) T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.1
- - - specified NEC T85.8 2b
- electroshock therapy T88.9 2b
- - specified NEC T88.8
- endocrine E34.9 2b
- - postoperative E89.9
- - - specified NEC E89.8 2b
- enterostomy, malfunction (stoma) K91.4
- episiotomy, disruption O90.1
- esophageal anti-reflux device T85.9
- - infection or inflammation T85.7
- - mechanical T85.5
- - - specified NEC T85.8 2b
- extracorporeal circulation T80.9
- eye H57.9 2b
- - implant (prosthetic) T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.3
- - - - intraocular lens T85.2
- - - specified NEC T85.8 2b
- - postoperative H59.9
- - - specified NEC H59.8
- female genital N94.9
- - device, implant or graft T83.9
- - - infection or inflammation T83.6
- - - mechanical T83.4
- - - - intrauterine contraceptive device T83.3 2b
- - - specified NEC T83.8 2b
- femoral artery (bypass) graft - *see* Complications, graft, arterial NEC
- fixation device, internal (orthopedic) T84.9
- - infection or inflammation T84.6
- - mechanical T84.2
- - - bones of limb T84.1
- - specified NEC T84.8
- following
- - abortion O08.9
- - - specified NEC O08.8 2b
- - acute myocardial infarction NEC I21.9 2a 2b
- - ectopic or molar pregnancy O08.9
- - - specified NEC O08.8 2b
- gastrointestinal K92.9 2a 2b
- - postoperative (*see also* Complications, by type and site) K91.9
- - - specified NEC K91.8 2a 2b
- - - - gastrostomy malfunction (stoma) K91.8 2a 2b
- genitourinary, postprocedural N99.9
- - specified NEC N99.8 2b
- - graft (bypass) (patch) (*see also* Complications, anastomosis) T85.9
- - arterial T82.9

- - - infection or inflammation T82.7
- - - mechanical T82.3
- - - specified NEC T82.8 2b
- - bone T84.9
- - - infection or inflammation T84.7
- - - marrow NEC T86.0
- - - mechanical T84.3
- - - specified NEC T84.8
- - carotid artery - *see* Complications, graft, arterial
- - cornea T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.3
- - - specified NEC T85.8 2b
- - coronary (artery) T82.9
- - - infection or inflammation T82.7
- - - mechanical T82.2
- - - specified NEC T82.8 2b
- - femoral artery (bypass) - *see* Complications, graft, arterial
- - genital organ or tract T83.9
- - - infection or inflammation T83.6
- - - mechanical T83.4
- - - specified NEC T83.8 2b
- - intestinal tract (internal) (of) NEC T85.9
- - - with intestinal tract complications - *see* K91-
- - - with urinary tract complications - *see* N99-
- - - infection or inflammation T85.7
- - - mechanical T85.5
- - - specified NEC T85.8 2b
- - muscle T84.9
- - - infection or inflammation T84.7
- - - mechanical T84.4
- - - specified NEC T84.8
- - nerve T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.6
- - - specified NEC T85.8 2b
- - organ (immune or nonimmune cause) (partial) (total) - *see* Complications, organ or tissue transplant
- - skin (failure) (infection) (rejection) T86.8
- - specified NEC T85.8 2b
- - tendon T84.9
- - - infection or inflammation T84.7
- - - mechanical T84.4
- - - specified NEC T84.8
- - urinary organ (of) T83.9
- - - with intestinal tract complications - *see* K91-
- - - with urinary tract complications - *see* N99-
- - - infection or inflammation T83.5 2b
- - - mechanical T83.2
- - - specified NEC T83.8 2b
- - vascular - *see* Complications, graft, arterial NEC
- heart (*see also* Disease, heart) I51.9 2a 2b
- - postoperative I97.9
- - - specified NEC I97.8 2b
- - transplant, failure or rejection (immune or nonimmune cause) T86.2
- - - and lung(s) T86.3
- - valve
- - - graft T82.9
- - - - infection or inflammation T82.7
- - - - mechanical T82.2
- - - - specified NEC T82.8 2b
- - - prosthesis T82.9
- - - - infection or inflammation T82.6
- - - - mechanical T82.0
- - - - specified NEC T82.8 2b
- hemodialysis - *see* Complications, dialysis

- ileostomy, malfunction (stoma) K91.4
- immunization (procedure) - *see Complications, vaccination*
- implant NEC - *see Complications, by site and type*
- infusion (procedure) NEC T80.9
 - - blood - *see Complications, transfusion*
 - - catheter T82.9
 - - - infection or inflammation T82.7
 - - - mechanical T82.5
 - - - specified NEC T82.8 2b
 - - infection NEC T80.2
 - - pump - *see Complications, infusion, catheter*
 - - sepsis NEC T80.2
 - - specified T80.8
- inhalation therapy NEC T81.8 2a 2b
- injection (procedure) T80.9
 - - drug reaction (*see also Reaction, drug*) T88.7 2a 2b
 - - infection NEC T80.2
 - - sepsis NEC T80.2
 - - serum (prophylactic) (therapeutic) - *see Complications, vaccination*
 - - specified T80.8
 - - vaccine (any) - *see Complications, vaccination*
- inoculation (any) (*see also Complications, vaccination*) T80.9
- internal device (catheter) (electronic) (fixation) (prosthetic) NEC - *see Complications, by site and type*
- intraocular lens (prosthetic) T85.9
 - - infection or inflammation T85.7
 - - mechanical T85.2
 - - specified NEC T85.8 2b
- intraperitoneal catheter (dialysis) (infusion) T85.9
 - - infection or inflammation T85.7
 - - mechanical T85.6
 - - specified NEC T85.8 2b
- intrauterine
 - - contraceptive device T83.9
 - - - infection or inflammation T83.6
 - - - mechanical T83.3 2b
 - - - specified NEC T83.8 2b
- - procedure NEC, affecting fetus or newborn P96.5
- jejunostomy, malfunction (stoma) K91.4
- joint prosthesis, internal (any site) T84.9
 - - infection or inflammation T84.5
 - - mechanical T84.0
 - - specified NEC T84.8
- kidney transplant (failure or rejection) (immune or nonimmune cause) T86.1
- labor O75.9 2a 2b
 - - specified NEC O75.8
- line (central) (venous) - *see Complications, vascular, device, implant or graft*
- liver transplant (failure or rejection) (immune or nonimmune cause) T86.4
- lumbar puncture G97.1
 - - cerebrospinal fluid leak G97.0
 - - headache or reaction G97.1
- lung transplant (failure or rejection) (immune or nonimmune cause) T86.8
 - - and heart T86.3
- male genital N50.9
 - - device, implant or graft T83.9
 - - - infection or inflammation T83.6
 - - - mechanical T83.4
 - - - specified NEC T83.8 2b
- - postprocedural or postoperative N99.9
 - - - specified NEC N99.8 2b
- mastoid (process) (postprocedural) H95.9
 - - specified NEC H95.8
- mastoidectomy cavity NEC H95.1
- medical care T88.9 2b
 - - specified NEC T88.8
- medical procedure T81.9

- - cardiac T81.8 2a 2b
- - - postprocedural (functional) (late) I97.9
- - - - specified NEC I97.8 2b
- - circulatory T81.7 2b
- - - postprocedural (functional) (late) I97.9
- - - - specified NEC I97.8 2b
- - digestive system K91.9
- - - specified NEC K91.8 2a 2b
- - ear H95.9
- - - specified NEC H95.8
- - eye H59.9
- - - specified NEC H59.8
- - gastrointestinal K91.9
- - - specified NEC K91.8 2a 2b
- - genitourinary N99.9
- - - specified NEC N99.8 2b
- - mastoidectomy cavity NEC H95.1
- - musculoskeletal M96.9
- - - specified NEC M96.8
- - nervous system (central) (peripheral) G97.9
- - - specified NEC G97.8 2b
- - peripheral vascular T81.7 2b
- - respiratory J95.9
- - - specified NEC J95.8 2b
- - specified NEC T81.8 2a 2b
- - urethral stricture N99.1 2b
- - vascular T81.7 2b
- - - postprocedural (functional) (late) I97.8 2b
- metabolic E88.9
- - postoperative E89.9
- - - specified NEC E89.8 2b
- - musculoskeletal M79.9
- - postprocedural M96.9
- - - specified NEC M96.8
- nephrostomy, malfunction (stoma) N99.5
- nervous system G98 2a 2b
- - central G96.9
- - device, implant or graft T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.6
- - - specified NEC T85.8 2b
- - electronic stimulator (electrode(s)) T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.1
- - - specified NEC T85.8 2b
- - postprocedural G97.9
- - - specified NEC G97.8 2b
- - neurostimulator T85.9
- - infection or inflammation T85.7
- - mechanical T85.1
- - specified NEC T85.8 2b
- - nonabsorbable (permanent) sutures NEC T85.9
- - in bone repair NEC - *see* Complications, fixation device, internal
- - obstetric O75.9 2a 2b
- - procedure (instrumental) (manual) (surgical) specified NEC O75.4 2b
- - specified NEC O75.8
- - surgical wound NEC O90.8 2b
- - - hematoma O90.2
- - - infection O86.0
- - organ or tissue transplant (failure or rejection) (immune or nonimmune cause) (partial) (total) T86.9
- - bone T86.8
- - bone marrow T86.0
- - cord blood T86.8
- - heart T86.2
- - - and lung(s) T86.3

- - intestine T86.8
- - kidney T86.1
- - liver T86.4
- - lung(s) T86.8
 - - - and heart T86.3
- - pancreas T86.8
- - skin (allograft) (autograft) T86.8
- - specified NEC T86.8
- - stem cell T86.8
- orthopedic M79.9
- - device, implant or graft T84.9
- - - infection or inflammation T84.7
- - - mechanical T84.3
- - - specified NEC T84.8
- - fracture (following insertion of implant, joint prosthesis, bone plate) M96.6
- - internal fixation (nail) (plate) (rod) T84.9
- - - infection or inflammation NEC T84.6
- - - mechanical NEC T84.2
 - - - - bones of limb T84.1
- - - specified NEC T84.8
- - joint prosthesis T84.9
 - - - infection or inflammation T84.5
- - - mechanical T84.0
- - - specified NEC T84.8
- pacemaker (cardiac) (electrode(s)) (pulse generator) T82.9
- - infection or inflammation T82.7
- - mechanical T82.1
- - specified NEC T82.8 2b
- pancreas transplant (failure or rejection) (immune or nonimmune cause) T86.8
- penile prosthesis (implant) T83.9
- - infection or inflammation T83.6
- - mechanical T83.4
- - specified NEC T83.8 2b
- perfusion NEC T80.9
- perineal repair (obstetrical) NEC O90.8 2b
- - disruption O90.1
- - hematoma O90.2
- - infection (following delivery) O86.0
- peripheral nerve device, implant or graft T85.9
- - electronic stimulator T85.9
 - - - infection or inflammation T85.7
- - - mechanical T85.1
- - - specified NEC T85.8 2b
- - - infection or inflammation NEC T85.7
- - mechanical NEC T85.6
- - specified NEC T85.8 2b
- phototherapy T88.9 2b
- - specified NEC T88.8
- postmastoidectomy NEC H95.1
- - recurrent cholesteatoma H95.0
- postoperative (*see also* Complications, surgical procedure) T81.9
- - specified NEC T81.8 2a 2b
 - postprocedural
 - - ear H95.9
 - - - specified NEC H95.8
 - - endocrine E89.9
 - - - specified NEC E89.8 2b
 - - metabolic E89.9
 - - - specified NEC E89.8 2b
 - - pregnancy NEC (*see also* Pregnancy, complicated by) O26.9
 - - procedure T81.9
 - - medical T81.9
 - - - specified T81.8 2a 2b
 - - - specified T81.8 2a 2b
 - - surgical T81.9

- - - specified NEC T81.8 2a 2b
- prosthetic device, graft or implant T85.9
- - breast T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.4
- - - specified NEC T85.8 2b
- - cardiac and vascular T82.9
- - - specified NEC T82.8 2b
- - eye T85.9
- - - infection or inflammation T85.7
- - - mechanical NEC T85.3
- - - - intraocular lens T85.2
- - - specified NEC T85.8 2b
- - gastrointestinal tract T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.5
- - - specified NEC T85.8 2b
- - genital organ or tract T83.9
- - - infection or inflammation T83.6
- - - mechanical T83.4
- - - specified NEC T83.8 2b
- - heart valve T82.9
- - - infection or inflammation T82.6
- - - mechanical T82.0
- - - specified NEC T82.8 2b
- - infection or inflammation NEC T85.7
- - joint T84.9
- - - fracture, bone M96.6
- - - infection or inflammation T84.5
- - - mechanical T84.0
- - - specified NEC T84.8
- - - mechanical NEC T85.6
- - - specified NEC T85.8 2b
- - urinary organ or tract T83.9
- - - infection or inflammation T83.5 2b
- - - mechanical T83.1
- - - specified NEC T83.8 2b
- - vascular T82.9
- - - specified NEC T82.8 2b
- puerperium - *see* Puerperal
- puncture, spinal G97.1
- cerebrospinal fluid leak G97.0
- - headache or reaction G97.1
- pyelogram N99.8 2b
- radiation T66 2b
- radiotherapy NEC T66 2b
- - kyphosis M96.2
- - scoliosis M96.5
- reattached
- - extremity (infection) (rejection) T87.2
- - - lower T87.1
- - - upper T87.0
- - specified body part NEC T87.2
- reimplant NEC T85.9
- - limb (infection) (rejection) T87.2
- - - lower T87.1
- - - upper T87.0
- - organ (failure or rejection) (immune or nonimmune cause) (partial) (total) - *see* Complications, organ or tissue transplant
- - prosthetic device NEC - *see* Complications, prosthetic device, graft or implant
- renal N28.9 2a 2b
- - allograft T86.1
- - dialysis - *see* Complications, dialysis
- respiratory J98.9 2a 2b
- - coronary device, implant, or graft T82.8 2b
- - device, implant or graft T85.9

- - - infection or inflammation T85.7
- - - mechanical T85.6
- - - specified NEC T85.8 2b
- - postoperative J95.9
- - - specified NEC J95.8 2b
- - therapy NEC T81.8 2a 2b
- sedation during labor and delivery O74.9 2b
- - affecting fetus or newborn P04.0
- - cardiac O74.2 2b
- - central nervous system O74.3
- - pulmonary NEC O74.1
- shunt T85.9
- - vascular T82.9
- - - infection or inflammation T82.7
- - - mechanical T82.5
- - - specified NEC T82.8 2b
- - ventricular (communicating) T85.9
- - - infection or inflammation T85.7
- - - mechanical T85.0
- - - specified NEC T85.8 2b
- skin graft (failure) (infection) (rejection) T86.8
- spinal
 - - anesthesia -see Complications, anesthesia, spinal and epidural
 - - catheter (epidural) (subdural) T85.9
 - - - infection or inflammation T85.7
 - - - mechanical T85.6
 - - - specified NEC T85.8 2b
 - - puncture or tap G97.1
 - - - cerebrospinal fluid leak G97.0
 - - - headache or reaction G97.1
- surgical procedure T81.9
 - - accidental puncture or laceration T81.2 2a 2b
 - - amputation stump (late) NEC T87.6
 - - - infection or inflammation T87.4 2b
 - - - necrosis T87.5
 - - - neuroma T87.3
 - - anoxic brain damage G97.8 2b
 - - burst stitches or sutures T81.3 2b
 - - cardiac T81.8 2a 2b
 - - - long-term effect following cardiac surgery I97.1
 - - - postprocedural (functional) (late) I97.8 2b
 - - cholesteatoma, recurrent (postmastoidectomy) H95.0
 - - circulatory (early) T81.7 2b
 - - functional disturbance NEC I97.8 2b
 - - postprocedural I97.9
 - - dehiscence (of wound) T81.3 2b
 - - - cesarean section O90.0
 - - - episiotomy O90.1
 - - digestive system K91.9
 - - - conditions in K56- K91.3 2b
 - - - functional disorder NEC K91.8 2a 2b
 - - - specified NEC K91.8 2a 2b
 - - disruption of wound T81.3 2b
 - - - cesarean section O90.0
 - - - episiotomy O90.1
 - - dumping syndrome (postgastrectomy) K91.1 2b
 - - ear H95.9
 - - - specified NEC H95.8
 - - elephantiasis or lymphedema I97.8 2b
 - - - postmastectomy I97.2 2b
 - - emphysema (surgical) T81.8 2a 2b
 - - endocrine E89.9
 - - - specified NEC E89.8 2b
 - - evisceration T81.3 2b
 - - eye H59.9

- - - specified NEC H59.8
- - fistula (persistent postoperative) T81.8 2a 2b
- - foreign body inadvertently left in wound (sponge) (suture) (swab) T81.5
- - gastrointestinal K91.9
- - - conditions in K56- K91.3 2b
- - - specified NEC K91.8 2a 2b
- - genitourinary N99.9
- - - specified NEC N99.8 2b
- - hemorrhage or hematoma (any site) T81.0 2a 2b
- - hepatic failure K91.8 2a 2b
- - hyperglycemia (postpancreatectomy) E89.1 2a 2b
- - hypoinsulinemia (postpancreatectomy) E89.1 2a 2b
- - hypoparathyroidism (postparathyroidectomy) E89.2 2b
- - hypopituitarism (posthypophysectomy) E89.3
- - hypothyroidism (post-thyroidectomy) E89.0 2b
- - intestinal obstruction K91.3 2b
- - intracranial hypotension following ventricular shunting (ventriculostomy) G97.2
- - malabsorption (postsurgical) NEC K91.2 2b
- - - osteoporosis M81.3
- - mastoidectomy cavity NEC H95.1
- - - recurrent cholesteatoma H95.0
- - metabolic E89.9
- - - specified NEC E89.8 2b
- - musculoskeletal M96.9
- - - specified NEC M96.8
- - nervous system (central) (peripheral) G97.9
- - - specified NEC G97.8 2b
- - nutritional E89.9
- - - specified E89.8 2b
- - ovarian failure E89.4 2b
- - peripheral vascular T81.7 2b
- - postcardiotomy syndrome I97.0
- - postcholecystectomy syndrome K91.5
- - postcommissurotomy syndrome I97.0
- - postgastrectomy dumping syndrome K91.1 2b
- - postlaminectomy syndrome NEC M96.1
- - - kyphosis M96.3
- - postmastectomy lymphedema syndrome I97.2 2b
- - postvagotomy syndrome K91.1 2b
- - postvalvulotomy syndrome I97.0
- - pulmonary insufficiency (acute) J95.2 2b
- - - chronic J95.3
- - reattached body part (infection) (rejection) NEC T87.2
- - - lower limb T87.1
- - - upper limb T87.0
- - respiratory J95.9
- - - specified NEC J95.8 2b
- - rupture stitches or sutures T81.3 2b
- - shock (any R57-) (endotoxic) (hypovolemic) (septic) T81.1 2b
- - specified NEC T81.8 2a 2b
- - stitch abscess T81.4 2b
- - subglottic stenosis (postsurgical) J95.5
- - testicular hypofunction E89.5 2b
- - transplant - *see* Complications, organ or tissue transplant
- - urinary N99.9
- - - specified NEC N99.8 2b
- - vaginal vault prolapse (posthysterectomy) N99.3
- - vascular (peripheral) T81.7 2b
- - vitreous (touch) syndrome H59.0
- - wound infection T81.4 2b
- - suture, permanent (wire) T85.9
- - infection or inflammation NEC T85.7
- - in repair of bone - *see* Complications, fixation device, internal
- - mechanical T85.6
- - - specified NEC T85.8 2b

- therapeutic T88.9 2b
- - drugs and medicaments T88.7 2a 2b
- tracheostomy, malfunction J95.0
- transfusion (blood) (lymphocytes) (plasma) T80.9
- - embolism T80.1
- - - air T80.0
- - hemolysis T80.8
- - incompatibility reaction (ABO) (blood group) T80.3
- - - Rh (factor) T80.4
- - infection T80.2
- - reaction NEC T80.9
- - sepsis T80.2
- - serum (reaction) T80.6 2b
- - - shock, anaphylactic T80.5
- - shock T80.8
- - specified NEC T80.8
- - thromboembolism, thrombus T80.1
- transplant NEC - *see Complications, organ or tissue transplant*
- trauma (early) T79.9
- - specified NEC T79.8
- ultrasound therapy T88.9 2b
- umbilical cord
- - affecting fetus or newborn P02.6
- - complicating delivery O69.9
- - - specified NEC O69.8
- urethral catheter NEC (*see also Complications, catheter, urinary*) T83.9
- vaccination T88.1 2b
- - anaphylaxis NEC T80.5
- - arthropathy M02.2
- - cellulitis T88.0
- - encephalitis or encephalomyelitis G04.0 2b
- - infection (general) (local) NEC T88.0
- - meningitis G03.8 2a
- - myelitis G04.0 2b
- - protein sickness T80.6 2b
- - rash T88.1 2b
- - reaction (allergic) T88.1 2b
- - - Herxheimer's T78.2
- - - serum T80.6 2b
- - sepsis, septicemia T88.0
- - serum intoxication, sickness, rash, or reaction NEC T80.6 2b
- - vaccinia (generalized) (localized) B08.0 2a 2b
- - vas deferens device or implant T83.9
- - infection or inflammation T83.6
- - mechanical T83.4
- - specified NEC T83.8 2b
- - vascular I99 2a 2b
- - device, implant or graft T82.9
- - - infection or inflammation T82.7
- - - mechanical NEC T82.5
- - - specified NEC T82.8 2b
- - following
- - - infusion, therapeutic injection or transfusion T80.1
- - - procedure, specified NEC T81.7 2b
- - postoperative I97.8 2b
- - vena cava device (filter) (sieve) (umbrella) T82.9
- - infection or inflammation T82.7
- - mechanical T82.5
- - specified NEC T82.8 2b
- - venous NEC
- - complicating pregnancy O22.8
- - following
- - - abortion (subsequent episode) O08.7
- - - - current episode - *see Abortion*
- - - ectopic or molar pregnancy O08.7

- ventilation therapy NEC T81.8 2a 2b
- ventricular (communicating) shunt device (catheter) T85.9
- - infection or inflammation T85.7
- - mechanical T85.0
- - specified NEC T85.8 2b
- wire suture, permanent (implanted) - *see* Complications, suture, permanent

Compressed air disease T70.3

Compression

- with injury - *code to* Injury, by type and site
- artery I77.1
- - celiac, syndrome I77.4
- brachial plexus G54.0 2b
- brain (stem) G93.5 2a 2b
- - due to
 - - - contusion (diffuse) S06.2 2a 2b
 - - - - focal S06.3
 - - - injury NEC S06.2 2a 2b
- - traumatic S06.2 2a 2b
- bronchus J98.0
- cauda equina G83.4
- cerebral - *see* Compression, brain
- chest - *see* Pneumothorax
- - traumatic S29.9 2a 2b
- common bile duct K83.1
- cord (umbilical) - *see* Compression, umbilical cord
- diver's squeeze T70.3
- during birth (fetus or newborn) P15.9 2a 2b
- esophagus K22.2 2b
- eustachian tube H68.1
- facies Q67.1
- fracture - *see* Fracture
- heart - *see* Disease, heart
- intestine (*see also* Obstruction, intestine) K56.6 2a 2b
- intrathoracic - *see* Pneumothorax
- - traumatic S27.9 2a 2b
- laryngeal nerve, recurrent J38.7
- lumbosacral plexus G54.1
- lung J98.4 2a 2b
- - newborn P28.8
- lymphatic vessel I89.0
- medulla - *see* Compression, brain
- nerve (*see also* Disorder, nerve) G58.9
- - median (in carpal tunnel) G56.0
- - optic H47.0
- - posterior tibial (in tarsal tunnel) G57.5
- - root or plexus NEC (in) G54.9
- - - intervertebral disk disorder NEC M51.1† G55.1*
- - - - with myelopathy M51.0† G99.2*
- - - - cervical M50.1† G55.1*
- - - - - with myelopathy M50.0† G99.2*
- - - - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G55.0*
- - - - spondylosis M47.2† G55.2*
- - sciatic (acute) G57.0
- - sympathetic G90.8
- - traumatic - *see* Injury, nerve
- - ulnar G56.2
- spinal (cord) G95.2
- - by displacement of intervertebral disk NEC M51.0† G99.2*
- - - cervical M50.0† G99.2*
- - - nerve root NEC G54.9
- - - - due to displacement of intervertebral disk NEC M51.1† G55.1*
- - - - with myelopathy M51.0† G99.2*
- - - - cervical M50.1† G55.1*
- - - - - with myelopathy M50.0† G99.2*
- - - traumatic - *see* Injury, nerve, spinal

- - spondylogenic (cervical) (lumbar, lumbosacral) (thoracic) M47.1† G99.2*
- - - anterior M47.0† G99.2*
- - traumatic (*see also* Injury, spinal cord, by region) T09.3
- sympathetic nerve NEC G90.8
- syndrome T79.5 2b
- thoracic J93.9
- - traumatic S27.9 2a 2b
- trachea J39.8
- umbilical cord
- - affecting fetus or newborn P02.5
- - - with cord prolapse P02.4
- - complicating delivery O69.2
- - - cord around neck O69.1
- - - prolapse O69.0
- - - specified NEC O69.2
- vein I87.1
- vena cava (inferior) (superior) I87.1

Compromise, compromised

- cardiopulmonary R09.8 2b
- host D84.9 2b
- immune (system) NEC D89.9
- pulmonary R09.8 2b
- respiratory J96.9 2a 2b
- - newborn P28.5 2a 2b

Compulsion, compulsive

- gambling F63.0
- neurosis F42.1
- personality F60.5
- states F42.1
- - mixed with obsessional thoughts F42.2
- swearing F42.8
- - in Gilles de la Tourette's syndrome F95.2
- tics and spasms F95.9

Concato's disease A19.9

- pleural - *see* Pleurisy, with effusion

Concavity chest wall M95.4**Concealed penis** Q55.6**Concrescence (teeth)** K00.2**Concretio cordis** I31.1

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Concretion - *see also* Calculus

- appendicular K38.1
- canaliculus H04.5
- clitoris N90.8
- conjunctiva H11.1
- eyelid H02.8
- lacrimal passages H04.5
- prepuce (male) N47
- seminal vesicle N50.8
- tonsil J35.8

Concussion (current) S06.0 2b

- blast (air) (hydraulic) (immersion) (underwater)
- - abdomen or thorax - *see* Injury, by site
- - brain S06.0 2b
- - ear S09.8
- brain S06.0 2b
- cauda equina S34.3
- cerebral S06.0 2b
- conus medullaris S34.3
- ocular S05.8
- spinal (cord) T09.3
- - cervical S14.0
- - lumbar S34.0
- - thoracic S24.0

- syndrome F07.2

Condition - *see* Disease

Conduct disorder - *see* Disorder, conduct

Condyloma A63.0

- acuminatum A63.0

- gonorrhreal A54.0

Confined to bed R26.3 2a 2b

Conflagration - *see also* Burn

- latum A51.3

- syphilitic A51.3

- - congenital A50.0 2a 2b

- venereal, syphilitic A51.3

- asphyxia (by inhalation of smoke, gases, fumes or vapors) T59.9 2b

- - specified agent - *see* Table of drugs and chemicals

Conflict (with) - *see also* Discord

- social role NEC Z73.5(249)

Confluent - *see* condition

Confusion, confused R41.0

- epileptic F05.8

- mental state (psychogenic) F44.8

- psychogenic F44.8

- reactive (from emotional stress, psychological trauma) F44.8

Congelation T69.9 2b

Congenital - *see also* condition

- aortic septum Q25.4

- intrinsic factor deficiency D51.0 2a 2b

- malformation - *see* Anomaly

Congestion, congestive (chronic) (passive)

- bladder N32.8

- bowel K63.8

- brain G93.8 2b

- breast N64.5

- bronchial J98.0

- chest (*see also* Edema, lung) J81 2a 2b

- circulatory NEC I99 2a 2b

- duodenum K31.8 2a

- eye H11.4

- facial, due to birth injury P15.4

- general R68.8 2a 2b

- glottis J37.0

- heart (*see also* Failure, heart, congestive) I50.0 2a 2b

- - advanced I50.00 2a 2b

- - grave I50.00 2a 2b

- - severe I50.00 2a 2b

- hepatic K76.1 2a 2b

- hypostatic, lung (*see also* Edema, lung) J81 2a 2b

- intestine K63.8

- kidney N28.8 2a 2b

- labyrinth H83.8

- larynx J37.0

- liver K76.1 2a 2b

- lung (hypostatic) (*see also* Edema, lung) J81 2a 2b

- - active or acute (*see also* Pneumonia) J18.2 2a 2b

- nose, nasal J34.8

- orbit, orbital H05.2

- - inflammatory (chronic) H05.1

- - - acute H05.0

- ovary N83.8

- pancreas K86.8 2b

- pelvic, female N94.8 2b

- pleural J94.8

- prostate (active) N42.1

- pulmonary - *see* Congestion, lung

- renal N28.8 2a 2b

- respiratory J98.8 2b

- - newborn P28.8
- retina H35.8
- seminal vesicle N50.1
- spinal cord G95.1 2b
- spleen D73.2
- stomach K31.8 2a
- throat J02.9 2a 2b
- trachea - *see* Tracheitis
- umbilical cord P02.6
- urethra N36.8
- uterus N85.8
- vascular (passive) I99 2a 2b
- venous (passive) I87.8 2b
- viscera R68.8 2a 2b

Conical

- cervix (hypertrophic elongation) N88.4
- cornea H18.6
- teeth K00.2

Conjoined twins Q89.4

Conjugal maladjustment Z63.0(250)

Conjunctiva - *see condition*

Conjunctivitis (in) (due to) H10.9

- *Acanthamoeba* B60.1† H13.1*
- acute H10.3
- - specified NEC H10.2
- adenoviral (acute) (follicular) B30.1† H13.1*
- allergic (acute) H10.1
- Apollo B30.3† H13.1*
- atopic (acute) H10.1
- Béal's B30.2† H13.1*
- blennorrhagic (gonococcal) (neonatorum) A54.3† H13.1*
- chemical H10.2
- chlamydial A74.0† H13.1*
- - neonatal P39.1
- chronic (nodosa) (petrificans) (phlyctenular) H10.4
- coxsackievirus 24 B30.3† H13.1*
- diphtheritic A36.8† 2b H13.1*
- enterovirus type 70 (hemorrhagic) B30.3† H13.1*
- epidemic (viral) B30.9† H13.1*
- - hemorrhagic B30.3† H13.1*
- gonococcal (neonatorum) A54.3† H13.1*
- granular (trachomatous) A71.1† H13.1*
- hemorrhagic (acute) (epidemic) B30.3† H13.1*
- herpes (simplex) (virus) B00.5† H13.1*
- - zoster B02.3† H13.1*
- inclusion A74.0† H13.1*
- infectious disease NEC B99† 2a 2b H13.1*
- Koch-Weeks' H10.0
- meningococcal A39.8† H13.1*
- Morax-Axenfeld H10.2
- mucopurulent H10.0
- - neonatal P39.1
- Newcastle B30.8† H13.1*
- parasitic disease NEC B89† 2a 2b H13.1*
- Parinaud's H10.8
- rosacea L71† H13.2*
- specified NEC H10.8
- swimming-pool B30.1† H13.1*
- syphilis (late) A52.7† 2a 2b H13.1*
- trachomatous A71.1
- tuberculous A18.5† H13.1*
- tularemic A21.1† H13.1*
- viral B30.9† H13.1*
- - specified NEC B30.8† H13.1*
- zoster (herpes) B02.3† H13.1*

Connective tissue - *see condition*

Conn's syndrome E26.0

Conradi(-Hunermann) disease Q77.3

Consanguinity Z84.3(251)

- counseling Z71.8(252)

Conscious simulation (of illness) Z76.5(253)

Consecutive - *see condition*

Consolidation lung (base) - *see Pneumonia,lobar*

Constipation (atonic) (simple) (spastic) K59.0

- drug-induced

- - correct substance properly administered K59.0

- - overdose or wrong substance given or taken T50.9 2a 2b

- - - specified drug - *see Table of drugs and chemicals*

- neurogenic K59.0

- psychogenic F45.3 2b

Constitutional - *see condition*

Constriction (*see also Stricture*)

- asphyxiation or suffocation by T71 2a 2b

- bronchial J98.0

- duodenum K31.5

- esophagus K22.2 2b

- external canal, ear H61.3

- gallbladder (*see also Obstruction, gallbladder*) K82.0

- intestine (*see also Obstruction, intestine*) K56.6 2a 2b

- larynx J38.6

- - congenital Q31.8

- - - specified NEC Q31.8

- - - subglottic Q31.1

- organ or site, congenital NEC - *see Atresia, by site*

- prepuce (acquired) N47

- ring dystocia (uterus) O62.4

- - affecting fetus or newborn P03.6

- spastic - *see Spasm*

- umbilical cord P02.5

- ureter N13.5

- - with infection N13.6 2a 2b

- urethra (*see also Stricture, urethra*) N35.9 2b

- visual field (functional) (peripheral) H53.4

Constrictive - *see condition*

Consultation, medical - *see Counseling,medical*

- without complaint or sickness Z71.9(254)

Consumption - *see Tuberculosis*

- alcohol F10.9 2b

- - chronic F10.1 2a 2b

- - excessive F10.1 2a 2b

- ethanol F10.9 2b

- - excessive F10.1 2a 2b

Contact (with)

- acariasis Z20.7(255)

- AIDS virus Z20.6(256)

- cholera Z20.0(257)

- communicable disease Z20.9(258)

- - sexually transmitted Z20.2(259)

- - specified NEC Z20.8(260)

- - viral NEC Z20.8(261)

- German measles Z20.4(262)

- gonorrhea Z20.2(263)

- human immunodeficiency virus (HIV) Z20.6(264)

- infection

- - human immunodeficiency virus (HIV) Z20.6(265)

- - intestinal Z20.0(266)

- - sexually transmitted Z20.2(267)

- - specified NEC Z20.8(268)

- infestation (parasitic) NEC Z20.7(269)

- intestinal infectious disease Z20.0(270)

- parasitic disease Z20.7(271)
- pediculosis Z20.7(272)
- poliomyelitis Z20.8(273)
- rabies Z20.3(274)
- rubella Z20.4(275)
- sexually transmitted disease Z20.2(276)
- smallpox (laboratory) Z20.8(277)
- syphilis Z20.2(278)
- tuberculosis Z20.1(279)
- venereal disease Z20.2(280)
- viral disease NEC Z20.8(281)
- viral hepatitis Z20.5(282)

Contamination, food (*see also* Intoxication, foodborne) A05.9

Contraception, contraceptive

- advice Z30.0(283)
- counseling Z30.0(284)
- device (intrauterine) (in situ) Z97.5(285)
 - - causing menorrhagia T83.8 2b
 - - checking Z30.5(286)
 - - complications, mechanical T83.3 2b
 - - in place Z97.5(287)
 - - insertion Z30.1(288)
 - - reinsertion Z30.5(289)
 - - removal Z30.5(290)
- maintenance (drug) Z30.4(291)
- device (intrauterine) Z30.5(292)
 - - examination Z30.4(293)
 - - management Z30.9(294)
 - - specified NEC Z30.8(295)
- prescription Z30.0(296)
- repeat Z30.4(297)
- surveillance (drug) Z30.4(298)
- device (intrauterine) Z30.5(299)

Contraction, contracture, contracted (deformity) NEC R29.8 2b

- Achilles tendon M67.0
- - congenital Q66.8
- amputation stump (flexion) (late) (surgical) T87.6
- bile duct (common) (hepatic) K83.8
- bladder N32.8
 - - neck or sphincter N32.0
- bowel, cecum, colon or intestine, any part (*see also* Obstruction, intestine) K56.6 2a 2b
- bronchial J98.0
- burn (old) - *see* Cicatrix
- cervix (*see also* Stricture, cervix) N88.2
- cicatricial - *see* Cicatrix
- conjunctiva, trachomatous, active A71.1
- Dupuytren's M72.0
- eyelid H02.5
- finger NEC M20.0
- - congenital Q68.1
 - - joint (*see also* Contraction, joint) M24.5 2b
- flaccid - *see* Contraction, paralytic
- flexion - *see* Contraction, joint
- gallbladder or cystic duct K82.8
- heart valve - *see* Endocarditis
- hip (*see also* Contraction, joint) M24.5 2b
- hourglass
- - bladder N32.8
 - - - congenital Q64.7
 - - gallbladder K82.8
 - - - congenital Q44.1
 - - stomach K31.8 2a
 - - - congenital Q40.2
 - - - psychogenic F45.3 2b
- - uterus (complicating delivery) O62.4

- - - affecting fetus or newborn P03.6
- hysterical F44.4
- internal os (*see also* Stricture, cervix) N88.2
- joint (abduction) (acquired) (adduction) (flexion) (rotation) M24.5 2b
- - congenital NEC Q68.8
- - - hip Q65.8
- - hysterical F44.4
- kidney (granular) (secondary) (*see also* Sclerosis, renal) N26 2a
- - congenital Q63.8
- - hydronephritic N13.3
- - - with infection N13.6 2a 2b
- - pyelonephritic (*see also* Pyelitis, chronic) N11.9 2b
- - tuberculous A18.1† 2a 2b N29.1*
- ligament M24.2
- - congenital Q79.8 2b
- limb
- - congenital Q68.8
- muscle (postinfective) (postural) NEC M62.4
- - with contracture of joint M24.5 2b
- - congenital Q79.8 2b
- - extraocular H50.8
- - eye (extrinsic) (*see also* Strabismus) H50.8
- - - paralytic H49.9 2a
- - hysterical F44.4
- - ischemic (Volkmann's) T79.6 2a 2b
- - psychogenic F45.8
- - - conversion reaction F44.4
- ocular muscle (*see also* Strabismus) H50.8
- organ or site, congenital NEC - *see* Atresia, by site
- outlet (pelvis) - *see* Contraction, pelvis
- palmar fascia M72.0
- paralytic
- - joint (*see also* Contraction, joint) M24.5 2b
- - muscle M62.4
- - - ocular (*see also* Strabismus, paralytic) H49.9 2a
- pelvis (acquired) (general) M95.5
- - with disproportion (fetopelvic) O33.1
- - - affecting fetus or newborn P03.1
- - - causing obstructed labor O65.1
- - - inlet O33.2
- - - mid-cavity O33.3
- - - outlet O33.3
- plantar fascia M72.2
- premature I49.4
- - atrium I49.1
- - - newborn P29.1
- - auriculoventricular I49.4
- - - newborn P29.1
- - heart I49.4
- - - newborn P29.1
- - junctional I49.2
- - - newborn P29.1
- - newborn P29.1
- - ventricular I49.3 2b
- - - newborn P29.1
- prostate N42.8
- pylorus NEC (*see also* Pylorospasm) K31.3
- - psychogenic F45.3 2b
- ring (Bandl's) (complicating delivery) O62.4
- - affecting fetus or newborn P03.6
- scar - *see* Cicatrix
- spine M43.9
- sternocleidomastoid (muscle), congenital Q68.0 2b
- stomach K31.8 2a
- - hourglass K31.8 2a

- - - congenital Q40.2
- - - psychogenic F45.3 2b
- - psychogenic F45.3 2b
- tendon (sheath) (*see also* Short, tendon) M67.1
- - with contracture of joint M24.5 2b
- toe M20.5
- ureterovesical orifice (postinfectional) N13.5
- - with infection N13.6 2a 2b
- urethra (*see also* Stricture, urethra) N35.9 2b
- uterus N85.8
- - abnormal NEC O62.9
- - - affecting fetus or newborn P03.6
- - clonic (complicating delivery) O62.4
- - dyscoordinate (complicating delivery) O62.4
- - hourglass (complicating delivery) O62.4
- - hypertonic O62.4
- - hypotonic NEC O62.2 2a 2b
- - inadequate O62.2 2a 2b
- - - primary O62.0
- - - secondary O62.1 2a 2b
- - - incoordinate (complicating delivery) O62.4
- - poor O62.2 2a 2b
- - tetanic (complicating delivery) O62.4
- vagina (outlet) N89.5
- vesical N32.8
- - neck or urethral orifice N32.0
- visual field H53.4
- Volkmann's (ischemic) T79.6 2a 2b

Contusion (skin surface intact) (*see also* Injury, superficial) T14.0 2b

- with
- - crush injury - *see* Crush
- - nerve injury - *see* Injury, nerve
- - open wound - *see* Wound
- abdomen, abdominal (muscle) (wall) S30.1
- adnexa, eye NEC S05.8
- ankle S90.0
- - and foot, multiple S90.7
- arm
 - - meaning upper limb T11.0 2a
 - - upper (and shoulder) S40.0
- axilla S40.0
- back T09.0 2a 2b
- - lower S30.0
- bone NEC T14.0 2b
 - - specified site, *see* Contusion, site of bone
- brain (diffuse) S06.2 2a 2b
- - focal S06.3
- breast S20.0
- brow S00.1
- buttock S30.0
- canthus, eye S00.1
- cerebellum S06.2 2a 2b
- cerebral (diffuse) S06.2 2a 2b
 - - focal S06.3
- chest (wall) S20.2 2b
- clitoris S30.2
- conjunctiva S05.0
 - - with foreign body (in conjunctival sac) T15.1
 - - with foreign body T15.0
- cornea S05.1
- corpus cavernosum S30.2
- cortex (brain) (cerebral) (focal) S06.3
 - - diffuse S06.2 2a 2b
- costal region S20.2 2b
- elbow S50.0

- epididymis S30.2
- epigastric region S30.1
- epiglottis S10.0
- esophagus (thoracic) S27.8 2a
- - cervical S10.0
- extremity, extremities T14.0 2b
- eye NEC S05.8
- eyeball S05.1
- eyebrow S00.1
- eyelid (and periorbital area) S00.1
- fetus or newborn P54.5
- finger(s) S60.0
 - - with damage to nail (matrix) S60.1
- flank S30.1
- foot (except toe(s) alone) S90.3 2a
 - - specified part NEC S90.3 2a
 - - toe(s) S90.1
 - - - with damage to nail (matrix) S90.2
- forearm S50.1
- - elbow S50.0
- genital organs, external S30.2
- globe (eye) S05.1
- groin S30.1
- hand S60.2
 - - finger(s) (alone) S60.0
 - - - with damage to nail (matrix) S60.1
 - - wrist S60.2
- heel S90.3 2a
- hip S70.0
- iliac region S30.1
- inguinal region S30.1
- internal organ(s) NEC T14.8 2a 2b
 - - specified site - *see Injury, by site*
- interscapular region S20.2 2b
- iris (eye) S05.1
- knee S80.0
- labium (majus) (minus) S30.2
- lacrimal apparatus, gland or sac S05.8
- larynx S10.0
- leg
 - - lower S80.1
 - - - knee S80.0
 - - - multiple S80.7
 - - meaning lower limb T13.0 2b
- lens S05.1
- limb
 - - lower T13.0 2b
 - - upper T11.0 2a
- lumbar region S30.0
- membrane, brain S06.8 2a 2b
- muscle T14.6
- nail
 - - finger S60.1
 - - toe S90.2
- neck S10.9 2b
- nerve - *see Injury, nerve*
- occipital
- - lobe (brain) S06.3
- - region (scalp) S00.0
- orbit (region) (tissues) S05.1
- parietal
 - - lobe (brain) S06.3
 - - region (scalp) S00.0
- pelvis S30.0
- penis S30.2

- perineum S30.2
- periocular area S00.1
- pharynx S10.0
- popliteal space S80.1
- prepuce S30.2
- pubic region S30.1
- pudendum S30.2
- quadriceps femoris S70.1
- sacral region S30.0
- scalp S00.0
 - - due to birth injury P12.3
- scapular region S40.0
 - - multiple S40.7
- sclera S05.1
- scrotum S30.2
- shoulder (and arm) S40.0
 - - multiple S40.7
- skin NEC T14.0 2b
- spinal cord - *see also* Injury, spinal cord, by region
 - - cauda equina S34.3
 - - conus medullaris S34.3
 - - spine (spinal) T09.0 2a 2b
 - - atlas S10.8
 - - axis S10.8
 - - cervical S10.8
 - - coccyx S30.0
 - - dorsal S20.2 2b
 - - lumbar S30.0
 - - lumbar sacral S30.0
 - - sacral S30.0
 - - thoracic S20.2 2b
 - - sternal region S20.2 2b
 - - subconjunctival S05.0
 - - subcutaneous NEC T14.0 2b
 - - subperiosteal NEC T14.0 2b
 - - supraclavicular fossa S10.8
 - - supraorbital S00.8
 - - temple (region) S00.8
 - - temporal
 - - lobe (brain) S06.3
 - - region S00.8
 - - testis S30.2
 - - thigh S70.1
 - - thorax S20.2 2b
 - - throat S10.0
 - - thumb S60.0
 - - with damage to nail (matrix) S60.1
 - - toe(s) S90.1
 - - with damage to nail(s) (matrix) S90.2
 - - trachea (cervical) S10.0
 - - thoracic S27.5
 - - tunica vaginalis S30.2
 - - vagina S30.2
 - - vocal cord(s) S10.0
 - - vulva S30.2
 - - wrist S60.2

Conus (congenital) (any type) Q14.8

- acquired H35.3
- - cornea H18.6
- - medullaris syndrome G95.8 2b

Convalescence (following) Z54.9(300)

- chemotherapy Z54.2(301)
- psychotherapy Z54.3(302)
- radiotherapy Z54.1(303)
- surgery NEC Z54.0(304)

- treatment (for) Z54.9(305)
- - combined Z54.7(306)
- - fracture Z54.4(307)
- - - surgery Z54.0(308)
- - mental disorder NEC Z54.3(309)
- - specified NEC Z54.8(310)

Conversion hysteria, neurosis or reaction F44.9 2b

Conviction (legal), anxiety concerning Z65.0(311)

- with imprisonment Z65.1(312)

Convulsions (idiopathic) (*see also* Seizure(s)) R56.8 2b

- apoplectiform (cerebral ischemia) I67.8
- dissociative F44.5
- epileptic (*see also* Epilepsy) G40.9
- epileptiform, epileptoid (*see also* Seizure, epileptiform) R56.8 2b
- ether (anesthetic)
- - correct substance properly administered R56.8 2b
- - overdose or wrong substance given T41.0
- febrile R56.0
- generalized R56.8 2b
- hysterical F44.5
- infantile R56.8 2b
- - epilepsy - *see* Epilepsy
- jacksonian G40.1
- myoclonic G40.3
- neonatal, benign (familial) G40.3
- newborn P90 2a
- obstetrical (nephritic) (uremic) - *see* Eclampsia
- paretic A52.1 2a 2b
- psychomotor G40.2
- reflex R25.8 2b
- tetanus, tetanic (*see also* Tetanus) A35 2a 2b
- uremic (*see also* Uremia) N19 2a 2b

Convulsive - *see also* Convulsions

- equivalent, abdominal G40.8

Cooley's anemia D56.1

Cooper's

- disease N60.1
- hernia (*see also* Hernia, abdomen, specified site NEC) K45.8 2b

Copra itch B88.0

Coprolith or coprostasis K56.4 2b

Coprophagy F50.8

Coproporphyrinia, hereditary E80.2 2a 2b

Cor

- biloculare Q20.8 2b
- bovis, bovinum - *see* Hypertrophy, cardiac
- pulmonale (chronic) I27.9 2a 2b
- - acute I26.0
- triatriatum, triatrium Q24.2
- triloculare Q20.8 2b
- - biastrum Q20.4 2b
- - biventriculare Q21.1 2b

Corbus' disease N48.1

Cord (umbilical) - *see also* condition

- accident P02.6
- around any part of the body (tightly) (with compression) (wrapped)
- - affecting fetus or newborn P02.5
- - complicating delivery O69.1
- bladder G95.8 2b
- - tabetic A52.1 2a 2b
- body (around) P02.5
- break, broken P50.1
- coiled, coiling P02.6
- - with constriction (obstruction) (occlusion) P02.5
- cyst P02.6
- decreased blood flow P02.6

- dilated P02.6
- flat P02.5
- hypoplastic P02.6
- injury P02.6
- long (excessive) P02.6
- narrowing P02.6
- obstructed P02.6
- occlusion (by) P02.6
 - - amniotic band P02.5
 - - fetal, fetus P02.6
- problems P02.6
- sclerotic P02.6
- spiraled P02.5
- supercoiled P02.5
- thin P02.6
- tight P02.5
- tightly wrapped P02.5
- twisted P02.5
- two vessel Q27.0

Cordis ectopia Q24.8 2b

Corditis (spermatic) N49.1

Corectopia Q13.2

Cori's disease (glycogen storage) E74.0 2a 2b

Corkhandler's disease or lung J67.3

Corkscrew esophagus K22.4

Corkworker's disease or lung J67.3

Corlett's pyosis L00

Corn (infected) L84

Cornea - *see also condition*

- guttata H18.4

- plana Q13.4

Cornelia de Lange syndrome Q87.1 2a

Cornu cutaneum L85.8

Cornual gestation or pregnancy O00.8

Coronary (artery) - *see condition*

- massive NEC I21.9 2a 2b

Coronavirus - *see Infection, coronavirus*

Corpora - *see also condition*

- amyloacea, prostate N42.8

- cavernosa - *see condition*

Corpulence (*see also Obesity*) E66.9 2b

Corpus - *see condition*

Corrected transposition Q20.5

Corrosion (injury) (acid) (caustic) (chemical) (external) (internal) (lime) T30.4

Note - The following fourth-character subdivisions are for use with categories T20-T25 and T30:

- .4 Unspecified degree
- .5 First degree
 - Erythema
- .6 Second degree
 - Blisters, epidermal loss
- .7 Third degree
 - Deep necrosis of underlying tissue
 - Full-thickness skin loss
- abdomen, abdominal (muscle) (wall) T21-
- alimentary tract NEC T28.7
- ankle (and foot) T25-
- anus T21-
- arm(s) (upper) (meaning upper limb) T22-
- axilla T22-
- back T21-
- blisters - *code as Corrosion, by site, with fourth character .6*
- breast(s) T21-
- buttock(s) T21-
- cervix T28.8
- chest wall T21-

- colon T28.7
- conjunctiva (and cornea) T26.6
- cornea (and conjunctiva) T26.6
- deep necrosis of underlying tissue - *code as Corrosion, by site, with fourth character .7*
- ear (auricle) (canal) (drum) (external) T20-
- entire body - *see Corrosion, multiple body regions*
- epidermal loss - *code as Corrosion, by site, with fourth character .6*
- epiglottis T27.4
- erythema, erythematous - *code as Corrosion, by site, with fourth character .5*
- esophagus T28.6
- extremity - *see Corrosion, limb*
- eye(s) T26.9
 - - with resulting rupture and destruction of eyeball T26.8
 - - specified part NEC (*see also Corrosion, by site*) T26.8
- eyeball - *see Corrosion, eye*
- eyelid(s) T26.5
- face T20-
- finger(s) (nail) (subungual) T23-
- first degree - *code as Corrosion, by site, with fourth character .5* T30.5
- flank T21-
- foot (and ankle) (phalanges) T25-
- fourth degree - *code as Corrosion, by site, with fourth character .7*
- full-thickness skin loss - *code as Corrosion, by site, with fourth character .7*
- gastrointestinal tract NEC T28.7
- genitourinary organs
 - - external T21-
 - - internal T28.8
- groin T21-
- hand(s) (phalanges) (and wrist) T23-
- head (and face) (and neck) T20-
- - eye(s) only - *see Corrosion, eye*
- hip T24-
- inhalation (*see also Corrosion, by site*) T27.7
- internal organs NEC (*see also Corrosion, by site*) T28.9
- interscapular region T21-
- intestine (large) (small) T28.7
- knee T24-
- labium (majus) (minus) T21-
- lacrimal apparatus, duct, gland or sac T26.8
- larynx T27.4
 - - with lung T27.5
- leg(s) (lower) (meaning lower limb) T24-
- limb(s)
- - lower (except ankle or foot alone) T24-
- - upper (except wrist and hand alone) T22-
- lip(s) T20-
- lower back T21-
- lung (with larynx and trachea) T27.5
- mouth T28.5
- multiple body regions (sites classifiable to more than one category in T20-T28) T30.0 2a 2b
 - - first degree (only, without second or third degree) T30.1
 - - second degree (with first degree) T30.2
 - - third degree (with first and second degree) T30.3 2a 2b
- neck T20-
- nose (septum) T20-
- ocular adnexa T26.9
- palm(s) T23-
- partial thickness skin damage - *code as Corrosion, by site, with fourth character .6*
- pelvis T21-
- penis T21-
- perineum T21-
- periocular area T26.5
- pharynx T28.5
- rectum T28.7
- respiratory tract T27.7

- - specified part NEC T27.6
- scalp T20-
- scapular region T22-
- sclera T26.8
- scrotum T21-
- second degree - *code as* Corrosion, by site, with fourth character .6 T30.6
- shoulder(s) T22-
- skin NEC T30.4
- stomach T28.7
- temple T20-
- testis T21-
- thigh(s) T24-
- third degree - *code as* Corrosion, by site, with fourth character .7 T30.7
- thorax (external) T21-
- throat (meaning pharynx) T28.5
- thumb(s) T23-
- toe(nail) (subungual) T25-
- tongue T28.5
- tonsil(s) T28.5
- total body - *see* Corrosion, multiple body regions
- trachea T27.4
- - with lung T27.5
- trunk T21-
- unspecified site with extent of body surface involved specified
- - less than 10 per cent T32.0
- - 10-19 per cent T32.1
- - 20-29 per cent T32.2
- - 30-39 per cent T32.3
- - 40-49 per cent T32.4
- - 50-59 per cent T32.5
- - 60-69 per cent T32.6
- - 70-79 per cent T32.7
- - 80-89 per cent T32.8
- - 90 per cent or more T32.9
- uterus T28.8
- vagina T28.8
- vulva T21-
- wrist(s) (and hand) T23-

Corrosive burn - *see* Corrosion

Corsican fever (*see also* Malaria) B54 2b

Cortical - *see* condition

Cortico-adrenal - *see* condition

Coryza (acute) J00 2a 2b

- with grippe or influenza (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

Costen's syndrome or complex K07.6

Costiveness (*see also* Constipation) K59.0

Costochondritis M94.0

Cotard's syndrome F22.0

Cot death R95 2a 2b

Cough R05 2a 2b

- with hemorrhage (*see also* Hemoptysis) R04.2 2b

- bronchial R05 2a 2b

- - with grippe or influenza (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- chronic R05 2a 2b

- epidemic R05 2a 2b

- functional F45.3 2b

- hysterical F45.3 2b

- laryngeal, spasmodic R05 2a 2b

- nervous R05 2a 2b

- psychogenic F45.3 2b

- smokers' J41.0

- tea taster's B49

Counseling Z71.9(313)

- alcohol abuse Z71.4(314)

- consanguinity Z71.8(315)

- contraceptive Z30.0(316)
- dietary Z71.3(317)
- drug abuse Z71.5(318)
- for non-attending third party Z71.0(319)
 - - related to sexual behavior or orientation Z70.2(320)
- genetic Z31.5(321)
- health (advice) (education) (instruction) (*see also* Counseling, medical) Z71.9(322)
- human immunodeficiency virus (HIV) Z71.7(323)
- impotence Z70.1(324)
- medical (for) Z71.9(325)
 - - boarding school resident Z59.3(326)
 - - condition not demonstrated Z71.1(327)
 - - consanguinity Z71.8(328)
 - - feared complaint and no disease found Z71.1(329)
 - - human immunodeficiency virus (HIV) Z71.7(330)
 - - institutional resident Z59.3(331)
 - - on behalf of another Z71.0(332)
 - - - related to sexual behavior or orientation Z70.2(333)
 - - person living alone Z60.2(334)
 - - specified reason NEC Z71.8(335)
- procreative Z31.6(336)
- promiscuity Z70.1(337)
- sex, sexual (related to) Z70.9(338)
- - attitude(s) Z70.0(339)
- - behavior or orientation Z70.1(340)
- - combined concerns Z70.3(341)
- - non-responsiveness Z70.1(342)
- - on behalf of third party Z70.2(343)
- - specified reason NEC Z70.8(344)
- specified reason NEC Z71.8(345)
- substance abuse Z71.8(346)
 - - alcohol Z71.4(347)
 - - drug Z71.5(348)
 - - tobacco Z71.6(349)
 - tobacco use Z71.6(350)

Coupled rhythm R00.8 2b

- fetal P20.9
- newborn P29.1

Couvelaire syndrome or uterus (complicating delivery) (*see also* Abruptio placentae) O45.8

Cowperitis (*see also* Urethritis) N34.2

Cowper's gland - *see condition*

Cowpox B08.0 2a 2b

- eyelid B08.0† 2a 2b H03.1*

Coxa

- plana M91.2
- valga (acquired) M21.0
 - - congenital Q65.8
 - - late effect of rickets E64.3 2a 2b
- vara (acquired) M21.1
 - - congenital Q65.8
 - - late effect of rickets E64.3 2a 2b

Coxalgia, coxalgic (nontuberculous) M25.5

- tuberculous A18.0† 2a 2b M01.1*

Coxarthrosis M16.9 2b

- dysplastic (unilateral) M16.3
- - bilateral M16.2
- post-traumatic (unilateral) M16.5
- - bilateral M16.4
- primary (unilateral) M16.1
- - bilateral M16.0
- secondary NEC (unilateral) M16.7 2b
- - bilateral M16.6 2b

Coxitis M13.1**Coxsackievirus (infection)** B34.1

- carditis B33.2† 2a 2b I43.0*

- central nervous system NEC A88.8
- endocarditis B33.2† 2a 2b I39.8*
- enteritis A08.3
- meningitis (aseptic) A87.0† G02.0*
- myocarditis B33.2† 2a 2b I41.1* 2b
- pericarditis B33.2† 2a 2b I32.1*
- pharyngitis B08.5
- pleurodynia B33.0 2a
- specific disease NEC B33.8
- unspecified nature or site B34.1

Crabs, meaning pubic lice B85.3

Cracked nipple N64.0

- puerperal, postpartum, gestational O92.1

Cradle cap L21.0

Craft neurosis F48.8

Cramp(s) R25.2 2b

- abdominal R10.4 2b
- bathing T75.1 2a 2b
- colic R10.4 2b
- - psychogenic F45.3 2b
- fireman T67.2
- heat T67.2
- immersion T75.1 2a 2b
- intestinal R10.4 2b
- - psychogenic F45.3 2b
- limb (lower) (upper) NEC R25.2 2b
- linotypist's F48.8
- - organic G25.8 2a
- muscle (general) (limb) R25.2 2b
- - due to immersion T75.1 2a 2b
- - psychogenic F45.8
- occupational (hand) F48.8
- - organic G25.8 2a
- salt-depletion E87.1 2b
- stoker's T67.2
- swimmer's T75.1 2a 2b
- telegrapher's F48.8
- - organic G25.8 2a
- typist's F48.8
- - organic G25.8 2a
- uterus N94.8 2b
- - menstrual (*see also* Dysmenorrhea) N94.6 2b
- writer's F48.8
- - organic G25.8 2a

Crania bifida Q75.0

Cranial - *see condition*

Cranioclasia, fetus P03.8

Craniocleidodysostosis Q74.0

Craniofenestria (skull) Q75.8 2b

Craniolacunia (skull) Q75.8 2b

Craniopagus Q89.4

Craniopharyngeal - *see condition*

Craniopharyngioma (M9350/1) D44.4

Craniorachischisis (totalis) Q00.1

Cranioschisis Q75.8 2b

Craniostenosis Q75.0

Craniosynostosis Q75.0

Craniotabes (cause unknown) M83.8

- neonatal P96.3
- rachitic E64.3 2a 2b
- syphilitic A50.5

Craniotomy, fetus P03.8

- to facilitate delivery O75.9 2a 2b

Cranium - *see condition*

Craw-craw B73 2a

Creaking joint M24.8

- knee M23.8

Creeping palsy or paralysis G12.2 2a 2b

- advanced G12.20 2a 2b

- grave G12.20 2a 2b

- severe G12.20 2a 2b

Cremation T31.9

Crenated tongue K14.8

Crepitus

- caput Q75.8 2b

- joint M24.8

- - knee M23.8

Crescent or conus choroid, congenital Q14.3

CREST syndrome M34.1

Cretin, cretinism (congenital) (endemic) (nongoitrous) (sporadic) E00.9

- pelvis, with disproportion (fetopelvic) O33.0

- - affecting fetus or newborn P03.1

- - causing obstructed labor O65.0

- type

- - hypothyroid E00.1

- - mixed E00.2

- - myxedematous E00.1

- - neurological E00.0

Creutzfeldt-Jakob disease or syndrome A81.0 2b

- with dementia A81.0† 2b F02.1*

Crib death R95 2a 2b

- age one year or over R96.0 2b

Cribriform hymen Q52.3

Cri-du-chat syndrome Q93.4

Crigler-Najjar disease or syndrome E80.5

Crime, victim of Z65.4(351)

Criminalism F60.2

Cripple

- pulmonary J98.4 2a 2b

- - newborn P28.8

Crisis

- abdomen R10.4 2b

- acute reaction F43.0

- addisonian E27.2

- adrenal (cortical) E27.2

- emotional F43.2

- - acute reaction to stress F43.0

- - adjustment reaction F43.2

- - specific to childhood and adolescence F93.8

- glaucomatocyclitic H40.4

- hemolytic D75.9

- hepatic R10.0 2b

- nitritoid

- - correct substance properly administered I95.2

- - overdose or wrong substance given or taken T37.8

- oculogyric H51.8

- - psychogenic F45.8

- Pel's (tabetic) A52.1 2a 2b

- renal N28.8 2a 2b

- sickle D57.0

- sickle-cell D57.0

- state (acute reaction) F43.0

- tabetic A52.1 2a 2b

- thyroid E05.5 2b

- thyrotoxic E05.5 2b

Crohn's disease K50.9

- large intestine (colon or rectum) K50.1

- - with small intestine K50.8

- small intestine (duodenum, ileum or jejunum) K50.0 2b

- - with large intestine K50.8

Cronkite-Canada syndrome D12.6

Crooked septum, nasal J34.2

Cross syndrome E70.3 2b

Crossbite (anterior) (posterior) K07.2

Cross-eye H50.0

Croup, croupous (catarrhal) (infectious) (inflammatory) (nondiphtheritic) J05.0

- bronchial J20.9 2a 2b

- diphtheritic A36.2

- false J38.5 2b

- spasmodic J38.5 2b

- - diphtheritic A36.2

- stridulous J38.5 2b

- - diphtheritic A36.2

Crouzon's disease Q75.1

Crowding, tooth, teeth K07.3

CRST syndrome M34.1

Cruchet's disease A85.8

Cruelty in children (*see also* Disorder,conduct) F91.8

Crush, crushed, crushing T14.7 2a 2b

- with fracture - *see* Fracture

- abdomen S38.1 2b

- ankle S97.0

- - with foot, toe(s) S97.8

- arm

- - meaning upper limb T04.2

- - upper (and shoulder) S47

- axilla S47

- back, lower S38.1 2b

- bone - *see* Fracture

- - cervical S12.9 2b

- - lumbar S32.0

- - thoracic S22.9

- buttock S38.1 2b

- cheek S07.0

- chest S28.0 2b

- cranium S07.1 2b

- ear S07.0

- elbow S57.0

- extremities T14.7 2a 2b

- face S07.0

- finger(s) (and thumb) S67.0

- - with hand (and wrist) S67.8

- foot S97.8

- - with ankle, toe(s) S97.8

- forearm S57.9

- - specified NEC S57.8

- genitalia, external (female) (male) S38.0

- hand (except fingers alone) S67.8

- head S07.9

- - specified NEC S07.8

- heel S97.8

- hip S77.0 2b

- - with thigh S77.2

- internal (organ(s)) NEC T14.7 2a 2b

- - specified site - *see* Crush, by site

- - - organ or site not indexed - *see* Injury, by site

- knee S87.0

- labium (majus) (minus) S38.0

- larynx S17.0

- leg

- - lower S87.8

- - meaning lower limb T04.3

- limb

- - lower T04.3

- - upper T04.2

- lip S07.0
- lower
 - - back S38.1 2b
 - - limb T04.3
- multiple T04.9 2b
- - specified site - *see* Crush, by site
- neck S17.9
- - with
 - - - other body regions T04.8
- nerve - *see* Injury, nerve
- nose S07.0
- occipital S07.1 2b
- parietal S07.1 2b
- pelvis S38.1 2b
- penis S38.0
- scalp S07.8
- scapular region S47
- scrotum S38.0
- severe, unspecified site T14.7 2a 2b
- shoulder (and upper arm) S47
- skull S07.1 2b
- specified site - *see* Crush, by body region
- - internal (organ(s)) - *see* Crush, internal
- spine T08 2b
- syndrome (complication of trauma) T79.5 2b
- temporal S07.1 2b
- testis S38.0
- thigh S77.1
- - with hip S77.2
- thorax S28.0 2b
- throat S17.8
- thumb (and finger(s)) S67.0
- - with hand (and wrist) S67.8
- toe(s) S97.1
- - with foot (and ankle) S97.8
- trachea S17.0
- trunk (multiple sites) T04.1 2a 2b
- - with
 - - - other body regions T04.8
- vertebra (*see also* Fracture, vertebra) T08 2b
- vulva S38.0
- wrist (and hand) S67.8

Crusta lactea L21.0

Cruveilhier-Baumgarten cirrhosis, disease or syndrome K74.6 2a 2b

Cruveilhier's atrophy or disease G12.8

Cryofibrinogenemia D68.8

Cryoglobulinemia, cryoglobulinemic (essential) (idiopathic) (mixed) (primary) (purpura) (secondary) (vasculitis) D89.1

- with lung involvement D89.1† J99.8*

Cryptitis (anal) (rectal) K62.8

Cryptococcosis, *Cryptococcus* (infection) (*neoformans*) B45.9

- bone B45.3† M90.2*
- cerebral B45.1† G05.2*
- cutaneous B45.2† L99.8*
- disseminated B45.7
- generalized B45.7
- meningitis B45.1† G02.1*
- meningocephalitis B45.1† G02.1*
- osseous B45.3† M90.2*
- pulmonary B45.0† J99.8*
- skin B45.2† L99.8*
- specified NEC B45.8

Cryptopapillitis (anus) K62.8

Cryptophthalmos Q11.2

- syndrome Q87.0

Cryptorchid, cryptorchism, cryptorchidism Q53.9

- bilateral Q53.2
- unilateral Q53.1

Cryptosporidiosis A07.2

- resulting from HIV disease B20.8 2a

Cryptostromosis J67.6**Crystalluria** R82.9 2b**Cubitus**

- valgus (acquired) M21.0
- - congenital Q68.8
- - late effect of rickets E64.3 2a 2b
- varus (acquired) M21.1
- - congenital Q68.8
- - late effect of rickets E64.3 2a 2b

Cultural deprivation or shock Z60.3(352)**Culture (for)**

- AIDS virus
- - positive R75 2a 2b
- HIV
- - positive R75 2a 2b
- viral
- - HIV
- - - positive R75 2a 2b

Curling's ulcer (*see also* Ulcer, peptic, acute) K27.3**Curse, Ondine's** G47.3 2b**Curvature**

- organ or site, congenital NEC - *see* Distortion
- penis (lateral) Q55.6
- Pott's (spinal) A18.0† 2a 2b M49.0*
- radius, progressive (congenital) (idiopathic) Q74.0
- spine (acquired) (angular) (idiopathic) (incorrect) (postural) M43.9
- - congenital Q67.5
- - due to or associated with
 - - - Charcot-Marie-Tooth disease G60.0† 2a 2b M49.4*
 - - - osteitis
 - - - deformans M88.8
 - - - fibrosa cystica E21.0† M49.8*
 - - - tuberculosis (Pott's curvature) A18.0† 2a 2b M49.0*
- - late effect of rickets E64.3 2a 2b
- - tuberculous A18.0† 2a 2b M49.0*

Cushingoid (*see also* Cushing's syndrome) E24.9 2b

- due to steroid therapy
- - correct substance properly administered E24.2 2b
- - overdose or wrong substance given or taken T38.0

Cushing's

- syndrome or disease E24.9 2b
- - drug-induced E24.2 2b
- - iatrogenic E24.2 2b
- - pituitary-dependent E24.0 2b
- - specified NEC E24.8 2b
- ulcer (*see also* Ulcer, peptic, acute) K27.3

Cusp, Carabelli - *see condition***Cut (external)** - *see also* Wound T14.1 2a 2b

- muscle - *see* Injury, muscle

Cutis - *see also* condition

- hyperelastica Q82.8 2b
- - acquired L57.4
- laxa (hyperelastica) (*see also* Dermatolysis) Q82.8 2b
- - senilis L57.4
- marmorata R23.8 2b
- osteosis L94.2
- pendula - *see* Dermatolysis
- rhomboidalis nuchae L57.2
- verticis gyrata Q82.8 2b
- - acquired L91.8

Cyanosis R23.0 2b

- conjunctiva H11.4
- enterogenous D74.8 2b
- paroxysmal digital I73.0
- retina, retinal H35.8
- Cyanotic heart disease** I24.9 2a 2b
- congenital Q24.9 2a 2b

Cycle

- anovulatory N97.0
- menstrual, irregular N92.6

Cyclencephaly Q04.9

Cyclical vomiting R11 2a 2b

- psychogenic F50.5

Cyclitis (*see also* Iridocyclitis) H20.9 2a

- Fuchs' heterochromic H20.8
- posterior H30.2

Cycloid personality F34.0

Cyclophoria H50.5

Cyclopia, cyclops Q87.0

Cyclopism Q87.0

Cycloplegia H52.5

Cyclospasm H52.5

Cyclothymia F34.0

Cyclothymic personality F34.0

Cyclotropia H50.4

Cylindroma (M8200/3) - *see also* Neoplasm, malignant

- eccrine dermal (M8200/0) - *see* Neoplasm, skin, benign
- skin (M8200/0) - *see* Neoplasm, skin, benign

Cylindruria R82.9 2b

Cyphosis - *see* Kyphosis

Cyst (colloid) (mucous) (retention) (simple)

Note - In general, cysts are not neoplastic and are classified either as specific entities or to the appropriate category for disease of the specified anatomical site. This generalization does not apply to certain types of cysts which are neoplastic in nature, for example dermoid, or to cysts of certain structures, for example branchial cleft, which are classified as developmental anomalies.

The following listing includes some of the most frequently reported sites of cysts as well as qualifiers that indicate the type of cyst. The qualifiers are not usually repeated under the anatomical sites. Since the code assignment for a given site may vary depending on the type of cyst, the coder should refer to the listings under the specified type of cyst before considering the site.

- adenoid (infected) J35.8
- adrenal gland E27.8
- - congenital Q89.1
- air, lung J98.4 2a 2b
- - newborn P28.8
- amnion, amniotic O41.8
- anterior chamber (eye) (exudative) (implantation) (parasitic) H21.3
- antrum J34.1
- anus K62.8
- apical (tooth) (periodontal) K04.8
- appendix K38.8
- arachnoid, brain (acquired) G93.0
- - congenital Q04.6 2b
- arytenoid J38.7
- Baker's M71.2
- - ruptured M66.0
- - tuberculous A18.0† 2a 2b M01.1*
- Bartholin's gland N75.0
- bile duct (common) (hepatic) K83.5
- bladder (multiple) (trigone) N32.8
- blue dome (breast) N60.0
- bone (local) NEC M85.6
- - aneurysmal M85.5
- - jaw K09.2
- - - developmental (nonodontogenic) K09.1
- - - - odontogenic K09.0
- - - latent K10.0
- - solitary M85.4
- brain (acquired) G93.0

- - congenital Q04.6 2b
- - hydatid (*see also Echinococcus*) B67.9† 2b G94.8*
- - third ventricle (colloid), congenital Q04.6 2b
- branchial (cleft) Q18.0
- branchiogenic Q18.0
- breast (benign) (blue dome) (pedunculated) N60.0
- - involution N60.8
- - sebaceous N60.8
- broad ligament (benign) N83.8
- bronchogenic (mediastinal) (sequestration) J98.4 2a 2b
- - congenital Q33.0
- - newborn P28.8
- buccal K09.8
- bulbourethral gland N36.8
- bursa, bursal NEC M71.3
- - pharyngeal J39.2
- calcifying odontogenic (M9301/0) D16.5
- - upper jaw (bone) D16.4
- canal of Nuck (female) N94.8 2b
- - congenital Q52.4
- canthus H11.4
- carcinomatous (M8010/3) - *see* Neoplasm, malignant
- cauda equina G95.8 2b
- cavum septi pellucidi - *see* Cyst, brain
- celomic (pericardium) Q24.8 2b
- cerebellopontine (angle) - *see* Cyst, brain
- cerebellum - *see* Cyst, brain
- cerebral - *see* Cyst, brain
- cervical lateral Q18.0
- cervix NEC N88.8
- - embryonic Q51.6
- - nabothian N88.8
- chiasmal optic NEC H47.4
- chocolate (ovary) N80.1
- choledochus, congenital Q44.4
- chorion O41.8
- choroid plexus G93.0
- ciliary body (exudative) (implantation) (parasitic) H21.3
- clitoris N90.7
- colon K63.8
- common (bile) duct K83.5
- congenital NEC Q89.8
- - epiglottis Q31.8
- - esophagus Q39.8
- - fallopian tube Q50.4
- - kidney Q61.0
- - larynx Q31.8
- - liver Q44.7
- - mediastinum Q34.1
- - ovary Q50.1
- - oviduct Q50.4
- - periurethral (tissue) Q64.7
- - prepuce Q55.6
- - salivary gland (any) Q38.4
- - thymus (gland) Q89.2
- - tongue Q38.3
- - ureterovesical orifice Q62.8
- - vulva Q52.7
- conjunctiva H11.4
- cornea H18.8
- corpora quadrigemina G93.0
- corpus
- - albicans N83.2
- - luteum (hemorrhagic) (ruptured) N83.1
- Cowper's gland (benign) (infected) N36.8

- cranial meninges G93.0
- craniobuccal pouch E23.6
- craniopharyngeal pouch E23.6
- cystic duct K82.8
- cysticercus (*see also* Cysticercosis) B69.9
- Dandy-Walker Q03.1
- dental (root) K04.8
- - eruption K09.0
- - primordial K09.0
- dentigerous (mandible) (maxilla) K09.0
- dermoid (M9084/0) - *see also* Neoplasm, benign
- - with malignant transformation (M9084/3) C56 2a 2b
- - implantation
- - - external area or site (skin) NEC L72.0
- - - iris H21.3
- - - vagina N89.8
- - - vulva N90.7
- - mouth K09.8
- - oral soft tissue K09.8
- developmental K09.1
- - odontogenic (glandular) K09.0
- - oral region (nonodontogenic) K09.1
- - ovary, ovarian Q50.1
- dura (cerebral) G93.0
- - spinal G96.1 2b
- ear (external) Q18.1
- echinococcal (*see also* *Echinococcus*) B67.9 2b
- embryonic, fallopian tube Q50.4
- endometrium, endometrial (uterus) N85.8
- - ectopic (*see also* Endometriosis) N80.9
- enterogenous Q43.8
- epidermal, epidermoid (inclusion) (*see also* Cyst, skin) L72.0
- - mouth K09.8
- - oral soft tissue K09.8
- epididymis N50.8
- epiglottis J38.7
- epiphysis cerebri E34.8
- epithelial (inclusion) L72.0
- epoophoron Q50.5
- eruption K09.0
- esophagus K22.8
- ethmoid sinus J34.1
- external female genital organs NEC N90.7
- eye NEC H57.8
- - congenital Q15.8
- eyelid (sebaceous) H02.8
- - infected H00.0
- fallopian tube N83.8
- fimbrial (twisted) Q50.4
- follicle (graafian) (hemorrhagic) N83.0
- - nabothian N88.8
- follicular (atretic) (hemorrhagic) (ovarian) N83.0
- - odontogenic K09.0
- - skin L72.9
- - - specified NEC L72.8
- frontal sinus J34.1
- gallbladder K82.8
- ganglion M67.4
- Gartner's duct Q50.5
- gingiva K09.0
- gland of Moll H02.8
- globulomaxillary K09.1
- graafian follicle (hemorrhagic) N83.0
- granulosal lutein (hemorrhagic) N83.1
- hemangiomatous (M9120/0) D18.0

- hydatid (*see also Echinococcus*) B67.9 2b
- - liver (*see also Cyst, liver, hydatid*) B67.8† K77.0*
- - lung NEC B67.9† 2b J99.8*
- - Morgagni
- - - female Q50.5
- - - male (epididymal) Q55.4
- - - testicular Q55.2
- - specified site NEC B67.9 2b
- hymen N89.8
- - embryonic Q52.4
- hypopharynx J39.2
- hypophysis, hypophyseal (duct) (recurrent) E23.6
- - cerebri E23.6
- implantation (dermoid)
- - external area or site (skin) NEC L72.0
- - iris H21.3
- - vagina N89.8
- - vulva N90.7
- incisive canal K09.1
- inclusion (epidermal) (epidermoid) (epithelial) (squamous) L72.0
- - not of skin - *see Cyst, by site*
- intestine (large) (small) K63.8
- intracranial - *see Cyst, brain*
- intraligamentous M24.2
- - knee M23.8
- intrasellar E23.6
- iris (exudative) (implantation) (parasitic) H21.3
- jaw (bone) (aneurysmal) (hemorrhagic) (traumatic) K09.2
- - developmental (odontogenic) (glandular) K09.0
- joint NEC M25.8
- kidney (acquired) N28.1
- - calyceal (*see also Hydronephrosis*) N13.3
- - congenital Q61.0
- - multiple polycystic Q61.3
- - - adult (type), so stated Q61.2
- - - autosomal dominant (adult type) Q61.2
- - - autosomal recessive (infantile type) Q61.1
- - - infantile (type), so stated Q61.1
- - pyelogenic (*see also Hydronephrosis*) N13.3
- labium (majus) (minus) N90.7
- - sebaceous N90.7
- lacrimal H04.8
- - gland H04.1
- - passages or sac H04.6
- larynx J38.7
- lateral periodontal K09.0
- lens H27.8
- - congenital Q12.8
- lip (gland) K13.0
- liver (idiopathic) K76.8 2b
- - congenital Q44.7
- - hydatid B67.8† K77.0*
- - - granulosus B67.0† K77.0*
- - - multilocularis B67.5† K77.0*
- lung J98.4 2a 2b
- - congenital Q33.0
- - giant bullous J43.9 2a 2b
- - newborn P28.8
- lutein N83.1
- lymphangiomatous (M9173/0) D18.1
- lymphoepithelial, oral soft tissue K09.8
- macula H35.3
- malignant (M8000/3) - *see Neoplasm, malignant*
- mammary gland - *see Cyst, breast*
- mandible K09.2

- - dentigerous K09.0
- marginal sinus (placenta) O44.1
- maxilla K09.2
- - dentigerous K09.0
- - radicular K04.8
- medial, face and neck Q18.8
- median
- - anterior maxillary K09.1
- - palatal K09.1
- mediastinum, congenital Q34.1
- meibomian (gland) H00.1
- - infected H00.0
- membrane, brain G93.0
- meninges (cerebral) G93.0
- - spinal G96.1 2b
- meniscus, knee M23.0
- mesentery, mesenteric K66.8
- - chyle I89.8 2b
- mesonephric duct
- - female Q50.5
- - male Q55.4
- milk N64.8
- Morgagni (hydatid)
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.2
- mouth K09.8
- muellerian duct Q50.4
- multilocular (ovary) (M8000/1) D39.1
- - benign (M8000/0) - *see* Neoplasm, benign
- myometrium N85.8
- nabothian (follicle) (ruptured) N88.8
- nasoalveolar K09.8
- nasolabial K09.8
- nasopalatine (duct) K09.1
- nasopharynx J39.2
 - neoplastic (M8000/1) - *see also* Neoplasm, uncertain behavior
 - - benign (M8000/0) - *see* Neoplasm, benign
- nervous system NEC G96.8
- neuroenteric (congenital) Q06.8
- nipple N60.0
- nose (turbinates) J34.1
 - - sinus J34.1
- odontogenic, developmental (glandular) K09.0
- omentum (lesser) K66.8
- - congenital Q45.8 2b
- ora serrata H33.1
- oral
 - - region K09.9
 - - - developmental (nonodontogenic) K09.1
 - - - specified NEC K09.8
 - - soft tissue K09.9
 - - - specified NEC K09.8
- orbit H05.8
- ovary, ovarian (twisted) NEC N83.2
 - - adherent N83.2
 - - chocolate N80.1
 - - corpus
 - - - albicans N83.2
 - - - luteum (hemorrhagic) N83.1
 - - dermoid (M9084/0) D27
 - - developmental Q50.1
 - - due to failure or involution NEC N83.2
 - - follicular (graafian) (hemorrhagic) N83.0
 - - hemorrhagic N83.2

- - in pregnancy or childbirth O34.8
- - - with obstructed labor O65.5
- - multilocular (M8000/1) D39.1
- - pseudomucinous (M8470/0) D27
- - retention N83.2
- - serous N83.2
- - theca lutein (hemorrhagic) N83.1
- - tuberculous A18.1† 2a 2b N74.1*
- oviduct N83.8
- palate (fissural) (median) K09.1
- palatine papilla (jaw) K09.1
- pancreas, pancreatic (hemorrhagic) (true) K86.2
- - congenital Q45.2
- - false K86.3
- paramesonephric duct
- - female Q50.4
- - male Q55.2
- paraphysis, cerebri, congenital Q04.6 2b
- parasitic B89 2a 2b
- parathyroid (gland) E21.4
- paratubal N83.8
- paraurethral duct N36.8
- paroophoron Q50.5
- parotid gland K11.6
- parovarian Q50.5
- pelvis, female N94.8 2b
- - in pregnancy or childbirth O34.8
- - - causing obstructed labor O65.5
- penis (sebaceous) N48.8
- periapical K04.8
- pericardial, congenital Q24.8 2b
- periodontal K04.8
- - lateral K09.0
- peritoneum K66.8
- - chylous I89.8 2b
- periventricular, acquired, newborn P91.1
- pharynx (wall) J39.2
- pilar L72.1
- pilonidal (infected) (rectum) L05.9
- - with abscess L05.0
- - malignant (M9084/3) C44.5
- pituitary (duct) (gland) E23.6
- placenta (amniotic) O43.1
- pleura J94.8
- popliteal M71.2
- - ruptured M66.0
- porencephalic Q04.6 2b
- - acquired G93.0
- postmastoidectomy cavity (mucosal) H95.1
- preauricular Q18.1
- prepuce N48.8
- - congenital Q55.6
- pretragal Q18.1
- primordial (jaw) K09.0
- prostate N42.8
- pseudomucinous (ovary) (M8470/0) D27
- pupillary, miotic H21.2
- radicular (residual) K04.8
- Rathke's pouch E23.6
- rectum (epithelium) (mucous) K62.8
- renal (acquired) N28.1
- - congenital Q61.0
- residual (radicular) K04.8
- retina (parasitic) H33.1
- retroperitoneal K66.8

- salivary gland or duct (mucous extravasation or retention) K11.6
- Sampson's N80.1
- sclera H15.8
- scrotum L72.9
 - - sebaceous L72.1
 - - sebaceous (duct) (gland) L72.1
 - - breast N60.8
 - - eyelid H02.8
 - - genital organ NEC
 - - - female N94.8 2b
 - - - male N50.8
 - - scrotum L72.1
- semilunar cartilage (knee) (multiple) M23.0
- seminal vesicle N50.8
- sinus (accessory) (nasal) J34.1
- Skene's gland N36.8
- skin L72.9
 - - breast N60.8
 - - epidermal, epidermoid L72.0
 - - epithelial L72.0
 - - eyelid H02.8
 - - inclusion L72.0
 - - genital organ NEC
 - - - female N90.7
 - - - male N50.8
 - - scrotum L72.9
 - - sebaceous L72.1
 - - sweat gland or duct L74.8
- solitary
- - bone M85.4
- - jaw K09.2
- - spermatic cord N50.8
- - sphenoid sinus J34.1
- spinal meninges G96.1 2b
- spleen NEC D73.4
 - - hydatid (*see also Echinococcus*) B67.9† 2b D77* 2b
- Stafne's K10.0
- subarachnoid G93.0
- subcutaneous, pheomycotic (chromomycotic) B43.2† L99.8*
- subdural (cerebral) G93.0
 - - spinal cord G96.1 2b
 - - sublingual gland K11.6
 - - submandibular gland K11.6
 - - suburethral N36.8
 - - suprarenal gland E27.8
 - - suprasellar - *see Cyst, brain*
 - - sweat gland or duct L74.8
- synovial M71.3
 - - ruptured M66.1
- tarsal H00.1
- tendon (sheath) M67.8
- testis N50.8
 - - Thornwaldt's J39.2
 - - thymus (gland) E32.8
 - - thyroglossal duct (infected) (persistent) Q89.2
 - - thyroid (gland) E04.1
 - - tongue K14.8
 - - tonsil J35.8
 - - tooth - *see Cyst, dental*
 - - Tornwaldt's J39.2
 - - trichilemmal L72.1
 - - trichodermal L72.1
 - - tubal (fallopian) N83.8
 - - - inflammatory N70.1
- tunica vaginalis N50.8

- turbinate (nose) J34.1
- Tyson's gland N48.8
- urachus, congenital Q64.4
- ureter N28.8 2a 2b
- ureteroovesical orifice N28.8 2a 2b
- urethra, urethral (gland) N36.8
- uterine ligament N83.8
- uterus (body) (corpus) (recurrent) N85.8
- - embryonic Q51.8
- - - cervix Q51.6
- - vagina, vaginal (implantation) (inclusion) (squamous cell) (wall) N89.8
- - embryonic Q52.4
- - vallecula, vallecular (epiglottis) J38.7
- - vesical (orifice) N32.8
- - vitreous body H43.8
- - vulva (implantation) (inclusion) N90.7
- - congenital Q52.7
- - sebaceous gland N90.7
- - vulvovaginal gland N90.7
- - wolfian
- - female Q50.5
- - male Q55.4

Cystadenocarcinoma (M8440/3) - *see also* Neoplasm, malignant

- bile duct (M8161/3) C22.1 2a
- endometrioid (M8380/3) - *see* Neoplasm, malignant
- - specified site - *see* Neoplasm, malignant
- - unspecified site
- - - female C56 2a 2b
- - - male C61 2a 2b
- - mucinous (M8470/3)
- - papillary (M8471/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - papillary (M8450/3)
- - mucinous (M8471/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - pseudomucinous (M8471/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - serous (M8460/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - pseudomucinous (M8470/3)
- - papillary (M8471/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - serous (M8441/3)
- - - papillary (M8460/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C56 2a 2b

Cystadenofibroma (M9013/0)

- clear cell (M8313/0) - *see* Neoplasm, benign
- endometrioid (M8381/0) D27
- - borderline malignancy (M8381/1) D39.1
- - malignant (M8381/3) C56 2a 2b
- - mucinous (M9015/0)

- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- serous (M9014/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- specified site - *see* Neoplasm, benign
- unspecified site D27

Cystadenoma (M8440/0) - *see also* Neoplasm, benign

- bile duct (M8161/0) D13.4
- endometrioid (M8380/0) - *see also* Neoplasm, benign
- - borderline malignancy (M8380/1) - *see* Neoplasm, uncertain behavior
- malignant (M8440/3) - *see* Neoplasm, malignant - mucinous (M8470 2a 2b)
- - borderline malignancy (M8472/1)
- - - ovary (M8472/3) C56 2a 2b
- - - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - - unspecified site C56 2a 2b
- - papillary (M8471/0)
- - - borderline malignancy (M8473/1)
- - - - ovary (M8473/3) C56 2a 2b
- - - - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - - - unspecified site C56 2a 2b
- - - - specified site - *see* Neoplasm, benign
- - - unspecified site D27
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- papillary (M8450/0)
- - borderline malignancy (M8451/1)
- - - ovary (M8451/3) C56 2a 2b
- - - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - - unspecified site C56 2a 2b
- - lymphomatous (M8561/0)
- - - specified site - *see* Neoplasm, benign
- - - unspecified site D11.9
- - mucinous (M8471/0)
- - - borderline malignancy (M8473/1)
- - - - ovary (M8473/3) C56 2a 2b
- - - - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - - - unspecified site C56 2a 2b
- - - - specified site - *see* Neoplasm, benign
- - - unspecified site D27
- - pseudomucinous (M8471/0)
- - - borderline malignancy (M8473/1)
- - - - ovary (M8473/3) C56 2a 2b
- - - - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - - - unspecified site C56 2a 2b
- - - - specified site - *see* Neoplasm, benign
- - - unspecified site D27
- - serous (M8460/0)
- - - borderline malignancy (M8462/1)
- - - - ovary (M8462/3) C56 2a 2b
- - - - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - - - unspecified site C56 2a 2b
- - - - specified site - *see* Neoplasm, benign
- - - unspecified site D27
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- pseudomucinous (M8470/0)
- - borderline malignancy (M8472/1)
- - - ovary (M8472/3) C56 2a 2b
- - - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - - unspecified site C56 2a 2b
- - papillary (M8471/0)
- - - borderline malignancy (M8473/1)
- - - - ovary (M8473/3) C56 2a 2b
- - - - - specified site NEC - *see* Neoplasm, uncertain behavior

- - - unspecified site C56 2a 2b
- - - specified site - *see* Neoplasm, benign
- - - unspecified site D27
- - - specified site - *see* Neoplasm, benign
- - - unspecified site D27
- - serous (M8441/0)
- - borderline malignancy (M8442/1)
- - - ovary (M8442/3) C56 2a 2b
- - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - unspecified site C56 2a 2b
- - papillary (M8460/0)
- - - borderline malignancy (M8462/1)
- - - - ovary (M8462/3) C56 2a 2b
- - - specified site NEC - *see* Neoplasm, uncertain behavior
- - - unspecified site C56 2a 2b
- - - specified site - *see* Neoplasm, benign
- - - unspecified site D27
- - specified site - *see* Neoplasm, benign
- - unspecified site D27

Cystathioninemia E72.1

Cystathioninuria E72.1

Cystic - *see also condition*

- breast (chronic) N60.1
- - with epithelial proliferation N60.3
- corpus luteum (hemorrhagic) N83.1
- duct - *see condition*
- eyeball (congenital) Q11.0
- fibrosis (*see also* Fibrosis, cystic) E84.9 2b
- kidney Q61.9
- - medullary Q61.5
- liver, congenital Q44.6 2a
- lung disease J98.4 2a 2b
- - congenital Q33.0
- - newborn P28.8
- medullary, kidney Q61.5
- meniscus M23.0
- ovary N83.2

Cysticercosis, cysticerciasis B69.9

- with epileptiform fits B69.0† 2b G94.8*
- brain B69.0† 2b G94.8*
- central nervous system B69.0† 2b G99.8*
- cerebral B69.0† 2b G94.8*
- ocular B69.1† H45.1*
- specified NEC B69.8

Cysticercus cellulose infestation - *see* Cysticercosis

Cystinosis (malignant) E72.0

Cystinuria E72.0

Cystitis (exudative) (hemorrhagic) (septic) (suppurative) N30.9

- with prostatitis N41.3
- acute N30.0
- allergic N30.8 2a 2b
- amebic A06.8
- blennorrhagic (gonococcal) A54.0
- bullous N30.8 2a 2b
- calculous N21.0
- chlamydial A56.0
- chronic N30.2
- - interstitial N30.1
- - specified NEC N30.2
- complicating pregnancy O23.1
- - affecting fetus or newborn P00.1
- cystic(a) N30.8 2a 2b
- diphtheritic A36.8† 2b N33.8*
- encysted N30.8 2a 2b
- eosinophilic N30.8 2a 2b

- gangrenous N30.8 2a 2b
- gonococcal A54.0
- interstitial (chronic) N30.1
- irradiation N30.4
- puerperal, postpartum O86.2
- specified NEC N30.8 2a 2b
- subacute N30.2
- submucous N30.1
- syphilitic (late) A52.7† 2a 2b N33.8*
- trichomonal A59.0† N33.8*
- tuberculous A18.1† 2a 2b N33.0*

Cystocele(-urethrocele)

- female N81.1
- - with prolapse of uterus - *see Prolapse, uterus*
- in pregnancy or childbirth O34.8
- - affecting fetus or newborn P03.8
- - causing obstructed labor O65.5
- - - affecting fetus or newborn P03.1
- male N32.8

Cystolithiasis N21.0

Cystoma (M8440/0) - *see also* Neoplasm,benign

- mucinous (M8470/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- serous (M8441/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D27

Cystoplegia N31.2

Cystoptosis N32.8

Cystopyelitis (*see also* Pyelonephritis) N12 2a 2b

Cystorrhagia N32.8

Cystosarcoma phyllodes (M9020/1) D48.6

- benign (M9020/0) D24
- malignant (M9020/3) - *see* Neoplasm, breast, malignant

Cystostomy

- attention to Z43.5(353)
- status Z93.5(354)

Cystourethritis (*see also* Urethritis) N34.2

Cystourethrocele (*see also* Cystocele)

- female N81.1
- male N32.8

Cytomegalovirus infection B25.9 2b

- maternal, (suspected) damage to fetus affecting management of pregnancy O35.3

Cytomycosis (reticuloendothelial) B39.4

Cytopenia D75.9

D

Da Costa's syndrome F45.3 2b

Dabney's grip B33.0 2a

Dacryoadenitis, dacryadenitis (acute) (chronic) H04.0

Dacryocystitis (acute) (phlegmonous) H04.3

- chronic H04.4
- neonatal P39.1
- syphilitic A52.7† 2a 2b H06.0*
- - congenital (early) A50.0† 2a 2b H06.0*
- trachomatous, active A71.1

Dacryocystoblenorrhea H04.4

Dacryocystocele H04.6

Dacryolith, dacryolithiasis H04.5

Dacryoma H04.6

Dacryopericystitis (acute) (subacute) H04.3

- chronic H04.4

Dacryops H04.1

Dacryostenosis H04.5

- congenital Q10.5

Dactylitis L08.9

- bone (*see also* Osteomyelitis) M86.9

- sickle cell D57.1

- syphilitic A52.7† 2a 2b M90.1*

- tuberculous A18.0† 2a 2b M90.0*

Dactylosplasis spontanea (ainhum) L94.6 2b**Dactylosymphyseis** Q70.9

- fingers Q70.0

- toes Q70.2

Damage

- alveolar J84.0

- arteriosclerotic - *see* Arteriosclerosis

- brain (nontraumatic) G93.9 2a 2b

- - anoxic, hypoxic G93.1 2a 2b

- - - at birth P21.9 2a 2b

- - - fetal P20.9

- - - intrauterine P20.9

- - - newborn P21.9 2a 2b

- - - resulting from a procedure G97.8 2b

- - child NEC G80.9 2b

- - congenital, not newborn G80.9 2b

- - due to birth injury P11.2 2a 2b

- - intrauterine G80.9 2b

- - ischemic I67.8

- - - newborn P91.0

- - newborn P11.2 2a 2b

- - cardiorenal (vascular) (*see also* Hypertension, cardiorenal) I13.9 2a 2b

- - cerebral NEC - *see* Damage, brain

- - cerebral vascular I67.9 2a 2b

- - chemical, following abortion (subsequent episode) O08.6

- - coccyx, complicating delivery O71.6

- - coronary (*see also* Ischemia, heart) I25.9 2a 2b

- - eye, birth injury P15.3

- - liver (nontraumatic) K76.9 2a 2b

- - - alcoholic K70.9 2a 2b

- - due to drugs - *see* Disease, liver, toxic

- - toxic - *see* Disease, liver, toxic

- - lung J98.4 2a 2b

- - newborn P28.8

- - organ or site NEC - *see* Disease, by site

- - traumatic - *see* Injury, by site

- - pelvic

- - joint or ligament, during delivery O71.6

- - organ NEC

- - - during delivery O71.5

- - - following

- - - - abortion (subsequent episode) O08.6

- - - - current episode - *see* Abortion

- - - - ectopic or molar pregnancy O08.6

- - renal (*see also* Disease, kidney) N28.9 2a 2b

- - subendocardium, subendocardial (*see also* Degeneration, myocardial) I51.5 2a 2b

- - arteriosclerotic I51.50 2a 2b

- - vascular I99 2a 2b

Dana-Putnam syndrome - *see* Degeneration, combined

Dandruff L21.0**Dandy-Walker syndrome** Q03.1**Danlos' syndrome** Q79.6 2b**Darier(-White) disease (congenital)** Q82.8 2b

- meaning erythema annulare centrifugum L53.1

Darier-Roussy sarcoid D86.3**Darling's disease or histoplasmosis** B39.4**Darwin's tubercle** Q17.8**Davis syndrome** D82.2

Dawson's (inclusion body) encephalitis A81.1

De Barsy Syndrome E34.8

De Beurmann(-Gougerot) disease B42.1

De la Tourette's syndrome F95.2

De Lange's syndrome Q87.1 2a

De Morgan's spots I78.1

De Quervain's

- disease M65.4

- thyroiditis E06.1

De Toni-Fanconi(-Debré) syndrome E72.0

Dead

- bowel K55.0 2a 2b

- fetus, retained (mother) O36.4

- - early pregnancy O02.1

- labyrinth H83.2

- ovum, retained O02.0

Deadborn fetus NEC - *see* Death, fetus

Deaf and dumb NEC H91.3

Deaf mutism (acquired) (congenital) NEC H91.3

- hysterical F44.6

- syphilitic, congenital A50.0† 2a 2b H94.8*

Deafness (acquired) (complete) (hereditary) (partial) H91.9

- with blue sclera and fragility of bone Q78.0

- auditory fatigue H91.8

- aviation T70.0

- boilermaker's H83.3

- central - *see* Deafness, sensorineural

- conductive H90.2

- - and sensorineural, mixed H90.8

- - - bilateral H90.6

- - - unilateral (unrestricted hearing other side) H90.7

- - bilateral H90.0

- - unilateral (unrestricted hearing other side) H90.1

- congenital NEC H90.5

- due to toxic agents H91.0

- emotional (hysterical) F44.6

- functional (hysterical) F44.6

- high frequency H91.9

- hysterical F44.6

- low frequency H91.9

- mental R48.8

- mixed conductive and sensorineural H90.8

- - bilateral H90.6

- - unilateral (unrestricted hearing other side) H90.7

- nerve - *see* Deafness, sensorineural

- neural - *see* Deafness, sensorineural

- noise-induced H83.3

- nonspeaking H91.3

- ototoxic H91.0

- perceptive - *see* Deafness, sensorineural

- psychogenic (hysterical) F44.6

- sensorineural H90.5

- - and conductive, mixed H90.8

- - - bilateral H90.6

- - - unilateral (unrestricted hearing other side) H90.7

- - bilateral H90.3

- - unilateral (unrestricted hearing other side) H90.4

- sensory - *see* Deafness, sensorineural

- specified type NEC H91.8

- sudden (idiopathic) H91.2

- syphilitic A52.1† 2a 2b H94.8*

- transient ischemic H93.0

- word (developmental) F80.2

Death

- after delivery (cause not stated) (sudden) O95 2a 2b

- anesthetic
- - due to
 - - - correct substance properly administered T88.2 2b
 - - - overdose or wrong substance given T41-
 - - - - specified anesthetic - *see* Table of drugs and chemicals
- - during delivery O74.8 2b
- - in pregnancy O29.8
- - postpartum, puerperal O89.8
- bowel K55.0 2a 2b
- brain
 - - anoxic (*see also* Anoxia, cerebral) G93.1 2a 2b
- cardiac I51.9 2a 2b
- - rheumatic I09.9 2a 2b
 - - - active or acute I01.9 2b
- cardiac, sudden I46.1 2a 2b
- cardiovascular I51.9 2a 2b
- cause unknown R99 2a 2b
- coronary I25.1 2a 2b
- - sudden I21.9 2a 2b
- cot R95 2a 2b
- - 1 year of age or over R96.0 2b
- crib R95 2a 2b
- - 1 year of age or over R96.0 2b
- family member Z63.4(355)
- fetus, fetal (cause not stated) (intrauterine)
 - - early, with retention O02.1
 - - in fetal death file P95 2a 2b
 - - in mortality file P96.9 2a 2b
 - - - affecting management of pregnancy O36.4
 - - late, affecting management of pregnancy O36.4
 - infant - from intrauterine coil P00.7
 - instantaneous (unexplained) R96.0 2b
 - intrauterine (late) O36.4
 - - complicating pregnancy O36.4
 - - fetus or newborn
 - - - in fetal death file P95 2a 2b
 - - - in mortality file P96.9 2a 2b
 - known not to be violent or instantaneous, cause unknown R96.1 2b
 - liver K76.9 2a 2b
 - maternal - *see* Death, obstetric
 - neonatal NEC P96.8
 - obstetric (cause unknown) O95 2a 2b
 - - affecting fetus or newborn P01.6
 - - between 42 days and one year after delivery O96-
 - - one year or more after delivery O97-
 - - sudden (cause unknown) (unexplained) R96.0 2b
 - - during delivery O95 2a 2b
 - - infant R95 2a 2b
 - - puerperal, during puerperium O95 2a 2b
 - - traumatic T14.9 2a 2b
 - - unattended (cause unknown) R98 2a 2b
 - under anesthesia NEC
 - - due to
 - - - correct substance properly administered T88.2 2b
 - - - overdose or wrong substance given T41-
 - - - - specified anesthetic - *see* Table of drugs and chemicals
 - - during delivery O74.8 2b
 - without sign of disease R96.1 2b

Debilitated (state) (status) R53 2b

Debilitating NEC R53 2b

- specified condition - *see* specified condition

Debilitation (severe) (*see also* Debility) R53 2b

Debility (chronic) (general) R53 2b

- age-related R54 2a 2b

- congenital or neonatal NEC P96.9 2a 2b

- metabolic E88.9
- nervous F48.0
- of age R54 2a 2b
- old age R54 2a 2b
- pulmonary J98.4 2a 2b
- - newborn P28.8
- senile R54 2a 2b

Decalcification

- bone M81.9 2a 2b
- teeth K03.8

Decapitation S18

- fetal (to facilitate delivery) P03.8

Decapsulation, kidney N28.8 2a 2b**Decay**

- dental K02.9 2a
- senile R54 2a 2b
- tooth, teeth K02.9 2a

Decerebrate G93.8 2b

- central nervous system (CNS) G93.8 2b
- traumatic - *see* Injury, brain S06.8 2a 2b

Deciduitis (acute), affecting fetus or newborn P00.8**Decline (general)** (*see also* Debility) R53 2b

- cognitive, age-associated R41.8
- geriatric (global) R54 2a 2b
- neurological R29.8 2b
- - progressive G96.8

Decompensation (*see also* Hypofunction)

- cardiac (acute) (chronic) (*see also* Disease, heart) I51.9 2a 2b
- cardiopulmonary I51.9 2a 2b
- cardiorenal I13.2 2a
- cardiovascular (*see also* Disease, cardiovascular) I51.6 2a 2b
- cerebral G93.8 2b
- coronary I25.1 2a 2b
- heart (*see also* Disease, heart) I51.9 2a 2b
- hepatic (*see also* Failure, hepatic) K72.9 2a 2b
- lung J98.4 2a 2b
- - newborn P28.8
- medullary R68.8 2a 2b
- myocardial (acute) (chronic) (*see also* Disease, heart) I51.9 2a 2b
- pulmonary J98.4 2a 2b
- - newborn P28.8
- renal (*see also* Disease, kidney) N28.9 2a 2b
- respiratory J98.8 2b
- - newborn P28.8

Decomposition

- specified site - *see* Disease, specified site

Decompression sickness T70.3**Deconditioning** R53 2b**Decrease(d)**

- amniotic fluid P01.2 2a
- blood
- - flow
- - - cord (umbilical)
- - - - affecting fetus or newborn P02.6
- - platelets (*see also* Thrombocytopenia) D69.6 2a 2b
- - pressure, due to shock following injury T79.4 2a 2b
- electrolyte E87.8
- estrogen E28.3
- fragility of erythrocytes D58.8
- function - *see* Hypofunction
- - lipase (pancreatic) K90.3
- - ovary in hypopituitarism E23.0 2b
- - parenchyma of pancreas K86.8 2b
- - pituitary (gland) (anterior) (lobe) E23.0 2b
- - - posterior E23.0 2b

- functional activity R68.8 2a 2b
- immune response D84.9 2b
- immunity D84.9 2b
- movement
 - - fetal, fetus R29.8 2b
- respiration, due to shock following injury T79.4 2a 2b
- sodium E87.1 2b
- tear secretion NEC H04.1
- tolerance
 - - fat K90.4
 - - glucose R73.0 2b
 - - pancreatic K90.3
- Decubitus (ulcer) L89.9**
 - with infection(*see also* Decubitus) L89.9
- cervix N86
- stage
 - - I L89.0
 - - II L89.1
 - - III L89.2
 - - IV L89.3
- Defect, defective**
 - abdominal wall, congenital Q79.5
 - antibody immunodeficiency D80.9
 - aorta septum, aortic septum Q21.4
 - aortopulmonary septum Q21.4
 - atrial septal (ostium secundum) (type II) Q21.1 2b
 - - ostium primum (type I) Q21.2 2b
 - atrioventricular Q21.2 2b
 - - canal Q21.2 2b
 - - septum Q21.2 2b
 - auricular septal Q21.1 2b
 - A.V. Q21.2 2b
 - bilirubin excretion NEC E80.6
 - biosynthesis, androgen (testicular) E29.1
 - bulbar septum Q21.0 2b
 - catalase E80.3 2b
 - cell membrane receptor complex (CR3) D71
 - chromosomal Q99.9
 - circulation I99 2a 2b
 - - congenital Q28.9 2b
 - - newborn Q28.9 2b
 - coagulation (factor) (*see also* Deficiency, factor) D68.9 2b
 - - antepartum with hemorrhage O46.0
 - - - affecting fetus or newborn P02.1 2a
 - - - premature separation of placenta O45.0
 - - intrapartum O67.0
 - - newborn, transient P61.6
 - - postpartum O72.3
 - - pregnancy NEC O46.0
 - complement system D84.1
 - conduction I45.9 2a 2b
 - - bone - *see* Deafness, conductive
 - congenital Q89.9 2a 2b
 - - multiple Q89.7 2a 2b
 - - organ or site not listed - *see* Anomaly, by site
 - coronary sinus Q21.1 2b
 - cushion, endocardial Q21.2 2b
 - degradation, glycoprotein E77.1
 - Descemet's membrane, congenital Q13.8
 - developmental - *see also* Anomaly
 - - cauda equina Q06.3
 - - diaphragm
 - - with elevation, eventration or hernia - *see* Hernia, diaphragm
 - - congenital Q79.1 2b
 - - - with hernia Q79.0 2a 2b

- - - gross (with hernia) Q79.0 2a 2b
- ectodermal, congenital Q82.9
- Eisenmenger's Q21.8
- embryogenesis Q89.9 2a 2b
- enzymatic (congenital) E88.9
- enzyme
 - - catalase E80.3 2b
 - - hepatic
 - - - congenital E80.6
 - - peroxidase E80.3 2b
 - esophagus, congenital Q39.9
- extensor retinaculum M62.8
- filling
 - bladder R93.4
 - kidney R93.4
 - ureter R93.4
- genes, genetic Q89.9 2a 2b
- glycoprotein degradation E77.1
- Hageman (factor) D68.2 2a 2b
- hearing (*see also* Deafness) H91.9
 - 11-hydroxylase E25.0
 - 21-hydroxylase E25.0
 - 3 hydroxysteroid dehydrogenase E25.0
- immunological
 - - developing antibody Factor III D80.8
- interatrial septal Q21.1 2b
 - interauricular septal Q21.1 2b
 - interventricular septal Q21.0 2b
- - with dextroposition of aorta, pulmonary stenosis and hypertrophy of right ventricle Q21.3
- - in tetralogy of Fallot Q21.3
- intravascular clotting D68.9 2b
- learning (specific) F81.9
- limb body wall Q89.7 2a 2b
- lymphocyte function antigen-1 (LFA-1) D84.0 2b
- lysosomal enzyme, post-translational modification E77.0
- mental - *see* Retardation, mental
- metabolic E88.9
 - - congenital E88.9
- modification, lysosomal enzymes, post-translational E77.0
- neural tube Q07.9
- ostium
 - - primum Q21.2 2b
 - - secundum Q21.1 2b
- peroxidase E80.3 2b
- placental blood supply - *see* Insufficiency, placental
- platelets, qualitative D69.1
- postural NEC, spine M43.9
- renal pelvis Q63.8
- - obstructive Q62.3 2a
- respiratory system, congenital Q34.9
- septal (heart) NEC Q21.9 2b
 - - acquired (atrial) (auricular) (ventricular) (old) I51.0 2b
 - - atrial (*see also* Defect, atrial, septal) Q21.1 2b
 - - ventricular (*see also* Defect, ventricular septal) Q21.0 2b
- sinus venosus Q21.1 2b
- speech NEC R47.8
- - developmental F80.9
- vascular (local) I99 2a 2b
 - - congenital Q27.9
- ventricular septal Q21.0 2b
 - - in tetralogy of Fallot Q21.3
- vision NEC H54.9
- visual field H53.4
- voice R49.8
- wedge, tooth, teeth (abrasion) K03.1

Deferentitis N49.1

- gonorrheal (acute) (chronic) A54.2† N51.8*

Defibrillation (syndrome) D65 2b

- antepartum O46.0

- - affecting fetus or newborn P02.1 2a

- fetus or newborn P60

- following

- - abortion (subsequent episode) O08.1

- - - current episode - *see* Abortion

- - ectopic or molar pregnancy O08.1

- intrapartum O67.0

- postpartum O72.3

- pregnancy NEC O46.0

Deficiency, deficient

- abdominal muscle syndrome Q79.4

- AC globulin (congenital) (hereditary) D68.2 2a 2b

- - acquired D68.4

- acetyl CoA dehydrogenase E71.3 2b

- acid phosphatase E83.3

- acyl CoA dehydrogenase E71.3 2b

- adenosine deaminase (ADA) D81.3

- aldolase (hereditary) E74.1

- alpha-1 antitrypsin E88.0 2b

- amino-acids E72.9

- amniotic fluid O41.0

- - affecting fetus or newborn P01.2 2a

- anemia - *see* Anemia

- aneurin E51.9

- antibody with

- - hyperimmunoglobulinemia D80.6

- - near-normal immunoglobins D80.6

- antiuretic hormone secretion (inappropriate) E22.2

- anti-hemophilic globulin NEC D66 2a 2b

- antithrombin D68.5

- α-1-antitrypsin E88.0 2b

- ascorbic acid E54 2a 2b

- attention (disorder) (syndrome) F98.8

- - with hyperactivity F90.0

- autoimmune M35.9 2a 2b

- bile salt K90.8 2b

- biotin E53.8 2a 2b

- biotin-dependent carboxylase D81.8

- brancher enzyme (amylopectinosis) E74.0 2a 2b

- calciferol E55.9

- - with

- - - adult osteomalacia M83.8

- - - rickets (*see also* Rickets) E55.0 2b

- calcium (dietary) E58

- calorie, severe E43 2b

- - with marasmus E41 2b

- - - and kwashiorkor E42

- cardiac (*see also* Insufficiency, myocardial) I50.0 2a 2b

- - advanced I50.00 2a 2b

- - - fetal, fetus P29.8

- - - newborn P29.0

- - grave I50.00 2a 2b

- - - fetal, fetus P29.8

- - - newborn P29.0

- - severe I50.00 2a 2b

- - - fetal, fetus P29.8

- - - newborn P29.0

- carnitine (palmitoyltransferase), muscle E71.3 2b

- carotene E50.9

- central nervous system G96.8

- cerebrovascular I67.8

- ceruloplasmin (Wilson) E83.0 2b
- chromium E61.4
- clotting (blood) (*see also* Deficiency, coagulation factor) D68.9 2b
- clotting factor NEC (hereditary) (*see also* Deficiency, factor) D68.2 2a 2b
- coagulation D68.9 2b
 - - acquired (any) D68.4
 - - antepartum O46.0
 - - - affecting fetus or newborn P02.1 2a
 - - clotting factor NEC (*see also* Deficiency, factor) D68.2 2a 2b
 - - due to
 - - - hyperprothrombinemia D68.4
 - - - liver disease D68.4
 - - - vitamin K deficiency D68.4
 - - newborn, transient P61.6
 - - postpartum O72.3
 - - specified NEC D68.8
- copper (nutritional) E61.0
- corticoadrenal E27.4
- - primary E27.1
- craniofacial axis Q75.0
- cyanocobalamin E53.8 2a 2b
- cytochrome oxidase E88.8 2a 2b
- C1 esterase inhibitor (C1-INH) D84.1
- debrancher enzyme (limit dextrinosis) E74.0 2a 2b
- diet E63.9 2a 2b
- disaccharidase E73.9
- edema (*see also* Malnutrition, severe) E43 2b
- electrolyte E87.8
- endocrine E34.9 2b
- energy supply (*see also* Malnutrition) E46 2a 2b
 - - severe (*see also* Malnutrition, severe) E43 2b
- enzymes, circulating NEC E88.0 2b
- ergosterol E55.9
 - - with
 - - - adult osteomalacia M83.8
 - - - rickets (*see also* Rickets) E55.0 2b
- essential fatty acid (EFA) E63.0
- factor - *see also* Deficiency, coagulation
 - - Fletcher D68.9 2b
 - - Hageman D68.2 2a 2b
 - - multiple (congenital) D68.8
 - - - acquired D68.4
 - - I (congenital) (hereditary) D68.2 2a 2b
 - - II (congenital) (hereditary) D68.2 2a 2b
 - - V (congenital) (hereditary) D68.2 2a 2b
 - - VII (congenital) (hereditary) D68.2 2a 2b
 - - VIII (congenital) (functional) (hereditary) (with functional defect) D66 2a 2b
 - - - with vascular defect D68.0 2a 2b
 - - IX (congenital) (functional) (hereditary) (with functional defect) D67 2a 2b
 - - X (congenital) (hereditary) D68.2 2a 2b
 - - XI (congenital) (hereditary) D68.1 2a 2b
 - - XII (congenital) (hereditary) D68.2 2a 2b
 - - XIII (congenital) (hereditary) D68.2 2a 2b
 - - femoral, proximal focal (congenital) Q72.4
 - - fibrin-stabilizing factor (congenital) (hereditary) D68.2 2a 2b
 - - - acquired D68.4
 - - fibrinogen (congenital) (hereditary) D68.2 2a 2b
 - - - acquired D65 2b
 - - folate E53.8 2a 2b
 - - folic acid E53.8 2a 2b
 - - fructokinase E74.1
 - - fructose 1,6-diphosphatase E74.1
 - - galactokinase E74.2 2b
 - - galactose-1-phosphate uridylyl transferase E74.2 2b
 - - gammaglobulin in blood D80.1 2b

- - hereditary D80.0
- glucose-6-phosphatase E74.0 2a 2b
- glucose-6-phosphate dehydrogenase anemia D55.0
- -glucoronidase E76.2
- glucuronyl transferase E80.5
- glycogen synthetase E74.0 2a 2b
- gonadotropin (isolated) E23.0 2b
- growth hormone (idiopathic) (isolated) E23.0 2b
- Hageman factor D68.2 2a 2b
- hemoglobin D64.9 2a 2b
- hepatophosphorylase E74.0 2a 2b
- homogentisate 1,2-dioxygenase E70.2
- hormone
 - - anterior pituitary (partial) NEC E23.0 2b
 - - - growth E23.0 2b
 - - growth (isolated) E23.0 2b
 - - pituitary E23.0 2b
 - - testicular E29.1
- 11-hydroxylase E25.0
- 21-hydroxylase E25.0
- 3 hydroxysteroid dehydrogenase E25.0
- hypoxanthine(-guanine)- phosphoribosyltransferase (HG-PRT) (total H-PRT) E79.1
- immunity D84.9 2b
 - - cell-mediated D84.8
 - - combined D81.9
 - - humoral D80.9
 - - T-cell D84.8
 - immuno - *see* Immunodeficiency
 - immunoglobulin D80.9
 - - selective
 - - - A (IgA) D80.2
 - - - G (IgG) (subclasses) D80.3
 - - - M (IgM) D80.4
 - immunological D84.9 2b
 - intrinsic factor (congenital) D51.0 2a 2b
 - invertase E73.1 2b
 - iodine E61.8
 - - congenital syndrome (*see also* Syndrome, iodine-deficiency, congenital) E00.9
 - iron E61.1
 - iron anemia D50.9
 - - secondary to blood loss D50.0
 - - - acute D62
 - kalium E87.6
 - kappa light chain D80.8
 - labile factor (congenital) (hereditary) D68.2 2a 2b
 - - acquired D68.4
 - lacrimal fluid (acquired) H04.1
 - - congenital Q10.6
 - lactase E73.0 2b
 - - congenital E73.0 2b
 - - secondary E73.1 2b
 - lecithin cholesterol acyltransferase E78.6
 - lipocaic K86.8 2b
 - lipoprotein (familial) (high density) E78.6
 - liver phosphorylase E74.0 2a 2b
 - magnesium E61.2
 - major histocompatibility complex
 - - class I D81.6
 - - class II D81.7
 - manganese E61.3
 - mental (familial) (hereditary) - *see* Retardation, mental
 - metabolic E88.9
 - mineral NEC E61.8
 - mitochondrial E88.9
 - molybdenum (nutritional) E61.5

- moral F60.2
- multiple nutrient elements E61.7
- muscle carnitine (palmitoyltransferase) E71.3 2b
- myocardial (*see also* Insufficiency, myocardial) I50.0 2a 2b
 - - advanced I50.00 2a 2b
 - - - fetal, fetus P29.8
 - - - newborn P29.0
 - - - grave I50.00 2a 2b
 - - - fetal, fetus P29.8
 - - - newborn P29.0
 - - - severe I50.00 2a 2b
 - - - fetal, fetus P29.8
 - - - newborn P29.0
- myophosphorylase E74.0 2a 2b
- NADH diaphorase or reductase (congenital) D74.0
- NADH-methemoglobin reductase (congenital) D74.0
- sodium E87.1 2b
- neurological R29.8 2b
- niacin (amide)(-tryptophan) E52 2a 2b
- nicotinamide E52 2a 2b
- nicotinic acid E52 2a 2b
- number of teeth (*see also* Anodontia) K00.0
- nutrient element E61.9
 - - multiple E61.7
 - - specified NEC E61.8
- nutrition, nutritional E63.9 2a 2b
 - - sequelae - *see* Sequelae, nutritional deficiency
 - - specified NEC E63.8
- ornithine transcarbamylase E72.4
- oxygen (*see also* Anoxia) R09.0 2b
 - - systemic (by suffocation) (low content in atmosphere) T71 2a 2b
- pantothenic acid E53.8 2a 2b
- parathyroid (gland) E20.9
- phenylalanine hydroxylase E70.1
- phosphoenolpyruvate carboxykinase E74.4
- pituitary hormone (isolated) E23.0 2b
- placenta - *see* Insufficiency, placental
- plasma thromboplastin
 - - antecedent (PTA) D68.1 2a 2b
 - - component (PTC) D67 2a 2b
 - - platelets NEC D69.6 2a 2b
- polyglandular E31.8
- - autoimmune E31.0
- potassium (K) E87.6
- - due to
 - - - medical care NEC E89.8 2b
- proaccelerin (congenital) (hereditary) D68.2 2a 2b
 - - acquired D68.4
- proconvertin factor (congenital) (hereditary) D68.2 2a 2b
 - - acquired D68.4
- protein (*see also* Malnutrition) E46 2a 2b
 - - C D68.5
 - - S D68.5
- prothrombin (congenital) (hereditary) D68.2 2a 2b
 - - acquired D68.4
- pseudocholinesterase E88.0 2b
- PTA (plasma thromboplastin antecedent) D68.1 2a 2b
- PTC (plasma thromboplastin component) D67 2a 2b
- purine nucleoside phosphorylase (PNP) D81.5
- pyridoxamine, pyridoxal E53.1 2b
- pyridoxine (derivatives) E53.1 2b
- pyruvate
 - - carboxylase E74.4
 - - dehydrogenase E74.4
 - - kinase (PK) E74.4

- 5--reductase (with male pseudohermaphroditism) E29.1
 - riboflavin E53.0
 - salt E87.1 2b
 - - due to
 - - - medical care NEC E89.8 2b
 - secretion
 - - ovary E28.3
 - - salivary gland (any) K11.7
 - - urine R34 2b
 - selenium (dietary) E59
 - serum antitrypsin, familial E88.0 2b
 - site(s) not indexed under Deficiency - *see also* Insufficiency
 - sodium (Na) E87.1 2b
 - - due to
 - - - medical care NEC E89.8 2b
 - SPCA (factor VII) D68.2 2a 2b
 - stable factor (congenital) (hereditary) D68.2 2a 2b
 - - acquired D68.4
 - Stuart-Prower (factor X) D68.2 2a 2b
 - sucrase E74.3
 - sulfatase E75.2 2b
 - sulfite oxidase E72.1
 - surfactant (disease) (lung) P28.0 2a 2b
 - thiamine, thiaminic (chloride) E51.9
 - - beriberi E51.1
 - - specified NEC E51.8
 - thyroid (gland) (*see also* Hypothyroidism) E03.9 2a 2b
 - tocopherol E56.0
 - transcobalamin II (anemia) D51.2
 - trypsin E88.0 2b
 - vanadium E61.6
 - vascular I99 2a 2b
 - viosterol (*see also* Deficiency, calciferol) E55.9
 - vitamin (multiple) E56.9 2b
 - - A E50.9
 - - - with
 - - - - Bitot's spot (corneal) E50.1
 - - - - follicular keratosis E50.8† L86* 2b
 - - - - keratomalacia E50.4† H19.8*
 - - - - manifestations NEC E50.8
 - - - - night blindness E50.5† H58.1*
 - - - - scar of cornea, xerophthalmic E50.6† H19.8*
 - - - - xeroderma E50.8† L86* 2b
 - - - - xerophthalmia E50.7† H19.8*
 - - - - xerosis
 - - - - - conjunctival E50.0† H13.8*
 - - - - - and Bitot's spot E50.1† H13.8*
 - - - - - cornea E50.2† H19.8*
 - - - - - and ulceration E50.3† H19.8*
 - - - - sequelae E64.1 2a 2b
 - - B (complex) NEC E53.9 2b
 - - - with
 - - - - beriberi E51.1
 - - - - pellagra E52 2a 2b
 - - B₁ E51.9
 - - - beriberi E51.1
 - - - with circulatory system manifestations E51.1† I98.8*
 - - B₂ (riboflavin) E53.0
 - - - B₆ E53.1 2b
 - - - B₁₂ E53.8 2a 2b
 - - C E54 2a 2b
 - - - sequelae E64.2 2a 2b
 - - D E55.9

- - - with
- - - adult osteomalacia M83.8
- - - rickets (*see also* Rickets) E55.0 2b
- - E E56.0
- - group B E53.9 2b
- - - specified NEC E53.8 2a 2b
- - H (biotin) E53.8 2a 2b
- - K E56.1 2b
- - - of newborn P53
- - P E56.8
- - PP (pellagra-preventing) E52 2a 2b
- - - specified NEC E56.8
- - thiamine E51.9
- - - beriberi (*see also* Beriberi) E51.1
- zinc, dietary E60

Deficient perineum (female) N81.8

Deficit - *see also* Deficiency

- attention - *see* Attention, deficit disorder or syndrome
- neurological NEC R29.8 2b

Deflection

- radius M21.8
- septum (acquired) (nasal) (nose) J34.2
- spine - *see* Curvature, spine
- turbinate (nose) J34.2

Defluvium

- capillorum (*see also* Alopecia) L65.9
- ciliorum H02.7
- unguium L60.8

Deformity Q89.9 2a 2b

- abdomen, congenital Q89.9 2a 2b
- abdominal wall
- - acquired M95.8
- - congenital Q79.5
- alimentary tract, congenital Q45.9
- - upper Q40.9
- ankle (joint) (acquired) NEC M21.6
- - congenital Q68.8
- anus (acquired) K62.8
- - congenital Q43.9
- aorta (arch) (congenital) Q25.4
- - acquired I77.8 2a 2b
- aortic cusp or valve (congenital) Q23.8
- - acquired (*see also* Endocarditis, aortic) I35.8
- arm (acquired) M21.9 2a 2b
- - congenital Q68.8
- artery (congenital) (peripheral) NEC Q27.9
- - acquired I77.8 2a 2b
- - coronary (acquired) I25.8 2a 2b
- - - congenital Q24.5
- auditory canal (external) (congenital) (*see also* Deformity, ear) Q17.8
- - acquired H61.8
- auricle
- - ear (congenital) (*see also* Deformity, ear) Q17.3
- - - acquired H61.1
- back (acquired) - *see* Deformity, spine
- bile duct (common) (congenital) (hepatic) Q44.5
- - acquired K83.8
- biliary duct or passage (congenital) Q44.5
- - acquired K83.8
- bladder (neck) (sphincter) (trigone) (acquired) N32.8
- - congenital Q64.7
- bone (acquired) M95.9
- brain (congenital) Q04.9
- - acquired G93.8 2b
- - reduction Q04.3

- breast (acquired) N64.8
- - congenital Q83.9
- bronchus (congenital) Q32.4
- - acquired NEC J98.0
- canaliculi (lacrimalis) (acquired) H04.6
- - congenital Q10.6
- canthus, acquired H02.8
- capillary (acquired) I78.8
- cardiovascular system, congenital Q28.9 2b
- caruncle, lacrimal (acquired) H04.6
- - congenital Q10.6
- cecum (congenital) Q43.9
- - acquired K63.8
- cerebral, acquired G93.8 2b
- cervix (uterus) (acquired) NEC N88.8
- - congenital Q51.9
- cheek (acquired) M95.2
- - congenital Q18.9
- chest (acquired) (wall) M95.4
- - congenital Q67.8
- - late effect of rickets E64.3 2a 2b
- chin (acquired) M95.2
- - congenital Q18.9
- choroid (congenital) Q14.3
- - acquired H31.8
- - plexus Q07.8
- cicatricial - *see* Cicatrix
- cilia, acquired H02.8
- clavicle (acquired) M21.8
- - congenital Q68.8
- clitoris (congenital) Q52.6
- - acquired N90.8
- clubfoot - *see* Clubfoot
- coccyx (acquired) M43.8
- colon (congenital) Q43.9
- - acquired K63.8
- concha (ear), congenital (*see also* Deformity, ear) Q17.3
- - acquired H61.1
- congenital Q89.9 2a 2b
- - organ or site not listed - *see* Anomaly, by site
- cornea (acquired) H18.7
- - congenital Q13.4
- coronary artery (acquired) I25.8 2a 2b
- - congenital Q24.5
- cranium (acquired) M95.2
- - congenital (*see also* Deformity, skull, congenital) Q75.8 2b
- cricoid cartilage (congenital) Q31.8
- - acquired J38.7
- cystic duct (congenital) Q44.5
- - acquired K82.8
- diaphragm (congenital) Q79.1 2b
- - acquired J98.6
- duodenal bulb K31.8 2a
- duodenum (congenital) Q43.9
- - acquired K31.8 2a
- dura - *see* Deformity, meninges or membrane
- ear (acquired) H61.1
- - congenital Q17.9
- - internal Q16.5
- - middle Q16.4
- ectodermal (congenital) Q82.9
- ejaculatory duct (congenital) Q55.4
- - acquired N50.8
- elbow (joint) (acquired) M21.9 2a 2b
- - congenital Q68.8

- endocrine gland NEC Q89.2
- epididymis (congenital) Q55.4
 - - acquired N50.8
- epiglottis (congenital) Q31.8
 - - acquired J38.7
- esophagus (congenital) Q39.9
 - - acquired K22.8
- eustachian tube (congenital) NEC Q16.4
- eyelid (acquired) H02.8
 - - congenital Q10.3
- face (acquired) M95.2
 - - congenital Q18.9
- fallopian tube, acquired N83.8
- femur (acquired) M21.8
- fetal
 - - with fetopelvic disproportion O33.7
 - - causing obstructed labor O66.3
 - - - affecting fetus or newborn P03.1
- finger (acquired) M20.0
 - - congenital NEC Q68.1
- flexion (joint) (acquired) M21.2
 - - congenital NEC Q68.8
 - - hip or thigh (acquired) M21.2
 - - - congenital Q65.8
- foot (acquired) NEC M21.6
 - - congenital Q66.9
 - - valgus M21.0
 - - - congenital NEC Q66.6
 - - varus M21.1
 - - - congenital NEC Q66.3
- forearm (acquired) M21.9 2a 2b
 - - congenital Q68.8
- forehead (acquired) M95.2
 - - congenital Q75.8 2b
- frontal bone (acquired) M95.2
 - - congenital Q75.8 2b
- gallbladder (congenital) Q44.1
 - - acquired K82.8
- gastrointestinal tract (congenital) Q45.9
 - - acquired K63.8
- genitalia, genital organ(s) or system NEC
 - - female (congenital) Q52.9
 - - - acquired N94.8 2b
 - - - external Q52.7
 - - male (congenital) Q55.9
 - - - acquired N50.8
- globe (eye) (congenital) Q15.8
 - - acquired H44.8
- gum, acquired NEC K06.8
- hand (acquired) M21.9 2a 2b
 - - congenital Q68.1
- head (acquired) M95.2
 - - congenital Q75.8 2b
- heart (congenital) Q24.9 2a 2b
 - - septum Q21.9 2b
 - - valve NEC Q24.8 2b
 - - - acquired - *see* Endocarditis
- heel (acquired) M21.6
 - - congenital Q66.9
- hepatic duct (congenital) Q44.5
 - - acquired K83.8
- hip (joint) (acquired) M21.9 2a 2b
 - - congenital Q65.9
 - - - due to (previous) juvenile osteochondrosis M91.2
- hourglass - *see* Contraction, hourglass

- humerus (acquired) M21.8
- - congenital Q74.0
- hypophyseal (congenital) Q89.2
- ileocecal (coil) (valve) (acquired) K63.8
- - congenital Q43.9
- ileum (congenital) Q43.9
- - acquired K63.8
- ilium (acquired) M95.5
- - congenital Q74.2
- integument (congenital) Q84.9
- intervertebral cartilage or disc (acquired) M51.8
- intestine (large) (small) (congenital) NEC Q43.9
- - acquired K63.8
- intrinsic minus or plus (hand) M21.8
- iris (acquired) H21.5
- - congenital Q13.2
- ischium (acquired) M95.5
- - congenital Q74.2
- jaw (acquired) (congenital) K07.9
- joint (acquired) NEC M21.9 2a 2b
- - congenital Q68.8
- kidney(s) (calyx) (pelvis) (congenital) Q63.9
- - acquired N28.8 2a 2b
- - artery Q27.2
- - - acquired I77.8 2a 2b
- Klippel-Feil Q76.1
- knee (acquired) NEC M21.9 2a 2b
- - congenital Q68.2
- labium (majus) (minus) (congenital) Q52.7
- - acquired N90.8
- lacrimal passages or duct (congenital) NEC Q10.6
- - acquired H04.6
- larynx (muscle) (congenital) Q31.8
- - acquired J38.7
- leg (lower) (upper) (acquired) M21.9 2a 2b
- - congenital Q68.8
- lens (acquired) H27.8
- - congenital Q12.9
- lid (fold) (acquired) H02.8
- - congenital Q10.3
- ligament (acquired) M24.2
- limb (acquired) M21.9 2a 2b
- - congenital, except reduction deformity Q68.8
- - specified NEC M21.8
- lip (acquired) NEC K13.0
- - congenital Q38.0
- liver (congenital) Q44.7
- - acquired K76.8 2b
- lumbosacral (congenital) (joint) (region) Q76.4
- - acquired M43.8
- lung (congenital) Q33.9
- - acquired J98.4 2a 2b
- - - newborn P28.8
- lymphatic system, congenital Q89.9 2a 2b
- Madelung's (radius) Q74.0
- mandible (acquired) (congenital) K07.9
- maxilla (acquired) (congenital) K07.9
- meninges or membrane (congenital) Q07.9
- - cerebral Q04.8
- - - acquired G96.1 2b
- - spinal cord Q06.9
- - - acquired G96.1 2b
- metacarpus (acquired) M21.9 2a 2b
- - congenital Q74.0
- metatarsus (acquired) M21.6

- - congenital Q66.8
- middle ear (congenital) Q16.4
- mitral (leaflets) (valve) I05.8 2a
- - stenosis, congenital Q23.2
- mouth (acquired) K13.7
- multiple, congenital NEC Q89.7 2a 2b
- muscle (acquired) M62.8
- musculoskeletal system (acquired) M95.9
- - specified NEC M95.8
- nail (acquired) L60.8
- - congenital Q84.6
- nasal - *see* Deformity, nose
- neck (acquired) M95.3
- - congenital Q18.9
- - - sternocleidomastoid Q68.0 2b
- nipple (congenital) Q83.9
- - acquired N64.8
- nose (acquired) (cartilage) M95.0
- - bone (turbinate) M95.0
- - congenital Q30.9
- - - bent or squashed Q67.4
- - septum J34.2
- - - congenital Q30.8
- - sinus (wall), congenital Q30.8
- - syphilitic
- - - congenital A50.5
- - - late A52.7† 2a 2b J99.8*
- ocular muscle (congenital) Q10.3
- - acquired H50.6
- oesophagus (congenital) Q39.9
- - acquired K22.8
- opticociliary vessels (congenital) Q13.2
- orbit (eye) (acquired) H05.3
- - congenital Q10.7
- organ of Corti (congenital) Q16.5
- ovary (congenital) Q50.3
- - acquired N83.8
- oviduct, acquired N83.8
- palate (congenital) Q38.5
- - acquired K10.8
- - cleft (*see also* Cleft, palate) Q35.9
- pancreas (congenital) Q45.3
- - acquired K86.8 2b
- parathyroid (gland) Q89.2
- parotid (gland) (congenital) Q38.4
- - acquired K11.8
- patella (acquired) M22.8
- - congenital Q68.2
- pelvis, pelvic (acquired) (bony) M95.5
- - with disproportion (fetopelvic) O33.0
- - - affecting fetus or newborn P03.1
- - - causing obstructed labor O65.0
- - congenital Q74.2
- - rachitic (late effect) E64.3 2a 2b
- penis (glans) (congenital) Q55.6
- - acquired N48.8
- pericardium (congenital) Q24.8 2b
- - acquired - *see* Pericarditis
- pharynx (congenital) Q38.8
- - acquired J39.2
- pinna, acquired H61.1
- pituitary (congenital) Q89.2
- posture - *see* Curvature, spine
- prepuce (congenital) Q55.6
- - acquired N48.8

- prostate (congenital) Q55.4
- - acquired N42.8
- pupil (congenital) Q13.2
- - acquired H21.5
- pylorus (congenital) Q40.3
- - acquired K31.8 2a
- rachitic (acquired), old or healed E64.3 2a 2b
- radius (acquired) M21.9 2a 2b
- - congenital Q68.8
- rectum (congenital) Q43.9
- - acquired K62.8
- reduction (extremity) (limb), congenital (*see also condition and site*) Q73.8
- - brain Q04.3
- - lower Q72.9
- - - specified NEC Q72.8
- - upper Q71.9
- - - specified NEC Q71.8
- renal - *see Deformity, kidney*
- respiratory system (congenital) Q34.9
- rib (acquired) M95.4
- - congenital Q76.6
- - - cervical Q76.5
- rotation (joint) (acquired) M21.8
- - congenital Q74.9
- - hip M21.8
- - - congenital Q65.8
- sacroiliac joint (congenital) Q74.2
- - acquired M43.8
- sacrum (acquired) M43.8
- saddle
- - back M40.5
- - nose M95.0
- - - syphilitic A50.5
- salivary gland or duct (congenital) Q38.4
- - acquired K11.8
- scapula (acquired) M21.8
- - congenital Q68.8
- scrotum (congenital) Q55.2
- - acquired N50.8
- seminal vesicles (congenital) Q55.4
- - acquired N50.8
- shoulder (joint) (acquired) M21.9 2a 2b
- - congenital Q74.0
- sigmoid (flexure) (congenital) Q43.9
- - acquired K63.8
- skin (congenital) Q82.9
- skull (acquired) M95.2
- - congenital Q75.8 2b
- - - with
 - - - - anencephaly Q00.0
 - - - - encephalocele (*see also Encephalocele*) Q01.9
 - - - - hydrocephalus Q03.9 2a 2b
 - - - - with spina bifida (*see also Spina bifida, with hydrocephalus*) Q05.4
 - - - - microcephaly Q02
- soft parts, organs or tissues (of pelvis)
- - in pregnancy or childbirth NEC O34.8
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1
- spermatic cord (congenital) Q55.4
- - acquired N50.8
- spinal M43.9
- - column (acquired) - *see Deformity, spine*
- - congenital Q67.5
- - cord (congenital) Q06.9

- - - acquired G95.8 2b
- - nerve root (congenital) Q07.8
- - spine (acquired) M43.9
- - congenital Q67.5
- - rachitic E64.3 2a 2b
- - specified NEC M43.8
- spleen
- - acquired D73.8
- - congenital Q89.0
- Sprengel's (congenital) Q74.0
- sternocleidomastoid (muscle), congenital Q68.0 2b
- sternum (acquired) M95.4
- - congenital NEC Q76.7
- stomach (congenital) Q40.3
- - acquired K31.8 2a
- submandibular gland (congenital) Q38.4
- talipes - *see* Talipes
- testis (congenital) Q55.2
- - acquired N50.8
- thigh (acquired) M21.9 2a 2b
- - congenital NEC Q68.8
- thorax (acquired) (wall) M95.4
- - congenital Q67.8
- - sequelae of rickets E64.3 2a 2b
- thumb (acquired) M20.0
- - congenital NEC Q68.1
- thymus (tissue) (congenital) Q89.2
- thyroid (gland) (congenital) Q89.2
- - cartilage Q31.8
- - - acquired J38.7
- tibia (acquired) M21.8
- - congenital NEC Q68.8
- - saber (syphilitic) A50.5† M90.2*

- toe (acquired) M20.6
- - congenital Q66.9
- - specified NEC M20.5
- tongue (congenital) Q38.3
- - acquired K14.8
- tooth, teeth K00.2
- trachea (rings) (congenital) Q32.1
- - acquired J39.8
- transverse aortic arch (congenital) Q25.4
- tricuspid (leaflets) (valve) I07.8
- - Ebstein's Q22.5
- trunk (acquired) M95.8
- - congenital Q89.9 2a 2b
- ulna (acquired) M21.9 2a 2b
- - congenital NEC Q68.8
- urachus, congenital Q64.4
- ureter (opening) (congenital) Q62.8
- - acquired N28.8 2a 2b
- urethra (congenital) Q64.7
- - acquired N36.8
- urinary tract (congenital) Q64.9
- uterus (congenital) Q51.9
- - acquired N85.8
- uvula (congenital) Q38.5
- vagina (acquired) N89.8
- - congenital Q52.4
- valgus NEC M21.0
- valve, valvular (congenital) (heart) Q24.8 2b
- - acquired - *see* Endocarditis
- varus NEC M21.1
- vas deferens (congenital) Q55.4
- - acquired N50.8

- vein (congenital) Q27.9
- - great Q26.9
- vertebra - *see* Deformity, spine
- vesicourethral orifice (acquired) N32.8
- - congenital NEC Q64.7
- vessels of optic papilla (congenital) Q14.2
- visual field (contraction) H53.4
- vitreous body, acquired H43.8
- vulva (congenital) Q52.7
- - acquired N90.8
- wrist (joint) (acquired) M21.9 2a 2b
- - congenital Q68.1

Degeneration, degenerative (hyaline)

- adrenal (capsule) (fatty) (gland) (hyaline) (infectional) E27.8
- amyloid (*see also* Amyloidosis) E85.9 2b
- anterior cornua, spinal cord G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- aorta, aortic I70.0 2a
- - fatty I77.8 2a 2b
- aortic valve (heart) (*see also* Endocarditis, aortic) I35.8
- arteriovascular - *see* Arteriosclerosis
- artery, arterial (atheromatous) (calcareous) (*see also* Arteriosclerosis) I70.9 2a 2b
- - cerebral, amyloid E85.4† I68.0*
- - medial I70.2 2a 2b
- articular cartilage NEC M24.1
- - knee M23.3
- atheromatous - *see* Arteriosclerosis
- basal nuclei or ganglia (cortical) G23.9
- - specified NEC G23.8
- bone NEC M89.8 2b
- brain (cortical) (progressive) G31.9
- - alcoholic G31.2 2a 2b
- - arteriosclerotic I67.2 2a 2b
- - childhood G31.9
- - - specified NEC G31.8
- - congenital Q28.3 2a 2b
- - cystic G31.8
- - - congenital Q04.6 2b
- - in
- - - alcoholism G31.2 2a 2b
- - - beriberi E51.1† G32.8*
- - - cerebrovascular disease I67.9 2a 2b
- - - congenital hydrocephalus Q03.9 2a 2b
- - - Fabry-Anderson disease E75.2† 2b G32.8*
- - - Gaucher's disease E75.2† 2b G32.8*
- - - Hunter's syndrome E76.1† G32.8*
- - - lipidosis
- - - - cerebral E75.4† 2b G32.8*
- - - - generalized E75.6† G32.8*
- - - - mucopolysaccharidosis E76.3† G32.8*
- - - - myxedema E03.9† 2a 2b G32.8*
- - - - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G32.8*
- - - - Niemann-Pick disease E75.2† 2b G32.8*
- - - - sphingolipidosis E75.3† 2b G32.8*
- - - - vitamin B₁₂ deficiency E53.8† 2a 2b G32.8*
- - - senile NEC G31.1
- breast N64.8
- Bruch's membrane H31.1
- calcareous NEC R89.7 2b
- capillaries (fatty) I78.8
- - amyloid E85.8† I79.8*
- cardiorenal (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- cardiovascular (*see also* Disease, cardiovascular) I51.6 2a 2b

- - renal (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- central nervous system (CNS) G31.9
- cerebellar G31.9
- - alcoholic G31.2 2a 2b
- - primary (hereditary) (sporadic) G11.9
- cerebral - *see* Degeneration, brain
- cerebrovascular I67.9 2a 2b
- cervix N88.8
 - - due to radiation (intended effect) N88.8
 - - - adverse effect or misadventure N99.8 2b
- changes, spine or vertebra M47.9 2a 2b
- chorioretinal H31.1
- - hereditary H31.2
- choroid (colloid) (drusen) H31.1
- - hereditary H31.2
- ciliary body H21.2
- cochlear H83.8
- cochleosaccular H83.8
- combined (spinal cord) (subacute) E53.8† 2a 2b G32.0*
- - with anemia (pernicious) D51.0† 2a 2b G32.0*
- - - due to dietary vitamin ₁₂ deficiency D51.3† G32.0*
- - in (due to)
 - - - vitamin B₁₂ deficiency E53.8† 2a 2b G32.0*
 - - - - anemia D51.9† G32.0*
- conjunctiva H11.1
- cornea H18.4
 - - familial, hereditary H18.5
 - - hyaline (of old scars) H18.4
 - - senile H18.4
- coronary vessels I25.1 2a 2b
 - cortical (cerebellar) (parenchymatous) G31.8
 - - alcoholic G31.2 2a 2b
 - - basal nuclei or ganglia G23.9
 - - diffuse, due to arteriopathy I67.2 2a 2b
 - - cutis L98.8
 - - amyloid E85.4† L99.0*
 - - dental pulp K04.2
- disk disease - *see* Degeneration, intervertebral disk NEC
- dorsolateral (spinal cord) - *see* Degeneration, combined
- extrapyramidal G25.9
- eye, macular H35.3
 - - congenital or hereditary H35.5
 - - posterior pole (eye) H35.3
- facet joints (*see also* Spondylosis) M47.9 2a 2b
- fatty
 - - liver NEC K76.0 2a 2b
 - - - alcoholic K70.0 2a
 - - placenta - *see* Placenta, abnormal
 - - grey matter (brain) (Alpers') G31.8
- heart (*see also* Degeneration, myocardial) I51.5 2a 2b
 - - amyloid E85.4† I43.1*
 - - arteriosclerotic I51.50 2a 2b
 - - atheromatous I25.1 2a 2b
 - - valve, valvular - *see* Endocarditis
 - - hepatolenticular (Wilson's) E83.0 2b
 - - hepatorenal K76.7
 - - hip M16.9 2b
 - - infrapatellar fat pad M79.3
 - - intervertebral disk NEC M51.3 2b
 - - with
 - - - myelopathy M51.0† G99.2*
 - - - radiculitis or radiculopathy M51.1† G55.1*
 - - cervical, cervicothoracic M50.3
 - - - with

- - - myelopathy M50.0† G99.2*
- - - neuritis, radiculitis or radiculopathy M50.1† G55.1*
- - lumbar, lumbosacral M51.3 2b
- - - with
 - - - myelopathy M51.0† G99.2*
 - - - neuritis, radiculitis, radiculopathy or sciatica M51.1† G55.1*
- - thoracic, thoracolumbar M51.3 2b
- - - with
 - - - myelopathy M51.0† G99.2*
 - - - neuritis, radiculitis, radiculopathy or sciatica M51.1† G55.1*
- intestine, amyloid E85.4† K93.8*
- iris (pigmentary) H21.2
- ischemic - *see* Ischemia
- joint - *see* Disease, joint, degenerative
- kidney (parenchymatous) N28.8 2a 2b
- - amyloid E85.4† N29.8*
- - cystic, congenital Q61.9
- - fatty N28.8 2a 2b
- Kuhnt-Junius H35.3
- lens H27.8
- lenticular (familial) (progressive) (Wilson's) (with cirrhosis of liver) E83.0 2b
- lethal ball, prosthetic heart valve T82.0
- liver (diffuse) NEC K76.8 2b
- - amyloid E85.4† K77.8*
- - cystic K76.8 2b
- - - congenital Q44.6 2a
- - fatty NEC K76.0 2a 2b
- - - alcoholic K70.0 2a
- - hypertrophic K76.8 2b
- - parenchymatous, acute or subacute K72.0 2a 2b
- - pigmentary K76.8 2b
- - toxic (acute) K71.9
- lung J98.4 2a 2b
- - newborn P28.8
- lymph gland I89.8 2b
- - hyaline I89.8 2b
- macula, macular (acquired) (atrophic) (exudative) (senile) H35.3
- - congenital or hereditary H35.5
- membranous labyrinth, congenital (causing impairment of hearing) Q16.5
- meniscus (*see also* Derangement, meniscus) M23.3
- mitral - *see* Insufficiency, mitral
- Mönckeberg's I70.2 2a 2b
- multi-system G90.3 2b
- mural (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- muscle (fatty) (fibrous) (hyaline) (progressive) M62.8
- - heart (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- myelin, central nervous system G37.9 2a 2b
- myocardial, myocardium (fatty) (hyaline) (senile) I51.5 2a 2b
- - with rheumatic fever (conditions in I00 2a 2b) I09.0 2a 2b
- - - active, acute or subacute I01.2 2a 2b
- - - - with chorea I02.0
- - - inactive or quiescent (with chorea) I09.0 2a 2b
- - arteriosclerotic I51.50 2a 2b
- - congenital Q24.8 2b
- - hypertensive (*see also* Hypertension, heart) I11.9 2a 2b
- - rheumatic - *see* Degeneration, myocardial, with rheumatic fever
- - syphilitic A52.0† 2b I52.0*
- myxoid, myxomatous
- - valvular I38 2a
- - - aortic I35.8
- - - mitral I34.8
- - - pulmonary I37.8
- - - tricuspid I36.8

- nerve - *see* Disorder, nerve
- nervous system G31.9
 - - alcoholic G31.2 2a 2b
 - - amyloid E85.4† G99.8*
 - - autonomic G90.9 2a
 - - fatty G31.8
 - - specified NEC G31.8
- neurological G31.9
 - neuron, neuronal - *see* Degeneration, nervous system
 - nipple N64.8
 - olivopontocerebellar (familial) (hereditary) G23.8
 - osseous labyrinth H83.8
 - ovary N83.8
 - - cystic N83.2
 - - microcystic N83.2
 - pallidal pigmentary (progressive) G23.0
 - pancreas K86.8 2b
 - - tuberculous A18.8† 2a 2b K87.1*
 - penis N48.8
 - pigmentary (diffuse) (general) (localized) - *see* Degeneration, by site
 - - pallidal (progressive) G23.0
 - pineal gland E34.8
 - pituitary (gland) E23.6
 - placenta O43.8 2b
 - popliteal fat pad M79.4
 - posterolateral (spinal cord) - *see* Degeneration, combined
 - presenile
 - - brain G31.8
 - pulmonary valve (heart) I37.8
 - pupillary margin H21.2
 - renal N28.8 2a 2b
 - retina (lattice) (microcystoid) (palisade) (paving stone) (peripheral) (reticular) (senile) H35.4
 - - hereditary (cerebroretinal) (congenital) (juvenile) (macula) (peripheral) (pigmentary) H35.5
 - - Kuhnt-Junius H35.3
 - - macula (cystic) (exudative) (hole) (nonexudative) (pseudohole) (senile) (toxic) H35.3
 - - pigmentary (primary) H35.5
 - - posterior pole H35.3
 - saccule, congenital (causing impairment of hearing) Q16.5
 - senile R54 2a 2b
 - - brain G31.1
 - - cardiac, heart or myocardium (*see also* Degeneration, myocardial) I51.5 2a 2b
 - - arteriosclerotic I51.50 2a 2b
 - - vascular - *see* Arteriosclerosis
 - - silicone rubber poppet (prosthetic valve)
 - - sinus (cystic) (*see also* Sinusitis) J32.9
 - - polypoid J33.1
 - - skin L98.8
 - - amyloid E85.4† L99.0*
 - - colloid L98.8
 - - spinal (cord) G31.8
 - - amyloid E85.4† G32.8*
 - - combined (subacute) - *see* Degeneration, combined
 - - dorsolateral - *see* Degeneration, combined
 - - familial NEC G31.8
 - - fatty G31.8
 - - funicular - *see* Degeneration, combined
 - - posterolateral - *see* Degeneration, combined
 - - subacute combined - *see* Degeneration, combined
 - - tuberculous A17.8† 2a 2b G07* 2b
 - - spine M48.9
 - - spinocerebellar G31.9
 - - spleen D73.0
 - - amyloid E85.4† D77* 2b
 - - stomach K31.8 2a
 - - striatonigral G23.2

- suprarenal (capsule) (gland) E27.8
- synovial membrane (pulpy) M67.8
- tapetoretinal H35.5
- thymus (gland) E32.8
 - - fatty E32.8
- thyroid (gland) E07.8
- tricuspid (heart) (valve) I07.9
- tuberculous NEC (*see also* Tuberculosis) A16.9 2a 2b
- turbinete J34.8
- uterus (cystic) N85.8
- valve, valvular - *see* Endocarditis
- vascular (senile) - *see* Arteriosclerosis
 - - hypertensive - *see* Hypertension
- villi (maternal), affecting fetus or newborn P02.8
- vitreous (body) H43.8
- Wallerian - *see* Disorder, nerve
- Wilson's hepatolenticular E83.0 2b

Degenerativa

- melanosis corii Q82.5

Deglutition paralysis R13 2a 2b

- hysterical F44.4

Degos' disease I77.8 2a 2b

Dehiscence

- cesarean wound O90.0
- episiotomy O90.1
- operation wound NEC T81.3 2b
- perineal wound (postpartum) O90.1
- postoperative NEC T81.3 2b
- uterine
 - - affecting fetus or newborn P03.8

Dehydration (hypernatremic) E86 2a 2b

- due to
 - - medical care NEC E89.8 2b
 - - newborn P74.1

Déjerine-Roussy syndrome G93.8 2b

Déjerine-Sottas disease or neuropathy (hypertrophic) G60.0 2a 2b

Déjerine-Thomas atrophy G23.8

Delay, delayed

- birth or delivery NEC O63.9 2b
 - - affecting fetus or newborn P03.8
- closure, ductus arteriosus (Botalli) P29.3 2b
- coagulation (*see also* Defect, coagulation) D68.9 2b
- conduction (cardiac) (ventricular) I45.8
- delivery, second twin, triplet, etc. O63.2
 - - affecting fetus or newborn P03.8
- development R62.9
 - - global F89
 - - intellectual (specific) F81.9
 - - learning F81.9
 - - physiological R62.9
 - - - specified stage NEC R62.0
 - - reading F81.0
 - - sexual E30.0
 - - speech F80.9
 - - spelling F81.1
- growth P05.9
- menstruation (cause unknown) N91.0
- milestone R62.0
- plane in pelvis, complicating delivery O66.9 2b
- primary respiration (*see also* Asphyxia, newborn) P21.9 2a 2b
- puberty (constitutional) E30.0
- union, fracture M84.2

Deletion

- autosome Q93.9
 - - specified NEC Q93.8

- chromosome - *see also* Monosomy
- - with complex rearrangements NEC Q93.7
- - 15 Q93.8
- - long arm Q93.5
- - p Q93.5
- - part Q93.5
- - q Q93.5
- - seen only at prometaphase Q93.6
- - short arm Q93.5
- - - specified part NEC Q93.5
- - - 4 Q93.3
- - - 5 Q93.4
- - specified part NEC Q93.5
- - xp Q93.5
- - xq Q93.5
- - yp Q93.5
- - yq Q93.5
- long arm chromosome 18 or 21 syndrome Q93.5
- - with complex rearrangements NEC Q93.7
- - specified NEC Q93.8

Delhi boil or button B55.1

Delinquency (juvenile) F91.8

- group F91.2
- neurotic F92.8

Delirium, delirious (acute or subacute) (not alcohol- or drug-induced) F05.9

- alcoholic (acute) (tremens) (withdrawal) F10.4 2a
- - chronic F10.6 2a 2b
- - due to (secondary to)
- - alcohol F10.4 2a
- - - intoxication T51.9 2a 2b
- - - withdrawal F10.4 2a
- - general medical condition F05.0
- - multiple etiologies F05.8
- - psychoactive substance NEC
- - - withdrawal F19.4
- - sedative, hypnotic or anxiolytic
- - - withdrawal F13.4
- - unknown etiology F05.9
- - withdrawal state - *code to* F10-F19 with fourth character .4
- exhaustion F43.0
- hysterical F44.8
- mixed origin (dementia and other) F05.8
- not superimposed on dementia F05.0
- puerperal F05.8
- superimposed on dementia F05.1
- thyroid E05.5 2b
- traumatic (*see also* Injury, intracranial) S06.9 2a 2b
- tremens (alcohol-induced) (alcohol withdrawal) F10.4 2a
- - chronic F10.6 2a 2b
- - drug withdrawal - *code to* F11-F19 with fourth character .4
- uremic (*see also* Uremia) N19 2a 2b

Delivery (single) O95 2a 2b

- abnormal O75.9 2a 2b
- assisted O75.9 2a 2b
- - specified NEC O75.9 2a 2b
- breech NEC O75.9 2a 2b
- - affecting fetus or newborn P03.0 2b
- - assisted NEC O75.9 2a 2b
- - extraction NEC O75.9 2a 2b
- cesarean (for) O75.9 2a 2b
- - with hysterectomy O75.9 2a 2b
- - abnormal
- - - cervix O34.4
- - - pelvis (bony) (deformity) (major) NEC with disproportion (fetopelvic) O33.0
- - - with obstructed labor O65.0

- - - presentation or position O32.9
- - - in multiple gestation O32.5
- - - uterus, congenital O34.0
- - - vagina O34.6
- - - vulva O34.7
- - abruptio placentae (*see also* Abruptio placentae) O45.9 2b
- - acromion presentation O32.2
- - affecting fetus or newborn P03.4
- - anteversion, uterus O34.5
- - atony, uterus O62.2 2a 2b
- - breech presentation O32.1 2b
- - brow presentation O32.3
- - cephalopelvic disproportion O33.9 2a
- - cerclage O34.3
- - chin presentation O32.3
- - cicatrix of cervix O34.4
- - contracted pelvis (general)
- - - inlet O33.2
- - - outlet O33.3
- - cord presentation or prolapse O69.0
- - cystocele O34.8
- - deformity (acquired) (congenital)
- - - pelvic organs or tissues NEC O34.8
- - - pelvis (bony) NEC O33.0
- - displacement, uterus NEC O34.5
- - disproportion NEC O33.9 2a
- - distress
- - - fetal O36.3
- - - maternal O75.0
- - eclampsia O15.0 2a
- - elective O75.9 2a 2b
- - emergency O75.9 2a 2b
- - face presentation O32.3
- - failed
- - - forceps O66.5
- - - trial of labour NEC O66.4
- - - vacuum extraction O66.5
- - - ventouse O66.5
- - fetal-maternal hemorrhage O43.0
- - fetus, fetal
- - - disproportion due to fetal deformity NEC O33.7
- - - distress O36.3
- - - prematurity O60 2b
- - hemorrhage (antenatal) O46.9
- - - intrapartum O67.9
- - high head at term O32.4
- - hydrocephalic fetus O33.6
- - incarceration of uterus O34.5
- - incoordinate uterine action O62.4
- - increased size, fetus O33.5
- - inertia, uterus O62.2 2a 2b
- - - primary O62.0
- - - secondary O62.1 2a 2b
- - lateroversion, uterus O34.5
- - mal lie O32.9
- - malposition
- - - fetus O32.9
- - - - in multiple gestation O32.5
- - - pelvic organs or tissues NEC O34.8
- - - uterus NEC O34.5
- - malpresentation NEC O32.9
- - - in multiple gestation O32.5
- - maternal
- - - diabetes mellitus (*see also* Diabetes, complicating pregnancy) O24.9 2a 2b
- - - heart disease NEC O99.4 2b

- - meconium in liquor O36.3
- - oblique presentation O32.2
- - oversized fetus O33.5
- - pelvic tumor NEC O34.8
- - placenta previa (with hemorrhage) O44.1
 - - - without hemorrhage O44.0
- - placental insufficiency O36.5
- - polyp, cervix O34.4
- - poor dilatation, cervix O62.0
- - pre-eclampsia (*see also* Pre-eclampsia) O14.9 2a
- - previous
 - - - cesarean section O34.2
 - - - surgery (to)
 - - - - cervix O34.4
 - - - - gynecological NEC O34.8
 - - - - uterus O34.2
 - - - - vagina O34.6
- - prolapse
 - - - arm or hand O32.2
 - - - uterus O34.5
- - prolonged labor NEC O63.9 2b
- - rectocele O34.8
- - repeat NEC O75.9 2a 2b
- - retroversion O34.5
 - - - uterus O34.5
- - rigid
 - - - cervix O34.4
 - - - pelvic floor O34.8
 - - - perineum O34.7
 - - - vagina O34.6
 - - - vulva O34.7
- - sacculation, pregnant uterus O34.5
- - scar(s)
 - - - cervix O34.4
 - - - cesarean section O34.2
 - - - uterus O34.2
- - Shirodkar suture in situ O34.3
- - shoulder presentation O32.2
- - specified NEC O75.9 2a 2b
- - stenosis or stricture, cervix O34.4
- - transverse presentation or lie O32.2
- - tumor, pelvic organs or tissues NEC O34.8
 - - - cervix O34.4
- - umbilical cord presentation or prolapse O69.0
- cleidotomy, to facilitate delivery O75.9 2a 2b
- completely normal case O95 2a 2b
- complicated (by) O75.9 2a 2b
- - abnormal, abnormality of
 - - - forces of labor O62.9
 - - - - specified type NEC O62.8
 - - - uterine contractions NEC O62.9
 - - abruptio placentae NEC O45.9 2b
 - - adherent placenta (morbidly) O43.2
 - - anesthesia O74.9 2b
 - - anesthetic death O74.8 2b
 - - annular detachment of cervix O71.3
 - - apoplexy (cerebral) O99.4 2b
 - - atony, uterus O62.2 2a 2b
 - - Bandl's ring O62.4
 - - bleeding (*see also* Delivery, complicated by, hemorrhage) O67.9
 - - cerebral hemorrhage O99.4 2b
 - - cervical dystocia (hypotonic) O62.0
 - - compression of cord (umbilical) NEC O69.2
 - - - around neck O69.1
 - - conditions NEC in

- - - I46.9 2a 2b 075.4 2b
- - - I95.9 2a 2b 075.8
- - - I99 2a 2b 075.8
- - - J96.0 2a 2b 075.8
- - - J96.9 2a 2b 075.8
- - - R00-R94 075.8
- - contraction, contracted ring O62.4
- - cord (umbilical)
- - - around neck, tightly or with compression O69.1
- - - without compression O69.8
- - bruising O69.5
- - complication O69.9
- - - specified NEC O69.8
- - - compression NEC O69.8
- - - entanglement O69.2
- - - hematoma O69.5
- - - presentation O69.0
- - - prolapse O69.0
- - - short O69.3
- - - thrombosis (vessels) O69.5
- - - vascular lesion O69.5
- - Couvelaire uterus (*see also* Abruptio placentae) O45.8
- - death (sudden), unknown cause O95 2a 2b
- - delay following rupture of membranes (spontaneous) O75.6
- - diastasis recti (abdominis) O71.8
- - dilatation
- - - bladder O66.8
- - - cervix incomplete, poor or slow O62.0
- - diseased placenta O43.9
- - disruptio uteri - *see* Delivery, complicated by, rupture, uterus
- - distress
- - - fetal O68.9
- - - - biochemical evidence O68.3
- - - - electrocardiographic evidence O68.8
- - - - specified evidence NEC O68.8
- - - - ultrasonic evidence O68.8
- - - maternal O75.0
- - dysfunction, uterus NEC O62.9
- - hypertonic O62.4
- - hypotonic O62.2 2a 2b
- - - primary O62.0
- - - secondary O62.1 2a 2b
- - - incoordinate O62.4
- - eclampsia O15.1
- - edema, classifiable to R60- O12.0
- - embolism (pulmonary) O88.2 2b
- - air O88.0
- - amniotic fluid O88.1
- - blood-clot O88.2 2b
- - fat O88.8
- - pyemic O88.3
- - septic O88.3
- - fetal
- - - death O36.4
- - - deformity O66.3
- - - distress (*see also* Delivery, complicated by, distress, fetal) O68.9
- - - heart rate anomaly O68.0
- - - - with meconium in liquor O68.2
- - fever during labor O75.2
- - hematoma O71.7
- - - ischial spine O71.7
- - - pelvic O71.7
- - - subdural O99.4 2b
- - - vagina O71.7
- - - vulva or perineum O71.7

- - hemorrhage (uterine) O67.9
- - - accidental (*see also* Abruptio placentae) O45.9 2b
- - - associated with
 - - - - afibrinogenemia O67.0
 - - - - coagulation defect O67.0
 - - - - hyperfibrinolysis O67.0
 - - - - hypofibrinogenemia O67.0
- - - cerebral O99.4 2b
- - - due to
 - - - - low-lying placenta O44.1
 - - - - placenta previa O44.1
 - - - - premature separation of placenta (normally implanted) (*see also* Abruptio placentae) O45.9 2b
 - - - - retained placenta O72.0
 - - - - trauma (obstetric) O67.8
 - - - - uterine leiomyoma O67.8
- - - placenta NEC O67.8
- - - postpartum NEC (atonic) (immediate) O72.1 2b
- - - - with retained or trapped placenta O72.0
- - - - delayed O72.2
- - - - secondary O72.2
- - - - third stage O72.0
- - hourglass contraction, uterus O62.4
- - hypertension (*see also* Hypertension, complicating pregnancy) O16
- - incomplete dilatation (cervix) O62.0
- - incoordinate uterine contractions O62.4
- - inertia, uterus O62.2 2a 2b
 - - - primary O62.0
 - - - secondary O62.1 2a 2b
- - infantile
 - - - genitalia NEC O34.8
 - - - uterus O34.5
 - - - injury (to mother) O71.9
 - - - intrauterine death O36.4
 - - - inversion, uterus O71.2
 - - - laceration O70.9
 - - - anus (sphincter) O70.2
 - - - - with mucosa O70.3
 - - - - bladder (urinary) O71.5
 - - - - bowel O71.5
 - - - - cervix (uteri) O71.3
 - - - - fourchette O70.0
 - - - - hymen O70.0
 - - - - labia O70.0
 - - - - paraurethral O71.5
 - - - - pelvic
 - - - - - floor O70.1
 - - - - - organ NEC O71.5
 - - - - perineum, perineal O70.9
 - - - - first degree O70.0
 - - - - fourth degree O70.3
 - - - - muscles O70.1
 - - - - second degree O70.1
 - - - - skin O70.0
 - - - - slight O70.0
 - - - - third degree O70.2
 - - - peritoneum O71.5
 - - - rectovaginal (septum) (without perineal laceration) O71.4
 - - - - with perineum
 - - - - - with anal or rectal mucosa O70.3
 - - - specified NEC O71.8
 - - - sphincter ani O70.2
 - - - - with mucosa O70.3
 - - - urethra O71.5
 - - - uterus O71.1
 - - - - before labour O71.0

- - - vagina, vaginal (deep) (high) (without perineal laceration) O71.4
- - - - with perineum O70.0
- - - - and muscles (perineal) (vaginal) O70.1
- - vulva O70.0
- - malposition
- - - placenta (with hemorrhage) O44.1
- - - without hemorrhage O44.0
- - uterus or cervix O65.5
- - meconium in liquor O68.1
- - - with fetal heart rate anomaly O68.2
- - metrorrhesis - *see Delivery, complicated by, rupture, uterus*
- - obstetric trauma O71.9
- - - specified NEC O71.8
- - obstruction - *see Labor, obstructed*
- - pathological retraction ring, uterus O62.4
- - penetration, pregnant uterus, by instrument O71.1
- - perforation - *see Delivery, complicated by, laceration*
- - placenta, placental
 - - - ablatio (*see also Abruptio placentae*) O45.9 2b
 - - - abnormality NEC O43.1
 - - - abruptio (*see also Abruptio placentae*) O45.9 2b
 - - - accreta O43.2
 - - - adherent (morbidly) O43.2
 - - - detachment (premature) (*see also Abruptio placentae*) O45.9 2b
 - - - disorder O43.9
 - - - hemorrhage NEC O67.8
 - - - increta O43.2
 - - - low (implantation) (with hemorrhage) O44.1
 - - - - without hemorrhage O44.0
 - - - malformation NEC O43.1
 - - - malposition (with hemorrhage) O44.1
 - - - - without hemorrhage O44.0
 - - - percreta O43.2
 - - - previa (central) (lateral) (marginal) (partial) (with hemorrhage) O44.1
 - - - - without hemorrhage O44.0
 - - - retained (with hemorrhage) O72.0
 - - - - without hemorrhage O73.0
 - - - separation (premature) (*see also Abruptio placentae*) O45.9 2b
 - - - vicious insertion (with hemorrhage) O44.1
 - - - - without hemorrhage O44.0
 - - precipitate labor O62.3
 - - premature rupture, membranes (*see also Rupture, membranes, premature*) O42.9
 - - previous
 - - cesarean section O75.7
 - - surgery
 - - - cervix O34.4
 - - - gynecological NEC O34.8
 - - - perineum O34.7
 - - - uterus NEC O34.2
 - - - vagina O34.6
 - - - vulva O34.7
 - - primipara, elderly or old - *code as Delivery, complicated by, specific condition*
 - - prolapse
 - - - arm or hand O32.2
 - - - cord (umbilical) O69.0
 - - - foot or leg O32.1 2b
 - - - uterus O34.5
 - - prolonged labor O63.9 2b
 - - first stage O63.0
 - - second stage O63.1
 - - retained membranes or portions of placenta O72.2
 - - - without hemorrhage O73.1
 - - retarded birth O63.9 2b
 - - retention of secundines (with hemorrhage) O72.0
 - - - partial O72.2

- - - without hemorrhage O73.1
- - - without hemorrhage O73.0
- - - - rupture
- - - - bladder (urinary) O71.5
- - - - cervix O71.3
- - - - pelvic organ NEC O71.5
- - - - perineum (without mention of other laceration) - see Delivery, complicated by, laceration, perineum
- - - - urethra O71.5
- - - - uterus (during or after labor) O71.1
- - - - before labor O71.0
- - - - sacculation, pregnant uterus O34.5
- - - - scar(s)
- - - - cervix O34.4
- - - - cesarean section O75.7
- - - - uterus NEC O34.2
- - - separation, pubic bone (symphysis pubis) O71.6
- - - shock O75.1
- - - shoulder presentation O64.4
- - - spasm, cervix O62.4
- - - stenosis or stricture, cervix O65.5
- - - stress, fetal - *see* Delivery, complicated by, distress, fetal
- - - tear - *see* Delivery, complicated by, laceration
- - - tetanic uterus O62.4
- - - trauma (obstetrical) O71.9
- - - tumor, pelvic organs or tissues NEC O65.5
- - - uterine inertia O62.2 2a 2b
- - - - primary O62.0
- - - - secondary O62.1 2a 2b
- - - - vasa previa O69.4
- - - - velamentous insertion of cord O69.8
- - - craniotomy, to facilitate delivery O75.9 2a 2b
- - - delayed NEC O63.9 2b
- - - following rupture of membranes (spontaneous) O75.6
- - - - artificial O75.5
- - - - second twin, triplet, etc. O63.2
- - - destructive operation O75.9 2a 2b
- - - difficult NEC
- - - previous, affecting management of pregnancy Z35.2(356)
- - - early onset (spontaneous) O60 2b
- - - fetal, fetus - *see* Prematurity
- - - newborn - *see* Immaturity
- - - embryotomy, to facilitate delivery O75.9 2a 2b
- - - extremely rapid O62.3
- - - newborn P03.5
- - - forceps NEC O75.9 2a 2b
- - - with ventouse (vacuum extractor) O75.9 2a 2b
- - - affecting fetus or newborn P03.2
- - - low O75.9 2a 2b
- - - - following failed vacuum extraction O66.5
- - - mid-cavity O75.9 2a 2b
- - - - with rotation O75.9 2a 2b
- - - manipulation-assisted NEC O75.9 2a 2b
- - - missed (at or near term) O36.4
- - - multiple O75.9 2a 2b
- - - all (by)
- - - - cesarean section O75.9 2a 2b
- - - - forceps O75.9 2a 2b
- - - - spontaneous O75.9 2a 2b
- - - - vacuum extractor O75.9 2a 2b
- - - - combination of methods O75.9 2a 2b
- - - - specified NEC O75.9 2a 2b
- - - normal O95 2a 2b
- - - precipitate O62.3
- - - affecting fetus or newborn P03.5
- - - premature or preterm NEC O60 2b

- - affecting fetus or newborn P07.3 2a 2b
- - - nonviable P07.2 2b
- - - previable P07.2 2b
- - previous, affecting management of pregnancy Z35.2(357)
- spontaneous O95 2a 2b
- - breech O95 2a 2b
- - specified NEC O95 2a 2b
- - vertex O95 2a 2b
- stillbirth, stillborn O36.4
- threatened premature (before 37 weeks of gestation) O47.0
- uncomplicated O95 2a 2b
- vacuum extractor NEC O75.9 2a 2b
- - with forceps O75.9 2a 2b
- - affecting fetus or newborn P03.3
- vaginal, following previous cesarean section O75.7
- ventouse NEC O75.9 2a 2b
- - affecting fetus or newborn P03.3
- version with extraction O75.9 2a 2b
- viable fetus in abdominal pregnancy O75.9 2a 2b

Delusions (paranoid) - *see* Disorder, delusional

Dementia (brain, any part) (organic) (persisting) F03 2a 2b

- alcoholic F10.7 2a
- Alzheimer's (type) G30.9† 2a 2b F00.9*
- - early (onset) G30.0† F00.0*
- - late (onset) G30.1† 2a 2b F00.1*
- - senile G30.1 2a 2b
- arteriosclerotic (*see also* Dementia, vascular) F01.9
- atypical, Alzheimer's (type) G30.8† F00.2*
- cerebrovascular F01.9
- degenerative (primary) F03 2a 2b
- dialysis G97.8 2b
- frontal lobe G31.0† F02.0*
- frontotemporal lobe G31.0† F02.0*
- in (due to)
 - - alcohol F10.7 2a
 - - Alzheimer's disease G30.9† 2a 2b F00.9*
 - - - atypical G30.8† F00.2*
 - - - early (onset) G30.0† F00.0*
 - - - late (onset) G30.1† 2a 2b F00.1*
 - - - mixed type G30.8† F00.2*
 - - arteriosclerotic brain disease F01.9
 - - cerebral lipidoses E75† F02.8*
 - - Creutzfeldt-Jakob disease A81.0† 2b F02.1*
 - - drugs (residual) - *code to* F10-F19 with fourth character .7
 - - epilepsy G40† F02.8*
 - - general paralysis of the insane A52.1† 2a 2b F02.8*
 - - hepatolenticular degeneration E83.0† 2b F02.8*
 - - human immunodeficiency virus (HIV) disease B22.0† F02.4*
 - - Huntington's disease or chorea G10† 2a F02.2*
 - - hypercalcemia E83.5† 2a 2b F02.8*
 - - hypothyroidism, acquired E03† F02.8*
 - - - due to iodine-deficiency E01† F02.8*
 - - inhalants F18.7
 - - intoxication (*see also* Table of drugs and chemicals) T65.9† 2b F02.8*
 - - multiple
 - - - etiologies F03 2a 2b
 - - - sclerosis G35† 2a 2b F02.8*
 - - neurosyphilis A52.1† 2a 2b F02.8*
 - - niacin deficiency E52† 2a 2b F02.8*
 - - paralysis agitans G20† 2a 2b F02.3*
 - - Parkinson's disease (parkinsonism) G20† 2a 2b F02.3*
 - - pellagra E52† 2a 2b F02.8*
 - - Pick's disease G31.0† F02.0*
 - - polyarteritis nodosa M30.0† 2b F02.8*
 - - sedatives, hypnotics or anxiolytics F13.7

- - systemic lupus erythematosus M32† F02.8*
- - trypanosomiasis, African B56† 2a F02.8*
- - unknown etiology F03 2a 2b
- - vitamin B₁₂ deficiency E53.8† 2a 2b F02.8*
- - volatile solvents F18.7
- infantile, infantilis F84.3
- infarct F01.1
- Lewy body(ies) G31.8† F02.8*
- multi-infarct F01.1
- - arteriosclerotic F01.1
- old age F03 2a 2b
- paralytica, paralytic (syphilitic) A52.1† 2a 2b F02.8*
- - juvenilis A50.4
- paretic A52.1† 2a 2b F02.8*
- praecox (*see also* Schizophrenia) F20.9
- presenile F03 2a 2b
- - Alzheimer's (type) G30.0† F00.0*
- primary degenerative F03 2a 2b
- progressive, syphilitic A52.1† 2a 2b F02.8*
- pugilistica F07.2
- resulting from HIV disease B22.0† F02.4*
- senile F03 2a 2b
 - - with acute confusional state F05.1
 - - Alzheimer's (type) G30.1† 2a 2b F00.1*
 - - - early (onset) G30.0† F00.0*
 - - - late (onset) G30.1† 2a 2b F00.1
 - - depressed or paranoid type F03 2a 2b
 - - multi infarct F01.1
- uremic N18.5† 2b F02.8*
- vascular (cerebral) (of) F01.9
- - acute onset F01.0
- - infarct F01.1
 - - mixed cortical and subcortical F01.3
 - - multi-infarct F01.1
 - - predominantly cortical F01.1
 - - specified NEC F01.8
 - - subcortical F01.2

Demineralization, bone (*see also* Osteoporosis) M81.9 2a 2b

Demise

- fetal - *see* Death, fetal

Demodex folliculorum (infestation) B88.0

Demoralization R45.3

Demyelination, demyelinization

- central nervous system G37.9 2a 2b
 - - specified NEC G37.8
- corpus callosum (central) G37.1
- disseminated, acute G36.9
 - - specified NEC G36.8
- in optic neuritis G36.0

Dengue (classical) (fever) A90 2a

- hemorrhagic A91 2a

Dennie-Marfan syphilitic syndrome A50.4

Dens evaginatus, in dente or invaginatus K00.2

Density

- increased, bone (disseminated) (generalized) (spotted) M85.8
- lung (nodular) J98.4 2a 2b
 - - newborn P28.8

Dental - *see also* condition

- examination Z01.2(358)

Dentia praecox K00.6

Denticles (pulp) K04.2

Dentigerous cyst K09.0

Dentin

- irregular (in pulp) K04.3
- secondary (in pulp) K04.3

- sensitive K03.8

Dentinogenesis imperfecta K00.5

Dentinoma (M9271/0) D16.5

- upper jaw (bone) D16.4

Dentition (syndrome) K00.7

- delayed K00.6

- difficult K00.7

- precocious K00.6

- premature K00.6

- retarded K00.6

Dependence, dependency

- alcohol F10.2 2a 2b

- care-provider Z74.9(359)

- due to

- - alcohol (ethyl) (methyl) F10.2 2a 2b

- - - counseling and surveillance Z71.4(360)

- - - detoxification therapy Z50.2(361)

- - - rehabilitation measures Z50.2(362)

- - amphetamine(s) (type) F15.2

- - amobarbital F13.2

- - amytal (sodium) F13.2

- - anxiolytic NEC F13.2

- - barbital(s) F13.2

- - barbiturate(s) (compounds) (drugs classifiable to T42.3 2a 2b) F13.2

- - bhang F12.2

- - bromide(s) NEC F13.2

- - caffeine F15.2

- - *Cannabis (indica) (sativa)* (derivatives) (resin) (type) F12.2

- - chlordiazepoxide F13.2

- - cloral (betaine) (hydrate) F13.2

- - coca (leaf) (derivatives) F14.2 2b

- - cocaine F14.2 2b

- - codeine F11.2 2b

- - combinations of drugs F19.2 2b

- - dagga F12.2

- - dexamfetamine(s) (type) F15.2

- - dextromethorphan F11.2 2b

- - dextromoramide F11.2 2b

- - dextrorphan F11.2 2b

- - diazepam F13.2

- - DOM F14.2 2b

- - drug NEC F19.2 2b

- - - combinations NEC F19.2 2b

- - - complicating pregnancy, childbirth or puerperium O99.3

- - - - affecting fetus or newborn P04.4

- - - - withdrawal symptoms in newborn P96.1

- - - - counseling and surveillance Z71.5(363)

- - - soporific NEC F13.2

- - - suspected damage to fetus, affecting management of pregnancy O35.5

- - - synthetic, with morphine-like effect F11.2 2b

- - ethyl

- - - alcohol F10.2 2a 2b

- - - bromide F13.2

- - - carbamate F19.2 2b

- - - chloride F19.2 2b

- - - morphine F11.2 2b

- - ganja F12.2

- - glue (airplane) (sniffing) F18.2 2b

- - glutethimide F13.2

- - hallucinogenics F16.2

- - hashish F12.2

- - hemp F12.2

- - heroin (salt) (any) F11.2 2b

- - hypnotic NEC F13.2

- - Indian hemp F12.2

- - inhalants F18.2 2b
- - khat F15.2
- - laudanum F11.2 2b
- - LSD(-25) (derivatives) F16.2
- - luminal F13.2
- - lysergide, lysergic acid, D-lysergic acid diethylamide F16.2
- - maconha F12.2
- - marihuana, marijuana F12.2
- - MDA (methylene dioxyamphetamine) F15.2
- - meprobamate F13.2
- - mescaline F16.2
- - methadone F11.2 2b
- - methamphetamine(s) F15.2
- - methaqualone F13.2
- - methyl
 - - - alcohol F10.2 2a 2b
 - - - bromide F13.2
 - - - morphine F11.2 2b
 - - - phenidate F15.2
 - - - methylene dioxyamphetamine (MDA) F15.2
 - - - morphine (sulfate) (sulfite) (type) F11.2 2b
- - narcotic (drug) NEC F19.2 2b
- - nicotine F17.2
- - nitrous oxide F19.2 2b
- - nonbarbiturate sedatives and tranquilizers with similar effect F13.2
- - opiate F11.2 2b
- - opioids F11.2 2b
- - opium (alkaloids) (derivatives) (tincture) F11.2 2b
- - paraldehyde F13.2
- - paregoric F11.2 2b
- - PCP (phencyclidine) F19.2 2b
- - pentobarbital, pentobarbitone (sodium) F13.2
- - peyote F16.2
- - phencyclidine (PCP) (and related substances) F19.2 2b
- - phenmetrazine F15.2
- - phenobarbital F13.2
- - polysubstance F19.2 2b
- - psilocin, psilocybine F16.2
- - psychostimulant NEC F15.2
- - secobarbital (sodium) F13.2
- - sedative NEC F13.2
- - specified drug NEC F19.2 2b
- - stimulant NEC F15.2
- - substance NEC F19.2 2b
- - STP F14.2 2b
- - tobacco F17.2
 - - - counseling and surveillance Z71.6(364)
- - toluene, toluol F18.2 2b
- - tranquilizer NEC F13.2
- - volatile solvents F18.2 2b
- ethanol F10.2 2a 2b
- on
 - - aspirator Z99.0(365)
 - - care provider (because of) Z74.0(366)
 - - - impaired mobility Z74.0(367)
 - - - need for
 - - - - assistance with personal care Z74.1(368)
 - - - - continuous supervision Z74.3(369)
 - - - no other household member able to render care Z74.2(370)
 - - - specified reason NEC Z74.8(371)
 - - machine Z99.9(372)
 - - - enabling NEC Z99.8(373)
 - - - specified type NEC Z99.8(374)
 - - renal dialysis Z99.2(375)
 - - respirator Z99.1(376)

- - ventilator Z99.1(377)
- - wheelchair Z99.3(378)
- passive F60.7
- reactions (persistent) F60.7
- syndrome - *code to F10-F19 with fourth character .2*

Depersonalization (in neurotic state) (neurotic) (syndrome) F48.1

Depletion

- bone marrow D61.0
- electrolyte E87.8
- nutritional E63.9 2a 2b
- potassium E87.6
- - due to
- - - medical care NEC E89.8 2b
- salt or sodium E87.1 2b
- - due to
- - - medical care NEC E89.8 2b
- - causing heat exhaustion or prostration T67.4
- volume E86 2a 2b
- - extracellular fluid E86 2a 2b
- - - due to
- - - - medical care NEC E89.8 2b
- - intravascular E86 2a 2b
- - plasma E86 2a 2b
- - - due to
- - - - medical care NEC E89.8 2b
- - water E86 2a 2b

Depolarization, premature I49.4

- atrial I49.1
- - newborn P29.1
- junctional I49.2
- - newborn P29.1
- newborn P29.1
- specified NEC I49.4
- - newborn P29.1
- ventricular I49.3 2b
- - newborn P29.1

Deposit

- bone in Boeck's sarcoid D86.8
- calcareous, calcium - *see Calcification*
- cholesterol
- - retina H35.8
- - vitreous (body) (humor) H43.2
- conjunctiva H11.1
- cornea H18.0
- crystallin, vitreous (body) (humor) H43.2
- hemosiderin in old scars of cornea H18.0
- metallic in lens H26.8
- skin R23.8 2b
- tooth, teeth (betel) (black) (green) (materia alba) (orange) (tobacco) K03.6
- urate, kidney (*see also* Calculus, kidney) N20.0 2a

Depraved appetite F50.8

- in childhood F98.3

Depression F32.9 2b

- acute F32.9 2b
- agitated (single episode) F32.2
- anxiety F41.2
- - persistent F34.1
- arches M21.4
- - congenital Q66.5
- atypical (single episode) F32.8
- basal metabolic rate R94.8
- basilar Q75.8 2b
- bipolar - *see* Manic-depressive
- bone marrow D75.8 2a 2b
- central nervous system (CNS) NEC R29.8 2b

- - newborn P91.4
 - cerebral R29.8 2b
 - - newborn P91.4
 - cerebrovascular I67.9 2a 2b
 - chest wall M95.4
 - climacteric (single episode) F32.8
 - endogenous (without psychotic symptoms) F33.2
 - - with psychotic symptoms F33.3
 - function
 - - cardiac I49.9 2b
 - - - newborn P29.1
 - functional activity R68.8 2a 2b
 - hysterical F44.8
 - involutional (single episode) F32.8
 - major (without psychotic symptoms) F32.2
 - - with psychotic symptoms F32.3
 - - recurrent - *see* Disorder, depressive, recurrent
 - manic (manic-depressive) - (*see also* Disorder, bipolar) F31.9
 - masked (single episode) F32.8
 - medullary G93.8 2b
 - menopausal (single episode) F32.8
 - mental F32.9 2b
 - metatarsus - *see* Depression, arches
 - monopolar F33.9
 - nervous F34.1
 - neurotic F34.1
 - nose M95.0
 - perinatal P96.8
 - postnatal F53.0
 - postpartum F53.0
 - post-psychotic of schizophrenia F20.4
 - post-schizophrenic F20.4
 - psychogenic (reactive) (single episode) F32.9 2b
 - psychoneurotic F34.1
 - psychotic (single episode) F32.3
 - - recurrent F33.3
 - reactive (psychogenic) (single episode) F32.9 2b
 - - psychotic F32.3
 - recurrent (*see also* Disorder, depressive, recurrent) F33.9
 - respiration, respiratory R09.8 2b
 - - center, central G93.8 2b
 - - newborn P28.5 2a 2b
 - seasonal (*see also* Disorder, depressive, recurrent) F33.9
 - senile F03 2a 2b
 - severe, single episode F32.2
 - situational (reactive) F43.2
 - skull Q67.4
 - specified NEC (single episode) F32.8
 - state F32.9 2b
 - sternum M95.4
 - visual field H53.4
 - vital (recurrent) (without psychotic symptoms) F33.2
 - - with psychotic symptoms F33.3
 - - single episode F32.2
 - vital centers G93.8 2b
 - - newborn P91.4
 - cultural Z60.3(379)
 - emotional NEC Z65.8(380)
 - - affecting infant or child T74.3
- Deprivation (effects)** T73.9
- food T73.0 2a 2b
 - protein (*see also* Malnutrition) E46 2a 2b
 - - severe (*see also* Malnutrition, severe) E43 2b
 - social - Z60.4(381)
 - - affecting infant or child T74.3

- specified NEC T73.8
- symptoms, syndrome, drug (narcotic) - *code to F10-F19 with fourth character .3*
- vitamins (*see also* Deficiency, vitamin) E56.9 2b
- water T73.1

Derangement

- cartilage (articular) NEC M24.1
- - knee, meniscus (*see also* Derangement, meniscus) M23.3
- - - recurrent M24.4
- - recurrent M24.4
- elbow (internal) M24.9
- - recurrent M24.4
- electrolyte E87.8
- joint (internal) M24.9
- - current injury (*see also* Dislocation) T14.3
- - - knee, cartilage or meniscus S83.2
- - elbow M24.9
- - knee M23.9
- - - current injury S83.2
- - - specified NEC M23.8
- - recurrent M24.4
- - shoulder M24.9
- - specified NEC M24.8
- - temporomandibular K07.6
- knee M23.9
- - current injury S83.2
- - recurrent M24.4
- - specified NEC M23.8
- low back NEC M53.8
- meniscus (anterior horn) (posterior horn) (lateral) (medial) M23.3
- - due to old tear or injury M23.2
- - recurrent M24.4
- mental (*see also* Psychosis) F29 2a 2b
- metabolic E88.9
- patella, specified NEC M22.3
- semilunar cartilage (knee) M23.3
- - recurrent M24.4
- shoulder (internal) M24.9
- - current injury (*see also* Dislocation, shoulder) S43.0

Dercum's disease E88.2

Derealization (neurotic) F48.1

Dermachalasis

- eyelid H02.3

Dermal - *see condition*

Dermaphytid - *see* Dermatophytosis

Dermatitis L30.9 2a

- ab igne L59.0 2b
- acarine B88.0
- actinic (due to sun) L57.8
- - other than from sun L59.8
- allergic (contact) (*see also* Dermatitis, due to) L23.9
- ambustionis, due to burn or scald - *see* Burn
- amebic A06.7
- arsenical (ingested) L27.8 2a 2b
- artefacta L98.1 2b
- atopic L20.9
- - specified NEC L20.8
- berlock, berloque L56.2
- blastomycetic B40.3† L99.8*
- blister beetle L24.8
- bullous, bullosa L13.9
- - mucosynechial, atrophic L12.1
- - seasonal L30.8
- - specified NEC L13.8
- calorica L59.0 2b
- - due to burn or scald - *see* Burn

- caterpillar L24.8
- cercarial B65.3
- combustionis L59.0 2b
 - - due to burn or scald - *see* Burn
- congelationis T69.1
- contact (occupational) (*see also* Dermatitis, due to) L25.9
 - - allergic L23.9
 - - irritant L24.9
- diabetic (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b L99.8*
- diaper L22
- diphtheritica A36.3
- dry skin L85.3
- due to
 - - acetone (contact) (irritant) L24.2
 - - acids (contact) (irritant) L24.5
 - - adhesives (allergic) (contact) (plaster) L23.1
 - - - irritant L24.5
 - - - alcohols (irritant) (skin contact) (substances in T51-) L24.2
 - - - taken internally L27.8 2a 2b
 - - - alkalis (contact) (irritant) L24.5
 - - - arsenic (ingested) L27.8 2a 2b
 - - - carbon disulfide (contact) (irritant) L24.2
 - - - caustics (contact) (irritant) L24.5
 - - - cement (contact) L25.3
 - - - allergic L23.5
 - - - irritant L24.5
 - - - chemicals NEC L25.3
 - - - in contact with skin L25.3
 - - - - allergic L23.5
 - - - - irritant NEC L24.5
 - - - - taken internally L27.8 2a 2b
 - - - chromium (allergic) (contact) L23.0
 - - - irritant L24.8
 - - cold weather L30.8
 - - cosmetics (contact) L25.0
 - - - allergic L23.2
 - - - irritant L24.3
 - - *Demodex* species B88.0
 - - *Dermanyssus gallinae* B88.0
 - - detergents (contact) (irritant) L24.0
 - - dichromate (allergic) L23.0
 - - - irritant L24.5
 - - drugs and medicaments (correct substance properly administered) (generalized) (internal use) L27.0
 - - - external (*see also* Dermatitis, due to, drugs, in contact with skin) L25.1
 - - - - wrong substance given or taken T49.9
 - - - - - specified substance - *see* Table of drugs and chemicals
 - - in contact with skin L25.1
 - - - - allergic L23.3
 - - - - irritant L24.4
 - - - localized skin eruption L27.1
 - - - wrong substance given or taken T50.9 2a 2b
 - - - - specified substance - *see* Table of drugs and chemicals
 - - dyes (contact) L25.2
 - - - allergic L23.4
 - - - irritant L24.8
 - - epidermophytosis - *see* Dermatophytosis
 - - external irritant NEC L24.9
 - - food (ingested) L27.2 2b
 - - - in contact with skin L25.4
 - - - - allergic L23.6
 - - - - irritant L24.6
 - - furs (allergic) (contact) L23.8
 - - - irritant L24.8
 - - glues - *see* Dermatitis, due to, adhesives
 - - greases NEC (contact) (irritant) L24.1

- - hot
- - objects and materials - *see* Burn
- - weather or places L59.0 2b
- - infrared rays L59.8
- - ingestion, ingested substance L27.9
- - chemicals NEC L27.8 2a 2b
- - drugs and medicaments (correct substance properly administered) (generalized) (*see also* Dermatitis, due to, drugs) L27.0
- - - localized skin eruption L27.1
- - - wrong substance given or taken T50.9 2a 2b
- - - - specified substance - *see* Table of drugs and chemicals
- - food L27.2 2b
- - specified NEC L27.8 2a 2b
- - insecticide, in contact with skin L25.3
- - allergic L23.5
- - irritant L24.5
- - internal agent L27.9
- - drugs and medicaments (generalized) (*see also* Dermatitis, due to, drugs) L27.0
- - food L27.2 2b
- - irradiation - *see* Dermatitis, due to, radioactive substances
- - lacquer tree (allergic) (contact) L23.7
- - light (sun) NEC L57.8
- - acute L56.8
- - other L59.8
- - *Liponyssoides sanguineus* B88.0
- - low temperature L30.8
- - metals, metal salts (allergic) (contact) L23.0
- - irritant L24.8
- - nickel (allergic) (contact) L23.0
- - irritant L24.8
- - nylon (allergic) (contact) L23.5
- - irritant L24.5
- - oils NEC (contact) (irritant) L24.1
- - paint solvents (contact) (irritant) L24.2
- - petroleum products (contact) (irritant) (substances in T52-) L24.2
- - plants NEC (contact) L25.5
- - allergic L23.7
- - irritant L24.7
- - plasters (adhesive) (any) (allergic) (contact) L23.1
- - irritant L24.5
- - plastic (allergic) (contact) L23.5
- - irritant L24.5
- - preservatives (contact) - *see* Dermatitis, due to, chemicals, in contact with skin
- - primrose (allergic) (contact) L23.7
- - primula (allergic) (contact) L23.7
- - radiation L59.8
- - - nonionizing (chronic exposure) L57.8
- - sun NEC L57.8
- - - acute L56.8
- - radioactive substances L58.9
- - acute L58.0
- - chronic L58.1 2b
- - radium L58.9
- - acute L58.0
- - chronic L58.1 2b
- - ragweed (allergic) (contact) L23.7
- - *Rhus (diversiloba) (radicans) (toxicodendron) (venenata) (verniciflua)* (allergic) (contact) L23.7
- - rubber (allergic) (contact) L23.5
- - *Senecio jacobaea* (allergic) (contact) L23.7
- - solvents (contact) (irritant) (substances in T52-T53) L24.2
- - specified agent NEC (contact) L25.8
- - - allergic L23.8
- - - irritant L24.8
- - sunshine NEC L57.8
- - - acute L56.8
- - tetrachlorethylene (contact) (irritant) L24.2

- - toluene (contact) (irritant) L24.2
- - turpentine (contact) L25.3
- - - allergic L23.5
- - - irritant L24.2
- - ultraviolet rays (sun NEC) (chronic exposure) L57.8
- - - acute L56.8
- - vaccine or vaccination (correct substance properly administered) L27.0
- - - wrong substance given or taken T50.9 2a 2b
- - varicose veins I83.1
- - X-rays L58.9
- - - acute L58.0
- - - chronic L58.1 2b
- dysmenorrheica N94.6 2b
- eczematous NEC L30.9 2a
- escharotica - *see* Burn
- exfoliative, exfoliativa (generalized) L26
- eyelid (allergic) (contact) (eczematous) H01.1
- - due to
 - - - *Demodex* species B88.0† H03.0*
 - - - herpes (zoster) B02.3† H03.1*
 - - - simplex B00.5† H03.1*
- facta, factitia, factitial L98.1 2b
- flexural NEC L20.8
- friction L30.4
- fungus B36.9
- - specified type NEC B36.8
- gangrenosa, gangrenous L88 2b
- - infantum R02 2a 2b
- harvest mite B88.0† L99.8*
- heat L59.0 2b
- herpesviral, vesicular (ear) (lip) B00.1
- herpetiformis (bullosus) (erythematous) (pustular) (vesicular) L13.0
- - juvenile L12.2
- - senile L12.0
- hiemalis L30.8
- hypostatic, hypostatica I83.1
- - with ulcer I83.2
- infectious eczematoid L30.3
- infective L30.3
- irritant (contact) (*see also* Dermatitis, due to) L24.9
- Jacquet's L22
- *Leptus* B88.0† L99.8*
- lichenified NEC L28.0
- medicamentosa (correct substance properly administered) (generalized) (internal use) (*see also* Dermatitis, due to, drugs) L27.0
- - due to contact with skin L25.1
- - - allergic L23.3
- - - irritant L24.4
- - localized skin eruption L27.1
- mite B88.0† L99.8*
- napkin L22
- nummular L30.0
- papillaris capillitii L73.0
- pellagrous E52 2a 2b
- perioral L71.0
- photocontact L56.2
- pruritic NEC L30.8
- purulent L08.0
- pustular
 - - contagious B08.0 2a 2b
 - - subcorneal L13.1
- pyococcal L08.0
- pyogenica L08.0
- repens L40.2
- Schamberg's L81.7
- schistosome B65.3

- seasonal bullous L30.8
- seborrheic L21.9
- - infantile L21.1
- - specified NEC L21.8
- sensitization NEC L23.9
- septic L08.0
- solare L57.8
- specified NEC L30.8
- stasis I83.1
 - - with ulcer I83.2
- suppurative L08.0
- traumatic NEC L30.4
- ultraviolet (sun) (chronic exposure) L57.8
- - acute L56.8
- varicose I83.1
 - - with ulcer I83.2
- vegetans L10.1
- verrucosa B43.0† L99.8*
- vesicular, herpesviral B00.1

Dermatoarthritis, lipoid E78.8† M14.3*

Dermatofibroma (lenticulare) (M8832/0) - *see* Neoplasm, skin, benign

- malignant (*see also* Neoplasm, skin, malignant) C44.9 2b

Dermatofibrosarcoma (M8832/3) - *see also* Neoplasm, skin, malignant C44.9 2b

- protuberans (M8832/3) C44.9 2b
- - pigmented (M8833/3) C80 2a 2b

Dermatographia L50.3

Dermatolysis (exfoliativa) (congenital) Q82.8 2b

- acquired L57.4
- eyelids H02.3
- palpebrarum H02.3
- senile L57.4

Dermatomegaly NEC Q82.8 2b

Dermatomucosomyositis M33.1

Dermatomycosis B36.9

- furfuracea B36.0
- specified type NEC B36.8

Dermatomyositis (acute) (chronic) M33.1

- with lung involvement M33† J99.1*
- in (due to) neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b M36.0*
- juvenile M33.0

Dermatoneuritis of children T56.1

Dermatophilosis A48.8

Dermatophytid L30.2

Dermatophytide - *see* Dermatophytosis

Dermatophytosis (epidermophyton) (infection) (Microsporum) (tinea) (Trichophyton) B35.9

- beard B35.0
- body B35.4
- capitis B35.0
- corporis B35.4
- deep-seated B35.8
- disseminated B35.8
- foot B35.3
- granulomatous B35.8
- groin B35.6
- hand B35.2
- nail B35.1
- perianal (area) B35.6
- scalp B35.0
- specified NEC B35.8

Dermatopolymyositis M33.9

- in neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b M36.0*

Dermatopolyneuritis T56.1

Dermatorrhesis Q82.8 2b

- acquired L57.4

Dermatosclerosis (*see also* Scleroderma) M34.9 2b

- localized L94.0
- Dermatosis** L98.9
 - Bowen's (M8081/2) - *see* Neoplasm, skin, insitu
 - bullous L13.9
 - - specified NEC L13.8
 - exfoliativa L26
 - eyelid (noninfectious) H01.1
 - factitial L98.1 2b
 - febrile neutrophilic L98.2
 - gonococcal A54.8† 2b L99.8*
 - herpetiformis L13.0
 - menstrual NEC L98.8
 - neutrophilic, febrile L98.2
 - occupational (*see also* Dermatitis, due to) L25.9
 - papulosa nigra L82
 - pigmentary L81.9
 - - progressive L81.7
 - - Schamberg's L81.7
 - psychogenic F54
 - purpuric, pigmented L81.7
 - pustular, subcorneal L13.1
 - Siemens-Bloch pigmented Q82.8 2b
 - transient acantholytic L11.1

Dermographia, dermatographism L50.3

Dermoid (cyst) (M9084/0) - *see also* Neoplasm, benign - with malignant transformation (M9084/0) C56 2a 2b

- due to radiation (nonionizing) L57.8

Dermophytosis - *see* Dermatophytosis

Desemetocèle H18.7

Descemet's membrane - *see condition*

Descending - *see condition*

Descensus uteri - *see* Prolapse, uterus

Desensitization to allergens Z51.6(382)

Desert

- rheumatism B38.0† J99.8*
- sore (*see also* Ulcer, skin) L98.4 2a 2b

Desertion (newborn) T74.0

Desmoid (extra-abdominal) (tumor)(M8821/1) - *see also* Neoplasm, connectivetissue, uncertain behavior D48.1

- abdominal (M8822/1) D48.1

Despondency, despondent F32.9 2b

Desquamation, skin R23.4

Destruction, destructive (*see also* Damage)

- with
- - neoplasm - *see* Neoplasm
- articular facet M24.8
- - knee M23.8
- - vertebra (*see also* Spondylosis) M47.9 2a 2b
- bone M89.8 2b
- - syphilitic A52.7† 2a 2b M90.2*
- - traumatic - *see* Fracture
- joint M24.8
- - sacroiliac M53.3
- live fetus to facilitate delivery (mother) O75.9 2a 2b
- - fetus P03.8
- lung
- - traumatic - *see* Injury, internal, lung
- operation to facilitate delivery O75.9 2a 2b
- rectal sphincter K62.8
- septum (nasal) J34.8
- sites other than bone
- - traumatic - *see* Injury, by site
- tympanum, tympanic membrane (nontraumatic) H73.8
- vertebral disc - *see* Degeneration, intervertebral disc

Destructiveness (*see also* Disorder, conduct) F91.8

- adjustment reaction F43.2

Detachment

- cartilage (*see also* Sprain) T14.3
- cervix, annular O71.3
- - complicating delivery O71.3
- choroid (old) (postinfectious) (simple) (spontaneous) H31.4
- ligament - *see* Sprain
- meniscus (knee) (due to) M23.3
- - current injury S83.2
- - old tear or injury M23.2
- - tear injury M23.2
- placenta (premature) (*see also* Abruptio placentae) O45.9 2b
- retina (without retinal break) H33.2
- - with retinal break H33.0
- - pigment epithelium H35.7
- - rhegmatogenous H33.0
- - serous H33.2
- - specified NEC H33.5
- - traction H33.4
- vitreous (body) H43.8

Deterioration

- alcohol (alcoholic) F10.1 2a 2b
- brain G31.9
- cerebrovascular I67.8
- circulatory I99 2a 2b
- epileptic F06.8 2b
- general of age R54 2a 2b
- general physical R53 2b
- heart, cardiac (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- mental (*see also* Psychosis) F29 2a 2b
- myocardial, myocardium (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- neurological G31.9
- nutritional (tissue) E63.9 2a 2b
- senile (simple) R54 2a 2b

De Toni-Fanconi syndrome E72.0

Detoxification therapy (for)

- alcohol Z50.2(383)
- drug Z50.3(384)

Deuteranomaly (anomalous trichromat) H53.5

Deuteranopia (complete) (incomplete) H53.5

Development

- arrested R62.8 2b
- - bone M89.2
- - child R62.8 2b
- - due to malnutrition E45 2b
- - fetus P05.9
- - - affecting management of pregnancy O36.5
- defective, congenital - *see also* Anomaly, by site
- - cauda equina Q06.3
- - left ventricle Q24.8 2b
- - - in hypoplastic left heart syndrome Q23.4
- - valve Q24.8 2b
- - - pulmonary Q22.2
- delayed (*see also* Delay, development) R62.9
- - arithmetical skills F81.2
- - language (skills) (expressive) F80.1
- - learning skills F81.9
- - mixed skills F83
- - motor coordination F82
- - reading F81.0
- - specified learning skill NEC F81.8
- - speech F80.9
- - spelling F81.1
- imperfect, congenital - *see also* Anomaly, by site
- - heart Q24.9 2a 2b

- - lungs Q33.6 2a 2b
- - inadequate
- - respiratory center (newborn) Q04.9
- incomplete P05.9
- - bronchial tree Q32.4
- - organ or site not listed - *see Hypoplasia, by site*
- - respiratory system Q34.8
- tardy, mental (*see also Retardation, mental*) F79 2a 2b

Developmental - *see condition*

Devergie's disease L44.0

Deviation

- conjugate (eye) (spastic) H51.8
- esophagus (acquired) K22.8
- eye, skew H51.8
- midline (dental arch) (jaw) (teeth) K07.2
- - specified site NEC - *see Malposition*
- nasal septum J34.2
- - congenital Q67.4
- organ or site, congenital NEC - *see Malposition, congenital*
- septum (nasal) (acquired) J34.2
- - congenital Q67.4
- sexual F65.9
- - bestiality F65.8
- - erotomania F52.7
- - exhibitionism F65.2
- - fetishism, fetishistic F65.0
- - - transvestism F65.1
- - frotteurism F65.8
- - masochism F65.5
- - multiple F65.6
- - necrophilia F65.8
- - nymphomania F52.7
- - pederosis F65.4
- - pedophilia F65.4
- - sadism, sadomasochism F65.5
- - satyriasis F52.7
- - specified type NEC F65.8
- - transvestism F64.1
- - voyeurism F65.3
- teeth, midline K07.2
- trachea J39.8
- ureter, congenital Q62.6

Device

- cerebral ventricle (communicating), in situ Z98.2(385)
- contraceptive - *see Contraception, device*
- - intrauterine
- - - affecting fetus or newborn P00.8
- drainage, cerebrospinal fluid, in situ Z98.2(386)

Devic's disease G36.0

Devil's grip B33.0 2a

Devitalized tooth K04.9

Devonshire colic T56.0

Dextraposition, aorta Q20.3

- in tetralogy of Fallot Q21.3

Dextrinosis, limit (debrancher enzyme deficiency) E74.0 2a 2b

Dextrocardia (true) Q24.0

- with

- - complete transposition of viscera Q89.3

- - situs inversus Q89.3

Dextrotransposition, aorta Q20.3

Dextroversion, kidney (left) Q63.2

Dhat syndrome F48.8

Dhobi itch B35.6

Di George's syndrome D82.1 2b

Di Guglielmo's disease (M9841/3) C94.0 2a 2b

Diabetes, diabetic (controlled) (familial)(mellitus) (on insulin) (severe)(uncontrolled) E14-

- A1 or A2 P70.0
- acetonemia - *code to E10-E14 with fourth character .1*
- acidosis - *code to E10-E14 with fourth character .1*
- adult-onset (insulin dependent) (nonobese) (obese) E11-
- arising in pregnancy O24.4 2a
 - - affecting fetus or newborn P70.0
 - bone change - *code to E10-E14 with fourth character .6*
 - brittle E10-
 - bronze, bronzed E83.1 2a 2b
 - cataract - *code to E10-E14 with fourth character .3*
 - chemical R73.0 2b
 - class A1 or A2 P70.0
 - coma (hyperglycemic) (hyperosmolar) - *code to E10-E14 with fourth character .0*
 - complicating pregnancy, childbirth or puerperium (maternal) O24-
 - - affecting fetus or newborn P70.1 2b
 - - arising in pregnancy O24.4 2a
 - - - affecting fetus or newborn P70.0
 - - gestational O24.4 2a
 - - - affecting fetus or newborn P70.0
 - - pre-existing O24.3
 - - - insulin-dependent (type 1) O24.0
 - - - malnutrition-related O24.2
 - - - non-insulin-dependent (type 2) O24.1
 - - - type 1 O24.0
 - - - type 2 O24.1
 - congenital E10-
 - - age less than 28 days P70.2
 - diet controlled E11-
 - dietary counseling and surveillance Z71.3(387)
 - gangrene - *code to E10-E14 with fourth character .5*
 - gastric paresis E14.6 2a 2b
 - gestational O24.4 2a
 - - affecting fetus or newborn P70.0
 - glomerulosclerosis E14.2 2b
 - hemochromatosis E83.1 2a 2b
 - hypoglycemic reaction E14.0 2b
 - - unstable E10.0 2b
 - insipidus E23.2 2b
 - - nephrogenic N25.1 2b
 - - pituitary E23.2 2b
 - - vasopressin resistant N25.1 2b
 - insulin-dependent (NEC) (type 1) E10-
 - - type II E11-
 - insulin-resistant - *see Diabetes, type II*
 - intracapillary glomerulosclerosis - *code to E10-E14 with fourth character .2*
 - iritis - *code to E10-E14 with fourth character .3*
 - juvenile-onset E10-
 - ketosis, ketoacidosis - *code to E10-E14 with fourth character .1*
 - ketosis-prone E10-
 - Lancereaux's E14.6 2a 2b
 - latent R73.0 2b
 - lipotrophic E13.9 2a 2b
 - malnutrition-related (type 1 or type 2) E12-
 - maturity-onset (insulin dependent) (nonobese) (obese) E11-
 - microvascular disease E14.5 2a 2b
 - - unstable E10.5 2b
 - neonatal (transient) P70.2
 - nephropathy - *code to E10-E14 with fourth character .2*
 - nephrosis - *code to E10-E14 with fourth character .2*
 - neuralgia - *code to E10-E14 with fourth character .4*
 - neuritis - *code to E10-E14 with fourth character .4*
 - neuropathy E14.4† G63.2*
 - - peripheral autonomic - *code to E10-E14 with fourth character .4*
 - - polyneuropathy E14.4† G63.2*

- non-insulin-dependent (of the young) (type 2) E11-
- nonketotic (insulin dependent) E11-
- phosphate E83.3
- renal E74.8 2b
- retinal hemorrhage - *code to E10-E14 with fourth character .3*
- retinitis - *code to E10-E14 with fourth character .3*
- retinopathy - *code to E10-E14 with fourth character .3*
- specified NEC E13-
- stable (insulin dependent) E11-
- steroid-induced
 - correct substance properly administered E13-
 - overdose or wrong substance given or taken T38.0
- triopathy - *code to E10-E14 with fourth character .7*
- type 1 E10-
- type 2 (brittle) (insulin dependent) (nonobese) (obese) E11-
- unstable E10-
- vascular (disease) (insufficiency) (peripheral) E14.5 2a 2b
- unstable E10.5 2b
- vasculopathy (endstage) E14.5 2a 2b
- unstable E10.5 2b

Dialysis (intermittent) (treatment)

- extracorporeal Z49.1(388)
- preparatory care only (without treatment) Z49.0(389)
- peritoneal Z49.2(390)
- preparatory care only (without treatment) Z49.0(391)
- renal Z49.1(392)
- preparatory care only (without treatment) Z49.0(393)
- retina, retinal H33.0
- specified type NEC Z49.2(394)
- preparatory care only (without treatment) Z49.0(395)

Diamond-Blackfan (Josephs') syndrome D61.0

Diaphragm - *see condition*

Diaphragmatitis, diaphragmitis J98.6

Diaphysial aclasis Q78.6

Diaphysitis M86.8

Diarrhea, diarrheal (disease) (infantile) (see also Colitis, Enteritis, Enterocolitis, Gastroenteritis) A09.9 2a 2b

- achlorhydric K31.8 2a
- acute A09.9 2a 2b
 - bloody (*see also* Enteritis, infectious) A09.0 2a 2b
 - hemorrhagic (*see also* Enteritis, infectious) A09.0 2a 2b
 - watery (*see also* Enteritis, infectious) A09.0 2a 2b
- allergic K52.2
- amebic (*see also* Amebiasis) A06.0
 - with abscess - *see* Abscess, amebic
 - acute A06.0
 - chronic A06.1
 - nondysenteric A06.2
 - and vomiting, epidemic A08.1
 - bacillary - *see* Dysentery, bacillary
 - balantidial A07.0
 - bile salt - induced K90.8 2b
 - cachectic NEC K52.8
 - *Chilomastix* A07.8 2b
 - chronic (noninfectious) K52.9 2a 2b
 - coccidial A07.3
 - Cochin-China B78.0
 - cytomegalic, cytomegalovirus B25.8 2b
 - *Dientamoeba* A07.8 2b
 - dietetic K52.2
 - due to
 - bacteria A04.9
 - specified NEC A04.8 2a
 - *Campylobacter* A04.5
 - *Clostridium difficile* A04.7
 - *Clostridium perfringens* (C) (F) A04.8 2a

- - *Cryptosporidium* A07.2
- - *Escherichia coli* A04.4 2a 2b
- - - enteroaggregative A04.4 2a 2b
- - - enterohemorrhagic A04.3
- - - enteroinvasive A04.2
- - - enteropathogenic A04.0 2b
- - - enterotoxigenic A04.1
- - - specified NEC A04.4 2a 2b
- - food hypersensitivity K52.2
- - specified organism NEC A08.5
- - - bacterial A04.8 2a
- - - viral A08.3
- - *Staphylococcus* A04.8 2a
- - virus (*see also* Enteritis, viral) A08.4
- - *Yersinia enterocolitica* A04.6
- dysenteric (*see also* Enteritis, infectious) A09.0 2a 2b
- endemic (*see also* Enteritis, infectious) A09.0 2a 2b
- epidemic (*see also* Enteritis, infectious) A09.0 2a 2b
- flagellate A07.9
- functional K59.1
- - following gastrointestinal surgery K91.8 2a 2b
- - psychogenic F45.3 2b
- - *Giardia lamblia* A07.1
- giardial A07.1
- infectious (chronic) (*see also* Enteritis, infectious) A09.0 2a 2b
- inflammatory A09.9 2a 2b
- - infectious (*see also* Enteritis, infectious) A09.0 2a 2b
- - noninfectious K52.9 2a 2b
- - mycotic NEC B49† K93.8*
- - neonatal (noninfectious) P78.3
- - nervous F45.3 2b
- - noninfectious K52.9 2a 2b
- - protozoal A07.9
- - specified NEC A07.8 2b
- - pseudomembranous A04.7
- - psychogenic F45.3 2b
- - specified
- - - bacterium NEC A04.8 2a
- - - virus NEC A08.3
- - strongyloidiasis B78.0
- - toxic K52.1 2b
- - trichomonal A07.8 2b
- - tropical K90.1
- - tuberculous A18.3† K93.0*
- - viral (*see also* Enteritis, viral) A08.4

Diastasis

- - cranial bones M84.8
- - congenital NEC Q75.8 2b
- - joint (traumatic) - *see* Dislocation
- - muscle M62.0
- - congenital Q79.8 2b
- - recti (abdomen)
- - complicating delivery O71.8
- - congenital Q79.5

Diastema, tooth, teeth K07.3

Diastematomyelia Q06.2

Diataxia, cerebral, infantile G80.4

Diathesis

- gouty M10.9 2a 2b
- hemorrhagic (familial) D69.9

Diaz's disease or osteochondrosis (juvenile) (talus) M92.6

Dibothrioccephalus, dibothrioccephaliasis (*latus*) (infection) (infestation) B70.0

- larval B70.1

Dicephalus, dicephaly Q89.4

Dichotomy, teeth K00.2

Dichromat, dichromatopsia (congenital) H53.5

Dichuchwa A65 2a

Dicroceliasis B66.2

Didelphia, didelphys (*see also* Double uterus) Q51.2

Didymytis (*see also* Orchitis) N45.9

Died - *see also* Death

- without

- - medical attention (cause unknown) R98 2a 2b

- - sign of disease R96.1 2b

Diet E63.9 2a 2b

Dietary

- counseling and surveillance Z71.3(396)

- inadequacy or deficiency E63.9 2a 2b

Dieulafoy's disease or ulcer K25.0

Difficult, difficulty (in)

- acculturation Z60.3(397)

- birth, affecting fetus or newborn P03.9

- feeding R63.3 2b

- - newborn P92.9

- - - breast P92.5

- - - specified NEC P92.8

- - nonorganic, infant or child F98.2

- intubation, in anesthesia T88.4

- mechanical, gastroduodenal stoma K91.8 2a 2b

- reading (developmental) F81.0

- respiratory R06.8 2a 2b

- - newborn P28.8

- - secondary to emotional disorders F93-

- spelling (specific) F81.1

- - with reading disorder F81.3

- - due to inadequate teaching Z55.8(398)

- swallowing (*see also* Dysphagia) R13 2a 2b

- walking R26.2 2b

- work

- - conditions NEC Z56.5(399)

- - schedule Z56.3(400)

Diffuse - *see condition*

Digestive - *see condition*

Diktyoma (M9501/3) - *see* Neoplasm, malignant

Dilaceration, tooth K00.4

Dilatation

- advanced (cervix) (uteri) - *see also* Incompetency, cervix

- anus K59.8

- - venule - *see* Hemorrhoids

- aorta (focal) (general) (*see also* Aneurysm, aorta) I71.9 2a 2b

- - congenital Q25.4

- - ruptured I71.8

- - syphilitic A52.0† 2b I79.0*

- artery (*see also* Aneurysm) I72.9 2b

- atrial (*see also* Hypertrophy, cardiac) I51.7

- - congenital Q24.8 2b

- bladder (sphincter) N32.8

- - congenital Q64.7

- blood vessel I99 2a 2b

- brain G93.8 2b

- bronchial J47 2a 2b

- calyx (due to obstruction) N13.3

- capillaries I78.8

- cardiac (acute) (chronic) (*see also* Hypertrophy, cardiac) I51.7

- - congenital (valve) Q24.8 2b

- - valve - *see* Endocarditis

- cavum septi pellucidi Q06.8

- cecum K59.3

- cervix (uteri) - *see also* Incompetency, cervix

- - affecting fetus or newborn P01.0

- - incomplete, poor, slow
- - - affecting fetus or newborn P03.6
- - - complicating delivery O62.0
- colon K59.3
- - congenital Q43.2
- common duct (acquired) K83.8
- - congenital Q44.5
- cord (umbilical) P02.6
- cystic duct (acquired) K82.8
- - congenital Q44.5
- duodenum K59.8
- esophagus K22.8
- - congenital Q39.5
- eustachian tube, congenital Q16.4
- gallbladder K82.8
- gastric - *see* Dilatation, stomach
- heart (acute) (chronic) (*see also* Hypertrophy, cardiac) I51.7
- - congenital Q24.8 2b
- - valve - *see* Endocarditis
- ileum K59.8
- jejunum K59.8
- kidney (calyx) (collecting structures) (cystic) (parenchyma) (pelvis) (idiopathic) N28.8 2a 2b
- lacrimal passages or duct H04.6
- lymphatic vessel I89.0
- mammary duct N60.4
- Meckel's diverticulum (congenital) Q43.0
- myocardium (acute) (chronic) (*see also* Hypertrophy, cardiac) I51.7
- organ or site, congenital NEC - *see* Distortion
- pancreatic duct K86.8 2b
- pericardium - *see* Pericarditis
- pharynx J39.2
- prostate N42.8
- pulmonary artery (idiopathic) I28.8
- pupil H57.0
- rectum K59.3
- saccule, congenital Q16.5
- salivary gland (duct) K11.8
- sphincter ani K62.8
- stomach K31.8 2a
 - - acute K31.0
 - - psychogenic F45.3 2b
 - trachea, congenital Q32.1
 - ureter (idiopathic) N28.8 2a 2b
 - - congenital Q62.2
 - urethra (acquired) N36.8
 - vasomotor I73.9 2a 2b
 - vein I86.8
- ventricular, ventricle (acute) (chronic) (*see also* Hypertrophy, cardiac) I51.7
- - cerebral, congenital Q04.8
- - horn (lateral) G93.8 2b
- venule NEC I86.8
- vesical orifice N32.8

Dilated, dilation - *see* Dilatation

Diminished, diminution

- gag reflex R19.8 2b
- hearing (acuity) (*see also* Deafness) H91.9
- sense or sensation (cold) (heat) (tactile) (vibratory) R20.8

Dimitri-Sturge-Weber disease Q85.8

Dimple

- parasacral, pilonidal or postanal L05.9
- - with abscess L05.0

Diocophyme renalis (infection) (infestation) B83.8

Dipetalonemiasis B74.4

Diphallus Q55.6

Diphtheria, diphtheritic (gangrenous) (hemorrhagic) A36.9

- cutaneous A36.3
- faacial A36.0
- infection of wound A36.3
- laryngeal A36.2
- myocarditis A36.8† 2b I41.0*
- nasal, anterior A36.8 2b
- nasopharyngeal A36.1
- neurological complication
 - - neuritis A36.8† 2b G59.8*
 - - paralysis A36.8† 2b G63.0*
- pharyngeal A36.0
- specified site NEC A36.8 2b
- tonsillar A36.0

Diphtheroid A49.8

Diphyllobothriasis (intestine) B70.0

- larval B70.1

Diplacusis H93.2

Diplegia (upper limbs) G83.0

- congenital (cerebral) G80.8 2a 2b
- - spastic G80.1
- lower limbs G82.2
- traumatic T14.4 2a 2b

Diplococcus, diplococcal - *see condition*

Diplopia H53.2

Dipsomania F10.2 2a 2b

- with psychosis (*see also* Psychosis, alcoholic) F10.5

Dipylidiasis B71.1

Dirofilariasis B74.8

Dirt-eating child F98.3

Disability

- heart - *see Disease, heart*
- knowledge acquisition F81.9
- learning F81.9
- limiting activities Z73.6(401)
- spelling, specific F81.1

Disappearance of family member Z63.4(402)

Disarticulation - *see Amputation*

- atlantoaxial S13.1
- atlanto-occipital S13.1
- joint, *see Dislocation*
- meaning traumatic amputation - *see Amputation, traumatic*

Discharge (from)

- abnormal finding in - *see Abnormal, specimen*
- breast (female) (male) N64.5
- diencephalic autonomic idiopathic G40.5 2a 2b
- ear H92.1
- excessive urine R35 2b
- nipple N64.5
- penile R36 2b
- postnasal - *see Sinusitis*
- prison, anxiety concerning Z65.2(403)
- urethral R36 2b
- vaginal N89.8

Discitis, diskitis M46.4

- pyogenic M46.3

Discoid

- meniscus (congenital) M23.1
- semilunar cartilage (congenital) M23.1

Discoloration, nails L60.8

Discontinuity, ossicles, ear H74.2

Discord (with)

- boss Z56.4(404)
- classmates Z55.4(405)
- counselor Z64.4(406)
- employer Z56.4(407)

- family Z63.8(408)
- fellow employees Z56.4(409)
- landlord Z59.2(410)
- lodgers Z59.2(411)
- neighbors Z59.2(412)
- parents and in-laws Z63.1(413)
- probation officer Z64.4(414)
- social worker Z64.4(415)
- spouse or partner Z63.0(416)
- teachers Z55.4(417)
- workmates Z56.4(418)

Discordant

- connection
 - - atrioventricular (congenital) Q20.5
 - - ventriculoarterial Q20.3
- fetal growth P01.5 2b

Discrepancy, leg length (acquired) M21.7

- congenital Q72.9

Discrimination

- ethnic Z60.5(419)
- political Z60.5(420)
- racial Z60.5(421)
- religious Z60.5(422)
- sex Z60.5(423)

Disease, diseased - *see also* Syndrome

- AAV - *see* Human, immunodeficiency virus (HIV) disease
- acquired immune deficiency D84.9 2b
- acquired immune depression D84.9 2b
- acquired immunodeficiency D84.9 2b
- adenoids (and tonsils) J35.9 2a 2b
- adrenal (capsule) (cortex) (gland) (medullary) E27.9
- - specified NEC E27.8
- adult immune deficiency D84.9 2b
- AIDS - *see* Human, immunodeficiency virus (HIV) disease
- AIDS-associated retrovirus - *see* Human, immunodeficiency virus (HIV) disease
- AIDS-associated virus - *see* Human, immunodeficiency virus (HIV) disease
- AIDS-like - *see* Human, immunodeficiency virus (HIV) disease
- AIDS-related virus - *see* Human, immunodeficiency virus (HIV) disease
- AIDS virus - *see* Human, immunodeficiency virus (HIV) disease
- ainhum L94.6 2b
- airway (*see also* Disease, respiratory) J98.9 2a 2b
 - - due to
 - - - cotton dust J66.0
 - - - specific organic dusts NEC J66.8
 - - hyperactive J98.8 2b
 - - newborn P28.8
 - - obstructive (chronic) J44.9 2a 2b
 - - with
 - - - exacerbation (acute) NEC J44.1 2a 2b
 - - - lower respiratory infection (except influenza) J44.0 2a
 - - acute J44.1 2a 2b
 - - reactive J98.8 2b
 - - newborn P28.8
 - - restrictive J98.8 2b
 - - newborn P28.8
 - - alcoholic (chronic) F10.2 2a 2b
 - - alimentary canal K63.9 2a 2b
 - - alligator-skin Q80.9
 - - acquired L85.0
 - - alpha heavy chain (M9762/3) C88.1
 - - alveolar ridge
 - - edentulous K06.9
 - - - specified NEC K06.8
 - - alveoli, teeth K08.9
 - - amyloid (*see also* Amyloidosis) E85.9 2b

- Andes T70.2
- angiospastic I73.9 2a 2b
 - - cerebral G45.9 2b
 - - vein I87.8 2b
- anterior
 - - chamber H21.9
 - - horn cell G12.2 2a 2b
 - - - advanced G12.20 2a 2b
 - - - grave G12.20 2a 2b
 - - - severe G12.20 2a 2b
- antiglomerular basement membrane (anti-GBM) antibody M31.0† 2a 2b N08.5*
- - tubulo-interstitial nephritis N12 2a 2b
- anus K62.9
 - - specified NEC K62.8
- aorta (nonsyphilitic) I77.9 2a 2b
 - - arteriosclerotic I70.0 2a
 - - syphilitic NEC A52.0† 2b I79.1*
- aortic (heart) (valve) (*see also* Disease, valve, aortic) I35.9
 - - congenital Q23.9
 - - aorto-iliac (occlusive) I77.9 2a 2b
 - - Apollo B30.3† H13.1*
 - - aponeuroses M77.9
 - - appendix K38.9
 - - specified NEC K38.8
 - - aqueous (chamber) H21.9
 - - Armenian E85.9 2b
 - - arterial (*see also* Disease, artery) I77.9 2a 2b
 - - - occlusive I77.1
 - - - mesenteric (chronic) K55.1
 - - - - acute K55.0 2a 2b
 - - arteriocardiorenal (*see also* Hypertension, cardiorenal) I13.9 2a 2b
 - - arteriolar (generalized) (obliterative) I77.9 2a 2b
 - - arteriorenal - *see* Hypertension, kidney
 - - arteriosclerotic (*see also* Arteriosclerosis) I70.9 2a 2b
 - - aortic I70.0 2a
 - - cardiovascular I25.0 2a 2b
 - - coronary (artery) I25.1 2a 2b
 - - heart I25.1 2a 2b
 - - arteriovascular I77.9 2a 2b
 - - heart I25.1 2a 2b
 - - artery I77.9 2a 2b
 - - carotid I67.9 2a 2b
 - - cerebral I67.9 2a 2b
 - - coronary (ischemic) I25.1 2a 2b
 - - - obstructive I25.1 2a 2b
 - - - occlusive I25.1 2a 2b
 - - - stenosing, stenotic I25.1 2a 2b
 - - mesenteric K55.9 2b
 - - - occlusive K55.1
 - - - renal I12.9 2a 2b
 - - arthropod-borne NEC (viral) A94 2a
 - - specified type NEC A93.8
 - ARV - *see* Human, immunodeficiency virus (HIV) disease B24 2a 2b
 - atticoantral, chronic H66.2
 - auditory canal H61.9
 - auricle, ear NEC H61.1
 - Australian X A83.4
 - autoimmune (deficiency) (systemic) NEC M35.9 2a 2b
 - - hemolytic (cold type) (warm type) D59.1
 - - - drug-induced D59.0
 - - vascular M35.9 2a 2b
 - aviator's (*see also* Effect, adverse, high altitude) T70.2
 - bacterial A49.9 2b
 - - specified NEC A48.8

- - zoonotic A28.9
- - - specified type NEC A28.8
- balloon (*see also* Effect, adverse, high altitude) T70.2
- Bartholin's gland N75.9
- basal ganglia G25.9
- - degenerative G23.9
- - - specified NEC G23.8
- - specified NEC G25.8 2a
- basement membrane N05.8 2a 2b
- behavioral, organic F07.9
- bile duct (common) (hepatic) K83.9 2a 2b
- - with calculus, stones K80.5
- - specified NEC K83.8
- biliary (tract) K83.9 2a 2b
- - specified NEC K83.8
- bird fancier's J67.2
- black lung J60 2a 2b
- bladder N32.9
- - in (due to)
- - - schistosomiasis (bilharziasis) B65.0† N33.8*
- - specified NEC N32.8
- blood D75.9
- - forming organs D75.9
- - vessel I99 2a 2b
- bone M89.9 2a
- - aluminium M83.4
- bone-marrow D75.9
- Bornholm B33.0 2a
- bowel K63.9 2a 2b
- - functional (*see also* Disorder, colon, functional) K59.9
- - inflammatory, inflamed (nonspecific) A09.9 2a 2b
- - ischemic K55.9 2b
- - - acute K55.0 2a 2b
- brain G93.9 2a 2b
- - anoxic G93.1 2a 2b
- - - newborn (*see also* Asphyxia, newborn P21.9 2a 2b
- - arterial, artery I67.9 2a 2b
- - arteriosclerotic I67.2 2a 2b
- - congenital Q04.9
- - degenerative - *see* Degeneration, brain
- - - congenital Q04.8
- - inflammatory - *see* Encephalitis
- - organic G93.9 2a 2b
- - - arteriosclerotic I67.2 2a 2b
- - parasitic NEC B71.9† 2b G94.8*
- - Pick's G31.0
- - - dementia in G31.0† F02.0*
- - presenile G93.8 2b
- - senile NEC G31.1
- - small vessel I67.9 2a 2b
- - specified NEC G93.8 2b
- brazier's T56.8
- breast N64.9 2b
- - cystic (chronic) N60.1
- - - with epithelial proliferation N60.3
- - fibrocystic N60.1
- - - with epithelial proliferation N60.3
- - inflammatory N61 2b
- - - fetus or newborn P83.4
- - Paget's (M8540/3) C50.0
- - puerperal, postpartum NEC O92.2
- - specified NEC N64.8
- broad ligament (noninflammatory) N83.9
- - inflammatory - *see* Disease, pelvis, inflammatory
- - specified NEC N83.8

- bronchial J98.0
- - obstructive J44.9 2a 2b
- - - chronic J44.9 2a 2b
- bronchopulmonary (chronic) J98.4 2a 2b
- - newborn P27.8
- - obstructive J44.9 2a 2b
- - - acute J44.1 2a 2b
- bronchus NEC J98.0
- bronze Addison's E27.1
- - tuberculous A18.7† 2b E35.1*
- budgerigar fancier's J67.2
- bullous L13.9
- - chronic, of childhood L12.2
- - lung J43.9 2a 2b
- - specified NEC L13.8
- bursa M71.9
- - specified NEC M71.8
- caisson T70.3
- California (*see also* Coccidioidomycosis) B38.9
- capillaries I78.9
- - specified NEC I78.8
- Carapata A68.0
- cardiac - *see* Disease, heart
- cardiopulmonary (chronic) I27.9 2a 2b
- - acute I26.0
- - arteriosclerotic I27.2
- - hypertensive I27.2
- cardiorenal (hepatic) (hypertensive) (vascular) (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- cardiorespiratory
- - arteriosclerotic I27.0
- - newborn P96.8
- cardiovascular (heart) I51.6 2a 2b
- - and renal (arteriosclerotic) (hypertensive) I13.9 2a 2b
- - arteriosclerotic I25.0 2a 2b
- - - hypertensive I11.9 2a 2b
- - congenital Q28.9 2b
- - fetus or newborn P29.9
- - - specified NEC P29.8
- - hypertensive - *see* Hypertension, heart
- - renal (hypertensive) (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- - rheumatic I09.9 2a 2b
- - - active or acute I01.9 2b
- - syphilitic (asymptomatic) A52.0† 2b I98.0*
- carotid (artery) (occlusive) I67.9 2a 2b
- cartilage M94.9
- - specified NEC M94.8
- cat-scratch A28.1
- cecum K63.9 2a 2b
- celiac (adult) (infantile) K90.0 2b
- cellular tissue L98.9
- central core G71.2
- cerebellar, cerebellum - *see* Disease, brain
- cerebral (*see also* Disease, brain) G93.9 2a 2b
- - autosomal arteriopathy subcortical infarction leukocephalopathy (CADASIL) I67.3 F03 2a 2b
- - degenerative - *see* Degeneration, brain
- cerebrospinal G96.9
- cerebrovascular I67.9 2a 2b
- - acute I67.8
- - - embolic I63.4 2a 2b
- - - - bilateral (multiple) I63.40 2a 2b
- - - - multiple (bilateral) I63.40 2a 2b
- - - hemorrhagic I61.9 2a 2b
- - - - bilateral (multiple) I61.90 2a 2b
- - - - multiple (bilateral) I61.90 2a 2b
- - - thrombotic I63.3 2a 2b

- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - arteriosclerotic I67.2 2a 2b
- - complicating pregnancy, childbirth or puerperium O99.4 2b
- - embolic I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- - hemorrhagic I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- - newborn P52.4 2a 2b
- - hypertensive I67.9 2a 2b
- - multi-infarct I63.90 2a 2b
- - occlusive I63.5 2a 2b
- - bilateral (multiple) I63.50 2a 2b
- - multiple (bilateral) I63.50 2a 2b
- - specified NEC I67.8
- - thrombotic I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- cervix (uteri) (noninflammatory) N88.9
- - inflammatory (*see also* Cervicitis) N72
- - specified NEC N88.8
- chest J98.9 2a 2b
- Chicago B40.9
- Chignon B36.8
- chigo, chigoe B88.1
- chlamydial A74.9
- - specified NEC A74.8
- cholecystic (*see also* Disease, gallbladder) K82.9 2a 2b
- choroid H31.9
- - specified NEC H31.8
- Christmas D67 2a 2b
- chronic bullous of childhood L12.2
- ciliary body H21.9
- - specified NEC H21.8
- circulatory (system) NEC I99 2a 2b
- - fetus or newborn P29.9
- - maternal, affecting fetus or newborn P00.3
- - syphilitic A52.0† 2b I98.0*
- - - congenital A50.5† I98.0*
- climacteric (female) N95.1
- - male N50.8
- coagulation factor deficiency (congenital) (*see also* Defect, coagulation) D68.9 2b
- coccidioidal - *see* Coccidioidomycosis
- cold
- - agglutinin or hemoglobinuria D59.1
- - paroxysmal D59.6
- - hemagglutinin (chronic) D59.1
- collagen (nonvascular) (vascular) M35.9 2a 2b
- - specified NEC M35.8 2b
- colon K63.9 2a 2b
- - functional (*see also* Disorder, colon, functional) K59.9
- combined system - *see* Degeneration, combined
- compressed air T70.3
- conduction system I45.9 2a 2b
- conjunctiva H11.9
- - chlamydial A74.0† H13.1*
- - specified NEC H11.8
- - viral B30.9† H13.1*
- - - specified NEC B30.8† H13.1*
- connective tissue (systemic) M35.9 2a 2b
- - in (due to)
- - - hypogammaglobulinemia D80.1† 2b M36.8*
- - - ochronosis E70.2† M36.8*

- - mixed M35.1
- - specified NEC M35.8 2b
- corkhandler's or corkworker's J67.3
- cornea H18.9
- - specified NEC H18.8
- coronary (acute) (artery) (ischemic) I25.1 2a 2b
- - arteriosclerotic I25.1 2a 2b
- - - hypertensive I25.1 2a 2b
- - congenital Q24.5
- - heart I25.9 2a 2b
- - - acute or with a stated duration of 4 weeks or less I24.9 2a 2b
- - - arteriosclerotic or sclerotic I25.1 2a 2b
- - - hypertensive I25.1 2a 2b
- - ostial, syphilitic A52.0† 2b I52.0*
- - - aortic A52.0† 2b I39.1*
- - - mitral A52.0† 2b I39.0*
- - - pulmonary A52.0† 2b I39.3*
- - pulmonary (obstructive) I27.9 2a 2b
- corpus cavernosum N48.9
- - specified NEC N48.8
- coxsackie (virus) NEC B34.1
- - unspecified nature or site B34.1
- cystic (adventitial) (artery) I77.9 2a 2b
- - breast (chronic) N60.1
- - - with epithelial proliferation N60.3
- - kidney, congenital Q61.9
- - liver, congenital Q44.6 2a
- - lung J98.4 2a 2b
- - - congenital Q33.0
- - - newborn P28.8
- cystine storage (with renal sclerosis) E72.0
- cytomegalic inclusion (generalized) B25.9 2b
- - with pneumonia B25.0† 2a 2b J17.1* 2a
- cytomegaloviral B25.9 2b
- - resulting from HIV disease B20.2
- - specified NEC B25.8 2b
- debilitating R53 2b
- degenerative - *see* Degeneration
- demyelinating, demyelinizing (nervous system) G37.9 2a 2b
- - specified NEC G37.8
- dense deposit - *code to N00-N07 with fourth character .6*
- deposition, hydroxyapatite M11.0
- diaphorase deficiency D74.0
- diaphragm J98.6
- diarrheal, infectious NEC (*see also* Enteritis, infectious) A09.0 2a 2b
- digestive system K92.9 2a 2b
- - specified NEC K92.8
- disk, degenerative - *see* Degeneration, intervertebral disc
- discogenic M51.2
- - with myelopathy M51.0† G99.2*
- diverticular - *see* Diverticula
- ductless glands E34.9 2b
- duodenum K31.9 2a 2b
- - specified NEC K31.8 2a
- ear H93.9
- - degenerative H93.0
- - external H61.9
- - inner H83.9
- - - specified NEC H83.8
- - specified NEC H93.8
- - vascular H93.0
- Ebola (virus) A98.4
- *Echinococcus* (*see also* *Echinococcus*) B67.9 2b
- echovirus NEC B34.1
- - unspecified nature or site B34.1

- edentulous (alveolar) ridge K06.9
- - specified NEC K06.8
- end-stage kidney N18.5 2b
- endocrine glands or system NEC E34.9 2b
- endomyocardial (eosinophilic) I42.3 2b
- enteroviral, enterovirus NEC B34.1
- - central nervous system NEC A88.8
- - unspecified nature or site B34.1
- epidemic NEC B99 2a 2b
- epididymis N50.9
- esophagus K22.9
- - psychogenic F45.3 2b
- - specified NEC K22.8
- eustachian tube H69.9
- external
 - - auditory canal H61.9
 - - ear H61.9
- extrapyramidal G25.9
- - specified NEC G25.8 2a
- eye H57.9 2b
 - - anterior chamber H21.9
 - - inflammatory NEC H57.8
 - - muscle (external) H50.9
 - - specified NEC H57.8
 - - syphilitic - *see* Oculopathy, syphilitic
 - eyeball H44.9
 - - specified NEC H44.8
 - eyelid H02.9
 - - specified NEC H02.8
 - eyeworm of Africa B74.3
 - facial nerve (seventh) G51.9
 - - newborn (birth injury) P11.3
 - fallopian tube (noninflammatory) N83.9
 - - inflammatory - *see* Salpingo-oophoritis
 - - specified NEC N83.8
 - fascia M62.9
 - - inflammatory M60.9
 - - specified NEC M62.8
 - female pelvic inflammatory (*see also* Disease, pelvis, inflammatory) N73.9
 - - tuberculous A18.1† 2a 2b N74.1*
 - fetal NEC, known or suspected, affecting management of pregnancy O35.8
 - fibrocaceous of lung (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
 - fibrocystic - *see* Fibrocystic disease
 - fifth B08.3
 - file-cutter's T56.0
 - fish-skin Q80.9
 - - acquired L85.0
 - flax-dresser's J66.1
 - fluke - *see* Infestation, fluke
 - foot and mouth B08.8
 - fourth B08.8
 - frontal lobe G93.9 2a 2b
 - fungus NEC B49
 - gallbladder K82.9 2a 2b
 - - specified NEC K82.8
 - gamma heavy chain (M9763/3) C88.2
 - ganister J62.8
 - gastric (*see also* Disease, stomach) K31.90 2a 2b
 - gastrointestinal (tract) K92.9 2a 2b
 - - amyloid E85.4† K93.8*
 - - functional (*see also* Disorder, gastrointestinal) K59.9
 - - specified NEC K92.8
 - genital organs
 - - female N94.9
 - - male N50.9

- gingiva K06.9
 - - specified NEC K06.8
 - gland (lymph) I89.9
 - glass-blower's (cataract) H26.8
 - globe H44.9
 - - specified NEC H44.8
 - glomerular (*see also* Glomerulonephritis) N05-
 - - with edema - *see* Nephrosis
 - - chronic N03-
 - - microscopic polyangiitis M31.7† N08.5*
 - - rapidly progressive N01-
 - glycogen storage (Andersen's) (Cori's) (Forbes') (Hers') (McArdle-Schmid-Pearson) (Pompe's) (Tauri's) (von Gierke's) E74.0 2a 2b
 - - generalized E74.0 2a 2b
 - - glucose-6-phosphatase deficiency E74.0 2a 2b
 - - heart E74.0† 2a 2b I43.1*
 - - hepatorenal E74.0 2a 2b
 - - liver and kidney E74.0 2a 2b
 - - myocardium E74.0† 2a 2b I43.1*
 - gonococcal NEC A54.9
 - graft-versus-host (GVH) (bone marrow) T86.0
 - - due to
 - - - bone marrow transplant T86.0
 - - - transplants other than bone marrow - *see* Complications, organ or tissue transplant
 - grainhandler's J67.8
 - granulomatous (any site NEC) (childhood) (chronic) D71
 - gum K06.9
 - gynecological N94.9
 - H (Hartnup's) E72.0
 - hair (color) (shaft) L67.9
 - - follicles L73.9
 - - - specified NEC L73.8
 - hand, foot and mouth B08.4
 - Hb (*see also* Disease, hemoglobin) D58.2 2b
 - heart (organic) I51.9 2a 2b
 - - with
 - - - pulmonary edema (acute) (*see also* Failure, ventricular, left) I50.1 2a
 - - - rheumatic fever (conditions in I00 2a 2b)
 - - - active I01.9 2b
 - - - - specified NEC I01.8 2a
 - - - - inactive or quiescent (with chorea) I09.9 2a 2b
 - - - - specified NEC I09.8
 - - amyloid E85.4† I43.1*
 - - aortic (valve) I35.9
 - - arteriosclerotic or sclerotic (senile) I25.1 2a 2b
 - - - congestive I25.1 2a 2b
 - - - hypertensive I25.1 2a 2b
 - - artery, arterial I25.1 2a 2b
 - - beriberi (wet) E51.1† I43.2*
 - - black I27.0
 - - congenital Q24.9 2a 2b
 - - - cyanotic Q24.9 2a 2b
 - - - maternal, affecting fetus or newborn P00.3
 - - - specified NEC Q24.8 2b
 - - congestive (*see also* Failure, heart, congestive) I50.0 2a 2b
 - - coronary I25.9 2a 2b
 - - - acute I24.9 2a 2b
 - - - arteriosclerotic or sclerotic I25.1 2a 2b
 - - degenerative I51.5 2a 2b
 - - fibroid (*see also* Myocarditis) I51.4 2a 2b
 - - - arteriosclerotic I51.40 2a 2b
 - - glycogen storage E74.0† 2a 2b I43.1*
 - - gonococcal A54.8† 2b I52.0*
 - - hypertensive (*see also* Hypertension, heart) I11.9 2a 2b
 - - - arteriosclerotic I25.1 2a 2b
 - - - ischemic I25.9 2a 2b

- - - sclerotic I25.1 2a 2b
- - hyperthyroid (*see also* Hyperthyroidism) E05.9† 2b I43.8*
- - ischemic (chronic or with a stated duration of over 4 weeks) I25.9 2a 2b
- - - acute or with a stated duration of 4 weeks or less I24.9 2a 2b
- - - - specified NEC I24.8
- - - asymptomatic I25.6
- - - diagnosed on ECG or other special investigation, but currently presenting no symptoms I25.6
- - - - specified form NEC I25.8 2a 2b
- - - hypertensive I25.9 2a 2b
- - kyphoscoliotic I27.1 2a
- - meningocephalitic A39.5† I52.0*
- - mitral I05.9 2a 2b
- - - specified NEC I05.8 2a
- - muscular (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- - obstructive I51.8 2a 2b
- - psychogenic (functional) F45.3 2b
- - pulmonary (chronic) I27.9 2a 2b
- - - acute I26.0
- - - in (due to) schistosomiasis B65† 2a I52.1*
- - - specified NEC I27.8
- - rheumatic (chronic) (inactive) (old) (quiescent) (with chorea) I09.9 2a 2b
- - - active or acute I01.9 2b
- - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - - maternal, affecting fetus or newborn P00.3
- - - specified NEC I09.8
- - rheumatoid M05.3
- - sclerotic I25.1 2a 2b
- - - hypertensive I25.1 2a 2b
- - - senile (*see also* Myocarditis) I51.4 2a 2b
- - - arteriosclerotic I51.40 2a 2b
- - - syphilitic A52.0† 2b I52.0*
- - - aortic A52.0† 2b I39.1*
- - - - aneurysm A52.0† 2b I79.0*
- - - congenital A50.5† I52.0*
- - thyrotoxic (*see also* Thyrotoxicosis) E05.9† 2b I43.8*
- - valve, valvular (obstructive) (regurgitant) (*see also* Disease, valve) I38 2a
- - - congenital NEC Q24.8 2b
- - - - aortic (valve) Q23.9
- - - - mitral (valve) Q23.9
- - - - pulmonary Q22.3 2a 2b
- - - - tricuspid Q22.9
- - vascular - *see* Disease, cardiovascular
- heavy chain
- - alpha (M9762/3) C88.1
- - gamma (M9763/3) C88.2
- hematopoietic organs D75.9
- hemoglobin or Hb
- - abnormal (mixed) NEC D58.2 2b
- - - with thalassemia D56.9
- - C (Hb-C) D58.2 2b
- - - with other abnormal hemoglobin NEC D58.2 2b
- - - elliptocytosis D58.1
- - - Hb-S D57.2
- - - sickle-cell D57.2
- - - thalassemia D56.9
- - D (Hb-D) D58.2 2b
- - - with other abnormal hemoglobin NEC D58.2 2b
- - - Hb-S D57.2
- - - sickle-cell D57.2
- - - thalassemia D56.9
- - E (Hb-E) D58.2 2b
- - - with other abnormal hemoglobin NEC D58.2 2b
- - - Hb-S D57.2
- - - sickle-cell D57.2

- - - thalassemia D56.9
- - elliptocytosis D58.1
- - H (Hb-H) (thalassemia) D56.0
 - - - with other abnormal hemoglobin NEC D56.9
- - I thalassemia D56.9
- - M D74.0
- - S or SS - *see* Disease, sickle-cell
- - SC D57.2
- - SD D57.2
- - SE D57.2
- - spherocytosis D58.0
- - unstable, hemolytic D58.2 2b
- hemolytic (fetus) (newborn) P55.9
- - autoimmune (cold type) (warm type) D59.1
- - drug-induced D59.0
- - due to
 - - - incompatibility
 - - - - ABO (blood group) P55.1
 - - - - blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC P55.8
 - - - - Rh (blood group) (factor) P55.0 2b
 - - - Rh-negative mother P55.0 2b
- - specified type NEC P55.8
- hemorrhagic D69.9
- - fetus or newborn P53
- hepatic - *see* Disease, liver
- hepatic flexure K63.9 2a 2b
- hepatobiliary K83.9 2a 2b
- - toxic K71.9
- herpesviral, disseminated B00.7 2a 2b
- high fetal gene or hemoglobin thalassemia D56.9
- hip (joint) M25.9 2a 2b
- - congenital Q65.8
- - suppurative M00.9 2a 2b
- - tuberculous A18.0† 2a 2b M01.1*
- HIV - *see* Virus (HIV) disease
- hookworm B76.9
- - specified NEC B76.8
- HTLV-III - *see* Virus (HIV) disease
- human immunovirus - *see* Human, immunodeficiency virus disease
- human T-cell, lymphotropic virus - *see* Human immunodeficiency virus (HIV) disease
- hyaline (diffuse) (generalized)
- - membrane (lung) (newborn) P22.0 2a 2b
- - - adult J80 2b
- hydatid (*see also* Echinococcus) B67.9 2b
- hydroxyapatite deposition M11.0
- hyperkinetic (*see also* Hyperkinesia) F90.9
- hypertensive (*see also* Hypertension) I10 2a 2b
- hypophysis E23.7
- Iceland G93.3 2b
- I-cell E77.0
- ill-defined R68.8 2a 2b
- immune D89.9
 - - complex D81.9
 - - deficiency D84.9 2b
 - - - acquired D84.9 2b
 - - - adult D84.9 2b
 - - depression D84.9 2b
 - - - acquired D84.9 2b
 - - - adult D84.9 2b
- - immunodeficiency D84.9 2b
- - acquired D84.9 2b
- - adult D84.9 2b
- - immunoproliferative (M9760/3) C88.9 2a 2b
 - - small intestinal (M9764/3) C88.3
- - specified NEC C88.7

- inclusion B25.9 2b
- - salivary gland B25.9 2b
- infectious, infective B99 2a 2b
- - complicating pregnancy, childbirth or puerperium O98.9
- - - affecting fetus or newborn P00.2
- - congenital P37.9
- - - specified NEC P37.8
- - resulting from HIV disease B20.9
- - - specified NEC B20.8 2a
- intervertebral disc M51.9
- - with myelopathy M51.0† G99.2*
- - cervical, cervicothoracic (with) M50.9
- - - myelopathy M50.0† G99.2*
- - - neuritis, radiculitis or radiculopathy M50.1† G55.1*
- - - specified NEC M50.8
- - lumbar, lumbosacral (with) M51.9
- - - myelopathy M51.0† G99.2*
- - - neuritis, radiculitis, radiculopathy or sciatica M51.1† G55.1*
- - - specified NEC M51.8
- - specified NEC M51.8
- - thoracic, thoracolumbar (with) M51.9
- - - myelopathy M51.0† G99.2*
- - - neuritis, radiculitis or radiculopathy M51.1† G55.1*
- - - specified NEC M51.8
- intestine K63.9 2a 2b
- - functional (*see also* Disorder, intestine, functional) K59.9
- - - specified NEC K59.8
- - organic K63.9 2a 2b
- - protozoal A07.9
- - specified NEC K63.8
- iris H21.9
- - specified NEC H21.8
- iron metabolism or storage E83.1 2a 2b
- itai-itai T56.3
- jaw K10.9
- - specified NEC K10.8
- jigger B88.1
- joint M25.9 2a 2b
 - - Charcot's (tabetic) A52.1† 2a 2b M14.6*
 - - - diabetic (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b M14.6*
 - - - nonsyphilitic NEC G98† 2a 2b M14.6*
 - - - syringomyelic G95.0† 2a 2b M49.4*
 - - degenerative M19.9 2a 2b
 - - - advanced M19.90 2a 2b
 - - - generalized M15.9 2b
 - - - grave M19.90 2a 2b
 - - - multiple M15.9 2b
 - - - severe M19.90 2a 2b
 - - - spine M47.9 2a 2b
 - - - sacroiliac M53.3
 - - specified NEC M25.8
 - - spine NEC M53.9
 - - suppurative M00.9 2a 2b
- Katayama B65.2
- Keshan E59
- kidney (functional) (pelvis) N28.9 2a 2b

Note - Where a term is indexed only at the three-character level, e.g. N01-, reference should be made to the list of fourth-character subdivisions in Volume 1 at

N00-N08.

- - with

- - - edema - *see* Nephrosis

- - - glomerular lesion - *see* Glomerulonephritis

- - - - with edema- *see* Nephrosis

- - - interstitial nephritis N12 2a 2b

- - acute - *see* Nephritis, acute

- - arteriosclerotic I12.9 2a 2b
- - autosomal recessive Q61.1
- - chronic N18.9 2a 2b
- - - end-stage N18.5 2b
- - - stage 1 N18.1
- - - stage 2 N18.2
- - - stage 3 N18.3
- - - stage 4 N18.4
- - - stage 5 N18.5 2b
- - complicating pregnancy O26.8
- - - with hypertension (pre-existing) O10.2
- - - secondary O10.4
- - - affecting fetus or newborn P00.1
- - cystic (congenital) Q61.9
- - diabetic (acute) (any stage) (chronic) (*see also* E10-E14 with fourth character.2) E14.2† 2b N08.3* 2b
- - end-stage (failure) N18.5 2b
- - - acute N00.9 2a
- - - chronic N18.5 2b
- - fibrocystic (congenital) Q61.8
- - hypertensive (*see also* Hypertension, kidney I12.9 2a 2b
- - - end-stage (failure) I12.0
- - in (due to) schistosomiasis (bilharziasis) B65† 2a N29.1*
- - puerperal, postpartum O90.8 2b
- - rapidly progressive N01-
- - tubular (*see also* Nephritis, tubulo-interstitial) N12 2a 2b
- - kissing B27.9 2a 2b
- - kuru A81.8
- - Kyasanur Forest A98.2
- - labyrinth, ear H83.9
- - - specified NEC H83.8
- - lacrimal system H04.9
- - - specified NEC H04.8
- - larynx J38.7
- - legionnaire's A48.1
- - nonpneumonic A48.2
- - lens H27.9
- - - specified NEC H27.8
- - Lewy body(ies) (dementia) G31.8† F02.8*
- - light chain D47.2
- - lip K13.0
- - lipid-storage E75.6
- - - specified NEC E75.5
- - liver (chronic) (organic) K76.9 2a 2b
- - alcohol related K70.9 2a 2b
- - alcoholic (chronic) K70.9 2a 2b
- - cystic, congenital Q44.6 2a
- - drug-induced (idiosyncratic) (toxic) (predictable) (unpredictable) - *see* Disease, liver, toxic
- - fibrocystic (congenital) Q44.6 2a
- - fluke
- - - Chinese B66.1
- - - oriental B66.1
- - - sheep B66.3
- - glycogen storage E74.0† 2a 2b K77.8*
- - in (due to) schistosomiasis (bilharziasis) B65† 2a K77.0*
- - inflammatory K75.9 2a
- - - alcoholic K70.1 2a
- - - specified NEC K75.8
- - nutritional E63.9 2a 2b
- - polycystic (congenital) Q44.6 2a
- - toxic K71.9
- - - with
- - - - cholestasis K71.0
- - - - cirrhosis (liver) K71.7
- - - - fibrosis (liver) K71.7
- - - - focal nodular hyperplasia K71.8

- - - - hepatic granuloma K71.8
- - - - hepatic necrosis K71.1
- - - - hepatitis NEC K71.6
- - - - acute K71.2
- - - - chronic
- - - - active K71.5
- - - - lobular K71.4
- - - - persistent K71.3
- - - - lupoid K71.5
- - - - peliosis hepatitis K71.8
- - - - veno-occlusive disease (VOD) of liver K71.8
- - - - veno-occlusive K76.5
- - - viral NEC (*see also* Hepatitis, viral) B19.9
- - - luetic - *see* Syphilis
- - - lumbosacral region M53.8
- - - lung (acute) (chronic) (end-stage) J98.40 2a 2b
- - - bullous (obstructive) J43.9 2a 2b
- - - congenital P25.0
- - - newborn P25.0
- - - congenital Q33.9
- - - cystic J98.4 2a 2b
- - - congenital Q33.0
- - - newborn P28.8
- - - fibroid (chronic) (*see also* Fibrosis, lung) J84.1 2a 2b
- - - fluke B66.4
- - - oriental B66.4
- - - granulomatous (interstitial) D71
- - - in
- - - amyloidosis E85.4† J99.8*
- - - sarcoidosis D86.0
- - - Sjögren's syndrome M35.0† J99.1*
- - - systemic
- - - lupus erythematosus M32.1† 2a 2b J99.1*
- - - sclerosis M34.8† J99.1*
- - - inflammatory, *see* inflammation, lung
- - - interstitial J84.9 2a 2b
- - - newborn P28.8
- - - specified NEC J84.8
- - - newborn P28.9
- - - chronic P27.9
- - - obstructive (chronic) J44.9 2a 2b
- - - with
- - - - alveolitis, allergic J67-
- - - - asthma J44-
- - - - bronchiolitis J44.0 2a
- - - - bronchitis J44.8 2a
- - - - acute J44.0 2a
- - - - emphysematous J44.8 2a
- - - - with acute exacerbation J44.1 2a 2b
- - - - with acute lower respiratory infection J44.0 2a
- - - - emphysema J43-
- - - - exacerbation (acute) J44.1 2a 2b
- - - - hypersensitivity pneumonitis J67-
- - - - lower respiratory infection (except influenza) J44.0 2a
- - - - acute J44.1 2a 2b
- - - - coal miners J60 2a 2b
- - - - newborn (acute) P28.8
- - - polycystic J98.4 2a 2b
- - - congenital Q33.0
- - - newborn P28.8
- - - restrictive J98.4 2a 2b
- - - newborn P28.8
- - - rheumatoid (diffuse) (interstitial) M05.1† J99.0*
- - - Lyme A69.2 2b
- - - lymphatic (channel) (gland) (system) (vessel) I89.9

- lymphoproliferative (M9970/0) D47.9
- - malignant (M9970/3) C96.9
- - T-gamma (M9768/1) D47.7
- - X-linked D82.3
- lymphoreticularproliferative D47.9
- malarial (*see also* Malaria) B54 2b
- malignant (M8000/3) - *see also* Neoplasm, malignant
- previous, affecting management of pregnancy Z35.8(424)
- maltworkers J67.4
- mandible M89.9 2a
- maple-syrup-urine E71.0
- Marburg (virus) A98.3
- mastoid (process) H74.9
- - specified NEC H74.8
- maternal, unrelated to pregnancy NEC, affecting fetus or newborn P00.9
- mediastinum J98.5
- Mediterranean D56.9
- medullary center (idiopathic) (respiratory) G93.9 2a 2b
- meningeal - *see* Meningitis
- meningococcal NEC A39.9 2a 2b
- meningovascular I67.9 2a 2b
- mental F99 2a 2b
- - organic F06.9 2a 2b
- metabolic, metabolism E88.9
- - bilirubin E80.7
- metal-polisher's J62.8
- metastatic (any site) (M8000/6) - *see* Metastatic, cancer or neoplasm
- microvillus inclusion K90.8 2b
- middle ear H74.9
- - adhesive H74.1
- - specified NEC H74.8
- minicore G71.2
- mitochondrial E88.9
- mitral (heart) (rheumatic) (valve) (*see also* Disease, valve, mitral) I05.9 2a 2b
- - congenital Q23.9
- - nonrheumatic I34.9 2a 2b
- mixed connective tissue (systemic) M35.1
- moldy hay J67.0
- motor neuron (bulbar) (familial) (mixed type) (spinal) G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- moyamoya I67.5
- multicore G71.2
- muscle M62.9
- - inflammatory M60.9
- - ocular (external) H50.9
- musculoskeletal system, soft tissue M79.9
- - specified NEC M79.8
- mycotic B49
- myeloproliferative (chronic) (M9960/1) D47.1 2b
- - malignant (M9960/3) C96.7
- myocardium, myocardial (acute) (heart) - *see also* Degeneration, myocardial I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- - familial I42.90 2a 2b
- - idiopathic I42.90 2a 2b
- - malignant C88.9 2a 2b
- - primary (idiopathic) I42.90 2a 2b
- myoneural G70.9 2a
- nails L60.9
- - specified NEC L60.8
- Nairobi (sheep virus) A93.8
- nasal J34.8
- nemaline body G71.2
- neoplastic (malignant), generalized (M8000/6) C80 2a 2b

- nerve - *see* Disorder, nerve
- nervous system G98 2a 2b
 - - affecting management of pregnancy, childbirth or puerperium O99.3
 - - autonomic G90.9 2a
 - - central G96.9
 - - - specified NEC G96.8
 - - congenital Q07.9
 - - parasympathetic G90.9 2a
 - - specified NEC G98 2a 2b
 - - sympathetic G90.9 2a
 - - vegetative G90.9 2a
- neurological (*see also* Disease, nervous system) G98 2a 2b
- neuromuscular system G70.9 2a
- neuronal G98 2a 2b
- Newcastle B30.8† H13.1*
- nipple N64.9 2b
- - Paget's (M8540/3) C50.0
- nonarthropod-borne NEC (viral) B34.9 2b
- - enterovirus NEC B34.1
- - unspecified nature or site B34.1
- - nonautoimmune hemolytic D59.4 2a 2b
- - drug-induced D59.2 2b
- nose J34.8
- nucleus pulposus - *see* Disease, intervertebral disc
- nutritional E63.9 2a 2b
- oast-house-urine E72.1
- occlusive
 - - arteriovascular I77.9 2a 2b
- ocular
 - - herpesviral B00.5
 - - zoster B02.3
- optic nerve NEC H47.0
- orbit H05.9
 - - specified NEC H05.8
- organ(s) (all) (end) (general) (multi) (multifactorial) (multiple) (system(s)) (total) R68.8 2a 2b
- Oropouche virus A93.0
- osteofibrocystic E21.0
- outer ear H61.9
- ovary (noninflammatory) N83.9
 - - cystic N83.2
 - - inflammatory - *see* Salpingo-oophoritis
 - - polycystic E28.2
 - - specified NEC N83.8
- ovum (complicating pregnancy) O02.0
- pancreas K86.9 2b
 - - cystic K86.2
 - - fibrocystic E84.9 2b
 - - specified NEC K86.8 2b
- panvalvular (unspecified origin) I08.9 2a 2b
 - - specified NEC (unspecified origin) I08.8
- parametrium (noninflammatory) N83.9
- parasitic B89 2a 2b
 - - cerebral NEC B71.9† 2b G94.8*
 - - complicating pregnancy, childbirth or puerperium O98.9
 - - intestinal NEC B82.9
 - - mouth B37.0 2b
 - - skin NEC B88.9
 - - specified type - *see* Infestation
 - - tongue B37.0 2b
- parathyroid (gland) E21.5
 - - specified NEC E21.4
- parodontal K05.6
- parotid K11.9
- pearl-worker's M86.8
- pelvis, pelvic

- - female NEC N94.9
- - - specified NEC N94.8 2b
- - gonococcal (acute) (chronic) A54.2
- - inflammatory (female) N73.9
- - - acute N73.0
- - - chronic N73.1
- - - complicating pregnancy O23.5
- - - - affecting fetus or newborn P00.8
- - following
 - - - - abortion (subsequent episode) O08.0 2b
 - - - - current episode - *see* Abortion
 - - - - ectopic or molar pregnancy O08.0 2b
- - specified NEC N73.8
- - tuberculous A18.1† 2a 2b N74.1*
- - organ, female N94.9
- - peritoneum, female NEC N94.8 2b
- penis N48.9
- - inflammatory N48.2
- - specified NEC N48.8
- peptic K31.8 2a
- periapical tissues NEC K04.9
- pericardial I31.9 2b
- - rheumatic I09.2 2b
- - active or acute I01.0 2a 2b
- periodontal K05.6
- - specified NEC K05.5
- periosteum M89.8 2b
- peripheral
 - - arterial I73.9 2a 2b
 - - autonomic nervous system G90.9 2a
 - - arterial I73.9 2a 2b
 - - autonomic nervous system G90.9 2a
 - - nerves - *see* Polyneuropathy
 - - vascular NEC I73.9 2a 2b
 - - - arteriosclerotic I70.2 2a 2b
- peritoneum K66.9
- - pelvic, female NEC N94.8 2b
- - specified NEC K66.8
- pharynx J39.2
- - specified NEC J39.2
- pigeon fancier's J67.2
- pineal gland E34.8
- pink T56.1
- pinna (noninfective) H61.1
- pinworm B80
- Piry virus A93.8
- pituitary (gland) E23.7
- pituitary-snuff-taker's J67.8
- placenta
 - - affecting fetus or newborn P02.2
 - - complicating pregnancy or childbirth O43.9
- pleura (cavity) J94.9
- - specified NEC J94.8
- pneumatic drill (hammer) T75.2 2b
- polycystic
 - - liver or hepatic Q44.6 2a
 - - lung or pulmonary J98.4 2a 2b
 - - - congenital Q33.0
 - - - newborn P28.8
- - ovary, ovaries E28.2
- pregnancy NEC (*see also* Pregnancy) O26.9
- prion (central nervous system) A81.9
- - specified NEC A81.8
- progressive pigmentary L81.8 2b
- prostate N42.9 2b

- - specified NEC N42.8
- protozoal B64 2b
- - complicating pregnancy, childbirth or puerperium O98.6
- - intestine, intestinal A07.9
- - specified NEC B60.8
- pseudo-Hurler's E77.0
- psychiatric F99 2a 2b
- psychotic (*see also* Psychosis) F29 2a 2b
- puerperal NEC (*see also* Puerperal) O90.9
- pulmonary - *see also* Disease, lung J98.40 2a 2b
- - artery I28.9
- - heart I27.9 2a 2b
- - - specified NEC I27.8
- - valve (*see also* Disease, valve, pulmonary) I37.9
- - - congenital Q22.3 2a 2b
- - vein I28.9
- - veno-occlusive I28.8
- - vessels I28.9
- - - specified NEC I28.8
- pulp (dental) NEC K04.9
- pulseless M31.4
- ragpicker's or ragsorter's A22.1 2b
- rectum K62.9
- - specified NEC K62.8
- red ragged fiber G71.3
- reflux (acid) K21.9
- renal - *see* Disease, kidney
- renovascular (arteriosclerotic) (*see also* Hypertension, kidney) I12.9 2a 2b
- respiratory (tract) (*see also* Disease, airway) J98.9 2a 2b
- - acute or subacute NEC
- - - due to
 - - - - chemicals, gases, fumes or vapors (inhalation) J68.3
 - - - - external agent J70.9
 - - - - specified NEC J70.8
 - - - - radiation J70.0 2b
- - chronic NEC J98.9 2a 2b
- - due to
 - - - - chemicals, gases, fumes or vapors J68.4
 - - - - external agent J70.9
 - - - - specified NEC J70.8
 - - - - radiation J70.1 2b
- - fetus or newborn P27.9
- - - specified NEC P27.8
- - due to
 - - - - chemicals, gases, fumes or vapors J68.9
 - - - - acute or subacute NEC J68.3
 - - - - chronic J68.4
 - - - - external agent J70.9
 - - - - specified NEC J70.8
- - newborn P28.9
- - chronic P27.9
- - - specified type NEC P28.8
- - obstructive (acute) (chronic) J44.9 2a 2b
- - specified type NEC J98.8 2b
- - - newborn P28.8
- - upper J39.9
- - - acute or subacute J06.9 2a 2b
- - - - multiple sites NEC J06.8
- - - noninfectious NEC J39.8
- - - specified NEC J39.8
- - - streptococcal J06.9 2a 2b
- - reticularproliferative D47.7
- - retina, retinal H35.9 2a
- - Batten's or Batten-Mayou E75.4† 2b H36.8*
- - specified NEC H35.8

- - vascular lesion H35.0 2a
- rheumatoid - *see Arthritis, rheumatoid*
- rickettsial NEC A79.9
- - specified type NEC A79.8
- Ross River B33.1
- salivary gland or duct K11.9
- - inclusion B25.9 2b
- - specified NEC K11.8
- - virus B25.9 2b
- sandworm B76.9
- sclera H15.9
- - specified NEC H15.8
- scrofulous (tuberculous) A18.2
- scrotum N50.9
- sebaceous glands L73.9
- semilunar cartilage, cystic M23.0
- seminal vesicle N50.9
- serum NEC T80.6 2b
- shipyard B30.0† H19.2*
- sickle-cell D57.1
- - with
 - - - crisis D57.0
 - - - other abnormal hemoglobin NEC D57.2
 - - elliptocytosis D57.8
 - - spherocytosis D57.8
 - - thalassemia D57.2
- silo-filler's J68.8
- simian B B00.4† G05.1*
- sinus (*see also Sinusitis*) J32.9
- sixth B08.2
- skin L98.9
 - - due to metabolic disorder NEC E88.9† L99.8*
 - - specified NEC L98.8
- slim's (drug related) (HIV) (nondrug related) B22.2
- spinal (cord) G95.9
 - - congenital Q06.9
 - - specified NEC G95.8 2b
- spine M48.9
 - - joint M53.9
 - - tuberculous A18.0† 2a 2b M49.0*
 - spinocerebellar (hereditary) G11.9
 - - specified NEC G11.8
- spleen D73.9
 - - amyloid E85.4† D77* 2b
 - - organic D73.9
 - - postinfectional D73.8
 - sponge-diver's T63.6
 - stomach K31.90 2a 2b
 - - functional, psychogenic F45.3 2b
 - - specified NEC K31.8 2a
- stonemason's J62.8
- storage
 - - glycogen (*see also Disease, glycogen storage*) E74.0 2a 2b
 - - mucopolysaccharide E76.3
- striatopallidal system NEC G25.8 2a
- subcutaneous tissue (*see also Disease, skin*) L98.9
- supporting structures of teeth K08.9
 - - specified NEC K08.8 2a 2b
- suprarenal (capsule) (gland) E27.9
 - - specified NEC E27.8
- sweat glands L74.9
 - - specified NEC L74.8
- swimming-pool granuloma A31.1
- sympathetic nervous system G90.9 2a
- synovium M67.9

- - specified NEC M67.8
- syphilitic - *see* Syphilis
- systemic tissue mast cell (M9741/3) C96.2
- Tangier E78.6
- tear duct H04.9
- tendon, tendinous M67.9
- - inflammatory NEC M65.9
- - nodular M65.3
- - specified NEC M67.8
- testis N50.9
- throat J39.2
- - septic J02.0 2a 2b
- thromboembolic (*see also* Embolism) I74.9 2a 2b
- thymus (gland) E32.9
- - specified NEC E32.8
- thyroid (gland) E07.9 2a 2b
- - heart (*see also* Hyperthyroidism) E05.9† 2b I43.8*
- - node, nodular - *see* Nodule(s)
- - specified NEC E07.8
- tongue K14.9
- - specified NEC K14.8
- tonsils, tonsillar (and adenoids) J35.9 2a 2b
- tooth, teeth K08.9
- - hard tissues K03.9
- - - specified NEC K03.8
- - pulp NEC K04.9
- - specified NEC K08.8 2a 2b
- TORCH P37.8
- trachea NEC J39.8
- tricuspid (rheumatic) (valve) (*see also* Disease, valve, tricuspid) I07.9
- - congenital Q22.9
- - nonrheumatic I36.9
- triglyceride-storage E75.5
- triple vessel I25.1 2a 2b
- trophoblastic (M9100/0) (*see also* Mole, hydatidiform) O01.9
- tsutsugamushi A75.3
- tube (fallopian) (noninflammatory) N83.9
- - inflammatory (*see also* Salpingo-oophoritis) N70.9
- - specified NEC N83.8
- tuberculous NEC (*see also* Tuberculosis) A16.90 2a 2b
- tubo-ovarian (noninflammatory) N83.9
- - inflammatory (*see also* Salpingo-oophoritis) N70.9
- - specified NEC N83.8
- tubotympanic, chronic H66.1
- tubulo-interstitial N15.9 2a 2b
- - specified NEC N15.8
- tympanum H73.9
- - specified NEC H73.8
- ureter N28.9 2a 2b
- - in (due to) schistosomiasis (bilharziasis) B65.0† N29.1*
- urethra N36.9
- - specified NEC N36.8
- urinary (tract) N39.9 2a 2b
- - bladder N32.9
- - - specified NEC N32.8
- - specified NEC N39.8
- uterus (noninflammatory) N85.9 2a 2b
- - infective (*see also* Endometritis) N71.9 2b
- - inflammatory (*see also* Endometritis) N71.9 2b
- - specified NEC N85.8
- uveal tract (anterior) H21.9
- - posterior H31.9
- vagina, vaginal (noninflammatory) N89.9
- - inflammatory NEC N76.8
- - specified NEC N89.8

- valve, valvular (*see also* Endocarditis) I38 2a
 - - aortic NEC I35.9
 - - - rheumatic I06.9 2a 2b
 - - - - active or acute I01.1 2a 2b
 - - congenital Q24.8 2b
 - - mitral NEC I05.9 2a 2b
 - - - active or acute I01.1 2a 2b
 - - - nonrheumatic I34.9 2a 2b
 - - multiple (unspecified origin) I08.9 2a 2b
 - - - specified NEC (unspecified origin) I08.8
 - - pulmonary NEC I37.9
 - - - rheumatic I09.8
 - - - - active or acute I01.1 2a 2b
 - - tricuspid NEC I07.9
 - - - active or acute I01.1 2a 2b
 - - - nonrheumatic I36.9
 - - vas deferens N50.9
 - - vascular I99 2a 2b
 - - arteriosclerotic - *see* Arteriosclerosis
 - - ciliary body NEC H21.1
 - - diabetic - *see* Diabetes, vascular
 - - generalized I99 2a 2b
 - - hypertensive - *see* Hypertension
 - - iris NEC H21.1
 - - mesenteric K55.1
 - - obliterative I77.1
 - - - peripheral I73.9 2a 2b
 - - occlusive I99 2a 2b
 - - peripheral (occlusive) I73.9 2a 2b
 - - pulmonary I28.9
 - - vasomotor I73.9 2a 2b
 - - vasospastic I73.9 2a 2b
 - - vein I87.9 2b
 - - pulmonary I28.9
 - - vena cava I87.9 2b
 - - venereal A64
 - - specified nature or type NEC A63.8
 - - vertebra, vertebral M48.9
 - - disc - *see* Disease, intervertebral disc
 - - vibration NEC T75.2 2b
 - - viral, virus (*see also* Disease, by type of virus) B34.9 2b
 - - arbovirus NEC A94 2a
 - - arthropod-borne NEC A94 2a
 - - congenital P35.9
 - - - specified NEC P35.8
 - - Hanta (with renal manifestations) (Dobrava) (Puimala) (Seoul) A98.5† N08.0*
 - - - with pulmonary manifestations (Andes) (Bayou) (Bermejo) (Black Creek Canal) (Choclo) (Juquitiba) (Laguna negra) (Lechiguanas) (New York) (Oran) (Sin Nombre) B33.4† 2a J17.1* 2a
 - - Hantaan (Korean hemorrhagic fever) A98.5† N08.0*
 - - human immunodeficiency (HIV) - *see* Human, immunodeficiency virus (HIV) disease
 - - Kunjin A83.4
 - - nonarthropod-borne NEC B34.9 2b
 - - Powassan A84.8
 - - Rocio (encephalitis) A83.6
 - - Sin Nombre (Hantavirus (cardio)-pulmonary syndrome) B33.4† 2a J17.1* 2a
 - - suspected damage to fetus affecting management of pregnancy O35.3
 - - Tahyna B33.8
 - - vesicular stomatitis A93.8
 - - vitreous H43.9
 - - specified NEC H43.8
 - - vocal cord J38.3
 - - vulva (noninflammatory) N90.9
 - - inflammatory NEC N76.8
 - - specified NEC N90.8
 - - wasting NFC R64 2b

- whipworm B79
- white blood cells D72.9
- - specified NEC D72.8 2b
- white matter NEC R90.8
- white-spot, meaning lichen sclerosus et atrophicus L90.0
- - penis N48.0
- - vulva N90.4
- winter vomiting (epidemic) A08.1
- woolsorter's A22.1† 2b J17.0*
- zoonotic, bacterial A28.9
- - specified type NEC A28.8

Disfigurement (due to scar) L90.5

Disgerminoma - *see* Dysgerminoma

DISH (diffuse idiopathic skeletal hyperostosis) M48.1

Disinsertion, retina H33.0

Disintegration, complete, of the body R68.8 2a 2b

Diskitis M46.4

Dislocatable hip, congenital Q65.6

Dislocation (articular) T14.3

- with fracture - *see* Fracture
- acromioclavicular (joint) S43.1
- ankle S93.0
- - navicular bone S93.3
- arm, meaning upper limb - *see* Dislocation, limb, upper
- astragalus S93.0
- atlantoaxial S13.1
- atlanto-occipital S13.1
- atlas S13.1
- axis S13.1
- back T09.2
- breast bone S23.2
- capsule, joint - *code as* Dislocation, by site
- carpal (bone) S63.0
- carpometacarpal (joint) S63.0
- cartilage (joint) - *code as* Dislocation, by site
- cervical spine (vertebra) S13.1
- cervicothoracic (spine) (vertebra) T03.8
- chronic - *see* Dislocation, recurrent
- clavicle S43.1
- coccyx S33.2
- congenital NEC Q68.8
- coracoid S43.0
- costal cartilage S23.2
- costochondral S23.2
- cricoarytenoid articulation S13.2
- cricothyroid articulation S13.2
- dorsal vertebra S23.1
- elbow S53.1
- - congenital Q68.8
- - recurrent M24.4
- eye, eyeball, nontraumatic H44.8
- femur
- - distal end S83.1
- - proximal end S73.0
- fibula
- - distal end S93.0
- - proximal end S83.1
- finger S63.1
- - multiple S63.2
- foot S93.3
- forearm T11.2
- fracture - *see* Fracture
- glenohumeral (joint) S43.0
- glenoid S43.0
- habitual - *see* Dislocation, recurrent

- head, part NEC S03.3 2a 2b
- hip S73.0
 - - congenital Q65.2
 - - - bilateral Q65.1
 - - - unilateral Q65.0
- recurrent M24.4
- humerus, proximal end S43.0
- infracoracoid S43.0
- innominate (pubic junction) (sacral junction) S33.3
- - acetabulum S73.0
- interphalangeal (joint(s))
 - - finger or hand S63.1
 - - foot or toe S93.1
- jaw (cartilage) (meniscus) S03.0
- knee S83.1
 - - cap S83.0
 - - congenital Q68.2
 - - old M23.8
- - pathological M24.3
- - recurrent M24.4
- lacrimal gland H04.1
- leg, meaning lower limb - *see* Dislocation, limb, lower
- lens (complete) (crystalline) (partial) H27.1
- - congenital Q12.1
- - traumatic S05.8
- ligament - *code as* Dislocation, by site
- limb
 - - lower T13.2
 - - - multiple sites T03.3
 - - upper T11.2
 - - - multiple sites T03.2
 - lumbar (vertebra) S33.1
 - lumbosacral (vertebra) S33.1
 - - congenital Q76.4
 - mandible S03.0
 - meniscus (knee) - *see* Tear, meniscus
 - - sites specified, other than knee - *code as* Dislocation, by site
 - metacarpal (bone) S63.7
 - - distal end S63.1
 - - proximal end S63.0
 - metacarpophalangeal (joint) S63.1
 - metatarsal (bone) S93.3
 - metatarsophalangeal (joint(s)) S93.1
 - midcarpal (joint) S63.0
 - midtarsal (joint) S93.3
 - multiple T03.9
 - - specified site - *see* Dislocation, by site, multiple
- neck S13.1
 - - multiple S13.3
- nose (septal cartilage) S03.1
- occiput from atlas S13.1
- old M24.8
 - - knee M23.8
- ossicles, ear H74.2
- patella S83.0
 - - congenital Q74.1
 - - recurrent M22.0
- pathological NEC M24.3
- - lumbosacral joint M53.2
- - sacroiliac M53.2
- - spine M53.2
- phalanx
 - - finger or hand S63.1
 - - foot or toe S93.1
- prosthesis, internal - *see* Complications, prosthetic device, by site, mechanical

- radiocarpal (joint) S63.0
- radiohumeral (joint) S53.0
- radioulnar (joint)
 - - distal S63.0
 - - proximal S53.1
- radius
 - - distal end S63.0
 - - proximal end S53.0
- recurrent M24.4
 - - elbow M24.4
 - - hip M24.4
 - - joint NEC M24.4
 - - knee M24.4
 - - patella M22.0
 - - sacroiliac M53.2
 - - shoulder M24.4
 - rib (cartilage) S23.2
 - sacrococcygeal S33.2
 - sacroiliac (joint) (ligament) S33.2
 - - congenital Q74.2
 - - recurrent M53.2
 - sacrum S33.2
 - scaphoid (bone) (hand) (wrist) S63.0
 - - foot S93.3
 - scapula S43.3
 - semilunar cartilage, knee - *see* Tear, meniscus
 - septal cartilage (nose) S03.1
 - septum (nasal) (old) J34.2
 - sesamoid bone - *code as* Dislocation, by site
 - shoulder (blade) (joint) (ligament) S43.0
 - - chronic M24.4
 - - congenital Q68.8
 - - girdle S43.3
 - - recurrent M24.4
 - specified site not indexed - *see* Dislocation, by body region
 - spine T09.2
 - - cervical S13.1
 - - congenital Q76.4
 - - lumbar S33.1
 - - thoracic S23.1
 - spontaneous M24.3
 - sternoclavicular (joint) S43.2
 - sternum S23.2
 - subglenoid S43.0
 - symphysis pubis S33.3
 - - obstetric (traumatic) O71.6
 - talus S93.0
 - tarsal (bone(s)) (joint(s)) S93.3
 - tarsometatarsal (joint(s)) S93.3
 - temporomandibular (joint) S03.0
 - thigh, proximal end S73.0
 - thoracic (vertebra) S23.1
 - thumb S63.1
 - thyroid cartilage S13.2
 - tibia
 - - distal end S93.0
 - - proximal end S83.1
 - tibiofibular (joint)
 - - distal S93.0
 - - proximal S83.1
 - toe(s) S93.1
 - tooth S03.2
 - trachea S23.2
 - ulna
 - - distal end S63.0

- - proximal end S53.1
 - ulnohumeral (joint) S53.1
 - vertebra (articular process) (body) T09.2
 - - cervical S13.1
 - - cervicothoracic T03.8
 - - congenital Q76.4
 - - lumbar S33.1
 - - thoracic S23.1
 - wrist (carpal bone) (scaphoid) (semilunar) S63.0
 - xiphoid cartilage S23.2
- Dismemberment** T14.7 2a 2b
- Disorder (of)** - *see also* Disease
- acantholytic L11.9
 - - specified NEC L11.8
 - accommodation H52.5
 - acute
 - - psychotic (*see also* Psychosis, acute) F23.9 2b
 - - - with schizophrenia-like features F23.2
 - - - specified NEC F23.8
 - - stress F43.0
 - adjustment F43.2
 - adrenal (capsule) (gland) (medullary) E27.9
 - - specified NEC E27.8
 - adrenogenital E25.9
 - - drug-induced E25.8
 - - iatrogenic E25.8
 - - idiopathic E25.8
 - adult personality (and behavior) F69
 - - specified NEC F68.8
 - affective (mood) (*see also* Disorder, mood) F39
 - - bipolar (*see also* Disorder, bipolar, affective) F31.9
 - - organic (mixed) F06.3
 - - persistent F34.9
 - - - specified NEC F34.8
 - - recurrent NEC F38.1
 - - right hemisphere, organic F07.8
 - - specified NEC F38.8
 - aggressive, unsocialized F91.1
 - alcohol (use) F10.9 2b
 - - dependency F10.2 2a 2b
 - allergic - *see* Allergy
 - alveolar NEC J84.0
 - amino-acid
 - - metabolism NEC (*see also* Disturbance, metabolism, amino-acid) E72.9
 - - - specified NEC E72.8
 - - neonatal, transitory P74.8
 - - renal transport NEC E72.0
 - - transport NEC E72.0
 - amnesic, amnestic
 - - alcohol-induced F10.6 2a 2b
 - - drug-induced - *code to* F11-F19 with fourth character .6
 - - due to (secondary to) general medical condition F04 2a 2b
 - - sedative, hypnotic or anxiolytic-induced F13.6
 - amphetamine (or related substance) use F15.9 2a 2b
 - anaerobic glycolysis with anemia D55.2
 - anxiety F41.9 2b
 - - due to (secondary to)
 - - - alcohol F10.8
 - - - amphetamine (or related substance) F15.8
 - - - caffeine F15.8
 - - - cannabis F12.8
 - - - cocaine F14.8
 - - - general medical condition F06.4
 - - - hallucinogen F16.8
 - - - inhalant F18.8

- - - phencyclidine (or related substance) F19.8
- - - psychoactive substance NEC F19.8
- - - sedative, hypnotic or anxiolytic F13.8
- - - volatile solvents F18.8
- - generalized F41.1
- - mixed
 - - - with depression (mild) F41.2
 - - - specified NEC F41.3
- - organic F06.4
- - phobic F40.9
- - of childhood F93.1
- - specified NEC F41.8
- anxiolytic use F13.9 2a 2b
- aromatic amino-acid metabolism E70.9
- - specified NEC E70.8
- articulation - *see* Disorder, joint
- attachment (childhood)
- - disinhibited F94.2
- - reactive F94.1
- attention deficit, with hyperactivity F90.0
- autistic F84.0
- autonomic nervous system G90.9 2a
- - specified NEC G90.8
- avoidant, child or adolescent F93.2
- balance
 - - acid-base (mixed) E87.4
 - - - due to
 - - - - medical care NEC E89.8 2b
 - - electrolyte E87.8
 - - - due to
 - - - - medical care NEC E89.8 2b
 - - fluid NEC E87.8
 - - - due to
 - - - - medical care NEC E89.8 2b
 - - movement H51.9
 - - - specified NEC H51.8
 - - vision NEC H53.3
 - bipolar F31.9
 - - affective F31.9
 - - current episode
 - - - hypomanic F31.0
 - - - manic (without psychotic symptoms) F31.1
 - - - - with psychotic symptoms F31.2
 - - - mild or moderate depression F31.3
 - - - mixed F31.6
 - - - severe depression (without psychotic symptoms) F31.4
 - - - - with psychotic symptoms F31.5
 - - - in remission (currently) F31.7
 - - - specified NEC F31.8
 - - I F31.9
 - - - most recent episode
 - - - - depressed
 - - - - mild or moderate severity F31.3
 - - - - severe (without psychotic symptoms) F31.4
 - - - - - with psychotic symptoms F31.5
 - - - - hypomanic F31.0
 - - - - manic (without psychotic symptoms) F31.1
 - - - - - with psychotic symptoms F31.2
 - - - - mixed F31.6
 - - II F31.8
 - - manic F31.1
 - - organic F06.3

- - single manic episode F30.9
- - - mild F30.0
- - - moderate F30.1
- - - severe (without psychotic symptoms) F30.1
- - - - with psychotic symptoms F30.2
- bladder N32.9
- - functional NEC N31.9
- - in schistosomiasis B65.0† N33.8*
- - specified NEC N32.8
- body dysmorphic F45.2
- bone M89.9 2a
- - continuity M84.9
- - - specified NEC M84.8
- - density and structure M85.9
- - - specified NEC M85.8
- - development and growth NEC M89.2
- - specified NEC M89.8 2b
- brachial plexus G54.0 2b
- branched-chain amino-acid metabolism E71.2
- - specified NEC E71.1 2b
- breast N64.9 2b
- - puerperal, postpartum O92.2
- - specified NEC N64.8
- Briquet's F45.0
- caffeine use F15.9 2a 2b
- cannabis use F12.9 2a
- carbohydrate
- - absorption, intestinal NEC E74.3
- - metabolism (congenital) E74.9
- - - specified NEC E74.8 2b
- cardiac, functional I51.8 2a 2b
- cardiovascular system I51.6 2a 2b
- - psychogenic F45.3 2b
- cartilage M94.9
- - articular NEC M24.1
- catatonic
- - due to (secondary to) general medical condition F06.1
- - organic F06.1
- - schizophrenia F20.2
- cervical
- - region NEC M53.8
- - root (nerve) NEC G54.2
- character NEC F68.8
- childhood disintegrative NEC F84.3
- chromosome Q99.9
- coagulation (factor) (*see also* Defect, coagulation) D68.9 2b
- - newborn, transient P61.6
- cocaine use F14.9 2a 2b
- coccyx NEC M53.3
- cognitive R41.8
- - due to (secondary to) general medical condition F06.9 2a 2b
- - - mixed F06.8 2b
- - mild F06.7
- colon K63.9 2a 2b
- - functional K59.9
- - - congenital Q43.2
- - - psychogenic F45.3 2b
- conduct (childhood) F91.9
- - with emotional disorder F92.9
- - - specified NEC F92.8
- - adjustment reaction F43.2
- - compulsive F63.9
- - confined to the family context F91.0
- - depressive F92.0 2a 2b
- - group type F91.2

- - hyperkinetic F90.1
- - oppositional defiance F91.3
- - socialized F91.2
- - solitary aggressive type F91.1
- - specified NEC F91.8
- - unsocialized F91.1
- connective tissue, localized L94.9
- - specified NEC L94.8
- conversion (*see also* Disorder, dissociative) F44.9 2b
- convulsive (secondary) (*see also* Convulsions) R56.8 2b
- corpus cavernosum N48.9
- cranial nerve (*see also* Disorder, nerve, cranial) G52.9
- cyclothymic F34.0
- defiant oppositional F91.3
- delusional F22.0
- - induced F24
- - persistent F22.9
- - - specified NEC F22.8
- - systematized F22.0
- depersonalization F48.1
- depressive (*see also* Depression) F32.9 2b
- - major
- - - recurrent F33.9
- - - single episode
- - - - mild F32.0
- - - - moderate F32.1
- - - - severe (without psychotic symptoms) F32.2
- - - - - with psychotic symptoms F32.3
- - organic F06.3
- - recurrent F33.9
- - - current episode
- - - - mild F33.0
- - - - moderate F33.1
- - - - severe (without psychotic symptoms) F33.2
- - - - - with psychotic symptoms F33.3
- - in remission F33.4
- - - specified NEC F33.8
- - single episode - *see* Episode, depressive
- developmental F89
- - arithmetical skills F81.2
- - coordination (motor) F82
- - expressive writing F81.8
- - language (receptive type) F80.2
- - - expressive F80.1
- - learning F81.9
- - - arithmetical F81.2
- - - reading F81.0
- - mixed F83
- - motor coordination or function F82
- - pervasive F84.9
- - - specified NEC F84.8
- - phonological F80.0
- - reading F81.0
- - scholastic skills F81.9
- - - mixed F81.3
- - - specified NEC F81.8
- - specified NEC F88
- - speech F80.9
- - - and language disorder F80.9
- - articulation F80.0
- - written expression F81.8
- digestive (system) K92.9 2a 2b
- - fetus or newborn P78.9
- - - specified NEC P78.8
- - postprocedural K91.9

- - - specified NEC K91.8 2a 2b
- - psychogenic F45.3 2b
- disc (intervertebral) M51.9
- disinhibited attachment (childhood) F94.2
- disintegrative, childhood NEC F84.3
- disruptive behavior F98.9
- dissocial personality F60.2
- dissociative F44.9 2b
- - affecting
 - - motor function F44.4
 - - - and sensation F44.7
 - - sensation F44.6
- - brief reactive F43.0
- - due to (secondary to) general medical condition F06.5 2b
- - mixed F44.7
- - organic F06.5 2b
- double heterozygous sickling D57.2
- dream anxiety F51.5
- drug-related, residual F19.7
- dysphoric, premenstrual F38.8
- dysthymic F34.1
- ear, postprocedural H95.9
- - specified NEC H95.8
- eating (psychogenic) F50.9
- - specified NEC F50.8
- electrolyte (balance) NEC E87.8
- - due to
 - - - medical care NEC E89.8 2b
 - elimination, transepidermal L87.9
- - specified NEC L87.8
- emotional (persistent) F34.9
- - with conduct disorder F92.9
- - of childhood F93.9
- - - specified NEC F93.8
- endocrine E34.9 2b
- - postprocedural E89.9
- - - specified NEC E89.8 2b
- erythematous - *see* Erythema
- esophageal
- - motility K22.4
- esophagus K22.9
- - psychogenic F45.3 2b
- eustachian tube H69.9
- - specified NEC H69.8
- extrapyramidal G25.9
- - specified type NEC G25.8 2a
- eye, postprocedural H59.9
- - specified NEC H59.8
- factitious F68.1
- factor, coagulation (*see also* Defect, coagulation) D68.9 2b
- fatty acid metabolism E71.3 2b
- feeding R63.3 2b
- - infant or child F98.2
- - newborn P92.9
- feigned (with obvious motivation) Z76.5(425)
- - without obvious motivation F68.1
- female
- - hypoactive sexual desire F52.0
- - orgasmic F52.3
- - sexual arousal F52.2
- fetus or newborn P96.9 2a 2b
- - specified NEC P96.8
- fibroblastic M72.9
- - specified NEC M72.8
- fluid balance E87.8

- follicular (skin) L73.9
- - specified NEC L73.8
- fructose metabolism E74.1
- functional, polymorphonuclear neutrophils D71
- gamma-glutamyl cycle E72.8
- gastric (functional) K31.90 2a 2b
- - psychogenic F45.3 2b
- gastrointestinal (functional) NEC K92.9 2a 2b
- - psychogenic F45.3 2b
- gender-identity or -role F64.9
- - childhood F64.2
- - effect on relationship F66.2
- - egodystonic F66.1
- - of adolescence or adulthood (nontranssexual) F64.1
- - specified NEC F64.8
- - uncertainty F66.0
- genetic Q89.9 2a 2b
- genitourinary system
- - female N94.9
- - male N50.9
- - psychogenic F45.3 2b
- glomerular (in) N05.9 2a 2b
- - amyloidosis E85.4† N08.4*
- - cryoglobulinemia D89.1† N08.2*
- - disseminated intravascular coagulation D65† 2b N08.2*
- - Fabry's disease E75.2† 2b N08.4*
- - familial lecithin cholesterol acyltransferase deficiency E78.6† N08.4*
- - Goodpasture's syndrome M31.0† 2a 2b N08.5*
- - hemolytic-uremic syndrome D59.3† N08.2*
- - Henoch(-Schönlein) purpura D69.0† 2a 2b N08.2*
- - malariae malaria B52.0† N08.0*
- - microscopic polyangiitis M31.7† N08.5*
- - multiple myeloma (M9732/3) C90.0† 2b N08.1*
- - mumps B26.8† 2b N08.0*
- - schistosomiasis B65† 2a N08.0*
- - septicemia NEC A41† 2a 2b N08.0*
- - - newborn P36.9
- - - streptococcal A40† 2a 2b N08.0*
- - - newborn P36.1
- - sickle-cell disorders D57† N08.2*
- - strongyloidiasis B78.9† N08.0*
- - subacute bacterial endocarditis I33.0† 2a 2b N08.8*
- - syphilis A52.7† 2a 2b N08.0*
- - systemic lupus erythematosus M32.1† 2a 2b N08.5*
- - thrombotic thrombocytopenic purpura M31.1† N08.5*
- - Waldenström's macroglobulinemia (M9761/3) C88.0† 2a 2b N08.1*
- - Wegener's granulomatosis M31.3† N08.5*
- gluconeogenesis E74.4
- glucosaminoglycan E76.9
- - specified NEC E76.8
- glycine metabolism E72.5
- glycoprotein metabolism E77.9
- - specified NEC E77.8
- habit (and impulse) F63.9
- - involving sexual behavior NEC F65.9
- - specified NEC F63.8
- - hallucinogen use F16.9 2a
- heart action I49.9 2b
- - newborn P29.1
- hematological D75.9
- - fetus or newborn P61.9
- - - specified NEC P61.8
- hematopoietic organs D75.9
- hemorrhagic NEC D69.9
- - due to circulating anticoagulants (*see also* Circulating anticoagulants) D68.3

- - newborn P53
- hemostasis (*see also* Defect, coagulation) D68.9 2b
- histidine metabolism E70.8
- hyperkinetic F90.9
- - specified NEC F90.8
- hyperleucine-isoleucinemia E71.1 2b
- hypervalinemia E71.1 2b
- hypnotic use F13.9 2a 2b
- hypoactive sexual desire F52.0
- hypochondriacal F45.2
- iatrogenic (*see also* Complications, medical care NEC)
- - due to
 - - - chemotherapeutic agent (anti-tumor) T88.7 2a 2b
 - - - drugs other than chemotherapeutic agent T88.7 2a 2b
- identity
- - dissociative F44.8
- - of childhood F93.8
- immune mechanism (immunity) D89.9
- - specified type NEC D89.8
- impaired renal tubular function N25.9
- - specified NEC N25.8
- impulse (control) F63.9
- influenza-like J11.10 2a 2b
- inhalant use F18.9 2a
- integument, fetus or newborn P83.9
- - specified NEC P83.8
- intermittent explosive F63.8
- internal secretion, pancreas - *see* Increase, secretion, pancreas, endocrine
- intestine, intestinal
 - - carbohydrate absorption NEC E74.3
 - - - postoperative K91.2 2b
 - - functional K59.9
 - - - congenital Q43.2
 - - - psychogenic F45.3 2b
 - - vascular K55.9 2b
 - - - chronic K55.1
 - - - specified NEC K55.8
- isovaleric acidemia E71.1 2b
- jaw, developmental K10.0
- - temporomandibular K07.6
- joint M25.9 2a 2b
 - - psychogenic F45.8
 - - kidney N28.9 2a 2b
 - - functional (tubular) N25.9
 - - in schistosomiasis B65† 2a N29.1*
 - - tubular function N25.9
 - - - specified NEC N25.8
- lactation O92.7
- language (developmental) F80.9
- - expressive F80.1
 - - mixed receptive and expressive F80.2
 - - receptive F80.2
- late luteal phase dysphoric N94.8 2b
- learning F81.9
- ligament M24.2
- ligamentous attachments (*see also* Enthesopathy) M77.9
- - spine M46.0
- lipid E78.9
 - - metabolism, congenital E78.9
 - - storage E75.6
 - - - specified NEC E75.5
 - - lipoprotein
 - - deficiency (familial) E78.6
 - - metabolism E78.9
 - - - specified NEC E78.8

- liver K76.9 2a 2b
- - malarial B54† 2b K77.0*
- low back M53.8
- - psychogenic F45.4
- lumbosacral
- - plexus G54.1
- - root (nerve) NEC G54.4
- lung, interstitial, drug-induced J70.4
- - acute J70.2
- - chronic J70.3
- lymphoreticularproliferative D47.9
- lysine and hydroxylysine metabolism E72.3
- male
- - erectile F52.2
- - - organic origin NEC N48.4
- - - psychogenic F52.2
- - hypoactive sexual desire F52.0
- - orgasmic F52.3
- manic F30.9
- - organic F06.3
- manic-depressive - *see* Manic-depressive
- mastoid process, postprocedural H95.9
- - specified NEC H95.8
- membranes or fluid, amniotic O41.9
- - affecting fetus or newborn P02.9
- meniscus NEC M23.9
- menopausal N95.9
- - specified NEC N95.8
- menstrual N92.6
- - psychogenic F45.8
- - specified NEC N92.5
- mental (or behavioral) (nonpsychotic) F99 2a 2b
- - affecting management of pregnancy, childbirth or puerperium O99.3
- - due to (secondary to)
 - - - amphetamine (or related substance) withdrawal F15.9 2a 2b
 - - - brain disease, damage or dysfunction F06.9 2a 2b
 - - - caffeine use F15.9 2a 2b
 - - - cannabis use F12.9 2a
 - - - general medical condition F06.9 2a 2b
 - - - sedative or hypnotic use F13.9 2a 2b
 - - - tobacco (nicotine) use F17.9 2b
- - following organic brain damage F07.9
 - - - frontal lobe syndrome F07.0 2b
 - - - personality change F07.0 2b
 - - - postconcussional syndrome F07.2
 - - - specified NEC F07.8
- - infancy, childhood or adolescence F98.9
- - neurotic (*see also* Neurosis) F48.9
- - organic or symptomatic F06.9 2a 2b
- - presenile, psychotic F03 2a 2b
- - previous, affecting management of pregnancy Z35.8(426)
- - psychoneurotic (*see also* Neurosis) F48.9
- - psychotic - *see* Psychosis
- - puerperal F53.9
- - - mild F53.0
- - - psychotic F53.1
- - - severe F53.1
- - - specified NEC F53.8
- - senile, psychotic NEC F03 2a 2b
- metabolism NEC E88.9
- - amino-acid straight-chain E72.8
- - bilirubin E80.7
 - - - specified NEC E80.6
- - calcium E83.5 2a 2b
- - carbohydrate E74.9

- - - specified NEC E74.8 2b
- - cholesterol E78.9
- - congenital E88.9
- - copper E83.0 2b
- - following abortion O08.5
- - fructose E74.1
- - galactose E74.2 2b
- - glutamine E72.8
- - glycine E72.5
- - glycoprotein E77.9
- - - specified NEC E77.8
- - glycosaminoglycan E76.9
- - - specified NEC E76.8
- - in labor and delivery O75.8
- - iron E83.1 2a 2b
- - isoleucine E71.1 2b
- - leucine E71.1 2b
- - lipoid E78.9
- - lipoprotein E78.9
- - - specified NEC E78.8
- - magnesium E83.4 2b
- - mineral E83.9
- - - specified NEC E83.8
- - ornithine E72.4
- - phosphatases E83.3
- - phosphorus E83.3
- - plasma protein NEC E88.0 2b
- - porphyrin E80.2 2a 2b
- - postprocedural E89.9
- - - specified NEC E89.8 2b
- - purine E79.9
- - - specified NEC E79.8 2b
- - pyrimidine E79.9
- - - specified NEC E79.8 2b
- - pyruvate E74.4
- - serine E72.8
- - - specified NEC E88.8 2a 2b
- - threonine E72.8
- - valine E71.1 2b
- - zinc E83.2
- methylmalonic acidemia E71.1 2b
- micturition NEC R39.1 2b
- - psychogenic F45.3 2b
- mild cognitive F06.7
- mixed
 - - anxiety and depressive F41.2
 - - of scholastic skills (developmental) F81.3
 - - receptive expressive language F80.2
 - mood (*see also* Disorder, affective) F39
 - - due to (secondary to)
 - - - alcohol F10.8
 - - - amphetamine (or related substance) F15.8
 - - - cannabis F12.8
 - - - cocaine F14.8
 - - - general medical condition F06.3
 - - - hallucinogen F16.8
 - - - inhalant F18.8
 - - - opioid F11.8
 - - - phencyclidine (or related substance) F19.8
 - - - psychoactive substance NEC F19.8
 - - - sedative, hypnotic or anxiolytic F13.8
 - - - volatile solvents F18.8
 - - organic F06.3
 - movement G25.9
 - hysterical F44.4

- - specified NEC G25.8 2a
- - stereotyped F98.4
- - treatment-induced G25.9
- multiple personality F44.8
- muscle M62.9
- - psychogenic F45.8
- - specified NEC M62.8
- - tone, newborn P94.9
- - - specified NEC P94.8
- muscular attachments (*see also* Enthesopathy) M77.9
- - spine M46.0
- musculoskeletal system, soft tissue M79.9
- - postprocedural M96.9
- - psychogenic F45.8
- myoneural G70.9 2a
- - due to lead G70.1
- - specified NEC G70.8 2a 2b
- - toxic G70.1
- myotonic G71.1 2a
- neck region NEC M53.8
- nerve G58.9
- - abducent NEC H49.2
- - accessory G52.8
- - acoustic H93.3
- - auditory H93.3
- - cerebral - see Disorder, nerve, cranial
- - cranial G52.9
- - - eighth H93.3
- - - eleventh G52.8
- - - fifth G50.9
- - - first G52.0
- - - fourth NEC H49.1
- - - multiple G52.7
- - - ninth G52.1
- - - second NEC H47.0
- - - seventh NEC G51.9
- - - sixth NEC H49.2
- - - specified NEC G52.8
- - - tenth G52.2
- - - third NEC H49.0
- - - twelfth G52.3
- - facial G51.9
- - - specified NEC G51.8
- - femoral G57.2
- - glossopharyngeal NEC G52.1
- - hypoglossal G52.3
- - intercostal G58.0
- - lateral
- - - cutaneous of thigh G57.1
- - - popliteal G57.3
- - lower limb G57.9
- - - specified NEC G57.8
- - medial popliteal G57.4
- - median NEC G56.1
- - multiple G58.7
- - oculomotor NEC H49.0
- - olfactory G52.0
- - optic NEC H47.0
- - peroneal G57.3
- - phrenic G58.8
- - plantar G57.6
- - pneumogastric G52.2
- - radial G56.3
- - recurrent laryngeal G52.2
- - root G54.9

- - - specified NEC G54.8
- - sciatic NEC G57.0
- - specified NEC G58.8
- - - lower limb G57.8
- - - upper limb G56.8
- - sympathetic G90.9 2a
- - tibial G57.4
- - trigeminal G50.9
- - - specified NEC G50.8
- - trochlear NEC H49.1
- - ulnar G56.2
- - upper limb G56.9
- - vagus G52.2
- nervous system G98 2a 2b
- - autonomic (peripheral) G90.9 2a
- - - specified NEC G90.8
- - central G96.9
- - - specified NEC G96.8
- - parasympathetic G90.9 2a
- - specified NEC G98 2a 2b
- - sympathetic G90.9 2a
- - vegetative G90.9 2a
- neurohypophysis NEC E23.3
- neurological NEC R29.8 2b
- - degenerative G31.9
- neuromuscular G70.9 2a
- - hereditary NEC G71.9
- - specified NEC G70.8 2a 2b
- - toxic G70.1
- neurotic F48.9
- - specified NEC F48.8
- nicotine use F17.9 2b
- nightmare F51.5
- nose NEC J34.8
- obsessive-compulsive F42.9
- - mixed obsessions and compulsions F42.2
- - predominantly with
- - - compulsions F42.1
- - - obsessions F42.0
- - specified NEC F42.8
- odontogenesis NEC K00.9
- oesophagus - *see* Disorder, esophagus
- opioid use F11.9 2a 2b
- oppositional defiant F91.3
- optic
- - chiasm H47.4
- - disc H47.3
- - radiations H47.5
- - tracts H47.5
- organic
- - anxiety F06.4
- - catatonic F06.1
- - delusional F06.2
- - dissociative F06.5 2b
- - emotionally labile (asthenic) F06.6
- - mood (affective) F06.3
- - schizophrenia-like F06.2
- orgasmic (female) (male) F52.3
- ornithine metabolism E72.4
- overactive, associated with mental retardation and stereotyped movements F84.4
- overanxious, of childhood F93.8
- pain
- - associated with psychological factors F45.4
- - due to general medical condition (secondary) R52.9 2b
- pancreatic internal secretion E16.9

- - specified NEC E16.8 2b
- - panic F41.0
- - with agoraphobia F40.0
- - papulosquamous L44.9
- - specified NEC L44.8 2b
- - paranoid F22.0
- - induced F24
- - parathyroid (gland) E21.5
- - specified NEC E21.4
- - parietoalveolar NEC J84.0
- - paroxysmal, mixed R56.8 2b
- - patella M22.9
- - specified NEC M22.8
- - patellofemoral M22.2
- - pentose phosphate pathway with anemia D55.1
- - perception, due to hallucinogens F16.7
- - peripheral nervous system NEC G64 2a
- - persistent
- - - affective (mood) F34.9
- - - pain (somatoform) F45.4
- - persisting
- - - amnestic
- - - - alcoholic F10.6 2a 2b
- - - - sedative-induced F13.6
- - - cognitive impairment R41.8
- - - due to
- - - - alcohol F10.7 2a
- - - - cannabis F12.7
- - - - hallucinogens F16.7
- - - - sedatives, hypnotics or anxiolytics F13.7
- - - - specified substance NEC F19.7
- - personality (*see also* Personality) F60.9 2b
- - affective F34.0
- - aggressive F60.3
- - amoral F60.2
- - anankastic F60.5
- - antisocial F60.2
- - anxious F60.6
- - asocial F60.2
- - asthenic F60.7
- - avoidant F60.6
- - borderline F60.3
- - change (secondary) due to general medical condition F07.0 2b
- - compulsive F60.5
- - cyclothymic F34.0
- - dependent F60.7
- - depressive F34.1
- - dissocial F60.2
- - emotional instability F60.3
- - expansive paranoid F60.0
- - explosive F60.3
- - following organic brain damage F07.0 2b
- - histrionic F60.4
- - hyperthymic F34.0
- - hypothymic F34.1
- - hysterical F60.4
- - immature F60.8
- - inadequate F60.7
- - labile F60.3
- - mixed (nonspecific) F61
- - moral deficiency F60.2
- - narcissistic F60.8
- - negativistic F60.8
- - obsessional F60.5
- - obsessive(-compulsive) F60.5

- - organic F07.9
- - paranoid F60.0
- - passive(-dependent) F60.7
- - passive-aggressive F60.8
- - pathological NEC F60.9 2b
- - psychopathic F60.2
- - schizoid F60.1
- - schizotypal F21
- - self-defeating F60.7
- - sociopathic F60.2
- - specified NEC F60.8
- - unstable (emotional) F60.3
- pervasive, developmental F84.9
- phencyclidine use F19.9 2a 2b
- phobic anxiety, childhood F93.1
- phosphate-losing tubular N25.0
- pigmentation L81.9
- - choroid, congenital Q14.3
- - diminished melanin formation L81.6
- - iron L81.8 2b
- - specified NEC L81.8 2b
- pituitary gland E23.7
- - iatrogenic (postprocedural) E89.3
- - specified NEC E23.6
- plexus G54.9
- - specified NEC G54.8
- porphyrin metabolism E80.2 2a 2b
- postconcussional F07.2
- posthallucinogen perception F16.7
- postmenopausal N95.9
- - specified NEC N95.8
- post-traumatic stress F43.1
- propionic acidemia E71.1 2b
- prostate N42.9 2b
- - specified NEC N42.8
- psychoactive substance use F19.9 2a 2b
- psychogenic NEC (*see also condition*) F45.9
- - anxiety F41.8
- - appetite F50.8
- - asthenic F48.0
- - cardiovascular (system) F45.3 2b
- - compulsive F42.1
- - cutaneous F54
- - depressive F32.9 2b
- - digestive (system) F45.3 2b
- - dysmenorrheic F45.8
- - dyspneic F45.3 2b
- - endocrine (system) F54
- - eye NEC F45.8
- - feeding F50.8
- - functional NEC F45.8
- - gastric F45.3 2b
- - gastrointestinal (system) F45.3 2b
- - genitourinary (system) F45.3 2b
- - heart (function) (rhythm) F45.3 2b
- - hyperventilatory F45.3 2b
- - hypochondriacal F45.2
- - intestinal F45.3 2b
- - joint F45.8
- - learning F81.9
- - limb F45.8
- - lymphatic (system) F45.8
- - menstrual F45.8
- - micturition F45.3 2b
- - monoplegic NEC F44.4

- - motor F44.4
- - muscle F45.8
- - musculoskeletal F45.8
- - neurocirculatory F45.3 2b
- - obsessive F42.0
- - occupational F48.8
- - organ or part of body NEC F45.8
- - paralytic NEC F44.4
- - phobic F40.9
- - physical NEC F45.8
- - rectal F45.3 2b
- - respiratory (system) F45.3 2b
- - rheumatic F45.8
- - sexual (function) F52.9
- - skin (allergic) (eczematous) F54
- - sleep F51.9
- - specified part of body NEC F45.8
- - stomach F45.3 2b
- - psychological F99 2a 2b
- - associated with
 - - - disease classified elsewhere F54
 - - - egodystonic orientation F66.1
 - - - sexual
 - - - - development F66.9
 - - - - relationship F66.2
 - - - uncertainty about gender identity F66.0
- psychomotor NEC F44.4
- - hysterical F44.4
- psychoneurotic (*see also* Neurosis) F48.9
- - mixed NEC F48.8
- psychophysiologic (*see also* Disorder, somatoform) F45.9
- psychosexual F65.9
- - development F66.9
- - - specified NEC F66.8
- - identity, of childhood F64.2
- psychosomatic NEC (*see also* Disorder, somatoform) F45.9
- - multiple F45.0
- - undifferentiated F45.1
- psychotic (due to) (*see also* Psychosis) F29 2a 2b
- - acute F23.9 2b
- - - specified NEC F23.8
- - alcohol(-induced), alcoholic (immediate) F10.5
- - - intoxication (acute) F10.5
- - - residual and late onset F10.7 2a
- - amphetamine (or related substance) (intoxication) F15.5
- - brief
 - - - with schizophrenia-like features F23.2
 - - - without schizophrenia-like features F23.3
- - cannabis F12.5
- - cocaine (intoxication) F14.5
- - delusional F22.0
- - - acute F23.3
- - drug induced (immediate) (*see also* F11-F19 with fourth character .5) F19.5
- - - residual and late onset (*see also* F11-F19 with fourth character .7) F19.7
- - general medical condition (secondary) with
 - - - delusions F06.2
 - - - hallucinations F06.0
 - - - hallucinogens F16.5
 - - - withdrawal F16.4
 - - induced F24
 - - inhalant (intoxication) F18.5
 - - opioid intoxication (acute) F11.5
 - - phencyclidine (PCP) (or related substance) F19.5
 - - polymorphic, acute (without symptoms of schizophrenia) F23.0
 - - - with symptoms of schizophrenia F23.1

- - psychoactive substance NEC
- - - intoxication F19.5
- - - withdrawal F19.3
- - residual and late-onset
- - - alcohol-induced F10.7 2a
- - - drug-induced - (*see also* F11-F19 with fourth character .7) F19.7
- - sedative, hypnotic or anxiolytic (intoxication) F13.5
- - transient (acute) F23.9 2b
- - - specified NEC F23.8
- - puberty E30.9
- - specified NEC E30.8
- purine metabolism E79.9
- pyrimidine metabolism E79.9
- pyruvate metabolism E74.4
- reactive attachment (childhood) F94.1
- reading R48.0
- - developmental (specific) F81.0
- receptive language F80.2
- receptor, hormonal, peripheral E34.5
- recurrent brief depressive F38.1
- reflex R29.2
- refraction H52.7
- - specified NEC H52.6
- relationship F68.8
- - due to sexual orientation F66.2
- renal function, impaired (tubular) N25.9
- respiratory function, impaired J96.9 2a 2b
- - postprocedural J95.8 2b
- - psychogenic F45.3 2b
- reticularproliferative D47.7
- right hemisphere organic affective F07.8
- rumination (infant or child) F98.2
- sacroiliac NEC M53.3
- sacrum, sacrococcygeal NEC M53.3
- schizoaffective F25.9
- - bipolar type F25.2
- - depressive type F25.1
- - manic type F25.0
- - mixed type F25.2
- - specified NEC F25.8
- schizoid, of childhood F84.5
- schizophreniform F20.8
- - brief F23.2
- schizotypal (personality) F21
- sedative use F13.9 2a 2b
- seizure R56.8 2b
- - maternal, affecting fetus P00.0
- - newborn P90 2a
- - photosensitive G40.8
- - photosensory G40.7
- sense of smell R43.1
- - psychogenic F45.8
- separation anxiety, of childhood F93.0
- sexual
 - - arousal, female F52.2
 - - aversion F52.1
 - - function, psychogenic F52.9
 - - maturation F66.0
 - - nonorganic F52.9
 - - orientation (preference)
 - - - effect on relationship F66.2
 - - - egodystonic F66.1
 - - - uncertainty F66.0
 - - preference (*see also* Deviation, sexual) F65.9
 - - - fetishistic transvestism F65.1

- - relationship F66.2
- sibling rivalry F93.3
- sickle-cell (sickling) (homozygous) D57.1
- - with crisis D57.0
- - double heterozygous D57.2
- - heterozygous D57.3
- - specified type NEC D57.8
- - trait D57.3
- sinus (nasal) NEC J34.8
- skin L98.9
 - - atrophic L90.9
 - - - specified NEC L90.8
- fetus or newborn P83.9
 - - - specified NEC P83.8
- - granulomatous L92.9
 - - - specified NEC L92.8
- - hypertrophic L91.9
 - - - specified NEC L91.8
- - infiltrative NEC L98.6
 - - psychogenic (allergic) (eczematous) F54
- sleep G47.9
 - - breathing-related G47.3 2b
 - - circadian rhythm G47.2
 - - - psychogenic F51.2
 - - due to
 - - - alcohol F10.8
 - - - amphetamine (or related substance) F15.8
 - - - caffeine F15.8
 - - - cannabis F12.8
 - - - cocaine F14.8
 - - - opioid F11.8
 - - - psychoactive substance NEC F19.8
 - - - sedative, hypnotic or anxiolytic F13.8
 - - emotional F51.9
 - - excessive somnolence G47.1
 - - hypersomnia type G47.1
 - - initiating or maintaining G47.0
 - - insomnia type G47.0
 - - mixed type G47.8
 - - nonorganic F51.9
 - - - specified NEC F51.8
 - - parasomnia type G47.8
 - - - specified NEC G47.8
 - - terrors F51.4
 - - walking F51.3
 - - sleep-wake pattern or schedule G47.2
 - - psychogenic F51.2
- social
 - - anxiety, of childhood F93.2
 - - functioning, in childhood F94.9
 - - - specified NEC F94.8
- soft tissue M79.9
 - - specified NEC M79.8
- somatization F45.0
 - - somatoform F45.9
 - - pain (persistent) F45.4
 - - somatization (long-lasting) (multiple) F45.0
 - - specified NEC F45.8
 - - undifferentiated F45.1
- somnolence, excessive G47.1
 - specific
 - - arithmetical F81.2
 - - developmental, of motor F82
 - - reading F81.0
 - - speech and language F80.9

- - spelling F81.1
- - written expression F81.8
- speech NEC R47.8
- - articulation (functional) (specific) F80.0
- - developmental F80.9
- spelling (specific) F81.1
- spine M53.9
- - ligamentous or muscular attachments, peripheral M46.0
- - specified NEC M53.8
- stereotyped, habit or movement F98.4
- stomach (functional) (*see also* Disorder, gastric) K31.90 2a 2b
- stress F43.9
- - post-traumatic F43.1
- sulfur-bearing amino-acid metabolism E72.1
- swallowing R13 2a 2b
- sweat gland (eccrine) L74.9
- - apocrine L75.9
- - - specified NEC L75.8
- - specified NEC L74.8
- temperature regulation, fetus or newborn P81.9
- - specified NEC P81.8
- temporomandibular joint K07.6
- tendon M67.9
- - shoulder region M75.8
- thoracic root (nerve) NEC G54.3
- thyrocalcitonin hypersecretion E07.0
- thyroid (gland) E07.9 2a 2b
- - function NEC, neonatal, transitory P72.2
- - iodine-deficiency-related E01.8
- - specified NEC E07.8
- tic - *see* Tic
- tobacco use F17.9 2b
- tooth
 - - development K00.9
 - - - specified NEC K00.8
 - - eruption K00.6
 - - - with abnormal position K07.3
- Tourette's F95.2
- trance and possession F44.3
- tryptophan metabolism E70.8
- tubular, phosphate-losing N25.0
- tubulo-interstitial (in)
 - - brucellosis A23† 2a N16.0*
 - - cystinosis E72.0† N16.3*
 - - diphtheria A36.8† 2b N16.0*
 - - glycogen storage disease E74.0† 2a 2b N16.3*
 - - leukemia NEC (M9800/3) C95.9† 2a 2b N16.1*
 - - lymphoma NEC (M9590/3) C85.9† 2a 2b N16.1*
 - - mixed cryoglobulinemia D89.1† N16.2*
 - - multiple myeloma (M9732/3) C90.0† 2b N16.1*
 - - Salmonella infection A02.2† 2b N16.0*
 - - sarcoidosis D86.8† N16.2*
 - - septicemia A41† 2a 2b N16.0*
 - - - newborn P36.9
 - - - streptococcal A40† 2a 2b N16.0*
 - - - - newborn P36.1
 - - systemic lupus erythematosus M32.1† 2a 2b N16.4*
 - - toxoplasmosis B58.8† 2b N16.0*
 - - transplant rejection T86† N16.5*
 - - Wilson's disease E83.0† 2b N16.3*
 - - tubulo-renal function, impaired N25.9
 - - specified NEC N25.8
 - - tympanic membrane H73.9
 - - unsocialized aggressive F91.1
 - - urea cycle metabolism E72.2

- ureter (in) N28.9 2a 2b
- - schistosomiasis B65.0† N29.1*
- - tuberculosis A18.1† 2a 2b N29.1*
- urethra N36.9
- - specified NEC N36.8
- urinary system N39.9 2a 2b
- - specified NEC N39.8
- vestibular function H81.9
- - specified NEC H81.8
- visual
- - cortex H47.6
- - pathways H47.7
- - - specified NEC H47.5
- voice R49.8
- volatile solvent use F18.9 2a
- withdrawing, child or adolescent F93.2

Disorientation R41.0

- psychogenic F44.8

Displacement, displaced

- acquired traumatic of bone, cartilage, joint, tendon NEC (without fracture) - *see* Dislocation
- adrenal gland (congenital) Q89.1
- appendix, retrocecal (congenital) Q43.8
- auricle (congenital) Q17.4
- bladder (acquired) N32.8
- - congenital Q64.1
- bone marrow (fibrocystic) D75.8 2a 2b
- brachial plexus (congenital) Q07.8
- brain stem, caudal (congenital) Q04.8
- canuliculus (lacrimalis), congenital Q10.6
- cardia through esophageal hiatus (congenital) Q40.1
- cerebellum, caudal (congenital) Q04.8
- cervix (*see also* Malposition, uterus) N85.4
- colon (congenital) Q43.3
- device, implant or graft (*see also* Complications, by site and type, mechanical) T85.6
- - arterial graft NEC T82.3
- - - coronary (bypass) T82.2
- - breast (implant) T85.4
- - catheter NEC T85.6
- - - dialysis (renal) T82.4
- - - - intraperitoneal T85.6
- - - infusion NEC T82.5
- - - - spinal (epidural) (subdural) T85.6
- - - urinary (indwelling) T83.0
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.3
- - - cardiac T82.1
- - - nervous system (brain) (peripheral nerve) (spinal) T85.1
- - - urinary T83.1
- - fixation, internal (orthopedic) NEC T84.2
- - - bones of limb T84.1
- - gastrointestinal (bile duct) (esophagus) T85.5
- - genital NEC T83.4
- - - intrauterine contraceptive device T83.3 2b
- - heart NEC T82.5
- - - valve (prosthesis) T82.0
- - - - graft T82.2
- - joint prosthesis T84.0
- - ocular (corneal graft) (orbital implant) NEC T85.3
- - - intraocular lens T85.2
- - orthopedic NEC T84.4
- - - bone graft T84.3
- - specified NEC T85.6
- - urinary NEC T83.1
- - - graft T83.2
- - vascular NEC T82.5

- - ventricular intracranial shunt T85.0
- endotracheal tube T85.8 2b
- epithelium
- - columnar, of cervix N87.9
- - cuboidal, beyond limits of external os Q51.8
- esophageal mucosa into cardia of stomach, congenital Q39.8
- esophagus (acquired) K22.8
- - congenital Q39.8
- eyeball (acquired) (lateral) (old) H05.2
- - congenital Q15.8
- fallopian tube (acquired) N83.4
- - congenital Q50.6
- - opening (congenital) Q50.6
- gallbladder (congenital) Q44.1
- gastric mucosa (congenital) Q40.2
- globe (acquired) (lateral) (old) H05.2
- heart (congenital) Q24.8 2b
- - acquired I51.8 2a 2b
- - - rheumatic I09.8
- - - - active or acute I01.8 2a
- hymen (upward) (congenital) Q52.4
- intervertebral disc NEC M51.2
- - with myelopathy M51.0† G99.2*
- - cervical, cervicothoracic (with) M50.2
- - - with myelopathy M50.0† G99.2*
- - - neuritis, radiculitis or radiculopathy M50.1† G55.1*
- - due to major trauma - *see* Dislocation, vertebra
- - lumbar, lumbosacral (with) M51.2
- - - myelopathy M51.0† G99.2*
- - - neuritis, radiculitis, radiculopathy or sciatica M51.1† G55.1*
- - - specified NEC M51.2
- - thoracic, thoracolumbar (with) M51.2
- - - due to major trauma S23.1
- - - myelopathy M51.0† G99.2*
- - - neuritis, radiculitis, radiculopathy M51.1† G55.1*
- - - specified NEC M51.2
- kidney (acquired) N28.8 2a 2b
- - congenital Q63.2
- lacrymal, lacrimal apparatus or duct (congenital) Q10.6
- lens, congenital Q12.1
- macula (congenital) Q14.1
- nail (congenital) Q84.6
- - acquired L60.8
- oesophagus (acquired) - *see* Displacement, esophagus
- opening of Wharton's duct in mouth Q38.4
- organ or site, congenital NEC - *see* Malposition, congenital
- ovary (acquired) N83.4
- - congenital Q50.3
- - free in peritoneal cavity (congenital) Q50.3
- - into hernial sac N83.4
- oviduct (acquired) N83.4
- - congenital Q50.6
- punctum lacrimale (congenital) Q10.6
- sacroiliac (joint) (congenital) Q74.2
- - current injury S33.2
- - old M53.2
- salivary gland (any) (congenital) Q38.4
- spleen (congenital) Q89.0
- stomach, congenital Q40.2
- tongue (downward) (congenital) Q38.3
- tooth, teeth K07.3
- trachea (congenital) Q32.1
- ureter or ureteric opening or orifice (congenital) Q62.6
- uterine opening of oviducts or fallopian tubes Q50.6
- uterus, uterine (*see also* Malposition, uterus) N85.4

- ventricular septum Q21.0 2b
- - with rudimentary ventricle Q20.4 2b
- Disproportion (fetopelvic)** O33.9 2a
 - affecting fetus or newborn P03.1
 - caused by
 - - conjoined twins O33.7
 - - contraction pelvis (general) O33.1
 - - - causing obstruction O65.1
 - - - inlet O33.2
 - - - outlet O33.3
 - fetal
 - - ascites O33.7
 - - deformity NEC O33.7
 - - hydrocephalus O33.6
 - - hydrops O33.7
 - - - meningomyelocele O33.7
 - - - sacral teratoma O33.7
 - - - tumor O33.7
 - - hydrocephalic fetus O33.6
 - - pelvis, pelvic, abnormality (bony) NEC O33.0
 - - - causing obstructed labor O65.0
 - - unusually large fetus O33.5
 - causing obstructed labor O65.4
 - cephalopelvic O33.9 2a
 - - causing obstructed labor O65.4
 - fetal (with normally formed fetus) O33.5
 - fibre-type G71.2
 - mixed maternal and fetal origin O33.4
 - specified NEC O33.8
 - thymus, thymic E32.8

Disruptio uteri - *see* Rupture, uterus

Disruption

- aortic graft T82.3
- atlantoaxial S13.1
- atlanto-occipital S13.1
- cerebral S06.9 2a 2b
- ciliary body NEC H21.5
- cranium S09.9 2a 2b
- family Z63.8(427)
 - - involving divorce or separation Z63.5(428)
- gastrostomy stoma K91.8 2a 2b
- iris NEC H21.5
- joint - *see* Dislocation
- ligament(s) - *see also* Sprain
- - knee
 - -- current injury - *see* Dislocation, knee
 - -- old (chronic) M23.5
 - -- spontaneous NEC M23.6
- marital Z63.0(429)
 - - involving divorce Z63.5(430)
- wound
 - - episiotomy O90.1
 - - operation T81.3 2b
 - - - cesarean O90.0
 - - perineal (obstetric) O90.1

Dissatisfaction with

- employment Z56.7(431)
- school environment Z55.4(432)

Dissecting - *see* condition

Dissection

- aorta (any part) (ruptured) I71.0 2b
- artery NEC I72.9 2b
 - - carotid I72.0
 - - cerebral (nonruptured) I67.0
 - - - ruptured (*see also* Hemorrhage, subarachnoid) I60.7 2a 2b

- - coronary I25.1 2a 2b
- - iliac (ruptured) I72.3
- - limb (ruptured)
- - - lower I72.4
- - - upper I72.1
- - precerebral NEC (*see also* Aneurysm, precerebral) I72.5
- - - acquired (ruptured) I72.5
- - - - carotid I72.0
- - - - vertebral I72.5
- - - congenital (nonruptured) Q28.1
- - renal (ruptured) I72.2
- - specified (ruptured) NEC I72.8
- traumatic (complication) (early) T14.5
- - specified site - *see* Injury, blood vessel, by site
- vascular NEC I72.9 2b
- wound - *see* Wound

Disseminated - *see condition*

Dissocial behavior, without manifest psychiatric disorder Z03.2(433)

Dissociation

- auriculoventricular or atrioventricular (AV) (any degree) I45.8
- electromechanical I45.8
- interference I45.8

Dissociative reaction, state F44.9 2b

Dissolution, vertebra M81.9 2a 2b

Distal intestinal obstruction (syndrome) E84.1 2b

Distension

- abdomen R14
- bladder N32.8
- cecum K63.8
- colon K63.8
- gallbladder K82.8
- intestine K63.8
- kidney N28.8 2a 2b
- liver K76.8 2b
- seminal vesicle N50.8
- stomach K31.8 2a
- - acute K31.0
- - psychogenic F45.3 2b
- ureter N28.8 2a 2b
- uterus N85.8

Distoma hepaticum infestation B66.3

Distomiasis B66.9

- hemic B65.9
- hepatic B66.3† K77.0*
- - due to *Clonorchis sinensis* B66.1† K77.0*
- intestinal B66.5
- liver B66.3† K77.0*
- - due to *Clonorchis sinensis* B66.1† K77.0*
- lung B66.4† J99.8*
- pulmonary B66.4† J99.8*

Distomolar (fourth molar) K00.1

- causing crowding K07.3

Disto-occlusion K07.2

Distortion (congenital)

- arm NEC Q68.8
- bile duct or passage Q44.5
- bladder Q64.7
- brain Q04.9
- cervix (uteri) Q51.9
- chest (wall) Q67.8
- - bones Q76.8
- clavicle Q74.0
- clitoris Q52.6
- coccyx Q76.4
- common duct Q44.5

- cystic duct Q44.5
- ear (auricle) (external) Q17.3
 - - inner Q16.5
 - - ossicles Q16.3
- eustachian tube Q16.4
- eye (adnexa) Q15.8
- face bone(s) NEC Q75.8 2b
- fallopian tube Q50.6
- femur NEC Q68.8
- fibula NEC Q68.8
- finger(s) Q68.1
- foot Q66.9
- gyri Q04.8
- hand bone(s) Q68.1
- heart (auricle) (ventricle) Q24.8 2b
 - - valve (cusp) Q24.8 2b
- hepatic duct Q44.5
- humerus NEC Q68.8
- hymen Q52.4
- intrafamilial communications Z63.8(434)
- knee (joint) Q68.2
- labium (majus) (minus) Q52.7
- leg NEC Q68.8
- lens Q12.8
- liver Q44.7
- lumbar spine Q76.4
 - - with disproportion O33.8
 - - - affecting fetus or newborn P03.1
 - - - causing obstructed labor O65.0
- lumbosacral (joint) (region) Q76.4
- nerve Q07.8
- nose Q30.8
- organ
 - - of Corti Q16.5
 - - or site not listed - *see* Anomaly, by site
- oviduct Q50.6
- pancreas Q45.3
- patella Q68.2
- radius NEC Q68.8
- sacroiliac joint Q74.2
- sacrum Q76.4
- scapula Q74.0
- shoulder girdle Q74.0
- skull bone(s) NEC Q75.8 2b
 - - with
 - - - encephalocele (*see also* Encephalocele) Q01.9
 - - - hydrocephalus Q03.9 2a 2b
 - - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
 - - - microcephaly Q02
- spinal cord Q06.8
- spine Q76.4
- spleen Q89.0
- sternum NEC Q76.7
- thorax (wall) Q67.8
 - - bony Q76.8
- tibia NEC Q68.8
- toe(s) Q66.9
- tongue Q38.3
- trachea (cartilage) Q32.1
- ulna NEC Q68.8
- ureter Q62.8
- urethra Q64.7
 - - causing obstruction Q64.3
- uterus Q51.9
- vagina Q52.4

- vertebra Q76.4
- vulva Q52.7
- wrist (bones) (joint) Q68.8

Distress

- abdominal R10.4 2b
- cardiac I51.8 2a 2b
- - congenital P20.9
- - newborn P29.8
- cardiopulmonary R09.8 2b
- - newborn P96.8
- cardiorespiratory R09.8 2b
- - newborn P96.8
- circulatory R57.9 2a 2b
- - newborn P96.8
- epigastric R10.1
- fetal (syndrome) P20-
- - affecting
- - - labor and delivery O68-
- - - management of pregnancy (unrelated to labor or delivery) O36.3
- - complicating labor and delivery O68-
- - first noted
- - - before onset of labor P20.0
- - - during labor and delivery P20.1
- gastrointestinal (functional) K30
- - psychogenic F45.3 2b
- intestinal (functional) NEC K59.9
- - psychogenic F45.3 2b
- intrauterine - *see Distress, fetal*
- maternal, during labor and delivery O75.0
- respiratory R06.0 2b
- - adult, so stated J80 2b
- - newborn P22.9
- - - specified NEC P22.8
- - psychogenic F45.3 2b
- - syndrome (idiopathic) J80 2b
- - - adult J80 2b
- - - - newborn P22.0 2a 2b
- - - newborn P22.0 2a 2b

Distribution vessel, atypical Q27.9

- precerebral Q28.1

Districhiasis L68.8

Disturbance - *see also* Disease

- absorption K90.9
- - calcium E58
- - carbohydrate K90.4
- - fat K90.4
- - - pancreatic K90.3
- - protein K90.4
- - starch K90.4
- - vitamin (*see also* Deficiency, vitamin) E56.9 2b
- acid-base equilibrium (mixed) E87.4
- - due to
- - - medical care NEC E89.8 2b
- activity and attention (with hyperkinesis) F90.0
- assimilation, food K90.9
- auditory nerve, except deafness H93.3
- behavior - *see* Disorder, conduct
- blood clotting (mechanism) (*see also* Defect, coagulation) D68.9 2b
- cerebral
- - nerve - *see* Disorder, nerve, cranial
- - status, newborn P91.9
- - - specified NEC P91.8
- circulatory I99 2a 2b
- conduct (*see also* Disorder, conduct) F91.9
- - with emotional disorder F92.9

- - adjustment reaction F43.2
- - compulsive F63.9
- - disruptive F91.9
- - hyperkinetic F90.1
- - socialized F91.2
- - specified NEC F91.8
- - unsocialized F91.1
- coordination R27.8 2b
 - cranial nerve - *see* Disorder, nerve, cranial
 - deep sensibility - *see* Disturbance, sensation
- digestive K30
 - - psychogenic F45.3 2b
 - electrical conduction I45.9 2a 2b
 - electrolyte (*see also* Imbalance, electrolyte) E87.8
- - newborn, transitory P74.4
 - - - potassium balance P74.3
 - - - sodium balance P74.2
 - - - specified type NEC P74.4
- emotions specific to childhood and adolescence F93.9
 - - with
 - - - anxiety and fearfulness NEC F93.8
 - - - sensitivity (withdrawal) F93.2
 - - - shyness F93.2
 - - - social withdrawal F93.2
 - - involving relationship problems F93.8
 - - mixed F93.8
 - - - specified NEC F93.8
 - - endocrine (gland) E34.9 2b
 - - neonatal, transitory P72.9
 - - - specified NEC P72.8
 - - equilibrium R42
 - - feeding R63.3 2b
 - - newborn P92.9
 - - nonorganic origin (infant or child) F98.2
 - - psychogenic NEC F50.8
 - - fructose metabolism E74.1
 - - gait R26.8 2b
 - - - hysterical F44.4
 - - - psychogenic F44.4
 - - gastrointestinal (functional) K30
 - - psychogenic F45.3 2b
 - - habit, child F98.9
 - - hearing, except deafness and tinnitus H93.2
 - - heart, functional (conditions in I44-I50)
 - - due to presence of (cardiac) prosthesis I97.1
 - - postoperative I97.8 2b
 - - - cardiac surgery I97.1
 - - hormones E34.9 2b
 - - innervation uterus (parasympathetic) (sympathetic) N85.8
 - - keratinization NEC
 - - lip K13.0
 - - oral (mucosa) (soft tissue) K13.2
 - - tongue K13.2
 - - learning (specific) F81.9
 - - memory (*see also* Amnesia) R41.3
 - - mild, following organic brain damage F06.7
 - - mental F99.2a 2b
 - - associated with diseases classified elsewhere F54
 - - metabolism E88.9
 - - amino-acid E72.9
 - - - aromatic E70.9
 - - - branched-chain E71.2
 - - - straight-chain E72.8
 - - - sulfur-bearing E72.1
 - - ammonia E72.2

- - arginine E72.2
- - arginosuccinic acid E72.2
- - carbohydrate E74.9
- - cholesterol E78.9
- - citrulline E72.2
- - cystathione E72.1
- - general E88.9
- - glutamine E72.8
- - histidine E70.8
- - homocystine E72.1
- - hydroxylysine E72.3
- - in labor or delivery O75.8
- - iron E83.1 2a 2b
- - lipoid E78.9
- - lysine E72.3
- - methionine E72.1
- - neonatal, transitory P74.9
- - - calcium and magnesium P71.9
- - - - specified type NEC P71.8
- - - carbohydrate metabolism P70.9
- - - - specified type NEC P70.8
- - - specified NEC P74.8
- - ornithine E72.4
- - phosphate E83.3
- - sodium NEC E87.8
- - - due to
- - - - medical care NEC E89.8 2b
- - threonine E72.8
- - tryptophan E70.8
- - tyrosine E70.2
- - urea cycle E72.2
- motor R29.2
- nervous, functional R45.0
- neuromuscular mechanism, eye, due to syphilis A52.1† 2a 2b H58.8*
- nutritional E63.9 2a 2b
- nail L60.3
- ocular motion H51.9
- - psychogenic F45.8
- oculogyric H51.8
- - psychogenic F45.8
- oculomotor H51.9
- - psychogenic F45.8
- olfactory nerve R43.1
- optic nerve NEC H47.0
- oral epithelium, including tongue K13.2
- perceptual due to
- - alcohol withdrawal F10.3
- personality (pattern) (trait) (*see also* Disorder, personality) F60.9 2b
- - following organic brain damage F07.0 2b
- polyglandular E31.9
- - specified NEC E31.8
- potassium balance, newborn P74.3
- psychogenic F45.9
- psychomotor F44.4
- pupillary H57.0
- reflex R29.2
- rhythm, heart I49.9 2b
- - newborn P29.1
- salivary secretion K11.7
- sensation (cold) (heat) (localization) (tactile discrimination) (texture) (vibratory) NEC R20.8
- - hysterical F44.6
- - skin R20.8
- - smell R43.1
- - - and taste (mixed) R43.8
- - taste R43.2

- sensory - *see* Disturbance, sensation
- situational (transient) (*see also* Reaction, adjustment) F43.2
- - acute F43.0
- sleep G47.9
- - nonorganic origin F51.9
- smell R43.1
- - and taste (mixed) R43.8
- sociopathic F60.2
- sodium balance, newborn P74.2
- speech NEC R47.8
- - developmental F80.9
- stomach (functional) K31.9 2a 2b
- sympathetic (nerve) G90.9 2a
- taste R43.8
- temperature
 - - regulation, newborn P81.9
 - - - specified NEC P81.8
 - - sense R20.8
 - - - hysterical F44.6
- tooth
 - - eruption K00.6
 - - formation K00.4
 - - structure, hereditary NEC K00.5
- touch - *see* Disturbance, sensation
- vascular I99 2a 2b
 - - arteriosclerotic - *see* Arteriosclerosis
 - vasomotor I73.9 2a 2b
 - vasospastic I73.9 2a 2b
 - vision, visual H53.9
 - - specified NEC H53.8
 - voice R49.8
 - - psychogenic F44.4

Disturbed mind (balance of) F99 2a 2b

Diuresis R35 2b

Diver's palsy, paralysis or squeeze T70.3

Diverticula, diverticulitis, diverticulosis, diverticulum (acute) (bleed) (bleeding) (multiple) K57.9 2a 2b

- appendix (noninflammatory) K38.2
- bladder (sphincter) N32.3
- - congenital Q64.6
- broad ligament N83.8
- bronchus (congenital) Q32.4
- - acquired J98.0
- calyx, calyceal (kidney) N28.8 2a 2b
- cardia (stomach) K22.5
- cecum (*see also* Diverticula, intestine, large) K57.3
- - congenital Q43.8
- colon (*see also* Diverticula, intestine, large) K57.3
- - congenital Q43.8
- duodenum (*see also* Diverticula, intestine, small) K57.1
- - congenital Q43.8
- esophagus (congenital) Q39.6
- - acquired (epiphrenic) (pulsion) (traction) K22.5
- eustachian tube H69.8
- fallopian tube N83.8
- gastric K31.4
- heart (congenital) Q24.8 2b
- ileum (*see also* Diverticula, intestine, small) K57.1
- intestine K57.9 2a 2b
 - - with abscess, perforation or peritonitis K57.8
 - - both large and small K57.5
 - - - with abscess, perforation or peritonitis K57.4 2b
 - - congenital Q43.8
 - - large K57.3
 - - - with abscess, perforation or peritonitis K57.2
 - - small K57.1

- - - with abscess, perforation or peritonitis K57.0 2b
- jejunum (*see also* Diverticula, intestine, small) K57.1
- Meckel's (displaced) (hypertrophic) Q43.0
- perforated (*see also* Diverticula, by site, with perforation) K57.8
- pericardium (congenital) (cyst) Q24.8 2b
- pharyngoesophageal (congenital) Q39.6
- - acquired K22.5
- pharynx (congenital) Q38.7
- rectosigmoid (*see also* Diverticula, intestine, large) K57.3
- - congenital Q43.8
- rectum (*see also* Diverticula, intestine, large) K57.3
- ruptured (*see also* Diverticula, by site, with perforation) K57.8
- seminal vesicle N50.8
- sigmoid (*see also* Diverticula, intestine, large) K57.3
- - congenital Q43.8
- stomach (acquired) K31.4
- - congenital Q40.2
- throat Q38.7
- trachea (acquired) J39.8
- ureter (acquired) N28.8 2a 2b
- - congenital Q62.8
- ureterovesical orifice N28.8 2a 2b
- urethra (acquired) N36.1
- - congenital Q64.7
- ventricle, left (congenital) Q24.8 2b
- vesical N32.3
- - congenital Q64.6
- Zenker's (esophagus) K22.5

Division

- cervix uteri (acquired) N88.8
- external os into two openings by frenum Q51.8
- glans penis Q55.6
- labia minora (congenital) Q52.7
- ligament (current) (partial or complete) (*see also* Sprain) T14.3
- - with open wound - *see* Wound
- muscle (current) (partial or complete) (*see also* Injury, muscle) T14.6
- - with open wound - *see* Wound
- nerve (traumatic) - *see* Injury, nerve
- spinal cord - *see* Injury, spinal cord, by region
- vein I87.8 2b

Divorce, causing family disruption Z63.5(435)

Dizziness R42

- hysterical F44.8
- psychogenic F45.8

Doebley-Heller aortitis A52.0† 2b I79.1*

Dog bite - *see* Wound

Dolichocephaly Q67.2

Dolichocolon Q43.8

Dolichostenomelia Q74.0

Donohue's syndrome E34.8

Donor (organ or tissue) Z52.9(436)

- blood Z52.0(437)
- bone Z52.2(438)
- - marrow Z52.3(439)
- cornea Z52.5(440)
- kidney Z52.4(441)
- lymphocyte Z52.8(442)
- potential, examination of Z00.5(443)
- skin Z52.1(444)
- specified organ or tissue NEC Z52.8(445)

Donovanosis A58

Dorsalgia M54.9

- psychogenic F45.4
- specified NEC M54.8

Dorsopathy M53.9

- deforming M43.9
- - specified NEC M43.8
- specified NEC M53.8

Double

- albumin E88.0 2b
- aortic arch Q25.4
- auditory canal Q17.8
- auricle (heart) Q20.8 2b
- bladder Q64.7
- cervix Q51.8
 - - with doubling of uterus (and vagina) Q51.1
- external os Q51.8
- inlet ventricle Q20.4 2b
- kidney with double pelvis (renal) Q63.0
- meatus urinarius Q64.7
- monster Q89.4
- outlet
 - - left ventricle Q20.2
 - - right ventricle Q20.1
- pelvis (renal) with double ureter Q62.5
- tongue Q38.3
- ureter (one or both sides) Q62.5
- - with double pelvis (renal) Q62.5
- urethra Q64.7
- urinary meatus Q64.7
- uterus Q51.2
 - - with
 - - - double cervix (and vagina) Q51.1
 - - - double vagina (and cervix) Q51.1
 - - in pregnancy or childbirth O34.0
 - - - affecting fetus or newborn P03.8
 - - - causing obstructed labor O65.5
- vagina Q52.1
- - with double uterus (and cervix) Q51.1
- vision H53.2
- vulva Q52.7

Douglas' pouch or cul-de-sac - *see condition*

Down's disease or syndrome (*see also* Trisomy, 21) Q90.9 2b

Dracontiasis B72 2a

Dracunculiasis, dracunculosis B72 2a

Dream state, hysterical F44.8

Drechslera (hawaiiensis) (infection) B43.8

Drepanocytic anemia (*see also* Disease,sickle-cell) D57.1

Dressler's syndrome I24.1

Drift, ulnar M21.8

Drinking, drank (alcohol) (history of) F10.9 2b

- binge (alcohol) T51.9 2a 2b
- - ethanol T51.0 2b
- excessive, to excess NEC F10.1 2a 2b
- - chronic F10.2 2a 2b
- - continual F10.2 2a 2b
- - habitual (continual) F10.2 2a 2b
- - isopropyl alcohol T51.2
- heavy F10.1 2a 2b
- isopropyl alcohol F10.9 2b
- problem F10.1 2a 2b
- too much F10.1 2a 2b

Driving

- under influence F10.1 2a 2b
- - alcohol F10.1 2a 2b
- - - chronic F10.2 2a 2b
- - chronic F10.2 2a 2b
- while intoxicated T51.9 2a 2b
- - chronic F10.2 2a 2b

Drop

- finger M20.0
- foot M21.3
- toe M20.5
- wrist M21.3

Dropped

- dead (unexplained) R96.0 2b
 - heart beats I45.9 2a 2b
- Dropsy, dropsical** (*see also* Hydrops) R60.9 2b
- abdomen R18 2b
 - brain - *see* Hydrocephalus
 - cardiac, heart (*see also* Failure, heart, congestive) I50.0 2a 2b
 - cardiorenal I13.2 2a
 - gangrenous (*see also* Gangrene) R02 2a 2b
 - lung (*see also* Edema, lung) J81 2a 2b
 - pericardium (*see also* Pericarditis) I31.9 2b
 - - rheumatic I09.2 2b
 - - - active or acute I01.0 2a 2b

Drowned, drowning T75.1 2a 2b**Drowsiness** R40.0 2b**Drug**

- abuse - *see* Abuse, drugs
- addiction (*see also* Dependence) - *code to* F10-F19 with fourth character .2
- adverse effect NEC, correct substance properly administered T88.7 2a 2b
- counseling and surveillance Z71.5(446)
- dependence - *code to* F10-F19 with fourth character .2
- detoxification therapy Z50.3(447)
- fever R50.2
- habit - *code to* F10-F19 with fourth character .2
- harmful use - *code to* F10-F19 with fourth character .1
- overdose - *see* Table of drugs and chemicals
- poisoning - *see* Table of drugs and chemicals
- rehabilitation measures Z50.3(448)
- use NEC F19.9 2a 2b
- wrong substance given or taken in error - *see* Table of drugs and chemicals

Drunkenness F10.1 2a 2b

- acute in alcoholism F10.1 2a 2b
- chronic F10.2 2a 2b
- pathological F10.1 2a 2b

Drusen

- macula (degenerative) (retina) H35.3
- optic disc H47.3

Dry, dryness - *see also* condition

- socket (teeth) K10.3

Duane's syndrome H50.8**Dubin-Johnson disease or syndrome** E80.6**Dubois' disease (thymus gland)** A50.5† E35.8***Dubowitz' syndrome** Q87.1 2a**Duchenne-Aran muscular atrophy** G12.2 2a 2b

- advanced G12.20 2a 2b
- grave G12.20 2a 2b
- severe G12.20 2a 2b

Duchenne-Griesinger disease G71.0**Duchenne's**

- disease or syndrome
- - motor neuron disease G12.2 2a 2b
- - - advanced G12.20 2a 2b
- - - grave G12.20 2a 2b
- - - severe G12.20 2a 2b
- - muscular dystrophy G71.0
- locomotor ataxia (syphilitic) A52.1 2a 2b
- paralysis
- - birth injury P14.0
- - due to or associated with
- - - motor neuron disease G12.2 2a 2b
- - - muscular dystrophy G71.0

Ducrey's chancre A57

Duct, ductus - *see condition*

Duhring's disease L13.0

Dullness, cardiac (decreased) (increased) R01.2 2b

Dumbness (*see also* Aphasia) R47.0

Dumdum fever B55.0

Dumping syndrome (postgastrectomy) K91.1 2b

Duodenitis (nonspecific) (peptic) K29.8

Duodenocholangitis (*see also* Cholangitis) K83.0

Duodenum, duodenal - *see condition*

Duplay's bursitis or periarthritis M75.0

Duplex, duplication - *see also* Accessory

- alimentary tract NEC Q45.8 2b

- anus Q43.4

- appendix (and cecum) Q43.4

- biliary duct (any) Q44.5

- bladder Q64.7

- cecum (and appendix) Q43.4

- chromosome NEC (*see also* Trisomy) Q92.9

- - with complex rearrangements NEC Q92.5

- - 11q Q92.8

- - arm

- - - less than whole arm Q92.3

- - - whole arm or more Q92.2

- - seen only at prometaphase Q92.4

- cystic duct Q44.5

- digestive organs NEC Q45.8 2b

- esophagus Q39.8

- frontonasal process Q75.8 2b

- intestine (large) (small) Q43.4

- kidney Q63.0

- liver Q44.7

- oesophagus Q39.8

- pancreas Q45.3

- penis Q55.6

- placenta O43.1

- respiratory organs NEC Q34.8

- salivary duct Q38.4

- spinal cord (incomplete) Q06.8

- stomach Q40.2

Dupre's syndrome (*see also* Meningismus) R29.1 2b

Dupuytren's contraction or disease M72.0

Durand-Nicolas-Favre disease A55

Duroziez' disease Q23.2

Dust exposure (inorganic) Z58.1(449)

- occupational Z57.2(450)

- reticulation (*see also* Pneumoconiosis) J64 2a 2b

- - organic dusts J66.8

Dutton's relapsing fever (West African) A68.1

Dwarfism E34.3

- achondroplastic Q77.4

- congenital E34.3

- constitutional E34.3

- hypochondroplastic Q77.4

- hypophyseal E23.0 2b

- infantile E34.3

- Laron-type E34.3

- Lorain(-Levi) type E23.0 2b

- metatropic Q77.8 2b

- nephrotic-glycosuric (with hypophosphatemic rickets) E72.0† N16.3*

- nutritional E45 2b

- pancreatic K86.8 2b

- pituitary E23.0 2b

- psychosocial E34.3

- renal N25.0

- thanatophoric Q77.1

Dyke-Young anemia (secondary) (symptomatic) D59.1

Dysacusis H93.2

Dysadrenocortism E27.9

Dysarthria R47.1

Dysautonomia (familial) G90.1 2a 2b

Dysbarism T70.3

Dysbasia R26.2 2b

- angiosclerotica intermittens I73.9 2a 2b

- hysterical F44.4

- lordotica (progressiva) G24.1

- nonorganic origin F44.4

- psychogenic F44.4

Dyscalculia R48.8

- developmental F81.2

Dyschezia R19.8 2b

Dyschondroplasia (with hemangioma) Q78.4

Dyschromia (skin) L81.9

Dyscranio-pygo-phalangy Q87.0

Dyscrasia

- blood (with) D75.9

- - antepartum hemorrhage O46.0

- - fetus or newborn P61.9

- - - specified type NEC P61.8

- - intrapartum hemorrhage O67.0

- - puerperal, postpartum O72.3

- plasma cell E88.0 2b

- polyglandular, pluriglandular E31.9

Dysendocrinism E34.9 2b

Dysentery, dysenteric (catarrhal) (diarrhea) (epidemic) (hemorrhagic) (infectious) (sporadic) (tropical) A09.0 2a 2b

- amebic (*see also* Amebiasis) A06.0

- - with abscess - *see* Abscess, amebic

- - acute A06.0

- - chronic A06.1

- - arthritis A09.9† 2a 2b M03* 2b

- - bacillary A03.9† M03* 2b

- - infectious A09.0† 2a 2b M03* 2b

- - bacillary A03.9

- - - arthritis A03.9† M01.3*

- - Boyd A03.2

- - Flexner A03.1

- - Schmitz(-Stutzer) A03.0

- - Shiga(-Kruse) A03.0

- - *Shigella* A03.9

- - - *boydii* A03.2

- - - *dysenteriae* A03.0

- - - *flexneri* A03.1

- - - group A A03.0

- - - group B A03.1

- - - group C A03.2

- - - group D A03.3

- - - *sonnei* A03.3

- - - specified type NEC A03.8

- - Sonne A03.3

- - specified type NEC A03.8

- bacterial A03.9

- balantidial A07.0

- *Balantidium coli* A07.0

- Boyd's A03.2

- candidal B37.8 2a 2b

- *Chilomastix* A07.8 2b

- coccidial A07.3

- *Dientamoeba (fragilis)* A07.8 2b

- *Embadomonas* A07.8 2b

- *Entamoeba*, entamebic - *see* Dysentery, amebic

- Flexner's A03.1
- *Giardia lamblia* A07.1
- Hiss-Russell A03.1
- *Lamblia* A07.1
- leishmanial B55.0
- metazoal B82.0
- monilial B37.8 2a 2b
- protozoal A07.9
- *Salmonella* A02.0
- schistosomal B65.1
- Schmitz(-Stutzer) A03.0
- Shiga(-Kruse) A03.0
- *Shigella* NEC (*see also* Dysentery, bacillary) A03.9
- Sonne A03.3
- strongyloidiasis B78.0
- trichomonial A07.8 2b
- viral (*see also* Enteritis, viral) A08.4

Dysesthesia R20.8

- hysterical F44.6

Dysfibrinogenemia (congenital) D68.2 2a 2b

Dysfunction

- adrenal E27.9
- ambulatory (transient) following surgery Z48.8(451)
- atrioventricular node I49.8
- - newborn P29.1
- autonomic G90.8
- - due to alcohol G31.2 2a 2b
- - somatoform F45.3 2b
- bladder N31.9
- - neurogenic NEC (*see also* Dysfunction, bladder, neuromuscular) N31.9
- - neuromuscular NEC N31.9
- - - atonic (motor) (sensory) N31.2
- - - autonomous N31.2
- - - flaccid N31.2
- - - nonreflex N31.2
- - - reflex N31.1
- - - specified NEC N31.8
- - - uninhibited N31.0
- bleeding, uterus N93.8
- central nervous system (CNS) G96.8
- cerebral G93.8 2b
- cognitive R41.8
- colon K59.9
- - psychogenic F45.3 2b
- colostomy or enterostomy K91.4
- cystic duct K82.8
- cystostomy (stoma) N99.5
- diastolic (*see also* Dysfunction, heart) I51.8 2a 2b
- endocrine NEC E34.9 2b
- endometrium N85.8
- enteric stoma K91.4
- erectile (psychogenic) F52.2
- - organic origin NEC N48.4
- esophagus K22.4
- gallbladder K82.8
- gastrostomy (stoma) K91.8 2a 2b
- gland, glandular NEC E34.9 2b
- heart I51.8 2a 2b
- - rheumatic I09.8
- - - active or acute I01.8 2a
- hemoglobin D75.8 2a 2b
- hepatic K76.8 2b
- hypophysis E23.7
- hypothalamic NEC E23.3
- ileostomy (stoma) K91.4

- jejunostomy (stoma) K91.4
- kidney (*see also* Disease, kidney) N28.9 2a 2b
- labyrinthine H83.2
- larynx J38.7
- liver K76.8 2b
- neurological R29.8 2b
- orgasmic F52.3
- ovary E28.9
 - - specified NEC E28.8
- papillary muscle I51.8 2a 2b
 - - rheumatic I09.8
 - - - active or acute I01.8 2a
- pharyngeal J39.2
- physiological NEC R68.8 2a 2b
 - - psychogenic F59
- pineal gland E34.8
- pituitary (gland) E23.3
- placental O43.8 2b
- polyglandular E31.9
 - - specified NEC E31.8
- psychophysiological F59
- rectum K59.9
 - - psychogenic F45.3 2b
- respiratory (progressive) R06.8 2a 2b
 - - center, adult G93.8 2b
- segmental M99.0
- senile R54 2a 2b
- sexual (due to) F52.9
 - - alcohol F10.8
 - - amphetamine (or related substance) F15.8
 - - anxiolytic, hypnotic or sedative F13.8
 - - cannabis F12.8
 - - cocaine F14.8
 - - excessive sexual drive F52.7
 - - failure of genital response F52.2
 - - inhibited orgasm (female) (male) F52.3
 - - lack
 - - - of sexual enjoyment F52.1
 - - - or loss of sexual desire F52.0
 - - nonorganic F52.9
 - - - specified NEC F52.8
 - - opioid F11.8
 - - orgasmic dysfunction (female) (male) F52.3
 - - premature ejaculation F52.4 2b
 - - psychoactive substances NEC F19.8
 - - psychogenic F52.9
 - - sexual aversion F52.1
 - - vaginismus (nonorganic) (psychogenic) F52.5 2b
- sinus node I49.8
- - newborn P29.1
- somatic M99.0
- somatoform autonomic F45.3 2b
- stomach K31.8 2a
 - - psychogenic F45.3 2b
- suprarenal E27.9
- symbolic NEC R48.8
- systolic I51.8 2a 2b
- temporomandibular (joint) (joint-pain syndrome) K07.6
- testicular (endocrine) E29.9
 - - specified NEC E29.8
- thyroid E07.9 2a 2b
- ureterostomy (stoma) N99.5
- urethroscopy (stoma) N99.5
- uterus, complicating delivery O62.9
 - - affecting fetus or newborn P03.6

- - hypertonic O62.4
- - hypotonic O62.2 2a 2b
- - - primary O62.0
- - - secondary O62.1 2a 2b
- valve, valvular (*see also* Endocarditis) I38 2a
- - aortic I35.8
- - mitral I05.9 2a 2b
- - pulmonary I37.8
- - tricuspid I07.8
- vesicourethal N31.9

Dysgammaglobulinemia (Types 1 - 3) D80.1 2b**Dysgenesis**

- cerebral Q04.9
- gonadal (due to chromosomal anomaly) Q96.9
- - pure Q99.1
- renal Q60.5
- - bilateral Q60.4
- - unilateral Q60.3
- reticular D72.0 2b

Dysgerminoma (M9060/3)

- specified site - *see* Neoplasm, malignant
- unspecified site
- - female C56 2a 2b
- - male C62.9

Dysgeusia R43.2**Dysgraphia** R27.8 2b**Dyshidrosis, dysidrosis** L30.1**Dyskaryosis**

- cervix N87.9
- uterus N85.8

Dyskaryotic cervical smear R87.6**Dyskeratosis** L85.8

- cervix (*see also* Dysplasia, cervix) N87.9
- congenital Q82.8 2b
- uterus NEC N85.8

Dyskinesia (oral) G24.9

- biliary (cystic duct or gallbladder) K82.8
- esophagus K22.4
- hysterical F44.4
- intestinal K59.8
- neuroleptic-induced (tardive) G24.0
- nonorganic origin F44.4
- orofacial (idiopathic) G24.4
- psychogenic F44.4
- tardive G24.4
- trachea J39.8
- tracheobronchial J98.0

Dyslalia (developmental) F80.0**Dyslexia** R48.0

- developmental F81.0

Dyslipidemia E78-

- depressed HDL cholesterol E78.6
- elevated fasting triglycerides E78.1

Dysmaturity (*see also* Immaturity) P05.0

- pulmonary (newborn) (Wilson-Mikity) P27.0

Dysmenorrhea (essential) (exfoliative) N94.6 2b

- congestive (syndrome) N94.6 2b
- primary N94.4
- psychogenic F45.8
- secondary N94.5 2b

Dysmetria R27.8 2b**Dysmorphic, dysmorphism (due to)** Q89.8

- alcohol Q86.0
- exogenous cause NEC Q86.8
- hydantoin Q86.1

- warfarin Q86.2

Dysmorphophobia (nondelusional) F45.2

- delusional F22.8

Dysmotility

- esophagus K22.4

- intestine K59.8

Dysnomia R47.0

Dysorexia R63.0 2a 2b

- psychogenic F50.8

Dysostosis

- cleidocranial, cleidocranialis Q74.0

- craniofacial Q75.1

- mandibulofacial (incomplete) Q75.4

- multiplex E76.0

- oculomandibular Q75.5

- spondylothoracic Q79.8 2b

Dyspareunia (female) N94.1

- male N48.8

- nonorganic F52.6

- psychogenic F52.6

- secondary N94.1

Dyspepsia (allergic) (congenital) (functional) (gastrointestinal) (occupational) (reflex) K30

- atonic K30

- nervous F45.3 2b

- neurotic F45.3 2b

- psychogenic F45.3 2b

Dysphagia R13 2a 2b

- esophageal K22.8

- functional (hysterical) F45.8

- hysterical F45.8

- nervous (hysterical) F45.8

- psychogenic F45.8

- sideropenic D50.1

Dysphagocytosis, congenital D71

Dysphasia R47.0

- developmental

- - expressive type F80.1

- - receptive type F80.2

Dysphonia R49.0

- functional F44.4

- hysterical F44.4

- psychogenic F44.4

- spastic J38.3

Dyspituitarism E23.3

Dysplasia - see also Anomaly

- acetabular, congenital Q65.8

- arrhythmogenic right ventricular I42.8 2a 2b

- - familial I42.80 2a 2b

- - idiopathic I42.80 2a 2b

- - primary I42.80 2a 2b

- arterial, fibromuscular I77.3

- asphyxiating thoracic (congenital) Q77.2 2b

- bone marrow D61.9 2b

- bronchopulmonary (perinatal) P27.1

- - 18 years of age and older J98.4 2a 2b

- - adult J98.4 2a 2b

- - less than 18 years of age P27.1

- cervix (uteri) N87.9

- - mild N87.0

- - moderate N87.1

- - severe NEC N87.2

- chondroectodermal Q77.6

- craniocarpotarsal Q18.5

- craniometaphyseal Q75.8 2b

- dentinal K00.5

- diaphyseal, progressive Q78.3
- dystrophic Q77.5
- ectodermal (anhidrotic) (congenital) (hereditary) Q82.4
 - - hydrotic Q82.8 2b
 - epiphysis, epiphyseal
 - - multiple, multiplex Q77.3
 - - punctata Q77.3
 - epithelial
 - - epiglottis J38.7
 - - uterine cervix (*see also* Dysplasia, cervix) N87.9
- erythroid NEC Q78.5 2b
- eye (congenital) Q11.2
- fibrous
 - - bone NEC M85.0
 - - diaphyseal, progressive Q78.3
 - - jaw K10.8
 - - monostotic M85.0
 - - polyostotic Q78.1
 - florid osseous (M9275/0) D16.5
 - - upper jaw (bone) D16.4
 - hip, congenital Q65.8
 - joint, congenital Q74.8
 - kidney Q61.4
 - leg Q74.2
 - lung (congenital) (not associated with short gestation) Q33.6 2a 2b
 - - associated with short gestation P28.0 2a 2b
 - mammary (gland) (benign) N60.9
 - - cystic N60.1
 - - specified NEC N60.8
 - metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.5 2b
 - - familial Q78.5 2b
 - muscle Q79.8 2b
 - myeloid NEC D46.9
 - oculodentodigital Q87.0
 - periapical (cemental) (cemento-osseous) (M9272/0) D16.5
 - - upper jaw (bone) D16.4
 - periosteum M89.8 2b
 - polyostotic fibrous Q78.1
 - prostate (low grade) N42.3
 - - high grade D07.5
 - renal Q61.4
 - retinal, congenital Q14.1
 - right ventricular, arrhythmogenic I42.8 2a 2b
 - - familial I42.80 2a 2b
 - - idiopathic I42.80 2a 2b
 - - primary I42.80 2a 2b
 - septo-optic Q04.4
 - skeletal Q78.9
 - spinal cord Q06.1 2b
 - spondyloepiphyseal Q77.7
 - thanatophoric Q77.1
 - thymic, with immunodeficiency D82.1 2b
 - vagina N89.3
 - - mild N89.0
 - - moderate N89.1
 - - severe NEC N89.2
 - vulva N90.3
 - - mild N90.0
 - - moderate N90.1
 - - severe NEC N90.2
- Dyspnea** (nocturnal) (paroxysmal) R06.0 2b
 - asthmatic (bronchial) (*see also* Asthma) J45.9
 - - with bronchitis J45.9
 - - - chronic J44.8 2a
 - - cardiac (*see also* Failure, ventricular, left) I50.1 2a

- cardiac (*see also* Failure, ventricular, left) I50.1 2a
- functional F45.3 2b
- hyperventilation R06.0 2b
- hysterical F45.3 2b
- newborn P22.8
- psychogenic F45.3 2b
- uremic N19 2a 2b

Dyspraxia R27.8 2b

- developmental (syndrome) F82

Dysproteinemia E88.0 2b**Dysraphism**

- spinal Q05.9 2a 2b

Dysreflexia R29.2

- autonomic G90.4

Dysrhythmia (*see also* Arrhythmia) I49.9 2b

- cardiac I49.9 2b
- - newborn P29.1
- - postoperative I97.8 2b
- - - long-term effect of cardiac surgery I97.1
- cerebral or cortical (*see also* Epilepsy) G40.9
- newborn P29.1

Dyssomnia (*see also* Disorder, sleep) G47.9**Dyssynergia**

- biliary K83.8

- cerebellaris myoclonica (Hunt's ataxia) G11.1 2a 2b

Dysthymia F34.1**Dysthyroidism** E07.9 2a 2b**Dystocia** O66.9 2b

- affecting fetus or newborn P03.1

- cervical (failure of cervical dilatation) O62.0

- - affecting fetus or newborn P03.6

- - due to

- - - abnormality of cervix O65.5

- contraction ring O62.4

- - affecting fetus or newborn P03.6

- fetal, fetus O66.9 2b

- - abnormality NEC O66.3

- - affecting fetus or newborn P03.1

- - oversized O66.2

- maternal O66.9 2b

- - affecting fetus or newborn P03.1

- positional O64.9

- - affecting fetus or newborn P03.1

- shoulder (girdle) O66.0

- - affecting fetus or newborn P03.1

- - causing obstructed labor O66.0

- uterine NEC O62.4

- - affecting fetus or newborn P03.6

Dystonia G24.9

- deformans progressive G24.1

- drug-induced G24.0

- idiopathic G24.1

- - familial G24.1

- - nonfamilial G24.2

- - orofacial G24.4

- lenticularis G24.8

- musculorum deformans G24.1

- orofacial (idiopathic) G24.4

- specified NEC G24.8

- torsion (idiopathic) G24.1

- - symptomatic (nonfamilial) G24.2

Dystonic movements R25.8 2b**Dystrophy, dystrophia**

- adiposogenital E23.6

- Becker's type G71.0

- canthia medialis lateroversa E72.5
- choroid (central areolar) (generalized) (gyrate) (hereditary) (peripapillary) H31.2
- cornea (endothelial) (epithelial) (granular) (hereditary) (lattice) (macular) H18.5
- Duchenne's type G71.0
- due to malnutrition E45 2b
- Erb's G71.0
- Fuchs' H18.5
- Gower's muscular G71.0
- hair L67.8
- hypotonic R63.8
- Landouzy-Déjerine G71.0
- Leyden-Moebius G71.0
- liver K76.8 2b
- - fatty K76.0 2a 2b
- muscular G71.0
- - benign (Becker type) G71.0
- - congenital (hereditary) (progressive) G71.2
- - - myotonic G71.1 2a
- - distal G71.0
- - Duchenne type G71.0
- - Emery-Dreifuss G71.0
- - Erb type G71.0
- - facioscapulohumeral G71.0
- - Gower's G71.0
- - hereditary (progressive) G71.0
- - Landouzy-Déjerine type G71.0
- - limb-girdle G71.0
- - myotonic G71.1 2a
- - progressive (hereditary) G71.0
- - - Charcot-Marie(-Tooth) type G60.0 2a 2b
- - pseudohypertrophic (infantile) G71.0
- - severe (Duchenne type) G71.0
- myocardium, myocardial (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- myotonic, myotonica G71.1 2a
- nail L60.3
- - congenital Q84.6
- neuromuscular
- - traumatic T79.8
- nutritional E45 2b
- ocular G71.0
- oculocerebrorenal E72.0
- oculopharyngeal G71.0
- ovarian N83.8
- polyglandular E31.8
- reflex (sympathetic) M89.0
- retinal (albipunctate) (pigmentary) (vitelliform) (hereditary) H35.5
- - in
 - - - lipid storage disorders E75† H36.8*
 - - - systemic lipidoses E75.6† H36.8*
- Salzmann's nodular H18.4
- scapuloperoneal G71.0
- skin NEC L98.8
- sympathetic (reflex) M89.0
- tapetoretinal H35.5
- thoracic, asphyxiating Q77.2 2b
- unguium L60.3
- - congenital Q84.6
- vitreoretinal H35.5
- vulva N90.4
- yellow (liver) - *see* Failure, hepatic
- Dysuria** R30.0 2b
- psychogenic F45.3 2b

Eagle Barrett syndrome Q79.4

Eales' disease H35.0 2a

Ear - see also condition

- piercing Z41.3(452)

- wax (impacted) H61.2

Earache H92.0

Eaton-Lambert syndrome C80† 2a 2b G73.1*

- unassociated with neoplasm G70.8 2a 2b

Eberth's disease (typhoid fever) A01.0

Ebola virus disease A98.4

Ebstein's

- anomaly or syndrome (heart) Q22.5

- disease (renal tubular degeneration in diabetes) E14.2† 2b N16.3*

Eccentro-osteochondrodysplasia E76.2

Echondroma (M9210/0) - see Neoplasm,bone, benign

Echondrosis (M9210/1) D48.0 2a 2b

Ecchymosis (see also Hemorrhage) R58 2a 2b

- conjunctiva H11.3

- eye (traumatic) S05.1

- eyelid (traumatic) S00.1

- fetus or newborn P54.5

- spontaneous R23.3 2b

- traumatic - see Contusion

Echinococcosis - see *Echinococcus*

Echinococcosis - see *Echinococcus*

Echinococcus (infection) B67.9 2b

- *granulosus* B67.4

- - bone B67.2† M90.2*

- - liver B67.0† K77.0*

- - lung B67.1† J99.8*

- - multiple sites B67.3 2b

- - specified site NEC B67.3 2b

- - thyroid B67.3† 2b E35.0*

- liver NEC B67.8† K77.0*

- - *granulosus* B67.0† K77.0*

- - *multilocularis* B67.5† K77.0*

- *multilocularis* B67.7

- - liver B67.5† K77.0*

- - multiple sites B67.6 2b

- - specified site NEC B67.6 2b

- orbit B67† 2a H06.1*

- specified site NEC B67.9 2b

- - *granulosus* B67.3 2b

- - *multilocularis* B67.6 2b

Echinorhynchiasis B83.8

Echinostomiasis B66.8

Echolalia R48.8

Echovirus - see Infection, echovirus

Eclampsia, eclamptic (coma) (convulsions) (delirium) (with pre-existing or pregnancy-related hypertension) NEC

O15.9

- during labor and delivery O15.1

- not associated with pregnancy or childbirth R56.8 2b

- postpartum O15.2

- pregnancy O15.0 2a

- - affecting fetus or newborn P00.0

- puerperal O15.2

Economic circumstances affecting care Z59.9(453)

Econo's disease A85.8

Ectasia, ectasis (see also Dilatation)

- aorta (see also Aneurysm, aorta) I71.9 2a 2b

- - ruptured I71.8

- breast N60.4
- capillary I78.8
- cornea H18.7
- kidney N28.8 2a 2b
- mammary duct N60.4
- renal N28.8 2a 2b
- salivary gland (duct) K11.8
- sclera H15.8

Ecthyma L08.0

- contagiosum B08.0 2a 2b
- gangrenosum L88 2b
- infectiosum B08.0 2a 2b

Ectocardia Q24.8 2b

Ectodermal dysplasia (anhidrotic) Q82.4

Ectodermosis erosiva pluriorificialis L51.1

Ectopic, ectopia (congenital)

- abdominal viscera Q45.8 2b
 - - due to defect in anterior abdominal wall Q79.5
- ACTH syndrome E24.3 2b
- anus Q43.5
- atrial beats I49.1
 - - newborn P29.1
 - beats I49.4
 - - atrial I49.1
 - - - newborn P29.1
 - - newborn P29.1
 - - ventricular I49.3 2b
 - - - newborn P29.1
 - bladder Q64.1
 - bone and cartilage in lung Q33.5
 - brain Q04.8
 - breast tissue Q83.8
 - cardiac Q24.8 2b
 - cerebral Q04.8
 - cordis Q24.8 2b
 - endometrium (*see also* Endometriosis) N80.9
 - gastric mucosa Q40.2
 - gestation (*see also* Pregnancy, by site) O00.9 2b
 - heart Q24.8 2b
 - hormone secretion NEC E34.2
 - kidney (crossed) (pelvis) Q63.2
 - lens, lentis Q12.1
 - mole (*see also* Pregnancy, by site) O00.9 2b
 - organ or site NEC - *see* Malposition, congenital
 - pancreas Q45.3
 - pineal body Q89.2
 - pregnancy (*see also* Pregnancy, by site) O00.9 2b
 - pupil H21.5
 - renal Q63.2
 - testis (bilateral) (unilateral) Q53.0
 - tissue in lung Q33.5
 - ureter Q62.6
 - ventricular beats I49.3 2b
 - - newborn P29.1
 - vesicae Q64.1

Ectromelia Q73.8

- lower limb Q72.9
- upper limb Q71.9

Ectropion H02.1

- cervix N86
 - - with cervicitis N72
 - - congenital Q51.8
 - congenital Q10.1
- eyelid (cicatricial) (paralytic) (senile) (spastic) H02.1
 - - congenital Q10.1

- iris H21.8
- lip (acquired) K13.0
- - congenital Q38.0
- urethra N36.3
- uvea H21.8

Eczema (acute) (chronic) (erythematous) (fissum) (rubrum) (squamous) (*see also* Dermatitis) L30.9 2a

- dyshydrotic L30.1
- external ear H60.5
- herpeticum B00.0
- hypertrophicum L28.0
- hypostatic I83.1
- impetiginous L01.1
- infantile (due to any substance) L20.8
- - intertriginous L21.1
- - seborrheic L21.1
- intertriginous NEC L30.4
- - infantile L21.1
- intrinsic (allergic) L20.8
- lichenified NEC L28.0
- marginatum (hebrae) B35.6
- pustular L30.3
- stasis I83.1
- vaccination, vaccinatum T88.1 2b
- varicose I83.1

Eczematid L30.2

Eddowes (-Spurway) syndrome Q78.0

Edema, edematous R60.9 2b

- with nephritis (*see also* Nephrosis) N04-
- amputation stump (surgical) T87.6
- angioneurotic (allergic) (any site) (with urticaria) T78.3 2b
- - hereditary D84.1
- angiospastic I73.9 2a 2b
- Berlin's (traumatic) S05.8
- brain G93.6 2b
- - due to birth injury P11.0 2a
- - fetus or newborn (anoxia or hypoxia) P52.4 2a 2b
- - - birth injury P11.0 2a
- - traumatic S06.1
- cardiac (*see also* Failure, heart, congestive) I50.0 2a 2b
- cardiovascular (*see also* Failure, heart, congestive) I50.0 2a 2b
- cerebral - *see* Edema, brain
- cerebrospinal - *see* Edema, brain
- cervix (uteri) (acute) N88.8
- - puerperal, postpartum O90.8 2b
- circumscribed, acute T78.3 2b
- - hereditary D84.1
- complicating pregnancy O12.0
- conjunctiva H11.4
- cornea NEC H18.2
- due to lymphatic obstruction I89.0
- epiglottis - *see* Edema, glottis
- essential, acute T78.3 2b
- - hereditary D84.1
- extremities, lower - *see* Edema, legs
- eyelid NEC H02.8
- famine (*see also* Malnutrition, severe) E43 2b
- fetus or newborn NEC, *classifiable to* R60- P83.3
- generalized R60.1 2b
- gestational O12.0
- - with proteinuria O12.2
- glottis, glottic, glottidis (obstructive) (passive) J38.4
- - allergic T78.3 2b
- - - hereditary D84.1
- heart (*see also* Failure, heart, congestive) I50.0 2a 2b
- heat T67.7

- inanition (*see also* Malnutrition, severe) E43 2b
- infectious R60.9 2b
- iris H21.8
- joint M25.4
- larynx (*see also* Edema, glottis) J38.4
- legs R60.0 2b
 - - due to venous obstruction I87.1
- liver K76.8 2b
- localized R60.0 2b
 - - due to venous obstruction I87.1
- lower limbs - *see* Edema, legs
- lung (acute) J81 2a 2b
 - - with heart condition or failure (*see also* Failure, ventricular, left) I50.1 2a
 - - chemical (acute) J68.1 2b
 - - - chronic J68.4
 - - chronic J81 2a 2b
 - - - due to
 - - - - chemicals, gases, fumes or vapors (inhalation) J68.4
 - - - - external agent J70.9
 - - - - specified NEC J70.8
 - - due to
 - - - chemicals, fumes or vapors (inhalation) J68.1 2b
 - - - external agent J70.9
 - - - specified NEC J70.8
 - - high altitude T70.2
 - - near drowning T75.1 2a 2b
 - - radiation J70.0 2b
 - - terminal J81 2a 2b
 - lymphatic I89.0
 - - due to mastectomy I97.2 2b
 - macula H35.8
 - medullary G93.6 2b
 - Milroy's Q82.0 2b
 - nasopharynx J39.2
 - newborn, *classifiable to* R60- P83.3
 - nutritional (*see also* Malnutrition, severe) E43 2b
 - - with dyspigmentation, skin and hair E40
 - optic disc or nerve H47.1
 - orbit H05.2
 - papilla, optic H47.1
 - penis N48.8
 - periodic T78.3 2b
 - - hereditary D84.1
 - peripheral R60.0 2b
 - pharynx J39.2
 - pitting R60.9 2b
 - pulmonary - *see* Edema, lung
 - Quincke's T78.3 2b
 - - hereditary D84.1
 - retina H35.8
 - salt E87.0
 - - due to
 - - medical care NEC E89.8 2b
 - scrotum N50.8
 - seminal vesicle N50.8
 - spermatic cord N50.8
 - spinal (cord) (nontraumatic) (vascular) G95.1 2b
 - - traumatic T09.3
 - starvation (*see also* Malnutrition, severe) E43 2b
 - subglottic (*see also* Edema, glottis) J38.4
 - supraglottic (*see also* Edema, glottis) J38.4
 - testis N50.8
 - toxic NEC R60.9 2b
 - traumatic NEC R60.9 2b
 - tunica vaginalis N50.8

- umbilical P02.6
- vas deferens N50.8
- vulva (acute) N90.8

Educational handicap Z55.9(454)

- specified NEC Z55.8(455)

Edward's syndrome (*see also* Trisomy, 18) Q91.3

Effect, adverse NEC T78.9 2b

- abnormal gravitational (G) forces or states T75.8 2b
- abuse of
 - - adult T74.9
 - - child T74.9
- air pressure T70.9
 - - specified NEC T70.8
- altitude (high) - *see* Effect, adverse, high altitude
- anesthesia (*see also* Anesthesia) T88.5 2b
 - - in
 - - - labor and delivery O74.9 2b
 - - - - affecting fetus or newborn P04.0
 - - - - pregnancy O29.9
 - - - local, toxic
 - - - - in
 - - - - - labor and delivery O74.4
 - - - - - pregnancy O29.3
 - - - - postpartum, puerperal O89.3
 - - - postpartum, puerperal O89.9
 - - - specified NEC T88.5 2b
 - - - - in
 - - - - - labor and delivery O74.8 2b
 - - - - - pregnancy O29.8
 - - - - postpartum, puerperal O89.8
 - - - spinal and epidural T88.5 2b
 - - - headache T88.5 2b
 - - - - in
 - - - - - labor and delivery O74.5
 - - - - - pregnancy O29.4
 - - - - postpartum, puerperal O89.4
 - - - - in
 - - - - - labor and delivery O74.6
 - - - - - pregnancy O29.5
 - - - - postpartum, puerperal O89.5
 - - antitoxin - *see* Complications, vaccination
 - atmospheric pressure T70.9
 - - due to explosion T70.8
 - - high T70.3
 - - low - *see* Effect, adverse, high altitude
 - - specified effect NEC T70.8
 - biological, correct substance properly administered (*see also* Effect, adverse, drug) T88.7 2a 2b
 - blood (derivatives) (serum) (transfusion) - *see* Complications, transfusion
 - chemical substance NEC T65.9 2b
 - - specified - *see* Table of drugs and chemicals
 - cobalt, radioactive T66 2b
 - cold (temperature) (weather) T69.9 2b
 - chilblains T69.1
 - - frostbite - *see* Frostbite
 - - specified effect NEC T69.8
 - drugs and medicaments NEC T88.7 2a 2b
 - - correct substance properly administered T88.7 2a 2b
 - - overdose or wrong substance given or taken T50.9 2a 2b
 - - - specified drug - *see* Table of drugs and chemicals
 - electric current, electricity (shock) T75.4
 - - burn - *see* Burn
 - exertion (excessive) T73.3
 - exposure - *see* Exposure
 - external cause NEC T75.8 2b
 - fallout (radioactive) NEC T66 2b

- fluoroscopy NEC T66 2b
- foodstuffs
 - - allergic reaction (*see also* Allergy, food) T78.1
 - - noxious T62.9
 - - - specified type NEC (*see also* Poisoning, by name of noxious foodstuff) T62.8
 - - gases, fumes or vapors T59.9 2b
 - - specified NEC - *see* Table of drugs and chemicals
 - - glue (airplane) sniffing F18.1 2b
 - - heat (*see also* Heat) T67.9
 - - high altitude NEC T70.2
 - - anoxia T70.2
 - - on
 - - - ears T70.0
 - - - sinuses T70.1
 - - polycythemia D75.1 2a 2b
 - - high-pressure fluids T70.4
 - - hot weather (*see also* Heat) T67.9
 - - hunger T73.0 2a 2b
 - - immunization - *see* Complications, vaccination
 - - immunological agents - *see* Complications, vaccination
 - - implantation (removable) of isotope or radium NEC T66 2b
 - - infrared (radiation) (rays) NEC T66 2b
 - - dermatitis or eczema L59.8
 - - infusion - *see* Complications, infusion
 - - ingestion or injection of isotope (therapeutic) NEC T66 2b
 - - irradiation NEC T66 2b
 - - isotope (radioactive) NEC T66 2b
 - - lack of care of infants T74.0
 - - lightning T75.0 2b
 - - burn - *see* Burn
 - - medical care T88.9 2b
 - - specified NEC T88.8
 - - medicinal substance, correct, properly administered (*see also* Effect, adverse, drug) T88.7 2a 2b
 - - mesothorium NEC T66 2b
 - - motion T75.3
 - - noise, on inner ear H83.3
 - - overheated places (*see also* Heat) T67.9
 - - polonium NEC T66 2b
 - - psychosocial, of work environment Z56.5(456)
 - - radiation (diagnostic) (fallout) (infrared) (natural source) (therapeutic) (tracer) (ultraviolet) (X-ray) NEC T66 2b
 - - - dermatitis or eczema - *see* Dermatitis, due to, radiation
 - - - fibrosis of lung J70.1 2b
 - - - pneumonitis J70.0 2b
 - - - pulmonary manifestations
 - - - - acute J70.0 2b
 - - - - chronic J70.1 2b
 - - - skin L59.9
 - - - suspected damage to fetus, affecting management of pregnancy O35.6
 - - radioactive substance NEC T66 2b
 - - - dermatitis or eczema (*see also* Radiodermatitis) L58.9
 - - radioactivity NEC T66 2b
 - - radiotherapy NEC T66 2b
 - - - dermatitis or eczema (*see also* Radiodermatitis) L58.9
 - - radium NEC T66 2b
 - - reduced temperature T69.9 2b
 - - specified effect NEC T69.8
 - - roentgen rays, roentgenography, roentgenoscopy NEC T66 2b
 - - serum (prophylactic) (therapeutic) NEC T80.6 2b
 - - specified NEC T78.8
 - - external cause NEC T75.8 2b
 - - teletherapy NEC T66 2b
 - - thirst T73.1
 - - toxic - *see* Poisoning
 - - transfusion - *see* Complications, transfusion
 - - ultraviolet (radiation) (rays) NEC T66 2b

- - burn - *see* Burn
- - dermatitis or eczema - *see* Dermatitis, due to, ultraviolet rays
- - - acute L56.8
- uranium NEC T66 2b
- vaccine (any) - *see* Complications, vaccination
- vibration T75.2 2b
- water pressure NEC T70.9
- - specified NEC T70.8
- weightlessness T75.8 2b
- whole blood - *see* Complications, transfusion
- work environment Z56.5(457)
- X-rays NEC T66 2b
- - dermatitis or eczema (*see also* Radiodermatitis) L58.9

Effect(s) (of) (from) - *see* Effect, adverse

Effects, late - *see* Sequelae

Effluvium

- anagen L65.1
- telogen L65.0

Effort syndrome (psychogenic) F45.3 2b

Effusion

- amniotic fluid - *see* Rupture, membranes, premature
- brain (serous) G93.6 2b
- bronchial (*see also* Bronchitis) J40 2a 2b
- cardiac I50.0 2a 2b
- - advanced I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - fetal, fetus P29.8
- - grave I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - newborn P29.0
- - severe I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - cerebral G93.6 2b
- cerebrospinal (*see also* Meningitis) G03.9 2a 2b
- - chronic NEC G03.1
- chest - *see* Effusion, pleura
- chylous, chyliform (pleura) J94.0
- intracranial G93.6 2b
- joint M25.4
- malignant C80 2a 2b
- meninges (*see also* Meningitis) G03.9 2a 2b
- myocardium, myocardial I50.0 2a 2b
- - advanced I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - fetal, fetus P29.8
- - grave I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - newborn P29.0
- - severe I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- pericardium, pericardial (noninflammatory) I31.3
- - acute (*see also* Pericarditis, acute) I30.9
- - - rheumatic I01.0 2a 2b
- - - - inactive I09.2 2b
- - fetus or newborn P29.8
- - rheumatic I09.2 2b
- - - active or acute I01.0 2a 2b
- peritoneal (chronic) R18 2b
- pleura, pleurisy, pleuritic, pleuropericardial J90 2b

- - chylous, chyloform J94.0
- - fetus or newborn P28.8
- - influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- - malignant NEC C78.2 2b
- - tuberculous NEC A16.5 2a 2b
- - - primary (progressive) A16.7 2a 2b
- pulmonary - *see* Effusion, pleura
- spinal (*see also* Meningitis) G03.9 2a 2b
- thorax, thoracic - *see* Effusion, pleura

Egg shell nails L60.3

- congenital Q84.6

Egyptian splenomegaly B65.1† D77* 2b**Ehlers-Danlos syndrome** Q79.6 2b**Ehrlichiosis** A77.8 2a**Eichstedt's disease** B36.0**Eisenmenger's**

- complex or syndrome I27.8
- defect Q21.8
- detoxification therapy Z50.3(458)
- fever R50.2

Ejaculation

- premature F52.4 2b
- semen, painful N48.8
- - psychogenic F52.6

Ekbom's syndrome (restless legs) G25.8 2a**Elastic skin** Q82.8 2b

- acquired L57.4

Elastofibroma (M8820/0) - *see* Neoplasm,connective tissue, benign**Elastoma (juvenile)** Q82.8 2b

- Miescher's L87.2

Elastomyofibrosis I42.4 2a 2b**Elastosis**

- actinic, solar L57.8
- atrophicans (senile) L57.4
- perforans serpiginosa L87.2
- senilis L57.4

Elbow - *see condition***Elderly** R54 2a 2b**Electric current, electricity, effects (concussion) (fatal) (nonfatal) (shock)** T75.4

- burn - *see* Burn

Electrocution T75.4**Electrolyte imbalance** E87.8

- due to
 - - medical care NEC E89.8 2b
- Elephantiasis (nonfilarial)** I89.0
- bancroftian B74.0
 - congenital (any site) (hereditary) Q82.0 2b
 - due to
 - - *Brugia (malayi)* B74.1
 - - - *timori* B74.2
 - - mastectomy I97.2 2b
 - - *Wuchereria (bancrofti)* B74.0
 - eyelid H02.8
 - filarial, filariensis (*see also* Filaria, filarial, filariasis) B74.9
 - glandular I89.0
 - graecorum A30.5
 - lymphangiectatic I89.0
 - lymphatic vessel I89.0
 - - due to mastectomy I97.2 2b
 - scrotum (nonfilarial) I89.0
 - surgical I97.8 2b
 - - postmastectomy I97.2 2b
 - telangiectodes I89.0
 - vulva (nonfilarial) N90.8

Elevated, elevation

- alphafetoprotein (AFP) R77.2
- antibody titer R76.0
- basal metabolic rate R94.8
- blood pressure (*see also* Hypertension) I10 2a 2b
 - - reading (incidental) (isolated) (nonspecific), no diagnosis of hypertension R03.0 2b
- body temperature (of unknown origin) R50.9 2a
- cancer antigen R76.8
- cholesterol E78.0
- diaphragm, congenital Q79.1 2b
- erythrocyte sedimentation rate R70.0
- immunoglobulin level R76.8
- lactic acid dehydrogenase (LDH) level R74.0
- leukocyte count R72 2b
- liver enzyme R74.9
- maternal serum P00.8
- prostate-specific antigen (PSA) R76.8
- scapula, congenital Q74.0
- sedimentation rate R70.0
- transaminase level R74.0
- troponin R79.8 2a 2b
- urine level of
 - - catecholamines R82.5 2b
 - - indoleacetic acid R82.5 2b
 - - I7-ketosteroids R82.5 2b
 - - steroids R82.5 2b
- venous pressure I87.8 2b
- white blood cells NEC R72 2b

Elliptocytosis (congenital) (hereditary) D58.1

- Hb C (disease) D58.1
- hemoglobin disease D58.1
- sickle-cell (disease) D57.8

Ellison-Zollinger syndrome E16.4

Ellis-van Creveld syndrome Q77.6

Elongated, elongation (congenital) - *see also* Distortion

- cervix (uteri) Q51.8
- - hypertrophic N88.4
- colon Q43.8
- common bile duct Q44.5
- cystic duct Q44.5
- frenulum, penis Q55.6
- labia minora (acquired) N90.6
- ligamentum patellae Q74.1
- petiolus (epiglottidis) Q31.8
- tooth, teeth K00.2

Eltor cholera A00.1

Emaciation (due to malnutrition) E41 2b

Embadomoniasis A07.8 2b

Embarrassment

- cardiac I51.9 2a 2b
- respiratory R06.0 2b
- - newborn (*see also* Distress, respiratory)

Embedded tooth, teeth K01.0

- with abnormal position (same or adjacent tooth) K07.3

Embolic - *see condition*

Embolism (cholesterol) (septic) I74.9 2a 2b

- air (any site) (traumatic) T79.0
 - - following
 - - - abortion - *see* Embolism, following, abortion
 - - - infusion, therapeutic injection or transfusion T80.0
 - - - procedure NEC T81.7 2b
 - - in pregnancy, childbirth or puerperium O88.0
 - - newborn NEC P25.8
 - - amniotic fluid (pulmonary) O88.1
 - - affecting fetus or newborn P03.8
 - - following abortion - *see* Embolism, following, abortion

- aorta, aortic I74.1
- - abdominal I74.0
- - bifurcation I74.0
- - saddle I74.0
- - thoracic I74.1
- artery I74.9 2a 2b
 - - auditory, internal I63.1 2a 2b
 - - - bilateral (multiple) I63.10 2a 2b
 - - - multiple (bilateral) I63.10 2a 2b
- - axillary I74.8 2b
- - basilar I63.1 2a 2b
 - - - bilateral (multiple) I63.10 2a 2b
 - - - multiple (bilateral) I63.10 2a 2b
- - brachial I74.2
- - carotid (common) (internal) I63.1 2a 2b
 - - - bilateral (multiple) I63.10 2a 2b
 - - - multiple (bilateral) I63.10 2a 2b
- - cerebellar (anterior inferior) (posterior inferior) (superior) I63.4 2a 2b
 - - - bilateral (multiple) I63.40 2a 2b
 - - - multiple (bilateral) I63.40 2a 2b
- - cerebral I63.4 2a 2b
 - - - bilateral (multiple) I63.40 2a 2b
 - - - multiple (bilateral) I63.40 2a 2b
- - choroidal (anterior) I63.4 2a 2b
 - - - bilateral (multiple) I63.40 2a 2b
 - - - multiple (bilateral) I63.40 2a 2b
- - communicating posterior I63.4 2a 2b
 - - - bilateral (multiple) I63.40 2a 2b
 - - - multiple (bilateral) I63.40 2a 2b
- - coronary (*see also* Infarct, myocardium) I21.90 2a 2b
 - - - not resulting in infarction I21.90 2a 2b
- - hypophyseal I63.4 2a 2b
 - - - bilateral (multiple) I63.40 2a 2b
 - - - multiple (bilateral) I63.40 2a 2b
- - iliac I74.5
- - limb I74.4
 - - - lower I74.3
 - - - upper I74.2
- - mesenteric (with gangrene) K55.00 2a 2b
- - ophthalmic H34.2
- - peripheral I74.4
 - - - pontine I63.4 2a 2b
 - - - bilateral (multiple) I63.40 2a 2b
 - - - multiple (bilateral) I63.40 2a 2b
- - precerebral I63.1 2a 2b
 - - - bilateral (multiple) I63.10 2a 2b
 - - - multiple (bilateral) I63.10 2a 2b
- - pulmonary - *see* Embolism, pulmonary
- - renal N28.0
- - retinal H34.2
- - specified NEC I74.8 2b
- - vertebral I63.1 2a 2b
 - - - bilateral (multiple) I63.10 2a 2b
 - - - multiple (bilateral) I63.10 2a 2b
- birth, mother - *see* Embolism, obstetric
- blood clot
- - following
 - - - abortion O08.2 2b
 - - in pregnancy, childbirth or puerperium O88.2 2b
- brain (hemorrhagic) I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
 - - - in pregnancy, childbirth or puerperium O88.2 2b
 - - - multiple (bilateral) I63.40 2a 2b
- capillary I78.8
- cardiac (*see also* Infarct, myocardium) I21.90 2a 2b

- carotid (artery) (common) (internal) I63.1 2a 2b
- - bilateral (multiple) I63.10 2a 2b
- - multiple (bilateral) I63.10 2a 2b
- cavernous sinus (venous) - *see* Embolism, intracranial venous sinus
- cerebral I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- coronary (artery or vein) (systemic) (*see also* Infarct, myocardium) I21.90 2a 2b
- due to device, implant or graft (*see also* Complications, by site and type, specified NEC) T85.8 2b
 - - arterial graft NEC T82.8 2b
 - - breast (implant) T85.8 2b
 - - catheter NEC T85.8 2b
 - - - dialysis (renal) T82.8 2b
 - - - - intraperitoneal T85.8 2b
 - - - infusion NEC T82.8 2b
 - - - - spinal (epidural) (subdural) T85.8 2b
 - - - urinary (indwelling) T83.8 2b
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.8
- - - cardiac T82.8 2b
- - - nervous system (brain) (peripheral nerve) (spinal) T85.8 2b
- - - urinary T83.8 2b
- - fixation, internal (orthopedic) NEC T84.8
- - gastrointestinal (bile duct) (esophagus) T85.8 2b
- - genital NEC T83.8 2b
- - heart (graft) (valve) T82.8 2b
- - joint prosthesis T84.8
- - ocular (corneal graft) (orbital implant) T85.8 2b
- - orthopedic (bone graft) NEC T84.8
- - specified NEC T85.8 2b
- - urinary (graft) NEC T83.8 2b
- - vascular NEC T82.8 2b
- - ventricular intracranial shunt T85.8 2b
- eye H34.2
- fat (cerebral) (pulmonary) (systemic) T79.1
- - complicating delivery O88.8
- - nontraumatic I74.9 2a 2b
- femoral I74.3
- - vein (superficial) I80.1
- following
 - - abortion (subsequent episode) O08.2 2b
 - - - current episode - *see* Abortion
 - - ectopic or molar pregnancy O08.2 2b
 - - infusion, therapeutic injection or transfusion
 - - - air T80.0
 - - - thrombus T80.1
- heart (fatty) (*see also* Infarct, myocardium) I21.90 2a 2b
- hepatic (vein) I82.0
- in pregnancy, childbirth or puerperium (*see also* Embolism, obstetric) O88.2 2b
- intestine (artery) (vein) (with gangrene) K55.00 2a 2b
- intracranial I63.4 2a 2b
 - - bilateral (multiple) I63.40 2a 2b
 - - multiple (bilateral) I63.40 2a 2b
 - - venous sinus (any) G08 2a 2b
- - - nonpyogenic I67.6
- intraspinal venous sinuses or veins G08 2a 2b
 - - nonpyogenic G95.1 2b
- kidney (artery) N28.0
- lateral sinus (venous) - *see* Embolism, intracranial, venous sinus
- leg I80.3 2b
 - - femoral vein I80.1
 - - vein I80.3 2b
 - - - deep I80.2
- longitudinal sinus (venous) - *see* Embolism, intracranial, venous sinus
- lower extremity I80.3 2b

- - arterial I74.3
- lung (massive) - *see Embolism, pulmonary*
- meninges I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- mesenteric (artery) (vein) (with gangrene) K55.00 2a 2b
- metastatic or tumor
- - due to
 - - neoplasm or tumor I74.9 2a 2b
 - - - specified site - *see Embolism of specified site*
- multiple NEC I74.9 2a 2b
- myocardium, myocardial (*see also Infarction, myocardium*) I21.90 2a 2b
- obstetric (pulmonary) O88.2 2b
- - air O88.0
- - amniotic fluid O88.1
- - blood clot O88.2 2b
- - fat O88.8
- - pyemic O88.3
- - septic O88.3
- - specified NEC O88.8
- ophthalmic H34.2
- paradoxical NEC I74.9 2a 2b
- penis N48.8
- peripheral artery NEC I74.4
- pituitary E23.6
- portal (vein) I81 2a 2b
- postoperative T81.7 2b
- precerebral artery I63.1 2a 2b
- - bilateral (multiple) I63.10 2a 2b
- - multiple (bilateral) I63.10 2a 2b
- puerperal - *see Embolism, obstetric*
- pulmonary (artery) (vein) I26.9 2a 2b
- - with acute cor pulmonale I26.0
- - in pregnancy, childbirth or puerperium - *see Embolism, obstetric*
- pyemic (multiple) (*see also Septicemia*) A41.9 2a 2b
- - following
 - - - abortion (subsequent episode) O08.2 2b
 - - - current episode - *see Abortion*
 - - - ectopic or molar pregnancy O08.2 2b
- - pneumococcal A40.3
- - - with pneumonia J13 2a 2b
- - puerperal, postpartal or in childbirth (any organism) O88.3
- - specified organism NEC A41.8
- - staphylococcal A41.2 2a 2b
- - streptococcal A40.9
- renal (artery) N28.0
- - vein I82.3
- retina, retinal H34.2
- septicemic - *see Septicemia*
- sinus - *see Embolism, intracranial, venous sinus*
- soap, following abortion O08.2 2b
- spinal cord G95.1 2b
- - pyogenic origin G06.1
- spleen, splenic (artery) I74.8 2b
- thrombus (thromboembolism), following infusion, therapeutic injection or transfusion T80.1
- vein I82.9 2a 2b
- - cerebral I67.6
- - coronary (*see also Infarct, myocardium*) I21.90 2a 2b
- - - not resulting in infarction I21.90 2a 2b
- - hepatic I82.0
- - mesenteric (with gangrene) K55.00 2a 2b
- - portal I81 2a 2b
- - pulmonary - *see Embolism, pulmonary*
- - renal I82.3
- - specified NEC I82.8

- vena cava I82.2
- vessels of brain I63.4 2a 2b
 - - bilateral (multiple) I63.40 2a 2b
 - - multiple (bilateral) I63.40 2a 2b

Embolus - *see Embolism*

Embryoma (M9080/1) - *see also Neoplasm, uncertain behavior*

- benign (M9080/0) - *see Neoplasm, benign*
- kidney (M8960/3) C64 2a 2b
- liver (M8970/3) C22.0 2a 2b
- malignant (M9080/3) - *see also Neoplasm, malignant*
- - kidney (M8960/3) C64 2a 2b
- - liver (M8970/3) C22.0 2a 2b
- - testis (M9070/3) C62.9
 - - - descended (scrotal) C62.1
 - - - undescended C62.0
- - testis (M9070/3) C62.9
- - descended (scrotal) C62.1
- - undescended C62.0

Embryonic

- circulation Q28.9 2b
- heart Q28.9 2b
- vas deferens Q55.4

Emphyotomy (mother) (to facilitate delivery) O75.9 2a 2b

- fetus P03.8

Emphytoxon Q13.4

Emesis (*see also Vomiting*) R11 2a 2b

- gravidarum - *see Hyperemesis, gravidarum*

Emotionality, pathological F60.3

Emphysema (atrophic) (chronic) (interlobular) (lung) (obstructive) (pulmonary) (senile) J43.9 2a 2b

- bullous J43.9 2a 2b
- cellular tissue (traumatic) T79.7 2b
- - surgical T81.8 2a 2b
- centriacinar J43.2
- centrilobular J43.2
- compensatory J98.3
- congenital (interstitial) P25.0
- conjunctiva H11.8
- connective tissue (traumatic) T79.7 2b
- - surgical T81.8 2a 2b
- due to chemicals, gases, fumes or vapors J68.4
- eyelid(s) H02.8
- - surgical T81.8 2a 2b
- - traumatic T79.7 2b
- fetus or newborn (interstitial) P25.0
- interstitial J98.2 2b
- - congenital P25.0
- - perinatal period P25.0
- laminated tissue T79.7 2b
- - surgical T81.8 2a 2b
- mediastinal J98.2 2b
- - fetus or newborn P25.2
- orbit, orbital H05.8
- panacinar J43.1
- panlobular J43.1
- specified NEC J43.8
- subcutaneous (traumatic) T79.7 2b
- - postprocedural T81.8 2a 2b
- - surgical T81.8 2a 2b
- surgical T81.8 2a 2b
- - pulmonary T81.8 2a 2b
- traumatic (subcutaneous) T79.7 2b
- unilateral J43.0
- vesicular J43.9 2a 2b

Empty

- posterior fossa Q04.3

Empty nest syndrome Z60.0(459)

Empyema (chest) (double) (pleura) (supradiaphragmatic) (thorax) J86.9
- with fistula J86.0
- accessory sinus (chronic) (*see also* Sinusitis) J32.9
- antrum (chronic) (*see also* Sinusitis, maxillary) J32.0
- brain (any part) (*see also* Abscess, brain) G06.0 2a 2b
- ethmoidal (sinus) (chronic) (*see also* Sinusitis, ethmoidal) J32.2
- extradural (*see also* Abscess, extradural) G06.2
- frontal (sinus) (chronic) (*see also* Sinusitis, frontal) J32.1
- gallbladder K81.0
- mastoid (process) (acute) H70.0
- maxillary sinus (chronic) (*see also* Sinusitis, maxillary) J32.0
- nasal sinus (chronic) (*see also* Sinusitis) J32.9
- sinus (accessory) (nasal) (chronic) (*see also* Sinusitis) J32.9
- sphenoidal (sinus) (chronic) (*see also* Sinusitis, sphenoidal) J32.3
- subarachnoid (*see also* Abscess, extradural) G06.2
- subdural (*see also* Abscess, subdural) G06.2
- tuberculous A16.5 2a 2b
- ureter (*see also* Ureteritis) N28.8 2a 2b
- ventricular (*see also* Abscess, brain) G06.0 2a 2b

En coup de sabre lesion L94.1

Enamel pearls K00.2

Enameloma K00.2

Enanthema, viral B09

Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.9

- acute (*see also* Encephalitis, viral) A86 2a 2b
- - disseminated (postimmunization) (postinfectious) (postvaccination) G04.0 2b
- - nonepidemic G04.9
- - nonviral G04.9
- adenoviral A85.1
- arboviral, arbovirus NEC A85.2 2a
- arthropod-borne NEC (viral) A85.2 2a
- Australian A83.4
- bacterial G04.8
- California (virus) A83.5
- Central European (tick-borne) A84.1
- Czechoslovakian A84.1
- Dawson's (inclusion body) A81.1
- diffuse sclerosing A81.1
- - late effects B94.8 2a 2b
- disseminated, acute G04.0 2b
- endemic (viral) A86 2a 2b
- epidemic NEC (viral) A86 2a 2b
- equine (acute) (infectious) (viral) A83.9
- - Eastern A83.2
- - Venezuelan A92.2† G05.1*
- - Western A83.1
- Far Eastern (tick-borne) A84.0
- following vaccination or other immunization procedure G04.0 2b
- fungal B49
- herpes zoster B02.0† G05.1*
- herpesviral B00.4† G05.1*
- herpeto-leuko B00.4
- - late effects B94.1 2a 2b
- Ilheus (virus) A83.8
- in (due to)
 - - actinomycosis A42.8† 2b G05.0*
 - - adenovirus A85.1† G05.1*
 - - African trypanosomiasis B56† 2a G05.2*
 - - Chagas' disease (chronic) B57.4† G05.2*
 - - cytomegalovirus B25.8† 2b G05.1*
 - - enterovirus A85.0† G05.1*
 - - herpes (simplex) virus B00.4† G05.1*
 - - human metapneumovirus A85.8† G05.1*
 - - infectious disease NEC B99† 2a 2b G05.2*

- - influenza (specific virus not identified) J11.8† 2b G05.1*
- - - seasonal influenza virus identified J10.8† 2b G05.1*
- - - zoonotic or pandemic influenza virus identified J09† 2a G05.1*
- - listeriosis A32.1† G05.0*
- - measles B05.0† G05.1*
- - mumps B26.2† G05.1*
- - naegleriasis B60.2† 2a G05.2*
- - parasitic disease NEC B89† 2a 2b G05.2*
- - poliovirus B91† 2a 2b G05.1*
- - - active A80.9 2a
- - - acute A80.9 2a
- - rubella B06.0† 2a 2b G05.1*
- - syphilis
 - - - congenital A50.4† G05.0*
 - - - late A52.1† 2a 2b G05.0*
- - systemic lupus erythematosus M32.1† 2a 2b G05.8*
- - toxoplasmosis (acquired) B58.2† G05.2*
- - - congenital P37.1† G05.2*
- - tuberculosis A17.8† 2a 2b G05.0*
- - zoster B02.0† G05.1*
- infectious (acute), viral NEC A86 2a 2b
- Japanese (B type) A83.0
- La Crosse A83.5
- lead T56.0
- lethargica (acute) (infectious) A85.8
- louping ill A84.8
- lupus erythematosus, systemic M32.1† 2a 2b G05.8*
- lymphatica A87.2† G05.1*
- Mengo A85.8
- meningococcal A39.8† G05.0*
- Murray Valley A83.4
- otitic NEC H66.4† G05.8*
- periaxialis (diffuse) G37.0
- - concentrica G37.5
- postchickenpox B01.1† G05.1*
- postimmunization G04.0 2b
- postinfectious NEC G04.8
- postmeasles B05.0† G05.1*
- postvaccinal G04.0 2b
- postvaricella B01.1† G05.1*
- postviral NEC A86 2a 2b
- Powassan A84.8
- Rasmussen (subacute) G04.8
- Rio Bravo A85.8
- Russian
 - - autumnal A83.0
 - - spring-summer (taiga) A84.0
- saturnine T56.0
- specified NEC G04.8
- St Louis A83.3
- suppurative G04.8
- Torula, torular (cryptococcal) B45.1† G05.2*
- toxic NEC G92 2b
- traumatic T79.8
- trichinosis B75† 2b G05.2*
- type
 - - B A83.0
 - - C A83.3
- Van Bogaert's A81.1
- - late effects B94.8 2a 2b
- Venezuelan equine A92.2† G05.1*
- Vienna A85.8
- viral, virus A86 2a 2b
 - - arthropod-borne NEC A85.2 2a
 - - mosquito-borne A83.9

- - - specified NEC A83.8
- - specified type NEC A85.8
- - tick-borne A84.9
- - - specified NEC A84.8
- West Nile (viral) A92.3

Encephalocele Q01.9

- frontal Q01.0
- nasofrontal Q01.1
- occipital Q01.2
- specified NEC Q01.8

Encephalomalacia (brain) (cerebellar) (cerebral) (*see also* Softening, brain) G93.8 2b

- anoxic G93.8 2b

Encephalomeningitis - *see* Meningoencephalitis

Encephalomeningocele (*see also* Encephalocele) Q01.9

Encephalomeningomyelitis - *see* Meningoencephalitis

Encephalomyelitis (*see also* Encephalitis) G04.9

- abortive, disseminated A85.8
- - late effects B94.1 2a 2b
- acute disseminated (postimmunization) G04.0 2b
- - postinfectious G04.0 2b
- benign myalgic G93.3 2b
- due to or resulting from vaccination (any) G04.0 2b
- equine Venezuelan A92.2† G05.1*
- funicularis infectiosa A85.8
- - late effects B94.1 2a 2b
- Munch-Petersen's A85.8
- - late effects B94.1 2a 2b
- myalgic, benign G93.3 2b
- postchickenpox B01.1† G05.1*
- postinfectious NEC G04.8
- postmeasles B05.0† G05.1*
- postvaccinal G04.0 2b
- postvaricella B01.1† G05.1*
- rubella B06.0† 2a 2b G05.1*
- specified NEC G04.8
- Venezuelan equine A92.2† G05.1*

Encephalomyelocele (*see also* Encephalocele) Q01.9

Encephalomyelomeningitis - *see* Meningoencephalitis

Encephalomyopathy G96.9

- subacute necrotizing (infantile) G31.8

Encephalomyeloradiculoneuritis (acute) (Guillain-Barré) G61.0

Encephalomyeloradiculopathy G96.9

Encephalopathia hyperbilirubinemica, newborn P57.9

- due to isoimmunization (conditions in P55-) P57.0 2b

Encephalopathy (acute) (cerebral) G93.4 2a 2b

- alcoholic G31.2 2a 2b
- anoxic - *see* Damage, brain, anoxic
- arteriosclerotic I67.2 2a 2b
- centrolobar progressive (Schilder) G37.0
- congenital Q04.9
- demyelinating callosal G37.1
- hepatic (*see also* Failure, hepatic) K72.9 2a 2b
- hyperbilirubinemic, newborn P57.9
- - due to isoimmunization (conditions in P55-) P57.0 2b
- hypertensive I67.4
- hypoxic - *see* Damage, brain, anoxic
- - ischaemic of newborn P91.6 2a 2b
- in (due to)
- - birth injury P11.1 2a
- - hyperinsulinism E16.1† G94.8*
- - influenza (specific virus not identified) J11.8† 2b G94.8*
- - - seasonal influenza virus identified J10.8† 2b G94.8*
- - - zoonotic or pandemic influenza virus identified J09† 2a G94.8*
- - - lack of vitamin (*see also* Deficiency, vitamin) E56.9† 2b G32.8*
- - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G13.1*

- - serum (nontherapeutic) (therapeutic) T80.6 2b
- - syphilis A52.1† 2a 2b G94.8*
- - trauma (postconcussional) F07.2
- - - current injury S06.0 2b
- - vaccination T80.6 2b
- ischemic I67.8
- - anoxic I67.8
- - - newborn P91.6 2a 2b
- - hypoxic I67.8
- - - newborn P91.6 2a 2b
- - newborn P91.0
- lead T56.0
- metabolic (toxic) E88.9
- myoclonic, early, symptomatic G40.4
- necrotizing, subacute (Leigh) G31.8
- pellagrous E52† 2a 2b G32.8*
- portosystemic (*see also* Failure, hepatic) K72.9 2a 2b
- postcontusional F07.2
- - current injury - *see* Contusion, brain
- posthypoglycemic (coma) E16.1† G94.8*
- postradiation G93.8 2b
- resulting from HIV disease B22.0
- saturnine T56.0
- spongiform (subacute) (viral) A81.0 2b
- thrombotic I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- toxic G92 2b
- traumatic (postconcussional) F07.2
- - current injury S06.0 2b
- vitamin B deficiency NEC E53.9† 2b G32.8*
- Wernicke's E51.2† 2a 2b G32.8*

Encephalorrhagia (*see also* Hemorrhage,intracerebral) I61.9 2a 2b

- bilateral (multiple) I61.90 2a 2b
- multiple (bilateral) I61.90 2a 2b

Enchondroma (M9220/0) - *see* Neoplasm,bone, benign

Enchondromatosis (cartilaginous) (multiple) Q78.4

Encopresis R15

- functional F98.1
- nonorganic origin F98.1
- psychogenic F98.1

Encounter with health service (for) Z76.9(460)

- administrative purpose only Z02.9(461)
- - specified reason NEC Z02.8(462)
- specified NEC Z76.8(463)

Encystment - *see* Cyst

Endarteritis (bacterial) (infective) (septic) (subacute) I77.6 2b

- brain I67.7
- cerebral or cerebrospinal I67.7
- deformans - *see* Arteriosclerosis
- embolic (*see also* Embolism) I74.9 2a 2b
- obliterans (*see also* Arteriosclerosis) I70.9 2a 2b
- - pulmonary I28.8
- retina H35.0 2a
- senile - *see* Arteriosclerosis
- syphilitic A52.0† 2b I79.8*
- - brain or cerebral A52.0† 2b I68.1*
- - congenital A50.5† I79.8*
- tuberculous A18.8† 2a 2b I79.8*

Endemic - *see* condition

Endocarditis (chronic) (nonbacterial) (thrombotic) (valvular) I38 2a

- with rheumatic fever (conditions in I00 2a 2b)
- - active - *see* Endocarditis, acute, rheumatic
- - inactive or quiescent - *see* condition, by valve, rheumatic
- acute or subacute I33.9 2a 2b

- - infective I33.0 2a 2b
- - rheumatic (aortic) (mitral) (pulmonary) (tricuspid) I01.1 2a 2b
 - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- aortic (heart) (nonrheumatic) (valve) I35.8
 - - with
 - - mitral disease (unspecified origin) I08.0 2a
 - - - with tricuspid (valve) disease (unspecified origin) I08.3
 - - - active or acute I01.1 2a 2b
 - - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
 - - - rheumatic fever (conditions in I00 2a 2b)
 - - - - active - *see* Endocarditis, acute, rheumatic
 - - - - inactive or quiescent (with chorea) I06.9 2a 2b
 - - - tricuspid (valve) disease (unspecified origin) I08.2 2a
 - - - - with mitral (valve) disease (unspecified origin) I08.3
 - - acute or subacute I33.9 2a 2b
 - - rheumatic I01.1 2a 2b
 - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
 - - arteriosclerotic I35.8
 - - rheumatic I06.9 2a 2b
 - - with mitral disease I08.0 2a
 - - - with tricuspid (valve) disease I08.3
 - - - active or acute I01.1 2a 2b
 - - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
 - - active or acute I01.1 2a 2b
 - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
 - - specified NEC I06.8
 - - specified cause NEC I35.8
 - - syphilitic A52.0† 2b I39.1*
 - arteriosclerotic I38 2a
 - atypical verrucous (Libman-Sacks) M32.1† 2a 2b I39.8*
 - bacterial (acute) (any valve) (subacute) I33.0 2a 2b
 - candidal B37.6† 2a 2b I39.8*
 - congenital I42.4 2a 2b
 - *Coxiella burnetii* A78† 2a I39.8*
 - coxsackie virus B33.2† 2a 2b I39.8*
 - due to
 - - prosthetic cardiac valve T82.6
 - - Serratia marcescens I33.0 2a 2b
 - fetal I42.4 2a 2b
 - gonococcal A54.8† 2b I39.8*
 - infectious or infective (acute) (any valve) (subacute) I33.0 2a 2b
 - lenta (acute) (any valve) (subacute) I33.0 2a 2b
 - Libman-Sacks M32.1† 2a 2b I39.8*
 - listerial A32.8† I39.8*
 - Löffler's I42.3 2b
 - malignant (acute) (any valve) (subacute) I33.0 2a 2b
 - meningococcal A39.5† I39.8*
 - mitral (chronic) (double) (fibroid) (heart) (inactive) (valve) (with chorea) I05.9 2a 2b
 - - with
 - - aortic (valve) disease (unspecified origin) I08.0 2a
 - - - with tricuspid (valve) disease (unspecified origin) I08.3
 - - - active or acute I01.1 2a 2b
 - - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
 - - - rheumatic fever (conditions in I00 2a 2b)
 - - - - active - *see* Endocarditis, acute, rheumatic
 - - - - inactive or quiescent (with chorea) I05.9 2a 2b
 - - - tricuspid (valve) disease (unspecified origin) I08.1
 - - - - with aortic (valve) disease (unspecified origin) I08.3
 - - active or acute I01.1 2a 2b
 - - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
 - - arteriosclerotic I34.8
 - - nonrheumatic I34.8
 - - acute or subacute I33.9 2a 2b
 - - specified NEC I05.8 2a
 - monilial B37.6† 2a 2b I39.8*

- multiple valves (unspecified origin) I08.9 2a 2b
- - specified disorders (unspecified origin) I08.8
- mycotic (acute) (any valve) (subacute) I33.0 2a 2b
- pneumococcal (acute) (any valve) (subacute) I33.0 2a 2b
- pulmonary (chronic) (heart) (valve) I37.8
- - with rheumatic fever (conditions in I00 2a 2b)
- - - active - *see Endocarditis, acute, rheumatic*
- - - inactive or quiescent (with chorea) I09.8
- - - - with aortic, mitral or tricuspid disease (unspecified origin) I08.8
- - acute or subacute I33.9 2a 2b
- - rheumatic I01.1 2a 2b
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - arteriosclerotic I37.8
- - rheumatic (chronic) (inactive) (with chorea) I09.8
- - active or acute I01.1 2a 2b
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - syphilitic A52.0† 2b I39.3*
- purulent (acute) (any valve) (subacute) I33.0 2a 2b
- Q fever A78† 2a I39.8*
- rheumatic (chronic) (inactive) - *see also condition*, by valve, rheumatic I09.1 2a 2b
- - active or acute (aortic) (mitral) (pulmonary) (tricuspid) I01.1 2a 2b
- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- septic (acute) (any valve) (subacute) I33.0 2a 2b
- streptococcal (acute) (any valve) (subacute) I33.0 2a 2b
- subacute - *see Endocarditis, acute*
- suppurative (acute) (any valve) (subacute) I33.0 2a 2b
- syphilitic NEC A52.0† 2b I39.8*
- toxic I33.9 2a 2b
- tricuspid (chronic) (heart) (inactive) (rheumatic) (valve) (with chorea) I07.8
- - with
 - - - aortic (valve) disease (unspecified origin) I08.2 2a
 - - - mitral (valve) disease (unspecified origin) I08.3
 - - - mitral (valve) disease (unspecified origin) I08.1
 - - - aortic (valve) disease (unspecified origin) I08.3
 - - - rheumatic fever (conditions in I00 2a 2b)
 - - - active - *see Endocarditis, acute, rheumatic*
 - - - inactive or quiescent (with chorea) I07.8
- - active or acute I01.1 2a 2b
- - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - arteriosclerotic I36.8
- - nonrheumatic I36.8
- - - acute or subacute I33.9 2a 2b
- - specified cause, except rheumatic I36.8
- tuberculous (*see also* Tuberculosis, endocarditis) A18.8† 2a 2b I39.8*
- typhoid A01.0† I39.8*
- ulcerative (acute) (any valve) (subacute) I33.0 2a 2b
- vegetative (acute) (any valve) (subacute) I33.0 2a 2b
- verrucous (atypical) (nonbacterial) (nonrheumatic) M32.1† 2a 2b I39.8*

Endocardium, endocardial - *see also condition*

- cushion defect Q21.2 2b

Endocervicitis (*see also* Cervicitis) N72

- due to intrauterine (contraceptive) device T83.6
- hyperplastic N72

Endocrine - *see condition*

Endomastoiditis - *see* Mastoiditis

Endometriosis N80.9

- fallopian tube N80.2
- intestine N80.5
- ovary N80.1
- pelvic peritoneum N80.3
- rectovaginal septum N80.4
- skin (scar) N80.6
- specified site NEC N80.8
- stromal (M8931/1) D39.0 2b
- uterus N80.0

- vagina N80.4

Endometritis (nonspecific) (purulent) (septic) (suppurative) N71.9 2b

- acute N71.0
- affecting fetus or newborn P00.8
- blenorragic (acute) (chronic) A54.2† N74.3*
- cervix, cervical (with erosion or ectropion) (*see also* Cervicitis) N72
 - - hyperplastic N72
 - chlamydial A56.1† N74.4*
 - chronic N71.1
 - complicating pregnancy O23.5
 - - - affecting fetus or newborn P00.8
 - following
 - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see* Abortion
 - - ectopic or molar pregnancy O08.0 2b
 - gonococcal, gonorrhreal (acute) (chronic) A54.2† N74.3*
 - hyperplastic N85.0
 - - cervix N72
 - puerperal, postpartum O85
 - senile (atrophic) N71.9 2b
 - subacute N71.0
 - tuberculous A18.1† 2a 2b N74.1*

Endometrium - *see condition*

Endomyocarditis - *see* Endocarditis

Endomyofibrosis I42.3 2b

Endomyometritis (*see also* Endometritis) N71.9 2b

Endopericarditis I51.8 2a 2b

- rheumatic I09.9 2a 2b
- - active or acute I01.9 2b

Endoperineuritis - *see* Disorder, nerve

Endophlebitis (*see also* Phlebitis) I80.9 2a 2b

Endophthalmia H44.0

Endophthalmitis (acute) (infective) (metastatic) (subacute) H44.0

- gonorrhreal A54.3† H45.1*
- in (due to)
 - - cysticercosis B69.1† H45.1*
 - - onchocerciasis B73† 2a H45.1*
 - - toxocariasis B83.0† H45.1*
- parasitic NEC H44.1
- purulent H44.0
- specified NEC H44.1
- sympathetic H44.1

Endosalpingioma (M8932/0) D28.2

Endosalpingiosis (tube) N80.2

- ovary N80.1

Endosteitis - *see* Osteomyelitis

Endothelioma, bone (M9260/3) - *see* Neoplasm, bone, malignant

Endotheliosis (hemorrhagic infectious) D69.8

Endotoxemia A41.9 2a 2b

- newborn P36.9

Endotoxicosis A41.9 2a 2b

- newborn P36.9

Endotrachelitis (*see also* Cervicitis) N72

End-stage kidney N18.5 2b

- acute N00.9 2a

- chronic N18.5 2b

Engelmann(-Camurati) syndrome Q78.3

Engman's disease L30.3

Engorgement

- breast N64.5
 - - newborn P83.4
 - - puerperal, postpartum O92.2
- lung (passive) (*see also* Edema, lung) J81 2a 2b
- pulmonary (passive) (*see also* Edema, lung) J81 2a 2b
- stomach K31.8 2a

- venous, retina H34.8
- Enlargement, enlarged** - *see also* Hypertrophy
- abdomen - *see* Swelling, abdomen
- adenoids J35.2
- - with tonsils J35.3
- alveolar ridge K08.8 2a 2b
- apertures of diaphragm (congenital) Q79.1 2b
- blind spot, visual field H53.4
- gingival K06.1
- heart, cardiac (*see also* Hypertrophy, cardiac) I51.7
- lacrimal gland, chronic H04.0
- liver (*see also* Hypertrophy, liver) R16.0
- lymph gland or node R59.9 2b
- - generalized R59.1 2b
- - localized R59.0 2b
- organ or site, congenital NEC - *see* Anomaly, by site
- parathyroid (gland) E21.0
- placenta P02.2
- prostate N40 2a 2b
- spleen - *see* Splenomegaly
- thymus (gland) (congenital) E32.0
- thyroid (gland) (*see also* Goiter) E04.9
- tongue K14.8
- tonsils J35.1 2a
- - with adenoids J35.3
- uterus N85.2

Enophthalmos H05.4**Entamebic, entamebiasis** - *see* Amebiasis**Entanglement**

- umbilical cord(s) O69.2
- - with compression O69.2
- - affecting fetus or newborn P02.5
- - around neck (with compression) O69.1
- - - without compression O69.8
- - of twins in monoamniotic sac O69.2

Enteralgia R10.4 2b**Enteric** - *see condition***Enteritis (diarrheal) (hemorrhagic)** (*see also* Colitis, Diarrhea, Enterocolitis, Gastroenteritis) A09.9 2a 2b

- acute A09.9 2a 2b
- - bloody (*see also* Enteritis, infectious) A09.0 2a 2b
- - hemorrhagic (*see also* Enteritis, infectious) A09.0 2a 2b
- allergic K52.2
- amebic (*see also* Amebiasis) A06.0
- - acute A06.0
- - - with abscess - *see* Abscess, amebic
- - - nondysenteric A06.2
- - chronic A06.1
- - - with abscess - *see* Abscess, amebic
- - - nondysenteric A06.2
- - nondysenteric A06.2
- bacillary NEC A03.9
- bacterial A04.9
- - specified NEC A04.8 2a
- candidal B37.8 2a 2b
- *Chilomastix* A07.8 2b
- chronic (noninfectious) K52.9 2a 2b
- - ulcerative K51.9 2a 2b
- coccidial A07.3
- *Cryptosporidium* A07.2
- cytomegalic, cytomegalovirus B25.8 2b
- dietetic K52.2
- due to
- - food hypersensitivity K52.2
- - infectious organism (bacterial) (viral) - *see* Enteritis, infectious
- - *Yersinia enterocolitica* A04.6

- eltor A00.1
- epidemic (*see also* Enteritis, infectious) A09.0 2a 2b
- gangrenous (chronic) (*see also* Enteritis, infectious) A09.0 2a 2b
- giardial A07.1
- granulomatous K50.1
- infectious NEC (*see also* Enteritis, by specified organism) A09.0 2a 2b
 - - due to
 - - - adenovirus A08.2 2a
 - - - *Aerobacter aerogenes* A04.8 2a
 - - - Arizona (bacillus) A02.0
 - - - bacteria NEC A04.9
 - - - - specified NEC A04.8 2a
 - - - - *Campylobacter* A04.5
 - - - - *Clostridium difficile* A04.7
 - - - - *Clostridium perfringens* A04.8 2a
 - - - - *Enterobacter aerogenes* A04.8 2a
 - - - - enterovirus A08.3
 - - - - *Escherichia coli* A04.4 2a 2b
 - - - - enteroaggregative A04.4 2a 2b
 - - - - enterohemorrhagic A04.3
 - - - - enteroinvasive A04.2
 - - - - enteropathogenic A04.0 2b
 - - - - enterotoxigenic A04.1
 - - - - specified NEC A04.4 2a 2b
 - - - specified
 - - - - bacteria NEC A04.8 2a
 - - - - virus NEC A08.3
 - - - - *Staphylococcus* A04.8 2a
 - - - - virus NEC A08.4
 - - - - specified type NEC A08.3
 - - - - *Yersinia enterocolitica* A04.6
 - - - specified organism NEC A08.5
- influenzal (specific virus not identified) J11.8 2b
- seasonal influenza virus identified J10.8 2b
- zoonotic or pandemic influenza virus J09 2a
- ischemic K55.9 2b
- acute K55.0 2a 2b
- chronic K55.1
- microsporidial A07.8 2b
- mucomembranous, myomembranous - *see* Syndrome, irritable bowel
- mucous - *see* Syndrome, irritable bowel
- necrotic, necrotizing (chronic) (*see also* Enteritis, infectious) A09.0 2a 2b
- necroticans A05.2
- necrotizing of fetus or newborn P77
- neurogenic - *see* Syndrome, irritable bowel
- noninfectious K52.9 2a 2b
- nonspecific A09.9 2a 2b
- norovirus A08.1
- parasitic NEC B82.9
- paratyphoid (fever) (*see also* Fever, paratyphoid) A01.4
- protozoal A07.9
 - - specified NEC A07.8 2b
 - - pseudomembranous A04.7
 - - regional (of) K50.9
 - - intestine K50.9
 - - - large (colon or rectum) K50.1
 - - - - with small intestine K50.8
 - - - small (duodenum, ileum or jejunum) K50.0 2b
 - - - - with large intestine K50.8
- rotaviral A08.0 2a
- *Salmonella*, salmonellosis (*arizonae*) (*cholerae-suis*) (*enteritidis*) (*typhimurium*) A02.0
- segmental K50.9
- septic (*see also* Enteritis, infectious) A09.0 2a 2b
- *Shigella* (*see also* Infection, *Shigella*) A03.9
- spasmodic, spastic - *see* Syndrome, irritable bowel

- staphylococcal A04.8 2a
- toxic NEC K52.1 2b
- - due to *Clostridium difficile* A04.7
- trichomonal A07.8 2b
- tuberculous (*see also* Tuberculosis) A18.3† K93.0*
- typhosa A01.0
- ulcerative (chronic) K51.9 2a 2b
- - specified NEC K51.8
- viral A08.4
- - adenovirus A08.2 2a
- - enterovirus A08.3
- - *Rotavirus* A08.0 2a
- - small round structured A08.1
- - virus specified NEC A08.3

Enterobiasis B80

Enterobius vermicularis (infection) (infestation) B80

Enterocele (*see also* Hernia, abdomen) K46.9 2a 2b

- vagina, vaginal (acquired) (congenital) NEC N81.5
- Enterococcus, enterococcal** - *see* Streptococcal
- Enterocolitis** (*see also* Colitis, Diarrhea, Enteritis, Gastroenteritis) A09.9 2a 2b
- due to *Clostridium difficile* A04.7
- fulminant ischemic K55.0 2a 2b
- hemorrhagic (acute) K55.0 2a 2b
- infectious NEC (*see also* Enteritis, infectious) A09.0 2a 2b
- ischemic K55.9 2b
- necrotizing (chronic) (*see also* Enteritis, infectious) A09.0 2a 2b
- - due to *Clostridium difficile* A04.7
- - fetus or newborn P77
- noninfectious NEC K52.9 2a 2b
- pseudomembranous A04.7
- ulcerative (chronic) K51.0

Enterogastritis - *see* Enteritis

Enterolith, enterolithiasis (impaction) K56.4 2b

Enteropathy K63.9 2a 2b

- gluten(-sensitive) K90.0 2b
- hemorrhagic K63.9 2a 2b
- - acute K55.0 2a 2b
- protein-losing K90.4

Enteroptosis K63.4

Enterorrhagia K92.2 2a 2b

Enterospasm K58.9

Enterostenosis (*see also* Obstruction, intestine) K56.6 2a 2b

Enterostomy, malfunctioning K91.4

Enterovirus - *see* Infection, enterovirus

Enthesopathy M77.9

- ankle and tarsus M77.5
- elbow region M77.8
- foot NEC M77.5
- hip M76.8
- knee M76.8
- lower limb M76.9
- - specified NEC M76.8
- peripheral NEC M77.9
- shoulder region M75.9
- - adhesive M75.0
- - specified NEC M75.8
- specified NEC M77.8
- spinal M46.0
- wrist and carpus NEC M77.8

Entomophthoromycosis B46.8

Entrance, air into vein - *see* Embolism, air

Entrapment

- head, fetus or newborn P03.8
- nerve - *see* Neuropathy, entrapment
- pleural (of lungs) J94.8

Entropion (cicatricial) (eyelid) (paralytic) (senile) (spastic) H02.0

- congenital Q10.2
- - eyelid Q10.2

Enucleated eye (traumatic, current) S05.7**Enuresis** R32 2b

- functional F98.0
- nocturnal R32 2b
- - psychogenic F98.0
- nonorganic origin F98.0
- psychogenic F98.0

Eosinopenia D72.8 2b**Eosinophilia (allergic) (hereditary)** D72.1 2b

- peritoneal - *see* Peritonitis
- pulmonary NEC J82
- tropical (pulmonary) J82

Eosinophilia-myalgia syndrome M35.8 2b**Ependymitis (acute) (cerebral) (chronic) (granular)** (*see also* Encephalitis) G04.9**Ependymoblastoma** (M9392/3)

- specified site - *see* Neoplasm, malignant
- unspecified site C71.9 2a 2b
- Ependymoma (epithelial) (malignant)**(M9391/3)
 - anaplastic (M9392/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C71.9 2a 2b
 - myxopapillary (M9394/1) D43.2 2a 2b
 - - specified site - *see* Neoplasm, uncertain behavior
 - - unspecified site D43.2 2a 2b
 - papillary (M9393/1) D43.2 2a 2b
 - - specified site - *see* Neoplasm, uncertain behavior
 - - unspecified site D43.2 2a 2b
 - specified site - *see* Neoplasm, malignant
 - unspecified site C71.9 2a 2b

Ependymopathy G93.8 2b**Ephelis, ephelides** L81.2**Epiblepharon (congenital)** Q10.3**Epicanthus, epicantic fold (eyelid) (congenital)** Q10.3**Epicarditis** - *see also* Pericarditis**Epicondylitis (elbow)**

- lateral M77.1
- medial M77.0

Epycystitis (*see also* Cystitis) N30.9**Epidemic** - *see condition***Epidermidalization, cervix** (*see also* Dysplasia, cervix) N87.9**Epidermis, epidermal** - *see condition***Epidermodysplasia verruciformis** B07**Epidermolysis**

- bullous (congenital) Q81.9
- - acquired L12.3
- - dystrophica Q81.2
- - junctional Q81.1
- - letalis Q81.1
- - simplex Q81.0
- - specified NEC Q81.8
- necroticans combustiformis L51.2
- - due to drug
 - - - correct substance properly administered L51.2
 - - - overdose or wrong substance given or taken T50.9 2a 2b
 - - - - specified drug - *see* Table of drugs and chemicals

Epidermophytid - *see* Dermatophytosis**Epidermophytosis (infected)** - *see* Dermatophytosis**Epididymis** - *see condition***Epididymitis (acute) (nonvenereal) (recurrent) (residual)** N45.9

- with abscess N45.0
- blennorrhagic (gonococcal) A54.2† N51.1*
- caseous (tuberculous) A18.1† 2a 2b N51.1*

- chlamydial A56.1† N51.1*
- gonococcal A54.2† N51.1*
- syphilitic A52.7† 2a 2b N51.1*
- tuberculous A18.1† 2a 2b N51.1*

Epididymo-orchitis (*see also* Epididymitis) N45.9

- with abscess N45.0

Epidural - *see condition*

Epigastrium, epigastric - *see condition*

Epigastrocele - *see* Hernia, ventral

Epiglottis - *see condition*

Epiglottitis, epiglottiditis (acute) J05.1

- chronic J37.0

Epignathus Q89.4

Epilepsy, epileptic, epilepsia G40.9

- with
 - - complex partial seizures G40.2
 - - grand mal seizures on awakening G40.3
 - - myoclonic absences G40.4
 - - myoclonic-astatic seizures G40.4
 - - simple partial seizures G40.1
 - abdominal G40.8
 - absence (juvenile) (childhood) G40.3
 - akinetic G40.3
 - attack G40.9
 - - with alteration of consciousness G40.2
 - - without alteration of consciousness G40.1
 - automatism G40.2
 - Bravais-jacksonian G40.1
 - cerebral G40.9
 - childhood (benign) (with)
 - - centrot temporal EEG spikes G40.0
 - - occipital EEG paroxysms G40.0
 - climacteric G40.8
 - clonic G40.3
 - clouded state G40.8
 - coma G40.8
 - convulsions G40.9
 - cortical (focal) (motor) G40.1
 - cysticercosis B69.0† 2b G94.8*
 - deterioration (mental) F06.8 2b
 - due to syphilis A52.1† 2a 2b G94.8*
 - equivalent G40.8
 - fits G40.9
 - focal (motor) G40.1
 - generalized G40.3
 - - convulsive G40.3
 - - flexion G40.3
 - - idiopathic G40.3
 - - nonconvulsive G40.3
 - - specified NEC G40.4
 - grand mal (seizures) G40.6
 - - on awakening G40.3
 - idiopathic G40.9
 - - generalized G40.3
 - - localization-related G40.0
 - jacksonian (motor) (sensory) G40.1
 - Kozhevnikof's G40.5 2a 2b
 - limbic system G40.2
 - localization-related (focal) (partial) G40.8
 - - idiopathic G40.0
 - - symptomatic G40.1
 - - - with
 - - - - alteration of consciousness G40.2
 - - - - complex partial seizures G40.2
 - - - - simple partial seizures G40.1

- - - without alteration of consciousness G40.1
- major G40.3
- minor G40.3
- mixed (type) G40.3
- motor partial G40.1
- musicogenic G40.8
- myoclonus, myoclonic G40.3
- - benign, of infancy G40.3
- - juvenile G40.3
- - progressive (familial) G40.3
- parasitic NEC B71.9† 2b G94.8*
- partial (focalized) G40.1
- - with
 - - - alteration of consciousness G40.2
 - - - memory and ideational disturbances G40.2
- - secondarily generalized G40.1
- partialis continua G40.5 2a 2b
- peripheral G40.8
- petit mal (juvenile) (childhood) G40.3
- procura G40.2
- progressive (familial) myoclonic G40.3
- psychomotor G40.2
- psychosensory G40.2
- reflex G40.8
- related to
 - - alcohol G40.5 2a 2b
 - - drugs G40.5 2a 2b
 - - external cause NEC G40.5 2a 2b
 - - hormonal changes G40.5 2a 2b
 - - sleep deprivation G40.5 2a 2b
 - - stress G40.5 2a 2b
- seizure (*see also* Seizure, epileptic) G40.9
- senile G40.8
- somatomotor G40.1
- somatosensory G40.1
- specified type NEC G40.8
- status G41.9
 - - absence G41.1
 - - complex partial G41.2
 - - focal motor G41.8
 - - grand mal G41.0
 - - petit mal G41.1
 - - psychomotor G41.2
 - - specified NEC G41.8
 - - temporal lobe G41.2
 - - tonic-clonic G41.0
- symptomatic NEC G40.8
- - with
 - - - complex partial seizures G40.2
 - - - simple partial seizures G40.1
- syndrome
- - with
 - - - complex partial seizures G40.2
 - - - seizures of localized onset G40.0
 - - - simple partial seizures G40.1
- - generalized G40.4
- - idiopathic G40.3
- - special NEC G40.5 2a 2b
- temporal lobe G40.2
- tonic(-clonic) G40.3
- traumatic (injury unspecified) T90.5 2b
- - injury specified - *code to* Sequelae of specified injury
- twilight F05.8
- uncinate (gyrus) G40.2
- Unverricht(-Lundborg) (familial myoclonic) G40.3

- visceral G40.8

- visual G40.8

Epiloia Q85.1

Epimenorrhea N92.0 2b

Epipharyngitis (*see also* Nasopharyngitis) J00 2a 2b

Epiphora H04.2

Epiphyseolysis, epiphysiolytic (*see also* Osteochondrosis) M93.9

Epiphysitis (*see also* Osteochondrosis) M93.9

- juvenile M92.9

- syphilitic (congenital) A50.0† 2a 2b M90.2*

Epiplocele (*see also* Hernia, abdomen) K46.9 2a 2b

Epiploitis (*see also* Peritonitis) K65.9 2a 2b

Epiplosarcomphalocele Q79.2

Episcleritis H15.1

- in (due to)

- - syphilis A52.7† 2a 2b H19.0*

- - tuberculosis A18.5† H19.0*

- periodica fugax H15.1

- suppurative H15.1

- syphilitic (late) A52.7† 2a 2b H19.0*

- tuberculous A18.5† H19.0*

Episode

- affective, mixed F38.0

- brain (apoplectic) I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- cardiovascular (acute) I51.6 2a 2b

- cerebral (apoplectic) (vascular) I64 2a 2b

- - anoxic G93.1 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- coronary I21.9 2a 2b

- depressive F32.9 2b

- - major (*see also* Disorder, depressive, major) F32.9 2b

- - mild F32.0

- - moderate F32.1

- - recurrent - *see also* Disorder, depressive, recurrent F33.9

- - - brief F38.1

- - severe (without psychotic symptoms) F32.2

- - - with psychotic symptoms F32.3

- - specified NEC F32.8

- hypomanic F30.0

- ischemic

- - transient G45.9 2b

- manic F30.9

- - recurrent F31.8

- psychotic (*see also* Psychosis) F23.9 2b

- - organic F06.8 2b

- schizophrenic (acute) NEC, brief F23.2

- syncopal (*see also* Syncope) R55

Epispadias (female) (male) Q64.0

Episplenitis D73.8

Epistaxis (multiple) R04.0 2b

- vicarious menstruation N94.8 2b

Epithelioma (malignant) (M8011/3) - *see also* Neoplasm, malignant

- adenoides cysticum (M8100/0) - *see* Neoplasm, skin, benign

- basal cell (M8090/3) - *see* Neoplasm, skin, malignant

- benign (M8011/0) - *see* Neoplasm, benign

- Bowen's (M8081/2) - *see* Neoplasm, skin, in situ

- calcifying, of Malherbe (M8110/0) - *see* Neoplasm, skin, benign

- external site - *see* Neoplasm, skin, malignant

- intraepidermal, Jadassohn (M8096/0) - *see* Neoplasm, skin, benign

- squamous cell (M8070/3) - *see* Neoplasm, malignant

Epitheliomatosis, pigmented Q82.1

Epithelium, epithelial - *see condition*

Epituberculosis (with atelectasis) (allergic) A16.7 2a 2b

Eponychia Q84.6

Epstein Barr virus B27.0

Epstein's

- nephrosis or syndrome (*see also* Nephrosis) N04-

- pearl K09.8

Epulis (fibrous) (giant cell) (gingiva) K06.8

Epulis fissuratum (gum) K06.8

Equinia A24.0 2a

Equinovarus (congenital) (talipes) Q66.0

- acquired M21.5

Equivalent

- convulsive (abdominal) G40.8

- epileptic (psychic) G40.2

Erb(-Duchenne) paralysis (birth injury) (newborn) P14.0

Erb-Goldflam disease or syndrome G70.0 2b

Erb's

- disease G71.0

- palsy, paralysis (brachial) (birth) (newborn) P14.0

- - spinal (spastic), syphilitic A52.1 2a 2b

- - pseudohypertrophic muscular dystrophy G71.0

Erdheim's syndrome E22.0 2a

Erdheim's E22.0 2a

Erection, painful (persistent) N48.3

Ergosterol deficiency (vitamin D) E55.9

- with

- - adult osteomalacia M83.8

- - rickets (*see also* Rickets) E55.0 2b

Ergotism T62.2

- from ergot used as drug (migraine therapy)

- - correct substance properly administered G92 2b

- - overdose or wrong substance given or taken T48.0

Erosio interdigitalis blastomycetica B37.2 2b

Erosion

- aorta I77.2

- artery I77.8 2a 2b

- blood vessel I99 2a 2b

- - pulmonary I28.8

- bone M85.8

- bronchus J98.0

- cartilage (joint) M94.8

- cerebral G93.8 2b

- cervix (uteri) (acquired) (chronic) (congenital) N86

- - with cervicitis N72

- cornea (nontraumatic) H16.0

- - recurrent H18.8

- - traumatic S05.0

- dental (due to diet, drugs or vomiting) (idiopathic) (occupational) K03.2

- duodenum, postpyloric - *see* Ulcer, duodenum

- endotracheal tube T85.6

- esophagus K22.1

- gastric - *see* Ulcer, stomach

- gastrojejunal - *see* Ulcer, gastrojejunal

- heart (hemorrhagic) I51.8 2a 2b

- intestine K63.3 2b

- lymphatic vessel I89.8 2b

- pylorus, pyloric (ulcer) - *see* Ulcer, stomach

- spine, aneurysmal A52.0† 2b I68.8*

- stomach - *see* Ulcer, stomach

- teeth (due to diet, drugs or vomiting) (idiopathic) (occupational) K03.2

- urethra N36.8

- uterus N85.8

- vein, venous I87.8 2b

Erotomania F52.7

Error

- metabolism, inborn - *see* Disorder, metabolism

- - pyruvate

- - - inborn E74.4

- refractive H52.7

Eruption R14

- nervous or psychogenic F45.3 2b

Eruption

- creeping B76.9

- drug (generalized) (taken internally) L27.0

- - in contact with skin - *see* Dermatitis, due to, drugs, in contact with skin

- - localized L27.1

- Hutchinson, summer L56.4

- Kaposi's varicelliform B00.0

- napkin L22

- polymorphous light (sun) L56.4

- ringed R23.8 2b

- skin (nonspecific) R21

- - creeping (meaning hookworm) B76.9

- - due to prophylactic inoculation or vaccination (generalized) (*see also* Dermatitis, due to, vaccine) L27.0

- - - localized L27.1

- - erysipeloid A26.0

- - feigned L98.1 2b

- - Kaposi's varicelliform B00.0

- - lichenoid L28.0

- - meaning dermatitis - *see* Dermatitis

- - toxic NEC L53.0 2b

- tooth, teeth, abnormal (incomplete) (late) (premature) (sequence) K00.6

- vesicular R23.8 2b

Erysipelas (gangrenous) (infantile) (newborn) (phlegmonous) (suppurative) A46 2a

- external ear A46† 2a H62.0*

- puerperal, postpartum O86.8

Erysipeloid A26.9

- cutaneous (Rosenbach's) A26.0

- disseminated A26.8

- septicemia A26.7

- specified NEC A26.8

Erythema, erythematous L53.9

- ab igne L59.0 2b

- annulare (centrifugum) (rheumaticum) L53.1

- chronic figurate NEC L53.3

- chronicum migrans (*Borrelia burgdorferi*) A69.2 2b

- diaper L22

- due to

- - chemical NEC L53.0 2b

- - - in contact with skin L25.3

- - drug (internal use) - *see* Dermatitis, due to, drugs

- elevatum diutinum L95.1 2b

- endemic E52 2a 2b

- epidemic, arthritic A25.1

- figuratum perstans L53.3

- gluteal L22

- heat - *code as* Burn, by site, with fourth character .1

- ichthyosiforme congenitum bullous Q80.3

- induratum (nontuberculous) L52

- - tuberculous A18.4

- infectiosum B08.3

- inflammation NEC L53.9

- intertrigo L30.4

- iris L51.1† H22.8*

- marginatum L53.2

- - in (due to) acute rheumatic fever I00† 2a 2b L54.0*

- medicamentosum - *see* Dermatitis, due to, drugs

- migrans A26.0

- - tongue K14.1

- multiforme L51.9

- - bullous, bullosum L51.1
- - conjunctiva L51.1† H13.8*
- - nonbullous L51.0
- - pemphigoides L12.0
- - specified NEC L51.8
- napkin L22
- neonatorum P83.8
- - toxic P83.1
- nodosum L52
- - tuberculous A18.4
- palmar L53.8
- pernio T69.1
- rash, newborn P83.8
- scarlatiniform (exfoliative) (recurrent) L53.8
- solare L55.0
- specified NEC L53.8
- toxic, toxicum NEC L53.0 2b
- - newborn P83.1
- tuberculous (primary) A18.4

Erythematous, erythemas *- see condition*

Erythermalgia (primary) I73.8

Erythralgia I73.8

Erythrasma L08.1 2b

Erythredema (polyneuropathy) T56.1

Erythremia (acute) (M9841/3) C94.0 2a 2b

- chronic (M9842/3) C94.1
- secondary D75.1 2a 2b

Erythroblastopenia (*see also* Aplasia, redcell) D60.9

Erythroblastophthisis D61.0

Erythroblastosis (fetalis) (newborn) P55.9

- due to

- - ABO (antibodies) (incompatibility) (isoimmunization) P55.1
- - Rh (antibodies) (incompatibility) (isoimmunization) P55.0 2b

Erythrocyanosis (crurum) I73.8

Erythrocythemia (M9841/3) - *see* Erythremia

Erythrocytosis (megalosplenic) (secondary) D75.1 2a 2b

- familial D75.0

- oval, hereditary (*see also* Elliptocytosis) D58.1

Erythroderma (*see also* Erythema) L53.9

- bullous ichthyosiform, congenital Q80.3
- desquamativum L21.1
- ichthyosiform, congenital (bullos) Q80.3
- neonatorum P83.8
- psoriaticum L40.8
- secondary L53.9

Erythrogenesis imperfecta D61.0

Erythroleukemia (M9840/3) C94.0 2a 2b

Erythromelalgia I73.8

Erythrophagocytosis D75.8 2a 2b

Erythrophobia F40.2

Erythroplakia, oral epithelium and tongue K13.2

Erythroplasia (Queyrat) (M8080/2)

- specified site - *see* Neoplasm, skin, in situ
- unspecified site D07.4

Escherichia (E.) coli - *see* Infection,

Escherichia (E.) coli

Esophagismus K22.4

Esophagitis (acute) (alkaline) (chemical) (chronic) (infectious) (necrotic) (peptic) (postoperative) K20

- reflux K21.0

- tuberculous A18.8† 2a 2b K23.0*

- ulcerative K22.1

- - due to gastrointestinal reflux disease K21.0

Esophagomalacia K22.8

Esophagostomiasis B81.8

Esophagotracheal - *see condition*

Esophagus - *see condition*

Esophoria H50.5

- convergence, excess H51.1

- divergence, insufficiency H51.8

Esotropia (alternating) (monocular) H50.0

- intermittent H50.3

Espundia B55.2

Essential - *see condition*

Esthesioneuroblastoma (M9522/3) C30.0

Esthesioneurocytoma (M9521/3) C30.0

Esthesioneuroepithelioma (M9523/3) C30.0

Esthiomene A55

Estivo-autumnal malaria (fever) B50.9

Estrangement Z63.5(464)

Estriasis (*see also* Myiasis) B87.9

Ethanol (*see also* Alcohol) F10.9 2b

Ethanolism (*see also* Alcoholism) F10.2 2a 2b

- acute T51.0 2b

Etherism F18.2 2b

Ethmoid, ethmoidal - *see condition*

Ethmoiditis (chronic) (nonpurulent) (purulent) (*see also* Sinusitis, ethmoidal) J32.2

- influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- Woakes' J33.1

Ethyl alcohol (*see also* Alcohol) F10.9 2b

Ethylysm (*see also* Alcoholism) F10.2 2a 2b

Eulenburg's disease G71.1 2a

Eumycetoma B47.0

Eunuchoidism E29.1

- hypogonadotropic E23.0 2b

European blastomycosis (*see also* Cryptococcosis) B45.9

Eustachian - *see condition*

Evaluation (for) (of)

- development state

- - adolescent Z00.3(465)

- - infant or child Z00.1(466)

- - period of rapid growth in childhood Z00.2(467)

- - puberty Z00.3(468)

- growth and developmental state (period of rapid growth) Z00.2(469)

- - child Z00.1(470)

- mental health (status) Z00.4(471)

- - requested by authority Z04.6(472)

- period of rapid growth in childhood Z00.2(473)

- suspected condition (*see also* Observation) Z03.9(474)

Evans' syndrome (thrombocytopeniapurpura) D69.3 2a 2b

Event

- abdominal (acute) (catastrophe) R10.4 2b

- cardiac I51.8 2a 2b

- - rheumatic I09.9 2a 2b

- - - active or acute I01.9 2b

- cardiopulmonary R09.2 2a 2b

- cardiovascular I51.6 2a 2b

- - rheumatic I09.9 2a 2b

- - - active or acute I01.9 2b

- cerebral I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- cerebrovascular I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- coronary I24.8

- embolic - *see* Embolism

- ischemic (*see also* Ischemia) I99 2a 2b

- myocardium, myocardial I51.5 2a 2b

- - rheumatic I09.9 2a 2b

- - - active or acute I01.9 2b

- specified site NEC - *see* Disease, of site

Entration K43.9 2b

- colon into chest - *see* Hernia, diaphragm

- diaphragm (congenital) Q79.1 2b

Eversion

- bladder N32.8

- cervix (uteri) N86

- - with cervicitis N72

- foot NEC M21.0

- - congenital Q66.6

- punctum lacrimale (postinfectional) (senile) H04.5

- ureter (meatus) N28.8 2a 2b

- urethra (meatus) N36.3

- uterus N81.4

Evisceration

- birth injury P15.8

- nontraumatic - *see* hernia

- operative wound T81.3 2b

- traumatic NEC T06.5 2a 2b

- - eye S05.7

- - specified site - *see* Injury, by site

Eversion - *see* Avulsion

Ewing's sarcoma or tumor (M9260/3) - *see* Neoplasm, bone, malignant

Examination (general) (routine) (of) (for) Z00.0(475)

- adolescent (development state) Z00.3(476)

- allergy Z01.5(477)

- annual (periodic) (physical) Z00.0(478)

- - gynecological Z01.4(479)

- blood pressure Z01.3(480)

- cancer staging - *see* Neoplasm, malignant

- cervical Papanicolaou smear Z12.4(481)

- - as part of routine gynecological examination Z01.4(482)

- chest X-ray Z01.6(483)

- - for suspected tuberculosis Z03.0(484)

- clinical research control or normal comparison Z00.6(485)

- contraceptive (drug) maintenance (routine) Z30.4(486)

- - device (intrauterine) Z30.5(487)

- dental Z01.2(488)

- donor (potential) Z00.5(489)

- ear Z01.1(490)

- eye Z01.0(491)

- following

- - accident NEC Z04.3(492)

- - - transport Z04.1(493)

- - - work Z04.2(494)

- - - motor vehicle accident Z04.1(495)

- - - treatment (for) Z09.9(496)

- - - combined NEC Z09.7(497)

- - - - fracture Z09.4(498)

- - - - malignant neoplasm Z08.7(499)

- - - - malignant neoplasm Z08.9(500)

- - - - chemotherapy Z08.2(501)

- - - - combined treatment Z08.7(502)

- - - - radiotherapy Z08.1(503)

- - - - specified treatment NEC Z08.8(504)

- - - - surgery Z08.0(505)

- - - - specified condition NEC Z09.8(506)

- follow-up (routine) (following) Z09.9(507)

- - chemotherapy NEC Z09.2(508)

- - - malignant neoplasm Z08.2(509)

- - - fracture Z09.4(510)

- - - malignant neoplasm Z08.9(511)

- - - chemotherapy Z08.2(512)

- - - combined treatment Z08.7(513)

- - - radiotherapy Z08.1(514)

- - - specified treatment NEC Z08.8(515)
- - - surgery Z08.0(516)
- - postpartum Z39.2(517)
- - psychotherapy Z09.3(518)
- - radiotherapy NEC Z09.1(519)
- - - malignant neoplasm Z08.1(520)
- - surgery NEC Z09.0(521)
- - - malignant neoplasm Z08.0(522)
- gynaecological Z01.4(523)
- - for contraceptive (drug) maintenance Z30.4(524)
- - - device (intrauterine) Z30.5(525)
- health - *see* Examination, medical
- hearing Z01.1(526)
- infant or child Z00.1(527)
- inflicted injury (victim or culprit) NEC Z04.5(528)
- laboratory Z01.7(529)
- lactating mother Z39.1(530)
- medical (for) (of) Z00.0(531)
- - administrative purpose only Z02.9(532)
- - - specified NEC Z02.8(533)
- - admission to
- - - armed forces Z02.3(534)
- - - old age home Z02.2(535)
- - - prison Z02.8(536)
- - - residential institution Z02.2(537)
- - - school Z02.0(538)
- - - summer camp Z02.8(539)
- - adoption Z02.8(540)
- - armed forces personnel Z10.2(541)
- - athletes Z10.3(542)
- - camp (summer) Z02.8(543)
- - control subject in clinical research Z00.6(544)
- - defined sub-population NEC Z10.8(545)
- - donor (potential) Z00.5(546)
- - driving licence Z02.4(547)
- - general Z00.0(548)
- - immigration Z02.8(549)
- - infant or child Z00.1(550)
- - inhabitants of institutions Z10.1(551)
- - insurance purposes Z02.6(552)
- - marriage Z02.8(553)
- - medicolegal reasons NEC Z04.8(554)
- - naturalization Z02.8(555)
- - occupational Z10.0(556)
- - participation in sport Z02.5(557)
- - population survey Z00.8(558)
- - pre-employment Z02.1(559)
- - preschool children Z10.8(560)
- - - for admission to school Z02.0(561)
- - prisoners Z10.8(562)
- - - for entrance into prison Z02.8(563)
- - prostitutes Z10.8(564)
- - recruitment for armed forces Z02.3(565)
- - refugees Z10.8(566)
- - schoolchildren Z10.8(567)
- - specified NEC Z00.8(568)
- - sport competition Z02.5(569)
- - sports teams Z10.3(570)
- - students Z10.8(571)
- medicolegal reason NEC Z04.8(572)
- pelvic (annual) (periodic) Z01.4(573)
- period of rapid growth in childhood Z00.2(574)
- postpartum
- - immediately after delivery Z39.0(575)
- - routine follow-up Z39.2(576)

- pregnancy (possible) (unconfirmed) Z32.0(577)
- - confirmed Z32.1(578)
- psychiatric NEC Z00.4(579)
- - requested by authority Z04.6(580)
- radiological NEC Z01.6(581)
- rape or seduction, alleged (victim or culprit) Z04.4(582)
- sensitization Z01.5(583)
- skin (hypersensitivity) Z01.5(584)
- special (*see also* Examination, by type) Z01.9(585)
- - specified type NEC Z01.8(586)
- specified type or reason NEC Z04.8(587)
- teeth Z01.2(588)
- vision Z01.0(589)
- well baby Z00.1(590)

Exanthem, exanthema (*see also* Rash) R21

- with enteroviral vesicular stomatitis B08.4
- Boston A88.0
- epidemic with meningitis A88.0† G02.0*
- subitum B08.2
- viral, virus B09
- - specified type NEC B08.8

Excess, excessive, excessively

- alcohol F10.1 2a 2b
- - chronic F10.2 2a 2b
- alcohol level in blood (percentage) R78.0 2a 2b
- androgen (ovarian) E28.1
- attrition, tooth, teeth K03.0
- carotene, carotin (dietary) E67.1
- cold, effects of T69.9 2b
- - specified effect NEC T69.8
- convergence H51.1
- development, breast N62
- divergence H51.8
- drinking (alcohol) NEC F10.1 2a 2b
- - chronic F10.2 2a 2b
- - habitual (continual) F10.2 2a 2b
- - isopropyl alcohol T51.2
- eating R63.2 2a 2b
- estrogen E28.0
- ethanol F10.1 2a 2b
- - chronic F10.2 2a 2b
- ethyl alcohol F10.1 2a 2b
- - chronic F10.2 2a 2b
- fat E66.9 2b
- - in heart (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- - localized E65
- foreskin N47
- had been drinking F10.1 2a 2b
- heat (*see also* Heat) T67.9
- kalium E87.5
- large
- - colon K59.3
- - - congenital Q43.8
- - fetus or infant P08.0 2b
- - - with obstructed labor O66.2
- - - affecting management of pregnancy O36.6
- - - causing disproportion O33.5
- - organ or site, congenital NEC - *see* Anomaly, by site
- long
- - organ or site, congenital NEC - *see* Anomaly, by site
- - umbilical cord (entangled)
- - - affecting fetus or newborn P02.5
- - - complicating labor or delivery O69.2
- menses, menstruation (with regular cycle) N92.0 2b

- - with irregular cycle N92.1
- sodium E87.0
- number of teeth K00.1
- - causing crowding K07.3
- nutrient (dietary) NEC E67.8
- potassium (K) E87.5
- - due to
 - - - medical care NEC E89.8 2b
- salivation K11.7
- secretion (*see also* Hypersecretion)
- - milk O92.6
- - sputum R09.3
- - sweat R61.9
- sexual drive F52.7
- short
- - organ or site, congenital NEC - *see* Anomaly, by site
- - umbilical cord
- - - affecting fetus or newborn P02.6
- - - complicating labor or delivery O69.3
- skin, eyelid (acquired) H02.3
- - congenital Q10.3
- sodium (Na) E87.0
- - due to
 - - - medical care NEC E89.8 2b
- sputum R09.3
- sweating R61.9
- thirst R63.1 2b
- - due to deprivation of water T73.1
- vitamin
 - - A (dietary) E67.0
 - - - administered as drug (chronic) (prolonged excessive intake) E67.0
 - - - reaction to sudden overdose T45.2
 - - D (dietary) E67.3
 - - - administered as drug (chronic) (prolonged excessive intake) E67.3
 - - - reaction to sudden overdose T45.2

Excitability, abnormal, under minor stress (personality disorder) F60.3

Excitation

- psychogenic F30.8
- reactive (from emotional stress, psychological trauma) F30.8

Excitement

- hypomanic F30.0
- manic F30.9
- mental, reactive (from emotional stress, psychological trauma) F30.8
- state, reactive (from emotional stress, psychological trauma) F30.8

Excoriation (traumatic) (*see also* Injury,superficial) T14.0 2b

- neurotic L98.1 2b

Excyphoria H50.5

Excyclotropia H50.4

Exencephally Q00.0

Exercise

- breathing Z50.1(591)
- remedial NEC Z50.1(592)
- therapeutic NEC Z50.1(593)

Exfoliation, teeth, due to systemic causes K08.0

Exfoliative - *see condition*

Exhaustion (physical NEC) R53 2b

- battle F43.0
- cardiac (*see also* Failure, heart) I50.9 2a 2b
- complicating pregnancy O26.8
- delirium F43.0
- due to
 - - cold T69.8
 - - excessive exertion T73.3
 - - exposure T73.2
 - - neurasthenia F48.0

- - pregnancy O26.8
- fetus or newborn P96.8
- heart (*see also* Failure, heart) I50.9 2a 2b
- heat (*see also* Heat, exhaustion) T67.5
- maternal, complicating delivery O75.8
- - affecting fetus or newborn P03.8
- mental F48.0
- myocardium, myocardial (*see also* Failure, heart) I50.9 2a 2b
- nervous F48.0
- old age R54 2a 2b
- psychogenic F48.0
- psychosis F43.0
- senile R54 2a 2b
- vital NEC Z73.0(594)

Exhibitionism F65.2

Exocervicitis (*see also* Cervicitis) N72

Exomphalos Q79.2

- meaning hernia - *see* Hernia, umbilicus

Exophoria H50.5

- convergence, insufficiency H51.1
- divergence, excess H51.8

Exophthalmos H05.2

- congenital Q15.8
- due to thyrotoxicosis (hyperthyroidism) E05.0† 2b H06.2*
- dysthyroid E05.0† 2b H06.2*
- goiter E05.0† 2b H06.2*
- intermittent NEC H05.2
- pulsating H05.2
- thyrotoxic, thyrotropic E05.0† 2b H06.2*

Exostosis M89.9 2a

- cartilaginous (M9210/0) - *see* Neoplasm, bone, benign
- congenital (multiple) Q78.6
- external ear canal H61.8
- gonococcal A54.4† 2b M90.2*
- jaw (bone) K10.8
- multiple, congenital Q78.6
- orbit H05.3
- osteocartilaginous (M9210/0) - *see* Neoplasm, bone, benign
- syphilitic A52.7† 2a 2b M90.2*

Exotropia (alternating) (monocular) H50.1

- intermittent H50.3

Explanation of

- investigation finding Z71.2(595)

- medication Z71.8(596)

Exposure (to) (*see also* Contact, with) T75.8 2b

- acariasis Z20.7(597)
- agricultural toxic agents (gases) (liquids) (solids) (vapors) Z57.4(598)
- - nonoccupational Z58.5(599)
- AIDS virus Z20.6(600)
- air
 - - contaminants NEC Z58.1(601)
 - - - occupational NEC Z57.3(602)
 - - - - dust Z57.2(603)
 - - pollution NEC Z58.1(604)
 - - - occupational NEC Z57.3(605)
 - - - - dust Z57.2(606)
- cholera Z20.0(607)
- cold, effects of T69.9 2b
- - specified effect NEC T69.8
- communicable disease Z20.9(608)
- - specified NEC Z20.8(609)
- disaster Z65.5(610)
- discrimination Z60.5(611)
- dust NEC Z58.1(612)
- - occupational Z57.2(613)

- exhaustion, due to T73.2
- extreme temperature (occupational) Z57.6(614)
 - - nonoccupational Z58.5(615)
- German measles Z20.4(616)
- gonorrhea Z20.2(617)
- heat - *see Heat*
- human immunodeficiency virus (HIV) Z20.6(618)
- human T-lymphotropic virus type 1 (HTLV-1) Z20.8(619)
- industrial toxic agents (gases) (liquids) (solids) (vapors) Z57.5(620)
 - - nonoccupational Z58.5(621)
- infestation (parasitic) NEC Z20.7(622)
- intestinal infectious disease Z20.0(623)
- noise Z58.0(624)
 - - occupational Z57.0(625)
- occupational risk factor Z57.9(626)
 - - specified NEC Z57.8(627)
- parasitic disease NEC Z20.7(628)
- pediculosis Z20.7(629)
- persecution Z60.5(630)
- poliomyelitis Z20.8(631)
- pollution NEC Z58.5(632)
 - - air contaminants NEC Z58.1(633)
 - - - occupational Z57.3(634)
 - - dust NEC Z58.1(635)
 - - - occupational Z57.2(636)
 - - noise NEC Z58.0(637)
 - - - occupational Z57.0(638)
 - - occupational Z57.8(639)
 - - soil Z57.3(640)
 - - - occupational Z57.8(641)
 - - specified NEC Z58.5(642)
 - - - occupational Z57.8(643)
 - - water Z58.2(644)
- rabies Z20.3(645)
- radiation NEC Z58.4(646)
 - - occupational Z57.1(647)
- rubella Z20.4(648)
- sexually transmitted disease Z20.2(649)
- smallpox (laboratory) Z20.8(650)
- soil pollution Z58.3(651)
 - - occupational Z57.8(652)
- syphilis Z20.2(653)
- terrorism Z65.4(654)
- torture Z65.4(655)
- toxic agents (gases) (liquids) (solids) (vapors)
 - - agricultural Z57.4(656)
 - - - nonoccupational Z58.5(657)
 - - industrial NEC Z57.5(658)
 - - - nonoccupational Z58.5(659)
- tuberculosis Z20.1(660)
- vibration Z58.8(661)
 - - occupational Z57.7(662)
- viral disease NEC Z20.8(663)
 - - hepatitis Z20.5(664)
- war Z65.5(665)
- water pollution Z58.2(666)

Exsanguination - *see Hemorrhage*

- fetal P50.9

Extrophy (congenital)

- abdominal contents Q45.8 2b

- bladder Q64.1

Extensive - *see condition*

Extra (*see also Accessory*)

- marker chromosomes Q92.6

- rib Q76.6

- - cervical Q76.5

Extraction

- with hook (fetus) P03.8
- after version O75.9 2a 2b
- breech NEC O75.9 2a 2b
- - affecting fetus or newborn P03.0 2b
- manual NEC O75.9 2a 2b
- menstrual Z30.3(667)
- vacuum (delivery) O75.9 2a 2b

Extrasystoles (supraventricular) I49.4

- atrial I49.1
- - newborn P29.1
- auricular I49.1
- - newborn P29.1
- junctional I49.2
- - newborn P29.1
- newborn P29.1
- ventricular I49.3 2b
- - newborn P29.1

Extrauterine gestation or pregnancy (*see also* Pregnancy, by site) O00.9 2b

Extravasation

- blood (*see also* Hemorrhage) R58 2a 2b
- chyle into mesentery I89.8 2b
- traumatic
- - specified site, *see* Injury, by site
- urine R39.0 2b

Extremity - *see condition*, by site

Extrophy - *see* Extrophy

- colon and cloaca Q45.8 2b

Extroversion

- bladder Q64.1
- uterus (sequela, obstetric) N81.4
- - complicating delivery O71.2

Extrusion

- eye implant (ball) (globe) T85.3
- intervertebral disc - *see* Displacement, intervertebral disc

Exudate, pleural - *see* Effusion, pleura

Exudative - *see condition*

Eye, eyeball, eyelid - *see condition*

Eyestrain H53.1

Eyeworm disease of Africa B74.3

F

Faber's syndrome D50.9

Fabry(-Anderson) disease E75.2 2b

Face, facial - *see also* condition

- presentation, affecting fetus or newborn P01.7

Faciocephalgia, autonomic (*see also* Neuropathy, peripheral, autonomic) G90.0

Factor(s)

- psychic, associated with diseases classified elsewhere F54
- psychological
- - affecting physical conditions F54
- - or behavioral
- - - affecting general medical condition F54

FADS (fetal akinesia deformation sequence) Q74.3

Fahr's disease (of brain) G23.8

Failure, failed

- adrenal E27.4
- aortic (valve) I35.8
- - rheumatic I06.8
- - - active or acute I01.1 2a 2b
- attempted abortion - *see* Abortion, attempted
- biventricular I50.0 2a 2b

- - advanced I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - fetal, fetus P29.8
- - grave I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - newborn P29.0
- - severe I50.00 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- body (multiorgan) (total) R68.8 2a 2b
- bone marrow D61.9 2b
- bypass T85.8 2b
- cardiac (*see also* Failure, heart) I50.9 2a 2b
- - newborn P29.0
- cardiopulmonary (acute) (chronic) (*see also* Failure, heart) R09.2 2a 2b
- - congested, congestive I50.0 2a 2b
- - - advanced I50.00 2a 2b
- - - grave I50.00 2a 2b
- - - severe I50.00 2a 2b
- - newborn P29.0
- cardiorenal (chronic) I50.9 2a 2b
- - fetal, fetus P29.8
- - hypertensive I13.2 2a
- - newborn P29.0
- cardiorespiratory (acute) (chronic) (*see also* Failure, heart) R09.2 2a 2b
- - during or resulting from a procedure T81.8 2a 2b
- - - long-term effect of cardiac surgery I97.1
- - renal (*see also* Failure, cardiorenal) I50.9 2a 2b
- cardiovascular (*see also* Failure, cardiac) I50.9 2a 2b
- - newborn P29.0
- - pulmonary I50.9 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- central respiratory G93.8 2b
- cerebrovascular I67.9 2a 2b
- cervical dilatation in labor O62.0
- - affecting fetus or newborn P03.6
- circulation, circulatory (peripheral) R57.9 2a 2b
- compensation - *see* Disease, heart
- compliance with medical treatment or regimen Z91.1(668)
- conduction mechanism I45.9 2a 2b
- congestive (*see also* Failure, heart, congestive) I50.0 2a 2b
- - circulatory I50.0 2a 2b
- - - advanced I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - fetal, fetus P29.8
- - - grave I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - newborn P29.0
- - - severe I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - pulmonary (*see also* Congestion, lung) J81 2a 2b
- coronary (*see also* Insufficiency, coronary) I24.8
- descent of head (at term) (mother) O32.4
- - affecting fetus or newborn P03.1
- engagement of head NEC (at term) (mother) O32.4
- erection (penile) F52.2
- examination(s), anxiety concerning Z55.2(669)
- expansion, terminal respiratory units (newborn) (primary) P28.0 2a 2b
- fetal head to enter pelvic brim (mother) O32.4

- - affecting fetus or newborn P03.1
- forceps NEC (with subsequent delivery by cesarean section) O66.5
- - affecting fetus or newborn P03.1
- genital response F52.2
- heart (acute) (sudden) I50.9 2a 2b
- - with
 - - - acute pulmonary edema - *see* Failure, ventricular, left
 - - - decompensation (*see also* Failure, heart, congestive) I50.9 2a 2b
 - - - dilatation - *see* Disease, heart
- biventricular I50.0 2a 2b
- - fetal, fetus P29.8
- - - newborn P29.0
- - complicating
 - - - anesthesia (general) (local) or other sedation
 - - - during labor and delivery O74.2 2b
 - - - in pregnancy O29.1
 - - - postpartum, puerperal O89.1
- - delivery (cesarean) (instrumental) O75.4 2b
- - surgery T81.8 2a 2b
- - congenital I50.9 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - congestive I50.0 2a 2b
- - - advanced I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - biventricular I50.0 2a 2b
- - - advanced I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - fetal, fetus P29.8
- - - grave I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - severe I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - decompenated I50.0 2a 2b
- - - advanced I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - fetal, fetus P29.8
- - - grave I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - newborn P29.0
- - - severe I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - fetal, fetus P29.8
- - - grave I50.00 2a 2b
- - - - fetal, fetus P29.8
- - - - newborn P29.0
- - - newborn P29.0
- - - hypertensive (*see also* Hypertension, heart) I11.0 2a
- - - - with renal disease I13.0 2a
- - - - with renal failure I13.2 2a
- - left I50.1 2a
- - - fetal, fetus P29.8
- - - newborn P29.0
- - - newborn P29.0
- - - postoperative - *see* Failure, heart, postoperative
- - - rheumatic I09.9 2a 2b
- - - active or acute I01.8 2a
- - - severe I50.00 2a 2b

- - - fetal, fetus P29.8
- - - newborn P29.0
- - decompensated I50.9 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - degenerative (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- - due to presence of cardiac prosthesis I97.1
- - during or resulting from a procedure T81.8 2a 2b
- - - long-term effect of cardiac surgery I97.1
- - fetal, fetus P29.8
- - high output - *see* Disease, heart
- - hypertensive (*see also* Hypertension, heart) I11.0 2a
- - - with renal disease I13.0 2a
- - - - with renal failure I13.2 2a
- - ischemic I25.5 2a 2b
- - left (ventricular) (*see also* Failure, ventricular, left) I50.1 2a
- - - newborn P29.0
- - newborn P29.0
- - organic - *see* Disease, heart
- - postoperative I97.8 2b
- - - cardiac surgery I97.1
- - rheumatic (chronic) (inactive) I09.9 2a 2b
- - - active or acute I01.8 2a
- - right (ventricular) (secondary to left heart failure, conditions in I50.1 2a) (*see also* Failure, heart, congestive) I50.0 2a 2b
- - senile R54 2a 2b
- - thyrotoxic (*see also* Thyrotoxicosis) E05.9† 2b I43.8*
- - valvular - *see* Endocarditis
- - hepatic K72.90 2a 2b
- - acute K72.00 2a 2b
- - - alcoholic (acute) (chronic) (subacute) (with or without hepatic coma) K70.4 2a
- - chronic K72.10 2a 2b
- - due to drugs (acute) (chronic) (subacute) K71.1
- - postoperative K91.8 2a 2b
- - hepatorenal K76.7
- - hypothalamic E23.3
- - immune D89.9
- - induction (of labor) O61.9
- - abortion - *see* Abortion, attempted
- - by
 - - - oxytocic drugs O61.0
 - - - prostaglandins O61.0
 - - - instrumental O61.1
 - - - mechanical O61.1
 - - - medical O61.0
 - - - specified NEC O61.8
 - - - surgical O61.1
- - interposition
 - - colon K91.8 2a 2b
- - intestine K63.8
- - intubation during anesthesia T88.4
- - during pregnancy O29.6
- - in labor and delivery O74.7
- - postpartum, puerperal O89.6
- - involution, thymus (gland) E32.0
- - kidney N19 2a 2b
 - - with
 - - - hypertensive
 - - - - heart disease (conditions in I11 2a) I13.1 2a
 - - - - with heart failure (congestive) I13.2 2a
 - - - - kidney disease (*see also* Hypertension, kidney) I12.0
 - - - - tubular necrosis (acute) N17.0
 - - acute N17.9 2a 2b
 - - - with
 - - - - cortical necrosis N17.1

- - - medullary necrosis N17.2
- - - tubular necrosis N17.0
- - - following labour and delivery O90.4
- - - specified NEC N17.8
- - chronic N18.9 2a 2b
- - end-stage N18.5 2b
- - - hypertensive (*see also* Hypertension, kidney) I12.0
- - - stage 1 N18.1
- - - stage 2 N18.2
- - - stage 3 N18.3
- - - stage 4 N18.4
- - - stage 5 N18.5 2b
- - congenital P96.0 2a
- - diabetic (acute) (any stage) (chronic) (*see also* E10-E14 with fourth character .2) E14.2† 2b N08.3* 2b
- - - congenital P70.2
- - end-stage (acute) (chronic) N18.5 2b
- - following
- - - abortion (subsequent episode) O08.4 2b
- - - current episode - *see* Abortion
- - - crushing T79.5 2b
- - - ectopic or molar pregnancy O08.4 2b
- - - labour and delivery (acute) O90.4
- - hypertensive (*see also* Hypertension, kidney) I12.0
- - newborn N19 2a 2b
- - postprocedural N99.0 2b
- - lactation (complete) O92.3
- - partial O92.4
- - liver - *see* Failure, hepatic
- - lungs to expand, fetus or newborn P28.0 2a 2b
- - medullary R68.8 2a 2b
- - menstruation at puberty (*see also* Amenorrhea, primary) N91.0
- - metabolism
- - lipid E78.9
- - mitral (rheumatic) (valve) I05.8 2a
- - active or acute I01.1 2a 2b
- - nonrheumatic I34.8
- - multisystem(s), multisystemic R68.8 2a 2b
- - myocardial, myocardium (*see also* Failure, heart) I50.9 2a 2b
- - renal I50.9 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - nutritional E63.9 2a 2b
- - organ(s) (all) (end) (general) (multi) (multifactorial) (multiple) (system(s)) (total) R68.8 2a 2b
- - orgasm (female) (male) (psychogenic) F52.3
- - iatrogenic E89.4 2b
- - ovarian (primary) E28.3
- - postprocedural (postablative) (postirradiation) (postsurgical) E89.4 2b
- - ovulation causing infertility N97.0
- - pacemaker (cardiac) T82.1
- - pancreas K86.8 2b
- - peripheral R68.8 2a 2b
- - polyglandular, autoimmune E31.0
- - pulmonary J96.9 2a 2b
- - - acute J96.0 2a 2b
- - - chronic J96.1
- - - newborn P28.5 2a 2b
- - pulmonary valve I37.8
- - rheumatic I09.8
- - - active or acute I01.1 2a 2b
- - pump I50.9 2a 2b
- - - fetal, fetus P29.8
- - - newborn P29.0
- - renal - *see* Failure, kidney
- - renovascular - *see* Failure, renal
- - repair T88.8

- respiration, respiratory J96.9 2a 2b
- - acute J96.0 2a 2b
- - center, central G93.8 2b
- - chronic J96.1
- - newborn P28.5 2a 2b
- - postprocedural J95.8 2b
- rotation
 - - cecum Q43.3
 - - colon Q43.3
 - - intestine Q43.3
 - - kidney Q63.2
- segmentation - *see also* Fusion
- - fingers Q70.0
- - toes Q70.2
- - vertebra Q76.4
- - - with scoliosis Q76.3
- senile (general) R54 2a 2b
- sexual arousal (female) (male) F52.2
- sinoauricular (*see also* Failure, heart) I50.9 2a 2b
- system(s) (all) (end) (general) (multi) (multifactorial) (multiple) (total) R68.8 2a 2b
- testicular endocrine function E29.1
- to
 - - eat R63.6
 - - gain weight R62.8 2b
 - - take fluid R63.6
 - - - newborn P74.1
 - - take nourishment R63.6
 - - thrive R62.8 2b
 - - - resulting from HIV disease B22.2
- transplant T86.9
- - bone T86.8
- - - marrow T86.0
- - heart T86.2
- - - with lung(s) T86.3
- - intestine T86.8
- - kidney T86.1
- - liver T86.4
- - lung(s) T86.8
- - - with heart T86.3
- - pancreas T86.8
- - skin (allograft) (autograft) T86.8
- - specified organ or tissue NEC T86.8
- trial of labor (with subsequent cesarean section) O66.4
- - affecting fetus or newborn P03.1
- tricuspid (rheumatic) (valve) I07.8
- - active or acute I01.1 2a 2b
- urinary - *see* Failure, kidney
- vacuum extraction NEC (with subsequent cesarean section) O66.5
- - affecting fetus or newborn P03.1
- vascular R57.9 2a 2b
- ventilatory J96.9 2a 2b
- - acute J96.0 2a 2b
- - chronic J96.1
- - newborn P28.5 2a 2b
- ventouse NEC (with subsequent cesarean section) O66.5
- - affecting fetus or newborn P03.1
- ventricular (*see also* Failure, heart) I50.9 2a 2b
- - left I50.1 2a
 - - - with rheumatic fever (conditions in I00 2a 2b)
 - - - - active I01.8 2a
 - - - - with chorea I02.0
 - - - fetal, fetus P29.8
 - - - - inactive or quiescent (with chorea) I09.8
 - - - hypertensive (*see also* Hypertension, heart) I11.0 2a
 - - - newborn P29.0

- - - rheumatic (chronic) (inactive) (with chorea) I09.8
- - - active or acute I01.8 2a
- - - - with chorea I02.0
- - right (*see also* Failure, heart, congestive) I50.0 2a 2b
- viscera, visceral R68.8 2a 2b
- vital centers R68.8 2a 2b
- - fetus or newborn P91.8

Fainting (fit) R55**Fallen arches** M21.4

Falling, any organ or part - *see* Prolapse

Fallopian

- insufflation Z31.4(670)
- tube - *see condition*

Fallot's

- pentalogy Q21.8
- tetrad or tetralogy Q21.3

Fallout, radioactive (adverse effect) NEC T66 2b**Falls**

- repeated R29.6
- False** - *see also condition*
- joint M84.1 2b
- labor (pains) O47.9
- - after 37 completed weeks of gestation O47.1
- - before 37 completed weeks of gestation O47.0
- passage, urethra (prostatic) N36.0
- positive serological test for syphilis (Wassermann reaction) R76.2
- pregnancy F45.8

Family, familial - *see also condition*

- disruption Z63.8(671)
- - involving divorce or separation Z63.5(672)
- planning advice Z30.0(673)
- problem Z63.9(674)
- - specified NEC Z63.8(675)

Famine (effects of) T73.0 2a 2b

- edema (*see also* Malnutrition, severe) E43 2b

Fanconi-Albertini-Zellweger syndrome Q87.8 2b**Fanconi(-de Toni)(-Debré) syndrome** E72.0**Fanconi's anemia** D61.0**Farber's disease or syndrome** E75.2 2b**Farcy** A24.0 2a**Farmer's**

- lung J67.0
- skin L57.8

Farsightedness H52.0**Fascia** - *see condition***Fasciculation** R25.3 2b**Fasciculitis optica** H46**Fasciitis** M72.9

- diffuse (eosinophilic) M35.4
- necrotizing (diffuse) (polymicrobial) M72.6
- nodular M72.4
- perirenal (with ureteral obstruction) N13.5
- - with infection N13.6 2a 2b
- plantar M72.2
- specified NEC M72.8
- traumatic (old) M72.8
- - current - *code as* Sprain, by site

Fascioliasis B66.3

Fasciolopsis, fasciolopsis (buski) (intestinal) B66.5

Fat

- excessive E66.9 2b
- - in heart (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- in stool R19.5
- localized (pad) E65

- - heart (*see also* Degeneration, myocardial) I51.5 2a 2b

- - - arteriosclerotic I51.50 2a 2b

- - knee M79.4

- - retropatellar M79.4

- pad E65

- - knee M79.4

Fatal syncope (unexplained) R96.0 2b

Fatigue R53 2b

- combat F43.0

- complicating pregnancy O26.8

- heat (transient) T67.6

- muscle M62.6

- - respiratory J96.9 2a 2b

- myocardium (*see also* Failure, heart) I50.9 2a 2b

- nervous, neurosis F48.0

- operational F48.8

- postural, paradox M62.6

- psychogenic (general) F48.0

- senile R54 2a 2b

- syndrome F48.0

- voice R49.8

Fatness E66.9 2b

Fatty - *see also* condition

- apron E65

- degeneration - *see* Degeneration, fatty

- heart (enlarged) (*see also* Degeneration, myocardial) I51.5 2a 2b

- - arteriosclerotic I51.50 2a 2b

- liver NEC K76.0 2a 2b

- - alcoholic K70.0 2a

- necrosis - *see* Degeneration, fatty

Fauces - *see* condition

Faucitis J02.9 2a 2b

Favism (anemia) D55.0

Favus - *see* Dermatophytosis

Fazio-Londe disease or syndrome G12.1

Fear complex or reaction F40.9

Feared complaint unfounded Z71.1(676)

Febricula (continued) (simple) R50.9 2a

Febris, febrile (*see also* Fever) R50.9 2a

- flava (*see also* Fever, yellow) A95.9

- melitensis A23.0

- puerperalis O85

- recurrens (*see also* Fever, relapsing) A68.9

- rubra A38 2a 2b

Fecal - *see* condition

Fecalith (impaction) K56.4 2b

- appendix K38.1

- congenital P76.8

Feeble rapid pulse due to shock following injury T79.4 2a 2b

Feeble-minded F70 2a 2b

Feeding

- difficulties and mismanagement R63.3 2b

- faulty R63.3 2b

- formula check (infant) Z00.1(677)

- improper R63.3 2b

- problem R63.3 2b

- - newborn P92.9

- - - specified NEC P92.8

- - nonorganic F50.8

Feer's disease T56.1

Feet - *see* condition

Feigned illness Z76.5(678)

Feil-Klippel syndrome Q76.1

Fell dead R96.0 2b

Felon (with lymphangitis) L03.0

Felty's syndrome M05.0

Femur, femoral - *see condition*

Fenestration, fenestrated - *see also* Imperfect, closure

- aortopulmonary Q21.4
- cusps, heart valve NEC Q24.8 2b
- - pulmonary Q22.2
- pulmonic cusps Q22.2

Fertile eunuch syndrome E23.0 2b

Fertilization (assisted) NEC Z31.3(679)

- *in vitro* Z31.2(680)

Fetal - *see* Fetus

Fetalis uterus Q51.8

Fetid

- breath R19.6
- sweat L75.0

Fetishism F65.0

- transvestic F65.1

Fetus, fetal - *see also* condition

- alcohol syndrome (dysmorphic) Q86.0
- compressus (mother) O31.0 2b
- hydantoin syndrome Q86.1
- papyraceous (mother) O31.0 2b

Fever R50.9 2a

- with
 - - chills R50.8
 - - - in malarial regions B54 2b
 - - rigors R50.8
- abortus A23.1
- Aden (dengue) A90 2a
- African tick-borne A68.1
- American
 - - mountain (tick) A93.2
 - - spotted A77.0
 - - aphthous B08.8
 - arbovirus, arboviral A94 2a
 - - hemorrhagic A94 2a
 - - specified NEC A93.8
- Argentinian hemorrhagic A96.0
- Assam B55.0
- Australian Q A78 2a
- Bangkok hemorrhagic A91 2a
- Barmah forest A92.8
- *Bartonella* A44.0
- bilious, hemoglobinuric B50.8 2b
- blackwater B50.8 2b
- blister B00.1
- Bolivian hemorrhagic A96.1
- Bonvale dam T73.3
- boutonneuse A77.1 2a
- brain (*see also* Encephalitis) G04.9
- Brazilian purpuric A48.4
- breakbone A90 2a
- Bullis A77.0
- Bunyamwera A92.8
- Burdwan B55.0
- Bwamba A92.8
- Cameroon (*see also* Malaria) B54 2b
- cat-scratch A28.1
- central R50.9 2a
- Central Asian hemorrhagic A98.0
- cerebral (*see also* Encephalitis) G04.9
- cerebrospinal meningococcal A39.0† 2a G01* 2b
- Chagres B50.9
- Chandipura A92.8
- Changuinola A93.8

- Charcot's (biliary) (hepatic) (intermittent) K80.5
- Chikungunya (virus) (hemorrhagic) A92.0
- Chitral A93.1
- Colorado tick (virus) A93.2
- congestive (remittent) (*see also* Malaria) B54 2b
- Congo virus A98.0
- continued malarial B50.9
- Corsican (*see also* Malaria) B54 2b
- Crimean-Congo hemorrhagic A98.0
- Cyprus A23.0
- dandy A90 2a
- deer fly (*see also* Tularemia) A21.9
- dengue (virus) A90 2a
- - hemorrhagic A91 2a
- - sandfly A93.1
- desert B38.0† J99.8*
- due to heat T67.0
- dumdum B55.0
- enteroviral exanthematous (Boston exanthem) A88.0
- ephemeral (of unknown origin) R50.9 2a
- epidemic hemorrhagic A98.5† N08.0*
- erysipelatous (*see also* Erysipelas) A46 2a
- estivo-autumnal (malarial) B50.9
- etiocholanolone E85.0
- famine A75.0
- following delivery O86.4
- Fort Bragg A27.8
- gastromalarial (*see also* Malaria) B54 2b
- Gibraltar A23.0
- glandular B27.9 2a 2b
- Guama (viral) A92.8
- Haverhill A25.1
- hay (allergic) J30.1
- - with asthma (bronchial) J45.0 2b
- - due to
 - - - allergen other than pollen J30.3
 - - - pollen, any plant or tree J30.1
- heat (effects) T67.0
- hematuric, biliious B50.8 2b
- hemoglobinuric (biliious) (malarial) B50.8 2b
- hemorrhagic (arthropod-borne) NEC A94 2a
- - with renal syndrome A98.5† N08.0*
- - arenaviral A96.9
- - - specified NEC A96.8
- - Argentinian A96.0
- - Bangkok A91 2a
- - Bolivian A96.1
- - Central Asian A98.0
- - Chikungunya A92.0
- - Crimean-Congo A98.0
- - dengue (virus) A91 2a
- - epidemic A98.5† N08.0*
- - Junin (virus) A96.0
- - Korean A98.5† N08.0*
- - Machupo (virus) A96.1
- - mite-borne A93.8
- - mosquito-borne A92.8
- - Omsk A98.1
- - Philippine A91 2a
- - Russian A98.5† N08.0*
- - Singapore A91 2a
- - Southeast Asia A91 2a
- - Thailand A91 2a
- - tick-borne NEC A93.8
- - viral A99

- - - specified NEC A98.8 2b
- herpetic B00.1
- inanition R50.9 2a
- Indiana A93.8
- infective NEC B99 2a 2b
- intermittent (bilious) (*see also* Malaria) B54 2b
- - of unknown origin R50.9 2a
- - pernicious B50.9
- iodide
- - correct substance properly administered R50.2
- - overdose or wrong substance given or taken T48.4
- Japanese river A75.3
- jungle (*see also* Malaria) B54 2b
- Junin (virus) hemorrhagic A96.0
- Katayama B65.2
- kedani A75.3
- Kenya (tick) A77.1 2a
- Kew Garden A79.1
- Korean hemorrhagic A98.5† N08.0*
- Lassa A96.2
- Lone Star A77.0
- Machupo (virus) hemorrhagic A96.1
- Malta A23.9
- Marseilles A77.1 2a
- marsh (*see also* Malaria) B54 2b
- Mayaro (viral) A92.8
- Mediterranean A23.9
- - familial E85.0
- - tick A77.1 2a
- meningeal - *see* Meningitis
- metal fume T56.8
- Meuse A79.0
- Mexican A75.2
- mianeh A68.1
- miasmatic (*see also* Malaria) B54 2b
- mosquito-borne (viral) A92.9
- - hemorrhagic A92.8
- mountain A23.0
- - meaning Rocky Mountain spotted fever A77.0
- - tick (American) (viral) A93.2
- Mucambo (viral) A92.8
- mud A27.9
- Neapolitan A23.0
- newborn P81.9
- - environmental P81.0
- Nine Mile A78 2a
- non-exanthematous tick A93.2
- North Asian tick-borne A77.2 2a
- Omsk hemorrhagic A98.1
- O'nyong-nyong (viral) A92.1
- Oropouche (viral) A93.0
- Oroya A44.0
- paludal (*see also* Malaria) B54 2b
- Panama (malarial) B50.9
- Pappataci A93.1
- paratyphoid A01.4
- - A A01.1
- - B A01.2
- - C A01.3
- parrot A70 2a
- periodic (Mediterranean) E85.0
- persistent (of unknown origin) R50.8
- pharyngoconjunctival B30.2† H13.1*
- Philippine hemorrhagic A91 2a
- phlebotomus A93.1

- Piry (virus) A93.8
- Pixuna (viral) A92.8
- *Plasmodium ovale* B53.0
- polioviral (nonparalytic) B91 2a 2b
 - - active A80.4
 - - acute A80.4
- polymer fume T59.8 2a 2b
- Pontiac A48.2
- postoperative (due to infection) T81.4 2b
- pretibial A27.8
- puerperal O85
- putrid - *see* Septicemia
- pyemic - *see* Septicemia
- Q A78 2a
- quadrilateral A78 2a
- quartan (malaria) B52.9
- Queensland (coastal) (tick) A77.3 2a
- quintan A79.0
- rabbit (*see also* Tularemia) A21.9
- rat-bite A25.9
 - - due to
 - - - *Spirillum* A25.0
 - - - *Streptobacillus moniliformis* A25.1
- recurrent - *see* Fever, relapsing
- relapsing (*Borrelia*) A68.9
- - Carter's (Asiatic) A68.1
- - Dutton's (West African) A68.1
- - louse-borne A68.0
 - - Novy's
 - - - louse-borne A68.0
 - - - tick-borne A68.1
 - - Obermeye's (European) A68.0
 - - tick-borne A68.1
- remittent (congestive) (*see also* Malaria) B54 2b
- rheumatic (active) (acute) (chronic) (subacute) I00 2a 2b
 - - with central nervous system involvement I02.9
 - - active with heart involvement I01-
 - - inactive or quiescent with
 - - - cardiac hypertrophy I09.8
 - - - carditis I09.9 2a 2b
 - - - endocarditis I09.1 2a 2b
 - - - aortic (valve) I06.9 2a 2b
 - - - - with mitral (valve) disease I08.0 2a
 - - - mitral (valve) I05.9 2a 2b
 - - - - with aortic (valve) disease I08.0 2a
 - - - pulmonary (valve) I09.8
 - - - tricuspid (valve) I07.8
 - - - heart disease NEC I09.8
 - - - heart failure (congestive) (conditions in I50.0 2a 2b , I50.9 2a 2b) I09.8
 - - - left ventricular failure (conditions in I50.1 2a) I09.8
 - - - myocarditis, myocardial degeneration (conditions in I51.4 2a 2b) I09.0 2a 2b
 - - - pancarditis I09.9 2a 2b
 - - - pericarditis I09.2 2b
 - Rift Valley (viral) A92.4
 - Rocky Mountain spotted A77.0
 - Ross River B33.1
 - Russian hemorrhagic A98.5† N08.0*
 - San Joaquin (Valley) B38.0† J99.8*
 - sandfly A93.1
 - Sao Paulo A77.0
 - scarlet A38 2a 2b
 - septic - *see* Septicemia
 - seven-day (autumnal) (Japanese)(leptospirosis) A27.8
 - - dengue A90 2a
 - shin bone A79.0

- Singapore hemorrhagic A91 2a
 - solar A90 2a
 - Songo A98.5† N08.0*
 - sore B00.1
 - South African tick-bite A68.1
 - Southeast Asia hemorrhagic A91 2a
 - spinal - *see* Meningitis
 - spirillary A25.0
 - spotted A77.9 2a
 - - American A77.0
 - - cerebrospinal meningitis A39.0† 2a G01* 2b
 - - Colombian A77.0
 - - due to *Rickettsia*
 - - - *australis* A77.3 2a
 - - - *conorii* A77.1 2a
 - - - *rickettsii* A77.0
 - - - *sibirica* A77.2 2a
 - - - specified type NEC A77.8 2a
 - - Rocky Mountain A77.0
 - steroid
 - - correct substance properly administered R50.2
 - - overdose or wrong substance given or taken T38.0
 - streptobacillary A25.1
 - subtertian B50.9
 - Sumatran mite A75.3
 - sun A90 2a
 - swamp A27.9
 - Tahyna B33.8
 - tertian - *see* Malaria, tertian
 - Thailand hemorrhagic A91 2a
 - thermic T67.0
 - three-day A93.1
 - tick-bite NEC A93.8
 - tick-borne A93.8
 - - American mountain A93.2
 - - Colorado A93.2
 - - Kemerovo A93.8
 - - Quaranfil A93.8
 - - specified NEC A93.8
 - trench A79.0
 - tsutsugamushi A75.3
 - typhogastric A01.0
 - typhoid (abortive) (hemorrhagic) (intermittent) (malignant) A01.0
 - typhus - *see* Typhus (fever)
 - undulant (*see also* Brucella) A23.9
 - unknown origin R50.9 2a
 - uremic (*see also* Uremia) N19 2a 2b
 - uveoparotid D86.8
 - valley B38.0† J99.8*
 - Venezuelan equine A92.2
 - vesicular stomatitis A93.8
 - viral hemorrhagic - *see* Fever, hemorrhagic, by type of virus
 - Wesselsbron (viral) A92.8
 - West
 - - African B50.8 2b
 - - Nile (viral) A92.3
 - Whitmore's (*see also* Melioidosis) A24.4
 - Wolhynian A79.0
 - yellow A95.9
 - - jungle A95.0
 - - sylvatic A95.0
 - - urban A95.1
 - Zika (viral) A92.8
- Fibrillation** I49.8
- atrial or auricular (established) I48 2a 2b

- - newborn P29.1
- cardiac I49.8
- - newborn P29.1
- heart I49.8
- - newborn P29.1
- muscular M62.8
- newborn P29.1
- ventricular I49.0 2b
- - newborn P29.1

Fibrin

- ball or bodies, pleural (sac) J94.1
- chamber, anterior (eye) (gelatinous exudate) H20.0

Fibrinogenolysis - *see* Fibrinolysis**Fibrinogenopenia** D68.8

- acquired D65 2b
- congenital D68.2 2a 2b

Fibrinolysis (acquired) (hemorrhagic) D65 2b

- antepartum O46.0
- following
 - - abortion (subsequent episode) O08.1
 - - current episode - *see* Abortion
 - - ectopic or molar pregnancy O08.1
- intrapartum O67.0
- postpartum O72.3

Fibrinopenia (hereditary) (*see also* Afibrinogenemia) D68.2 2a 2b

- acquired D68.4

Fibrinopurulent - *see condition***Fibrinous** - *see condition***Fibroadenoma** (M9010/0)

- cellular intracanalicular (M9020/0) D24
- giant (M9016/0) D24
- intracanalicular (M9011/0)
- - cellular (M9020/0) D24
- - giant (M9020/0) D24
- - specified site - *see* Neoplasm, benign
- - unspecified site D24
- juvenile (M9030/0) D24
- pericanalicular (M9012/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D24
- phyllodes (M9020/0) D24
- prostate D29.1
- specified site NEC - *see* Neoplasm, benign
- unspecified site D24

Fibroadenosis, breast (chronic) (cystic) (diffuse) (periodic) (segmental) N60.2**Fibroangioma** (M9160/0) - *see also* Neoplasm, benign

- juvenile (M9160/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D10.6

Fibrochondrosarcoma (M9220/3) - *see* Neoplasm, cartilage, malignant**Fibrocystic**

- disease (*see also* Fibrosis, cystic) E84.9 2b
- - breast N60.1
 - - - with epithelial proliferation N60.3
- - liver Q44.6 2a
- - lung (congenital) E84.0
- - pancreas E84.9 2b
- - kidney (congenital) Q61.8
- - ovary E28.2

Fibrodysplasia ossificans progressiva M61.1**Fibroelastosis (cordis) (endocardial) (endomyocardial)** I42.4 2a 2b**Fibroemphysema** J43.9 2a 2b**Fibroid (tumor)** (M8890/0) - *see also* Neoplasm, connective tissue, benign

- disease, lung (chronic) (*see also* Fibrosis,lung) J84.1 2a 2b
- heart (disease) (*see also* Myocarditis) I51.4 2a 2b

- - arteriosclerotic I51.40 2a 2b
- in pregnancy or childbirth O34.1
- - affecting fetus or newborn P03.8
- - causing obstructed labor O65.5
- induration, lung (chronic) (*see also* Fibrosis, lung) J84.1 2a 2b
- lung (*see also* Fibrosis, lung) J84.1 2a 2b
- pneumonia (chronic) (*see also* Fibrosis, lung) J84.1 2a 2b
- uterus D25.9
- - affecting fetus or newborn P03.8

Fibrolipoma (M8851/0) - *see* Lipoma

Fibroliposarcoma (M8850/3) - *see* Neoplasm, connective tissue, malignant

Fibroma (M8810/0) - *see also* Neoplasm, connective tissue, benign

- ameloblastic (M9330/0) D16.5
- - upper jaw (bone) D16.4
- bone (nonossifying) M89.8 2b
- - ossifying (M9262/0) - *see* Neoplasm, bone, benign
- cementifying (M9274/0) - *see* Neoplasm, bone, benign
- chondromyxoid (M9241/0) - *see* Neoplasm, bone, benign
- desmoplastic (M8823/1) - *see* Neoplasm, connective tissue, uncertain behavior
- durum (M8810/0) - *see* Neoplasm, connective tissue, benign
- fascial (M8813/0) - *see* Neoplasm, connective tissue, benign
- invasive (M8821/1) - *see* Neoplasm, connective tissue, uncertain behavior
- molle (M8851/0) - *see* Lipoma
- myxoid (M8811/0) - *see* Neoplasm, connective tissue, benign
- nasopharynx, nasopharyngeal (juvenile) (M9160/0) D10.6
- nonosteogenic (nonossifying) - *see* Dysplasia, fibrous
- odontogenic (central) (M9321/0) D16.5
- - peripheral (M9322/0) D16.5
- - - upper jaw (bone) D16.4
- - upper jaw (bone) D16.4
- ossifying (M9262/0) - *see* Neoplasm, bone, benign
- periosteal (M8812/0) - *see* Neoplasm, bone, benign
- prostate D29.1
- soft (M8851/0) - *see* Lipoma

Fibromatosis M72.9

- abdominal (M8822/1) - *see* Neoplasm, connective tissue, uncertain behavior
- aggressive (M8821/1) - *see* Neoplasm, connective tissue, uncertain behavior
- congenital, generalized (M8824/1) - *see* Neoplasm, connective tissue, uncertain behavior
- gingival K06.1
- palmar (fascial) M72.0
- plantar (fascial) M72.2
- pseudosarcomatous (proliferative) (subcutaneous) M72.4
- retroperitoneal D48.3
- specified NEC M72.8

Fibromyalgia M79.7

Fibromyoma (M8890/0) - *see also* Neoplasm, connective tissue, benign

- uterus (corpus) (*see also* Leiomyoma) D25.9

- - in pregnancy or childbirth O34.1

- - - affecting fetus or newborn P03.8

- - - causing obstructed labor O65.5

Fibromyositis M79.7

Fibromyxolipoma (M8852/0) D17.9

Fibromyxoma (M8811/0) - *see* Neoplasm, connective tissue, benign

Fibromyxosarcoma (M8811/3) - *see* Neoplasm, connective tissue, malignant

Fibro-odontoma, ameloblastic (M9290/0) D16.5

- upper jaw (bone) D16.4

Fibro-osteoma (M9262/0) - *see* Neoplasm, bone, benign

Fibroplasia

- retroental H35.1

Fibropurulent - *see condition*

Fibrosarcoma (M8810/3) - *see also* Neoplasm, connective tissue, malignant

- ameloblastic (M9330/3) C41.1

- congenital (M8814/3)

- fascial (M8813/3)

- infantile (M8814/3)

- odontogenic (M9330/3) C41.1
- - upper jaw (bone) C41.0
- ovarii mucocellulare carcinomatodes C79.6 2a 2b
- periosteal (M8812/3) - *see* Neoplasm, bone, malignant

Fibrosclerosis

- breast N60.3
 - multifocal M35.5
 - penis (corpora cavernosa) N48.6
- ### **Fibrosis, fibrotic**
- adrenal (gland) E27.8
 - alcoholic K70.2 2a
 - amnion O41.8
 - anal papillae K62.8
 - arteriocapillary - *see* Arteriosclerosis
 - atrial (*see also* Myocarditis) I51.4 2a 2b
 - bladder N32.8
 - breast N60.3
 - capillary, lung (chronic) (*see also* Fibrosis, lung) J84.1 2a 2b
 - cardiac (*see also* Myocarditis) I51.4 2a 2b
 - - arteriosclerotic I51.40 2a 2b
 - cervix N88.8
 - chorion O41.8
 - corpus cavernosum (sclerosing) N48.6
 - cystic (of pancreas) E84.9 2b
 - - with
 - - - combined manifestations E84.8
 - - - distal intestinal obstruction (syndrome) E84.1 2b
 - - - intestinal manifestations E84.1 2b
 - - - pulmonary manifestations E84.0
 - - lung, acquired J98.4 2a 2b
 - - newborn P28.8
 - - specified NEC E84.8
 - due to device, implant or graft (*see also* Complications, by site and type, specified NEC) T85.8 2b
 - - arterial graft NEC T82.8 2b
 - - breast (implant) T85.8 2b
 - - catheter NEC T85.8 2b
 - - dialysis (renal) T82.8 2b
 - - - intraperitoneal T85.8 2b
 - - - infusion NEC T82.8 2b
 - - - spinal (epidural) (subdural) T85.8 2b
 - - - urinary (indwelling) T83.8 2b
 - - electronic (electrode) (pulse generator) (stimulator)
 - - - bone T84.8
 - - - cardiac T82.8 2b
 - - - nervous system (brain) (peripheral nerve) (spinal) T85.8 2b
 - - - urinary T83.8 2b
 - - fixation, internal (orthopedic) NEC T84.8
 - - gastrointestinal (bile duct) (esophagus) T85.8 2b
 - - genital NEC T83.8 2b
 - - heart NEC T82.8 2b
 - - joint prosthesis T84.8
 - - ocular (corneal graft) (orbital implant) NEC T85.8 2b
 - - orthopedic NEC T84.8
 - - specified NEC T85.8 2b
 - - urinary NEC T83.8 2b
 - - vascular NEC T82.8 2b
 - - ventricular intracranial shunt T85.8 2b
 - ejaculatory duct N50.8
 - endocardium (*see also* Endocarditis) I38 2a
 - endomyocardial (tropical) I42.3 2b
 - epididymis N50.8
 - eye muscle H50.6
 - heart (atrial) (*see also* Myocarditis) I51.4 2a 2b
 - - arteriosclerotic I51.40 2a 2b
 - hepatic - *see* Fibrosis, liver

- hepatolienal (portal hypertension) K76.6 2b
- hepatosplenic (portal hypertension) K76.6 2b
- infrapatellar fat pad M79.4
- interstitial J84.1 2a 2b
 - - lung J84.1 2a 2b
 - intrascrotal N50.8
 - kidney (*see also* Sclerosis, renal) N26 2a
 - liver K74.0 2a
 - - with sclerosis K74.2 2a
 - - - alcoholic K70.2 2a
 - - - alcoholic K70.2 2a
 - lung (atrophic) (capillary) (chronic) (confluent) (massive) (perialveolar) (peribronchial) J84.1 2a 2b
 - - with
 - - - aluminosis J63.0
 - - - amianthosis J61
 - - - anthracosilicosis J60 2a 2b
 - - - anthracosis J60 2a 2b
 - - - asbestosis J61
 - - - bagassosis J67.1
 - - - berylliosis J63.2
 - - - byssinosis J66.0
 - - - calcicosis J62.8
 - - - chalcosis J62.8
 - - - dust reticulation J64 2a 2b
 - - - farmer's lung J67.0
 - - - gannister disease J62.8
 - - - pneumoconiosis NEC J64 2a 2b
 - - - siderosis J63.4
 - - - silicosis J62.8
 - - - stannosis J63.5
 - - congenital P27.8
 - - diffuse (idiopathic) (interstitial) J84.1 2a 2b
 - - due to
 - - - bauxite J63.1
 - - - chemicals, gases, fumes or vapors (inhalation) J68.4
 - - - graphite J63.3
 - - - talc J62.0
 - - following radiation J70.1 2b
 - - idiopathic J84.1 2a 2b
 - - postinflammatory J84.1 2a 2b
 - - silicotic J62.8
 - - tuberculous - *see* Tuberculosis, pulmonary
 - lymphatic gland I89.8 2b
 - median bar N40 2a 2b
 - mediastinum (idiopathic) J98.5
 - meninges G96.1 2b
 - myocardium, myocardial (*see also* Myocarditis) I51.4 2a 2b
 - - arteriosclerotic I51.40 2a 2b
 - oviduct N83.8
 - pancreas K86.8 2b
 - penis NEC N48.6
 - pericardium, pericardial I31.0
 - - rheumatic I09.2 2b
 - - - active or acute I01.0 2a 2b
 - perineum, in pregnancy or childbirth O34.7
 - - causing obstructed labor O65.5
 - - - affecting fetus or newborn P03.1
 - placenta O43.8 2b
 - pleura J94.1
 - popliteal fat pad M79.4
 - portal K74.0 2a
 - prostate (chronic) N40 2a 2b
 - pulmonary (*see also* Fibrosis, lung) J84.1 2a 2b
 - - congenital P27.8
 - rectal sphincter K62.8

- retroperitoneal (idiopathic) (with ureteral obstruction) N13.5
- - with infection N13.6 2a 2b
- scrotum N50.8
- seminal vesicle N50.8
- senile R54 2a 2b
- skin NEC L90.5
- spermatic cord N50.8
- spleen D73.8
- - in schistosomiasis (bilharziasis) B65† 2a D77* 2b
- subendocardial I38 2a
- subepidermal (nodular) (M8832/0) - *see* Neoplasm, skin, benign, by site
- - breast D23.5
- - external site or area NEC D23.9
- - genital organ NEC - *see* Neoplasm, skin, benign, by site
- - scrotum D29.4
- submucous (oral) (tongue) K13.5
- testis N50.8
- - chronic, due to syphilis A52.7† 2a 2b N51.1*
- thymus (gland) E32.8
- tongue, submucous K13.5
- tunica vaginalis N50.8
- uterus (non-neoplastic) N85.8
- vagina N89.8
- valve, heart (*see also* Endocarditis) I38 2a
- vas deferens N50.8
- vein I87.8 2b

Fibrositis (periarticular) (rheumatoid) M79.7

Fibrothorax J94.1

Fibrotic - *see* Fibrosis

Fibrous - *see* condition

Fibroxanthoma (M8830/0) - *see also* Neoplasm, connective tissue, benign

- malignant (M8830/3) - *see* Neoplasm, connective tissue, malignant

Fibroxanthosarcoma (M8830/3) - *see* Neoplasm, connective tissue, malignant

Fiedler's

- disease (icterohemorrhagic leptospirosis) A27.0
- myocarditis (acute) I40.1

Fifth disease B08.3

Filaria, filarial, filariasis B74.9

- bancroftian B74.0
- due to
 - - *Brugia (malayi)* B74.1
 - - - *timori* B74.2
 - - *Mansonella ozzardi* B74.4
 - - *Wuchereria (bancrofti)* B74.0
- Malayan B74.1
- specified type NEC B74.8

Filatov's disease B27.0

File-cutter's disease T56.0

Fimbrial cyst Q50.4

Financial problem affecting care NEC Z59.9(681)

- bankruptcy Z59.8(682)
- foreclosure on loan Z59.8(683)

Finding in blood (of) (substance not normally found in blood) R78.9

- addictive drug NEC R78.4
- alcohol (excessive level) R78.0 2a 2b
- cocaine R78.2
- hallucinogen R78.3
- heavy metals (abnormal level) R78.7
- lithium (abnormal level) R78.8 2b
- opiate drug R78.1
- psychotropic drug R78.5
- specified substance NEC R78.8 2b
- steroid agent R78.6

Finger - *see* condition

Fire, Saint Anthony's (*see also* Erysipelas) A46 2a

Fire-setting

- pathological (compulsive) F63.1
- without manifest psychiatric disorder Z03.2(684)

Fisher's syndrome G61.0

Fish-hook stomach K31.8 2a

Fishmeal-worker's lung J67.8

Fissure, fissured

- anus, anal K60.2
 - - acute K60.0
 - - chronic K60.1
 - - congenital Q43.8
- ear, lobule, congenital Q17.8
- epiglottis (congenital) Q31.8
- larynx J38.7
 - - congenital Q31.8
- lip K13.0
- nipple N64.0
 - - puerperal, postpartum or gestational O92.1
- nose Q30.2
- palate (congenital) (*see also* Cleft, palate) Q35.9
- skin R23.4
- spine (congenital) (*see also* Spina bifida) Q05.9 2a 2b
 - - with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4
- tongue (acquired) K14.5
 - - congenital Q38.3

Fistula L98.8

- abdomen (wall) K63.2 2a 2b
 - - bladder N32.2
 - - intestine NEC K63.2 2a 2b
 - - ureter N28.8 2a 2b
 - - uterus N82.5
- abdominothoracic J86.0
- abdominouterine N82.5
- - congenital Q51.7
- accessory sinuses (*see also* Sinusitis) J32.9
- actinomycotic - *see* Actinomycosis
- alveolar antrum (*see also* Sinusitis, maxillary) J32.0
- anorectal K60.5
- antrobuccal (*see also* Sinusitis, maxillary) J32.0
- antrum (*see also* Sinusitis, maxillary) J32.0
- anus, anal (infectious) (recurrent) K60.3
 - - congenital Q43.6
 - - - with absence, atresia and stenosis Q42.2
 - - tuberculous A18.3† K93.0*
- aorta-duodenal I77.2
- aorta-enteric I77.2
- aortocutaneous I77.2
- appendix, appendicular K38.3
- arteriovenous (acquired) (nonruptured) I77.0 2b
 - - brain I67.1
 - - - congenital Q28.2 2a 2b
 - - - - ruptured I60.8 2a 2b
 - - - - ruptured I60.8 2a 2b
 - - - congenital (peripheral) Q27.3
 - - - brain Q28.2 2a 2b
 - - - - ruptured I60.8 2a 2b
 - - - pulmonary Q25.7
 - - coronary I25.4
 - - - congenital Q24.5
 - - pulmonary I28.0
 - - - congenital Q25.7
 - - surgically created (for dialysis) Z99.2(685)
 - - - complication NEC T82.9
 - - - - infection or inflammation T82.7
 - - - - mechanical T82.5

- - - - specified NEC T82.8 2b
- - traumatic - *see* Injury, blood vessel
- artery (any NEC) (carotid) (cerebral) (coronary) I77.2
- - pulmonary I28.8
- aural (mastoid) H70.1
- auricle H61.1
- - congenital Q18.1
- A.V. I77.0 2b
- Bartholin's gland N82.9
- bile duct (common) (hepatic) K83.3
- - with calculus, stones K80.5
- biliary (tract) (*see also* Fistula, bile duct) K83.3
- bladder (sphincter) NEC (*see also* Fistula, vesico-) N32.2
- - into seminal vesicle N32.2
- bone M89.8 2b
- - with osteomyelitis, chronic M86.4
- brain G96.0
- - arteriovenous (acquired) I67.1
- - - congenital Q28.2 2a 2b
- branchial (cleft) Q18.0
- branchiogenous Q18.0
- breast N61 2b
- - puerperal, postpartum or gestational, due to mastitis (purulent) O91.1
- bronchial J86.0
- bronchocutaneous, bronchomediastinal, bronchopleural, bronchopleuromediastinal (infective) J86.0
- - tuberculous NEC A16.4 2a 2b
- - - with bacteriological and histological confirmation A15.5 2a 2b
- bronchoesophageal J86.0
- - congenital Q39.2
- - - with atresia of esophagus Q39.1
- bronchopulmonary J86.0
- - congenital Q34.8
- bronchovisceral J86.0
- buccal cavity (infective) K12.2
- carotid-cavernous I77.0 2b
- cecosigmoidal K63.2 2a 2b
- cecum K63.2 2a 2b
- cerebrospinal (fluid) G96.0
- cervical, lateral Q18.1
- cervicoaural Q18.1
- cervicosigmoidal N82.4
- cervicovesical N82.1
- cervix N82.9
- chest (wall) J86.0
- cholecystenteric (*see also* Fistula, gallbladder) K82.3
- cholecystocolic (*see also* Fistula, gallbladder) K82.3
- cholecystocolonic (*see also* Fistula, gallbladder) K82.3
- cholecystoduodenal (*see also* Fistula, gallbladder) K82.3
- cholecystogastric (*see also* Fistula, gallbladder) K82.3
- cholecystointestinal (*see also* Fistula, gallbladder) K82.3
- choledochoduodenal (*see also* Fistula, bile duct) K83.3
- coccyx L05.9
- - with abscess L05.0
- colon K63.2 2a 2b
- colostomy K91.4
- common duct (*see also* Fistula, bile duct) K83.3
- congenital, site not listed - *see* Anomaly, by site
- coronary, arteriovenous I25.4
- - congenital Q24.5
- costal region J86.0
- cul-de-sac, Douglas' N82.9
- cutaneous L98.8
- cystic duct (*see also* Fistula, gallbladder) K82.3
- - congenital Q44.5
- duodenum K31.6

- ear (external) (canal) H61.8
- enterocolic K63.2 2a 2b
- enterocutaneous K63.2 2a 2b
- enterouterine N82.4
 - - congenital Q51.7
 - - enterovaginal N82.4
 - - congenital Q52.2
 - - large intestine N82.3
 - - small intestine N82.2
 - - epididymis N50.8
 - - tuberculous A18.1† 2a 2b N51.1*
 - - esophagobronchial J86.0
 - - congenital Q39.2
 - - - with atresia of esophagus Q39.1
 - - esophagocutaneous K22.8
 - - - with atresia of esophagus Q39.1
 - - esophagopleural-cutaneous J86.0
 - - - with atresia of esophagus Q39.1
 - - esophagotracheal J86.0
 - - - with atresia of esophagus Q39.1
 - - congenital Q39.2
 - - - with atresia of esophagus Q39.1
 - - ethmoid (*see also* Sinusitis, ethmoidal) J32.2
 - - eyeball (cornea) (sclera) H44.4
 - - eyelid H01.8
 - - fallopian tube, external N82.5
 - - fecal K63.2 2a 2b
 - - congenital Q43.6
 - - from periapical abscess K04.6
 - - frontal sinus (*see also* Sinusitis, frontal) J32.1
 - - gallbladder K82.3
 - - - with calculus, cholelithiasis, stones (*see also* Cholelithiasis) K80.2 2a 2b
 - - gastric K31.6
 - - - congenital Q40.2
 - - - tuberculous A18.3† K93.0*
 - - gastrocuteaneous K31.6
 - - gastroenterocolic K31.6
 - - gastrojejunal K31.6
 - - gastrojejunocolic K31.6
 - - genital tract
 - - - female N82.9
 - - - male N50.8
 - - - specified NEC N82.8
 - - - to
 - - - - intestine NEC N82.4
 - - - - skin N82.5
 - - hepatic artery-portal vein I77.0 2b
 - - - congenital Q26.6
 - - hepatopleural J86.0
 - - hepatopulmonary J86.0
 - - ileorectal or ileosigmoidal K63.2 2a 2b
 - - ileovaginal N82.2
 - - ileovesical N32.1
 - - ileum K63.2 2a 2b
 - - in ano K60.3
 - - - tuberculous A18.3† K93.0*
 - - inner ear (labyrinth) H83.1
 - - intestine NEC K63.2 2a 2b
 - - intestinocolonic (abdominal) K63.2 2a 2b
 - - intestinoureteral N28.8 2a 2b
 - - intestinouterine N82.4
 - - inteventinovaginal N82.4
 - - - large intestine N82.3
 - - - small intestine N82.2

- intestinovesical N32.1
- ischiorectal (fossa) K61.3
- jejunum K63.2 2a 2b
- joint M25.1
 - - tuberculous - *see* Tuberculosis, joint
- kidney N28.8 2a 2b
- labium (majus) (minus) N82.9
- labyrinth H83.1
- lacrimal (gland) (sac) H04.6
- lacrimonasal duct H04.6
- laryngotracheal J39.8
 - - congenital Q34.8
- larynx J38.7
- lip K13.0
 - - congenital Q38.0
- lumbar, tuberculous A18.0† 2a 2b M49.0*
- lung J86.0
- lymphatic I89.8 2b
- mammary (gland) N61 2b
- mastoid (process) (region) H70.1
- maxillary J32.0
- medial, face and neck Q18.8
- mediastinal J86.0
- mediastinobronchial J86.0
- mediastinocutaneous J86.0
- middle ear H74.8
- mouth K12.2
- nasal J34.8
 - - sinus (*see also* Sinusitis) J32.9
- nasopharynx J39.2
- nipple N64.0
- nose J34.8
- oesophago- - *see* Fistula, esophago-
- oesophagus - *see* Fistula, esophagus
- oral (cutaneous) K12.2
 - - maxillary J32.0
- - nasal (with cleft palate) (*see also* Cleft, palate) Q35.9
- orbit, orbital H05.8
- oroantral J32.0
- oviduct, external N82.5
- pancreatic K86.8 2b
- pancreaticoduodenal K86.8 2b
- parotid (gland) K11.4
- penis N48.8
- perianal K60.3
- pericardium (pleura) (sac) - *see* Pericarditis
- perineorectal K60.4
- perineum, perineal (with urethral involvement) NEC N36.0
 - - tuberculous A18.1† 2a 2b N37.8*
- - ureter N28.8 2a 2b
- perirectal K60.4
 - - tuberculous A18.3† K93.0*
- peritoneum K65.9 2a 2b
 - - newborn P78.1 2b
- pharyngoesophageal J39.2
- pharynx J39.2
 - - branchial cleft (congenital) Q18.0
- pilonidal (infected) (rectum) L05.9
 - - with abscess L05.0
- pleura, pleural, pleurocutaneous or pleuroperitoneal J86.0
 - - tuberculous NEC A16.5 2a 2b
 - - - with bacteriological and histological confirmation A15.6 2a 2b
- portal vein-hepatic artery I77.0 2b
 - - congenital Q26.6
- postauricular H70.1

- postoperative NEC (persistent) T81.8 2a 2b
- - tracheoesophageal - *see Fistula, tracheoesophageal*
- preauricular (congenital) Q18.1
- prostate N42.8
- pulmonary J86.0
 - - arteriovenous I28.0
 - - - congenital Q25.7
 - - tuberculous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
 - pulmonoperitoneal J86.0
 - rectolabial N82.4
 - rectosigmoid (intercommunicating) K63.2 2a 2b
 - rectoureteral N28.8 2a 2b
 - rectourethral N36.0
 - - congenital Q64.7
 - - rectouterine N82.4
 - - - congenital Q51.7
 - - rectovaginal N82.3
 - - - congenital Q52.2
 - - tuberculous A18.1† 2a 2b N74.1*
 - rectovesical N32.1
 - - congenital Q64.7
 - rectovesicovaginal N82.3
 - rectovulval N82.4
 - - congenital Q52.7
 - rectum (to skin) K60.4
 - - congenital Q43.6
 - - - with absence, atresia and stenosis Q42.0
 - - tuberculous A18.3† K93.0*
 - renal N28.8 2a 2b
 - retroauricular H70.1
 - salivary duct or gland (any) K11.4
 - - congenital Q38.4
 - scrotum (urinary) N50.8
 - - tuberculous A18.1† 2a 2b N51.8*
 - semicircular canals H83.1
 - sigmoid K63.2 2a 2b
 - - to bladder N32.1
 - - sigmoidovaginal N82.3
 - - - congenital Q52.9
 - sinus (*see also* Sinusitis) J32.9
 - skin L98.8
 - - to genital tract (female) N82.5
 - splenocolic D73.8
 - stercoral K63.2 2a 2b
 - stomach K31.6
 - sublingual gland K11.4
 - submandibular gland K11.4
 - thoracic J86.0
 - - duct I89.8 2b
 - - thoracoabdominal J86.0
 - - thoracogastric J86.0
 - - thoracointestinal J86.0
 - - thorax J86.0
 - - thyroglossal duct Q89.2
 - - thyroid E07.8
 - - trachea (external) (internal) J39.8
 - - - congenital Q32.1
 - - tracheoesophageal J86.0
 - - - congenital Q39.2
 - - - - with atresia of esophagus Q39.1
 - - - following tracheostomy J95.0
 - - traumatic arteriovenous (*see also* Injury, blood vessel) T14.5
 - - traumatic NEC - *see* Injury by site(s)
 - - tuberculous - *code as* Tuberculosis, by site
 - - umbilicourinary Q64.8

- urachus N32.8
- - congenital Q64.4
- ureter (persistent) N28.8 2a 2b
- ureteroabdominal N28.8 2a 2b
- ureterorectal N28.8 2a 2b
- uretersigmoido-abdominal N28.8 2a 2b
- ureterovaginal N82.1
- ureterovesical N32.2
- urethra N36.0
- - congenital Q64.7
- - tuberculous A18.1† 2a 2b N37.8*
- urethroperineal N36.0
- urethroperineovesical N32.2
- urethrorectal N36.0
- - congenital Q64.7
- urethrosrotal N50.8
- urethrovaginal N82.1
- urethovesical N32.2
- urinary (tract) (persistent) (recurrent) N36.0
- uteroabdominal N82.5
- - congenital Q51.7
- uteroenteric, uterointestinal N82.4
- - congenital Q51.7
- uterorectal N82.4
- - congenital Q51.7
- uteroureteric N82.1
- uterourethral Q51.7
- uterovaginal N82.8
- uterovesical N82.1
- - congenital Q51.7
- uterus N82.9
- vagina (wall) N82.9
- vaginocutaneous (postpartal) N82.5
- vaginointestinal NEC N82.4
- - large intestine N82.3
- - small intestine N82.2
- vaginoperineal N82.5
- valve
 - - aortic I35.8
 - - mitral I05.8 2a
 - - pulmonary I37.8
 - - tricuspid I07.8
- vesical NEC N32.2
- vesicoabdominal N32.2
- vesicocervicovaginal N82.1
- vesicocolic N32.1
- vesicocutaneous N32.2
- vesicoenteric N32.1
- vesicointestinal N32.1
- vesicometrorectal N82.4
- vesicoperineal N32.2
- vesicorectal N32.1
- - congenital Q64.7
- vesicosigmoidal N32.1
- vesicosigmoidovaginal N82.3
- vesicoureteral N32.2
- vesicoureterovaginal N82.1
- vesicourethral N32.2
- vesicourethrorectal N32.1
- vesicouterine N82.1
- - congenital Q51.7
- vesicovaginal N82.0
- vulvorectal N82.4
- - congenital Q52.7

Fit R56.8 2b

- epileptic (*see also* Epilepsy) G40.9

- fainting R55

- hysterical F44.5

- newborn P90 2a

Fitting (of)

- artificial

- - arm (complete) (partial) Z44.0(686)

- - breast Z44.3(687)

- - eye Z44.2(688)

- - leg (complete) (partial) Z44.1(689)

- - colostomy belt Z46.5(690)

- - contact lenses Z46.0(691)

- - dentures Z46.3(692)

- - device NEC (related to) Z46.9(693)

- - abdominal Z46.5(694)

- - nervous system Z46.2(695)

- - orthodontic Z46.4(696)

- - orthotic Z46.7(697)

- - prosthetic (external) Z44.9(698)

- - - breast Z44.3(699)

- - - dental Z46.3(700)

- - - specified NEC Z44.8(701)

- - special senses Z46.2(702)

- - specified NEC Z46.8(703)

- - substitution

- - - auditory Z46.2(704)

- - - visual Z46.2(705)

- - - urinary Z46.6(706)

- - glasses (reading) Z46.0(707)

- - hearing aid Z46.1(708)

- - ileostomy device Z46.5(709)

- - intestinal appliance NEC Z46.5(710)

- - orthopedic device (brace) (cast) (corset) (shoes) Z46.7(711)

- - pacemaker (cardiac) Z45.0(712)

- - prosthesis (external) Z44.9(713)

- - breast Z44.3(714)

- - specified NEC Z44.8(715)

- - spectacles Z46.0(716)

- - wheelchair Z46.8(717)

Fitz Hugh and Curtis syndrome A54.8† 2b K67.1*

- chlamydial A74.8† K67.0*

- gonococcal A54.8† 2b K67.1*

Fixation

- joint - *see* Ankylosis

- larynx J38.7

- stapes H74.3

- - deafness (*see also* Deafness, conductive) H90.2

- - uterus (acquired) - *see* Malposition, uterus

- vocal cord J38.3

Flabby ridge K06.8

Flaccid - *see also* condition

- palate, congenital Q38.5

Flail

- chest (*see also* Fracture, rib(s), multiple) S22.5

- - newborn (birth injury) P13.8

- joint (paralytic) M25.2

- mitral valve (leaflet) I34.1

Flajani's disease E05.0 2b

Flashbacks (residual to alcohol or drug use) - *code to* F10-F19 with fourthcharacter .7 F1x.7

Flat - *see also* Anomaly, by site

- chamber (eye) H44.4

- chest, congenital Q67.8

- cord (umbilical) P02.5

- foot (acquired) (fixed type) (painful) (postural) M21.4

- - congenital Q66.5

- - rachitic (late effect) E64.3 2a 2b
- - rigid Q66.5
- - spastic (everted) Q66.5
- pelvis M95.5
- - with disproportion (fetopelvic) O33.0
- - - affecting fetus or newborn P03.1
- - - causing obstructed labor O65.0
- - congenital Q74.2

Flatau-Schilder disease G37.0

Flatback syndrome M40.3

Flattening

- head, femur M89.8 2b
- hip M91.2
- nose (congenital) Q67.4

Flatulence R14

- psychogenic F45.3 2b

Flatus R14

- vaginalis N89.8

Flax-dresser's disease J66.1

Flea bite - *see* Injury, superficial

Flecks, glaucomatous (subcapsular) H26.2

Fleischer-Kayser ring (cornea) H18.0

Fleshy mole O02.0

Flexibilitas cerea - *see* Catalepsy

Flexion

- cervix (*see also* Malposition, uterus) N85.4
- contracture, joint (*see also* Contraction, joint) M24.5 2b
- deformity, joint M21.2
- - hip, congenital Q65.8
- uterus (*see also* Malposition, uterus) N85.4
- - lateral - *see* Lateroversion, uterus

Flexner's dysentery A03.1

Flexure - *see* Flexion

Flint murmur (aortic insufficiency) I35.1 2b

Floater, vitreous H43.3

Floating

- cartilage (joint) M24.0
- - knee M23.4
- gallbladder, congenital Q44.1
- kidney N28.8 2a 2b
- - congenital Q63.8
- spleen D73.8

Floor - *see* condition

Floppy

- mitral valve I34.1

Floppy baby syndrome (nonspecific) P94.2

Flu - *see* Influenza

Fluctuating blood pressure I99 2a 2b

Fluid

- abdomen R18 2b
- amnion, amniotic - *See* Amnion, fluid
- chest J94.8
- heart (*see also* Failure, heart, congestive) I50.0 2a 2b
- joint M25.4
- loss (acute) E86 2a 2b
- - due to
 - - - medical care NEC E89.8 2b
- pericardium, pericardial I31.8
- - rheumatic I09.2 2b
- - - active or acute I01.0 2a 2b
- peritoneal cavity R18 2b
- pleural cavity J94.8

Flukes NEC (*see also* Infestation, fluke) B66.9

- blood NEC (*see also* Schistosomiasis) B65.9

- liver B66.3

Fluor (vaginalis) N89.8

- trichomonal or due to *Trichomonas (vaginalis)* A59.0

Fluorosis

- dental K00.3

- skeletal M85.1

Flushing R23.2**Flutter I49.8**

- atrial or auricular I48 2a 2b

- - newborn P29.1

- heart I49.8

- - atrial I48 2a 2b

- - - newborn P29.1

- - newborn P29.1

- - ventricular I49.0 2b

- - - newborn P29.1

- newborn P29.1

- ventricular I49.0 2b

- - newborn P29.1

Fochier's abscess - code as Abscess, by site**Focus, Assmann's (see also Tuberculosis,pulmonary) A16.2 2a 2b****Fogo selvagem L10.3****Fold, folds (anomalous) - see also Anomaly,by site**

- Descemet's membrane H18.3

- epicanthic Q10.3

- heart Q24.8 2b

Folie à deux F24**Follicle**

- cervix (nabothian) (ruptured) N88.8

- nabothian N88.8

Follicular - see condition**Folliculitis L73.9**

- abscedens et suffodiens L66.3

- decalvans L66.2

- gonococcal (acute) (chronic) A54.0

- keloid, keloidal L73.0

- pustular L01.0 2a

- ulerythematosa reticulata L66.4

Folliculome lipidique (M8641/0)

- specified site - see Neoplasm, benign

- unspecified site

- - female D27

- - male D29.2

Fölling's disease E70.0**Food**

- asphyxia (from aspiration or inhalation) (see also Asphyxia, food) T17.9 2b

- choked on (see also Asphyxia, food) T17.9 2b

- deprivation T73.0 2a 2b

- - specified kind of food NEC E63.8

- lack of T73.0 2a 2b

- strangulation or suffocation (see also Asphyxia, food) T17.9 2b

Foot - see condition**Foramen ovale (nonclosure) (patent) (persistent) Q21.1 2b****Forbes' glycogen storage disease E74.0 2a 2b****Forced birth or delivery NEC O75.9 2a 2b**

- affecting fetus or newborn P03.8

Forceps delivery NEC O75.9 2a 2b

- affecting fetus or newborn P03.2

Fordyce-Fox disease L75.2**Fordyce's disease (mouth) Q38.6****Forearm - see condition****Foreign body**

- accidentally left during a procedure T81.5

- anterior chamber (eye) S05.5

- ciliary body (eye) S05.5

- entering through orifice

- - accessory sinus T17.0
- - air passage T17.9 2b
- - airway T17.9 2b
- - alimentary canal T18.9
 - - - multiple parts T18.8
 - - - specified part NEC T18.8
- - alveolar process T18.0
- - antrum (Highmore's) T17.0
- - anus T18.5
- - appendix T18.4
- - asphyxia due to (*see also* Asphyxia, food) T17.9 2b
- - auditory canal T16
- - auricle T16
- - bladder T19.1
- - bronchioles T17.8
- - bronchus (main) T17.5
- - buccal cavity T18.0
- - canthus (inner) T15.1
- - cecum T18.4
- - cervix (canal) (uteri) T19.3
- - colon T18.4
- - conjunctiva, conjunctival sac T15.1
- - cornea T15.0
- - digestive organ or tract NEC T18.9
 - - - multiple parts T18.8
 - - - specified part NEC T18.8
- - duodenum T18.3
- - ear (external) T16
- - esophagus T18.1
- - eye (external) NEC T15.9
 - - - multiple parts T15.8
 - - - specified part NEC T15.8
- - eyeball T15.8
- - eyelid T15.1
- - gastrointestinal tract T18.9
 - - - multiple parts T18.8
 - - - specified part NEC T18.8
- - genitourinary tract T19.9
 - - - multiple parts T19.8
 - - - specified part NEC T19.8
- - globe T15.8
- - gum T18.0
- - Highmore's antrum T17.0
- - hypopharynx T17.2 2b
- - ileum T18.3
- - intestine (small) T18.3
 - - - large T18.4
- - lacrimal apparatus, duct, gland or sac T15.8
- - large intestine T18.4
- - larynx T17.3
- - lung T17.8
- - maxillary sinus T17.0
- - mouth T18.0
- - nasal sinus T17.0
- - nasopharynx T17.2 2b
- - nose (passage) T17.1
- - nostril T17.1
- - oral cavity T18.0
- - palate T18.0
- - palate T18.0
- - penis T19.8
- - pharynx T17.2 2b
- - pyriform sinus T17.2 2b
- - rectosigmoid (junction) T18.5
- - rectum T18.5

- - respiratory tract T17.9 2b
- - - multiple parts T17.8
- - - specified part NEC T17.8
- - sinus (accessory) (frontal) (maxillary) (nasal) T17.0
- - - pyriform T17.2 2b
- - small intestine T18.3
- - stomach T18.2
- - suffocation by (*see also* Asphyxia, food) T17.9 2b
- - tear ducts or glands T15.8
- - throat T17.2 2b
- - tongue T18.0
- - tonsil, tonsillar (fossa) T17.2 2b
- - trachea T17.4 2b
- - ureter T19.8
- - urethra T19.0
- - uterus (any part) T19.3
- - vagina T19.2
- - vulva T19.2
- granuloma (old) (soft tissue) M60.2
- - skin L92.3
- in
 - - puncture wound - *see* Wound, by site
- - soft tissue (residual) M79.5
- inadvertently left in operation wound (causing adhesions, obstruction or perforation) T81.5
- ingestion, ingested NEC T18.9
- inhalation or inspiration (*see also* Asphyxia, food) T17.9 2b
- internal organ, not entering through a natural orifice - *code as* Injury, by site
- intraocular S05.5
 - old, retained (nonmagnetic) H44.7
 - - magnetic H44.6
 - iris S05.5
 - lens S05.5
 - lid (eye) T15.1
 - ocular muscle S05.4
 - - old, retained H05.5
 - old or residual, soft tissue M79.5
 - operation wound, left accidentally T81.5
 - orbit S05.4
 - - old, retained H05.5
 - respiratory tract T17.9 2b
 - - multiple parts T17.8
 - - specified part NEC T17.8
 - retained (nonmagnetic) (old) (in)
 - - anterior chamber (eye) H44.7
 - - - magnetic H44.6
 - - ciliary body H44.7
 - - - magnetic H44.6
 - - eyelid H02.8
 - - globe H44.7
 - - - magnetic H44.6
 - - intraocular H44.7
 - - - magnetic H44.6
 - - iris H44.7
 - - - magnetic H44.6
 - - lens H44.7
 - - - magnetic H44.6
 - - muscle M79.5
 - - orbit H05.5
 - - posterior wall of globe H44.7
 - - - magnetic H44.6
 - - retrobulbar H05.5
 - - soft tissue M79.5
 - - vitreous H44.7
 - - - magnetic H44.6
 - - retina S05.5

- superficial, without major open wound (*see also* Injury, superficial) T14.0 2b

- swallowed T18.9

- vitreous (humor) S05.5

Forestier's disease (rhizomelic pseudopolyarthritis) M35.3

- ankylosing hyperostosis M48.1

Formation

- bone in scar tissue (skin) L94.2

- Elschnig pearls (postcataract extraction) H26.4 2b

- hyalin in cornea H18.4

- sequestrum in bone (due to infection) M86.6

- valve

- - colon, congenital Q43.8

- - ureter (congenital) Q62.3 2a

Formication R20.2**Fort Bragg fever** A27.8**Fossa** - *see condition*

- pyriform - *see condition*

Fothergill's

- disease (scarlatina anginosa) A38 2a 2b

- syndrome (trigeminal neuralgia) (*see also* Neuralgia, trigeminal) G50.0

Foul breath R19.6**Found dead (cause unknown)** R98 2a 2b**Foundling** Z76.1(718)**Fournier's disease or gangrene or syndrome**

- female N76.8

- male N49.8

Fourth

- cranial nerve - *see condition*

- molar K00.1

Foville's (peduncular) disease or syndrome I67.8† G46.3***Fox(-Fordyce) disease** L75.2**Fracture (abduction) (adduction) (avulsion) (comminuted) (compression) (dislocation) (oblique) (separation)** T14.2 2a

2b

- with dislocation - *code as* Fracture only

- with infection - *code as* Fracture only

- acetabulum S32.4

- acromion (process) S42.1

- alveolus S02.8

- and dislocation - *code as* Fracture only

- ankle (bimalleolar) (trimalleolar) S82.8

- - both or bilateral T02.5 2b

- - talus S92.1

- arm

- - both or bilateral T02.4

- - meaning upper limb - *see* Fracture, limb, upper

- - upper S42.3

- - - specified NEC S42.8

- astragalus S92.1

- atlanto-occipital S12.0

- atlas S12.0

- axis S12.1

- back - *see* Fracture, vertebra

- Barton's S52.5

- base of skull S02.1

- basicervical (basal) (femoral) S72.0 2a 2b

- Bennett's S62.2

- bimalleolar S82.8

- blow-out S02.3

- body - *see* Fracture, trunk T02.1 2b

- bone T14.2 2a 2b

- - birth injury P13.9

- - following insertion of orthopedic implant, joint prosthesis or bone plate M96.6

- - in (due to) neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.0† 2a 2b M90.7*

- - pathological (cause unknown) (*see also* Fracture, pathological) M84.4 2a 2b

- bucket handle (semilunar cartilage) - *see* Tear, meniscus

- calcaneus S92.0
- calvarium S02.8
- carpal bone(s) NEC S62.1
- cervical (*see also* Fracture, vertebra, cervical) S12.9 2b
- chest S22.3 2a 2b
- clavicle (acromial end) (interligamentous) (shaft) S42.0
- - with other bone(s) or shoulder and upper arm S42.7
- - birth injury P13.4
- coccyx S32.2
- collar bone (*see also* Fracture, clavicle) S42.0
- Colles' (reversed) S52.5
- costochondral, costosternal junction S22.3 2a 2b
- - multiple S22.4 2b
- - - with flail chest S22.5
- cranium - *see* Fracture, skull
- cricoid cartilage S12.8
- cuboid (ankle) S92.2
- cuneiform
- - foot S92.2
- - wrist S62.1
- delayed union M84.2
- dislocation - *code as* Fracture only
- due to birth injury - *see* Birth injury, fracture
- Dupuytren's S82.6
- elbow S52.0
- - both or bilateral T02.4
- ethmoid (bone) (sinus) S02.1
- extremity, extremities - *see* Fracture, limb
- face bone S02.9 2a 2b
- - with skull bone(s) (multiple) S02.7
- - specified NEC S02.8
- fatigue M84.3
- - vertebra M48.4
- femur, femoral S72.9 2b
- - basicervical (basal) S72.0 2a 2b
- - birth injury P13.2 2b
- - both or bilateral (any part) T02.5 2b
- - condyles, epicondyles S72.4
- - distal end S72.4
- - epiphysis
- - - head S72.0 2a 2b
- - - lower S72.4
- - - upper S72.0 2a 2b
- - head S72.0 2a 2b
- - intertrochanteric S72.1
- - intratrochanteric S72.1
- - lower (end or extremity) S72.4
- - multiple S72.7
- - neck S72.0 2a 2b
- - pectrochanteric S72.1
- - shaft (lower third) (middle third) (upper third) S72.3
- - specified NEC S72.8
- - subcapital S72.0 2a 2b
- - subtrochanteric (region) (section) S72.2
- - transcervical S72.0 2a 2b
- - transtrochanteric S72.1
- fibula (alone) (styloid) S82.4
- - with tibia - *see* Fracture, tibia
- - both or bilateral T02.5 2b
- - involving ankle or malleolus S82.6
- finger (except thumb) S62.6
- - multiple (of one hand) S62.7
- foot S92.9
- - both or bilateral T02.5 2b
- - multiple S92.7

- forearm S52.9
- - both or bilateral T02.4
- - multiple S52.7
- - specified NEC S52.8
- fossa (anterior) (middle) (posterior) S02.1
- frontal (bone) (skull) S02.0
- - sinus S02.1
- glenoid (cavity) (scapula) S42.1
- greenstick - *see* Fracture, by site
- hallux S92.4
- hand NEC S62.8
- - both or bilateral T02.4
- - carpal (capitate) (hamate) (lunate) S62.1
- - - navicular (scaphoid) S62.0
- - - specified NEC S62.1
- - metacarpal S62.3
- - - first S62.2
- - - multiple S62.4
- - - specified NEC S62.3
- - phalanx S62.6
- - scaphoid (navicular, hand) S62.0
- head (*see also* Fracture, skull) S02.9 2a 2b
- healed or old with complications - *see* Nature of the complication
- heel bone S92.0
- - both or bilateral T02.5 2b
- hip (*see also* Fracture, femur, neck) S72.0 2a 2b
- - both or bilateral (any part) T02.5 2b
- - intertrochanteric S72.1
- humerus, humeral S42.3
- - anatomical neck S42.2
- - and clavicle, scapula (multiple) S42.7
- - articular process S42.4
- - both or bilateral (any part) T02.4
- - distal end S42.4
- - epiphysis
- - - lower S42.4
- - - upper S42.2
- - external condyle S42.4
- - great tuberosity S42.2
- - head S42.2
- - intercondylar S42.4
- - internal epicondyle S42.4
- - lesser tuberosity S42.2
- - lower end (articular process) or extremity S42.4
- - proximal end S42.2
- - shaft S42.3
- - supracondylar S42.4
- - surgical neck S42.2
- - tuberosity S42.2
- - upper end or extremity S42.2
- hyoid bone S12.8
- ilium S32.3
- impaction, impacted - *code as* Fracture, by site
- innominate bone S32.3
- ischium S32.8
- jaw (bone) (condyle) (coronoid (process)) (ramus) (symphysis) (lower) S02.6
- - upper S02.4
- knee cap S82.0
- - both or bilateral T02.5 2b
- larynx S12.8
- late effects - *see* Sequelae, fracture
- leg
- - both or bilateral T02.5 2b
- - lower S82.9
- - - multiple S82.7

- - meaning lower limb - *see* Fracture, limb, lower
- limb T14.2 2a 2b
- - lower T12 2b
- - - both T02.5 2b
- - - multiple (same limb) NEC T02.3
- - upper T10 2b
- - - both T02.4
- - - multiple (same limb) NEC T02.2
- lumbar spine S32.0
- - with pelvis (multiple) S32.7
- lumbosacral spine S32.8
- malar bone S02.4
- Malgaigne's S32.7
- malleolus S82.8
- - lateral S82.6
- - medial S82.5
- malunion M84.0
- mandible (condylar) (lower jaw) S02.6
- manubrium (sterni) S22.2
- march M84.3
- maxilla, maxillary (bone) (sinus) (superior) (upper jaw) S02.4
- - inferior S02.6
- metacarpal S62.3
- - first S62.2
- - multiple S62.4
- - specified NEC S62.3
- metastatic (M8000/6) C79.5† 2a 2b M90.7*
- - vertebra C79.5† 2a 2b M49.5*
- metatarsal bone S92.3
- Monteggia's S52.0
- multiple T02.9 2a 2b
- - sites other than bone - *see* Injury, by site, multiple
- - specified site - *see* Fracture, by site, multiple
- nasal (bone(s)) S02.2
- navicular (scaphoid, foot) S92.2
- - hand S62.0
- neck S12.9 2b
- neoplastic NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b M90.7*
- neural arch - *see* Fracture, vertebra
- non-healing M84.1 2b
- nonunion M84.1 2b
- nose, nasal (bone) (septum) S02.2
- occiput S02.1
- odontoid process S12.1
- olecranon (process) (ulna) S52.0
- orbit, orbital (bone) (region) S02.8
- - floor (blow-out) S02.3
- - roof S02.1
- os
- - calcis S92.0
- - magnum S62.1
- - pubis S32.5
- palate S02.8
- parietal bone (skull) S02.0
- patella S82.0
- - both or bilateral T02.5 2b
- pathological (cause unknown) M84.4 2a 2b
- - with osteoporosis M80.9 2a
- - - disuse M80.2
- - - drug-induced M80.4
- - - idiopathic M80.5
- - - postmenopausal M80.0
- - - postoophorectomy M80.1
- - - postsurgical malabsorption M80.3
- - - specified NEC M80.8

- - due to neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b M90.7*
- pedicle (of vertebral arch) - *see* Fracture, vertebra
- pelvis, pelvic (bone) S32.8
- - multiple S32.7
- phalanx
- - foot S92.5
- - toe (except great) (*see also* Fracture, toe) S92.5
- pisiform S62.1
- pond S02.9 2a 2b
- prosthetic device, internal - *see* Complications, prosthetic device, by site, mechanical
- pubis S32.5
- radius S52.8
- - and ulna S52.7
- - - lower or distal ends S52.6
- - - shafts S52.4
- - both or bilateral (any part) T02.4
- - head S52.1
- - lower or distal end S52.5
- - multiple NEC S52.7
- - neck S52.1
- - shaft S52.3
- - upper or proximal end S52.1
- ramus
- - inferior or superior, pubis S32.5
- - mandible S02.6
- rib(s) S22.3 2a 2b
- - with flail chest S22.5
- - a combination of two or more S22.4 2b
- - multiple S22.4 2b
- - - with flail chest S22.5
- root, tooth S02.5
- sacroiliac joint S32.8
- sacrum S32.1
- scaphoid (hand) S62.0
- - foot S92.2
- scapula (acromial process) (body) (glenoid (cavity)) (neck) S42.1
- - with other bone(s) of shoulder and upper arm S42.7
- semilunar bone, wrist S62.1
- sequelae - *see* Sequelae, fracture
- sesamoid bone
- - foot S92.4
- - hand S62.1
- - other - *code as* Fracture, by site
- shoulder (girdle) S42.9
- - blade S42.1
- - specified NEC S42.8
- sites other than bones - *see* Injury, by site
- skull S02.9 2a 2b
- - with face bone(s) (multiple) S02.7
- - base S02.1
- - birth injury P13.0 2a 2b
- - frontal bone S02.0
- - parietal bone S02.0
- - vault S02.0
- Smith's S52.5
- specified site not indexed - *see* Fracture, by body region
- sphenoid (bone) (sinus) S02.1
- spine - *see* Fracture, vertebra
- spinous process - *see* Fracture, vertebra
- spontaneous (cause unknown) (*see also* Fracture, pathological) M84.4 2a 2b
- stave (of thumb) S62.2
- sternum S22.2
- - with flail chest S22.5
- stress M84.3
- - vertebra M48.4

- subtrochanteric S72.2
- - both or bilateral T02.5 2b
- supracondylar
- - elbow S42.4
- - - both or bilateral T02.4
- - leg S72.4
- symphysis pubis S32.5
- talus (ankle bone) S92.1
- - both or bilateral T02.5 2b
- tarsus, tarsal bone(s) S92.2
- temporal bone (styloid) S02.1
- thorax (bony) S22.9
- - specified NEC S22.8
- thumb (of one hand) S62.5
- thyroid cartilage S12.8
- tibia, tibial (shaft) (with fibula) S82.2
- - both or bilateral (any part) T02.5 2b
- - condyles S82.1
- - distal end S82.3
- - epiphysis
- - - lower S82.3
- - - upper S82.1
- - head (involving knee joint) S82.1
- - intercondyloid eminence S82.1
- - involving ankle or malleolus S82.5
- - lower end (with fibula) S82.3
- - plateau S82.1
- - proximal end S82.1
- - tuberosity S82.1
- - upper end or extremity S82.1
- toe (except great) S92.5
- - great S92.4
- tooth (root) S02.5
- trachea (cartilage) S12.8
- transverse process - *see* Fracture, vertebra
- trapezium or trapezoid bone S62.1
- trimalleolar S82.8
- triquetrum (cuneiform of carpus) S62.1
- trochanter (greater) (lesser) S72.1
- - both or bilateral T02.5 2b
- trunk (multiple) T02.1 2b
- tuberosity (external) - *code as* Fracture, by site
- ulna (shaft) S52.2
- - and radius
- - - lower or distal ends S52.6
- - - shafts S52.4
- - both or bilateral (any part) T02.4
- - coronoid process S52.0
- - head S52.8
- - lower (distal) end S52.8
- - multiple NEC S52.7
- - upper or proximal end S52.0
- unciform S62.1
- vault of skull S02.0
- vertebra, vertebral (back) (body) (column) (neural arch) (pedicle) (spinous process) (transverse process) T08 2b
- - atlas S12.0
- - axis S12.1
- - birth injury P11.5 2a 2b
- - cervical (teardrop) S12.9 2b
- - - axis S12.1
- - - first (atlas) S12.0
- - - multiple S12.7
- - - second (axis) S12.1
- - - specified NEC S12.2 2b
- - coccyx S32.2

- - dorsal S22.0
- - - multiple S22.1
- - fetus or newborn (birth injury) P11.5 2a 2b
- - lumbar S32.0
- - - multiple S32.7
- - metastatic (M8000/6) C79.5† 2a 2b M49.5*
- - sacrum S32.1
- - thoracic S22.0
- - - multiple S22.1
- vertex S02.0
- vomer (bone) S02.2
- wrist NEC S62.8
- both or bilateral T02.4
- xiphisternum, xiphoid (process) S22.2
- zygoma S02.4

Fragile, fragility R68.8 2a 2b

- autosomal site Q95.5
- bone, congenital (with blue sclera) Q78.0
- capillary (hereditary) D69.8
- hair L67.8
- nails L60.3
- non-sex chromosome site Q95.5
- vascular I99 2a 2b
- X chromosome Q99.2

Fragilitas

- cranium L67.8
- ossium (with blue sclerae) (hereditary) Q78.0
- unguis L60.3
- - congenital Q84.6

Frail, frailty R68.8 2a 2b

Frambesia, frambesial (tropica) (*see also* Yaws) A66.9

- initial lesion or ulcer A66.0
- primary A66.0

Frambeside

- gummatous A66.4
- of early yaws A66.2

Frambesioma A66.1

Franceschetti-Klein(-Wildervanck) disease or syndrome Q75.4

Francis' disease (*see also* Tularemia) A21.9

Franklin's disease (M9763/3) C88.2

Frank's essential thrombocytopenia D69.3 2a 2b

Fraser's syndrome Q87.0

Freckle(s) L81.2

- malignant melanoma in (M8742/3) - *see* Melanoma
- melanotic (Hutchinson's) (M8742/2) - *see* Melanoma, in situ

Frederickson's hyperlipoproteinemia, type (lipid phenotype)

- I and V E78.3
- IIA E78.0
- IIb and III E78.2 2b
- IV E78.1

Freeman-Sheldon syndrome Q87.0

Freezing (*see also* Effect, adverse, cold) T69.9 2b

Freiberg's disease (infraction of metatarsal head or osteochondrosis) M92.7

Frei's disease A55

Fremitus, friction, cardiac R01.2 2b

Frenum, frenulum

- external os Q51.8
- tongue (shortening) (congenital) Q38.1

Frequency of micturition (nocturnal) R35 2b

- psychogenic F45.3 2b

Frey's syndrome G50.8

Friction

- burn - *see* Burn, by site
- fremitus, cardiac R01.2 2b
- precordial R01.2 2b

- sounds, chest R09.8 2b

Friderichsen-Waterhouse syndrome or disease A39.1† 2a E35.1*

Friedländer's B (bacillus) NEC (*see also condition*) A49.8

Friedreich's

- ataxia G11.1 2a 2b
- combined systemic disease G11.1 2a 2b
- facial hemihypertrophy Q67.4
- sclerosis (cerebellum) (spinal cord) G11.1 2a 2b

Frigidity F52.0

Fröhlich's syndrome E23.6

Frontal - *see also condition*

- lobe syndrome F07.0 2b

Frostbite T35.7

- with

- - partial thickness skin loss - *see Frostbite, by site, superficial*
- - tissue necrosis - *see Frostbite, by site, with tissue necrosis*
- abdominal wall T35.3
- - with tissue necrosis T34.3
- - superficial T33.3
- ankle (and foot) (alone) T35.5
- - with
 - - leg - *see Frostbite, limb, lower*
 - - tissue necrosis T34.8
 - - superficial T33.8
- arm (meaning upper limb) (upper) - *see Frostbite, limb, upper*
- face T35.2
- - with tissue necrosis T34.0
- - superficial T33.0
- fingers T35.4
- - with tissue necrosis T34.5
- - superficial T33.5
- foot (and toes) (alone) T35.5
- - with
 - - leg - *see Frostbite, limb, lower*
 - - tissue necrosis T34.8
 - - superficial T33.8
- hand (and fingers) (alone) T35.4
- - with
 - - arm - *see Frostbite, limb, upper*
 - - tissue necrosis T34.5
 - - superficial T33.5
- head T35.2
- - with tissue necrosis T34.0
- - superficial T33.0
- hip (and thigh) T35.5
- - with tissue necrosis T34.6
- - superficial T33.6
- knee T35.5
- - with tissue necrosis T34.7
- - superficial T33.7
- leg
- - lower
 - - with tissue necrosis T34.7
 - - superficial T33.7
- - meaning lower limb - *see Frostbite, limb, lower*
- limb
 - - lower T35.5
 - - - with tissue necrosis T34.9
 - - - superficial T33.9
 - - upper T35.4
 - - - with tissue necrosis T34.4
 - - - superficial T33.4
- multiple body regions T35.6
- - with tissue necrosis T35.1
- - superficial T35.0

- neck T35.2
- - with tissue necrosis T34.1
- - superficial T33.1
- pelvis T35.3
- - with tissue necrosis T34.3
- - superficial T33.3
- superficial T33.9
- - multiple body regions T35.0
- - specified site NEC T33.9
- thigh T35.5
- - with tissue necrosis T34.6
- - superficial T33.6
- thorax T35.3
- - with tissue necrosis T34.2
- - superficial T33.2
- toes T35.5
- - with tissue necrosis T34.8
- - superficial T33.8
- trunk T35.3
- - with tissue necrosis T34.9
- - superficial T33.9
- wrist (and hand) (alone) T35.4
- - with
 - - - arm - *see* Frostbite, limb, upper
 - - - tissue necrosis T34.5
- - superficial T33.5

Frotteurism F65.8

Frozen (*see also* Effect, adverse, cold) T69.9 2b

- pelvis (female) N94.8 2b

- - male K66.8

- shoulder M75.0

Fructose-1,6-diphosphatase deficiency E74.1

Fructosemia (benign) (essential) E74.1

Fructosuria (essential) E74.1

Fuchs'

- dystrophy (corneal endothelium) H18.5
- heterochromic cyclitis H20.8

Fucosidosis E77.1

Fugue R68.8 2a 2b

- dissociative F44.1
- hysterical F44.1
- postictal in epilepsy G40.9
- reaction to exceptional stress (transient) F43.0

Fulminant, fulminating - *see condition*

Functional - *see also condition*

- bleeding (uterus) N93.8

Functioning, intellectual, borderline R41.8

Fundus - *see condition*

Fungemia NEC B49

- cryptococcal B45.7

Fungoma B49

Fungus, fungous

- cerebral G93.5 2a 2b
- disease NEC B49
- infection - *see* Infection, fungus
- Funiculitis (acute) (chronic) (endemic)** N49.1
- gonococcal (acute) (chronic) A54.2† N51.8*
- tuberculous A18.1† 2a 2b N51.8*

Funisitis

- affecting fetus or newborn P02.7

Funnel

- breast (acquired) M95.4
- - congenital Q67.6
- - late effect of rickets E64.3 2a 2b
- cervix

- - maternal, affecting fetus or newborn P01.0
- chest (acquired) M95.4
- - congenital Q67.6
- - late effect of rickets E64.3 2a 2b
- pelvis (acquired) M95.5
- - with disproportion (fetopelvic) O33.3
- - - affecting fetus or newborn P03.1
- - - causing obstructed labor O65.3
- - congenital Q74.2

FUO (fever of unknown origin) R50.9 2a

Furfur L21.0

Furrier's lung J67.8

Furrowed K14.5

- nail(s) (transverse) L60.4
- - congenital Q84.6
- tongue K14.5
- - congenital Q38.3

Furuncle (*see also* Abscess, by site) L02.9

- auricle (ear) H60.0
- ear, external H60.0
- external auditory canal H60.0
- eyelid H00.0
- labium (majus) (minus) N76.4
- lacrimal
- - gland H04.0
- - passages (duct) (sac) H04.3
- nose J34.0
- orbit, orbital H05.0
- vulva N76.4

Furunculosis (*see also* Abscess, cutaneous) L02.9

Fusion, fused (congenital)

- astragaloscaphoid Q74.2
- auditory canal Q16.1
- binocular with defective stereopsis H53.3
- cervical spine - *see* Fusion, spine
- choanal Q30.0
- cranial sutures, premature Q75.0
- cusps, heart valve NEC Q24.8 2b
- - mitral Q23.2
- - pulmonary Q22.1
- - tricuspid Q22.4
- ear ossicles Q16.3
- fingers Q70.0
- hymen Q52.3
- joint (acquired) - *see also* Ankylosis M24.6
- - congenital Q74.8
- kidneys (incomplete) Q63.1
- labium (majus) (minus) Q52.5
- larynx and trachea Q34.8
- limb, congenital Q74.8
- - lower Q74.2
- - upper Q74.0
- lobes, lung Q33.8
- lumbosacral (acquired) M43.2
- - congenital Q76.4
- - surgical Z98.1(719)
- nares, nose, nasal, nostril(s) Q30.0
- organ or site not listed - *see* Anomaly, by site
- ossicles Q79.9 2a 2b
- - auditory Q16.3
- ribs Q76.6
- sacroiliac (joint) (acquired) M43.2
- - congenital Q74.2
- - surgical Z98.1(720)
- spine (acquired) NEC M43.2

- - arthrodesis status Z98.1(721)
- - congenital Q76.4
- - postoperative status Z98.1(722)
- sublingual duct with submaxillary duct Q38.4
- testis Q55.1
- toes Q70.2
- tooth, teeth K00.2
- trachea and esophagus Q39.8
- twins Q89.4
- vagina Q52.4
- vertebra (arch) - *see* Fusion, spine
- vulva Q52.5

Fusospirillosis A69.1 2a

G

Gain in weight (abnormal) (excessive) (*see also* Weight, gain) R63.5

- pregnancy O26.0

Gaisböck's disease D75.1 2a 2b

Gait

- abnormality R26.8 2b
- ataxic R26.0 2b
- disturbance R26.8 2b
- paralytic R26.1 2b
- spastic R26.1 2b
- staggering R26.0 2b

Galactocele (breast) N64.8

- puerperal, postpartum O92.7

Galactophoritis N61 2b

- gestational, puerperal, postpartum O91.2

Galactorrhea O92.6

- not associated with childbirth N64.3

Galactosemia E74.2 2b

Galactosuria E74.2 2b

Galacturia R82.0

- schistosomiasis (bilharziasis) B65.0

Galen's vein - *see condition*

Gall duct - *see condition*

Gallbladder - *see condition*

Gallop rhythm R00.8 2b

- fetal P20.9
- newborn P29.1

Galloway-Mowat Syndrome Q87.8 2b

Gallstone (colic) (cystic duct) (gallbladder) (impacted) (multiple) K80.2 2a 2b

- with cholecystitis (chronic) K80.1 2a
- - acute K80.0
- bile duct (common) (hepatic) K80.5
- - with
 - - - cholecystitis (acute) (chronic) K80.4
- causing intestinal obstruction K56.3
- ileus K56.3
- specified NEC K80.8

Gambling Z72.6(723)

- pathological (compulsive) F63.0

Gammopathy

- associated with lymphoplasmacytic dyscrasia (M9765/1) D47.2
- monoclonal (M9765/1) D47.2
- - of undetermined significance D89.2 2b
- polyclonal D89.0

Gamma's disease D73.1 2b

Gandy-Nanta disease D73.1 2b

Gang

- activity, without manifest psychiatric disorder Z03.2(724)
- membership with dissocial behavior F91.2

Gangliocytoma (M9490/0) D36.1

Ganglioglioma (M9505/1) - *see* Neoplasm, uncertain behavior

Ganglion (compound) (diffuse) (joint) (tendon (sheath)) M67.4

- of yaws (early) (late) A66.6 2a 2b

- periosteal (*see also* Periostitis) M86.9

- tuberculous A18.0† 2a 2b M68.0*

Ganglioneuroblastoma (M9490/3) - *see* Neoplasm, nerve, malignant

Ganglioneuroma (M9490/0) D36.1

- malignant (M9490/3) - *see* Neoplasm, nerve, malignant

Ganglioneuromatosis (M9491/0) D36.1

Ganglionitis

- fifth nerve (*see also* Neuralgia, trigeminal) G50.0

- gasserian (postherpetic) (postzoster) B02.3† H58.8*

- geniculate G51.1

- - newborn (birth injury) P11.3

- - postherpetic, postzoster B02.2† G53.0*

- herpes zoster B02.2† G53.0*

- postherpetic geniculate B02.2† G53.0*

Gangliosidosis E75.1

- GM1 E75.1

- GM2 (adult) (infantile) (juvenile) E75.0 2b

- GM3 E75.1

Gangosa A66.5† J99.8*

Gangrene, gangrenous (dry) (moist) (skin) (ulcer) (*see also* Necrosis) R02 2a 2b

- with diabetes (mellitus) - *code to* E10-E14 with fourth character .5 E14.5 2a 2b

- abdomen (wall) R02 2a 2b

- alveolar K10.3

- appendix K35.8 2b

- - with

- - - peritoneal abscess K35.3

- - - peritonitis, generalized K35.2

- - - - with mention of perforation or rupture K35.2

- - - peritonitis, localized K35.3

- - - - with mention of perforation or rupture K35.3

- arteriosclerotic (general) (senile) I70.2 2a 2b

- auricle R02 2a 2b

- *Bacillus welchii* A48.0 2a

- bladder (infectious) N30.8 2a 2b

- bowel, cecum or colon - *see* Gangrene, intestine

- *Clostridium perfringens* or *welchii* A48.0 2a

- connective tissue R02 2a 2b

- cornea H18.8

- corpora cavernosa N48.2

- - noninfective N48.8

- cutaneous, spreading R02 2a 2b

- decubital - *see* Ulcer, decubitus

- diabetic (any site) - *code to* E10-E14 with fourth character .5 E14.5 2a 2b

- dropsical R02 2a 2b

- epidemic T62.2

- epididymis (infectional) (*see also* Epididymitis) N45.9

- Fournier's

- - female N76.8

- - male N49.8

- fusospirochetal A69.0

- gallbladder (ruptured) (*see also* Cholecystitis, acute) K81.0

- gas (bacillus) A48.0 2a

- hernia - *see also* Hernia, by site, with gangrene K46.1

- intestine, intestinal (hemorrhagic) (massive) K55.0 2a 2b

- - with

- - - mesenteric embolism K55.0 2a 2b

- - - obstruction (*see also* Obstruction, intestine) K56.6 2a 2b

- limb (lower) (upper) R02 2a 2b

- lung J85.0 2a 2b

- Meleney's (synergistic) L98.4 2a 2b

- mesentery K55.0 2a 2b

- - with intestinal obstruction (*see also* Obstruction, intestine) K56.6 2a 2b
- mouth A69.0
- ovary (*see also* Salpingo-oophoritis) N70.9
- pancreas K85.9 2a 2b
- penis N48.2
- - noninfective N48.8
- perineum R02 2a 2b
- pharynx (*see also* Pharyngitis) J02.9 2a 2b
- - Vincent's A69.1 2a
- presenile I73.1
- pulmonary J85.0 2a 2b
- pulpal (dental) K04.1
- Raynaud's I73.0
- retropharyngeal J39.2
- scrotum N49.2
- - noninfective N50.8
- senile (atherosclerotic) I70.2 2a 2b
- spermatic cord N49.1
- - noninfective N50.8
- spine R02 2a 2b
- spreading cutaneous R02 2a 2b
- stomatitis A69.0
- symmetrical I73.0
- testis (infectious) (*see also* Orchitis) N45.9
- - noninfective N50.8
- throat (*see also* Pharyngitis) J02.9 2a 2b
- - Vincent's A69.1 2a
- thyroid (gland) E07.8
- tuberculous NEC (*see also* Tuberculosis) A16.9 2a 2b
- tunica vaginalis N49.1
- - noninfective N50.8
- umbilicus R02 2a 2b
- uterus (*see also* Endometritis) N71.9 2b
- vas deferens N49.1
- - noninfective N50.8
- vulva N76.8

Gannister disease J62.8

Ganser's syndrome (hysterical) F44.8

Gardner-Diamond syndrome D69.2 2b

Gardner's syndrome D12.6

Gargoylism E76.0

Garré's disease, osteitis (sclerosing), osteomyelitis M86.8

Garrod's pad, knuckle M72.1

Gartner's duct

- cyst Q50.5
- persistent Q50.6

Gas

- asphyxia, asphyxiation, inhalation, poisoning, suffocation NEC T59.9 2b
- - specified gas - *see* Table of drugs and chemicals
- gangrene A48.0 2a
- on stomach R14
- pain R14

Gastralgia R10.1

- psychogenic F45.4

Gastrectasis K31.8 2a

- psychogenic F45.3 2b

Gastric - *see condition*

Gastrinoma (M8153/1)

- malignant (M8153/3)
- - pancreas C25.4
- - specified site NEC - *see* Neoplasm, malignant
- - unspecified site C25.4
- specified site - *see* Neoplasm, uncertain behavior
- unspecified site D37.7 2a

Gastritis (simple) K29.7 2b

- acute (erosive) K29.1
- - hemorrhagic K29.0
- - alcoholic K29.2 2a 2b
- - allergic K29.6
- - atrophic (chronic) K29.4
- - chemical K29.6
- - chronic (antral) (fundal) K29.5
- - - atrophic K29.4
- - - superficial K29.3
- - dietary counseling and surveillance Z71.3(725)
- - due to nutritional deficiency E63.9t 2a 2b K93.8*
- - eosinophilic K52.8
- - giant hypertrophic K29.6
- - granulomatous K29.6
- - hemorrhagic K29.6
- - - acute K29.0
- - hypertrophic (mucosa) K29.6
- - nervous (acute) F54
- - peptic K29.6
- - spastic K29.6
- - specified NEC K29.6
- - superficial chronic K29.3
- - tuberculous A18.8t 2a 2b K93.8*
- - ulcerative K29.6
- - viral NEC A08.4

Gastrocarcinoma (M8010/3) - *see* Neoplasm, malignant, stomach

Gastrocolic - *see condition*

Gastrocolitis (*see also* Colitis, Diarrhea, Enteritis, Enterocolitis, Gastroenteritis) A09.9 2a 2b

Gastrodisciasis, gastrodiscoidiasis B66.8

Gastroduodenitis K29.9

- virus, viral A08.4
- - specified type NEC A08.3

Gastrodynia R10.1

Gastroenteritis (acute) (*see also* Colitis, Diarrhea, Enteritis, Enterocolitis) A09.9 2a 2b

- actinic K52.8
- allergic K52.2
- chronic (noninfectious) K52.9 2a 2b
- dietetic K52.2
- due to
 - - *Cryptosporidium* A07.2
 - - food poisoning (*see also* Intoxication, foodborne) A05.9
 - - radiation K52.0 2b
 - - eosinophilic K52.8
- epidemic (*see also* Enteritis, infectious) A09.0 2a 2b
- food hypersensitivity K52.2
- granulomatous K50.1
- infectious (chronic) (*see also* Enteritis, infectious) A09.0 2a 2b
- nonbacterial, of infancy A08.5
- noninfectious K52.9 2a 2b
- - specified NEC K52.8
- pseudomembranous A04.7
- rotaviral A08.0 2a
- *Salmonella* A02.0
- septic (*see also* Enteritis, infectious) A09.0 2a 2b
- toxic K52.1 2b
- viral A08.4
 - - acute infectious A08.3
 - - epidemic A08.1
 - - - type Norwalk A08.1
 - - - infantile (acute) A08.3
 - - - Norwalk agent A08.1
 - - rotaviral A08.0 2a
 - - severe, of infants A08.3
 - - specified type NEC A08.3

Gastroenterocolitis (*see also* Colitis, Diarrhea, Enteritis, Enterocolitis, Gastroenteritis) A09.9 2a 2b

Gastroenteropathy (*see also* Gastroenteritis) A09.9 2a 2b

- acute, due to Norwalk agent A08.1
- infectious A09.0 2a 2b
- noninfectious K52.9 2a 2b

Gastroenteroptosis K63.4

Gastroesophagitis K20

Gastrointestinal - *see condition*

Gastrojejunal - *see condition*

Gastrojejunitis (noninfectious) (*see also* Colitis, Diarrhea, Enteritis, Enterocolitis, Gastroenteritis) K52.9 2a 2b

- infectious - *see* Enteritis

Gastrojejunocolic - *see condition*

Gastroliths K31.8 2a

Gastromalacia K31.8 2a

Gastroparesis K31.8 2a

- diabetic - *code to* E10-E14 with 4th character .4

- diabetorum - *code to* E10-E14 with 4th character .4

Gastropathy K31.90 2a 2b

Gastrophtosis K31.8 2a

Gastrorrhagia K92.2 2a 2b

- psychogenic F45.3 2b

Gastroschisis (congenital) Q79.3

Gastospasm (neurogenic) (reflex) K31.8 2a

- neurotic F45.3 2b

- psychogenic F45.3 2b

Gastostaxis K92.2 2a 2b

Gastrostenosis K31.8 2a

Gastrostomy

- attention to Z43.1(726)

- status Z93.1(727)

Gastrosuccorhea (continuous) (intermittent) K31.8 2a

- neurotic F45.3 2b

- psychogenic F45.3 2b

Gaucher's disease or splenomegaly (adult) (infantile) E75.2 2b

Gee(-Herter)(-Thaysen) disease K90.0 2b

Gélineau's syndrome G47.4

Gemination, tooth, teeth K00.2

Gemistocytoma (M9411/3)

- specified site - *see* Neoplasm, malignant

- unspecified site C71.9 2a 2b

General, generalized - *see condition*

Genital - *see condition*

Genito-anorectal syndrome A55

Genitourinary system - *see condition*

Genu

- extrosum (acquired) M21.1

- - congenital Q68.2

- - late effect of rickets E64.3 2a 2b

- - rachitic (old) E64.3 2a 2b

- - recurvatum (acquired) M21.8

- - congenital Q68.2

- - late effect of rickets E64.3 2a 2b

- - valgum (acquired) M21.0

- - congenital Q74.1

- - late effect of rickets E64.3 2a 2b

- - varum (acquired) M21.1

- - congenital Q74.1

- - late effect of rickets E64.3 2a 2b

Geographic tongue K14.1

Geophagia F50.8

Geotrichosis B48.3

Gephyrophobia F40.2

Gerhardt's syndrome J38.0

German measles (*see also* Rubella) B06.9

Germinoblastoma (diffuse) (M9676/3) C83.2 2a

- follicular (M9692/3) C82.1 2a

Germinoma (M9064/3) - *see* Neoplasm,malignant

Gerontoxon H18.4

Gerstmann-Badal F81.2

Gerstmann's (Straussler) (Straussler- Scheinker) (syndrome) E85.2

Gerstmann's developmental syndrome (Gerstmann-Badal) F81.2

Gestation (period) - *see also* Pregnancy

- ectopic - *see* Pregnancy, by site

- less than 28 weeks P07.2 2b

- multiple O30.9

- - specified NEC O30.8

- 28 weeks but less than 37 weeks P07.3 2a 2b

- 42 or more completed weeks P08.2 2b

Ghon Tercle, primary infection A16.7 2a 2b

Ghost vessels (cornea) H16.4

Ghoul hand A66.3

Giannotti-Crosti disease L44.4

Giant

- cell

- - epulis K06.8

- - peripheral granuloma K06.8

- esophagus, congenital Q39.5

- kidney, congenital Q63.3

- urticaria T78.3 2b

- - hereditary D84.1

Giantism E22.0 2a

Giardiasis A07.1

Gibert's disease or pityriasis L42

Giddiness R42

- hysterical F44.8

- psychogenic F45.8

Gierke's disease E74.0 2a 2b

Gigantism (pituitary) E22.0 2a

- constitutional E34.4

Gilbert's disease or syndrome E80.4

Gilchrist's disease B40.9

Gilford-Hutchinson disease E34.8

Gilles de la Tourette's disease or syndrome F95.2

Gingivitis K05.1

- acute K05.0

- - necrotizing A69.1 2a

- chronic (desquamative) (hyperplastic) (simple marginal) (ulcerative) K05.1

- necrotizing ulcerative (acute) A69.1 2a

- pellagrous E52† 2a 2b K93.8*

- - acute necrotizing A69.1 2a

- Vincent's A69.1 2a

Gingivostomatitis K14.0

Gingivosis K05.1

Gingivostomatitis K05.1

- herpesviral B00.2

- necrotizing ulcerative (acute) A69.1 2a

Gland, glandular - *see condition*

Glanders A24.0 2a

Glanzmann's disease or thrombasthenia D69.1

Glass-blower's disease (cataract) H26.8

Glaucoma H40.9

- with pseudoexfoliation of lens H40.1

- absolute H44.5

- acute H40.2

- - narrow angle H40.2

- - secondary NEC (*see also* Glaucoma, in) H40.5

- angle-closure (acute) (chronic) (intermittent) (primary) (residual state) H40.2

- borderline H40.0

- capsular (with pseudoexfoliation of lens) H40.1

- chronic H40.1

- - angle-closure H40.2

- - noncongestive H40.1
- - open-angle H40.1
- - simple H40.1
- closed angle H40.2
- congenital Q15.0
- corticosteroid-induced H40.6
- cyclic H40.2
- hypersecretion H40.8
- in (due to)
 - - amyloidosis E85† H42.0*
 - - aniridia Q13.1† H42.8*
 - - concussion of globe H40.3
 - - dislocation of lens H40.5
 - - disorder of lens NEC H40.5
 - - drugs H40.6
 - - endocrine disease NEC E34.9† 2b H42.0*
 - - eye
 - - - inflammation H40.4
 - - - trauma H40.3
 - - hypermature cataract H40.5
 - - iridocyclitis H40.4
 - - Lowe's syndrome E72.0† H42.0*
 - - metabolic disease NEC E88.9† H42.0*
 - - ocular disorders NEC H40.5
 - - onchocerciasis B73† 2a H42.8*
 - - retinal vein occlusion H40.5
 - - Rieger's anomaly Q13.8† H42.8*
 - - rubeosis of iris H40.5
 - - tumor of globe H40.5
 - infantile Q15.0
 - low-tension H40.1
 - malignant H40.2
 - narrow angle H40.2
 - newborn Q15.0
 - noncongestive (chronic) H40.1
 - nonobstructive H40.1
 - obstructive H40.2
 - - due to lens changes H40.5
 - open-angle (primary) (residual stage) H40.1
 - phacolytic H40.5
 - pigmentary H40.1
 - postinfectious H40.4
 - secondary NEC (*see also* Glaucoma, in) H40.5
 - simple (chronic) H40.1
 - simplex H40.1
 - specified NEC H40.8
 - suspect H40.0
 - syphilitic A52.7† 2a 2b H42.8*
 - traumatic H40.3
 - - newborn (birth injury) P15.3
 - tuberculous A18.5† H42.8*

Glaucomatous flecks (subcapsular) H26.2

Gleet (gonococcal) A54.0

Glénard's disease K63.4

Glioblastoma (multiforme) (M9440/3)

- with sarcomatous component (M9442/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C71.9 2a 2b
- giant cell (M9441/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C71.9 2a 2b
- specified site - *see* Neoplasm, malignant
- unspecified site C71.9 2a 2b

Glioma (malignant) (M9380/3)

- astrocytic (M9400/3)

- - specified site - *see* Neoplasm, malignant
- - unspecified site C71.9 2a 2b
- mixed (M9382/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C71.9 2a 2b
- nose Q30.8
- specified site NEC - *see* Neoplasm, malignant
- subependymal (M9383/1) D43.2 2a 2b
- - specified site - *see* Neoplasm, uncertain behavior
- - unspecified site D43.2 2a 2b
- unspecified site C71.9 2a 2b

Gliomatosis cerebri (M9381/3) C71.0

Glioneuroma (M9505/1) - *see* Neoplasm, uncertain behavior

Gliosarcoma (M9442/3)

- specified site - *see* Neoplasm, malignant
- unspecified site C71.9 2a 2b

Gliosis (cerebral) G93.8 2b

- spinal G95.8 2b

Globinuria R82.3 2b

Globus (hystericus) F45.8

Glomangioma (M8712/0) D18.0

Glomangiomyoma (M8713/0) D18.0

Glomangiosarcoma (M8710/3) - *see* Neoplasm, connective tissue, malignant

Glomerular

- disease in syphilis A52.7† 2a 2b N08.0*

- nephritis (*see also* Glomerulonephritis) N05-

Glomerulitis (*see also* Glomerulonephritis) N05-

Glomeruloarteriosclerosis (*see also* Hypertension, kidney) I12.9 2a 2b

Glomerulonephritis (*see also* Nephritis) N05-

Note - Where a term is indexed only at the three-character level, e.g. N01-, reference should be made to the list of fourth-character subdivisions in Volume 1, categories N00-N08.

- with edema (*see also* Nephrosis) N04-

- acute N00-

- chronic N03-

- crescentic (diffuse) NEC - *code to* N00-N07 with fourth character .7 N05.7

- dense deposit - *code to* N00-N07 with fourth character .6 N05.6

- diffuse

- - crescentic - *code to* N00-N07 with fourth character .7 N05.7

- - endocapillary proliferative - *code to* N00-N07 with fourth character .4 N05.4

- - membranous - *code to* N00-N07 with fourth character .2 N05.2

- - mesangial proliferative - *code to* N00-N07 with fourth character .3 N05.3

- - mesangiocapillary - *code to* N00-N07 with fourth character .5 N05.5

- - sclerosing (*see also* Failure, renal, chronic) N18.9 2a 2b

- endocapillary proliferative (diffuse) NEC - *code to* N00-N07 with fourth character .4 N05.4

- extracapillary NEC - *code to* N00-N07 with fourth character .7 N05.7

- focal (and segmental) - *code to* N00-N07 with fourth character .1 N05.1

- hypocomplementemic - *see* Glomerulonephritis, membranoproliferative

- IgA - *see* Nephropathy, IgA

- immune complex (circulating) NEC N05.8 2a 2b

- in (due to)

- - amyloidosis E85† N08.4*

- - bilharziasis B65† 2a N08.0*

- - cryoglobulinemia D89.1† N08.2*

- - defibrillation syndrome D65† 2b N08.2*

- - diabetes mellitus (*see also* E10-E14 with fourth character .2) E14.2† 2b N08.3* 2b

- - disseminated intravascular coagulation D65† 2b N08.2*

- - Fabry(-Anderson) disease E75.2† 2b N08.4*

- - Goodpasture's syndrome M31.0† 2a 2b N08.5*

- - hemolytic-uremic syndrome D59.3† N08.2*

- - Henoch(-Schönlein) purpura D69.0† 2a 2b N08.2*

- - lecithin cholesterol acyltransferase deficiency E78.6† N08.4*

- - microscopic polyangiitis M31.7† N08.5*

- - multiple myeloma (M9732/3) C90.0† 2b N08.1*

- - *Plasmodium malariae* B52.0† N08.0*

- - schistosomiasis B65† 2a N08.0*

- - septicemia A41† 2a 2b N08.0*
- - - streptococcal A40† 2a 2b N08.0*
- - - newborn P36.9
- - sickle-cell disorders D57† N08.2*
- - strongyloidiasis B78.9† N08.0*
- - subacute bacterial endocarditis I33.0† 2a 2b N08.8*
- - systemic lupus erythematosus M32.1† 2a 2b N08.5*
- - thrombotic thrombocytopenic purpura M31.1† N08.5*
- - Waldenström's macroglobulinemia (M9761/3) C88.0† 2a 2b N08.1*
- - Wegener's granulomatosis M31.3† N08.5*
- lobular, lobulonodular - *see Glomerulonephritis, membranoproliferative*
- membranoproliferative (diffuse) (type 1) (type 3) - *code to N00-N07 with fourth character .5* N05.5
- - dense deposit (type 2) NEC - *code to N00-N07 with fourth character .6* N05.6
- membranous (diffuse) NEC - *code to N00-N07 with fourth character .2* N05.2
- mesangial
- - IgA/IgG - *see Nephropathy, IgA*
- - proliferative (diffuse) NEC - *code to N00-N07 with fourth character .3* N05.3
- - mesangiocapillary (diffuse) NEC - *code to N00-N07 with fourth character .5* N05.5
- - necrotic, necrotizing NEC - *code to N00-N07 with fourth character .8* N05.8 2a 2b
- - nodular - *see Glomerulonephritis, membranoproliferative*
- postinfectious N05.9 2a 2b
- - acute N00.9 2a
- - chronic N03.9 2a 2b
- poststreptococcal NEC N05.9 2a 2b
- - acute N00-
- - chronic N03-
- - rapidly progressive N01-
- proliferative NEC - *code to N00-N07 with fourth character .8* N05.8 2a 2b
- - diffuse (lupus) M32.1† 2a 2b N08.5*
- rapidly progressive N01-
- - sclerosing, diffuse (*see also Failure, renal, chronic*) N18.9 2a 2b
- - specified pathology NEC - *code to N00-N07 with fourth character .8* N05.8 2a 2b
- - subacute - *see Nephritis, rapidly progressive*

Glomerulonephrosclerosis (*see also Hypertension, kidney*) I12.9 2a 2b

Glomerulonephrosis (*see also Nephrosis*) N04-

- intracapillary E14.2 2b

Glomerulopathy (*see also Glomerulonephritis*) N05-

Glomerulosclerosis (*see also Sclerosis, renal*) N26 2a

- diabetic - *see Diabetes*

- intracapillary E14.2† 2b N08.3* 2b

Glossalgia K14.6

Glossitis K14.0

- areata exfoliativa K14.1
- atrophic K14.4
- benign migratory K14.1
- chronic superficial K14.0
- cortical superficial, sclerotic K14.0
- Hunter's D51.0 2a 2b
- interstitial, sclerous K14.0
- median rhomboid K14.2
- Moeller's K14.0
- pellagrous E52† 2a 2b K93.8*
- superficial, chronic K14.0

Glossodynia K14.6

- exfoliativa K14.0

Glossopathy K14.9

Glossophytia K14.3

Glossoplegia K14.8

Glossopyrosis K14.6

Glossy skin L90.8

Glottis - *see condition*

Glottitis (*see also Laryngitis*) J04.0

Glucagonoma (M8152/0)

- malignant (M8152/3)

- - pancreas C25.4

- - specified site NEC - *see* Neoplasm, malignant
- - unspecified site C25.4
- pancreas D13.7 2a
- specified site NEC - *see* Neoplasm, benign
- unspecified site D13.7 2a

Glucoglycinuria E72.5

Glucose-galactose malabsorption E74.3

Glue

- ear H65.3
- sniffing (airplane) F18.1 2b
- - dependence F18.2 2b

Glycinemia E72.5

Glycinuria (renal) E72.0

Glycogen

- infiltration (*see also* Disease, glycogen storage) E74.0 2a 2b
- storage disease (*see also* Disease, glycogen storage) E74.0 2a 2b

Glycogenosis (diffuse) (generalized) (with hepatic cirrhosis) (*see also* Disease, glycogen storage) E74.0 2a 2b

- cardiac E74.0† 2a 2b I43.1*

Glycopenia E16.2 2b

Glycosuria R81 2b

- congenital R81 2b
- maternal, affecting fetus or newborn P00.8
- renal E74.8 2b

Gnathostoma spinigerum (infection) (infestation), gnathostomiasis (wandering swelling) B83.1

Goiter (plunging) (substernal) E04.9

- with
 - - hyperthyroidism (recurrent) (*see also* Goiter, toxic) E05.0 2b
 - - - adenomatous E05.2
 - - - nodular E05.2
 - - thyrotoxicosis (*see also* Goiter, toxic) E05.0 2b
 - - - adenomatous E05.2
 - - - nodular E05.2
 - adenomatous (*see also* Goiter, nodular) E04.9
 - congenital (nontoxic) E03.0
 - - diffuse E03.0
 - - parenchymatous E03.0
 - - transitory, with normal functioning P72.0
 - cystic E04.2
 - - due to iodine-deficiency E01.1
 - due to
 - - enzyme defect in synthesis of thyroid hormone E07.1 2b
 - - iodine-deficiency (endemic) E01.2
 - dyshormogenetic (familial) E07.1 2b
 - endemic (iodine-deficiency) E01.2
 - - diffuse E01.0
 - - multinodular E01.1
 - exophthalmic E05.0 2b
 - iodine-deficiency (endemic) E01.2
 - - diffuse E01.0
 - - multinodular E01.1
 - - nodular E01.1
 - lymphadenoid E06.3
 - multinodular (cystic) (nontoxic) E04.2
 - - toxic or with hyperthyroidism E05.2
 - neonatal NEC P72.0
 - nodular (nontoxic) (due to) E04.9
 - - with
 - - - hyperthyroidism E05.2
 - - - thyrotoxicosis E05.2
 - - endemic E01.1
 - - iodine-deficiency E01.1
 - - sporadic E04.9
 - - toxic E05.2
 - nontoxic E04.9
 - - diffuse (colloid) E04.0

- - multinodular E04.2
- - simple E04.0
- - specified NEC E04.8
- - uninodular E04.1
- simple E04.0
- toxic E05.0 2b
- - adenomatous E05.2
- - multinodular E05.2
- - nodular E05.2
- - uninodular E05.1
- - tumor, malignant (M8000/3) C73 2b
- uninodular (nontoxic) E04.1
- - toxic or with hyperthyroidism E05.1

Goiter-deafness syndrome E07.1 2b

Goldberg-Maxwell syndrome E34.5

Goldblatt's hypertension or kidney I70.1 2b

Goldenhar(-Gorlin) syndrome Q87.0

Goldflam-Erb disease or syndrome G70.0 2b

Goldscheider's disease Q81.8

Goldstein's disease I78.0

Golfer's elbow M77.0

Goltz-Gorlin syndrome (dermal hyperplasia) Q82.8 2b

Gonadoblastoma (M9073/1)

- specified site - *see* Neoplasm, uncertain behavior
- unspecified site
- - female D39.1
- - male D40.1

Gonarthrosis M17.9 2b

- post-traumatic (unilateral) M17.3
- - bilateral M17.2
- primary (unilateral) M17.1
- - bilateral M17.0
- secondary NEC (unilateral) M17.5 2b
- - bilateral M17.4 2b

Gonecystitis (*see also* Vesiculitis) N49.0

Gongylonemiasis B83.8

Goniosynechiae H21.5

Gonococcemia A54.8 2b

Gonococcus, gonococcal (disease) (infection) (*see also condition*) A54.9

- anus A54.6
- bursa, bursitis A54.4† 2b M73.0*
- complicating pregnancy, childbirth or puerperium O98.2
- - affecting fetus or newborn P00.2
- conjunctiva, conjunctivitis (neonatorum) A54.3† H13.1*
- endocardium A54.8† 2b I39.8*
- eye, newborn A54.3† H13.1*
- fallopian tubes (acute) (chronic) A54.2† N74.3*
- genitourinary (organ) (system) (tract) (acute)
- - lower A54.0
 - - - with abscess (accessory gland) (periurethral) A54.1
- - upper (*see also condition*) A54.2
- heart A54.8† 2b I52.0*
- iridocyclitis A54.3† H22.0*
- joint A54.4† 2b M01.3*
- lymphatic (gland) (node) A54.8 2b
- meninges, meningitis A54.8† 2b G01* 2b
- pelviperitonitis A54.2† N74.3*
- pelvis (acute) (chronic) A54.2
- pharynx A54.5
- pyosalpinx (acute) (chronic) A54.2† N74.3*
- rectum A54.6
- skin A54.8† 2b L99.8*
- specified site NEC A54.8 2b
- tendon sheath A54.4† 2b M68.0*
- urethra (acute) (chronic) A54.0

- - with abscess (accessory gland) (periurethral) A54.1

- vulva (acute) (chronic) A54.0

Gonocytoma (M9073/1)

- specified site - *see* Neoplasm, uncertain behavior

- unspecified site

- - female D39.1

- - male D40.1

Gonorrhea (acute) (chronic) A54.9

- Bartholin's gland (acute) (chronic) (purulent) A54.0

- - with abscess (accessory gland) (periurethral) A54.1

- bladder A54.0

- cervix A54.0

- complicating pregnancy, childbirth or puerperium O98.2

- - affecting fetus or newborn P00.2

- conjunctiva, conjunctivitis (neonatorum) A54.3† H13.1*

- Cowper's gland (with abscess) A54.1

- fallopian tube (acute) (chronic) A54.2† N74.3*

- kidney (acute) (chronic) A54.2† N29.1*

- lower genitourinary tract A54.0

- - with abscess (accessory gland) (periurethral) A54.1

- ovary (acute) (chronic) A54.2† N74.3*

- pelvis (acute) (chronic) A54.2

- - female pelvic inflammatory disease A54.2† N74.3*

- penis A54.0

- prostate (acute) (chronic) A54.2† N51.0*

- seminal vesicle (acute) (chronic) A54.2† N51.8*

- specified site not listed (*see also* Gonococcus) A54.8 2b

- spermatic cord (acute) (chronic) A54.2† N51.8*

- urethra A54.0

- - with abscess (accessory gland) (periurethral) A54.1

- vagina A54.0

- vas deferens (acute) (chronic) A54.2† N51.8*

- vulva A54.0

Goodall's disease A08.1

Goodpasture's syndrome M31.0 2a 2b

Gopalan's syndrome E53.9 2b

Gorlin-Chaudry-Moss syndrome Q87.0

Gottron's papules L94.4

Gougerot-Carteaud disease or syndrome L83

Goundou A66.6 2a 2b

Gout, gouty M10.9 2a 2b

- drug-induced M10.2

- idiopathic M10.0

- in (due to) renal impairment M10.3

- lead-induced M10.1 2b

- primary M10.0

- saturnine M10.1 2b

- secondary NEC M10.4 2a 2b

- syphilitic A52.7† 2a 2b M14.8*

- tophi NEC M10.0

- - ear M10.0† H62.8*

- - heart M10.0† I43.8*

Gower's muscular dystrophy G71.0

Gradenigo's syndrome H66.0

Graefe's disease H49.4

Graft-versus-host (GVH) disease (bone marrow) (bone marrow transplant rejection) T86.0

- transplants other than bone marrow - *see* Complications, organ or tissue transplant

Grainhandler's disease or lung J67.8

Grand mal G40.6

- epilepsy (idiopathic) G40.6

- - on awakening G40.3

- seizure (with or without petit mal) G40.6

- - on awakening G40.3

- status (epilepticus) G41.0

Granite worker's lung J62.8

Granular (*see also condition*)

- liver (*see also Cirrhosis*) K74.6 2a 2b

Granulation tissue (abnormal) (excessive) L92.9

- postmastoidectomy cavity H95.1

Granulocytopenia (malignant) (primary) D70**Granuloma** L92.9

- abdomen K66.8

- actinic L57.5

- annulare (perforating) L92.0 2b

- apical K04.5

- aural H60.4

- beryllium (skin) L92.3

- bone M86.8

- - eosinophilic D76.0 2b

- - from residual foreign body M86.8

- - marrow D75.8 2a 2b

- brain (any site) G06.0 2a 2b

- - in schistosomiasis B65† 2a G07* 2b

- canaliculus lacrimalis H04.6

- candidal (cutaneous) B37.2 2b

- cerebral (any site) G06.0 2a 2b

- coccidioidal (primary) (progressive) B38.7

- - lung B38.1† J99.8*

- - meninges B38.4† 2b G02.1*

- colon K63.8

- conjunctiva H10.4

- dental K04.5

- ear, middle H71

- eosinophilic D76.0 2b

- - bone D76.0 2b

- - lung D76.0 2b

- - oral mucosa K13.4

- - skin L92.2

- eyelid H01.8

- facial(e) L92.2

- fissuratum (gum) K06.8

- foreign body (in soft tissue) NEC M60.2

- - in operation wound T81.5

- - skin L92.3

- gangraenescens M31.2

- genito-inguinal A58

- giant cell (central) (jaw) (reparative) K10.1

- - gingiva (peripheral) K06.8

- gland (lymph) I88.8 2b

- hepatic NEC K75.3

- - in (due to)

- - - berylliosis J63.2† K77.8*

- - - sarcoidosis D86.8† K77.8*

- Hodgkin's (M9661/3) C81.7 2b

- ileum K63.8

- infectious NEC B99 2a 2b

- inguinale (Donovan) (venereal) A58

- intestine NEC K63.8

- intracranial (any site) G06.0 2a 2b

- intraspinal (any part) G06.1

- iridocyclitis H20.1

- jaw (bone) (central) K10.1

- - reparative giant cell K10.1

- kidney (*see also* Infection, kidney) N15.8

- lacrimal sac (nonspecific) H04.6

- larynx J38.7

- lethal midline (facial) M31.2

- liver NEC (*see also* Granuloma, hepatic) K75.3

- lung (infectious) (*see also* Fibrosis, lung) J84.1 2a 2b

- - coccidioidal B38.1† J99.8*

- - eosinophilic D76.0 2b
- Majocchi's B35.8
- malignant (facial(e)) M31.2
- mandible (central) K10.1
- midline (lethal) M31.2
- monilial (cutaneous) B37.2 2b
- myocardium, myocardial I40.9 2a
- operation wound T81.8 2a 2b
- - foreign body T81.5
- - stitch T81.8 2a 2b
- - talc T81.6
- oral mucosa K13.4
- orbit, orbital H05.1
- paracoccidioidal B41.8
- periapical K04.5
- peritoneum K66.8
- - due to ova of helminths NEC (*see also* Helminthiasis) B83.9† K67.8*
- postmastoidectomy cavity H95.0
- prostate N42.8
- pudendi (ulcerating) A58
- pulp, internal (tooth) K03.3
- pyogenic, pyogenicum (of) (skin) L98.0
- - gingiva K06.8
- - maxillary alveolar ridge K04.5
- - oral mucosa K13.4
- rectum K62.8
- reticulohistiocytic D76.3
- rubrum nasi L74.8
- septic (skin) L98.0
- silica (skin) L92.3
- sinus (accessory) (infective) (nasal) (*see also* Sinusitis) J32.9
- spine
- - syphilitic (epidural) A52.1† 2a 2b G07* 2b
- - tuberculous A18.0† 2a 2b M49.0*
- stitch (postoperative) T81.8 2a 2b
- suppurative (skin) L98.0
- swimming pool A31.1
- talc M60.2
- - in operation wound T81.6
- telangiectaticum (skin) L98.0
- trachea (pyogenic) J39.8
- trichophyticum B35.8
- umbilicus L92.8
- - newborn P38
- urethra N36.8
- venereum A58
- vocal cord J38.3

Granulomatosis L92.9

- intestinal lipophagic K90.8 2b
- lung J84.1 2a 2b
- lymphoid (M9766/1) D47.7
- lymphomatoid I77.6 2b
- miliary (listerial) A32.8
- necrotizing L92.8
- - respiratory M31.3
- progressive septic D71
- specified NEC L92.8
- Wegener's M31.3

Granulomatous tissue (abnormal) (excessive) L92.9

Granulosis rubra nasi L74.8

Graphite fibrosis (of lung) J63.3

Graphospasm F48.8

- organic G25.8 2a

Grating scapula M89.8 2b

Gravel (urinary) (*see also* Calculus) N20.9 2a 2b

Graves' disease E05.0 2b

Gravis - *see condition*

Grawitz tumor (M8312/3) C64 2a 2b

Gray syndrome (newborn) P93

Grayness, hair (premature) L67.1

- congenital Q84.2

Green sickness D50.8

Greenfield's disease

- meaning

- - concentric sclerosis (encephalitis periaxialis concentrica) G37.5

- - metachromatic leukodystrophy E75.2 2b

Greenstick fracture - *code as Fracture, bysite*

Grey syndrome (newborn) P93

Griesinger's disease B76.9

Grinder's lung or pneumoconiosis J62.8

Grinding, teeth F45.8

Grip

- Dabney's B33.0 2a

- devil's B33.0 2a

Grippe, grippal - *see also* Influenza J11.10 2a 2b

- Balkan A78 2a

- summer, of Italy A93.1

Groin - *see condition*

Grover's disease or syndrome L11.1

Growing pains, children R29.8 2b

Growth (fungoid) (neoplastic) (new)(M8000/1) - *see also* Neoplasm, uncertainbehavior

- adenoid (vegetative) J35.8

- benign (M8000/0) - *see* Neoplasm, benign

- malignant (M8000/3) - *see* Neoplasm, malignant

- rapid, childhood Z00.2(728)

- secondary (M8000/6) - *see* Neoplasm, secondary

Gruby's disease B35.0

Gubler-Millard paralysis or syndrome I67.9† 2a 2b G46.3*

Guerin-Stern syndrome Q74.3

Guillain-Barré disease or syndrome G61.0

Guinea worm (infection) (infestation) B72 2a

Gull's disease E03.4 2b

Gum - *see condition*

Gumboil K04.7

- with sinus K04.6

Gumma (syphilitic) A52.7 2a 2b

- artery A52.0† 2b I79.8*

- - cerebral A52.0† 2b I68.8*

- bone A52.7† 2a 2b M90.2*

- - of yaws (late) A66.6† 2a 2b M90.2*

- brain A52.1† 2a 2b G07* 2b

- cauda equina A52.1† 2a 2b G07* 2b

- central nervous system A52.3

- ciliary body A52.7† 2a 2b H22.8*

- congenital A50.5

- eyelid A52.7† 2a 2b H03.1*

- heart A52.0† 2b I52.0*

- intracranial A52.1† 2a 2b G07* 2b

- iris A52.7† 2a 2b H22.8*

- kidney A52.7† 2a 2b N29.0*

- larynx A52.7† 2a 2b J99.8*

- leptomeninges A52.1† 2a 2b G07* 2b

- liver A52.7† 2a 2b K77.0*

- meninges A52.1† 2a 2b G07* 2b

- myocardium A52.0† 2b I41.0*

- nasopharynx A52.7† 2a 2b J99.8*

- neurosyphilitic A52.3

- nose A52.7† 2a 2b J99.8*

- orbit A52.7† 2a 2b H06.3*

- palate (soft) A52.7† 2a 2b K93.8*

- penis A52.7† 2a 2b N51.8*
- pericardium A52.0† 2b I32.0*
- pharynx A52.7† 2a 2b J99.8*
- pituitary A52.7† 2a 2b E35.8*
- scrofulous (tuberculous) A18.4
- skin A52.7† 2a 2b L99.8*
- specified site NEC A52.7 2a 2b
- spinal cord A52.1† 2a 2b G07* 2b
- tongue A52.7† 2a 2b K93.8*
- tonsil A52.7† 2a 2b J99.8*
- trachea A52.7† 2a 2b J99.8*
- tuberculous A18.4
- ulcerative due to yaws A66.4
- ureter A52.7† 2a 2b N29.1*
- yaws A66.4
 - bone A66.6† 2a 2b M90.2*

Gunn's syndrome Q07.8

Gunshot (wound) (*see also* Wound) T14.1 2a 2b

- fracture - *code as* Fracture, by site
- internal organs - *see* Injury, by site

Gynandrom Q56.0

Gynandroblastoma (M8632/1)

- specified site - *see* Neoplasm, uncertain behavior
- unspecified site
- female D39.1
- male D40.1

Gynecological examination (periodic) (routine) Z01.4(729)

Gynecomastia N62

Gynephobia F40.1

Gyrate scalp Q82.8 2b

H

H (Hartnup's) disease E72.0

Haas' disease or osteochondrosis (juvenile) (head of humerus) M92.0

Habit, habituation

- chorea F95.8
- disturbance, child F98.9
- drug - *see* Dependence, drug
- ethyl alcohol F10.2 2a 2b
- laxative F55 2b
- smoking F17.2

Had been drinking (*see also* Drinking, drank) F10.9 2b

Haemophilus (H.) influenzae - *see* Infection, *Haemophilus, influenzae*

Haff disease T61.2

Hageman's factor defect, deficiency or disease D68.2 2a 2b

Haglund's disease or osteochondrosis (juvenile) (os tibiale externum) M92.6

Hailey-Hailey disease Q82.8 2b

Hair - *see also* condition

- plucking F63.3
- in stereotyped movement disorder F98.4

Hairball in stomach T18.2

Hair-pulling, pathological (compulsive) F63.3

Hairy black tongue K14.3

Half vertebra Q76.4

Halitosis R19.6

Hallerman-Streiff syndrome Q87.0

Hallervorden-Spatz disease G23.0

Hallopeau's acrodermatitis or disease L40.2

Hallucination R44.3

- auditory R44.0
- gustatory R44.2
- olfactory R44.2
- specified NEC R44.2

- tactile R44.2
- visual R44.1

Hallucinosis (chronic) F28

- alcoholic (acute) F10.5
- induced by drug - *code to F11-F19 with fourth character .5 F1x.5*
- organic F06.0

Hallux

- deformity (acquired) NEC M20.3
- malleus (acquired) NEC M20.3
- rigidus (acquired) M20.2
- - congenital Q74.2
- - late effect of rickets E64.3 2a 2b
- valgus (acquired) M20.1
- - congenital Q66.6
- varus (acquired) M20.3
- - congenital Q66.3

Halo, visual H53.1**Hamartoma, hamartoblastoma** Q85.9

- epithelial (gingival), odontogenic, central or peripheral (M9321/0) D16.5
- - upper jaw (bone) D16.4

Hamartosis Q85.9**Hamman-Rich syndrome** J84.1 2a 2b**Hammer toe (acquired)** NEC M20.4

- congenital Q66.8
- late effect of rickets E64.3 2a 2b

Hand - see condition**Handicap, handicapped**

- educational Z55.9(730)
- - specified NEC Z55.8(731)

Hand-Schüller-Christian disease or syndrome D76.0 2b**Hanging (asphyxia) (strangulation) (suffocation)** T71 2a 2b**Hangnail (with lymphangitis)** L03.0**Hangover (alcohol)** F10.1 2a 2b

- chronic F10.2 2a 2b

Hanhart's syndrome Q87.0**Hanot-Chauffard(-Troisier) syndrome** E83.1 2a 2b**Hanot's cirrhosis or disease** K74.3 2b**Hansen's disease** (*see also* Leprosy) A30.9**Hantaan virus disease (Korean hemorrhagic fever)** A98.5† N08.0***Hantavirus disease (with renal manifestations) (Dobrava) (Puumala) (Seoul)** A98.5† N08.0

- with pulmonary manifestations (Andes) (Bayou) (Bermejo) (Black Creek Canal) (Choclo) (Juquitiba) (Laguna negra) (Lechiguanas) (New York) (Oran) (Sin Nombre) B33.4† 2a J17.1* 2a
- pulmonary B33.4† 2a J17.1* 2a

Happy puppet syndrome Q93.5**Harada's disease or syndrome** H30.8**Hardening**

- artery - *see* Arteriosclerosis
- brain G93.8 2b

Harelip (complete) (incomplete) (*see also* Cleft, lip) Q36.9**Harlequin (fetus)** Q80.4**Harley's disease** D59.6**Harmful use (of)**

- alcohol F10.1 2a 2b
- anxiolytics F13.1
- cannabinoids F12.1
- cocaine F14.1 2b
- drug - *code to F11-F19 with fourth character .1 F1x.1*
- hallucinogens F16.1
- hypnotics F13.1
- opioids F11.1 2b
- phencyclidine (PCP) F19.1 2b
- sedatives F13.1
- stimulants NEC F15.1

HARP syndrome G23.8**Harris' lines** M89.1

- Hartmann's pouch** K82.8
Hartnup's disease E72.0
Harvester's lung J67.0
Harvesting ovum for *in vitro* fertilization Z31.2(732)
Hashimoto's disease or thyroiditis E06.3
Hashitoxicosis (transient) E06.3
Hassal-Henle bodies or warts (cornea) H18.4
Haut mal G40.6
Haverhill fever A25.1
Haw River syndrome G11.9
Hay fever J30.1
Hayem-Widal syndrome D59.8
Haygarth's nodes M15.8
Haymaker's lung J67.0
Hb (abnormal)
 - disease - *see* Disease, hemoglobin
 - trait - *see* Trait**Head - see condition**
Headache R51
 - allergic NEC G44.8
 - cluster (chronic) (episodic) G44.0
 - drug-induced NEC G44.4
 - emotional F45.4
 - histamine G44.0
 - lumbar puncture G97.1
 - migraine (type) G43.9 2a
 - nonorganic origin F45.4
 - postspinal puncture G97.1
 - post-traumatic, chronic G44.3
 - psychogenic F45.4
 - specified syndrome NEC G44.8
 - spinal and epidural anesthesia-induced (in) T88.5 2b
 - labor and delivery O74.5
 - postpartum, puerperal O89.4
 - pregnancy O29.4
 - spinal fluid loss (from puncture) G97.1
 - tension (chronic) (episodic) G44.2
 - vascular G44.1**Health**
 - advice Z71.9(733)
 - check-up (routine) Z00.0(734)
 - infant or child Z00.1(735)
 - occupational Z10.0(736)
 - education Z71.9(737)
 - instruction Z71.9(738)
 - services provided because (of)
 - bedfast status Z74.0(739)
 - boarding school residence Z59.3(740)
 - holiday relief for person providing home care Z75.5(741)
 - inadequate
 - economic resources NEC Z59.9(742)
 - housing Z59.1(743)
 - lack of housing Z59.0(744)
 - need for
 - assistance with personal care Z74.1(745)
 - continuous supervision Z74.3(746)
 - no care available in home Z74.2(747)
 - person living alone Z60.2(748)
 - poverty NEC Z59.6(749)
 - extreme Z59.5(750)
 - residence in institution Z59.3(751)
 - specified cause NEC Z59.8(752)

- - receiving care Z76.2(754)
- person accompanying sick person Z76.3(755)

Hearing examination Z01.1(756)

Heart - *see condition*

Heart beat

- abnormality R00.8 2b
- - fetal P20.9
- - newborn P29.1
- awareness R00.2 2b
- - fetal P20.9
- - newborn P29.1
- rapid R00.0 2a 2b
- slow R00.1 2b

Heartburn R12

- psychogenic F45.3 2b
- Heat (effects)** T67.9
 - apoplexy T67.0
 - burn - *see Burn*
 - collapse T67.1
 - cramps T67.2
 - dermatitis or eczema L59.0 2b
 - edema T67.7
 - erythema - *code as Burn, by site, with fourth character .1*
 - excessive T67.9
 - - specified effect NEC T67.8

- exhaustion T67.5

- - anhydrotic T67.3
- - due to
 - - - salt (and water) depletion T67.4
 - - - water depletion T67.3
 - - - - with salt depletion T67.4

- fatigue (transient) T67.6
- fever T67.0

- hyperpyrexia T67.0

- prickly L74.0

- prostration - *see Heat, exhaustion*

- pyrexia T67.0

- rash L74.0

- specified effect NEC T67.8

- stroke T67.0

- sunburn (*see also Sunburn*) L55.9

- syncope T67.1

Heavy-for-dates NEC (fetus or infant) P08.1

- exceptionally (4500 g or more) P08.0 2b

Hebephrenia, hebephrenic (schizophrenia) F20.1**Heberden's disease or nodes (with arthropathy)** M15.1**Hebra's**

- pityriasis L26
- prurigo L28.2

Heel - *see condition*

Heerfordt's disease D86.8**Hegglin's anomaly or syndrome** D72.0 2b**Heilmeyer-Schoner disease** (M9842/3) C94.1**Heine-Medin disease** B91 2a 2b

- active A80.9 2a

Heinz body anemia, congenital D58.2 2b**Heller's disease or syndrome** F84.3**HELLP syndrome (hemolysis, elevated liver enzymes and low platelet count)** O14.2**Helminthiasis** (*see also Infestation*) B83.9

- *Ancylostoma* B76.0
- intestinal B82.0
 - - mixed types (types classifiable to more than one of the titles B65.0-B81.3 and B81.8) B81.4
 - - specified type NEC B81.8
- mixed types (intestinal) (types classifiable to more than one of the titles B65.0-B81.3 and B81.8) B81.4
- *Necator (americanus)* B76.1

- specified type NEC B83.8

Heloma L84

Hemangioblastoma (M9161/1) - *see* Neoplasm, connective tissue, uncertain behavior

Hemangioendothelioma (M9130/1) - *see also* Neoplasm, uncertain behavior

- benign (M9130/0) D18.0

- bone (diffuse) (M9130/3) - *see* Neoplasm, bone, malignant

- epithelioid (M9133/1) - *see also* Neoplasm, uncertain behavior

- - malignant (M9133/3) - *see* Neoplasm, malignant

- malignant (M9130/3) - *see* Neoplasm, connective tissue, malignant

- nervous system (M9130/0) D18.0

Hemangiofibroma (M9160/0) - *see* Neoplasm, benign

Hemangiolipoma (M8861/0) - *see* Lipoma

Hemangioma (M9120/0) D18.0

- arteriovenous (M9123/0) D18.0

- capillary (M9131/0) D18.0

- cavernous (M9121/0) D18.0

- epithelioid (M9125/0) D18.0

- histiocytoid (M9126/0) D18.0

- infantile (M9131/0) D18.0

- intramuscular (M9132/0) D18.0

- juvenile (M9131/0) D18.0

- malignant (M9120/3) - *see* Neoplasm, connective tissue, malignant

- placental, affecting fetus or newborn P02.2

- plexiform (M9131/0) D18.0

- racemose (M9123/0) D18.0

- sclerosing (M8832/0) - *see* Neoplasm, skin, benign

- simplex (M9131/0) D18.0

- venous (M9122/0) D18.0

- verrucous keratotic (M9142/0) D18.0

Hemangiomatosis (systemic) Q82.8 2b

- involving single site (M9120/0) - *see* Hemangioma

Hemangiopericytoma (M9150/1) - *see also* Neoplasm, connective tissue, uncertain behavior

- benign (M9150/0) - *see* Neoplasm, connective tissue, benign

- malignant (M9150/3) - *see* Neoplasm, connective tissue, malignant

Hemangiosarcoma (M9120/3) - *see* Neoplasm, connective tissue, malignant

Hemarthrosis (nontraumatic) M25.0

- traumatic - *see* Sprain, by site

Hematemesis K92.0 2a

- with ulcer - *code as* Ulcer, by site, with hemorrhage K27.4 2a

- newborn, neonatal P54.0

- - due to swallowed maternal blood P78.2

Hematidrosis L74.8

Hematinuria (*see also* Hemoglobinuria) R82.3 2b

- malarial B50.8 2b

Hematobia K83.8

Hematocele

- cul-de-sac (Douglas') N94.8 2b

- female NEC N94.8 2b

- - with ectopic pregnancy O00.9 2b

- - ovary N83.8

- male N50.1

Hematochezia (*see also* Melena) K92.1

Hematochyluria, in schistosomiasis (bilharziasis) B65.0

Hematocolpos (with hematometra or hematosalpinx) N89.7 2b

Hematocornea H18.0

Hematogenous - *see condition*

Hematoma (traumatic) (skin surface intact) (*see also* Injury, superficial) T14.0 2b

- with

- - injury of internal organs - *see* Injury, by site

- - open wound - *see* Wound

- amputation stump (surgical) T87.6

- aorta, dissecting I71.0 2b

- arachnoid S06.6 2b

- - fetus or newborn (nontraumatic) P52.5

- - - birth injury P10.3

- arterial (complicating trauma) (*see also* Injury, blood vessel) T14.5
- auricle S00.4
- - nontraumatic H61.1
- birth injury NEC (*see also* Birth, injury) P15.8
- brain (traumatic) S06.8 2a 2b
 - - with cerebral laceration or contusion (diffuse) S06.2 2a 2b
 - - - focal S06.3
 - - fetus or newborn NEC P52.4 2a 2b
 - - - birth injury P10.1 2a 2b
 - - - nontraumatic NEC (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
 - - - bilateral (multiple) I61.90 2a 2b
 - - - epidural or extradural I62.1
 - - - multiple (bilateral) I61.90 2a 2b
 - - - subarachnoid (*see also* Hemorrhage, subarachnoid) I60.9 2a 2b
 - - - subdural I62.0 2a 2b
 - - - subarachnoid, arachnoid, traumatic S06.6 2b
 - - - subdural, traumatic S06.5 2a 2b
- breast (nontraumatic) N64.8
- broad ligament (nontraumatic) N83.7
- - traumatic S37.8
- cerebellar - *see* Hematoma, brain
- - newborn P52.6
- cerebral - *see* Hematoma, brain
- cesarean section wound O90.2
- complicating delivery (pelvic) (perineal) (vagina) (vulva) O71.7
- corpus cavernosum (nontraumatic) N48.8
- dura (mater) S06.5 2a 2b
- epididymis (nontraumatic) N50.1
- epidural (traumatic) S06.4
- - newborn P52.8
- - nontraumatic I62.1
- - spinal - *see* Injury, spinal cord, by region
- episiotomy O90.2
- extradural - *see* Hematoma, epidural
- face, birth injury P15.4
- genital organ NEC (nontraumatic)
- - female (nonobstetric) N94.8 2b
 - - male N50.1
 - - traumatic (external site), superficial S30.2
 - - - internal - *see* Injury, by site
 - - internal (organs) - *see* Injury, by site
 - - intracranial - *see* Injury, intracranial
 - - newborn P52.9
 - - labia (nonobstetric) (nontraumatic) N90.8
 - - liver (subcapsular) (nontraumatic) K76.8 2b
 - - birth injury P15.0
- mediastinum S27.8 2a
- mesosalpinx (nontraumatic) N83.7
- - traumatic S37.8
- muscle - *code as* Contusion, by site
- - spontaneous
- - - rectum K62.8
- - nontraumatic NEC - *see* Hemorrhage
- obstetrical surgical wound O90.2
- orbit, orbital (nontraumatic) H05.2
- - traumatic S05.1
- pelvis (female) (nonobstetric) (nontraumatic) N94.8 2b
 - - male N50.1
 - - - traumatic (*see also* Injury, by site) S37.9
 - - obstetric O71.7
 - - traumatic (*see also* Injury, by site) S37.9
 - - - specified organ NEC (*see also* Injury, by site) S37.8
- penis (nontraumatic) N48.8
- - birth injury P15.5
- perianal (nontraumatic) I84.3

- perineal S30.2
- - complicating delivery O71.7
- perirenal S37.0 2b
- pinna S00.4
 - - nontraumatic H61.1
- placenta O43.8 2b
- postoperative T81.0 2a 2b
- rectal sheath K62.9
- retroperitoneal (nontraumatic) K66.1
 - - traumatic S36.8
- scrotum, superficial S30.2
 - - birth injury P15.5
- seminal vesicle (nontraumatic) N50.1
 - - traumatic S37.8
- spermatic cord (traumatic) S37.8
 - - nontraumatic N50.1
- spinal cord (meninges) (*see also* Injury, spinal cord, by region) T09.3
 - - fetus or newborn (birth injury) P11.5 2a 2b
 - spine (*see also* Injury, spine)
 - - fetus or newborn (birth injury) P11.5 2a 2b
 - sternocleidomastoid, birth injury P15.2
 - sternomastoid, birth injury P15.2
 - subarachnoid (traumatic) S06.6 2b
 - - fetus or newborn (nontraumatic) P52.5
 - - - birth injury P10.3
 - - nontraumatic (*see also* Hemorrhage, subarachnoid) I60.9 2a 2b
 - subdural (traumatic) S06.5 2a 2b
 - - fetus or newborn (localized) P52.8
 - - - birth injury P10.0
 - - nontraumatic (*see also* Hemorrhage, subdural) I62.0 2a 2b
 - subgaleal S09.9 2a 2b
 - - nontraumatic R58 2a 2b
 - superficial, fetus or newborn P54.5
 - testis (nontraumatic) N50.1
 - - birth injury P15.5
 - tunica vaginalis (nontraumatic) N50.1
 - umbilical cord, complicating delivery O69.5
 - - affecting fetus or newborn P02.6
 - uterine ligament (broad) (nontraumatic) N83.7
 - - traumatic S37.8
 - uterus, uterine N93.9
 - vagina (nontraumatic) N89.8
 - - complicating delivery O71.7
 - vas deferens (nontraumatic) N50.1
 - - traumatic S37.8
 - vitreous H43.1
 - vulva (nonobstetric) (nontraumatic) N90.8
 - - complicating delivery O71.7
 - - fetus or newborn (birth injury) P15.5

Hematometra N85.7

- with hematocolpos N89.7 2b

Hematomyelia (central) G95.1 2b

- fetus or newborn (birth injury) P11.5 2a 2b
- traumatic T14.4 2a 2b

Hematomyelitis G04.9

Hematoperitoneum - *see* Hemoperitoneum

Hematopneumothorax - *see* Hemothorax

- traumatic S27.2

Hematopoiesis

- medullary, extra D75.8 2a 2b

Hematoporphyria - *see* Porphyria

Hematorachis, hematorrhachis G95.1 2b

- fetus or newborn (birth injury) P11.5 2a 2b

Hematosalpinx N83.6

- with

- - hematocolpos N89.7 2b
- - hematometra N85.7
- - - with hematocolpos N89.7 2b
- - - - *infectional (see also Salpingo-oophoritis)* N70.9

Hematospermia N50.1

Hemothorax - *see* Hemothorax

Hematuria (essential) R31 2a 2b

- benign (familial) (of childhood) (*see also* Hematuria, idiopathic) N02-
- endemic (*see also* Schistosomiasis) B65.0
- idiopathic N02-
- - with glomerular lesion
- - - focal and segmental hyalinosis or sclerosis N02.1
- - - membranoproliferative (diffuse) N02.5
- - - membranous (diffuse) N02.2
- - - mesangial proliferative (diffuse) N02.3
- - - mesangiocapillary (diffuse) N02.5
- - - proliferative NEC N02.8
- - - specified pathology NEC N02.8
- intermittent (*see also* Hematuria, idiopathic) N02-
- malarial B50.8 2b
- paroxysmal (*see also* Hematuria, idiopathic) N02-
- - nocturnal D59.5
- persistent (*see also* Hematuria, idiopathic) N02-
- recurrent (*see also* Hematuria, idiopathic) N02-
- sulfonamide(s)
- - correct substance properly administered R31 2a 2b
- - overdose or wrong substance given or taken T37.0
- tropical (*see also* Schistosomiasis) B65.0
- tuberculous A18.1 2a 2b

Hemeralopia (day blindness) H53.1

- vitamin A deficiency E50.5† H58.1*

Hemianalgesia R20.0 2b

Hemianencephaly Q00.0

Hemianesthesia R20.0 2b

Hemianopia, hemianopsia (binasal) (bitemporal) (heteronymous) (homonymous) (nasal) (peripheral) H53.4

- syphilitic A52.7† 2a 2b H58.1*

Hemiathetosis R25.8 2b

Hemiatrophy R68.8 2a 2b

- cerebellar G31.9

- face, facial, progressive (Romberg) G51.8

- tongue K14.8

Hemiballism(us) G25.5 2a

Hemicardia Q24.8 2b

Hemicephalus, hemicephaly Q00.0

Hemichorea G25.5 2a

Hemicolitis, left K51.5

Hemicrania

- congenital malformation Q00.0
- meaning migraine G43.9 2a
- paroxysmal, chronic G44.0

Hemidystrophy - *see* Hemiatrophy

Hemiectromelia Q73.8

Hemihypalgesia R20.8

Hemihypesthesia R20.1

Hemimelia Q73.8

- lower limb Q72.8

- upper limb Q71.8

Hemiparalysis (*see also* Hemiplegia) G81.9 2a 2b

Hemiparesis (*see also* Hemiplegia) G81.9 2a 2b

Hemiparesthesia R20.2

Hemiparkinsonism G20 2a 2b

- advanced G20.00 2a 2b

- grave G20.00 2a 2b

- severe G20.00 2a 2b

Hemiplegia G81.9 2a 2b

- alternans facialis G83.8
- apoplectic (*see also* Stroke) I64 2a 2b
- - congenital (*see also* Hemiplegia, congenital) G80.8 2a 2b
- - ascending NEC G81.9 2a 2b
- - spinal G95.8 2b
- congenital (cerebral) G80.8 2a 2b
- - spastic G80.2
- embolic (current episode) I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- flaccid G81.0
- hysterical F44.4
- newborn NEC P91.8
- - birth injury P11.9 2a 2b
- spastic G81.1
- - congenital G80.2
- spinal G81.1
- thrombotic (current episode) I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- traumatic NEC - *see* Injury, spinal cord, by region

Hemisection, spinal cord - *see* Injury, spinalcord, by region

Hemispasm (facial) R25.2 2b

Hemisporosis B48.8

Hemitremor R25.1 2b

Hemivertebra Q76.4

- failure of segmentation with scoliosis Q76.3
- fusion with scoliosis Q76.3

Hemochromatosis (diabetic) (hereditary) (liver) (myocardium) (primary idiopathic) (secondary) E83.1 2a 2b

- with refractory anemia (M9982/1) D46.1 2b

Hemodialysis Z49.1(757)

- preparatory care only (without treatment) Z49.0(758)

Hemodynamic

- collapse R57.9 2a 2b
- compromise R57.9 2a 2b
- failure R57.9 2a 2b
- instability I99 2a 2b
- shock R57.8 2b
- - hypovolemic R57.1

Hemoglobin - *see also* condition

- 10 gm. D64.9 2a 2b
- abnormal (disease) - *see* Disease, hemoglobin
- AS genotype D57.3
- fetal, hereditary persistence (HPFH) D56.4
- low NEC D64.9 2a 2b
- S (Hb S), heterozygous D57.3

Hemoglobinemia D59.9

- due to blood transfusion T80.8
- paroxysmal D59.6
- - nocturnal D59.5

Hemoglobinopathy (mixed) NEC D58.2 2b

- with thalassemia D56.9
- sickle-cell D57.1
- - with thalassemia D57.2

Hemoglobinuria R82.3 2b

- with anemia, hemolytic, acquired (chronic) NEC D59.6
- cold agglutinin (disease) D59.1
- - paroxysmal (with Raynaud's syndrome) D59.6
- due to exertion or hemolysis NEC D59.6
- intermittent D59.6
- malarial B50.8 2b
- march D59.6
- nocturnal (paroxysmal) D59.5
- paroxysmal (cold) D59.6
- - nocturnal D59.5

Hemolymphangioma (M9175/0) D18.1**Hemolysis** D65 2b

- autoimmune D59.1
- - newborn P55.9
- intravascular NEC D65 2b
- - with
 - - - abortion (subsequent episode) O08.1
 - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy O08.1
 - - - hemorrhage
 - - - antepartum - *see* Hemorrhage, antepartum
 - - - intrapartum (*see also* Hemorrhage, complicating, delivery) O67.0
- - newborn P60
- - postpartum O72.3
- neonatal (excessive) P58.8
- postoperative T81.8 2a 2b

Hemolytic - *see condition***Hemomediastinum** R04.8 2a 2b**Hemopericardium** I31.2

- newborn P54.8
- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b
- traumatic S26.0

Hemoperitoneum K66.1

- with
 - - abortion - *see* categories O03-O08, fourth character .1
 - - ectopic pregnancy - *see* categories O03-O08, fourth character .1
 - - infectious K65.9 2a 2b
 - - newborn P78.1 2b
 - - traumatic S36.8

Hemophilia (familial) (hereditary) D66 2a 2b

- A D66 2a 2b
- B D67 2a 2b
- C D68.1 2a 2b
- calcipriva (*see also* Defect, coagulation) D68.4
- classical D66 2a 2b
- factor IX deficiency D67 2a 2b
- nonfamilial (*see also* Defect, coagulation) D68.4
- vascular D68.0 2a 2b

Hemophthalmos H44.8**Hemopneumothorax** - *see also* Hemothorax J94.2

- traumatic S27.2

Hemoptysis R04.2 2b

- newborn P26.9 2b
- tuberculous - *see* Tuberculosis, pulmonary
- Hemorrhage, hemorrhagic** R58.00 2a 2b
 - abdomen R58 2a 2b
 - accidental antepartum O46.9
 - - affecting fetus or newborn P02.1 2a
 - adenoid J35.8
 - adrenal (capsule) (gland) E27.4
 - - medulla E27.8
 - - newborn P54.4
 - after delivery - *see* Hemorrhage, postpartum
 - alveolar
 - - lung R04.8 2a 2b
 - - - newborn P26.8
 - - process K08.8 2a 2b
 - - respiratory R04.8 2a 2b
 - - - newborn P26.8
 - - alveolus K08.8 2a 2b
 - amputation stump (surgical) T81.0 2a 2b
 - - secondary, delayed T87.6
 - anemia (chronic) D50.0
 - - acute D62

- antepartum (*see also* Hemorrhage, pregnancy) O46.9
- - with
- - - afibrinogenemia O46.0
- - - coagulation defect O46.0
- - - disseminated intravascular coagulation O46.0
- - affecting fetus or newborn P02.1 2a
- anus (sphincter) K62.5
- apoplexy (stroke) (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- arachnoid - *see* Hemorrhage, subarachnoid
- artery R58 2a 2b
- - brain (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
- - - bilateral (multiple) I61.90 2a 2b
- - - multiple (bilateral) I61.90 2a 2b
- - carotid I61.8 2a 2b
- - - bilateral (multiple) I61.80 2a 2b
- - - multiple (bilateral) I61.80 2a 2b
- - coronary I21.9 2a 2b
- - spinal G95.1 2b
- - vertebral I61.8 2a 2b
- - - bilateral (multiple) I61.80 2a 2b
- - - multiple (bilateral) I61.80 2a 2b
- basilar (ganglion) (*see also* Hemorrhage, brain) I61.0 2a 2b
- - bilateral (multiple) I61.00 2a 2b
- - multiple (bilateral) I61.00 2a 2b
- bladder N32.8
- bowel K92.2 2a 2b
- - newborn P54.3 2a
- brain (interparenchymal) (miliary) (nontraumatic) (petechial) I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - due to
 - - - birth injury P10.1 2a 2b
 - - - rupture of aneurysm (congenital) (*see also* Hemorrhage, subarachnoid) I60.90 2a 2b
 - - - syphilis A52.0† 2b I68.8*
- - epidural or extradural (traumatic) S06.4
- - fetus or newborn P52.4 2a 2b
- - - birth injury P10.1 2a 2b
- - lobe (any) I61.1 2a 2b
- - - bilateral (multiple) I61.10 2a 2b
- - - multiple (bilateral) I61.10 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- - puerperal, postpartum or in childbirth or pregnancy O99.4 2b
- - specified - *see* Hemorrhage, by specified part of brain
- - specified NEC I61.8 2a 2b
- - - bilateral (multiple) I61.80 2a 2b
- - - multiple (bilateral) I61.80 2a 2b
- - stem (basilar) (ganglia) (ganglion) I61.3 2a 2b
- - - bilateral (multiple) I61.30 2a 2b
- - - multiple (bilateral) I61.30 2a 2b
- - - newborn P52.4 2a 2b
- - - traumatic S06.8 2a 2b
- - subarachnoid - *see* Hemorrhage, subarachnoid
- - subdural - *see* Hemorrhage, subdural
- - traumatic S06.8 2a 2b
- breast N64.5
- bronchial tube - *see* Hemorrhage, lung
- bronchopulmonary - *see* Hemorrhage, lung
- bronchus - *see* Hemorrhage, lung
- bulbar (*see also* Hemorrhage, brain) I61.5 2a 2b
- - bilateral (multiple) I61.50 2a 2b
- - multiple (bilateral) I61.50 2a 2b
- capillary I78.8
- - primary D69.8
- cecum K92.2 2a 2b

- cerebellar, cerebellum (nontraumatic) I61.4 2a 2b
- - bilateral (multiple) I61.40 2a 2b
- - fetus or newborn P52.6
- - multiple (bilateral) I61.40 2a 2b
- - traumatic S06.8 2a 2b
- cerebral, cerebrum (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - fetus or newborn (anoxic) P52.4 2a 2b
- - - birth injury P10.1 2a 2b
- - lobe (any) I61.1 2a 2b
- - - bilateral (multiple) I61.10 2a 2b
- - - multiple (bilateral) I61.10 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- cerebromeningeal (*see also* Hemorrhage, brain) I61.8 2a 2b
- - bilateral (multiple) I61.80 2a 2b
- - multiple (bilateral) I61.80 2a 2b
- cerebrospinal (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- cerebrovascular (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- - traumatic S06.2 2a 2b
- cervix (uteri) (stump) NEC N88.8
- - postmenopausal N95.0
- chamber, anterior (eye) H21.0
- childbirth - *see* Hemorrhage, complicating, delivery
- choroid (expulsive) H31.3
- ciliary body H21.0
- cochlea H83.8
- colon K92.2 2a 2b
- complicating
- - delivery O67.9
 - - - affecting fetus or newborn P02.1 2a
 - - - associated with coagulation defect (afibrinogenemia) (hyperfibrinolysis) (hypofibrinogenemia) O67.0
 - - - - affecting fetus or newborn P03.8
- - due to
 - - - low-lying placenta O44.1
 - - - - affecting fetus or newborn P02.0
 - - - placenta previa O44.1
 - - - - affecting fetus or newborn P02.0
 - - - premature separation of placenta (*see also* Abruptio placentae) O45.9 2b
 - - - - affecting fetus or newborn P02.1 2a
- - retained
 - - - placenta O72.0
 - - - products of conception O72.2
 - - - secundines O72.2
 - - - - partial O72.2
 - - - trauma O67.8
 - - - - affecting fetus or newborn P03.8
 - - - uterine leiomyoma O67.8
 - - - - affecting fetus or newborn P03.8
- - ectopic or molar pregnancy (subsequent episode) O08.1
- - surgical procedure T81.0 2a 2b
- concealed NEC R58 2a 2b
- congenital NEC - *see* Hemorrhage, newborn
- - specified site - *see* Hemorrhage, by site, newborn
- conjunctiva H11.3
- - newborn P54.8
- cord, newborn (stump) P51.9
- corpus luteum (ruptured) cyst N83.1
- cortical (brain) (*see also* Hemorrhage, brain) I61.1 2a 2b
- - bilateral (multiple) I61.10 2a 2b
- - multiple (bilateral) I61.10 2a 2b
- cranial (*see also* Hemorrhage, intracranial) I62.9

- cutaneous R23.3 2b
- - due to autosensitivity, erythrocyte D69.2 2b
- - fetus or newborn P54.5
- delayed
- - following
 - - - abortion (subsequent episode) O08.1
 - - - ectopic or molar pregnancy O08.1
- - postpartum O72.2
- diathesis (familial) D69.9
- disease D69.9
- - fetus or newborn P53
- - specified type NEC D69.8
- diverticulum (*see also* Diverticula) K57.9 2a 2b
- due to or associated with
 - - afibrinogenemia or other coagulation defect (conditions in category D65-D69)
 - - - antepartum O46.0
 - - - intrapartum O67.0
 - - device, implant or graft (*see also* Complications, by site and type) T85.8 2b
 - - - arterial graft NEC T82.8 2b
 - - - breast T85.8 2b
 - - - catheter, catheterization NEC T85.8 2b
 - - - dialysis (renal) T82.8 2b
 - - - - intraperitoneal T85.8 2b
 - - - heart T82.8 2b
 - - - infusion NEC T82.8 2b
 - - - - spinal (epidural) (subdural) T85.8 2b
 - - - - urinary (indwelling) T83.8 2b
 - - - electronic (electrode) (pulse generator) (stimulator)
 - - - bone T84.8
 - - - cardiac T82.8 2b
 - - - nervous system (brain) (peripheral nerve) (spinal) T85.8 2b
 - - - urinary T83.8 2b
 - - - fixation, internal (orthopedic) NEC T84.8
 - - - gastrointestinal (bile duct) (esophagus) T85.8 2b
 - - - genital NEC T83.8 2b
 - - - heart NEC T82.8 2b
 - - - joint prosthesis T84.8
 - - - ocular (corneal graft) (orbital implant) NEC T85.8 2b
 - - - orthopedic NEC T84.8
 - - - specified NEC T85.8 2b
 - - - urinary NEC T83.8 2b
 - - - vascular NEC T82.8 2b
 - - - ventricular intracranial shunt T85.8 2b
 - duodenum, duodenal K92.2 2a 2b
 - - ulcer - *see* Ulcer, duodenum, with hemorrhage
 - dura mater - *see* Hemorrhage, subdural
 - endotracheal - *see* Hemorrhage, lung
 - epicranial subaponeurotic (massive), birth injury P12.2
 - epidural (traumatic) S06.4
 - esophagus K22.8
 - - varix I85.0 2a 2b
 - excessive, following abortion or Ectopic pregnancy (subsequent episode) O08.1
 - extradural (traumatic) S06.4
 - - birth injury P10.8
 - - fetus or newborn (anoxic) (nontraumatic) P52.8
 - - nontraumatic I62.1
 - eye NEC H57.8
 - - fundus H35.6 2a
 - fallopian tube N83.6
 - fetal, fetus (specified sites NEC) P50.9
 - - from
 - - - cut end of co-twin's cord P50.5
 - - - placenta P50.2
 - - - umbilical cord P50.8
 - - - ruptured P50.1

- - - vasa previa P50.0
- - into
- - - co-twin P50.3
- - - maternal circulation P50.4
- - - - affecting management of pregnancy or puerperium O43.0
- - specified NEC P50.8
- fetal-maternal P50.4
- - affecting management of pregnancy or puerperium O43.0
- fibrinogenolysis (*see also* Fibrinolysis) D65 2b
- fibrinolytic (acquired) (*see also* Fibrinolysis) D65 2b
- following abortion (subsequent episode) O08.1
- - current episode - *see* Abortion
- from
- - ear (nontraumatic) H92.2
- - tracheostomy stoma J95.0
- frontal (lobe) I61.1 2a 2b
- - bilateral (multiple) I61.10 2a 2b
- - multiple (bilateral) I61.10 2a 2b
- fronto-parietal I61.1 2a 2b
- - bilateral (multiple) I61.10 2a 2b
- - multiple (bilateral) I61.10 2a 2b
- fundus, eye H35.6 2a
- funis - *see* Hemorrhage, umbilicus, cord
- gastric - *see* Hemorrhage, stomach
- gastroenteric K92.2 2a 2b
- - newborn P54.3 2a
- gastrointestinal (tract) K92.2 2a 2b
- - newborn P54.3 2a
- genitourinary (tract) NEC (*see also* Hematuria) R31 2a 2b
- gingiva K06.8
- globe (eye) H44.8
- graafian follicle cyst (ruptured) N83.0
- gum K06.8
- heart (*see also* Carditis) I51.8 2a 2b
- hypopharyngeal (throat) R04.1 2b
- intermenstrual (regular) N92.3
- - irregular N92.1
- internal R58.00 2a 2b
- - capsule I61.0 2a 2b
- - - bilateral (multiple) I61.00 2a 2b
- - - multiple (bilateral) I61.00 2a 2b
- - ear H83.8
- - newborn P54.8
- - organ NEC R58 2a 2b
- intestine K92.2 2a 2b
- - newborn P54.3 2a
- into
- - arteriosclerotic plaque R58.00 2a 2b I70.9 2a 2b
- - atheroma
- - - coronary artery I21.9 2a 2b I25.1 2a 2b
- intra-abdominal R58 2a 2b
- intra-alveolar (lung) R04.8 2a 2b
- - newborn P26.8
- intracerebellar (*see also* Hemorrhage, cerebellar) I61.4 2a 2b
- - bilateral (multiple) I61.40 2a 2b
- - multiple (bilateral) I61.40 2a 2b
- intracerebral (nontraumatic) (*see also* Hemorrhage, brain) I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - brain stem I61.3 2a 2b
- - - bilateral (multiple) I61.30 2a 2b
- - - multiple (bilateral) I61.30 2a 2b
- - cerebellum I61.4 2a 2b
- - - bilateral (multiple) I61.40 2a 2b
- - - multiple (bilateral) I61.40 2a 2b
- - complicating pregnancy, childbirth or puerperium O99.4 2b

- - deep I61.0 2a 2b
- - - bilateral (multiple) I61.00 2a 2b
- - - multiple (bilateral) I61.00 2a 2b
- - fetus or newborn P52.4 2a 2b
- - - birth injury P10.1 2a 2b
- - frontal I61.1 2a 2b
- - - bilateral (multiple) I61.10 2a 2b
- - - multiple (bilateral) I61.10 2a 2b
- - hemisphere I61.2 2a 2b
- - - bilateral (multiple) I61.20 2a 2b
- - - cortical I61.1 2a 2b
- - - - bilateral (multiple) I61.10 2a 2b
- - - - multiple (bilateral) I61.10 2a 2b
- - - multiple (bilateral) I61.20 2a 2b
- - - subcortical I61.0 2a 2b
- - - - bilateral (multiple) I61.00 2a 2b
- - - - multiple (bilateral) I61.00 2a 2b
- - intraventricular I61.5 2a 2b
- - - bilateral (multiple) I61.50 2a 2b
- - - multiple (bilateral) I61.50 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- - multiple localized I61.6
- - specified NEC I61.8 2a 2b
- - - bilateral (multiple) I61.80 2a 2b
- - - multiple (bilateral) I61.80 2a 2b
- - superficial I61.1 2a 2b
- - - bilateral (multiple) I61.10 2a 2b
- - - multiple (bilateral) I61.10 2a 2b
- - traumatic (diffuse) S06.2 2a 2b
- - - focal S06.3
- intracranial (nontraumatic) I62.9
- - birth injury P10.9
- - fetus or newborn P52.9
- - - specified NEC P52.8
- - traumatic S06.8 2a 2b
- intramedullary NEC G95.1 2b
- intraocular H44.8
- intraparenchyma R58.00 2a 2b
- - traumatic T14.9 2a 2b
- intrapartum (*see also* Hemorrhage, complicating, delivery) O67.9
- intrapelvic
- - female N94.8 2b
- - male K66.1
- intraperitoneal K66.1
- intrapontine (*see also* Hemorrhage, brain) I61.3 2a 2b
- - bilateral (multiple) I61.30 2a 2b
- - multiple (bilateral) I61.30 2a 2b
- intrathoracic
- - traumatic S27.9 2a 2b
- intrauterine N85.7
- - complicating delivery (*see also* Hemorrhage, complicating, delivery) O67.9
- - postpartum - *see* Hemorrhage, postpartum
- intraventricular (*see also* Hemorrhage, brain) I61.5 2a 2b
- - bilateral (multiple) I61.50 2a 2b
- - fetus or newborn (nontraumatic) P52.3
- - - birth injury P10.2
- - - grade
- - - - 1 P52.0
- - - - 2 P52.1
- - - - 3 P52.2
- - - - 4 P52.2
- - multiple (bilateral) I61.50 2a 2b
- intravesical N32.8
- iris (postinfectious) (postinflammatory) (toxic) H21.0
- joint (nontraumatic) M25.0

- kidney N28.8 2a 2b
- knee (joint) (nontraumatic) M25.0
- labyrinth H83.8
- larynx J38.7
- lenticular striate artery I61.0 2a 2b
 - - bilateral (multiple) I61.00 2a 2b
 - - multiple (bilateral) I61.00 2a 2b
- ligature, vessel T81.0 2a 2b
- liver K76.8 2b
- lung R04.8 2a 2b
 - - newborn P26.9 2b
 - - - massive P26.1
 - - - specified NEC P26.8
 - - tuberculous - *see* Tuberculosis, pulmonary
- massive umbilical, newborn P51.0
- maternal gestational, affecting fetus or newborn P02.1 2a
- maternal-fetal P50.4
- mediastinum - *see* Hemorrhage, lung
- medulla (*see also* Hemorrhage, brain) I61.3 2a 2b
 - - bilateral (multiple) I61.30 2a 2b
 - - multiple (bilateral) I61.30 2a 2b
- membrane (brain) I60.8 2a 2b
- - spinal cord - *see* Hemorrhage, spinal cord
- meninges, meningeal (brain) (middle) (*see also* Hemorrhage, brain) I60.8 2a 2b
- - spinal cord - *see* Hemorrhage, spinal cord
- mesentery K66.1
- metritis (*see also* Endometritis) N71.9 2b
- mouth K13.7
- mucous membrane NEC R58 2a 2b
- - newborn P54.8
- muscle M62.8
- myocardium, myocardial I51.8 2a 2b
- nail (subungual) L60.8
- nasal turbinate R04.0 2b
 - - newborn P54.8
- navel, newborn P51.9
- newborn P54.9
- - specified NEC P54.8
- nipple N64.5
- nose R04.0 2b
 - - newborn P54.8
- occipital (lobe) I61.1 2a 2b
 - - bilateral (multiple) I61.10 2a 2b
 - - multiple (bilateral) I61.10 2a 2b
- omentum K66.1
- optic nerve (sheath) H47.0
- oral K13.7
- orbit, orbital H05.2
- ovary NEC N83.8
- oviduct N83.6
- pancreas K86.8 2b
- parathyroid (gland) (spontaneous) E21.4
- parietal (lobe) I61.1 2a 2b
 - - bilateral (multiple) I61.10 2a 2b
 - - multiple (bilateral) I61.10 2a 2b
- parturition - *see* Hemorrhage, complicating, delivery
- pelvis - *see* Hematoma, pelvis
- penis N48.8
- pericardium, pericarditis I31.2
 - - rheumatic I09.2 2b
 - - - active or acute I01.0 2a 2b
- peritoneum, peritoneal K66.1
- peritonsillar tissue J35.8
 - - due to infection J36
- petechial R23.3 2b

- - brain I61.9 2a 2b
- - - bilateral (multiple) I61.90 2a 2b
- - - multiple (bilateral) I61.90 2a 2b
- - due to autosensitivity, erythrocyte D69.2 2b
- pituitary (gland) E23.6
- placenta NEC O46.8
- - affecting fetus or newborn P02.1 2a
- - antepartum O46.8
- - from surgical or instrumental damage O46.8
- - - affecting fetus or newborn P02.1 2a
- - - antepartum O46.8
- - - intrapartum O67.8
- - intrapartum O67.8
- - previa O44.1
- - - affecting fetus or newborn P02.0
- pleura - *see* Hemorrhage, lung
- polioencephalitis, superior E51.2† 2a 2b G32.8*
- polymyositis - *see* Polymyositis
- pons, pontine (*see also* Hemorrhage, brain) I61.3 2a 2b
- - bilateral (multiple) I61.30 2a 2b
- - multiple (bilateral) I61.30 2a 2b
- posterior fossa (nontraumatic) (*see also* Hemorrhage, brain) I61.8 2a 2b
- - bilateral (multiple) I61.80 2a 2b
- - fetus or newborn P52.6
- - multiple (bilateral) I61.80 2a 2b
- postmenopausal N95.0
- postnasal R04.0 2b
- postoperative (any site) T81.0 2a 2b
- postpartum NEC (following delivery of placenta) O72.1 2b
- - delayed or secondary O72.2
- - retained placenta O72.0
- - third stage O72.0
- pregnancy - *see also* Hemorrhage, antepartum O46.9
- - due to
 - - - abruptio placentae O45.9 2b
 - - - - affecting fetus or newborn P02.1 2a
 - - - afibrinogenemia, or other coagulation defect (conditions in category D65-D68) O46.0
 - - - - affecting fetus or newborn P02.1 2a
 - - - leiomyoma, uterus O46.8
 - - - - affecting fetus or newborn P02.1 2a
 - - - placenta previa O44.1
 - - - - affecting fetus or newborn P02.0
 - - - premature separation of placenta (normally implanted) - *see also* Abruptio placentae O45.9 2b
 - - - - affecting fetus or newborn P02.1 2a
 - - - threatened abortion O20.0
 - - - - affecting fetus or newborn P02.1 2a
 - - - trauma, affecting fetus or newborn P02.1 2a
 - - early O20.9
 - - - affecting fetus or newborn P02.1 2a
 - - previous, affecting management of pregnancy, childbirth Z35.2(759)
 - - unavoidable - *see* Hemorrhage, pregnancy, due to, placenta previa
 - preretinal H35.6 2a
 - prostate N42.1
 - puerperal (*see also* Hemorrhage, postpartum) O72.1 2b
 - - delayed or secondary O72.2
 - - pulmonary R04.8 2a 2b
 - - newborn P26.9 2b
 - - - massive P26.1
 - - - specified NEC P26.8
 - - - tuberculous - *see* Tuberculosis, pulmonary
 - - purpura (primary) D69.3 2a 2b
 - - rectum (sphincter) K62.5
 - - newborn P54.2
 - recurrent traumatic, following initial hemorrhage at time of injury T79.2
 - renal N28.8 2a 2b

- - newborn P54.8
- respiratory passage or tract R04.9
- - specified NEC R04.8 2a 2b
- retina, retinal (vessels) H35.6 2a
- - diabetic (*see also* E10-E14 with fourth character .3) E14.3† H36.0*
- retroperitoneal R58 2a 2b
- scalp R58 2a 2b
- scrotum N50.1
- secondary (nontraumatic) R58 2a 2b
- - following initial hemorrhage at time of injury T79.2
- seminal vesicle N50.1
- skin R23.3 2b
- - fetus or newborn P54.5
- slipped umbilical ligature P51.8
- specified site NEC R58 2a 2b
- spermatic cord N50.1
- spinal (cord) G95.1 2b
- - fetus or newborn (birth injury) P11.5 2a 2b
- spleen D73.5
- stomach K92.2 2a 2b
- - newborn P54.3 2a
- - ulcer - *see* Ulcer, stomach, with hemorrhage
- subarachnoid (nontraumatic) I60.9 2a 2b
- - fetus or newborn P52.5
- - - birth injury P10.3
- - from
 - - - anterior communicating artery I60.2
 - - - basilar artery I60.4
 - - - carotid siphon and bifurcation I60.0 2a 2b
 - - - cavernous sinus I60.8 2a 2b
 - - - intracranial artery I60.7 2a 2b
 - - - - specified NEC I60.6 2a 2b
- - middle
 - - - cerebral artery I60.1
 - - - meningeal artery I60.8 2a 2b
 - - - multiple intracranial arteries I60.6 2a 2b
- - posterior communicating artery I60.3
- - vertebral artery I60.5
- - puerperal, postpartum or in childbirth or pregnancy O99.4 2b
- - specified NEC I60.8 2a 2b
- - traumatic S06.6 2b
- subchorionic
 - - affecting fetus or newborn P02.1 2a
- subconjunctival H11.3
- - birth injury P15.3
- subcortical (brain) (*see also* Hemorrhage, brain) I61.0 2a 2b
- - bilateral (multiple) I61.00 2a 2b
- - multiple (bilateral) I61.00 2a 2b
- subcutaneous R23.3 2b
- subdiaphragmatic R58 2a 2b
- subdural (acute) (nontraumatic) I62.0 2a 2b
- - birth injury P10.0
- - fetus or newborn (anoxic) (hypoxic) P52.8
- - - birth injury P10.0
- - spinal G95.1 2b
- - traumatic S06.5 2a 2b
- subependymal
 - - fetus or newborn P52.0
 - - - with intraventricular extension P52.1
 - - - - and enlargement of ventricles P52.2
 - - - - and intracerebral extension P52.2
- subgaleal R58 2a 2b
- - traumatic S09.9 2a 2b
- subhyaloid H35.6 2a
- subperiosteal M89.8 2b

- subretinal H35.6 2a
- subtentorial (*see also* Hemorrhage, subdural) I62.0 2a 2b
- subungual L60.8
- suprarenal (capsule) (gland) E27.4
- - newborn P54.4
- temporal (lobe) I61.1 2a 2b
- - bilateral (multiple) I61.10 2a 2b
- - multiple (bilateral) I61.10 2a 2b
- tentorium (traumatic) NEC S06.8 2a 2b
- - fetus or newborn (birth injury) P10.4
- - nontraumatic - *see* Hemorrhage, subdural
- testis N50.1
- thalamic (*see also* Hemorrhage, brain) I61.5 2a 2b
- - bilateral (multiple) I61.50 2a 2b
- - multiple (bilateral) I61.50 2a 2b
- third stage (postpartum) O72.0
- thorax - *see* Hemorrhage, lung
- throat R04.1 2b
- thymus (gland) E32.8
- thyroid (cyst) (gland) E07.8
- tongue K14.8
- tonsil J35.8
- trachea - *see* Hemorrhage, lung
- tracheobronchial R04.8 2a 2b
- - newborn P26.0
- traumatic - *code as* Injury, by site
- - cerebellar S06.8 2a 2b
- - intracranial S06.8 2a 2b
- - recurrent or secondary (following initial hemorrhage at time of injury) T79.2
- tuberculous NEC - *see* Tuberculosis, pulmonary
- tunica vaginalis N50.1
- ulcer - *code as* Ulcer, by site, with hemorrhage K27.4 2a
- umbilicus, umbilical
 - - cord
 - - - after birth, newborn P51.9
 - - - complicating delivery O69.5
 - - - fetus P50.8
 - - - from ruptured cord P50.1
 - - newborn P51.9
 - - massive P51.0
 - - slipped ligature P51.8
 - - stump P51.9
- unavoidable (antenatal) (due to placenta previa) O44.1
- - affecting fetus or newborn P02.0
- ureter N28.8 2a 2b
- urethra (idiopathic) N36.8
- urinary (tract) (*see also* Hematuria) R31 2a 2b
- uterus, uterine (abnormal) N93.9
- - climacteric N92.4 2b
- - complicating delivery - *see* Hemorrhage, complicating, delivery
- - dysfunctional or functional N93.8
- - intermenstrual (regular) N92.3
- - irregular N92.1
- - postmenopausal N95.0
- - postpartum - *see* Hemorrhage, postpartum
- - preclimacteric or premenopausal N92.4 2b
- - prepubertal N93.8
- - pubertal N92.2
- - vagina (abnormal) N93.9
- - newborn P54.6 2b
- - vas deferens N50.1
- - vasa previa O69.4
- - affecting fetus or newborn P50.0
- ventricular (*see also* Hemorrhage, brain) I61.5 2a 2b
- - bilateral (multiple) I61.50 2a 2b

- - multiple (bilateral) I61.50 2a 2b

- vesical N32.8

- viscera NEC R58 2a 2b

- - newborn P54.8

- vitreous (humor) (intraocular) H43.1

- vulva N90.8

Hemorrhoids I84.9

- bleeding, prolapsed, strangulated or ulcerated NEC I84.8

- complicating

- - pregnancy O22.4

- - puerperium O87.2

- external I84.5

- - bleeding, prolapsed, strangulated or ulcerated I84.4

- - thrombosed I84.3

- internal I84.2

- - bleeding, prolapsed, strangulated or ulcerated I84.1

- - thrombosed I84.0

- thrombosed NEC I84.7

Hemosalpinx N83.6

- with

- - hematocolpos N89.7 2b

- - hematometra N85.7

- - - with hematocolpos N89.7 2b

Hemosiderosis E83.1 2a 2b

- dietary E83.1 2a 2b

- pulmonary (idiopathic) E83.1† 2a 2b J99.8*

- transfusion T80.8

Hemothorax (bacterial) (nontuberculous) J94.2

- newborn P54.8

- traumatic S27.1

- - with pneumothorax S27.2

- tuberculous NEC A16.5 2a 2b

- - with bacteriological and histological confirmation A15.6 2a 2b

Hemotympanum H93.8

Henoch(-Schönlein) disease or syndrome (purpura) D69.0 2a 2b

Henpue, henpuye A66.6 2a 2b

Hepar lobatum (syphilitic) A52.7† 2a 2b K77.0*

Hepatalgia K76.8 2b

Hepatitis K75.9 2a

- acute NEC B17.9 2a 2b

- - alcoholic K70.1 2a

- - infectious B17.9 2a 2b

- - viral (unspecified) B17.9 2a 2b

- - alcoholic (acute) (chronic) K70.1 2a

- amebic (*see also* Abscess, liver, amebic) A06.4

- anicteric (viral) - *see* Hepatitis, viral

- antigen-associated (HAA) (*see also* Hepatitis, viral, type B) B16.9 2a 2b

- Australia-antigen (positive) (*see also* Hepatitis, viral, type B) B16.9 2a 2b

- autoimmune K75.4

- bacterial NEC K75.8

- catarrhal (acute) B15.9

- - with hepatic coma B15.0

- cholangiolitic K75.8

- cholestatic K75.8

- chronic K73.9

- - active NEC K73.2

- - - viral - *see* Hepatitis, viral, chronic

- - lobular NEC K73.1

- - persistent NEC K73.0

- - specified NEC K73.8

- cytomegaloviral B25.1† 2a 2b K77.0*

- De Ha factor (*see* Hepatitis B)

- due to ethanol (acute) (chronic) K70.1 2a

- epidemic B15.9

- - with hepatic coma B15.0

- fetus or newborn (giant cell) (idiopathic) P59.2
- from injection, inoculation or transfusion (blood) (plasma) (serum) (other substance) (*see also* Hepatitis, viral, type B) B16.9 2a 2b
- fulminant NEC (viral) - *see* Hepatitis, viral
- granulomatous NEC K75.3
- herpesviral B00.8† K77.0*
- homologous serum (*see also* Hepatitis, viral, type B) B16.9 2a 2b
- in (due to)
 - - mumps B26.8† 2b K77.0*
 - - toxoplasmosis (acquired) B58.1† K77.0*
 - - - congenital (active) P37.1† K77.0*
- infectious, infective
 - - with hepatic coma B15.0
 - - acute (subacute) B17.9 2a 2b
 - - chronic B18.9 2a 2b
- inoculation (*see also* Hepatitis, viral, type B) B16.9 2a 2b
- interstitial (chronic) K74.6 2a 2b
- lupoid NEC K75.4
- malignant NEC (with hepatic failure) K72.9 2a 2b
- neonatal (giant cell) (idiopathic) (toxic) P59.2
- non A and non B B17.8 2a 2b
 - - chronic B18.8 2a 2b
- non-infectious (acute) K75.9 2a
- postimmunization (*see also* Hepatitis, viral, type B) B16.9 2a 2b
- post-transfusion (*see also* Hepatitis, viral, by type) B19-
- reactive, nonspecific K75.2
- serum (*see also* Hepatitis, viral, type B) B16.9 2a 2b
- syphilitic (late) A52.7† 2a 2b K77.0*
- - congenital (early) A50.0† 2a 2b K77.0*
- - - late A50.5† K77.0*
- - secondary A51.4† K77.0*
- toxic (*see also* Disease, liver, toxic) K71.6
- tuberculous A18.8† 2a 2b K77.0*
- type
 - - A (acute) (subacute) B15.9
 - - - chronic B18.8 2a 2b
 - - B (*see also* Hepatitis, serum) B16.9 2a 2b
 - - - chronic B18.1 2a 2b
 - - - - with delta-agent B18.0 2a 2b
 - - C B18.2 2a 2b
 - - - acute or stated duration of less than six months B17.1 2a 2b
 - - - chronic (stated duration of six months or more) B18.2 2a 2b
 - - D B17.8 2a 2b
 - - E B17.2 2a 2b
- viral, virus B19.9
 - - with hepatic coma B19.0
 - - acute (unspecified) B17.9 2a 2b
 - - chronic B18.9 2a 2b
 - - - specified NEC B18.8 2a 2b
 - - - type
 - - - - A B18.8 2a 2b
 - - - - B B18.1 2a 2b
 - - - - - with delta-agent B18.0 2a 2b
 - - - - C B18.2 2a 2b
 - - complicating pregnancy, childbirth or puerperium O98.4
 - - congenital P35.3
 - - coxsackie B33.8† K77.0*
 - - cytomegalic inclusion B25.1† 2a 2b K77.0*
 - - non-A, non-B B17.8 2a 2b
 - - specified type NEC (with or without coma) B17.8 2a 2b
 - - type
 - - - A B15.9
 - - - - chronic B18.8 2a 2b
 - - - - with hepatic coma B15.0
 - - - B B16.9 2a 2b
 - - - - with

- - - - delta-agent (coinfection) (without hepatic coma) B16.1 2a 2b
- - - - with hepatic coma B16.0
- - - - hepatic coma (without delta-agent coinfection) B16.2
- - - chronic B18.1 2a 2b
- - - with delta-agent B18.0 2a 2b
- - C B18.2 2a 2b
- - - acute or a stated duration of less than six months B17.1 2a 2b
- - - chronic (stated duration of six months or more) B18.2 2a 2b
- - D B17.8 2a 2b
- - E B17.2 2a 2b
- - non-A, non-B B17.8 2a 2b
- - unspecified
- - - with hepatic coma B19.0
- - - without hepatic coma B19.9
- - unspecified
- - - with hepatic coma B19.0
- - - without hepatic coma B19.9
- - acute B17.9 2a 2b

Hepatization, lung (acute) (*see also* Pneumonia, lobar) J18.1 2a 2b

Hepatoblastoma (M8970/3) C22.2

Hepatocarcinoma (M8170/3) C22.0 2a 2b

Hepatocholangiocarcinoma (M8180/3) C22.0 2a 2b

Hepatocholangitis K75.8

Hepatolenticular degeneration E83.0 2b

Hepatoma (malignant) (M8170/3) C22.0 2a 2b

- benign (M8170/0) D13.4

- embryonal (M8970/3) C22.0 2a 2b

Hepatomegalia glycogenica diffusa E74.0† 2a 2b K77.8*

Hepatomegaly (*see also* Hypertrophy, liver) R16.0

- with splenomegaly R16.2 2b

- congenital Q44.7

- in infectious mononucleosis (gammaherpesviral) B27.0† K77.0*

Hepatopathy (*see also* Disease, liver)

- congestive K76.1 2a 2b

Hepatoptosis K76.8 2b

Hepatorenal syndrome, following labor and delivery O90.4

Hepatosis K76.8 2b

Hepatosplenomegaly R16.2 2b

- hyperlipemic (Bürger-Grütz type) E78.3† K77.8*

Hereditary - *see condition*

Heredodegeneration, macular H35.5

Heredopathia atactica polyneuritiformis G60.1

Heredosyphilis (*see also* Syphilis,congenital) A50.9 2a 2b

Herlitz' syndrome Q81.1

Hermansky-Pudlak syndrome E70.3 2b

Hermaphrodite, hermaphroditism (true) Q56.0

- chimera 46,XX/46,XY Q99.0

- 46,XX with streak gonads Q99.1

- 46,XX/46,XY Q99.0

- 46,XY with streak gonads Q99.1

Hernia, hernial (acquired) (recurrent) K46.9 2a 2b

- with

- - gangrene (*see also* Hernia, by site, with, gangrene) K46.1

- - obstruction (*see also* Hernia, by site, with, obstruction) K46.0 2a 2b

- abdomen, abdominal K46.9 2a 2b

- - with

- - - gangrene (and obstruction) K46.1

- - - obstruction K46.0 2a 2b

- - specified site NEC K45.8 2b

- - - with

- - - - gangrene (and obstruction) K45.1

- - - - obstruction K45.0 2b

- - wall - *see* Hernia, ventral

- appendix - *see* Hernia, abdomen

- bladder (mucosa) (sphincter)

- - congenital (female) (male) Q64.7
- - female N81.1
- - male N32.8
- Bochdalek Q79.0 2a 2b
- brain, congenital (*see also* Encephalocele) Q01.9
- cartilage, vertebra - *see* Displacement, intervertebral disc
- cerebral, congenital (*see also* Encephalocele) Q01.9
- - endaural Q01.8
- ciliary body (traumatic) S05.2
- colon - *see* Hernia, abdomen
- colostomy (stoma) K91.4
- Cooper's - *see* Hernia, abdomen, specified site NEC
- crural - *see* Hernia, femoral
- diaphragm, diaphragmatic K44.9 2b
- - with
 - - - gangrene (and obstruction) K44.1
 - - - obstruction K44.0 2b
- - congenital Q79.0 2a 2b
- direct (inguinal) - *see* Hernia, inguinal
- diverticulum, intestine - *see* Hernia, abdomen
- double (inguinal) - *see* Hernia, inguinal, bilateral
- enterostomy (stoma) K91.4
- epigastric - *see* Hernia, ventral
- esophageal hiatus - *see also* Hernia, hiatal K44.9 2b
- - congenital Q40.1
- external (inguinal) - *see* Hernia, inguinal
- fallopian tube N83.4
- fascia M62.8
- femoral K41.9 2b
- - with
 - - - gangrene (and obstruction) K41.4
 - - - obstruction K41.3 2b
 - - bilateral K41.2 2b
- - with
 - - - gangrene (and obstruction) K41.1
 - - - obstruction K41.0 2b
- - unilateral K41.9 2b
- - with
 - - - gangrene (and obstruction) K41.4
 - - - obstruction K41.3 2b
- foramen magnum G93.5 2a 2b
- - congenital Q01.8
- funicular (umbilical) - *see also* Hernia, umbilicus K42.9 2b
- - spermatic (cord) - *see* Hernia, inguinal
- gangrenous (*see also* Hernia, by site, with gangrene) K46.1
- gastrointestinal tract - *see* Hernia, abdomen
- Hesselbach's - *see* Hernia, femoral
- hiatal (esophageal) (sliding) K44.9 2b
- - with
 - - - gangrene (and obstruction) K44.1
 - - - obstruction K44.0 2b
- - congenital Q40.1
- incarcerated - *see also* Hernia, by site, with obstruction K46.0 2a 2b
- - with gangrene - *see* Hernia, by site, with gangrene
- incisional - *see* Hernia, ventral
- indirect (inguinal) - *see* Hernia, inguinal
- infrapatellar (fat pad) M79.4
- inguinal (direct) (external) (funicular) (indirect) (internal) (oblique) (scrotal) (sliding) K40.9 2b
- - with
 - - - gangrene (and obstruction) K40.4
 - - - obstruction K40.3 2b
 - - bilateral K40.2 2b
- - with
 - - - gangrene (and obstruction) K40.1
 - - - obstruction K40.0 2b

- - unilateral K40.9 2b
- - - with
- - - - gangrene (and obstruction) K40.4
- - - - obstruction K40.3 2b
- interstitial - *see* Hernia, abdomen
- intervertebral cartilage or disc - *see* Displacement, intervertebral disc
- intestine, intestinal - *see* Hernia, by site
- intra-abdominal - *see* Hernia, abdomen
- iris (traumatic) S05.2
- irreducible (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
- - with gangrene (*see also* Hernia, by site, with gangrene) K46.1
- ischiatic - *see* Hernia, abdomen, specified site NEC
- ischiorectal - *see* Hernia, abdomen, specified site NEC
- lens (traumatic) S05.2
- linea (alba) (semilunaris) - *see* Hernia, ventral
- Littré's - *see* Hernia, abdomen
- lumbar - *see* Hernia, abdomen, specified site NEC
- lung (subcutaneous) J98.4 2a 2b
- - newborn P28.8
- mediastinum J98.5
- mesenteric (internal) - *see* Hernia, abdomen
- muscle (sheath) M62.8
- nucleus pulposus - *see* Displacement, intervertebral disc
- oblique (inguinal) - *see* Hernia, inguinal
- obstructive (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
- - with gangrene (*see also* Hernia, by site, with gangrene) K46.1
- obturator - *see* Hernia, abdomen, specified site NEC
- omental - *see* Hernia, abdomen
- ovary N83.4
- oviduct N83.4
- paracolostomy (stoma) K91.4
- paraesophageal - *see also* Hernia, diaphragm K44.9 2b
- - congenital Q40.1
- paraumbilical - *see* Hernia, umbilicus
- perineal - *see* Hernia, abdomen, specified site NEC
- peristomal K91.4
- Petit's - *see* Hernia, abdomen, specified site NEC
- popliteal fat pad M79.4
- postoperative - *see* Hernia, ventral
- pregnant uterus O34.5
- prevesical N32.8
- pudendal - *see* Hernia, abdomen, specified site NEC
- rectovaginal N81.6
- retroperitoneal - *see* Hernia, abdomen, specified site NEC
- Richter's - *see* Hernia, abdomen, with obstruction
- Rieux's, Riex's - *see* Hernia, abdomen, specified site NEC
- sciatic - *see* Hernia, abdomen, specified site NEC
- scrotum, scrotal - *see* Hernia, inguinal
- sliding (inguinal) - *see also* Hernia, inguinal K40.9 2b
- - hiatus - *see* Hernia, hiatal
- spigelian - *see* Hernia, ventral
- spinal (*see also* Spina bifida) Q05.9 2a 2b
- - with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4
- stomach into pleural cavity (*see also* Hernia, diaphragm, diaphragmatic) K44.9 2b
- strangulated (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
- - with gangrene (*see also* Hernia, by site, with gangrene) K46.1
- supra-umbilicus - *see* Hernia, ventral
- tendon M67.8
- Treitz's (fossa) - *see* Hernia, abdomen, specified site NEC
- tunica vaginalis Q55.2
- umbilicus, umbilical K42.9 2b
- - with
- - - gangrene (and obstruction) K42.1
- - - obstruction K42.0 2b
- uncal G93.5 2a 2b

- ureter N28.8 2a 2b
- urethra, congenital Q64.7
- urinary meatus, congenital Q64.7
- uterus N81.4
 - - pregnant O34.5
 - vaginal (anterior) (wall) N81.1
 - Velppeau's - *see* Hernia, femoral
 - ventral K43.9 2b
 - - with
 - - - gangrene (and obstruction) K43.1
 - - - obstruction K43.0 2b
 - vesical
 - - congenital (female) (male) Q64.7
 - - female N81.1
 - - male N32.8
 - vitreous (into wound) S05.2
 - - into anterior chamber H43.0

Herniation - *see also* Hernia

- brain (stem) G93.5 2a 2b
- cerebral G93.5 2a 2b
- mediastinum J98.5
- nucleus pulposus - *see* Displacement, intervertebral disc
- transtentorial G93.5 2a 2b

Herpangina B08.5

Herpes, herpetic B00.9

- anogenital A60.9
- blepharitis (zoster) B02.3† H03.1*
- - simplex B00.5† H03.1*
- circinatus B35.4
- - bullous L12.0
- conjunctivitis (simplex) B00.5† H13.1*
- - zoster B02.3† H13.1*
- cornea - *see* Herpes, keratitis
- encephalitis B00.4† G05.1*
- eye (zoster) B02.3† H58.8*
- - simplex B00.5† H58.8*
- eyelid (zoster) B02.3† H03.1*
- - simplex B00.5† H03.1*
- facialis B00.1
- febrilis B00.1
- geniculate ganglionitis B02.2† G53.0*
- genital, genitalis A60.0
 - - female A60.0† N77*
 - - male A60.0† N51* 2b
- gestational, gestationis O26.4
- gingivostomatitis B00.2
- iridocyclitis (simplex) B00.5† H22.0*
 - - zoster B02.3† H22.0*
- iris (vesicular erythema multiforme) L51.1
- iritis (simplex) B00.5† H22.0*
- keratitis (simplex) (dendritic) (disciform) (interstitial) B00.5† H19.1*
 - - zoster (interstitial) B02.3† H19.2*
- keratoconjunctivitis (simplex) B00.5† H19.1*
 - - zoster B02.3† H19.2*
- labialis B00.1
- lip B00.1
- meningitis (simplex) B00.3† 2a 2b G02.0*
 - - zoster B02.1† G02.0*
- ophthalmicus (zoster) NEC B02.3† H58.8*
 - - simplex B00.5† H58.8*
- penis A60.0† N51.8*
- perianal skin A60.1
- pharyngitis, pharyngotonsillitis B00.2
- pneumonia B00.8
- proctitis A06.1

- rectum A60.1† K93.8*
- resulting from HIV disease B20.3
- scrotum A60.0† N51.8*
- septicemia B00.7 2a 2b
- simplex B00.9
 - - complicated NEC B00.8
 - - congenital P35.2
 - - conjunctivitis B00.5† H13.1*
 - - external ear B00.1† H62.1*
 - - eyelid B00.5† H03.1*
 - - hepatitis B00.8† K77.0*
 - - keratitis (interstitial) B00.5† H19.1*
 - - specified complication NEC B00.8
- - visceral B00.8
- stomatitis B00.2
- tonsurans B35.0
- visceral B00.8
- vulva A60.0† N77.1*
- whitlow B00.8† L99.8*
- zoster (*see also condition*) B02.9
 - - auricularis B02.2† H94.0*
 - - complicated NEC B02.8
 - - conjunctivitis B02.3† H13.1*
 - - disseminated B02.7
 - - encephalitis B02.0† G05.1*
 - - eye(lid) B02.3† H03.1*
 - - geniculate ganglionitis B02.2† G53.0*
 - - keratitis (interstitial) B02.3† H19.2*
 - - meningitis B02.1† G02.0*
 - - neuritis, neuralgia B02.2† G53.0*
 - - ophthalmicus NEC B02.3† H58.8*
 - - oticus B02.2† H94.0*
 - - polyneuropathy B02.2† G63.0*
 - - specified complication NEC B02.8
 - - trigeminal neuralgia B02.2† G53.0*

Herrick's anemia (*see also* Disease, sickle-cell) D57.1

Hers' disease E74.0 2a 2b

Herter-Gee syndrome K90.0 2b

Herxheimer's reaction T78.2

Hesitancy of micturition R39.1 2b

Hesselbach's hernia - *see* Hernia, femoral

Heterochromia (congenital) Q13.2

- cataract H26.2
- cyclitis (Fuchs) H20.8
- hair L67.1
- iritis H20.8
- retained metallic foreign body (nonmagnetic) H44.7
 - - magnetic H44.6
- uveitis H20.8

Heterophoria H50.5

Heterophyes, heterophyiasis (small intestine) B66.8

Heterotaxia Q89.3

Heterotopia, heterotopic - *see also* Malposition, congenital

- cerebralis Q04.8

Heterotropia H50.4

- intermittent H50.3
- vertical H50.2

Heubner-Herter disease K90.0 2b

Hexadactylysm Q69.9

Hibernoma (M8880/0) - *see* Lipoma

Hiccup, hiccough R06.6 2b

- epidemic B33.0 2a

- psychogenic F45.3 2b

Hick's syndrome G60.8 2a 2b

Hidradenitis (axillaris) (suppurative) L73.2

Hidradenoma (nodular) (M8400/0) - *see also* Neoplasm, skin, benign

- clear cell (M8402/0) D23.9
- papillary (M8405/0) D23.9

Hidrocystoma (M8404/0) - *see* Neoplasm, skin, benign

High

- altitude effects T70.2
- - anoxia T70.2
- - on
- - - ears T70.0
- - - sinuses T70.1
- - polycythemia D75.1 2a 2b
- arch
- - foot Q66.7
- - palate, congenital Q38.5
- arterial tension (*see also* Hypertension) I10 2a 2b
- basal metabolic rate R94.8
- blood pressure (*see also* Hypertension) I10 2a 2b
- - reading (incidental) (isolated) (nonspecific), without diagnosis of hypertension R03.0 2b
- blood sugar R73.9
- calcium E83.5 2a 2b
- cholesterol E78.0
- diaphragm (congenital) Q79.1 2b
- expressed emotional level within family Z63.8(760)
- head at term O32.4
- palate, congenital Q38.5
- risk
 - - environment (physical) NEC Z58.9(761)
 - - - occupational NEC Z57.9(762)
 - - - specified NEC Z57.8(763)
 - - - specified NEC Z58.8(764)
 - - infant NEC Z76.2(765)
 - - sexual behavior Z72.5(766)
- temperature (of unknown origin) R50.9 2a
- thoracic rib Q76.6

Hildenbrand's disease A75 2a

Hilger's syndrome G90.0

Hilum - *see condition*

Hip - *see condition*

Hippel's disease Q85.8

Hippus H57.0

Hirschsprung's disease or megacolon Q43.1

Hirsutism, hirsuties L68.0

Hirudiniasis

- external B88.3
- internal B83.4

Hiss-Russell dysentery A03.1

Histidinemia, histidinuria E70.8

Histiocytoma (M8832/0) - *see also* Neoplasm, skin, benign

- fibrous (M8830/0) - *see also* Neoplasm, skin, benign
- - atypical (M8830/1) - *see* Neoplasm, connective tissue, uncertain behavior
- - malignant (M8830/3) - *see* Neoplasm, connective tissue, malignant
- malignant (*see also* Neoplasm, skin, malignant)

Histiocytosis D76.3

- acute differentiated progressive (M9722/3) C96.0
- Langerhans' cell NEC D76.0 2b
- malignant (M9720/3) C96.1
- mononuclear phagocytes NEC D76.1
- - Langerhans' cells D76.0 2b
- sinus, with massive lymphadenopathy D76.3
- syndrome NEC D76.3
- X D76.0 2b
- - acute (progressive) (M9722/3) C96.0
- - chronic D76.0 2b

Histiosarcoma C83.3 2a 2b

Histoplasmosis B39.9

- with pneumonia NEC B39.2† J17.2*
- African B39.5
- American - *see* Histoplasmosis, capsulate
- capsulati B39.4
 - - disseminated B39.3
 - - generalized B39.3
 - - pulmonary B39.2† J99.8*
 - - acute B39.0† J99.8*
 - - chronic B39.1† J99.8*
- Darling's B39.4
- duboisii B39.5
- lung NEC B39.2† J99.8*
- History (personal) (of)**
- abuse Z91.8(767)
- alcohol abuse F10.1 2a 2b
- allergy to
 - - analgesic agent NEC Z88.6(768)
 - - anesthetic NEC Z88.4(769)
 - - antibiotic agent NEC Z88.1(770)
 - - anti-infective agent NEC Z88.3(771)
 - - drugs, medicaments and biological substances Z88.9(772)
 - - specified NEC Z88.8(773)
 - - medicinal agents Z88.9(774)
 - - specified NEC Z88.8(775)
 - - narcotic agent NEC Z88.5(776)
 - - nonmedicinal agents Z91.0(777)
 - - penicillin Z88.0(778)
 - - serum Z88.7(779)
 - - sulfonamides Z88.2(780)
 - - vaccine Z88.7(781)
- anticoagulant use (current) (long-term) Z92.1(782)
- arthritis Z87.3(783)
- aspirin use (current) (long-term) Z92.2(784)
- benign neoplasm Z86.0(785)
- chromosomal abnormality Z87.7(786)
- congenital malformation Z87.7(787)
- contraception Z92.0(788)
- disease or disorder (of) Z87.8(789)
- - blood and blood-forming organs Z86.2(790)
- - circulatory system Z86.7(791)
- - digestive system Z87.1(792)
- - ear Z86.6(793)
- - endocrine Z86.3(794)
- - eye Z86.6(795)
- - genital system Z87.4(796)
- - hematological Z86.2(797)
- - immune mechanism Z86.2(798)
- - infectious Z86.1(799)
- - mental NEC Z86.5(800)
- - metabolic Z86.3(801)
- - musculoskeletal Z87.3(802)
- - nervous system Z86.6(803)
- - nutritional Z86.3(804)
- - obstetric Z87.5(805)
- - parasitic Z86.1(806)
- - respiratory system Z87.0(807)
- - sense organs Z86.6(808)
- - skin Z87.2(809)
- - specified site or type NEC Z87.8(810)
- - subcutaneous tissue Z87.2(811)
- - trophoblastic Z87.5(812)
- - urinary system Z87.4(813)
- drug abuse F19.1 2b
- family, of
- - alcohol abuse Z81.1(814)

- - allergy NEC Z84.8(815)
- - anemia Z83.2(816)
- - arthritis Z82.6(817)
- - asthma Z82.5(818)
- - blindness Z82.1(819)
- - chromosomal anomaly Z82.7(820)
- - chronic
 - - - disabling disease NEC Z82.8(821)
 - - - lower respiratory disease Z82.5(822)
- - congenital malformations and deformations Z82.7(823)
- - consanguinity Z84.3(824)
- - deafness Z82.2(825)
- - diabetes mellitus Z83.3(826)
- - disability NEC Z82.8(827)
- - disease or disorder (of)
 - - - allergic NEC Z84.8(828)
 - - - behavioral NEC Z81.8(829)
- - - blood and blood-forming organs Z83.2(830)
- - - cardiovascular NEC Z82.4(831)
- - - chronic disabling NEC Z82.8(832)
- - - digestive Z83.7(833)
- - - ear NEC Z83.5(834)
- - - endocrine Z83.4(835)
- - - eye NEC Z83.5(836)
- - - genitourinary NEC Z84.2(837)
- - - hematological Z83.2(838)
- - - immune mechanism Z83.2(839)
- - - infectious NEC Z83.1(840)
- - - ischemic heart Z82.4(841)
- - - kidney Z84.1(842)
- - - mental NEC Z81.8(843)
- - - metabolic Z83.4(844)
- - - musculoskeletal Z82.6(845)
- - - neurological NEC Z82.0(846)
- - - nutritional NEC Z83.4(847)
- - - parasitic NEC Z83.1(848)
- - - psychiatric NEC Z81.8(849)
- - - respiratory NEC Z83.6(850)
- - - skin and subcutaneous tissue NEC Z84.0(851)
- - - specified NEC Z84.8(852)
- - drug abuse NEC Z81.3(853)
- - epilepsy Z82.0(854)
- - hearing loss Z82.2(855)
- - human immunodeficiency virus (HIV) infection Z83.0(856)
- - Huntington's chorea Z82.0(857)
- - leukemia Z80.6(858)
- - malignant neoplasm (of) NEC Z80.9(859)
- - - breast Z80.3(860)
- - - bronchus Z80.1(861)
- - - digestive organ Z80.0(862)
- - - gastrointestinal tract Z80.0(863)
- - - genital organ Z80.4(864)
- - - hematopoietic NEC Z80.7(865)
- - - intrathoracic organ NEC Z80.2(866)
- - - lung Z80.1(867)
- - - lymphatic NEC Z80.7(868)
- - - respiratory organ NEC Z80.2(869)
- - - specified site NEC Z80.8(870)
- - - trachea Z80.1(871)
- - - urinary organ or tract Z80.5(872)
- - mental
 - - - disorder NEC Z81.8(873)
 - - - retardation Z81.0(874)
- - psychiatric disorder Z81.8(875)
- - psychoactive substance abuse NEC Z81.3(876)

- - self-harmful behavior Z81.8(877)
- - skin condition Z84.0(878)
- - specified condition NEC Z84.8(879)
- - stroke (cerebrovascular) Z82.3(880)
- - substance abuse NEC Z81.4(881)
- - - alcohol Z81.1(882)
- - - drug NEC Z81.3(883)
- - - psychoactive NEC Z81.3(884)
- - - tobacco Z81.2(885)
- - tobacco abuse Z81.2(886)
- - violence, violent behavior Z81.8(887)
- - visual loss Z82.1(888)
- hyperthermia, malignant Z88.4(889)
- in situ neoplasm Z86.0(890)
- injury NEC Z91.6(891)
- irradiation Z92.3(892)
- leukemia Z85.6(893)
- malignant neoplasm (of) Z85.9(894)
- - breast Z85.3(895)
- - bronchus Z85.1(896)
- - digestive organ Z85.0(897)
- - gastrointestinal tract Z85.0(898)
- - genital organ Z85.4(899)
- - hematopoietic NEC Z85.7(900)
- - intrathoracic organ NEC Z85.2(901)
- - lung Z85.1(902)
- - lymphatic NEC Z85.7(903)
- - respiratory organ NEC Z85.2(904)
- - skin Z85.8(905)
- - specified site NEC Z85.8(906)
- - trachea Z85.1(907)
- - urinary organ or tract Z85.5(908)
- maltreatment Z91.8(909)
- medical treatment Z92.9(910)
- - specified type NEC Z92.8(911)
- noncompliance with medical treatment or regimen Z91.1(912)
- nutritional deficiency Z86.3(913)
- parasuicide (attempt) Z91.5(914)
- perinatal problems Z87.6(915)
- physical trauma NEC Z91.6(916)
- - self-harm or suicide attempt Z91.5(917)
- poisoning NEC Z91.8(918)
- - self-harm or suicide attempt Z91.5(919)
- poor personal hygiene Z91.2(920)
- psychiatric disorder NEC Z86.5(921)
- psychological trauma NEC Z91.4(922)
- - in childhood Z61.7(923)
- radiation therapy Z92.3(924)
- rehabilitation (measures) Z92.5(925)
- respiratory condition, chronic NEC Z82.5(926)
- risk factors NEC Z91.8(927)
- self-harm Z91.5(928)
- self-poisoning attempt Z91.5(929)
- sleep-wake cycle problem Z91.3(930)
- substance abuse NEC F19.1 2b
- suicide attempt Z91.5(931)
- surgery (major) NEC Z92.4(932)
- - transplant - *see Transplant*
- tobacco abuse F17.1 2b
- trauma NEC Z91.6(933)
- - psychological NEC Z91.4(934)
- - self-harm Z91.5(935)
- - unhealthy sleep-wake cycle Z91.3(936)
- use of medicaments (current) (long-term) NEC Z92.2(937)
- - anticoagulants Z92.1(938)

- - aspirin Z92.2(939)

His-Werner disease A79.0

HIV - see also Human, immunodeficiencyvirus (HIV) disease

- laboratory evidence (nonconclusive) R75 2a 2b

- nonconclusive test in infants R75 2a 2b

- positive, seropositive R75 2a 2b

Hives (bold) (see also Urticaria) L50.9

Hoarseness R49.0

Hobo Z59.0(940)

Hodgkin's

- disease (M9650/3) C81.9 2a 2b

- - lymphocytic

- - - depletion (M9653/3) C81.3

- - - - diffuse fibrosis (M9654/3) C81.3

- - - - reticular (M9655/3) C81.3

- - - predominance (M9657/3) C81.0

- - - - diffuse (M9658/3) C81.0

- - - - nodular (M9659/3) C81.0

- - lymphocytic-histiocytic predominance (M9657/3) C81.0

- - mixed cellularity (M9652/3) C81.2

- - - nodular sclerosis (M9666/3) C81.1

- - - nodular sclerosis (M9663/3) C81.1

- - - cellular phase (M9664/3) C81.1

- - - lymphocytic

- - - - depletion (M9667/3) C81.1

- - - - predominance (M9665/3) C81.1

- - - - mixed cellularity (M9666/3) C81.1

- - - - syncytial variant (M9667/3) C81.1

- granuloma (M9661/3) C81.7 2b

- lymphoma, malignant (M9650/3) C81.9 2a 2b

- paragranuloma (nodular) (M9660/3) C81.7 2b

- sarcoma (M9662/3) C81.7 2b

Hodgson's disease I71.2

- ruptured I71.1

Hoffa-Kastert disease E88.8 2a 2b

Hoffa's disease E88.8 2a 2b

Hoffmann-Bouveret syndrome I47.9

Hoffmann's syndrome E03.9† 2a 2b G73.5*

Hole (round)

- macula H35.3

- retina (without detachment) H33.3

- - with detachment H33.0

Holiday relief care Z75.5(941)

Hollenhorst's plaque H34.2

Hollow foot (congenital) Q66.7

- acquired M21.6

Holoprosencephaly Q04.2

Holtermuller-Wiedemann syndrome Q03.8

Holt-Oram syndrome Q87.2

Homelessness Z59.0(942)

Homeostasis R99 2a 2b

Homeostenosis R68.8 2a 2b

Homesickness F43.2

Homocystinemia, homocystinuria E72.1

Homogentisate 1,2-dioxygenase deficiency E70.2

Homologous serum hepatitis (prophylactic) (therapeutic) (see also Hepatitis, viral, type B) B16.9 2a 2b

Honeycomb lung J98.4 2a 2b

- congenital Q33.0

- newborn P28.8

Hooded

- clitoris Q52.6

- penis Q55.6

Hookworm (anemia) (disease) (infection) (infestation) B76.9

- specified NEC B76.8

Hordeolum (eyelid) (external) (internal) (recurrent) H00.0

Horn

- cutaneous L85.8

- nail L60.2

- - congenital Q84.6

Horner(-Claude Bernard) syndrome G90.2

- traumatic S14.5

Horseshoe kidney (congenital) Q63.1**Horton's headache or neuralgia G44.0****Hospital hopper syndrome F68.1****Hospitalism in children F43.2****Hostility R45.5**

- towards child Z62.3(943)

Hourglass (contracture) - *see also* Contraction, hourglass

- stomach K31.8 2a

- - congenital Q40.2

- - stricture K31.2

Household, housing circumstance affecting care Z59.9(944)

- specified NEC Z59.8(945)

Housemaid's knee M70.4**Hudson(-Stähli) line (cornea) H18.0****Huffing (specified substance) F18.1 2b****Human**

- bite (open wound) - *see also* Wound T14.1 2a 2b

- - intact skin surface - *see* Contusion

- immuno(deficiency) virus (HIV) disease (drug related) (end-stage) (infection) (not drug related) B24 2a 2b

- - asymptomatic status Z21(946)

- - central nervous system B22.0

- - complicating pregnancy, childbirth or the puerperium O98.7

- - contact Z20.6(947)

- - counseling Z71.7(948)

- - exposure to Z20.6(949)

- - laboratory evidence R75 2a 2b

- - resulting in

- - - acute HIV infection syndrome B23.0

- - - bacterial infection NEC B20.1

- - - Burkitt's lymphoma B21.1

- - - candidiasis B20.4

- - - chronic lymphadenopathy, generalized (persistent) B23.1

- - - cryptosporidiosis B20.8 2a

- - - cytomegaloviral disease B20.2

- - - dementia B22.0† F02.4*

- - - encephalopathy B22.0

- - - failure to thrive B22.2

- - - generalized lymphadenopathy (persistent) B23.1

- - - hematological abnormality NEC B23.2

- - - herpesviral infections B20.3

- - - immunological abnormality NEC B23.2

- - - infection B20.9

- - - - bacterial NEC B20.1

- - - - candidal B20.4

- - - - *Cryptosporidium* B20.8 2a

- - - - cytomegaloviral B20.2

- - - - fungus NEC B20.5

- - - - herpesvirus B20.3

- - - - multiple B20.7

- - - - mycobacterial B20.0

- - - - mycotic NEC B20.5

- - - - papovavirus B20.3

- - - - parasitic NEC B20.8 2a

- - - - *Pneumocystis carinii* (pneumonia) B20.6

- - - - *Pneumocystis jirovecii* (pneumonia) B20.6

- - - - specified NEC B20.8 2a

- - - - tuberculous B20.0

- - - - viral NEC B20.3

- - - infectious disease NEC B20.9

- - - - specified NEC B20.8 2a
- - - Kaposi's sarcoma B21.0
- - - lymphadenopathy
- - - generalized (persistent) B23.1
- - - lymphoid interstitial pneumonitis B22.1
- - - lymphoma (malignant) B21.2
- - - Burkitt's B21.1
- - - non-Hodgkin's NEC B21.2
- - - multiple
- - - diseases classified elsewhere B22.7 2a
- - - infections B20.7
- - - malignant neoplasms B21.7
- - - mycobacterial infection B20.0
- - - mycosis NEC B20.5
- - - neoplasm, malignant B21.9
- - - hematopoietic tissue NEC B21.3
- - - lymphoid tissue NEC B21.3
- - - multiple B21.7
- - - specified NEC B21.8
- - - non-Hodgkin's lymphoma NEC B21.2
- - - papovavirus infection B20.3
- - - parasitic disease NEC B20.9
- - - specified NEC B20.8 2a
- - - *Pneumocystis carinii* pneumonia B20.6
- - - *Pneumocystis jirovecii* (pneumonia) B20.6
- - - pneumonitis, interstitial, lymphoid B22.1
- - - sarcoma NEC B21.9
- - - Kaposi's B21.0
- - - specified condition NEC B23.8
- - - toxoplasmosis B20.8 2a
- - - tuberculosis B20.0
- - - viral infection NEC B20.3
- - - wasting syndrome B22.2
- metapneumovirus B97.8
- resulting in
 - - bronchiolitis J21.1
 - - bronchitis J20.8 2a
 - - encephalitis A85.8† G05.1*
 - - pneumonia J12.3
- T-cell lymphotropic virus type-1 (HTLV-1) infection B33.3
- carrier Z22.6(950)

Humidifier lung or pneumonitis J67.7**Humiliation (experience) in childhood Z61.3(951)****Hump**

- dromedary kidney G63.8
- Humpback (acquired)** M40.2 2a 2b
- congenital Q76.4

Hunchback (acquired) M40.2 2a 2b

- congenital Q76.4

Hunger T73.0 2a 2b

- air, psychogenic F45.3 2b

Hunner's ulcer N30.1**Hunter's**

- glossitis D51.0 2a 2b
- syndrome (-Hurler) (mucopolysaccharidosis) E76.1

Huntington's disease or chorea G10 2a

- with dementia G10† 2a F02.2*

Hunt's

- disease or syndrome (herpetic geniculate ganglionitis) B02.2† G53.0*
- dyssynergia cerebellaris myoclonica G11.1 2a 2b
- neuralgia B02.2† G53.0*

Hurler(-Scheie) disease or syndrome E76.0**Hurst's disease G36.1 2b****Hurthle cell**

- adenocarcinoma (M8290/3) C73 2b

- adenoma (M8290/0) D34
- carcinoma (M8290/3) C73 2b
- tumor (M8290/0) D34

Hutchinson-Boeck disease or syndrome (*see also* Sarcoidosis) D86.9

Hutchinson-Gilford disease or syndrome E34.8

Hutchinson's

- disease meaning
- - angioma serpiginosum L81.7
- - pompholyx L30.1
- - prurigo estivalis L56.4
- - summer eruption or summer prurig L56.4
- melanotic freckle (M8742/2) - *see* Melanoma, in situ
- - malignant melanoma in (M8742/3) - *see* Melanoma
- teeth or incisors (congenital syphilis) A50.5
- triad (congenital syphilis) A50.5

Hyalin plaque, sclera, senile H15.8

Hyaline membrane (disease) (lung) (pulmonary) (newborn) P22.0 2a 2b

- adult J80 2b

Hyalinoses

- cutis (et mucosae) E78.8
- focal and segmental (glomerular) - *code to* N00-N07 with fourth character .1

Hyalitis, hyalosis, asteroid H43.2

- syphilitic (late) A52.7† 2a 2b H45.8*

Hydatid

- cyst or tumor - *see* Echinococcus
- mole - *see* Hydatidiform mole
- Morgagni's
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.2

Hydatidiform mole (benign) (complicating pregnancy) (delivered) (undelivered) (M9100/0) (*see also* Mole, hydatidiform)

O01.9

- classical (M9100/0) O01.0
- complete (M9100/0) O01.0
- invasive (M9100/1) D39.2
- malignant (M9100/1) D39.2
- partial (M9103/0) O01.1
- previous, affecting management of pregnancy Z35.1(952)

Hydatidosis - *see* Echinococcus

Hydradenitis (axillaris) (suppurative) L73.2

Hydradenoma (M8400/0) - *see* Hidradenoma

Hydramnios O40

- affecting fetus or newborn P01.3

Hydrancephaly, hydranencephaly Q04.3

- with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4

Hydrargyriasis

NEC T56.1

Hydrarthrosis M25.4

- gonococcal A54.4† 2b M14.8*
- intermittent M12.4
- of yaws (early) (late) A66.6† 2a 2b M14.8*
- syphilitic (late) A52.7† 2a 2b M14.8*
- - congenital A50.5† M03.1*

Hydremia D64.8 2a 2b

Hydrencephalocele (congenital) (*see also* Encephalocele) Q01.9

Hydrencephalomeningocele (congenital) (*see also* Encephalocele) Q01.9

Hydroa R23.8 2b

- estivale L56.4
- vacciniforme L56.4

Hydroadenitis (axillaris) (suppurative) L73.2

Hydrocalcosis (*see also* Hydronephrosis) N13.3

Hydrocele (spermatic cord) (testis) (tunica vaginalis) N43.3

- canal of Nuck N94.8 2b

- communicating N43.2

- - congenital P83.5

- congenital P83.5
- encysted N43.0
- female NEC N94.8 2b
- fetus or newborn P83.5
- infected N43.1
- round ligament N94.8 2b
- specified NEC N43.2
- spinalis (*see also* Spina bifida) Q05.9 2a 2b
- - with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4
- vulva N90.8

Hydrocephalus (acquired) (external) (internal) (malignant) (recurrent) G91.9 2a 2b

- aqueduct Sylvius stricture (*see also* Hydrocephalus, congenital) Q03.0
- causing disproportion O33.6
- - with obstructed labor O66.3
- - affecting fetus or newborn P03.1
- communicating G91.0 2b
- congenital (external) (internal) Q03.9 2a 2b
- - with spina bifida - *see also* Spina bifida, with hydrocephalus Q05.4
- - - cervical Q05.0
- - - dorsal Q05.1
- - - lumbar Q05.2
- - - lumbosacral Q05.2
- - - sacral Q05.3
- - - thoracic Q05.1
- - - thoracolumbar Q05.1
- - specified NEC Q03.8
- due to toxoplasmosis (congenital) P37.1
- fetus (suspected), affecting management of pregnancy O35.0
- foramen Magendie block (acquired) G91.1
- - congenital (*see also* Hydrocephalus, congenital) Q03.1
- in (due to)
- - infectious disease NEC B99† 2a 2b G94.0*
- - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G94.1*
- - parasitic disease B89† 2a 2b G94.0*
- low pressure G91.8
- newborn Q03.9 2a 2b
- - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- noncommunicating G91.1
- normal-pressure G91.2
- obstructive G91.1
- post-traumatic NEC G91.3
- specified NEC G91.8
- syphilitic, congenital A50.4† G94.0*

Hydrocephaly (*see also* Hydrocephalus) G91.9 2a 2b

Hydrocolpos (congenital) N89.8

Hydrocystoma (M8404/0) - *see* Neoplasm, skin, benign

Hydroencephalocele (congenital) (*see also* Encephalocele) Q01.9

Hydroencephalomeningocele (congenital) (*see also* Encephalocele) Q01.9

Hydrohematopneumothorax - *see* Hemothorax

- traumatic S27.2

Hydromeningitis - *see* Meningitis

Hydromeningocele (spinal) (*see also* Spina bifida) Q05.9 2a 2b

- cranial (*see also* Encephalocele) Q01.9

Hydrometra N85.8

Hydrometrocolpos N89.8

- fetal, fetus Q52.9

Hydromicrocephaly Q02

Hydromphalus (since birth) Q45.8 2b

Hydromyelia Q06.4

Hydromyelocele (*see also* Spina bifida) Q05.9 2a 2b

- with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4

Hydronephrosis (atrophic) (early) (functionless) (intermittent) (primary) (secondary) NEC N13.3

- with

- - infection N13.6 2a 2b

- - obstruction (by) (of)

- - - renal calculus N13.2
- - - - with infection N13.6 2a 2b
- - - ureteral NEC N13.1
- - - - with infection N13.6 2a 2b
- - - - calculus N13.2
- - - - - with infection N13.6 2a 2b
- - - ureteropelvic junction N13.0
- - - - with infection N13.6 2a 2b
- - ureteral stricture NEC N13.1
- - - with infection N13.6 2a 2b
- congenital Q62.0 2a
- tuberculous A18.1† 2a 2b N29.1*

Hydropericarditis (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Hydropericardium (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Hydroperitoneum R18 2b

Hydrophobia - *see* Rabies

Hydrophthalmos Q15.0

Hydropneumohemothorax - *see* Hemothorax

- traumatic S27.2

Hydropneumopericarditis (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Hydropneumopericardium (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Hydropneumothorax J94.8

- traumatic S27.3 2a 2b
- tuberculous NEC A16.5 2a 2b

Hydrops R60.9 2b

- abdominis R18 2b
- amnii (complicating pregnancy) (*see also* Hydramnios) O40
- articulorum intermittens M12.4
- cardiac (*see also* Failure, heart, congestive) I50.0 2a 2b
- causing obstructed labor (mother) O66.3
- endolymphatic H81.0
- fetal(is) or newborn (idiopathic) P83.2
- - affecting management of pregnancy O36.2
- - due to
 - - - ABO isoimmunization P56.0
 - - - - affecting management of pregnancy O36.1
 - - - hemolytic disease NEC P56.9
 - - - isoimmunization (ABO) (Rh) P56.0
 - - - Rh incompatibility P56.0
 - - - - affecting management of pregnancy O36.0
- gallbladder K82.1
- joint (*see also* Hydrarthrosis) M25.4
- labyrinth H81.0
- meningeal (*see also* Hydrocephalus) G91.9 2a 2b
- nutritional (*see also* Malnutrition, severe) E43 2b
- pericardium - *see* Pericarditis
- pleura (*see also* Hydrothorax) J94.8
- spermatic cord (*see also* Hydrocele) N43.3

Hydropyonephrosis N13.6 2a 2b

Hydrorachis Q06.4

Hydrorrhea (nasal) J34.8

- pregnancy - *see* Rupture, membranes, premature

Hydrosadenitis (axillaris) (suppurative) L73.2

Hydrosalpinx (fallopian tube) (follicularis) N70.1

Hydrothorax (double) (pleura) J94.8

- chylous (nonfilarial) I89.8 2b

- - filarial - *see also* Filaria, filarial, filariasis B74.9† J91* 2b

- fetus or newborn P28.8

- traumatic S27.8 2a

- tuberculous - *see* Tuberculosis

Hydroureter (*see also* Hydronephrosis) N13.4

- with infection N13.6 2a 2b

- congenital Q62.3 2a

Hydroureteronephrosis (*see also* Hydronephrosis) N13.3

- with infection N13.6 2a 2b

Hydrourethra N36.8

Hydroxykynureninuria E70.8

Hydroxylsinemia E72.3

Hydroxyprolinemia E72.5

Hygroma (congenital) (cystic) (M9173/0) D18.1

- praepatellare, prepatellar M70.4

- subdural D18.1

- - traumatic S06.5 2a 2b

Hymen - *see condition*

Hymenolepis, hymenolepisis (*diminuta*) (infection) (infestation) (*nana*) B71.0

Hypalgesia R20.8

Hyperacidity (gastric) K31.8 2a

- psychogenic F45.3 2b

Hyperactive, hyperactivity

- basal cell, uterine cervix (*see also* Dysplasia, cervix) N87.9

- bowel (syndrome) K58.9

- bowel sounds R19.1

- cervix epithelial (basal) (*see also* Dysplasia, cervix) N87.9

- child F90.9

- - attention deficit F90.0

- detrusor muscle N32.8

- gastrointestinal K31.8 2a

- - psychogenic F45.3 2b

- nasal mucous membrane J34.3

- stomach K31.8 2a

- thyroid (gland) (*see also* Hyperthyroidism) E05.9 2b

Hyperacusis H93.2

Hyperadrenalinism E27.5

Hyperadrenocorticism E24.9 2b

- congenital E25.0

- iatrogenic

- - correct substance properly administered E24.2 2b

- - overdose or wrong substance given or taken T38.0

- not associated with Cushing's syndrome E27.0

- pituitary-dependent E24.0 2b

Hyperaldosteronism E26.9 2b

- primary (due to (bilateral) adrenal hyperplasia) E26.0

- secondary E26.1 2b

- specified NEC E26.8

Hyperalgesia R20.8

Hyperalimentation R63.2 2a 2b

- carotene, carotin E67.1

- specified NEC E67.8

- vitamin

- - A E67.0

- - D E67.3

Hyperaminoaciduria

- arginine E72.2

- cystine E72.0

- lysine E72.3

- ornithine E72.4

Hyperammonemia (congenital) E72.2

Hyperazotemia - *see* Uremia

Hyperbetalipoproteinemia (familial) E78.0

- with prebetalipoproteinemia E78.2 2b

Hyperbilirubinemia NEC R17 2b

- constitutional E80.6

- familial conjugated E80.6
- neonatal (transient) (*see also* Jaundice, fetus or newborn) P59.9
- - of prematurity P59.0

Hypercalcemia (hypocalciuric) (familial) E83.5 2a 2b

Hypercalciuria (idiopathic) E83.5 2a 2b

Hypercapnia R06.8 2a 2b

Hypercarbia R06.4 2b

- cerebral G93.1 2a 2b

Hypercarotenemia, hypercarotinemia (dietary) E67.1

Hypercementosis K03.4

Hyperchloremia E87.8

- due to

- - medical care NEC E89.8 2b

Hyperchlorhydria K31.8 2a

- neurotic F45.3 2b

- psychogenic F45.3 2b

Hypercholesterinemia - *see* Hypercholesterolemia

Hypercholesterolemia (essential) (familial) (hereditary) (primary) (pure) E78.0

- with hyperglyceridemia, endogenous E78.2 2b

- dietary counseling and surveillance Z71.3(953)

Hyperchylia gastrica, psychogenic F45.3 2b

Hyperchylomicrohemia (familial) (primary) E78.3

- with hyperbetalipoproteinemia E78.3

Hypercoagulability (newborn) D68.9 2b

Hypercoiled, hypercoiling

- cord (umbilical) P02.5

- umbilicus (cord) P02.5

Hypercorticalism, pituitary-dependent E24.0 2b

Hypercorticosteronism

- correct substance properly administered E24.2 2b

- overdose or wrong substance given or taken T38.0

Hypercortisolism

- correct substance properly administered E24.2 2b

- overdose or wrong substance given or taken T38.0

Hyperelectrolytemia E87.8

- due to

- - medical care NEC E89.8 2b

Hyperemesis (*see also* Vomiting) R11 2a 2b

- gravidarum (mild) O21.0

- - with

- - - carbohydrate depletion O21.1

- - - dehydration O21.1

- - - electrolyte imbalance O21.1

- - - metabolic disturbance O21.1

- - affecting fetus or newborn P01.8

- - severe (with metabolic disturbance) O21.1

- psychogenic F45.3 2b

Hyperemia (acute) (passive) R68.8 2a 2b

- anal mucosa K62.8

- bladder N32.8

- cerebral I67.8

- conjunctiva H11.4

- ear, internal, acute H83.0

- enteric K59.8

- eye H11.4

- eyelid (active) (passive) H02.8

- intestine K59.8

- iris H21.1

- kidney N28.8 2a 2b

- labyrinth H83.0

- liver (active) K76.8 2b

- lung (passive) (*see also* Edema, lung) J81 2a 2b

- ovary N83.8

- pulmonary (passive) (*see also* Edema, lung) J81 2a 2b

- renal N28.8 2a 2b

- retina H35.8

- spleen D73.2

- stomach K31.8 2a

Hyperesthesia (body surface) R20.3

- larynx (reflex) J38.7

- - hysterical F44.8

- pharynx (reflex) J39.2

- - hysterical F44.8

Hyperestrogenism (drug-induced) (iatrogenic) E28.0

Hyperfibrinolysis - *see* Fibrinolysis

Hyperfructosemia E74.1

Hyperfunction

- adrenal cortex, not associated with Cushing's syndrome E27.0

- - medulla E27.5

- - - adrenomedullary E27.5

- - virilism E25.9

- - - congenital E25.0

- ovarian E28.8

- pancreas K86.8 2b

- parathyroid (gland) E21.3 2a 2b

- pituitary (gland) (anterior) E22.9

- - specified NEC E22.8

- polyglandular E31.1

- testicular E29.0

Hypergammaglobulinemia D89.2 2b

- polyclonal D89.0

- Waldenström's D89.0

Hypergastrinemia E16.4

Hyperglobulinemia R77.1 2b

Hyperglycemia, hyperglycemic R73.9

- coma - *code to* E10-E14 with fourth character .0

- postpancreatectomy E89.1 2a 2b

Hyperglyceridemia (endogenous) (essential) (familial) (hereditary) (pure) E78.1

- mixed E78.3

Hyperglycinemia (non-ketotic) E72.5

Hypergonadism

- ovarian E28.8

- testicular (infantile) (primary) E29.0

Hyperheparinemia (*see also* Circulating anticoagulants) D68.3

Hyperhidrosis, hyperidrosis R61.9

- generalized R61.1

- localized R61.0

- psychogenic F45.8

Hyperhistidinemia E70.8

Hyperhomocysteinemia E72.1

Hyperhydroxyprolinemia E72.5

Hyperinsulinism (functional) E16.1

- with coma (hypoglycemic) E15 2a 2b

- ectopic E16.1

- therapeutic misadventure (from administration of insulin) T38.3 2b

Hyperkalemia E87.5

- due to

- - medical care NEC E89.8 2b

Hyperkeratosis (*see also* Keratosis) L85.9

- cervix (*see also* Dysplasia, cervix) N87.9

- due to yaws (early) (late) (palmar or plantar) A66.3

- follicularis Q82.8 2b

- - penetrans (in cutem) L87.0

- palmoplantaris climacterica L85.1

- pinta A67.1

- senile (with pruritus) L57.0

- universalis congenita Q80.8 2b

- vocal cord J38.3

- vulva N90.4

Hyperkinesia, hyperkinetic (disease) (reaction) (syndrome) (adolescence) (childhood) F90.9

- with
 - - conduct disorder F90.1
 - - disturbance of activity and attention F90.0
 - - mental retardation and stereotyped movements F84.4
 - - specified manifestation NEC F90.8
- heart I51.8 2a 2b
 - - rheumatic I09.8
 - - - active or acute I01.8 2a
- Hyperlacrimation** H04.8
- Hyperleucine-isoleucinemia** E71.1 2b
- Hyperlipidemia, hyperlipidemia** E78.5
 - combined NEC E78.2 2b
 - combined familial E78.4
 - group
 - - A E78.0
 - - B E78.1
 - - C E78.2 2b
 - - D E78.3
 - mixed E78.2 2b
 - specified NEC E78.4
 - type II E78.0
- Hyperlipidosis** E75.6
 - hereditary NEC E75.5
- Hyperlipoproteinemia** E78.5
 - Fredrickson's type
 - - I E78.3
 - - IIa E78.0
 - - IIb E78.2 2b
 - - III E78.2 2b
 - - IV E78.1
 - - V E78.3
 - low-density-lipoprotein-type (LDL) E78.0
 - very-low-density-lipoprotein-type (VLDL) E78.1
- Hyperlysinemia** E72.3
- Hypermagnesemia** E83.4 2b
 - neonatal P71.8
- Hypermaturity (fetus or newborn)** P08.2 2b
- Hypermenorrhea** N92.0 2b
- Hypermethioninemia** E72.1
- Hypermetropia (congenital)** H52.0
- Hypermobility, hypermotility**
 - coccyx M53.2
 - joints
 - - acquired M24.8
 - - congenital NEC Q74.8
 - meniscus (knee) M23.3
 - scapula M25.3
 - stomach K31.8 2a
 - - psychogenic F45.3 2b
 - syndrome M35.7
- Hypernasality** R49.2
- Hypernatremia** E87.0
 - due to
 - - medical care NEC E89.8 2b
- Hypernephroma** (M8312/3) C64 2a 2b
- Hypernitremia** R79.8 2a 2b
- Hyperopia** H52.0
- Hyperorexia nervosa** F50.2
- Hyperornithinemia** E72.4
- Hyperosmia** R43.1
- Hyperosmolality** E87.0
 - due to
 - - medical care NEC E89.8 2b
- Hyperostosis** M85.8
 - ankylosing (spine) M48.1

- cortical (skull) M85.2
- - infantile M89.8 2b
- frontal, internal of skull M85.2
- interna frontalis M85.2
- monomelic M85.8
- skeletal, diffuse idiopathic M48.1
- skull M85.2
- - congenital Q75.8 2b
- vertebral, ankylosing M48.1

Hyperovarism E28.8

Hyperoxaluria (primary) E74.8 2b

Hyperoxia T59.8 2a 2b

Hyperparathyroidism E21.3 2a 2b

- primary E21.0
- secondary NEC E21.1 2a 2b
- - renal N25.8
- specified NEC E21.2
- tertiary E21.2

Hyperpathia R20.8

Hyperperistalsis R19.2

- psychogenic F45.3 2b

Hyperpermeability, capillary I78.8

Hyperphagia R63.2 2a 2b

Hyperphenylalaninemia NEC E70.1

Hyperphoria (alternating) H50.5

Hyperphosphatemia E83.3

Hyperpiesis, hyperpiesia - *see* Hypertension

Hyperpigmentation NEC (*see also* Pigmentation) L81.8 2b

- melanin NEC L81.4
- postinflammatory L81.0

Hyperpinealism E34.8

Hyperpituitarism E22.9

Hyperplasia, hyperplastic

- adenoids J35.2
- adrenal (capsule) (cortex) (gland) E27.8
- - with
 - - - sexual precocity (male) E25.9
 - - - congenital E25.0
 - - - virilism, adrenal E25.9
 - - - congenital E25.0
 - - - virilization (female) E25.9
 - - - congenital E25.0
 - - congenital E25.0
 - - salt-losing E25.0
 - adrenomedullary E27.5
 - appendix (lymphoid) K38.0
 - artery, fibromuscular I77.3
 - bone M89.3
 - - marrow D75.8 2a 2b
 - breast (*see also* Hypertrophy, breast) N62
 - C-cell, thyroid E07.0
 - cementation (tooth) (teeth) K03.4
 - cervical gland R59.0 2b
 - cervix (uteri) (basal cell) (endometrium) (polypoid) (*see also* Dysplasia, cervix) N87.9
 - - congenital Q51.8
 - clitoris, congenital Q52.6
 - denture K06.2
 - endocervicitis N72
 - endometrium, endometrial (cystic) (glandular) (glandular-cystic) (polypoid) N85.0
 - - cervix - *see* Dysplasia, cervix
 - epithelial L85.9
 - - focal, oral, including tongue K13.2
 - - nipple N62
 - - skin L85.9
 - - tongue K13.2

- - vaginal wall N89.3
- erythroid D75.8 2a 2b
- genital
 - - female NEC N94.8 2b
 - - male N50.8
- gingiva K06.1
- glandularis cystica uteri (interstitialis) N85.0
- gum K06.1
- hymen, congenital Q52.4
- intestine lymphoid (diffuse nodular) K63.8
- irritative, edentulous (alveolar) K06.2
- juxtaglomerular junction (kidney) N28.8 2a 2b
- kidney (congenital) Q63.3
- - acquired N28.8 2a 2b
- labia N90.6
- - epithelial N90.3
- liver (congenital) Q44.7
- - nodular, focal K76.8 2b
- lymph gland or node R59.9 2b
- mandible, mandibular K07.0
- - unilateral condylar K10.8
- maxilla, maxillary K07.0
- myometrium, myometrial N85.2
- nose
 - - lymphoid J34.8
 - - polypoid J33.9
- oral mucosa (irritative) K13.6
- organ or site, congenital NEC - *see also* Anomaly, by site, specified type NEC
- ovary N83.8
- palate, papillary (irritative) K13.6
- pancreatic islet cells E16.9
 - alpha E16.8 2b
 - - with excess
 - - - gastrin E16.4
 - - - glucagon E16.3
 - - beta E16.1
- parathyroid (gland) E21.0
- pharynx (lymphoid) J39.2
- prostate (adenofibromatous) (nodular) N40 2a 2b
- renal artery I77.8 2a 2b
- reticulo-endothelial (cell) D75.8 2a 2b
- salivary gland (any) K11.1
- Schimmelbusch's N60.1
- suprarenal capsule (gland) E27.8
- thymus (gland) (persistent) E32.0
- thyroid (gland) (*see also* Goiter) E04.9
- tonsils (faucial) (infective) (lingual) (lymphoid) J35.1 2a
 - - with adenoids J35.3
- unilateral condylar K10.8
- urethrovaginal N36.8
- uterus, uterine N85.2
 - endometrium (glandular) N85.0
 - - adenomatous N85.1
 - - atypical (adenomatous) N85.1
- vulva N90.6
- - epithelial N90.3

Hyperpnea (*see also* Hyperventilation) R06.4 2b

Hyperpotassemia E87.5

- due to

- - medical care NEC E89.8 2b

Hyperprebetalipoproteinemia (familial) E78.1

Hyperprolactinemia E22.1

Hyperprolinemia (type I) (type II) E72.5

Hyperproteinemia E88.0 2b

Hyperprothrombinemia, causing coagulation factor deficiency D68.4

Hyperpyrexia R50.9 2a

- heat (effects) T67.0
- malignant, due to anesthetic T88.3
- rheumatic - *see Fever, rheumatic*
- unknown origin R50.9 2a

Hyper-reflexia R29.2**Hypersalivation** K11.7**Hypersarcosinemia** E27.5**Hypersecretion**

- ACTH (not associated with Cushing's syndrome) E27.0

- - pituitary E24.0 2b

- adrenaline E27.5

- adrenomedullary E27.5

- androgen (testicular) E29.0

- - ovarian (drug-induced) (iatrogenic) E28.1

- calcitonin E07.0

- catecholamine E27.5

- corticoadrenal E24.9 2b

- cortisol E24.9 2b

- epinephrine E27.5

- estrogen E28.0

- gastric K31.8 2a

- - psychogenic F45.3 2b

- gastrin E16.4

- glucagon E16.3

- hormone(s)

- - ACTH (not associated with Cushing's syndrome) E27.0

- - - pituitary E24.0 2b

- - - antidiuretic E22.2

- - - growth E22.0 2a

- - - intestinal NEC E34.1

- - - ovarian androgen E28.1

- - - pituitary E22.9

- - - testicular E29.0

- - - thyroid stimulating E05.8

- insulin - *see Hyperinsulinism*

- lacrimal glands H04.2

- medullobrebral E27.5

- milk O92.6

- ovarian androgens E28.1

- salivary gland (any) K11.7

- thyrocalcitonin E07.0

- upper respiratory J39.8

Hypersegmentation, leukocytic, hereditary D72.0 2b**Hypersensitive, hypersensitivity, hypersensitivity** - *see also Allergy* T78.4 2b

- carotid sinus G90.0

- drug (*see also Allergy, drug*) T88.7 2a 2b

- gastrointestinal K52.2

- - psychogenic F45.3 2b

- labyrinth H83.2

- pain R20.8

- pneumonitis (*see also Pneumonitis, allergic*) J67.9

- reaction T78.4 2b

- - upper respiratory tract NEC J39.3

Hypersomnia (organic) G47.1

- nonorganic origin F51.1

- primary F51.1

Hypersplenia, hypersplenism D73.1 2b**Hyperstimulation, ovaries (associated with induced ovulation)** N98.1**Hypersusceptibility** - *see Allergy***Hypertelorism (ocular) (orbital)** Q75.2**Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (primary) (systemic)** I10 2a 2b

- with

- - heart involvement (conditions in I51.4- I51.9 2a 2b due to hypertension) (*see also Hypertension, heart*) I11.9 2a 2b

- - kidney involvement (*see also Hypertension, kidney*) I12.9 2a 2b

- - - with
 - - - failure (conditions in N18-, N19-) I12.0
 - - - heart involvement (conditions in I51.4- I51.9 2a 2b) - *see* Hypertension, cardiorenal
- benign, intracranial G93.2
- brain G93.2
- cardiopulmonary I27.2
- cardiorenal (disease) I13.9 2a 2b
 - - with
 - - renal failure I13.1 2a
 - - - and heart failure (congestive) I13.2 2a
 - cardiovascular
 - disease (arteriosclerotic) (sclerotic) (*see also* Hypertension, heart) I11.9 2a 2b
 - - with heart failure (congestive) (*see also* Hypertension, heart) I11.0 2a
 - - - with renal failure I13.2 2a
 - - and renal (disease) I13.9 2a 2b
 - - renal (disease) (sclerosis) (*see also* Hypertension, cardiorenal) I13.9 2a 2b
 - - - with renal failure I13.1 2a
 - - - - with heart failure I13.2 2a
 - cerebral G93.2
 - complicating pregnancy, childbirth or puerperium O16
 - - with
 - - albuminuria (and edema) (*see also* Pre-eclampsia) O14.9 2a
 - - - severe O14.1
 - - heart disease O10.1
 - - - and renal disease, pre-existing O10.3
 - - - renal disease, pre-existing O10.2
 - - affecting fetus or newborn P00.0
 - - essential (benign), pre-existing O10.0
 - - - with superimposed proteinuria O11
 - - - malignant, pre-existing O10.0
 - - malignant, pre-existing O10.0
 - - - with superimposed proteinuria O11
 - - pre-existing O10.9
 - - - with superimposed proteinuria O11
 - - - malignant O10.0
 - - pregnancy-induced (*see also* Hypertension, gestational) O13
 - - secondary to renal disease, pre-existing O10.4
 - - transient - *see* Hypertension, gestational
 - encephalopathy I67.4
 - gestational (pregnancy-induced) (without significant proteinuria) O13
 - - with significant proteinuria or albuminuria (and edema) (*see also* Pre-eclampsia) O14.9 2a
 - Goldblatt's I70.1 2b
 - heart (disease) (conditions in I51.4- I51.9 2a 2b due to hypertension) I11.9 2a 2b
 - - with
 - - heart failure (congestive) I11.0 2a
 - - - hypertensive kidney disease (conditions in I12 2a) (*see also* Hypertension, cardiorenal) I13.9 2a 2b
 - - - renal sclerosis (*see also* Hypertension, cardiorenal) I13.9 2a 2b
 - - intracranial (benign) G93.2
 - - kidney I12.9 2a 2b
 - - with
 - - heart involvement (conditions in I51.4- I51.9 2a 2b due to Hypertension) (*see also* Hypertension, cardiorenal) I13.9 2a 2b
 - - - with heart failure (congestive) I13.0 2a
 - - - - with renal failure I13.2 2a
 - - - - hypertensive heart disease (conditions in I11-) (*see also* Hypertension, cardiorenal) I13.9 2a 2b
 - - - - with heart failure (congestive) I13.0 2a
 - - - - with renal failure I13.2 2a
 - - - renal failure I12.0
 - - lesser circulation I27.0
 - - maternal (of pregnancy) NEC (*see also* Hypertension, complicating pregnancy) O16
 - - newborn P29.2
 - - pulmonary (persistent) P29.3 2b
 - - ocular H40.0
 - - paroxysmal, benign H40.0
 - - portal (due to chronic liver disease) (idiopathic) K76.6 2b
 - - in (due to) schistosomiasis (bilharziasis) B65† 2a K77.0*

- psychogenic F45.3 2b
- pulmonary (artery) (secondary) NEC I27.2
- - fetus (persistent) Q28.8
- - of newborn (persistent) P29.3 2b
- - primary (idiopathic) I27.0
- renal (*see also* Hypertension, kidney) I12.9 2a 2b
- renovascular (secondary) I15.0 2a 2b
- secondary NEC I15.9 2a 2b

Hyperthecosis ovary E28.8

Hyperthermia (of unknown origin) (*see also* Hyperpyrexia) R50.9 2a

- malignant, due to anesthesia T88.3

- newborn, environmental P81.0

Hyperthyroid (recurrent) - *see* Hyperthyroidism

Hyperthyroidism (apathetic) (latent) (pre-adult) (recurrent) E05.9 2b

- with
- - goiter (diffuse) E05.0 2b
- - - adenomatous E05.2
- - - multinodular E05.2
- - - nodular E05.2
- - - uninodular E05.1
- - thyroid nodule (single) E05.1
- neonatal (transitory) P72.1

Hypertony, hypertonia, hypertonicity

- bladder N31.8
- congenital P94.1
- stomach K31.8 2a
- - psychogenic F45.3 2b
- uterus, uterine (contractions) (complicating delivery) O62.4
- - affecting fetus or newborn P03.6

Hypertrichosis L68.9

- congenital Q84.2
- eyelid H02.8
- lanuginosa Q84.2
- - acquired L68.1
- localized L68.2
- specified NEC L68.8

Hypertriglyceridemia (essential) E78.1

Hypertrophy, hypertrophic (*see also* Enlargement)

- adenofibromatous, prostate N40 2a 2b
- adenoids (infective) J35.2
- - with tonsils J35.3
- adrenal cortex E27.8
- alveolar process or ridge K08.8 2a 2b
- anal papillae K62.8
- artery I77.8 2a 2b
- - congenital NEC Q27.8 2a 2b
- arthritis (*see also* Arthrosis) M19.9 2a 2b
- arytenoid J38.7
- auricular - *see* Hypertrophy, cardiac
- Bartholin's gland N75.8
- bile duct (common) (hepatic) K83.8
- bladder (sphincter) (trigone) N32.8
- bone M89.3
- brain G93.8 2b
- breast N62
- - cystic N60.1
- - - with epithelial proliferation N60.3
- - fetus or newborn P83.4
- - pubertal, massive N62
- - puerperal, postpartum O92.2
- - senile (parenchymatous) N62
- cardiac (chronic) (idiopathic) I51.7
- - with rheumatic fever (conditions in I00 2a 2b)
- - - active I01.8 2a
- - - inactive or quiescent (with chorea) I09.8

- - congenital NEC Q24.8 2b
- - fatty (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- - hypertensive (*see also* Hypertension, heart) I11.9 2a 2b
- - rheumatic (with chorea) I09.8
- - - active or acute I01.8 2a
- - - - with chorea I02.0
- - valve (*see also* Endocarditis) I38 2a
- cartilage M94.8
- cecum (*see also* Megacolon) K59.3
- cervix (uteri) N88.8
- - congenital Q51.8
- - elongation N88.4
- clitoris (cirrhotic) N90.8
- - congenital Q52.6
- colon (*see also* Megacolon) K59.3
- - congenital Q43.2
- conjunctiva, lymphoid H11.8
- corpora cavernosa N48.8
- cystic duct K82.8
- duodenum K31.8 2a
- endometrium (glandular) N85.0
- - atypical (adenomatous) N85.1
- - cervix N88.8
- epididymis N50.8
- esophageal hiatus (congenital) Q79.1 2b
- - with hernia - *see* Hernia, hiatal
- eyelid H02.8
- fat pad E65
- - knee (infrapatellar) (popliteal) (prepatellar) (retropatellar) M79.4
- foot (congenital) Q74.2
- frenulum, frenum (tongue) K14.8
- - lip K13.0
- gallbladder K82.8
- gastric mucosa K29.6
- gland, glandular R59.9 2b
- - generalized R59.1 2b
- - localized R59.0 2b
- gum (mucous membrane) K06.1
- heart (idiopathic) - *see also* Hypertrophy, cardiac I51.7
- - valve - *see* Endocarditis
- hemifacial Q67.4
- hepatic - *see* Hypertrophy, liver
- hiatus (esophageal) Q79.1 2b
- hilus gland R59.0 2b
- hymen, congenital Q52.4
- ileum K63.8
- intestine NEC K63.8
- jejunum K63.8
- kidney (compensatory) N28.8 2a 2b
- - congenital Q63.3
- labium (majus) (minus) N90.6
- ligament M24.2
- lingual tonsil (infective) J35.1 2a
- - with adenoids J35.3
- lip K13.0
- - congenital Q18.6
- liver R16.0
- - acute K76.8 2b
- - cirrhotic - *see* Cirrhosis, liver
- - congenital Q44.7
- - fatty - *see* Fatty, liver
- lymph, lymphatic gland R59.9 2b
- - generalized R59.1 2b
- - localized R59.0 2b

- - tuberculous - *see* Tuberculosis, lymph gland
- mammary gland - *see* Hypertrophy, breast
- Meckel's diverticulum (congenital) Q43.0
- median bar N40 2a 2b
- meibomian gland H00.1
- meniscus, knee, congenital Q74.1
- metatarsal head M89.3
- metatarsus M89.3
- mucous membrane
 - - alveolar ridge K06.2
 - - gum K06.1
 - - nose (turbinate) J34.3
- muscle M62.8
- muscular coat, artery I77.8 2a 2b
- myocardium (*see also* Hypertrophy, cardiac) I51.7
- - familial I42.20 2a 2b
- - idiopathic I42.20 2a 2b
- - primary I42.20 2a 2b
- myometrium N85.2
- nail L60.2
- - congenital Q84.5
- nasal J34.8
- - alae J34.8
- - bone J34.8
- - cartilage J34.8
- - mucous membrane (septum) J34.8
- - sinus J34.8
- - turbinate J34.3
- nasopharynx, lymphoid (infectious) (tissue) (wall) J35.2
- nipple N62
- organ or site, congenital NEC - *see* Anomaly, by site
- ovary N83.8
- palate (hard) K10.8
- - soft K13.7
- pancreas, congenital Q45.3
- parathyroid (gland) E21.0
- parotid gland K11.1
- penis N48.8
- pharyngeal tonsil J35.2
- pharynx J39.2
 - - lymphoid (infectious) (tissue) (wall) J35.2
- pituitary (anterior) (fossa) (gland) E23.6
- prepuce (congenital) N47
- - female N90.8
- prostate (adenofibromatous) (asymptomatic) (benign) (early) (recurrent) N40 2a 2b
 - - congenital Q55.4
- pseudomuscular G71.0
- pylorus (adult) (muscle) (sphincter) K31.1
 - - congenital or infantile Q40.0
- rectal, rectum (sphincter) K62.8
- rhinitis (turbinate) J31.0
- salivary gland (any) K11.1
 - - congenital Q38.4
- scaphoid (tarsal) M89.3
- scar L91.0
- scrotum N50.8
- seminal vesicle N50.8
- sigmoid (*see also* Megacolon) K59.3
- spermatic cord N50.8
- spleen - *see* Splenomegaly
- spondylitis M47.9 2a 2b
- stomach K31.8 2a
- sublingual gland K11.1
- submandibular gland K11.1
- suprarenal cortex (gland) E27.8

- synovial NEC M67.2
- tendon M67.8
- testis N50.8
 - - congenital Q55.2
- thymic, thymus (gland) (congenital) E32.0
- thyroid (gland) (*see also* Goiter) E04.9
- toe (congenital) Q74.2
 - - acquired M20.5
- tongue K14.8
 - - congenital Q38.2
 - - papillae (foliate) K14.3
- tonsils (faucial) (infective) (lingual) (lymphoid) J35.1 2a
 - - with adenoids J35.3
- tunica vaginalis N50.8
- ureter N28.8 2a 2b
- urethra N36.8
- uterus N85.2
 - - neck (with elongation) N88.4
 - - puerperal O90.8 2b
- uvula K13.7
- vagina N89.8
- vas deferens N50.8
- vein I87.8 2b
- ventricle, ventricular (heart) - *see also* Hypertrophy, cardiac I51.7
 - - congenital Q24.8 2b
 - - in tetralogy of Fallot Q21.3
- verumontanum N36.8
- vocal cord J38.3
- vulva N90.6
 - - stasis (nonfilarial) N90.6

Hypertropia H50.2

Hypertyrosinemia E70.2

Hyperuricemia (asymptomatic) E79.0

Hypervalinemia E71.1 2b

Hyperventilation (tetany) R06.4 2b

- hysterical F45.3 2b

- psychogenic F45.3 2b

- syndrome F45.3 2b

Hyperviscosity (blood) R70.1

Hypervitaminosis (dietary) NEC E67.8

- A E67.0

- - reaction to sudden overdose T45.2

- B ₆ E67.2

- D E67.3

- - reaction to sudden overdose T45.2

- from excessive administration or use of vitamin preparations (chronic) E67.8

- - reaction to sudden overdose T45.2

- K E67.8

- - overdose or wrong substance given or taken T45.7

Hypervolemia E87.7 2b

Hypesthesia R20.1

- cornea H18.8

Hyphema H21.0

- traumatic S05.1

Hypnotherapy NEC Z50.4(954)

Hypoacidity, gastric K31.8 2a

- psychogenic F45.3 2b

Hypoadrenalinism, hypoadrenia E27.4

- primary E27.1

- tuberculous A18.7† 2b E35.1*

Hypoadrenocorticism E27.4

- pituitary E23.0 2b

- primary E27.1

Hypoalbuminemia E88.0 2b

Hypoaldosteronism E27.4

Hypoalphalipoproteinemia E78.6

Hypobarism T70.2

Hypobaropathy T70.2

Hypobetalipoproteinemia (familial) E78.6

Hypocalcemia E83.5 2a 2b

- dietary E58

- neonatal P71.1

- - due to cow's milk P71.0

- phosphate-loading (newborn) P71.1

Hypochloremia E87.8

- due to

- - medical care NEC E89.8 2b

Hypochlorhydria K31.8 2a

- neurotic F45.3 2b

- psychogenic F45.3 2b

Hypocholesterolemia E78.6

Hypochondria, hypochondriac, hypochondriasis (reaction) F45.2

Hypochondrogenesis Q77.0

Hypochondroplasia Q77.4

Hypochromasia, blood cells D50.8

Hypodontia (*see also* Anodontia) K00.0

Hypoeosinophilia D72.8 2b

Hypoesthesia R20.1

Hypofibrinogenemia D68.8

- acquired D65 2b

- congenital (hereditary) D68.2 2a 2b

Hypofunction

- adrenocortical E27.4

- - drug-induced E27.3

- - postprocedural E89.6

- - primary E27.1

- adrenomedullary, postprocedural E89.6

- cerebral R29.8 2b

- corticoadrenal NEC E27.4

- intestinal K59.8

- kidney (*see also* Disease, kidney) N28.9 2a 2b

- labyrinth H83.2

- ovary E28.3

- pituitary (gland) (anterior) E23.0 2b

- testicular E29.1

- - postprocedural (iatrogenic) (postirradiation) (postsurgical) E89.5 2b

Hypogalactia O92.4

Hypogammaglobulinemia (*see also* Agammaglobulinemia) D80.1 2b

- hereditary D80.0

- nonfamilial D80.1 2b

- transient, of infancy D80.7

Hypogenitalism (congenital) - *see* Hypogonadism

Hypoglobulinemia D80.1 2b

Hypoglossia Q38.3

Hypoglycemia (spontaneous) E16.2 2b

- coma E15 2a 2b

- - diabetic - *code to* E10-E14 with fourth character .0

- dietary counseling and surveillance Z71.3(955)

- drug-induced E16.0

- - with coma (nondiabetic) E15 2a 2b

- due to insulin E16.0

- - with coma (nondiabetic) E15 2a 2b

- - therapeutic misadventure T38.3 2b

- functional, nonhyperinsulinemic E16.1

- iatrogenic E16.0

- - with coma (nondiabetic) E15 2a 2b

- in infant of diabetic mother P70.1 2b

- - gestational diabetes P70.0

- infantile E16.1

- leucine-induced E71.1 2b

- maternal, affecting fetus or newborn P00.8
- neonatal (transitory) P70.4 2b
 - - iatrogenic P70.3
 - - maternal diabetes P70.1 2b
 - - - gestational P70.0
- reactive (not drug-induced) E16.1
- transitory neonatal P70.4 2b

Hypogonadism

- female E28.3
- hypogonadotropic E23.0 2b
- male E29.1
- ovarian (primary) E28.3
- pituitary E23.0 2b
- testicular (primary) E29.1

Hypohidrosis, hypodrosis L74.4

Hypoinsulinemia, postprocedural E89.1 2a 2b

Hypokalemia E87.6

- due to
 - - medical care NEC E89.8 2b

Hypokinesia R09.8 2b

Hypoleukocytosis D70

Hypolipidemia E78.6

Hypolipoproteinemia (alpha) (beta) E78.6

Hypomagnesemia E83.4 2b

- neonatal P71.2 2b

Hypomania, hypomanic reaction F30.0

Hypomenorrhea (*see also* Oligomenorrhea) N91.5

Hypometabolism R63.8

Hypomotility

- gastrointestinal (tract) K31.8 2a
 - - psychogenic F45.3 2b
 - intestine K59.8
 - - psychogenic F45.3 2b
 - stomach K31.8 2a
 - - psychogenic F45.3 2b

Hyponasality R49.2

Hyponatremia E87.1 2b

- due to
 - - medical care NEC E89.8 2b

Hypo-osmolality E87.1 2b

Hypo-ovarianism, hypo-ovarism E28.3

Hypoparathyroidism E20.9

- familial E20.8
- idiopathic E20.0
- neonatal, transitory P71.4
- postprocedural E89.2 2b
- specified NEC E20.8

Hypoperfusion

- bowel K63.8
- cardiac I51.8 2a 2b
- kidney N28.8 2a 2b
- lung J98.4 2a 2b
- - newborn P28.8

Hypopharyngitis (*see also* Laryngopharyngitis) J06.0

Hypophoria H50.5

Hypophosphatemia, hypophosphatasia (acquired) (congenital) (familial) (renal) E83.3

Hypophyseal, hypophysis - *see also condition*

- dwarfism E23.0 2b
- gigantism E22.0 2a

Hypophysitis

- lymphocytic E23.6

Hypopiesis - *see* Hypotension

Hypopinealism E34.8

Hypopituitarism (juvenile) E23.0 2b

- drug-induced E23.1

- due to
 - - hypophysectomy E89.3
 - - radiotherapy E89.3
 - iatrogenic NEC E23.1
 - postirradiation E89.3
 - postpartum E23.0 2b
 - postprocedural E89.3

Hypoplasia, hypoplastic

- adrenal (gland), congenital Q89.1
- alimentary tract, congenital Q45.8 2b
 - - upper Q40.8
 - - anus, anal (canal) Q42.3
 - - with fistula Q42.2
- aorta, aortic Q25.4
 - - ascending, in hypoplastic left heart syndrome Q23.4
 - - valve Q23.1
 - - - in hypoplastic left heart syndrome Q23.4
- areola, congenital Q83.8
- arm, meaning upper limb (congenital) Q71.9
- artery (peripheral) Q27.8 2a 2b
 - - brain (congenital) Q28.3 2a 2b
 - - coronary Q24.5
 - - pulmonary Q25.7
 - - retinal (congenital) Q14.1
 - - umbilical Q27.0
- auditory canal Q17.8
 - - causing impairment of hearing Q16.9
- biliary duct or passage Q44.5
- bone NEC Q79.9 2a 2b
 - - face Q75.8 2b
 - - marrow D61.9 2b
 - - - megakaryocytic D69.4
 - - skull (*see also* Hypoplasia, skull) Q75.8 2b
- brain Q02
 - - gyri Q04.3
 - - part of Q04.3
- breast (areola), congenital Q83.8
- bronchus Q32.4
- cardiac Q24.8 2b
- carpus Q71.8
- cartilage-hair - *see* Dysplasia, metaphyseal
- cecum Q42.8
- cementum K00.4
- cephalic Q02
- cerebellum Q04.3
- cervix (uteri), congenital Q51.8
- clavicle (congenital) Q74.0
- coccyx Q76.4
- colon Q42.9
 - - specified NEC Q42.8
- corpus callosum Q04.0
- cricoid cartilage Q31.2
- dermal focal (Goltz) (syndrome) Q82.8 2b
- digestive organ(s) or tract NEC Q45.8 2b
 - - upper (congenital) Q40.8
 - - ear (auricle) (lobe) Q17.2
 - - middle Q16.4
- enamel of teeth (neonatal) (postnatal) (prenatal) K00.4
- endocrine (gland) NEC Q89.2
- endometrium N85.8
- epididymis (congenital) Q55.4
- epiglottis Q31.2
- erythrocytic D16.8
- erythroid, congenital D61.0
- esophagus (congenital) Q39.8

- eustachian tube Q16.4
- eye Q11.2
- eyelid (congenital) Q10.3
- face Q18.8
 - - bone(s) Q75.8 2b
 - femur (congenital) Q72.8
 - fibula (congenital) Q72.8
 - finger (congenital) Q71.8
 - focal dermal Q82.8 2b
 - foot Q72.8
 - gallbladder Q44.0
 - genitalia, genital organ(s)
 - - female, congenital Q52.8 2b
 - - - external Q52.7
 - - - internal NEC Q52.8 2b
 - - in adiposogenital dystrophy E23.6
 - glottis Q31.2
 - hair Q84.2
 - hand (congenital) Q71.8
 - heart Q24.8 2b
 - - left (complex) (syndrome) Q23.4
 - humerus (congenital) Q71.8
 - intestine (small) Q41.9 2b
 - - large Q42.9
 - - - specified NEC Q42.8
 - jaw K07.0
 - kidney(s) Q60.5
 - - bilateral Q60.4
 - - unilateral Q60.3
 - labium (majus) (minus), congenital Q52.7
 - larynx Q31.2
 - left heart syndrome Q23.4
 - leg, meaning lower limb (congenital) Q72.9
 - limb Q73.8
 - - lower (congenital) Q72.9
 - - upper (congenital) Q71.9
 - liver Q44.7
 - lung (congenital) (lobe) (not associated with short gestation) Q33.6 2a 2b
 - - with immaturity, prematurity or low birth weight P28.0 2a 2b
 - - associated with short gestation P28.0 2a 2b
 - lymphatic duct or vessel I89.8 2b
 - mammary (areola), congenital Q83.8
 - mandible, mandibular K07.0
 - - unilateral condylar K10.8
 - maxillary K07.0
 - medullary D61.9 2b
 - megakaryocytic D69.4
 - metacarpus Q71.8
 - metatarsus Q72.8
 - muscle Q79.8 2b
 - nail(s) Q84.6
 - nose, nasal Q30.1
 - osseous meatus (ear) Q17.8
 - ovary, congenital Q50.3
 - pancreas Q45.0
 - parathyroid (gland) Q89.2
 - parotid gland Q38.4
 - patella Q74.1
 - pelvis, pelvic girdle Q74.2
 - penis (congenital) Q55.6
 - peripheral vascular system Q27.8 2a 2b
 - pituitary (gland) (congenital) Q89.2
 - pulmonary (not associated with short gestation) Q33.6 2a 2b
 - - with immaturity, prematurity or low birth weight P28.0 2a 2b
 - - associated with short gestation P28.0 2a 2b

- radioulnar Q71.8
- radius Q71.8
- rectum Q42.1
 - - with fistula Q42.0
- respiratory system NEC Q34.8
- rib Q76.6
- right heart syndrome Q22.6
- sacrum Q76.4
- scapula Q74.0
- scrotum Q55.1
- shoulder girdle Q74.0
- skin Q82.8 2b
- skull (bone) Q75.8 2b
 - - with
- - - anencephaly Q00.0
 - - - encephalocele (*see also* Encephalocele) Q01.9
 - - - hydrocephalus Q03.9 2a 2b
 - - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
 - - - microcephaly Q02
- spinal (cord) (ventral horn cell) Q06.1 2b
- spine Q76.4
- sternum Q76.7
- tarsus Q72.8
- testis Q55.1
- thymic, with immunodeficiency D82.1 2b
- thymus (gland) Q89.2
 - - with immunodeficiency D82.1 2b
- thyroid (gland) E03.1
 - - cartilage Q31.2
- tibiofibular (congenital) Q72.8
- toe Q72.8
- tongue Q38.3
- Turner's K00.4
- ulna (congenital) Q71.8
- umbilical artery Q27.0
- unilateral condylar K10.8
- ureter Q62.8
- uterus, congenital Q51.8
- vagina Q52.4
- vascular, peripheral NEC Q27.8 2a 2b
 - - brain Q28.3 2a 2b
 - - vein(s) (peripheral) Q27.8 2a 2b
 - - brain Q28.3 2a 2b
 - - great Q26.8
 - - vena cava (inferior) (superior) Q26.8
 - - vertebra Q76.4
- vulva, congenital Q52.7
- zonule (ciliary) Q12.8

Hypopotassemia E87.6

- due to
 - - medical care NEC E89.8 2b

Hypoalbuminemia, congenital (hereditary) D68.2 2a 2b

Hypoproteinemia E77.8

Hypoprothrombinemia (congenital) (hereditary) (idiopathic) D68.2 2a 2b

- acquired D68.4
- newborn, transient P61.6

Hypothyroidism K11.7

Hypopyon (eye) (anterior chamber) H20.0

Hypopyrexia R68.0 2b

Hyporeflexia R29.2

Hyposecretion

- ACTH E23.0 2b
- antidiuretic hormone E23.2 2b
- ovary E28.3
- salivary gland (any) K11.7

- vasopressin E23.2 2b

Hyposegmentation, leukocytic, hereditary D72.0 2b

Hyp siderinemia D50.9

Hyp osmolality

- due to

- medical care NEC E89.8 2b

Hyp osomnia G47.0

- nonorganic origin F51.0

Hyp ospadias Q54.9

- balanic Q54.0

- coronal Q54.0

- glandular Q54.0

- penile Q54.1

- penoscrotal Q54.2

- perineal Q54.3

- specified NEC Q54.8

Hyp ospermatogenesis N46 2a

Hyp osplenism D73.0

Hypostasis

- circulatory I99 2a 2b

- meaning immobility R26.3 2a 2b

- pulmonary, passive (*see also* Edema, lung) J81 2a 2b

- venous I87.8 2b

Hypostatic - *see condition*

Hypostenuria N28.8 2a 2b

Hypotelorism Q75.8 2b

Hypotension (arterial) (constitutional) I95.9 2a 2b

- chronic I95.8 2b

- drug-induced I95.2

- idiopathic (permanent) I95.0

- intracranial, following ventricular shunting (ventriculostomy) G97.2

- maternal, syndrome (following labor and delivery) O26.5

- neurogenic, orthostatic G90.3 2b

- orthostatic (chronic) I95.1

- - neurogenic G90.3 2b

- postural I95.1

- specified NEC I95.8 2b

Hypothermia (accidental) (due to) T68 2b

- anesthesia T88.5 2b

- due to

- - disease condition R68.0 2b

- essential R68.0 2b

- low environmental temperature T68 2b

- neonatal P80.9

- - environmental (mild) NEC P80.8

- - mild P80.8

- - severe (chronic) (cold injury syndrome) P80.0

- - specified NEC P80.8

- not associated with low environmental temperature R68.0 2b

Hypothyroidism (acquired) E03.9 2a 2b

- advanced E03.90 2a 2b

- congenital (without goiter) E03.1

- - with goiter (diffuse) E03.0

- due to

- - exogenous substance NEC E03.2

- - iodine-deficiency (acquired) NEC E01.8

- - subclinical E02

- - irradiation therapy E89.0 2b

- - medicament NEC E03.2

- - P-aminosalicylic acid (PAS) E03.2

- - phenylbutazone E03.2

- - resorcinol E03.2

- - sulfonamide E03.2

- - surgery E89.0 2b

- - thiourea group drugs E03.2

- grave E03.90 2a 2b
- iatrogenic NEC E03.2
- iodine-deficiency (acquired) NEC E01.8
- - congenital (*see also* Syndrome, iodine-deficiency, congenital) E00.9
- - subclinical E02
- neonatal, transitory P72.2
- postinfectious E03.3
- postirradiation E89.0 2b
- postprocedural E89.0 2b
- postsurgical E89.0 2b
- severe E03.90 2a 2b
- specified NEC E03.8
- subclinical, iodine-deficiency-related E02

Hypotonia, hypotonicity, hypotony NEC R27.8 2b

- bladder N31.2
- congenital (benign) P94.2
- eye H44.4

Hypotrichosis (*see also* Alopecia) L65.9

- congenital Q84.0
- due to cytotoxic drugs NEC L65.8
- postinfective NEC L65.8

Hypotropia H50.2

Hypoventilation R06.8 2a 2b

Hypovitaminosis (*see also* Deficiency, vitamin) E56.9 2b

- A E50.9

Hypovolemia E86 2a 2b

- due to
 - - medical care NEC E89.8 2b
 - surgical shock T81.1 2b
 - traumatic (shock) T79.4 2a 2b

Hypoxemia (*see also* Anoxia) R09.0 2b

- Hypoxia** - *see also* Anoxia
 - cerebral, during or resulting from a procedure NEC G97.8 2b
 - fetal - *see* Distress, fetal
 - - affecting management of pregnancy (unrelated to labor or delivery) O36.3
 - intrauterine P20.9
 - - first noted
 - - - before onset of labor P20.0
 - - - during labor and delivery P20.1
 - myocardial (*see also* Insufficiency, coronary) I24.8
 - newborn (*see also* Asphyxia, newborn) P21.9 2a 2b

Hypsarhythmia G40.4

Hysteralgia, pregnant uterus O26.8

Hysterectomy, cesarean O75.9 2a 2b

Hysteria, hysterical (conversion) (dissociative state) F44.9 2b

- anxiety F41.8
- convulsions F44.5
- psychosis, acute F44.9 2b

Hysteroepilepsy F44.5

Hysterotomy, affecting fetus or newborn P03.8

I

Ichthyoparasitism due to *Vandellia cirrhosa* B88.8 2b

Ichthyosis (congenital) Q80.9

- acquired L85.0
- fetalis Q80.4
- hystrix Q80.8 2b
- lamellar Q80.2
- palmaris and plantaris Q82.8 2b
- simplex Q80.0
- vera Q80.8 2b
- vulgaris Q80.0
- X-linked Q80.1

Ichthyotoxicism T61.2

- bacterial (*see also* Intoxication, foodborne) A05.9
- due to
 - - ciguatera T61.0
 - - scombrotoxic T61.1
 - - seafood NEC T61.8
 - - shellfish NEC T61.2

Icteroanæmia, hemolytic (acquired) D59.9

- congenital (*see also* Spherocytosis) D58.0

Icterus (*see also* Jaundice) R17 2b

- hematogenous (acquired) D59.9
- hemolytic (acquired) D59.9
- - congenital (*see also* Spherocytosis) D58.0
- hemorrhagic (acute) (leptospiral) (spirochetal) A27.0
- neonatorum (*see also* Jaundice, fetus or newborn) P59.9

Ictus solaris, solis T67.0**Id reaction (due to bacteria)** L30.2**Ideation, suicidal** R45.8

- constituting part of a mental disorder - *see condition*

Idioglossia F80.0**Idiopathic** - *see condition***Idiosyncrasy** (*see also* Allergy) T78.4 2b

- drug, medicament and biological - *see* Allergy, drug

Idiot, idiocy (congenital) F73 2a 2b

- amaurotic (Bielschowsky(-Jansky)) (familial) (infantile (late)) (juvenile (late)) (Vogt-Spielmeyer) E75.4 2b
- mongoloid Q90.9 2b

IIAC (idiopathic infantile arterial calcification) Q28.8**Ileitis** (*see also* Enteritis) A09.9 2a 2b

- backwash K51.0
- infectious A09.0 2a 2b
- noninfectious K52.9 2a 2b
- regional or terminal (ulcerative) K50.0 2b

Ileocolitis (*see also* Enteritis) A09.9 2a 2b

- infectious A09.0 2a 2b
- noninfectious K52.9 2a 2b
- ulcerative (chronic) K51.0

Ileostomy

- attention to Z43.2(956)
- malfunctioning K91.4
- status Z93.2(957)

Ileotyphus A01.0**Ileum** - *see condition***Ileus (bowel) (colon) (inhibitory) (intestine)** K56.7

- adynamic K56.0
- due to gallstone (in intestine) K56.3
- duodenal (chronic) K31.5
- gallstone K56.3
- mechanical NEC K56.6 2a 2b
- meconium E84.1† 2b P75* 2b
 - - meaning meconium plug (without cystic fibrosis) P76.0
- neurogenic K56.0
 - - Hirschsprung's disease or megacolon Q43.1
- newborn
 - - due to meconium E84.1† 2b P75* 2b
 - - - meaning meconium plug (without cystic fibrosis) P76.0
 - - transitory P76.1
- obstructive NEC K56.6 2a 2b
- paralytic K56.0

Iliac - *see condition***Ill, illness (chronically) (extended) (health)** (*see also* Disease) R99 2a 2b

- debilitating R53 2b

Illegitimacy (unwanted pregnancy) Z64.0(958)

- supervision of high-risk pregnancy Z35.7(959)

Illiteracy Z55.0(960)**Imbalance** R26.8 2b

- autonomic G90.8
- constituents of food intake E63.1
- electrolyte E87.8
 - - due to
 - - - hyperemesis gravidarum O21.1
 - - - medical care NEC E89.8 2b
 - - - following abortion O08.5
 - - - neonatal, transitory NEC P74.4
 - - - potassium P74.3
 - - - sodium P74.2
- endocrine E34.9 2b
- eye muscle NEC H50.9
- fluid E87.8
- hormone E34.9 2b
- hysterical F44.4
- labyrinth H83.2
- metabolism, metabolic E88.9
- nutritional E63.9 2a 2b
- posture R29.3
- protein-energy (*see also* Malnutrition) E46 2a 2b
- sympathetic G90.8

Imbecile, imbecility (I.Q. 35-49) F71 2a 2b

Imbrication, teeth K07.3

Immerslund(-Gräsbeck) syndrome D51.1 2b

Immature - *see also* Immaturity

- birth (28 completed weeks or more but less than 37 completed weeks) P07.3 2a 2b
- - extremely (less than 28 completed weeks) P07.2 2b
- placenta P02.2
- villi (maternal), affecting fetus or newborn P02.8
- personality F60.8

Immaturity (28 completed weeks or morebut less than 37 completed weeks) (*see also* Prematurity) P07.3 2a 2b

- extreme (less than 28 completed weeks) P07.2 2b
- fetal, fetus P07.3 2a 2b
- fetus or infant light-for-dates - *see* Light-for-dates
- gross P07.2 2b
- infant P07.3 2a 2b
- newborn P07.3 2a 2b
- organ or site NEC - *see* Hypoplasia
- pulmonary, fetus or newborn P28.0 2a 2b
- reaction F61
- respiratory P28.0 2a 2b
- sexual (female) (male), after puberty E30.0

Immersion T75.1 2a 2b

- foot or hand T69.0

Immobility R26.3 2a 2b

- due to prolonged bedrest R26.3 2a 2b
- syndrome (paraplegic) M62.3

Immolation T31.9

Immune compromised NEC D89.9

Immune reconstitution syndrome (inflammatory) D89.3

Immunization (*see also* Vaccination) Z26.9(961)

- ABO (*see also* Isoimmunization, ABO)
- - affecting management of pregnancy O36.1
- - - in fetus or newborn P55.1
- complication - *see* Complications, vaccination
- Rh factor - *see also* Isoimmunization, Rh
- - - affecting management of pregnancy O36.0
- - from transfusion T80.4

Immunocytoma (M9671/3) C83.0 2a

Immunodeficiency D84.9 2b

- with
- - antibody defects D80.9
- - - specified type NEC D80.8
- - increased immunoglobulin in M (IgM) D80.5
- - major defect D82.9

- - - specified type NEC D82.8
- - partial albinism D82.8
- - short-limbed stature D82.2
- - thrombocytopenia and eczema D82.0 2b
- antibody with
 - - hyperimmunoglobulinemia D80.6
 - - near-normal immunoglobulins D80.6
- combined D81.9
- - severe (SCID) D81.9
 - - - with
 - - - - low or normal B-cell numbers D81.2
 - - - - low T- and B-cell numbers D81.1
 - - - - reticular dysgenesis D81.0
- - specified type NEC D81.8
- common variable D83.9
 - - with
 - - - abnormalities of B-cell numbers and function D83.0
 - - - autoantibodies to B- or T-cells D83.2
 - - - immunoregulatory T-cell disorders D83.1
- - specified type NEC D83.8
- following hereditary defective response to Epstein-Barr virus (EBV) D82.3
- selective, immunoglobulin
 - - A (IgA) D80.2
 - - G (IgG) (subclasses) D80.3
 - - M (IgM) D80.4
- specified type NEC D84.8

Immunotherapy, prophylactic Z29.1(962)

Impaction, impacted

- bowel, colon or rectum (fecal) K56.4 2b
- calculus - *see* Calculus
- cerumen (ear) (external) H61.2
- dental K01.1
- fecal, feces K56.4 2b
- fracture - *see* Fracture, by site
- gallbladder (*see also* Cholelithiasis) K80.2 2a 2b
- gallstone(s) (*see also* Cholelithiasis) K80.2 2a 2b
 - - bile duct (common) (hepatic) K80.5
 - - cystic duct K80.2 2a 2b
 - - in intestine, with obstruction (any part) K56.3
 - - intestine (calculous) (fecal) NEC K56.4 2b
 - - gallstone, with ileus K56.3
 - - molar - *see* Impaction, tooth
 - - shoulder O66.0
 - - affecting fetus or newborn P03.1
 - - causing obstructed labor O66.0
 - - tooth, teeth K01.1
 - - with abnormal position (same or adjacent tooth) K07.3
 - - turbinete J34.8

Impaired, impairment (function)

- auditory NEC H91.9
- - discrimination H93.2
- cognitive R41.8
- - mild F06.7
- - persisting (due to)
 - - - alcohol F10.7 2a
 - - - hallucinogen use F16.7
 - - - sedatives F13.7
- glucose tolerance R73.0 2b
- hearing - *see* Deafness
- heart - *see* Disease, heart
- kidney (*see also* Failure, kidney) N19 2a 2b
 - - acute N17-
 - - chronic N18.9 2a 2b
 - - - end-stage N18.5 2b
 - - - stage 1 N18.1

- - - stage 2 N18.2
- - - stage 3 N18.3
- - - stage 4 N18.4
- - - stage 5 N18.5 2b
- - disorder resulting from N25.9
- - end-stage N18.5 2b
- - neonatal, transient P74.8
- - tubular function disorder N25.9
- liver K72.9 2a 2b
- mastication K08.8 2a 2b
- mobility
- - ear ossicles H74.3
- - requiring care provider Z74.0(963)
- myocardium, myocardial (*see also* Insufficiency, myocardial) I50.9 2a 2b
- neurological, neurologic R29.8 2b
- rectal sphincter R19.8 2b
- renal - *see* Impaired, kidney
- respiratory J96.9 2a 2b
- swallowing R13 2a 2b
- tolerance, glucose R73.0 2b
- vision NEC H54.9
- visual
 - - binocular H54.9
 - - - mild H54.3
 - - - moderate H54.2
 - - - severe H54.1
- - monocular
- - - moderate H54.6
- - - severe H54.5

Impediment, speech NEC R47.8

- psychogenic (childhood) F98.8

Imperception auditory (acquired) (*see also* Deafness) H91.9

- congenital F80.2

Imperfect

- aeration, lung (newborn) NEC P28.1 2b
- - not newborn R06.8 2a 2b
- closure (congenital)
 - - atrioventricular ostium Q21.2 2b
 - - branchial cleft or sinus Q18.0
 - - choroid Q14.3
 - - cricoid cartilage Q31.8
 - - cusps, heart valve NEC Q24.8 2b
 - - ductus
 - - - arteriosus Q25.0 2b
 - - - Botalli Q25.0 2b
 - - ear drum (causing impairment of hearing) Q16.4
 - - esophagus with communication to bronchus or trachea Q39.1
 - - eyelid Q10.3
 - - foramen
 - - - botalli Q21.1 2b
 - - - ovale Q21.1 2b
 - - genitalia, genital organ(s) or system
 - - - female Q52.8 2b
 - - - - external Q52.7
 - - - - internal NEC Q52.8 2b
 - - - male Q55.8
 - - glottis Q31.8
 - - larynx Q31.8
 - - lip (*see also* Cleft, lip) Q36.9
 - - nasal septum Q30.3
 - - nose Q30.2
 - - omphalomesenteric duct Q43.0
 - - optic nerve entry Q14.2
 - - organ or site not listed - *see* Anomaly, by site
 - - ostium

- - - interatrial Q21.1 2b
- - - interauricular Q21.1 2b
- - palate (*see also* Cleft, palate) Q35.9
- - preauricular sinus Q18.1
- - retina Q14.1
- - roof of orbit Q75.8 2b
- - septum
- - - aortopulmonary Q21.4
- - - atrial Q21.1 2b
- - - between aorta and pulmonary artery Q21.4
- - - heart Q21.9 2b
- - - interatrial Q21.1 2b
- - - interauricular Q21.1 2b
- - - interventricular Q21.0 2b
- - - - in tetralogy of Fallot Q21.3
- - - nasal Q30.3
- - - ventricular Q21.0 2b
- - - - in tetralogy of Fallot Q21.3
- - skull Q75.0
- - - with
 - - - - anencephaly Q00.0
 - - - - encephalocele (*see also* Encephalocele) Q01.9
 - - - - hydrocephalus Q03.9 2a 2b
 - - - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
 - - - - microcephaly Q02
- - spine (with meningocele) (*see also* Spina bifida) Q05.9 2a 2b
- - trachea Q32.1
- - tympanic membrane (causing impairment of hearing) Q16.4
- - uterus Q51.8
- - vitelline duct Q43.0
- - erection N48.4
- - fusion - *see* Imperfect, closure
- - posture R29.3
- - rotation, intestine Q43.3
- - septum, ventricular Q21.0 2b

Imperfectly descended testis Q53.9

- - bilateral Q53.2
- - unilateral Q53.1

Imperforate (congenital) - *see also* Atresia

- - anus Q42.3
- - - with fistula Q42.2
- - cervix (uteri) Q51.8
- - esophagus Q39.0
- - - with tracheoesophageal fistula Q39.1
- - hymen Q52.3
- - jejunum Q41.1
- - pharynx Q38.8
- - rectum Q42.1
- - - with fistula Q42.0
- - urethra Q64.3
- - vagina Q52.4

Impervious (congenital) - *see also* Atresia

- - anus Q42.3
- - - with fistula Q42.2
- - bile duct Q44.2
- - esophagus Q39.0
- - - with tracheoesophageal fistula Q39.1
- - intestine (small) Q41.9 2b
- - large Q42.9
- - - specified NEC Q42.8
- - rectum Q42.1
- - - with fistula Q42.0
- - ureter Q62.1 2a
- - urethra Q64.3

Impetiginization of dermatoses NEC L01.1

Impetigo (any organism) (any site) (circinate) (contagiosa) (simplex) L01.0 2a

- Bockhart's L01.0 2a
- bullous, bullousa L01.0 2a
- external ear L01.0† 2a H62.4*
- eyelid L01.0† 2a H03.8*
- follicularis L01.0 2a
- herpetiformis L40.1
- neonatorum L01.0 2a
- ulcerative L01.0 2a
- vulgaris L01.0 2a

Implantation

- anomalous - *see* Anomaly, by site
- - ureter Q62.6
- cyst
 - - external area or site (skin) NEC L72.0
 - - iris H21.3
 - - vagina N89.8
 - - vulva N90.7
- dermoid (cyst) - *see* Implantation, cyst
- ovum (*in vitro* fertilization) Z31.2(964)
- placenta, low or marginal (*see also* Placenta, previa) O44.1

Impotence (sexual) (psychogenic) F52.2

- counseling Z70.1(965)
- organic origin NEC N48.4

Impression, basilar Q75.8 2b**Imprisonment, anxiety concerning** Z65.1(966)**Improper care (child) (newborn)** T74.0**Improperly tied umbilical cord (causing hemorrhage)** P51.8**Inability**

- nourishment R63.8
- to breathe properly R06.8 2a 2b
 - - newborn P28.8
- to drink R63.8
- to eat R63.8
- to feed R63.8
- to handle secretions R09.8 2b
- to swallow R13 2a 2b
- to take nourishment R63.8

Inaccessible, inaccessibility

- health care NEC Z75.3(967)
 - - due to
 - - - waiting period Z75.2(968)
 - - - for admission to facility elsewhere Z75.1(969)
- other helping agencies Z75.4(970)

Inactive - *see condition***Inactivity** R26.3 2a 2b**Inadequate, inadequacy**

- biologic, constitutional, functional or social F60.7
- development
 - - child R62.8 2b
 - - fetus P05.9
 - - - affecting management of pregnancy O36.5
 - - genitalia
 - - - after puberty NEC E30.0
 - - congenital
 - - - female Q52.8 2b
 - - - - external Q52.7
 - - - - internal Q52.8 2b
 - - - male Q55.8
 - - lungs Q33.6 2a 2b
 - - - associated with short gestation P28.0 2a 2b
 - - organ or site not listed - *see* Anomaly, by site
 - - respiratory center (newborn) Q04.9
 - diet (causing nutritional deficiency) E63.9 2a 2b
 - drinking-water supply Z58.6(971)

- eating habits Z72.4(972)
- family support Z63.2(973)
- food (supply) NEC Z59.4(974)
 - - hunger effects T73.0 2a 2b
- household care, due to
 - - family member
 - - - handicapped or ill Z74.2(975)
 - - - on vacation Z75.5(976)
 - - - temporarily away from home Z74.2(977)
 - - technical defects in home Z59.1(978)
 - - temporary absence from home of person rendering care Z74.2(979)
- housing (heating) (space) Z59.1(980)
- income (financial) Z59.6(981)
- intrafamilial communication Z63.8(982)
- material resources Z59.6(983)
- mental (*see also* Retardation, mental) F79 2a 2b
- parental supervision or control of child Z62.0(984)
- perfusion
- - intestine K90.8 2b
- personality F60.7
- pharyngeal muscle R13 2a 2b
- prenatal care, affecting management of pregnancy Z35.3(985)
- pulmonary
 - - function R06.8 2a 2b
 - - - newborn P28.5 2a 2b
 - - ventilation, newborn P28.5 2a 2b
- respiratory center (newborn) Q04.9
- social
 - - insurance Z59.7(986)
 - - skills NEC Z73.4(987)
- supervision of child by parent Z62.0(988)
- teaching affecting education Z55.8(989)
- ventilation R06.8 2a 2b
- - newborn P28.5 2a 2b
- welfare support Z59.7(990)

Inanition R64 2b

- with edema (*see also* Malnutrition, severe) E43 2b
- due to
 - - deprivation of food T73.0 2a 2b
 - - malnutrition (*see also* Malnutrition) E46 2a 2b
- fever R50.9 2a

Inappropriate diet or eating habits Z72.4(991)**Inattention at or after birth** T74.0**Inborn error of metabolism** - *see* Disorder,metabolism**Incarceration, incarcerated**

- hernia (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
- - with gangrene (*see also* Hernia, by site, with gangrene) K46.1
- intestine K56.6 2a 2b
- iris, in wound S05.2
- lens, in wound S05.2
- prison, anxiety concerning Z65.1(992)
- uterus N85.8
- - gravid O34.5
- - - causing obstructed labor O65.5

Incineration (entire body) (from fire, conflagration, electricity or lightning) T31.9**Incised wound**

- external - *see* Wound
- internal organs - *see* Injury, by site

Incision, incisional

- hernia - *see* Hernia, ventral
- surgical, complication - *see* Complications, surgical procedure
- traumatic
 - - external - *see* Wound
 - - internal organs - *see* Injury, by site

Inclusion, gallbladder in liver (congenital) Q44.1

Incompatibility

- ABO
- - affecting management of pregnancy O36.1
- - fetus or newborn P55.1
- - infusion or transfusion reaction T80.3
- blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC
- - affecting management of pregnancy O36.1
- - fetus or newborn P55.8
- - infusion or transfusion reaction T80.3
- Rh (blood group) (factor)
- - affecting management of pregnancy O36.0
- - fetus or newborn P55.0 2b
- - infusion or transfusion reaction T80.4
- rhesus - *see* Incompatibility, Rh

Incompatible with life (newborn) (nonviable) P07.2 2b**Incompetence**

- immune D84.9 2b

Incompetency, incompetent

- annular
 - - aortic (valve) (*see also* Insufficiency, aortic) I35.1 2b
 - - mitral (valve) I34.0 2a 2b
 - - pulmonary valve (heart) I37.1
- aortic (valve) (*see also* Insufficiency, aortic) I35.1 2b
- - syphilitic A52.0† 2b I39.1*
- cardiac valve - *see* Endocarditis
- cervix, cervical (os) N88.3
- - in pregnancy O34.3
 - - - affecting fetus or newborn P01.0
- mental F99 2a 2b
- mitral (valve) - *see* Insufficiency, mitral
- pelvic fundus N81.8
- pulmonary valve (heart) (*see also* Insufficiency, pulmonary valve) I37.1
- tricuspid (annular) (valve) (*see also* Insufficiency, tricuspid) I07.1 2a
- - nonrheumatic (*see also* Insufficiency, tricuspid, nonrheumatic) I36.1
- valvular - *see* Endocarditis
- velopharyngeal (sphincter) (closure) K13.7

Incomplete - *see also* condition

- emptying
- - bladder N31.9
- expansion, lungs (newborn) NEC P28.1 2b
- rotation, intestine Q43.3

Incontinence R32 2b

- anal sphincter R15
- feces, fecal R15
- - nonorganic origin F98.1
- overflow N39.4
- psychogenic F45.8
- reflex N39.4
- stress (female) (male) N39.3
- urethral sphincter R32 2b
- urge N39.4
- urine, urinary R32 2b
 - - nonorganic origin F98.0
 - - specified NEC N39.4
 - - stress (female) (male) N39.3

Incontinentia pigmenti Q82.3**Incoordinate, incoordination**

- muscular R27.8 2b
- uterus (action) (contractions) (complicating delivery) O62.4
- - affecting fetus or newborn P03.6

Increase, increased

- anticoagulants (antithrombin) (anti-VIIIa) (anti-IXa) (anti-Xa) (anti-XIa) (*see also* Circulating anticoagulants) D68.3
- cold sense R20.8
- estrogen E28.0
- function

- - adrenal
- - - cortex - *see Cushing's syndrome*
- - - medulla E27.5
- - pituitary (gland) (anterior) (lobe) E22.9
- heat sense R20.8
- intracranial pressure (benign) G93.2
- permeability, capillaries I78.8
- secretion
- - gastrin E16.4
- - glucagon E16.3
- - pancreas, endocrine E16.9
- - - growth hormone-releasing hormone E16.8 2b
- - - pancreatic polypeptide E16.8 2b
- - - somatostatin E16.8 2b
- - - vasoactive-intestinal polypeptide E16.8 2b
- sphericity, lens Q12.4
- splenic activity D73.1 2b
- venous pressure I87.8 2b

Incrustation, cornea, foreign body T15.0

Incyclophoria H50.5

Incyclotropia H50.4

Indeterminate sex Q56.4

India rubber skin Q82.8 2b

Indigestion (acid) (bilious) (functional) K30

- nervous F45.3 2b
- psychogenic F45.3 2b

Indirect - *see condition*

Induction of labor, affecting fetus or newborn P03.8

Induratio penis plastica N48.6

Induration, indurated

- brain G93.8 2b
- breast (fibrous) N64.5
- - puerperal, postpartum O92.2
- broad ligament N83.8
- corpora cavernosa (penis) (plastic) N48.6
- liver (chronic) K76.8 2b
- lung (chronic) (fibroid) (*see also* Fibrosis, lung) J84.1 2a 2b
- penile (plastic) N48.6
- phlebitic - *see Phlebitis*
- skin R23.4

Inebriated, Inebriety F10.1 2a 2b

- chronic F10.2 2a 2b

Inefficiency, kidney (*see also* Failure, renal) N19 2a 2b

Inequality, leg (length) (acquired) M21.7

- congenital Q72.9

Inertia

- bladder (neurogenic) N31.2
- stomach K31.8 2a
- - psychogenic F45.3 2b
- uterus, uterine during labor O62.2 2a 2b
- - affecting fetus or newborn P03.6
- - primary O62.0
- - secondary O62.1 2a 2b
- vesical (neurogenic) N31.2

Infancy, infantile, infantilism - *see also condition* R62.8 2b

- celiac K90.0 2b
- genitalia, genitals (after puberty) E30.0
- - in pregnancy or childbirth NEC O34.8
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- Lorain(-Levi) E23.0 2b
- pancreatic K86.8 2b
- pelvis M95.5
- - with disproportion (fetopelvic) O33.1
- - - affecting fetus or newborn P03.1

- - - causing obstructed labor O65.1
- pituitary E23.0 2b
- renal N25.0
- uterus (*see also* Infancy, genitalia) E30.0

Infant(s) - *see also* Infancy

- excessive crying R68.1 2b
- irritable child R68.1 2b
- lack of care T74.0
- liveborn (singleton) Z38.2(993)
- - born
- - - in hospital Z38.0(994)
- - - outside hospital Z38.1(995)
- - multiple NEC Z38.8(996)
- - - born
- - - - in hospital Z38.6(997)
- - - - outside hospital Z38.7(998)
- - twin Z38.5(999)
- - - born
- - - - in hospital Z38.3(1000)
- - - - outside hospital Z38.4(1001)
- of diabetic mother (syndrome of) P70.1 2b
- - gestational diabetes P70.0

Infarct, infarction (of) I99 2a 2b

- adrenal (capsule) (gland) E27.4
- aorta I74.1
- - abdominal I74.0
- - thoracic I74.1
- artery (*see also* Embolism, artery)
- bowel K55.0 2a 2b
- brain (*see also* Infarct, cerebral) I63.9 2a 2b
- - bilateral (multiple) I63.90 2a 2b
- - embolic I63.4 2a 2b
- - - bilateral (multiple) I63.40 2a 2b
- - - multiple (bilateral) I63.40 2a 2b
- - multiple (bilateral) I63.90 2a 2b
- - puerperal, postpartum or in childbirth or pregnancy O99.4 2b
- breast N64.8
- cardiac (*see also* Infarct, myocardium) I21.9 2a 2b
- cerebellar (*see also* Infarct, cerebral) I63.9 2a 2b
- - bilateral (multiple) I63.90 2a 2b
- - embolic I63.4 2a 2b
- - - bilateral (multiple) I63.40 2a 2b
- - - multiple (bilateral) I63.40 2a 2b
- - multiple (bilateral) I63.90 2a 2b
- - cerebral (artery) (hemorrhagic) I63.9 2a 2b
- - bilateral (multiple) I63.90 2a 2b
- - due to
- - - cerebral venous thrombosis, nonpyogenic I63.6 2a 2b
- - - - bilateral (multiple) I63.60 2a 2b
- - - - multiple (bilateral) I63.60 2a 2b
- - - embolism (hemorrhagic)
- - - - cerebral arteries I63.4 2a 2b
- - - - - bilateral (multiple) I63.40 2a 2b
- - - - - multiple (bilateral) I63.40 2a 2b
- - - - precerebral arteries I63.1 2a 2b
- - - - - bilateral (multiple) I63.10 2a 2b
- - - - - multiple (bilateral) I63.10 2a 2b
- - - occlusion NEC
- - - - cerebral arteries I63.5 2a 2b
- - - - - bilateral (multiple) I63.50 2a 2b
- - - - - multiple (bilateral) I63.50 2a 2b
- - - - precerebral arteries I63.2 2a 2b
- - - - - bilateral (multiple) I63.20 2a 2b
- - - - - multiple (bilateral) I63.20 2a 2b
- - - stenosis NEC

- - - - cerebral arteries I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - precerebral arteries I63.2 2a 2b
- - - - bilateral (multiple) I63.20 2a 2b
- - - - multiple (bilateral) I63.20 2a 2b
- - - thrombosis (hemorrhagic)
- - - - cerebral arteries I63.3 2a 2b
- - - - bilateral (multiple) I63.30 2a 2b
- - - - multiple (bilateral) I63.30 2a 2b
- - - - precerebral arteries I63.0 2a 2b
- - - - bilateral (multiple) I63.00 2a 2b
- - - - multiple (bilateral) I63.00 2a 2b
- - multiple (bilateral) I63.90 2a 2b
- - specified NEC I63.8 2a 2b
- - - bilateral (multiple) I63.80 2a 2b
- - - multiple (bilateral) I63.80 2a 2b
- - - thromboembolic I63.4 2a 2b
- - - bilateral (multiple) I63.40 2a 2b
- - - multiple (bilateral) I63.40 2a 2b
- colon K55.0 2a 2b
- coronary artery (*see also* Infarct, myocardium) I21.9 2a 2b
- embolic (*see also* Embolism) I74.9 2a 2b
- extremities (lower) (upper) I99 2a 2b
- fallopian tube N83.8
- heart (*see also* Infarct, myocardium) I21.9 2a 2b
- hepatic K76.3 2a 2b
- hypophysis (anterior lobe) E23.6
- intestine (acute) (agnogenic) (hemorrhagic) (nonocclusive) (transmural) K55.0 2a 2b
- kidney N28.0
- lacunar NEC - *see* Infarct, brain
- liver K76.3 2a 2b
- lung (embolic) (thrombotic) (*see also* Embolism, pulmonary) I26.9 2a 2b
- lymph node I89.8 2b
- medulla (*see also* Infarct, brain) I63.9 2a 2b
- - bilateral (multiple) I63.90 2a 2b
- - multiple (bilateral) I63.90 2a 2b
- mesentery, mesenteric (thrombotic) K55.0 2a 2b
- - embolic K55.00 2a 2b
- mitral I34.8
- muscle (ischemic) M62.2 2a 2b
- myocardium, myocardial (acute or with a stated duration of 4 weeks or less) I21.9 2a 2b
- - chronic or with a stated duration of over 4 weeks I25.8 2a 2b
- - healed or old I25.8 2a 2b
- - healing I21.9 2a 2b
- - non-ST elevation (NSTEMI) I21.4
- - nontransmural I21.4
- - past (diagnosed on ECG or other special investigation, but currently presenting no symptoms) (history of) I25.8 2a 2b
- - post I21.9 2a 2b
- - previous I21.9 2a 2b
- - recurrent - *see* Infarct, myocardium, subsequent
- - remote I25.8 2a 2b
- - subendocardial I21.4
- - subsequent (extension) (recurrent) (reinfarction) I22.9
- - - anterior (wall) I22.0
- - - diaphragmatic (wall) I22.1
- - - inferior (wall) I22.1
- - - specified NEC I22.8
- - syphilitic A52.0† 2b I52.0*
- - transmural I21.3
- - - anterior (wall) (anteroapical) (anterolateral) (anteroseptal) I21.0
- - - inferior (wall) (diaphragmatic) (inferolateral) (inferoposterior) I21.1
- - - lateral (wall) I21.2
- - - posterior (true) I21.2
- - - septal I21.2

- - - specified NEC I21.2
- non-ST elevation (NSTEMI) I21.4
- nontransmural I21.4
- occipital I63.9 2a 2b
- - bilateral (multiple) I63.90 2a 2b
- - multiple (bilateral) I63.90 2a 2b
- omentum K55.0 2a 2b
- ovary N83.8
- papillary muscle - *see* Infarct, myocardium
- pituitary (gland) E23.6
- placenta (complicating pregnancy) O43.8 2b
- - affecting fetus or newborn P02.2
- prostate N42.8
- pulmonary (artery) (vein) (hemorrhagic) (*see also* Embolism, pulmonary) I26.9 2a 2b
- - complicating pregnancy, childbirth or puerperium - *see* Embolism, obstetric
- renal (embolic) (thrombotic) N28.0
- retina, retinal (artery) H34.2
- spinal (acute) (cord) (embolic) (nonembolic) G95.1 2b
- spleen D73.5
- - embolic or thrombotic I74.8 2b
- stomach K31.8 2a
- subchorionic - *see* Infarct, placenta
- subendocardial (acute) (myocardial) (nontransmural) I21.4
- - chronic (or with a stated duration of over 4 weeks) I25.8 2a 2b
- suprarenal (capsule) (gland) E27.4
- testes N50.1
- thrombotic (*see also* Thrombosis) I82.9 2a 2b
- - artery, arterial - *see* Embolism
- thyroid (gland) E07.8
- umbilical cord P02.6
- ventricle (heart) (*see also* Infarct, myocardium) I21.9 2a 2b

Infecting - *see condition*

Infection, infected (opportunistic) (*see also* Inflammation) B99 2a 2b

Note - Parasitic diseases may be described as either "infections" or "infestations"; both lead terms should therefore be consulted.

- with
- - lymphangitis - *see* Lymphangitis
- AAV (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- abdomen, abdominal B99 2a 2b
- - specified organism - *see* Infection, specified organism
- abortion (subsequent episode) O08.0 2b
- - current episode - *see* Abortion
- abscess (skin) - *see* Abscess, by site
- *Absidia* (*see also* Mucormycosis) B46.5
- *Acanthocheilonema (perstans) (streptocerca)* B74.4
- accessory sinus (chronic) (*see also* Sinusitis) J32.9
- achorion - *see* Dermatophytosis
- acid-fast NEC A31.9
- *Acremonium falciforme* B47.0
- acromioclavicular M00.9 2a 2b
- *Actinobacillus (actinomycetem-comitans)* A28.8
- *Actinomadura* B47.1
- *Actinomyces (israelii)* (*see also* Actinomycosis) A42.9
- - actinomycetoma B47.1
- *Actinomycetales* - *see* Actinomycosis
- actinomycotic NEC (*see also* Actinomycosis) A42.9
- adenoid (and tonsil) J03.9
- - chronic J35.0
- adenovirus NEC
- - unspecified nature or site B34.0
- AIDS-associated retrovirus (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- AIDS-associated virus (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- AIDS-related (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- AIDS virus (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- alimentary canal NEC (*see also* Enteritis, infectious) A09.0 2a 2b
- *Allescheria boydii* B48.2

- *Alternaria* B48.7
- alveolus, alveolar (process) K04.7
- amebic - *see Amebiasis*
- amniotic fluid, sac or cavity O41.1
- - affecting fetus or newborn P02.7
- *Amoeba (histolytica)*, amoebiasis - *see Amebiasis*
- amputation stump (surgical) T87.4 2b
- *Ancylostoma (duodenale)* B76.0
- *Angiostrongylus*
- - *cantonensis* B83.2 2b
- - *costaricensis* B81.3
- anisakiasis, *Anisakis* larvae B81.0
- anthrax (*see also* Anthrax) A22.9 2b
- antrum (chronic) (*see also* Sinusitis, maxillary) J32.0
- anus, anal (papillae) (sphincter) K62.8
- arbovirus (arborvirus) A94 2a
- - specified type NEC A93.8
- arm L08.9
- artificial insemination N98.0 2b
- ARV (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- *Ascaris lumbricoides* (*see also* Ascariasis) B77.9
- Ascomycetes B47.0
- *Aspergillus (flavus) (fumigatus) (terreus)* (*see also* Aspergillosis) B44.9
- atypical mycobacteria - *see Mycobacterium, atypical*
- auditory meatus (diffuse) (external) H60.3
- auricle (ear) H60.3
- axillary gland (lymph) L04.2
- *Bacillus*, bacillus NEC A49.9 2b
- - *anthracis* (*see also* Anthrax) A22.9 2b
- - Ducrey's (any location) A57
- - Flexner's A03.1
- - *fragilis* A49.8
- - Friedländer's NEC A49.8
- - gas (gangrene) A48.0 2a
- - Shiga(-Kruse) A03.0
- - *welchii* (*see also* Gangrene, gas) A48.0 2a
- bacterial NEC A49.9 2b
- - agent NEC A49.8
- - resulting from HIV disease B20.1
- - specified NEC A48.8
- *Bacteroides* NEC A49.8
- *Balantidium coli* A07.0
- Bartholin's gland N75.8
- *Basidiobolus* B46.8
- bile duct (common) (hepatic) (*see also* Cholangitis) K83.0
- bladder (*see also* Cystitis) N30.9
- *Blastomyces*, blastomycotic (*see also* Blastomycosis) B40.9
- - *brasiliensis* (*see also* Paracoccidioidomycosis) B41.9
- - *dermatitidis* (*see also* Blastomycosis) B40.9
- - European (*see also* Cryptococcosis) B45.9
- - North American B40.9
- - South American (*see also* Paracoccidioidomycosis) B41.9
- bloodstream - *see* Septicemia
- bone NEC M86.9
- *Bordetella* - *see also* Whooping cough A37.9
- - *pertussis* A37.0
- bowel (synovial) (*see also* Enteritis, infectious) A09.0 2a 2b
- brain (*see also* Encephalitis) G04.9
- - membranes (*see also* Meningitis) G03.9 2a 2b
- - septic G06.0 2a 2b
- - - meninges (*see also* Meningitis) G00.9
- branchial cyst Q18.0
- breast - *see* Mastitis
- bronchus (*see also* Bronchitis) J40 2a 2b
- *Brucella* A23.9

- - *abortus* A23.1
- - *canis* A23.3
- - *melitensis* A23.0
- - mixed A23.8
- - specified NEC A23.8
- - *suis* A23.2
- *Brugia (malayi)* B74.1
- - *timori* B74.2
- *Burkholderia* NEC A49.8
- - *mallei* A24.0 2a
- - *pseudomallei* (*see also Melioidosis*) A24.4
- bursa - *see* Bursitis, infective
- buttocks (skin) L08.9
- *Campylobacter* NEC A49.8
- - intestinal A04.5
- *Candida (albicans) (tropicalis)* (*see also Candidiasis*) B37.9 2a 2b
- - neonatal P37.5
- - resulting from HIV disease B20.4
- candiru B88.8 2b
- *Capillaria* (intestinal) B81.1
- - *hepatica* B83.8
- - *philippinensis* B81.1
- cartilage M94.8
- cat liver fluke B66.0
- cellulitis - *see* Cellulitis, by site
- *Cephalosporium falciforme* B47.0
- cervical gland (lymph) L04.0
- cervix (*see also Cervicitis*) N72
- cesarean section wound (puerperal) O86.0
- cestodes - *see* Infestation, cestodes
- *Chilomastix* (intestinal) A07.8 2b
- *Chlamydia*, chlamydial A74.9
- - anus A56.3
- - genitourinary tract A56.2† N29.1*
- - - lower A56.0
- - - specified NEC A56.1† N29.1*
- - lymphogranuloma A55
- - pharynx A56.4
- - *psittaci* A70 2a
- - rectum A56.3
- - sexually transmitted NEC A56.8
- *Citrobacter*, *Citobacter (braakii) (freundii) (koseri)* A49.8
- - newborn P39.8
- *Cladosporium*
- - *bantianum* (brain abscess) B43.1† G07* 2b
- - *carriponii* B43.0† L99.8*
- - *castellanii* B36.1
- - *trichoides* (brain abscess) B43.1† G07* 2b
- - *werneckii* B36.1
- *Clonorchis (sinensis)* (liver) B66.1
- *Clostridium*, clostridium A49.8
- - *bifermentans* A48.0 2a
- - *botulinum* A05.1 2a 2b
- - - infant, so stated A05.1 2a 2b
- - - not food poisoning A48.8
- - - wound A48.8
- - congenital P39.8
- - *difficile* A04.7
- - - foodborne (disease) A04.7
- - - gas gangrene A48.0 2a
- - - necrotizing enterocolitis A04.7
- - - septicemia A41.4
- - - - newborn P36.5
- - gas-forming NEC A48.0 2a
- - *histolyticum* A48.0 2a

- - *novyi*, causing gas gangrene A48.0 2a
- - *perfringens* A48.0 2a
- - - foodborne (disease) A05.2
- - - gas gangrene A48.0 2a
- - - septicemia A41.4
- - - - newborn P36.5
- - *septicum*, causing gas gangrene A48.0 2a
- - *sordellii*, causing gas gangrene A48.0 2a
- - *welchii* - see Infection, *Clostridium Perfringens*
- *Coccidioides (immitis)* (see also Coccidioidomycosis) B38.9
- colon (see also Enteritis, infectious) A09.0 2a 2b
- common duct (see also Cholangitis) K83.0
- congenital NEC P39.9
- - bacterial P39.8
- - *Candida (albicans)* P37.5
- - clostridium, other than *Clostridium tetani* P39.8
- - cytomegalovirus P35.1
- - *Escherichia coli* P39.8
- - - sepsis P36.4
- - - fungus P37.8
- - - hepatitis, viral P35.3
- - - herpes (simplex) P35.2
- - - infectious or parasitic disease P37.9
- - - specified NEC P37.8
- - - listeriosis (disseminated) P37.2
- - malaria NEC P37.4
- - - falciparum P37.3
- - mycotic P37.8
- - parvovirus P35.8
- - *Plasmodium falciparum* P37.3
- - poliomyelitis P35.8
- - polymicrobial P37.9
- - rubella P35.0 2a 2b
- - salmonella P39.8
- - skin P39.4
- - streptococcal NEC P39.8
- - - sepsis P36.1
- - - - group B P36.0
- - toxoplasmosis (acute) (chronic) (subacute) P37.1
- - tuberculosis P37.0
- - urinary (tract) P39.3 2b
- - vaccinia P35.8
- - virus P35.9
- - - specified type NEC P35.8
- *Conidiobolus* B46.8
- coronavirus
- - unspecified nature or site B34.2
- corpus luteum (see also Salpingo-oophoritis) N70.9
- *Corynebacterium* A49.8
- - *diphtheriae* - see Diphtheria
- *Coxiella burnetii* A78 2a
- coxsackie (virus) (see also Coxsackievirus) B34.1
- - meningitis A87.0† G02.0*
- - myocardium B33.2† 2a 2b I41.1* 2b
- - pericardium B33.2† 2a 2b I32.1*
- - pharynx B08.5
- - specified disease NEC B33.8
- - unspecified nature or site B34.1
- *Cryptococcus (neoformans)* (see also Cryptococcosis) B45.9
- *Cryptosporidium* A07.2
- - resulting from HIV disease B20.8 2a
- *Cunninghamella* (see also Mucormycosis) B46.5
- cyst - see Cyst
- cystic duct (see also Cholecystitis) K81.9 2a 2b
- *Cysticercus cellulosae* (see also Cysticercosis) B69.9

- cytomegalovirus, cytomegaloviral B25.9 2b
- - congenital P35.1
- - maternal, maternal care for (suspected) damage to fetus O35.3
- - mononucleosis B27.1
- - resulting from HIV disease B20.2
- delta-agent (acute), in hepatitis B carrier B17.0
- dental K04.7
- Deuteromycetes B47.0
- *Dicrocoelium dendriticum* B66.2
- *Dipetalonema (perstans) (streptocerca)* B74.4
- diphtherial - *see* Diphtheria
- *Diphyllobothrium (adult) (latum) (pacificum)* B70.0
- - larval B70.1
- *Diplogonoporus (grandis)* B71.8
- *Dipylidium caninum* B71.1
- *Dirofilaria* B74.8
- *Dracunculus medinensis* B72 2a
- *Drechslera (hawaiiensis)* B43.8
- Ducrey's (bacillus) (any location) A57
- due to or resulting from
 - - artificial insemination N98.0 2b
 - - device, implant or graft (*see also* Complications, by site and type) T85.7
 - - - arterial graft NEC T82.7
 - - - breast (implant) T85.7
 - - - catheter NEC T85.7
 - - - - dialysis (renal) T82.7
 - - - - intraperitoneal T85.7
 - - - - indwelling T83.5 2b
 - - - - infusion NEC T82.7
 - - - - spinal (epidural) (subdural) T85.7
 - - - - urinary (indwelling) T83.5 2b
 - - - - electronic (electrode) (pulse generator) (stimulator)
 - - - - bone T84.7
 - - - - cardiac T82.7
 - - - - nervous system (brain) (peripheral nerve) (spinal) T85.7
 - - - - urinary T83.5 2b
- - fixation, internal (orthopedic) NEC T84.6
- - gastrointestinal (bile duct) (esophagus) T85.7
- - genital NEC T83.6
- - heart NEC T82.7
- - - valve prosthesis T82.6
- - joint prosthesis T84.5
- - - ocular (corneal graft) (orbital implant) NEC T85.7
- - orthopedic NEC T84.7
- - specified NEC T85.7
- - urinary NEC T83.5 2b
- - vascular NEC T82.7
- - - ventricular intracranial shunt T85.7
- - immunization or vaccination T88.0
- - infusion, injection or transfusion NEC T80.2
- - injury NEC - *see* Injury, by site and type
- during labor NEC O75.3
- ear (middle) (*see also* Otitis media) H66.9 2b
- - external H60.3
- - inner H83.0
- *Echinococcus* (*see also* *Echinococcus*) B67.9 2b
- echovirus
- - unspecified nature or site B34.1
- endocardium - *see* Endocarditis, bacterial
- endocervix (*see also* Cervicitis) N72
- *Entamoeba* - *see* Amebiasis
- enteric (*see also* Enteritis, infectious) A09.0 2a 2b
- *Enterobacter (cloacae)* A49.8
- - newborn P39.8
- *Enterobius vermicularis* B80

- enterococcus - *see* Infection, streptococcal
- enterovirus NEC B34.1
 - - unspecified nature or site B34.1
- *Entomophthora* B46.8
- *Epidermophyton* - *see* Dermatophytosis
- epididymis - *see condition*
- episiotomy (puerperal) O86.0
- *Erysipelothrix (insidiosa) (rhusiopathiae)* (*see also* Erysipeloid) A26.9
- *Escherichia (E.) coli* NEC A49.8
 - - congenital P39.8
 - - - sepsis P36.4
 - - - generalized A41.5
 - - - newborn P36.4
 - - - intestinal (*see also* Enteritis, infectious) A04.4 2a 2b
 - - ethmoidal (chronic) (sinus) (*see also* Sinusitis, ethmoidal) J32.2
 - - eustachian tube (ear) H68.0
 - - external auditory canal (meatus) NEC H60.3
 - - eye (purulent) H44.0
 - - eyelid H01.9
 - - fallopian tube (*see also* Salpingo-oophoritis) N70.9
 - - *Fasciola (gigantica) (hepatica) (indica)* B66.3
 - - *Fasciolopsis (buski)* B66.5
 - - fetus (*see also* Infection, congenital) P39.9
 - - - intra-amniotic NEC P39.2
 - - filarial - *see* Filaria, filarial, filariasis
 - - finger (skin) L08.9
 - - fish tapeworm B70.0
 - - - larval B70.1
 - - flagellate, intestinal A07.9
 - - fluke - *see* Infestation, fluke
 - - focal, teeth K04.7
 - - *Fonsecaea (compacta) (pedrosoi)* B43.0† L99.8*
 - - food (*see also* Intoxication, foodborne) A05.9
 - - foot (skin) L08.9
 - - - dermatophytic fungus B35.3
 - - - gangrenous R02 2a 2b
 - - *Francisella tularensis* (*see also* Tularemia) A21.9
 - - fungus NEC B49
 - - - beard B35.0
 - - - dermatophytic - *see* Dermatophytosis
 - - - foot B35.3
 - - - groin B35.6
 - - - hand B35.2
 - - - nail B35.1
 - - - newborn P37.8
 - - - pathogenic to compromised host only B48.7
 - - - perianal (area) B35.6
 - - - resulting from HIV disease B20.5
 - - - scalp B35.0
 - - - skin B36.9
 - - *Fusarium* B48.7
 - - gallbladder (*see also* Cholecystitis) K81.9 2a 2b
 - - gastrointestinal (tract) (*see also* Enteritis, infectious) A09.0 2a 2b
 - - generalized NEC (*see also* Septicemia) A41.9 2a 2b
 - - genital organ or tract
 - - - complicating pregnancy O23.5
 - - - - affecting fetus or newborn P00.8
 - - - female (*see also* Disease, pelvis, inflammatory) N73.9
 - - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy O08.0 2b
 - - - male N49.9
 - - - multiple sites N49.8
 - - - specified NEC N49.8

- - puerperal, postpartum, childbirth NEC O86.1
- - - major or generalized O85
- - - minor or localized O86.1
- genitourinary tract (female) (male) NEC N39.0 2a 2b
- - in pregnancy O23.9
- - puerperal O86.3
- Ghon tubercle, primary A16.7 2a 2b
- *Giardia lamblia* A07.1
- gingiva K05.1
- *Gnathostoma (spinigerum)* B83.1
- *Gongylonema* B83.8
- gonococcal NEC (*see also* Gonococcus) A54.9
- gram-negative NEC A49.9 2b
- gram-positive NEC A49.9 2b
- Gram-negative bacilli NEC A49.9 2b
- granulomatous
- - bone marrow D75.8 2a 2b
- guinea worm B72 2a
- gum K05.1
- *Haemophilus*
- - *aegyptius*, systemic A48.4
- - *ducreyi* (any location) A57
- - *influenzae* NEC A49.2
- - - unspecified nature or site A49.2
- hand L08.9
- heart (*see also* Carditis) I51.8 2a 2b
- - valve - *see* Endocarditis
- *Helicobacter pylori* A49.8
- helminths B83.9
- - intestinal B82.0
- - - mixed (types classifiable to more than one of the rubrics B65.0-B81.3 and B81.8) B81.4
- - - specified type NEC B81.8
- - specified type NEC B83.8
- hemolysis NEC A41.9 2a 2b
- - newborn P36.9
- hemolytic NEC (*see also* Septicemia) A41.9 2a 2b
- - postoperative T81.4 2b
- - specified organism - *see* Infection by organism
- herpes (simplex) (*see also* Herpes) B00.9
- - congenital P35.2
- - disseminated B00.7 2a 2b
- herpesvirus, herpesviral (*see also* Herpes) B00.9
- - resulting from HIV disease B20.3
- *Heterophyes (heterophyes)* B66.8
- hip L08.9
- *Histoplasma* (*see also* Histoplasmosis) B39.9
- HIV (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- hookworm B76.9
- human immunodeficiency virus (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- human immunovirus (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- human T-cell lymphotropic virus type-1 (HTLV-1) B33.3
- human T-cell lymphotropic virus III (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- HTLV-III (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- HTLV-III/LAV (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- *Hymenolepis (nana)* B71.0
- hypopharynx (*see also* Pharyngitis) J02.9 2a 2b
- inguinal (lymph) glands L04.1
- - due to soft chancre A57
- intervertebral disc (pyogenic) M46.3
- intestine, intestinal (*see also* Enteritis, infectious) A09.0 2a 2b
- intra-amniotic, fetus P39.2
- intrauterine (complicating pregnancy) O23.5
- - fetus or newborn P00.8
- - puerperal (postpartum) (with sepsis) O85
- - specified infection NEC, fetus P39.2

- *Isospora belli* or *hominis* A07.3
- jaw (bone) (lower) (upper) K10.2
- joint - *see* Arthritis, infectious
- kidney (cortex) (hematogenous) N15.9 2a 2b
 - - with calculus N20.0 2a
 - - - with hydronephrosis N13.6 2a 2b
 - - complicating pregnancy O23.0
 - - - affecting fetus or newborn P00.1
- - following
 - - - abortion (subsequent episode) O08.8 2b
 - - - - current episode - *see* Abortion
 - - - ectopic gestation O08.8 2b
- - pelvis and ureter (cystic) N28.8 2a 2b
- - puerperal (postpartum) O86.2
- - specified NEC N15.8
- *Klebsiella (K.) pneumoniae* NEC A49.8
- knee (skin) NEC L08.9
- - joint M00.9 2a 2b
- Koch's (*see also* Tuberculosis) A16.90 2a 2b
- labia (majora) (minora) (acute) (*see also* Vulvitis) N76.2
- lacrimal
- - gland H04.0
- - passages (duct) (sac) H04.3
- lancet fluke B66.2
- larynx NEC J38.7
- LAV (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- LAV/HTLV-III (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- leg (skin) NEC L08.9
- *Legionella pneumophila* A48.1
- - nonpneumonic A48.2
- *Leishmania* (*see also* Leishmaniasis) B55.9
 - - *aethiopica* B55.1
 - - *braziliensis* B55.2
 - - *chagasi* B55.0
 - - *donovani* B55.0
 - - *infantum* B55.0
 - - *major* B55.1
 - - *mexicana* B55.1
 - - *tropica* B55.1
- lentivirus B33.3
- *Leptospaeria senegalensis* B47.0
- *Leptospira interrogans* A27.9
 - - *autumnalis* A27.8
 - - *canicola* A27.8
 - - *hebdomadis* A27.8
 - - *icterohaemorrhagiae* A27.0
 - - *pomona* A27.8
- - specified type NEC A27.8
- leptospirochetal NEC (*see also* Leptospirosis) A27.9
- *Listeria monocytogenes* (*see also* Listeriosis) A32.9 2a 2b
 - - congenital P37.2
- liver (*see also* Hepatitis) K75.9 2a
- *Loa loa* B74.3
 - - with conjunctival infestation B74.3† H13.0*
- *Loba loboi* B48.0
- local, skin (staphylococcal) (streptococcal) L08.9
 - - abscess - *see* Abscess, by site
 - - cellulitis - *see* Cellulitis, by site
- - specified NEC L08.8
- - ulcer (*see also* Ulcer, skin) L98.4 2a 2b
- lung NEC J98.4 2a 2b
 - - atypical mycobacterium A31.0
 - - newborn P23.9
- - tuberculous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
- - virus - *see* Pneumonia, viral

- lymph gland (*see also* Lymphadenitis, acute) L04.9
- mesenteric I88.0
- lymphadenopathy-associated virus (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- lymphoid tissue, base of tongue or posterior pharynx, NEC (chronic) J35.0
- *Madurella (grisea) (mycetomatis)* B47.0
- major
- - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy O08.0 2b
 - - puerperal, postpartum, childbirth O85
- *Malassezia furfur* B36.0
- *Malleomyces pseudomallei* (*see also* Melioidosis) A24.4
- mammary gland (*see also* Mastitis) N61 2b
- *Mansonella (ozzardi) (perstans) (streptocerca)* B74.4
- mastoid - *see* Mastoiditis
- maxilla, maxillary K10.2
- - sinus (chronic) (*see also* Sinusitis, maxillary) J32.0
- mediastinum J98.5
- Medina (worm) B72 2a
- meibomian cyst or gland H00.0
- meninges (*see also* Meningitis) G00.9
- meningococcal (*see also* condition) A39.9 2a 2b
 - - brain A39.8† G05.0*
 - - cerebrospinal A39.0† 2a G01* 2b
 - - endocardium A39.5† I39.8*
 - - meninges A39.0† 2a G01* 2b
 - - myocardium A39.5† I41.0*
 - - pericardium A39.5† I32.0*
 - - specified site NEC A39.8
- mesenteric lymph nodes or glands NEC I88.0
- *Metagonimus* B66.8
- metapneumovirus (human) B34.8
- metatarsophalangeal M00.9 2a 2b
- *Microsporum*, microsporid - *see* Dermatophytosis
- mixed flora (bacterial) NEC A49.8
- *Monilia* (*see also* Candidiasis) B37.9 2a 2b
 - - neonatal P37.5
- *Mucor* (*see also* Mucormycosis) B46.5
- multiple, resulting from HIV disease B20.7
- muscle NEC M60.0 2a 2b
- mycelium NEC B49
- mycetoma
- - actinomycotic NEC B47.1
- - mycotic NEC B47.0
- *Mycobacterium*, mycobacterial (*see also* *Mycobacterium*) A31.9
 - - extrapulmonary systemic A31.8
 - - resulting from HIV disease B20.0
- *Mycoplasma* NEC A49.3
 - - *pneumoniae* A49.3
 - - unspecified nature or site A49.3
- mycotic NEC (*see also* Infection, fungus) B49
- - pathogenic to compromised host only B48.7
- - resulting from HIV disease B20.5
- - skin NEC B36.9
- myocardium NEC I40.0
- - rheumatic I09.0 2a 2b
 - - - active or acute I01.2 2a 2b
- nail (chronic) (with lymphangitis) L03.0
- - ingrowing L60.0 2a
- nasal sinus (chronic) (*see also* Sinusitis) J32.9
- nasopharynx - *see* Nasopharyngitis
- navel L08.9
- - newborn P38
- *Necator americanus* B76.1

- *Neisseria* - see *Gonococcus*
- *Neisseria meningitidis* – see *Meningococcemia*
- *Neotestudina rosatii* B47.0
- newborn P39.9
 - - skin P39.4
 - - specified type NEC (see also Infection, congenital) P39.8
- nipple N61 2b
- - puerperal, postpartum or gestational O91.0
- *Nocardia* (see also *Nocardia*) A43.9
- norovirus A08.1
- obstetric surgical wound (puerperal) O86.0
- *Oesophagostomum (apiostomum)* B81.8
- *Oestrus ovis* (see also *Myiasis*) B87.9
- *Onchocerca (volvulus)* B73 2a
- oncovirus B33.3
- operation wound T81.4 2b
- *Opisthorchis (felineus) (viverrini)* B66.0
- orbit, orbital H05.0
- orthopoxvirus NEC B08.0 2a 2b
- ovary (see also *Salpingo-oophoritis*) N70.9
- *Oxyuris vermicularis* B80
- pancreas (acute) K85.9 2a 2b
- papillomavirus B34.8
- papovavirus NEC B34.4
 - - resulting from HIV disease B20.3
 - - unspecified nature or site B34.4
- *Paracoccidioides brasiliensis* (see also *Paracoccidioidomycosis*) B41.9
- *Paragonimus (westermani)* B66.4
- parainfluenza virus B34.8
- parasitic B89 2a 2b
 - - resulting from HIV disease B20.8 2a
- *Parastrongylus*
 - - *cantonensis* B83.2 2b
 - - *costaricensis* B81.3
- paraurethral ducts N34.2
- parotid gland K11.2
- parvovirus NEC B34.3
 - - unspecified nature or site B34.3
- *Pasteurella* NEC A28.0
 - - *multocida* A28.0
 - - *pestis* (see also *Plague*) A20.9
 - - *tularensis* (see also *Tularemia*) A21.9
- pelvic, female (see also Disease, pelvis, inflammatory) N73.9
- pelvis
 - - male K65.0 2a 2b
 - - - newborn P78.1 2b
- *Penicillium (marneffei)* B48.4
- penis (glans) (retention) NEC N48.2
- periapical K04.5
- peridental K05.2
- perinatal period P39.9
 - - specified type NEC P39.8
- perineal repair (puerperal) O86.0
- periodontal K05.2
- periorbital H05.0
- perirectal K62.8
- perirenal (see also Infection, kidney) N15.9 2a 2b
- peritoneal (see also *Peritonitis*) K65.9 2a 2b
- periureteral N28.8 2a 2b
- *Petriellidium boydii* B48.2
- pharynx (see also *Pharyngitis*) J02.9 2a 2b
 - - coxsackievirus B08.5
 - - posterior, lymphoid (chronic) J35.0
- *Phialophora*
- - *gougerotii* (subcutaneous abscess or cyst) B43.2† L99.8*

- - *jeanselmei* (subcutaneous abscess or cyst) B43.2† L99.8*
- - *verrucosa* (skin) B43.0† L99.8*
- *Piedraia hortae* B36.3
- pinworm B80
- pleuro-pneumonia-like organism (PPLO) NEC A49.3
- pneumococcus, pneumococcal NEC A49.1 2a
 - - generalized (purulent) A40.3
 - - - with pneumonia J13 2a 2b
 - - - - newborn P23.6
 - - - - newborn P36.1
 - - unspecified nature or site A49.1 2a
- *Pneumocystis (carinii)* (pneumonia) B59† J17.3*
- - resulting from HIV disease B20.6
- *Pneumocystis jirovecii* (pneumonia) B59† J17.3*
- - resulting from HIV disease B20.6
- pneumoniae A49.9 2b
- polymicrobial B99 2a 2b
 - - newborn P37.9
- postoperative wound T81.4 2b
- postprocedural T81.4 2b
- post-traumatic NEC T79.3
- postvaccinal T88.0
- prepuce NEC N48.1
- prion - *see* Disease, prion, central nervous system
- prostate (capsule) (*see also* Prostatitis) N41.9
- *Proteus (mirabilis) (morganii) (vulgaris)* NEC A49.8
- protozoal NEC B64 2b
 - - intestinal A07.9
 - - - specified NEC A07.8 2b
 - - specified NEC B60.8
- *Pseudallescheria boydii* B48.2
- *Pseudomonas*, pseudomonad NEC A49.8
- - *aeruginosa* A49.8
- - *mallei* - *see* Infection, *Burkholderia, mallei*
- - *pseudomallei* - *see* Infection, *Burkholderia, pseudomallei*
- pseudotuberculosis (extra-intestinal) A28.2
- puerperal O86.4
 - - genitourinary tract NEC O86.3
 - - major or generalized O85
 - - minor O86.4
 - - specified NEC O86.8
- pulmonary - *see* Infection, lung
- purulent - *see* Abscess
- pyemic - *see* Septicemia
- *Pyrenophaeta romeroi* B47.0
- rectum (sphincter) K62.8
- renal (*see also* Infection, kidney) N15.9 2a 2b
 - - pelvis and ureter (cystic) N28.8 2a 2b
- reovirus B34.8
- respiratory (tract) NEC J98.8 2b
 - - acute J22
 - - chronic J98.8 2b
 - - - newborn P27.8
 - - fetus P28.8
 - - influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
 - - lower (acute) J22
 - - - chronic (*see also* Bronchitis, chronic) J42 2a 2b
 - - newborn, neonatal P28.8
 - - rhinovirus J00 2a 2b
 - - syncytial virus B34.8
 - - upper (acute) NEC J06.9 2a 2b
 - - - chronic J39.8
 - - - multiple sites NEC J06.8
 - - - streptococcal J06.9 2a 2b
 - - - viral NEC J06.9 2a 2b

- resulting from
- - HIV disease B20.9
- - presence of internal prosthetic device, implant or graft - *see* Complications, by site and type
- retortamoniasis A07.8 2b
- retrovirus NEC B33.3
- *Rhinosporidium* *see Beriberi* B48.1
- rhinovirus
- - unspecified nature or site B34.8
- *Rhizopus* (*see also* Mucormycosis) B46.5
- rickettsial NEC A79.9
- roundworm (large) NEC B82.0
- - Ascariasis B77-
- rubella (*see also* Rubella) B06.9
- - congenital P35.0 2a 2b
- salivary duct or gland (any) K11.2
- *Salmonella* (*arizona*) (*cholerae-suis*) (*enteritidis*) (*typhimurium*) A02.9
- - with
 - - - (gastro)enteritis A02.0
 - - - septicemia A02.1
 - - - specified manifestation NEC A02.8
- - congenital P39.8
- - due to food (poisoning) A02.9
- - *hirschfeldii* A01.3
- - localized NEC A02.2 2b
- - *paratyphi* A01.4
 - - - A A01.1
 - - - B A01.2
 - - - C A01.3
- - *schottmuelleri* A01.2
- - *typhi* A01.0
- *Sarcocystis* A07.8 2b
- *Schistosoma* - *see* Infestation, *Schistosoma*
- scrotum (acute) NEC N49.2
- seminal vesicle (*see also* Vesiculitis) N49.0
- septic (*see also* Sepsis) A41.9 2a 2b
 - - generalized - *see* Septicemia
 - - localized, skin (*see also* Abscess) L02.9
 - - septicemic - *see* Septicemia
- sheep liver fluke B66.3
- *Shigella* A03.9
 - - *boydii* A03.2
 - - *dysenteriae* A03.0
 - - *flexneri* A03.1
- - group
 - - - A A03.0
 - - - B A03.1
 - - - C A03.2
 - - - D A03.3
- - *schmitzii* A03.0
- - *shigae* A03.0
- - *sonnei* A03.3
- - specified NEC A03.8
- sinus (accessory) (chronic) (nasal) (*see also* Sinusitis) J32.9
- - pilonidal L05.9
- - - with abscess L05.0
- - skin NEC L08.8
- Skene's duct or gland (*see also* Urethritis) N34.2
- skin (local) (staphylococcal) (streptococcal) L08.9
 - - abscess - *see* Abscess, by site
 - - cellulitis - *see* Cellulitis, by site
- - due to fungus B36.9
 - - - specified type NEC B36.8
 - - mycotic B36.9
 - - - specified type NEC B36.8
- - newborn P39.4

- - ulcer (*see also* Ulcer, skin) L98.4 2a 2b
- slow virus A81.9
- - specified NEC A81.8
- *Sparganum (baxteri) (mansoni) (proliferum)* B70.1
- specified external site NEC (*see also* Infection, skin) L08.9
- specified NEC, resulting from HIV disease B20.8 2a
- specified internal site NEC B99 2a 2b
- spermatic cord NEC N49.1
- sphenoidal (sinus) (*see also* Sinusitis, sphenoidal) J32.3
- spinal cord NEC (*see also* Encephalitis) G04.9
- - abscess G06.1
- - meninges - *see* Meningitis
- - streptococcal G04.8
- *Spirillum* A25.0
- spirochetal NEC A69.9
- - specified NEC A69.8
- *Spirometra* larvae B70.1
- spleen D73.8
- *Sporotrichum, Sporothrix (schenkii)* (*see also* Sporotrichosis) B42.9
- staphylococcal NEC (hemolytic) A49.0 2b
- - generalized (purulent) (*see also* Septicemia, *Staphylococcus*) A41.2 2a 2b
- - unspecified nature or site A49.0 2b
- *Stellantchasmus falcatus* B66.8
- streptococcal NEC (hemolytic) A49.1 2a
- - congenital P39.8
- - - sepsis P36.1
- - - - group B P36.0
- - generalized (purulent) - *see* Septicemia, streptococcal
- - unspecified nature or site A49.1 2a
- *Streptomyces* B47.1
- *Strongyloides (stercoralis)* (*see also* Strongyloidiasis) B78.9
- stump (amputation) (surgical) T87.4 2b
- subcutaneous tissue, local L08.9
- subgaleal, streptococcal L08.9
- systemic - *see* Septicemia
- *Taenia* - *see* Infestation, *Taenia*
- tapeworm - *see* Infestation, tapeworm
- tendon (sheath) M65.1
- *Ternidens diminutus* B81.8
- *Ternidens diminutus* B81.8
- testis (*see also* Orchitis) N45.9
- threadworm B80
- throat (*see also* Pharyngitis) J02.9 2a 2b
- thyroglossal duct K14.8
- toe (skin) L08.9
- tongue NEC K14.0
- tonsil (faucial) (lingual) (pharyngeal) J03.9
- - acute or subacute J03.9
- - chronic J35.0
- tooth, teeth K04.7
- - periapical K04.7
- - periodontal, periodontal K05.2
- - socket K10.3
- *Torula histolytica* (*see also* Cryptococcosis) B45.9
- *Toxocara (canis) (cati) (felis)* B83.0
- *Toxoplasma gondii* (*see also* *Toxoplasma*) B58.9 2b
- - resulting from HIV disease B20.8 2a
- trachea, chronic J42 2a 2b
- trematode NEC (*see also* Infestation, fluke) B66.9
- *Treponema pallidum* - *see* Syphilis
- *Trichinella (spiralis)* B75 2b
- *Trichomonas*, trichomonad A59.9
- - cervix A59.0† N74.8*
- - intestine A07.8 2b
- - prostate A59.0† N51.0*

- - specified site NEC A59.8
 - - urethra A59.0† N37.0*
 - - urogenitalis A59.0
 - - vagina A59.0† N77.1*
 - - vulva A59.0† N77.1*
 - *Trichophyton*, trichophytic - *see* Dermatophytosis
 - *Trichosporon (beigelii) cutaneum* B36.2
 - *Trichostrongylus* B81.2
 - *Trichuris (trichiura)* B79
 - *Trombicula (irritans)* B88.0
 - *Trypanosoma*
 - - *brucei*
 - - - *gambiense* B56.0
 - - - *rhodesiense* B56.1
 - - *cruzi* (*see also* Chagas' disease) B57.2
 - tubal (*see also* Salpingo-oophoritis) N70.9
 - tuberculous NEC (*see also* Tuberculosis) A16.90 2a 2b
 - - resulting from HIV disease B20.0
 - tubo-ovarian (*see also* Salpingo-oophoritis) N70.9
 - tunica vaginalis N49.1
 - tympanic membrane NEC H73.8
 - typhoid (abortive) (ambulant) (bacillus) A01.0
 - umbilicus L08.9
 - - fetus or newborn P38
 - ureter N28.8 2a 2b
 - urethra (*see also* Urethritis) N34.2
 - urinary (tract) NEC N39.0 2a 2b
 - - complicating pregnancy O23.4
 - - - affecting fetus or newborn P00.1
 - - newborn P39.3 2b
 - - puerperal (postpartum) O86.2
 - - tuberculous A18.1 2a 2b
 - - yeast B37.4 2b
 - uterus, uterine (*see also* Endometritis) N71.9 2b
 - vaccination T88.0
 - vagina (acute) (*see also* Vaginitis) N76.0
 - varicose veins - *see* Varicose vein
 - vas deferens NEC N49.1
 - vesical (*see also* Cystitis) N30.9
 - Vincent's (gum) (mouth) (tonsil) A69.1 2a
 - virus NEC B34.9 2b
 - - adenovirus
 - - - unspecified nature or site B34.0
 - - arborvirus, arbovirus (arthropod-borne) A94 2a
 - - central nervous system A89
 - - - atypical A81.9
 - - - - specified NEC A81.8
 - - - enterovirus NEC A88.8
 - - - - meningitis A87.0† G02.0*
 - - - slow virus A81.9
 - - - - specified NEC A81.8
 - - - specified NEC A88.8
 - - chest J98.8 2b
 - - - newborn P28.8
 - - coxsackie (virus) (*see also* Infection, coxsackie (virus)) B34.1
 - - - unspecified nature or site B34.1
 - - echo (virus)
 - - - unspecified nature or site B34.1
 - - enterovirus B34.1
 - - - unspecified nature or site B34.1
 - - human immunodeficiency (HIV) (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
 - - intestine (*see also* Enteritis, viral) A08.4
 - - lymphadenopathy-associated - *see* Infection, virus, human immunodeficiency
 - - respiratory syncytial B34.8
 - - rhinovirus

- - - unspecified nature or site B34.8
- - slow A81.9
- - - specified NEC A81.8
- - specified type NEC B33.8
- - - resulting from HIV disease B20.3
- - - unspecified site B34.8
- - unspecified site B34.9 2b
- vulva (acute) (*see also* Vulvitis) N76.2
- West Nile (viral) A92.3
- whipworm B79
- widespread A41.9 2a 2b
- - newborn P36.9
- worms B83.9
- - specified type NEC B83.8
- wound (local) (post-traumatic) NEC
- - open - *see* Wound
- - traumatic T79.3
- - with statement of surgery on certificate T81.4 2b
- - without indication of surgery or trauma on certificate L08.9
- *Wuchereria (bancrofti)* B74.0
- - *malayi* B74.1
- yeast (*see also* Candidiasis) B37.9 2a 2b
- *Yersinia*
- - *enterocolitica* (intestinal) A04.6
- - *pestis* (*see also* Plague) A20.9
- - *pseudotuberculosis* A28.2

Infectious, infective - *see condition*

- Zeis' gland H00.0

Infertility

- female N97.9
- - associated with
- - - anovulation N97.0
- - - cervical (mucus) disease or anomaly N97.3
- - - congenital anomaly
- - - - cervix N97.3
- - - - fallopian tube N97.1
- - - - uterus N97.2
- - - - vagina N97.8
- - - fallopian tube disease or anomaly N97.1
- - - male factors N97.4
- - - pituitary-hypothalamic origin E23.0 2b
- - - specified origin NEC N97.8
- - - Stein-Leventhal syndrome E28.2
- - - uterine disease or anomaly N97.2
- - - vaginal disease or anomaly N97.8
- - nonimplantation N97.2
- - previous, requiring supervision of pregnancy Z35.0(1002)
- male N46 2a
- relative N96

Infestation B88.9

Note - Parasitic diseases may be described as either "infections" or "infestations"; both lead terms should therefore be consulted.

- *Acanthocheilonema (perstans) (streptocerca)* B74.4
- *Ancylostoma (braziliense) (caninum) (ceylanicum) (duodenal)* B76.0
- anisakiasis, *Anisakis* larvae B81.0
- arthropod NEC B88.2
- *Ascaris lumbricoides* (*see also* Ascariasis) B77.9
- *Balantidium coli* A07.0
- beef tapeworm B68.1
- *Bothriocephalus (latus)* B70.0
- - larval B70.1
- broad tapeworm B70.0
- - larval B70.1
- *Brugia (malayi)* B74.1
- - *timori* B74.2
- candiru B88.8 2b

- *Capillaria* - see Infection, *Capillaria*
- cat liver fluke B66.0
- cestodes NEC B71.9 2b
- - specified type NEC B71.8
- chigger B88.0
- chigo, chigoe B88.1
- *Clonorchis (sinensis)* (liver) B66.1
- coccidial A07.3
- crab-lice B85.3
- *Cysticercus cellulosae* (see also Cysticercosis) B69.9
- *Demodex (folliculorum)* B88.0
- - eyelid B88.0† H03.0*
- *Dermanyssus gallinae* B88.0
- *Dermatobia (hominis)* (see also Myiasis) B87.9
- *Dibothriocephalus (latus)* B70.0
- - larval B70.1
- *Dicrocoelium dendriticum* B66.2
- *Diphyllobothrium* (adult) (intestinal) (*latum*) (*pacificum*) B70.0
- - larval B70.1
- *Diplogonoporus (grandis)* B71.8
- *Dipylidium caninum* B71.1
- *Distoma hepaticum* B66.3
- dog tapeworm B71.1
- *Dracunculus medinensis* B72 2a
- dwarf tapeworm B71.0
- *Echinococcus* (see also *Echinococcus*) B67.9 2b
- *Echinostoma ilocanum* B66.8
- *Entamoeba (histolytica)* - see Amebiasis
- *Enterobius vermicularis* B80
- eyelid
- - in (due to)
 - - - leishmaniasis B55.1† H03.0*
 - - - loiasis B74.3† H03.0*
 - - - onchocerciasis B73† 2a H03.0*
 - - - phthiriasis B85.3† H03.0*
 - - - parasitic NEC B89† 2a 2b H03.0*
- *Fasciola (gigantica) (hepatica) (indica)* B66.3
- *Fasciolopsis (buski)* (intestine) B66.5
- filarial B74.9
- - conjunctiva B74† 2a H13.0*
- - specified type NEC B74.8
- fish tapeworm B70.0
- - larval B70.1
- fluke B66.9
- - blood NEC (see also Schistosomiasis) B65.9
- - cat liver B66.0
- - intestinal B66.5
- - liver (sheep) B66.3
- - Chinese B66.1
- - - due to *Clonorchis sinensis* B66.1
- - - oriental 66.1
- - lung (oriental) B66.4
- - sheep liver B66.3
- fly larvae (see also Myiasis) B87.9
- *Gasterophilus (intestinalis)* (see also Myiasis) B87.9
- *Gastrodiscoides hominis* B66.8
- *Giardia lamblia* A07.1
- *Gongylonema* B83.8
- guinea worm B72 2a
- helminth B83.9
- - intestinal B82.0
- - - mixed (types classifiable to more than one of the rubrics B65.0-B81.3 and B81.8) B81.4
- - - specified type NEC B81.8
- - - specified type NEC B83.8
- *Heterophyes (heterophyes)* B66.8

- hookworm B76.9
- - specified type NEC B76.8
- *Hymenolepis (diminuta) (nana)* B71.0
- intestinal NEC B82.9
- leeches (aquatic) (land) (*see also* Hirudiniasis) B88.3
- *Leishmania* - *see* Leishmaniasis
- lice, louse - *see* Infestation, *Pediculus*
- *Linguatula* B88.8 2b
- *Liponyssoides sanguineus* B88.0
- *Loa loa* B74.3
- - conjunctival B74.3† H13.0*
- maggots (*see also* Myiasis) B87.9
- *Mansonella (ozzardi) (perstans) (streptocerca)* B74.4
- Medina (worm) B72 2a
- *Metagonimus (yokogawai)* B66.8
- mites B88.9
- - scabic B86
- *Necator americanus* B76.1
- nematode NEC (intestinal) B82.0
- - *Ancylostoma* (species) B76.0
- - specified NEC B81.8
- *Oesophagostomum (apiostomum)* B81.8
- *Oestrus ovis* (*see also* Myiasis) B87.9
- *Onchocerca (volvulus)* B73 2a
- *Opisthorchis (felineus) (viverrini)* B66.0
- orbit, parasitic NEC B89† 2a 2b H06.1*
- *Oxyuris vermicularis* B80
- *Paragonimus (westermani)* B66.4
- parasite, parasitic B89 2a 2b
- - eyelid B89† 2a 2b H03.0*
- - intestinal NEC B82.9
- - skin B88.9
- *Parastrongylus*
- - *cantonensis* B83.2 2b
- - *costaricensis* B81.3
- *Pediculus* B85.2
- - *capitis (humanus)* (any site) B85.0
- - *corporis (humanus)* (any site) B85.1
- - mixed (classifiable to more than one of the rubrics B85.0-B85.3) B85.4
- - *pubis* (any site) B85.3
- *Pentastoma* B88.8 2b
- *Phthirus (pubis)* (any site) B85.3
- - with any infestation classifiable to B85.0-B85.2 B85.4
- pinworm B80
- pork tapeworm (adult) B68.0
- protozoal NEC B64 2b
- - intestinal A07.9
- - - specified NEC A07.8 2b
- - specified B60.8
- *Phthirus* - *see* Infestation, *Phthirus*
- rat tapeworm B71.0
- roundworm (large) NEC B82.0
- - *Ascariasis* B77-
- sandflea B88.1
- *Sarcoptes scabiei* B86
- scabies B86
- *Schistosoma*, schistosome B65.9
- - *bovis* B65.8
- - cercariae B65.3
- - *haematobium* B65.0
- - *intercalatum* B65.8
- - *japonicum* B65.2
- - *mansoni* B65.1
- - *mattheei* B65.8
- - *mekongi* B65.8

- - specified type NEC B65.8
- - *spindale* B65.8
- screw worms (*see also* Myiasis) B87.9
- skin NEC B88.9
- *Sparganum (baxteri)* (larval) (*mansonii*) (*proliferum*) B70.1
- specified type NEC B88.8 2b
- *Spirometra* larvae B70.1
- *Stellantchasmus falcatus* B66.8
- *Strongyloides stercoralis* (*see also* Strongyloidiasis) B78.9
- *Taenia* B68.9
- - *mediocanellata* B68.1
- - *saginata* B68.1
- - *solium* (intestinal form) B68.0
- - - larval form (*see also* Cysticercosis) B69.9
- tapeworm B71.9 2b
- - beef B68.1
- - broad B70.0
- - - larval B70.1
- - dog B71.1
- - dwarf B71.0
- - fish B70.0
- - - larval B70.1
- - pork B68.0
- - rat B71.0
- *Ternidens diminutus* B81.8
- *Ternidens diminutus* B81.8
- *Tetranychus molestissimus* B88.0
- threadworm B80
- *Toxocara (canis) (cati) (felis)* B83.0
- trematode(s) NEC (*see also* Infestation, fluke) B66.9
- *Trichinella (spiralis)* B75 2b
- *Trichocephalus* B79
- *Trichomonas* - *see* Infection, *Trichomonas*
- *Trichostrongylus* B81.2
- *Trichuris (trichiura)* B79
- *Trombicula (irritans)* B88.0
- *Tunga penetrans* B88.1
- *Uncinaria americana* B76.1
- *Vandellia cirrhosa* B88.8 2b
- whipworm B79
- worms B83.9
- *Wuchereria (bancrofti)* B74.0

Infiltrate, infiltration

- amyloid (generalized) (*see also* Amyloidosis) E85.9 2b
- - localized E85.4
- calcareous NEC R89.7 2b
- - localized - *see* Degeneration, by site
- calcium salt R89.7 2b
- corneal H18.2
- eyelid H01.8
- glycogen, glycogenic (*see also* Disease, glycogen storage) E74.0 2a 2b
- heart, cardiac
- - fatty (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- - glycogenic E74.0† 2a 2b I43.1*
- - rheumatic I09.8
- - - active or acute I01.8 2a
- inflammatory, in vitreous (body) H43.8
- kidney N28.8 2a 2b
- leukemic (M9800/3) - *see* Leukemia
- liver K76.8 2b
- - fatty - *see* Fatty, liver NEC
- - glycogen (*see also* Disease, glycogen storage) E74.0† 2a 2b K77.8*
- lung (eosinophilic) J82
- lymphatic (M9820/3) (*see also* Leukemia, lymphatic) C91.9

- - gland I88.9
- muscle, fatty M62.8
- myocardium, myocardial
- - fatty (*see also* Degeneration, myocardial) I51.5 2a 2b
- - - arteriosclerotic I51.50 2a 2b
- - glycogenic E74.0† 2a 2b I43.1*
- thymus (gland) (fatty) E32.8
- vitreous body H43.8

Infirmity, Infirmitis R68.8 2a 2b

- of age R54 2a 2b
- senile R54 2a 2b

Inflammation, inflamed, inflammatory (with exudation) (*see also* Infection)

- abducent (nerve) H49.2
- accessory sinus (chronic) (*see also* Sinusitis) J32.9
- alveoli, teeth K10.3
- - scorbutic E54† 2a 2b K93.8*
- anal canal, anus K62.8
- antrum (chronic) (*see also* Sinusitis, maxillary) J32.0
- appendix (*see also* Appendicitis) K37 2a 2b
- arachnoid - *see* Meningitis
- areola N61 2b
- - puerperal, postpartum or gestational O91.0
- areolar tissue NEC L08.9
- artery - *see* Arteritis
- auditory meatus (external) H60.9
- Bartholin's gland N75.8
- bile duct (common) (hepatic) or passage (*see also* Cholangitis) K83.0
- bladder (*see also* Cystitis) N30.9
- bone - *see* Osteomyelitis
- brain (*see also* Encephalitis) G04.9
- - membrane - *see* Meningitis
- breast N61 2b
- - puerperal, postpartum or gestational O91.2
- broad ligament (*see also* Disease, pelvis, inflammatory) N73.2
- bronchi - *see* Bronchitis
- cerebral (*see also* Encephalitis) G04.9
- - membrane - *see* Meningitis
- cerebrospinal, meningococcal A39.0† 2a G01* 2b
- cervix (uteri) (*see also* Cervicitis) N72
- choroid (*see also* Chorioretinitis) H30.9 2a
- chronic, postmastoidectomy cavity H95.1
- colon - *see* Enteritis
- connective tissue (diffuse) NEC M79.8
- cornea (*see also* Keratitis) H16.9
- corpora cavernosa N48.2
- cranial nerve - *see* Disorder, nerve, cranial
- due to device, implant or graft (*see also* Complications, by site and type) T85.7
- - arterial graft NEC T82.7
- - breast (implant) T85.7
- - catheter NEC T85.7
- - - dialysis (renal) T82.7
- - - - intraperitoneal T85.7
- - - infusion NEC T82.7
- - - - spinal (epidural) (subdural) T85.7
- - - urinary (indwelling) T83.5 2b
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.7
- - - cardiac T82.7
- - - nervous system (brain) (peripheral nerve) (spinal) T85.7
- - - urinary T83.5 2b
- - fixation, internal (orthopedic) NEC T84.6
- - gastrointestinal (bile duct) (esophagus) T85.7
- - genital NEC T83.6
- - heart NEC T82.7
- - - valve (prosthesis) T82.6

- - - - graft T82.7
- - joint prosthesis T84.5
- - ocular (corneal graft) (orbital implant) NEC T85.7
- - orthopedic NEC T84.7
- - specified NEC T85.7
- - urinary NEC T83.5 2b
- - vascular NEC T82.7
- - ventricular intracranial shunt T85.7
- duodenum K29.8
- dura mater - *see* Meningitis
- ear (middle) (*see also* Otitis, media) H66.9 2b
- - external H60.9
- - inner H83.0
- epididymis (*see also* Epididymitis) N45.9
- esophagus K20
- ethmoidal (sinus) (chronic) (*see also* Sinusitis, ethmoidal) J32.2
- eustachian tube (catarrhal) H68.0
- eyelid H01.9
- - specified NEC H01.8
- fallopian tube (*see also* Salpingo-oophoritis) N70.9
- fascia M60.9
- gallbladder (*see also* Cholecystitis) K81.9 2a 2b
- gastric K29.7 2b
- gastrointestinal - *see* Enteritis
- genital organ (internal) (diffuse)
- - female (*see also* Disease, pelvis, inflammatory) N73.9
- - male N49.9
- - - multiple sites N49.8
- - - specified NEC N49.8
- gland (lymph) (*see also* Lymphadenitis) I88.9
- glottis (*see also* Laryngitis) J04.0
- heart (*see also* Carditis) I51.8 2a 2b
- hepatic duct (*see also* Cholangitis) K83.0
- ileum, ileal (*see also* Enteritis) A09.9 2a 2b
- - infectious A09.0 2a 2b
- - noninfectious K52.9 2a 2b
- - regional or terminal K50.0 2b
- intestine (any part) - *see* Enteritis
- jaw (acute) (bone) (chronic) (lower) (suppurative) (upper) K10.2
- jejunum, jejunal (*see also* Enteritis) A09.9 2a 2b
- joint NEC M13.9 2a 2b
- - sacroiliac M46.1
- knee (joint) M13.1
- - tuberculous A18.0† 2a 2b M01.1*
- labium (majus) (minus) (*see also* Vulvitis) N76.2
- lacrimal
- - gland H04.0
- - passages (duct) (sac) H04.3
- larynx (*see also* Laryngitis) J04.0
- - diphtheritic A36.2
- leg NEC L08.9
- lip K13.0
- lung (acute) (*see also* Pneumonia) J18.9 2a 2b
- - chronic J98.4 2a 2b
- - - newborn P27.8
- lymph gland or node (*see also* Lymphadenitis) I88.9
- lymphatic vessel (*see also* Lymphangitis) I89.1
- maxilla, maxillary K10.2
- - sinus (chronic) (*see also* Sinusitis, maxillary) J32.0
- membranes of brain or spinal cord - *see* Meningitis
- meninges - *see* Meningitis
- mouth K12.1
- muscle M60.9
- myocardium (*see also* Myocarditis) I51.4 2a 2b
- - arteriosclerotic I51.40 2a 2b

- nasal sinus (chronic) (*see also* Sinusitis) J32.9
- nasopharynx - *see* Nasopharyngitis
- navel L08.9
- - newborn P38
- nerve NEC M79.2 2a
- nipple N61 2b
- - puerperal, postpartum or gestational O91.0
- oculomotor (nerve) H49.0
- optic nerve H46
- orbit (chronic) H05.1
- - acute H05.0
- ovary (*see also* Salpingo-oophoritis) N70.9
- oviduct (*see also* Salpingo-oophoritis) N70.9
- pancreas (acute) - *see* Pancreatitis
- parotid region L08.9
- pelvis, female (*see also* Disease, pelvis, inflammatory) N73.9
- penis N48.2
- perianal K62.8
- pericardium (*see also* Pericarditis) I31.9 2b
- - rheumatic I09.2 2b
- - - active or acute I01.0 2a 2b
- perineum (female) (male) L08.9
- perirectal K62.8
- peritoneum (*see also* Peritonitis) K65.9 2a 2b
- periuterine (*see also* Disease, pelvis, inflammatory) N73.2
- perivesical (*see also* Cystitis) N30.9
- petrous bone (acute) (chronic) H70.2
- pharynx (acute) (*see also* Pharyngitis) J02.9 2a 2b
- pia mater - *see* Meningitis
- pleura - *see* Pleurisy
- polyp
- - colon K51.4
- prostate (*see also* Prostatitis) N41.9
- rectosigmoid - *see* Rectosigmoiditis
- rectum (*see also* Proctitis) K62.8
- respiratory, upper (*see also* Infection, respiratory, upper) J06.9 2a 2b
- - acute, due to radiation J70.0 2b
- - chronic, due to external agent - *see condition*, due to specified external agent
- - due to chemicals, gases, fumes or vapors (inhalation) NEC J68.2
- retina (*see also* Chorioretinitis) H30.9 2a
- retroperitoneal (*see also* Peritonitis) K65.9 2a 2b
- salivary duct or gland (any) (suppurative) K11.2
- scrotal, gum E54† 2a 2b K93.8*
- scrotum N49.2
- seminal vesicle (*see also* Vesiculitis) N49.0
- sigmoid - *see* Enteritis
- sinus (*see also* Sinusitis) J32.9
- Skene's duct or gland (*see also* Urethritis) N34.2
- skin L08.9
- spermatic cord N49.1
- sphenoidal (sinus) (*see also* Sinusitis, sphenoidal) J32.3
- spinal
- - cord (*see also* Encephalitis) G04.9
- - membrane - *see* Meningitis
- - nerve - *see* Disorder, nerve
- spine (*see also* Spondylitis) M46.9
- spleen (capsule) D73.8
- stomach - *see* Gastritis
- subcutaneous tissue L08.9
- synovial (fringe) (membrane) - *see* Synovitis
- tendon (sheath) NEC M65.9
- testis (*see also* Orchitis) N45.9
- throat (acute) (*see also* Pharyngitis) J02.9 2a 2b
- thymus (gland) E32.8
- thyroid (gland) (*see also* Thyroiditis) E06.9

- tongue K14.0
- tonsil (*see also* Tonsillitis) J03.9
- trachea (*see also* Tracheitis) J04.1
- trochlear (nerve) H49.1
- tubal (*see also* Salpingo-oophoritis) N70.9
- tuberculous NEC (*see also* Tuberculosis) A16.90 2a 2b
- tubo-ovarian (*see also* Salpingo-oophoritis) N70.9
- tunica vaginalis N49.1
- tympanic membrane - *see* Tympanitis
- umbilicus L08.9
- - newborn P38
- uterine ligament (*see also* Disease, pelvis, inflammatory) N73.2
- uterus (catarrhal) (*see also* Endometritis) N71.9 2b
- uveal tract (anterior) NEC (*see also* Iridocyclitis) H20.9 2a
- - posterior - *see* Chorioretinitis
- vagina (*see also* Vaginitis) N76.0
- vas deferens N49.1
- vein (*see also* Phlebitis) I80.9 2a 2b
 - - intracranial or intraspinal (septic) G08 2a 2b
 - - thrombotic I80.9 2a 2b
 - - leg I80.3 2b
 - - - deep (vessels) NEC I80.2
 - - - superficial (vessels) I80.0
 - - lower extremity I80.3 2b
 - - - deep (vessels) NEC I80.2
 - - - superficial (vessels) I80.0
 - - vocal cord J38.3
- vulva (*see also* Vulvitis) N76.2
- Wharton's duct (suppurative) K11.2

Influence (of)

- alcohol F10.1 2a 2b
- - chronic F10.2 2a 2b
- ethanol F10.1 2a 2b
- - chronic F10.2 2a 2b
- ethyl alcohol F10.1 2a 2b
- - chronic F10.2 2a 2b

Influenza (specific virus not identified) J11.10 2a 2b

- with
 - - digestive manifestations J11.8 2b
 - - - seasonal influenza virus identified J10.8 2b
 - - - zoonotic or pandemic influenza virus J09 2a
 - - encephalitis (specific virus not identified) J11.8† 2b G05.1*
 - - - seasonal influenza virus identified J10.8† 2b G05.1*
 - - - zoonotic or pandemic influenza virus identified J09† 2a G05.1*
 - - encephalopathy (acute)(specific virus not identified) J11.8† 2b G94.8*
 - - - seasonal influenza virus identified J10.8† 2b G94.8*
 - - - zoonotic or pandemic influenza virus identified J09† 2a G94.8*
 - - enteritis J11.8 2b
 - - - seasonal influenza virus identified J10.8 2b
 - - - zoonotic or pandemic influenza virus J09 2a
 - - gastroenteritis J11.8 2b
 - - - seasonal influenza virus identified J10.8 2b
 - - - zoonotic or pandemic influenza virus J09 2a
 - - involvement of
 - - - gastrointestinal tract J11.8 2b
 - - - - seasonal influenza virus identified J10.8 2b
 - - - - zoonotic or pandemic influenza virus J09 2a
 - - - nervous system NEC J11.8 2b
 - - - - seasonal influenza virus identified J10.8 2b
 - - - - zoonotic or pandemic influenza virus J09 2a
 - - laryngitis J11.1 2a 2b
 - - - seasonal influenza virus identified J10.1 2a 2b
 - - - zoonotic or pandemic influenza virus J09 2a
 - - manifestations NEC J11.8 2b
 - - - seasonal influenza virus identified J10.8 2b

- - - zoonotic or pandemic influenza virus J09 2a
- - meningismus J11.8 2b
- - - seasonal influenza virus identified J10.8 2b
- - - zoonotic or pandemic influenza virus J09 2a
- - myocarditis J11.8† 2b I41.1* 2b
- - - seasonal influenza virus identified J10.8† 2b I41.1* 2b
- - - zoonotic or pandemic influenza virus J09† 2a I41.1* 2b
- - pharyngitis J11.1 2a 2b
- - - seasonal influenza virus identified J10.1 2a 2b
- - - zoonotic or pandemic influenza virus J09 2a
- - pleural effusion NEC J11.1 2a 2b
- - - seasonal influenza virus identified J10.1 2a 2b
- - - zoonotic or pandemic influenza virus J09 2a
- - pneumonia (any form in J12-J16, J18 2a 2b) J11.0
- - - seasonal influenza virus identified J10.0
- - - zoonotic or pandemic influenza virus J09 2a
- - respiratory manifestations NEC J11.1 2a 2b
- - - seasonal influenza virus identified J10.1 2a 2b
- - - zoonotic or pandemic influenza virus J09 2a
- - upper respiratory infection (acute) NEC J11.1 2a 2b
- - - seasonal influenza virus identified J10.1 2a 2b
- - - zoonotic or pandemic influenza virus J09 2a
- Asian J10.10 2a 2b
- B J10.-
- bronchial (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- C J10.-
- epidemic J11.10 2a 2b
- intestinal J11.8 2b
- maternal, affecting fetus or newborn P00.2
- pulmonary J11.1 2a 2b
- respiratory (upper) (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- seasonal virus identified J10.1 2a 2b
- stomach J11.8 2b
- summer, of Italy A93.1
- Type
 - - A J10.10 2a 2b
 - - B J10.10 2a 2b
- virus identified (A) (Asian) (B) J10.10 2a 2b
- - H1N1 J09 2a
- - H3N2 J10.10 2a 2b
- zoonotic or pandemic virus identified J09 2a

Influenza-like disease (*see also* Influenza) J11.10 2a 2b

Infraction, Freiberg's (metatarsal head) M92.7

Infusion complication, misadventure or reaction - *see* Complications, infusion

Ingestion

- alcohol F10.9 2b
- - chronic F10.2 2a 2b
- - excessive (amount) T51.9 2a 2b
- - - chronic F10.2 2a 2b
- - wood T51.1
- chemical - *see* Table of drugs and chemicals
- drug or medicament
 - - correct substance properly administered - apply drug therapy instructions
 - - overdose or wrong substance given or taken T50.9 2a 2b
 - - - specified drug - *see* Table of drugs and Chemicals
- ethanol F10.9 2b
- - chronic F10.2 2a 2b
- - excessive (amount) T51.0 2b
- - - chronic F10.2 2a 2b
- ethyl alcohol F10.9 2b
- - chronic F10.2 2a 2b
- - excessive (amount) T51.0 2b
- - - chronic F10.2 2a 2b
- foreign body (*see also* Foreign body) T18.9
- isopropyl alcohol T51.2

- lethal - *see* Table of drugs and chemicals
- methanol T51.1
- methyl alcohol T51.1
- propanol T51.2
- toxic - *see* Table of drugs and chemicals
- wood alcohol T51.1

Ingrowing

- hair (beard) L73.1
- nail (finger) (toe) L60.0 2a

Inguinal - *see also* condition

- testicle Q53.9
- - bilateral Q53.2
- - unilateral Q53.1

Inhalation

- anthrax A22.1 2b
- carbon monoxide T58 2b
- flame T27.3
- food or foreign body (*see also* Asphyxia, food) T17.9 2b
- gas, fumes or vapor T59.9 2b
- - specified agent - *see* Table of drugs and chemicals
- heat T27.3
- liquid or vomitus (*see also* Asphyxia, food) T17.9 2b
- meconium (newborn) P24.0
- mucus (*see also* Asphyxia, mucus) T17.9 2b
- oil (causing suffocation) (*see also* Asphyxia, food) T17.9 2b
- smoke T59.8 2a 2b
- soot T59.8 2a 2b
- steam T59.9 2b
- stomach contents or secretions T17.9 2b
- - due to anesthesia (general) (local) or other sedation T88.5 2b
- - - in labor and delivery O74.0
- - - in pregnancy O29.0
- - - postpartum, puerperal O89.0

Inhibition, orgasm (female) (male) F52.3

Inhibitor, systemic lupus erythematosus, presence D68.6

Iniencephalus, iniencephaly Q00.2

Injection, traumatic jet (air) (industrial) (paint or dye) (water) T70.4

Injury, injuries (*see also* specified injury type) T14.9 2a 2b

- abdomen, abdominal S39.9 2b
- - with pelvic organs S39.6
- - specified NEC S39.8
- Achilles tendon S86.0
- acoustic, resulting in deafness S04.6
- adenoid S09.9 2a 2b
- adrenal (gland) S37.8
- alveolar (process) S09.9 2a 2b
- ankle S99.9
- - specified NEC S99.8
- anterior chamber, eye S05.8
- anus S39.9 2b
- aorta (thoracic) S25.0
- - abdominal S35.0
- arm NEC - *see* Injury, limb, upper T11.9 2b
- - lower - *see* Injury, forearm
- - meaning upper limb - *see* Injury, limb, upper
- - upper S49.9 2b
- - - and shoulder (level), multiple S49.7
- - - specified NEC S49.8 2b
- artery (complicating trauma) (*see also* Injury, blood vessel) T14.5
- - cardiac S25.8
- - cerebral S06.8 2a 2b
- - meningeal S06.5 2a 2b
- auditory canal (external) (meatus) S09.9 2a 2b
- auricle, auris S09.9 2a 2b
- axilla S49.9 2b

- axon, axonal T14.4 2a 2b
- back S39.9 2b
- bile duct S36.1 2b
- birth (*see also* Birth injury) P15.9 2a 2b
- bladder (sphincter) S37.2
- - obstetric trauma O71.5
- blast (air) (hydraulic) (immersion) (underwater) NEC T14.8 2a 2b
- - brain S06.0 2b
- - generalized T70.8
- - multiple body organs T70.8
- blood vessel NEC T14.5
- - abdomen, abdominal S35.9
- - - and lower back, pelvis, multiple S35.7
- - - aorta S35.0
- - - multiple S35.7
- - - specified NEC S35.8
- - - ankle (level) S95.9
- - - and foot, multiple S95.7
- - - specified NEC S95.8
- - arm
 - - - meaning upper limb - *see* Injury, blood vessel, limb, upper
 - - - upper (level) S45.9
 - - - and shoulder, multiple S45.7
 - - - specified NEC S45.8
- - axillary S45.9
- - - artery S45.0
- - - vein S45.2
- - azygos vein S25.8
- - brachial S45.9
- - - artery S45.1
- - - vein S45.2
- - carotid (artery) (common) (external) (internal) S15.0
- - - vein (common) (external) (internal) S15.8
- - celiac artery S35.2
- - cerebral (artery) (vein) S06.8 2a 2b
- - digital (hand) S65.5
- - dorsal S95.8
 - - - artery, foot S95.0
 - - - vein, foot S95.2
- - due to accidental puncture or laceration during procedure T81.2 2a 2b
- - extremity - *see* Injury, blood vessel, limb
- - face S09.0
- - femoral S75.9
 - - - artery (common) (superficial) S75.0
 - - - vein (hip level) (thigh level) S75.1
- - finger S65.5
- - - thumb S65.4
- - foot (level) S95.9
 - - - and ankle, multiple S95.7
 - - - specified NEC S95.8
- - forearm S55.9
 - - - multiple S55.7
 - - - radial artery S55.1
 - - - specified NEC S55.8
 - - - ulnar artery S55.0
 - - - vein S55.2
 - - - gastric S35.9
 - - - artery S35.2
 - - - vein S35.8
 - - - gastroduodenal artery S35.2
 - - - greater saphenous vein (lower leg level) S85.3
 - - - hip and thigh level S75.2
 - - - hand (level) S65.9
 - - - and wrist, multiple S65.7
 - - - specified NEC S65.8

- - head S09.0
- - - intracranial S06.9 2a 2b
- - - multiple S09.0
- - - specified NEC S09.0
- - heart (artery) (vein) S25.8
- - hepatic S35.9
- - - artery S35.2
- - - vein S35.1
- - hip (level) S75.9
- - - and thigh, multiple S75.7
- - - specified NEC S75.8
- - hypogastric (artery) (vein) S35.5
- - iliac (artery) (vein) S35.5
- - innominate S25.9
- - - artery S25.1
- - - vein S25.3
- - intercostal (artery) (vein) S25.5
- - intracranial S06.9 2a 2b
- - jugular vein (external) S15.2
- - - internal S15.3
- - leg
- - - lower (level) S85.9
- - - - multiple S85.7
- - - - specified NEC S85.8
- - - meaning lower limb - *see Injury, blood vessel, limb, lower*
- - lesser saphenous vein (lower leg level) S85.4
- - limb T14.5
- - - lower T13.4
- - - - multiple T06.3
- - - upper T11.4
- - - - multiple T06.3
- - lower back S35.9
- - - and abdomen, pelvis, multiple S35.7
- - - multiple S35.7
- - - specified NEC S35.8
- - mammary (artery) (vein) S25.8
- - mesenteric (inferior) (superior) S35.9
- - - artery S35.2
- - - vein S35.3
- - multiple (regions) (sites) T06.3
- - - specified site - *see Injury, blood vessel, by site, multiple*
- - neck S15.9
- - - multiple S15.7
- - - specified NEC S15.8
- - ovarian (artery) (vein) S35.8
- - palmar arch (superficial) S65.2
- - - deep S65.3
- - pelvis S35.9
- - - and abdomen, lower back, multiple S35.7
- - - multiple S35.7
- - - specified NEC S35.8
- - peroneal artery S85.2
- - plantar artery (deep) (foot) S95.1
- - popliteal S85.9
- - - artery S85.0
- - - vein S85.5
- - portal S35.9
- - - artery S35.8
- - - vein S35.3
- - precerebral S15.9
- - - artery or vein S15.8
- - pulmonary (artery) (vein) S25.4
- - radial artery (forearm (level)) S55.1
- - - hand and wrist (level) S65.1
- - renal (artery) (vein) S35.4

- - saphenous (greater) (lower leg level) S85.9
- - - artery S85.8
- - - hip and thigh level S75.2
- - - lesser S85.4
- - - vein S85.3
- - shoulder S45.9
- - - and upper arm level, multiple S45.7
- - - specified NEC S45.8
- - - superficial vein S45.3
- - specified site not indexed - *see Injury, blood vessel, by body region*
- - splenic S35.9
- - - artery S35.2
- - - vein S35.3
- - subclavian S25.9
- - - artery S25.1
- - - vein S25.3
- - thigh (level) S75.9
- - - and hip, multiple S75.7
- - - specified NEC S75.8
- - thoracic S25.9
- - - multiple S25.7
- - - specified NEC S25.8
- - thumb S65.4
- - tibial artery (anterior) (posterior) S85.1
- - ulnar artery (forearm (level)) S55.0
- - - hand and wrist (level) S65.0
- - upper arm (level) S45.9
- - - superficial vein S45.3
- - uterine (artery) (vein) S35.5
- - vena cava (superior) S25.2
- - - inferior S35.1
- - vertebral artery S15.1
- - wrist (level) S65.9
- - - and hand, multiple S65.7
- - - specified NEC S65.8
- body (entire) T09.9 2b
- bone T14.9 2a 2b
- - specified site - *see Injury, site of bone*
- brachial plexus S14.3
- - newborn P14.3
- brain S06.9 2a 2b
- - with
 - - - cranial nerve(s) (multiple) S09.7 2b
 - - anoxic G93.1 2a 2b
 - - - at birth P21.9 2a 2b
 - - - newborn P21.9 2a 2b
 - - diffuse (axonal) S06.2 2a 2b
 - - focal S06.3
- - specified NEC S06.8 2a 2b
- breast NEC S29.9 2a 2b
- broad ligament S37.8
- bronchus, bronchi S27.4
- brow S09.9 2a 2b
- buttock S39.9 2b
- canthus, eye S09.9 2a 2b
- cauda equina S34.3
- cavernous sinus S06.8 2a 2b
- cecum S36.5
- celiac ganglion or plexus S34.5
- cerebellum S06.8 2a 2b
- cerebral S06.9 2a 2b
- - diffuse S06.2 2a 2b
- - focal S06.3
- - specified NEC S06.8 2a 2b
- cervical S19.9

- cervix (uteri) S37.6
- cheek (wall) S09.9 2a 2b
- chest - *see also* Injury, thorax S29.9 2a 2b
- - internal - *see also* Injury, internal
- childbirth (fetus or newborn) (*see also* Birth injury) P15.9 2a 2b
- - maternal NEC O71.9
- chin S09.9 2a 2b
- choroid (eye) S05.8
- clitoris S39.9 2b
- coccyx S39.9 2b
- - complicating delivery O71.6
- colon S36.5
- common bile duct S36.1 2b
- conjunctiva (superficial) S05.0
- cord
 - - spermatic (pelvic region) S37.8
 - - - scrotal region S39.8
- - spinal - *see* Injury, spinal cord, by region
- cornea S05.8
- - abrasion S05.0
- cortex (cerebral) S06.8 2a 2b
- - visual S04.0
- costal region NEC S29.9 2a 2b
- costochondral NEC S29.9 2a 2b
- cranial NEC S09.9 2a 2b
- - cavity S06.8 2a 2b
- - nerve - *see* Injury, nerve, cranial
- crush, crushing - *see* Crush
- cutaneous sensory nerve - *see* Injury, nerve, cutaneous sensory
- cystic duct S36.1 2b
- delivery (fetus or newborn) P15.9 2a 2b
- - maternal NEC O71.9
- Descemet's membrane - *see* Injury, eyeball, penetrating
- diaphragm S27.8 2a
- duodenum S36.4
- ear (auricle) (external) (canal) S09.9 2a 2b
- elbow S59.9
 - - and forearm, multiple S59.7
 - - specified NEC S59.8
- epididymis S39.9 2b
- epigastric region S39.9 2b
- epiglottis (*see also* Injury, neck) S19.9
- esophagus (thoracic part) S27.8 2a
- - cervical (*see also* Injury, neck) S19.9
- eustachian tube S09.9 2a 2b
- extremity, extremities - *see* Injury, limb
- eye S05.9
- eyeball S05.8
 - - penetrating S05.6
 - - - with
 - - - - foreign body S05.5
 - - - - prolapse or loss of intraocular tissue S05.2
 - - - without prolapse or loss of intraocular tissue S05.3
 - - specified NEC S05.8
 - - superficial S05.8
- eyebrow S09.9 2a 2b
- eyelid S09.9 2a 2b
 - - superficial S00.2
- face S09.9 2a 2b
- fallopian tube S37.5
- fascia - *see* Injury, muscle
- femur S79.9 2b
- finger (nail) S69.9 S60.9
- foot S99.9
 - - and ankle, multiple S99.7

- - specified NEC S99.8
- forearm S59.9
- - and elbow, multiple S59.7
- - specified NEC S59.8
- forehead S09.9 2a 2b
- gallbladder S36.1 2b
- ganglion
- - celiac, coeliac S34.5
- - gasserian S04.3
- - stellate S24.4
- - thoracic sympathetic S24.4
- gastrointestinal tract S36.9 2b
- generalized T07 2a 2b
- genital organ(s)
- - external S39.9 2b
- - internal S37.9
- - obstetric trauma O71.9
- gland
- - lacrimal (laceration) S05.8
- - salivary S09.9 2a 2b
- - thyroid (*see also* Injury, neck) S19.9
- globe (eye) S05.9
- - specified NEC S05.8
- groin S39.9 2b
- gum S09.9 2a 2b
- hand S69.9
 - - and wrist, multiple S69.7
 - - specified NEC S69.8
- head S09.9 2a 2b
 - - internal - *see also* Injury, internal
 - - multiple (classifiable to categories S00-S09.2) S09.7 2b
 - - specified NEC S09.8
- heart S26.9
 - - with hemopericardium S26.0
 - - specified NEC S26.8 2a 2b
- heel S99.9
- hepatic duct S36.1 2b
- hip S79.9 2b
 - - and thigh, multiple S79.7
 - - specified NEC S79.8
- hymen S39.9 2b
- hyperextension cervical (spine) (vertebrae) S13.4
- hypogastric plexus S34.5
- ileum S36.4
- iliac region S39.9 2b
- infrared rays NEC T66 2b
- inhalation NEC T27.3
- instrumental (during surgery) T81.2 2a 2b
 - - birth injury - *see* Birth injury
 - - nonsurgical (*see also* Injury, by site) T14.9 2a 2b
 - - obstetric O71.9
 - - - bladder O71.5
 - - - cervix O71.3
 - - - high vaginal O71.4
 - - - perineal NEC O70.9
 - - - urethra O71.5
 - - - uterus O71.5
 - - - - with rupture or perforation O71.1
 - - internal T14.8 2a 2b
 - Note* - For injury of internal organ(s) by foreign body entering through a natural orifice (e.g. inhaled, ingested or swallowed) - *see* Foreign body, entering through orifice.
 - - bladder (sphincter) S37.2
 - - - obstetric trauma O71.5
 - - - cervix (uteri) S37.6
 - - - obstetric trauma O71.3

- - chest (*see also* Injury, intrathoracic organ) S27.9 2a 2b
- - head S06.9 2a 2b
- - multiple T06.5 2a 2b
- - - specified site - *see* Injury, internal, by site, multiple
- - organ or site not indexed - *see* Injury, by site
- - - specified site not indexed - *see* Injury, by body region
- - pelvis, pelvic (organ) S37.9
- - - and abdomen, lower back, multiple S39.7
- - following
 - - - abortion (subsequent episode) O08.6
 - - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy (subsequent episode) O08.6
 - - - - current episode - *see* Pregnancy, by site
- - obstetric trauma NEC O71.5
- - - rupture or perforation O71.1
- - - specified NEC S39.8
- intervertebral disc T09.9 2b
- intestine S36.9 2b
 - - large S36.5
 - - small S36.4
 - intra-abdominal (organ) S36.9 2b
 - - with intrathoracic (and pelvic) organs T06.5 2a 2b
 - - multiple S36.7
 - - specified NEC S36.8
 - intracranial S06.9 2a 2b
 - - with prolonged coma S06.7
 - - specified NEC S06.8 2a 2b
 - intraocular S05.6
 - intrathoracic (organ) S27.9 2a 2b
 - - with intra-abdominal (and pelvic) organs T06.5 2a 2b
 - - multiple S27.7
 - - specified NEC S27.8 2a
- iris S05.8
 - - penetrating S05.6
 - - ischemic (*see also* Ischemia)
 - - hypoxic, newborn P21.9 2a 2b
- jaw S09.9 2a 2b
- jejunum S36.4
- joint NEC T14.9 2a 2b
- - old or residual M25.8
- kidney S37.0 2b
- knee S89.9
 - - meniscus (lateral) (medial) S83.6
 - - - with ligament (collateral) (cruciate) S83.7
 - - - old injury or tear M23.2
 - - multiple structures S83.7
 - labium (majus) (minus) S39.9 2b
 - labyrinth, ear S09.9 2a 2b
 - lacrimal duct S05.8
 - larynx (*see also* Injury, neck) S19.9
- leg NEC T13.9
 - - lower S89.9
 - - - multiple S89.7
 - - - specified NEC S89.8
 - - meaning lower limb - *see* Injury, limb, lower
- lens (eye) S05.8
- - penetrating S05.6
- limb T14.9 2a 2b
- - lower T13.9
 - - - specified NEC T13.8
 - - upper T11.9 2b
 - - - specified NEC T11.8
 - lip S09.9 2a 2b
 - liver S36.1 2b
 - lower back S39.9 2b

- - specified NEC S39.8
- lumbar, lumbosacral (region) S39.9 2b
- - plexus S34.4
- lung S27.3 2a 2b
- - with
 - - - hemopneumothorax S27.2
 - - - hemothorax S27.1
 - - - pneumohemothorax S27.2
 - - - pneumothorax S27.0 2b
- - specified NEC S27.3 2a 2b
- lymphatic thoracic duct S27.8 2a
- malar region S09.9 2a 2b
- mastoid region S09.9 2a 2b
- maternal, during pregnancy, affecting fetus or newborn P00.5
- maxilla S09.9 2a 2b
- mediastinum S27.8 2a
- membrane, brain S06.8 2a 2b
- meningeal artery S06.5 2a 2b
- meninges (cerebral) S06.8 2a 2b
- mesenteric
 - - artery (inferior) (superior) S35.2
 - - plexus (inferior) (superior) S34.5
 - - vein (inferior) (superior) S35.3
- mesentery S36.8
- mesosalpinx S37.8
- middle ear S09.9 2a 2b
- midthoracic region NEC S29.9 2a 2b
- mouth S09.9 2a 2b
- multiple (mutilating) T07 2a 2b
 - - and extensive T06.5 2a 2b
 - - and extreme T06.5 2a 2b
 - - and severe T06.5 2a 2b
 - - extensive T06.5 2a 2b
 - - extreme T06.5 2a 2b
 - - internal - *see also* Injury, internal
 - - severe T06.5 2a 2b
- - specified site - *see* Injury, by site, multiple
- muscle (and fascia) (and tendon) T14.6
- - abdomen S39.0
 - - abductor, thumb, forearm level S56.3
 - - ankle (level) S96.9
 - - - and foot, multiple S96.7
 - - - specified NEC S96.8
 - - anterior muscle group, at leg level (lower) S86.2
- - arm
 - - - meaning upper limb T11.5
 - - - upper (level) S46.9
 - - - - and shoulder, multiple S46.7
 - - - - specified NEC S46.8
 - - biceps (parts NEC) S46.2
 - - long head S46.1
 - - extensor
 - - - finger(s) (other than thumb), forearm level S56.4
 - - - - wrist and hand level S66.3
 - - - forearm level, specified NEC S56.5
 - - - multiple, wrist (and hand) level S66.7
 - - - thumb, forearm level S56.3
 - - - - wrist and hand level S66.2
 - - - toe (large) (ankle level) (foot level) S96.1
 - - - wrist and hand level, multiple S66.7
 - - flexor
 - - - finger(s) (other than thumb), forearm level S56.1
 - - - - wrist and hand level S66.1
 - - - forearm level, specified NEC S56.2
 - - - multiple, wrist (and hand) level S66.6

- - - thumb, long (wrist and hand level) S66.0
- - - forearm level S56.0
- - - toe (long) (ankle level) (foot level) S96.0
- - - wrist and hand (level), multiple S66.6
- - foot (level) S96.9
- - - and ankle, multiple S96.7
- - - specified NEC S96.8
- - forearm (level) S56.8
- - - multiple S56.7
- - hand (level) S66.9
- - - specified NEC S66.8
- - head S09.1
- - hip (level) NEC S76.0
- - - and thigh, multiple S76.7
- - intrinsic
 - - - ankle and foot level S96.2
 - - - finger (other than thumb), at wrist and hand level S66.5
- - foot (level) S96.2
- - - thumb, at wrist and hand level S66.4
- - leg
 - - - lower (level) S86.9
 - - - - multiple S86.7
 - - - - specified NEC S86.8
 - - - meaning lower limb T13.5
- - limb
 - - - lower T13.5
 - - - upper T11.5
- - long
 - - - extensor, toe, at ankle and foot level S96.1
 - - - flexor, toe, at ankle and foot level S96.0
- - head, biceps S46.1
- - lower back S39.0
- - multiple T06.4 2b
 - - - specified site - *see* Injury, muscle, by site, multiple
- - neck (level) S16
- - pelvis S39.0
- - peroneal muscle group, at lower leg level S86.3
- - posterior muscle (group)
- - - leg level, lower S86.1
- - - thigh level S76.3
- - quadriceps (thigh) S76.1
- - shoulder S46.9
 - - - and upper arm level, multiple S46.7
 - - - rotator cuff S46.0
 - - - specified NEC S46.8
- - specified site not indexed - *see* Injury, muscle, by body region
- - thigh NEC (level) S76.4
- - - adductor S76.2
- - - and hip, multiple S76.7
- - - posterior muscle (group) S76.3
- - - quadriceps S76.1
- - thorax (level) S29.0
- - triceps S46.3
- - trunk T09.5
- - upper limb T11.5
- - wrist (and hand) level S66.9
- - musculoskeletal T14.9 2a 2b
- - myocardium S26.9
- - nasal (septum) (sinus) S09.9 2a 2b
- - nasopharynx S09.9 2a 2b
- - neck S19.9
 - - - multiple S19.7 2b
 - - - specified NEC S19.8
- - nerve T14.4 2a 2b
- - abdomen S34.8

- - - peripheral S34.6
- - abducent S04.4
- - accessory S04.7
- - acoustic S04.6
- - ankle S94.9
 - - - and foot, multiple S94.7
 - - - deep peroneal S94.2
 - - - lateral plantar S94.0
 - - - medial plantar S94.1
 - - - specified NEC S94.8
- - arm
 - - - meaning upper limb T11.3
 - - - upper (level) S44.9
 - - - - and shoulder, multiple S44.7
 - - - - axillary S44.3
 - - - - multiple S44.7
 - - - - specified NEC S44.8
 - - auditory S04.6
 - - axillary S44.3
 - - brachial plexus S14.3
 - - cervical sympathetic S14.5
 - - cranial S04.9
 - - - with
 - - - - brain (multiple) S09.7 2b
 - - - eighth (acoustic or auditory) S04.6
 - - - eleventh (accessory) S04.7
 - - - fifth (trigeminal) S04.3
 - - - first (olfactory) S04.8
 - - - fourth (trochlear) S04.2
 - - - ninth (glossopharyngeal) S04.8
 - - - second (optic) S04.0
 - - - seventh (facial) S04.5
 - - - sixth (abducent) S04.4
 - - - specified NEC S04.8
 - - - tenth (pneumogastric or vagus) S04.8
 - - - third (oculomotor) S04.1
 - - - twelfth (hypoglossal) S04.8
 - - cutaneous sensory
 - - - ankle (level) S94.3
 - - - arm, upper (level) S44.5
 - - - foot (level) S94.3
 - - - forearm (level) S54.3
 - - - hip (level) S74.2
 - - - leg, lower (level) S84.2
 - - - shoulder (level) S44.5
 - - - thigh (level) S74.2
 - - deep peroneal (ankle level) (foot level) S94.2
 - - digital
 - - - finger S64.4
 - - - thumb S64.3
 - - - toe S94.8
 - - eighth cranial (acoustic or auditory) S04.6
 - - eleventh cranial (accessory) S04.7
 - - facial S04.5
 - - - newborn P11.3
 - - femoral (hip level) (thigh level) S74.1
 - - fifth cranial (trigeminal) S04.3
 - - finger (digital) S64.4
 - - first cranial (olfactory) S04.8
 - - foot S94.9
 - - - and ankle, multiple S94.7
 - - - cutaneous sensory S94.3
 - - - deep peroneal S94.2
 - - - lateral plantar S94.0
 - - - medial plantar S94.1

- - - specified NEC S94.8
- - forearm (level) S54.9
- - - multiple S54.7
- - - specified NEC S54.8
- - fourth cranial (trochlear) S04.2
- - glossopharyngeal S04.8
- - hand S64.9
 - - - and wrist (level), multiple S64.7
 - - - median S64.1
 - - - radial S64.2
 - - - specified NEC S64.8
 - - - ulnar S64.0
- - hip (level) S74.9
 - - - and thigh (level), multiple S74.7
 - - - cutaneous sensory S74.2
 - - - femoral S74.1
 - - - sciatic S74.0
 - - - specified NEC S74.8
 - - hypoglossal S04.8
 - - lateral plantar (ankle level) (foot level) S94.0
- - leg
 - - - lower S84.9
 - - - - cutaneous sensory S84.2
 - - - - multiple S84.7
 - - - - specified NEC S84.8
 - - - meaning lower limb T13.3
 - - - upper - *see* Injury, nerve, thigh
 - - lower
 - - back S34.8
 - - - peripheral S34.6
 - - - limb T13.3
 - - medial plantar (ankle level) (foot level) S94.1
 - - median (forearm (level)) S54.1
 - - hand (level) S64.1
 - - upper arm (level) S44.1
 - - wrist (level) S64.1
 - - multiple (regions) T06.2 2b
 - - - specified site - *see* Injury, nerve, by site, multiple
 - - musculocutaneous S44.4
 - - musculospiral (upper arm level) S44.2
 - - neck S14.6
 - - - peripheral S14.4
 - - - sympathetic S14.5
 - - ninth cranial (glossopharyngeal) S04.8
 - - oculomotor S04.1
 - - olfactory S04.8
 - - optic S04.0
 - - pelvic girdle S74.9
 - - - specified NEC S74.8
 - - pelvis S34.8
 - - - peripheral S34.6
 - - peripheral T14.4 2a 2b
 - - - abdomen S34.6
 - - - lower back S34.6
 - - - multiple T06.2 2b
 - - - neck S14.4
 - - - pelvis S34.6
 - - - specified NEC T14.4 2a 2b
 - - peroneal (lower leg level) S84.1
 - - - ankle and foot (level) S94.2
 - - plexus
 - - - brachial S14.3
 - - - celiac, coeliac S34.5
 - - - mesenteric, inferior S34.5
 - - - spinal T09.4

- - pneumogastric S04.8
- - radial (forearm (level)) S54.2
- - - hand S64.2
- - - upper arm (level) S44.2
- - - wrist (level) S64.2
- - sciatic (hip level) (thigh level) S74.0
- - second cranial (optic) S04.0
- - seventh cranial (facial) S04.5
- - shoulder S44.9
- - - and upper arm (level), multiple S44.7
- - - specified NEC S44.8
- - sixth cranial (abducent) S04.4
- - specified site not indexed - *see* Injury, nerve, by body region
- - spinal T09.4
- - - plexus - *see* Injury, nerve, plexus, spinal
- - - root T09.4
- - - - cervical S14.2
- - - - dorsal S24.2
- - - - lumbar, lumbosacral S34.2
- - - - sacral S34.2
- - - - thoracic S24.2
- - splanchnic S34.5
- - sympathetic NEC S34.5
- - cervical S14.5
- - tenth cranial (pneumogastric or vagus) S04.8
- - thigh (level) S74.9
- - - and hip (level), multiple S74.7
- - - cutaneous sensory S74.2
- - - femoral S74.1
- - - sciatic S74.0
- - - specified NEC S74.8
- - third cranial (oculomotor) S04.1
- - thorax S24.6
- - - peripheral S24.3
- - - specified NEC S24.5
- - - sympathetic S24.4
- - thumb, digital S64.3
- - tibial (lower leg level) S84.0
- - toe S94.9
- - trigeminal S04.3
- - trochlear S04.2
- - trunk T09.4
- - twelfth cranial (hypoglossal) S04.8
- - ulnar (forearm (level)) S54.0
- - - hand (level) S64.0
- - - upper arm (level) S44.0
- - - wrist (level) S64.0
- - upper limb T11.3
- - vagus S04.8
- - wrist (level) S64.9
- - - and hand (level), multiple S64.7
- - - median S64.1
- - - radial S64.2
- - - specified NEC S64.8
- - - ulnar S64.0
- nose (septum) S09.9 2a 2b
- obstetric (*see also* Delivery, complicated by, injury by type) O71.9
- - specified NEC O71.8
- occipital (region) (scalp) S09.9 2a 2b
- - lobe (*see also* Injury, intracranial) S06.8 2a 2b
- open - *see* Wound
- optic (chiasm) (cortex) (nerve) (pathways) S04.0
- orbit, orbital (region) S05.9
- - penetrating (with foreign body) S05.4
- - specified NEC S05.8

- oropharynx S09.9 2a 2b
- ovary S37.4
- palate (hard) (soft) S09.9 2a 2b
- pancreas S36.2 2a
- parietal (region) (scalp) S09.9 2a 2b
- - lobe (*see also* Injury, intracranial) S06.8 2a 2b
- pelvis, pelvic (floor) S39.9 2b
- - complicating delivery O70.1
- - internal - *see also* Injury, internal
- - joint or ligament, complicating delivery O71.6
- - organ S37.9
- - - with
 - - - abdominal organ(s) S39.6
 - - - intrathoracic organs T06.5 2a 2b
 - - - complication of abortion - *code to* O03-O07 with fourth character .3 or .8 O08.6
- - obstetric trauma NEC O71.5
- - specified NEC S39.8
- penetrating - *see* Perforation, by site, traumatic
- - site not indexed as traumatic, *see* Wound
- penis S39.9 2b
- perforated, perforating - *see* Perforation, by site, traumatic
- - site not indexed as traumatic, *see* Wound
- perineum S39.9 2b
- peritoneum S36.8
- periurethral tissue S37.3
- - complicating delivery O70.0
- phalanges
- - foot S99.9
- - hand S69.9
- pharynx (*see also* Injury, neck) S19.9
- pleura S27.6
- plexus
 - - brachial S14.3
 - - cardiac S24.4
 - - celiac S34.5
 - - esophageal S24.4
 - - hypogastric S34.5
 - - lumbar, lumbosacral S34.4
 - - mesenteric S34.5
 - - pulmonary S24.4
- prepuce S39.9 2b
- prostate S37.8
- pubic region S39.9 2b
- pudendum S39.9 2b
- radiation NEC T66 2b
- rectovaginal septum NEC S39.8
- rectum S36.6
- retina S05.8
 - - penetrating S05.6
- retroperitoneal S36.8
- rib(s) S29.8
- rotator cuff S46.0
- round ligament S37.8
- sacral plexus S34.4
- salivary duct or gland S09.9 2a 2b
- scalp S09.9 2a 2b
 - - fetus or newborn (birth injury) P12.9
 - - - due to monitoring (electrode) (sampling incision) P12.4
 - - - specified NEC P12.8
- scapular region S49.9 2b
- sclera S05.8
 - - penetrating S05.6
- scrotum S39.9 2b
- seminal vesicle S37.8
- sharp - *see* Wound

- shoulder S49.9 2b
- - and upper arm level, multiple S49.7
- - specified NEC S49.8 2b
- sinus
 - - cavernous S06.8 2a 2b
 - - nasal S09.9 2a 2b
- skeleton, skeletal T14.9 2a 2b
- - birth injury P13.9
 - - - specified part NEC P13.8
- - multiple T07 2a 2b
- skin (alone) - *see also* Injury, superficial T14.9 2a 2b
- - surface intact - *see* Injury, superficial
- skull NEC S09.9 2a 2b
- soft tissue T14.1 2a 2b
 - - specified site - *see* Wound, by site
- spermatic cord (pelvic region) S37.8
- - scrotal region S39.8
- spinal cord T09.3
 - - cervical (neck) S14.1
 - - dorsal S24.1
 - - lumbar S34.1
 - - nerve root NEC T09.4
 - - - cervical S14.2
 - - - dorsal S24.2
 - - - lumbar, lumbosacral S34.2
 - - - sacral S34.2
 - - - thoracic S24.2
 - - plexus T09.4
 - - - brachial S14.3
 - - - lumbosacral S34.4
 - - - trunk T09.4
 - - thoracic S24.1
- spine or spinal T09.9 2b
 - - atlanto axil S19.9
 - - atlanto occipital S19.9
 - - atlas S19.9
 - - axis S19.9
 - - cervical S19.9
 - - coccyx S39.9 2b
 - - dorsal S29.9 2a 2b
 - - lumbar S39.9 2b
 - - lumbar sacral S39.9 2b
 - - sacral S39.9 2b
 - - thoracic S29.9 2a 2b
- spleen S36.0 2b
- stellate ganglion S24.4
- sternal region S29.9 2a 2b
- stomach S36.3
- subconjunctival S05.0
- subcutaneous NEC T14.0 2b
- submaxillary region S09.9 2a 2b
- submental region S09.9 2a 2b
- subungual
- - fingers S69.9
- - toes S90.9
- superficial (*for contusions, first see Contusion*) T14.0 2b
 - - abdomen, abdominal S30.9
 - - - with lower back and pelvic regions, multiple S30.7
 - - - specified NEC S30.8
 - - - wall S30.8
 - - adnexa, eye NEC S05.8
 - - alveolar process S00.5
 - - ankle S90.9
 - - - and foot, multiple S90.7
 - - - specified NEC S90.8

- - anus S30.8
- - arm
 - - - meaning upper limb - see Injury, superficial, limb, upper
- - upper S40.9
 - - - and shoulder, multiple S40.7
 - - - specified NEC S40.8
- - auditory canal (external) (meatus) S00.4
 - - auricle S00.4
- - axilla S40.9
 - - back T09.0 2a 2b
 - - lower S30.9
 - - - with abdominal and pelvic regions, multiple S30.7
 - - - specified NEC S30.8
 - - bone NEC T14.9 2a 2b
 - - - specified site, *see* Injury, superficial, site of bone
 - - breast S20.1
 - - brow S00.1
 - - buttock S30.8
 - - canthus, eye S00.2
 - - cheek (external) S00.8
 - - - internal S00.5
 - - chest wall S20.8
 - - chin S00.8
 - - clitoris S30.8
 - - conjunctiva S05.0
 - - - with foreign body (in conjunctival sac) T15.1
 - - cornea S05.0
 - - - with foreign body T15.0
 - - costal region S20.8
 - - - back S20.4
 - - - front S20.3
 - - - multiple S20.7
 - - ear (auricle) (canal) (external) S00.4
 - - elbow S50.9
 - - - and forearm (level), multiple S50.7
 - - epididymis S30.8
 - - epigastric region S30.8
 - - epiglottis S10. 2a 1
 - - esophagus (thoracic) S27.8 2a
 - - cervical S10.1
 - - - extremity - *see* Injury, superficial, limb
 - - eyeball NEC S05.8
 - - eyebrow S00.1
 - - eyelid S00.2
 - - face NEC S00.8
 - - finger(s) S60.9
 - - flank S30.8
 - - foot S90.9
 - - - and ankle, multiple S90.7
 - - - specified NEC S90.8
 - - forearm S50.9
 - - - and elbow (level), multiple S50.7
 - - - specified NEC S50.8
 - - forehead S00.8
 - - genital organs, external S30.8
 - - globe (eye) S05.8
 - - groin S30.8
 - - gum S00.5
 - - hand S60.9
 - - - and wrist, multiple S60.7
 - - - specified NEC S60.8
 - - head S00.9
 - - - multiple S00.7
 - - - scalp S00.0
 - - - specified NEC S00.8

- - heel S90.9
- - hip S70.9
- - - and thigh, multiple S70.7
- - - specified NEC S70.8
- - iliac region S30.8
- - inguinal region S30.8
- - internal site NEC - *see* Injury, internal, by site
- - interscapular region S20.4
- - jaw S00.8
- - knee S80.9
- - - and lower leg, multiple S80.7
- - labium (majus) (minus) S30.8
- - lacrimal (apparatus) (gland) (sac) S05.8
- - larynx S10.1
- - leg
 - - - lower S80.9
 - - - - and knee, multiple S80.7
 - - - - multiple S80.7
 - - - - specified NEC S80.8
 - - - - meaning lower limb - *see* Injury, superficial, limb, lower
- - limb T14.0 2b
- - - lower NEC (with) T13.0 2b
- - - other body region(s) T00.8
- - - upper NEC (with) T11.0 2a
- - - other body region(s) T00.8
- - lip S00.5
- - lumbar region S30.8
- - malar region S00.8
- - mammary S20.1
- - mastoid region S00.8
- - mouth S00.5
- - multiple T00.9
- - - specified site - *see* Injury, superficial, by site, multiple
- - muscle T14.6
- - nail
 - - - finger S60.9
 - - - toe S90.9
- - nasal (septum) S00.3
- - neck S10.9 2b
- - - multiple S10.7
- - - specified part NEC S10.8
- - nose (septum) S00.3
- - occipital region S00.0
- - oral cavity S00.5
- - orbital region S00.2
- - palate S00.5
- - parietal region S00.0
- - pelvis S30.9
 - - - with abdominal and lower back regions, multiple S30.7
 - - - specified NEC S30.8
- - penis S30.8
- - perineum S30.8
- - periocular area S00.2
- - phalanges
- - - finger S60.9
- - - toe S90.9
- - pharynx S10.1
- - pinna S00.4
- - popliteal space S80.9
- - prepuce S30.8
- - pubic region S30.8
- - pudendum S30.8
- - sacral region S30.8
- - scalp S00.0
- - scapular region S40.9

- - sclera S05.8
- - scrotum S30.8
- - shoulder (and upper arm) S40.9
- - - multiple S40.7
- - - specified NEC S40.8
- - skin NEC T14.0 2b
- - specified external site not indexed - *see* Injury, superficial, by body region
- - sternal region S20.3
- - subconjunctival S05.8
- - subcutaneous NEC T14.0 2b
- - submaxillary region S00.8
- - submental region S00.8
- - subungual
- - - finger(s) S60.9
- - - toe(s) S90.9
- - supraclavicular fossa S10.8
- - supraorbital S00.8
- - temple S00.8
- - temporal region S00.8
- - testis S30.8
- - thigh S70.9
- - - and hip, multiple S70.7
- - - specified NEC S70.8
- - thorax, thoracic (wall) S20.8
- - - back S20.4
- - - front S20.3
- - - multiple S20.7
- - throat S10.1
- - thumb S60.9
- - toe(s) S90.9
- - tongue S00.5
- - tooth, teeth S00.5
- - trachea (cervical) S10.1
- - - thoracic S27.5
- - trunk NEC T09.0 2a 2b
- - tunica vaginalis S30.8
- - tympanum, tympanic membrane S00.4
- - upper limb NEC T11.0 2a
- - - with other body regions T00.8
- - uvula S00.5
- - vagina S30.8
- - vocal cord(s) S10.1
- - vulva S30.8
- - wrist S60.9
- - - and hand, multiple S60.7
- - - specified NEC S60.8
- - supraclavicular fossa NEC S19.9
- - supraorbital S09.9 2a 2b
- - suprarenal gland (multiple) S37.8
- - surgical complication (external or internal site) T81.2 2a 2b
- - temple S09.9 2a 2b
- - temporal region S09.9 2a 2b
- - tendon (*see also* Injury, muscle, by site) T14.6
- - abdomen S39.0
- - Achilles S86.0
- - lower back S39.0
- - pelvic organs S39.0
- - testis S39.9 2b
- - thermal - *see* Burn
- - thigh S79.9 2b
- - - and hip, multiple S79.7
- - - specified NEC S79.8
- - thorax, thoracic S29.9 2a 2b
- - cavity S27.9 2a 2b
- - - multiple S27.7

- - external S29.9 2a 2b
- - - specified NEC S29.8
- - internal S27.9 2a 2b
- - - specified NEC S27.8 2a
- - intrathoracic organ S27.9 2a 2b
- - - multiple S27.7
- - - specified NEC S27.8 2a
- - multiple S29.7 2b
- throat (*see also* Injury, neck) S19.9
- thumb S69.9
- thymus (gland) S27.8 2a
- thyroid (gland) (*see also* Injury, neck) S19.9
- toe S99.9
- tongue S09.9 2a 2b
- tonsil S09.9 2a 2b
- tooth S09.9 2a 2b
- torso T09.9 2b
- trachea (cervical) (*see also* Injury, neck) S19.9
- - thoracic S27.5
- trunk T09.9 2b
- - internal, multiple T06.5 2a 2b
- - specified type NEC T09.8 2b
- tunica vaginalis S39.9 2b
- ultraviolet rays NEC T66 2b
- ureter S37.1
- urethra (sphincter) S37.3
- uterus S37.6
- uvula S09.9 2a 2b
- vagina S39.9 2b
- vascular T14.5
- - multiple T06.3
- vas deferens S37.8
- vein (*see also* Injury, blood vessel) T14.5
- vena cava (superior) S25.2
- - inferior S35.1
- vertebra NEC T09.9 2b
- vesical (sphincter) S37.2
- viscera, visceral (abdominal) S36.8
- - multiple S36.7
- - thoracic NEC S27.8 2a
- - - multiple S27.7
- visual cortex S04.0
- vitreous (humor) S05.9
- - specified NEC S05.8
- vulva S39.9 2b
- whiplash (cervical spine) S13.4
- wrist S69.9
- - and hand, multiple S69.7
- - specified NEC S69.8
- X-ray NEC T66 2b

Inoculation - *see also* Vaccination

- complication or reaction - *see* Complications, vaccination

Insanity, insane (*see also* Psychosis) F99 2a 2b**Insect**

- bite - *see* Injury, superficial
- venomous, poisoning NEC T63.4

Insemination, artificial Z31.1(1003)**Insertion**

- cord (umbilical) lateral or velamentous (*see also* Placenta, abnormal) O43.1
- - abnormal P02.2
- - marginal P02.2
- intrauterine contraceptive device Z30.1(1004)
- placenta, vicious - *see* Placenta, previa
- velamentous (cord) (*see also* Placenta, abnormal) O43.1
- - affecting fetus or newborn P02.2

Insolation (sunstroke) T67.0

Insomnia (organic) G47.0

- nonorganic origin F51.0

- primary F51.0

Inpiration

- food or foreign body (*see also* Asphyxia, food) T17.9 2b
- mucus (*see also* Asphyxia, mucus) T17.9 2b

Inspissated bile syndrome (newborn) P59.1

Instability

- emotional (excessive) F60.3
- hemodynamic I99 2a 2b
- joint (post-traumatic) M25.3
- - due to old ligament injury M24.2
- - lumbosacral M53.2
- - sacroiliac M53.2
- - secondary to removal of joint prosthesis M96.8
- - specified NEC M25.3
- knee (chronic) M23.5
- lumbosacral M53.2
- nervous F48.8
- personality (emotional) F60.3
- spine M53.2
- vasomotor R55

Institutional syndrome (childhood) F94.2

Institutionalization, affecting child Z62.2(1005)

- disinhibited attachment F94.2

Insufficiency, insufficient

- accommodation H52.5
- - old age H52.4
- adrenal (gland) E27.4
- - cortical E27.4
- - primary E27.1
- adrenocortical E27.4
- - drug-induced E27.3
- - iatrogenic E27.3
- - primary E27.1
- anus K62.8
- aortic (valve) I35.1 2b
- - with
 - - - mitral (valve) disease (unspecified origin) I08.0 2a
 - - - - with tricuspid (valve) disease (unspecified origin) I08.3
 - - - stenosis I35.2
 - - - tricuspid (valve) disease (unspecified origin) I08.2 2a
 - - - - with mitral (valve) disease (unspecified origin) I08.3
- - congenital Q23.1
- - rheumatic (with) I06.1 2a 2b
- - - active or acute I01.1 2a 2b
- - - mitral (valve) disease I08.0 2a
- - - - with tricuspid (valve) disease I08.3
- - - stenosis I06.2
- - - - with mitral (valve) disease I08.0 2a
- - - - - with tricuspid (valve) disease I08.3
- - - tricuspid (valve) disease I08.2 2a
- - - - with mitral (valve) disease I08.3
- - specified cause NEC I35.1 2b
- - syphilitic A52.0† 2b I39.1*
- arteriosclerotic (vascular) (*see also* Arteriosclerosis) I70.9 2a 2b
- arteriovenous I99 2a 2b
- artery, arterial I77.1
- - basilar G45.0
- - carotid (hemispheric) G45.1
- - cerebral I67.8
- - lower extremities I73.9 2a 2b
- - mesenteric (chronic) K55.1
- - - acute K55.0 2a 2b

- - peripheral I73.9 2a 2b
- - precerebral (bilateral) (multiple) G45.2
- - renal I12.9 2a 2b
- - vertebral G45.0
- autonomic (central nervous system) G90.8
- biliary K83.8
- cardiac (*see also* Insufficiency, myocardial) I50.9 2a 2b
- - complicating surgery T81.8 2a 2b
- - congestive I50.9 2a 2b
 - - fetal, fetus P29.8
 - - - newborn P29.0
- - due to presence of (cardiac) prosthesis I97.1
- - postoperative I97.8 2b
 - - - long term effect of cardiac surgery I97.1
- - specified during or due to a procedure T81.8 2a 2b
- cardiorenal, hypertensive (*see also* Hypertension, cardiorenal) I13.2 2a
- cardiovascular (*see also* Disease, cardiovascular) I51.6 2a 2b
- - renal (hypertensive) (*see also* Hypertension, cardiorenal) I13.2 2a
- central nervous system (CNS) G96.8
- cerebral (acute) (vascular) I67.8
- cerebrovascular (acute) I67.8
 - - with transient focal neurological signs and symptoms G45.8
- circulatory NEC I99 2a 2b
- - fetus or newborn P29.8
- convergence H51.1
- coronary (acute) (subacute) I24.8
- - arteriosclerotic I70.9 2a 2b I24.8
 - - chronic or with a stated duration of over 4 weeks I25.8 2a 2b
- corticoadrenal E27.4
 - - primary E27.1
 - CV I51.6 2a 2b
 - dietary E63.9 2a 2b
 - divergence H51.8
 - food T73.0 2a 2b
 - gonadal
 - - ovary E28.3
 - - testis E29.1
- heart (*see also* Insufficiency, myocardial) I50.9 2a 2b
- - newborn P29.0
 - - valve (*see also* Endocarditis) I38 2a
- hepatic (*see also* Failure, hepatic) K72.9 2a 2b
- idiopathic autonomic G90.0
- intestine K55.9 2b
- kidney (*see also* Failure, renal) N19 2a 2b
- lacrimal (secretion) H04.1
 - - passages H04.5
- liver (*see also* Failure, hepatic) K72.9 2a 2b
- lung (*see also* Insufficiency, pulmonary) J98.4 2a 2b
- - newborn P28.5 2a 2b
- mental (congenital) (*see also* Retardation, mental) F79 2a 2b
- mesentery, mesenteric (chronic) K55.1
 - - acute K55.0 2a 2b
- mitral I34.0 2a 2b
 - - with
 - - - aortic valve disease (unspecified origin) I08.0 2a
 - - - - with tricuspid (valve) disease (unspecified origin) I08.3
 - - - obstruction or stenosis I05.2 2a
 - - - - with aortic valve disease (unspecified origin) I08.0 2a
 - - - tricuspid (valve) disease (unspecified origin) I08.1
 - - - - with aortic (valve) disease (unspecified origin) I08.3
 - - congenital Q23.3
 - - rheumatic I05.1 2a 2b
 - - with
 - - - aortic valve disease I08.0 2a
 - - - - with tricuspid (valve) disease I08.3

- - - - obstruction or stenosis I05.2 2a
- - - - with aortic valve disease I08.0 2a
- - - - with tricuspid (valve) disease I08.3
- - - - tricuspid (valve) disease I08.1
- - - - with aortic (valve) disease I08.3
- - active or acute I01.1 2a 2b
- - - with chorea, rheumatic (Sydenham's) I02.0
- - specified cause, except rheumatic I34.0 2a 2b
- muscle (*see also* Disease, muscle)
- - heart - *see* Insufficiency, myocardial
- - ocular NEC H50.9
- myocardial, myocardium (acute) (chronic) I50.9 2a 2b
- - with
- - - rheumatic fever (conditions in I00 2a 2b) I09.0 2a 2b
- - - active, acute or subacute I01.2 2a 2b
- - - - with chorea I02.0
- - - - inactive or quiescent (with chorea) I09.0 2a 2b
- - congenital Q24.8 2b
- - fetal, fetus P29.8
- - hypertensive (*see also* Hypertension, heart) I11.9 2a 2b
- - newborn P29.0
- - rheumatic I09.0 2a 2b
- - - active, acute or subacute I01.2 2a 2b
- - - syphilitic A52.0† 2b I52.0*
- nourishment T73.0 2a 2b
- nutritional E63.9 2a 2b
- organic R68.8 2a 2b
- ovary E28.3
- pancreatic K86.8 2b
- parathyroid (gland) E20.9
- peripheral vascular I73.9 2a 2b
- pituitary E23.0 2b
- placental (mother) O36.5
- - affecting fetus or newborn P02.2
- platelets D69.6 2a 2b
- prenatal care affecting management of pregnancy Z35.3(1006)
- progressive pluriglandular E31.0
- pulmonary J98.4 2a 2b
- - acute, following surgery (nonthoracic) J95.2 2b
- - - thoracic J95.1
- - chronic, following surgery J95.3
- - following
- - - shock J80 2b
- - - surgery (nonthoracic) J95.2 2b
- - - - thoracic J95.1
- - - trauma J80 2b
- - newborn P28.5 2a 2b
- - valve
- - - with stenosis I37.2
- - - congenital Q22.2
- - - rheumatic I09.8
- - - - with aortic, mitral or tricuspid (valve) disease I08.8
- - - - active or acute I01.1 2a 2b
- pyloric K31.8 2a
- renal (*see also* Failure, renal) N19 2a 2b
- - postprocedural N99.0 2b
- respiratory (acute) R06.8 2a 2b
- - newborn P28.5 2a 2b
- - postoperative J95.8 2b
- rotation - *see* Malrotation
- social insurance Z59.7(1007)
- spinal cord G95.8 2b
- subendocardial I50.9 2a 2b
- - fetal, fetus P29.8
- - newborn P29.0

- suprarenal E27.4
- - primary E27.1
- tarso-orbital fascia, congenital Q10.3
- testis E29.1
- thyroid (gland) (acquired) E03.9 2a 2b
- - advanced E03.90 2a 2b
- - congenital E03.1
- - grave E03.90 2a 2b
- - severe E03.90 2a 2b
- tricuspid (valve) (rheumatic) I07.1 2a
- - with
 - - - aortic (valve) disease (unspecified origin) I08.2 2a
 - - - with mitral (valve) disease (unspecified origin) I08.3
 - - - mitral (valve) disease (unspecified origin) I08.1
 - - - with aortic (valve) disease (unspecified origin) I08.3
 - - - obstruction or stenosis I07.2
 - - - with aortic (valve) disease (unspecified origin) I08.2 2a
 - - - - with mitral (valve) disease (unspecified origin) I08.3
- - active or acute I01.1 2a 2b
- - congenital Q22.8
- - nonrheumatic I36.1
- - with stenosis I36.2
- urethral sphincter R32 2b
- urinary R34 2b
- valve, valvular (heart) (*see also* Endocarditis) I38 2a
- - congenital Q24.8 2b
- - mitral - see Insufficiency, mitral
- vascular I99 2a 2b
- - intestine K55.9 2b
- - lower extremity I73.9 2a 2b
- - mesenteric (chronic) K55.1
- - - acute K55.0 2a 2b
- - peripheral I73.9 2a 2b
- - renal (see also Hypertension, kidney) I12.9 2a 2b
- - venous (chronic) (peripheral) I87.2 2b
- ventilation, ventilatory R06.8 2a 2b
- - newborn P28.8
- ventricular - see Insufficiency, myocardial
- welfare support Z59.7(1008)

Insufficiently

- tied umbilical cord P51.8

Insufflation, fallopian Z31.4(1009)

Insular - *see condition*

Insulinoma (M8151/0)

- malignant (M8151/3)
- - pancreas C25.4
- - specified site NEC - *see* Neoplasm, malignant
- - unspecified site C25.4
- pancreas D13.7 2a
- specified site NEC - *see* Neoplasm, benign
- unspecified site D13.7 2a

Insuloma (M8151/0) - *see* Insulinoma

Insult

- brain I67.9 2a 2b
- cardiac I51.9 2a 2b
- cerebrovascular I67.9 2a 2b
- coronary I24.8
- mesentery, mesenteric K55.1
- myocardium, myocardial I51.5 2a 2b
- vascular I67.9 2a 2b

Intake

- alcohol F10.9 2b
- - excessive (amount) T51.9 2a 2b
- - - chronic F10.2 2a 2b
- - heavy F10.1 2a 2b

- ethanol F10.9 2b
- - excessive (amount) T51.0 2b
- - - chronic F10.2 2a 2b
- fluid
- - poor R63.6
- oral
- - decreased R63.6
- - no R63.6
- - poor R63.6

Intemperance (acute) F10.1 2a 2b

- chronic F10.2 2a 2b

Interception of pregnancy Z30.3(1010)

Intermenstrual - *see condition*

Intermittent - *see condition*

Internal - *see condition*

Interruption (of)

- aortic arch Q25.1
- bundle of His I44.3
- fallopian tube Z30.2(1011)
- oxygen cycle R06.8 2a 2b
- - newborn P28.8
- respiration R06.8 2a 2b
- - newborn P28.8
- vas deferens Z30.2(1012)

Interstitial - *see condition*

Intertrigo L30.4

Intervertebral disc - *see condition*

Intestine, intestinal - *see condition*

Intolerance

- carbohydrate NEC K90.4
- disaccharide, hereditary E73.0 2b
- fat NEC K90.4
- - pancreatic K90.3
- fetal NEC (to labor) P29.0
- food K90.4
- - dietary counseling and surveillance Z71.3(1013)
- fructose (hereditary) E74.1
- glucose(-galactose) E74.3
- lactose E73.9
- - specified NEC E73.8
- lysine E72.3
- milk NEC K90.4
- - lactose E73.9
- protein K90.4
- starch NEC K90.4
- sucrose(-isomaltose) E74.3

Intoxicated (acute) NEC T51.9 2a 2b

Intoxication (acute) NEC T51.9 2a 2b

- acid
- - due to
- - - medical care NEC E89.8 2b
- alcohol, alcoholic T51.9 2a 2b
- - chronic F10.2 2a 2b
- - delirium T51.9 2a 2b
- - hangover effects T51.9 2a 2b
- - idiosyncratic T51.9 2a 2b
- - pathological T51.9 2a 2b
- ammonia
- - due to disease R79.8 2a 2b
- cancerogenous C80 2a 2b
- carbon dioxide
- - due to disease R06.8 2a 2b
- chemical (*see also* Table of drugs and chemicals) T65.9 2b
- - via placenta or breast milk - *see* Absorption, chemical, through placenta
- chronic F10.2 2a 2b

- drug
- - addictive
 - - - via placenta or breast milk - *see* Absorption, drug, addictive, through placenta
 - - chronic - code to F10-F19 with fourth character .2 Flx.2
 - - correct substance properly administered (*see also* Allergy, drug) T88.7 2a 2b
 - - newborn P93
 - - overdose or wrong substance given or taken - *see* Table of drugs and chemicals
- enteric - *see* Intoxication, intestinal
 - ethanol T51.0 2b
 - - chronic F10.2 2a 2b
 - ethyl alcohol T51.0 2b
 - - chronic F10.2 2a 2b
 - fetus or newborn, via placenta or breast milk - *see* Absorption, chemical, through placenta
 - foodborne A05.9
 - - bacterial A05.9
 - - classical, due to *Clostridium botulinum* A05.1 2a 2b
 - - due to
 - - - *Bacillus cereus* A05.4
 - - - bacterium A05.9
 - - - - specified NEC A05.8
 - - - *Clostridium*
 - - - - *botulinum* A05.1 2a 2b
 - - - - *difficile* A04.7
 - - - - *perfringens* A05.2
 - - - - *welchii* A05.2
 - - - salmonella A02.9
 - - - with
 - - - - (gastro)enteritis A02.0
 - - - - localized infection(s) A02.2 2b
 - - - - septicemia A02.1
 - - - - specified manifestation NEC A02.8
 - - - *Staphylococcus* A05.0
 - - - *Vibrio parahaemolyticus* A05.3
 - - - *Vibrio vulnificus* A05.3
 - - enterotoxin, staphylococcal A05.0
 - - noxious - *see* Poisoning, food, noxious
 - intestinal K63.8
 - isopropyl alcohol T51.2
 - - chronic F10.2 2a 2b
 - maternal medication, via placenta or breast milk - *see* Absorption, maternal medication, through placenta
 - methanol T51.1
 - - chronic F10.2 2a 2b
 - - methyl alcohol T51.1
 - - chronic F10.2 2a 2b
 - pathologic NEC T51.9 2a 2b
 - propanol T51.2
 - - chronic F10.2 2a 2b
 - septic (*see also* Shock, septic) A41.9 2a 2b
 - - during labor O75.3
 - - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see* Abortion
 - - - ectopic gestation O08.0 2b
 - - - general A41.9 2a 2b
 - - - newborn P36.9
 - - - puerperal, postpartum, childbirth O85
 - - - serum (prophylactic) (therapeutic) T80.6 2b
 - - - uremic - *see* Uremia
 - - - water E87.7 2b
 - - - due to
 - - - - medical care NEC E89.8 2b
 - Intracranial** - *see* condition
 - Intrahepatic gallbladder** Q44.1
 - Intraligamentous** - *see* condition
 - Intrathoracic** - *see also* condition

- kidney Q63.2

Intrauterine contraceptive device (IUD)

- affecting fetus or newborn P00.8
- checking, reinsertion, removal Z30.5(1014)
- in situ Z97.5(1015)
- insertion Z30.1(1016)
- retention in pregnancy O26.3

Intraventricular - *see condition*

Intubation, difficult or failed T88.4

Intumescence, lens (eye) (cataract) H26.9 2a 2b

Intussusception (bowel) (colon) (intestine) (rectum) K56.1

- appendix K38.8
- congenital Q43.8
- ureter (with obstruction) N13.5

Invagination (basilar) (bowel) (colon) (intestine) (rectum) K56.1

Invalid, invalidism (chronic) (since birth) R68.8 2a 2b

Inversion

- albumin-globulin (A-G) ratio E88.0 2b
- bladder N32.8
- cervix N88.8
- chromosome in normal individual Q95.1
- circadian rhythm G47.2
 - - psychogenic F51.2
 - - nipple N64.5
 - - congenital Q83.8
 - - gestational O92.0
 - - puerperal, postpartum O92.0
 - - nyctohemeral rhythm G47.2
 - - psychogenic F51.2
 - - optic papilla Q14.2
 - organ or site, congenital NEC - *see Anomaly, by site*
 - sleep rhythm G47.2
 - - nonorganic origin F51.2
 - testis (congenital) Q55.2
 - uterus (chronic) N85.5
 - - postpartum O71.2
 - vagina (posthysterectomy) N99.3
 - ventricular Q20.5

Investigation (*see also Examination*) Z04.9(1017)

- allergens Z01.5(1018)
- clinical research subject (control) Z00.6(1019)

Involuntary movement, abnormal R25.8 2b

Involution, involutional - *see also condition*

- breast, cystic N60.8
- ovary, senile N83.3

I.Q.

- under 20 F73 2a 2b
- very low F72 2a 2b
- 20-34 F72 2a 2b
- 35-49 F71 2a 2b
- 50-69 F70 2a 2b

Irideremia Q13.1

Iridis rubeosis H21.1

Iridochoroiditis (panuveitis) H44.1

Iridocyclitis H20.9 2a

- acute H20.0
- chronic H20.1
- due to allergy H20.0
- endogenous H20.0
- gonococcal A54.3† H22.0*
- granulomatous H20.1
- herpes, herpetic (simplex) B00.5† H22.0*
- - zoster B02.3† H22.0*
- hypopyon H20.0
- in (due to)

- - ankylosing spondylitis M45† H22.1*
- - gonococcal infection A54.3† H22.0*
- - herpes (simplex) virus B00.5† H22.0*
- - zoster B02.3† H22.0*
- - infectious disease NEC B99† 2a 2b H22.0*
- - parasitic disease NEC B89† 2a 2b H22.0*
- - sarcoidosis D86.8† H22.1*
- - syphilis A51.4† H22.0*
- - tuberculosis A18.5† H22.0*
- - zoster B02.3† H22.0*
- lens-induced H20.2
- nongranulomatous H20.0
- recurrent H20.0
- specified NEC H20.8
- subacute H20.0
- sympathetic H44.1
- syphilitic (early) (secondary) A51.4† H22.0*
- - congenital (early) A50.0† 2a 2b H22.0*
- - - late A50.3† H22.0*
- - late A52.7† 2a 2b H22.0*
- tuberculous (chronic) A18.5† H22.0*

Iridocyclochoroiditis (panuveitis) H44.1

Iridodialysis H21.5

Iridodonesis H21.8

Iridoplegia (complete) (partial) (reflex) H57.0

Iridoschisis H21.2

Iris - *see also condition*

- bombé H21.4

Iritis (*see also Iridocyclitis*) H20.9 2a

- diabetic (*see also E10-E14 with fourth character .3*) E14.3† H22.1*
- due to
- - herpes simplex B00.5† H22.0*
- - leprosy A30† 2a 2b H22.0*
- - gonococcal A54.3† H22.0*
- - gouty M10.9† 2a 2b H22.1*
- - papulosa (syphilitic) A52.7† 2a 2b H22.0*
- - syphilitic (secondary) A51.4† H22.0*
- - congenital (early) A50.0† 2a 2b H22.0*
- - - late A52.3† H22.0*
- - late A52.7† 2a 2b H22.0*
- - tuberculous A18.5† H22.0*

Iron - *see condition*

Iron-miner's lung J63.4

Iron overload E83.1 2a 2b

Irradiated enamel (tooth, teeth) K03.8

Irradiation effects, adverse NEC T66 2b

Irreducible, irreducibility - *see condition*

Irregular, irregularity

- action, heart I49.9 2b
- - newborn P29.1
- alveolar process K08.8 2a 2b
- bleeding N92.6
- breathing R06.8 2a 2b
- contour of cornea (acquired) H18.7
- - congenital Q13.4
- dentin (in pulp) K04.3
- heart beat R00.8 2b
- menstruation (cause unknown) N92.6
- periods N92.6
- pupil H21.5
- respiratory R06.8 2a 2b
- septum (nasal) J34.2
- shape, organ or site, congenital NEC - *see Distortion*

Irritable, irritability R45.4

- bladder N32.8

- bowel (syndrome) K58.9
- - with diarrhea K58.0
- - psychogenic F45.3 2b
- bronchial (*see also* Bronchitis) J40 2a 2b
- central nervous system (CNS) G96.8
- cerebral, in newborn P91.3
- colon K58.9
 - - with diarrhea K58.0
 - - psychogenic F45.3 2b
- duodenum K59.8
- heart (psychogenic) F45.3 2b
- hip M65.8
- ileum K59.8
- infant R68.1 2b
- jejunum K59.8
- rectum K59.8
- stomach K31.8 2a
 - - psychogenic F45.3 2b
- sympathetic G90.8
- urethra N36.8
- ventricular F45.3 2b

Irritation

- anus K62.8
- bladder N32.8
- brachial plexus G54.0 2b
- bronchial (*see also* Bronchitis) J40 2a 2b
- cervix (*see also* Cervicitis) N72
- choroid, sympathetic H44.1
- cranial nerve - *see* Disorder, nerve, cranial
- gastric K31.8 2a
 - - psychogenic F45.3 2b
- globe, sympathetic H44.1
- labyrinth H83.2
- lumbosacral plexus G54.1
- meninges (traumatic) (*see also* Injury, intracranial) S06.0 2b
 - - nontraumatic - *see* Meningismus
- nerve - *see* Disorder, nerve
- nervous R45.0
- penis N48.8
- perineum NEC L29.3
- peripheral autonomic nervous system G90.8
- pharynx J39.2
- spinal (cord) - *see* Myelopathy
- stomach K31.8 2a
 - - psychogenic F45.3 2b
- sympathetic nerve NEC G90.8
- vagina N89.8

Ischemia, ischemic I99 2a 2b

- arteriosclerotic (*see also* Arteriosclerosis) I70.9 2a 2b
- brain (*see also* Ischemia, cerebral) I67.8
- cardiac - *see* Disease, heart, ischemic
- cardiomyopathy I25.5 2a 2b
- cardiovascular (disease) I51.6 2a 2b
 - - hypertensive (acute) (chronic) I11.9 2a 2b
- cauda equina (intermittent) G95.1 2b
- cerebral (chronic) (generalized) I67.8
 - - arteriosclerotic I67.2 2a 2b
 - - intermittent G45.9 2b
- newborn P91.0
 - - prenatal P91.0
 - - puerperal, postpartum, childbirth O99.4 2b
 - - recurrent focal G45.8
 - - transient G45.9 2b
- coronary (*see also* Ischemia, heart) I25.9 2a 2b
- demand I208

- extremity (upper) (lower) I73.9 2a 2b
- heart (chronic or with a stated duration of over 4 weeks) I25.9 2a 2b
 - - acute or with a stated duration of 4 weeks or less I24.9 2a 2b
 - - failure I25.5 2a 2b
- infarction, muscle M62.2 2a 2b
- intestine (large) (small) K55.9 2b
 - - acute K55.0 2a 2b
 - - chronic K55.1
 - - fetus or newborn (acute) K55.0 2a 2b
- kidney (*see also* Lesion, kidney) N28.0
- mesenteric, mesentery (vascular) - *see* Ischemia, intestine
 - - chronic K55.1
- muscle, traumatic T79.6 2a 2b
- myocardium, myocardial (chronic or with a stated duration of over 4 weeks) I25.9 2a 2b
 - - acute or with a stated duration of 4 weeks or less I24.9 2a 2b
 - - silent (asymptomatic) I25.6
 - - transient, of newborn P29.4
- renal (*see also* Lesion, kidney) N28.0
 - - artery N28.0
 - - retina, retinal H34.2
 - - spinal cord G95.1 2b
 - - subendocardial (*see also* Insufficiency, coronary) I24.8

Ischial spine - *see condition*

Ischialgia (*see also* Sciatica) M54.3

Ischiopagus Q89.4

Ischium, ischial - *see condition*

Ischuria R34 2b

Iselin's disease or osteochondrosis M92.7

Islands of

- parotid tissue in
 - - lymph nodes Q38.6
 - - neck structures Q38.6
- submaxillary glands in
 - - fascia Q38.6
 - - lymph nodes Q38.6
 - - neck muscles Q38.6

Islet cell tumor, pancreas (M8150/0) D13.7 2a

Isoimmunization NEC (*see also* Incompatibility)

- fetus or newborn P55.9
 - - with
 - - - hydrops fetalis P56.0
 - - - kernicterus P57.0 2b
 - - - ABO P55.1
 - - - anti-Kell P55.8
 - - - Rh P55.0 2b
 - - - specified type NEC P55.8

Isolation, isolated Z29.0(1020)

- dwelling Z59.8(1021)
- family Z63.7(1022)
- social Z60.4(1023)

Isoleucinosis E71.1 2b

Isomerism, atrial appendages (with asplenia or polysplenia) Q20.6 2b

Isosporiasis, isospororisis A07.3

Isovaleric acidemia E71.1 2b

Issue of

- medical certificate (cause of death) (fitness) (incapacity) (invalidity) Z02.7(1024)
- repeat prescription (appliance) (glasses) (medicament) Z76.0(1025)
 - - contraceptive (pill) Z30.4(1026)
 - - - device (intrauterine) Z30.5(1027)

Itch, itching (*see also* Pruritus) L29.9

- baker's L25.4
 - - allergic L23.6
 - - irritant L24.6
- barber's B35.0
- bricklayer's L25.3

- - allergic L23.5
- - irritant L24.5
- cheese B88.0
- clam digger's B65.3
- coolie B76.9
- copra B88.0
- dew B76.9
- dhobi B35.6
- filarial (*see also* Filaria, filarial, filariasis) B74.9
- grain B88.0
- grocer's B88.0
- ground B76.9
- harvest B88.0
- jock B35.6
- Malabar (any site) B35.5
- meaning scabies B86
- Norwegian B86
- poultryman's B88.0
- sarcoptic B86
- scrub B88.0
- straw B88.0
- swimmer's B65.3
- water B76.9
- winter L29.8

Ivemark's syndrome (asplenia with congenital heart disease) Q89.0

Ixodiasis NEC B88.8 2b

J

Jaccoud's syndrome M12.0 2b

Jacksonian epilepsy or seizures (focal) G40.1

Jackson's Q43.3

- membrane or veil Q43.3
- paralysis (syndrome) G83.8

Jacobsen syndrome Q93.5

Jacquet's dermatitis L22

Jadassohn-Pellizari's disease or anetoderma L90.2

Jadassohn's

- blue nevus (M8780/0) (*see also* Nevus, by site) D22.9
- intraepidermal epithelioma (M8096/0) - *see* Neoplasm, skin, benign

Jaffe-Lichtenstein(-Uehlinger) syndrome M85.0

Jakob-Creutzfeldt disease or syndrome A81.0 2b

- with dementia A81.0† 2b F02.1*

Jaksch-Luzet disease D64.8 2a 2b

Janet's disease F48.8

Janiceps Q89.4

Jansky-Bielschowsky amaurotic idiocy E75.4 2b

Jaundice (yellow) R17 2b

- acholuric (familial) (splenomegalic) (*see also* Spherocytosis) D58.0
- - acquired D59.8
- breast-milk (inhibitor) P59.3
- cholestatic (benign) R17 2b
- due to or associated with
 - - delayed conjugation P59.8
 - - - associated with preterm delivery P59.0
 - - preterm delivery P59.0
- epidemic (catarrhal)
- - leptospiral A27.0
- - spirochetal A27.0
- familial nonhemolytic (congenital) (Gilbert) E80.4
- - Criger-Najjar E80.5
- - congenital E80.5
- febrile B15.9
- fetus or newborn (physiological) P59.9

- - due to or associated with
- - - ABO
- - - - antibodies P55.1
- - - - incompatibility, maternal/fetal P55.1
- - - - isoimmunization P55.1
- - - absence or deficiency of enzyme system for bilirubin conjugation (congenital) P59.8
- - - bleeding P58.1
- - - breast milk inhibitors to conjugation P59.3
- - - bruising P58.0
- - - Crigler-Najjar syndrome E80.5
- - - delayed conjugation P59.8
- - - - associated with preterm delivery P59.0
- - - drugs or toxins
- - - - given to newborn P58.4
- - - - transmitted from mother P58.4
- - - excessive hemolysis NEC P58.9
- - - - specified type NEC P58.8
- - - galactosemia E74.2 2b
- - - Gilbert's syndrome E80.4
- - - hepatocellular damage P59.2
- - - hereditary hemolytic anemia P58.8
- - - hypothyroidism, congenital E03.1
- - - incompatibility, maternal/fetal NEC P55.9
- - - infection P58.2
- - - inspissated bile syndrome P59.1
- - - isoimmunization NEC P55.9
- - - mucoviscidosis E84.8
- - - polycythemia P58.3
- - - preterm delivery P59.0
- - - Rh
- - - - antibodies P55.0 2b
- - - - incompatibility, maternal/fetal P55.0 2b
- - - - isoimmunization P55.0 2b
- - - swallowed maternal blood P58.5
- - specified cause NEC P59.8
- Gilbert E80.4
- hematogenous D59.9
- hemolytic (acquired) D59.9
- - congenital (*see also* Spherocytosis) D58.0
- hemorrhagic leptospiral (acute) (spirochetal) A27.0
- infectious B15.9
- leptospiral (hemorrhagic) A27.0
- malignant (*see also* Failure, hepatic) K72.9 2a 2b
- neonatal - *see* Jaundice, fetus or newborn
- nonhemolytic congenital familial (Gilbert) E80.4
- nuclear, newborn (*see also* Kernicterus of newborn) P57.9
- obstructive (*see also* Obstruction, bile duct) K83.1
- postimmunization - *see* Hepatitis, viral, type, B
- - with hepatic coma B16.2
- posttransfusion - *see* Hepatitis, viral, type, B
- - with hepatic coma B16.2
- regurgitation (*see also* Obstruction, bile duct) K83.1
- serum (homologous) (prophylactic) (therapeutic) - *see* Hepatitis, viral, type, B
- - with hepatic coma B16.2
- spirochetal (hemorrhagic) A27.0

Jaw - *see condition*

Jaw-winking phenomenon or syndrome Q07.8

Jealousy

- alcoholic F10.5
- childhood F93.8
- sibling F93.3

Jejunitis - *see also* Enteritis A09.9 2a 2b

- infectious A09.0 2a 2b
- noninfectious K52.9 2a 2b

Jejunum, jejunal - *see condition*

Jensen's disease H30.0
Jerks, myoclonic G25.3
Jervell and Lange-Nielsen syndrome I45.8
Jeune's disease or syndrome Q77.2 2b
Jigger disease B88.1
John Cunningham Virus (JCV) B34.4
Joint - see also condition
- mice M24.0
- - knee M23.4
Joseph's disease G23.2
Joubert's syndrome Q04.3
Jüngling's disease (*see also* Sarcoidosis) D86.9
Juvenile - see condition
Juxtaposition of atrial appendage (JAA) Q20.8 2b

K

Kabuki syndrome Q87.8 2b
Kahler's disease (M9732/3) C90.0 2b
Kakke E51.1
Kala-azar B55.0
Kallmann's syndrome E23.0 2b
Kanner's syndrome F84.0
Kantrell syndrome Q89.8
Kaposi's
- sarcoma (M9140/3)
- - connective tissue C46.1
- - lymph node (multiple) C46.3
- - multiple organs C46.8 2a
- - palate (hard) (soft) C46.2 2a
- - resulting from HIV disease B21.0
- - skin (multiple sites) C46.0 2a
- - specified site NEC C46.7 2a 2b
- - unspecified site C46.9 2a 2b
- varicelliform eruption B00.0
Kartagener's syndrome or triad Q89.3
Karyotype - see also condition
- 45,X Q96.0
- 46,X
- - with abnormality except iso (Xq) Q96.2
- - iso (Xq) Q96.1
- 46,XX
- - with streak gonads Q99.1
- - hermaphrodite (true) Q99.1
- - male Q98.3
- - - in Klinefelter's syndrome Q98.2
- 46,XY
- - with streak gonads Q99.1
- - female Q97.3
- 47, XX21 Q90.0
- 47,XXX Q97.0
- 47,XXY, with Klinefelter's syndrome Q98.0
- 47,XY21 Q90.0
- 47,XYY Q98.5
Kasabach-Merritt syndrome D18.0
Kaschin-Beck disease M12.1
Katayama's disease or fever B65.2
Kawasaki's syndrome M30.3
Kayser-Fleischer ring (cornea) H18.0
Kaznelson's syndrome D50.9
- meaning
- - chronic iron deficiency anemia D50.9
- - hypoplastic anemia D61.9 2b
Kearns-Sayre syndrome H49.8

Kelis L91.0

Kelly-Paterson syndrome D50.1

Keloid, cheloid L91.0

- acne L73.0
- Addison's L94.0
- cornea H17.8
- scar L91.0

Kennedy's disease G12.1

Keratectasia H18.7

- congenital Q13.4

Keratitis (nonulcerative) H16.9

- with ulceration (central) (marginal) (perforated) (ring) H16.0
- actinic H16.1
- arborescens (herpes simplex) B00.5† H19.1*
- areolar H16.1
- bullous H16.8
- deep H16.3
- dendritic(a) (herpes simplex) B00.5† H19.1*
- disciform(is) (herpes simplex) B00.5† H19.1*
- - varicella B01.8† H19.2*
- filamentary H16.1
- gonococcal (congenital) (prenatal) A54.3† H19.2*
- herpes, herpetic (simplex) NEC B00.5† H19.1*
- - zoster B02.3† H19.2*
- in (due to)
 - - acanthamebiasis B60.1† H19.2*
 - - adenovirus B30.0† H19.2*
 - - herpes (simplex) virus B00.5† H19.1*
 - - infectious disease NEC B99† 2a 2b H19.2*
 - - measles B05.8† H19.2*
 - - parasitic disease NEC B89† 2a 2b H19.2*
 - - syphilis A50.3† H19.2*
 - - tuberculosis A18.5† H19.2*
 - - zoster B02.3† H19.2*
- interstitial (nonsyphilitic) H16.3
- - herpes, herpetic (simplex) B00.5† H19.1*
- - zoster B02.3† H19.2*
- - syphilitic (congenital) (late) A50.3† H19.2*
- - tuberculous A18.5† H19.2*
- nummular H16.1
- parenchymatous - *see* Keratitis, interstitial
- petrificans H16.8
- postmeasles B05.8† H19.2*
- punctata
 - - leprosa A30† 2a 2b H19.2*
 - - syphilitic (profunda) A50.3† H19.2*
- purulent H16.8
- rosacea L71.8† H19.3*
- sclerosing H16.3
- specified NEC H16.8
- stellate H16.1
- striate H16.1
- superficial (punctate) H16.1
 - - with conjunctivitis H16.2
- suppurative H16.8
- syphilitic (congenital) (prenatal) A50.3† H19.2*
- trachomatous A71.1
- tuberculous A18.5† H19.2*
- vesicular H16.8
- xerotic H16.8
 - - vitamin A deficiency E50.4† H19.8*

Keratoacanthoma L85.8

Keratocele H18.7

Keratoconjunctivitis H16.2

- *Acanthamoeba* B60.1† H19.2*

- adenoviral B30.0† H19.2*
- epidemic B30.0† H19.2*
- exposure H16.2
- herpes, herpetic (simplex) B00.5† H19.1*
- - zoster B02.3† H19.2*
- infectious B30.0† H19.2*
- lagophthalmic H16.2
- neurotrophic H16.2
- phlyctenular H16.2
- postmeasles B05.8† H19.2*
- shipyard B30.0† H19.2*
- sicca (Sjögren's) M35.0† H19.3*
- tuberculous (phlyctenular) A18.5† H19.2*

Keratoconus H18.6

- congenital Q13.4
- in Down's syndrome Q90† 2a H19.8*

Keratocyst (odontogenic) (of) D16.5

- upper jaw (bone) D16.4

Keratoderma, keratodermia (congenital) (palmaris et plantaris) (symmetrical) Q82.8 2b

- acquired L85.1
- climactericum L85.1
- gonococcal A54.8† 2b L86* 2b
- gonorrhreal A54.8† 2b L86* 2b
- punctata L85.2
- Reiter's M02.3† 2b L86* 2b

Keratodermatocele H18.7

Keratoglobus H18.7

- congenital Q15.8
- - with glaucoma Q15.0

Keratohemia H18.0

Keratoiritis (*see also* Iridocyclitis) H20.9 2a

- syphilitic (congenital late) (*see also* Iritis, syphilitc) A50.3† H22.0*
- tuberculous A18.5† H22.0*

Keratoma L57.0

- palmaris et plantaris hereditarium Q82.8 2b
- senile L57.0

Keratomalacia H18.4

- vitamin A deficiency E50.4† H19.8*

Keratomegaly Q13.4

Keratomycosis B49† H19.2*

- nigrans, nigricans (palmaris) B36.1

Keratopathy H18.9

- band H18.4
- bullous H18.1
- - following cataract surgery H59.0

Keratoscleritis, tuberculous A18.5† H19.2*

Keratosis L57.0

- actinic L57.0
- arsenical L85.8
- congenital, specified NEC Q80.8 2b
- female genital NEC N94.8 2b
- follicularis Q82.8 2b
- - acquired L11.0
- - congenital Q82.8 2b
- - et parafollicularis in cutem penetrans L87.0
- - spinulosa (decalvans) Q82.8 2b
- - vitamin A deficiency E50.8† L86* 2b
- gonococcal A54.8† 2b L86* 2b
- male genital (external) N50.8
- nigricans L83
- obturans, external ear (canal) H60.4
- palmaris et plantaris (inherited) (symmetrical) Q82.8 2b
- - acquired L85.1
- penile N48.8
- pharynx J39.2

- pilaris, acquired L85.8
- punctata (palmaris et plantaris) L85.2
- scrotal N50.8
- seborrheic L82
- senile L57.0
- solar L57.0
- tonsillaris J35.8
- vegetans Q82.8 2b
- vitamin A deficiency E50.8† L86* 2b
- vocal cord J38.3

Kerato-uveitis (*see also* Iridocyclitis) H20.9 2a

Kerion (celsi) B35.0

Kernicterus R17 2b

- newborn P57.9
- - due to isoimmunization (conditions in P55-) P57.0 2b
- - specified type NEC P57.8

Keshan disease E59

Ketoacidosis NEC E87.2 2a 2b

- diabetic - *code to* E10-E14 with fourth character .1 E14.1 2b
- due to
- - medical care NEC E89.8 2b

Ketonuria R82.4 2b

Ketosis NEC E88.8 2a 2b

- diabetic - *code to* E10-E14 with fourth character .1 E14.1 2b
- due to
- - medical care NEC E89.8 2b

Kew Garden fever A79.1

Kidney - *see condition*

Kienböck's disease or osteochondrosis M92.2

- adult M93.1

Kiloh-Nevin syndrome M54.1

- meaning
- - ocular myopathy, ptosis, and progressive external ophthalmoplegia G71.0

Kimmelstiel(-Wilson) disease or syndrome (diabetic glomerulosclerosis) - *code to* E10-E14 with fourth character .2 E14.2† 2b
N08.3* 2b

King-Denborough syndrome Q89.8

Kink

- artery I77.1
- ileum or intestine (*see also* Obstruction, intestine) K56.6 2a 2b
- Lane's (*see also* Obstruction, intestine) K56.6 2a 2b
- organ or site, congenital NEC - *see* Anomaly, by site
- ureter (pelvic junction) N13.5
- - with
- - - hydronephrosis N13.1
- - - - with infection N13.6 2a 2b
- - - pyelonephritis (chronic) N11.1
- - congenital Q62.3 2a
- vein(s) I87.8 2b

Kinking hair (acquired) L67.8

Kissing spine M48.2

Klatskin's tumor (M8162/3) C22.1 2a

Klauder's disease A26.8

Klebs' disease (*see also* Glomerulonephritis) N05-

Klebsiella (K.) pneumoniae - *see* Infection,*Klebsiella (K.) Pneumoniae*

Kleine-Levin syndrome G47.8

Kleptomania F63.2

Klinefelter's syndrome Q98.4

- karyotype 47,XXY Q98.0

- male with

- - karyotype 46,XX Q98.2

- - more than two X chromosomes Q98.1

Klippel-Feil deficiency or syndrome Q76.1

Klippel's disease I67.2 2a 2b

Klippel-Trenaunay(-Weber) syndrome Q87.2

Klublattschadel syndrome Q03.8

Klumpke(-Déjerine) palsy, paralysis (birth) (newborn) P14.1

Knee - see condition

Knock knee (acquired) M21.0

- congenital Q74.1

Knot (true), umbilical cord O69.2

- affecting fetus or newborn P02.5

Knottting of hair L67.8

Knuckle pad (Garrod's) M72.1

Koch's infection (*see also* Tuberculosis) A16.90 2a 2b

Koch-Weeks' conjunctivitis H10.0

Koebner's syndrome Q81.8

Köhler's disease

- patellar M92.4

- tarsal navicular M92.6

Kohlmeir-Degos syndrome I77.8 2a 2b

Koilonychia L60.3

- congenital Q84.6

Kojevnikov's, Kozhevnikof's epilepsy G40.5 2a 2b

Koplik's spots B05.9

Korsakoff's dementia, disease, psychosis or syndrome (alcoholic) - *see* Korsakov's dementia

Korsakoff-Wernicke's syndrome - *see also* Korsakov's disease, psychosis or syndrome (alcoholic) F10.6 2a 2b

Korsakov's dementia, disease, psychosis or syndrome (alcoholic) F10.6 2a 2b

- drug-induced - *see* F11-F19 with fourth character .6

- nonalcoholic F04 2a 2b

Kostmann's disease D70

Krabbe's disease E75.2 2b

Kraepelin-Morel disease (*see also* Schizophrenia) F20.9

Kraft-Weber-Dimitri disease Q85.8

Kraurosis

- anus K62.8

- penis N48.0

- vagina N89.8

- vulva N90.4

Krukenberg's

- spindle H18.0

- tumor (M8490/6) C79.6 2a 2b

Kufs' disease E75.4 2b

Kugelberg-Welander disease (syndrome) G12.1

Kuhnt-Junius degeneration H35.3

Kümmell's disease or spondylitis M48.3

Kunkel's syndrome K73.2

Kupffer cell sarcoma (M9124/3) C22.3 2a

Kuru A81.8

Kussmaul's

- disease M30.0 2b

- respiration E87.2 2a 2b

- - in diabetic acidosis - *code to* E10-E14 with fourth character .1

Kwashiorkor E40

- marasmic, marasmus type E42

Kyasanur Forest disease A98.2

Kyphoscoliosis, kyphoscoliotic (acquired) (*see also* Scoliosis) M41.9 2a 2b

- cardiopulmonary (disease) I27.1 2a

- congenital Q67.5

- heart (disease) I27.1 2a

- late effect of rickets E64.3 2a 2b

- pulmonary and cardiac disease I27.1 2a

- tuberculous A18.0† 2a 2b M49.0*

Kyphosis, kyphotic (acquired) M40.2 2a 2b

- congenital Q76.4

- late effect of rickets E64.3 2a 2b

- Morquio-Brailsford type (spinal) E76.2† M49.8*

- postlaminectomy M96.3

- postradiation therapy M96.2

- postural (adolescent) M40.0

- secondary NEC M40.1 2a 2b

- syphilitic, congenital A50.5† M49.3*
- tuberculous A18.0† 2a 2b M49.0*

Kyrie's disease L87

L

Labia, labium - *see condition*

Labile

- blood pressure R09.8 2b
 - vasomotor system I73.9 2a 2b
- Labioglossal paralysis** G12.2 2a 2b
- advanced G12.20 2a 2b
 - grave G12.20 2a 2b
 - severe G12.20 2a 2b

Labium leporinum (*see also* Cleft, lip) Q36.9

Labor (*see also* Delivery)

- abnormal NEC O75.8
 - - affecting fetus or newborn P03.6
 - arrested active phase O62.1 2a 2b
 - - affecting fetus or newborn P03.6
- complicated (by)
 - - conditions NEC in
 - - - I46.9 2a 2b O75.4 2b
 - - - I95.9 2a 2b O75.8
 - - - I99 2a 2b O75.8
 - - - J96.0 2a 2b O75.8
 - - - J96.9 2a 2b O75.8
 - - - R00-R94 O75.8
- desultory O62.2 2a 2b
 - - affecting fetus or newborn P03.6
- dyscoordinate O62.4
 - - affecting fetus or newborn P03.6
- early onset (before 37 completed weeks of gestation) O60 2b
- false O47.9
 - - at or after 37 completed weeks of gestation O47.1
 - - before 37 completed weeks of gestation O47.0
- forced or induced, affecting fetus or newborn P03.8
- hypertonic O62.4
 - - affecting fetus or newborn P03.6
- hypotonic O62.2 2a 2b
 - - affecting fetus or newborn P03.6
- primary O62.0
 - - secondary O62.1 2a 2b
- secondary O62.1 2a 2b
 - - incoordinate O62.4
 - - affecting fetus or newborn P03.6
- irregular O62.2 2a 2b
 - - affecting fetus or newborn P03.6
- long - *see Labor, prolonged*
- missed O36.4
- obstructed O66.9 2b
 - - affecting fetus or newborn P03.1
- by or due to
 - - abnormal
 - - - cervix O65.5
 - - - pelvic organs or tissues O65.5
 - - - pelvis (bony) O65.9
 - - - - affecting fetus or newborn P03.1
 - - - - specified NEC O65.8
- presentation or position O64.9
 - - - - affecting fetus or newborn P03.1
- size, fetus O66.2
 - - - - affecting fetus or newborn P03.1
- soft parts (of pelvis) O65.5
 - - - - uterus O65.5

- - - - vagina O65.5
- - - acromion presentation O64.4
- - - anteversion, cervix or uterus O65.5
- - - bicornis or bicornate uterus O65.5
- - - breech presentation O64.1
- - - brow presentation O64.3
- - - cephalopelvic disproportion (normally formed fetus) O65.4
- - - - affecting fetus or newborn P03.1
- - - chin presentation O64.2
- - - cicatrix of cervix O65.5
- - - compound presentation O64.5
- - - conditions in O32- O64.9
- - - conditions in O34- O65.5
- - - contracted pelvis (general) O65.1
- - - - inlet O65.2
- - - - mid-cavity O65.3
- - - - outlet O65.3
- - - cystocele O65.5
- - - deep transverse arrest O64.0
- - - deformity (acquired) (congenital)
- - - - pelvic organs or tissues NEC O65.5
- - - - pelvis (bony) NEC O65.0
- - - displacement, uterus NEC O65.5
- - - disproportion, fetopelvic NEC O65.4
- - - - affecting fetus or newborn P03.1
- - - double uterus (congenital) O65.5
- - - face presentation O64.2
- - - - to pubes O64.0
- - - failure, fetal head to enter pelvic brim O64.8
- - - fibroid (tumor) (uterus) O65.5
- - - hydrocephalic fetus O66.3
- - - - affecting fetus or newborn P03.1
- - - impacted shoulders O66.0
- - - incarceration of uterus O65.5
- - - lateroversion, uterus or cervix O65.5
- - - locked twins O66.1
- - - mal lie O64.9
- - - malposition
- - - - fetus NEC O64.9
- - - - pelvic organs or tissues NEC O65.5
- - - malpresentation O64.9
- - - - affecting fetus or newborn P03.1
- - - - specified NEC O64.8
- - - nonengagement of fetal head O64.8
- - - oblique presentation O64.4
- - - oversize fetus O66.2
- - - pelvic tumor NEC O65.5
- - - persistent occipitoposterior, or occipitotransverse (position) O64.0
- - - prolapse
- - - - arm or hand O64.4
- - - - foot or leg O64.8
- - - - uterus O65.5
- - - rectocele O65.5
- - - retroversion, uterus or cervix O65.5
- - - rigid
- - - - cervix O65.5
- - - - pelvic floor O65.5
- - - - perineum or vulva O65.5
- - - - vagina O65.5
- - - shoulder
- - - - distocia or impaction O66.0
- - - - presentation O64.4
- - - stenosis O65.5
- - - transverse
- - - - arrest (deep) O64.0

- - - presentation or lie O64.8
- - specified NEC O66.8
- precipitate O62.3
- - affecting fetus or newborn P03.5
- premature or preterm O60 2b
- - affecting fetus or newborn (*see also* Prematurity) P07.3 2a 2b
- prolonged or protracted O63.9 2b
- - affecting fetus or newborn P03.8
- - first stage O63.0
- - second stage O63.1

Labored breathing (*see also* Hyperventilation) R06.4 2b

Labyrinthitis (circumscribed) (destructive) (diffuse) (inner ear) (latent) (purulent) (suppurative) H83.0

- syphilitic A52.7† 2a 2b H94.8*

Laceration (*see also* Wound) T14.1 2a 2b

- with abortion (subsequent episode) O08.6
- - current episode - *see* Abortion
- accidental, complicating surgery T81.2 2a 2b
- accidental, during procedure (blood vessel) (nerve) (organ) T81.2 2a 2b
- Achilles tendon S86.0
- anus (sphincter) S31.8 2b
- - complicating delivery O70.2
- - - with laceration of anal or rectal mucosa O70.3
- - nontraumatic, nonpuerperal (*see also* Fissure, anus) K60.2
- bladder (urinary) S37.2
- - obstetric trauma O71.5
- blood vessel - *see* Injury, blood vessel
- bowel
- - complicating abortion - *code to* O03-O07 with fourth character .3 or .8 O08.6
- - obstetric trauma O71.5
- brain (any part) (cortex) (diffuse) (membrane) S06.2 2a 2b
- - during birth P10.8
- - - with hemorrhage P10.1 2a 2b
- - focal S06.3
- broad ligament
- - laceration syndrome N83.8
- - obstetric trauma O71.6
- - syndrome (laceration) N83.8
- by
- - instrument (any), catheter, endoscope, probe, during a procedure (accidental) T81.2 2a 2b
- capsule, joint - *see* Sprain
- causing eversion of cervix uteri (old) N86
- central (perineal), complicating delivery O70.9
- cerebellum S06.2 2a 2b
- cerebral (diffuse) S06.2 2a 2b
- - during birth P10.8
- - - with hemorrhage P10.1 2a 2b
- - focal S06.3
- cervix (uteri)
- - nonpuerperal, nontraumatic N88.1
- - obstetric trauma (current) O71.3
- - old (postpartal) N88.1
- - traumatic S37.6
- chordae tendineae NEC I51.1 2a 2b
- complicating a procedure T81.2 2a 2b
- cortex (cerebral) S06.2 2a 2b
- eye(ball) (without prolapse or loss of intraocular tissue) S05.3
- - with prolapse or loss of intraocular tissue S05.2
- - penetrating S05.6
- eyelid S01.1
- fourchette, complicating delivery O70.0
- heart S26.8 2a 2b
- - with hemopericardium S26.0
- intracranial NEC S06.2 2a 2b
- - birth injury P10.9
- labia, complicating delivery O70.0

- ligament (*see also* Sprain) T14.3
- meninges S06.2 2a 2b
- meniscus (*see also* Tear, meniscus) S83.2
 - - old (tear) M23.2
 - - site other than knee - *see* Sprain, by site
- multiple T01.9 2b
- muscle - *see* Injury, muscle
- nerve - *see* Injury, nerve
- ocular NEC S05.3
- - adnexa NEC S01.1
- pelvic
 - - floor S31.0
 - - - complicating delivery O70.1
 - - - nonpuerperal S31.0
 - - - old (postpartal) N81.8
 - - organ NEC, obstetric trauma O71.5
- perineum, perineal S31.0
 - - complicating delivery O70.9
 - - - central O70.9
 - - - first degree O70.0
 - - - fourth degree O70.3
 - - - involving
 - - - - anus (sphincter) O70.2
 - - - - fourchette O70.0
 - - - - hymen O70.0
 - - - - labia O70.0
 - - - - pelvic floor O70.1
 - - - - perineal muscles O70.1
 - - - - rectovaginal septum O70.2
 - - - - - with anal or rectal mucosa O70.3
 - - - - skin O70.0
 - - - - sphincter (anal) O70.2
 - - - - - with anal or rectal mucosa O70.3
 - - - - vagina O70.0
 - - - - vaginal muscles O70.1
 - - - - vulva O70.0
 - - - second degree O70.1
 - - - secondary O90.1
 - - - third degree O70.2
 - - male S31.0
 - - muscles, complicating delivery O70.1
 - - old (postpartal) N81.8
 - - secondary (postpartal) O90.1
 - peritoneum, obstetric trauma O71.5
 - periurethral tissue S37.8
 - - obstetric trauma O71.5
 - rectovaginal (septum) S31.8 2b
 - - complicating delivery O71.4
 - - - with perineum O70.2
 - - - - involving anal or rectal mucosa O70.3
 - - nonpuerperal, nontraumatic N89.8
 - - old (postpartal) N89.8
 - spinal cord (meninges) (*see also* Injury, spinal cord, by region) T09.3
 - - fetus or newborn (birth injury) P11.5 2a 2b
 - surgical (accidental) (blood vessel) (by instrument) (nerve) (organ) T81.2 2a 2b
 - tendon (*see also* Injury, muscle or tendon) T14.6
 - - Achilles S86.0
 - - tentorium cerebelli S06.2 2a 2b
 - - urethra, obstetric trauma O71.5
 - - uterus S37.6
 - - nonpuerperal, nontraumatic N85.8
 - - obstetric trauma NEC O71.1
 - - old (postpartal) N85.8
 - - vagina (high) S31.4 2b
 - - complicating delivery O71.4

- - - with perineum O70.0
- - - muscles O70.1
- - nonpuerperal, nontraumatic N89.8
- - old (postpartal) N89.8
- vulva S31.4 2b
- - complicating delivery O70.0
- - nonpuerperal, nontraumatic N90.8
- - old (postpartal) N90.8

Lack of

- achievement in school Z55.3(1028)
- adequate food NEC Z59.4(1029)
- antibodies (natural protective) (*see also* Syndrome, antibody, deficiency) D80.9
- appetite (*see also* Anorexia) R63.0 2a 2b
- care
- - in home Z74.2(1030)
- - of infant (at or after birth) T74.0
- coordination R27.8 2b
- exchange of gases R06.8 2a 2b
- - newborn P28.5 2a 2b
- financial resources Z59.6(1031)
- fluid T73.1
- food T73.0 2a 2b
- growth R62.8 2b
- heating Z59.1(1032)
- housing (permanent) (temporary) Z59.0(1033)
- - adequate Z59.1(1034)
- learning experiences in childhood Z62.5(1035)
- leisure time (affecting lifestyle) Z73.2(1036)
- material resources Z59.6(1037)
- memory (*see also* Amnesia) R41.3
- - mild, following organic brain damage F06.7
- nutrition T73.0 2a 2b
- ovulation N97.0
- parental supervision or control of child Z62.0(1038)
- person able to render necessary care Z74.2(1039)
- physical exercise Z72.3(1040)
- play experience in childhood Z62.5(1041)
- prenatal care, affecting management of pregnancy Z35.3(1042)
- relaxation (affecting lifestyle) Z73.2(1043)
- sexual
- - desire F52.0
- - enjoyment F52.1
- shelter Z59.0(1044)
- supervision of child by parent Z62.0(1045)
- water T73.1

Lacrimal - *see condition*

Lacrimation, abnormal H04.2

Lacrimonasal duct - *see condition*

Lactacidemia E87.2 2a 2b

Lactation, lactating (breast) (puerperal, postpartum)

- defective O92.4
- disorder NEC O92.7
- excessive O92.6
- failed (complete) O92.3
- - partial O92.4
- mastitis NEC O91.2
- mother (care and/or examination) Z39.1(1046)
- nonpuerperal N64.3

Lacticemia

- excessive E87.2 2a 2b

Lacunar skull Q75.8 2b

Laennec's cirrhosis K70.3 2a 2b

- alcoholic K70.3 2a 2b

- nonalcoholic K74.6 2a 2b

Lafora's disease G40.3

Lag, lid (nervous) H02.5

Lagophthalmos (eyelid) (nervous) H02.2

- keratoconjunctivitis H16.2

Lalling F80.0

Lambert-Eaton syndrome C80† 2a 2b G73.1*

- unassociated with neoplasm G70.8 2a 2b

Lambliaisis, lambliosis A07.1

Lancereaux's diabetes E14.6 2a 2b

Landau-Kleffner syndrome F80.3

Landouzy-Déjerine dystrophy or facioscapulohumeral atrophy G71.0

Landouzy's disease (icterohemorrhagic leptospirosis) A27.0

Landry-Guillain-Barré syndrome or paralysis G61.0

Lane's

- kink (*see also* Obstruction, intestine) K56.6 2a 2b

- syndrome K90.2

Langdon Down's syndrome (*see also* Trisomy, 21) Q90.9 2b

Large

- ear, congenital Q17.1

- fetus - *see* Oversize fetus

Large-for-dates NEC (fetus or infant) P08.1

- affecting management of pregnancy O36.6

- exceptionally (4500 g or more) P08.0 2b

Larsen-Johansson disease or osteochondrosis M92.4

Larsen's syndrome Q74.8

Larva migrans

- cutaneous NEC B76.9

- - *Ancylostoma* (species) B76.0

- visceral NEC B83.0

Laryngismus (stridulus) J38.5 2b

- congenital P28.8

- diphtheritic A36.2

Laryngitis (acute) (edematous) (subglottic) (suppurative) (ulcerative) J04.0

- with

- - influenza, flu, or grippe (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- - tracheitis (acute) (*see also* Laryngotracheitis) J04.2

- - - chronic J37.1

- - - obstructive J05.0

- atrophic J37.0

- catarrhal J37.0

- chronic J37.0

- - with tracheitis (chronic) J37.1

- diphtheritic A36.2

- due to external agent (chronic) J37.0

- *Haemophilus influenzae* J04.0

- hypertrophic J37.0

- influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- obstructive J05.0

- sicca J37.0

- spasmodic J05.0

- - acute J04.0

- streptococcal J04.0

- stridulous J05.0

- syphilitic (late) A52.7† 2a 2b J99.8*

- - congenital A50.5† J99.8*

- - - early A50.0† 2a 2b J99.8*

- tracheobronchial (*see also* Bronchitis) J40 2a 2b

- tuberculous A16.4 2a 2b

- Vincent's A69.1 2a

Laryngobronchitis (*see also* Bronchitis) J40 2a 2b

Laryngocele (congenital) (ventricular) Q31.3

Laryngofissure J38.7

Laryngomalacia (congenital) Q31.5

Laryngopharyngitis (acute) J06.0

- chronic J37.0

Laryngoplegia J38.0

Laryngoptosis J38.7

Laryngospasm J38.5 2b

Laryngostenosis J38.6

Laryngotracheitis (acute) (infective) J04.2

- atrophic J37.1

- catarrhal J37.1

- chronic J37.1

- diphtheritic A36.2

- due to external agent (chronic) J37.1

- *Haemophilus influenzae* J04.2

- hypertrophic J37.1

- influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- pachydermic J38.7

- sicca J37.1

- spasmodic J38.5 2b

- - acute J05.0

- streptococcal J04.2

- stridulous J38.5 2b

- syphilitic (late) A52.7† 2a 2b J99.8*

- - congenital A50.5† J99.8*

- - - early A50.0† 2a 2b J99.8*

- tuberculous A16.4 2a 2b

- Vincent's A69.1 2a

Laryngotracheobronchitis (*see also* Bronchitis) J40 2a 2b

- acute (*see also* Bronchitis, acute) J20.9 2a 2b

- chronic J42 2a 2b

Larynx, laryngeal - *see condition*

Lassa fever A96.2

Lassitude - *see Weakness*

Late

- talker R62.0

- walker R62.0

Late effect(s) - *see Sequelae*

Latent - *see condition*

Laterocession - *see Lateroversion*

Lateroflexion - *see Lateroversion*

Lateroversion

- cervix - *see* Lateroversion, uterus

- uterus, uterine (cervix) (postinfectional) (postpartal, old) N85.4

- - congenital Q51.8

- - in pregnancy or childbirth O34.5

- - - affecting fetus or newborn P03.8

Lathyrism T62.2

Launois' syndrome E22.0 2a

Launois-Bensaude adenolipomatosis E88.8 2a 2b

Laurence-Moon(-Bardet)-Biedl syndrome Q87.8 2b

Lax, laxity - *see also* Relaxation

- ligament(ous) M24.2

- - familial M35.7

- - knee M23.8

- skin (acquired) L57.4

- - congenital Q82.8 2b

Laxative habit F55 2b

Lead miner's lung J63.8

Leak, leakage

- air (bronchus) (intrathoracic) (lung) (pleural) (pulmonary) (thorax) - *see* Pneumothorax

- - newborn P25.1

- amniotic fluid (*see also* Rupture, membranes, premature) O42.9

- - with delayed delivery O75.6

- anastomosis NEC T85.9

- - esophageal K91.8 2a 2b

- - gastrointestinal K91.8 2a 2b

- blood (microscopic), fetal, into maternal circulation. affecting management of pregnancy or puerperium O43.0

- cerebrospinal fluid G96.0

- - from spinal (lumbar) puncture G97.0

- device, implant or graft (*see also* Complications, by site and type) T85.6

- - arterial graft NEC T82.3

- - - coronary (bypass) T82.2

- - breast (implant) T85.4

- - catheter NEC T85.6

- - - dialysis (renal) T82.4

- - - intraperitoneal T85.6

- - - infusion NEC T82.5

- - - spinal (epidural) (subdural) T85.6

- - - urinary (indwelling) T83.0

- - gastrointestinal (bile duct) (esophagus) T85.5

- - genital NEC T83.4

- - heart NEC T82.5

- - - valve (prosthesis) T82.0

- - - graft T82.2

- - ocular (corneal graft) (orbital implant) NEC T85.3

- - - intraocular lens T85.2

- - orthopedic NEC T84.4

- - specified NEC T85.6

- - urinary NEC T83.1

- - - graft T83.2

- - vascular NEC T82.5

- - ventricular intracranial shunt T85.0

- duodenal stump K91.4

- gastrostomy K91.4

- gastrostomy tube K91.4

- pancreatic K86.8 2b

- suture line T81.8 2a 2b

Leaky heart (valve) - *see* Endocarditis

Learning defect (specific) F81.9

Leather bottle stomach (M8142/3) C16.9 2a 2b

Leber's

- congenital amaurosis H35.5

- optic atrophy (hereditary) H47.2

Lederer's anemia D59.1

Leeches (external) (*see also* Hirudiniasis) B88.3

- internal B83.4

Leg - *see condition*

Legg(-Calvé)-Perthes disease, syndrome or osteochondrosis M91.1

Legionellosis A48.1

- nonpneumonic A48.2

Legionnaire's

- disease A48.1

- - nonpneumonic A48.2

- pneumonia A48.1

Leigh's (-Feigen-Wolf) disease G31.8

Leiner's disease L21.1

Leiofibromyoma (M8890/0) - *see also* Leiomyoma

- uterus (cervix) (corpus) - *see* Leiomyoma, uterus

Leiomyoblastoma (M8891/0) - *see* Neoplasm, connective tissue, benign

Leiomyofibroma (M8890/0) - *see also* Neoplasm, connective tissue, benign

- uterus (cervix) (corpus) D25.9

Leiomyoma (M8890/0) - *see also* Neoplasm, connective tissue, benign

- bizarre (M8893/0) - *see* Neoplasm, connective tissue, benign

- cellular (M8892/0) - *see* Neoplasm, connective tissue, benign

- epithelioid (M8891/0) - *see* Neoplasm, connective tissue, benign

- uterus (cervix) (corpus) D25.9

- - intramural D25.1

- - submucous D25.0

- - subserosal D25.2

- vascular (M8894/0) - *see* Neoplasm, connective tissue, benign

Leiomyomatosis (intravascular) (M8890/1) - *see* Neoplasm, connective tissue, uncertain behavior

Leiomyosarcoma (M8890/3) - *see also* Neoplasm, connective tissue, malignant

- epithelioid (M8891/3) - *see* Neoplasm, connective tissue, malignant

- myxoid (M8896/3) - *see* Neoplasm, connective tissue, malignant

Leishmaniasis B55.9

- American (mucocutaneous) B55.2
- - cutaneous B55.1
- Asian desert B55.1
- Brazilian B55.2
- cutaneous (any type) B55.1
- - eyelid B55.1† H03.0*
- dermal (*see also* Leishmaniasis, cutaneous) B55.1
- - post-kala-azar B55.0
- eyelid B55.1† H03.0*
- infantile B55.0
- mucocutaneous (American) (New World) B55.2
- naso-oral B55.2
- nasopharyngeal B55.2
- Old World B55.1
- tegumentaria diffusa B55.1
- visceral B55.0

Leishmanoid, dermal (*see also* Leishmaniasis, cutaneous) B55.1

- post-kala-azar B55.0

Lenegre's disease I44.2**Lengthening, leg** M21.7**Lennert's lymphoma** (M9704/3) C84.3**Lennox-Gastaut syndrome** G40.4

Lens - *see condition*

Lenticonus (anterior) (congenital) (posterior) Q12.8**Lenticular degeneration, progressive** E83.0 2b**Lentiglobus (congenital) (posterior)** Q12.8**Lentigo (congenital)** L81.4

- maligna (M8742/2) - *see also* Melanoma, in situ
- - melanoma (M8742/3) - *see* Melanoma

Lentivirus - *see* Infection, lentivirus**Leontiasis**

- ossium M85.2
- syphilitic (late) A52.7 2a 2b
- - congenital A50.5

Lepothrix A48.8**Lepra** - *see* Leprosy**Leprechaunism** E34.8**Leprosy** A30.9

- anesthetic A30.9
- BB A30.3
- BL A30.4
- borderline (infiltrated) (neuritic) A30.3
- - lepromatous A30.4
- - tuberculoid A30.2
- BT A30.2
- cornea A30† 2a 2b H19.2*
- dimorphous (infiltrated) (neuritic) A30.3
- eyelid A30† 2a 2b H03.1*
- I A30.0
- indeterminate (macular) (neuritic) A30.0
- lepromatous (diffuse) (infiltrated) (macular) (neuritic) (nodular) A30.5
- LL A30.5
- macular A30.9
- maculoanesthetic A30.9
- mixed A30.3
- neural A30.9
- nodular A30.5
- specified type NEC A30.8
- TT A30.1
- tuberculoid (major) (minor) A30.1

Leptocytosis, hereditary D56.9**Leptomeningitis (chronic) (circumscribed) (hemorrhagic) (nonsuppurative)** (*see also* Meningitis) G03.9 2a 2b

- tuberculous A17.0† 2a 2b G01* 2b

Leptomeningopathy NEC G96.1 2b

Leptospiral - *see condition*

Leptospirochetal - *see condition*

Leptospirosis A27.9

- canicola A27.8
- due to *Leptospira interrogans* serovar *icterohaemorrhagiae* A27.0
- icterohemorrhagica A27.0
- pomona A27.8

Lequesne's osteoporosis (localized) M81.6

Leriche's syndrome I74.0

Leri's pleonosteosis Q78.8

Leri-Weill syndrome Q77.8 2b

Lermoyez' syndrome H81.3

Lesch-Nyhan syndrome E79.1

Leser-Trélat disease L82

Lesion (nontraumatic)

- alveolar process K08.9
- angiocentric immunoproliferative (M9766/1) D47.7
- anorectal K62.9
- aortic (valve) I35.9
- auditory nerve H93.3
- basal ganglion G25.9
- bile duct (*see also* Disease, bile duct) K83.9 2a 2b
- biomechanical M99.9
- - specified NEC M99.8
- bone M89.9 2a
- brachial plexus G54.0 2b
- brain G93.9 2a 2b
- - congenital Q04.9
- - vascular I67.9 2a 2b
- - - degenerative I67.9 2a 2b
- buccal cavity K13.7
- calcified - *see* Calcification
- canthus H02.9
- carate - *see* Pinta, lesions
- cardia K22.9
- cardiac - *see also* Disease, heart I51.9 2a 2b
- - congenital Q24.9 2a 2b
- - valvular - *see* Endocarditis
- cauda equina G83.4
- cavitary
- - lung - *see* Cavitation of lung
- cecum K63.9 2a 2b
- cerebral - *see* Lesion, brain
- cerebrovascular I67.9 2a 2b
- cervical (nerve) root NEC G54.2
- chiasmal H47.4
- chorda tympani G51.8
- coin (lung) R91 2a 2b
- colon K63.9 2a 2b
- congenital - *see* Anomaly, by site
- conjunctiva H11.9
- coronary artery (*see also* Ischemia, heart) I25.9 2a 2b
- cystic - *see* Cyst
- degenerative - *see* Degeneration
- duodenum K31.9 2a 2b
- edentulous (alveolar) ridge, associated with trauma, due to traumatic occlusion K06.2
- en coup de sabre L94.1
- eyelid H02.9
- gasserian ganglion G50.8
- gastric K31.90 2a 2b
- gastroduodenal K31.9 2a 2b
- gastrointestinal K63.9 2a 2b
- gingiva, associated with trauma K06.2
- glomerular
- - focal and segmental - *code to* N00-N07 with fourth character .1 N05.1

- - minimal change - *code to N00-N07 with fourth character .0 N05.0*
- heart (organic) - *see Disease, heart*
- hyperkeratotic (*see also* Hyperkeratosis) L85.9
- hypothalamic E23.7
- ileocecal K63.9 2a 2b
- ileum K63.9 2a 2b
- inflammatory - *see* Inflammation
- intestine K63.9 2a 2b
- intracerebral - *see* Lesion, brain
- intrachiasmal (optic) H47.4
- intracranial, space-occupying NEC R90.0
- joint M25.9 2a 2b
- - sacroiliac (old) M53.3
- keratotic - *see* Keratosis
- kidney (*see also* Disease, kidney) N28.9 2a 2b
- laryngeal nerve (recurrent) G52.2
- lip K13.0
- liver K76.9 2a 2b
- lumbosacral
- - plexus G54.1
- - root (nerve) NEC G54.4
- lung J98.4 2a 2b
- - coin R91 2a 2b
- - newborn P28.8
- malignant - *see* Neoplasm, malignant
- metastatic (any site) - *see* Metastatic, cancer or neoplasm
- mitral I05.9 2a 2b
- motor cortex NEC G93.8 2b
- mouth K13.7
- nerve (*see also* Disorder, nerve) G58.9
- nervous system, congenital Q07.9
- nonallopathic - *see* Lesion, biomechanical
- nose (internal) J34.8
- obstructive - *see* Obstruction
- oral mucosa K13.7
- organ or site NEC - *see* Disease, by site
- osteolytic M89.5
- peptic NEC K27.9 2a 2b
- periodontal, due to traumatic occlusion K05.5
- pharynx J39.2
- pigment (skin) L81.9
- pinta - *see* Pinta, lesions
- polypoid - *see* Polyp
- prechiasmal (optic) H47.4
- primary
- - carate A67.0
- - pinta A67.0
- - syphilis A51.0 2a
- - yaws A66.0
- pulmonary J98.4 2a 2b
- - newborn P28.8
- - valve I37.9
- pylorus K31.90 2a 2b
- radiation NEC T66 2b
- radium NEC T66 2b
- rectosigmoid K63.9 2a 2b
- retina, retinal H35.9 2a
- - vascular H35.0 2a
- sacroiliac (joint) (old) M53.3
- salivary gland K11.9
- - benign lymphoepithelial K11.8
- sciatic nerve G57.0
- secondary - *see* Syphilis, secondary
- shoulder M75.9
- - specified NEC M75.8

- sigmoid K63.9 2a 2b
- sinus (accessory) (nasal) J34.8
- skin L98.9
- - suppurative L08.0
- spinal cord G95.9
- - congenital Q06.9
- - traumatic (complete) (incomplete) (transverse) (*see also* Injury, spinal cord, by region) T09.3
- spleen D73.8
- stomach K31.90 2a 2b
- syphilitic - *see* Syphilis
- tertiary - *see* Syphilis, tertiary
- thoracic root (nerve) NEC G54.3
- tonsillar fossa J35.9 2a 2b
- tooth, teeth K08.9
- - white spot K02.0
- traumatic NEC (*see also* Injury, by site and type) T14.9 2a 2b
- tricuspid (valve) I07.9
- - nonrheumatic I36.9
- ulcerated or ulcerative - *see* Ulcer
- uterus N85.9 2a 2b
- valvular - *see* Endocarditis
- vascular I99 2a 2b
- - affecting central nervous system I67.9 2a 2b
- - retina, retinal H35.0 2a
- - umbilical cord, complicating delivery O69.5
- - - affecting fetus or newborn P02.6
- warty - *see* Verruca
- X-ray (radiation) NEC T66 2b

Lethargic - *see* condition

Lethargy R53 2b

Letterer-Siwe's disease (M9722/3) C96.0

Leuc(o) - *see* Leuk(o)

Leukemia (M9800/3) C95.9 2a 2b

- acute NEC (M9801/3) C95.0 2b
- adult T-cell (M9827/3) C91.5
- aleukemic NEC (M9804/3) C95.7
- basophilic (M9870/3) C92.7
- blast (cell) (M9801/3) C95.0 2b
- blastic (M9801/3) C95.0 2b
- - granulocytic (M9861/3) C92.0
- chronic NEC (M9803/3) C95.1 2b
- eosinophilic (M9880/3) C92.7
- erythroblastic (acute) (chronic) C94.0 2a 2b
- granulocytic (M9860/3) C92.9
- - acute (M9861/3) C92.0
- - aleukemic (M9864/3) C92.7
- - blastic (M9861/3) C92.0
- - chronic (M9863/3) C92.1
- - subacute (M9862/3) C92.2
- hairy cell (M9940/3) C91.4 2a 2b
- histiocytic (M9890/3) C93.9
- lymphatic (M9820/3) C91.9
- - acute (M9821/3) C91.0 2a 2b
- - aleukemic (M9824/3) C91.7
- - chronic (M9823/3) C91.1 2a 2b
- - subacute (M9822/3) C91.2
- lymphoblastic (M9821/3) C91.0 2a 2b
- lymphocytic (M9820/3) C91.9
- - acute (M9821/3) C91.0 2a 2b
- - aleukemic (M9824/3) C91.7
- - chronic (M9823/3) C91.1 2a 2b
- - subacute (M9822/3) C91.2
- lymphogenous (M9820/3) -*see* Leukemia, lymphoid
- lymphoid (M9820/3) C91.9
- - acute (M9821/3) C91.0 2a 2b

- - aleukemic (M9824/3) C91.7
- - blastic (M9821/3) C91.0 2a 2b
- - chronic (M9823/3) C91.1 2a 2b
- - subacute (M9822/3) C91.2
- lympho-reticulum cell C94.7
- lymphosarcoma cell (M9850/3) C94.7
- mast cell (M9900/3) C94.3
- megakaryocytic (M9910/3) C94.2
- megaloblastic NEC C94.7
- monoblastic (acute) (M9891/3) C93.0
- monocytic, moncytoid (M9890/3) C93.9
- - acute (M9891/3) C93.0
- - aleukemic (M9894/3) C93.7
- - chronic (M9893/3) C93.1
- - Naegeli-type (M9863/3) C92.1
- - subacute (M9892/3) C93.2
- monoleukocytic C93.9
- - acute C93.0
- - chronic C93.1
- monomyeloblastic C92.0
- - monomyelocytic, acute (M9867/3) -see Leukemia, myelomonocytic
- monomyelogenous C92.9
- - acute C92.0
- - chronic C92.1
- myeloblastic (acute) (M9861/3) C92.0
- myelocytic (M9860/3) C92.9
- - acute (M9861/3) C92.0
- - chronic (M9863/3) C92.1
- myelodysplastic C94.7
- myelogenous (M9860/3) C92.9
- - acute (M9861/3) C92.0
- - aleukemic (M9864/3) C92.7
- - chronic (M9863/3) C92.1
- - subacute (M9862/3) C92.2
- myelohistiocytic (chronic) C92.1
- - acute C92.0
- myeloid (M9860/3) C92.9
- - acute (M9861/3) C92.0
- - aleukemic (M9864/3) C92.7
- - chronic (M9863/3) C92.1
- - dysplasia, dysplastic C94.7
- - subacute (M9862/3) C92.2
- myelomonocytic C92.5
- - acute (M9867/3) C92.5
- - chronic (M9868/3) C92.7
- - subacute C92.2
- Naegeli-type monocytic (M9863/3) C92.1
- natural killer (NK) cell C94.7
- plasma cell (M9830/3) C90.1
- plasmacytic (M9830/3) C90.1
- prolymphocytic (M9825/3) C91.3
- promyelocytic, acute (M9866/3) C92.4
- pseudofollicular C94.7
- stem cell (M9801/3) C95.0 2b
- subacute NEC (M9802/3) C95.2
- T-cell C91.5
- thrombocytic (M9910/3) C94.2
- undifferentiated (M9801/3) C95.0 2b

Leukemoid reaction (lymphocytic) (monocytic) (myelocytic) D72.8 2b

Leukocytosis D72.8 2b

Leukoderma, leukodermia NEC L81.5

- syphilitic A51.3† L99.8*

- - late A52.7† 2a 2b L99.8*

Leukodystrophy (cerebral) (globoid cell) (Krabbe's) (metachromatic) (progressive) (sudanophilic) E75.2 2b

Leukoedema, oral epithelium K13.2

Leukoencephalitis (postinfectious) G04.8

- acute (subacute) hemorrhagic G36.1 2b
- - postimmunization or postvaccinal G04.0 2b
- subacute sclerosing A81.1
- van Bogaert's (sclerosing) A81.1

Leukoencephalopathy (*see also* Encephalopathy) G93.4 2a 2b

- heroin vapor G92 2b
- metachromatic E75.2 2b
- multifocal (progressive) A81.2
- postimmunization and postvaccinal G04.0 2b
- van Bogaert's (sclerosing) A81.1
- vascular, progressive I67.3

Leukoerythroblastosis D64.8 2a 2b**Leukokeratosis**

- nicotina palati K13.2
- vocal cord J38.3

Leukokrarosis vulva(e) N90.4**Leukoma (cornea)** H17.8

- adherent H17.0

Leukomalacia, cerebral G31.8

- newborn P91.2

Leukomelanopathy, hereditary D72.0 2b**Leukonychia (punctata) (striata)** L60.8

- congenital Q84.4

Leukopathia unguium L60.8

- congenital Q84.4

Leukopenia (malignant) D70

Leukopenic - *see condition*

Leukoplakia

- anus K62.8
- bladder (postinfectional) N32.8
- buccal K13.2
- cervix (uteri) N88.0
- esophagus K22.8
- hairy (oral mucosa) (tongue) K13.3
- kidney (pelvis) N28.8 2a 2b
- larynx J38.7
- mouth K13.2
- oral epithelium, including tongue (mucosa) K13.2
- palate K13.2
- pelvis (kidney) N28.8 2a 2b
- penis (infectional) N48.0
- rectum K62.8
- syphilitic (late) A52.7 2a 2b
- tongue K13.2
- ureter (postinfectional) N28.8 2a 2b
- urethra (postinfectional) N36.8
- uterus N85.8
- vagina N89.4
- vocal cord J38.3
- vulva N90.4

Leukopolioencephalopathy E75.2 2b**Leukorrhea** N89.8

- due to *Trichomonas (vaginalis)* A59.0
- trichomonal A59.0

Leukosarcoma (M9850/3) C94.7**Leukostasis** D68.9 2b**Levi's syndrome** E23.0 2b**Levocardia (isolated)** Q24.1**Levotransposition** Q20.5**Levoversion**

- kidney Q63.2

Lev's disease or syndrome (acquired complete heart block) I44.2

Levulosuria - *see Fructosuria*

Levirid L30.2

Levy's ataxia G60.0 2a 2b

Lewy body(ies) (dementia) (disease) G31.8† F02.8*

Leyden-Moebius dystrophy G71.0

Leydig cell

- carcinoma (M8650/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site
- - - female C56 2a 2b
- - - male C62.9
- tumor (M8650/1)
- - benign (M8650/0)
- - - specified site - *see* Neoplasm, benign
- - - unspecified site
- - - - female D27
- - - - male D29.2
- - malignant (M8650/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site
- - - - female C56 2a 2b
- - - - male C62.9
- - specified site - *see* Neoplasm, uncertain behavior
- - unspecified site
- - - female D39.1
- - - male D40.1

Leydig-Sertoli cell tumor (M8631/0)

- specified site - *see* Neoplasm, benign
- unspecified site
- - female D27
- - male D29.2

Lhermitte's syndrome H51.2

Li Fraumeni Syndrome Q99.8 2a

Liar, pathologic F60.2

Libman-Sacks disease M32.1† 2a 2b I39.8*

Lice (infestation) B85.2

- body (*Pediculus corporis*) B85.1
- crab B85.3
- head (*Pediculus capitis*) B85.0
- mixed (classifiable to more than one of the subcategories B85.0-B85.3) B85.4
- pubic (*Phthirus pubis*) B85.3

Lichen L28.0

- albus L90.0
- - penis N48.0
- - vulva N90.4
- amyloidosis E85.4† L99.0*
- atrophicus L90.0
- - penis N48.0
- - vulva N90.4
- congenital Q82.8 2b
- myxedematosus L98.5
- nitidus L44.1
- pilaris Q82.8 2b
- - acquired L85.8
- planopilaris L66.1
- planus (chronicus) L43.9
- - annularis L43.8
- - bullous L43.1
- - follicular L66.1
- - hypertrophic L43.0
- - moniliformis L44.3
- - of Wilson L43.9
- - specified NEC L43.8
- - subacute (active) L43.3
- - tropicus L43.3
- ruber
- - moniliformis L44.3

- - planus L43.9
- sclerosus (et atrophicus) L90.0
- - penis N48.0
- - vulva N90.4
- scrofulosus (primary) (tuberculous) A18.4
- simplex (chronicus) (circumscripitus) L28.0
- striatus L44.2
- urticatus L28.2

Lichenification L28.0**Lichenoides tuberculosis (primary)** A18.4

Lichtheim's disease or syndrome - *see* Degeneration, combined

Lie, abnormal (maternal care) (*see also* Presentation, fetal, abnormal) O32.9

- before labor, affecting fetus or newborn P01.7

Lien migrans D73.8

Ligament - *see condition*

Light

- fetus or newborn, for gestational age P05.0
- headedness R42

Light-for-dates (infant) P05.0

- affecting management of pregnancy O36.5
- and small-for-dates P05.1

Lightning (effects) (shock) (stroke) (struck by) T75.0 2b

- burn - *see* Burn

Lightwood-Albright syndrome N25.8**Lignac(-de Toni-Fanconi-Debré) syndrome** E72.0**Ligneous thyroiditis** E06.5

Limb - *see condition*

Limbic epilepsy personality syndrome F07.0 2b**Limitation, limited**

- activities due to disability Z73.6(1047)
- cardiac reserve - *see* Disease, heart

Lindau(-von Hippel) disease Q85.8**Line(s)**

- Beau's L60.4
- Harris' M89.1
- Hudson's (cornea) H18.0
- Stähli's (cornea) H18.0

Linea corneae senilis H18.4**Lingua**

- geographica K14.1
- nigra (villosa) K14.3
- plicata K14.5
- tylosis K13.2

Lingual - *see condition*

Linguatulosis B88.8 2b**Linitis (gastric) plastica** (M8142/3) C16.9 2a 2b

Lip - *see condition*

Lipedema - *see* Edema**Lipemia** (*see also* Hyperlipidemia) E78.5**Lipid(s) (disease) (disorder)** E78.9**Lipidemia** (*see also* Hyperlipidemia) E78.5**Lipidoses** E75.6

- cerebral (infantile) (juvenile) (late) E75.4 2b
- cerebroretinal E75.4 2b
- cerebroside E75.2 2b
- cholesterol (cerebral) E75.5
- glycolipid E75.2 2b
- sulfatide E75.2 2b

Lipoadenoma (M8324/0) - *see* Neoplasm,benign**Lipoblastoma** (M8881/0) - *see* Lipoma**Lipoblastomatosis** (M8881/0) - *see* Lipoma**Lipochondrodystrophy** E76.0**Lipodermatosclerosis** I83.1

- ulcerated I83.2

Lipodystrophy E88.1

- intestinal K90.8 2b

Lipofibroma (M8851/0) - *see* Lipoma

Lipofuscinosis, neuronal (with ceroidosis) E75.4 2b

Lipogranuloma, sclerosing L92.8

Lipogranulomatosis E78.8

Lipoid - *see also* condition

- histiocytosis (essential) E75.2 2b

- nephrosis (*see also* Nephrosis) N04-

- proteinosis of Urbach E78.8

Lipoedema (*see also* Hyperlipidemia) E78.5

Lipoidosis (*see also* Lipidosis) E75.6

Lipoma (M8850/0) D17.9

- fetal (M8881/0) D17.9

- - fat cell (M8880/0) D17.9

- infiltrating (M8856/0) D17.9

- intramuscular (M8856/0) D17.9

- pleomorphic (M8854/0) D17.9

- site classification

- - connective tissue NEC D17.3

- - - intra-abdominal D17.5

- - - intrathoracic D17.4

- - - peritoneum D17.7

- - - retroperitoneum D17.7

- - - spermatic cord D17.6 2b

- - face (skin) (subcutaneous) D17.0 2b

- - head (skin) (subcutaneous) D17.0 2b

- - intra-abdominal D17.5

- - intrathoracic D17.4

- - limbs (skin) (subcutaneous) D17.2

- - neck (skin) (subcutaneous) D17.0 2b

- - peritoneum D17.7

- - retroperitoneum D17.7

- - skin NEC D17.3

- - specified site NEC D17.7

- - spermatic cord D17.6 2b

- - subcutaneous NEC D17.3

- - trunk (skin) (subcutaneous) D17.1

- - unspecified D17.9

- spindle cell (M8857/0) D17.9

Lipomatosis E88.2

- dolorosa (Dercum) E88.2

- fetal (M8881/0) - *see* Lipoma

- Launois-Bensaude E88.8 2a 2b

Lipomyoma (M8860/0) - *see* Lipoma

Lipomyxoma (M8852/0) - *see* Lipoma

Lipomyxosarcoma (M8852/3) - *see also* Neoplasm, connective tissue, malignant

Lipoprotein metabolism disorder E78.9

Lipoproteinemia E78.5

- broad-beta- E78.2 2b

- floating-beta- E78.2 2b

- hyperprebeta- E78.1

Liposarcoma (M8850/3) - *see also* Neoplasm, connective tissue, malignant

- dedifferentiated (M8858/3)

- differentiated type (M8851/3)

- embryonal (M8852/3)

- mixed type (M8855/3)

- myxoid (M8852/3)

- pleomorphic (M8854/3)

- round cell (M8853/3)

- well differentiated type (M8851/3)

Liposynovitis prepatellaris E88.8 2a 2b

Lipping, cervix N86

Lipuria R82.0

- schistosomiasis (bilharziasis) B65.0

Lispings F80.8

Lissauer's paralysis A52.1 2a 2b

Lissencephalia, lissencephaly Q04.3

Listeriosis, listerellosis A32.9 2a 2b

- congenital (disseminated) P37.2

- cutaneous A32.0

- fetal P37.2

- neonatal (disseminated) P37.2

- oculoglandular A32.8

- specified NEC A32.8

- suspected damage to fetus affecting management of pregnancy O35.8

Lithemia E79.0

Lithiasis - *see* Calculus

Lithopedia - *see* Death, fetus

Lithosis J62.8

Lithuria R82.9 2b

Litigation, anxiety concerning Z65.3(1048)

Little leaguer's elbow M77.0

Little's disease G80.9 2b

Littre's

- gland - *see condition*

- hernia - *see* Hernia, abdomen

Litritis (*see also* Urethritis) N34.2

Livedo (annularis) (racemosa) (reticularis) R23.1

Liver - *see condition*

Lloyd's syndrome (M8360/1) - *see* Adenomatosis, endocrine

Loa loa, loiasis, loasis - *see* Loiasis

Lobar - *see condition*

Lobomycosis B48.0

Lobo's disease B48.0

Lobotomy syndrome F07.0 2b

Lobstein(-Ekman) syndrome Q78.0

Lobster-claw hand Q71.6

Lobulation (congenital) - *see also* Anomaly, by site

- kidney, fetal Q63.1

- liver, abnormal Q44.7

- spleen Q89.0

Lobule, lobular - *see condition*

Local, localized - *see condition*

Locked in Syndrome G82.5

Locked twins causing obstructed labor O66.1

- affecting fetus or newborn P03.1

Locking

- joint (*see also* Derangement, joint) M24.8

- - knee M23.8

Lockjaw (*see also* Tetanus) A35 2a 2b

Löffler's

- endocarditis I42.3 2b

- pneumonia or syndrome J82

Lofgren's syndrome (sarcoidosis) D86.9

Loiasis B74.3

- with conjunctival infestation B74.3† H13.0*

- eyelid B74.3† H03.0*

Lone Star fever A77.0

Long

- labor O63.9 2b

- - affecting fetus or newborn P03.8

- - first stage O63.0

- - second stage O63.1

- term use (current) of

- - anticoagulants Z92.1(1049)

- - aspirin Z92.2(1050)

- - medicaments NEC Z92.2(1051)

Longevity (extreme) (*see also* Senility) R54 2a 2b

Longitudinal stripes or grooves, nails L60.8

- congenital Q84.6

Loop

- intestine (*see also* Volvulus) K56.2
- vascular, on papilla (optic) Q14.2

Loose - *see also condition*

- body
- - joint, except knee M24.0
- - knee M23.4
- - sheath, tendon M67.8
- tooth, teeth K08.8 2a 2b

Looser-Milkman(-Debray) syndrome M83.8**Lop ear (deformity)** Q17.3**Lorain(-Levi) short stature syndrome** E23.0 2b**Lordosis** M40.5

- acquired M40.4
- congenital Q76.4
- late effect of rickets E64.3 2a 2b
- postsurgical M96.4
- postural M40.4
- rachitic (late effect) E64.3 2a 2b
- tuberculous A18.0† 2a 2b M49.0*

Loss (of)

- appetite R63.0 2a 2b
- - hysterical F50.8
- - nonorganic origin F50.8
- - psychogenic F50.8
- blood - *see* Hemorrhage
- blood vessel integrity I99 2a 2b
- control, sphincter, rectum R15
- - nonorganic origin F98.1
- cough reflex R09.8 2b
- family (member) in childhood Z61.0(1052)
- fluid (acute) E86 2a 2b
- - due to
 - - - medical care NEC E89.8 2b
 - - fetus or newborn P74.1
- function of labyrinth H83.2
- hair, nonscarring (*see also* Alopecia) L65.9
- hearing (*see also* Deafness) H91.9
- - noise-induced H83.3
- limb or member, traumatic, current - *see* Amputation, traumatic
- locomotive powers R29.8 2b
- love relationship in childhood Z61.0(1053)
- memory (*see also* Amnesia) R41.3
- - mild, following organic brain damage F06.7
- mind (*see also* Psychosis) F29 2a 2b
- organ or part - *see* Absence, by site, acquired
- ossicles, ear (partial) H74.3
- parent in childhood Z61.0(1054)
- self-esteem, in childhood Z61.3(1055)
- sense of
 - - smell R43.1
 - - taste R43.2
 - - - and smell, mixed R43.8
 - - touch R20.8
- sensory R44.8
- - dissociative F44.6
- sexual desire F52.0
- sight (acquired) (complete) (congenital) - *see* Blindness
- substance of
 - - bone M85.8
 - - cartilage M94.8
 - - - auricle (ear) H61.1
 - - vitreous (humor) H15.8
- swallowing reflex R13 2a 2b
- tooth, teeth due to accident, extraction or local periodontal disease K08.1

- vision (sudden) H53.1
- voice (*see also* Aphonias) R49.1
- weight (abnormal) (cause unknown) R63.4

Lou Gehrig's Disease G12.2 2a 2b

- advanced G12.20 2a 2b
- grave G12.20 2a 2b
- severe G12.20 2a 2b

Louis-Bar syndrome G11.3

Louping ill (encephalitis) A84.8

Louse, lousiness - *see* Lice

Low

- achiever, school Z55.3(1056)
- alphafetoprotein
 - maternal, affecting fetus or newborn P00.8
- amniotic fluid (volume) P01.2 2a
- basal metabolic rate R94.8
- birthweight (2499 grams or less) (*see also* Weight) P07.1 2b
 - extreme (999 grams or less) P07.0 2b
 - for gestational age P05.0
- blood pressure (*see also* Hypotension) I95.9 2a 2b
 - reading (incidental) (isolated) (nonspecific) R03.1
- blood sugar E16.2 2b
- cardiac
 - output I51.9 2a 2b
 - newborn P29.8
 - rheumatic I09.9 2a 2b
 - active or acute I01.9 2b
 - reserve - *see* Disease, heart
- function - *see also* Hypofunction
 - kidney (*see also* Failure, renal) N19 2a 2b
- hemoglobin D64.9 2a 2b
- implantation, placenta (*see also* Placenta, previa) O44.1
- income Z59.6(1057)
- insertion, placenta (*see also* Placenta,previa) O44.1
- level of literacy Z55.0(1058)
- lung volume J98.4 2a 2b
 - newborn P28.8
- lying
 - kidney N28.8 2a 2b
 - organ or site, congenital - *see* Malposition, congenital
 - placenta (*see also* Placenta, previa) O44.1
- platelets (blood) (*see also* Thrombocytopenia) D69.6 2a 2b
- reserve, kidney N28.8 2a 2b
- salt syndrome E87.1 2b
- set ears Q17.4
- white blood cell count R72 2b

Low-density-lipoprotein-type (LDL) hyperlipoproteinemia E78.0

Lowe's syndrome (with Fanconi's syndrome) E72.0

Lown-Ganong-Levine syndrome I45.6

LSD reaction (acute) F16.1

L-shaped kidney Q63.8

Lues (venerea), luetic - *see* Syphilis

Luetscher's syndrome (dehydration) E86 2a 2b

Ludwig's angina or disease K12.2

Lumbago, lumbalgia M54.5

- with sciatica M54.4
 - due to intervertebral disc disorder M51.1† G55.1*
 - due to displacement, intervertebral disc M51.2
 - with sciatica M51.1† G55.1*

Lumbar - *see condition*

Lumbarization, vertebra, congenital Q76.4

Lump - *see also* Mass

- breast N63
- intra-abdominal R19.0 2b
- pelvic R19.0 2b

Lunacy (*see also* Psychosis) F29 2a 2b

Lung - *see condition*

- smoker's

- - chronic J41.0

Lupoid (miliary) of Boeck D86.3

Lupus L93.0 2a 2b

- anticoagulant D68.8

- discoid (local) L93.0 2a 2b

- disseminated M32.9 2b

- erythematosus (discoid) (local) L93.0 2a 2b

- - disseminated - *see* Lupus, erythematosus, systemic

- - eyelid H01.1

- - generalized M32.9 2b

- - profundus L93.2

- - specified NEC L93.2

- - subacute cutaneous L93.1

- - systemic M32.9 2b

- - - with

- - - - lung involvement M32.1† 2a 2b J99.1*

- - - - renal tubulo-interstitial disease M32.1† 2a 2b N16.4*

- - - drug-induced M32.0

- - - inhibitor (presence of) D68.6

- - - maternal, affecting fetus or newborn P00.8

- - - specified NEC M32.8

- exedens A18.4

- generalized M32.9 2b

- hydralazine

- - correct substance properly administered M32.0

- - overdose or wrong substance given or taken T46.5 2a

- myocarditis M32.1 2a 2b

- nephritis (chronic) M32.1† 2a 2b N08.5*

- nontuberculous, not disseminated L93.0 2a 2b

- pancarditis M32.1 2a 2b

- panniculitis L93.2

- pernio (Besnier) D86.3

- systemic - *see* Lupus, erythematosus, systemic

- tuberculous A18.4

- - eyelid A18.4† H03.1*

- vulgaris A18.4

- - eyelid A18.4† H03.1*

Luteinoma (M8610/0) D27

Lutembacher's disease or syndrome Q21.1 2b

Luteoma (M8610/0) D27

Lutz(-Splendore-de Almeida) disease (*see also* Paracoccidioidomycosis) B41.9

Luxation - *see also* Dislocation

- eyeball (nontraumatic) H44.8

- - birth injury P15.3

- globe, nontraumatic H44.8

- lacrimal gland H04.1

- lens (old) (partial) (spontaneous) H27.1

- - congenital Q12.1

- - - syphilitic A50.3† H28.8*

Lycanthropy F22.8

Lyell's syndrome L51.2

- due to drug

- - correct substance properly administered L51.2

- - overdose or wrong substance given or taken T50.9 2a 2b

- - - specified drug - *see* Table of drugs and chemicals

Lying in bed R26.3 2a 2b

Lyme disease A69.2 2b

Lymph gland or node - *see condition*

Lymphadenitis I88.9

- acute L04.9

- - axilla L04.2

- - face L04.0

- - head L04.0
- - hip L04.3
- - limb
- - - lower L04.3
- - - upper L04.2
- - neck L04.0
- - shoulder L04.2
- - specified site NEC L04.8
- - trunk L04.1
- breast
- - gestational (nonpurulent) O91.2
- - - purulent O91.1
- - puerperal, postpartum (nonpurulent) O91.2
- - - purulent O91.1
- chancroidal (congenital) A57
- chronic I88.1
- - mesenteric I88.0
- - nonspecific, specified site NEC I88.1
- due to
 - - *Brugia (malayi)* B74.1
 - - - *timori* B74.2
 - - chlamydial lymphogranuloma A55
 - - diphtheria (toxin) A36.8 2b
 - - *Wuchereria bancrofti* B74.0
 - - gonorrhreal A54.8 2b
- infective (*see also* Lymphadenitis, acute) L04.9
- mesenteric (acute) (chronic) (nonspecific) (subacute) I88.0
- - due to *Salmonella typhi* A01.0
- - tuberculous A18.3† K93.0*
- purulent (*see also* Lymphadenitis, acute) L04.9
- pyogenic (*see also* Lymphadenitis, acute) L04.9
- regional, nonbacterial I88.8 2b
- septic (*see also* Lymphadenitis, acute) L04.9
- subacute, unspecified site I88.1
- suppurative (*see also* Lymphadenitis, acute) L04.9
- syphilitic (early) (secondary) A51.4
- - late A52.7† 2a 2b I98.8*
- tuberculous (*see also* Tuberculosis, lymph gland) A18.2
- venereal (chlamydial) A55

Lymphadenoid goiter E06.3

- Lymphadenopathy (generalized)** R59.1 2b
- angioimmunoblastic, malignant (M9767/1) D47.7
 - due to toxoplasmosis (acquired) B58.8 2b
 - - congenital (acute) (chronic) (subacute) P37.1
 - immunoblastic
 - - angioimmunoblastic D47.7
 - localized R59.0 2b
 - resulting from HIV disease B23.1
 - syphilitic (early) (secondary) A51.4

Lymphadenosis R59.1 2b

- Lymphangiectasis** I89.0
- conjunctiva H11.8
 - postinfectional I89.0
 - scrotum I89.0

Lymphangioendothelioma (M9170/0) D18.1

- malignant (M9170/3) - *see* Neoplasm, connective tissue, malignant

Lymphangioma (M9170/0) D18.1

- capillary (M9171/0) D18.1
- cavernous (M9172/0) D18.1
- cystic (M9173/0) D18.1
- malignant (M9170/3) - *see* Neoplasm, connective tissue, malignant

Lymphangiomyoma (M9174/0) D18.1

- Lymphangiomyomatosis** (M9174/1) - *see* Neoplasm, connective tissue, uncertainbehavior

Lymphangiosarcoma (M9170/3) - *see* Neoplasm, connective tissue, malignant

Lymphangitis I89.1

- with
 - - abscess - *see* Abscess, by site
 - - cellulitis - *see* Abscess, by site
 - acute - *see* Cellulitis
 - breast
 - - gestational O91.2
 - - puerperal, postpartum (nonpurulent) O91.2
 - - - purulent O91.1
 - chancroidal A57
 - chronic (any site) I89.1
 - due to
 - - *Brugia (malayi)* B74.1
 - - - *timori* B74.2
 - - *Wuchereria bancrofti* B74.0
 - following
 - - abortion (subsequent episode) O08.8 2b
 - - - current episode - *see* Abortion
 - - ectopic or molar pregnancy O08.8 2b
 - gangrenous I89.1
 - penis
 - - acute N48.2
 - - gonococcal (acute) (chronic) A54.0
 - puerperal, postpartum, childbirth O86.8
 - strumous, tuberculous A18.2
 - subacute (any site) I89.1
 - tuberculous (*see also* Tuberculosis, lymph gland) A18.2

Lymphatic (vessel) - *see condition*

Lymphectasia I89.0

Lymphedema (*see also* Elephantiasis) I89.0

- congenital Q82.0 2b
- hereditary Q82.0 2b
- postmastectomy I97.2 2b
- precox I89.0
- secondary I89.0
- surgical NEC I97.8 2b
- - postmastectomy (syndrome) I97.2 2b

Lymphoblastic - *see condition*

Lymphoblastoma (diffuse) (M9685/3) C83.5

Lymphocele I89.8 2b

Lymphocytic

- chorioencephalitis (acute) (serous) A87.2† G05.1*
- choriomeningitis (acute) (serous) A87.2† G02.0*
- colitis K52.8
- meningoencephalitis A87.2† G05.1*

Lymphocytoma, benign cutis L98.8

Lymphocytosis (symptomatic) D72.8 2b

- infectious (acute) B33.8

Lymphoepithelioma (M8082/3) - *see* Neoplasm, malignant

Lymphogranuloma (malignant) (M9650/3) C81.9 2a 2b

- chlamydial A55
- inguinale A55
- venereum (any site) (chlamydial) A55

Lymphogranulomatosis (malignant) (M9650/3) C81.9 2a 2b

- benign (Boeck's sarcoid) (Schaumann's) D86.1

Lymphohistiocytosis, hemophagocytic D76.1

Lymphoid - *see condition*

Lymphoma (malignant) (M9590/3) C85.9 2a 2b

- adult T-cell (M9827/3) C91.5
- angiocentric T-cell (M9713/3) C85.7
- angioimmunoblastic (M9705/3) C84.4
- B-cell NEC (M9590/3) C85.1
 - - large cell C83.3 2a 2b
 - - monocytoid (M9711/3) C85.7
 - B-precursor NEC (M9590/3) C85.1
- Burkitt's (small noncleaved, diffuse) (undifferentiated) (M9687/3) C83.7

- - resulting from HIV disease B21.1
- centroblastic (diffuse) (M9683/3) C83.8
- - follicular (M9697/3) C82.7
- centroblastic-centrocytic (diffuse) (M9676/3) C83.8
- - follicular (M9692/3) C82.7
- centrocytic (M9674/3) C83.8
- cleaved cell (diffuse) (M9672/3) C83.1 2a
- - with
 - - - large cell, follicular (M9691/3) C82.1 2a
 - - - noncleaved, large cell (M9680/3) C83.3 2a 2b
- - follicular (M9695/3) C82.0 2a
- - large (diffuse) (M9681/3) C83.3 2a 2b
- - - follicular (M9698/3) C82.2 2a
- - small (diffuse) (M9672/3) C83.1 2a
- convoluted cell (M9685/3) C83.5
- cutaneous (M9709/3) C84.5
- diffuse (M9595/3) C83.9
- - histiocytic (M9680/3) C83.3 2a 2b
- - large cell (M9680/3) C83.3 2a 2b
- - - noncleaved (M9682/3) C83.3 2a 2b
- - lymphocytic (well differentiated) (M9670/3) C83.0 2a
- - - intermediate differentiation (M9673/3) C83.8
- - - poorly differentiated (M9672/3) C83.1 2a
- - mixed cell type (M9675/3) C83.2 2a
- - - lymphocytic-histiocytic (M9675/3) C83.2 2a
- - - small and large cell (M9675/3) C83.2 2a
- - noncleaved (M9682/3) C83.3 2a 2b
- - - large cell (M9682/3) C83.3 2a 2b
- - - small cell (M9686/3) C83.0 2a
- - reticulum cell sarcoma (M9593/3) C83.3 2a 2b
- - small cell (M9670/3) C83.0 2a
- - - cleaved (M9672/3) C83.1 2a
- - - lymphocytic (M9670/3) C83.0 2a
- - - noncleaved, Burkitt's (M9687/3) C83.7
- follicular (nodular) (with or without diffuse areas) (M9690/3) C82.9
- - centroblastic (M9697/3) C82.7
- - - centrocytic (M9692/3) C82.7
- - histiocytic (M9698/3) C82.2 2a
- - large cell (cleaved) (noncleaved) (M9698/3) C82.2 2a
- - mixed cell type (M9691/3) C82.1 2a
- - noncleaved (large cell) (M9698/3) C82.2 2a
- - small cleaved cell (M9695/3) C82.0 2a
- - - and large cell (M9691/3) C82.1 2a
- - histiocytic (mixed type) (M9680/3) C83.3 2a 2b
- - true (M9723/3) C96.3
- Hodgkin's (*see also* Hodgkin's, disease) (M9650/3) C81.9 2a 2b
- - mixed cellularity C81.2
- immunoblastic (diffuse) (large type) (M9684/3) C83.4
- large cell (diffuse) (M9680/3) C83.3 2a 2b
- - with
 - - - small cell, mixed diffuse (M9675/3) C83.2 2a
 - - - small cleaved, mixed, follicular (M9691/3) C82.1 2a
- - B-cell C83.3 2a 2b
- - Ki-1+ (M9714/3) C85.7
- - noncleaved and cleaved (M9680/3) C83.3 2a 2b
- - undifferentiated C83.3 2a 2b
- Lennert's (M9704/3) C84.3
- leukemia, adult T-cell (M9827/3) C91.5
- lymphoblastic (diffuse) (M9685/3) C83.5
- lymphocytic (diffuse) (M9670/3) C83.0 2a
- - intermediate differentiation, nodular (M9694/3) C82.7
- - nodular (M9690/3) C82.9
- - - intermediate differentiation (M9694/3) C82.7
- - - poorly differentiated (M9696/3) C82.7
- - - well differentiated (M9693/3) C82.7

- - small (M9670/3) C83.0 2a
- lymphoepithelioid (M9704/3) C84.3
- lymphoplasmacytoid (M9671/3) C83.8
- lymphoplasmatic (M9671/3) C83.8
- Mantle-cell C83.1 2a
- mantle zone (M9673/3) C83.8
- marginal zone - *see Lymphoma, B-cell*
- Mediterranean (M9764/3) C88.3
- mixed cell (type) C83.2 2a
- - diffuse (M9675/3) C83.2 2a
- - follicular (M9691/3) C82.1 2a
- - lymphocytic-histiocytic (diffuse) (M9675/3) C83.2 2a
- - nodular (M9691/3) C82.1 2a
- - small and large cell (diffuse) (M9675/3) C83.2 2a
- - small cleaved and large cell, follicular (M9691/3) C82.1 2a
- moncytoid B-cell (M9711/3) C85.7
- nodular (with or without diffuse areas) (M9690/3) C82.9
- - histiocytic (M9698/3) C82.2 2a
- - lymphocytic (M9690/3) C82.9
- - intermediate differentiation (M9694/3) C82.7
- - poorly differentiated (M9696/3) C82.7
- - well differentiated (M9693/3) C82.7
- - mixed (cell type) (M9691/3) C82.1 2a
- - mixed lymphocytic-histiocytic (M9691/3) C82.1 2a
- non-Burkitt's, undifferentiated cell (M9686/3) C83.6
- noncleaved (diffuse) (M9682/3) C83.3 2a 2b
- - follicular (M9698/3) C82.2 2a
- - large cell (diffuse) (M9682/3) C83.3 2a 2b
- - - follicular (M9698/3) C82.2 2a
- - small cell (diffuse) (M9686/3) C83.0 2a
- non-Hodgkin's type NEC (M9591/3) (*see also Lymphoma, by type*) C85.9 2a 2b
- - resulting from HIV disease B21.2
- peripheral T-cell (M9702/3) C84.4
- - AILD (M9705/3) C84.4
- - angioimmunoblastic lymphadenopathy with dysproteinemia (M9705/3) C84.4
- - pleomorphic
- - - medium and large cell (M9707/3) C84.4
- - - small cell (M9706/3) C84.4
- plasmacytic (M9671/3) C83.8
- plasmacytoid (M9671/3) C83.8
- resulting from HIV disease B21.2
- small cell (diffuse) (M9670/3) C83.0 2a
- - with large cell, mixed (diffuse) (M9675/3) C83.2 2a
- - cleaved (diffuse) (M9672/3) C83.1 2a
- - - and large cell, mixed, follicular (M9691/3) C82.1 2a
- - - follicular (M9695/3) C82.0 2a
- - lymphocytic (diffuse) (M9670/3) C83.0 2a
- - noncleaved (diffuse) (M9686/3) C83.0 2a
- - - Burkitt's (M9687/3) C83.7
- T-cell NEC (M9590/3) C84.5
- - adult (M9827/3) C91.5
- - angiogenic (M9713/3) C85.7
- - peripheral (M9702/3) C84.4
- - - AILD (M9705/3) C84.4
- - - angioimmunoblastic lymphadenopathy with dysproteinemia (M9705/3) C84.4
- - - pleomorphic
- - - - medium and large cell (M9707/3) C84.4
- - - - small cell (M9706/3) C84.4
- true histiocytic (M9723/3) C96.3
- T-zone (M9703/3) C84.2
- undifferentiated cell (M9686/3) C83.6
- - Burkitt's type (M9687/3) C83.7
- Lymphomatosis** (M9590/3) - *see Lymphoma*
- Lymphopathia venereum, veneris** A55
- Lymphopenia** D72.8 2b

Lymphoproliferation, X-linked disease D82.3

Lymphoreticulosis, benign (of inoculation) A28.1

Lymphorrhea I89.8 2b

Lymphosarcoma (diffuse) (M9592/3) C85.0 2b

- cell leukemia (M9850/3) C94.7

- follicular (M9690/3) C82.9

- - mixed cell type (M9691/3) C82.1 2a

- leukemia, leukemic C94.7

Lymphostasis I89.8 2b

Lynch syndrome C18.9 2a 2b

Lysine and hydroxylysine metabolism disorder E72.3

Lysis

- of blood D75.8 2a 2b

- tumor (syndrome) Y43.3 2b E88.8 2a 2b

Lyssa - *see* Rabies

M

Macacus ear Q17.3

Maceration

- fetus (cause not stated) - *see* Death, fetus

- newborn - *see* Death, fetus

- traumatic - *see* Injury, by site

Machado-Joseph's disease G23.8

MacLeod's syndrome J43.0

Macrocephalia, macrocephaly Q75.3

Macrocheilia, macrochilia (congenital) Q18.6

Macrocolon (*see also* Megacolon) Q43.1

Macrocornea Q15.8

- with glaucoma Q15.0

Macrocytic - *see condition*

Macrocytosis D75.8 2a 2b

Macrodactyla, macrodactylism (fingers) (thumbs) Q74.0

- toes Q74.2

Macrodontia K00.2

Macrogenitosomia (adrenal) (male) (precox) E25.9

- congenital E25.0

Macroglobulinemia (essential) (idiopathic) (monoclonal) (primary) C88.0 2a 2b

- monoclonal (essential) D47.2

- Waldenström's (M9761/3) C88.0 2a 2b

Macroglossia (congenital) Q38.2

- acquired K14.8

Macrognathia, macrognathism (congenital) (mandibular) (maxillary) K07.0

Macrogyria (congenital) Q04.8

Macrohydrocephalus (*see also* Hydrocephalus) G91.9 2a 2b

Macromastia (*see also* Hypertrophy, breast) N62

Macrophthalmos Q11.3

- in congenital glaucoma Q15.0

Macropsia H53.1

Macrosigmoid K59.3

- congenital Q43.2

Macrosomia P08.0 2b

Macrostomia (congenital) Q18.4

Macrotia (congenital) (external ear) Q17.1

Macula

- cornea, corneal H17.8

- degeneration (atrophic) (exudative) (senile) H35.3

- - hereditary H35.5

Maculopathy, toxic H35.3

Madarosis (eyelid) H02.7

Madelung's

- deformity (radius) Q74.0

- disease

- - radial deformity Q74.0

- - symmetrical lipomas, neck E88.8 2a 2b

Madura foot B47.9

- mycotic B47.0

Maduromycosis B47.0

Maffucci's syndrome Q78.4

Magnesium metabolism disorder E83.4 2b

Main en griffe (acquired) M21.5

- congenital Q74.0

Maintenance

- chemotherapy NEC Z51.2(1059)

- - neoplasm Z51.1(1060)

- external fixation NEC Z47.8(1061)

- traction NEC Z47.8(1062)

Majocchi's

- disease L81.7

- granuloma B35.8

Major - *see condition*

Mal de mer T75.3

Mal lie (*see also* Presentation, fetal) O32.9

Malabar itch (any site) B35.5

Malabsorption K90.9

- calcium K90.8 2b

- carbohydrate K90.4

- disaccharide E73.9

- fat K90.4

- galactose E74.2 2b

- glucose(-galactose) E74.3

- intestinal K90.9

- - specified NEC K90.8 2b

- isomaltose E74.3

- lactose E73.9

- monosaccharide E74.3

- protein K90.4

- starch K90.4

- sucrose E74.3

- syndrome K90.9

- - postsurgical K91.2 2b

Malacia

- bone (adult) M83.9

- cerebral (*see also* Softening, brain) G93.8 2b

- juvenile (*see also* Rickets) E55.0 2b

Malacoplakia

- bladder N32.8

- pelvis (kidney) N28.8 2a 2b

- ureter N28.8 2a 2b

- urethra N36.8

Maladaptation - *see* Maladjustment

Maladjustment

- conjugal Z63.0(1063)

- educational Z55.4(1064)

- marital Z63.0(1065)

- - involving divorce or estrangement Z63.5(1066)

- occupational NEC Z56.7(1067)

- simple, adult (*see also* Reaction, adjustment) F43.2

- situational (*see also* Reaction, adjustment) F43.2

- social (due to) Z60.9(1068)

- - acculturation difficulty Z60.3(1069)

- - discrimination and persecution (perceived) Z60.5(1070)

- - exclusion and isolation Z60.4(1071)

- - life-cycle (phase of life) transition Z60.0(1072)

- - rejection Z60.4(1073)

- - specified reason NEC Z60.8(1074)

Malaise R53 2b

Malakoplakia - *see* Malacoplakia

Malaria, malarial (fever) B54 2b

- with
 - - blackwater fever B50.8 2b
 - - - hemoglobinuric (bilious) B50.8 2b
 - - hemoglobinuria B50.8 2b
- accidentally induced (therapeutically) - *see Malaria, by type*
- algid B50.9
- cerebral B50.0† G94.8*
- clinically diagnosed (without parasitological confirmation) B54 2b
- complicating pregnancy, childbirth or puerperium O98.6
- congenital NEC P37.4
- - falciparum P37.3
- continued (fever) B50.9
- estivo-autumnal B50.9
- falciparum B50.9
 - - with complications NEC B50.8 2b
 - - - cerebral B50.0† G94.8*
 - - severe B50.8 2b
- malariae (with) B52.9
 - - complications NEC B52.8
 - - glomerular disorder B52.0† N08.0*
 - malignant (tertian) (*see also Malaria, falciparum*) B50.9
- ovale B53.0
 - parasitologically confirmed NEC B53.8
 - pernicious, acute - *see Malaria, falciparum*
 - *Plasmodium (P.)*
 - - *falciparum* NEC (*see also Malaria, falciparum*) B50.9
 - - - with other *Plasmodium* (*see also Malaria, falciparum*) B50-
 - - *malariae* NEC B52.9
 - - - with *Plasmodium*
 - - - - *falciparum* (and *vivax*) (*see also Malaria, falciparum*) B50-
 - - - - *vivax* (*see also Malaria, vivax*) B51-
 - - - - and *falciparum* (*see also Malaria, falciparum*) B50-
 - - *ovale* B53.0
 - - - with *Plasmodium malariae* (*see also Malaria, malariae*) B52-
 - - - and *vivax* (*see also Malaria, vivax*) B51-
 - - - - and *falciparum* (*see also Malaria, falciparum*) B50-
 - - simian B53.1
 - - - with *Plasmodium malariae* (*see also Malaria, malariae*) B52-
 - - - and *vivax* (*see also Malaria, vivax*) B51-
 - - - - and *falciparum* (*see also Malaria, falciparum*) B50
 - - *vivax* NEC B51.9
 - - - with *Plasmodium falciparum* (*see also Malaria, falciparum*) B50-
 - quartan (*see also Malaria, malariae*) B52.9
 - quotidian (*see also Malaria, falciparum*) B50.9
 - recurrent B54 2b
 - remittent B54 2b
 - specified type NEC (parasitologically confirmed) B53.8
 - subtertian (fever) (*see also Malaria, falciparum*) B50.9
 - tertian (benign) (*see also Malaria, vivax*) B51.9
 - - malignant B50.9
 - tropical B50.9
 - vivax (with) B51.9
 - - complications NEC B51.8
 - - ruptured spleen B51.0† D77* 2b
 - Malassez's disease (cystic)** N50.8
 - Maldescent, testis** Q53.9
 - bilateral Q53.2
 - unilateral Q53.1
 - Maldevelopment** - *see also Anomaly*
 - colon Q43.9
 - hip Q74.2
 - - congenital dislocation Q65.2
 - - - bilateral Q65.1
 - - - unilateral Q65.0
 - mastoid process Q75.8 2b

- middle ear Q16.4

- spine Q76.4

- toe Q74.2

Male type pelvis Q74.2

- with disproportion (fetopelvic) O33.3

- - affecting fetus or newborn P03.1

- - causing obstructed labor O65.3

Malformation (congenital) - *see also* Anomaly

- affecting multiple systems

- - with skeletal changes specified NEC Q87.5

- aortic valve Q23.9

- - specified NEC Q23.8

- arteriovenous (aneurysmatic) (congenital) Q27.3

- - brain Q28.2 2a 2b

- - - ruptured I60.8 2a 2b

- - precerebral vessels (nonruptured) Q28.0

- auricle

- - ear (congenital) (*see also* Deformity, ear) Q17.3

- brain (multiple) Q04.9

- - vascular Q28.3 2a 2b

- - - telangiectatic I78.0

- branchial cleft Q18.2

- cerebral Q04.9

- Chiari - *see* Arnold-Chiari obstruction or syndrome

- choroid (congenital) Q14.3

- - plexus Q07.8

- circulatory system NEC Q28.9 2b

- cloaca Q43.9

- corpus callosum (congenital) Q04.0

- cystic adenomatoid (lung) Q33.0

- diaphragm Q79.1 2b

- dura Q07.9

- - brain Q04.9

- - spinal Q06.9

- eye Q15.9

- - specified NEC Q15.8

- gum Q38.6

- heart NEC Q24.9 2a 2b

- internal ear Q16.5

- lung Q33.9

- meninges or membrane (congenital) Q07.9

- - cerebral Q04.8

- - spinal (cord) Q06.9

- mitral valve Q23.9

- - specified NEC Q23.8

- mouth (congenital) NEC Q38.6

- nervous system (central) Q07.9

- pelvic organs or tissues NEC

- - in pregnancy or childbirth O34.8

- - - affecting fetus or newborn P03.8

- - - causing obstructed labor O65.5

- - - - affecting fetus or newborn P03.1

- placenta O43.1

- precerebral vessels Q28.1

- respiratory system Q34.9

- skin NEC Q82.9

- specified NEC Q89.8

- spinal

- - cord Q06.9

- - nerve root Q07.8

- spine Q76.4

- throat Q38.8

- tongue (congenital) Q38.3

- umbilical cord NEC (complicating delivery) O69.8

- - affecting fetus or newborn P02.6

- urinary system Q64.9
- Malfunction** - *see also* Dysfunction
 - cardiac pacemaker (electrode(s)) (pulse generator) T82.1
 - catheter device NEC T85.6
 - - dialysis (renal) (vascular) T82.4
 - - intraperitoneal T85.6
 - - infusion NEC T82.5
 - - - spinal (epidural) (subdural) T85.6
 - - urinary, indwelling T83.0
 - colostomy K91.4
 - cystostomy (stoma) N99.5
 - - catheter T83.0
 - enteric stoma K91.4
 - enterostomy K91.4
 - gastrostomy K91.8 2a 2b
 - ileostomy K91.4
 - jejunostomy K91.4
 - pacemaker T82.1
 - prosthetic device, internal - *see* Complications, prosthetic device, by site, mechanical
 - respiratory center G93.8 2b
 - tracheostomy J95.0
 - urinary device NEC T83.1
 - vascular graft or shunt NEC T82.3
 - - coronary artery T82.2
 - ventricular (communicating shunt) T85.0

Malherbe's tumor (M8110/0) - *see* Neoplasm, skin, benign

Malignancy (M8000/3) - *see* Neoplasm, malignant

Malignant - *see* condition

Malingerer, malingering Z76.5(1075)

Mallet finger (acquired) M20.0

- congenital Q74.0

- late effect of rickets E64.3 2a 2b

Malleus A24.0 2a

Mallory's bodies R89.7 2b

Mallory-Weiss (syndrome) (tear) K22.6

Malnourishment E46 2a 2b

Malnutrition E46 2a 2b

- degree

- - first E44.1

- - mild E44.1

- - moderate E44.0

- - second E44.0

- - - severe (protein-energy) E43 2b

- - - intermediate form (with) E42

- - - - kwashiorkor (and marasmus) E42

- - - - marasmus E41 2b

- - third E43 2b

- extreme E43 2b

- in pregnancy, childbirth or puerperium O25

- intrauterine or fetal P05.2

- - light-for-dates P05.0

- - small-for-dates P05.1

- lack of care, or neglect (child) (infant) T74.8

- malignant E40

- maternal, affecting fetus or newborn P00.4

- protein E46 2a 2b

- - calorie E46 2a 2b

- - - mild E44.1

- - - moderate E44.0

- - - severe E43 2b

- - - - intermediate form (with) E42

- - - - - kwashiorkor (and marasmus) E42

- - - - - marasmus E41 2b

- - energy E46 2a 2b

- - - mild E44.1

- - - moderate E44.0
- - - severe E43 2b
- - - intermediate form (with) E42
- - - - kwashiorkor (and marasmus) E42
- - - - marasmus E41 2b
- severe (protein-energy) (with) E43 2b
- - kwashiorkor (and marasmus) E42
- - marasmus E41 2b

Malocclusion (teeth) K07.4

- due to
- - abnormal swallowing K07.5
- - displaced or missing teeth K07.3
- - mouth breathing K07.5
- - tongue, lip or finger habits K07.5
- temporomandibular (joint) K07.6

Malposition

- cervix - *see* Malposition, uterus
- congenital
- - adrenal (gland) Q89.1
- - alimentary tract Q45.8 2b
- - - lower Q43.8
- - - upper Q40.8
- - aorta Q25.4
- - appendix Q43.8
- - arterial trunk Q20.0
- - artery (peripheral) Q27.8 2a 2b
- - - coronary Q24.5
- - - pulmonary Q25.7
- - auditory canal Q17.8
- - - causing impairment of hearing Q16.9
- - auricle (ear) Q17.4
- - - causing impairment of hearing Q16.9
- - - cervical Q18.2
- - biliary duct or passage Q44.5
- - bladder (mucosa) Q64.1
- - - exteriorized or extroverted Q64.1
- - brachial plexus Q07.8
- - brain tissue Q04.8
- - breast Q83.8
- - bronchus Q32.4
- - cecum Q43.8
- - clavicle Q74.0
- - colon Q43.8
- - digestive organ or tract NEC Q45.8 2b
- - - lower Q43.8
- - - upper Q40.8
- - ear (auricle) (external) Q17.4
- - - ossicles Q16.3
- - endocrine (gland) NEC Q89.2
- - epiglottis Q31.8
- - eustachian tube Q16.4
- - eye Q15.8
- - facial features Q18.8
- - fallopian tube Q50.6
- - finger(s) Q68.1
- - - supernumerary Q69.0
- - foot Q66.9
- - gallbladder Q44.1
- - gastrointestinal tract Q45.8 2b
- - genitalia, genital organ(s) or tract
- - - female Q52.8 2b
- - - - external Q52.7
- - - - internal NEC Q52.8 2b
- - - male Q55.8
- - glottis Q31.8

- - hand Q68.1
- - heart Q24.8 2b
- - - dextrocardia Q24.0
- - - - with complete transposition of viscera Q89.3
- - hepatic duct Q44.5
- - hip (joint) Q65.8
- - intestine (large) (small) Q43.8
- - - with anomalous adhesions, fixation or malrotation Q43.3
- - joint NEC Q68.8
- - kidney Q63.2
- - larynx Q31.8
- - limb Q68.8
- - - lower Q68.8
- - - upper Q68.8
- - liver Q44.7
- - lung (lobe) Q33.8
- - nail(s) Q84.6
- - nerve Q07.8
- - nervous system NEC Q07.8
- - nose, nasal (septum) Q30.8
- - organ or site not listed - *see Anomaly, by site*
- - ovary Q50.3
- - pancreas Q45.3
- - parathyroid (gland) Q89.2
- - patella Q74.1
- - peripheral vascular system Q27.8 2a 2b
- - pituitary (gland) Q89.2
- - respiratory organ or system NEC Q34.8
- - rib (cage) Q76.6
- - - supernumerary in cervical region Q76.5
- - scapula Q74.0
- - shoulder Q74.0
- - spinal cord Q06.8
- - spleen Q89.0
- - sternum NEC Q76.7
- - stomach Q40.2
- - symphysis pubis Q74.2
- - thymus (gland) Q89.2
- - thyroid (gland) (tissue) Q89.2
- - - cartilage Q31.8
- - toe(s) Q66.9
- - - supernumerary Q69.2
- - tongue Q38.3
- - trachea Q32.1
- - uterus Q51.8
- - vein(s) (peripheral) Q27.8 2a 2b
- - - great Q26.8
- - vena cava (inferior) (superior) Q26.8
- device, implant or graft (*see also Complications, by site and type, mechanical*) T85.6
- - arterial graft NEC T82.3
- - - coronary (bypass) T82.2
- - breast (implant) T85.4
- - catheter NEC T85.6
- - - dialysis (renal) T82.4
- - - - intraperitoneal T85.6
- - - infusion NEC T82.5
- - - - spinal (epidural) (subdural) T85.6
- - - urinary (indwelling) T83.0
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.3
- - - cardiac T82.1
- - - - nervous system (brain) (peripheral nerve) (spinal) T85.1
- - - urinary T83.1
- - fixation, internal (orthopedic) NEC T84.2
- - - bones of limb T84.1

- - gastrointestinal (bile duct) (esophagus) T85.5
- - genital NEC T83.4
- - - intrauterine contraceptive device T83.3 2b
- - heart NEC T82.5
- - - valve (prosthesis) T82.0
- - - - graft T82.2
- - joint prosthesis T84.0
- - ocular (canal graft) (orbital implant) NEC T85.3
- - - intraocular lens T85.2
- - orthopedic NEC T84.4
- - - bone graft T84.3
- - specified NEC T85.6
- - urinary NEC T83.1
- - - graft T83.2
- - vascular NEC T82.5
- - ventricular intracranial shunt T85.0
- fetus NEC (*see also* Presentation, fetal) O32.9
- - causing obstructed labor O64.9
- - in multiple gestation (of one fetus or more) O32.5
- - - causing obstructed labor O64.8
- gallbladder K82.8
- heart, congenital NEC Q24.8 2b
- pelvic organs or tissues NEC, in pregnancy or childbirth O34.8
- - causing obstructed labor O65.5
- placenta (*see also* Placenta, previa) O44.1
- stomach K31.8 2a
- tooth, teeth (with impaction) K07.3
- uterus (acquired) (acute) (adherent) (any degree) (asymptomatic) (postinfectional) (postpartal, old) N85.4
- - anteflexion or anteversion (*see also* Anteversion, uterus) N85.4
- - flexion N85.4
- - - lateral (*see also* Lateroversion, uterus) N85.4
- - in pregnancy or childbirth O34.5
- - - causing obstructed labor O65.5
- - inversion N85.5
- - lateral (flexion) (version) (*see also* Lateroversion, uterus) N85.4
- - retroflexion or retroversion (*see also* Retroversion, uterus) N85.4

Malposture R29.3

Malpresentation, fetus (*see also* Presentation, fetal) O32.9

Malrotation

- cecum Q43.3
- colon Q43.3
- intestine Q43.3
- kidney Q63.2

Maltreatment (of)

- child NEC T74.9
- personal history of Z91.8(1076)
- syndrome
- - abuse of adult (effects of) T74.9
- - child abuse (effects of) T74.9

Maltworker's lung J67.4

Malunion, fracture M84.0

Mammillitis N61 2b

- puerperal, postpartum O91.0

Mammitis - *see* Mastitis

Mammogram (examination) Z12.3(1077)

- routine Z01.6(1078)

Management (of)

- bone conduction device (implanted) Z45.3(1079)
- cardiac pacemaker NEC Z45.0(1080)
- cochlear device (implanted) Z45.3(1081)
- contraceptive Z30.9(1082)
- - specified NEC Z30.8(1083)
- implanted device Z45.9(1084)
- - specified NEC Z45.8(1085)
- infusion pump Z45.1(1086)

- procreative Z31.9(1087)
- - specified NEC Z31.8(1088)
- prosthesis (external) (*see also* Fitting) Z44.9(1089)
- - implanted Z45.9(1090)
- - - specified NEC Z45.8(1091)
- vascular access device Z45.2(1092)

Mangled T07 2a 2b

- specified site - *see* Injury, by site

Mania (monopolar) F30.9

- with psychotic symptoms F30.2
- alcoholic (acute) (chronic) F10.5
- Bell's F30.8
- chronic (recurrent) F31.8
- hysterical F44.8
- puerperal F30.8
- recurrent F31.8
- without psychotic symptoms F30.1

Manic-depressive (illness) (psychosis) (reaction) F31.9**Mannosidosis** E77.1**Mansonelliasis, mansonellosis** B74.4**Manson's**

- disease B65.1
- pyrosis L00
- schistosomiasis B65.1

Manual - *see condition***Maple-bark-stripper's lung** J67.6**Maple-syrup-urine disease** E71.0**Marasmus** E41 2b

- due to malnutrition E41 2b
- intestinal E41 2b
- nutritional E41 2b
- senile R54 2a 2b
- tuberculous NEC (see also Tuberculosis) A16.9 2a 2b

Marble

- bones Q78.2
- skin R23.8 2b

Marburg virus disease A98.3**March**

- fracture M84.3
- hemoglobinuria D59.6

Marchesani(-Weill) syndrome Q87.0**Marchiafava(-Bignami) syndrome or disease** G37.1**Marchiafava-Micheli syndrome** D59.5**Marcus Gunn's syndrome** Q07.8**Marden Walker syndrome** Q89.7 2a 2b**Marfan's syndrome** Q87.4**Marginal implantation, placenta** - *see* Placenta, previa**Marie-Bamberger disease** M89.4 2a 2b**Marie-Charcot-Tooth neuropathic muscular atrophy** G60.0 2a 2b**Marie's**

- cerebellar ataxia (late-onset) G11.2
- disease or syndrome (acromegaly) E22.0 2a

Marie-Strümpell arthritis, disease or spondylitis M45**Marion's disease** N32.0**Marital conflict** Z63.0(1093)**Mark**

- port wine Q82.5
- raspberry Q82.5
- strawberry Q82.5
- stretch L90.6
- tattoo L81.8 2b

Marker heterochromatin Q95.4**Maroteaux-Lamy syndrome (mild) (severe)** E76.2**Marquio's (mucopolysaccaridosis) disease** E76.2**Marrow (bone)**

- arrest D61.9 2b
- poor function D61.9 2b

Martorell-Fabre syndrome (pulseless disease) M31.4

Masculinization (female) with adrenal hyperplasia E25.9

- congenital E25.0

Masochism (sexual) F65.5

Mason's lung J62.8

Mass R99 2a 2b

- abdominal R19.0 2b

- brain G93.9 2a 2b

- breast N63

- cerebral hemisphere G93.9 2a 2b

- chest R22.2 2b

- cystic - *see* Cyst

- epigastric R19.0 2b

- fetus - *see* Anomaly, by site

- head R22.0

- hilar (lung) R91 2a 2b

- intra-abdominal (diffuse) (generalized) R19.0 2b

- intracranial R90.0

- kidney N28.8 2a 2b

- localized (skin) R22.9

- - chest R22.2 2b

- - head R22.0

- - limb

- - - lower R22.4

- - - upper R22.3

- - multiple sites R22.7

- - neck R22.1

- - trunk R22.2 2b

- lower quadrant NEC R19.0 2b

- lung R91 2a 2b

- malignant (M8000/3) - *see* Neoplasm, malignant

- metastatic (any site) - *see* Metastatic, cancer or neoplasm

- neck R22.1

- pelvic (diffuse) (generalized) R19.0 2b

- peritoneum (abdominal) K66.9

- shoulder (soft tissue) R22.3

- specified organ NEC - *see* Disease, by site

- - fetus - *see* Anomaly, by site

- substernal thyroid (*see also* Goiter) E04.9

- superficial (localized) R22.9

- umbilical (diffuse) (generalized) R19.0 2b

- upper quadrant NEC R19.0 2b

Massive - *see condition*

Mast cell

- disease, systemic tissue (M9741/3) C96.2

- leukemia (M9900/3) C94.3

- sarcoma (M9740/3) C96.2

- tumor (M9740/1) D47.0

- - malignant (M9740/3) C96.2

Mastalgia N64.4

- psychogenic F45.4

Masters-Allen syndrome N83.8

Mastitis (acute) (infective) (nonpuerperal) (subacute) N61 2b

- chronic (cystic) N60.1

- - with epithelial proliferation N60.3

- cystic (Schimmelbusch's type) N60.1

- - with epithelial proliferation N60.3

- infective N61 2b

- - newborn P39.0

- interstitial, gestational or puerperal O91.2

- neonatal (noninfective) P83.4

- - infective P39.0

- puerperal, postpartum or gestational (interstitial) (nonpurulent) (parenchymatous) O91.2

- - purulent O91.1

Mastocytoma (M9740/1) D47.0

- malignant (M9740/3) C96.2

Mastocytosis Q82.2

- malignant (M9741/3) C96.2

Mastodyn ia N64.4

- psychogenic F45.4

Mastoid - *see condition*

Mastoidalgia H92.0

Mastoiditis (coalescent) (hemorrhagic) (suppurative) H70.9 2b

- acute, subacute H70.0

- chronic (necrotic) (recurrent) H70.1

- in (due to)

- - infectious disease NEC B99† 2a 2b H75.0*

- - parasitic disease NEC B89† 2a 2b H75.0*

- - tuberculosis A18.0† 2a 2b H75.0*

- specified NEC H70.8

- tuberculous A18.0† 2a 2b H75.0*

Mastopathy, mastopathia N64.9 2b

- chronica cystica N60.1

- - with epithelial proliferation N60.3

- cystic (chronic) (diffuse) N60.1

- - with epithelial proliferation N60.3

- diffuse cystic N60.1

- - with epithelial proliferation N60.3

- estrogenic, oestrogenica N64.8

- ovarian origin N64.8

Mastoplastia N62

Masturbation (excessive) F98.8

Maternal care (for) (known) (suspected)

- abnormality - *see also condition*

- - cervix uteri NEC O34.4

- - gravid uterus NEC O34.5

- - pelvic organs O34.9

- - - specified NEC O34.8

- - vagina O34.6

- - vulva and perineum O34.7

- breech presentation O32.1 2b

- central nervous system malformation, fetus O35.0

- cervical incompetence O34.3

- chromosomal abnormality, fetus O35.1

- compound presentation O32.6

- congenital malformation, uterus O34.0

- damage to fetus from

- - alcohol O35.4 2a

- - drugs O35.5

- - maternal

- - - alcohol addiction O35.4 2a

- - - cytomegalovirus infection O35.3

- - - drug addiction O35.5

- - - listeriosis O35.8

- - - rubella O35.3

- - - toxoplasmosis O35.8

- - - viral disease O35.3

- - medical procedure NEC O35.7

- - radiation O35.6

- disproportion (fetopelvic) (due to) O33.9 2a

- - deformity of maternal pelvic bones O33.0

- - fetal deformity NEC O33.7

- - generally contracted maternal pelvis O33.1

- - hydrocephalic fetus O33.6

- - inlet contraction, maternal pelvis O33.2

- - mixed maternal and fetal origin O33.4

- - origin NEC O33.8

- - outlet contraction, maternal pelvis O33.3

- - unusually large fetus O33.5
- excessive fetal growth O36.6
- face, brow and chin presentation O32.3
- fetal
 - - abnormality O35.9
 - - - specified NEC O35.8
 - - anencephaly O35.0
 - - damage O35.9
 - - - specified NEC O35.8
 - - hypoxia (unrelated to labor and delivery) O36.3
 - - problem O36.9
 - - - specified NEC O36.8
 - - spina bifida O35.0
- habitual aborter (during pregnancy) O26.2
- hereditary disease, fetus O35.2
- high head at term (pregnancy) O32.4
- hydrops fetalis NEC (not due to isoimmunization) O36.2
- intrauterine death (late) O36.4
- isoimmunization (ABO) O36.1
- - Rh (rhesus) (anti-D) O36.0
- malpresentation (fetus) O32.9
- - specified NEC O32.8
- multiple gestation with malpresentation of one fetus or more O32.5
- placental insufficiency O36.5
- poor fetal growth O36.5
- transverse and oblique lie O32.2
- tumor
 - - corpus uteri O34.1
 - - vagina O34.6
- unstable lie O32.0
- uterine scar from previous surgery O34.2
- viable fetus in abdominal pregnancy O36.7

Maternal condition, affecting fetus or newborn P00.9

- acidosis P00.8
- acute yellow atrophy of liver P00.8
- alcohol use P04.3
- anemia P00.8
- anesthesia or analgesia P04.0
- antibodies - *see* Antibodies, maternal (blood group)
- anticardiolipin (antibody) (syndrome) P00.8
- antiphospholipid syndrome P00.8
- appendicitis P00.8
- autoimmune disease P00.8
- asthma P00.3
- bipolar P00.8
- bleeding
 - - vaginal P02.1 2a
- blood loss (gestational) P02.1 2a
- bulging membranes P02.8
- cancer chemotherapy P04.1
- cardiomyopathy P00.3
- cesarean section, previous P03.8
- cerebral palsy P00.8
- cholestasis P00.8
- chorioamnionitis P02.7
- circulatory disease (conditions in I00-I99, Q20-Q28) P00.3
- cirrhosis (biliary) P00.8
- complication of pregnancy NEC P01.9
- conditions NEC in
 - - A00-B99 P00.2
 - - E00-E07 P00.8
 - - E10-E14 P70.1 2b
 - - E40-E64 P00.4
 - - I00-I99 P00.3
 - - J00-J06.9 P00.3

- - J09-J11 P00.2
- - J12.0-J98.9 P00.3
- - N00-N39 P00.1
- - O10-O11 P00.0
- - O13-O16 P00.0
- - Q20-Q28 P00.3
- - Q30-Q34 P00.3
- - S00-T79 P00.5
- congenital heart disease (conditions in Q20-Q24) P00.3
- cortical necrosis of kidney P00.1
- cramps (abdominal) P01.8
- Crohn's disease P00.8
- cytotoxic drug P04.1
- death P01.6
- deficiency
 - - protein S P00.8
- degeneration
 - - villa, villous P02.8
- depression P00.8
- disseminated intravascular coagulation (DIC) P02.1 2a
- diabetes mellitus (conditions in E10-E14) P70.1 2b
- - class A1 or A2 P70.0
- - gestational P70.0
- disease NEC P00.9
- drug abuse or addiction or dependence P04.4
- drug use NEC P04.9
- - listed under addiction or dependence P04.4
- - named drug
 - - - listed under addiction or dependence P04.4
 - - not listed under addiction or dependence P04.8
- early onset of delivery P07.3 2a 2b
- eclampsia P00.0
- edema (gestational) P00.8
- elevated AFP P00.8
- elevated enzymes P00.8
- elevated serum hCG P00.8
- exposure to environmental chemical substances P04.6
- factor V Leiden mutation P00.8
- fatty
 - - liver, acute P00.8
 - febrile P00.8
- fibroid (uterus) P03.8
- funneling of cervix P01.0
- gastric banding P00.6
- gastric bypass P00.6
- genital tract infections NEC P00.8
- glomerular diseases (conditions in N00-N08) P00.1
- glucose intolerance P00.8
- glycosuria P00.8
- hematoma
 - - retroperitoneal P00.8
 - hemolytic-uremic syndrome P00.8
- hemorrhage
 - - gestational P02.1 2a
 - - intestinal P00.8
 - - subchorionic P02.1 2a
- hepatitis (malignant) P00.8
- - acute or subacute P00.2
- heterozygote C677T (MTHFR) P00.8
- high blood sugar P00.8
- HIV positive P00.8
- hypercoagulation (state) P00.8
- hyperemesis (gravidarum) P01.8
- hyperglycemia P00.8
- hypertension (conditions in O10-O11, O13-O16) P00.0

- hyperthyroidism P00.8
- hypoglycemia P00.8
- infection NEC P00.2
 - - chlamydia P00.2
 - - streptococcal B P00.2
- infectious and parasitic diseases (conditions in A00-B99, J09-J11) P00.2
- influenza P00.2
 - - manifest influenza in the infant P35.8
- injury (conditions in S00-T79) P00.5
- insufficiency
 - - cervical P01.0
 - - intrauterine coil P00.8
- ketoacidosis P00.8
- kidney stone(s) P00.1
- leukocytosis P00.8
- lipoproteinemia (elevated) P00.8
- lupus P00.8
- malaria P00.2
 - - manifest malaria NEC in infant or fetus P37.4
 - - - falciparum P37.3
- malnutrition P00.4
- mental illness P00.8
- mirror syndrome P01.8
- MTHFR P00.8
- myocardial infarction (history of) P00.3
- nausea P01.8
- necrosis of liver P00.8
- neoplasm NEC P00.8
- nephritis, nephrotic syndrome and nephrosis (conditions in N00-N08) P00.1
- noxious influence transmitted via breast milk or placenta P04.9
- - specified NEC P04.8
- nutritional disorder (conditions in E40-E64) P00.4
- obesity P00.8
- operation (unrelated to current pregnancy) P00.6
- parvovirus P00.2
- pre-eclampsia P00.0
- previous surgery, uterus or pelvic organs P03.8
- proteinuria P00.1
- pyelitis or pyelonephritis P00.1
- renal disease or failure P00.1
- respiratory disease (conditions in J00-J06, J12-J99, Q30-Q34) P00.3
- rheumatic heart disease (chronic) (conditions in I05-I09) P00.3
- rheumatoid arthritis P00.8
- rubella (conditions in B06 2a) P00.2
 - - manifest rubella in the infant or fetus P35.0 2a 2b
- seizure (disorder) P00.0
- septate vagina P03.8
- shock (hypovolemic) P00.8
- short, shortened cervix P00.8
- specified NEC P00.8
- stenosis or stricture of vagina P03.8
- surgery (unrelated to current pregnancy) P00.6
- - to uterus or pelvic organs P03.8
- syncope P00.8
- syphilis (conditions in A50-A53) P00.2
 - - manifest syphilis in the infant or fetus A50.0 2a 2b
- thalassemia P00.8
- thrombocytopenia P00.8
- thrombophlebitis P00.3
- thrombophilia P00.8
- tobacco use P04.2
- toxemia (of pregnancy) P00.0
- toxoplasmosis (conditions in B58-) P00.2
 - - manifest toxoplasmosis (acute) (chronic) (subacute) in the infant or fetus P37.1
- transmission of chemical substance through the placenta (*see also* Absorption, chemical, through placenta) P04.8

- uremia P00.1
- urinary tract conditions (conditions in N00-N39) P00.1
- vaginal leaking (amniotic fluid) P01.1 2a
- vaginosis, bacterial P00.8
- vomiting (pernicious) (persistent) (vicious) P01.8
- Von Willebrand's disease P00.8

Mauclaire's disease or osteochondrosis M92.2

Maxilla, maxillary - *see condition*

May(-Hegglin) anomaly or syndrome D72.0 2b

McArdle(-Schmid)(-Pearson) disease (glycogen storage) E74.0 2a 2b

McCune-Albright syndrome Q78.1

Meadow's syndrome Q86.1

Measles (black) (hemorrhagic) (suppressed) B05.9

- with

- - complications NEC B05.8
- - encephalitis B05.0† G05.1*
- - intestinal complications B05.4† K93.8*
- - keratitis (keratoconjunctivitis) B05.8† H19.2*
- - meningitis B05.1† 2a 2b G02.0*
- - otitis media B05.3† H67.1*
- - pneumonia B05.2† J17.1* 2a
- German (*see also* Rubella) B06.9

Meatitis, urethral (*see also* Urethritis) N34.2

Meatus, meatal - *see condition*

Meckel-Gruber syndrome Q61.9

Meckel's diverticulitis, diverticulum (displaced) (hypertrophic) Q43.0

Meconium P03.8

- foul smelling, fetus or newborn P03.8
- heavy, fetus or newborn P03.8
- ileus, fetus or newborn E84.1† 2b P75* 2b
- in liquor - *see also* Distress, fetal
- - complicating labor and delivery O68.1
- light, fetus or newborn P03.8
- obstruction, fetus or newborn P76.0
- - in mucoviscidosis E84.1† 2b P75* 2b
- particulate, fetus or newborn P03.8
- passage of - *see* Distress, fetal
- peritonitis P78.0
- plug syndrome (newborn) NEC P76.0
- stain
- - fetus or newborn P20.9
- thick, fetus or newborn P03.8

Median - *see also condition*

- bar (prostate) (vesical orifice) N40 2a 2b

Mediastinitis (acute) (chronic) J98.5

- syphilitic A52.7† 2a 2b J99.8*
- tuberculous A16.8 2a 2b

Mediastinopericarditis (*see also* Pericarditis) I31.9 2b

- rheumatic (chronic) I09.2 2b

- - active or acute I01.0 2a 2b

Mediastinum, mediastinal - *see condition*

Medicine poisoning (by overdose) (wrong substance given or taken in error) T50.9 2a 2b

- specified drug or substance - *see* Table of drugs and chemicals

Mediterranean

- disease or syndrome (hemipathic) D56.9
- fever A23.9
- - familial E85.0

Medulla - *see condition*

Medullary cystic kidney Q61.5

Medullated fibers

- optic (nerve) Q14.8
- retina Q14.1

Medulloblastoma (M9470/3)

- desmoplastic (M9471/3) C71.6
- specified site - *see* Neoplasm, malignant

- unspecified site C71.6

Medulloepithelioma (M9501/3) - *see also* Neoplasm, malignant

- teratoid (M9502/3) - *see* Neoplasm, malignant

Medullomyoblastoma (M9472/3)

- specified site - *see* Neoplasm, malignant

- unspecified site C71.6

Megacolon (acquired) (functional) (not Hirschsprung's disease) (in) K59.3

- Chagas' disease B57.3† K93.1*

- congenital, congenitum (aganglionic) Q43.1

- Hirschsprung's (disease) Q43.1

- toxic K59.3

Megacystis N32.8

Megaesophagus (functional) K22.0

- congenital Q39.5

- in (due to) Chagas' disease B57.3† K23.1*

Megalencephaly Q04.5

Megalerythema (epidemic) B08.3

Megaloappendix Q43.8

Megalocephalus, megalcephaly NEC Q75.3

Megalocornea Q15.8

- with glaucoma Q15.0

Megalocystis, megalocystitis N32.8

Megalodactylia (congenital) (fingers) (thumbs) Q74.0

- toes Q74.2

Megaloduodenum Q43.8

Megaloesophagus (functional) K22.0

- congenital Q39.5

Megalogastria (acquired) K31.8 2a

- congenital Q40.2

Megalophthalmos Q11.3

Megalopsia H53.1

Megalosplenia - *see* Splenomegaly

Megaloureter N28.8 2a 2b

- congenital Q62.2

Megarectum K62.8

Megasigmoid K59.3

- congenital Q43.2

Megaureter N28.8 2a 2b

- congenital Q62.2

Megavitamin-B₆ syndrome E67.2

Megrin - *see* Migraine

Meibomian

- cyst, infected H00.0

- gland - *see condition*

- sty, stye H00.0

Meibomitis H00.0

Meige's syndrome Q82.0 2b

Meig's syndrome D27

Melancholia F32.9 2b

- senile F03 2a 2b

Melanemia R79.8 2a 2b

Melanoameloblastoma (M9363/0) - *see* Neoplasm, bone, benign

Melanoblastoma (M8720/3) - *see* Melanoma

Melanoblastosis

- Bloch-Sulzberger Q82.3

- cutis linearis sive systematisata Q82.8 2b

Melanocarcinoma (M8720/3) - *see* Melanoma

Melanocytoma, eyeball (M8726/0) D31.9

Melanoderma, melanodermia L81.4

Melanodontia, infantile K02.4

Melanodontoclasia K02.4

Melanoepithelioma (M8720/3) - *see* Melanoma

Melanoma (malignant) (M8720/3) C43.9 2a 2b

Note - Except where otherwise indicated, the morphological varieties of melanoma in the list below should be coded by site as for "Melanoma (malignant)", i.e. according to the list under "site classification" below. Internal sites should be coded to malignant

neoplasm of those sites.

- acral lentiginous, malignant (M8744/3)
- amelanotic (M8730/3)
- balloon cell (M8722/3)
- benign (M8720/0) - *see* Nevus
- desmoplastic, malignant (M8745/3)
- epithelioid cell (M8771/3)
- - with spindle cell, mixed (M8770/3)
- in
 - - giant pigmented nevus (M8761/3)
 - - Hutchinson's melanotic freckle (M8742/3)
 - - junctional nevus (M8740/3)
 - - precancerous melanosis (M8741/3)
- in situ (M8720/2)
- - abdominal wall D03.5
- - ala nasi D03.3
- - ankle D03.7
- - anus, anal (margin) (skin) D03.5
- - arm D03.6
- - auditory canal D03.2
- - auricle (ear) D03.2
- - auricular canal (external) D03.2
- - axilla, axillary fold D03.5
- - back D03.5
- - breast D03.5
- - brow D03.3
- - buttock D03.5
- - canthus (eye) D03.1
- - cheek (external) D03.3
- - chest wall D03.5
- - chin D03.3
- - choroid D03.8
- - conjunctiva D03.8
- - ear (external) D03.2
- - external meatus (ear) D03.2
- - eye D03.8
- - eyebrow D03.3
- - eyelid (lower) (upper) D03.1
- - face NEC D03.3
- - female genital organ (external) NEC D03.8
- - finger D03.6
- - flank D03.5
- - foot D03.7
- - forearm D03.6
- - forehead D03.3
- - foreskin D03.8
- - gluteal region D03.5
- - groin D03.5
- - hand D03.6
- - heel D03.7
- - helix D03.2
- - hip D03.7
- - interscapular region D03.5
- - iris D03.8
- - jaw D03.3
- - knee D03.7
- - labium (majus) (minus) D03.8
- - lacrimal gland D03.8
- - leg D03.7
- - lip (lower) (upper) D03.0
- - lower limb NEC D03.7
- - male genital organ (external) NEC D03.8
- - nail D03.9
- - - finger D03.6
- - - toe D03.7

- - neck D03.4
- - nose (external) D03.3
- - orbit D03.8
- - penis D03.8
- - perianal skin D03.5
- - perineum D03.5
- - pinna D03.2
- - popliteal fossa or space D03.7
- - prepuce D03.8
- - pubes D03.5
- - pudendum D03.8
- - retina D03.8
- - retrobulbar D03.8
- - scalp D03.4
- - scrotum D03.8
- - shoulder D03.6
- - skin NEC D03.9
- - specified site NEC D03.8
- - submammary fold D03.5
- - temple D03.3
- - thigh D03.7
- - toe D03.7
- - trunk NEC D03.5
- - umbilicus D03.5
- - upper limb NEC D03.6
- - vulva D03.8
- juvenile (M8770/0) - *see* Nevus
- malignant, of soft parts (M9044/3) - *see* Neoplasm, connective tissue, malignant
- neurotropic, malignant (M8745/3)
- nodular (M8721/3)
- regressing, malignant (M8723/3)
- site classification
 - - abdominal (wall) C43.5 2a 2b
 - - ala nasi C43.3 2b
 - - ankle C43.7
 - - anus, anal C21.0
 - - - margin (skin) C43.5 2a 2b
 - - arm C43.6 2a 2b
 - - auditory canal (external) C43.2
 - - auricle (ear) C43.2
 - - auricular canal (external) C43.2
 - - axilla, axillary fold C43.5 2a 2b
 - - back C43.5 2a 2b
 - - breast (female) (male) C43.5 2a 2b
 - - brow C43.3 2b
 - - buttock C43.5 2a 2b
 - - canthus (eye) C43.1
 - - cheek (external) C43.3 2b
 - - chest wall C43.5 2a 2b
 - - chin C43.3 2b
 - - choroid C69.3
 - - conjunctiva C69.0
 - - ear (external) C43.2
 - - elbow C43.6 2a 2b
 - - external meatus (ear) C43.2
 - - eye C69.9
 - - eyebrow C43.3 2b
 - - eyelid (lower) (upper) C43.1
 - - face NEC C43.3 2b
 - - female genital organ (external) NEC C51.9
 - - finger C43.6 2a 2b
 - - flank C43.5 2a 2b
 - - foot C43.7
 - - forearm C43.6 2a 2b
 - - forehead C43.3 2b

- - foreskin C60.0
- - glabella C43.3 2b
- - gluteal region C43.5 2a 2b
- - groin C43.5 2a 2b
- - hand C43.6 2a 2b
- - head C43.4 2a 2b
- - heel C43.7
- - helix C43.2
- - hip C43.7
- - interscapular region C43.5 2a 2b
- - iris C69.4
- - jaw (external) C43.3 2b
- - knee C43.7
- - labium C51.9
- - - majus C51.0
- - - minus C51.1
- - lacrimal gland C69.5
- - leg C43.7
- - lip (lower) (upper) C43.0
- - liver (primary) C22.9 2a 2b
- - lower limb NEC C43.7
- - male genital organ (external) NEC C63.9
- - nail C43.9 2a 2b
- - - finger C43.6 2a 2b
- - - toe C43.7
- - nasolabial groove C43.3 2b
- - nates C43.5 2a 2b
- - neck C43.4 2a 2b
- - nose (external) C43.3 2b
- - orbit C69.6
- - palpebra C43.1
- - penis C60.9
- - perianal skin C43.5 2a 2b
- - perineum C43.5 2a 2b
- - pinna C43.2
- - popliteal fossa or space C43.7
- - prepuce C60.0
- - pubes C43.5 2a 2b
- - pudendum C51.9
- - retina C69.2
- - retrobulbar C69.6
- - scalp C43.4 2a 2b
- - scrotum C63.2
- - shoulder C43.6 2a 2b
- - skin NEC C43.9 2a 2b
- - specified site NEC - *see* Neoplasm, malignant
- - submammary fold C43.5 2a 2b
- - temple C43.3 2b
- - thigh C43.7
- - toe C43.7
- - trunk NEC C43.5 2a 2b
- - umbilicus C43.5 2a 2b
- - upper limb NEC C43.6 2a 2b
- - vulva C51.9
- spindle cell (M8772/3)
- - with epithelioid, mixed (M8770/3)
- - type A (M8773/3) C69.4
- - type B (M8774/3) C69.4
- superficial spreading (M8743/3)

Melanosarcoma (M8720/3) - *see also* Melanoma

- epithelioid cell (M8771/3) - *see* Melanoma

Melanosis L81.4

- addisonian E27.1
- - tuberculous A18.7† 2b E35.1*
- adrenal E27.1

- colon K63.8
- conjunctiva H11.1
 - - congenital Q13.8
- cornea (presenile) (senile) H18.0
 - - congenital Q13.4
- eye NEC H57.8
 - - congenital Q15.8
- lenticularis progressiva Q82.1
- liver K76.8 2b
- precancerous (M8741/2) - *see also* Melanoma, in situ
- - malignant melanoma in (M8741/3) - *see* Melanoma
- Riehl's L81.4
- sclera H15.8
 - - congenital Q13.8
- suprarenal E27.1
- tar L81.4
- toxic L81.4

Melanuria R82.9 2b

MELAS (mitochondrial encephalopathy, lactic acidosis, stroke-like episodes) G31.8

Melasma L81.1

- adrenal (gland) E27.1
- suprarenal (gland) E27.1

Melena K92.1

- with ulcer (*see also* Ulcer, by site, with hemorrhage) K27.4 2a
- newborn, neonatal P54.1
- - due to swallowed maternal blood P78.2

Meleney's

- gangrene (cutaneous) L98.4 2a 2b
- ulcer (chronic undermining) L98.4 2a 2b

Melioidosis A24.4

- acute A24.1
- chronic A24.2
- fulminating A24.1
- pneumonia A24.1
- pulmonary (chronic) A24.2
 - - acute A24.1
 - - subacute A24.2
- septicemia A24.1
- specified NEC A24.3
- subacute A24.2

Melkersson(-Rosenthal) syndrome G51.2

Mellitus, diabetes - *see* Diabetes

Melnick's Needles syndrome Q78.9

Melorheostosis (bone) M85.8

Melotia Q17.4

Membrana capsularis lentis posterior Q13.8

Membranacea placenta O43.1

Membranaceous uterus N85.8

Membrane(s), membranous - *see also* condition

- cyclitic H21.4
- folds, congenital - *see* Web
- Jackson's Q43.3
- premature rupture - *see* Rupture, membranes, premature
- pupillary H21.4
- - persistent Q13.8
- retained (complicating delivery) (with hemorrhage) O72.2
 - - without hemorrhage O73.1
- secondary cataract H26.4 2b
- thick (maternal), affecting fetus or newborn P02.8
- unruptured (causing asphyxia) - *see* Asphyxia, newborn
- vitreous H43.3

Membranitis O41.1

- affecting fetus or newborn P02.7

Memory disturbance, lack or loss (*see also* Amnesia) R41.3

- mild, following organic brain damage F06.7

Menarche

- delayed E30.0

- precocious E30.1 2b

Mendacity, pathologic F60.2**Mendelson's syndrome (due to anesthesia) J95.4**

- in labor and delivery O74.0

- in pregnancy O29.0

- postpartum, puerperal O89.0

Mende's syndrome Q89.8**Ménétrier's disease or syndrome K29.6****Ménière's disease, syndrome or vertigo H81.0**

Meninges, meningeal - see condition

Meningioma (M9530/0) - see also Neoplasm, meninges, benign

- angioblastic (M9535/0) D32.9 2b

- angiomatous (M9534/0) D32.9 2b

- endotheliomatous (M9531/0) D32.9 2b

- fibroblastic (M9532/0) D32.9 2b

- fibrous (M9532/0) D32.9 2b

- hemangioblastic (M9535/0) D32.9 2b

- hemangiopericytic (M9536/0) D32.9 2b

- malignant (M9530/3) - see Neoplasm, meninges, malignant

- meningiothelial (M9531/0) D32.9 2b

- meningotheiomatous (M9531/0) D32.9 2b

- mixed (M9537/0) D32.9 2b

- multiple (M9530/1) - see Neoplasm, meninges, uncertain behavior

- papillary (M9538/1) - see Neoplasm, meninges, uncertain behavior

- psammomatous (M9533/0) D32.9 2b

- syncytial (M9531/0) D32.9 2b

- transitional (M9537/0) D32.9 2b

Meningiomatosis (diffuse) (M9530/1) - see Neoplasm, meninges, uncertain behavior**Meningismus R29.1 2b**

- due to serum or vaccine R29.1 2b

- influenzal (specific virus not identified) J11.8 2b

- - seasonal influenza virus identified J10.8 2b

- - zoonotic or pandemic influenza virus J09 2a

Meningitis (basal) (cerebral) (spinal) G03.9 2a 2b

- abacterial NEC G03.0 2b

- actinomycotic A42.8† 2b G01* 2b

- adenoviral A87.1† G02.0*

- arbovirus A87.8† G02.0*

- aseptic (acute) NEC G03.0 2b

- bacterial G00.9

- - Gram-negative NEC G00.9

- - specified organism NEC G00.8

- benign recurrent (Mollaret) G03.2

- candidal B37.5† 2a 2b G02.1*

- caseous (tuberculous) A17.0† 2a 2b G01* 2b

- cerebrospinal A39.0† 2a G01* 2b

- - disseminated epidemic A39.0 2a

- - - late effects B94.8 2a 2b

- chronic NEC G03.1

- clear cerebrospinal fluid NEC G03.0 2b

- coxsackievirus A87.0† G02.0*

- cryptococcal B45.1† G02.1*

- diplococcal A39.0† 2a G01* 2b

- echovirus A87.0† G02.0*

- enteroviral A87.0† G02.0*

- eosinophilic B83.2† 2b G05.2*

- epidemic NEC A39.0† 2a G01* 2b

- *Escherichia coli* (*E. coli*) G00.8

- fibrinopurulent G00.9

- - specified organism NEC G00.8

- Friedländer (bacillus) G00.8

- gonococcal A54.8† 2b G01* 2b

- Gram-negative cocci NEC G00.9

- Gram-positive cocci NEC G00.9
- *Haemophilus (influenzae)* G00.0 2a 2b
- in (due to)
 - - adenovirus A87.1† G02.0*
 - - African trypanosomiasis B56† 2a G02.8*
 - - anthrax A22.8† 2b G01* 2b
 - - Chagas' disease (chronic) B57.4† G02.8*
 - - chickenpox B01.0† 2a 2b G02.0*
 - - coccidioidomycosis B38.4† 2b G02.1*
 - - enterovirus A87.0† G02.0*
 - - herpes (simplex) virus B00.3† 2a 2b G02.0*
 - - zoster B02.1† G02.0*
 - - infectious mononucleosis B27† 2a 2b G02.0*
 - - leptospirosis A27† 2a G01* 2b
 - - *Listeria monocytogenes* A32.1† G01* 2b
 - - Lyme disease A69.2† 2b G01* 2b
 - - measles B05.1† 2a 2b G02.0*
 - - mumps (virus) B26.1† 2a 2b G02.0*
 - - neurosyphilis (late) A52.1† 2a 2b G01* 2b
 - - parasitic disease NEC B89† 2a 2b G02.8*
 - - poliovirus B91† 2a 2b G02.0*
 - - active A80.9 2a
 - - acute A80.9 2a
 - - preventive immunization, inoculation or vaccination G03.8 2a
 - - rubella B06.0† 2a 2b G02.0*
 - - salmonella infection A02.2† 2b G01* 2b
 - - specified cause NEC G03.8 2a
 - - typhoid fever A01.0† G01* 2b
 - - varicella B01.0† 2a 2b G02.0*
 - - viral disease NEC A87.8
 - - zoster B02.1† G02.0*
 - influenza (Haemophilus influenzae) G00.0 2a 2b
 - *Klebsiella* G00.8
 - leptospiral (aseptic) A27† 2a G01* 2b
 - lymphocytic (acute) (benign) (serous) A87.2† G02.0*
 - meningococcal A39.0† 2a G01* 2b
 - Mollaret (benign recurrent) G03.2
 - monilial B37.5† 2a 2b G02.1*
 - mycotic NEC B49† G02.1*
 - *Neisseria meningitidis* A39.0† 2a G01* 2b
 - nonbacterial G03.0 2b
 - nonpyogenic NEC G03.0 2b
 - nonspecific G03.9 2a 2b
 - nonsuppurative G03.9 2a 2b
 - late effects G09 2a 2b
 - ossificans G96.1 2b
 - pneumococcal G00.1
 - poliovirus B91† 2a 2b G02.0*
 - - active A80.9 2a
 - - acute A80.9 2a
 - postmeasles B05.1† 2a 2b G02.0*
 - purulent G00.9
 - - specified organism NEC G00.8
 - pyogenic G00.9
 - - specified organism NEC G00.8
 - *Salmonella (arizona)* (*cholerae-suis*) (*enteritidis*) (*typhimurium*) A02.2† 2b G01* 2b
 - septic G00.9
 - - specified organism NEC G00.8
 - serosa circumscripta NEC G03.0 2b
 - serous NEC G03.0 2b
 - - syndrome G93.2
 - specified organism NEC G00.8
 - sporotrichosis B42.8† 2b G02.1*
 - staphylococcal G00.3 2b
 - sterile G03.0 2b

- streptococcal (acute) G00.2
- suppurative G00.9
- - specified organism NEC G00.8
- syphilitic (late) (tertiary) A52.1† 2a 2b G01* 2b
- - acute A51.4† G01* 2b
- - congenital A50.4† G01* 2b
- - secondary A51.4† G01* 2b
- *Torula histolytica* (cryptococcal) B45.1† G02.1*
- traumatic (complication of injury) T79.8
- tuberculous A17.0† 2a 2b G01* 2b
- viral NEC A87.9
- Yersinia pestis A20.3† 2b G01* 2b

Meningocele (spinal) (*see also* Spina bifida) Q05.9 2a 2b

- with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4
- cerebral (*see also* Encephalocele) Q01.9

Meningocerebritis - *see* Meningoencephalitis

Meningococcemia A39.4 2a

- acute A39.2 2a
- chronic A39.3 2a

Meningococcus, meningococcal (*see also* condition) A39.9 2a 2b

Meningoencephalitis (*see also* Encephalitis) G04.9

- acute NEC (*see also* Encephalitis, viral) A86 2a 2b
- bacterial NEC G04.2
- California A83.5
- diphasic A84.1
- eosinophilic B83.2† 2b G05.2*
- epidemic A39.8† G05.0*
- herpesviral B00.4† G05.1*
- in (due to)
 - - *Angiostrongylus cantonensis* B83.2† 2b G05.2*
 - - blastomycosis NEC B40.8† G05.2*
 - - free-living amebae B60.2† 2a G05.2*
 - - *Haemophilus influenzae* (*H. influenzae*) G04.2
 - - mumps B26.2† G05.1*
 - - *Naegleria* (amebae) (organisms) (*fowleri*) B60.2† 2a G05.2*
 - - *Parastrongylus cantonensis* B83.2† 2b G05.2*
 - - toxoplasmosis (acquired) B58.2† G05.2*
 - - - congenital P37.1† G05.2*
 - - infectious (acute) (viral) A86 2a 2b
 - - influenzal (*Haemophilus influenzae*) G04.2
 - - *Listeria monocytogenes* A32.1† G05.0*
 - - lymphocytic (serous) A87.2† G05.1*
 - - mumps B26.2† G05.1*
 - - parasitic NEC B89† 2a 2b G05.2*
 - - pneumococcal G04.2
 - - primary amebic B60.2† 2a G05.2*
 - - specific (syphilitic) A52.1† 2a 2b G05.0*
 - - specified organism NEC G04.8
 - - staphylococcal G04.2
 - - streptococcal G04.2
 - - syphilitic A52.1† 2a 2b G05.0*
 - - toxic NEC G92 2b
 - - tuberculous A17.8† 2a 2b G05.0*
 - - virus NEC A86 2a 2b

Meningoencephalocele (*see also* Encephalocele) Q01.9

- syphilitic A52.1† 2a 2b G94.8*
- - congenital A50.4† G94.8*

Meningoencephalomyelitis (*see also* Meningoencephalitis) G04.9

- acute NEC (viral) A86 2a 2b
- - disseminated (postimmunization or postvaccination) (postinfectious) G04.0 2b
- - due to
 - - actinomycosis A42.8† 2b G05.0*
 - - *Torula (histolytica)* B45.1† G05.2*
 - - toxoplasma or toxoplasmosis (acquired) B58.2† G05.2*
 - - - congenital P37.1† G05.2*

Meningoencephalomyopathy G96.9

Meningoencephalopathy G96.9

Meningomyelitis (*see also* Meningoencephalitis) G04.9

- bacterial NEC G04.2
- blastomycotic NEC B40.8† G05.2*
- cryptococcal B45.1† G05.2*
- meningococcal A39.8† G05.0*
- syphilitic A52.1† 2a 2b G05.0*
- tuberculous A17.8† 2a 2b G05.0*

Meningomyelocele (*see also* Spina bifida) Q05.9 2a 2b

- with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4
- fetal, causing obstructed labor (mother) O66.3
- syphilitic A52.1† 2a 2b G94.8*

Meningomyeloneuritis (*see also* Meningoencephalitis) G04.9

Meningoradiculitis - *see* Meningitis

Meningovascular - *see condition*

Menkes' disease or syndrome (kinky hair) E83.0 2b

- meaning maple-syrup-urine disease E71.0

Menometrorrhagia N92.1

Menopause, menopausal (symptoms) (syndrome) N95.1

- arthritis (any site) NEC M13.8 2b
- artificial N95.3
- crisis N95.1
- paranoid state F22.8
- premature E28.3
- psychosis NEC F28
- surgical N95.3
- toxic polyarthritis NEC M13.8 2b

Menorrhagia (primary) N92.0 2b

- climacteric N92.4 2b
- - menopausal N92.4 2b
- menopausal N92.4 2b
- postclimacteric N95.0
- postmenopausal N95.0
- preclimacteric or premenopausal N92.4 2b
- puberal (menses retained) N92.2

Menses, retention N94.8 2b

Menstrual - *see also* Menstruation

- cycle, irregular N92.6
- disorder N92.6
- extraction Z30.3(1094)
- period, normal Z71.1(1095)
- regulation Z30.3(1096)

Menstruation

- absent - *see* Amenorrhea
- disorder N92.6
- - psychogenic F45.8
- during pregnancy O20.8
- excessive (with regular cycle) N92.0 2b
- - with irregular cycle N92.1
- - at puberty N92.2
- frequent N92.0 2b
- infrequent (*see also* Oligomenorrhea) N91.5
- irregular N92.6
- - specified NEC N92.5
- latent N92.5
- membranous N92.5
- painful (*see also* Dysmenorrhea) N94.6 2b
- - primary N94.4
- - psychogenic F45.8
- - secondary N94.5 2b
- precocious E30.1 2b
- protracted N92.5
- rare (*see also* Oligomenorrhea) N91.5
- retained N94.8 2b

- retrograde N92.5
- scanty (*see also* Oligomenorrhea) N91.5
- suppression N94.8 2b
- vicarious (nasal) N94.8 2b

Mental - *see also* condition

- deficiency - *see* Retardation, mental
- deterioration (*see also* Psychosis) F29 2a 2b
- disorder (*see also* Disorder, mental) F99 2a 2b
- - suspected, observation for, without need for further medical care Z03.2(1097)
- exhaustion F48.0
- insufficiency (congenital) (*see also* Retardation, mental) F79 2a 2b
- retardation - *see* Retardation, mental
- subnormality - *see* Retardation, mental
- upset (*see also* Disorder, mental) F99 2a 2b

Meralgia paraesthetica G57.1

Mercurial - *see* condition

Mercurialism NEC T56.1

Merkel cell tumor (M8247/3) - *see* Neoplasm, skin, malignant

Mermaid (deformity) Q87.2

Merocèle - *see* Hernia, femoral

Merzbacher-Pelizaeus disease E75.2 2b

Mesaortitis - *see* Aortitis

Mesarteritis - *see* Arteritis

Mesencephalitis (*see also* Encephalitis) G04.9

Mesenchymoma (M8990/1) - *see also* Neoplasm, connective tissue, uncertain behavior

- benign (M8990/0) - *see* Neoplasm, connective tissue, benign
- malignant (M8990/3) - *see* Neoplasm, connective tissue, malignant

Mesentery, mesenteric - *see* condition

Mesiódens, mesiodentes K00.1

- causing crowding K07.3

Mesio-occlusion K07.2

Mesocolon - *see* condition

Mesoepithelioma - *see* Mesothelioma

Mesonephroma (malignant) (M9110/3) - *see also* Neoplasm, malignant C80 2a 2b

- benign (M9110/0) - *see* Neoplasm, benign

Mesophlebitis - *see* Phlebitis

Mesostromal dysgenesis Q13.8

Mesothelioma (malignant) (M9050/3) C45.9 2a 2b

- benign (M9050/0)
 - - mesentery D19.1
 - - mesocolon D19.1
 - - omentum D19.1
 - - peritoneum D19.1
 - - pleura D19.0
 - - specified site NEC D19.7
 - - unspecified site D19.9
- biphasic (M9053/3) C45.9 2a 2b
 - - benign (M9053/0)
 - - - mesentery D19.1
 - - - mesocolon D19.1
 - - - omentum D19.1
 - - - peritoneum D19.1
 - - - pleura D19.0
 - - - specified site NEC D19.7
 - - - unspecified site D19.9
- cystic (M9055/1) D48.4
- epithelioid (M9052/3) C45.9 2a 2b
 - - benign (M9052/0)
 - - - mesentery D19.1
 - - - mesocolon D19.1
 - - - omentum D19.1
 - - - peritoneum D19.1
 - - - pleura D19.0
 - - - specified site NEC D19.7
 - - - unspecified site D19.9

- fibrous (M9051/3) C45.9 2a 2b
- - benign (M9051/0)
- - - mesentery D19.1
- - - mesocolon D19.1
- - - omentum D19.1
- - - peritoneum D19.1
- - - pleura D19.0
- - - specified site NEC D19.7
- - - unspecified site D19.9
- site classification
- - liver C45.7 2a 2b
- - lung C45.7 2a 2b
- - mediastinum C45.7 2a 2b
- - mesentery C45.1 2a 2b
- - mesocolon C45.1 2a 2b
- - omentum C45.1 2a 2b
- - pericardium C45.2
- - peritoneum C45.1 2a 2b
- - pleura C45.0
- - - parietal C45.0
- - retroperitoneum C45.7 2a 2b
- - specified site NEC C45.7 2a 2b
- - unspecified C45.9 2a 2b

Metagonimiasis B66.8

Metagonimus infestation (intestine) B66.8

Metal

- pigmentation L81.8 2b
- polisher's disease J62.8

Metamorphopsia H53.1

Metamorphosis

- fatty (*see* Fatty)

Metaplasia

- apocrine (breast) N60.8
- bone, in skin L94.2
- cervix (squamous) R87 2b
- endometrium (squamous) (uterus) N85.8
- esophageal K22.1
- kidney (pelvis) (squamous) N28.8 2a 2b
- myelogenous D73.1 2b
- myeloid (agnogenic) (megakaryocytic) D73.1 2b
- spleen D73.1 2b
- squamous cell, bladder N32.8

Metastases, metastasis NEC C80 2a 2b

Metastatic

- abscess - *see* Abscess
- cachexia R64 2b
- - due to a
- - malignant neoplasm C80 2a 2b
- calcification E83.5 2a 2b
- cancer or neoplasm (M8000/6) C80 2a 2b
- - from specified site (M8000/3) - *see* Neoplasm, malignant, by site
- - of specified site - *code as* metastatic neoplasm
- - to specified site (M8000/6) - *see* Neoplasm, secondary, by site
- deposits (in) (M8000/6) - *see* Neoplasm, secondary, by site
- spread (to) (M8000/6) - *see* Neoplasm, secondary, by site

Metastrongyliasis B83.8

Metatarsalgia M77.4

- Morton's G57.6

Metatarsus, metatarsal - *see also* condition

- valgus (abductus), congenital Q66.6
- varus (adductus) (congenital) Q66.2

Methemoglobinemia D74.9

- acquired (with sulfhemoglobinemia) D74.8 2b
- congenital D74.0
- enzymatic (congenital) D74.0

- Hb-M disease D74.0

- hereditary D74.0

- toxic D74.8 2b

Methemoglobinuria (*see also* Hemoglobinuria) R82.3 2b

Methioninemia E72.1

Methylmalonic acidemia E71.1 2b

Methylmalonicaciduria E72.8

Metritis (catarrhal) (hemorrhagic) (septic) (suppurative) (*see also* Endometritis) N71.9 2b

- cervical (*see also* Cervicitis) N72

Metropathia hemorrhagica N93.8

Metroperitonitis (*see also* Peritonitis, pelvic,female) N73.5

Metrorrhagia N92.1

- climacteric N92.4 2b

- menopausal N92.4 2b

- postpartum NEC (atonic) (following delivery of placenta) O72.1 2b

- - delayed or secondary O72.2

- preclimacteric or premenopausal N92.4 2b

- psychogenic F45.8

Metrorrhesis - *see* Rupture, uterus

Metrosalpingitis (*see also* Salpingo-oophoritis) N70.9

Metrostaxis N93.8

Metrovaginitis (*see also* Endometritis) N71.9 2b

Meyer-Schwickerath and Weyer's syndrome Q87.0

Mibelli's disease (porokeratosis) Q82.8 2b

Mice, joint M24.0

- knee M23.4

Micrencephalon Q02

Microaneurysm, retinal H35.0 2a

- diabetic (*see also* E10-E14 with fourth character .3) E14.3† H36.0*

Microangiopathy I99 2a 2b

- thrombotic M31.1

Microcephalus, microcephalic, microcephaly Q02

- due to toxoplasmosis (congenital) P37.1

Microcheilia Q18.7

Microcolon (congenital) Q43.8

Microcornea (congenital) Q13.4

Microcytic - *see condition*

Microdontia K00.2

Microdyspanocytosis D56.8

Microembolism, retinal H34.2

Microgastria (congenital) Q40.2

Microgenia K07.0

Microgenitalia, congenital

- female Q52.8 2b

- male Q55.8

Microglioma (M9594/3) C85.7

Microglossia (congenital) Q38.3

Micrognathia, micrognathism (congenital) (mandibular) (maxillary) K07.0

Microgyria (congenital) Q04.3

Microinfarct of heart (*see also* Insufficiency, coronary) I24.8

Microlentia (congenital) Q12.8

Microlithiasis, alveolar, pulmonary J84.0

Micromyelia (congenital) Q06.8

Micropenis Q55.6

Microphakia (congenital) Q12.8

Microphallus Q55.6

Microphtalmos, microphthalmia (congenital) Q11.2

- due to toxoplasmosis P37.1

Micropsia H53.1

Microscopic polyangiitis M31.7

Microsporidiosis B60.8

- intestinal A07.8 2b

Microsporosis (*see also* Dermatophytosis) B35.9

- nigra B36.1

Microstomia (congenital) Q18.5

Microtia (congenital) (external ear) Q17.2

Microtropia H50.4

Micturition

- disorder NEC R39.1 2b
- - psychogenic F45.3 2b
- frequency (nocturnal) R35 2b
- - psychogenic F45.3 2b
- hesitancy R39.1 2b
- painful R30.9 2b
- - psychogenic F45.3 2b

Middle

- ear - *see condition*
- lobe syndrome J98.1 2b

Miescher's elastoma L87.2

Mietens' syndrome Q87.2

Migraine (idiopathic) G43.9 2a

- with aura (acute-onset) (prolonged) (typical) G43.1
- abdominal G43.8
- basilar G43.1
- classical G43.1
- common G43.0
- complicated G43.3
- equivalent(s) G43.1
- hemiplegic (familial) G43.1
- menstrual N94.3
- ophthalmoplegic G43.8
- retinal G43.8
- specified NEC G43.8
- status G43.2
- without aura G43.0

Migration, anxiety concerning Z60.3(1098)

Migratory, migrating - *see also condition*

- testis Q55.2

Mikity-Wilson disease or syndrome P27.0

Mikulicz' disease or syndrome K11.8

Miliaria L74.3

- alba L74.1
- apocrine L75.2
- crystallina L74.1
- profunda L74.2
- rubra L74.0
- tropicalis L74.2

Miliary - *see condition*

Milium L72.0

- colloid L57.8

Milk

- crust L21.0
- excessive secretion O92.6
- poisoning T62.8
- retention O92.7
- sickness T62.8

Milk-alkali disease or syndrome E83.5 2a 2b

Milk leg (puerperal, postpartum, childbirth) O87.1

- complicating pregnancy O22.3
- nonpuerperal I80.1

Milkman's disease or syndrome M83.8

Milky urine - *see Chyluria*

Millard-Gubler(-Foville) paralysis or syndrome I67.9† 2a 2b G46.3*

Millar's asthma J38.5 2b

Miller-Dieker syndrome Q04.3

Miller-Fisher's syndrome G61.0

Mills' disease G81.9 2a 2b

Millstone maker's pneumoconiosis J62.8

Milroy's disease Q82.0 2b

Minamata disease T56.1

Minkowski-Chauffard syndrome (*see also* Spherocytosis) D58.0

Minor - *see condition*

Minor's disease (hematomyelia) G95.1 2b

Minot-von Willebrand-Jurgens disease D68.0 2a 2b

Miosis (pupil) H57.0

Mirror writing F81.0

Misadventure (prophylactic) (therapeutic) (*see also* Complications) T88.9 2b

- administration of insulin T38.3 2b

- infusion - *see* Complications, infusion

- local applications (of fomentations, plasters, etc.) T88.9 2b

- - burn or scald - *see* Burn

- - specified NEC T88.8

- medical care (early) (late) T88.9 2b

- - adverse effect of drugs or chemicals - *see* Table of drugs and chemicals

- - burn or scald - *see* Burn

- - specified NEC T88.8

- radiation NEC T66 2b

- radiotherapy NEC T66 2b

- specified NEC T88.8

- surgical procedure (early) (late) - *see* Complications, surgical procedure

- transfusion - *see* Complications, transfusion

- vaccination or other immunological procedure - *see* Complications, vaccination

Miscarriage (*see also* Abortion, spontaneous) O03-

Mismanagement of feeding R63.3 2b

Misplaced, misplacement

- ear Q17.4

- kidney (acquired) N28.8 2a 2b

- - congenital Q63.2

- organ or site, congenital NEC - *see* Malposition, congenital

Missed

- abortion O02.1

- delivery O36.4

Missing - *see* Absence

Misuse

- drug(s) NEC F19.1 2b

- - specified - *see* Abuse, drug(s)

- ethanol F10.1 2a 2b

Mitchell's disease I73.8

Mite(s) (infestation) B88.9

Mitral - *see condition*

Mittelschmerz N94.0

Mixed - *see condition*

Mobile, mobility

- excessive - *see* Hypermobility

- gallbladder, congenital Q44.1

- kidney N28.8 2a 2b

- organ or site, congenital NEC - *see* Malposition, congenital

Moebius

- disease (ophthalmoplegic migraine) G43.8

- syndrome Q87.0

- - congenital oculofacial paralysis (with other anomalies) Q87.0

- - ophthalmoplegic migraine G43.8

Moeller's glossitis K14.0

Mohr's syndrome (types I and II) Q87.0

Mola destruens (M9100/1) D39.2

Molar pregnancy NEC (M9100/0) O02.0

Molarization of premolars K00.2

Molding, head (during birth) P13.1

Mole (pigmented) (M8720/0) - *see also* Nevus

- blood O02.0

- Breus' O02.0

- cancerous (M8720/3) - *see* Melanoma

- carneous O02.0

- destructive (M9100/1) D39.2

- fleshy O02.0

- hydatid, hydatidiform (benign) (complicating pregnancy) (delivered) (undelivered) (M9100/0) O01.9
- - classical (M9100/0) O01.0
- - complete (M9100/0) O01.0
- - fetus or newborn P02.2
- - incomplete (M9103/0) O01.1
- - invasive (M9100/1) D39.2
- - malignant (M9100/1) D39.2
- - newborn P02.2
- - partial (M9103/0) O01.1
- - previous, affecting management of pregnancy Z35.1(1099)
- invasive (hydatidiform) (M9100/1) D39.2
- malignant, meaning
- - malignant hydatidiform mole (M9100/1) D39.2
- - melanoma (M8720/3) - *see* Melanoma
- nonhydatidiform O02.0
- nonpigmented (M8730/0) - *see* Nevus
- pregnancy NEC O02.0
- skin (M8720/0) - *see* Nevus
- tubal O00.1 2b
- vesicular (M9100/0) (*see also* Mole, hydatidiform) O01.9
- - previous, affecting management of pregnancy Z35.1(1100)

Molluscum contagiosum (epitheliale) B08.1

- eyelid B08.1† H03.1*

Mönckeberg's arteriosclerosis, degeneration, disease or sclerosis I70.2 2a 2b

Mondor's disease I80.8

Monge's disease T70.2

Mongolian, mongolianism, mongolism, mongoloid (*see also* Trisomy, 21) Q90.9 2b

Monilethrix (congenital) Q84.1

Moniliasis (*see also* Candidiasis) B37.9 2a 2b

- neonatal P37.5

Monkey malaria B53.1

Monkeypox B04 2a

Monoarthritis NEC M13.1

Monoblastic - *see condition*

Monocephalus diprosopus Q89.4

Monochromat(ism), monochromatopsia (acquired) (congenital) H53.5

Monocytic - *see condition*

Monocytosis (symptomatic) D72.8 2b

Monomania (*see also* Psychosis) F28

Mononeuritis G58.9

- cranial nerve - *see* Disorder, nerve, cranial

- femoral nerve G57.2

- lateral

- - cutaneous nerve of thigh G57.1

- - popliteal nerve G57.3

- lower limb G57.9

- - specified nerve NEC G57.8

- medial popliteal nerve G57.4

- median nerve G56.1

- multiplex G58.7

- plantar nerve G57.6

- radial nerve G56.3

- sciatic nerve G57.0

- - specified NEC G58.8

- tibial nerve G57.4

- ulnar nerve G56.2

- upper limb G56.9

- - specified nerve NEC G56.8

Mononeuropathy (*see also* Mononeuritis) G58.9

- diabetic NEC (*see also* E10-E14 with fourth character .4) E14.4† G59.0*

Mononucleosis, infectious NEC B27.9 2a 2b

- cytomegaloviral B27.1

- Epstein-Barr (virus) B27.0

- gammaherpesviral B27.0

- specified NEC B27.8

Monoplegia G83.3

- apoplectic (*see also* Stroke) I64 2a 2b
- - congenital (*see also* Monoplegia, congenital) G80.8 2a 2b
- congenital (cerebral) G80.8 2a 2b
- - spastic G80.1
- embolic (current episode) I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- hysterical (transient) F44.4
- infantile (cerebral) (spinal) G80.8 2a 2b
- lower limb G83.1
- psychogenic (conversion reaction) F44.4
- thrombotic (current episode) I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- transient R29.8 2b
- traumatic T14.4 2a 2b
- upper limb G83.2

Monorchism, monorchidism Q55.0**Monosomy** (*see also* Deletion, chromosome) Q93.9

- 7 Q93.8
- specified NEC Q93.8
- whole chromosome
- - meiotic nondisjunction Q93.0
- - mitotic nondisjunction Q93.1
- - mosaicism Q93.1
- X Q96.9

Monster, monstrosity (single) Q89.7 2a 2b

- acephalic Q00.0
- twin Q89.4

Monteggia's fracture(-dislocation) S52.0**Mooren's ulcer (cornea)** H16.0**Moore's syndrome** G40.8**Mooser's bodies** A75.2**Morax-Axenfeld conjunctivitis** H10.2**Morbidity, unknown cause** R69 2a 2b**Morbilli** - *see* Measles**Morbus** (*see also* Disease)

- caducus (*see also* Epilepsy) G40.9
- comitialis (*see also* Epilepsy) G40.9
- cordis (*see also* Disease, heart) I51.9 2a 2b
- - valvulorum - *see* Endocarditis
- coxae senilis M16.9 2b
- - tuberculous A18.0† 2a 2b M01.1*

Morel(-Stewart)(-Morgagni) syndrome M85.2**Morel-Kraepelin disease** (*see also* Schizophrenia) F20.9**Morgagni's**

- cyst, organ, hydatid or appendage
- - female Q50.5
- - male (epididymal) Q55.4
- - - testicular Q55.2
- syndrome M85.2

Morgagni-Stokes-Adams syndrome I45.9 2a 2b**Morgagni-Turner(-Albright) syndrome** Q96.9**Moria** F07.0 2b**Moron (I.Q. 50-69)** F70 2a 2b**Morphea** L94.0**Morphinism** F11.2 2b**Morphinomania** F11.2 2b**Morquio(-Ullrich)(-Brailsford) disease or syndrome** E76.2**Mortality, unknown cause** R99 2a 2b**Mortification (dry) (moist)** (*see also* Gangrene) R02 2a 2b**Morton's metatarsalgia (neuralgia) (neuroma)** G57.6**Morvan's disease or syndrome** G60.8 2a 2b**Mosaicism, mosaic (autosomal) (chromosomal)**

- placental (confined) (CPM) P02.2
- sex chromosome
- - female NEC Q97.8
- - lines with various numbers of X chromosomes Q97.2
- - male NEC Q98.7
- 45X
- - cell lines NEC with abnormal sex chromosome Q96.4
- - 46,XX Q96.3
- - 46,XY Q96.3

Moschowitz' disease M31.1

Motion sickness (from any vehicle) T75.3

Mottled, mottling, teeth (enamel) K00.3

Mounier-Kuhn syndrome Q34.8

Mountain sickness T70.2

Mouse, joint M24.0

- knee M23.4

Mouth - *see condition*

Movable

- coccyx M53.2
- kidney N28.8 2a 2b
- - congenital Q63.8
- spleen D73.8

Movements, dystonic R25.8 2b

Moyamoya disease I67.5

Mucha-Habermann disease L41.0

Mucinosis (cutaneous) (focal) (papular) (reticular erythematous) (skin) L98.5

- oral K13.7

Mucocele

- appendix K38.8
- buccal cavity K13.7
- gallbladder K82.1
- lacrimal sac H04.4
- mastoid (process) H74.8
- nasal sinus J34.1
- orbit (eye) H05.8
- salivary gland (any) K11.6
- sinus (accessory) (nasal) J34.1
- turbinate (bone) (middle) (nasal) J34.1

Mucolipidosis

- I E77.1
- II, III E77.0
- IV E75.1

Mucopolysaccharidosis E76.3

- cardiopathy E76.3† I52.8*
- specified NEC E76.2
- type
- - I E76.0
- - II E76.1
- - III, IV, VI, VII E76.2

Mucormycosis B46.5

- cutaneous B46.3† L99.8*
- disseminated B46.4
- gastrointestinal B46.2† K93.8*
- generalized B46.4
- pulmonary B46.0† J99.8*
- rhinocerebral B46.1† 2b G99.8*
- skin B46.3† L99.8*
- subcutaneous B46.3† L99.8*

Mucositis (drug induced) (radiation induced) (ulcerative) (*see also*

Inflammation, by site) K12.3

- anus, anal canal K92.8

- colon K92.8

- duodenum K92.8

- esophagus K92.8

- gastric K92.8

- gastrointestinal (ulcerative) K92.8
- ileum K92.8
- intestine (any part) K92.8
- mouth K12.3
- nasal (ulcerative) J34.8
- oral K12.3
- oropharyngeal K12.3
- perianal K92.8
- perirectal K92.8
- rectum K92.8
- sigmoid K92.8
- stomach K92.8
- vagina N76.8
- vulva N76.8

Mucositis necroticans agranulocytica D70

Mucus - *see also condition*

- patches (syphilitic) A51.3
 - - congenital A50.0 2a 2b
- Mucoviscidosis** E84.9 2b
- with meconium obstruction E84.1† 2b P75* 2b

Mucus

- asphyxia or suffocation (*see also Asphyxia, mucus*) T17.9 2b
- - newborn P24.1
- in stool R19.5
- plug (*see also Asphyxia, mucus*) T17.9 2b
- - aspiration, newborn P24.1
- - tracheobronchial T17.8
- - - newborn P24.1

Muguet B37.0 2b

Mulberry molars (congenital syphilis) A50.5

Mullerian mixed tumor (M8950/3)

- specified site - *see Neoplasm, malignant*
- unspecified site C54.9

Multicystic - (*see Polycystic*)

Multiparity (grand) Z64.1(1101)

- affecting management of pregnancy, labor and delivery (supervision only) Z35.4(1102)
- requiring contraceptive management - *see Contraception*

Multipartita placenta O43.1

Multiple, multiplex - *see also condition*

- birth, affecting fetus or newborn P01.5 2b
- delivery - *see Delivery, multiple*
- digits (congenital) Q69.9
- diseases NEC, resulting from HIV disease B22.7 2a
- infections, resulting from HIV disease B20.7
- malignant neoplasms, resulting from HIV disease B21.7
- personality F44.8

Mumps B26.9

- arthritis B26.8† 2b M01.5*
- complication NEC B26.8 2b
- encephalitis B26.2† G05.1*
- hepatitis B26.8† 2b K77.0*
- meningitis (aseptic) B26.1† 2a 2b G02.0*
- meningoencephalitis B26.2† G05.1*
- myocarditis B26.8† 2b I41.1* 2b
- oophoritis B26.8† 2b N74.8*
- orchitis B26.0† 2b N51.1*
- pancreatitis B26.3† 2a K87.1*
- parotitis B26.9
- polyneuropathy B26.8† 2b G63.0*

Mumu (*see also Infestation, filarial*) B74† 2a N51.8*

Münchhausen's syndrome F68.1

Münchmeyer's syndrome M61.1

Mural - *see condition*

Murmur (cardiac) (heart) (organic) R01.1 2b

- aortic (valve) (*see also Endocarditis, aortic*) I35.8

- benign R01.0 2b
- diastolic - *see* Endocarditis
- Flint I35.1 2b
- functional R01.0 2b
- Graham Steell I37.1
- innocent R01.0 2b
- mitral (valve) - *see* Insufficiency, mitral
- nonorganic R01.0 2b
- presystolic, mitral - *see* Insufficiency, mitral
- pulmonic (valve) I37.8
- systolic (valvular) - *see* Endocarditis
- tricuspid (valve) I07.9
- valvular - *see* Endocarditis **Murri's disease (intermittent hemoglobinuria)** D59.6

Muscle, muscular - *see also* condition

- carnitine (palmitoyltransferase) deficiency E71.3 2b

Musculoneuralgia M79.2 2a

Mushroom-worker's disease or lung J67.5

Mutation

- prothrombin gene [factor V Leiden mutation]
D68.5

Mutilation (*see also* Injury, multiple) T07 2a 2b

- specified site - *see* Injury, multiple, by site

Mutism (*see also* Aphasia) R47.0

- deaf (acquired) (congenital) NEC H91.3
- elective (adjustment reaction) (childhood) F94.0
- hysterical F44.4
- selective (childhood) F94.0

Myalgia (intercostal) M79.1

- epidemic (cervical) B33.0 2a
- psychogenic F45.4
- traumatic NEC T14.9 2a 2b

Myasthenia, myasthenic G70.9 2a

- congenital G70.2
- cordis - *see* Failure, heart
- crisis G70.0 2b
- developmental G70.2
- gravis G70.0 2b
- - neonatal, transient P94.0
- stomach, psychogenic F45.3 2b
- syndrome in
 - - diabetes mellitus (*see also* E10-E14 with fourth character .4) E14.4† G73.0*
 - - malignant neoplasm NEC (M8000/3) (*see also* Neoplasm, malignant) C80† 2a 2b G73.2*
 - - thyrotoxicosis E05.9† 2b G73.0*

Mycelium infection NEC B49

Mycetismus T62.0

Mycetoma B47.9

- actinomycotic B47.1
- bone (mycotic) B47.9† M90.2*
- eumycotic B47.0
- foot B47.9
 - - actinomycotic B47.1
 - - mycotic B47.0
- madurae NEC B47.9
 - - mycotic B47.0
- maduromycotic B47.0
- mycotic B47.0
- nocardial B47.1

Mycobacteriosis - *see* *Mycobacterium*

Mycobacterium, mycobacterial (infection) A31.9

- *africanum* - *see* Tuberculosis
- atypical A31.9
 - - cutaneous A31.1
 - - pulmonary A31.0
 - - - tuberculous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
 - - specified site NEC A31.8

- *avium (intracellularare) complex* A31.0
- Battey A31.0
- *bovis* - see Tuberculosis
- *chelonei* A31.8
- cutaneous A31.1
- extrapulmonary systemic A31.8
- *fortuitum* A31.8
- Group III A31.0
- *intracellulare* (Battey bacillus) A31.0
- *kansasii* (yellow bacillus) A31.0
- *leprae* (see also Leprosy) A30.9
- *marinum (M. balnei)* A31.1
- nonspecific (see also *Mycobacterium*, atypical) A31.9
- pulmonary (atypical) A31.0
- - tuberculous (see also Tuberculosis, pulmonary) A16.2 2a 2b
- resulting from HIV disease B20.0
- Runyon A31.0
- *scrofulaceum* A31.8
- *simiae* A31.8
- systemic, extrapulmonary A31.8
- *szulgai* A31.8
- *terrae* A31.8
- *triviale* A31.8
- *tuberculosis* - see Tuberculosis
- *ulcerans* A31.1
- *xenopi* A31.8

Mycoplasma (M.) pneumoniae - see Infection, Mycoplasma, pneumoniae

Mycosis, mycotic (deep) (systemic) NEC B49

- cutaneous NEC B36.9
- fungoides (M9700/3) C84.0
- mouth B37.0 2b
- opportunistic B48.7
- resulting from HIV disease B20.5
- skin NEC B36.9
- specified NEC B48.8
- stomatitis B37.0 2b
- vagina, vaginitis (candidal) B37.3† 2b N77.1*

Mydriasis (pupil) H57.0

Myelatelia Q06.1 2b

Myelinolysis, pontine, central G37.2

Myelinosis

- central nervous system G37.9 2a 2b

Myelitis (acute) (ascending) (see also Encephalitis) G04.9

- necrotizing, subacute G37.4
- postimmunization G04.0 2b
- postinfectious NEC G04.8
- specified NEC G04.8
- syphilitic (transverse) A52.1† 2a 2b G05.0*
- transverse (in demyelinating diseases of central nervous system) G37.3
- tuberculous A17.8† 2a 2b G05.0*

Myeloblastic - see condition

Myeloblastoma (M9930/3) C92.3

Myelocele (see also Spina bifida) Q05.9 2a 2b

- with hydrocephalus (see also Spina bifida, with hydrocephalus) Q05.4

Myelocystocele (see also Spina bifida) Q05.9 2a 2b

- with hydrocephalus (see also Spina bifida, with hydrocephalus) Q05.4

Myelocytic - see condition

Myelodysplasia (M9989/1) D46.9

- specified NEC D46.7
- spinal cord (congenital) Q06.1 2b

Myeloencephalitis - see Encephalitis

Myelofibrosis (with myeloid metaplasia)(M9961/1) D47.1 2b

- acute (M9932/3) C94.5

Myelogenous - see condition

Myeloid - see condition

Myeloidosis D75.8 2a 2b

Myeloleukodystrophy E75.2 2b

Myelolipoma (M8870/0) - *see* Lipoma

Myeloma (multiple) (M9732/3) C90.0 2b

- monostotic (M9731/3) C90.2

- - plasma cell (M9732/3) C90.0 2b

- solitary (M9731/3) C90.2

Myelomalacia G95.8 2b

Myelomata, multiple (M9732/3) C90.0 2b

Myelomatosis (M9732/3) C90.0 2b

Myelomeningitis - *see* Meningoencephalitis

Myelomeningocele (spinal cord) (*see also* Spina bifida) Q05.9 2a 2b

- with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4

Myelopathic - *see condition*

Myelopathy (spinal cord) G95.9

- drug-induced G95.8 2b

- in (due to)

- - degeneration or displacement, intervertebral disc NEC M51.0† G99.2*

- - infection - *see* Encephalitis

- - intervertebral disc disorder M51.0† G99.2*

- - cervical, cervicothoracic M50.0† G99.2*

- - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G99.2*

- - spondylosis M47.1† G99.2*

- necrotic (subacute) (vascular) G95.1 2b

- radiation-induced G95.8 2b

- spondylogenic NEC M47.1† G99.2*

- toxic G95.8 2b

- transverse (acute) G37.3

- traumatic - *see* Injury, spinal cord, by site and type

- vascular G95.1 2b

- vitamin B₁₂ E53.8† 2a 2b G32.0*

Myeloradiculitis G04.9

Myeloradiculodysplasia (spinal) Q06.1 2b

Myelosarcoma (M9930/3) C92.3

Myeloschisis Q05.9 2a 2b

Myelosclerosis D75.8 2a 2b

- with myeloid metaplasia (M9961/1) D47.1 2b

- disseminated, of nervous system G35 2a 2b

- megakaryocytic (with myeloid metaplasia) (M9961/1) D47.1 2b

Myelosis

- acute (M9861/3) C92.0

- aleukemic (M9864/3) C92.7

- chronic (M9863/3) C92.1

- erythremic (M9840/3) C94.0 2a 2b

- - acute (M9841/3) C94.0 2a 2b

- megakaryocytic (M9910/3) C94.2

- nonleukemic D72.8 2b

- subacute (M9862/3) C92.2

Myelosuppression D75.8 2a 2b

Myiasis (cavernous) B87.9

- aural B87.4† H94.8*

- creeping B87.0† L99.8*

- cutaneous B87.0† L99.8*

- dermal B87.0† L99.8*

- ear (external) (middle) B87.4† H94.8*

- eye B87.2† H58.8*

- genitourinary B87.8

- intestinal B87.8† K93.8*

- laryngeal B87.3† J99.8*

- nasopharyngeal B87.3† J99.8*

- ocular B87.2† H58.8*

- orbit B87.2† H06.1*

- skin B87.0† L99.8*

- specified site NEC B87.8

- traumatic B87.1

- wound B87.1

Myoadenoma, prostate D29.1

Myoblastoma, granular cell (M9580/0) - see also Neoplasm, connective tissue, benign

- malignant (M9580/3) - see Neoplasm, connective tissue, malignant

- tongue (M9580/0) D10.1

Myocardial - see condition

Myocardiopathy (see also Cardiomyopathy) I42.9 2a 2b

Myocarditis (chronic) (fibroid) (interstitial) (old) (progressive) (senile) (with arteriosclerosis) I51.4 2a 2b

- active I40.9 2a

- - rheumatic (fever) I01.2 2a 2b

- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0

- acute or subacute (necrotizing) (interstitial) I40.9 2a

- - rheumatic I01.2 2a 2b

- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0

- - specified NEC I40.8

- - - rheumatic I01.2 2a 2b

- arteriosclerotic I51.40 2a 2b

- aseptic, of newborn B33.2† 2a 2b I41.1* 2b

- bacterial (acute) I40.0

- - rheumatic I09.0 2a 2b

- - - active or acute I01.2 2a 2b

- coxsackie (virus) B33.2† 2a 2b I41.1* 2b

- diphtheritic A36.8† 2b I41.0*

- epidemic of newborn (coxsackie(virus)) B33.2† 2a 2b I41.1* 2b

- Fiedler's (acute) (isolated) I40.1

- - rheumatic I09.0 2a 2b

- - - active or acute I01.2 2a 2b

- gonococcal A54.8† 2b I41.0*

- granulomatous (idiopathic) (isolated) (nonspecific) I40.0

- hypertensive (see also Hypertension, heart) I11.9 2a 2b

- idiopathic I40.1

- in (due to)

- - diphtheria A36.8† 2b I41.0*

- - epidemic louse-borne typhus A75.0† I41.0*

- - sarcoidosis D86.8† I41.8*

- - scarlet fever A38† 2a 2b I41.0*

- - toxoplasmosis (acquired) B58.8† 2b I41.2*

- - typhus NEC A75.9† I41.0*

- infective I40.0

- - rheumatic I09.0 2a 2b

- - - active or acute I01.2 2a 2b

- influenza (specific virus not identified) J11.8† 2b I41.1* 2b

- - seasonal influenza virus identified J10.8† 2b I41.1* 2b

- - zoonotic or pandemic influenza virus J09† 2a I41.1* 2b

- isolated (acute) I40.1

- - rheumatic I09.0 2a 2b

- - - active or acute I01.2 2a 2b

- meningococcal A39.5† I41.0*

- mumps B26.8† 2b I41.1* 2b

- rheumatic (chronic) (inactive) (with chorea) I09.0 2a 2b

- - active or acute I01.2 2a 2b

- - - with chorea (acute) (rheumatic) (Sydenham's) I02.0

- septic I40.0

- - rheumatic I09.0 2a 2b

- - - active or acute I01.2 2a 2b

- syphilitic (chronic) A52.0† 2b I41.0*

- toxic I40.8

- - rheumatic (see also Myocarditis, acute, rheumatic) I01.2 2a 2b

- - - inactive I09.0 2a 2b

- tuberculous A18.8† 2a 2b I41.0*

- typhoid A01.0† I41.0*

- valvular - see Endocarditis

- virus, viral NEC I40.0

- - of newborn (coxsackie(virus)) B33.2† 2a 2b I41.1* 2b

Myocardium, myocardial - see condition

Myocardosis (*see also* Cardiomyopathy) I42.9 2a 2b

Myoclonus, myoclonic (essential) (familial) (multifocal) (simplex) G25.3

- drug-induced G25.3

- epileptica G40.3

- facial G51.3

- jerks G25.3

- massive G25.3

- pharyngeal J39.2

Myodiastasis M62.0

Myoendocarditis - *see* Endocarditis

Myoepithelioma (M8982/0) - *see* Neoplasm,benign

Myofasciitis (acute) M60.9

- low back M54.5

Myofibroma (M8890/0) - *see also* Neoplasm, connective tissue, benign

- uterus (cervix) (corpus) - *see* Leiomyoma

Myofibromatosis (M8824/1) D48.1

Myofibrosis M62.8

- heart (*see also* Myocarditis) I51.4 2a 2b

- - arteriosclerotic I51.40 2a 2b

- scapulohumeral M75.8

Myofibrositis M79.7

- scapulohumeral M75.8

Myoglobinuria or myoglobulinuria (primary) R82.1

Myokymia, facial G51.4

Myolipoma (M8860/0) - *see* Lipoma

Myoma (M8895/0) - *see also* Neoplasm,connective tissue, benign

- malignant (M8895/3) - *see* Neoplasm, connective tissue, malignant

- prostate D29.1

- uterus (cervix) (corpus) - *see* Leiomyoma

Myomalacia M62.8

- cordis, heart (*see also* Degeneration, myocardial) I51.5 2a 2b

Myometritis (*see also* Endometritis) N71.9 2b

Myometrium - *see condition*

Myonecrosis R02 2a 2b

- clostridial A48.0 2a

- leg R02 2a 2b

Myopathy G72.9 2a 2b

- alcoholic G72.1 2a 2b

- cardiac (*see also* Cardiomyopathy) I42.9 2a 2b

- centronuclear G71.2

- congenital (benign) G71.2

- distal G71.0

- drug-induced G72.0

- endocrine NEC E34.9† 2b G73.5*

- extraocular muscles H05.8

- facioscapulohumeral G71.0

- hereditary G71.9

- - specified NEC G71.8 2a

- - hypertensive (obstructive) I42.1 2a 2b

- - familial I42.10 2a 2b

- - idiopathic I42.10 2a 2b

- - primary I42.10 2a 2b

- in (due to)

- - Addison's disease E27.1† G73.5*

- - alcohol G72.1 2a 2b

- - amyloidosis E85.4† G73.6*

- - cretinism E00.9† G73.5*

- - Cushing's syndrome E24.9† 2b G73.5*

- - drugs G72.0

- - endocrine disease NEC E34.9† 2b G73.5*

- - giant cell arteritis M31.6† G73.7*

- - glycogen storage disease E74.0† 2a 2b G73.6*

- - hyperadrenocorticism E24.9† 2b G73.5*

- - hyperparathyroidism NEC E21.3† 2a 2b G73.5*

- - hypoparathyroidism E20† G73.5*

- - hypopituitarism E23.0† 2b G73.5*
- - hypothyroidism E03.9† 2a 2b G73.5*
- - infectious disease NEC B99† 2a 2b G73.4*
- - lipid storage disease E75† G73.6*
- - malignant neoplasm NEC (M8000/3) (*see also* Neoplasm, malignant) C80† 2a 2b M63.8*
- - metabolic disease NEC E88.9† G73.6*
- - myxedema E03.9† 2a 2b G73.5*
- - parasitic disease NEC B89† 2a 2b G73.4*
- - polyarteritis nodosa M30.0† 2b G73.7*
- - rheumatoid arthritis M05.3† G73.7*
- - sarcoidosis D86.8† G73.7*
- - scleroderma M34.8† G73.7*
- - sicca syndrome M35.0† G73.7*
- - Sjögren's syndrome M35.0† G73.7*
- - systemic lupus erythematosus M32.1† 2a 2b G73.7*
- - thyrotoxicosis (hyperthyroidism) E05.9† 2b G73.5*
- - toxic agent NEC G72.2
- inflammatory NEC G72.4
- limb-girdle G71.0
- mitochondrial NEC G71.3
- myocardial (*see also* Cardiomyopathy) I42.9 2a 2b
- myotubular G71.2
- nemaline G71.2
- obstructive (hypertensive) I42.1 2a 2b
- - familial I42.10 2a 2b
- - idiopathic I42.10 2a 2b
- - primary I42.10 2a 2b
- ocular G71.0
- oculopharyngeal G71.0
- primary G71.9
- - specified NEC G71.8 2a
- progressive NEC G72.8
- rod G71.2
- scapulohumeral G71.0
- specified NEC G72.8
- toxic G72.2

Myopericarditis (*see also* Pericarditis) I31.9 2b

- rheumatic (chronic) I09.2 2b
- - active or acute I01.0 2a 2b

Myopia (axial) (congenital) (progressive) H52.1

- degenerative H44.2
 - malignant H44.2
 - pernicious H44.2
- Myosarcoma** (M8895/3) - *see* Neoplasm, connective tissue, malignant

Myosis (pupil) H57.0

- stromal (endolymphatic) (M8931/1) D39.0 2b

Myositis M60.9

- clostridial A48.0 2a
- due to posture M60.8
- epidemic B33.0 2a
- in (due to)
 - - bilharziasis B65† 2a M63.1*
 - - cysticercosis B69.8† M63.1*
 - - leprosy A30† 2a 2b M63.0*
 - - mycosis B49† M63.2*
 - - sarcoidosis D86.8† M63.3*
 - - schistosomiasis B65† 2a M63.1*
 - - syphilis
 - - late A52.7† 2a 2b M63.0*
 - - secondary A51.4† M63.0*
 - - toxoplasmosis (acquired) B58.8† 2b M63.1*
 - - trichinellosis B75† 2b M63.1*
- inclusion body (IBM) G72.4
- infective M60.0 2a 2b
- interstitial M60.1

- juvenile M33.0
- multiple - *see Polymyositis*
- mycotic B49† M63.2*
- orbital, chronic H05.1
- ossificans or ossifying (circumscripta) M61.5
- - in (due to)
 - - - burns M61.3
 - - - quadriplegia or paraplegia M61.2
 - - progressiva M61.1
 - - traumatica M61.0
- purulent M60.0 2a 2b
- specified NEC M60.8
- suppurative M60.0 2a 2b
- traumatic (old) M60.8

Myotonia (acquisita) (intermittens) M62.8

- atrophica G71.1 2a
- chondrodystrophic G71.1 2a
- congenita G71.1 2a
- drug-induced G71.1 2a
- dystrophica G71.1 2a
- symptomatic G71.1 2a

Myotonic pupil H57.0

Myriapodiasis B88.2

Myringitis H73.8

- with otitis media - *see Otitis, media*
- acute H73.0
- bullous H73.0
- chronic H73.1

Mysophobia F40.2

Mytilotoxism T61.2

Myxedema (infantile) (*see also Hypothyroidism*) E03.9 2a 2b

- advanced E03.90 2a 2b
- coma E03.5
- congenital E00.1
- cutis L98.5
- grave E03.90 2a 2b
- papular L98.5
- severe E03.90 2a 2b

Myxochondrosarcoma (M9220/3) - *see Neoplasm, cartilage, malignant*

Myxofibroma (M8811/0) - *see Neoplasm, connective tissue, benign*

- odontogenic (M9320/0) D16.5

- - upper jaw (bone) D16.4

Myxofibrosarcoma (M8811/3) - *see Neoplasm, connective tissue, malignant*

Myxoid, Myxomatous (degeneration)

- valvular I38 2a
- - aortic I35.8
- - mitral I34.8
- - pulmonary I37.8
- - tricuspid I36.8

Myxolipoma (M8852/0) D17.9

Myxoliposarcoma (M8852/3) - *see Neoplasm, connective tissue, malignant*

Myxoma (M8840/0) - *see also Neoplasm, connective tissue, benign*

- nerve sheath (M9562/0) - *see Neoplasm, nerve, benign*

- odontogenic (M9320/0) D16.5

- - upper jaw (bone) D16.4

Myxosarcoma (M8840/3) - *see Neoplasm, connective tissue, malignant*

N

Naegeli's

- disease Q82.8 2b
- leukemia, monocytic (M9863/3) C92.1

Naegleriasis (with) B60.2 2a

- meningoencephalitis B60.2† 2a G05.2*

Naffziger's syndrome G54.0 2b

Naga sore (*see also* Ulcer, skin) L98.4 2a 2b

Nägele's pelvis M95.5

- with disproportion (fetopelvic) O33.0

- - causing obstructed labor O65.0

Nail - *see also* condition

- biting F98.8

- patella syndrome Q87.2

Nanism, nanosomia (*see also* Dwarfism) E34.3

- renis, renalis N25.0

Nanophyetiasis B66.8

Nanukayami A27.8

Narcolepsy G47.4

Narcosis

- carbon dioxide (respiratory) R06.8 2a 2b

- due to drug

- - correct substance properly administered R41.8

- - overdose or wrong substance given or taken T40.6 2b

- - - specified drug - *see* Table of drugs and chemicals

Narcotism NEC (acute) (intravenous) (*see also* Dependence, by drug) F19.2 2b

- overdose or wrong substance given or taken T40.6 2b

- - - specified drug - *see* Table of drugs and chemicals

Narrow

- anterior chamber angle H40.0

- pelvis - *see* Contraction, pelvis

Narrowing

- artery NEC I77.1

- - auditory, internal I63.2 2a 2b

- - - bilateral (multiple) I63.20 2a 2b

- - - multiple (bilateral) I63.20 2a 2b

- - basilar (*see also* Occlusion, artery, basilar) I63.2 2a 2b

- - - with other precerebral artery I63.2 2a 2b

- - - bilateral (multiple) I63.20 2a 2b

- - - multiple (bilateral) I63.20 2a 2b

- - carotid (*see also* Occlusion, artery, carotid) I63.2 2a 2b

- - - with other precerebral artery I63.2 2a 2b

- - - bilateral (multiple) I63.20 2a 2b

- - - multiple (bilateral) I63.20 2a 2b

- - cerebellar I63.5 2a 2b

- - - bilateral (multiple) I63.50 2a 2b

- - - multiple (bilateral) I63.50 2a 2b

- - cerebral I63.5 2a 2b

- - - bilateral (multiple) I63.50 2a 2b

- - - multiple (bilateral) I63.50 2a 2b

- - choroidal I63.5 2a 2b

- - - bilateral (multiple) I63.50 2a 2b

- - - multiple (bilateral) I63.50 2a 2b

- - communicating posterior I63.5 2a 2b

- - - bilateral (multiple) I63.50 2a 2b

- - - multiple (bilateral) I63.50 2a 2b

- - coronary I25.1 2a 2b

- - - congenital (syphilitic) A50.5† I52.0*

- - - due to syphilis NEC A52.0† 2b I52.0*

- - hypophyseal I63.5 2a 2b

- - - bilateral (multiple) I63.50 2a 2b

- - - multiple (bilateral) I63.50 2a 2b

- - pontine I63.5 2a 2b

- - - bilateral (multiple) I63.50 2a 2b

- - - multiple (bilateral) I63.50 2a 2b

- - precerebral (*see also* Occlusion, artery, precerebral) I63.2 2a 2b

- - - bilateral (multiple) I63.20 2a 2b

- - - multiple (bilateral) I63.20 2a 2b

- - vertebral (*see also* Occlusion, artery, vertebral) I63.2 2a 2b

- - - with other precerebral artery I63.2 2a 2b

- - - bilateral (multiple) I63.20 2a 2b

- - - multiple (bilateral) I63.20 2a 2b
- auditory canal (external) H61.3
- cord (umbilical) P02.6
- eustachian tube H68.1
- eyelid H02.5
- larynx J38.6
- palate K07.8
- palpebral fissure H02.5
- ureter N13.5
- - with infection N13.6 2a 2b
- urethra (*see also* Stricture, urethra) N35.9 2b

Narrowness, abnormal, eyelid Q10.3

Nasal - *see condition*

Nasolachrymal, nasolacrimal - *see condition*

Nasopharyngeal - *see also condition*

- pituitary gland Q89.2

Nasopharyngitis (acute)(infective)(subacute) J00 2a 2b

- chronic (suppurative) (ulcerative) J31.1
- septic J00 2a 2b
- streptococcal J00 2a 2b

Nasopharynx, nasopharyngeal - *see condition*

Natal tooth, teeth K00.6

Natural causes R99 2a 2b

Nausea (*see also* Vomiting) R11 2a 2b

- epidemic A08.1

- gravidarum - *see* Hyperemesis, gravidarum

- marina T75.3

Navel - *see condition*

Nearsightedness H52.1

Nebula, cornea H17.8

Necator americanus infection or infestation B76.1

Necatoriasis B76.1

Neck - *see condition*

Necrobiosis R68.8 2a 2b

- lipoidica NEC L92.1 2a

- - with diabetes (*see also* E10-E14 with fourth character .6) E14.6† 2a 2b L99.8*

Necrolysis, toxic epidermal L51.2

- due to drug
- - correct substance properly administered L51.2
- - overdose or wrong substance given or taken T50.9 2a 2b
- - - specified drug - *see* Table of drugs and chemicals

Necrophilia F65.8

Necrosis, necrotic (ischemic) (necrotizing) (*see also* Gangrene) R02 2a 2b

- adrenal (capsule) (gland) E27.4
- amputation stump (late) (surgical) T87.5
- antrum J32.0
- aorta (hyaline) (*see also* Aneurysm, aorta) I71.9 2a 2b
- - cystic medial I71.0 2b
- - ruptured I71.8
- artery I77.5
- aseptic or avascular - (*see also* Osteonecrosis) M87.9 2a 2b
- bladder (aseptic) (sphincter) N32.8
- bone (*see also* Osteonecrosis) M87.9 2a 2b
- - aseptic or avascular M87.9 2a 2b
- - - idiopathic M87.0
- - ethmoid J32.2
- - jaw K10.2
- - specified NEC M87.8
- - tuberculous - *see* Tuberculosis, bone
- brain (softening) (*see also* Softening, brain) I67.8
- breast (aseptic) (fat) (segmental) N64.1
- bronchus J98.0
- central nervous system NEC I67.8
- cerebellar I67.8
- cerebral I67.8

- cornea H18.8
- cortical (acute) (renal) N17.1
- cystic medial (aorta) I71.0 2b
- esophagus K22.8
- ethmoid (bone) J32.2
- eyelid H02.7
- fat (generalized) M79.8
- - breast (aseptic) N64.1
- - localized - *see* Degeneration, by site, fatty
- - subcutaneous, due to birth injury P15.6
- gallbladder K81.0
- heart - *see* Infarct, myocardium
- hip, aseptic or avascular (*see also* Osteonecrosis) M87.9 2a 2b
- hyaline NEC D76.0 2b
- - liver K72.9 2a 2b
- intestine (acute) (hemorrhagic) (massive) K55.0 2a 2b
- jaw K10.2
- kidney (bilateral) N28.0
- - acute N17.9 2a 2b
- - cortical (acute) N17.1
- - medullary (papillary) N17.2
- - papillary N17.2
- - tubular N17.0
- - - complicating pregnancy O99.8 2b
- - - - affecting fetus or newborn P00.1
- - - following
- - - - abortion (subsequent episode) O08.4 2b
- - - - - current episode - *see* Abortion
- - - - ectopic or molar pregnancy O08.4 2b
- larynx J38.7
- liver (cell) K72.9 2a 2b
- - with hepatic failure (*see also* Failure, hepatic) K72.9 2a 2b
- - acute, subacute K72.0 2a 2b
- - chronic K72.1 2a 2b
- - complicating pregnancy, childbirth or puerperium O26.6
- - - affecting fetus or newborn P00.8
- - hemorrhagic, central K76.2
- lung J85.0 2a 2b
- lymphatic gland (*see also* Lymphadenitis, acute) L04.9
- mammary gland (fat) (segmental) N64.1
- mastoid (chronic) H70.1
- medullary (acute) (renal) N17.2
- mesentery K55.0 2a 2b
- - fat K65.8 2b
- - - newborn P78.1 2b
- mitral valve - *see* Insufficiency, mitral
- myocardium, myocardial - *see* Infarct, myocardium
- nose J34.0
- omentum K55.0 2a 2b
- - fat K65.8 2b
- - - newborn P78.1 2b
- orbit, orbital H05.1
- ossicles, ear H74.3
- ovary (*see also* Salpingo-oophoritis) N70.9
- pancreas (aseptic) (duct) (fat) K86.8 2b
- - acute (infective) K85.9 2a 2b
- papillary (acute) (renal) N17.2
- - chronic N11.9 2b
- - muscle I51.2
- peritoneum K55.0 2a 2b
- - fat K65.8 2b
- - - newborn P78.1 2b
- pharynx J02.9 2a 2b
- - Vincent's A69.1 2a
- phosphorus T54.2

- pituitary (gland) (postpartum) (Sheehan) E23.0 2b
- placenta O43.8 2b
- pressure L89.2
 - - stage
 - - - III L89.2
 - - - IV L89.3
- pulmonary J85.0 2a 2b
- pulp (dental) K04.1
- radiation - *see* Necrosis, by site
- radium - *see* Necrosis, by site
- renal (*see also* Necrosis, kidney) N28.0
- sclera H15.8
- scrotum N50.8
- skin or subcutaneous tissue NEC R02 2a 2b
- spine, spinal (column) M87.9 2a 2b
 - - cord G95.1 2b
- spleen D73.5
- stomach K31.8 2a
- stomatitis (ulcerative) A69.0
- subcutaneous fat, fetus or newborn P83.8
- subendocardial (acute) I21.4
 - - chronic I25.8 2a 2b
- suprarenal (capsule) (gland) E27.4
- testis N50.8
- thymus (gland) E32.8
- tonsil J35.8
- trachea J39.8
- tuberculous NEC - *see* Tuberculosis
- tubular (acute) (anoxic) (renal) (toxic) N17.0
 - - postprocedural N99.0 2b
- umbilical cord, affecting fetus or newborn P02.6
- vagina N89.8
- vertebra M87.9 2a 2b
 - - tuberculous A18.0† 2a 2b M49.0*
- X-ray - *see* Necrosis, by site

Necrospermia N46 2a

Need for

- care provider because (of)
- - assistance with personal care Z74.1(1103)
- - continuous supervision required Z74.3(1104)
- - impaired mobility Z74.0(1105)
- - no other household member able to render care Z74.2(1106)
- - specified reason NEC Z74.8(1107)
- immunization - *see* Vaccination
- vaccination - *see* Vaccination

Neglect (newborn) T74.0

- emotional, in childhood Z62.4(1108)
- self R46.8
- - causing insufficient intake of food and water R63.6

Neill-Dingwall syndrome Q87.1 2a

Neisserian infection NEC - *see* Gonococcus

Nelaton's syndrome G60.8 2a 2b

Nelson's syndrome E24.1 2b

Nematodiasis (intestinal) NEC B82.0

- ancylostomiasis B76.0

Neonatal - *see also* condition

- abstinence syndrome P96.1

- tooth, teeth K00.6

Neonatorum - *see* condition

Neoplasia (*see also* Neoplasm)

- endocrine, multiple (MEN) (M8360/1) (*see also* Adenomatosis, endocrine) D44.8 2b
- intraepithelial
 - - cervix (uteri) (CIN) N87.9
 - - - grade I N87.0
 - - - grade II N87.1

- - - grade III (severe dysplasia) (M8077/2) D06.9
- - vagina (VAIN) N89.3
- - - grade I N89.0
- - - grade II N89.1
- - - grade III (severe dysplasia) (M8077/2) D07.2
- - vulva (VIN) N90.3
- - - grade I N90.0
- - - grade II N90.1
- - - grade III (severe dysplasia) (M8077/2) D07.1

Neoplasm, neoplastic - *see* Neoplasm, uncertain behavior

- blastic plasmacytoid dendritic cell (BPDCN) C92.7

| Malignant | | Uncertain or unknown behavior | | |
|-----------|-----------|-------------------------------|--------|--|
| Primary | Secondary | In situ | Benign | |

Neoplasm, neoplastic

C80 2a 2b C80 2a 2b D09.9 D36.9 D48.9 2a 2b

Notes

1. The list below gives the code numbers for neoplasms by anatomical site. For each site there are five possible code numbers according to whether the neoplasm in question is malignant (primary); malignant, secondary; in situ; benign; or of uncertain behavior or unspecified nature. The description of the neoplasm will often indicate which of the five columns is appropriate, e.g. malignant melanoma of skin, carcinoma in situ of cervix uteri, benign fibroadenoma of breast.

Where such descriptors are not present, the remainder of the Index should be consulted, where guidance is given to the appropriate column for each morphological (histological) variety listed, e.g. Mesonephroma - *see* Neoplasm, malignant, Embryoma - *see also* Neoplasm, uncertain behavior, Bowen's disease - *see* Neoplasm, skin, in situ. However, the guidance in the Index can be overridden if one of the descriptors mentioned above is present, e.g. malignant adenoma of colon is coded to C18.9 2a 2b and not to D12.6 as the adjective "malignant" overrides the Index entry "Adenoma - *see also* Neoplasm, benign".

2. Sites marked with the sign # (e.g. face NEC #) should be classified to malignant neoplasm of *skin* of these sites if the variety of neoplasm is a squamous cell carcinoma or an epidermoid carcinoma and to benign neoplasm of *skin* of these sites if the variety of neoplasm is a papilloma (any type).

3. Carcinomas and adenocarcinomas, of any type other than intraosseous or odontogenic, of sites marked with the sign ◊ (e.g. ischium ◊) should be considered as metastatic from an unspecified primary site and coded to C79.5 2a 2b .

| Malignant | | Uncertain or unknown behavior | | |
|-----------|-----------|-------------------------------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | | |
|--|-------------|-------------|----------|-------------|-------------|
| - abdomen, abdominal | C76.2 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - cavity | C76.2 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - organ | C76.2 | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - - viscera | C76.2 | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - - wall | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - abdominopelvic | C76.8 | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - accessory sinus - | | | | | |
| <i>see</i> Neoplasm, sinus | | | | | |
| - acromion (process)◊ | C40.0 | C79.5 2a 2b | | D16.0 | D48.0 2a 2b |
| - adenoid (tissue) | C11.1 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - adipose tissue - | | | | | |
| <i>see</i> Neoplasm, connective tissue | | | | | |
| - adnexa (uterine) | C57.4 | C79.8 2a 2b | D07.3 2b | D28.7 | D39.7 |
| - adrenal (gland) | C74.9 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - cortex | C74.0 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - medulla | C74.1 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - ala nasi (external) | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - alimentary canal or tract NEC | C26.9 2a | C78.8 2a 2b | D01.9 | D13.9 | D37.9 |
| - alveolar NEC - <i>see</i> Neoplasm, lung | | | | | |
| - - carcinoma | | | | | |
| - - - lower | C03.1 | C79.8 2a 2b | | | |
| - - - upper | C03.0 | C79.8 2a 2b | | | |

- - lower - *see* Neoplasm, alveolar ridge or process, lower
 - - upper - *see* Neoplasm, alveolar ridge or process, upper
 - - mucosa
 - - - lower
 - - - upper
 - - ridge or process ♀
 - - - carcinoma
 - - - - lower
 - - - upper
 - - - lower ♀

| | | | | |
|-------|-------------|----------|-------|-------------|
| C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C41.1 | C79.5 2a 2b | | D16.5 | D48.0 2a 2b |
| C03.9 | C79.8 2a 2b | | | |
| C03.1 | C79.8 2a 2b | | | |
| C03.0 | C79.8 2a 2b | | | |
| C41.1 | C79.5 2a 2b | | D16.5 | D48.0 2a 2b |

- - - mucosa
 - - - lower
 - - - upper
 - - - upper ♀
 - - sulcus
 - alveolus (*see also* Neoplasm, alveolar)
 - - lower
 - - upper
 - ampulla of Vater
 - ampulla, ampullary
 - ankle NEC #
 - anorectum, anorectal (junction)
 - antecubital fossa or space #
 - antrum (Highmore) (maxillary)
 - - pyloric
 - - tympanicum
 - anus, anal
 - - canal
 - - margin
 - - skin
 - - sphincter
 - aorta (thoracic)
 - - abdominal
 - aortic body
 - aponeurosis - *see also* Neoplasm, connective tissue
 - - palmar
 - - plantar
 - appendix
 - arachnoid
 - - cerebral
 - - spinal
 - area or region NEC
 - areola
 - arm NEC #
 - artery - *see* Neoplasm, connective tissue

| Malignant | | Uncertain or unknown behavior | | |
|-------------|-------------|-------------------------------|-------------|-------------|
| Primary | Secondary | In situ | Benign | |
| C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| C06.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C24.1 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| C76.7 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| C21.8 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |
| C31.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| C16.3 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| C30.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| C21.0 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| C21.1 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| C21.1 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| C49.3 | C79.8 2a 2b | | D21.3 | D48.1 |
| C49.4 2a 2b | C79.8 2a 2b | | D21.4 | D48.1 |
| C75.5 | C79.8 2a 2b | | D35.6 | D44.7 |
| C49.1 | C79.8 2a 2b | | D21.1 | D48.1 |
| C49.2 2a 2b | C79.8 2a 2b | | D21.2 | D48.1 |
| C18.1 | C78.5 2a 2b | D01.0 | D12.1 | D37.3 |
| C70.9 2b | C79.4 | | D32.9 2b | D42.9 |
| C70.0 | C79.3 2a 2b | | D32.0 2a 2b | D42.0 |
| C70.1 | C79.4 | | D32.1 | D42.1 |
| C76.7 | C79.8 2a 2b | D09.7 | D36.9 | D48.9 2a 2b |
| C50.0 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |

- aryepiglottic fold
 - - hypopharyngeal aspect
 - - laryngeal aspect
 - - marginal zone
 - arytenoid (cartilage)
 - - fold - *see* Neoplasm, aryepiglottic fold
 - atlas ♀
 - atrium, cardiac
 - auditory

| Malignant | | Uncertain or unknown behavior | | |
|-------------|-------------|-------------------------------|----------|-------------|
| Primary | Secondary | In situ | Benign | |
| C13.1 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| C13.1 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| C13.1 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
| C38.0 | C79.8 2a 2b | | D15.1 | D48.7 2b |

| | | | | | |
|--|-------------|-------------|----------|----------|----------|
| - - canal (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - internal | C30.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - nerve | C72.4 | C79.4 | | D33.3 | D43.3 |
| - - tube | C30.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - opening | C11.2 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - auricle, ear | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - cartilage | C49.0 | C79.8 2a 2b | | D21.0 2b | D48.1 |
| - auricular canal (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - internal | C30.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - autonomic nerve or nervous system - <i>see</i> Neoplasm, nerve, peripheral | | | | | |
| - axilla, axillary | C76.1 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - fold | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - back NEC # | C76.7 | C79.8 2a 2b | D04.5 | D36.7 | D48.7 2b |
| - Bartholin's gland | C51.0 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - basal ganglia | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - basis pedunculi | C71.7 | C79.3 2a 2b | | D33.1 | D43.1 |
| - bile or biliary (tract) (tree) | C24.9 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| - - canals, interlobular | C22.1 2a | C78.8 2a 2b | D01.5 | D13.4 | D37.6 |
| - - duct or passage (common) (cystic) (extrahepatic) | C24.0 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| - - - interlobular | C22.1 2a | C78.8 2a 2b | D01.5 | D13.4 | D37.6 |
| - - - intrahepatic | C22.1 2a | C78.8 2a 2b | D01.5 | D13.4 | D37.6 |
| - - - - with extrahepatic | C24.8 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | | |
|---|-------------|-------------|-------|-------|-------------|
| - bladder (urinary) | C67.9 2a 2b | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - dome | C67.1 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - neck | C67.5 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - orifice | C67.9 2a 2b | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - - ureteric | C67.6 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - - urethral | C67.5 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - sphincter | C67.8 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - trigone | C67.0 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - urachus | C67.7 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - wall | C67.9 2a 2b | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - - anterior | C67.3 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - - lateral | C67.2 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - - - posterior | C67.4 | C79.1 2a 2b | D09.0 | D30.3 | D41.4 |
| - blood vessel - <i>see</i> Neoplasm, connective tissue | | | | | |
| - bone (periosteum) ♦ | C41.9 2a 2b | C79.5 2a 2b | | D16.9 | D48.0 2a 2b |

Note - Carcinomas and adenocarcinomas, of any type other than intraosseous or odontogenic, of the sites listed under "Neoplasm, bone" should be considered as metastatic from an unspecified primary site and coded to C79.5 2a 2b .

| | | | | | |
|---|-------------|-------------|--|----------|-------------|
| - - acetabulum | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - - acromion (process) | C40.0 | C79.5 2a 2b | | D16.0 | D48.0 2a 2b |
| - - alveolar | | | | | |
| - - - lower - <i>see</i> Neoplasm, alveolar, ridge or process, lower | | | | | |
| - - - ridge or process - <i>see</i> Neoplasm, alveolar ridge or process | | | | | |
| - - - upper - <i>see</i> Neoplasm, alveolar, ridge or process, upper | | | | | |
| - - ankle | C40.3 | C79.5 2a 2b | | D16.3 | D48.0 2a 2b |
| - - arm NEC | C40.0 | C79.5 2a 2b | | D16.0 | D48.0 2a 2b |
| - - astragalus | C40.3 | C79.5 2a 2b | | D16.3 | D48.0 2a 2b |
| - - atlas | C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | | |
|----------|-------------|-------------|--|----------|-------------|
| - - axis | C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
|----------|-------------|-------------|--|----------|-------------|

| | | | | | | | | | | | |
|------------------------|-------|----|----|-------|----|----|-------|----|-------|----|----|
| -- back NEC | C41.2 | 2a | 2b | C79.5 | 2a | 2b | D16.6 | 2b | D48.0 | 2a | 2b |
| -- calcaneus | C40.3 | | | C79.5 | 2a | 2b | D16.3 | | D48.0 | 2a | 2b |
| -- calvarium | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- carpus (any) | C40.1 | | | C79.5 | 2a | 2b | D16.1 | | D48.0 | 2a | 2b |
| -- cartilage NEC | C41.9 | 2a | 2b | C79.5 | 2a | 2b | D16.9 | | D48.0 | 2a | 2b |
| -- clavicle | C41.3 | | | C79.5 | 2a | 2b | D16.7 | | D48.0 | 2a | 2b |
| -- clivus | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- coccygeal vertebra | C41.4 | | | C79.5 | 2a | 2b | D16.8 | | D48.0 | 2a | 2b |
| -- coccyx | C41.4 | | | C79.5 | 2a | 2b | D16.8 | | D48.0 | 2a | 2b |
| -- costal cartilage | C41.3 | | | C79.5 | 2a | 2b | D16.7 | | D48.0 | 2a | 2b |
| -- cranial | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- digital | C40.9 | | | C79.5 | 2a | 2b | D16.9 | | D48.0 | 2a | 2b |
| -- finger | C40.1 | | | C79.5 | 2a | 2b | D16.1 | | D48.0 | 2a | 2b |
| -- toe | C40.3 | | | C79.5 | 2a | 2b | D16.3 | | D48.0 | 2a | 2b |
| -- elbow | C40.0 | | | C79.5 | 2a | 2b | D16.0 | | D48.0 | 2a | 2b |
| -- ethmoid (labyrinth) | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- face | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- femur (any part) | C40.2 | 2a | 2b | C79.5 | 2a | 2b | D16.2 | | D48.0 | 2a | 2b |
| -- fibula (any part) | C40.2 | 2a | 2b | C79.5 | 2a | 2b | D16.2 | | D48.0 | 2a | 2b |
| -- finger (any) | C40.1 | | | C79.5 | 2a | 2b | D16.1 | | D48.0 | 2a | 2b |
| -- foot | C40.3 | | | C79.5 | 2a | 2b | D16.3 | | D48.0 | 2a | 2b |
| -- forearm | C40.0 | | | C79.5 | 2a | 2b | D16.0 | | D48.0 | 2a | 2b |
| -- frontal | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | | | | | | | | |
|---|-------|----|----|-------|----|----|-------|----|-------|----|----|
| -- hand | C40.1 | | | C79.5 | 2a | 2b | D16.1 | | D48.0 | 2a | 2b |
| -- heel | C40.3 | | | C79.5 | 2a | 2b | D16.3 | | D48.0 | 2a | 2b |
| -- hip | C41.4 | | | C79.5 | 2a | 2b | D16.8 | | D48.0 | 2a | 2b |
| -- humerus (any part) | C40.0 | | | C79.5 | 2a | 2b | D16.0 | | D48.0 | 2a | 2b |
| -- hyoid | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- ilium | C41.4 | | | C79.5 | 2a | 2b | D16.8 | | D48.0 | 2a | 2b |
| -- innominate | C41.4 | | | C79.5 | 2a | 2b | D16.8 | | D48.0 | 2a | 2b |
| -- intervertebral cartilage or disc | C41.2 | 2a | 2b | C79.5 | 2a | 2b | D16.6 | 2b | D48.0 | 2a | 2b |
| -- ischium | C41.4 | | | C79.5 | 2a | 2b | D16.8 | | D48.0 | 2a | 2b |
| -- jaw - <i>see</i> Neoplasm, jaw, bone | | | | | | | | | | | |
| -- knee | C40.2 | 2a | 2b | C79.5 | 2a | 2b | D16.2 | | D48.0 | 2a | 2b |
| -- leg NEC | C40.2 | 2a | 2b | C79.5 | 2a | 2b | D16.2 | | D48.0 | 2a | 2b |
| -- limb NEC | C40.9 | | | C79.5 | 2a | 2b | D16.9 | | D48.0 | 2a | 2b |
| -- lower (long bones) | C40.2 | 2a | 2b | C79.5 | 2a | 2b | D16.2 | | D48.0 | 2a | 2b |
| -- short bones | C40.3 | | | C79.5 | 2a | 2b | D16.3 | | D48.0 | 2a | 2b |
| -- upper (long bones) | C40.0 | | | C79.5 | 2a | 2b | D16.0 | | D48.0 | 2a | 2b |
| -- short bones | C40.1 | | | C79.5 | 2a | 2b | D16.1 | | D48.0 | 2a | 2b |
| -- long | C40.9 | | | C79.5 | 2a | 2b | D16.9 | | D48.0 | 2a | 2b |
| -- lower limbs NEC | C40.2 | 2a | 2b | C79.5 | 2a | 2b | D16.2 | | D48.0 | 2a | 2b |
| -- upper limbs NEC | C40.0 | | | C79.5 | 2a | 2b | D16.0 | | D48.0 | 2a | 2b |
| -- mandible | C41.1 | | | C79.5 | 2a | 2b | D16.5 | | D48.0 | 2a | 2b |
| -- marrow NEC | C96.9 | | | C79.5 | 2a | 2b | | | D47.9 | | |
| -- maxilla, maxillary (superior) | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- inferior | C41.1 | | | C79.5 | 2a | 2b | D16.5 | | D48.0 | 2a | 2b |
| -- metacarpus (any) | C40.1 | | | C79.5 | 2a | 2b | D16.1 | | D48.0 | 2a | 2b |
| -- metatarsus (any) | C40.3 | | | C79.5 | 2a | 2b | D16.3 | | D48.0 | 2a | 2b |
| -- nose, nasal | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- occipital | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- orbit | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- parietal | C41.0 | | | C79.5 | 2a | 2b | D16.4 | | D48.0 | 2a | 2b |
| -- patella | C40.3 | | | C79.5 | 2a | 2b | D16.3 | | D48.0 | 2a | 2b |
| -- pelvic | C41.4 | | | C79.5 | 2a | 2b | D16.8 | | D48.0 | 2a | 2b |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | |
|-----------------------------|-------------|-------------|----------|-------------|
| - - phalanges | C40.9 | C79.5 2a 2b | D16.9 | D48.0 2a 2b |
| - - - foot | C40.3 | C79.5 2a 2b | D16.3 | D48.0 2a 2b |
| - - - hand | C40.1 | C79.5 2a 2b | D16.1 | D48.0 2a 2b |
| - - pubic | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - - radius (any part) | C40.0 | C79.5 2a 2b | D16.0 | D48.0 2a 2b |
| - - rib | C41.3 | C79.5 2a 2b | D16.7 | D48.0 2a 2b |
| - - sacral vertebra | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - - sacrum | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - - scapula (any part) | C40.0 | C79.5 2a 2b | D16.0 | D48.0 2a 2b |
| - - sella turcica | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b |
| - - short | C40.9 | C79.5 2a 2b | D16.9 | D48.0 2a 2b |
| - - - lower limbs | C40.3 | C79.5 2a 2b | D16.3 | D48.0 2a 2b |
| - - - upper limbs | C40.1 | C79.5 2a 2b | D16.1 | D48.0 2a 2b |
| - - shoulder | C40.0 | C79.5 2a 2b | D16.0 | D48.0 2a 2b |
| - - skeleton, skeletal NEC | C41.9 2a 2b | C79.5 2a 2b | D16.9 | D48.0 2a 2b |
| - - skull | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b |
| - - sphenoid | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b |
| - - spine, spinal (column) | C41.2 2a 2b | C79.5 2a 2b | D16.6 2b | D48.0 2a 2b |
| - - - coccyx | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - - - sacrum | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - - sternum | C41.3 | C79.5 2a 2b | D16.7 | D48.0 2a 2b |
| - - tarsus (any) | C40.3 | C79.5 2a 2b | D16.3 | D48.0 2a 2b |
| - - temporal | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b |
| - - thorax, thoracic (wall) | C41.3 | C79.5 2a 2b | D16.7 | D48.0 2a 2b |
| - - thumb | C40.1 | C79.5 2a 2b | D16.1 | D48.0 2a 2b |
| - - tibia (any part) | C40.2 2a 2b | C79.5 2a 2b | D16.2 | D48.0 2a 2b |
| - - toe (any) | C40.3 | C79.5 2a 2b | D16.3 | D48.0 2a 2b |
| - - turbinate | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b |
| - - ulna (any part) | C40.0 | C79.5 2a 2b | D16.0 | D48.0 2a 2b |
| - - vertebra (column) | C41.2 2a 2b | C79.5 2a 2b | D16.6 2b | D48.0 2a 2b |
| - - - coccyx | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - - - sacrum | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - - vomer | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b |
| - - wrist | C40.1 | C79.5 2a 2b | D16.1 | D48.0 2a 2b |
| - - xiphoid process | C41.3 | C79.5 2a 2b | D16.7 | D48.0 2a 2b |
| - - zygomatic | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b |

| | Malignant | | | | Uncertain
or
unknown
behavior |
|--|-------------|-------------|----------|-------------|--|
| | Primary | Secondary | In situ | Benign | |
| - book leaf (mouth) | C06.8 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - bowel - <i>see</i> Neoplasm, intestine | | | | | |
| - brachial plexus | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - brain NEC | C71.9 2a 2b | C79.3 2a 2b | | D33.2 | D43.2 2a 2b |
| - - meninges | C70.0 | C79.3 2a 2b | | D32.0 2a 2b | D42.0 |
| - - stem | C71.7 | C79.3 2a 2b | | D33.1 | D43.1 |
| - branchial (cleft) (vestiges) | C10.4 | C79.8 2a 2b | D00.0 2b | D10.5 | D37.0 |
| - breast (connective tissue) (glandular tissue) (soft parts) | C50.9 2a 2b | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - areola | C50.0 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - axillary tail | C50.6 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - central portion | C50.1 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - ectopic site | C50.8 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - inner | C50.8 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - lower | C50.8 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - lower-inner quadrant | C50.3 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - lower-outer quadrant | C50.5 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - midline | C50.8 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - outer | C50.8 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - skin | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - tail (axillary) | C50.6 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - upper | C50.8 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - - upper-inner quadrant | C50.2 | C79.8 2a 2b | D05.9 | D24 | D48.6 |

| - - upper-outer quadrant | C50.4 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
|---|-------------|-------------|----------|----------|-------------------------------|
| - broad ligament | C57.1 | C79.8 2a 2b | | D28.2 | D39.7 |
| - bronchiogenic, bronchogenic (lung) | C34.9 2a 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - bronchiole | C34.9 2a 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - bronchus | C34.9 2a 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - carina | C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - lower lobe of lung | C34.3 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - main | C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - middle lobe of lung | C34.2 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - upper lobe of lung | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| | | | | | |
| Malignant | | | | | |
| Primary | | Secondary | In situ | Benign | Uncertain or unknown behavior |
| - brow | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - buccal (cavity) | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - mucosa | C06.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - sulcus (lower) (upper) | C06.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - bulbourethral gland | C68.0 | C79.1 2a 2b | D09.1 | D30.4 | D41.3 |
| - bursa - <i>see</i> Neoplasm, connective tissue | | | | | |
| - buttock NEC # | C76.3 2b | C79.8 2a 2b | D04.5 | D36.7 | D48.7 2b |
| - caecum - <i>see</i> Neoplasm, | | | | | |
| cecum- calf # | C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| - calvarium ♀ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - calyx, renal | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - canal- - anal | C21.1 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| - - auditory (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - auricular (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - canaliculi- - biliferi | C22.1 2a | C78.8 2a 2b | D01.5 | D13.4 | D37.6 |
| - - intrahepatic | C22.1 2a | C78.8 2a 2b | D01.5 | D13.4 | D37.6 |
| - canthus (eye) (inner) (outer) | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
| - capillary - <i>see</i> Neoplasm, connective tissue | | | | | |
| - capsule, internal | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - cardia (gastric) | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - cardiac orifice (stomach) | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - cardioesophageal junction | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - cardioesophagus | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - carina (tracheal) | C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - carotid (artery) | C49.0 | C79.8 2a 2b | | D21.0 2b | D48.1 |
| - - body | C75.4 2b | C79.8 2a 2b | | D35.5 2b | D44.6 2b |
| - cartilage (articular) (joint) (<i>see also</i> Neoplasm, bone) | C41.9 2a 2b | C79.5 2a 2b | | D16.9 | D48.0 2a 2b |
| - - arytenoid | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| | | | | | |
| Malignant | | | | | |
| Primary | | Secondary | In situ | Benign | Uncertain or unknown behavior |
| - - auricular | C49.0 | C79.8 2a 2b | | D21.0 2b | D48.1 |
| - - bronchi | C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - costal ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - - cricoid | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - cuneiform | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - ear (external) | C49.0 | C79.8 2a 2b | | D21.0 2b | D48.1 |
| - - epiglottis | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - eyelid | C49.0 | C79.8 2a 2b | | D21.0 2b | D48.1 |
| - - larynx, laryngeal | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - nose, nasal | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - rib ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - - semilunar (knee) ♀ | C40.2 2a 2b | C79.5 2a 2b | | D16.2 | D48.0 2a 2b |
| - - thyroid | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - trachea | C33 2b | C78.3 2b | D02.1 | D14.2 | D38.1 |

| | | | | |
|---|----------|-------------|-------------|----------|
| - cauda equina | C72.1 | C79.4 | D33.4 | D43.4 |
| - cavity- - buccal | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - nasal | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b |
| - - oral | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - peritoneal | C48.2 2b | C78.6 2a 2b | | D20.1 |
| - - tympanic | C30.1 | C78.3 2b | D02.3 2b | D14.0 2b |
| - cecum | C18.0 2b | C78.5 2a 2b | D01.0 | D12.0 |
| - central | | | | D37.4 |
| - - nervous system - <i>see</i> Neoplasm, nervous system | | | | |
| - - white matter | C71.0 | C79.3 2a 2b | | D33.0 |
| - cerebellopontine | C71.6 | C79.3 2a 2b | | D43.0 |
| - cerebellum, cerebellar | C71.6 | C79.3 2a 2b | | D43.1 |
| - cerebrum, cerebral (cortex) (hemis- phere) (white matter) | C71.0 | C79.3 2a 2b | | D43.1 |
| - - meninges | C70.0 | C79.3 2a 2b | D32.0 2a 2b | D42.0 |
| - - peduncle | C71.7 | C79.3 2a 2b | | D43.1 |
| - - ventricle (cerebral) (lateral) (third) | C71.5 | C79.3 2a 2b | | D43.0 |
| - - - fourth | C71.7 | C79.3 2a 2b | | D43.1 |
| - cervical NEC | | | | |
| - - female | C53.9 2a | C79.8 2a 2b | D06.9 | D26.0 |
| | | | | D39.0 2b |

| | Malignant | | | Uncertain or unknown behavior |
|---|-------------|-------------|----------|-------------------------------|
| | Primary | Secondary | In situ | |
| - - male | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D36.7 |
| - cervical region | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D48.7 2b |
| - cervix (uteri) | C53.9 2a | C79.8 2a 2b | D06.9 | D26.0 |
| - - canal | C53.0 2b | C79.8 2a 2b | D06.0 | D39.0 2b |
| - - squamocolumnar junction | C53.8 | C79.8 2a 2b | D06.7 | D26.0 |
| - - stump | C53.8 | C79.8 2a 2b | D06.7 | D39.0 2b |
| - cheek | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D36.7 |
| - - external | C44.3 2a 2b | C79.2 2a | D04.3 | D48.5 |
| - - inner aspect | C06.0 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - internal | C06.0 | C79.8 2a 2b | D00.0 2b | D37.0 |
| - - mucosa | C06.0 | C79.8 2a 2b | D00.0 2b | D37.0 |
| - chest (wall) NEC | C76.1 2a 2b | C79.8 2a 2b | D09.7 | D48.7 2b |
| - chiasma opticum | C72.3 | C79.4 | | D43.3 |
| - chin | C44.3 2a 2b | C79.2 2a | D04.3 | D48.5 |
| - choana | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 |
| - cholangiole | C22.1 2a | C78.8 2a 2b | D01.5 | D37.6 |
| - choledochal duct | C24.0 | C78.8 2a 2b | D01.5 | D37.6 |
| - choroid | C69.3 | C79.4 | D09.2 | D31.3 |
| - - plexus (lateral ventricle) (third ventricle) | C71.5 | C79.3 2a 2b | | D43.0 |
| - - - fourth ventricle | C71.7 | C79.3 2a 2b | | D43.1 |
| - ciliary body | C69.4 | C79.4 | D09.2 | D48.7 2b |
| - clavicle ♂ | C41.3 | C79.5 2a 2b | | D48.0 2a 2b |
| - clitoris | C51.2 | C79.8 2a 2b | D07.1 | D39.7 |
| - clivus ♂ | C41.0 | C79.5 2a 2b | | D48.0 2a 2b |
| - cloacogenic zone | C21.2 | C78.5 2a 2b | D01.3 | D37.7 2a |
| - coccygeal- - body or glomus | C75.5 | C79.8 2a 2b | | D44.7 |
| - - vertebra ♂ | C41.4 | C79.5 2a 2b | | D48.0 2a 2b |
| - coccyx ♂ | C41.4 | C79.5 2a 2b | | D48.0 2a 2b |
| - colon (<i>see also</i> Neoplasm, intestine, large) | C18.9 2a 2b | C78.5 2a 2b | D01.0 | D12.6 |
| - - with rectum | C19 2a | C78.5 2a 2b | D01.1 | D12.7 |
| - column, spinal - <i>see</i> Neoplasm, spine | | | | D37.5 |
| - columnella | C44.3 2a 2b | C79.2 2a | D04.3 | D48.5 |
| - commissure | | | | |
| - - labial, lip | C00.6 | C79.8 2a 2b | D00.0 2b | D10.0 |
| - - laryngeal | C32.0 | C78.3 2b | D02.0 2b | D14.1 |
| | | | | D38.0 2b |

| | Malignant | | | Uncertain or unknown behavior |
|--|-----------|-----------|---------|-------------------------------|
| | Primary | Secondary | In situ | |
| | | | | |

| | | | | | |
|-------------------------|-------------|-------------|----------|----------|----------|
| - common (bile) duct | C24.0 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| - concha | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - nose | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - conjunctiva | C69.0 | C79.4 | D09.2 | D31.0 | D48.7 2b |
| - connective tissue NEC | C49.9 2a 2b | C79.8 2a 2b | | D21.9 | D48.1 |

Note - For neoplasms of connective tissue (blood vessels, bursa, fascia, ligament, muscle, peripheral nerves, sympathetic and parasympathetic nerves and ganglia, synovia, tendon, etc.) or of morphological types that indicate connective tissue, code according to the list under "Neoplasm, connective tissue"; for sites that do not appear in this list, code to neoplasm of that site, e.g.

fibrosarcoma, pancreas C25.9 2a 2b
leiomyosarcoma, stomach C16.9 2a 2b

Morphological types that indicate connective tissue appear in their proper place in the alphabetical index with the instruction "see Neoplasm, connective tissue, . . .".

| | | | | |
|--------------------------------|-------------|-------------|----------|-------|
| - - abdomen | C49.4 2a 2b | C79.8 2a 2b | D21.4 | D48.1 |
| - - abdominal wall | C49.4 2a 2b | C79.8 2a 2b | D21.4 | D48.1 |
| - - ankle | C49.2 2a 2b | C79.8 2a 2b | D21.2 | D48.1 |
| - - antecubital fossa or space | C49.1 | C79.8 2a 2b | D21.1 | D48.1 |
| - - arm | C49.1 | C79.8 2a 2b | D21.1 | D48.1 |
| - - auricle (ear) | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - axilla | C49.3 | C79.8 2a 2b | D21.3 | D48.1 |
| - - back | C49.6 | C79.8 2a 2b | D21.6 | D48.1 |
| - - buttock | C49.5 | C79.8 2a 2b | D21.5 | D48.1 |
| - - calf | C49.2 2a 2b | C79.8 2a 2b | D21.2 | D48.1 |
| - - cervical region | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - cheek | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - chest (wall) | C49.3 | C79.8 2a 2b | D21.3 | D48.1 |
| - - chin | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - diaphragm | C49.3 | C79.8 2a 2b | D21.3 | D48.1 |
| - - ear (external) | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - elbow | C49.1 | C79.8 2a 2b | D21.1 | D48.1 |
| - - extrarectal | C49.5 | C79.8 2a 2b | D21.5 | D48.1 |
| - - extremity | C49.9 2a 2b | C79.8 2a 2b | D21.9 | D48.1 |
| - - lower | C49.2 2a 2b | C79.8 2a 2b | D21.2 | D48.1 |
| - - upper | C49.1 | C79.8 2a 2b | D21.1 | D48.1 |

| | Malignant | | | Uncertain
or
unknown
behavior |
|-------------------------------|-------------|-------------|----------|--|
| | Primary | Secondary | In situ | Benign |
| - - eyelid | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - face | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - finger | C49.1 | C79.8 2a 2b | D21.1 | D48.1 |
| - - flank | C49.6 | C79.8 2a 2b | D21.6 | D48.1 |
| - - foot | C49.2 2a 2b | C79.8 2a 2b | D21.2 | D48.1 |
| - - forearm | C49.1 | C79.8 2a 2b | D21.1 | D48.1 |
| - - forehead | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - gluteal region | C49.5 | C79.8 2a 2b | D21.5 | D48.1 |
| - - great vessels NEC | C49.3 | C79.8 2a 2b | D21.3 | D48.1 |
| - - groin | C49.5 | C79.8 2a 2b | D21.5 | D48.1 |
| - - hand | C49.1 | C79.8 2a 2b | D21.1 | D48.1 |
| - - head | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - heel | C49.2 2a 2b | C79.8 2a 2b | D21.2 | D48.1 |
| - - hip | C49.2 2a 2b | C79.8 2a 2b | D21.2 | D48.1 |
| - - iliopsoas muscle | C49.4 2a 2b | C79.8 2a 2b | D21.4 | D48.1 |
| - - infraclavicular region | C49.3 | C79.8 2a 2b | D21.3 | D48.1 |
| - - inguinal (canal) (region) | C49.5 | C79.8 2a 2b | D21.5 | D48.1 |
| - - intrathoracic | C49.3 | C79.8 2a 2b | D21.3 | D48.1 |
| - - ischiorectal fossa | C49.5 | C79.8 2a 2b | D21.5 | D48.1 |
| - - jaw | C03.9 | C79.8 2a 2b | D10.3 | D37.0 |

| Malignant | | Uncertain or unknown behavior | |
|-----------|-----------|-------------------------------|--------|
| Primary | Secondary | In situ | Benign |
| 10 | 10 | 10 | 10 |

- - penis C60.2 C79.8 2a 2b D07.4 D29.0 D40.7
- - striatum C71.0 C79.3 2a 2b D33.0 D43.0

| | | | | | |
|---|-------------|-------------|----------|-------------|-------------|
| - - uteri | C54.9 | C79.8 2a 2b | D07.3 2b | D26.1 | D39.0 2b |
| - - - isthmus | C54.0 | C79.8 2a 2b | D07.3 2b | D26.1 | D39.0 2b |
| - cortex- - adrenal | C74.0 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - cerebral | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - costal cartilage ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - Cowper's gland | C68.0 | C79.1 2a 2b | D09.1 | D30.4 | D41.3 |
| - cranial (fossa, any) | C71.9 2a 2b | C79.3 2a 2b | | D33.2 | D43.2 2a 2b |
| - - meninges | C70.0 | C79.3 2a 2b | | D32.0 2a 2b | D42.0 |
| - - nerve, NEC | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - - craniopharyngeal (duct) (pouch) | C75.2 | C79.8 2a 2b | D09.3 2b | D35.3 | D44.4 |
| - cricoid | C13.0 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| - - cartilage | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - cricopharynx | C13.0 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| - crypt of Morgagni | C21.8 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| - cutaneous - <i>see</i> Neoplasm, skin | | | | | |
| - cutis - <i>see</i> Neoplasm, skin | | | | | |
| - cystic (bile) duct | C24.0 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| - dermis - <i>see</i> Neoplasm, skin | | | | | |
| - diaphragm | C49.3 | C79.8 2a 2b | | D21.3 | D48.1 |
| - digestive organs, system, tube or tract NEC | C26.9 2a | C78.8 2a 2b | D01.9 | D13.9 | D37.9 |
| - disk, intervertebral ♀ | C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
| - disease, generalized | C80 2a 2b | | | | |
| - disseminated | C80 2a 2b | | | | |
| - Douglas' cul de sac or pouch | C48.1 | C78.6 2a 2b | | D20.1 | D48.4 |
| - duodenojejunal junction | C17.8 | C78.4 2b | D01.4 | D13.3 | D37.2 |
| - duodenum | C17.0 | C78.4 2b | D01.4 | D13.2 | D37.2 |
| - dura (mater) | C70.9 2b | C79.4 | | D32.9 2b | D42.9 |
| - - cerebral | C70.0 | C79.3 2a 2b | | D32.0 2a 2b | D42.0 |
| - - cranial | C70.0 | C79.3 2a 2b | | D32.0 2a 2b | D42.0 |
| - - spinal | C70.1 | C79.4 | | D32.1 | D42.1 |
| - ear (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - auricle | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - canal | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | | |
|--|----------|-------------|----------|----------|----------|
| - - cartilage | C49.0 | C79.8 2a 2b | | D21.0 2b | D48.1 |
| - - external meatus | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - inner | C30.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - lobule | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - middle | C30.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - skin | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - earlobe | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - ejaculatory duct | C63.7 | C79.8 2a 2b | D07.6 | D29.7 | D40.7 |
| - elbow NEC # | C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |
| - endocardium | C38.0 | C79.8 2a 2b | | D15.1 | D48.7 2b |
| - endocervix (canal) (gland) | C53.0 2b | C79.8 2a 2b | D06.0 | D26.0 | D39.0 2b |
| - endocrine gland NEC | C75.9 | C79.8 2a 2b | D09.3 2b | D35.9 | D44.9 |
| - - pluriglandular | C75.8 2b | C79.8 2a 2b | D09.3 2b | D35.8 | D44.8 2b |
| - endometrium (gland) (stroma) | C54.1 2b | C79.8 2a 2b | D07.0 | D26.1 | D39.0 2b |
| - enteric - <i>see</i> Neoplasm, intestine | | | | | |
| - ependyma (brain) | C71.5 | C79.3 2a 2b | | D33.0 | D43.0 |
| - epicardium | C38.0 | C79.8 2a 2b | | D15.1 | D48.7 2b |
| - epididymis | C63.0 | C79.8 2a 2b | D07.6 | D29.3 | D40.7 |
| - epidural | C72.9 | C79.4 | | D33.9 | D43.9 |
| - epiglottis | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - anterior aspect or surface | C10.1 | C79.8 2a 2b | D00.0 2b | D10.5 | D37.0 |
| - - cartilage | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - free border (margin) | C10.1 | C79.8 2a 2b | D00.0 2b | D10.5 | D37.0 |
| - - posterior (laryngeal) surface | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - suprathyroid portion | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - esophagogastric junction | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |

| - esophagus | C15.9 | 2a | 2b | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
|---|-----------|-----------|---------|-------|----|----|-------|-------|-------|--|-------|-------|----|
| - - abdominal | C15.2 | 2a | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - - cervical | C15.0 | | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - - distal (third) | C15.5 | 2a | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - - lower (third) | C15.5 | 2a | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - - middle (third) | C15.4 | | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - - proximal (third) | C15.3 | | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - - thoracic | C15.1 | | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - - upper (third) | C15.3 | | | C78.8 | 2a | 2b | D00.1 | D13.0 | D37.7 | 2a | | | |
| - ethmoid (sinus) | C31.1 | | | C78.3 | 2b | | D02.3 | 2b | D14.0 | 2b | | | |
| | | | | | | | | | | | | | |
| | Malignant | | | | | | | | | Uncertain
or
unknown
behavior | | | |
| | Primary | Secondary | In situ | | | | | | | | | | |
| - - bone or labyrinth ♦ | C41.0 | | | C79.5 | 2a | 2b | | D16.4 | D48.0 | 2a | 2b | | |
| - eustachian tube | C30.1 | | | C78.3 | 2b | | D02.3 | 2b | D14.0 | 2b | D38.5 | 2b | |
| - exocervix | C53.1 | | | C79.8 | 2a | 2b | D06.1 | | D26.0 | | D39.0 | 2b | |
| - external | | | | | | | | | | | | | |
| - - meatus (ear) | C44.2 | | | C79.2 | 2a | | D04.2 | | D23.2 | | D48.5 | | |
| - - os uteri | C53.1 | | | C79.8 | 2a | 2b | D06.1 | | D26.0 | | D39.0 | 2b | |
| - extradural | C72.9 | | | C79.4 | | | | | D33.9 | | D43.9 | | |
| - extraocular muscle | C69.6 | | | C79.4 | | | | | D31.6 | | D48.7 | 2b | |
| - extrarectal | C76.3 | 2b | | C79.8 | 2a | 2b | | | D36.7 | | D48.7 | 2b | |
| - extremity # | C76.7 | | | C79.8 | 2a | 2b | D04.8 | | D36.7 | | D48.7 | 2b | |
| - - lower # | C76.5 | 2b | | C79.8 | 2a | 2b | D04.7 | | D36.7 | | D48.7 | 2b | |
| - - upper # | C76.4 | | | C79.8 | 2a | 2b | D04.6 | | D36.7 | | D48.7 | 2b | |
| - eye NEC | C69.9 | | | C79.4 | | | D09.2 | | D31.9 | | D48.7 | 2b | |
| - eyeball | C69.4 | | | C79.4 | | | D09.2 | | D31.4 | | D48.7 | 2b | |
| - eyebrow | C44.3 | 2a | 2b | C79.2 | 2a | | D04.3 | | D23.3 | | D48.5 | | |
| - eyelid (lower) (upper) (skin) | C44.1 | | | C79.2 | 2a | | D04.1 | | D23.1 | | D48.5 | | |
| - - cartilage | C49.0 | | | C79.8 | 2a | 2b | | | D21.0 | 2b | D48.1 | | |
| - face NEC # | C76.0 | 2a | 2b | C79.8 | 2a | 2b | D04.3 | | D36.7 | | D48.7 | 2b | |
| - fallopian tube | C57.0 | | | C79.8 | 2a | 2b | D07.3 | 2b | D28.2 | | D39.7 | | |
| - falx (cerebelli) (cerebri) | C70.0 | | | C79.3 | 2a | 2b | | | D32.0 | 2a | 2b | D42.0 | |
| - fascia (<i>see also</i> Neoplasm, connective tissue) | C49.9 | 2a | 2b | C79.8 | 2a | 2b | | | D21.9 | | D48.1 | | |
| - - palmar | C49.1 | | | C79.8 | 2a | 2b | | | D21.1 | | D48.1 | | |
| - - plantar | C49.2 | 2a | 2b | C79.8 | 2a | 2b | | | D21.2 | | D48.1 | | |
| - fatty tissue - <i>see</i> Neoplasm, connective tissue | | | | | | | | | | | | | |
| - fauces, faucial NEC | C10.9 | | | C79.8 | 2a | 2b | D00.0 | 2b | D10.5 | | D37.0 | | |
| - - pillars | C09.1 | | | C79.8 | 2a | 2b | D00.0 | 2b | D10.5 | | D37.0 | | |
| - - tonsil | C09.9 | | | C79.8 | 2a | 2b | D00.0 | 2b | D10.4 | | D37.0 | | |
| - femur (any part) ♦ | C40.2 | 2a | 2b | C79.5 | 2a | 2b | | | D16.2 | | D48.0 | 2a | 2b |
| - fetal membrane | C58 | | | C79.8 | 2a | 2b | D07.3 | 2b | D26.7 | | D39.2 | | |
| - fibrous tissue - <i>see</i> Neoplasm, connective tissue | | | | | | | | | | | | | |
| - fibula (any part) ♦ | C40.2 | 2a | 2b | C79.5 | 2a | 2b | | | D16.2 | | D48.0 | 2a | 2b |
| - filum terminale | C72.0 | | | C79.4 | | | | | D33.4 | | D43.4 | | |
| - finger NEC # | C76.4 | | | C79.8 | 2a | 2b | D04.6 | | D36.7 | | D48.7 | 2b | |
| | Malignant | | | | | | | | | Uncertain
or
unknown
behavior | | | |
| | Primary | Secondary | In situ | | | | | | | | | | |
| - flank NEC # | C76.7 | | | C79.8 | 2a | 2b | D04.5 | | D36.7 | | D48.7 | 2b | |
| - foot NEC # | C76.5 | 2b | | C79.8 | 2a | 2b | D04.7 | | D36.7 | | D48.7 | 2b | |
| - forearm NEC # | C76.4 | | | C79.8 | 2a | 2b | D04.6 | | D36.7 | | D48.7 | 2b | |
| - forehead | C44.3 | 2a | 2b | C79.2 | 2a | | D04.3 | | D23.3 | | D48.5 | | |
| - foreskin | C60.0 | | | C79.8 | 2a | 2b | D07.4 | | D29.0 | | D40.7 | | |
| - fornix | | | | | | | | | | | | | |
| - - pharyngeal | C11.3 | | | C79.8 | 2a | 2b | D00.0 | 2b | D10.6 | | D37.0 | | |
| - - vagina | C52 | 2a | | C79.8 | 2a | 2b | D07.2 | | D28.1 | | D39.7 | | |
| - fossa | | | | | | | | | | | | | |
| - - anterior (cranial) | C71.9 | 2a | 2b | C79.3 | 2a | 2b | | | D33.2 | | D43.2 | 2a | 2b |

| | | | | |
|--|-------------|-------------|----------|-------------|
| - - cranial | C71.9 2a 2b | C79.3 2a 2b | D33.2 | D43.2 2a 2b |
| - - ischiorectal | C76.3 2b | C79.8 2a 2b | D36.7 | D48.7 2b |
| - - middle (cranial) | C71.9 2a 2b | C79.3 2a 2b | D33.2 | D43.2 2a 2b |
| - - pituitary | C75.1 2b | C79.8 2a 2b | D09.3 2b | D35.2 2b |
| - - posterior (cranial) | C71.9 2a 2b | C79.3 2a 2b | D33.2 | D43.2 2a 2b |
| - - pterygoid | C49.0 | C79.8 2a 2b | | D21.0 2b |
| - - pyriform | C12 | C79.8 2a 2b | D00.0 2b | D10.7 |
| - - Rosenmüller | C11.2 | C79.8 2a 2b | D00.0 2b | D10.6 |
| - - tonsillar | C09.0 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - fourchette | C51.9 | C79.8 2a 2b | D07.1 | D28.0 |
| - frenulum | | | | D39.7 |
| - - labii - <i>see</i> Neoplasm, lip, internal | | | | |
| - - linguae | C02.2 | C79.8 2a 2b | D00.0 2b | D10.1 |
| - frontal | | | | D37.0 |
| - - bone ♀ | C41.0 | C79.5 2a 2b | | D16.4 |
| - - lobe | C71.1 | C79.3 2a 2b | | D33.0 |
| - - pole | C71.1 | C79.3 2a 2b | | D33.0 |
| - - sinus | C31.2 | C78.3 2b | D02.3 2b | D14.0 2b |
| - fronto-occipital | C71.8 | C79.3 2a 2b | | D38.5 2b |
| - frontoparietal | C71.8 | C79.3 2a 2b | | D43.0 |
| - frontotemporal | C71.8 | C79.3 2a 2b | | D43.0 |
| - fundus | | | | D43.0 |
| - - stomach | C16.1 | C78.8 2a 2b | D00.2 | D13.1 |
| - - uterus | C54.3 | C79.8 2a 2b | D07.3 2b | D26.1 |
| - gall duct (extrahepatic) | C24.0 | C78.8 2a 2b | D01.5 | D13.5 |
| - - intrahepatic | C22.1 2a | C78.7 2a 2b | D01.5 | D13.4 |
| - gallbladder | C23 2a 2b | C78.8 2a 2b | D01.5 | D13.5 |
| | | | | D37.6 |

| Malignant | | | | Uncertain or unknown behavior |
|-----------|-----------|---------|--------|-------------------------------|
| Primary | Secondary | In situ | Benign | |

| | | | | |
|---|-----------|-------------|----------|----------|
| - ganglia (<i>see also</i> Neoplasm, nerve, peripheral) | C47.9 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - basal | C71.0 | C79.3 2a 2b | D33.0 | D43.0 |
| - Gartner's duct | C52 2a | C79.8 2a 2b | D07.2 | D28.1 |
| - gastric - <i>see</i> Neoplasm, stomach | | | | D39.7 |
| - gastroesophageal (area) (junction) (region) | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 |
| - gastrointestinal (tract) | C26.9 2a | C78.8 2a 2b | D01.9 | D13.9 |
| - - area or region | C76.2 | C79.8 2a 2b | D09.7 | D36.7 |
| - generalized | C80 2a 2b | | | D48.7 2b |
| - genital organ or tract | | | | |
| - - female NEC | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 |
| - - - specified site NEC | C57.7 | C79.8 2a 2b | D07.3 2b | D28.7 |
| - - male NEC | C63.9 | C79.8 2a 2b | D07.6 | D29.9 |
| - - - specified site NEC | C63.7 | C79.8 2a 2b | D07.6 | D40.9 |
| - genitourinary tract | | | | D40.7 |
| - - female | C57.9 2a | C79.8 2a 2b | D07.3 2b | D39.9 |
| - - male | C63.9 | C79.8 2a 2b | D07.6 | D40.9 |
| - gingiva (alveolar) (marginal) | C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - lower | C03.1 | C79.8 2a 2b | D00.0 2b | D37.0 |
| - - mandibular | C03.1 | C79.8 2a 2b | D00.0 2b | D37.0 |
| - - maxillary | C03.0 | C79.8 2a 2b | D00.0 2b | D37.0 |
| - - upper | C03.0 | C79.8 2a 2b | D00.0 2b | D37.0 |
| - gland, glandular (lymphatic) (system) - <i>see also</i> Neoplasm, lymph gland | | | | |
| - - endocrine NEC | C75.9 | C79.8 2a 2b | D09.3 2b | D35.9 |
| - - salivary - <i>see</i> Neoplasm, salivary gland | | | | D44.9 |
| - glans penis | C60.1 | C79.8 2a 2b | D07.4 | D29.0 |
| - globus pallidus | C71.0 | C79.3 2a 2b | | D43.0 |
| - glomus | | | | |
| - - coccygeal | C75.5 | C79.8 2a 2b | | D35.6 |
| - - jugularis | C75.5 | C79.8 2a 2b | | D44.7 |
| - glossoepiglottic fold(s) | C10.1 | C79.8 2a 2b | D00.0 2b | D44.7 |
| - glossopalatine fold | C09.1 | C79.8 2a 2b | D00.0 2b | D37.0 |
| | | | | D37.0 |

| | | | | | |
|---------------------------|----------|-------------|----------|-------|----------|
| - glossopharyngeal sulcus | C09.0 | C79.8 2a 2b | D00.0 2b | D10.5 | D37.0 |
| - glottis | C32.0 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - gluteal region # | C76.3 2b | C79.8 2a 2b | D04.5 | D36.7 | D48.7 2b |
| - great vessels NEC | C49.3 | C79.8 2a 2b | | D21.3 | D48.1 |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-------------|-------------|----------|----------|--|
| Primary | Secondary | In situ | Benign | |
| C76.3 2b | C79.8 2a 2b | D04.5 | D36.7 | D48.7 2b |
| C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C03.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |
| C76.0 2a 2b | C79.8 2a 2b | D04.4 | D36.7 | D48.7 2b |
| C38.0 | C79.8 2a 2b | | D15.1 | D48.7 2b |
| C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| C96.9 | | | | D47.9 |
| C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| C21.1 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| C22.9 2a 2b | C78.7 2a 2b | D01.5 | D13.4 | D37.6 |
| C24.0 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| C18.3 | C78.5 2a 2b | D01.0 | D12.3 | D37.4 |
| C22.9 2a 2b | | D01.5 | D13.4 | D37.6 |
| C76.7 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| C71.2 | C79.3 2a 2b | | D33.0 | D43.0 |
| C40.0 | C79.5 2a 2b | | D16.0 | D48.0 2a 2b |
| C52 2a | C79.8 2a 2b | D07.2 | D28.1 | D39.7 |
| C13.9 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| C13.2 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| C75.1 2b | C79.8 2a 2b | D09.3 2b | D35.2 2b | D44.3 2b |
| C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| C18.0 2b | C78.5 2a 2b | D01.0 | D12.0 | D37.4 |
| C17.2 | C78.4 2b | D01.4 | D13.3 | D37.2 |
| C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| C88.9 2a 2b | | | | D47.9 |
| C76.1 2a 2b | C79.8 2a 2b | D04.5 | D36.7 | D48.7 2b |
| C76.3 2b | C79.8 2a 2b | D04.5 | D36.7 | D48.7 2b |
| C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| C25.4 | C78.8 2a 2b | D01.7 2b | D13.7 2a | D37.7 2a |
| C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| C13.1 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| C13.1 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-------------|-------------|----------|----------|--|
| Primary | Secondary | In situ | Benign | |
| C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| C13.1 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| C53.0 2b | C79.8 2a 2b | D06.0 | D26.0 | D39.0 2b |
| C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
| C26.0 2a 2b | C78.5 2a 2b | D01.4 | D13.9 | D37.7 2a |
| C18.9 2a 2b | C78.5 2a 2b | D01.0 | D12.6 | D37.4 |
| C18.1 | C78.5 2a 2b | D01.0 | D12.1 | D37.3 |
| C18.0 2b | C78.5 2a 2b | D01.0 | D12.0 | D37.4 |
| C18.9 2a 2b | C78.5 2a 2b | D01.0 | D12.6 | D37.4 |
| C19 2a | C78.5 2a 2b | D01.1 | D12.7 | D37.5 |

| | | | | | |
|---------------------------------------|-------------|-------------|----------|----------|-------------|
| - - - - ascending | C18.2 | C78.5 2a 2b | D01.0 | D12.2 | D37.4 |
| - - - - caput | C18.0 2b | C78.5 2a 2b | D01.0 | D12.0 | D37.4 |
| - - - - descending | C18.6 2a 2b | C78.5 2a 2b | D01.0 | D12.4 | D37.4 |
| - - - - distal | C18.7 2a | C78.5 2a 2b | D01.0 | D12.5 | D37.4 |
| - - - - left | C18.6 2a 2b | C78.5 2a 2b | D01.0 | D12.4 | D37.4 |
| - - - - pelvic | C18.7 2a | C78.5 2a 2b | D01.0 | D12.5 | D37.4 |
| - - - - right | C18.2 | C78.5 2a 2b | D01.0 | D12.2 | D37.4 |
| - - - - sigmoid (flexure) | C18.7 2a | C78.5 2a 2b | D01.0 | D12.5 | D37.4 |
| - - - - transverse | C18.4 | C78.5 2a 2b | D01.0 | D12.3 | D37.4 |
| - - - - hepatic flexure | C18.3 | C78.5 2a 2b | D01.0 | D12.3 | D37.4 |
| - - - - ileocecum | C18.0 2b | C78.5 2a 2b | D01.0 | D12.0 | D37.4 |
| - - - - sigmoid flexure | C18.7 2a | C78.5 2a 2b | D01.0 | D12.5 | D37.4 |
| - - - - splenic flexure | C18.5 | C78.5 2a 2b | D01.0 | D12.3 | D37.4 |
| - - small | C17.9 2a 2b | C78.4 2b | D01.4 | D13.3 | D37.2 |
| - - duodenum | C17.0 | C78.4 2b | D01.4 | D13.2 | D37.2 |
| - - ileum | C17.2 | C78.4 2b | D01.4 | D13.3 | D37.2 |
| - - jejunum | C17.1 | C78.4 2b | D01.4 | D13.3 | D37.2 |
| - - tract NEC | C26.0 2a 2b | C78.5 2a 2b | D01.4 | D13.9 | D37.7 2a |
| - intra-abdominal | C76.2 | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - intracranial NEC | C71.9 2a 2b | C79.3 2a 2b | | D33.2 | D43.2 2a 2b |
| - intraocular | C69.4 | C79.4 | D09.2 | D31.4 | D48.7 2b |
| - intraorbital | C69.6 | C79.4 | D09.2 | D31.6 | D48.7 2b |
| - intrasellar | C75.1 2b | C79.8 2a 2b | D09.3 2b | D35.2 2b | D44.3 2b |
| - intrathoracic (cavity) (organs NEC) | C76.1 2a 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |

| Malignant | | | | Uncertain or unknown behavior |
|-----------|-----------|---------|--------|-------------------------------|
| Primary | Secondary | In situ | Benign | |

- invasive (*see also* Neoplasm, malignant)

| | | | | | |
|---|-------------|-------------|----------|----------|-------------|
| - iris | C69.4 | C79.4 | D09.2 | D31.4 | D48.7 2b |
| - ischiorectal (fossa) | C76.3 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - ischium ♀ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - island of Reil | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - islands or islets of Langerhans | C25.4 | C78.8 2a 2b | D01.7 2b | D13.7 2a | D37.7 2a |
| - isthmus uteri | C54.0 | C79.8 2a 2b | D07.3 2b | D26.1 | D39.0 2b |
| - jaw | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - bone ♀ | C41.1 | C79.5 2a 2b | | D16.5 | D48.0 2a 2b |
| - - lower ♀ | C41.1 | C79.5 2a 2b | | D16.5 | D48.0 2a 2b |
| - - upper ♀ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - - carcinoma (any type) | C03.9 | | | | |
| - - - lower | C03.1 | | | | |
| - - - upper | C03.0 | | | | |
| - - skin | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - soft tissues | C03.9 | C79.8 2a 2b | | D10.3 | D37.0 |
| - - - lower | C03.1 | C79.8 2a 2b | | D10.3 | D37.0 |
| - - - upper | C03.0 | C79.8 2a 2b | | D10.3 | D37.0 |
| - - jejunum | C17.1 | C78.4 2b | D01.4 | D13.3 | D37.2 |
| - joint NEC (<i>see also</i> Neoplasm, bone) ♀ | C41.9 2a 2b | C79.5 2a 2b | | D16.9 | D48.0 2a 2b |
| - - acromioclavicular ♀ | C40.0 | C79.5 2a 2b | | D16.0 | D48.0 2a 2b |
| - - bursa or synovial membrane - <i>see</i> Neoplasm, connective tissue | | | | | |
| - - costovertebra ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - - sternocostal ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - - temporomandibular ♀ | C41.1 | C79.5 2a 2b | | D16.5 | D48.0 2a 2b |
| - junction- - anorectal | C21.8 | C78.5 2a 2b | D01.3 | D12.9 | D37.7 2a |
| - - cardioesophageal | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - esophagogastric | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - gastroesophageal | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - hard and soft palate | C05.8 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - ileocecal | C18.0 2b | C78.5 2a 2b | D01.0 | D12.0 | D37.4 |
| - - pelvirectal | C19 2a | C78.5 2a 2b | D01.1 | D12.7 | D37.5 |
| - - pelviureteric | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - - rectosigmoid | C19 2a | C78.5 2a 2b | D01.1 | D12.7 | D37.5 |
| - - squamocolumnar, of cervix | C53.8 | C79.8 2a 2b | D06.7 | D26.0 | D39.0 2b |

| | Malignant | | | | Uncertain
or
unknown
behavior |
|---|-------------|-------------|----------|----------|--|
| | Primary | Secondary | In situ | Benign | |
| - kidney (parenchyma) | C64 2a 2b | C79.0 2a 2b | D09.1 | D30.0 | D41.0 |
| - - area or region | C76.7 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - calyx | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - - hilus | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - - pelvis | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - knee NEC # | C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| - labia (skin) | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - majora | C51.0 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - minora | C51.1 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - labial (<i>see also</i> Neoplasm, lip) | C00.9 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - sulcus (lower) (upper) | C06.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - labium (skin) | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - majus | C51.0 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - minus | C51.1 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - lacrimal | | | | | |
| - - canaliculi | C69.5 | C79.4 | D09.2 | D31.5 | D48.7 2b |
| - - duct (nasal) | C69.5 | C79.4 | D09.2 | D31.5 | D48.7 2b |
| - - gland | C69.5 | C79.4 | D09.2 | D31.5 | D48.7 2b |
| - - punctum | C69.5 | C79.4 | D09.2 | D31.5 | D48.7 2b |
| - - sac | C69.5 | C79.4 | D09.2 | D31.5 | D48.7 2b |
| - Langerhans, islands or islets | C25.4 | C78.8 2a 2b | D01.7 2b | D13.7 2a | D37.7 2a |
| - laryngopharynx | C13.9 | C79.8 2a 2b | D00.0 2b | D10.9 | D37.0 |
| - larynx NEC | C32.9 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - cartilage (arytenoid) (cricoid) (cuneiform) (thyroid) | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - commissure (anterior) (posterior) | C32.0 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - extrinsic NEC | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - - meaning hypopharynx | C13.9 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| - - intrinsic | C32.0 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - ventricular bands | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - leg NEC # | C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| - lens, crystalline | C69.4 | C79.4 | D09.2 | D31.4 | D48.7 2b |
| - lid (lower) (upper) | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
| - ligament (<i>see also</i> Neoplasm, connective tissue) | C49.9 2a 2b | C79.8 2a 2b | | D21.9 | D48.1 |
| - - broad | C57.1 | C79.8 2a 2b | | D28.2 | D39.7 |

| | Malignant | | | | Uncertain
or
unknown
behavior |
|---|-------------|-------------|----------|--------|--|
| | Primary | Secondary | In situ | Benign | |
| - - nonuterine - <i>see</i> Neoplasm, connective tissue | | | | | |
| - - round | C57.2 | C79.8 2a 2b | | D28.2 | D39.7 |
| - - sacrouterine | C57.3 | C79.8 2a 2b | | D28.2 | D39.7 |
| - - uterine | C57.3 | C79.8 2a 2b | | D28.2 | D39.7 |
| - - utero-ovarian | C57.1 | C79.8 2a 2b | | D28.2 | D39.7 |
| - - uterosacral | C57.3 | C79.8 2a 2b | | D28.2 | D39.7 |
| - limb # | C76.7 | C79.8 2a 2b | D04.8 | D36.7 | D48.7 2b |
| - - lower # | C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| - - upper # | C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |
| - limbus of cornea | C69.1 | C79.4 | D09.2 | D31.1 | D48.7 2b |
| - lingual NEC (<i>see also</i> Neoplasm, tongue) | C02.9 2b | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - lingula, lung | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - lip | C00.9 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - buccal aspect - <i>see</i> Neoplasm, lip, internal | | | | | |
| - - commissure | C00.6 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - external | C00.2 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - lower | C00.1 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - upper | C00.0 2a 2b | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - frenulum - <i>see</i> Neoplasm, lip, internal | | | | | |

| | | | | | |
|---|-------------|-------------|----------|--------|-------------------------------|
| - - inner aspect - <i>see</i> Neoplasm, lip, internal | | | | | |
| - - internal | C00.5 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - lower | C00.4 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - upper | C00.3 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - lipstick area | C00.2 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - lower | C00.1 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - upper | C00.0 2a 2b | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - lower | C00.1 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - internal | C00.4 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - mucosa - <i>see</i> Neoplasm, lip, internal | | | | | |
| - - oral aspect - <i>see</i> Neoplasm, lip, internal | | | | | |
| - - skin (commissure) (lower) (upper) | C44.0 | C79.2 2a | D04.0 | D23.0 | D48.5 |
| - - upper | C00.0 2a 2b | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - internal | C00.3 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - vermillion border | C00.2 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - lower | C00.1 | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| - - - upper | C00.0 2a 2b | C79.8 2a 2b | D00.0 2b | D10.0 | D37.0 |
| <hr/> | | | | | |
| Malignant | | | | | |
| <hr/> | | | | | |
| | Primary | Secondary | In situ | Benign | Uncertain or unknown behavior |
| <hr/> | | | | | |
| - liver | C22.9 2a 2b | C78.7 2a 2b | D01.5 | D13.4 | D37.6 |
| - - primary | C22.9 2a 2b | | D01.5 | D13.4 | D37.6 |
| - lobe (lung) | | | | | |
| - - azygos | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - frontal | C71.1 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - lower | C34.3 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - middle | C34.2 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - occipital | C71.4 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - parietal | C71.3 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - temporal | C71.2 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - upper | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - lumbosacral plexus | C47.5 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - lung | C34.9 2a 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - apex | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - azygos lobe | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - carina | C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - hilus | C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - lingula | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - lower (lobe) | C34.3 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - main bronchus | C34.0 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - middle (lobe) | C34.2 | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - - upper (lobe) | C34.1 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - lymph, lymphatic NEC - <i>see</i> Neoplasm, lymph, lymphatic, channel | | | | | |
| - - channel NEC (<i>see also</i> Neoplasm, connective tissue) | C49.9 2a 2b | C79.8 2a 2b | | D21.9 | D48.1 |
| - - gland (secondary) | | C77.9 2a 2b | | D36.0 | D48.7 2b |
| - - - abdominal | | C77.2 | | D36.0 | D48.7 2b |
| - - - aortic | | C77.2 | | D36.0 | D48.7 2b |
| - - - arm | | C77.3 2a | | D36.0 | D48.7 2b |
| - - - auricular (anterior) (posterior) | | C77.0 2a 2b | | D36.0 | D48.7 2b |
| - - - axilla, axillary | | C77.3 2a | | D36.0 | D48.7 2b |
| - - - brachial | | C77.3 2a | | D36.0 | D48.7 2b |
| - - - bronchial | | C77.1 2a 2b | | D36.0 | D48.7 2b |
| - - - bronchopulmonary | | C77.1 2a 2b | | D36.0 | D48.7 2b |
| - - - celiac | | C77.2 | | D36.0 | D48.7 2b |
| - - - cervical | | C77.0 2a 2b | | D36.0 | D48.7 2b |
| <hr/> | | | | | |
| Malignant | | | | | |
| <hr/> | | | | | |
| | Primary | Secondary | In situ | Benign | Uncertain or unknown behavior |
| <hr/> | | | | | |
| - - - cervicofacial | | C77.0 2a 2b | | D36.0 | D48.7 2b |

| | | | |
|----------------------------|-------------|-------|----------|
| - - - Cloquet | C77.4 | D36.0 | D48.7 2b |
| - - - colic | C77.2 | D36.0 | D48.7 2b |
| - - - common duct | C77.2 | D36.0 | D48.7 2b |
| - - - cubital | C77.3 2a | D36.0 | D48.7 2b |
| - - - diaphragmatic | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - epigastric, inferior | C77.5 | D36.0 | D48.7 2b |
| - - - epitrochlear | C77.3 2a | D36.0 | D48.7 2b |
| - - - esophageal | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - face | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - femoral | C77.4 | D36.0 | D48.7 2b |
| - - - gastric | C77.2 | D36.0 | D48.7 2b |
| - - - groin | C77.4 | D36.0 | D48.7 2b |
| - - - head | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - hepatic | C77.2 | D36.0 | D48.7 2b |
| - - - hilar (pulmonary) | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - - splenic | C77.2 | D36.0 | D48.7 2b |
| - - - hypogastric | C77.5 | D36.0 | D48.7 2b |
| - - - ileocolic | C77.2 | D36.0 | D48.7 2b |
| - - - iliac | C77.5 | D36.0 | D48.7 2b |
| - - - infraclavicular | C77.3 2a | D36.0 | D48.7 2b |
| - - - inguina, inguinal | C77.4 | D36.0 | D48.7 2b |
| - - - innominate | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - intercostal | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - intestinal | C77.2 | D36.0 | D48.7 2b |
| - - - intra-abdominal | C77.2 | D36.0 | D48.7 2b |
| - - - intrapelvic | C77.5 | D36.0 | D48.7 2b |
| - - - intrathoracic | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - jugular | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - leg | C77.4 | D36.0 | D48.7 2b |
| - - - limb | | | |
| - - - - lower | C77.4 | D36.0 | D48.7 2b |
| - - - - upper | C77.3 2a | D36.0 | D48.7 2b |
| - - - lower limb | C77.4 | D36.0 | D48.7 2b |
| - - - lumbar | C77.2 | D36.0 | D48.7 2b |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | |
|--|-------------|-------|----------|
| - - - mandibular | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - mediastinal | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - mesenteric (inferior) (superior) | C77.2 | D36.0 | D48.7 2b |
| - - - midcolic | C77.2 | D36.0 | D48.7 2b |
| - - - multiple sites in categories C77.0 2a 2b - C77.5 | C77.8 2a | D36.0 | D48.7 2b |
| - - - neck | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - obturator | C77.5 | D36.0 | D48.7 2b |
| - - - occipital | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - pancreatic | C77.2 | D36.0 | D48.7 2b |
| - - - para-aortic | C77.2 | D36.0 | D48.7 2b |
| - - - paracervical | C77.5 | D36.0 | D48.7 2b |
| - - - parametrial | C77.5 | D36.0 | D48.7 2b |
| - - - parasternal | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - parotid | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - pectoral | C77.3 2a | D36.0 | D48.7 2b |
| - - - pelvic | C77.5 | D36.0 | D48.7 2b |
| - - - periaortic | C77.2 | D36.0 | D48.7 2b |
| - - - peripancreatic | C77.2 | D36.0 | D48.7 2b |
| - - - popliteal | C77.4 | D36.0 | D48.7 2b |
| - - - porta hepatis | C77.2 | D36.0 | D48.7 2b |
| - - - portal | C77.2 | D36.0 | D48.7 2b |
| - - - preauricular | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - prelaryngeal | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - presymphysial | C77.5 | D36.0 | D48.7 2b |
| - - - pretracheal | C77.0 2a 2b | D36.0 | D48.7 2b |

- - - primary - *code by morphological type, behavior and site*

| | | | |
|-------------------------|-------------|-------|----------|
| - - - pulmonary (hilar) | C77.1 2a 2b | D36.0 | D48.7 2b |
| - - - pyloric | C77.2 | D36.0 | D48.7 2b |
| - - - retroperitoneal | C77.2 | D36.0 | D48.7 2b |
| - - - retropharyngeal | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - Rosenmüller's | C77.4 | D36.0 | D48.7 2b |
| - - - sacral | C77.5 | D36.0 | D48.7 2b |
| - - - scalene | C77.0 2a 2b | D36.0 | D48.7 2b |
| - - - splenic (hilar) | C77.2 | D36.0 | D48.7 2b |

| Malignant | | Uncertain
or
unknown
behavior | |
|-----------|-----------|--|--------|
| Primary | Secondary | In situ | Benign |

| | | | | | |
|--|-------------|-------------|----------|-------------|-------------|
| - - - subclavicular | C77.3 2a | D36.0 | D48.7 2b | | |
| - - - subinguinal | C77.4 | D36.0 | D48.7 2b | | |
| - - - sublingual | C77.0 2a 2b | D36.0 | D48.7 2b | | |
| - - - submandibular | C77.0 2a 2b | D36.0 | D48.7 2b | | |
| - - - submaxillary | C77.0 2a 2b | D36.0 | D48.7 2b | | |
| - - - submental | C77.0 2a 2b | D36.0 | D48.7 2b | | |
| - - - subscapular | C77.3 2a | D36.0 | D48.7 2b | | |
| - - - supraclavicular | C77.0 2a 2b | D36.0 | D48.7 2b | | |
| - - - thoracic | C77.1 2a 2b | D36.0 | D48.7 2b | | |
| - - - tibial | C77.4 | D36.0 | D48.7 2b | | |
| - - - tracheal | C77.1 2a 2b | D36.0 | D48.7 2b | | |
| - - - tracheobronchial | C77.1 2a 2b | D36.0 | D48.7 2b | | |
| - - - upper limb | C77.3 2a | D36.0 | D48.7 2b | | |
| - - - Virchow's | C77.0 2a 2b | D36.0 | D48.7 2b | | |
| - - node - <i>see also</i> Neoplasm, lymph gland | | | | | |
| - - - primary - <i>code by morphological type, behavior and site</i> | | | | | |
| - - vessel (<i>see also</i> Neoplasm, connective tissue) | C49.9 2a 2b | C79.8 2a 2b | D21.9 | D48.1 | |
| - - mammary gland - <i>see</i> Neoplasm, breast | | | | | |
| - - mandible ♀ | C41.1 | C79.5 2a 2b | D16.5 | D48.0 2a 2b | |
| - - alveolar | | | | | |
| - - - carcinoma (mucosa) | C03.1 | C79.8 2a 2b | | | |
| - - - mucosa | C03.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - - ridge or process | C41.1 | C79.5 2a 2b | | D16.5 | D48.0 2a 2b |
| - - marrow (bone) | C96.9 | C79.5 2a 2b | | | D47.9 |
| - - mastoid (air cell) (antrum) (cavity) | C30.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - bone or process ♀ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - - maxilla, maxillary (superior) | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - - alveolar | | | | | |
| - - - carcinoma (mucosa) | C03.0 | C79.8 2a 2b | | | |
| - - - mucosa | C03.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - - ridge or process | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - - antrum | C31.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - carcinoma | C03.0 | C79.8 2a 2b | | | |

| Malignant | | Uncertain
or
unknown
behavior | |
|-----------|-----------|--|--------|
| Primary | Secondary | In situ | Benign |

| | | | | | |
|--|----------|-------------|----------|-------------|----------|
| - - inferior - <i>see</i> Neoplasm, mandible | | | | | |
| - - sinus | C31.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - meatus, external (ear) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - Meckel's diverticulum | C17.3 | C78.4 2b | D01.4 | D13.3 | D37.2 |
| - - mediastinum, mediastinal | C38.3 | C78.1 2b | | D15.2 | D38.3 |
| - - anterior | C38.1 | C78.1 2b | | D15.2 | D38.3 |
| - - posterior | C38.2 | C78.1 2b | | D15.2 | D38.3 |
| - - medulla- - adrenal | C74.1 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - oblongata | C71.7 | C79.3 2a 2b | | D33.1 | D43.1 |
| - - meibomian gland | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
| - - meninges | C70.9 2b | C79.4 | | D32.9 2b | D42.9 |

| | | | | |
|---|-------------|-------------|-------------|-------------|
| - - brain | C70.0 | C79.3 2a 2b | D32.0 2a 2b | D42.0 |
| - - cerebral | C70.0 | C79.3 2a 2b | D32.0 2a 2b | D42.0 |
| - - cranial | C70.0 | C79.3 2a 2b | D32.0 2a 2b | D42.0 |
| - - intracranial | C70.0 | C79.3 2a 2b | D32.0 2a 2b | D42.0 |
| - - spinal (cord) | C70.1 | C79.4 | D32.1 | D42.1 |
| - meniscus, knee joint (lateral) (medial) ♦ | C40.2 2a 2b | C79.5 2a 2b | D16.2 | D48.0 2a 2b |
| - mesentery, mesenteric | C48.1 | C78.6 2a 2b | D20.1 | D48.4 |
| - mesoappendix | C48.1 | C78.6 2a 2b | D20.1 | D48.4 |
| - mesocolon | C48.1 | C78.6 2a 2b | D20.1 | D48.4 |
| - mesopharynx - <i>see</i> Neoplasm, oropharynx | | | | |
| - mesosalpinx | C57.1 | C79.8 2a 2b | D28.2 | D39.7 |
| - mesovarium | C57.1 | C79.8 2a 2b | D07.3 2b | D28.2 |
| - metacarpus (any bone) ♦ | C40.1 | C79.5 2a 2b | D16.1 | D48.0 2a 2b |
| - metastatic, primary site unknown (multiple) | C80 2a 2b | | | |
| - metatarsus (any bone) ♦ | C40.3 | C79.5 2a 2b | D16.3 | D48.0 2a 2b |
| - midbrain | C71.7 | C79.3 2a 2b | D33.1 | D43.1 |
| - mons | | | | |
| - - pubis | C51.9 | C79.8 2a 2b | D07.1 | D28.0 |
| - - veneris | C51.9 | C79.8 2a 2b | D07.1 | D28.0 |
| - mouth | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - floor | C04.9 | C79.8 2a 2b | D00.0 2b | D10.2 |
| - - - anterior | C04.0 | C79.8 2a 2b | D00.0 2b | D10.2 |
| - - - lateral | C04.1 | C79.8 2a 2b | D00.0 2b | D10.2 |
| - - roof | C05.9 | C79.8 2a 2b | D00.0 2b | D10.3 |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | | |
|--|-------------|-------------|-------------|----------|-------------|
| - - specified part NEC | C06.8 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - vestibule | C06.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - mucosa | | | | | |
| - - alveolar (ridge or process) | C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - - lower | C03.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - - upper | C03.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - buccal | C06.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - cheek | C06.0 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - lip - <i>see</i> Neoplasm, lip, internal | | | | | |
| - - nasal | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - oral NEC | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - Müllerian duct- - female | C57.7 | C79.8 2a 2b | D07.3 2b | D28.7 | D39.7 |
| - - male | C63.7 | C79.8 2a 2b | D07.6 | D29.7 | D40.7 |
| - multiple, malignant (independent primary sites) | C97 2a | | | | |
| - muscle - <i>see also</i> Neoplasm, connective tissue | - | - | C49.9 2a 2b | | C79.8 2a 2b |
| - - extraocular | C69.6 | C79.4 | D09.2 | D31.6 | D48.7 2b |
| - myocardium | C38.0 | C79.8 2a 2b | | D15.1 | D48.7 2b |
| - myometrium | C54.2 | C79.8 2a 2b | | D26.1 | D39.0 2b |
| - Nabothian gland (follicle) | C53.0 2b | C79.8 2a 2b | D06.0 | D26.0 | D39.0 2b |
| - nares, naris (anterior) (posterior) | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - nasal - <i>see</i> Neoplasm, nose | | | | | |
| - nasolabial groove | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - nasolacrimal duct | C69.5 | C79.4 | D09.2 | D31.5 | D48.7 2b |
| - nasopharynx | C11.9 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - floor | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - roof | C11.0 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - wall | C11.9 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - - anterior | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - - lateral | C11.2 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - - posterior | C11.1 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - - superior | C11.0 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - neck NEC # | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | Primary | Secondary | In situ | Benign | unknown behavior |
|--|----------|-------------|---------|--------|------------------|
| - nerve (ganglion) | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - abducens | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - accessory (spinal) | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - acoustic | C72.4 | C79.4 | | D33.3 | D43.3 |
| - - auditory | C72.4 | C79.4 | | D33.3 | D43.3 |
| - - autonomic NEC (<i>see also</i> Neoplasm, nerve, peripheral) | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - brachial | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - cranial, NEC | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - facial | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - femoral | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - ganglion NEC (<i>see also</i> Neoplasm, nerve, peripheral) | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - glossopharyngeal | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - hypoglossal | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - intercostal | C47.3 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - lumbar | C47.6 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - median | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - obturator | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - oculomotor | C72.5 | C79.4 | | D33.3 | D43.3 |
| - - olfactory | C72.2 | C79.4 | | D33.3 | D43.3 |
| - - optic | C72.3 | C79.4 | | D33.3 | D43.3 |
| - - parasympathetic NEC (<i>see also</i> Neoplasm, nerve, peripheral) | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - peripheral NEC | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - abdomen | C47.4 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - abdominal wall | C47.4 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - ankle | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - antecubital fossa or space | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - arm | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - auricle (ear) | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - axilla | C47.3 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - back | C47.6 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - buttock | C47.5 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - calf | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - cervical region | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - cheek | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |

| | Malignant | | | Uncertain or unknown behavior | |
|---------------------------------|-----------|-------------|---------|-------------------------------|-------|
| | Primary | Secondary | In situ | Benign | |
| - - - chest (wall) | C47.3 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - chin | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - ear (external) | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - elbow | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - extrarectal | C47.5 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - extremity | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - - lower | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - - upper | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - eyelid | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - face | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - finger | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - flank | C47.6 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - foot | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - forearm | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - forehead | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - gluteal region | C47.5 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - groin | C47.5 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - hand | C47.1 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - head | C47.0 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - heel | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - hip | C47.2 | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - infraclavicular region | C47.3 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - - inguinal (canal) (region) | C47.5 2b | C79.8 2a 2b | | D36.1 | D48.2 |

| | | | | |
|--------------------------|----------|-------------|-------|----------|
| - - - intrathoracic | C47.3 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - ischiorectal fossa | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - knee | C47.2 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - leg | C47.2 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - limb NEC | | | | |
| - - - - lower | C47.2 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - - upper | C47.1 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - nates | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - neck | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - orbit | C69.6 | C79.4 | D31.6 | D48.7 2b |
| - - - pararectal | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - paraurethral | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |

| Malignant | | | | Uncertain or unknown behavior |
|-----------|-----------|---------|--------|-------------------------------|
| Primary | Secondary | In situ | Benign | |

| | | | | |
|--|----------|-------------|-------|-------|
| - - - paravaginal | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - pelvis (floor) | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - pelvoabdominal | C47.8 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - perineum | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - perirectal (tissue) | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - periurethral (tissue) | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - popliteal fossa or space | C47.2 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - presacral | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - pterygoid fossa | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - rectovaginal septum or wall | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - rectovesical | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - sacrococcygeal region | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - scalp | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - scapular region | C47.3 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - shoulder | C47.1 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - submental | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - supraclavicular region | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - temple | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - temporal region | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - thigh | C47.2 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - thoracic (duct) (wall) | C47.3 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - thorax | C47.3 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - thumb | C47.1 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - toe | C47.2 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - trunk | C47.6 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - umbilicus | C47.4 | C79.8 2a 2b | D36.1 | D48.2 |
| - - - vesicorectal | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - wrist | C47.1 | C79.8 2a 2b | D36.1 | D48.2 |
| - - radial | C47.1 | C79.8 2a 2b | D36.1 | D48.2 |
| - - sacral | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - sciatic | C47.2 | C79.8 2a 2b | D36.1 | D48.2 |
| - - spinal NEC | C47.9 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - - accessory | C72.5 | C79.4 | D33.3 | D43.3 |
| - - sympathetic NEC (<i>see also</i> Neoplasm, nerve, peripheral) | C47.9 2b | C79.8 2a 2b | D36.1 | D48.2 |

| Malignant | | | | Uncertain or unknown behavior |
|-----------|-----------|---------|--------|-------------------------------|
| Primary | Secondary | In situ | Benign | |

| | | | | |
|--|-------|-------------|-------|-------|
| - - trigeminal | C72.5 | C79.4 | D33.3 | D43.3 |
| - - trochlear | C72.5 | C79.4 | D33.3 | D43.3 |
| - - ulnar | C47.1 | C79.8 2a 2b | D36.1 | D48.2 |
| - - vagus | C72.5 | C79.4 | D33.3 | D43.3 |
| - nervous system (central) NEC | C72.9 | C79.4 | D33.9 | D43.9 |
| - - autonomic - <i>see</i> Neoplasm, nerve, peripheral | | | | |
| - - parasympathetic - <i>see</i> Neoplasm, nerve, peripheral | | | | |

- - sympathetic - *see* Neoplasm, nerve, peripheral

| | | | | | |
|--|-------------|-------------|----------|-------------|-------------|
| - nipple | C50.0 | C79.8 2a 2b | D05.9 | D24 | D48.6 |
| - nose, nasal | C76.0 2a 2b | C79.8 2a 2b | D04.3 | D36.7 | D48.7 2b |
| - - ala (external) | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - bone◊ | C41.0 | C79.5 2a 2b | D16.4 | D48.0 2a 2b | |
| - - cartilage | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - cavity | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - choana | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - external (skin) | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - fossa | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - internal | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - mucosa | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - septum | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - - posterior margin | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - - sinus - <i>see</i> Neoplasm, sinus | | | | | |
| - - skin | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - turbinate (mucosa) | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - - bone◊ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - - vestibule | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - nostril | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - nucleus pulposus◊ | C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
| - occipital lobe or pole | C71.4 | C79.3 2a 2b | | D33.0 | D43.0 |
| - occipitofrontal | C71.8 | C79.3 2a 2b | | D33.0 | D43.0 |
| - occipitoparietal | C71.8 | C79.3 2a 2b | | D33.0 | D43.0 |
| - occipitotemporal | C71.8 | C79.3 2a 2b | | D33.0 | D43.0 |
| - odontogenic - <i>see</i> Neoplasm, jaw, bone | | | | | |

| Malignant | | Uncertain
or
unknown
behavior | | |
|-----------|-----------|--|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | |
|---|-----------|-------------|----------|----------|
| - oesophagus - <i>see</i> Neoplasm, esophagus | | | | |
| - olfactory nerve or bulb | C72.2 | C79.4 | D33.3 | D43.3 |
| - olive (brain) | C71.7 | C79.3 2a 2b | D33.1 | D43.1 |
| - omentum | C48.1 | C78.6 2a 2b | D20.1 | D48.4 |
| - operculum (brain) | C71.0 | C79.3 2a 2b | D33.0 | D43.0 |
| - optic nerve, chiasm or tract | C72.3 | C79.4 | D33.3 | D43.3 |
| - oral (cavity) | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - mucosa NEC | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - pharynx | C10.9 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - orbit | C69.6 | C79.4 | D09.2 | D31.6 |
| - - autonomic nerve | C69.6 | C79.4 | | D48.7 2b |
| - - bone◊ | C41.0 | C79.5 2a 2b | | D16.4 |
| - - peripheral nerves | C69.6 | C79.4 | | D48.7 2b |
| - - soft parts | C69.6 | C79.4 | | D48.7 2b |
| - organ of Zuckerkandl | C75.5 | C79.8 2a 2b | | D35.6 |
| - oropharynx | C10.9 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - - junctional region | C10.8 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - - lateral wall | C10.2 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - - posterior wall | C10.3 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - os- - external | C53.1 | C79.8 2a 2b | D06.1 | D26.0 |
| - - internal | C53.0 2b | C79.8 2a 2b | D06.0 | D26.0 |
| - ovary | C56 2a 2b | C79.6 2a 2b | D07.3 2b | D27 |
| - oviduct | C57.0 | C79.8 2a 2b | D07.3 2b | D28.2 |
| - palate | C05.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - hard | C05.0 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - junction of hard and soft | C05.8 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - soft | C05.1 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - - - nasopharyngeal surface | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 |
| - - - posterior surface | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 |
| - - - superior surface | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 |
| - palatoglossal arch | C09.1 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - palatopharyngeal arch | C09.1 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - pallium | C71.0 | C79.3 2a 2b | | D43.0 |

| - palpebra | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
|--|-------------|-------------|----------|-------------------------------|-------------|
| - pancreas | C25.9 2a 2b | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| - - body | C25.1 | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| Malignant | | | | Uncertain or unknown behavior | |
| Primary | Secondary | In situ | Benign | | |
| - - duct (of Santorini) (of Wirsung) | C25.3 | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| - - head | C25.0 2a 2b | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| - - islet cells | C25.4 | C78.8 2a 2b | D01.7 2b | D13.7 2a | D37.7 2a |
| - - neck | C25.7 | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| - - tail | C25.2 2a 2b | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| - papilla of Vater | C24.1 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| - para-aortic body | C75.5 | C79.8 2a 2b | | D35.6 | D44.7 |
| - paraganglion NEC | C75.5 | C79.8 2a 2b | | D35.6 | D44.7 |
| - parametrium | C57.3 | C79.8 2a 2b | | D28.2 | D39.7 |
| - paranephric | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - pararectal | C76.3 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - parasellar | C72.9 | C79.4 | | D33.9 | D43.9 |
| - parathyroid (gland) | C75.0 2a 2b | C79.8 2a 2b | D09.3 2b | D35.1 | D44.2 |
| - paraurethral | C76.3 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - - gland | C68.1 | C79.1 2a 2b | D09.1 | D30.7 | D41.7 |
| - paravaginal | C76.3 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - parenchyma, kidney | C64 2a 2b | C79.0 2a 2b | D09.1 | D30.0 | D41.0 |
| - parietal lobe | C71.3 | C79.3 2a 2b | | D33.0 | D43.0 |
| - parotid (duct) (gland) | C07 | C79.8 2a 2b | D00.0 2b | D11.0 | D37.0 |
| - parovarium | C57.1 | C79.8 2a 2b | D07.3 2b | D28.2 | D39.7 |
| - patella ♦ | C40.3 | C79.5 2a 2b | | D16.3 | D48.0 2a 2b |
| - peduncle, cerebral | C71.7 | C79.3 2a 2b | | D33.1 | D43.1 |
| - pelvirectal junction | C19 2a | C78.5 2a 2b | D01.1 | D12.7 | D37.5 |
| - pelvis, pelvic | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - bone ♦ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - - floor | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - renal | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - - viscera | C76.3 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - - wall | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - pelvoabdominal | C76.8 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - penis | C60.9 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - body | C60.2 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - corpus (cavernosum) | C60.2 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - glans | C60.1 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - skin NEC | C60.9 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| Malignant | | | | Uncertain or unknown behavior | |
| Primary | Secondary | In situ | Benign | | |
| - periadrenal | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - periampullary | C24.1 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |
| - perianal (skin) | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - pericardium | C38.0 | C79.8 2a 2b | | D15.1 | D48.7 2b |
| - perinephric | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - perineum | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - periodontal tissue NEC | C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - periosteum - <i>see</i> Neoplasm, bone | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - peripancreatic | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - peripheral nerve NEC | C76.3 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - perirectal (tissue) | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - perirenal (tissue) | C48.2 2b | C78.6 2a 2b | | D20.1 | D48.4 |
| - peritoneal cavity | C48.2 2b | C78.6 2a 2b | | D20.1 | D48.4 |
| - peritoneum | C48.1 | C78.6 2a 2b | | D20.1 | D48.4 |
| - - parietal | | | | | |

| | | | | |
|---|----------|----------------------|-------------|-------------|
| - - pelvic | C48.1 | C78.6 2a 2b | D20.1 | D48.4 |
| - - specified part NEC | C48.1 | C78.6 2a 2b | D20.1 | D48.4 |
| - periurethral tissue | C76.3 2b | C79.8 2a 2b | D36.7 | D48.7 2b |
| - phalanges ♀ | C40.9 | C79.5 2a 2b | D16.9 | D48.0 2a 2b |
| - - foot ♀ | C40.3 | C79.5 2a 2b | D16.3 | D48.0 2a 2b |
| - - hand ♀ | C40.1 | C79.5 2a 2b | D16.1 | D48.0 2a 2b |
| - pharynx, pharyngeal | C14.0 | C79.8 2a 2b D00.0 2b | D10.9 | D37.0 |
| - - fornix | C11.3 | C79.8 2a 2b D00.0 2b | D10.6 | D37.0 |
| - - recess | C11.2 | C79.8 2a 2b D00.0 2b | D10.6 | D37.0 |
| - - region | C14.0 | C79.8 2a 2b D00.0 2b | D10.9 | D37.0 |
| - - tonsil | C11.1 | C79.8 2a 2b D00.0 2b | D10.6 | D37.0 |
| - - wall (lateral) (posterior) | C14.0 | C79.8 2a 2b D00.0 2b | D10.9 | D37.0 |
| - pia mater | C70.9 2b | C79.4 | D32.9 2b | D42.9 |
| - - cerebral | C70.0 | C79.3 2a 2b | D32.0 2a 2b | D42.0 |
| - - cranial | C70.0 | C79.3 2a 2b | D32.0 2a 2b | D42.0 |
| - - spinal | C70.1 | C79.4 | D32.1 | D42.1 |
| - pillars of fauces | C09.1 | C79.8 2a 2b D00.0 2b | D10.5 | D37.0 |
| - pineal (body) (gland) | C75.3 | C79.8 2a 2b | D35.4 | D44.5 |
| - pinna (ear) NEC | C44.2 | C79.2 2a D04.2 | D23.2 | D48.5 |
| - pituitary (body) (fossa) (gland) (lobe) | C75.1 2b | C79.8 2a 2b D09.3 2b | D35.2 2b | D44.3 2b |
| - placenta | C58 | C79.8 2a 2b D07.3 2b | D26.7 | D39.2 |

| Malignant | | Uncertain or unknown behavior | | |
|--|-------------|-------------------------------|----------|-------------|
| Primary | Secondary | In situ | Benign | |
| - pleura, pleural (cavity) | C38.4 | C78.2 2b | D15.7 | D38.2 |
| - - parietal | C38.4 | C78.2 2b | D15.7 | D38.2 |
| - - visceral | C38.4 | C78.2 2b | D15.7 | D38.2 |
| - plexus | | | | |
| - - brachial | C47.1 | C79.8 2a 2b | D36.1 | D48.2 |
| - - cervical | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - choroid | C71.5 | C79.3 2a 2b | D33.0 | D43.0 |
| - - lumbosacral | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - sacral | C47.5 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - pluriendocrine | C75.8 2b | C79.8 2a 2b D09.3 2b | D35.8 | D44.8 2b |
| - pole- - frontal | C71.1 | C79.3 2a 2b | D33.0 | D43.0 |
| - - occipital | C71.4 | C79.3 2a 2b | D33.0 | D43.0 |
| - pons (varolii) | C71.7 | C79.3 2a 2b | D33.1 | D43.1 |
| - popliteal fossa or space # | C76.5 2b | C79.8 2a 2b D04.7 | D36.7 | D48.7 2b |
| - postcricoid (region) | C13.0 | C79.8 2a 2b D00.0 2b | D10.7 | D37.0 |
| - posterior fossa (cranial) | C71.9 2a 2b | C79.3 2a 2b | D33.2 | D43.2 2a 2b |
| - postnasal space | C11.9 | C79.8 2a 2b D00.0 2b | D10.6 | D37.0 |
| - prepuce | C60.0 | C79.8 2a 2b D07.4 | D29.0 | D40.7 |
| - prepylorus , prepyloric | C16.4 | C78.8 2a 2b D00.2 | D13.1 | D37.1 |
| - - area or region | C76.2 | C79.8 2a 2b D09.7 | D36.7 | D48.7 2b |
| - presacral (region) | C76.3 2b | C79.8 2a 2b | D36.7 | D48.7 2b |
| - primary (<i>see also</i> Neoplasm, malignant) | | | | |
| - prostate (gland) | C61 2a 2b | C79.8 2a 2b D07.5 | D29.1 | D40.0 |
| - pterygoid fossa NEC | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - autonomic nervous system | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - connective tissue | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - fibrous tissue | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - - peripheral nerve | C47.0 2b | C79.8 2a 2b | D36.1 | D48.2 |
| - - soft tissue | C49.0 | C79.8 2a 2b | D21.0 2b | D48.1 |
| - pubic bone ♀ | C41.4 | C79.5 2a 2b | D16.8 | D48.0 2a 2b |
| - pudenda, pudendum (female) | C51.9 | C79.8 2a 2b D07.1 | D28.0 | D39.7 |
| - pulmonary (<i>see also</i> Neoplasm, lung) | C34.9 2a 2b | C78.0 2a 2b D02.2 | D14.3 | D38.1 |
| - putamen | C71.0 | C79.3 2a 2b | D33.0 | D43.0 |
| - pyloric | C16.3 | C78.8 2a 2b D00.2 | D13.1 | D37.1 |
| - - antrum | C16.4 | C78.8 2a 2b D00.2 | D13.1 | D37.1 |
| - - canal | | | | |

Malignant

Uncertain

| | Malignant | | | | |
|--|-----------|-------------|----------|----------|---------------------------|
| | Primary | Secondary | In situ | Benign | or
unknown
behavior |
| - pylorus | C16.4 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - pyramid (brain) | C71.7 | C79.3 2a 2b | | D33.1 | D43.1 |
| - pyriform | C12 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| - radius (any part) ♀ | C40.0 | C79.5 2a 2b | | D16.0 | D48.0 2a 2b |
| - Rathke's pouch | C75.1 2b | C79.8 2a 2b | D09.3 2b | D35.2 2b | D44.3 2b |
| - - area or region | C19 2a | C78.5 2a 2b | D01.1 | D12.7 | D37.5 |
| - rectouterine pouch | C76.2 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - rectovaginal septum or wall | C48.1 | C78.6 2a 2b | | D20.1 | D48.4 |
| - rectovesical septum | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - rectum (ampulla) | C20 2a 2b | C78.5 2a 2b | D01.2 | D12.8 | D37.5 |
| - - with colon | C19 2a | C78.5 2a 2b | D01.1 | D12.7 | D37.5 |
| - renal | C64 2a 2b | C79.0 2a 2b | D09.1 | D30.0 | D41.0 |
| - - calyx | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - - hilus | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - - pelvis | C65 | C79.0 2a 2b | D09.1 | D30.1 | D41.1 |
| - respiratory | | | | | |
| - - organs or system NEC | C39.9 | C78.3 2b | D02.4 | D14.4 | D38.6 |
| - - tract NEC | C39.9 | C78.3 2b | D02.4 | D14.4 | D38.6 |
| - - - upper | C39.0 | C78.3 2b | D02.4 | D14.4 | D38.6 |
| - retina | C69.2 | C79.4 | D09.2 | D31.2 | D48.7 2b |
| - retroabdominal | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - retrobulbar | C69.6 | C79.4 | | D31.6 | D48.7 2b |
| - retrocecal | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - retromolar (area) (triangle) (trigone) | C06.2 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - retroperitoneal (space) (tissue) | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - retroperitoneum | C48.0 | C78.6 2a 2b | | D20.0 | D48.3 |
| - retropharyngeal | C14.0 | C79.8 2a 2b | D00.0 2b | D10.9 | D37.0 |
| - retrovesical | C76.3 2b | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - rhinencephalon | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - rib ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - Rosenmüller's fossa | C11.2 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |
| - round ligament | C57.2 | C79.8 2a 2b | | D28.2 | D39.7 |
| - sacrococcyx, sacrococcygeal ♀ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - - region | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - sacrouterine ligament | C57.3 | C79.8 2a 2b | | D28.2 | D39.7 |
| - sacrum, sacral (vertebra) ♀ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |

| | Malignant | | | | |
|--|-------------|-------------|----------|----------|--|
| | Primary | Secondary | In situ | Benign | Uncertain
or
unknown
behavior |
| - salivary gland or duct (major) | C08.9 | C79.8 2a 2b | D00.0 2b | D11.9 | D37.0 |
| - - minor NEC | C06.9 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - parotid | C07 | C79.8 2a 2b | D00.0 2b | D11.0 | D37.0 |
| - - sublingual | C08.1 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |
| - - submandibular | C08.0 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |
| - - submaxillary | C08.0 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |
| - salpinx | C57.0 | C79.8 2a 2b | D07.3 2b | D28.2 | D39.7 |
| - Santorini's duct | C25.3 | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| - scalp | C44.4 | C79.2 2a | D04.4 | D23.4 | D48.5 |
| - scapula (any part) ♀ | C40.0 | C79.5 2a 2b | | D16.0 | D48.0 2a 2b |
| - scapular region # | C76.1 2a 2b | C79.8 2a 2b | D04.5 | D36.7 | D48.7 2b |
| - sclera | C69.4 | C79.4 | D09.2 | D31.4 | D48.7 2b |
| - scrotum | C63.2 | C79.8 2a 2b | D07.6 | D29.4 | D40.7 |
| - sebaceous gland - see Neoplasm, skin | | | | | |
| - sella turcica, bone ♀ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - seminal vesicle | C63.7 | C79.8 2a 2b | D07.6 | D29.7 | D40.7 |
| - septum- - nasal | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - - posterior margin | C11.3 | C79.8 2a 2b | D00.0 2b | D10.6 | D37.0 |

| | | | | | |
|---------------------------|-------------|-------------|----------|----------|-------------|
| - - rectovaginal | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - rectovesical | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - urethrovaginal | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 | D39.9 |
| - - vesicovaginal | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 | D39.9 |
| - shoulder NEC # | C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |
| - sigmoid (flexure) | C18.7 2a | C78.5 2a 2b | D01.0 | D12.5 | D37.4 |
| - sinus (accessory) | C31.9 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - bone (any)◊ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - - ethmoidal | C31.1 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - frontal | C31.2 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - maxillary | C31.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - nasal, paranasal NEC | C31.9 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - pyriform | C12 | C79.8 2a 2b | D00.0 2b | D10.7 | D37.0 |
| - - sphenoidal | C31.3 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - skeleton, skeletal NEC◊ | C41.9 2a 2b | C79.5 2a 2b | | D16.9 | D48.0 2a 2b |
| - Skene's gland | C68.1 | C79.1 2a 2b | D09.1 | D30.7 | D41.7 |
| - skin (nonmelanotic) | C44.9 2b | C79.2 2a | D04.9 | D23.9 | D48.5 |
| - - abdominal wall | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |

| | Malignant | | | Uncertain or unknown behavior | |
|-----------------------------------|-------------|-------------|---------|-------------------------------|-------|
| | Primary | Secondary | In situ | Benign | |
| - - ala nasi | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - ankle | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - antecubital space | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - anus | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - arm | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - auditory canal (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - auricle (ear) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - auricular canal (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - axilla, axillary fold | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - back | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - breast | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - brow | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - buttock | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - calf | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - canthus (eye) (inner) (outer) | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
| - - cervical region | C44.4 | C79.2 2a | D04.4 | D23.4 | D48.5 |
| - - cheek | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - chest (wall) | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - chin | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - clavicular area | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - clitoris | C51.2 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - columella | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - concha, ear | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - ear (external) | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - elbow | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - eyebrow | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - eyelid | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
| - - face NEC | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - female genital organ | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - clitoris | C51.2 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - labium NEC | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - majus | C51.0 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - minus | C51.1 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - pudendum | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - vulva | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - finger | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |

| | Malignant | | | Uncertain or unknown behavior | |
|--|-----------|-----------|---------|-------------------------------|--|
| | Primary | Secondary | In situ | Benign | |

| | | | | | |
|-------------------------------------|-------------|-------------|-------|-------|-------|
| - - flank | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - foot | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - forearm | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - forehead | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - gluteal region | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - groin | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - hand | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - head NEC | C44.4 | C79.2 2a | D04.4 | D23.4 | D48.5 |
| - - heel | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - helix | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - hip | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - infraclavicular region | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - inguinal region | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - jaw | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - knee | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - labia | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - majora | C51.0 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - - minora | C51.1 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - leg | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - lid (lower) (upper) | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
| - - limb NEC | C44.9 2b | C79.2 2a | D04.9 | D23.9 | D48.5 |
| - - - lower | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - - upper | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - lip (lower) (upper) | C44.0 | C79.2 2a | D04.0 | D23.0 | D48.5 |
| - - male genital organ | C63.9 | C79.8 2a 2b | D07.6 | D29.9 | D40.9 |
| - - - penis NEC | C60.9 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - - prepuce | C60.0 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - - scrotum | C63.2 | C79.8 2a 2b | D07.6 | D29.4 | D40.7 |
| - - melanotic - <i>see</i> Melanoma | | | | | |
| - - nates | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - neck | C44.4 | C79.2 2a | D04.4 | D23.4 | D48.5 |
| - - nose (external) | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - palm | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - palpebra | C44.1 | C79.2 2a | D04.1 | D23.1 | D48.5 |
| - - penis NEC | C60.9 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - perianal | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |

| Malignant | | Uncertain or unknown behavior | | |
|-----------|-----------|-------------------------------|--------|--|
| Primary | Secondary | In situ | Benign | |
| | | | | |

| | | | | | |
|------------------------------|-------------|-------------|-------|-------|-------|
| - - perineum | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - pinna | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - plantar | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - popliteal fossa or space | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - prepuce | C60.0 | C79.8 2a 2b | D07.4 | D29.0 | D40.7 |
| - - pubes | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - sacrococcygeal region | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - scalp | C44.4 | C79.2 2a | D04.4 | D23.4 | D48.5 |
| - - scapular region | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - scrotum | C63.2 | C79.8 2a 2b | D07.6 | D29.4 | D40.7 |
| - - shoulder | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - sole (foot) | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - submammary fold | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - supraclavicular region | C44.4 | C79.2 2a | D04.4 | D23.4 | D48.5 |
| - - temple | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - - thigh | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - thoracic wall | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - thumb | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - - toe | C44.7 | C79.2 2a | D04.7 | D23.7 | D48.5 |
| - - tragus | C44.2 | C79.2 2a | D04.2 | D23.2 | D48.5 |
| - - trunk | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |
| - - umbilicus | C44.5 | C79.2 2a | D04.5 | D23.5 | D48.5 |

| | | | | | |
|--|-------|-------------|----------|----------|-------------|
| - - vulva | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - - wrist | C44.6 | C79.2 2a | D04.6 | D23.6 | D48.5 |
| - skull ♀ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - soft parts or tissues - <i>see</i> Neoplasm, connective tissue | | | | | |
| - specified site NEC | C76.7 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - spermatic cord | C63.1 | C79.8 2a 2b | D07.6 | D29.7 | D40.7 |
| - sphenoid | C31.3 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - - bone ♀ | C41.0 | C79.5 2a 2b | | D16.4 | D48.0 2a 2b |
| - - sinus | C31.3 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - sphincter | | | | | |
| - - anal | C21.1 | C78.5 2a 2b | D01.3 | D21.9 | D37.7 2a |
| - - of Oddi | C24.0 | C78.8 2a 2b | D01.5 | D13.5 | D37.6 |

| | Malignant | | | Uncertain
or
unknown
behavior |
|--|-----------|-----------|---------|--|
| | Primary | Secondary | In situ | Benign |

| | | | | | |
|---|-------------|-------------|----------|----------|-------------|
| - spine, spinal (column) ♀ | C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
| - - bulb | C71.7 | C79.4 | | D33.1 | D43.1 |
| - - coccyx ♀ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - - cord | C72.0 | C79.4 | | D33.4 | D43.4 |
| - - dura mater | C70.1 | C79.4 | | D32.1 | D42.1 |
| - - lumbosacral ♀ | C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
| - - membrane | C70.1 | C79.4 | | D32.1 | D42.1 |
| - - meninges | C70.1 | C79.4 | | D32.1 | D42.1 |
| - - nerve (root) | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - - pia mater | C70.1 | C79.4 | | D32.1 | D42.1 |
| - - sacrum ♀ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - spleen, splenic NEC | C26.1 | C78.8 2a 2b | | D13.9 | D37.7 2a |
| - - flexure (colon) | C18.5 | C78.5 2a 2b | D01.0 | D12.3 | D37.4 |
| - Stensen's duct | C07 | C79.8 2a 2b | D00.0 2b | D11.0 | D37.0 |
| - sternum ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - stomach | C16.9 2a 2b | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - antrum | C16.3 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - body | C16.2 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - cardia | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - cardiac orifice | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - corpus | C16.2 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - fundus | C16.1 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - greater curvature NEC | C16.6 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - lesser curvature NEC | C16.5 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - prepylorus | C16.4 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - pylorus | C16.4 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - upper | C16.0 2a | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - wall NEC | C16.9 2a 2b | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - - anterior NEC | C16.8 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - - - posterior NEC | C16.8 | C78.8 2a 2b | D00.2 | D13.1 | D37.1 |
| - stroma, endometrial | C54.1 2b | C79.8 2a 2b | D07.0 | D26.1 | D39.0 2b |
| - stump, cervical | C53.8 | C79.8 2a 2b | D06.7 | D26.0 | D39.0 2b |
| - subcutaneous (nodule) (tissue) NEC - <i>see</i> Neoplasm, connective tissue | | | | | |
| - subdural | C70.9 2b | C79.4 | | D32.9 2b | D42.9 |
| - subglottis, subglottic | C32.2 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |

| | Malignant | | | Uncertain
or
unknown
behavior |
|--|-----------|-----------|---------|--|
| | Primary | Secondary | In situ | Benign |

| | | | | | |
|------------------------------|-------|-------------|----------|-------|----------|
| - subhepatic | C76.2 | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - area or region | C04.9 | C79.8 2a 2b | D00.0 2b | D10.2 | D37.0 |
| - sublingual | C08.1 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |
| - - gland or duct | C08.0 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |
| - submandibular gland | C08.0 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |
| - submaxillary gland or duct | C08.0 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |

| | | | | | |
|--|-------------|-------------|----------|-------------|-------------|
| - submental | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - subpleural | C34.9 2a 2b | C78.0 2a 2b | D02.2 | D14.3 | D38.1 |
| - substernal | C38.1 | C78.1 2b | | D15.2 | D38.3 |
| - supraclavicular region | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - supraglottis | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - suprarenal | C74.9 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - capsule | C74.9 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - cortex | C74.0 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - gland | C74.9 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - - medulla | C74.1 | C79.7 2b | D09.3 2b | D35.0 2a 2b | D44.1 2b |
| - suprasellar (region) | C71.9 2a 2b | C79.3 2a 2b | | D33.2 | D43.2 2a 2b |
| - supratentorial (brain) NEC | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - sweat gland (apocrine) (eccrine), site unspecified | C44.9 2b | C79.2 2a | D04.9 | D23.9 | D48.5 |
| - sympathetic nerve or nervous system NEC | C47.9 2b | C79.8 2a 2b | | D36.1 | D48.2 |
| - symphysis pubis | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - synovial membrane - <i>see</i> Neoplasm, connective tissue | | | | | |

| | | | | | |
|--|-------------|-------------|-------|-------------|-------------|
| - tapetum | C71.8 | C79.3 2a 2b | | D33.2 | D43.2 2a 2b |
| - tarsus (any bone) ♀ | C40.3 | C79.5 2a 2b | | D16.3 | D48.0 2a 2b |
| - temple | C44.3 2a 2b | C79.2 2a | D04.3 | D23.3 | D48.5 |
| - temporal- - pole or lobe | C71.2 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - region | C76.0 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - temporofrontal | C71.8 | C79.3 2a 2b | | D33.0 | D43.0 |
| - temporo-occipital | C71.8 | C79.3 2a 2b | | D33.0 | D43.0 |
| - temporoparietal | C71.8 | C79.3 2a 2b | | D33.0 | D43.0 |
| - temporopontine | C71.8 | C79.3 2a 2b | | D33.0 | D43.0 |
| - tendon (sheath) - <i>see</i> Neoplasm, connective tissue | | | | | |
| - tentorium (cerebelli) | C70.0 | C79.3 2a 2b | | D32.0 2a 2b | D42.0 |

| Malignant | | | | Uncertain
or
unknown
behavior |
|-----------|-----------|---------|--------|--|
| Primary | Secondary | In situ | Benign | |

| | | | | | |
|--|-------------|-------------|----------|-------|-------------|
| - testis | C62.9 | C79.8 2a 2b | D07.6 | D29.2 | D40.1 |
| - - descended | C62.1 | C79.8 2a 2b | D07.6 | D29.2 | D40.1 |
| - - ectopic | C62.0 | C79.8 2a 2b | D07.6 | D29.2 | D40.1 |
| - - retained | C62.0 | C79.8 2a 2b | D07.6 | D29.2 | D40.1 |
| - - scrotal | C62.1 | C79.8 2a 2b | D07.6 | D29.2 | D40.1 |
| - - undescended | C62.0 | C79.8 2a 2b | D07.6 | D29.2 | D40.1 |
| - thalamus | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - thigh NEC # | C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| - thorax, thoracic (cavity) (organs NEC) | C76.1 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - - duct | C49.3 | C79.8 2a 2b | | D21.3 | D48.1 |
| - - wall NEC | C76.1 2a 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - throat | C14.0 | C79.8 2a 2b | D00.0 2b | D10.9 | D37.0 |
| - thumb NEC # | C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |
| - thymus (gland) | C37 | C79.8 2a 2b | D09.3 2b | D15.0 | D38.4 |
| - thyroglossal duct | C73 2b | C79.8 2a 2b | D09.3 2b | D34 | D44.0 |
| - thyroid (gland) | C73 2b | C79.8 2a 2b | D09.3 2b | D34 | D44.0 |
| - - cartilage | C32.3 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - tibia (any part) ♀ | C40.2 2a 2b | C79.5 2a 2b | | D16.2 | D48.0 2a 2b |
| - toe NEC # | C76.5 2b | C79.8 2a 2b | D04.7 | D36.7 | D48.7 2b |
| - tongue | C02.9 2b | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - anterior (two-thirds) NEC | C02.3 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - - dorsal surface | C02.0 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - - ventral surface | C02.2 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - base (dorsal surface) | C01 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - border (lateral) | C02.1 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - fixed part | C01 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - frenulum | C02.2 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - junctional zone | C02.8 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - margin (lateral) | C02.1 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - midline NEC | C02.0 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| - - mobile part NEC | C02.3 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |

- - posterior (third)
 - - root
 - - surface (dorsal)
 - - base
 - - ventral
 - - tip

| | | | | |
|-------|-------------|----------|-------|-------|
| C01 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| C01 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| C02.0 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| C01 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| C02.2 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |
| C02.1 | C79.8 2a 2b | D00.0 2b | D10.1 | D37.0 |

| Malignant | | | | Uncertain or unknown behavior |
|-------------------------------------|-------------|-------------|----------|-------------------------------|
| Primary | Secondary | In situ | Benign | |
| - tonsil | C02.4 | C79.8 2a 2b | D00.0 2b | D10.1 |
| - tonsil | C09.9 | C79.8 2a 2b | D00.0 2b | D10.4 |
| - - fauces, faacial | C09.9 | C79.8 2a 2b | D00.0 2b | D10.4 |
| - - lingual | C02.4 | C79.8 2a 2b | D00.0 2b | D10.1 |
| - - palatine | C09.9 | C79.8 2a 2b | D00.0 2b | D10.4 |
| - - pharyngeal | C11.1 | C79.8 2a 2b | D00.0 2b | D10.6 |
| - - pillar (anterior) (posterior) | C09.1 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - tonsillar fossa | C09.0 | C79.8 2a 2b | D00.0 2b | D10.5 |
| - tooth socket NEC | C03.9 | C79.8 2a 2b | D00.0 2b | D10.3 |
| - trachea (cartilage) (mucosa) | C33 2b | C78.3 2b | D02.1 | D14.2 |
| - tracheobronchial | C34.8 | C78.0 2a 2b | D02.2 | D14.2 |
| - tragus | C44.2 | C79.2 2a | D04.2 | D23.2 |
| - trunk NEC # | C76.7 | C79.8 2a 2b | D04.5 | D36.7 |
| - tubo-ovarian | C57.8 | C79.8 2a 2b | D07.3 2b | D28.7 |
| - tunica vaginalis | C63.7 | C79.8 2a 2b | D07.6 | D29.7 |
| - turbinate (bone) ♀ | C41.0 | C79.5 2a 2b | | D48.0 2a 2b |
| - - nasal | C30.0 | C78.3 2b | D02.3 2b | D38.5 2b |
| - tympanic cavity | C30.1 | C78.3 2b | D02.3 2b | D38.5 2b |
| - ulna (any part) ♀ | C40.0 | C79.5 2a 2b | | D48.0 2a 2b |
| - umbilicus, umbilical | C44.5 | C79.2 2a | D04.5 | D48.5 |
| - uncus | C71.2 | C79.3 2a 2b | | D43.0 |
| - urachus | C67.7 | C79.1 2a 2b | D09.0 | D41.4 |
| - ureter | C66 | C79.1 2a 2b | D09.1 | D41.2 |
| - - orifice | C67.6 | C79.1 2a 2b | D09.0 | D41.4 |
| - urethra, urethral (gland) | C68.0 | C79.1 2a 2b | D09.1 | D41.3 |
| - - orifice, internal | C67.5 | C79.1 2a 2b | D09.0 | D41.4 |
| - urethrovaginal (septum) | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 |
| - urinary organ or system NEC | C68.9 2a 2b | C79.1 2a 2b | D09.1 | D30.9 2a 2b |
| - - bladder - see Neoplasm, bladder | | | | D41.9 |
| - utero-ovarian | C57.8 | C79.8 2a 2b | | D39.7 |
| - - ligament | C57.1 | C79.8 2a 2b | | D39.7 |
| - uterosacral ligament | C57.3 | C79.8 2a 2b | | D39.7 |
| - uterus, uteri, uterine | C55 2a 2b | C79.8 2a 2b | D07.3 2b | D26.9 |
| - - adnexa | C57.4 | C79.8 2a 2b | D07.3 2b | D28.7 |
| - - body | C54.9 | C79.8 2a 2b | D07.3 2b | D26.1 |
| - - cervix | C53.9 2a | C79.8 2a 2b | D06.9 | D26.0 |

| Malignant | | | | Uncertain or unknown behavior |
|--------------------------------|-----------|-------------|----------|-------------------------------|
| Primary | Secondary | In situ | Benign | |
| - - cornu | C54.9 | C79.8 2a 2b | D07.3 2b | D26.1 |
| - - corpus | C54.9 | C79.8 2a 2b | D07.3 2b | D26.1 |
| - - endocervix (canal) (gland) | C53.0 2b | C79.8 2a 2b | D06.0 | D26.0 |
| - - exocervix | C53.1 | C79.8 2a 2b | D06.1 | D26.0 |
| - - external os | C53.1 | C79.8 2a 2b | D06.1 | D26.0 |
| - - fundus | C54.3 | C79.8 2a 2b | D07.3 2b | D26.1 |
| - - internal os | C53.0 2b | C79.8 2a 2b | D06.0 | D26.0 |
| - - isthmus | C54.0 | C79.8 2a 2b | D07.3 2b | D26.1 |
| - - ligament | C57.3 | C79.8 2a 2b | | D28.2 |
| - - - broad | C57.1 | C79.8 2a 2b | D07.3 2b | D28.2 |
| - - - round | C57.2 | C79.8 2a 2b | | D39.7 |

| - - lower segment | C54.0 | C79.8 2a 2b | D07.3 2b | D26.1 | D39.0 2b |
|---|-------------|-------------|----------|-------------------------------|-------------|
| - - squamocolumnar junction | C53.8 | C79.8 2a 2b | D06.7 | D26.0 | D39.0 2b |
| - - tube | C57.0 | C79.8 2a 2b | D07.3 2b | D28.2 | D39.7 |
| - utricle, prostatic | C68.0 | C79.1 2a 2b | D09.1 | D30.4 | D41.3 |
| - uveal tract | C69.4 | C79.4 | D09.2 | D31.4 | D48.7 2b |
| - uvula | C05.2 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - vagina, vaginal (fornix) (vault) (wall) | C52 2a | C79.8 2a 2b | D07.2 | D28.1 | D39.7 |
| - vaginovesical | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 | D39.9 |
| - - septum | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 | D39.9 |
| - vallecula (epiglottis) | C10.0 | C79.8 2a 2b | D00.0 2b | D10.5 | D37.0 |
| - vas deferens | C63.1 | C79.8 2a 2b | D07.6 | D29.7 | D40.7 |
| - vascular - <i>see</i> Neoplasm, connective tissue | | | | | |
| - vein, venous - <i>see</i> Neoplasm, connective tissue | | | | | |
| - vena cava (abdominal) (inferior) | C49.4 2a 2b | C79.8 2a 2b | | D21.4 | D48.1 |
| - - superior | C49.3 | C79.8 2a 2b | | D21.3 | D48.1 |
| - ventricle | C71.5 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - cardiac (left) (right) | C38.0 | C79.8 2a 2b | | D15.1 | D48.7 2b |
| - - cerebral | C71.5 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - - floor | C71.5 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - - fourth | C71.7 | C79.3 2a 2b | | D33.1 | D43.1 |
| - - - lateral | C71.5 | C79.3 2a 2b | | D33.0 | D43.0 |
| - - - third | C71.5 | C79.3 2a 2b | | D33.0 | D43.0 |
| Malignant | | | | | |
| Primary | Secondary | In situ | Benign | Uncertain or unknown behavior | |
| - ventricular band of larynx | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - ventriculus - <i>see</i> Neoplasm, stomach | | | | | |
| - vermillion border - <i>see</i> Neoplasm, lip | | | | | |
| - vermis, cerebellum | C71.6 | C79.3 2a 2b | | D33.1 | D43.1 |
| - vertebral (column) ♀ | C41.2 2a 2b | C79.5 2a 2b | | D16.6 2b | D48.0 2a 2b |
| - - coccyx ♀ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - - sacrum ♀ | C41.4 | C79.5 2a 2b | | D16.8 | D48.0 2a 2b |
| - vesical - <i>see</i> Neoplasm, bladder | | | | | |
| - vesicle, seminal | C63.7 | C79.8 2a 2b | D07.6 | D29.7 | D40.7 |
| - vesicocervical tissue | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 | D39.9 |
| - vesicorectal | C76.3 2b | C79.8 2a 2b | D09.7 | D36.7 | D48.7 2b |
| - vesicovaginal | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 | D39.9 |
| - - septum | C57.9 2a | C79.8 2a 2b | D07.3 2b | D28.9 | D39.9 |
| - vessel (blood) - <i>see</i> Neoplasm, connective tissue | | | | | |
| - vestibular gland, greater | C51.0 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - vestibule- - mouth | C06.1 | C79.8 2a 2b | D00.0 2b | D10.3 | D37.0 |
| - - nose | C30.0 | C78.3 2b | D02.3 2b | D14.0 2b | D38.5 2b |
| - Virchow's gland | C77.0 2a 2b | C77.0 2a 2b | | D36.0 | D48.7 2b |
| - viscera NEC | C76.7 | C79.8 2a 2b | | D36.7 | D48.7 2b |
| - vocal cord (true) | C32.0 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - - false | C32.1 | C78.3 2b | D02.0 2b | D14.1 | D38.0 2b |
| - vulva | C51.9 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - vulvovaginal gland | C51.0 | C79.8 2a 2b | D07.1 | D28.0 | D39.7 |
| - Waldeyer's ring | C14.2 | C79.8 2a 2b | D00.0 2b | D10.9 | D37.0 |
| - Wharton's duct | C08.0 | C79.8 2a 2b | D00.0 2b | D11.7 | D37.0 |
| - white matter (central) (cerebral) | C71.0 | C79.3 2a 2b | | D33.0 | D43.0 |
| - windpipe | C33 2b | C78.3 2b | D02.1 | D14.2 | D38.1 |
| - Wirsung's duct | C25.3 | C78.8 2a 2b | D01.7 2b | D13.6 2a | D37.7 2a |
| - Wolffian (body) (duct)- - female | C57.7 | C79.8 2a 2b | D07.3 2b | D28.7 | D39.7 |
| - - male | C63.7 | C79.8 2a 2b | D07.6 | D29.7 | D40.7 |
| - womb - <i>see</i> Neoplasm, uterus | | | | | |
| - wrist NEC # | C76.4 | C79.8 2a 2b | D04.6 | D36.7 | D48.7 2b |
| - xiphoid process ♀ | C41.3 | C79.5 2a 2b | | D16.7 | D48.0 2a 2b |
| - Zuckerkandl's organ | C75.5 | C79.8 2a 2b | | D35.6 | D44.7 |
| Neovascularization | | | | | |
| - ciliary body H21.1 | | | | | |

- cornea H16.4

- iris H21.1

- retina H35.0 2a

Nephralgia N23

Nephritis, nephritic N05-

Note - Where a term is indexed only at the three-character level, e.g. N00-, reference should be made to the list of fourth-character subdivisions in Volume 1, categories N00-N08.

- with
- - edema - *see* Nephrosis
- - foot process disease N04-
- - glomerular lesion
 - - - diffuse sclerosing (*see also* Disease, kidney, chronic) N18.9 2a 2b
 - - - hypocomplementemic - *see* Nephritis, membranoproliferative
 - - - IgA - *see* Nephropathy, IgA
 - - - lobular, lobulonodular - *see* Nephritis, membranoproliferative
 - - - necrotic, necrotizing NEC - *code to* N00-N07 with fourth character .8 N05.8 2a 2b
 - - - nodular - *see* Nephritis, membranoproliferative
 - - - specified pathology NEC - *code to* N00-N07 with fourth character .8 N05.8 2a 2b
- acute N00-
- amyloid E85.4† N08.4*
- antiglomerular basement membrane (anti-GBM) antibody, in Goodpasture's syndrome M31.0† 2a 2b N08.5*
- antitubular basement membrane (tubulo-interstitial) NEC N12 2a 2b
- - toxic - *see* Nephropathy, toxic
- arteriolar (*see also* Hypertension, kidney) I12.9 2a 2b
- arteriosclerotic (*see also* Hypertension, kidney) I12.9 2a 2b
- ascending - *see* Nephritis, tubulo-interstitial
- Balkan (endemic) N15.0
- calculous, calculus (*see also* Calculus, kidney) N20.9 2a 2b
- cardiac - *see* Hypertension, kidney, with heart involvement
- cardiovascular - *see* Hypertension, kidney
- chronic N03-
 - - arteriosclerotic (*see also* Hypertension, kidney) I12.9 2a 2b
 - - cirrhotic (*see also* Sclerosis, renal) N26 2a
 - - complicating pregnancy O26.8
 - - with secondary hypertension, pre-existing O10.4
 - - - affecting fetus or newborn P00.0
 - - - affecting fetus or newborn P00.1
 - - degenerative - *see* Nephrosis
 - - diffuse sclerosing (*see also* Disease, kidney, chronic) N18.9 2a 2b
 - - due to
 - - - diabetes mellitus (*see also* E10-E14 with fourth character .2) E14.2† 2b N08.3* 2b
 - - - systemic lupus erythematosus (chronic) M32.1† 2a 2b N08.5*
 - - embolic N05.8 2a 2b
 - - gonococcal (acute) (chronic) A54.2† N08.0*
 - - gouty M10.0
 - - hypocomplementemic - *see* Nephritis, membranoproliferative
 - - IgA - *see* Nephropathy, IgA
 - - immune complex (circulating) NEC N05.8 2a 2b
 - - infective - *see* Nephritis, tubulo-interstitial
 - - interstitial - *see* Nephritis, tubulo-interstitial
 - - acute N10 2b
 - - chronic N11.9 2b
 - - lead N14.3 2b
 - - membranoproliferative (diffuse) (type 1) (type 3) - *code to* N00-N07 with fourth character .5 N05.5
 - - type 2 - *code to* N00-N07 with fourth character .6 N05.6
 - - necrotic, necrotizing NEC - *code to* N00-N07 with fourth character .8 N05.8 2a 2b
 - - nephrotic - *see* Nephrosis
 - - nodular - *see* Nephritis, membranoproliferative
 - - poststreptococcal NEC N05.9 2a 2b
 - - acute N00-
 - - chronic N03-
 - - rapidly progressive N01-
 - - proliferative NEC - *code to* N00-N07 with fourth character .8 N05.8 2a 2b
 - - puerperal (postpartum) O90.8 2b

- purulent - *see* Nephritis, tubulo-interstitial
- rapidly progressive N01-
- salt-losing or -wasting NEC N28.8 2a 2b
- saturnine N14.3 2b
- sclerosing, diffuse (*see also* Disease, kidney, chronic) N18.9 2a 2b
- septic - *see* Nephritis, tubulo-interstitial
- specified pathology NEC - *code to* N00-N07 with fourth character .8 N05.8 2a 2b
- subacute N01-
- suppurative - *see* Nephritis, tubulo-interstitial
- syphilitic (late) A52.7† 2a 2b N08.0*
- - congenital A50.5† N08.0*
- - early (secondary) A51.4† N08.0*
- toxic - *see* Nephropathy, toxic
- tubal, tubular - *see* Nephritis, tubulo-interstitial
- tuberculous A18.1† 2a 2b N29.1*
- tubulo-interstitial (in) N12 2a 2b
- - acute (infectious) N10 2b
- - arteriosclerotic I12.9 2a 2b
- - chronic (infectious) N11.9 2b
- - nonobstructive N11.8
- - - reflux-associated N11.0
- - - obstructive N11.1
- - - specified NEC N11.8
- - Sjögren's syndrome M35.0† N16.4*
- vascular - *see* Hypertension, kidney

Nephroblastoma (epithelial) (mesenchymal) (M8960/3) C64 2a 2b

Nephrocalcinosis E83.5† 2a 2b N29.8*

Nephrocystitis, pustular (*see also* Nephritis,tubulo-interstitial) N12 2a 2b

Nephrolithiasis (pelvis) (recurrent) (*see also* Calculus, kidney) N20.0 2a

- congenital Q63.8
- gouty M10.0† N22.8*
- uric acid M10.0† N22.8*

Nephroma (M8960/3) C64 2a 2b

- mesoblastic (M8960/1) D41.0

Nephronephritis (*see also* Nephrosis) N04-

Nephropathia epidemica (Puumala hantavirus) A98.5† N08.0*

Nephropathy (*see also* Nephritis) N28.9 2a 2b

Note - Where a term is indexed only at the three-character level, e.g. N07-, reference should be made to the list of fourth-character subdivisions in Volume 1, categories N00-N08.

- with
- - edema - *see* Nephrosis
- - glomerular lesion - *see* Glomerulonephritis
- amyloid, hereditary E85.0
- analgesic N14.0
- Balkan (endemic) N15.0
- chemical - *see* Nephropathy, toxic
- diabetic (*see also* E10-E14 with fourth character .2) E14.2† 2b N08.3* 2b
- drug-induced N14.2
- - specified NEC N14.1
- focal and segmental hyalinosis or sclerosis N02.1
- heavy metal-induced N14.3 2b
- hereditary NEC N07-
- hypertensive (*see also* Hypertension, kidney) I12.9 2a 2b
- - end-stage (failure) I12.0
- IgA N02.8
- - with glomerular lesion N02-
- - - focal and segmental hyalinosis or sclerosis N02.1
- - - membranoproliferative (diffuse) N02.5
- - - membranous (diffuse) N02.2
- - - mesangial proliferative (diffuse) N02.3
- - - mesangiocapillary (diffuse) N02.5
- - - proliferative NEC N02.8
- - - specified pathology NEC N02.8
- lead N14.3 2b

- light chain (kappa) D47.2 N05.9 2a 2b
- - acute D47.2 N00.9 2a
- - chronic D47.2 N03.9 2a 2b
- membranoproliferative (diffuse) N02.5
- membranous (diffuse) N02.2
- mesangial (IgA/IgG) - *see* Nephropathy, IgA
- - proliferative (diffuse) N02.3
- mesangiocapillary (diffuse) N02.5
- obstructive N13.8
- pregnancy-related O26.8
- proliferative NEC - *code to* N00-N07 with fourth character .8 N05.8 2a 2b
- reflux N13.7
- saturnine N14.3 2b
- sickle-cell (*see also* Disease, sickle-cell) D57.1† N08.2*
- toxic NEC (due to) N14.4 2b
- - drugs N14.2
- - - analgesic N14.0
- - - specified NEC N14.1
- - heavy metals N14.3 2b

Nephroptosis N28.8 2a 2b

Nephropyosis (*see also* Abscess, kidney) N15.1 2a 2b

Neporrhagia N28.8 2a 2b

Nephrosclerosis (arteriolar) (arteriosclerotic) (chronic) (hyaline) (*see also* Hypertension, kidney) I12.9 2a 2b

- senile (*see also* Sclerosis, renal) N26 2a

Nephrosis, nephrotic (congenital) (Epstein's) (syndrome) N04-

Note - Where a term is indexed only at the three-character level, e.g. N07-, reference should be made to the list of fourth-character subdivisions in Volume 1, categories

N00-N08.

- with glomerular lesion N04-
- - foot process disease N04-
- - hypocomplementemic N04.5
- acute N04-
- anoxic - *see* Nephrosis, tubular
- chemical - *see* Nephrosis, tubular
- complicating pregnancy O26.8
- diabetic (*see also* E10-E14 with fourth character .2) E14.2† 2b N08.3* 2b
- hemoglobinuric - *see* Nephrosis, tubular
- in
- - amyloidosis E85.4† N08.4*
- - diabetes mellitus (*see also* E10-E14 with fourth character .2) E14.2† 2b N08.3* 2b
- - epidemic hemorrhagic fever A98.5† N08.0*
- - malaria (malariae) B52.0† N08.0*
- ischemic - *see* Nephrosis, tubular
- lipoid N04-
- lower nephron - *see* Nephrosis, tubular
- malarial (malariae) B52.0† N08.0*
- necrotizing - *see* Nephrosis, tubular
- syphilitic (late) A52.7† 2a 2b N08.0*
- toxic - *see* Nephrosis, tubular
- tubular (acute) N17.0
- - postprocedural N99.0 2b

Nephrosonephritis, hemorrhagic (endemic) A98.5† N08.0*

Nephrostomy

- attention to Z43.6(1109)
- status Z93.6(1110)

Nerve - *see condition*

Nervous (*see also* condition) R45.0

- heart F45.3 2b
- stomach F45.3 2b
- tension R45.0

Nervousness R45.0

Nesidioblastoma (M8150/0)

- pancreas D13.7 2a
- specified site NEC - *see* Neoplasm, benign
- unspecified site D13.7 2a

Nettleship's syndrome Q82.2**Neumann's disease or syndrome** L10.1**Neuralgia, neuralgic (acute)** (*see also* Neuritis) M79.2 2a

- ciliary G44.0
- cranial
 - - nerve - *see also* Disorder, nerve, cranial
 - - fifth or trigeminal (*see also* Neuralgia, trigeminal) G50.0
 - - postherpetic, postzoster B02.2† G53.0*
 - ear H92.0
 - facialis vera G51.1
 - Fothergill's (*see also* Neuralgia, trigeminal) G50.0
 - glossopharyngeal (nerve) G52.1
 - Hunt's B02.2† G53.0*
 - hypoglossal (nerve) G52.3
 - infraorbital (*see also* Neuralgia, trigeminal) G50.0
 - migrainous G44.0
 - Morton's G57.6
 - nerve, cranial - *see* Disorder, nerve, cranial
 - postherpetic NEC B02.2† G53.0*
 - - trigeminal B02.2† G53.0*
 - specified nerve NEC G58.8
 - sphenopalatine (ganglion) G44.8
 - trifacial (*see also* Neuralgia, trigeminal) G50.0
 - trigeminal G50.0
 - - postherpetic, postzoster B02.2† G53.0*
 - writer's F48.8
 - - organic G25.8 2a

Neurapraxia - *see* Injury, nerve**Neurasthenia** F48.0

- cardiac F45.3 2b
- gastric F45.3 2b
- heart F45.3 2b

Neurilemmoma (M9560/0) - *see also* Neoplasm, nerve, benign

- acoustic (nerve) D33.3
- malignant (M9560/3) - *see also* Neoplasm, nerve, malignant
- - acoustic (nerve) C72.4

Neurilemmosarcoma (M9560/3) - *see* Neoplasm, nerve, malignant**Neurinoma** (M9560/0) - *see* Neoplasm, nerve, benign**Neurinomatosis** (M9560/1) - *see* Neoplasm, nerve, uncertain behavior**Neuritis** M79.2 2a

- abducens (nerve) H49.2
- acoustic (nerve) H93.3
- - in (due to)
 - - - infectious disease NEC B99† 2a 2b H94.0*
 - - - parasitic disease NEC B89† 2a 2b H94.0*
 - - syphilitic A52.1† 2a 2b H94.0*
 - - amyloid, any site E85.4† G63.3*
- arising during pregnancy O26.8
- auditory (nerve) H93.3
- brachial M54.1
- - due to displacement, intervertebral disc M50.1† G55.1*
- cranial nerve
 - - eighth or acoustic or auditory H93.3
 - - fourth or trochlear H49.1
 - - second or optic H46
 - - seventh or facial G51.8
 - - - newborn (birth injury) P11.3
 - - sixth or abducent H49.2
 - - third or oculomotor H49.0
- Déjerine-Sottas G60.0 2a 2b
- diabetic (polyneuropathy) (*see also* E10-E14 with fourth character .4) E14.4† G63.2*
- - mononeuropathy E14.4† G59.0*

- due to
- - beriberi E51.1† G63.4*
- - displacement, prolapse, protrusion or rupture, intervertebral disc M51.1† G55.1*
- - - cervical M50.1† G55.1*
- - - lumbar, lumbosacral M51.1† G55.1*
- - - thoracic, thoracolumbar M51.1† G55.1*
- - herniation, nucleus pulposus M51.1† G55.1*
- - - cervical M50.1† G55.1*
- - - lumbar, lumbosacral M51.1† G55.1*
- - - thoracic, thoracolumbar M51.1† G55.1*
- endemic E51.1† G63.4*
- facial G51.8
- - newborn (birth injury) P11.3
- general - *see* Polyneuropathy
- geniculate ganglion G51.1
- - due to herpes (zoster) B02.2† G53.0*
- gouty M10.0† G63.6*
- in disease classified elsewhere - *see* Polyneuropathy
- infectious (multiple) NEC G61.0
- interstitial hypertrophic progressive G60.0 2a 2b
- lumbar, lumbosacral M54.1
- multiple (*see also* Polyneuropathy) G62.9 2a
- - endemic E51.1† G63.4*
- - infective, acute G61.0
- multiplex endemica E51.1† G63.4*
- nerve root (*see also* Radiculitis) M54.1
- oculomotor (nerve) H49.0
- olfactory nerve G52.0
- optic (hereditary) (sympathetic) H46
- - with demyelination G36.0
- peripheral (nerve) G62.9 2a
- - complicating pregnancy O26.8
- - multiple (*see also* Polyneuropathy) G62.9 2a
- - single - *see* Mononeuritis
- postherpetic, postzoster B02.2† G53.0*
- pregnancy-related O26.8
- progressive hypertrophic interstitial G60.0 2a 2b
- puerperal, postpartum O90.8 2b
- retrobulbar H46
- - in (due to)
- - - late syphilis A52.1† 2a 2b H48.1*
- - - meningococcal infection A39.8† H48.1*
- - - multiple sclerosis G35† 2a 2b H48.1*
- - - meningococcal A39.8† H48.1*
- - - syphilitic A52.1† 2a 2b H48.1*
- rheumatoid (chronic) M79.2 2a
- sciatic (nerve) M54.3
- - due to displacement of intervertebral disc M51.1† G55.1*
- shoulder-girdle G54.5
- specified nerve NEC G58.8
- spinal (nerve) root (*see also* Radiculitis) M54.1
- syphilitic A52.1† 2a 2b G59.8*
- thoracic M54.1
- toxic NEC G62.2 2b
- trochlear (nerve) H49.1

Neuroastrocytoma (M9505/1) - *see* Neoplasm, uncertain behavior

Neuroavitaminosis E56.9† 2b G99.8*

Neuroblastoma (M9500/3)

- olfactory (M9522/3) C30.0
- specified site - *see* Neoplasm, malignant
- unspecified site C74.9

Neurochorioretinitis (*see also* Chorioretinitis) H30.9 2a

Neurocirculatory asthenia F45.3 2b

Neurocysticercosis B69.0† 2b G99.8*

Neurocytoma (M9506/0) - *see* Neoplasm,benign

Neurodermatitis (circumscribed) (circumscripta) (local) L28.0

- atopic L20.8
- diffuse (Brocq) L20.8
- disseminated L20.8

Neuroencephalomyopathy, optic G36.0

Neuroepithelioma (M9503/3) - *see also* Neoplasm, malignant

- olfactory (M9523/3) C30.0

Neurofibroma (M9540/0) - *see also* Neoplasm, nerve, benign

- melanotic (M9541/0) - *see* Neoplasm, nerve, benign

- multiple - *see* Neurofibromatosis

- plexiform (M9550/0) - *see* Neoplasm, nerve, benign

Neurofibromatosis (multiple) (nonmalignant) (M9540/1) Q85.0 2b

- malignant (M9540/3) - *see* Neoplasm, nerve, malignant

Neurofibrosarcoma (M9540/3) - *see* Neoplasm, nerve, malignant**Neurofibroxanthoma** - *see* Neoplasm, connective tissue, benign**Neurogenic** - *see also* condition

- bladder (*see also* Dysfunction, bladder, neuromuscular) N31.9

- - cauda equina syndrome G83.4

- bowel NEC K59.2

- heart F45.3 2b

Neuroglioma (M9505/1) - *see* Neoplasm, uncertain behavior**Neurolathyrism** T62.2**Neuroleprosy** A30.9**Neuroma** (M9570/0) - *see also* Neoplasm, nerve, benign

- acoustic (nerve) (M9560/0) D33.3

- amputation (stump) (late) (surgical complication) (traumatic) T87.3

- interdigital G58.8

- - lower limb NEC G57.8

- - upper limb G56.8

- intermetatarsal NEC G57.8

- Morton's G57.6

- optic (nerve) D33.3

- plexiform (M9550/0) - *see* Neoplasm, nerve, benign

Neuromyalgia M79.2 2a**Neuromyasthenia (epidemic) (postinfectious)** G93.3 2b**Neuromyelitis** G36.9

- ascending G61.0

- optica G36.0

Neuromyopathy G70.9 2a

- paraneoplastic D48.9† 2a 2b G13.0*

Neuromyotonia (Isaacs') G71.1 2a**Neuronevus** (M8725/0) - *see* Nevus**Neuronitis** G58.9

- vestibular H81.2

Neuroparalytic - *see* condition**Neuropathy, neuropathic** G62.9 2a

- with hereditary ataxia (associated) G60.2

- alcoholic G62.1 2a 2b

- autonomic, peripheral - *see* Neuropathy, peripheral, autonomic

- bladder N31.9

- - atonic (motor) (sensory) N31.2

- - autonomous N31.2

- - flaccid N31.2

- - nonreflex N31.2

- - reflex N31.1

- - uninhibited N31.0

- brachial plexus G54.0 2b

- carcinomatous C80† 2a 2b G13.0*

- chronic

- - demyelinating (relapsing) G62.8

- - progressive, segmentally demyelinating G62.8

- - relapsing, demyelinating G62.8

- Déjerine-Sottas G60.0 2a 2b

- demyelinating (see also Neuropathy, chronic) G62.8

- diabetic (*see also* E10-E14 with fourth character .4) E14.4† G63.2*

- - mononeuropathy E14.4† G59.0*
- - polyneuropathy E14.4† G63.2*
- entrapment G58.9
- - lateral cutaneous nerve of thigh G57.1
- - median nerve G56.0
- - peroneal nerve G57.3
- - posterior tibial nerve G57.5
- - ulnar nerve G56.2
- facial nerve G51.9
- hereditary G60.9
- - motor and sensory (types I-IV) G60.0 2a 2b
- - sensory G60.8 2a 2b
- - specified NEC G60.8 2a 2b
- hypertrophic G60.0 2a 2b
- - Charcot-Marie-Tooth G60.0 2a 2b
- - Déjerine-Sottas G60.0 2a 2b
- - interstitial progressive G60.0 2a 2b
- - of infancy G60.0 2a 2b
- idiopathic G60.9
- - progressive G60.3
- - specified NEC G60.8 2a 2b
- intercostal G58.0
- ischemic - *see* Disorder, nerve
- Jamaica (ginger) G62.2 2b
- lower extremities G62.9 2a
- lumbar plexus G54.1
- motor and sensory (*see also* Polyneuropathy) G62.8
- - hereditary (types I-IV) G60.0 2a 2b
- multiple (acute) (chronic) G62.9 2a
- optic (nerve) H46
- - ischemic H47.0
- paraneoplastic (sensorial) (Denny Brown) D48.9† 2a 2b G13.0*
- peripheral (nerve) (*see also* Polyneuropathy) G62.9 2a
- - autonomic G90.9 2a
- - - idiopathic G90.0
- - - in (due to)
- - - - amyloidosis E85.4† G99.0*
- - - - diabetes mellitus (*see also* E10-E14 with fourth character .4) E14.4† G99.0*
- - - - endocrine disease NEC E34.9† 2b G99.0*
- - - - gout M10.0† G99.1*
- - - - hyperthyroidism E05.9† 2b G99.0*
- - - - metabolic disease NEC E88.9† G99.0*
- - idiopathic G60.9
- postherpetic, post herpetic B02.2
- radicular NEC M54.1
- - with intervertebral disc disorder (*see also* Disease, intervertebral disc, by site, with neuritis) M51.1† G55.1*
- - brachial M54.1
- - cervical NEC M54.1
- - hereditary sensory G60.8 2a 2b
- - lumbar, lumbosacral M54.1
- - thoracic NEC M54.1
- sacral plexus G54.1
- sciatic G57.0
- serum G61.1
- toxic NEC G62.2 2b
- uremic † N18.5† 2b G63.8*
- vitamin B₁₂ E53.8† 2a 2b G63.4*
- - with anemia (pernicious) D51.0† 2a 2b G63.4*
- - - due to dietary deficiency D51.3† G63.4*

Neurophthisis - *see also* Disorder, nerve

- peripheral, diabetic (*see also* E10-E14 with fourth character .4) E14.4† G63.2*

Neuroretinitis (*see also* Chorioretinitis) H30.9 2a

Neurosarcoma (M9540/3) - *see* Neoplasm, nerve, malignant

Neurosclerosis - *see* Disorder, nerve

Neurosis, neurotic F48.9

- anankastic F42.9
- anxiety (state) F41.1
- asthenic F48.0
- bladder F45.3 2b
- cardiac (reflex) F45.3 2b
- cardiovascular F45.3 2b
- character F60.9 2b
- climacteric N95.1
- colon F45.3 2b
- compensation F68.0
- compulsive, compulsion F42.1
- conversion F44.9 2b
- craft F48.8
- cutaneous F45.8
- depressive (reaction) (type) F34.1
- environmental F48.8
- excoriation L98.1 2b
- fatigue F48.0
- functional (*see also* Disorder, somatoform) F45.9
- gastric F45.3 2b
- gastrointestinal F45.3 2b
- heart F45.3 2b
- hypochondriacal F45.2
- hysterical F44.9 2b
- incoordination F45.8
- - larynx F45.3 2b
- - vocal cord F45.3 2b
- intestine F45.3 2b
- larynx (sensory) F45.3 2b
- - hysterical F44.4
- menopause N95.1
- mixed NEC F48.8
- musculoskeletal F45.8
- obsessional F42.0
- obsessive-compulsive F42.9
- occupational F48.8
- ocular NEC F45.8
- organ (*see also* Disorder, somatoform) F45.9
- pharynx F45.3 2b
- phobic F40.9
- psychasthenic (type) F48.8
- railroad F48.8
- rectum F45.3 2b
- respiratory F45.3 2b
- rumination F45.3 2b
- sexual F65.9
- situational F48.8
- social F40.1
- specified type NEC F48.8
- state F48.9
- - with depersonalization episode F48.1
- stomach F45.3 2b
- traumatic F43.1
- vasomotor F45.3 2b
- visceral F45.3 2b
- war F48.8

Neurosypphilis, neurosyphilitic (arrested) (late) (recurrent) A52.3

- with ataxia (cerebellar) (locomotor) (spastic) (spinal) A52.1 2a 2b
- aneurysm (cerebral) A52.0† 2b I68.8*
- arachnoid (adhesive) A52.1† 2a 2b G01* 2b
- arteritis (any artery) (cerebral) A52.0† 2b I68.1*
- asymptomatic A52.2
- congenital A50.4
- dura (mater) A52.1† 2a 2b G01* 2b
- general paresis A52.1 2a 2b

- gumma A52.3
- hemorrhagic A52.3
- juvenile (asymptomatic) (meningeal) A50.4
- leptomeninges (aseptic) A52.1† 2a 2b G01* 2b
- meningeal, meninges (adhesive) A52.1† 2a 2b G01* 2b
- meningitis A52.1† 2a 2b G01* 2b
- meningo-vascular (diffuse) A52.1† 2a 2b G01* 2b
- optic atrophy A52.1† 2a 2b H48.0*
- parenchymatous (degenerative) A52.1 2a 2b
- paresis, paretic (*see also* Paresis, general) A52.1 2a 2b
- serological (without symptoms) A52.2
- specified nature or site NEC A52.1 2a 2b
- tabes, tabetic (dorsalis) A52.1 2a 2b
- - juvenile A50.4
- taboparesis A52.1 2a 2b
- - juvenile A50.4
- thrombosis (cerebral) A52.0† 2b I68.8*
- vascular (cerebral) NEC A52.0† 2b I68.8*

Neurothekeoma (M9562/0) - *see* Neoplasm, nerve, benign

Neurotic - *see* Neurosis

Neurotoxemia - *see* Toxemia

Neutropenia, neutropenic (congenital) (cyclic) (drug-induced) (periodic) (primary) (splenic) (toxic) D70

- neonatal, transitory (isoimmune) (maternal transfer) P61.5

Nevocarcinoma (M8720/3) - *see* Melanoma

Nevus (M8720/0) D22.9

Note - Except where otherwise indicated, the morphological varieties of nevus in the list below should be coded by site according to the list under "Nevus, site classification."

- achromic (M8730/0)
- amelanotic (M8730/0)
- angiomatous (M9120/0) D18.0
- araneus I78.1
- balloon cell (M8722/0)
- bathing trunk (M8761/1) D48.5
- blue (M8780/0)
- - cellular (M8790/0)
- - giant (M8790/0)
- - Jadassohn's (M8780/0)
- - malignant (M8780/3) - *see* Melanoma
- capillary (M9131/0) D18.0
- cavernous (M9121/0) D18.0
- cellular (M8720/0)
- - blue (M8790/0)
- comedonicus Q82.5
- compound (M8760/0)
- conjunctiva (M8720/0)
- dermal (M8750/0)
- - with epidermal nevus (M8760/0)
- dysplastic (M8727/0)
- epitheloid cell (M8771/0)
- - with spindle cell (M8770/0)
- flammeus Q82.5
- hairy (M8720/0)
- halo (M8723/0)
- hemangiomatous (M9120/0) D18.0
- intradermal (M8750/0)
- intraepidermal (M8740/0)
- involuting (M8724/0)
- Jadassohn's blue (M8780/0)
- junction, junctional (M8740/0)
- - malignant melanoma in (M8740/3) C43.9 2a 2b
- juvenile (M8770/0)
- lymphatic (M9170/0) D18.1

- magnocellular (M8726/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D31.4
- malignant (M8720/3) - *see* Melanoma
- meaning hemangioma (M9120/0) D18.0
- melanotic (pigmented) (M8720/0)
- non-neoplastic I78.1
- nonpigmented (M8730/0)
- nonvascular (M8720/0)
- oral mucosa, white sponge Q38.6
- papillaris (M8720/0)
- papillomatous (M8720/0)
- pigmented (M8720/0)
 - - giant (M8761/1) - *see also* Neoplasm, skin, uncertain behavior D48.5
 - - - malignant melanoma in (M8761/3) - *see* Melanoma
- pigmentosus
- - systematicus Q82.2
- pilosus (M8720/0)
- portwine Q82.5
- regressing (M8723/0)
- sanguineous Q82.5
- senile I78.1
- site classification
 - - abdominal wall D22.5
 - - ala nasi D22.3
 - - ankle D22.7
 - - anus, anal D22.5
 - - arm D22.6
 - - auditory canal (external) D22.2
 - - auricle (ear) D22.2
 - - auricular canal (external) D22.2
 - - axilla, axillary fold D22.5
 - - back D22.5
 - - breast D22.5
 - - brow D22.3
 - - buttock D22.5
 - - canthus (eye) D22.1
 - - cheek (external) D22.3
 - - chest wall D22.5
 - - chin D22.3
 - - choroid D31.3
 - - conjunctiva D31.0
 - - ear (external) D22.2
 - - external meatus (ear) D22.2
 - - eye D31.9
 - - eyebrow D22.3
 - - eyelid (lower) (upper) D22.1
 - - face NEC D22.3
 - - female genital organ (external) NEC D28.0
 - - finger D22.6
 - - flank D22.5
 - - foot D22.7
 - - forearm D22.6
 - - forehead D22.3
 - - foreskin D29.0
 - - genital organ (external) NEC
 - - - female D28.0
 - - - male D29.9
 - - gluteal region D22.5
 - - groin D22.5
 - - hand D22.6
 - - heel D22.7
 - - helix D22.2
 - - hip D22.7
 - - interscapular region D22.5

- - iris D31.4
- - jaw D22.3
- - knee D22.7
- - labium (majus) (minus) D28.0
- - lacrimal gland D31.5
- - leg D22.7
- - lip (lower) (upper) D22.0
- - lower limb NEC D22.7
- - male genital organ (external) NEC D29.9
- - mouth (mucosa) D10.3
- - - white sponge Q38.6
- - nail D22.9
- - - finger D22.6
- - - toe D22.7
- - nasolabial groove D22.3
- - nates D22.5
- - neck D22.4
- - nose (external) D22.3
- - oral mucosa D10.3
- - - white sponge Q38.6
- - orbit D31.6
- - palpebra D22.1
- - penis D29.0
- - perianal skin D22.5
- - perineum D22.5
- - pinna D22.2
- - popliteal fossa or space D22.7
- - prepuce D29.0
- - pubes D22.5
- - pudendum D28.0
- - retina D31.2
- - retrobulbar D31.6
- - scalp D22.4
- - scrotum D29.4
- - shoulder D22.6
- - skin D22.9
- - specified site NEC - *see* Neoplasm, benign
- - submammary fold D22.5
- - temple D22.3
- - thigh D22.7
- - toe D22.7
- - trunk NEC D22.5
- - umbilicus D22.5
- - upper limb NEC D22.6
- - vulva D28.0
- spider I78.1
- spindle cell (M8772/0)
- - with epithelioid cell (M8770/0)
- Spitz - *see* Nevus, spindle cell
- stellar I78.1
- strawberry Q82.5
- Sutton's (M8723/0)
- unius lateris Q82.5
- vascular Q82.5
- verrucous Q82.5

Newborn (infant) (liveborn) (singleton) Z38.2(1111)

- born in hospital Z38.0(1112)
- born outside hospital Z38.1(1113)
- multiple (delivery) Z38.8(1114)
- - born in hospital Z38.6(1115)
- - born outside hospital Z38.7(1116)
- twin Z38.5(1117)
- - born in hospital Z38.3(1118)
- - born outside hospital Z38.4(1119)

Newcastle conjunctivitis or disease B30.8† H13.1*

Nezelof's syndrome D81.4 2b

Niacin(amide) deficiency E52 2a 2b

Nicolas(-Durand)-Favre disease A55

Nicotine - *see* Tobacco

Nicotinic acid deficiency E52 2a 2b

Nicotinism F17.2

Niemann-Pick disease or syndrome (all types) E75.2 2b

Night

- blindness H53.6

- - congenital H53.6

- - vitamin A deficiency E50.5† H58.1*

- sweats R61.9

- terrors (child) F51.4

Nightmares F51.5

Nipple - *see condition*

Nitritoid crisis or reaction - *see* Crisis,nitritoid

Nitrosohemoglobinemia D74.8 2b

Njovera A65 2a

No amniotic fluid P01.2 2a

No diagnosis (feared complaint unfounded) Z71.1(1120)

No disease (found) Z03.9(1121)

No fetal movement R29.8 2b

No oral intake R63.6

Nocardia, nocardiasis, nocardiosis A43.9

- cutaneous A43.1

- lung A43.0† J99.8*

- pneumonia A43.0† J17.0*

- pulmonary A43.0† J99.8*

- specified site NEC A43.8

Nocturia R35 2b

- psychogenic F45.3 2b

Nocturnal - *see condition*

Nodal rhythm I49.8

- newborn P29.1

Node(s) - *see also* Nodule

- Bouchard's (with arthropathy) M15.2

- Haygarth's M15.8

- Heberden's (with arthropathy) M15.1

- larynx J38.7

- lymph - *see condition*

- milker's B08.0 2a 2b

- Osler's I33.0 2a 2b

- Schmorl's M51.4

- singer's J38.2

- teacher's J38.2

- tuberculous - *see* Tuberculosis, lymph gland

- vocal cord J38.2

Nodule(s), nodular

- actinomycotic (*see also* Actinomycosis) A42.9

- breast NEC N63

- colloid (cystic) (thyroid) E04.1

- cutaneous - *see* Swelling, localized

- endometrial (stromal) (M8930/0) D26.1

- Haygarth's M15.8

- inflammatory - *see* Inflammation

- juxta-articular

- - syphilitic A52.7† 2a 2b M14.8*

- - yaws A66.7

- larynx J38.7

- lung (solitary) J98.4 2a 2b

- - newborn P28.8

- milker's B08.0 2a 2b

- prostate N40 2a 2b

- rheumatoid M06.3

- scrotum (inflammatory) N49.2

- singer's J38.2
- subcutaneous - *see* Swelling, localized
- teacher's J38.2
- thyroid (gland) E04.1
 - - toxic or with hyperthyroidism (multinodular) E05.2
 - - - single E05.1
- vocal cord J38.2

Noise exposure Z58.0(1122)

- occupational Z57.0(1123)

Noma (gangrenous) (infective) A69.0

- auricle R02 2a 2b
- mouth A69.0
- pudendi N76.8
- vulvae N76.8

Nonautoimmune hemolytic anemia D59.4 2a 2b

- drug-induced D59.2 2b

Nonclosure - *see also* Imperfect, closure

- ductus arteriosus (botalli) Q25.0 2b
- foramen
 - - botalli Q21.1 2b
 - - ovale Q21.1 2b

Noncompliance with medical treatment or regimen Z91.1(1124)**Nondescent (congenital)** - *see also* Malposition, congenital

- testicle Q53.9
- - bilateral Q53.2
- - unilateral Q53.1

Nondevelopment

- brain Q02
 - - part of Q04.3
- heart Q24.8 2b
- organ or site, congenital NEC - *see* Hypoplasia

Nonengagement

- head NEC O32.4
- - in labor, causing obstructed labor O64.8

Nonengraftment

- bone marrow transplant T86.0

Nonexpansion, lung (newborn) P28.0 2a 2b**Nonfunction, Nonfunctioning**

- gallbladder K82.8
- islet cell K86.8 2b
- kidney (*see also* Failure, renal) N19 2a 2b
- labyrinth H83.2

Non-Hodgkin's lymphoma NEC (M9591/3) C85.9 2a 2b

- resulting from HIV disease B21.2

Nonimplantation, ovum N97.2**Noninsufflation, fallopian tube** N97.1**Nonketotic hyperglycinemia** E72.5**Nonne-Milroy syndrome** Q82.0 2b**Nonovulation** N97.0**Nonpatent fallopian tube** N97.1**Nonproliferative bone marrow** D75.8 2a 2b**Nonretention, food** R11 2a 2b**Nonrotation** - *see* Malrotation**Nonsecretion, urine** (*see also* Anuria) R34 2b**Nonunion**

- fracture M84.1 2b
- organ or site, congenital NEC - *see* Imperfect, closure
- symphysis pubis, congenital Q74.2

Nonviable P07.2 2b**Nonvisualization, gallbladder** R93.2**Nonvital tooth** K04.9**Noonan's syndrome** Q87.1 2a**Normal**

- delivery O75.9 2a 2b
- state (feared complaint unfounded) Z71.1(1125)

Normoblastosis D75.8 2a 2b

Norovirus A08.1

Norries's (congenital progressive oculoacousticocerebral degeneration) disease Q15.8

North American blastomycosis B40.9

Nose, nasal - *see condition*

Nosebleed R04.0 2b

Nose-picking F98.8

Nosomania F45.2

Nosophobia F45.2

Nostalgia F43.2

Not eating R63.6

Notch of iris Q13.2

Notching nose, congenital (tip) Q30.2

Nothnagel's

- syndrome H49.0

- vasomotor acroparesthesia I73.8

Nourishment inability R63.8

Novy's relapsing fever A68.9

- louse-borne A68.0

- tick-borne A68.1

Nuchal cord

- affecting fetus or newborn P02.5

Nucleus pulposus - *see condition*

Numbness R20.8

Nun's knee M70.4

Nutmeg liver K76.1 2a 2b

Nutrient element deficiency E61.9

- specified NEC E61.8

Nutrition deficient or insufficient (*see also* Malnutrition) E46 2a 2b

- due to

- - insufficient food T73.0 2a 2b

- - lack of

- - care T74.8

- - food T73.0 2a 2b

Nutritional stunting E45 2b

Nyctalopia (night blindness) H53.6

- vitamin A deficiency E50.5† H58.1*

Nycturia R35 2b

- psychogenic F45.3 2b

Nymphomania F52.7

Nystagmus (congenital) (deprivation) (dissociated) (latent) H55

- benign paroxysmal H81.1

- central positional H81.4

- miner's H55

O

Oast-house-urine disease E72.1

Obermeyer's relapsing fever (European) A68.0

Obesity (simple) E66.9 2b

- constitutional E66.8 2a 2b

- dietary counseling and surveillance (for) Z71.3(1126)

- drug-induced E66.1

- due to

- - excess calories E66.0

- - overalimentation E66.0

- endocrine E66.8 2a 2b

- endogenous E66.8 2a 2b

- exogenous E66.0

- extreme, with alveolar hypoventilation E66.2

- familial E66.8 2a 2b

- glandular E66.8 2a 2b

- gross E66.8 2a 2b

- hypothyroid (*see also* Hypothyroidism) E03.9 2a 2b

- massive E66.8 2a 2b
- morbid E66.8 2a 2b
- nutritional E66.0
- pituitary E23.6
- severe E66.8 2a 2b
- specified NEC E66.8 2a 2b
- super E66.8 2a 2b
- super-super E66.8 2a 2b

Oblique - *see condition*

Obliteration

- appendix (lumen) K38.8
- artery I77.1
- bile duct (noncalculous) K83.1
- common duct (noncalculous) K83.1
- cystic duct (*see also* Obstruction, cystic duct) K82.0
- eye, anterior chamber H44.4
- fallopian tube N97.1
- lymphatic vessel I89.0
- - due to mastectomy I97.2 2b
- organ or site, congenital NEC - *see* Atresia, by site
- placental blood vessels O43.8 2b
- supraaortic branches M31.4
- ureter N13.5
- - with infection N13.6 2a 2b
- urethra (*see also* Stricture, urethra) N35.9 2b
- vein I87.8 2b

Observation (for) Z04.9(1127)

- accident NEC Z04.3(1128)
- - at work Z04.2(1129)
- - transport Z04.1(1130)
- adverse effect of drug Z03.6(1131)
- cardiovascular disease Z03.5(1132)
- - myocardial infarction Z03.4(1133)
- development state
- - adolescent Z00.3(1134)
- - infant or child Z00.1(1135)
- - period of rapid growth in childhood Z00.2(1136)
- - puberty Z00.3(1137)
- disease Z03.9(1138)
- - cardiovascular NEC Z03.5(1139)
- - - myocardial infarction Z03.4(1140)
- - heart NEC Z03.5(1141)
- - - myocardial infarction Z03.4(1142)
- - mental (suspected) Z03.2(1143)
- - nervous system Z03.3(1144)
- - specified NEC Z03.8(1145)
- dissocial behavior, without manifest psychiatric disorder Z03.2(1146)
- fire-setting (behavior), without manifest psychiatric disorder Z03.2(1147)
- gang activity or behavior, without manifest psychiatric disorder Z03.2(1148)
- growth and development state - *see* Observation, development state
- injuries (accidental) NEC (*see also* Observation, accident) Z04.3(1149)
- - inflicted NEC Z04.5(1150)
- - - during alleged rape or seduction Z04.4(1151)
- malignant neoplasm, suspected Z03.1(1152)
- myocardial infarction Z03.4(1153)
- rape or seduction, alleged Z04.4(1154)
- shoplifting (behavior), without manifest psychiatric disorder Z03.2(1155)
- suicide attempt, alleged NEC Z03.8(1156)
- - self-poisoning Z03.6(1157)
- suspected (undiagnosed) (unproven)
- - behavioral disorder Z03.2(1158)
- - cardiovascular disease NEC Z03.5(1159)
- - - myocardial infarction Z03.4(1160)
- - concussion (cerebral) Z04.5(1161)
- - condition NEC Z03.8(1162)

- - drug poisoning or adverse effect Z03.6(1163)
- - infectious disease not requiring isolation Z03.8(1164)
- - malignant neoplasm Z03.1(1165)
- - mental disorder Z03.2(1166)
- - myocardial infarction Z03.4(1167)
- - neoplasm (malignant) Z03.1(1168)
- - - benign Z03.8(1169)
- - nervous system disorder Z03.3(1170)
- - suicide attempt, alleged Z03.8(1171)
- - - self-poisoning Z03.6(1172)
- - toxic effects from ingested substance (drug) (poison) Z03.6(1173)
- - tuberculosis Z03.0(1174)
- - victim of battering (child) (spouse) Z04.5(1175)
- toxic effects from ingested substance (drug) (poison) Z03.6(1176)
- tuberculosis, suspected Z03.0(1177)
- without need for further medical care Z04.9(1178)

Obsession, obsessional F42.0

- ideas and mental images F42.0
- neurosis F42.0
- rituals F42.1
- ruminations F42.0
- state F42.0
- - mixed with compulsive acts F42.2
- syndrome F42.0
- thoughts F42.0

Obsessive-compulsive neurosis or reaction F42.9

Obstetric trauma NEC (complicating delivery) O71.9

- affecting fetus or newborn P03.8
- following abortion (subsequent episode) O08.6
- - current episode - *see* Abortion

Obstipation (*see also* Constipation) K59.0

Obstruction, obstructed, obstructive (*see also* Block)

- abdomen R19.8 2b
- airway J98.8 2b
- - with
 - - - allergic alveolitis J67.9
 - - - asthma NEC J45.9
 - - - bronchiectasis J47 2a 2b
 - - - bronchitis (chronic) J44.8 2a
 - - - emphysema J43.9 2a 2b
 - - chronic J44.9 2a 2b
 - - congenital high syndrome (CHAOS) Q34.8
 - - newborn P28.8
 - ampulla (of Vater) K83.1
 - aorta (thoracic) I74.1
 - - abdominal I74.0
 - aortic (heart) (valve) (*see also* Stenosis, aortic) I35.0 2a 2b
 - - rheumatic I06.0 2a 2b
 - aqueduct of Sylvius G91.1
 - - congenital Q03.0
 - - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
 - Arnold-Chiari Q07.0
 - artery (*see also* Embolism, artery) I74.9 2a 2b
 - - basilar (complete) (partial) (*see also* Occlusion, artery, basilar) I63.2 2a 2b
 - - - bilateral (multiple) I63.20 2a 2b
 - - - multiple (bilateral) I63.20 2a 2b
 - - carotid (complete) (partial) (*see also* Occlusion, artery, carotid) I63.2 2a 2b
 - - - bilateral (multiple) I63.20 2a 2b
 - - - multiple (bilateral) I63.20 2a 2b
 - - cerebral I63.5 2a 2b
 - - - bilateral (multiple) I63.50 2a 2b
 - - - multiple (bilateral) I63.50 2a 2b
 - - precerebral (*see also* Occlusion, artery, precerebral) I63.2 2a 2b
 - - - bilateral (multiple) I63.20 2a 2b
 - - - multiple (bilateral) I63.20 2a 2b

- - renal N28.0
- - retinal NEC H34.2
- - - central H34.1
- - - transient H34.0
- - vertebral (complete) (partial) (*see also* Occlusion, artery, vertebral) I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- bile duct (common) (hepatic) (noncalculous) K83.1
- - with calculus K80.5
- - congenital (causing jaundice) Q44.3
- biliary K83.1
- - congenital (causing jaundice) Q44.3
- bladder-neck (acquired) N32.0
- - congenital Q64.3
- bowel (*see also* Obstruction, intestine) K56.6 2a 2b
- bronchus J98.0
- canal, ear H61.3
- cardia NEC K22.2 2b
- caval veins (inferior) (superior) I87.1
- cecum (*see also* Obstruction, intestine) K56.6 2a 2b
- circulatory I99 2a 2b
- colon (*see also* Obstruction, intestine) K56.6 2a 2b
- common (bile) duct (noncalculous) K83.1
- coronary (artery) I25.1 2a 2b
- cystic duct (*see also* Obstruction, gallbladder) K82.0
- - with calculus - *see* Cholelithiasis
- device, implant or graft (*see also* Complications, by site and type) T85.6
- - arterial graft NEC T82.3
- - - coronary (bypass) T82.2
- - catheter NEC T85.6
- - - dialysis (renal) T82.4
- - - intraperitoneal T85.6
- - - infusion NEC T82.5
- - - - spinal (epidural) (subdural) T85.6
- - - urinary (indwelling) T83.0
- - due to infection T85.7
- - gastrointestinal (bile duct) (esophagus) T85.5
- - genital NEC T83.4
- - - intrauterine contraceptive device T83.3 2b
- - heart NEC T82.5
- - - valve (prosthesis) T82.0
- - - - graft T82.2
- - joint prosthesis T84.0
- - orthopedic NEC T84.4
- - specified NEC T85.6
- - urinary NEC T83.1
- - - graft T83.2
- - vascular NEC T82.5
- - ventricular intracranial shunt T85.0
- due to foreign body accidentally left in operation wound T81.5
- duodenum K31.5
- ejaculatory duct N50.8
- esophagus K22.2 2b
- eustachian tube (complete) (partial) H68.1
- extrahepatic K83.1
- fallopian tube (bilateral) N97.1
- fecal K56.4 2b
- - with hernia (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
- foramen of Monro (congenital) Q03.8
- - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- foreign body (causing) - *see* Foreign body
- gallbladder K82.0
- - with calculus or stone - *see* Cholelithiasis
- - congenital Q44.1
- gastric outlet K31.1

- gastrointestinal (*see also* Obstruction, intestine) K56.6 2a 2b
- hepatic K76.8 2b
- - duct (noncalculous) K83.1
- hepatobiliary K83.1
- ileum (*see also* Obstruction, intestine) K56.6 2a 2b
- intestine (mechanical) (paroxysmal) (postinfective) K56.6 2a 2b
- - with adhesions (intestinal) (peritoneal) K56.5 2a
- - adynamic (*see also* Ileus) K56.0
- - congenital (small) Q41.9 2b
- - - large Q42.9
- - - - specified part NEC Q42.8
- - distal (syndrome) E84.1 2b
- - gallstone K56.3
- - neurogenic K56.0
- - - Hirschsprung's disease or megacolon Q43.1
- - newborn P76.9
- - - due to
 - - - - fecaliths P76.8
 - - - - inspissated milk P76.2
 - - - - meconium (plug) P76.0
 - - - - in mucoviscidosis E84.1† 2b P75* 2b
- - - specified NEC P76.8
- - postoperative K91.3 2b
- - reflex K56.0
- - strangulated K56.2
- - vascular K55.8
- - volvulus K56.2
- jejunum (*see also* Obstruction, intestine) K56.6 2a 2b
- labor (*see also* Labor, obstructed) O66.9 2b
- - affecting fetus or newborn P03.1
- - due to
 - - - bony pelvis (conditions in O33-) O65.0
 - - - pelvic deformity O65.0
 - - - fetopelvic disproportion NEC O65.4
 - - - impacted shoulder O66.0
 - - - malposition (fetus) O64.9
 - - - maternal pelvic abnormality O65.9
 - - - specified NEC O65.8
 - - - persistent occipitoposterior or transverse position O64.0
 - - - soft tissues and organs of pelvis (conditions in O34-) O65.5
 - - specified NEC O66.8
- lacrimal (duct) (passages) H04.5
- - congenital Q10.5
- lacrimonasal duct H04.5
- - congenital Q10.5
- larynx NEC J38.6
- - congenital Q31.8
- lung (acute) J98.4 2a 2b
- - chronic NEC J44.9 2a 2b
- - disease, chronic J44.9 2a 2b
- - newborn P28.8
- lymphatic (*see also* Lymphedema) I89.0
- meconium plug, newborn P76.0
- - in mucoviscidosis E84.1† 2b P75* 2b
- mitral - *see* Stenosis, mitral
- nasal J34.8
- nasolacrimal duct H04.5
- - congenital Q10.5
- nasopharynx J39.2
- nose J34.8
- organ or site, congenital NEC - *see* Atresia, by site
- pancreatic duct K86.8 2b
- parotid duct K11.8
- pelviureteral junction N13.5
- pharynx J39.2

- portal (circulation) (vein) I81 2a 2b
- prostate N40 2a 2b
- pulmonary
 - - chronic J44.9 2a 2b
 - - valve (heart) I37.0
- pyelonephritis (chronic) N11.1
- pylorus
 - - adult K31.1
 - - congenital or infantile Q40.0
- rectosigmoid (*see also* Obstruction, intestine) K56.6 2a 2b
- rectum K62.4
- renal
 - - outflow N13.8
 - - pelvis, congenital Q62.3 2a
- respiratory (acute) J98.8 2b
- - newborn P28.8
- - chronic J44.9 2a 2b
- retinal (vessels) H34.9
- - specified NEC H34.8
- salivary duct (any) K11.8
- sigmoid (*see also* Obstruction, intestine) K56.6 2a 2b
- sinus (accessory) (nasal) J34.8
- Stensen's duct K11.8
- stomach NEC K31.8 2a
 - - congenital Q40.2
 - - due to pylorospasm K31.3
- submandibular duct K11.8
- thoracic duct I89.0
- thrombotic - *see* Thrombosis
- trachea J39.8
- - tube J95.0
- tracheostomy airway J95.0
- tricuspid (valve) - *see* Stenosis, tricuspid
- umbilical cord P02.6
- upper respiratory, congenital Q34.8
- ureter (functional) NEC N13.5
 - - with
 - - - hydronephrosis N13.1
 - - - and infection N13.6 2a 2b
 - - - pyelonephritis (chronic) N11.1
 - - congenital Q62.3 2a
 - - due to calculus (*see also* Calculus, ureter) N20.1
 - - pelvic junction (with) N13.5
 - - - hydronephrosis N13.0
 - - - and infection N13.6 2a 2b
 - - - pyelonephritis (chronic) N11.1
 - - urethra NEC N36.8
 - - congenital Q64.3
 - - urinary (moderate) N13.9 2a
 - - fetal, fetus Q64.8
 - - organ or tract N13.9 2a
 - - prostatic valve N32.0
- uterus N85.8
- vagina N89.5
- valvular - *see* Endocarditis
- vein, venous I87.1
 - - caval (inferior) (superior) I87.1
 - - thrombotic - *see* Thrombosis
- vena cava (inferior) (superior) I87.1
- vesical NEC N32.0
- vesicourethral orifice N32.0
- vessel NEC I99 2a 2b

Obturator - *see* condition

Occlusio pupillae H21.4

Occlusion, occluded I99 2a 2b

- anus K62.4
- - congenital Q42.3
- - - with fistula Q42.2
- aorta I74.1
- - abdominal I74.0
- aqueduct of Sylvius G91.1
- - congenital Q03.0
- - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- artery - *see also* Embolism, artery
- - auditory, internal I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- - basilar (with) I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - infarction (due to) I63.2 2a 2b
- - - - bilateral (multiple) I63.20 2a 2b
- - - - embolism I63.1 2a 2b
- - - - - bilateral (multiple) I63.10 2a 2b
- - - - - multiple (bilateral) I63.10 2a 2b
- - - - - multiple (bilateral) I63.20 2a 2b
- - - - thrombosis I63.0 2a 2b
- - - - - bilateral (multiple) I63.00 2a 2b
- - - - - multiple (bilateral) I63.00 2a 2b
- - - - multiple (bilateral) I63.20 2a 2b
- - - other precerebral artery I63.2 2a 2b
- - brain or cerebral (*see also* Occlusion, artery, cerebral) I63.5 2a 2b
- - - with infarction (due to) I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - embolism I63.4 2a 2b
- - - - - bilateral (multiple) I63.40 2a 2b
- - - - - multiple (bilateral) I63.40 2a 2b
- - - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - - bilateral (multiple) I63.30 2a 2b
- - - - - multiple (bilateral) I63.30 2a 2b
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- - carotid (with) I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - infarction (due to) I63.2 2a 2b
- - - - bilateral (multiple) I63.20 2a 2b
- - - - embolism I63.1 2a 2b
- - - - - bilateral (multiple) I63.10 2a 2b
- - - - - multiple (bilateral) I63.10
- - - - multiple (bilateral) I63.20
- - - - thrombosis I63.0 2a 2b
- - - - - bilateral (multiple) I63.00 2a 2b
- - - - - multiple (bilateral) I63.00
- - - multiple (bilateral) I63.20 2a 2b
- - - other precerebral artery I63.2 2a 2b
- - cerebellar (anterior inferior) (posterior inferior) (superior) I63.5 2a 2b
- - - with infarction (due to) I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - embolism I63.4 2a 2b
- - - - - bilateral (multiple) I63.40 2a 2b
- - - - - multiple (bilateral) I63.40 2a 2b
- - - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - - bilateral (multiple) I63.30 2a 2b
- - - - - multiple (bilateral) I63.30 2a 2b
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- - cerebral I63.5 2a 2b
- - - with infarction (due to) I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b

- - - - embolism I63.4 2a 2b
- - - - bilateral (multiple) I63.40 2a 2b
- - - - multiple (bilateral) I63.40 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - bilateral (multiple) I63.30 2a 2b
- - - - multiple (bilateral) I63.30 2a 2b
- - - anterior I63.5 2a 2b
- - - with infarction (due to) I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - embolism I63.4 2a 2b
- - - - bilateral (multiple) I63.40 2a 2b
- - - - multiple (bilateral) I63.40 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - bilateral (multiple) I63.30 2a 2b
- - - - multiple (bilateral) I63.30 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - with infarction (due to) I63.5 2a 2b
- - - - embolism I63.40 2a 2b
- - - - thrombosis I63.30 2a 2b
- - middle I63.5 2a 2b
- - - with infarction (due to) I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - embolism I63.4 2a 2b
- - - - bilateral (multiple) I63.40 2a 2b
- - - - multiple (bilateral) I63.40 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - bilateral (multiple) I63.30 2a 2b
- - - - multiple (bilateral) I63.30 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - with infarction (due to) I63.5 2a 2b
- - - - embolism I63.40 2a 2b
- - - - thrombosis I63.30 2a 2b
- - posterior I63.5 2a 2b
- - - with infarction (due to) I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - embolism I63.4 2a 2b
- - - - bilateral (multiple) I63.40 2a 2b
- - - - multiple (bilateral) I63.40 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - bilateral (multiple) I63.30 2a 2b
- - - - multiple (bilateral) I63.30 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - specified
- - - with infarction
- - - - bilateral (multiple) I63.50 2a 2b
- - - - embolism I63.4 2a 2b
- - - - bilateral (multiple) I63.40 2a 2b
- - - - multiple (bilateral) I63.40 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - bilateral (multiple) I63.30 2a 2b
- - - - multiple (bilateral) I63.30 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - choroidal (anterior) I63.5 2a 2b
- - bilateral (multiple) I63.50 2a 2b

- - circumflex NEC I74.8 2b
- - communicating posterior I63.5 2a 2b
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- - mesenteric (chronic) K55.1
- - - acute K55.0 2a 2b
- - perforating I63.5 2a 2b
- - - with infarction (due to) I63.5 2a 2b
- - - - bilateral (multiple) I63.50 2a 2b
- - - - embolism I63.4 2a 2b
- - - - - bilateral (multiple) I63.40 2a 2b
- - - - - multiple (bilateral) I63.40 2a 2b
- - - - multiple (bilateral) I63.50 2a 2b
- - - - thrombosis I63.3 2a 2b
- - - - - bilateral (multiple) I63.30 2a 2b
- - - - - multiple (bilateral) I63.30 2a 2b
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- - peripheral I77.9 2a 2b
- - - thrombotic or embolic I74.4
- - pontine I63.5 2a 2b
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- - precerebral I63.2 2a 2b
- - - with infarction (due to) I63.2 2a 2b
- - - - bilateral (multiple) I63.20 2a 2b
- - - - embolism I63.1 2a 2b
- - - - - bilateral (multiple) I63.10 2a 2b
- - - - - multiple (bilateral) I63.10 2a 2b
- - - - multiple (bilateral) I63.20 2a 2b
- - - - thrombosis I63.0 2a 2b
- - - - - bilateral (multiple) I63.00 2a 2b
- - - - - multiple (bilateral) I63.00 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- - - - with infarction (due to) I63.20 2a 2b
- - - - embolism I63.10 2a 2b
- - - - thrombosis I63.00 2a 2b
- - puerperal, postpartum, childbirth O88.2 2b
- - - embolic O88.2 2b
- - specified NEC I63.2 2a 2b
- - - with infarction (due to) I63.2 2a 2b
- - - - bilateral (multiple) I63.20 2a 2b
- - - - embolism I63.1 2a 2b
- - - - - bilateral (multiple) I63.10 2a 2b
- - - - - multiple (bilateral) I63.10 2a 2b
- - - - multiple I63.20 2a 2b
- - - - thrombosis I63.0 2a 2b
- - - - - bilateral (multiple) I63.00 2a 2b
- - - - - multiple (bilateral) I63.00 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- - renal N28.0
- - retinal (branch) (partial) H34.2
- - central H34.1
- - specified NEC H34.2
- - transient H34.0
- - vertebral I63.2 2a 2b
- - - with
- - - - infarction (due to) I63.2 2a 2b
- - - - - bilateral (multiple) I63.20 2a 2b
- - - - - embolism I63.1 2a 2b
- - - - - bilateral (multiple) I63.10 2a 2b
- - - - - multiple (bilateral) I63.10 2a 2b
- - - - - multiple (bilateral) I63.20 2a 2b

- - - - thrombosis I63.0 2a 2b
- - - - bilateral (multiple) I63.00 2a 2b
- - - - multiple (bilateral) I63.00 2a 2b
- - - other precerebral artery I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- basilar artery - *see* Occlusion, artery, basilar
- bile duct (common) (hepatic) (noncalculous) K83.1
- bowel (*see also* Obstruction, intestine) K56.6 2a 2b
- carotid (artery) (common) (internal) - *see* Occlusion, artery, carotid
- cerebellar (artery) - *see* Occlusion, artery, cerebellar
- cerebral (artery) - *see* Occlusion, artery, cerebral
- cerebrovascular (*see also* Occlusion, artery, cerebral) I63.5 2a 2b
- - with infarction I63.5 2a 2b
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- - bilateral (multiple) I63.50 2a 2b
- - diffuse (without infarction) I63.5 2a 2b
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- - multiple (bilateral) 163.50
- cervical canal (*see also* Stricture, cervix) N88.2
- cervix (uteri) (*see also* Stricture, cervix) N88.2
- colon (*see also* Obstruction, intestine) K56.6 2a 2b
- coronary (artery) (*see also* Infarct, myocardium) I21.9 2a 2b
- - not resulting in infarction I21.9 2a 2b
- cystic duct (*see also* Obstruction, gallbladder) K82.0
- embolic - *see* Embolism
- fallopian tube N97.1
- - congenital Q50.6
- femoral I99 2a 2b
- gallbladder (*see also* Obstruction, gallbladder) K82.0
- - congenital (causing jaundice) Q44.1
- gingiva, traumatic K06.2
- heart I21.9 2a 2b
- hymen N89.6
- - congenital Q52.3
- ileofemoral I99 2a 2b
- intestine (*see also* Obstruction, intestine) K56.6 2a 2b
- lacrimal passages H04.5
- leg I99 2a 2b
- lung J98.4 2a 2b
- - newborn P28.8
- lymph or lymphatic channel I89.0
- mammary duct N64.8
- mesenteric artery (chronic) K55.1
- - acute K55.0 2a 2b
- myocardium, myocardial I21.9 2a 2b
- nose J34.8
- organ or site, congenital NEC - *see* Atresia, by site
- oviduct N97.1
- - congenital Q50.6
- peripheral I73.8
- posterior lingual, of mandibular teeth K07.2
- precerebral artery - *see* Occlusion, artery, precerebral
- punctum lacrimale H04.5
- pupil H21.4
- pylorus, adult (*see also* Stricture, pylorus) K31.1
- renal artery N28.0
- retinal
- - artery (*see also* Occlusion, artery, retinal) H34.2
- - vein (central) (incipient) (partial) (tributary) H34.8
- - vessels H34.9
- - - specified NEC H34.8
- thoracic duct I89.0

- thrombotic (*see also* Thrombosis) I82.9 2a 2b
- traumatic
- - edentulous (alveolar) ridge K06.2
- - gingiva K06.2
- - periodontal K05.5
- tubal N97.1
- umbilical cord P02.6
- ureter (complete) (partial) N13.5
- - congenital Q62.1 2a
- - ureteropelvic junction N13.5
- - congenital Q62.1 2a
- - ureterovesical orifice N13.5
- - congenital Q62.1 2a
- urethra (*see also* Stricture, urethra) N35.9 2b
- - congenital Q64.3
- uterus N85.8
- vagina N89.5
- vascular NEC I99 2a 2b
- - arteriosclerotic (*see also* Arteriosclerosis) I70.9 2a 2b
- - intestinal K55.8
- - peripheral I73.8
- vein - *see* Thrombosis
- vena cava I82.2
- ventricle (brain) NEC G91.1
- vertebral (artery) - *see* Occlusion, artery, vertebral
- vessel (blood) I99 2a 2b
- vulva N90.5

Occult

- blood in feces R19.5

Occupational

- problems NEC Z56.7(1179)
- therapy Z50.7(1180)

Ochlophobia F40.0

Ochronosis (endogenous) E70.2

- with chloasma of eyelid E70.2† H03.8*

Ocular muscle - *see condition*

Oculogyric crisis or disturbance H51.8

- psychogenic F45.8

Oculomotor syndrome H51.9

Oculopathy H57.9 2b

- syphilitic NEC A52.7† 2a 2b H58.8*

- - congenital

- - - early A50.0† 2a 2b H58.8*

- - - late A50.3† H58.8*

- - early (secondary) A51.4† H58.8*

- - late A52.7† 2a 2b H58.8*

Odontalgia K08.8 2a 2b

Odontoameloblastoma (M9311/0) D16.5

- upper jaw (bone) D16.4

Odontoclasia K02.4

Odontodysplasia, regional K00.4

Odontogenesis imperfecta K00.5

Odontoma (M9280/0) D16.5

- ameloblastic (M9311/0) D16.5

- - upper jaw (bone) D16.4

- complex (M9282/0) D16.5

- - upper jaw (bone) D16.4

- compound (M9281/0) D16.5

- - upper jaw (bone) D16.4

- fibroameloblastic (M9290/0) D16.5

- - upper jaw (bone) D16.4

- upper jaw (bone) (M9280/0) D16.4

Odontorrhagia K08.8 2a 2b

Odontosarcoma, ameloblastic (M9290/3) C41.1

- upper jaw (bone) C41.0

Oedema, oedematous - see Edema

Oesophag(o) - see Esophag(o)

Oesophagus - see condition, esophagus

Oestriasis (see also Myiasis) B87.9

Ogilvie's syndrome K56.5 2a

Oguchi's disease H53.6

Ohara's disease (see also Tularemia) A21.9

Ohtahara syndrome G40.4

Old age - see Senility

Olfactory - see condition

Oligemia - see Anemia

Oligoastrocytoma, mixed (M9382/3)

- specified site - see Neoplasm, malignant

- unspecified site C71.9 2a 2b

Oligocythemia D64.9 2a 2b

Oligodendroblastoma (M9460/3)

- specified site - see Neoplasm, malignant

- unspecified site C71.9 2a 2b

Oligodendroglioma (M9450/3)

- anaplastic type (M9451/3)

- - specified site - see Neoplasm, malignant

- - unspecified site C71.9 2a 2b

- specified site - see Neoplasm, malignant

- unspecified site C71.9 2a 2b

Oligodontia (see also Anodontia) K00.0

Oligohidrosis L74.4

Oligohydramnios O41.0

- affecting fetus or newborn P01.2 2a

Oligomenorrhea N91.5

- primary N91.3

- secondary N91.4

Oligophrenia (see also Retardation, mental) F79 2a 2b

- phenylpyruvic E70.0

Oligospermia N46 2a

Oligotrichia (see also Alopecia) L65.9

- congenital Q84.0

Oliguria R34 2b

- following

- - abortion (subsequent episode) O08.4 2b

- - - current episode - see Abortion

- - ectopic or molar pregnancy O08.4 2b

- postprocedural N99.0 2b

Ollier's disease Q78.4

Olszewski's syndrome G23.1

Omentitis (see also Peritonitis) K65.9 2a 2b

Omentum, omental - see condition

Omphalitis (congenital) (newborn) (with mild hemorrhage) P38

- not of newborn L08.9

- tetanus A33 2a

Omphalocele Q79.2

Omphalomesenteric duct, persistent Q43.0

Omphalorrhagia, newborn P51.9

Onanism (excessive) F98.8

Onchocerciasis, onchocercosis B73 2a

- eye NEC B73† 2a H45.1*

- eyelid B73† 2a H03.0*

Oncocytoma (M8290/0) - see Neoplasm,benign

Oncovirus - see Infection, oncovirus

Ondine's curse G47.3 2b

Oneirophrenia F23.2

Onychauxis L60.2

- congenital Q84.5

Onychia (with lymphangitis) L03.0

- candidal B37.2 2b

- dermatophytic B35.1

Onychitis (with lymphangitis) L03.0

Onychocryptosis L60.0 2a

Onychodystrophy L60.3

- congenital Q84.6

Onychogryphosis, onychogryposis L60.2

Onycholysis L60.1

Onychomadesis L60.8

Onychomalacia L60.3

Onychomycosis B35.1

Onychophagia F98.8

Onychophosis L60.8

Onychoptosis L60.8

Onychorrhesis L60.3

- congenital Q84.6

Onychoschizia L60.3

Onyxitis (with lymphangitis) L03.0

Oophoritis (cystic) (infectious) (interstitial) (*see also* Salpingo-oophoritis) N70.9

- acute N70.0

- chronic N70.1

- sclerocystic N70.9

- sclerotic N70.9

Oophorocele N83.4

Opacity, opacities

- cornea H17.9

- - central NEC H17.1

- - congenital Q13.3

- - degenerative H18.4

- - hereditary H18.5

- - inflammatory - *see* Keratitis

- - specified NEC H17.8

- enamel (teeth) (fluoride) (nonfluoride) K00.3

- lens (*see also* Cataract) H26.9 2a 2b

- pleural J94.8

- vitreous (humor) NEC H43.3

- - congenital Q14.0

Open, opening

- abnormal, organ or site, congenital - *see* Imperfect, closure

- angle with

- - borderline intraocular pressure H40.0

- - glaucoma (primary) H40.1

- false - *see* Imperfect, closure

- neural tube (defect) Q07.9

- wound - *see* Wound

Openbite (anterior) (posterior) K07.2

Operation

- for delivery, affecting fetus or newborn (*see also* Delivery, by type, affecting fetus) P03.8

- maternal, unrelated to current delivery, affecting fetus or newborn P00.6

Operational fatigue F48.8

Operative - *see* condition

Operculum H33.3

Ophiasis L63.2

Ophthalmia H10.9

- actinic rays H16.1

- allergic (acute) H10.1

- blennorrhagic (gonococcal) (neonatorum) A54.3† H13.1*

- catarrhal H10.2

- diphtheritic A36.8† 2b H13.1*

- Egyptian A71.1† H13.1*

- electrica H16.1

- gonococcal (neonatorum) A54.3† H13.1*

- metastatic H44.0

- neonatorum, newborn P39.1

- - gonococcal A54.3† H13.1*

- nodosa H16.2

- purulent H10.0

- spring H10.1
- sympathetic H44.1
- Ophthalmitis** - see Ophthalmia
- Ophthalmocele (congenital)** Q15.8
- Ophthalmoneuromyelitis** G36.0
- Ophthalmoplegia** (see also Strabismus,paralytic) H49.9 2a
 - diabetic (see also E10-E14 with fourth character .3) E14.3† H58.8*
 - external NEC H49.8
 - internal (complete) (total) H52.5
 - internuclear H51.2
 - migraine G43.8
 - Parinaud's H49.8
 - progressive external H49.4
 - supranuclear, progressive G23.1
 - total (external) H49.3

Opioid(s)

- dependence syndrome F11.2 2b
- harmful use F11.1 2b
- withdrawal state F11.3

Opisthorchiasis (*O. felineus*) (*O. viverrini*) B66.0

Opitz' disease D73.2

Opiumism F11.2 2b

Oppenheim's disease G70.2

Oppenheim-Urbach disease L92.1 2a

Optic nerve - see condition

Orbit - see condition

Orchioblastoma (M9071/3) C62.9

Orchitis (nonspecific) (septic) (suppurative) N45.9

- with abscess N45.0
- blennorrhagic (acute) (chronic) (gonococcal) A54.2† N51.1*
- chlamydial A56.1† N51.1*
- gonococcal (acute) (chronic) A54.2† N51.1*
- mumps B26.0† 2b N51.1*
- syphilitic A52.7† 2a 2b N51.1*
- tuberculous A18.1† 2a 2b N51.1*

Orf (virus disease) B08.0 2a 2b

Organ of Morgagni (persistence of)

- female Q50.5
- male (epididymal) Q55.4
- - testicular Q55.2

Organic - see condition

Organs on outside of body, fetus or newborn Q79.3

Orientation, sexual, egodystonic (bisexual) (heterosexual) (homosexual) (prepubertal) F66.1

Orifice - see condition

Ormond's disease (with ureteral obstruction) N13.5

- with infection N13.6 2a 2b

Ornithine metabolism disorder E72.4

Ornithinemia (type I) (type II) E72.4

Ornithosis A70 2a

- with pneumonia A70† 2a J17.8*

Orotic aciduria (congenital) (hereditary) (pyrimidine deficiency) E79.8 2b

- anemia D53.0

Orthodontics Z51.8(1181)

- adjustment Z46.4(1182)
- fitting Z46.4(1183)

Orthopnea R06.0 2b

Orthoptic training Z50.6(1184)

Os, uterus - see condition

Osgood-Schlatter disease or osteochondrosis M92.5

Osler-Rendu disease I78.0

Osler's nodes I33.0 2a 2b

Osmidrosis L75.0

Osseous - see condition

Ossification

- artery - see Arteriosclerosis

- auricle (ear) H61.1
- bronchial J98.0
- cardiac (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- cartilage (senile) M94.8
- coronary (artery) I25.1 2a 2b
- diaphragm J98.6
- falx cerebri G96.1 2b
- fontanel, premature Q75.0
- heart (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- - valve - *see* Endocarditis
- larynx J38.7
- ligament M67.8
- - posterior longitudinal (cervical) M48.8
- meninges (cerebral) (spinal) G96.1 2b
- multiple, eccentric centers M89.2
- muscle M61.9
- - due to burns M61.3
- - paralytic M61.2
- - specified NEC M61.5
- myocardium, myocardial (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- penis N48.8
- periarticular M25.8
- pinna H61.1
- rider's bone M61.5
- sclera H15.8
- subperiosteal, post-traumatic M89.8 2b
- tendon M67.8
- trachea J39.8
- tympanic membrane H73.8
- vertebrae M48.8
- vitreous (humor) H43.2

Osteitis (*see also* Osteomyelitis) M86.9

- alveolar K10.3
- condensans M85.3
- deformans M88.9
- - in (due to)
 - - - malignant neoplasm of bone (M8000/3) C41.9† 2a 2b M90.6*
 - - - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b M90.6*
- skull M88.0
- - specified NEC M88.8
- due to yaws A66.6† 2a 2b M90.2*
- fibrosa NEC M85.6
- - circumscripta M85.0
- - cystica (generalisata) E21.0
- - disseminata Q78.1
- - osteoplastica E21.0
- fragilitans Q78.0
- Garré's (sclerosing) M86.8
- jaw (acute) (chronic) (lower) (suppurative) (upper) K10.2
- parathyroid E21.0
- petrous bone (acute) (chronic) H70.2
- sclerotic, nonsuppurative M86.8
- tuberculosa A18.0† 2a 2b M90.0*
 - - cystica D86.8
 - - multiplex cystoides D86.8

Osteoarthritis (*see also* Arthrosis) M19.9 2a 2b

- generalized (severe) M15.9 2b
- interphalangeal
 - - distal (Heberden) M15.1
 - - proximal (Bouchard) M15.2

Osteoarthropathy (*see also* Osteoarthritis) M19.9 2a 2b

- hypertrophic M19.9 2a 2b

- - advanced M19.90 2a 2b

- - grave M19.90 2a 2b

- - pulmonary M89.4 2a 2b

- - severe M19.90 2a 2b

- - specified NEC M89.4 2a 2b

- secondary hypertrophic M89.4 2a 2b

Osteoarthritis (degenerative) (hypertrophic) (*see also* Arthrosis) M19.9 2a 2b

- advanced M19.90 2a 2b

- deformans alkапtonurica E70.2† M36.8*

- erosive M15.4

- generalized (severe) M15.9 2b

- - primary M15.0

- grave M19.90 2a 2b

- joint NEC M19.9 2a 2b

- - advanced M19.90 2a 2b

- - grave M19.90 2a 2b

- - primary M19.0

- - secondary NEC M19.2 2b

- - severe M19.90 2a 2b

- localized M19.9 2a 2b

- - advanced M19.90 2a 2b

- - grave M19.90 2a 2b

- - severe M19.90 2a 2b

- polyarticular M15.9 2b

- severe M19.90 2a 2b

- spine (*see also* Spondylosis) M47.9 2a 2b

Osteoblastoma (M9200/0) - *see* Neoplasm, bone, benign

- aggressive (M9200/1) - *see* Neoplasm, bone, uncertain behavior

Osteochondritis (*see also* Osteochondrosis) M93.9

- Brailsford's M92.1

- dissecans M93.2

- juvenile M92.9

- - patellar M92.4

- syphilitic (congenital) (early) A50.0† 2a 2b M90.2*

Osteochondrodysplasia Q78.9

- with defects of growth of tubular bones and spine Q77.9

- - specified NEC Q77.8 2b

- specified NEC Q78.8

Osteochondrodystrophy E78.9

- deformans E76.2

- familial E76.2

Osteochondroma (M9210/0) - *see* Neoplasm, bone, benign

Osteochondromatosis (M9210/1) D48.0 2a 2b

- syndrome Q78.4

Osteochondromyxosarcoma (M9180/3) - *see* Neoplasm, bone, malignant

Osteochondropathy M93.9

- specified NEC M93.8

- syphilitic, congenital

- - early A50.0† 2a 2b M90.2*

- - late A50.5† M90.2*

Osteochondrosarcoma (M9180/3) - *see* Neoplasm, bone, malignant

Osteochondrosis M93.9

- acetabulum (juvenile) M91.0

- adult NEC M93.8

- - carpal lunate (Kienböck's) M93.1

- astragalus (juvenile) M92.6

- Blount's M92.5

- Buchanan's M91.0

- Burns' M92.1

- calcaneus (juvenile) M92.6

- capitular epiphysis (femur) (juvenile) M91.1

- carpal (juvenile) (lunate) (scaphoid) M92.2

- coxae juvenilis M91.1

- deformans juvenilis, coxae M91.1

- Diaz's M92.6

- dissecans (knee) (shoulder) M93.2
- femoral capital epiphysis (juvenile) M91.1
- femur (head), juvenile M91.1
- fibula (juvenile) M92.5
- foot NEC (juvenile) M92.8
- Freiberg's M92.7
- Haas' (juvenile) M92.0
- Haglund's M92.6
- hip (juvenile) M91.1
- humerus (capitulum) (head) (juvenile) M92.0
- ilium, iliac crest (juvenile) M91.0
- ischiopubic synchondrosis M91.0
- Iselin's M92.7
- juvenile, juvenilis M92.9
 - - after reduction of congenital dislocation of hip M91.8
 - - arm M92.3
 - - capitular epiphysis (femur) M91.1
 - - clavicle, sternal epiphysis M92.3
 - - coxae M91.1
 - - deformans M92.9
 - - foot NEC M92.8
 - - hand M92.2
 - - head of femur M91.1
 - - hip and pelvis M91.9
 - - - specified NEC M91.8
- - limb
 - - - lower NEC M92.8
 - - - upper NEC M92.3
 - - medial cuneiform bone M92.6
 - - specified site NEC M92.8
 - - spine M42.0
 - - vertebra (body) (Calvé's) M42.0
 - - - epiphyseal plates (Scheuermann's) M42.0
- Kienböck's (juvenile) M92.2
- - of adults M93.1
- Köhler's
 - - patellar M92.4
 - - tarsal navicular M92.6
- Legg-Perthes(-Calvé)(-Waldenström) M91.1
- limb
 - - lower NEC (juvenile) M92.8
 - - upper NEC (juvenile) M92.3
 - - lunate bone (carpal) (juvenile) M92.2
 - - adult M93.1
 - - Mauclaire's M92.2
 - - metacarpal (head) (juvenile) M92.2
 - - metatarsus (fifth) (head) (juvenile) (second) M92.7
 - - navicular (juvenile) M92.6
 - - os
 - - calcis (juvenile) M92.6
 - - tibiale externum (juvenile) M92.6
 - - Osgood-Schlatter M92.5
 - - Panner's M92.0
 - - patellar center (juvenile) (primary) (secondary) M92.4
 - - pelvis (juvenile) M91.0
 - - Pierson's M91.0
 - - radius (head) (juvenile) M92.1
 - - Scheuermann's M42.0
 - - Sever's M92.6
 - - Sinding-Larsen M92.4
 - - spine M42.9
 - - - adult M42.1
 - - - juvenile M42.0
 - - symphysis pubis (juvenile) M91.0
 - - talus (juvenile) M92.6

- tarsus (navicular) (juvenile) M92.6
- tibia (proximal) (tubercls) (juvenile) M92.5
- tuberculous - *see* Tuberculosis, bone
- ulna (lower) (juvenile) M92.1
- van Neck's M91.0
- vertebral (*see also* Osteochondrosis, spine) M42.9

Osteoclastoma (M9250/1) D48.0 2a 2b

- malignant (M9250/3) - *see* Neoplasm, bone, malignant

Osteodystrophy M89.8 2b

Osteodystrophy Q78.9

- azotemic N25.0
- congenital Q78.9
- parathyroid, secondary E21.1 2a 2b
- renal N25.0

Osteofibroma (M9262/0) - *see* Neoplasm, bone, benign

Osteofibrosarcoma (M9182/3) - *see* Neoplasm, bone, malignant

Osteogenesis imperfecta Q78.0

Osteogenic - *see condition*

Osteolysis M89.5

Osteoma (M9180/0) - *see also* Neoplasm, bone, benign

- osteoid (M9191/0)
- - giant (M9200/0) D16.9

Osteomalacia M83.9

- adult M83.9
- - drug-induced NEC M83.5
- - due to
 - - - malabsorption (postsurgical) M83.2
 - - - malnutrition M83.3
 - - - specified NEC M83.8
- aluminum-induced M83.4
- infantile (*see also* Rickets) E55.0 2b
- juvenile (*see also* Rickets) E55.0 2b
- pelvis M83.8
- puerperal M83.0 2b
- senile M83.1
- vitamin-D-resistant E83.3† M90.8*

Osteomyelitis (infective) (septic) (suppurative) M86.9

- acute M86.1
 - - hematogenous M86.0
 - *Candida* B37.8 2a 2b
 - chronic (or old) M86.6
 - - with draining sinus M86.4
 - - hematogenous NEC M86.5
 - - multifocal M86.3
 - echinococcal B67.2† M90.2*
 - Garré's M86.8
 - gonococcal A54.4† 2b M90.2*
 - jaw (acute) (chronic) (lower) (neonatal) (suppurative) (upper) K10.2
 - nonsuppurating M86.8
 - orbit H05.0
 - petrous bone H70.2
 - *Salmonella* (*arizona*) (*cholerae-suis*) (*enteritidis*) (*typhimurium*) A02.2† 2b M90.2*
 - sclerosing, nonsuppurative M86.8
 - specified NEC M86.8
 - subacute M86.2
 - syphilitic A52.7† 2a 2b M90.2*
 - - congenital (early) A50.0† 2a 2b M90.2*
 - tuberculous - *see* Tuberculosis, bone
 - typhoid A01.0† M90.2*
 - vertebra (specified part) M46.2 2a 2b
- Osteomyelofibrosis** D75.8 2a 2b
- Osteomyelosclerosis** D75.8 2a 2b
- Osteonecrosis** M87.9 2a 2b
- in (due to)
 - - caisson disease T70.3† M90.3*

- - drugs M87.1
- - hemoglobinopathy NEC D58.2† 2b M90.4*
- - trauma (previous) M87.2
- secondary NEC M87.3 2a 2b
- specified NEC M87.8

Osteopathia

- condensans disseminata Q78.8
- striata cranial sclerosis M85.8
- - congenital Q79.8 2b

Osteopathy M89.9 2a

- after poliomyelitis M89.6
- in (due to) renal osteodystrophy N25.0† M90.8*

Osteopenia M89.8 2b

Osteoperiostitis (*see also* Osteomyelitis) M86.8

Osteopetrosis (familial) Q78.2

Osteophyte M25.7

- facet joint- *see* Spondylosis
- Osteophytosis** - *see* Exostosis
- Osteopoikilosis** Q78.8
- Osteoporosis** M81.9 2a 2b
 - with pathological fracture M80.9 2a
 - disuse M81.2
 - - with pathological fracture M80.2
 - drug-induced M81.4
 - - with pathological fracture M80.4
 - idiopathic M81.5
 - - with pathological fracture M80.5
 - in (due to)
 - - endocrine disease NEC E34.9† 2b M82.1*
 - - multiple myelomatosis (M9732/3) C90.0† 2b M82.0*
 - localized (Lequesne) M81.6
 - postmenopausal M81.0
 - - with pathological fracture M80.0
 - postoophorectomy M81.1
 - - with pathological fracture M80.1
 - postsurgical malabsorption M81.3
 - - with pathological fracture M80.3
 - post-traumatic M81.8
 - - with pathological fracture M80.8
 - senile M81.8
 - - with pathological fracture M80.8
 - specified NEC M81.8
 - - with pathological fracture M80.8

Osteopsathyrosis (idiopathica) Q78.0

Osteoradionecrosis, jaw (acute) (chronic) (lower) (suppurative) (upper) K10.2

Osteosarcoma (M9180/3) - *see also* Neoplasm, bone, malignant

- chondroblastic (M9181/3)
- fibroblastic (M9182/3)
- in Paget's disease of bone (M9184/3)
- juxtacortical (M9190/3)
- parosteal (M9190/3)
- small cell (M9185/3)
- telangiectatic (M9183/3)

Osteosclerosis Q78.2

- acquired M85.8
- congenita Q77.4
- fragilitas (generalista) Q78.2
- myelofibrosis D75.8 2a 2b

Osteosclerotic anemia D64.8 2a 2b

Osteosis cutis L94.2

Osterreicher-Turner syndrome Q87.2

Ostium

- atrioventriculare commune Q21.2 2b
- primum (arteriosum) (defect) (persistent) Q21.2 2b
- secundum (arteriosum) (defect) (patent) (persistent) Q21.1 2b

Ostrum-Furst syndrome Q75.8 2b

Otahara Syndrome G40.4

Otalgia H92.0

Othematoma, pinna (nontraumatic) H61.1

Otitis H66.9 2b

- adhesive H74.1

- externa H60.9

- - acute H60.5

- - - actinic H60.5

- - - chemical H60.5

- - - contact H60.5

- - - eczematoid H60.5

- - - reactive H60.5

- - chronic H60.8

- - diffuse H60.3

- - hemorrhagic H60.3

- - in (due to)

- - - aspergillosis B44.8† H62.2*

- - - candidiasis B37.2† 2b H62.2*

- - - erysipelas A46† 2a H62.0*

- - - herpes (simplex) virus infection B00.1† H62.1*

- - - - zoster B02.8† H62.1*

- - - impetigo L01.0† 2a H62.4*

- - - infectious disease NEC B99† 2a 2b H62.3*

- - - mycosis NEC B36.9† H62.2*

- - - parasitic disease NEC B89† 2a 2b H62.3*

- - - viral disease NEC B34.9† 2b H62.1*

- - - zoster B02.8† H62.1*

- - infective NEC H60.3

- - malignant H60.2

- - mycotic B36.9† H62.2*

- - necrotizing H60.2

- - *Pseudomonas aeruginosa* H60.2

- - specified NEC H60.8

- interna H83.0

- media H66.9 2b

- - with effusion (nonpurulent) H65.9

- - acute or subacute H66.9 2b

- - - with effusion H65.1

- - - allergic H65.1

- - - exudative H65.1

- - - mucoid H65.1

- - - necrotizing (in) H66.0

- - - - measles B05.3† H67.1*

- - - - scarlet fever A38† 2a 2b H67.0*

- - - nonsuppurative NEC H65.1

- - - purulent H66.0

- - - sanguinous H65.1

- - - secretory H65.0

- - - seromucinous H65.1

- - - serous H65.0

- - - suppurative H66.0

- - allergic H65.9

- - catarrhal H65.9

- - chronic H66.9 2b

- - - with effusion (nonpurulent) H65.4

- - - allergic H65.4

- - - catarrhal H65.2

- - - exudative H65.4

- - - mucinous H65.3

- - - mucoid H65.3

- - - nonsuppurative NEC H65.4

- - - purulent H66.3

- - - secretory H65.3

- - - seromucinous H65.4

- - - serous H65.2
- - - suppurative H66.3
- - - atticoantral H66.2
- - - benign H66.1
- - - specified NEC H66.3
- - - tubotympanic H66.1
- - - transudative H65.3
- - exudative H65.9
- - in (due to)
 - - - influenza (specific virus not identified) J11.8† 2b H67.1*
 - - - seasonal influenza virus identified J10.8† 2b H67.1*
 - - - zoonotic or pandemic influenza virus J09† 2a H67.1*
- - measles B05.3† H67.1*
- - scarlet fever A38† 2a 2b H67.0*
- - tuberculosis A18.6† H67.0*
- - viral disease NEC B34.9† 2b H67.1*
- - mucoid H65.9
- - nonsuppurative H65.9
- - postmeasles B05.3† H67.1*
- - purulent H66.4
- - secretory H65.9
- - seromucinous H65.9
- - serous H65.9
- - suppurative H66.4
- - transudative H65.9
- - tuberculous A18.6† H67.0*

Otocephaly Q18.2

Otolith syndrome H81.8

Otomycosis (diffuse) (in) B36.9† H62.2*

- aspergillosis B44.8† H62.2*
- candidiasis B37.8† 2a 2b H62.2*
- moniliasis B37.8† 2a 2b H62.2*

Otorrhagia (nontraumatic) H92.2

- traumatic - *see* Injury, by type

Otorrhea H92.1

- cerebrospinal G96.0

Otosclerosis H80.9

- cochlear H80.2
- involving
 - - otic capsule H80.2
 - - oval window
- - nonobliterative H80.0
- - - obliterative H80.1
- - round window H80.2
- nonobliterative H80.0
- obliterative H80.1
- specified NEC H80.8

Otospongiosis (*see also* Otosclerosis) H80.9

Otto's disease or pelvis M24.7

Outcome of delivery Z37.9(1185)

- multiple (births) Z37.9(1186)
- - all liveborn Z37.5(1187)
- - all stillborn Z37.7(1188)
- - some liveborn Z37.6(1189)
- single Z37.9(1190)
- - liveborn Z37.0(1191)
- - stillborn Z37.1(1192)
- twins Z37.9(1193)
- - both liveborn Z37.2(1194)
- - both stillborn Z37.4(1195)
- - one liveborn, one stillborn Z37.3(1196)

Outlet - *see also* condition

- double, right ventricle (congenital) Q20.1

Outstanding ears (bilateral) Q17.5

Ovalocytosis (congenital) (hereditary) (*see also* Elliptocytosis) D58.1

Ovariocele N83.4

Ovaritis (cystic) (*see also* Salpingo-oophoritis) N70.9

Ovary, ovarian - *see also* condition

- resistant syndrome E28.3

Overactive

- adrenal cortex NEC E27.0

- bladder N32.8

- disorder, associated with mental retardation and stereotyped movements F84.4

- eye muscle (*see also* Strabismus) H50.9

- - inferior oblique H50.1

- hypothalmus E23.3

- thyroid (*see also* Hyperthyroidism) E05.9 2b

Overactivity R46.3

Overbite (deep) (excessive) (horizontal) (vertical) K07.2

Overbreathing (*see also* Hyperventilation) R06.4 2b

Overdevelopment - *see* Hypertrophy

Overdistension - *see* Distension

Overdose, overdosage (drug) T50.9 2a 2b

- alcohol T51.9 2a 2b

- - specified type - *see* Table of drugs and chemicals

Overeating R63.2 2a 2b

- nonorganic origin F50.4

- psychogenic F50.4

Overexertion (effects) (exhaustion) T73.3

Overexposure (effects) (*see also* Exposure) T73.9

- exhaustion T73.2

Overfeeding R63.2 2a 2b

- newborn P92.4

Overgrowth, bone NEC M89.3

Overheated (places) - *see* Heat

Overindulgence

- alcohol F10.1 2a 2b

- - chronic F10.2 2a 2b

Overjet K07.2

Overlaid, overlying (suffocation) T71 2a 2b

Overlapping toe (acquired) M20.5

- congenital (fifth toe) Q66.8

Overload

- fluid E87.7 2b

- - due to

- - - medical care NEC E89.8 2b

- potassium (K) E87.5

- - due to

- - - medical care NEC E89.8 2b

- sodium (Na) E87.0

- - due to

- - - medical care NEC E89.8 2b

- volume E87.7 2b

Overnutrition (*see also* Hyperalimentation) R63.2 2a 2b

Overproduction - *see also* Hypersecretion

- catecholamine E27.5

- growth hormone E22.0 2a

Overprotection, child by parent Z62.1(1197)

Overriding

- aorta Q25.4

- finger (acquired) M20.0

- - congenital Q68.1

- toe (acquired) M20.5

- - congenital Q66.8

Oversize fetus P08.1

- affecting management of pregnancy O36.6

- causing disproportion O33.5

- - with obstructed labor O66.2

- - affecting fetus or newborn P03.1

- exceptionally large (more than 4500 g) P08.0 2b

Overuse

- alcohol, alcoholic F10.1 2a 2b
- - chronic F10.2 2a 2b
- ethanol F10.1 2a 2b
- ethyl alcohol F10.1 2a 2b

Overweight (*see also* Obesity) E66.9 2b

Oviduct - *see condition*

Ovotestis Q56.0

Ovulation (cycle)

- failure or lack of N97.0
- pain N94.0

Ovum - *see condition*

Owren's disease D68.2 2a 2b

Ox heart - *see* Hypertrophy, cardiac

Oxalosis E74.8 2b

Oxaluria E74.8 2b

Oxycephaly Q75.0

- syphilitic, congenital A50.0 2a 2b

Oxyuriasis B80

Oxyuris vermicularis (infection) (infestation) B80

Ozena J31.0

P

Pachyderma, pachydermia L85.9

- larynx (verrucosa) J38.7

Pachydermatocele (congenital) Q82.8 2b

Pachydermoperiostosis M89.4 2a 2b

- clubbed nail M89.4† 2a 2b L62.0*

Pachygryria Q04.3

Pachymeningitis (adhesive) (basal) (cerebral) (spinal) (*see also* Meningitis) G03.9 2a 2b

Pachyonychia (congenital) Q84.5

Pacinian tumor (M9507/0) - *see* Neoplasm,skin, benign

Pad, knuckle or Garrod's M72.1

Paget's disease M88.9

- with infiltrating duct carcinoma (M8541/3) *see* Neoplasm, breast, malignant
- bone M88.9
 - - osteosarcoma in (M9184/3) - *see* Neoplasm, bone, malignant
 - - skull M88.0
 - - specified NEC M88.8
- breast (M8540/3) C50.0
 - extramammary (M8542/3) - *see also* Neoplasm, skin, malignant
 - - anus (M8542/3) C21.0
 - - margin (M8542/3) C44.5
 - - skin (M8542/3) C44.5
 - intraductal carcinoma (M8543/3) - *see* Neoplasm, breast, malignant
 - malignant (M8540/3)
 - - breast C50.0
 - - specified site NEC (M8542/3) - *see* Neoplasm, skin, malignant
 - - unspecified site C50.0
 - mammary (M8540/3) C50.0
 - nipple (M8540/3) C50.0
 - osteitis deformans M88.9

Paget-Schroetter syndrome I87.8 2b

Pain(s) R52.9 2b

- abdominal R10.4 2b
 - - lower abdomen R10.3
 - - - pelvic or perineal R10.2
 - - severe R10.0 2b
 - - upper abdomen R10.1
- acute NEC R52.0
- alimentary R19.8 2b
- anus K62.8
- arm M79.6

- back (postural) M54.9
- - low M54.5
- - psychogenic F45.4
- - specified NEC M54.8
- bladder R39.8 2b
- bone M89.8 2b
- breast N64.4
- - psychogenic F45.4
- cecum R10.3
- chest R07.4
- - anterior wall R07.3
- - ischemic I20.9
- - on breathing R07.1
- chronic NEC R52.2
- - intractable R52.1
- - specified NEC R52.2
- coccyx M53.3
- colon R10.4 2b
- coronary - *see Angina*
- due to device, implant or graft (*see also Complications, by site and type* T85.8 2b
 - - arterial graft NEC T82.8 2b
 - - breast (implant) T85.8 2b
 - - catheter NEC T85.8 2b
 - - - dialysis (renal) T82.8 2b
 - - - - intraperitoneal T85.8 2b
 - - - infusion NEC T82.8 2b
 - - - - spinal (epidural) (subdural) T85.8 2b
 - - - urinary (indwelling) T83.8 2b
 - - electronic (electrode) (pulse generator) (stimulator)
 - - - bone T84.8
 - - - cardiac T82.8 2b
 - - - nervous system (brain) (peripheral nerve) (spinal) T85.8 2b
 - - - urinary T83.8 2b
 - - fixation, internal (orthopedic) NEC T84.8
 - - gastrointestinal (bile duct) (esophagus) T85.8 2b
 - - genital NEC T83.8 2b
 - - heart NEC T82.8 2b
 - - infusion NEC T85.8 2b
 - - joint prosthesis T84.8
 - - ocular (corneal graft) (orbital implant) NEC T85.8 2b
 - - orthopedic NEC T84.8
 - - specified NEC T85.8 2b
 - - urinary NEC T83.8 2b
 - - vascular NEC T82.8 2b
 - - ventricular intracranial shunt T85.8 2b
- ear H92.0
- epigastric, epigastrium R10.1
- eye H57.1
- face, facial R51
- - atypical G50.1
- false (labor) - *see Labor, false*
- female genital organs NEC N94.8 2b
- finger M79.6
- flank R10.4 2b
- foot M79.6
- gas (intestinal) R14
- gastric R10.1
- generalized R52.9 2b
- genital organ
 - - female N94.8 2b
 - - male N50.8
 - - psychogenic F45.4
- groin R10.3
- hand M79.6
- head (*see also Headache*) R51

- heart (*see also* Pain, precordial) R07.2
- infra-orbital (*see also* Neuralgia, trigeminal) G50.0
- intermenstrual N94.0
- jaw K10.8
- joint M25.5
 - - psychogenic F45.4
- kidney N23
- labor, false or spurious - *see* Labor, false
- leg M79.6
- limb (lower) (upper) M79.6
- loin M54.5
- low back M54.5
- lower abdomen R10.3
 - - pelvic or perineal R10.2
- lumbar region M54.5
- mastoid H92.0
- maxilla K10.8
- metacarpophalangeal (joint) M25.5
- metatarsophalangeal (joint) M25.5
- mouth K13.7
- muscle M79.1
- nasal J34.8
- nasopharynx J39.2
- neck NEC M54.2
 - - psychogenic F45.4
- nerve NEC M79.2 2a
- neuromuscular M79.2 2a
- nose J34.8
- ocular H57.1
- ophthalmic H57.1
- orbital region H57.1
- ovary N94.8 2b
- over heart (*see also* Pain, precordial) R07.2
- ovulation N94.0
- pelvic R10.2
- penis N48.8
 - - psychogenic F45.4
- pericardial (*see also* Pain, precordial) R07.2
- perineal R10.2
- pharynx J39.2
- pleura, pleural, pleuritic R07.3
- precordial (region) R07.2
 - - psychogenic F45.4
- psychogenic (any site) (persistent) F45.4
- radicular (spinal) (*see also* Radiculitis) M54.1
- rectum K62.8
- respiration R07.1
- rheumatoid, muscular M79.1
- rib R07.3
- root (spinal) (*see also* Radiculitis) M54.1
- sciatic M54.3
- scrotum N50.8
 - - psychogenic F45.4
- seminal vesicle N50.8
- shoulder M25.5
- spermatic cord N50.8
- spinal root (*see also* Radiculitis) M54.1
- stomach R10.1
 - - psychogenic F45.4
- testis N50.8
 - - psychogenic F45.4
- thoracic spine M54.6
 - - with radicular and visceral pain M54.1
- throat R07.0
- tibia M89.8 2b

- toe M79.6
- tongue K14.6
- tooth K08.8 2a 2b
- trigeminal (*see also* Neuralgia, trigeminal) G50.0
- ureter N23
- uterus NEC N94.8 2b
 - - psychogenic F45.4
- vertebrogenic (syndrome) M54.8
- vesical R39.8 2b

Painful - *see also* Pain

- coitus
- - female N94.1
- - male N48.8
- - psychogenic F52.6
- ejaculation (semen) N48.8
- - psychogenic F52.6
- erection N48.3
- menstruation (*see also* Dysmenorrhea) N94.6 2b
 - - psychogenic F45.8
- micturition R30.9 2b
- respiration R07.1

Painter's colic T56.0

Palate - *see condition*

Palatoplegia K13.7

Palatoschisis (*see also* Cleft, palate) Q35.9

Palilalia R48.8

Palliative care Z51.5(1198)

Pallister-Hall syndrome Q87.8 2b

Pallister-Killian syndrome Q99.8 2a

Pallor R23.1

- optic disc, temporal H47.2

Palmar - *see also condition*

- fascia - *see condition*

Palpable

- cecum K63.8
- kidney N28.8 2a 2b
- ovary N83.8
- spleen (*see also* Splenomegaly) R16.1 2a

Palpitations (heart) R00.2 2b

- fetal P20.9

- newborn P29.1

- psychogenic F45.3 2b

Palsy (*see also* Paralysis) G83.9 2a 2b

- atrophic diffuse (progressive) G12.2 2a 2b

- - advanced G12.20 2a 2b

- - grave G12.20 2a 2b

- - severe G12.20 2a 2b

- Bell's (*see also* Palsy, facial) G51.0 2b

- brachial plexus NEC G54.0 2b

- - fetus or newborn (birth injury) P14.3

- brain - *see* Palsy, cerebral

- bulbar (chronic) (progressive) G12.2 2a 2b

- - of childhood (Fazio-Londe) G12.1

- - pseudo- NEC G12.2 2a 2b

- cerebral (congenital) G80.9 2b

- - ataxic G80.4

- - athetoid G80.3

- - choreathetoid G80.3

- - diplegic G80.8 2a 2b

- - - spastic G80.1

- - dyskinetic G80.3

- - - athetoid G80.3

- - - choreathetoid G80.3

- - - dystonic G80.3

- - - dystonic G80.3

- - hemiplegic G80.8 2a 2b
- - - spastic G80.2
- - mixed G80.8 2a 2b
- - monoplegic G80.8 2a 2b
- - - spastic G80.1
- - not congenital, acute I64 2a 2b
- - - bilateral (multiple) I64.00 2a 2b
- - - multiple (bilateral) I64.00 2a 2b
- - paraplegic G80.8 2a 2b
- - - spastic G80.1
- - quadriplegic G80.8 2a 2b
- - - spastic G80.0
- - spastic G80.1
- - - diplegic G80.1
- - - hemiplegic G80.2
- - - monoplegic G80.1
- - - quadriplegic G80.0
- - - specified NEC G80.1
- - - tetraplegic G80.0
- - specified NEC G80.8 2a 2b
- - syphilitic A52.1 2a 2b
- - - congenital A50.4
- - tetraplegic G80.8 2a 2b
- - - spastic G80.0
- cranial nerve - *see also* Disorder, nerve, cranial
- - multiple (in) G52.7
- - - infectious disease NEC B99† 2a 2b G53.1*
- - - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G53.3*
- - - parasitic disease NEC B89† 2a 2b G53.1*
- - - sarcoidosis D86.8† G53.2*
- creeping G12.2 2a 2b
- diver's T70.3
- Erb's P14.0
- facial G51.0 2b
 - - newborn (birth injury) P11.3
 - glossopharyngeal G52.1
 - Klumpke(-Déjerine) P14.1
 - lead T56.0
 - median nerve (tardy) G56.1
 - nerve G58.9
 - - specified NEC G58.8
 - peroneal nerve (acute) (tardy) G57.3
 - pseudobulbar NEC G12.2 2a 2b
 - radial nerve (acute) G56.3
 - seventh nerve (*see also* Palsy, facial) G51.0 2b
 - shaking (*see also* Parkinsonism) G20 2a 2b
 - supranuclear (progressive) G23.1
 - ulnar nerve (tardy) G56.2
 - wasting G12.2 2a 2b
- Paludism** - *see* Malaria
- Panangiitis** M30.0 2b
- Panaris, panaritium (with lymphangitis)** L03.0
- Panarteritis nodosa** M30.0 2b
 - brain or cerebral I67.7
- Panarthritis** M13.9 2a 2b
- Pancarditis (acute) (chronic)** I51.8 2a 2b
 - lupus M32.1 2a 2b
 - rheumatic I09.8
 - - active or acute I01.8 2a
- Pancoast's syndrome or tumor** (M8010/3) C34.1 2b
- Pancolitis** A09.9 2a 2b
 - ulcerative (chronic) K51.0
- Pancreas, pancreatic** - *see condition*
- Pancreatitis** K85.9 2a 2b
 - acute (edematous) (hemorrhagic) (recurrent) K85.9 2a 2b

- - alcohol-induced K85.2 2a 2b
- - biliary K85.1
- - drug-induced K85.3
- - gallstone K85.1
- - idiopathic K85.0
- - specified NEC K85.8
- alcohol-induced (acute) K85.2 2a 2b
- annular (acute) K85.9 2a 2b
- - chronic K86.1
- biliary (acute) K85.1
- - chronic K86.1
- chronic (infectious) K86.1
- - alcohol-induced K86.0 2a 2b
- - recurrent K86.1
- - relapsing K86.1
- cystic (chronic) K86.1
- - acute K85.9 2a 2b
- cytomegaloviral B25.2† 2a K87.1*
- drug-induced (acute) K85.3
- - chronic K86.1
- edematous (acute) K85.9 2a 2b
- - chronic K86.1
- fibrous (chronic) K86.1
- - acute K85.9 2a 2b
- gangrenous K85.9 2a 2b
- - chronic K86.1
- hemorrhagic (acute) K85.9 2a 2b
- - chronic K86.1
- idiopathic (acute) K85.0
- - chronic K86.1
- interstitial (chronic) K86.1
- - acute K85.9 2a 2b
- malignant K85.9 2a 2b
- mumps B26.3† 2a K87.1*
- necrotic, necrotizing K85.9 2a 2b
- - chronic K86.1
- recurrent (chronic) K86.1
- relapsing, chronic K86.1
- subacute K85.9 2a 2b
- suppurative K85.9 2a 2b
- syphilitic A52.7† 2a 2b K87.1*

Pancreatoblastoma (M8971/3) - *see* Neoplasm, pancreas, malignant

Pancreolithiasis K86.8 2b

Pancytolysis D75.8 2a 2b

Pancytopenia (acquired) D61.9 2b

- with malformations D61.0

- congenital D61.0

Panencephalitis, subacute, sclerosing A81.1

Panhematopenia D61.9 2b

- constitutional D61.0

- splenic, primary D73.1 2b

Panhemocytopenia D61.9 2b

- constitutional D61.0

Panhypopituitarism E23.0 2b

- prepubertal E23.0 2b

Panic (attack) (state) F41.0

- reaction to exceptional stress (transient) F43.0

Panmyelophthisis D61.9 2b

Panmyelosis (acute) (M9931/3) C94.4

Panner's disease M92.0

Panneuritis endemica E51.1† G63.4*

Panniculitis M79.3

- back M54.0

- febrile nodular nonsuppurative (Weber-Christian) M35.6

- lupus L93.2

- neck M54.0
- nodular, nonsuppurative M35.6
- relapsing (febrile nodular nonsuppurative) (Weber-Christian) M35.6
- sacral M54.0

Panniculus adiposus (abdominal) E65

Pannus (cornea) H16.4

- allergic H16.4
- degeneratus H16.4
- keratic H16.4
- trachomatous, trachomatous (active) A71.1

Panophthalmitis H44.0

Pansinusitis (chronic) (hyperplastic) (nonpurulent) (purulent) J32.4

- acute J01.4
- tuberculous A16.8 2a 2b

Panuveitis (sympathetic) H44.1

Panvalvular disease (unspecified origin) I08.9 2a 2b

- specified NEC (unspecified origin) I08.8

Papanicolaou smear, cervix Z12.4(1199)

- as part of routine gynecological examination Z01.4(1200)
- for suspected neoplasm Z12.4(1201)
- - no disease found Z03.1(1202)
- routine Z01.4(1203)

Papilledema (choked disc) H47.1

Papillitis H46

- anus K62.8
- necrotizing N17.2
- optic H46
- rectum K62.8
- tongue K14.0

Papilloma (M8050/0) - *see also* Neoplasm,benign

Note - Except where otherwise indicated, the morphological varieties of papilloma in the list below should be coded by site as for "Neoplasm, benign".

- acuminatum (anogenital) (female) (male) A63.0
- bladder (urinary) (transitional cell) (M8120/1) D41.4
- - benign (M8120/0) D30.3
- choroid plexus (lateral ventricle) (third ventricle) (M9390/0) D33.0
- - anaplastic (M9390/3) C71.5
- - fourth ventricle D33.1
- - malignant (M9390/3) C71.5
- ductal (M8503/0)
- dyskeratotic (M8052/0)
- epidermoid (M8052/0)
- hyperkeratotic (M8052/0)
- intracystic (M8504/0)
- intraductal (M8503/0)
- inverted (M8053/0)
- keratotic (M8052/0)
- parakeratotic (M8052/0)
- renal pelvis (transitional cell) (M8120/1) D41.1
- - benign (M8120/0) D30.1
- Schneiderian (M8121/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D14.0 2b
- serous surface (M8461/0)
- - borderline malignancy (M8461/1)
- - - specified site - *see* Neoplasm, uncertain behavior
- - - unspecified site D39.1
- - specified site - *see* Neoplasm, benign
- - unspecified site D27
- squamous (cell) (M8052/0)
- transitional (cell) (M8120/0)
- - bladder (urinary) (M8120/1) D41.4
- - inverted type (M8121/1) - *see* Neoplasm, uncertain behavior
- - renal pelvis (M8120/1) D41.1
- - ureter (M8120/1) D41.2

- ureter (transitional cell) (M8120/1) D41.2
- - benign (M8120/0) D30.2
- urothelial (M8120/1) - *see* Neoplasm, uncertain behavior
- verrucous (M8051/0)
- villous (M8261/1) - *see* Neoplasm, uncertain behavior
- - adenocarcinoma in (M8261/3) - *see* Neoplasm, malignant
- - - in situ (M8261/2) - *see* Neoplasm, in situ
- yaws, plantar or palmar A66.1

Papillomata, multiple, of yaws A66.1

Papillomatosis (M8060/0) - *see also* Neoplasm, benign

- confluent and reticular L83
- cystic, breast N60.1
- intraductal (diffuse) (M8505/0) - *see* Neoplasm, benign
- subareolar duct (M8506/0) D24

Papillomavirus - *see* Infection, papillomavirus

Papillon-Leage and Psaume syndrome Q87.0

Papule(s) R23.8 2b

- carate (primary) A67.0
- fibrous, of nose (M8724/0) D22.3
- Gottron's L94.4
- pinta (primary) A67.0

Papulosis, lymphomatoid L41.2

Papyraceous fetus - *see* Death, fetus

- complicating pregnancy O31.0 2b

Para-albuminemia E88.0 2b

Paracephalus Q89.7 2a 2b

Paracoccidioidomycosis B41.9

- disseminated B41.7
- generalized B41.7
- mucocutaneous-lymphangitic B41.8
- pulmonary B41.0† J17.2*
- specified NEC B41.8
- visceral B41.8

Paradentosis K05.4

Paraffinoma T88.8

Paraganglioma (M8680/1)

- adrenal (M8700/0) D35.0 2a 2b
- aortic body (M8691/1) D44.7
- - malignant (M8691/3) C75.5
- carotid body (M8692/1) D44.6 2b
- chromaffin (M8700/0) - *see also* Neoplasm, benign
- - malignant (M8700/3) - *see* Neoplasm, malignant
- extra-adrenal (M8693/1)
- - malignant (M8693/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C75.5
 - - - specified site - *see* Neoplasm, uncertain behavior
 - - - unspecified site D44.7
- gangliocytic (M8683/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site D13.2
- glomus jugulare (M8690/1) D44.7
- jugular (M8690/1) D44.7
- malignant (M8680/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site C75.5
 - - nonchromaffin (M8693/1)
 - - - malignant (M8693/3)
 - - - specified site - *see* Neoplasm, malignant
 - - - unspecified site C75.5
 - - - specified site - *see* Neoplasm, uncertain behavior
 - - - unspecified site D44.7
 - - parasympathetic (M8682/1)
 - - - specified site - *see* Neoplasm, uncertain behavior
 - - - unspecified site D44.7

- specified site - *see* Neoplasm, uncertain behavior
- sympathetic (M8681/1)
- - specified site - *see* Neoplasm, uncertain behavior
- - unspecified site D44.7
- unspecified site D44.7

Parageusia R43.2

- psychogenic F45.8

Paragonimiasis B66.4

Paragranuloma, Hodgkin's (M9660/3) C81.7 2b

Parahemophilia D68.2 2a 2b

Paraimmunoglobulinopathy E88.0 2b

Parakeratosis R23.4

- variegata L41.5

Paralysis, paralytic (complete) (incomplete) (*see also* Paresis) G83.9 2a 2b

- with syphilis A52.1 2a 2b
- abducent (nerve) H49.2
- accommodation H52.5
- - hysterical F44.8
- agitans (*see also* Parkinsonism) G20 2a 2b
- - arteriosclerotic G21.4 2a 2b
- alternating G83.8
- - oculomotor G83.8
- amyotrophic G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- anus (sphincter) K62.8
- apoplectic (*see also* Stroke) I64 2a 2b
- - congenital - *see* Palsy, cerebral
- arm G83.2
- - and leg (*see also* Hemiplegia) G71.9
- - both G83.0
- - hysterical F44.4
- - psychogenic F44.4
- - transient R29.8 2b
- - - traumatic NEC (*see also* Injury, nerve, upper limb) T11.3
- ascending (spinal), acute G61.0
- association G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- ataxic (hereditary) G11.9
- - general (syphilitic) A52.1 2a 2b
- atrophic G58.9
- - infantile, acute (*see also* Poliomyelitis, paralytic) A80.3
- - progressive G12.2 2a 2b
- - - advanced G12.20 2a 2b
- - - grave G12.20 2a 2b
- - - severe G12.20 2a 2b
- - spinal (*see also* Poliomyelitis, paralytic) B91 2a 2b
- - - active A80.3
- - - acute A80.3
- axillary G54.0 2b
- Bell's G51.0 2b
- below waist (*see also* Paraplegia) G82.2
- Benedikt's I67.9† 2a 2b G46.3*
- bilateral (*see also* Diplegia) G83.0
- - traumatic T14.4 2a 2b
- birth injury P14.9
- bladder (neurogenic) (sphincter) N31.2
- - puerperal, postpartum O90.8 2b
- bowel, colon or intestine (*see also* Ileus) K56.0
- brachial plexus NEC G54.0 2b
- - birth injury P14.3
- - newborn P14.3

- bronchial J98.0
- Brown-Séquard G83.8
- bulbar (chronic) (progressive) G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - infantile (*see also* Poliomyelitis, paralytic) B91 2a 2b
 - - - active A80.3
 - - - acute A80.3
 - - poliomyelic (*see also* Poliomyelitis, paralytic) B91 2a 2b
 - - - active A80.3
 - - - acute A80.3
 - - pseudo NEC G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
 - - severe G12.20 2a 2b
- cardiac I46.9 2a 2b
- cervical sympathetic G90.2
- Cestan-Chenais I63.0† 2a 2b G46.3*
- - bilateral (multiple) I63.00 2a 2b
- - multiple (bilateral) I63.00 2a 2b
- Charcot-Marie-Tooth type G60.0 2a 2b
- colon NEC K56.0
- compressed air T70.3
- congenital (cerebral) - *see* Palsy, cerebral
- conjugate movement (gaze) (of eye) H51.0
 - - cortical (nuclear) (supranuclear) H51.0
 - - convergence H51.1
- cordis (*see also* Failure, heart) I50.9 2a 2b
- creeping G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
- deglutition R13 2a 2b
 - - hysterical F44.4
- dementia A52.1 2a 2b
- descending (spinal) NEC G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
- diaphragm (flaccid) J98.6
 - - due to accidental section of phrenic nerve during procedure T81.2 2a 2b
- diplegic - *see* Diplegia
- divergence (nuclear) H51.8
- diver's T70.3
- Duchenne's
 - - birth injury P14.0
 - - due to or associated with
 - - - motor neuron disease G12.2 2a 2b
 - - - advanced G12.20 2a 2b
 - - - grave G12.20 2a 2b
 - - - severe G12.20 2a 2b
 - - - muscular dystrophy G71.0
- due to intracranial or spinal birth injury - *see* Palsy, cerebral
- embolic (current episode) I63.4 2a 2b
 - - bilateral (multiple) I63.40 2a 2b
 - - multiple (bilateral) I63.40 2a 2b
- Erb(-Duchenne) (birth) (newborn) P14.0
- Erb's syphilitic spastic spinal A52.1 2a 2b
- esophagus K22.8
- eye muscle (extrinsic) H49.9 2a
 - - intrinsic H52.5
- facial (nerve) G51.0 2b
 - - birth injury P11.3
 - - newborn P11.3

- familial (periodic) (recurrent) G72.3
- - spastic G11.4
- fauces J39.2
- flaccid G83.8
- gait R26.1 2b
- gaze, conjugate H51.0
- general (progressive) (syphilitic) A52.1 2a 2b
- - juvenile A50.4
- - nonsyphilitic G83.9 2a 2b
- glottis J38.0
- gluteal G54.1
- Gubler-Millard I67.9† 2a 2b G46.3*
- hand G83.2
- - hysterical F44.4
- - psychogenic F44.4
- hemifacial
- - progressive G58.8
- hemiplegic - *see* Hemiplegia
- hysterical F44.4
- ileus (*see also* Ileus) K56.0
- infantile (*see also* Poliomyelitis, paralytic) B91 2a 2b
- - active A80.3
- - acute A80.3
- - bulbar (*see also* Poliomyelitis, paralytic) B91 2a 2b
- - - active A80.3
- - - acute A80.3
- - cerebral - *see* Palsy, cerebral
- - spastic - *see* Palsy, cerebral, spastic
- infective (*see also* Poliomyelitis, paralytic) B91 2a 2b
- - active A80.3
- - acute A80.3
- internuclear H51.2
- intestine NEC K56.0
- iris H57.0
- - due to diphtheria (toxin) A36.8† 2b H22.8*
- ischemic, Volkmann's (complicating trauma) T79.6 2a 2b
- jake T62.2
- Jamaica ginger G62.2 2b
- juvenile general A50.4
- Klumpke(-Déjerine) (birth injury) (newborn) P14.1
- labioglossal (laryngeal) (pharyngeal) G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- Landry's G61.0
- laryngeal nerve (bilateral) (recurrent) (superior) (unilateral) J38.0
- larynx J38.0
- - due to diphtheria (toxin) A36.2
- lateral G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- lead T56.0
- left (side) - *see* Hemiplegia
- leg G83.1
- - both (*see also* Paraplegia) G82.2
- - hysterical F44.4
- - psychogenic F44.4
- - transient or transitory R29.8 2b
- levator palpebrae superioris H02.4
- limb NEC G83.3
- - all four (*see also* Tetraplegia) G82.5
- - transient (cause unknown) R29.8 2b
- lip K13.0
- Lissauer's A52.1 2a 2b

- lower limb G83.1
- - both (*see also* Paraplegia) G82.2
- medullary (tegmental) G83.8
- mesencephalic NEC G83.8
- - tegmental G83.8
- middle alternating G83.8
- Millard-Gubler-Foville I67.9† 2a 2b G46.3*
- monoplegic - *see* Monoplegia
- motor NEC G83.9 2a 2b
- muscle, muscular NEC G72.8
- - due to nerve lesion NEC G58.9
- - eye (extrinsic) H49.9 2a
- - - intrinsic H52.5
- - - oblique H49.1
- - ischemic (complicating trauma) (Volkmann's) T79.6 2a 2b
- - progressive G12.2 2a 2b
- - - advanced G12.20 2a 2b
- - - grave G12.20 2a 2b
- - - severe G12.20 2a 2b
- - pseudohypertrophic G71.0
- nerve - *see also* Disorder, nerve
- - birth injury P14.9
- - facial G51.0 2b
- - - birth injury P11.3
- - - newborn P11.3
- - fourth or trochlear H49.1
- - newborn (birth injury) P14.9
- - phrenic (birth injury) P14.2
- - radial G56.3
- - - birth injury P14.3
- - - newborn P14.3
- - seventh or facial G51.0 2b
- - - newborn (birth injury) P11.3
- - sixth or abducent H49.2
- - syphilitic A52.1† 2a 2b G59.8*
- - third or oculomotor H49.0
- newborn P91.8
- - birth injury P11.9 2a 2b
- ocular NEC H49.9 2a
- oculofacial, congenital (Moebius) Q87.0
- oculomotor (nerve) H49.0
- - external bilateral H49.0
- of swallowing R13 2a 2b
- palate (soft) K13.7
- periodic (familial) (hyperkalemic) (hypokalemic) (myotonic) (normokalemic) G72.3
- peripheral autonomic nervous system - *see* Neuropathy, peripheral, autonomic
- peroneal (nerve) G57.3
- pharynx J39.2
- poliomyelitis (*see also* Poliomyelitis, paralytic) B91 2a 2b
- - active A80.3
- - acute A80.3
- - current A80.3
- progressive (atrophic) (bulbar) (spinal) G12.2 2a 2b
- - advanced G12.20 2a 2b
- - general A52.1 2a 2b
- - grave G12.20 2a 2b
- - infantile acute (*see also* Poliomyelitis, paralytic) A80.3
- - severe G12.20 2a 2b
- - supranuclear G23.1
- pseudobulbar G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- pseudohypertrophic (muscle) G71.0
- psychogenic F44.4

- quadriplegic (*see also* Tetraplegia) G82.5
- radial nerve G56.3
 - - birth injury P14.3
- rectus muscle (eye) H49.9 2a
- respiratory (muscle) R06.8 2a 2b
 - - center NEC G93.8 2b
- right side - *see* Hemiplegia
- saturnine T56.0
- senile NEC G83.9 2a 2b
 - - shaking (*see also* Parkinsonism) G20 2a 2b
 - - spastic G83.9 2a 2b
 - - cerebral - *see* Palsy, cerebral, spastic
 - - congenital (cerebral) - *see* Palsy, cerebral, spastic
 - - familial G11.4
 - - hereditary G11.4
 - - not infantile or congenital (cerebral) G83.9 2a 2b
 - - syphilitic (spinal) A52.1 2a 2b
 - - sphincter, bladder (*see also* Paralysis, bladder) N31.2
 - - spinal (cord) G83.8
 - - acute (*see also* Poliomyelitis, paralytic) A80.3
 - - ascending acute G61.0
 - - atrophic (*see also* Poliomyelitis, paralytic) B91 2a 2b
 - - - active A80.3
 - - - acute A80.3
 - - - spastic, syphilitic A52.1 2a 2b
 - - - congenital NEC - *see* Palsy, cerebral
 - - - infantile (*see also* Poliomyelitis, paralytic) B91 2a 2b
 - - - active A80.3
 - - - acute A80.3
 - - - progressive G12.2 2a 2b
 - - - advanced G12.20 2a 2b
 - - - grave G12.20 2a 2b
 - - - severe G12.20 2a 2b
 - - - spastic NEC - *see* Palsy, cerebral, spastic
- sternomastoid G52.8
- stomach K31.8 2a
- stroke (current episode) I64 2a 2b
 - - bilateral (multiple) I64.00 2a 2b
 - - multiple (bilateral) I64.00 2a 2b
- supranuclear (progressive) G23.1
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
- sympathetic G90.8
 - - cervical G90.2
 - - nervous system - *see* Neuropathy, peripheral, autonomic
- syndrome G83.9 2a 2b
 - - specified NEC G83.8
- syphilitic spastic spinal (Erb's) A52.1 2a 2b
- throat J39.2
 - - diphtheritic A36.0† G99.8*
 - - muscle J39.2
 - - tick T63.4
 - - Todd's G83.8
 - - tongue K14.8
 - - transient
 - - - arm or leg NEC R29.8 2b
 - - - traumatic NEC (*see also* Injury, nerve) T14.4 2a 2b
- trapezius G52.8
 - - traumatic NEC T14.4 2a 2b
 - - specified site - *see* Injury, nerve, by site or region
- trembling (*see also* Parkinsonism) G20 2a 2b
- trochlear (nerve) H49.1
- upper limb G83.2
 - - both (*see also* Diplegia) G83.0

- uremic N18.5† 2b G99.8*
- uveoparotitic D86.8
- uvula K13.7
- - postdiphtheritic A36.0
- vasomotor NEC G90.8
- velum palatinum K13.7
- vesical (*see also* Paralysis, bladder) N31.2
- vocal cords J38.0
- Volkmann's (complicating trauma) T79.6 2a 2b
- wasting G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- Weber's I67.8† G46.3*

Paramedial urethrovesical orifice Q64.7

Paramenia N92.6

Parametritis (*see also* Disease, pelvis,inflammatory) N73.2

Parametrium, parametric - *see condition*

Paramnesia (*see also* Amnesia) R41.3

Paramolar K00.1

- causing crowding K07.3

Paramyeloidosis E85.8

Paramyoclonus multiplex G25.3

Paramyotonia (congenita) G71.1 2a

Parangi (*see also* Yaws) A66.9

Paranoia F22.0

- alcoholic F10.5

- drug-induced - *see* F11-F19 with fourth character .5 F1x.5

- querulans F22.8

- senile F03 2a 2b

Paranoid

- dementia (senile) F03 2a 2b

- - praecox (*see also* Schizophrenia) F20.9

- personality F60.0

- psychosis F22.0

- - alcoholic F10.5

- - climacteric F22.8

- - involutional F22.8

- - menopausal F22.8

- - psychogenic (acute) F23.3

- - senile F03 2a 2b

- reaction (acute) F23.3

- - chronic F22.0

- schizophrenia F20.0

- state F22.0

- - climacteric F22.8

- - induced by drug - *see* F11-F19 with fourth character .5

- - involution F22.8

- - menopausal F22.8

- - senile F03 2a 2b

- - simple F22.0

- - specified NEC F22.8

- tendencies F61

- traits F61

Paraparesis (*see also* Paraplegia) G82.2

Paraphasia R47.0

Paraphilia F65.9

Paraphimosis (congenital) N47

- chancroidal A57

Paraphrenia, paraphrenic (late) F22.0

- schizophrenia F20.0

Paraplegia (lower) G82.2

- ataxic - *see* Degeneration, combined, spinal cord

- congenital (cerebral) G80.8 2a 2b

- - spastic G80.1

- flaccid G82.0
- functional (hysterical) F44.4
- hereditary, spastic G11.4
- hysterical F44.4
- newborn P91.8
- - birth injury P11.9 2a 2b
- Pott's A18.0† 2a 2b M49.0*
- psychogenic F44.4
- spastic G82.1
- - Erb's spinal, syphilitic A52.1 2a 2b
- - familial G11.4
- - hereditary G11.4
- - tropical G04.1
- syphilitic (spastic) A52.1 2a 2b
- traumatic (current episode) (spinal cord) (*see also* Injury, spinal cord, by site) T09.3
- tropical spastic G04.1

Paraproteinemia D89.2 2b

- benign (familial) D89.2 2b
- monoclonal (M9765/1) D47.2
- secondary to malignant disease (M9765/1) D47.2

Parapsoriasis L41.9

- guttata L41.1
- large plaque L41.4
- retiform, retiformis L41.5
- small plaque L41.3
- specified NEC L41.8
- varioliformis (acuta) L41.0

Parasitic - *see also condition*

- twin Q89.4

Parasitism B89 2a 2b

- intestinal NEC B82.9
- skin NEC B88.9
- specified - *see* Infestation

Parasitophobia F40.2

Parasomnia G47.8

- nonorganic origin F51.9

Paraspadias Q54.9

Paraspasmus facialis G51.8

Parasuicide

- history of (personal) Z91.5(1204)
- - in family Z81.8(1205)
- observation following alleged Z03.8(1206)

Parathyroid gland - *see condition*

Parathyroid tetany E20.9

Paratrachoma A74.0† H13.1*

Paratyphoid (fever) - *see* Fever, paratyphoid

Paratyphus - *see* Fever, paratyphoid

Paraurethral duct Q64.7

Paraurethritis (*see also* Urethritis) N34.2

- gonococcal (acute) (chronic) (with abscess) A54.1

Paravaccinia B08.0 2a 2b

Paravaginitis (*see also* Vaginitis) N76.0

Parencephalitis (*see also* Encephalitis) G04.9

Paresis (*see also* Paralysis) G83.9 2a 2b

- Bernhardt's G57.1

- bladder (sphincter) (*see also* Paralysis, bladder) N31.2

- - tabetic A52.1 2a 2b

- bowel, colon or intestine (*see also* Ileus) K56.0

- extrinsic muscle, eye H49.9 2a

- gastric K31.8 2a

- - diabetic *code to* E10-E14 with 4th character .6

- general (progressive) (syphilitic) A52.1 2a 2b

- - juvenile A50.4

- - nonsyphilitic - *see* Paralysis

- heart (*see also* Failure, heart) I50.9 2a 2b

- insane (syphilitic) A52.1 2a 2b
- juvenile (general) A50.4
- peripheral progressive (idiopathic) G60.3
- pseudohypertrophic G71.0
- syphilitic (general) A52.1 2a 2b
- - congenital A50.4
- vesical NEC N31.2

Paretic - *see condition*

Parinaud's

- conjunctivitis H10.8
- oculoglandular syndrome H10.8
- ophthalmoplegia H49.8
- syndrome (ophthalmoplegia) H49.8

Parkinsonism (idiopathic) (primary) G20 2a 2b

- with neurogenic orthostatic hypotension (symptomatic) G90.3 2b
- advanced G20.00 2a 2b
- arteriosclerotic G21.4 2a 2b
- dementia in G20† 2a 2b F02.3*
- due to drugs G21.1
 - - neuroleptic G21.0
 - grave G20.00 2a 2b
 - postencephalitic G21.3
 - secondary G21.9 2a 2b
 - - due to
 - - - arteriosclerosis G21.4 2a 2b
 - - - drugs NEC G21.1
 - - - neuroleptic G21.0
 - - - encephalitis G21.3
 - - - external agents NEC G21.2
 - - - syphilis A52.1† 2a 2b G22* 2b
 - - specified NEC G21.8
 - severe G20.00 2a 2b
 - syphilitic A52.1† 2a 2b G22* 2b
 - treatment-induced NEC G21.1
 - vascular G21.4 2a 2b

Parkinson's disease, syndrome or tremor (*see also* Parkinsonism) G20 2a 2b

Parodontitis (*see also* Periodontitis) K05.3

Parodontosis K05.4

Paronychia (with lymphangitis) L03.0

- candidal B37.2 2b
- tuberculous (primary) A18.4

Parorexia NEC F50.8

- psychogenic F50.8

Parosmia R43.1

- psychogenic F45.8

Parotid gland - *see condition*

Parotitis, parotiditis (acute) (chronic) (infection) (nonepidemic) (nonspecific toxic) (not mumps) (purulent) (septic) (suppurative) K11.2

- bacterial (staphylococcal) (streptococcal) K11.2
- epidemic (*see also* Mumps) B26.9
- infectious (*see also* Mumps) B26.9
- mumps B26.9
- postoperative K91.8 2a 2b
- surgical K91.8 2a 2b

Parrot fever A70 2a

Parrot's disease (early congenital syphilitic pseudoparalysis) A50.0 2a 2b

Parry-Romberg syndrome G51.8

Parry's disease E05.0 2b

Pars planitis H30.2

Parsonage-Aldren-Turner syndrome G54.5

Particolored infant Q82.8 2b

Parturition - *see Delivery*

Parulis K04.7

- with sinus K04.6

Parvovirus - *see* Infection, parvovirus

Pasini and Pierini's atrophoderma L90.3**Passage**

- false, urethra N36.0
- of sounds or bougies - *see* Attention,artificial opening

Passed out R55**Passive** - *see condition***Pasteurellosis** (*see also* Infection, Pasteurella) A28.0**Past history (of)**

- infarction
- - myocardium, myocardial I25.8 2a 2b

PAT (paroxysmal atrial tachycardia) I47.1**Patau's syndrome** (*see also* Trisomy, 13) Q91.7**Patches**

- mucous (syphilitic) A51.3
- - congenital A50.0 2a 2b
- smokers' (mouth) K13.2

Patellar - *see condition***Patent** - *see also* Imperfect, closure

- canal of Nuck Q52.4
- cervix N88.3
- - complicating pregnancy O34.3
- - - affecting fetus or newborn P01.0
- ductus arteriosus or botalli Q25.0 2b
- foramen
- - botalli Q21.1 2b
- - ovale Q21.1 2b
- interauricular septum Q21.1 2b
- omphalomesenteric duct Q43.0
- os (uteri) - *see* Patent, cervix
- ostium secundum Q21.1 2b
- urachus Q64.4
- vitelline duct Q43.0

Paterson(-Brown)-Kelly syndrome D50.1**Pathologic, pathological** - *see also* condition

- fire-setting F63.1
- gambling F63.0
- ovum O02.0
- stealing F63.2

Pattern, sleep-wake, irregular G47.2**Patulous** - *see also* Patent

- eustachian tube H69.0

Paxton's disease B36.8**Pearl(s)**

- enamel K00.2
- Epstein's K09.8

Pearl-worker's disease M86.8**Pearson syndrome** E88.9**Pectenosis** K62.4**Pectoral** - *see condition***Pectus**

- carinatum (congenital) Q67.7
- - acquired M95.4
- - rachitic (late effect) E64.3 2a 2b
- excavatum (congenital) Q67.6
- - acquired M95.4
- - rachitic (late effect) E64.3 2a 2b

Pederosis F65.4**Pediculosis** B85.2

- capitis (head-louse) (any site) B85.0
 - corporis (body-louse) (any site) B85.1
 - mixed (classifiable to more than one of the subcategories B85.0-B85.3) B85.4
 - pubis (pubic-louse) (any site) B85.3
 - vestimenti B85.1
 - vulvae B85.3
- Pediculus* (infestation) - *see* Pediculosis

Pedophilia F65.4

Peg-shaped teeth K00.2

Pelade (*see also* Alopecia, areata) L63.9

Pelger-Huet anomaly or syndrome D72.0 2b

Peliosis (rheumatica) D69.0 2a 2b

- hepatitis K76.4

- - with toxic liver disease K71.8

Pelizaeus-Merzbacher disease E75.2 2b

Pellagra (alcoholic) E52 2a 2b

Pellegrini-Stieda disease or syndrome M76.4

Pellizzi's syndrome E34.8

Pel's crisis A52.1 2a 2b

Pelvic - *see also condition*

- examination (periodic) (routine) Z01.4(1207)

- kidney, congenital Q63.2

Pelviectasis Q62.0 2a

Pelviolithiasis (*see also* Calculus, kidney) N20.0 2a

Pelviperitonitis - *see also* Peritonitis, pelvic

- gonococcal A54.2

- puerperal O85

Pelvis - *see condition*

Pemphigoid L12.9

- benign, mucous membrane L12.1

- bullous L12.0

- cicatricial L12.1

- juvenile L12.2

- ocular L12.1† H13.3*

- specified NEC L12.8

Pemphigus L10.9

- benign familial (chronic) Q82.8 2b

- Brazilian L10.3

- conjunctiva L12.1† H13.3*

- drug-induced L10.5

- erythematous L10.4

- foliaceous L10.2

- gangrenous (*see also* Gangrene) R02 2a 2b

- neonatorum L00

- ocular L12.1† H13.3*

- specified NEC L10.8

- syphilitic (congenital) A50.0 2a 2b

- vegetans L10.1

- vulgaris L10.0

- wildfire L10.3

Pena-Shokier (I) (II) syndrome Q99.8 2a

Pendred's syndrome E07.1 2b

Pendulous

- abdomen, in pregnancy or childbirth O34.8

- - affecting fetus or newborn P03.8

- breast N64.8

Penetrating wound - *see also* Wound T14.1 2a 2b

- with internal injury - *see* Injury, by site

- eyeball S05.6

- - with foreign body S05.5

- orbit (with or without foreign body) S05.4

Penetration - *see* Perforation

- lung

- - nontraumatic J98.4 2a 2b

- - - newborn P28.8

Penicillosis B48.4

Penis - *see condition*

Penitis N48.2

Pentalogy of Fallot Q21.8

Pentasomy X syndrome Q97.1

Pentosuria (essential) E74.8 2b

Peregrinating patient F68.1

Perforation, perforated (nontraumatic) (see also Rupture)

- abdominal (organ) R19.8 2b
- accidental during procedure (blood vessel) (nerve) (organ) T81.2 2a 2b
- appendicitis (see also Appendicitis, acute) K35.8 2b
- appendix (see also Appendicitis, acute) K35.8 2b
 - - with
 - - - peritonitis, generalized K35.2
 - - - peritonitis, localized K35.3
 - arm (traumatic) T11.1 2b
 - atrial, interatrial (septum) (see also Infarct,myocardium) I21.9 2a 2b
 - bile duct (common) (hepatic) K83.2
 - bladder (traumatic) (urinary) S37.2
 - - obstetric trauma O71.5
 - bone (traumatic) T14.1 2a 2b
 - - specified site - see Wound, by site
 - bowel K63.10 2a 2b
 - - fetus or newborn P78.0
 - - obstetric trauma O71.5
 - - traumatic S36.9 2b
 - brain (traumatic) S06.8 2a 2b
 - broad ligament N83.8
 - - obstetric trauma O71.6
 - by
 - - device, implant or graft (see also Complications, by site and type) T85.6
 - - - arterial graft NEC T82.3
 - - - - coronary (bypass) T82.2
 - - - breast (implant) T85.4
 - - - catheter NEC T85.6
 - - - - dialysis (renal) T82.4
 - - - - - intraperitoneal T85.6
 - - - - infusion NEC T82.5
 - - - - - spinal (epidural) (subdural) T85.6
 - - - - urinary (indwelling) T83.0
 - - - electronic (electrode) (pulse generator) (stimulator)
 - - - - bone T84.3
 - - - - cardiac T82.1
 - - - - nervous system (brain) (peripheral nerve) (spinal) T85.1
 - - - - urinary T83.1
 - - - fixation, internal (orthopedic) NEC T84.2
 - - - - bones of limb T84.1
 - - - gastrointestinal (bile duct) (esophagus) T85.5
 - - - genital NEC T83.4
 - - - - intrauterine contraceptive device T83.3 2b
 - - - heart NEC T82.5
 - - - - valve (prosthesis) T82.0
 - - - - - graft T82.2
 - - - joint prosthesis T84.0
 - - - ocular (canal graft) (orbital implant) NEC T85.3
 - - - - intraocular lens T85.2
 - - - orthopedic NEC T84.4
 - - - - bone graft T84.3
 - - - specified NEC T85.6
 - - - urinary NEC T83.1
 - - - - graft T83.2
 - - - vascular NEC T82.5
 - - - ventricular intracranial shunt T85.0
 - - foreign body (external site) - see also Wound, by site
 - - internal site - see Foreign body
 - - - left accidentally in operation wound T81.5
 - - instrument (any) (catheter) (endoscope) (probe) during a procedure (accidental) T81.2 2a 2b
 - cecum (ischemic) (see also Perforation, colon) K35.8 2b
 - cervix (uteri) N88.8
 - - obstetric trauma O71.3
 - colon K63.1 2a 2b
 - - fetus or newborn P78.0

- - obstetric trauma O71.5
- - traumatic S36.5
- colostomy K91.4
- common duct (bile) K83.2
- complicating a procedure T81.2 2a 2b
- cornea (due to ulceration) H16.0
- cystic duct K82.2
- diverticulum (intestine) (*see also* Diverticula, by site, with perforation) K57.8
- duodenum (*see also* Ulcer, duodenum) K26.5
- ear drum - *see* Perforation, tympanum
- esophagus K22.3 2b
- eye, traumatic (*see also* Penetrating wound, eyeball) S05.6
- gallbladder K82.2
- gastrointestinal (tract) K92.8
- heart valve - *see* Endocarditis
- ileum (nontraumatic) K63.1 2a 2b
- - fetus or newborn P78.0
- - obstetric trauma O71.5
- - traumatic S36.4
- instrumental, surgical (blood vessel) (nerve) (organ) T81.2 2a 2b
- intestine, unspecified part K63.10 2a 2b
- - fetus or newborn P78.0
- - obstetric trauma O71.5
- - specified part K63.1 2a 2b
- - traumatic S36.9 2b
- - ulcerative NEC K63.1 2a 2b
- - - fetus or newborn P78.0
- - jejunum, jejunal K63.1 2a 2b
- - fetus or newborn P78.0
- - obstetric trauma O71.5
- - traumatic S36.4
- - ulcer - *see* Ulcer, gastrojejunal, with perforation
- lung (traumatic) S27.3 2a 2b
- - nontraumatic J98.4 2a 2b
- - - newborn P28.8
- mandible
- - traumatic S01.8
- mastoid (antrum) (cell) H70.8
- membrana tympani - *see* Perforation, tympanum
- nasal
- - septum J34.8
- - - congenital Q30.3
- - - syphilitic A52.7† 2a 2b J99.8*
- - sinus J34.8
- - - congenital Q30.8
- palate (*see also* Cleft, palate) Q35.9
- - soft (*see also* Cleft, palate, soft) Q35.3
- - - syphilitic A52.7† 2a 2b K93.8*
- - syphilitic A52.7† 2a 2b K93.8*
- palatine vault (*see also* Cleft, palate, hard) Q35.1
- - syphilitic A52.7† 2a 2b K93.8*
- - - congenital A50.5
- pars flaccida (ear drum) H72.1
- pelvic
- - floor S31.0
- - - obstetric trauma O70.1
- - organ NEC S37.8
- - - with abortion (subsequent episode) O08.6
- - - - current episode - *see* Abortion
- - - obstetric trauma O71.5
- perineum - *see* Laceration, perineum
- pharynx J39.2
- rectum K63.1 2a 2b
- - fetus or newborn P78.0
- - obstetric trauma O71.5

- - traumatic S36.6
- sigmoid (*see also* Perforation, colon) K63.1 2a 2b
- - fetus or newborn P78.0
- - obstetric trauma O71.5
- - traumatic S36.5
- sinus (accessory) (chronic) (nasal) J34.8
- skull
- - traumatic S01.8
- spine, spinal (*see also* Injury, spine) T09.9 2b
- surgical (accidental) (blood vessel) (by instrument) (nerve) (organ) T81.2 2a 2b
- traumatic - *see* Wound
- tympanum (membrane) (persistent post-traumatic) (postinflammatory) H72.9
- - attic H72.1
- - central H72.0
- - marginal NEC H72.2
- - pars flaccida H72.1
- - specified NEC H72.8
- - traumatic S09.2
- typhoid, gastrointestinal A01.0
- ulcer - *see* Ulcer, by site, with perforation
- ureter N28.8 2a 2b
- urethra N36.8
- - obstetric trauma O71.5
- uterus
- - by intrauterine contraceptive device T83.3 2b
- - obstetric trauma O71.1
- - traumatic S37.6
- uvula K13.7
- - syphilitic A52.7† 2a 2b K93.8*
- vagina - *see* Laceration, vagina
- ventricular
- - wall (*see also* Infarct, myocardium) I21.9 2a 2b
- viscera (abdominal) R19.8 2b

Periadenitis mucosa necrotica recurrens K12.0

Periappendicitis (*see also* Appendicitis) K37 2a 2b

Periarteritis (disseminated) (infectious) (necrotizing) (nodosa) M30.0 2b

Periarthritis (joint) M77.9

- Duplay's M75.0
- gonococcal A54.4† 2b M73.8*
- humeroscapularis M75.0
- scapulohumeral M75.0
- shoulder M75.0
- wrist M77.2

Periarthrosis (angioneural) - *see* Periarthritis

Pericapsulitis, adhesive (shoulder) M75.0

Pericarditis (with decompensation) (with effusion) I31.9 2b

- with rheumatic fever (conditions in I00 2a 2b) I01.0 2a 2b
- - active (*see also* Pericarditis, rheumatic) I01.0 2a 2b
- - inactive or quiescent I09.2 2b
- acute (nonrheumatic) I30.9
- - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - benign I30.8 2b
- - hemorrhagic I30.8 2b
- - nonspecific I30.0
- - rheumatic I01.0 2a 2b
- - suppurative I30.1
- adhesive or adherent (chronic) I31.0
- - acute - *see* Pericarditis, acute
- - rheumatic I09.2 2b
- bacterial (acute) (subacute) (with serous or seropurulent effusion) I30.1
- calcareous I31.1
- chronic (nonrheumatic) I31.9 2b
- constrictive (chronic) I31.1
- coxsackie(virus) B33.2† 2a 2b I32.1*
- fibrinocaseous (tuberculous) A18.8† 2a 2b I32.0*

- fibrinopurulent I30.1
- fibrinosanguinous I30.8 2b
- fibrinous I30.8 2b
- fibrous I31.0
- gonococcal A54.8† 2b I32.0*
- hemorrhagic I31.2
- - acute I30.8 2b
- idiopathic I30.0
- in systemic lupus erythematosus M32.1† 2a 2b I32.8*
- infective I30.1
- meningococcal A39.5† I32.0*
- pneumococcal I30.1
- purulent I30.1
- rheumatic (active) (acute) (with effusion) (with pneumonia) I01.0 2a 2b
- - with chorea (acute) (rheumatic) (Sydenham's) I02.0
- - chronic or inactive (with chorea) I09.2 2b
- septic I30.1
- serofibrinous I30.8 2b
- staphylococcal I30.1
- streptococcal I30.1
- suppurative (acute) I30.1
- syphilitic A52.0† 2b I32.0*
- tuberculous A18.8† 2a 2b I32.0*
- uremic N18.5† 2b I32.8*
- viral I30.1

Pericardium, pericardial - *see condition*

Pericellulitis - *see Cellulitis*

Pericementitis (*see also* Periodontitis) K05.3

Perichondritis

- auricle H61.0
- bronchus J98.0
- ear (external) H61.0
- external auditory canal H61.0
- larynx J38.7
- - syphilitic A52.7† 2a 2b J99.8*
- nose J34.8
- pinna H61.0
- trachea J39.8

Pericolitis K63.8

Pericoronitis (chronic) K05.3

- acute K05.2

Peridiverticulitis (intestine) (*see also* Diverticula) K57.9 2a 2b

Periendocarditis (*see also* Endocarditis) I38 2a

Periepididymitis (*see also* Epididymitis) N45.9

Perifolliculitis L08.8

- capitis abscedens (et suffodiens) L66.3
- superficial pustular L01.0 2a

Perihepatitis K65.8 2b

- chlamydial A74.8† K67.0*
- gonococcal A54.8† 2b K67.1*

Perilabyrinthitis (acute) H83.0

Perimeningitis - *see Meningitis*

Perimetritis (*see also* Endometritis) N71.9 2b

Perimetrosalpingitis (*see also* Salpingo-oophoritis) N70.9

Perinephric, perinephritic - *see condition*

Perinephritis (*see also* Infection, kidney) N15.9 2a 2b

- purulent (*see also* Abscess, kidney) N15.1 2a 2b

Perineum, perineal - *see condition*

Perineuritis NEC M79.2 2a

Periodic - *see condition*

Periodontitis (chronic) (complex) (simplex) K05.3

- acute K05.2
- apical K04.5
- - acute (pulpal origin) K04.4

Periodontosis (juvenile) K05.4

Periods - *see also* Menstruation

- heavy N92.0 2b
- irregular N92.6
- shortened intervals (irregular) N92.1

Perionychia (with lymphangitis) L03.0

Perioophoritis (*see also* Salpingo-oophoritis) N70.9

Periorchitis (*see also* Orchitis) N45.9

Periosteitis (*see also* Periostitis)

- albuminosa, albuminosus M86.9

Periosteum, periosteal - *see condition*

Periostitis (circumscribed) (diffuse) (infective) M86.9

- with osteomyelitis M86.8
- - acute M86.1
- - chronic NEC M86.6
- - subacute M86.2
- alveolar K10.3
- alveolodental K10.3
- gonorrhreal A54.4† 2b M90.1*
- jaw (lower) (upper) K10.2
- monomelic M86.9
- orbital H05.0
- syphilitic A52.7† 2a 2b M90.1*
- - congenital (early) A50.0† 2a 2b M90.1*
- - secondary A51.4† M90.1*
- tuberculous (*see also* Tuberculosis, bone) A18.0† 2a 2b M90.0*
- yaws (early) (hypertrophic) (late) A66.6† 2a 2b M90.1*

Periostosis M89.8 2b

- with osteomyelitis M86.8
- hyperplastic M89.8 2b

Periphlebitis (*see also* Phlebitis) I80.9 2a 2b

- retina H35.0 2a

Periproctitis K62.8

Periprostatitis (*see also* Prostatitis) N41.9

Perirectal - *see condition*

Perirenal - *see condition*

Perisalpingitis (*see also* Salpingo-oophoritis) N70.9

Perisigmoiditis K63.8

Perisplenitis (infectious) D73.8

Peristalsis, visible or reversed R19.2

Peritendinitis (*see also* Tenosynovitis) M77.9

- adhesive (shoulder) M75.0

Peritoneum, peritoneal - *see condition*

Peritonitis (adhesive) (fibrinous) (with effusion) K65.9 2a 2b

- with or following
- - abscess K65.0 2a 2b
- - appendicitis K35.3
- - - generalized K35.2
- - - - with mention of perforation or rupture K35.2
- - - localized K35.3
- - - - with mention of perforation or rupture K35.3
- - diverticular disease (intestine) K57.8
- acute K65.0 2a 2b
- aseptic T81.6
- bacterial K65.0 2a 2b
- bile, biliary K65.8 2b
- chemical T81.6
- - without indication of procedure on the certificate K65.8 2b
- chlamydial A74.8† K67.0*
- congenital NEC P78.1 2b
- diaphragmatic K65.0 2a 2b
- diffuse NEC K65.0 2a 2b
- diphtheritic A36.8† 2b K67.8*
- disseminated NEC K65.0 2a 2b
- due to foreign substance accidentally left during a procedure (chemical) (powder) (talc) T81.6
- eosinophilic K65.8 2b

- - acute K65.0 2a 2b
- fibrocaseous (tuberculous) A18.3† K67.3*
- fibropurulent K65.0 2a 2b
- following
 - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see Abortion*
 - - ectopic or molar pregnancy O08.0 2b
 - general(ized) K65.0 2a 2b
 - - with or following
 - - - appendicitis (acute) (with or without mention of perforation or rupture) K35.2
 - gonococcal A54.8† 2b K67.1*
 - localized K65.0 2a 2b
 - - with or following
 - - - appendicitis (acute) (with or without mention of perforation or rupture) K35.3
 - meconium (newborn) P78.0
 - neonatal P78.1 2b
 - - meconium P78.0
 - pancreatic K65.0 2a 2b
 - paroxysmal, familial E85.0
 - - benign E85.0
 - pelvic
 - - female N73.5
 - - - acute N73.3
 - - - chronic NEC N73.4
 - - - - with adhesions N73.6
 - - male K65.0 2a 2b
 - periodic, familial E85.0
 - postprocedural T81.4 2b
 - proliferative, chronic K65.8 2b
 - puerperal, postpartum, childbirth O85
 - purulent K65.0 2a 2b
 - septic K65.0 2a 2b
 - specified NEC K65.8 2b
 - subdiaphragmatic K65.0 2a 2b
 - subphrenic K65.0 2a 2b
 - suppurative K65.0 2a 2b
 - syphilitic A52.7† 2a 2b K67.2*
 - - congenital (early) A50.0† 2a 2b K67.2*
 - tuberculous A18.3† K67.3*
 - urine K65.8 2b

Peritonsillar - *see condition*

Peritonsillitis J36

Periureteritis N28.8 2a 2b

Periurethral - *see condition*

Periurethritis (gangrenous) (*see also* Urethritis) N34.2

Periuterine - *see condition*

Perivaginitis (*see also* Vaginitis) N76.0

Perivasculitis, retinal H35.0 2a

Perivasitis (chronic) N49.1

Perivesiculitis (seminal) (*see also* Vesiculitis) N49.0

Perlèche NEC (due to) K13.0

- candidiasis B37.8 2a 2b

- moniliasis B37.8 2a 2b

- vitamin B₂ (riboflavin) deficiency E53.0† K93.8*

Perlmanns syndrome Q87.8 2b

Pernicious - *see condition*

Pernio T69.1

Persecution

- delusion (of) F22.0

- social Z60.5(1208)

Perseveration (tonic) R48.8

Persistence, persistent (congenital)

- anal membrane Q42.3

- - with fistula Q42.2

- arteria stapedia Q16.3

- atrioventricular canal Q21.2 2b
- branchial cleft Q18.0
- bulbus cordis in left ventricle Q21.8
- canal of Cloquet Q14.0
- capsule (opaque) Q12.8
- cilioretinal artery or vein Q14.8
- cloaca Q43.7
- communication - *see* Fistula, congenital
- convolutions
 - - aortic arch Q25.4
 - - fallopian tube Q50.6
 - - oviduct Q50.6
 - - uterine tube Q50.6
- double aortic arch Q25.4
- ductus arteriosus (botalli) Q25.0 2b
- fetal
 - - circulation
 - - - fetus Q28.8
 - - - newborn P29.3 2b
 - - form of cervix (uteri) Q51.8
 - - hemoglobin, hereditary (HPFH) D56.4
- foramen
 - - botalli Q21.1 2b
 - - ovale Q21.1 2b
- Gartner's duct Q50.6
- hemoglobin, fetal (hereditary) (HPFH) D56.4
- hyaloid
 - - artery (generally incomplete) Q14.0
- - system Q14.8
- hymen, in pregnancy or childbirth O34.7
- lanugo Q84.2
- left
 - - posterior cardinal vein Q26.8
- - root with right arch of aorta Q25.4
- - superior vena cava Q26.1
- Meckel's diverticulum Q43.0
- nail(s), anomalous Q84.6
- occipitoposterior (position) O32.8
- - affecting fetus or newborn P03.1
- - causing obstructed labour O64.0
- occipitotransverse (position) O64.0
- - affecting fetus or newborn P03.1
- omphalomesenteric duct Q43.0
- ostium
 - - atrioventriculare commune Q21.2 2b
 - - primum Q21.2 2b
 - - secundum Q21.1 2b
- ovarian rests in fallopian tube Q50.6
- pancreatic tissue in intestinal tract Q43.8
- primary (deciduous)
 - - teeth K00.6
 - - vitreous hyperplasia Q14.0
- pupillary membrane Q13.8
- right aortic arch Q25.4
- sinus
 - - urogenitalis
 - - - female Q52.8 2b
 - - - male Q55.8
- - venosus with imperfect incorporation in right auricle Q26.8
- thymus (gland) (hyperplasia) E32.0
- thyroglossal duct Q89.2
- truncus arteriosus or communis Q20.0
- tunica vasculosa lentis Q12.2
- urachus Q64.4
- vitelline duct Q43.0

Personality (disorder) F60.9 2b

- accentuation of traits (type A pattern) Z73.1(1209)
- affective F34.0
- aggressive F60.3
- amoral F60.2
- anankastic F60.5
- antisocial F60.2
- asocial F60.2
- asthenic F60.7
- avoidant F60.6
- borderline F60.3
- change (enduring) (after) (due to) F62.9 2b
- - catastrophic experience F62.0
- - chronic pain F62.8
- - concentration camp experience F62.0
- - disaster F62.0
- - prolonged exposure to terrorism F62.0
- - psychiatric illness F62.1
- - secondary (nonspecific) F61
- - specified NEC F62.8
- - torture F62.0
- - troublesome F61
- compulsive F60.5
- cycloid F34.0
- cyclothymic F34.0
- dependent F60.7
- depressive F34.1
- dissocial F60.2
- dual F44.8
- eccentric F60.8
- emotionally unstable F60.3
- expansive paranoid F60.0
- explosive F60.3
- fanatic F60.0
- hallowe type F60.8
- histrionic F60.4
- hyperthymic F34.0
- hypothymic F34.1
- hysterical F60.4
- immature F60.8
- inadequate F60.7
- labile (emotional) F60.3
- mixed (nonspecific) F61
- morally defective F60.2
- multiple F44.8
- narcissistic F60.8
- obsessional F60.5
- obsessive(-compulsive) F60.5
- organic F07.0 2b
- paranoid F60.0
- passive(-dependent) F60.7
- passive-aggressive F60.8
- pathologic NEC F60.9 2b
- pattern defect or disturbance F60.9 2b
- pseudopsychopathic (organic) F07.0 2b
- pseudoretarded (organic) F07.0 2b
- psychoinfantile F60.4
- psychoneurotic NEC F60.8
- psychopathic F60.2
- querulant F60.0
- sadistic F60.8
- schizoid F60.1
- self-defeating F60.7
- sensitive paranoid F60.0
- sociopathic (amoral) (antisocial) (asocial) (dissocial) F60.2

- specified NEC F60.8
- type A Z73.1(1210)
- unstable (emotional) F60.3

Perthes' disease M91.1

Pertussis (*see also* Whooping cough) A37.9

Perversion, perverted

- appetite F50.8
- - psychogenic F50.8
- sense of smell and taste R43.8
- - psychogenic F45.8
- sexual (*see also* Deviation, sexual) F65.9

Pervious, congenital - *see also* Imperfect,closure

- ductus arteriosus Q25.0 2b

Pes, deformity (congenital) (*see also* Talipes) Q66.8

- acquired NEC M21.6
- adductus Q66.8

Pest, pestis (*see also* Plague) A20.9

- bubonica A20.0
- fulminans A20.0
- minor A20.8
- pneumonica A20.2

Petechia, petechiae R23.3 2b

- fetus or newborn P54.5

Peter's anomaly Q13.4

Petit mal G40.7

- with grand mal seizures G40.6
- epilepsy (childhood) (idiopathic) (juvenile) G40.3
- impulsive G40.3
- status (epilepticus) G41.1

Petit's hernia - *see* Hernia, abdomen,specified site NEC

Petriellidosis B48.2

Petrositis H70.2

Peutz-Jeghers disease or syndrome Q85.8

Peyronie's disease N48.6

Pfeiffer's disease B27.0

Phagedena (dry) (moist) (*see also* Gangrene) R02 2a 2b

- geometric L88 2b
- penis N48.2
- tropical (*see also* Ulcer, skin) L98.4 2a 2b
- vulva N76.6

Phagedenic - *see condition*

Phakoma H35.8

Phakomatosis (*see also* specific eponymoussyndromes) Q85.9

- Bourneville's Q85.1
- specified NEC Q85.8

Phantom limb syndrome (without pain) G54.7 2b

- with pain G54.6

Pharyngeal pouch syndrome D82.1 2b

Pharyngitis (acute) (catarrhal) (gangrenous) (infective) (subacute) (suppurative) (ulcerative) J02.9 2a 2b

- with influenza, flu or grippé (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- aphthous B08.5

- atrophic J31.2

- chlamydial A56.4

- chronic (atrophic) (granular) (hypertrophic) J31.2

- coxsackievirus B08.5

- diphtheritic A36.0

- enteroviral vesicular B08.5

- follicular (chronic) J31.2

- fusospirochetal A69.1 2a

- gonococcal A54.5

- granular (chronic) J31.2

- herpesviral B00.2

- hypertrophic J31.2

- influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b

- lymphonodular, acute (enteroviral) B08.8

- pneumococcal J02.8
- purulent J02.9 2a 2b
- putrid J02.9 2a 2b
- septic J02.0 2a 2b
- sicca J31.2
- specified organism NEC J02.8
- staphylococcal J02.8
- streptococcal J02.0 2a 2b
- syphilitic, congenital (early) A50.0 2a 2b
- tuberculous A16.8 2a 2b
- vesicular, enteroviral B08.5
- viral NEC J02.8

Pharyngoconjunctivitis, viral B30.2† H13.1*

Pharyngolaryngitis (acute) J06.0

- chronic J37.0

Pharyngoplegia J39.2

Pharyngotonsillitis J06.8

- herpesviral B00.2

Pharyngotracheitis (acute) J06.8

- chronic J42 2a 2b

Pharynx, pharyngeal - *see condition*

Phenomenon

- Arias-Stella N85.8
- Arthus' - *see Arthus' phenomenon*
- cerebral (vascular) I67.8
- embolic (*see also* Embolism) I74.9 2a 2b
- - specified site - *see Embolism, by site*
- forearem pronator G72.8
- jaw-winking Q07.8
- lupus erythematosus (L.E.) cell M32.9 2b
- Raynaud's (secondary) I73.0
- vasomotor R55
- vasospastic I73.9 2a 2b
- vasovagal R55
- Wenckebach's I44.1

Phenylketonuria E70.1

- classical E70.0
- maternal E70.1

Pheochromoblastoma (M8700/3)

- specified site - *see Neoplasm, malignant*
- unspecified site C74.1

Pheochromocytoma (M8700/0)

- malignant (M8700/3)
- - specified site - *see Neoplasm, malignant*
- - unspecified site C74.1
- specified site - *see Neoplasm, benign*
- unspecified site D35.0 2a 2b

Pheohyphomycosis (*see also* Chromomycosis) B43.9

Pheomycosis - *see Chromomycosis*

Phimosis (congenital) (due to infection) N47

- chancroidal A57

Phlebectasia (*see also* Varicose, vein) I83.9 2a 2b

- congenital Q27.4

Phlebitis (infective) (pyemic) (septic) (suppurative) I80.9 2a 2b

- breast, superficial I80.8
- cavernous (venous) sinus - *see Phlebitis, intracranial (venous) sinus*
- cerebral (venous) sinus - *see Phlebitis, intracranial (venous) sinus*
- chest wall, superficial I80.8
- complicating pregnancy O22.9 2b
- - deep O22.8
- - superficial O22.2
- cranial (venous) sinus - *see Phlebitis, intracranial (venous) sinus*
- deep vein I80.9 2a 2b
- due to implanted device - *see Complications, by site and type*
- during or resulting from a procedure T81.7 2b

- femoral (superficial) I80.1
- following infusion, therapeutic injection or transfusion T80.1
- hepatic veins I80.8
- iliofemoral I80.1
- intracranial (venous) sinus (any) G08 2a 2b
 - - nonpyogenic I67.6
- intraspinal venous sinuses and veins G08 2a 2b
 - - nonpyogenic G95.1 2b
- lateral (venous) sinus - *see Phlebitis, intracranial (venous) sinus*
- longitudinal sinus - *see Phlebitis, intracranial (venous) sinus*
- lower limb I80.3 2b
 - - deep (vessels) NEC I80.2
 - - superficial (vessels) I80.0
- migrans, migrating (superficial) I82.1
- pelvic
 - - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see Abortion*
 - - - ectopic or molar pregnancy O08.0 2b
 - - puerperal, postpartum O87.1
- portal K75.1
- postoperative T81.7 2b
- pregnancy O22.9 2b
 - - deep O22.8
 - - superficial O22.2
- puerperal, postpartum, childbirth O87.9
 - - deep O87.1
 - - pelvic O87.1
 - - superficial O87.0
- retina H35.0 2a
- saphenous I80.0
- sinus (meninges) - *see Phlebitis, intracranial (venous) sinus*
- specified site NEC I80.8
- syphilitic A52.0† 2b I98.8*
- ulcerative I80.9 2a 2b
 - - leg I80.3 2b
 - - - deep (vessels) NEC I80.2
 - - - superficial (vessels) I80.0
- umbilicus I80.8
- uterus (septic) (*see also Endometritis*) N71.9 2b
- varicose (leg) (lower limb) I83.1
 - - with ulcer I83.2

Phleboliths I87.8 2b

Phlebosclerosis I87.8 2b

Phlebothrombosis (*see also Thrombosis*) I82.9 2a 2b

- antepartum, deep O22.3
- deep vein I80.2
- pregnancy, deep O22.3
- puerperal, deep O87.1

Phlegmasia

- alba dolens O87.1
- - nonpuerperal I80.1
- cerulea dolens I80.2

Phlegmon - *see Abscess*

Phlegmonous - *see condition*

Phlyctenulosis (allergic) (keratoconjunctivitis) (nontuberculous) H16.2

- cornea H16.2
- tuberculous A18.5† H19.2*

Phobia, phobic F40.9

- animal F40.2
- examination F40.2
- reaction F40.9
- simple F40.2
- social F40.1
- specific (isolated) F40.2

- specified NEC F40.8

- state F40.9

Phocas' disease N60.1

Phocomelia Q73.1

- lower limb Q72.1

- upper limb Q71.1

Phoria H50.5

Phosphate-losing tubular disorder N25.0

Phosphatemia E83.3

Phosphaturia E83.3

Photodermatitis (sun) L56.8

- chronic L57.8

- due to drug L56.8

- light other than sun L59.8

Photokeratitis H16.1

Photophobia H53.1

Photophthalmia H16.1

Photopsia H53.1

Photoretinitis H31.0

Photosensitivity, photosensitization of skin (sun) L56.8

- light other than sun L59.8

Phrenitis - *see* Encephalitis

Phrynodерма (vitamin A deficiency) E50.8† L86* 2b

Phthiriasis (pubis) B85.3

- with any infestation classifiable to B85.0-B85.2 B85.4

- eyelid B85.3† H03.0*

Phthirus infestation - *see* Phthiriasis

Phthisis (*see also* Tuberculosis) A16.9 2a 2b

- bulbi (infectious) H44.5

- eyeball (due to infection) H44.5

Phycomycosis - *see* Zygomycosis

Physalopteriasis B81.8

Physical therapy NEC Z50.1(1211)

Phytobezoar T18.9

- intestine T18.3

- stomach T18.2

Pian (*see also* Yaws) A66.9

Pianoma A66.1

Pica F50.8

- in adults F50.8

- infant or child F98.3

Picking, nose F98.8

Pick-Niemann disease E75.2 2b

Pick's

- disease or syndrome (brain) G31.0

- - dementia in G31.0† F02.0*

- tubular adenoma (M8640/0)

- - specified site - *see* Neoplasm, benign

- - unspecified site

- - - female D27

- - - male D29.2

Pickwickian syndrome E66.2

Piebaldism E70.3 2b

Piedra B36.8

- black B36.3

- white B36.2

Pierre Robin deformity or syndrome Q87.0

Pierson's disease or osteochondrosis M91.0

Pig-bel A05.2

Pigeon

- breast or chest (acquired) M95.4

- - congenital Q67.7

- - rachitic (late effect) E64.3 2a 2b

- breeder's disease or lung J67.2

- fancier's disease or lung J67.2

- toe M20.5

Pigmentation (abnormal) L81.9

- conjunctiva H11.1
- cornea H18.0
- diminished melanin formation NEC L81.6
- excessive - *see* Hyperpigmentation
- iron L81.8 2b
- lids, congenital Q82.8 2b
- limbus corneae H18.0
- metals L81.8 2b
- optic papilla, congenital Q14.2
- retina, congenital (grouped) (nevroid) Q14.1
- scrotum, congenital Q82.8 2b
- tattoo L81.8 2b

Piles - *see* Hemorrhoids

Pili

- annulati or torti (congenital) Q84.1
- incarnati L73.1

Pill-roller hand (intrinsic) (*see also* Parkinsonism) G20 2a 2b

Pilomatrixoma (M8110/0) - *see* Neoplasm,skin, benign

- malignant (M8110/3) - *see* Neoplasm, skin, malignant

Pilonidal - *see condition*

Pimple R23.8 2b

Pinched nerve - *see* Neuropathy, entrapment

Pindborg tumor (M9340/0) D16.5

- upper jaw (bone) (M9340/0) D16.4

Pineal body or gland - *see condition*

Pinealoblastoma (M9362/3) C75.3

Pinealoma (M9360/1) D44.5

Pineoblastoma (M9362/3) C75.3

Pineocytoma (M9361/1) D44.5

Pinguecula H11.1

Pinhole meatus (*see also* Stricture, urethra) N35.9 2b

Pink

- disease T56.1

- eye H10.0

Pinkus' disease (lichen nitidus) L44.1

Pinpoint

- meatus (*see also* Stricture, urethra) N35.9 2b
- os (uteri) (*see also* Stricture, cervix) N88.2

Pins and needles R20.2

Pinta A67.9

- cardiovascular lesions A67.2† I98.1*
- chancre (primary) A67.0
- erythematous plaques A67.1
- hyperchromic lesions A67.1
- hyperkeratosis A67.1
- lesions A67.9
 - - cardiovascular A67.2† I98.1*
 - - hyperchromic A67.1
 - - intermediate A67.1
 - - late A67.2
 - - mixed A67.3
 - - primary A67.0
 - - skin (achromic) (cicatricial) (dyschromic) A67.2
 - - - hyperchromic A67.1
 - - - mixed (achromic and hyperchromic) A67.3
 - - papule (primary) A67.0
 - - skin lesions (achromic) (cicatricial) (dyschromic) A67.2
 - - - hyperchromic A67.1
 - - - mixed (achromic and hyperchromic) A67.3
 - - vitiligo A67.2

Pintids A67.1

Pinworm (disease) (infection) (infestation) B80

Piroplasmosis B60.0

Pistol wound - *see* Gunshot wound

Pithecid pelvis Q74.2

- with disproportion (fetopelvic) O33.0

- - affecting fetus or newborn P03.1

- - causing obstructed labor O65.0

Pithiatism F48.8

Pitted - *see* Edema

Pitting (*see also* Edema) R60.9 2b

- lip R60.0 2b

- nail L60.8

Pituitary gland - *see condition*

Pituitary-snuff-taker's disease J67.8

Pityriasis (capitis) L21.0

- alba L30.5

- circinata L42

- furfuracea L21.0

- Hebra's L26

- lichenoides L41.0

- - chronica L41.1

- - et varioliformis (acuta) L41.0

- maculata L30.5

- nigra B36.1

- rosea L42

- rotunda L44.8 2b

- rubra pilaris L44.0

- simplex L30.5

- versicolor B36.0

Placenta, placental (*see also condition*)

- ablatio (*see also* Abruptio placentae) O45.9 2b

- - affecting fetus or newborn P02.1 2a

- abnormal, abnormality NEC O43.1

- - with hemorrhage O46.8

- - - affecting fetus or newborn P02.1 2a

- - - antepartum NEC O46.8

- - - intrapartum O67.8

- - - affecting fetus or newborn P02.2

- abruptio (*see also* Abruptio placentae) O45.9 2b

- - affecting fetus or newborn P02.1 2a

- accreta O43.2

- - affecting fetus or newborn P02.2

- adherent (morbidly) O43.2

- battledore O43.1

- bipartita O43.1

- circumvallata O43.1

- cyst (amniotic) O43.1

- - affecting fetus or newborn P02.2

- deficiency - *see* Placenta, insufficiency

- detachment (partial) (premature) (with hemorrhage) (*see also* Abruptio placentae) O45.9 2b

- dimidiata O43.1

- disease NEC O43.9

- - affecting fetus or newborn P02.2

- duplex O43.1

- dysfunction O43.8 2b

- - affecting fetus or newborn P02.2

- enlarged P02.2

- fenestrata O43.1

- fibrosis O43.8 2b

- hematoma O43.8 2b

- hemorrhage O46.8

- - abruptio placentae (*see also* Abruptio placentae) O45.9 2b

- - placenta previa O44.1

- hyperplasia O43.8 2b

- immature P02.2

- implantation, insertion (abnormal) (poor)

- - affecting fetus or newborn P02.2

- - low - *see* Placenta, previa
- increta O43.2
- - affecting fetus or newborn P02.2
- infarction O43.8 2b
- - affecting fetus or newborn P02.2
- insertion, vicious (*see also* Placenta, previa) O44.1
- insufficiency
- - affecting fetus or newborn P02.2
- - affecting management of pregnancy O36.5
- lateral (*see also* Placenta, previa) O44.1
- low implantation or insertion (with hemorrhage) O44.1
- low-lying (*see also* Placenta, previa) O44.1
- malformation O43.1
- malposition (*see also* Placenta, previa) O44.1
- marginal (hemorrhage) (rupture) O44.1
- - affecting fetus or newborn P02.0
- membranacea O43.1
- morbidly adherent O43.2
- multilobed O43.1
- multipartita O43.1
- necrosis O43.8 2b
- percreta O43.2
- - affecting fetus or newborn P02.2
- polyp O90.8 2b
- - affecting fetus or newborn P02.2
- preterm P02.2
- previa (central) (complete) (marginal) (partial) (total) (with hemorrhage) O44.1
- - affecting fetus or newborn P02.0
- - without hemorrhage O44.0
- retention (with postpartum hemorrhage) O72.0
- - fragments, complicating puerperium (delayed hemorrhage) O72.2
- - - without hemorrhage O73.1
- - without hemorrhage O73.0
- separation (normally implanted) (partial) (premature) (with hemorrhage) (*see also* Abruptio placentae) O45.9 2b
- septuplex O43.1
- small - *see* Placenta, insufficiency
- softening (premature) O43.8 2b
- spuria O43.1
- succenturiata O43.1
- syphilitic O98.1
- transmission of chemical substance - *see* Absorption, chemical, through placenta
- trapped (with postpartum hemorrhage) O72.0
- - without hemorrhage O73.0
- tripartita, triplex O43.1
- varicose vessels O43.8 2b

Placentitis

- affecting fetus or newborn P02.7
- complicating pregnancy O41.1

Plagiocephaly Q67.3

Plague A20.9

- abortive A20.8
- ambulatory A20.8
- asymptomatic A20.8
- bubonic A20.0
- cellulocutaneous A20.1
- cutaneobubonic A20.1
- meningitis A20.3† 2b G01* 2b
- pharyngeal A20.8
- pneumonic (primary) (secondary) A20.2
- pulmonary, pulmonic A20.2
- septicemic A20.7
- tonsillar A20.8

Plaque(s)

- artery, arterial - *see* Arteriosclerosis
- calcareous - *see* Calcification

- epicardial I31.8
- - rheumatic I09.2 2b
- - - active or acute I01.0 2a 2b
- erythematous, of pinta A67.1
- Hollenhorst's H34.2
- pleural (without asbestos) J92.9
- - with asbestos J92.0
- tongue K13.2

Plasmacytoma (extramedullary) (solitary)(M9731/3) C90.2

Plasmacytosis D72.8 2b

Plaster ulcer (*see also* Decubitus) L89.9

- stage
- - I L89.0
- - II L89.1
- - III L89.2
- - IV L89.3

Platybasia Q75.8 2b

Platonychia (congenital) Q84.6

- acquired L60.8

Platypeloid pelvis M95.5

- with disproportion (fetopelvic) O33.0
- - affecting fetus or newborn P03.1
- - causing obstructed labor O65.0
- congenital Q74.2

Platyspondylisis Q76.4

Plaut(-Vincent) infection - *see* Vincent's,infection

Pleura, pleural - *see condition*

Pleuralgia R07.3

Pleurisy (acute) (adhesive) (chronic) (double) (dry) (fibrinous) (subacute) R09.1

- with
- - effusion J90 2b
- - - chylous, chyliform J94.0
- - - influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- - - tuberculous NEC (non-primary) A16.5 2a 2b
- - - - primary (progressive) A16.7 2a 2b
- - influenza, flu, or grippe (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- - tuberculosis - *see* Pleurisy, tuberculous (non-primary)
- encysted (*see also* Pleurisy, with effusion) J90 2b
- exudative (*see also* Pleurisy, with effusion) J90 2b
- fibrinopurulent, fibropurulent (*see also* Pyothorax) J86.9
- hemorrhagic (*see* Hemothorax)
- influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- pneumococcal J90 2b
- purulent (*see also* Pyothorax) J86.9
- septic J86.9
- serofibrinous (*see also* Pleurisy, with effusion) J90 2b
- seropurulent (*see also* Pyothorax) J86.9
- serous (*see also* Pleurisy, with effusion) J90 2b
- staphylococcal J90 2b
- streptococcal J90 2b
- suppurative (*see also* Pyothorax) J86.9
- traumatic (current) (post) S27.6
- tuberculous (with effusion) (non-primary) A16.5 2a 2b
- - primary (progressive) A16.7 2a 2b

Pleuritis (granulomatous) (sicca) - *see* Pleurisy R09.1

Pleurodynia R07.3

- epidemic B33.0 2a

Pleuropericarditis (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b

- - active or acute I01.0 2a 2b

Pleuropneumonia (acute) (bilateral) (double) (septic) (*see also* Pneumonia) J18.8

- chronic (*see also* Fibrosis, lung) J84.1 2a 2b

Pleuro-pneumonia-like-organism (PPLO) - *see* Infection, pleuro-pneumonia-like-organism (PPLO)

Pleurorrhea (*see also* Pleurisy, with, effusion) J90 2b

Plica, tonsil J35.8

Plicated tongue K14.5

Plug, plugged

- bronchus NEC J98.0
- meconium (newborn), syndrome P76.0
- mucus (*see also* Asphyxia, mucus) T17.9 2b
- tracheostomy tube J95.0

Plumbism T56.0

Plummer's disease E05.2

Plummer-Vinson syndrome D50.1

Pluricarential syndrome of infancy E40

Plus (and minus) hand (intrinsic) M21.8

Pneumathemia - *see* Air, embolism, by type

Pneumatic hammer (drill) syndrome T75.2 2b

Pneumatocele J98.4 2a 2b

- intracranial G93.8 2b
- newborn P28.8

Pneumatosis

- cystoides intestinalis K63.8
- intestinalis K63.8
- peritonei K66.8

Pneumaturia R39.8 2b

Pneumoatectasis J98.1 2b

Pneumoblastoma (M8972/3) - *see* Neoplasm, lung, malignant

Pneumocephalus G93.8 2b

Pneumococcus, pneumococcal - *see condition*

Pneumoconiosis NEC (due to) (inhalation of) J64 2a 2b

- with tuberculosis (any type in A15-A16) J65 2a 2b
- aluminum J63.0
- asbestos J61
- bagasse, bagassosis J67.1
- bauxite J63.1
- beryllium J63.2
- coalworker's (simple) J60 2a 2b
- collier's J60 2a 2b
- cotton dust J66.0
- diatomite (diatomaceous earth) J62.8
- dust
 - - coal J60 2a 2b
 - - inorganic NEC J63.8
 - - lime J62.8
 - - marble J62.8
 - - organic NEC J66.8
- graphite J63.3
- grinder's J62.8
- kaolin J62.8
- mica J62.8
- millstone maker's J62.8
- mineral fibers NEC J61
- miner's J60 2a 2b
- moldy hay J67.0
- potter's J62.8
- rheumatoid M05.1† J99.0*
- sandblaster's J62.8
- silica, silicate NEC J62.8
- - with carbon J60 2a 2b
- stonemason's J62.8
- talc (dust) J62.0

Pneumocystosis B59† J17.3*

- resulting from HIV disease B20.6

Pneumohemopericardium I31.2

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Pneumohemothorax - *see also* Hemothorax J94.2

- traumatic S27.2

Pneumohydropericardium (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Pneumohydrothorax (*see also* Hydrothorax) J94.8

Pneumomediastinum J98.2 2b

- congenital or perinatal P25.2
- newborn P25.2
- traumatic S27.8 2a

Pneumomycosis NEC B49† J99.8*

Pneumonia (acute) (community acquired) (double) (health care associated (HCAP) (hemorrhagic) (lobe) (migratory)(nosocomial) (obstructive) (post obstructive) (primary) (purulent) (septic) (unresolved) (*see also*

Pneumonitis) J18.9 2a 2b

- with
 - - influenza, flu, or grippe (specific virus not identified) J11.0
 - - - seasonal influenza virus identified J10.0
 - - - zoonotic or pandemic influenza virus J09 2a
 - - lung abscess J85.1
 - - - due to specified organism - *see* Pneumonia, in (due to)
- adenoviral J12.0
- - newborn P23.0
- adynamic J18.2 2a 2b
- - newborn P23.9
- alba (early congenital syphilitic) A50.0† 2a 2b J17.0*
- allergic (eosinophilic) J82
- alveolar - *see* Pneumonia, lobar
- anthrax A22.1† 2b J17.0*
- apex, apical - *see* Pneumonia, lobar
- *Ascaris* B77.8† J17.3*
- aspiration J69.0 2a 2b
- - bacterial J15.9
- - - newborn P23.6
- - chronic J69.0 2a 2b
- - due to
 - - - aspiration of micro-organisms J18.9 2a 2b
 - - - bacterial J15.9
 - - - - newborn P23.6
 - - - - specified type NEC J15.8
 - - - - newborn P23.6
 - - - - newborn P24.9
 - - - - specified organism NEC J16.8 2a
 - - - - newborn P23.8
 - - - - viral J12.9 2a 2b
 - - - - newborn P23.0
 - - - - specified type NEC J12.8 2a 2b
 - - - - newborn P23.0
 - - - bacterial organisms - *see* Category J15-
 - - - - newborn P23.6
 - - - food (regurgitated), milk, vomit J69.0 2a 2b
 - - - gastric secretions J69.0 2a 2b
 - - - oils, essences J69.1
 - - - solids, liquids NEC J69.8 2a 2b
 - - massive J69.0 2a 2b
 - - newborn P24.9
 - - - meconium P24.0
 - atypical NEC J18.9 2a 2b
 - - newborn P23.9
 - atypical, virus J12.8 2a 2b
 - - newborn P23.0
 - B (*see also* Pneumonia, bacterial) J15.9
 - - newborn P23.6
 - bacillus J15.9
 - - newborn P23.6
 - - specified NEC J15.8
 - - - newborn P23.6
 - bacterial J15.9
 - - newborn P23.6

- - specified NEC J15.8
- - - newborn P23.6
- bacterium anitratum J15.8
- - newborn P23.6
- basal, basic, basilar - *see* Pneumonia, lobar
- broncho, bronchial (confluent) (croupous) (diffuse) (disseminated) (involving lobes) (lobar) (*see also* Pneumonia) J18.0 2a 2b
- - with influenza (*see also* Pneumonia, with, influenza) J11.0
- - allergic (eosinophilic) J82
- - aspiration (*see also* Pneumonia, aspiration) J69.0 2a 2b
- - bacterial J15.9
- - - newborn P23.6
- - - specified NEC J15.8
- - - - newborn P23.6
- - chronic J98.4 2a 2b
- - Eaton's agent J15.7
- - - newborn P23.6
- - *Escherichia coli* (*E. coli*) J15.5
- - - newborn P23.4
- - Friedländer's bacillus J15.0 2b
- - - newborn P23.6
- - *Haemophilus influenzae* J14 2b
- - - newborn P23.6
- - hypostatic J18.2 2a 2b
- - - newborn P23.9
- - influenzal (*see also* Pneumonia, with, influenza) J11.0
- - inhalation (*see also* Pneumonia, aspiration) J69.0 2a 2b
- - - due to fumes or vapors (chemical) J68.0 2b
- - - of oils or essences J69.1
- - *Klebsiella (pneumoniae)* J15.0 2b
- - - newborn P23.6
- - lipid, lipoid J69.1
- - - endogenous J84.8
- - *Mycoplasma (pneumoniae)* J15.7
- - - newborn P23.6
- - necrotic J85.0 2a 2b
- - newborn P23.9
- - pleuro-pneumonia-like-organisms (PPLO) J15.7
- - - newborn P23.6
- - pneumococcal J13 2a 2b
- - - newborn P23.6
- - *Proteus* J15.6
- - - newborn P23.6
- - *Pseudomonas* J15.1 2a
- - - newborn P23.5
- - specified organism NEC J16.8 2a
- - - newborn P23.8
- - staphylococcal J15.2 2a 2b
- - - newborn P23.2
- - streptococcal NEC J15.4 2b
- - - newborn P23.6
- - viral, virus (*see also* Pneumonia, viral) J12.9 2a 2b
- - - newborn P23.0
- bronchostatic J18.2 2a 2b
- - newborn P23.9
- *Burkholderia cepacia* J15.6
- - newborn P23.6
- *Candida* B37.1† 2b J17.2*
- caseous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
- catarrhal (*see also* Pneumonia, broncho) J18.0 2a 2b
- - newborn P23.9
- central - *see* Pneumonia, lobar
- chemical J68.0 2b
- - due to
- - - disease condition J69.0 2a 2b
- chlamydial J16.0

- - congenital P23.1
- - newborn P23.1
- cholesterol J84.8
- chronic NEC (any J12.0-J16.8, J18.0- J18.9 2a 2b) J98.4 2a 2b
- cirrhotic (chronic) (*see also* Fibrosis, lung) J84.1 2a 2b
- confluent - *see* Pneumonia, broncho
- congenital (infective) P23.9
- - due to
 - - - bacterium NEC P23.6
 - - - *Candida* P37.5
 - - - *Chlamydia* P23.1
 - - - *Escherichia coli* P23.4
 - - - *Haemophilus influenzae* P23.6
 - - - infective organism NEC P23.8
 - - - *Klebsiella pneumoniae* P23.6
 - - - *Mycoplasma* P23.6
 - - - *Pseudomonas* P23.5
 - - - *staphylococcus* P23.2
 - - - streptococcus (except group B) P23.6
 - - - group B P23.3
 - - - viral agent P23.0
- - specified NEC P23.8
- consolidating J18.1 2a 2b
- - newborn P23.9
- *cryptosporidium* A07.2
- cytomegaloviral B25.0† 2a 2b J17.1* 2a
- deglutition (*see also* Pneumonia, aspiration) J69.0 2a 2b
- diffuse - *see* Pneumonia, broncho
- - interstitial J84.90 2a 2b
- - - newborn P28.8
- disseminated (focal) - *see* Pneumonia, broncho
- due to
 - - aspiration of micro-organisms - *see* Pneumonia, aspiration, due to aspiration of micro-organisms
- Eaton's agent J15.7
- - newborn P23.6
- embolic, embolism (*see also* Embolism, pulmonary) I26.9 2a 2b
- *Enterobacter* J15.6
- - newborn P23.6
- enterococcus, enterococcal J15.4 2b
- - newborn P23.6
- eosinophilic J82
- *Escherichia coli* (*E. coli*) J15.5
- - newborn P23.4
- fibroid, fibrous (chronic) (*see also* Fibrosis, lung) J84.1 2a 2b
- Friedländer's bacillus J15.0 2b
- - newborn P23.6
- fungal B49
- gangrenous J85.0 2a 2b
- giant cell (measles) B05.2† J17.1* 2a
- gonococcal A54.8† 2b J17.0*
- gram-negative NEC J15.9
- - newborn P23.6
- gram-positive NEC J15.9
- - newborn P23.6
- grippal (*see also* Pneumonia, with, influenza) J11.0
- *Haemophilus influenzae* (broncho) (lobar) J14 2b
- - newborn P23.6
- *Herellea* J15.8
- - newborn P23.6
- herpes, herpetic B00.8
- hypostatic (broncho) (lobar) J18.2 2a 2b
- - newborn P23.9
- in (due to)
 - - actinomycosis A42.0† J17.0*
- - adenovirus J12.0

- - - newborn P23.0
- - anthrax A22.1† 2b J17.0*
- - ascariasis B77.8† J17.3*
- - aspergillosis B44† J17.2*
- - *Bacillus anthracis* A22.1† 2b J17.0*
- - candidiasis B37.1† 2b J17.2*
- - chickenpox B01.2† J17.1* 2a
- - *Chlamydia* J16.0
- - - neonatal P23.1
- - coccidioidomycosis B38.2† J17.2*
- - - acute B38.0† J17.2*
- - - chronic B38.1† J17.2*
- - cytomegalovirus disease B25.0† 2a 2b J17.1* 2a
- - Eaton's agent J15.7
- - - newborn P23.6
- - *Enterobacter* J15.6
- - - newborn P23.6
- - *Escherichia coli* (*E. coli*) J15.5
- - - newborn P23.4
- - Friedländer's bacillus J15.0 2b
- - - newborn P23.6
- - fumes and vapors (chemical) (inhalation) J68.0 2b
- - gonorrhea A54.8† 2b J17.0*
- - *Haemophilus influenzae* (*H. influenzae*) J14 2b
- - - newborn P23.6
- - histoplasmosis B39.2† J17.2*
- - - acute B39.0† J17.2*
- - - chronic B39.1† J17.2*
- - human metapneumovirus J12.3
- - influenza (see also Pneumonia, with, influenza) J11.0
- - *Klebsiella (pneumoniae)* J15.0 2b
- - - newborn P23.6
- - measles B05.2† J17.1* 2a
- - *Mycoplasma (pneumoniae)* J15.7
- - - newborn P23.6
- - nocardiosis, nocardiosis A43.0† J17.0*
- - ornithosis A70† 2a J17.8*
- - parainfluenza virus J12.2
- - - newborn P23.0
- - pleuro-pneumonia-like-organism (PPLO) J15.7
- - - newborn P23.6
- - pneumococcus J13 2a 2b
- - - newborn P23.6
- - pneumocystosis (*Pneumocystis carinii*) (*Pneumocystis jirovecii*) B59† J17.3*
- - - resulting from HIV disease B20.6
- - *Proteus* J15.6
- - - newborn P23.6
- - *Pseudomonas* NEC J15.1 2a
- - - newborn P23.5
- - - *pseudomallei* A24.1
- - psittacosis A70† 2a J17.8*
- - Q fever A78† 2a J17.8*
- - respiratory syncytial virus J12.1
- - - newborn P23.0
- - rheumatic fever I00† 2a 2b J17.8*
- - rubella B06.8† J17.1* 2a
- - *Salmonella* (infection) A02.2† 2b J17.0*
- - - *typhi* A01.0† J17.0*
- - schistosomiasis B65† 2a J17.3*
- - septicemia A41† 2a 2b J17.0*
- - - newborn P36.9
- - *Serratia marcescens* J15.6
- - - newborn P23.6
- - specified
- - - bacterium NEC J15.8

- - - newborn P23.6
- - - organism NEC J16.8 2a
- - - newborn P23.8
- - *Spirochaeta* NEC A69.8† J17.8*
- - staphylococcus J15.2 2a 2b
- - - newborn P23.2
- - *Streptococcus* J15.4 2b
- - group B J15.3
- - - newborn P23.3
- - - newborn P23.6
- - - *pneumoniae* J13 2a 2b
- - - newborn P23.6
- - - specified NEC J15.4 2b
- - - newborn P23.6
- - toxoplasmosis B58.3† J17.3*
- - tularemia A21.2† J17.0*
- - typhoid fever A01.0† J17.0*
- - varicella B01.2† J17.1* 2a
- - virus (*see also* Pneumonia, viral) J12.9 2a 2b
- - whooping cough A37† 2a J17.0*
- - *Yersinia pestis* A20.2
- - influenzal (*see also* Pneumonia, with, influenza) J11.0
- - virus identified (Type A) (Hong Kong) J10.0
- - inhalation of food or vomit (*see also* Pneumonia, aspiration) J69.0 2a 2b
- - interstitial J84.90 2a 2b
- - diffuse J84.90 2a 2b
- - - chronic J98.4 2a 2b
- - - newborn P28.8
- - newborn P28.8
- - - chronic P27.8
- - plasma cell B59† J17.3*
- - *Klebsiella (pneumoniae)* J15.0 2b
- - newborn P23.6
- - lipid, lipoid (exogenous) J69.1
- - lobar (disseminated) (interstitial) (*see also* Pneumonia) J18.1 2a 2b
- - with influenza (*see also* Pneumonia, with, influenza) J11.0
- - bacterial J15.9
- - - newborn P23.6
- - - specified NEC J15.8
- - - - newborn P23.6
- - - chronic J98.4 2a 2b
- - *Escherichia coli (E. coli)* J15.5
- - - newborn P23.4
- - Friedländer's bacillus J15.0 2b
- - - newborn P23.6
- - *Haemophilus influenzae* J14 2b
- - - newborn P23.6
- - influenzal (*see also* Pneumonia, with, influenza) J11.0
- - *Klebsiella (pneumoniae)* J15.0 2b
- - - newborn P23.6
- - necrotic J85.0 2a 2b
- - newborn P23.9
- - pneumococcal J13 2a 2b
- - - newborn P23.6
- - *Proteus* J15.6
- - - newborn P23.6
- - *Pseudomonas* J15.1 2a
- - - newborn P23.5
- - specified organism NEC J16.8 2a
- - - newborn P23.8
- - staphylococcal J15.2 2a 2b
- - - newborn P23.2
- - streptococcal NEC J15.4 2b
- - - newborn P23.6
- - *Streptococcus pneumoniae* J13 2a 2b

- - - newborn P23.6
- - viral, virus (*see also* Pneumonia, viral) J12.9 2a 2b
- lobular - *see* Pneumonia, broncho
- Löffler's J82
- lupus M32.1 2a 2b
- lymphocytic, lymphoid (chronic) J84.1 2a 2b
- massive - *see* Pneumonia, lobar
- meconium P24.0
- metapneumovirus (human) J12.8 2a 2b
- metastatic A41-
- - newborn P36.9
- MRSA (methicillin resistant *Staphylococcus aureus*) J15.2 2a 2b
- - newborn P23.2
- *Mycobacterium*, mycobacterial (avium) (chronic) (intracellulare) A31.0
- *Mycoplasma (pneumoniae)* J15.7
- - newborn P23.6
- mycotic B49
- necrotic, necrotizing J85.0 2a 2b
- - pneumonia classified to J12.0-J16.8 - *code to* specified pneumonia
- neonatal NEC (*see also* Pneumonia, congenital) P23.9
- - aspiration P24.9
- orthostatic J18.2 2a 2b
- - newborn P23.9
- parainfluenza virus J12.2
- - newborn P23.0
- parenchymatous (*see also* Fibrosis, lung) J84.1 2a 2b
- patchy - *see* Pneumonia, broncho
- plasma cell (of infants) B59† J17.3*
- pleurolobar - *see* Pneumonia, lobar
- pleuro-pneumonia-like-organism (PPLO) J15.7
- - newborn P23.6
- pneumococcal (broncho) (lobar) J13 2a 2b
- - newborn P23.6
- *Pneumocystis (carinii) (jirovecii)* B59† J17.3*
- - resulting from HIV disease B20.6
- postinfectional NEC B99† 2a 2b J17.8*
- postmeasles B05.2† J17.1* 2a
- postural J18.2 2a 2b
- - newborn P23.9
- *Proteus* J15.6
- - newborn P23.6
- *Pseudomonas* J15.1 2a
- - newborn P23.5
- psittacosis A70† 2a J17.8*
- radiation J70.0 2b
- respiratory syncytial virus J12.1
- - newborn P23.0
- resulting from a procedure J95.8 2b
- rheumatic I00† 2a 2b J17.8*
- rheumatoid M05.1
- *S. pneumoniae* J13 2a 2b
- - newborn P23.6
- *Salmonella (arizonaee) (cholerae-suis) (enteritidis) (typhimurium)* A02.2† 2b J17.0*
- - *typhi* A01.0† J17.0*
- *Serratia marcescens* J15.6
- - newborn P23.6
- specified NEC J18.8
- - bacterium NEC J15.8
- - - newborn P23.6
- - newborn P23.9
- - organism NEC J16.8 2a
- - - newborn P23.8
- - virus NEC J12.8 2a 2b
- - - newborn P23.0
- spirochetal NEC A69.8† J17.8*

- staphylococcal (broncho) (lobar) J15.2 2a 2b
- - newborn P23.2
- static, stasis J18.2 2a 2b
- - newborn P23.9
- streptococcal NEC (broncho) (lobar) J15.4 2b
- - group B J15.3
- - - newborn P23.3
- - newborn P23.6
- *Streptococcus pneumoniae* J13 2a 2b
- - newborn P23.6
- syphilitic, congenital (early) A50.0† 2a 2b J17.0*
- traumatic (complication) (early) (secondary) T79.8
- tuberculous (any) (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
- tularemia A21.2† J17.0*
- viral, virus (broncho) (interstitial) (lobar) J12.9 2a 2b
- - with influenza, flu, or gripppe (*see also* Pneumonia, with, influenza) J11.0
- - adenoviral J12.0
- - - newborn P23.0
- - congenital P23.0
- - newborn P23.0
- - parainfluenza J12.2
- - - newborn P23.0
- - respiratory syncytial J12.1
- - - newborn P23.0
- - specified NEC J12.8 2a 2b
- - - newborn P23.0
- white (congenital) A50.0† 2a 2b J17.0*

Pneumonic - *see condition*

Pneumonitis (acute) (primary) (*see also* Pneumonia) J18.9 2a 2b

- air-conditioner J67.7
- allergic (due to) J67.9
- - organic dust NEC J67.8
- - red cedar dust J67.8
- - sequoiosis J67.8
- - wood dust J67.8
- aspiration J69.0 2a 2b
- - due to anesthesia J95.4
- - - during
 - - - - labor and delivery O74.0
 - - - - pregnancy O29.0
 - - - - puerperium O89.0
- chemical, due to gases, fumes or vapors (inhalation) J68.0 2b
- - due to anesthesia - *see* Pneumonitis, aspiration, due to anesthesia
- cholesterol J84.8
- due to
 - - beryllium J68.0 2b
 - - cadmium J68.0 2b
 - - detergent J69.8 2a 2b
 - - fluorocarbon-polymer J68.0 2b
 - - food, vomit (aspiration) J69.0 2a 2b
 - - gases, fumes or vapors (inhalation) J68.0 2b
 - - inhalation
 - - - blood J69.8 2a 2b
 - - - essences J69.1
 - - - food (regurgitated), milk, vomit J69.0 2a 2b
 - - - oils, essences J69.1
 - - - toxoplasmosis (acquired) B58.3† J17.3*
 - - - congenital P37.1† J17.3*
 - - vanadium J68.0 2b
 - - eosinophilic J82
 - hypersensitivity (*see also* Pneumonitis, allergic) J67.9
 - lymphoid, interstitial, resulting from HIV disease B22.1
 - meconium P24.0
 - neonatal aspiration P24.9
 - postanesthetic

- - correct substance properly administered J95.8 2b
- - in labor and delivery O74.0
- - in pregnancy O29.0
- - overdose or wrong substance given T41.2
- - - specified anesthetic - *see* Table of drugs and chemicals
- - postpartum, puerperal O89.0
- postoperative J95.8 2b
- radiation J70.0 2b
- rubella, congenital P35.0 2a 2b
- ventilation (air-conditioning) J67.7

Pneumoconiosis - *see* Pneumoconiosis

Pneumopathy NEC J98.4 2a 2b

- alveolar J84.0
- due to organic dust NEC J66.8
- newborn P28.9
- parietoalveolar J84.0

Pneumopericarditis (*see also* Pericarditis) I31.9 2b

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Pneumopericardium (*see also* Pericarditis) I31.9 2b

- congenital P25.3
- fetus or newborn P25.3
- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b
- traumatic (post) S26.8 2a 2b

Pneumoperitoneum (idiopathic) K66.8

Pneumophagia (psychogenic) F45.3 2b

Pneumopleurisy, pneumopleuritis (*see also* Pneumonia) J18.8

Pneumopyopericardium I30.1

- rheumatic I09.2 2b
- - active or acute I01.0 2a 2b

Pneumopyothorax (*see also* Pyopneumothorax) J86.9

Pneumorrhagia (*see also* Hemorrhage, lung) R04.8 2a 2b

- tuberculous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b

Pneumosepsis (*see also* Septicemia) A41.9 2a 2b

Pneumothorax J93.9

- acute J93.8
- chronic J93.8
- congenital P25.1
- due to operative injury of chest wall or lung J95.8 2b
- - accidental puncture or laceration T81.2 2a 2b
- newborn P25.1
- perinatal period P25.1
- specified NEC J93.8
- spontaneous NEC J93.1
- - fetus or newborn P25.1
- - tension J93.0
- tension (any age) (spontaneous) J93.0
- - traumatic S27.0 2b
- traumatic S27.0 2b
- - with hemothorax S27.2
- tuberculous NEC (*see also* Tuberculosis, pulmonary) A16.2 2a 2b

Podagra M10.9 2a 2b

Podencephalus Q01.9

POEMS syndrome Q87.8 2b

Poikilocytosis R71

Poikiloderma L81.6

- Civatte's L57.3 2b
- congenital Q82.8 2b
- vasculare atrophicans L94.5 2b

Poikilodermatomyositis M33.1

Pointed ear (congenital) Q17.3

Poison ivy, oak, sumac or other plant dermatitis (allergic) (contact) L23.7

Poisoning (acute) (*see also* Table of drugs and chemicals) T65.9 2b

- bacterial toxins NEC A05.9

- berries, noxious T62.1
- botulism A05.1 2a 2b
- ciguatera fish T61.0
- *Clostridium botulinum* A05.1 2a 2b
- drug - see Table of drugs and chemicals
- epidemic, fish (noxious) (see also Poisoning, ichthyotoxicosis) T61.9
- - bacterial A05.9
- fava bean D55.0
- fish (noxious) (see also Poisoning, ichthyotoxicosis) T61.2
- - bacterial (see also Intoxication, foodborne, by agent) A05.9
- food (acute) (diseased) (infected) (noxious) NEC T62.9
- - bacterial (see also Intoxication, foodborne, by agent) A05.9
- - noxious or naturally toxic T62.9
- - - berries T62.1
- - - fish NEC T61.2
- - - - ciguatera T61.0
- - - - scombroid T61.1
- - - mushrooms T62.0
- - - plants NEC T62.2
- - - seafood T61.9
- - - - specified NEC T61.8
- - - - specified NEC T62.8
- ichthyotoxicosis T61.9
- - due to
- - - ciguatera T61.0
- - - fish NEC T61.2
- - - scombroid T61.1
- - - seafood T61.9
- - - - specified NEC T61.8
- - - shellfish NEC T61.2
- mushroom (noxious) T62.0
- mussels (noxious) T61.2
- - bacterial (see also Intoxication, foodborne, by agent) A05.9
- noxious foodstuffs T62.9
- - specified NEC T62.8
- plants, noxious T62.2
- ptomaine - see Poisoning, food
- *Salmonella (arizona)* (*cholerae-suis*) (*enteritidis*) (*typhimurium*) A02.9
- scombroid fish T61.1
- seafood (noxious) T61.9
- - bacterial (see also Intoxication, foodborne, by agent) A05.9
- - specified NEC T61.8
- - shellfish (noxious) T61.2
- - bacterial (see also Intoxication, foodborne, by agent) A05.9
- - staphylococcus, food A05.0
- toxic, from disease NEC R68.8 2a 2b
- uremic (see also Uremia) N19 2a 2b

Poker spine M45

Poland's syndrome Q79.8 2b

- active A80.3
- acute A80.3
- inferior G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b

Polioencephalitis (bulbar) B91 2a 2b

- active A80.9 2a
- acute A80.9 2a
- influenzal (specific virus not identified) J11.8† 2b G05.1*
- - seasonal influenza virus identified J10.8† 2b G05.1*
- - zoonotic or pandemic influenza virus J09† 2a G05.1*
- superior hemorrhagic (acute) (Wernicke's) E51.2† 2a 2b G32.8*
- Wernicke's E51.2† 2a 2b G32.8*

Polioencephalomyelitis (anterior) B91 2a 2b

- with beriberi E51.2† 2a 2b G32.8*

- active A80.9 2a
- acute A80.9 2a

Poliomeningoencephalitis - *see* Meningoencephalitis

Poliomyelitis (anterior) (epidemic) B91 2a 2b

- with paralysis (bulbar) (*see also* Poliomyelitis, paralytic) B91 2a 2b

- - active A80.3

- - acute A80.3

- abortive B91 2a 2b

- - active A80.4

- - acute A80.4

- active or acute A80.9 2a

- - with

- - - paralysis A80.3

- - - - bulbar A80.3

- - - abortive A80.4

- - - ascending A80.3

- - - progressive A80.3

- - - bulbar A80.3

- - - nonepidemic A80.9 2a

- - - nonparalytic A80.4

- - - posterior B02.2

- - - spinal A80.9 2a

- - ascending (progressive) (*see also* Poliomyelitis, paralytic) B91 2a 2b

- - active A80.3

- - acute A80.3

- - bulbar (paralytic) (*see also* Poliomyelitis, paralytic) B91 2a 2b

- - active A80.3

- - acute A80.3

- - chronic B91 2a 2b

- - congenital P35.8

- - deformities B91 2a 2b

- - nonepidemic B91 2a 2b

- - active A80.9 2a

- - acute A80.9 2a

- - nonparalytic B91 2a 2b

- - active A80.4

- - acute A80.4

- - old B91 2a 2b

- - paralytic B91 2a 2b

- - active A80.3

- - acute A80.3

- - vaccine-associated B91 2a 2b

- - - active A80.0

- - - acute A80.0

- - wild virus

- - - imported B91 2a 2b

- - - - active A80.1

- - - - acute A80.1

- - - indigenous B91 2a 2b

- - - - active A80.2

- - - - acute A80.2

- - residual B91 2a 2b

- - sequelae B91 2a 2b

- - spinal, acute A80.9 2a

- - syphilitic A52.1 2a 2b

Poliosis (eyebrow) (eyelashes) L67.1

- circumscripta, acquired L67.1

Pollakiuria R35 2b

- psychogenic F45.3 2b

Pollinosis J30.1

Polyadenitis (*see also* Adenitis) I88.9

- malignant A20.0

Polyangiitis M30.0 2b

- microscopic M31.7

- overlap syndrome M30.8

Polyarteritis (nodosa) M30.0 2b

- with lung involvement M30.1
- juvenile M30.2
- microscopic M31.7
- related condition NEC M30.8

Polyarthralgia M25.5

- psychogenic F45.4

Polyarthritis, polyarthropathy (*see also* Arthritis) M13.0

- due to or associated with other specified conditions - *see* Arthritis
- epidemic (Australian) (with exanthema) B33.1
- infective - *see* Arthritis, infectious
- inflammatory M06.4
- juvenile (chronic) (seronegative) M08.3
- migratory - *see* Fever, rheumatic
- rheumatic, acute - *see* Fever, rheumatic

Polyarthrosis M15.9 2b

- post-traumatic M15.3 2b
- primary M15.0
- secondary M15.3 2b
- specified NEC M15.8

Polycarential syndrome of infancy E40

Polychondritis (atrophic) (chronic) M94.8

- relapsing M94.1

Polychondrodystrophy

- congenital Q78.9

Polycoria Q13.2

Polycystic (disease)

- degeneration, kidney Q61.3
 - - autosomal dominant (adult type) Q61.2
 - - autosomal recessive (infantile type) Q61.1
 - - dysplastic Q61.4
 - kidney Q61.3
 - - adult (type), so stated Q61.2
 - - autosomal dominant (adult type) Q61.2
 - - autosomal recessive (infantile type) Q61.1
 - - infantile (type), so stated Q61.1
 - liver Q44.6 2a
 - lung J98.4 2a 2b
 - - congenital Q33.0
 - - newborn P28.8
 - ovary, ovaries E28.2

Polycythemia (primary) (rubra) (vera) (M9950/1) D45 2a 2b

- acquired D75.1 2a 2b
- benign (familial) D75.0
- due to
 - - erythropoietin D75.1 2a 2b
 - - fall in plasma volume D75.1 2a 2b
 - - high altitude D75.1 2a 2b
 - - stress D75.1 2a 2b
 - emotional D75.1 2a 2b
 - familial (benign) D75.0
 - hypertonica D75.1 2a 2b
 - hypoxemic D75.1 2a 2b
 - neonatorum P61.1
 - nephrogenous D75.1 2a 2b
 - relative D75.1 2a 2b
 - secondary D75.1 2a 2b

Polydactylism, polydactyly Q69.9

Polydipsia R63.1 2b

Polydystrophy, pseudo-Hurler E77.0

Polyembryoma (M9072/3) - *see* Neoplasm,malignant

Polyglandular

- deficiency E31.0
- dyscrasia E31.9
- dysfunction E31.9

Polyhydramnios O40

- affecting fetus or newborn P01.3

Polymastia Q83.1**Polymenorrhea** N92.0 2b**Polymyalgia** M35.3

- arteritica, giant cell M31.5

- rheumatica M35.3

- - with giant cell arteritis M31.5

Polymyositis (acute) (chronic) (hemorrhagic) M33.2

- with involvement of

- - lung M33.2† J99.1*

- - skin M33.9

- ossificans (generalisata) (progressiva) M61.1

Polyneuritis, polyneuritic (*see also* Polyneuropathy) G62.9 2a

- acute (post-)infective G61.0

- cranialis G52.7

- diabetic (*see also* E10-E14 with fourth character .4) E14.4† G63.2*

- diphtheritic A36.8† 2b G63.0*

- due to lack of vitamin NEC E56.9† 2b G63.4*

- endemic E51.1† G63.4*

- erythredema T56.1

- febrile, acute G61.0

- infective (acute) G61.0

- nutritional E63.9† 2a 2b G63.4*

- postinfective (acute) G61.0

- specified NEC G62.8

Polyneuropathy (peripheral) G62.9 2a

- alcoholic G62.1 2a 2b

- amyloid (Portuguese) E85.1† G63.3*

- arsenical G62.2 2b

- diabetic (*see also* E10-E14 with fourth character .4) E14.4† G63.2*

- drug-induced G62.0 2b

- Guillain-Barre G61.0

- hereditary G60.9

- - specified NEC G60.8 2a 2b

- idiopathic progressive G60.3

- in (due to)

- - alcohol G62.1 2a 2b

- - amyloidosis, familial (Portuguese) E85.1† G63.3*

- - antitetanus serum G61.1

- - arsenic G62.2 2b

- - avitaminosis NEC E56.9† 2b G63.4*

- - beriberi E51.1† G63.4*

- - collagen vascular disease NEC M35.9† 2a 2b G63.5*

- - deficiency of B vitamins E53.9† 2b G63.4*

- - diabetes (*see also* E10-E14 with fourth character .4) E14.4† G63.2*

- - diphtheria A36.8† 2b G63.0*

- - drug or medicament G62.0 2b

- - - overdose or wrong substance given or taken T50.9 2a 2b

- - - - specified drug - *see* Table of drugs and chemicals

- - endocrine disease NEC E34.9† 2b G63.3*

- - herpes zoster B02.2† G63.0*

- - hypoglycemia E16.2† 2b G63.3*

- - infectious

- - - disease NEC B99† 2a 2b G63.0*

- - - mononucleosis B27† 2a 2b G63.0*

- - - lack of vitamin NEC E56.9† 2b G63.4*

- - lead G62.2 2b

- - leprosy A30† 2a 2b G63.0*

- - Lyme disease A69.2† 2b G63.0*

- - malignant neoplasm NEC (M8000/3) (*see also* Neoplasm, malignant) C80† 2a 2b G63.1*

- - metabolic disease NEC E88.9† G63.3*

- - microscopic polyangiitis M31.7† G63.5*

- - mumps B26.8† 2b G63.0*

- - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G63.1*

- - nutritional deficiency NEC E63.9† 2a 2b G63.4*
- - organophosphate compounds G62.2 2b
- - parasitic disease NEC B89† 2a 2b G63.0*
- - pellagra E52† 2a 2b G63.4*
- - polyarteritis nodosa M30.0† 2b G63.5*
- - porphyria E80.2† 2a 2b G63.3*
- - radiation G62.8
- - rheumatoid arthritis M05.3† G63.6*
- - sarcoidosis D86.8† G63.8*
- - serum G61.1
- - syphilis (late) A52.1† 2a 2b G63.0*
- - - congenital A50.4† G63.0*
- - systemic
 - - - connective tissue disorder M35.9† 2a 2b G63.5*
 - - - lupus erythematosus M32.1† 2a 2b G63.5*
- - toxic agent NEC G62.2 2b
- - triorthocresyl phosphate G62.2 2b
- - tuberculosis A17.8† 2a 2b G63.0*
- - uremia † N18.5† **2b** G63.8*
- - vitamin B₁₂ deficiency E53.8† 2a 2b G63.4*
- - - with anemia (pernicious) D51.0† 2a 2b G63.4*
- - - - due to dietary deficiency D51.3† G63.4*
- - zoster B02.2† G63.0*
- inflammatory G61.9
- - demyelinating, chronic G61.8
- - specified NEC G61.8
- nutritional NEC E63.9† 2a 2b G63.4*
- postherpetic (zoster) B02.2† G63.0*
- radiation-induced G62.8
- sensory (hereditary) (idiopathic) G60.8 2a 2b
- specified NEC G62.8
- syphilitic (late) A52.1† 2a 2b G63.0*
- - congenital A50.4† G63.0*

Polyopia H53.8

Polyorchism, polyorchidism Q55.2

Polyostotic fibrous dysplasia Q78.1

Polyotia Q17.0

Polyp, polypus

Note - Polyps of organs or sites that do not appear in the list below should be coded to the residual category for diseases of the organ or site concerned.

- accessory sinus J33.8
- adenocarcinoma in (M8210/3) - *see* Neoplasm, malignant
- adenocarcinoma in situ in (M8210/2) - *see* Neoplasm, in situ
- adenoid tissue J33.0
- adenomatous (M8210/0) - *see also* Neoplasm, benign
- - adenocarcinoma in (M8210/3) - *see* Neoplasm, malignant
- - adenocarcinoma in situ in (M8210/2) - *see* Neoplasm, in situ
- - carcinoma in (M8210/3) - *see* Neoplasm, malignant
- - carcinoma in situ in (M8210/2) - *see* Neoplasm, in situ
- - multiple (M8221/0) - *see* Neoplasm, benign
- - - adenocarcinoma in (M8221/3) - *see* Neoplasm, malignant
- - - adenocarcinoma in situ in (M8221/2) - *see* Neoplasm, in situ
- antrum J33.8
- anus, anal (canal) K62.0
- bladder (M8120/1) D41.4
- carcinoma in (M8210/3) - *see* Neoplasm, malignant
- carcinoma in situ in (M8210/2) - *see* Neoplasm, in situ
- cervix (uteri) N84.1
- - in pregnancy or childbirth O34.4
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- - mucous N84.1
- choanal J33.0
- colon K63.5 2b
- - adenomatous (M8210/0) - *see* Polyp, Adenomatous

- - inflammatory K51.4
- corpus uteri N84.0
- dental K04.0
- duodenum K31.7
- ear (middle) H74.4
- endometrium N84.0
- ethmoidal (sinus) J33.8
- fallopian tube N84.8
- female genital tract N84.9
- - specified NEC N84.8
- frontal (sinus) J33.8
- gingiva, gum K06.8
- labium (majus) (minus) N84.3
- larynx (mucous) J38.1
- malignant (M8000/3) - *see* Neoplasm, malignant
- maxillary (sinus) J33.8
- middle ear H74.4
- nasal (mucous) J33.9
- - cavity J33.0
- nasopharyngeal J33.0
- nose (mucous) J33.9
- oviduct N84.8
- pharynx J39.2
- placenta O90.8 2b
- pudendum N84.3
- pulpal (dental) K04.0
- rectum (nonadenomatous) K62.1
- - adenomatous - *see* Polyp, adenomatous
- septum (nasal) J33.0
- sinus (accessory) (ethmoidal) (frontal) (maxillary) (sphenoidal) J33.8
- sphenoidal (sinus) J33.8
- stomach K31.7
- - adenomatous (M8210/0) - *see* Polyp, adenomatous
- tube, fallopian N84.8
- turbinate, mucous membrane J33.8
- umbilical, newborn P83.6
- ureter N28.8 2a 2b
- urethra N36.2
- uterus (body) (corpus) (mucous) N84.0
- - cervix N84.1
- - in pregnancy or childbirth O34.1
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- vagina N84.2
- vocal cord (mucous) J38.1
- vulva N84.3

Polyphagia R63.2 2a 2b

Polypliody Q92.7

Polypoid - *see condition*

Polyposis - *see also* Polyp

- colon (adenomatous) (M8220/0) D12.6
- - adenocarcinoma in (M8220/3) C18.9 2a 2b
- - carcinoma in (M8220/3) C18.9 2a 2b
- familial (M8220/0) D12.6
- intestinal (adenomatous) (M8220/0) D12.6
- - lymphomatous, malignant (M9677/3) C83.8
- multiple, adenomatous (M8221/0) (*see also* Neoplasm, benign) D36.9

Polyradiculitis (*see also* Polyneuropathy) G62.9 2a

Polyradiculoneuropathy (acute) (postinfective) G61.0

Polyradiculopathy G61.0

Polyserositis K65.8 2b

- paroxysmal (familial) E85.0
- periodic, familial E85.0
- recurrent (familial) E85.0
- tuberculous A19.9

- - acute A19.1
- - chronic A19.8

Polysplenia (syndrome) Q89.0

Polysyndactyly Q70.4

Polytrichia L68.3

Polyunguia Q84.6

Polyuria (nocturnal) R35 2b

- psychogenic F45.3 2b

Pompe's disease (glycogen storage) E74.0 2a 2b

Pompholyx L30.1

Poncet's disease (tuberculous arthritis) A18.0† 2a 2b M01.1*

Pond fracture S02.9 2a 2b

Ponos B55.0

Pons, pontine - *see condition*

Poor

- appetite R63.0 2a 2b
- blood flow
- - extremities I99 2a 2b
- circulation
- - myocardium I25.8 2a 2b
- - peripheral I99 2a 2b
- clearance of secretions - *see Retention, secretions*
- contractions, labor O62.2 2a 2b
- - affecting fetus or newborn P03.6
- eating (habits) R63.6
- - childhood F98.2
- fetal growth NEC P05.9
- - affecting management of pregnancy O36.5
- function - *see Hypofunction*
- gag reflex R19.8 2b
- nutrition E63.9 2a 2b
- personal hygiene R46.0
- prenatal care, affecting management of pregnancy Z35.3(1212)
- urinary stream R39.1 2b
- vision NEC H54.9

Popper's florid cirrhosis (alcoholic) K70.3 2a 2b

Poradenitis, nostras inguinalis or venerea A55

Porencephaly (congenital) (developmental) Q04.6 2b

- acquired G93.0

- nondevelopmental G93.0

Porocephaliasis B88.8 2b

Porokeratosis Q82.8 2b

Poroma, eccrine (M8402/0) - *see Neoplasm,skin, benign*

Porphyria (South African) (Swedish) E80.2 2a 2b

- acquired E80.2 2a 2b
- acute intermittent (hepatic) E80.2 2a 2b
- cutanea tarda (hereditary) (symptomatic) E80.1
- due to drugs
 - - correct substance properly administered E80.2 2a 2b
 - - overdose or wrong substance given or taken T50.9 2a 2b
 - - - specified drug - *see Table of drugs and chemicals*
- erythropoietic (congenital) (hereditary) E80.0
- hepatocutaneous type E80.1
- secondary E80.2 2a 2b
- toxic NEC E80.2 2a 2b
- variegata E80.2 2a 2b

Porphyrinuria, porphyruria - *see Porphyria*

Portal - *see condition*

Porter's syndrome (*see also* Pericarditis) I30.0

- rheumatic I09.2 2b

- - active or acute I01.0 2a 2b

Posada-Wernicke disease B38.7

Position

- fetus, abnormal (*see also* Presentation, fetal) O32.9
- teeth, faulty K07.3

Positive

- culture (for) (nonspecific)
- - nose R84.5
- - sputum R84.5
- - throat R84.5
- - virus
- - - AIDS R75 2a 2b
- - - HIV R75 2a 2b
- - wound R89.5
- serology (for)
- - syphilis A53.0
 - - - with signs or symptoms - *code as* Syphilis, by site and stage
- - false R76.2
- - virus
- - - AIDS R75 2a 2b
- - - HIV R75 2a 2b
- test, human immunodeficiency virus (HIV) R75 2a 2b
- VDRL A53.0
 - - with signs or symptoms - *code as* Syphilis, by site and stage A53.9 2a 2b
- - false R76.2

Posner-Schlossman syndrome H40.4

Postcardiotomy syndrome I97.0

Postcaval ureter Q62.6

Postcholecystectomy syndrome K91.5

Postcommissurotomy syndrome I97.0

Postconcussional syndrome F07.2

Postcontusional syndrome F07.2

Postcricoid region - *see condition*

Postdates (pregnancy) (mother) O48

- affecting fetus or newborn P08.2 2b

Postencephalitic syndrome F07.1

Posterolateral sclerosis (spinal cord) - *see* Degeneration, combined

Postexanthematous - *see condition*

Postfebrile - *see condition*

Postgastrectomy dumping syndrome K91.1 2b

Postherpetic neuralgia (zoster) (trigeminal) B02.2† G53.0*

Posthitis N48.1

Postimmunization complication or reaction - *see* Complications, vaccination

Postinfectious - *see condition*

Postlaminectomy syndrome NEC M96.1

Postleukotomy syndrome F07.0 2b

Postmastectomy lymphedema (syndrome) I97.2 2b

Postmaturity, postmature (fetus or newborn) P08.2 2b

- affecting management of pregnancy O48

Postmeasles complication NEC (*see also condition*) B05.8

Postmenopausal

- endometrium (atrophic) N95.8

- - suppurative (*see also* Endometritis) N71.9 2b

- - osteoporosis M81.0

- - with pathological fracture M80.0

Postnatal - *see condition*

Postoperative - *see condition*

Postpartum (*see also condition*)

- complicated by

- - conditions NEC in

- - - I46.9 2a 2b 090.8 2b

- - - I95.9 2a 2b 090.8 2b

- - - I99 2a 2b 090.8 2b

- - - J96.0 2a 2b 090.8 2b

- - - J96.9 2a 2b 090.8 2b

- - - R00-R94 090.8 2b

- - hemorrhage O72.1 2b

Postpolio syndrome G14

Postpoliomyelic - *see also condition*

- osteopathy M89.6

- syndrome G14

Postschizophrenic depression F20.4

Postsurgery status NEC (*see also* Status(post)) Z98.8(1213)

Postterm (pregnancy) (mother) O48

- infant P08.2 2b

Posttraumatic brain syndrome, nonpsychotic F07.2

Postures, hysterical F44.2

Postvaccinal reaction or complication - *see* Complications, vaccination

Postvalvulotomy syndrome I97.0

Potter's

- asthma J62.8

- facies Q60.6

- lung J62.8

- syndrome (with renal agenesis) Q60.6

Pott's

- curvature (spinal) A18.0† 2a 2b M49.0*

- disease or paraplegia A18.0† 2a 2b M49.0*

- spinal curvature A18.0† 2a 2b M49.0*

- tumor, puffy (*see also* Osteomyelitis) M86.8

Pouch

- bronchus Q32.4

- Douglas' - *see condition*

- esophagus, esophageal, congenital Q39.6

- - acquired K22.5

- gastric K31.4

- Hartmann's (abnormal sacculation of gallbladder neck) K82.8

- pharynx Q38.7

Poultryman's itch B88.0

Poverty NEC Z59.6(1214)

- extreme Z59.5(1215)

Prader-Willi (-Labhart) (-Falconi) syndrome Q87.1 2a

Pre-AIDS (*see also* Complex, AIDS-related) B24 2a 2b

Preauricular appendage or tag Q17.0

Prebetalipoproteinemia (familial) E78.1

Precipitate labor or delivery O62.3

- affecting fetus or newborn P03.5

Precocious

- menarche E30.1 2b

- menstruation E30.1 2b

- puberty E30.1 2b

- - central E22.8

- thelarche E30.8

Precocity, sexual (female) (male) (constitutional) (cryptogenic) (idiopathic) NEC E30.1 2b

- with adrenal hyperplasia E25.9

- - congenital E25.0

Precordial pain R07.2

- psychogenic F45.4

Prediabetes, prediabetic R73.0 2b

- complicating pregnancy, childbirth or puerperium O99.8 2b

Predislocation status of hip at birth Q65.6

Pre-eclampsia O14.9 2a

- with pre-existing hypertension O11

- affecting fetus or newborn P00.0

- mild O14.0

- moderate O14.0

- severe O14.1

- superimposed O11

Pre-excitation atrioventricular conduction I45.6

Pregnancy (single) (uterine)

- abdominal (ectopic) O00.0

- - affecting fetus or newborn P01.4

- - viable fetus O36.7

- abnormal NEC O26.9

- ampullar O00.1 2b

- broad ligament O00.8

- cervical O00.8
- complicated by (*see also* Pregnancy, management, affected by)
 - - abnormal, abnormality
 - - - cervix O34.4
 - - - cord (umbilical) O69.9
 - - - glucose tolerance NEC O99.8 2b
 - - - pelvic organs or tissues O34.9
 - - - - affecting fetus or newborn P03.8
 - - - - causing obstructed labor O65.5
 - - - - - affecting fetus or newborn P03.1
 - - - - specified NEC O34.8
 - - - pelvis (bony) (major) NEC O33.0
 - - - perineum or vulva O34.7
 - - - placenta, placental (vessel) O43.1
 - - - - accreta O43.2
 - - - - increta O43.2
 - - - - morbidly adherent O43.2
 - - - - percreta O43.2
 - - - position
 - - - - placenta O44.1
 - - - - - without hemorrhage O44.0
 - - - uterus O34.5
 - - - uterus (congenital) O34.0
 - - abscess or cellulitis
 - - - bladder O23.1
 - - - genital organ or tract O23.5
 - - adverse effect of anesthesia O29.9
 - - albuminuria O12.1
 - - - with
 - - - - edema O12.2
 - - - - hypertension (*see also* Pre-eclampsia) O14.9 2a
 - - alcohol dependence (F10.2 2a 2b) O99.3
 - - amnionitis O41.1
 - - anaphylactoid syndrome of pregnancy O88.1
 - - anemia (conditions in D50-D64) O99.0 2b
 - - atrophy (acute) (subacute)
 - - liver O26.6
 - - yellow O26.6
 - - bicornis or bicornuate uterus O34.0
 - - bone and joint disorders of back, pelvis and lower limbs O99.8 2b
 - - breech presentation O32.1 2b
 - - cardiovascular diseases (conditions in I00-I09, I20-I46.1, I47.0-I52, I70-I95.8, I97.0-I97.9) O99.4 2b
 - - cerebrovascular disorders (conditions in I60-I69) O99.4 2b
 - - cervicitis O23.5
 - - chloasma (gravidarum) O26.8
 - - cholestasis (intrahepatic) O26.6
 - - compound presentation O32.6
 - - conditions NEC in
 - - - A00-A07 O98.8 2b
 - - - A08 O98.5 2b
 - - - A09 O98.8 2b
 - - - A15-A19 O98.0
 - - - A24-A49 O98.8 2b
 - - - A50-A53 O98.1
 - - - A54- O98.2
 - - - A55-A64 O98.3
 - - - A65-A79 O98.8 2b
 - - - A80-B09 O98.5 2b
 - - - B15-B19 O98.4
 - - - B20-B24 O98.7
 - - - B25-B34 O98.5 2b
 - - - B35-B49 O98.8 2b
 - - - B50-B64 O98.6
 - - - B65-B88 O98.8 2b
 - - - B89 2a 2b O98.2

- - - B90-B94 O98.8 2b
- - - C00-D48 O99.8 2b
- - - D50-D64 O99.0 2b
- - - D65-D89 O99.1
- - - E00-E07 O99.2 2b
- - - E10-E14 O24-
- - - E15-E34 O99.2 2b
- - - E40-E46 O25
- - - E50-E89 O99.2 2b
- - - F00-F52 O99.3
- - - F54-F99 O99.3
- - - G00-G99 O99.3
- - - H00-H95 O99.8 2b
- - - I00-I09 O99.4 2b
- - - I10 2a 2b pre-existing O10.0
- - - I11- pre-existing O10.1
- - - I12- pre-existing O10.2
- - - I13- pre-existing O10.3
- - - I15- pre-existing O10.4
- - - I20-I46.1 O99.4 2b
- - - I46.9 2a 2b O26.8
- - - I47.0-I95.8O99.4 2b
- - - I95.9 2a 2b O26.8
- - - I97.0-I97.9O99.4 2b
- - - I99 2a 2b O26.8
- - - J00-J95 O99.5 2b
- - - J96.0 2a 2b O26.8
- - - J96.1 O99.5 2b
- - - J96.9 2a 2b O26.8
- - - J98- O99.5 2b
- - - K00-K66 O99.6
- - - K70-K77 O26.6
- - - K80-K93 O99.6
- - - L00-L99 O99.7
- - - M00-M82 O99.8 2b
- - - M83.2-M99O99.8 2b
- - - N00-N07 O26.8
- - - N10-N12 O23.0
- - - N13.0-N13.5 O26.8
- - - N13.6 2a 2b O23.3
- - - N13.7-N13.9 O26.8
- - - N14-N15.0 O99.8 2b
- - - N15.1 2a 2b O23.0
- - - N15.8-N15.9 O99.8 2b
- - - N17-N19 O26.8
- - - N20-N39 O99.8 2b
- - - N60-N64 O99.8 2b
- - - N80-N90 O99.8 2b
- - - N99.0 2b O75.4 2b
- - - N99.8 2b O75.4 2b
- - - N99.9 O75.4 2b
- - - Q00-Q99, NEC O99.8 2b
- - - R00-R94 O26.8
- - congenital malformations, deformations and chromosomal abnormalities NEC O99.8 2b
- - contracted pelvis (general) O33.1
- - inlet O33.2
- - outlet O33.3
- - convulsions (eclamptic) (uremic) (*see also* Eclampsia) O15.0 2a
- - cystitis O23.1
- - cystocele O34.8
- - death of fetus (near term) O36.4
- - early pregnancy O02.1
- - deciduitis O41.1
- - diabetes (mellitus) (conditions in E10-E14) O24.9 2a 2b
- - diseases of

- - - blood NEC or immune mechanism (conditions in D65-D89) O99.1
- - - cardiovascular system NEC (conditions in I00-I09, I20-I46.1, I47.0-I95.8, I97.0-I97.9) O99.4 2b
- - - digestive system NEC (conditions in K00-K66, K80-K93) O99.6
- - - ear and mastoid process (conditions in H60-H95) O99.8 2b
- - - eye and adnexa (conditions in H00-H59) O99.8 2b
- - - genitourinary system NEC (conditions in N14-N15.0, N15.8-N15.9, N20-N39, N60-N64, N80-N90) O99.8 2b
- - - musculoskeletal system and connective tissue (conditions in M00-M99) O99.8 2b
- - - nervous system (conditions in G00-G99) O99.3
- - - respiratory system (conditions in J00-J95) J96.1, J98-) O99.5 2b
- - - skin and subcutaneous tissue NEC (conditions in L00-L99) O99.7
- - disorders of liver O26.6
- - displacement, uterus NEC O34.5
- - disproportion - *see* Disproportion
- - drug dependence (conditions in F11-F19, fourth character .2) O99.3
- - early delivery (spontaneous) O60 2b
- - eclampsia, eclamptic (coma) (convulsions) (delirium) (nephritis) (uremia) O15.0 2a
- - - with pre-existing hypertension O15.0 2a
- - edema, *classifiable to* R60- O12.0
- - - with gestational hypertension, mild (*see also* Pre-eclampsia) O13
- - effusion, amniotic fluid O41.8
- - - delayed delivery following O75.6
- - embolism NEC O88.2 2b
- - - air O88.0
- - - amniotic fluid O88.1
- - - blood-clot O88.2 2b
- - - pulmonary NEC O88.2 2b
- - - pyemic O88.3
- - - septic O88.3
- - endocrine diseases NEC O99.2 2b
- - endometritis O23.5
- - - decidual O41.1
- - excessive weight gain NEC O26.0
- - exhaustion O26.8
- - face presentation O32.3
- - failure, fetal head, to enter pelvic brim O32.4
- - false labor (pains) (*see also* Labor, false) O47.9
- - fatigue O26.8
- - fatty metamorphosis of liver O26.6
- - fetal
 - - - disproportion due to deformity (fetal) O33.7
 - - - problem O36.9
 - - - - specified NEC O36.8
 - - - fibroid (tumor) (uterus) O34.1
- - genital infection O23.5
- - glomerular diseases (conditions in N00-N07) O26.8
- - - with hypertension, pre-existing O10.2
- - gonococcal infection O98.2
- - hemorrhage NEC O46.9
 - - - antepartum (*see also* Hemorrhage, antepartum) O46.9
 - - - before 22 completed weeks' gestation O20.9
 - - - - specified NEC O20.8
 - - - - due to premature separation, placenta O45.9 2b
 - - - - early O20.9
 - - - - - specified NEC O20.8
 - - - - threatened abortion O20.0
 - - - - hemorrhoids O22.4
 - - - - herniation of uterus O34.5
 - - - - high head at term O32.4
 - - - - human immunodeficiency virus [HIV] disease O98.7
 - - - - hydatidiform mole (M9100/0) (*see also* Mole, hydatidiform) O01.9
 - - - - hydramnios O40
 - - - - hydrocephalic fetus (disproportion) O33.6
 - - - - hydrops
 - - - - amnii O40
 - - - - fetalis NEC O36.2

- - hydrorrhea O42.9
- - hyperemesis (gravidarum) - *see* Hyperemesis, gravidarum
- - hypertension (*see also* Hypertension, complicating pregnancy) O16
- - hypertensive
 - - - heart and renal disease, pre-existing O10.3
 - - - heart disease, pre-existing O10.1
 - - - renal disease, pre-existing O10.2
- - immune disorders NEC (conditions in D80-D89) O99.1
- - incarceration, uterus O34.5
- - incompetent cervix O34.3
- - infection(s)
 - - - with a predominantly sexual mode of transmission NEC O98.3
 - - - amniotic fluid or sac O41.1
 - - - bladder O23.1
 - - - genital organ or tract O23.5
 - - - genitourinary tract NEC O23.9
 - - - kidney O23.0
 - - - specified NEC O98.8 2b
 - - - urethra O23.2
 - - - urinary (tract) O23.4
 - - - - specified part NEC O23.3
- - infectious or parasitic disease NEC O98.9
- - insufficient weight gain O26.1
- - malaria O98.6
- - malformation
 - - - placenta, placental (vessel) O43.1
 - - - uterus (congenital) O34.0
- - malnutrition (conditions in E40-E46) O25
- - malposition
 - - - fetus - *see* Presentation, fetal
 - - - uterus O34.5
- - malpresentation of fetus (*see also* Presentation, fetal) O32.9
- - - in multiple gestation O32.5
- - - specified NEC O32.8
- - mental disorders (conditions in F00-F99) O99.3
- - mentum presentation O32.3
- - metabolic disorders O99.2 2b
- - missed
 - - - abortion O02.1
 - - - delivery O36.4
 - - - morbidly adherent placenta O43.2
 - - - necrosis, liver (conditions in K72-) O26.6
 - - - neoplasms NEC O99.8 2b
 - - - nephropathy NEC O26.8
 - - - nutritional diseases NEC O99.2 2b
 - - - oblique lie or presentation O32.2
 - - - oligohydramnios NEC O41.0
 - - - onset of contractions before 37 weeks' gestation O60 2b
 - - - oophoritis O23.5
 - - - oversize fetus O33.5
 - - - papyraceous fetus O31.0 2b
 - - - peripheral neuritis O26.8
 - - - phlebothrombosis (superficial) O22.2
 - - - deep O22.3
 - - - placenta, placental
 - - - abnormality O43.1
 - - - abruptio or ablatio (*see also* Abruptio placentae) O45.9 2b
 - - - accreta O43.2
 - - - detachment (*see also* Abruptio placentae) O45.9 2b
 - - - disease O43.9
 - - - dysfunction O43.8 2b
 - - - increta O43.2
 - - - infarction O43.8 2b
 - - - low implantation (with hemorrhage) O44.1
 - - - - without hemorrhage O44.0

- - - malformation O43.1
- - - malposition (with hemorrhage) O44.1
- - - without hemorrhage O44.0
- - - morbidly adherent O43.2
- - - percreta O43.2
- - - previa (with hemorrhage) O44.1
- - - without hemorrhage O44.0
- - - separation, premature (*see also* Abruptio placentae) O45.9 2b
- - - transfusion syndrome O43.0
- - placentitis O41.1
- - polyhydramnios O40
- - postmaturity O48
- - pre-eclampsia O14.9 2a
- - - mild O14.0
- - - moderate O14.0
- - - severe O14.1
- - premature rupture of membranes - *see* Rupture, membranes, premature
- - previous
- - - nonobstetric condition Z35.8(1216)
- - - poor obstetric history Z35.2(1217)
- - - premature delivery Z35.2(1218)
- - - trophoblastic disease (conditions in O01-) Z35.1(1219)
- - primigravida
- - elderly (supervision only) Z35.5(1220)
- - prolapse, uterus O34.5
- - proteinuria O12.1
- - - with
- - - - edema O12.2
- - - - hypertension (*see also* Pre-eclampsia) O14.9 2a
- - protozoal diseases O98.6
- - pruritus (neurogenic) O26.8
- - psychosis or psychoneurosis O99.3
- - ptyalism O26.8
- - pyelitis O23.0
- - renal disease or failure NEC O26.8
- - - with secondary hypertension, pre-existing O10.4
- - - hypertensive, pre-existing O10.2
- - retention, retained
- - dead ovum O02.0
- - - intrauterine contraceptive device O26.3
- - retroversion, uterus O34.5
- - Rh immunization, incompatibility or sensitization O36.0
- - rupture
- - - amnion (premature) - *see* Rupture, membranes, premature
- - - membranes (premature) - *see* Rupture, membranes, premature
- - - uterus (during labor) O71.1
- - - - before onset of labor O71.0
- - salivation (excessive) O26.8
- - salpingitis O23.5
- - salpingo-oophoritis O23.5
- - septicemia (conditions in A40- , A41-) O98.8 2b
- - signs of fetal hypoxia (unrelated to labor or delivery) O36.3
- - social problem Z35.7(1221)
- - spurious labor pains (*see also* Labor, false) O47.9
- - superfecundation O30.8
- - superfetation O30.8
- - syndrome
- - - anaphylactoid of pregnancy O88.1
- - syphilis (conditions in A50-A53) O98.1
- - threatened
- - - abortion O20.0
- - - delivery O47.9
- - - - at or after 37 completed weeks of gestation O47.1
- - - - before 37 completed weeks of gestation O47.0
- - thrombophlebitis (superficial) O22.2

- - thrombosis NEC O22.9 2b
- - - venous (superficial) O22.9 2b
- - - deep O22.3
- - torsion of uterus O34.5
- - toxemia (*see also* Pre-eclampsia) O14.9 2a
- - transverse lie or presentation O32.2
- - tuberculosis (conditions in A15-A19) O98.0
- - tumor
 - - - ovary O34.8
 - - - pelvic organs or tissues NEC O34.8
 - - - uterus (body) O34.1
 - - - - cervix O34.4
- - unstable lie O32.0
- - urethritis O23.2
- - vaginitis or vulvitis O23.5
- - varicose
 - - - placental vessels O43.8 2b
 - - - veins (legs) O22.0
 - - - - labia or vulva O22.1
- - venereal disease NEC (conditions in A64) O98.3
- - viral diseases (conditions in A80-B09, B25-B34) O98.5 2b
- - vomiting (*see also* Hyperemesis, gravidarum) O21.9
- - - due to diseases classified elsewhere O21.8
- complications NEC O26.9
- concealed Z35.3(1222)
- confirmed Z32.1(1223)
- continuing after
 - - abortion of one fetus or more O31.1
 - - intrauterine death of one fetus or more O31.2
- cornual O00.8
 - - fetus or newborn P01.4
 - - death from NEC O95 2a 2b
 - - delivered - *see* Delivery
 - - ectopic (ruptured) O00.9 2b
 - - abdominal O00.0
 - - affecting fetus or newborn P01.4
 - - cervical O00.8
 - - cornual O00.8
 - - fallopian (tube) O00.1 2b
 - - intraligamentous O00.8
 - - mesometric O00.8
 - - mural O00.8
 - - other NEC O00.8
 - - ovary, ovarian O00.2
 - - specified NEC O00.8
 - - tubal O00.1 2b
 - - extrauterine (*see also* Pregnancy, by site) O00.9 2b
 - - fallopian O00.1 2b
 - - false F45.8
 - - hidden Z35.3(1224)
 - - illegitimate (unwanted) Z64.0(1225)
 - - supervision of high-risk pregnancy Z35.7(1226)
 - - in double uterus O34.0
 - - incidental finding Z33(1227)
 - - interstitial O00.8
 - - intraligamentous O00.8
 - - intramural O00.8
 - - intraperitoneal O00.0
 - - isthmian O00.1 2b
 - - management affected by
 - - - abnormal, abnormality
 - - - - fetus (suspected) O35.9
 - - - - specified NEC O35.8
 - - - placenta O43.1
 - - antibodies (maternal)

- - - anti-D O36.0
- - - blood group (ABO) O36.1
- - - Rh(esus) O36.0
- - diseases of the nervous system (conditions in G00-G99) O99.3
- - elderly primigravida (supervision only) Z35.5(1228)
- - erythroblastosis (fetalis) O36.1
- - fetal (suspected)
- - - abnormality or damage O35.9
- - - acid-base balance O36.3
- - - heart rate or rhythm O36.3
- - - specified NEC O35.8
- - - acidemia O36.3
- - - anencephaly O35.0
- - - bradycardia O36.3
- - - central nervous system malformation O35.0
- - - chromosomal abnormality (conditions in Q90-Q99) O35.1
- - - damage from
- - - - amniocentesis O35.7
- - - - biopsy procedures O35.7
- - - - drug addiction O35.5
- - - - hematological investigation O35.7
- - - - intrauterine contraceptive device O35.7
- - - - intrauterine surgery O35.7
- - - - maternal
- - - - alcohol addiction O35.4 2a
- - - - cytomegalovirus infection O35.3
- - - - disease NEC O35.8
- - - - drug addiction O35.5
- - - - listeriosis O35.8
- - - - rubella O35.3
- - - - toxoplasmosis O35.8
- - - - viral infection O35.3
- - - - medical procedure NEC O35.7
- - - - radiation O35.6
- - - distress O36.3
- - - excessive growth O36.6
- - - growth retardation O36.5
- - - hereditary disease O35.2
- - - hydrocephalus O35.0
- - - intrauterine death O36.4
- - - poor growth O36.5
- - - spina bifida O35.0
- - fetomaternal hemorrhage O43.0
- - hereditary disease in family (possibly) affecting fetus O35.2
- - high-risk pregnancy NEC - *see* Pregnancy, supervision
- - incompatibility, blood groups (ABO) O36.1
- - Rh(esus) O36.0
- - insufficient prenatal care (supervision only) Z35.3(1229)
- - intrauterine death (late) O36.4
- - isoimmunization (ABO) O36.1
- - Rh(esus) O36.0
- - large-for-dates fetus O36.6
- - light-for-dates fetus O36.5
- - meconium in liquor O36.3
- - mental disorder (conditions in F00-F99) O99.3
- - multiparity (grand) (supervision only) Z35.4(1230)
- - poor obstetric history (conditions in O10-O92) Z35.2(1231)
- - postmaturity O48
- - previous
- - - abortion Z35.1(1232)
- - - - habitual O26.2
- - - cesarean section O34.2
- - - difficult delivery Z35.2(1233)
- - - forceps delivery Z35.2(1234)
- - - hemorrhage, antepartum or postpartum Z35.2(1235)

- - - hydatidiform mole Z35.1(1236)
- - - infertility Z35.0(1237)
- - - malignancy NEC Z35.8(1238)
- - - nonobstetrical condition Z35.8(1239)
- - - premature delivery Z35.2(1240)
- - - trophoblastic disease (conditions in O01-) Z35.1(1241)
- - - vesicular mole Z35.1(1242)
- - prolonged pregnancy O48
- - small-for-dates fetus O36.5
- - social problem Z35.7(1243)
- - very young primigravida (supervision only) Z35.6(1244)
- mesometric (mural) O00.8
- molar NEC O02.0
- - affecting fetus or newborn P01.8
- - hydatidiform (M9100/0) (*see also* Mole, hydatidiform) O01.9
- multiple NEC O30.9
- - affecting fetus or newborn P01.5 2b
- - complicated NEC O31.8
- mural O00.8
- - fetus or newborn P01.4
- ovarian O00.2
- - fetus or newborn P01.4
- postmature O48
- post-term O48
- prolonged O48
- quadruplet O30.2
- - affecting fetus or newborn P01.5 2b
- quintuplet O30.8
- - affecting fetus or newborn P01.5 2b
- sextuplet O30.8
- - affecting fetus or newborn P01.5 2b
- spurious F45.8
- supervision (of) (for) (*see also* Pregnancy, management affected by)
- - high-risk Z35.9(1245)
- - - specified NEC Z35.8(1246)
- - multiparity Z35.4(1247)
- - normal NEC Z34.9(1248)
- - - first Z34.0(1249)
- - - specified NEC Z34.8(1250)
- - previous
- - - infertility Z35.0(1251)
- - - neonatal death Z35.2(1252)
- - - stillbirth Z35.2(1253)
- - specified problem NEC Z35.8(1254)
- triplet O30.1
- - affecting fetus or newborn P01.5 2b
- tubal (with abortion) (with rupture) O00.1 2b
- - affecting fetus or newborn P01.4
- twin O30.0
- - affecting fetus or newborn P01.5 2b
- unwanted Z64.0(1255)

Preiser's disease M87.2

Preleukemia (related to alkylating agent) (related to Epipodophyllotoxin) (related to therapy) (syndrome) D46.9

Preluxation, hip, congenital Q65.6

Premature - *see also* condition (*see also* Prematurity)

- adrenarche E27.0
- aging E34.8
- beats (*see also* Beat, premature) I49.4
- - atrial I49.1
- birth NEC P07.3 2a 2b
- closure
- - cranial sutures Q75.0
- - foramen ovale Q21.8
- contraction
- - atrial I49.1

- - - newborn P29.1
- - atrioventricular I49.2
- - - newborn P29.1
- - heart (extrasystole) I49.4
- - - newborn P29.1
- - junctional I49.2
- - - newborn P29.1
- - ventricular I49.3 2b
- - - newborn P29.1
- delivery O60 2b
- - newborn NEC P07.3 2a 2b
- ejaculation F52.4 2b
- excessive P07.2 2b
- infant NEC P07.3 2a 2b
- - light-for-dates P05.0
- labor
 - - newborn NEC P07.3 2a 2b
- lungs P28.0 2a 2b
- menopause E28.3
- newborn - *see* Prematurity
- puberty E30.1 2b
- rupture, membranes or amnion (*see also* Rupture, membranes, premature) O42.9
- - affecting fetus or newborn P01.1 2a
- senility E34.8
- separation, placenta (partial) (*see also* Abruptio placentae) O45.9 2b
- thelarche E30.8
- ventricular systole I49.3 2b
- - newborn P29.1

Prematurity NEC (less than 37 completed weeks) (*see also* Immaturity) P07.3 2a 2b

- excessive P07.2 2b
- extreme (less than 28 completed weeks) P07.2 2b
- gross P07.2 2b
- marked P07.2 2b
- nonviable P07.2 2b
- previable P07.2 2b
- severe P07.2 2b

Premenstrual tension (syndrome) N94.3

Premolarization, cuspids K00.2

Prenatal

- care, normal pregnancy Z34.9(1256)
- - first Z34.0(1257)
- - specified NEC Z34.8(1258)
- death, cause unknown - *see* Death, fetus
- screening - *see* Antenatal, screening

Preparatory care for subsequent treatment NEC Z51.4(1259)

- for dialysis Z49.0(1260)

Prepartum - *see condition*

Prepuce - *see condition*

Presbycardia R54 2a 2b

Presbycusis, presbyacusia H91.1

Presbyesophagus K22.8

Presbyphrenia F03 2a 2b

Presbyopia H52.4

Prescription of contraceptives (initial) Z30.0(1261)

- repeat Z30.4(1262)

Presence (of)

- aortocoronary (bypass) graft Z95.1(1263)
- arteriovenous shunt for dialysis Z99.2(1264)
- artificial
 - - eye (globe) Z97.0(1265)
 - - heart (mechanical) Z95.8(1266)
 - - - valve Z95.2(1267)
 - - larynx Z96.3(1268)
 - - lens (intraocular) Z96.1(1269)
 - - limb (complete) (partial) Z97.1(1270)

- audiological implant (functional) Z96.2(1271)
- bladder implant (functional) Z96.0(1272)
- bone
 - - conduction hearing device Z96.2(1273)
 - - implant (functional) NEC Z96.7(1274)
 - - joint (prosthesis) Z96.6(1275)
- cardiac
 - - defibrillator (functional) Z95.0(1276)
 - - implant or graft NEC Z95.9(1277)
 - - - specified type NEC Z95.8(1278)
 - - pacemaker Z95.0(1279)
- cerebrospinal fluid drainage device Z98.2(1280)
- cochlear implant (functional) Z96.2(1281)
- contact lens(es) Z97.3(1282)
- coronary artery graft or prosthesis Z95.5(1283)
- dental prosthetic device Z97.2(1284)
- device (external) NEC Z97.8(1285)
- - implanted (functional) Z96.9(1286)
- - - specified NEC Z96.8(1287)
- - prosthetic Z97.8(1288)
- endocrine implant (functional) Z96.4(1289)
- eustachian tube stent or device (functional) Z96.2(1290)
- external hearing-aid or device Z97.4(1291)
- finger-joint implant (functional) (prosthetic) Z96.6(1292)
- functional implant Z96.9(1293)
- - specified NEC Z96.8(1294)
- hearing-aid or device (external) Z97.4(1295)
- - implant (bone) (cochlear) (functional) Z96.2(1296)
- heart valve implant (functional) NEC Z95.4(1297)
- - prosthetic Z95.2(1298)
- - specified type NEC Z95.4(1299)
- - xenogenic Z95.3(1300)
- hip-joint implant (functional) (prosthesis) Z96.6(1301)
- implanted device (artificial) (functional) (prosthetic) Z96.9(1302)
- - specified NEC Z96.8(1303)
- insulin pump (functional) Z96.4(1304)
- intestinal bypass or anastomosis Z98.0(1305)
- intraocular lens (functional) Z96.1(1306)
- intrauterine contraceptive device (IUD) Z97.5(1307)
- intravascular implant (functional) (prosthetic) NEC Z95.8(1308)
- - coronary artery Z95.5(1309)
- - peripheral vessel Z95.8(1310)
- joint implant (prosthetic) (any) Z96.6(1311)
- knee-joint implant (prosthetic) Z96.6(1312)
- laryngeal implant (functional) Z96.3(1313)
- mandibular implant (dental) Z96.5(1314)
- myringotomy tube(s) Z96.2(1315)
- orthopedic-joint implant (prosthetic) (any) Z96.6(1316)
- otological implant (functional) Z96.2(1317)
- skull-plate implant Z96.7(1318)
- spectacles Z97.3(1319)
- stapes implant (functional) Z96.2(1320)
- systemic lupus erythematosus inhibitor D68.6
- tendon implant (functional) (graft) Z96.7(1321)
- tooth root(s) implant Z96.5(1322)
- ureteral stent Z96.0(1323)
- urethral stent Z96.0(1324)
- urogenital implant (functional) Z96.0(1325)
- vascular implant or device Z95.9(1326)
 - - access port device Z95.8(1327)
 - - specified type NEC Z95.8(1328)

Presenile (presenility) E34.8

- dementia F03 2a 2b
- premature aging E34.8

Presentation, fetal

- abnormal O32.9
- - before labor, affecting fetus or newborn P01.7
- - causing obstructed labor O64.9
- - - affecting fetus or newborn (any, except breech) P03.1
- - - - breech P03.0 2b
- - - specified NEC O64.8
- - in multiple gestation (one or more) O32.5
- - specified NEC O32.8
- arm (mother) O32.2
- - causing obstructed labor O64.4
- breech (mother) O32.1 2b
- - with external version before labor, affecting fetus or newborn P01.7
- - affecting fetus or newborn P01.7
- - before labor, affecting fetus or newborn P01.7
- - causing obstructed labor O64.1
- - - fetus or newborn P03.0 2b
- brow (mother) O32.3
- - causing obstructed labor O64.3
- chin (mother) O32.3
- - causing obstructed labor O64.2
- compound O32.6
- - causing obstructed labor O64.5
- cord O69.0
- extended head (mother) O32.3
- - causing obstructed labor O64.3
- face (mother) O32.3
- - causing obstructed labor O64.2
- - to pubes O32.8
- - - causing obstructed labor O64.0
- hand (mother) O32.2
- - causing obstructed labor O64.4
- leg or foot, NEC (mother) O32.1 2b
- - causing obstructed labor O64.1
- mentum (mother) O32.3
- - causing obstructed labor O64.2
- oblique (mother) O32.2
- - causing obstructed labor O64.4
- occipitoposterior (mother) O32.8
- - causing obstructed labour O64.0
- shoulder (mother) O32.2
- - causing obstructed labor O64.4
- transverse (mother) O32.2
- - causing obstructed labor O64.8
- unstable O32.0

Prespondylolisthesis (congenital) Q76.2

Pressure

- area, skin ulcer L89.9
- - stage
- - - I L89.0
- - - II L89.1
- - - III L89.2
- - - IV L89.3
- birth, fetus or newborn, NEC P15.9 2a 2b
- brachial plexus G54.0 2b
- brain G93.5 2a 2b
- - injury at birth NEC P11.1 2a
- cone, tentorial G93.5 2a 2b
- high blood I10 2a 2b
- hypotension (*see also* Hypotension) I95.9 2a 2b
- - incidental reading, without diagnosis of hypotension R03.1
- increased
- - intracranial (benign) G93.2
- - - injury at birth P11.0 2a
- - intraocular H40.0
- intracranial (benign) (increased) G93.2

- lumbosacral plexus G54.1
- mediastinum J98.5
- necrosis (chronic) (skin) L89.2
 - - stage
 - - - III L89.2
 - - - IV L89.3
 - - sore (chronic) L89.9
 - - stage
 - - I L89.0
 - - II L89.1
 - - III L89.2
 - - IV L89.3
 - spinal cord G95.2
 - ulcer (chronic) L89.9
 - - stage
 - - I L89.0
 - - II L89.1
 - - III L89.2
 - - IV L89.3

Presyncope R42

Preterm infant, newborn NEC P07.3 2a 2b

Previa

- - affecting fetus or newborn P02.0
- placenta (with hemorrhage) (*see also* Placenta, previa) O44.1
- - affecting fetus or newborn P02.0
- vasa O69.4
- - affecting fetus or newborn P02.6

Priable P07.2 2b

Priapism N48.3

Prickling sensation (skin) R20.2

Prickly heat L74.0

Primary - *see condition*

Primigravida

- elderly, affecting management of pregnancy, labor and delivery (supervision only) Z35.5(1329)
- very young, affecting management of pregnancy, labor and delivery (supervision only) Z35.6(1330)

Primipara

- elderly, affecting management of pregnancy, labor and delivery (supervision only) Z35.5(1331)
- very young, affecting management of pregnancy, labor and delivery (supervision only) Z35.6(1332)

Primus varus (bilateral) Q66.3

Pringle's disease Q85.1

Prinzmetal angina I20.1

Prior to viability P07.2 2b

Prizefighter ear M95.1

Problem (related to) (with) (*see also* Disease)

- academic Z55.8(1333)
- acculturation Z60.3(1334)
- adjustment (to)
 - - change of job Z56.1(1335)
 - - life-cycle transition Z60.0(1336)
 - - pension Z60.0(1337)
 - - retirement Z60.0(1338)
 - adopted child Z63.8(1339)
- aged
 - - in-law Z63.1(1340)
 - - parent Z63.1(1341)
 - - person NEC Z63.8(1342)
- alcoholism in family Z63.7(1343)
- atypical parenting situation Z60.1(1344)
- bankruptcy Z59.8(1345)
- behavioral (adult) F69
- birth of sibling affecting child Z61.2(1346)
- care (of)
 - - provider dependency Z74.9(1347)
- - specified NEC Z74.8(1348)

- - sick or handicapped person in family or household Z63.6(1349)
- career choice Z56.7(1350)
- child
 - - abuse (affecting the child) Z61.6(1351)
 - - custody or support proceedings Z65.3(1352)
 - child-rearing NEC Z62.9(1353)
 - - specified NEC Z62.8(1354)
- circulatory I99 2a 2b
- communication (developmental) F80.9
- conflict or discord (with)
 - - boss Z56.4(1355)
 - - classmates Z55.4(1356)
 - - counsellor Z64.4(1357)
 - - employer Z56.4(1358)
 - - family Z63.9(1359)
 - - - specified NEC Z63.8(1360)
 - - - probation officer Z64.4(1361)
 - - - social worker Z64.4(1362)
 - - - teachers Z55.4(1363)
 - - - workmates Z56.4(1364)
 - - conviction in legal proceedings Z65.0(1365)
 - - with imprisonment Z65.1(1366)
- counsellor Z64.4(1367)
- creditors Z59.8(1368)
- digestive K92.9 2a 2b
- ear H93.9
- economic Z59.9(1369)
- - specified NEC Z59.8(1370)
- education Z55.9(1371)
- - specified NEC Z55.8(1372)
- eye H57.9 2b
- failed examinations (school) Z55.2(1373)
- family Z63.9(1374)
- - specified NEC Z63.8(1375)
- feeding R63.3 2b
 - - newborn P92.9
 - - - breast P92.5
 - - - overfeeding P92.4
 - - - slow P92.2
 - - - specified NEC P92.8
 - - - underfeeding P92.3
- - nonorganic F50.8
- fetal, affecting management of pregnancy O36.9
- finance Z59.9(1376)
- - specified NEC Z59.8(1377)
- foreclosure on loan Z59.8(1378)
- foster child Z63.8(1379)
- frightening experience(s) in childhood Z61.7(1380)
- genital NEC
 - - female N94.9
 - - male N50.9
- health care Z75.9(1381)
- - specified NEC Z75.8(1382)
- hearing H91.9
- homelessness Z59.0(1383)
- housing Z59.9(1384)
- - inadequate Z59.1(1385)
- - isolated Z59.8(1386)
- - specified NEC Z59.8(1387)
- identity (of childhood) F93.8
- illiteracy Z55.0(1388)
- impaired mobility Z74.0(1389)
- - due to prolonged bedrest R26.3 2a 2b
- imprisonment or incarceration Z65.1(1390)
- inadequate teaching, affecting education Z55.8(1391)

- inappropriate parental pressure Z62.6(1392)
- influencing health status NEC Z91.8(1393)
- in-law Z63.1(1394)
- institutionalization, affecting child Z62.2(1395)
- intrafamilial communication Z63.8(1396)
- landlord Z59.2(1397)
- language (developmental) F80.9
- learning (developmental) F81.9
- legal Z65.3(1398)
- life-management Z73.9(1399)
 - - specified NEC Z73.8(1400)
- lifestyle Z72.9(1401)
 - - alcohol use Z72.1(1402)
 - - drug use Z72.2(1403)
 - - gambling Z72.6(1404)
 - - high-risk sexual behavior Z72.5(1405)
 - - inappropriate eating habits Z72.4(1406)
 - - self-damaging behavior NEC Z72.8(1407)
 - - specified NEC Z72.8(1408)
 - - tobacco use Z72.0(1409)
- literacy Z55.9(1410)
 - - low level Z55.0(1411)
 - - specified NEC Z55.8(1412)
- living alone Z60.2(1413)
- lodgers Z59.2(1414)
- loss of love relationship in childhood Z61.0(1415)
- marital Z63.0(1416)
 - - involving
 - - - divorce Z63.5(1417)
 - - - gender identity F66.2
 - - mastication K08.8 2a 2b
 - - medical
 - - care, within family Z63.6(1418)
 - - facilities Z75.9(1419)
 - - - specified NEC Z75.8(1420)
 - - mental F48.9
 - - multiparity Z64.1(1421)
 - - negative life events in childhood Z61.9(1422)
 - - altered pattern of family relationships Z61.2(1423)
 - - frightening experience Z61.7(1424)
 - - loss of
 - - - love relationship Z61.0(1425)
 - - - self-esteem Z61.3(1426)
 - - physical abuse (alleged) Z61.6(1427)
 - - removal from home Z61.1(1428)
 - - sexual abuse (alleged) (by)
 - - - family member Z61.4(1429)
 - - - person outside family Z61.5(1430)
 - - specified event NEC Z61.8(1431)
 - - neighbor Z59.2(1432)
- neurological NEC R29.8 2b
- new step-parent, affecting child Z61.2(1433)
- none (feared complaint unfounded) Z71.1(1434)
- occupational NEC Z56.7(1435)
- parent Z63.1(1436)
- parent-child Z61.9(1437)
- personal hygiene Z91.2(1438)
- personality F69
- phase-of-life transition, adjustment Z60.0(1439)
- physical environment Z58.9(1440)
 - - occupational Z57.9(1441)
 - - - specified NEC Z57.8(1442)
 - - - specified NEC Z58.8(1443)
- presence of sick or handicapped person in family or household Z63.7(1444)
- - needing care Z63.6(1445)

- primary support group (family) Z63.9(1446)
- - specified NEC Z63.8(1447)
- probation officer Z64.4(1448)
- psychiatric F99 2a 2b
- psychosexual (development) F66.9
- psychosocial Z65.9(1449)
 - - specified NEC Z65.8(1450)
- relationship, childhood F93.8
 - release from prison Z65.2(1451)
 - removal from home, affecting child Z61.1(1452)
 - seeking and accepting known hazardous and harmful
 - - behavioral or psychological interventions Z64.3(1453)
 - - chemical, nutritional or physical interventions Z64.2(1454)
 - sexual function (nonorganic) F52.9
- sight H54.9
- smell R43.8
- social
 - - environment Z60.9(1455)
 - - - specified NEC Z60.8(1456)
 - - exclusion and rejection Z60.4(1457)
 - - worker Z64.4(1458)
- speech NEC R47.8
- - developmental F80.9
- swallowing R13 2a 2b
- taste R43.8
- underachievement in school Z55.3(1459)
- unemployment Z56.0(1460)
- - threatened Z56.2(1461)
- unwanted pregnancy Z64.0(1462)
- upbringing Z62.9(1463)
 - - specified NEC Z62.8(1464)
- urinary N39.9 2a 2b
- voice production R47.8
- work schedule (stressful) Z56.3(1465)

Procedure (surgical)

- elective (*see also* Surgery, elective) Z41.9(1466)
- - ear piercing Z41.3(1467)
- - specified NEC Z41.8(1468)
- for purpose other than remedying health state Z41.9(1469)
- - specified NEC Z41.8(1470)
- maternal (unrelated to current delivery), affecting fetus or newborn P00.6
- - nonsurgical (medical) P00.7
- not done Z53.9(1471)
- - because of
 - - - administrative reasons Z53.8(1472)
 - - - contraindication Z53.0(1473)
 - - - patient's decision NEC Z53.2(1474)
 - - - - for reasons of belief or group pressure Z53.1(1475)
 - - - specified reason NEC Z53.8(1476)

Procidentia (uteri) (*see also* Prolapse, uterus) N81.3

Proctalgia K62.8

- fugax K59.4
- spasmodic K59.4
- - psychogenic F45.4

Proctitis K62.8

- amebic (acute) A06.8
- chlamydial A56.3
- gonococcal A54.6
- herpes, herpetic A60.1† K93.8*
- radiation K62.7
- tuberculous A18.3† K93.0*
- ulcerative (chronic) K51.2

Proctocele

- female N81.6
- male K62.3

Proctocolitis K63.8

- mucosal K51.3

Proctoptosis K62.3

Proctorrhagia K62.5

Proctosigmoiditis K63.8

- ulcerative (chronic) K51.3

Proctospasm K59.4

- psychogenic F45.3 2b

Prodromal-AIDS (*see also* Human,immunodeficiency virus (HIV) disease) B24 2a 2b

Profichef's disease M79.8

Progeria E34.8

Prognathism (mandibular) (maxillary) K07.1

Progonoma (melanotic) (M9363/0) - *see* Neoplasm, benign

Progressive - *see condition*

Prolactinoma (M8271/0)

- specified site - *see* Neoplasm, benign

- unspecified site D35.2 2b

Prolapse, prolapsed

- anus, anal (canal) (sphincter) K62.2

- arm or hand O32.2

- - causing obstructed labor O64.4

- - in fetus or newborn P03.1

- bladder (mucosa) (sphincter) (acquired)

- - congenital (female) (male) Q64.7

- - female N81.1

- - male N32.8

- cecostomy K91.4

- cecum K63.4

- cervix, cervical (stump) (hypertrophied) N81.2

- - anterior lip, obstructing labor O65.5

- - congenital Q51.8

- - postpartal, old N81.2

- ciliary body (traumatic) S05.2

- colon (pedunculated) K63.4

- colostomy K91.4

- cord - *see* Prolapse, umbilical cord

- disc (intervertebral) - *see* Displacement, intervertebral disc

- eye implant T85.3

- fallopian tube N83.4

- fetal limb NEC O32.8

- - in fetus or newborn P03.1

- - gastric (mucosa) K31.8 2a

- - genital, female N81.9

- - specified NEC N81.8

- - globe, nontraumatic H44.8

- - ileostomy bud K91.4

- - intervertebral disc - *see* Displacement, intervertebral disc

- - intestine (small) K63.4

- - iris (traumatic) S05.2

- - nontraumatic H21.8

- - kidney N28.8 2a 2b

- - congenital Q63.2

- - laryngeal muscles or ventricle J38.7

- - leg O32.1 2b

- - - causing obstructed labor O64.1

- - - in fetus or newborn P03.1

- - liver K76.8 2b

- - meatus urinarius N36.3

- - membranes (amniotic sac)

- - - affecting fetus or newborn P01.0

- - mitral (valve) I34.1

- - - rheumatic I05.9 2a 2b

- - - - active or acute I01.1 2a 2b

- - organ or site, congenital NEC - *see* Malposition, congenital

- - ovary N83.4

- pelvic floor, female N81.8
- perineum, female N81.8
- rectum (mucosa) K62.3
- spleen D73.8
- stomach K31.8 2a
- umbilical cord
- - affecting fetus or newborn P02.4
- - complicating delivery O69.0
- urachus, congenital Q64.4
- ureter N28.8 2a 2b
- - with obstruction N13.5
- - - with infection N13.6 2a 2b
- ureterovesical orifice N28.8 2a 2b
- urethra
- - congenital Q64.7
- - female N81.0
- - - with
- - - - cystocele N81.1
- - - - prolapse of uterus - *see* Prolapse, uterus
- - male N36.3
- urinary meatus N36.3
- - congenital Q64.7
- uterovaginal N81.4
- - complete N81.3
- - incomplete N81.2
- uterus (with prolapse of vagina) N81.4
- - complete N81.3
- - congenital Q51.8
- - first degree N81.2
- - in pregnancy or childbirth O34.5
- - incomplete N81.2
- - postpartal (old) N81.4
- - pregnant, affecting fetus or newborn P03.8
- - second degree N81.2
- - third degree N81.3
- uveal (traumatic) S05.2
- vagina (anterior) (wall) N81.1
- - with prolapse of uterus N81.4
- - - complete N81.3
- - - incomplete N81.2
- - posterior wall N81.6
- - posthysterectomy N99.3
- valve, valvular (*see also* Endocarditis) I38 2a
- - aortic I35.8
- - mitral I34.1
- - pulmonary I37.8
- - tricuspid I07.8
- vitreous (humor) H43.0
- - in wound S05.2
- womb - *see* Prolapse, uterus

Prolapsus, female (*see also* Prolapse, uterus) N81.9

- specified NEC N81.8

Proliferative - *see condition*

Prolongation of bleeding, coagulation or prothrombin time (*see also* Defect,coagulation) D68.9 2b

Prolonged

- labor O63.9 2b
- - affecting fetus or newborn P03.8
- - first stage O63.0
- - second stage O63.1
- QT interval R94.3
- uterine contractions in labor O62.4
- - affecting fetus or newborn P03.6

Prominence of auricle (congenital) (ear) Q17.5

Prominent ischial spine or sacral promontory

- with disproportion (fetopelvic) O33.0

- - affecting fetus or newborn P03.1

- - causing obstructed labor O65.0

Pronation

- ankle M21.6

- foot M21.6

- - congenital Q74.2

Prophylactic

- administration of

- - antibiotics Z29.2(1477)

- - immune sera (immunoglobulin) Z29.1(1478)

- chemotherapy Z29.2(1479)

- immunotherapy Z29.1(1480)

- measure Z29.9(1481)

- - specified NEC Z29.8(1482)

- organ removal (for neoplasia management) Z40.0(1483)

- sterilization Z30.2(1484)

- surgery Z40.9(1485)

- - for risk factors related to malignant neoplasm Z40.0(1486)

- - specified NEC Z40.8(1487)

Propionic acidemia E71.1 2b

Proptosis (ocular) H05.2

Prosecution, anxiety concerning Z65.3(1488)

Prostate, prostatic - see condition

Prostatism N40 2a 2b

Prostatitis (congestive) (suppurative) N41.9

- with cystitis N41.3

- acute N41.0

- chronic N41.1 2b

- due to *Trichomonas (vaginalis)* A59.0† N51.0*

- fibrous N41.1 2b

- gonococcal (acute) (chronic) A54.2† N51.0*

- granulomatous N41.1 2b

- hypertrophic N41.1 2b

- specified type NEC N41.8

- subacute N41.1 2b

- trichomonal A59.0† N51.0*

- tuberculous A18.1† 2a 2b N51.0*

Prostatacystitis N41.3

Prostatorrhea N42.8

Prostration R53 2b

- heat (see also Heat, exhaustion) T67.5

- nervous F48.0

- senile R54 2a 2b

Protanomaly (anomalous trichromat) H53.5

Protanopia (complete) (incomplete) H53.5

Protein

- deficiency NEC (see also Malnutrition) E46 2a 2b

- malnutrition (see also Malnutrition) E46 2a 2b

- sickness (prophylactic) (therapeutic) T80.6 2b

Proteinemia R77.9

- excessive E88.0 2b

Proteinosis

- alveolar (pulmonary) J84.0

- lipid or lipoid (of Urbach) E78.8

Proteinuria R80 2b

- Bence Jones NEC R80 2b

- complicating pregnancy, childbirth or puerperium O12.1

- - significant, with gestational hypertension (see also Pre-eclampsia) O14.9 2a

- - superimposed on pre-existing hypertensive disorder O11

- gestational O12.1

- - with edema O12.2

- isolated R80 2b

- - with glomerular lesion N06.9

- - - focal and segmental hyalinosis or sclerosis N06.1

- - - membranous (diffuse) N06.2

- - - mesangial proliferative (diffuse) N06.3
- - - minimal change N06.0
- - - specified pathology NEC N06.8
- orthostatic N39.2 2b
- - with glomerular lesion - *see* Proteinuria, isolated, with glomerular lesion
- persistent N39.1 2a
- - with glomerular lesion - *see* Proteinuria, isolated, with glomerular lesion
- postural N39.2 2b
- pre-eclamptic (*see also* Pre-eclampsia) O14.9 2a
- - affecting fetus or newborn P00.0

Proteus (mirabilis) (morganii) - *see* Infection, *Proteus (mirabilis) (morganii) (vulgaris)* NEC

Protoporphryia, erythropoietic E80.0

Protozoal - *see also* condition

- disease B64 2b
- - specified NEC B60.8

Protrusion, protrusio

- acetabulum (into pelvis) M24.7
- device, implant or graft (*see also* Complications, by site and type, mechanical) T85.6
- - arterial graft NEC T82.3
- - - coronary (bypass) T82.2
- - breast (implant) T85.4
- - catheter NEC T85.6
- - - dialysis (renal) T82.4
- - - - intraperitoneal T85.6
- - - infusion NEC T82.5
- - - - spinal (epidural) (subdural) T85.6
- - - urinary (indwelling) T83.0
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.3
- - - nervous system (brain) (peripheral nerve) (spinal) T85.1
- - fixation, internal (orthopedic) NEC T84.2
- - - bones of limb T84.1
- - gastrointestinal (bile duct) (esophagus) T85.5
- - genital NEC T83.4
- - - intrauterine contraceptive device T83.3 2b
- - heart NEC T82.5
- - - valve (prosthesis) T82.0
- - - - graft T82.2
- - joint prosthesis T84.0
- - ocular (corneal graft) (orbital implant) NEC T85.3
- - - intraocular lens T85.2
- - orthopedic NEC T84.4
- - - bone graft T84.3
- - specified NEC T85.6
- - urinary NEC T83.1
- - - graft T83.2
- - vascular NEC T82.5
- - ventricular intracranial shunt T85.0
- intervertebral disc - *see* Displacement, intervertebral disc
- nucleus pulposus - *see* Displacement, intervertebral disc

Prune belly (syndrome) Q79.4

Prurigo L28.2

- Besnier's L20.0
- estivalis L56.4
- Hebra's L28.2
- mitis L28.2
- nodularis L28.1
- psychogenic F45.8

Pruritus, pruritic L29.9

- ani, anus L29.0
- - psychogenic F45.8
- anogenital L29.3
- - psychogenic F45.8
- gravidarum O26.8
- neurogenic (any site) F45.8

- psychogenic (any site) F45.8

- scroti, scrotum L29.1 2b

- - psychogenic F45.8

- senile L29.8

- specified NEC L29.8

- - psychogenic F45.8

- *Trichomonas* A59.9

- vulva, vulvae L29.2 2b

- - psychogenic F45.8

Pseudarthrosis, pseudoarthrosis (bone) M84.1 2b

- clavicle, congenital Q74.0

- joint, following fusion or arthrodesis M96.0 2a 2b

Pseudoaneurysm - see Aneurysm

Pseudoangina (pectoris) - see Angina

Pseudoarthrosis - see Pseudarthrosis

- congenital Q74.8

- - lower limb Q74.2

- - upper limb Q74.0

Pseudobursa M71.8

Pseudochromhidrosis L67.8

Pseudocirrhosis, liver, pericardial I31.1

- rheumatic I09.2 2b

- - active or acute I01.0 2a 2b

Pseudocowpox B08.0 2a 2b

Pseudocoxyalgia M91.3

Pseudocroup J38.5 2b

Pseudo-Cushing's syndrome, alcohol-induced E24.4 2a 2b

Pseudocyesis F45.8

Pseudocyst

- lung J98.4 2a 2b

- - newborn P28.8

- pancreas K86.3

- retina H33.1

Pseudodiphtheria A49.8

Pseudodiverticulum (see also Diverticula) K57.3

- congenital Q43.8

Pseudoexfoliation, capsule (lens) H26.8

Pseudofolliculitis barbae L73.1

Pseudoglioma H44.8

Pseudogout, pseudogout M11.2

Pseudohemophilia (Bernuth's) (hereditary) (type B) D68.0 2a 2b

- type A D69.8

- vascular D69.8

Pseudohermaphroditism Q56.3

- adrenal E25.8

- female Q56.2

- - with adrenocortical disorder E25.8

- - adrenal, congenital E25.0

- - without adrenocortical disorder Q56.2

- male Q56.1

- - with

- - - adrenocortical disorder E25.8

- - - androgen resistance E34.5

- - - cleft scrotum Q56.1

- - - feminizing testis E34.5

- - - 5-alpha-reductase deficiency E29.1

- - adrenal E25.8

- - without gonadal disorder Q56.1

Pseudo-Hurler's polydystrophy E77.0

Pseudohypoparathyroidism E20.1 2b

Pseudomembranous - see condition

Pseudomeningocele (postprocedural) (spinal) G97.8 2b

- posttraumatic G96.1 2b

Pseudomenses (newborn) P54.6 2b

Pseudomenstruation (newborn) P54.6 2b

Pseudomonas - see also condition

- *aeruginosa* - see Infection, *Pseudomonas, aeruginosa*
- *mallei* infection - see Infection, *Burkholderia, mallei*
- *pseudomallei* - see Infection, *Pseudomonas, pseudomallei*

Pseudomyasthenia gravis G70.0 2b

Pseudomyotonia G71.1 2a

Pseudomyxoma peritonei (M8480/6) C78.6 2a 2b

Pseudoneuritis, optic (disc) (nerve), congenital Q14.2

Pseudopapilledema H47.3

- congenital Q14.2

Pseudoparalysis

- arm or leg R29.8 2b
- atonic, congenital P94.2

Pseudopelade L66.0

Pseudophakia Z96.1(1489)

Pseudopolycythemia D75.1 2a 2b

Pseudopolyposis of colon K51.4

Pseudopseudohypoparathyroidism E20.1 2b

Pseudopterygium H11.8

Pseudopuberty, precocious

- female heterosexual E25.8
- male isosexual E25.8

Pseudorickets (renal) N25.0

Pseudorubella B08.2

Pseudosclerema, newborn P83.8

Pseudosclerosis (brain)

- of Westphal E83.0† 2b G99.8*
- spastic, with dementia A81.0† 2b F02.1*

Pseudotetanus (see also Convulsions) R56.8 2b

Pseudotetany R29.0 2b

- hysterical F44.5

Pseudotrichinosis M33.1

Pseudotruncus arteriosus Q25.4

Pseudotuberculosis, Yersinia (extra-intestinal) (infection) A28.2

- enterocolitis A04.8 2a

Pseudotumor

- cerebri G93.2
- orbital H05.1

Pseudoxanthoma elasticum Q82.8 2b

Psoriasis K90.1

Psittacosis A70 2a

- with pneumonia A70† 2a J17.8*

Psoitis M60.8

Psoriasis L40.9

- arthropathic L40.5† M07.3*
- flexural L40.8
- guttate L40.4
- nummular L40.0
- plaque L40.0
- pustular (generalized) L40.1
- - palmaris et plantaris L40.3
- specified NEC L40.8
- vulgaris L40.0

Psychalgia F45.4

Psychasthenia F48.8

Psychiatric disorder or problem NEC F99 2a 2b

Psychoanalysis (therapy) Z50.4(1490)

Psychogenic - see also condition

- factors associated with physical conditions F54

Psychological and behavioral factors affecting medical condition F59

Psychoneurosis, psychoneurotic (see also Neurosis) F48.9

- anxiety (state) F41.1

- hysteria F44.9 2b

- personality NEC F60.8

Psychopathy, psychopathic

- affectionless F94.2
- autistic F84.5
- personality (*see also* Disorder, personality) F60.9 2b
- sexual (*see also* Deviation, sexual) F65.9
- state F60.2

Psychosexual identity disorder of childhood F64.2

Psychosis, psychotic F29 2a 2b

- acute (transient) F23.9 2b
- - hysterical F44.9 2b
- - specified NEC F23.8
- affecting management of pregnancy, childbirth or puerperium O99.3
- affective (*see also* Disorder, affective) F39
- - senile F03 2a 2b
- - specified type NEC F38.8
- alcoholic F10.5
- - with
 - - - delirium tremens F10.4 2a
 - - - dementia F10.7 2a
 - - - hallucinosis F10.5
 - - - jealousy F10.5
 - - - paranoia F10.5
 - - amnestic confabulatory F10.6 2a 2b
 - - Korsakov's F10.6 2a 2b
 - - late-onset F10.7 2a
 - - paranoid type F10.5
 - - polyneuritic F10.6 2a 2b
 - - specified NEC F10.5
- arteriosclerotic F01.9
- childhood F84.0
- - atypical F84.1
- climacteric (*see also* Psychosis,involutional) F28
- confusional F29 2a 2b
- - acute or subacute F05.9
- - reactive F23.0
- cycloid (without symptoms of schizophrenia) F23.0
- - with symptoms of schizophrenia F23.1
- depressive (single episode) F32.3
- - psychogenic F32.3
- - - recurrent F33.3
- - reactive (from emotional stress, psychological trauma) F32.3
- - - recurrent F33.3
- disintegrative (childhood) F84.3
- drug-induced - *code to* F11-F19 with fourth character .5 F1x.5
- - late onset - *code to* F11-F19 with fourth character .7 F1x.7
- - paranoid and hallucinatory states - *code to* F11-F19 with fourth character .5 F1x.5
- due to or associated with
 - - addiction, drug (*see also* Psychosis, drug-induced) F1x.5
 - - dependence
 - - - alcohol (*see also* Psychosis, alcoholic) F10.5
 - - - drug - *code to* F11-F19 with fourth character .5 F1x.5
 - - - epilepsy F06.8 2b
 - - Huntington's chorea F06.8 2b
 - - ischemia, cerebrovascular (generalized) F06.8 2b
 - - multiple sclerosis F06.8 2b
 - - physical disease F06.8 2b
 - - presenile dementia F03 2a 2b
 - - senile dementia F03 2a 2b
 - - vascular disease (arteriosclerotic) (cerebral) F01.9
 - - epileptic F06.8 2b
 - - episode F23.9 2b
 - - due to or associated with physical condition F06.8 2b
 - - exhaustive F43.0
 - - hallucinatory, chronic F28
 - - hypomanic F30.0
 - - hysterical (acute) F44.9 2b

- induced F24
- infantile F84.0
- - atypical F84.1
- infective F05.9
- - acute F05.9
- - subacute (*see also* Delirium) F05.8
- involutional F28
- - paranoid (state) F22.8
- Korsakov's (alcoholic) F10.6 2a 2b
- - induced by other psychoactive substance - *code to* F11-F19 with fourth character .6 F1x.6
- late-onset (after alcohol or drug use) *code to* F10-F19 with fourth character .7 F1x.7
- mania, manic (single episode) F30.2
- - recurrent type F31.8
- manic-depressive (*see also* Disorder, bipolar, affective) F31.9
- - depressed type (without psychotic symptoms) F33.2
- - - with psychotic symptoms F33.3
- menopausal (*see also* Psychosis, involutional) F28
- mixed schizophrenic and affective F25.2
- nonorganic F29 2a 2b
- - specified NEC F28
- organic F09 2a 2b
- - due to or associated with
 - - - childbirth - *see* Psychosis, puerperal
 - - - Creutzfeldt-Jakob disease or syndrome A81.0† 2b F02.1*
 - - - disease
 - - - - cerebrovascular F01.9
 - - - - Creutzfeldt-Jakob A81.0† 2b F02.1*
 - - - - endocrine or metabolic F06.8 2b
 - - - - acute or subacute F05.8
 - - - - liver, alcoholic (*see also* Psychosis, alcoholic) F10.5
 - - - - epilepsy, transient (acute) F05.8
 - - - - infection
 - - - - brain (intracranial) F06.8 2b
 - - - - acute or subacute F05.8
 - - - - intoxication
 - - - - alcoholic (acute) F10.5
 - - - - drug (*see also* Psychosis, drug-induced) F1x.5
 - - - - puerperium - *see* Psychosis, puerperal
 - - - - trauma, brain (birth) (from electric current) (surgical) F06.8 2b
 - - - - acute or subacute F05.8
 - - infective F06.8 2b
 - - acute or subacute F05.9
 - - post-traumatic F06.8 2b
 - - acute or subacute F05.9
 - paranoiac F22.0
 - paranoid F22.0
 - - alcoholic F10.5
 - - climacteric F22.8
 - - involutional F22.8
 - - menopausal F22.8
 - - psychogenic (acute) F23.3
 - - schizophrenic F20.0
 - - senile F03 2a 2b
 - polyneuritic, alcoholic F10.6 2a 2b
 - postpartum F53.1
 - presbyophrenic (type) F03 2a 2b
 - presenile F03 2a 2b
 - psychogenic F23.9 2b
 - - depressive F32.3
 - - paranoid (acute) F23.3
 - - puerperal F53.1
 - - specified type - *see* Psychosis, by type
 - reactive (brief) (transient) (emotional stress) (psychological trauma) F23.9 2b
 - - brief with schizophrenia-like features F23.2
 - - confusion F23.0

- - depressive F32.3
- - - recurrent F33.3
- - excitatory type F30.8
- residual (after alcohol or drug use) - *code to F10-F19 with fourth character .7 F1x.7*
- schizoaffective F25.9
- - depressive type F25.1
- - manic type F25.0
- schizophrenia, schizophrenic (*see also* Schizophrenia) F20.9
- schizophrenia-like, in epilepsy F06.2
- schizophreniform F20.8
- - affective type F25.9
- - brief F23.2
- - confusional type F23.1
- - depressive type F25.1
- - manic type F25.0
- - mixed type F25.2
- senile NEC F03 2a 2b
- - depressed or paranoid type F03 2a 2b
- - simple deterioration F03 2a 2b
- - specified type - *see* Psychosis, by type
- situational (reactive) F23.9 2b
- symbiotic (childhood) F84.3
- symptomatic F09 2a 2b

Psychosomatic - *see* Disorder, psychosomatic

Psychosyndrome, organic F07.9

Psychotherapy Z50.4(1491)

Psychotic episode due to or associated with physical condition F06.9 2a 2b

Pterygium (eye) H11.0

- colli Q18.3

Ptilosis (eyelid) H02.7

Ptomaine (poisoning) T62.9

Ptosis H02.4

- adipose (false) H02.4
- cecum K63.4
- colon K63.4
- congenital (eyelid) Q10.0
- - specified site NEC - *see* Anomaly, by site
- eyelid (paralytic) H02.4
- - congenital Q10.0
- gastric K31.8 2a
- intestine K63.4
- kidney N28.8 2a 2b
- liver K76.8 2b
- renal N28.8 2a 2b
- splanchnic K63.4
- spleen D73.8
- stomach K31.8 2a
- viscera K63.4

Ptyalism (periodic) K11.7

- hysterical F45.3 2b
- pregnancy O26.8
- psychogenic F45.3 2b

Pubertas praecox E30.1 2b

Puberty (development state) Z00.3(1492)

- bleeding (excessive) N92.2
- delayed E30.0
- precocious E30.1 2b
- - central E22.8
- premature E30.1 2b
- - due to
 - - - adrenal cortical hyperfunction E25.8
 - - - pineal tumor E34.8
 - - - pituitary (anterior) hyperfunction E22.8

Puckering, macula H35.3

Pudenda, pudendum - *see* condition

Puerperal, puerperium

- abscess
 - - areola O91.0
 - - Bartholin's gland O86.1
 - - breast O91.1
 - - cervix (uteri) O86.1
 - - genital organ O86.1
 - - kidney O86.2
 - - mammary O91.1
 - - nipple O91.0
 - - peritoneum O85
 - - subareolar O91.1
 - - urinary tract NEC O86.2
 - - uterus O86.1
 - - vagina (wall) O86.1
 - - vaginorectal O86.1
 - - vulvovaginal gland O86.1
- adnexitis O86.1
- afibrinogenemia, or other coagulation defect O72.3
- albuminuria (acute) (subacute) O12.1
 - - with edema O12.2
- anemia O99.0 2b
- anesthetic death O89.8
- apoplexy O99.4 2b
- blood dyscrasia O72.3
- cardiomyopathy O90.3
- cerebrovascular disorder (conditions in I60-I69) O99.4 2b
- cervicitis O86.1
- coagulopathy (any) O72.3
- complicated (by) (*see also* Pregnancy, management, affected by)
 - - conditions NEC in
 - - - I46.9 2a 2b O90.8 2b
 - - - I95.9 2a 2b O90.8 2b
 - - - I99 2a 2b O90.8 2b
 - - - J96.0 2a 2b O90.8 2b
 - - - J96.9 2a 2b O90.8 2b
 - - - R00-R94 O90.8 2b
 - - complications O90.9
 - - specified NEC O90.8 2b
- cystitis O86.2
- cystopyelitis O86.2
- death (sudden) (cause unknown) O95 2a 2b
- delirium NEC F05.8
- disease O90.9
- - breast NEC O92.2
- - cerebrovascular (acute) O99.4 2b
- - nonobstetric NEC (*see also* Pregnancy, complicated by, conditions in) O99.8 2b
- - renal NEC O90.8 2b
- - tubo-ovarian O86.1
- - Valsuani's O99.0 2b
- disorder O90.9
- - lactation O92.7
- - nonobstetric NEC (*see also* Pregnancy, complicated by, conditions in) O99.8 2b
- disruption
 - - cesarean wound O90.0
 - - episiotomy wound O90.1
 - - perineal laceration wound O90.1
- eclampsia (with pre-existing hypertension) O15.2
- embolism (pulmonary) (blood clot) O88.2 2b
 - - air O88.0
 - - amniotic fluid O88.1
 - - fat O88.8
 - - pyemic O88.3
 - - septic O88.3
- endophlebitis - *see* Puerperal, phlebitis

- endotrachelitis O86.1
- failure
 - - lactation (complete) O92.3
 - - partial O92.4
- - renal, acute O90.4
- fever (sepsis) O85
- - pyrexia (of unknown origin) O86.4
- fissure, nipple O92.1
- fistula
 - - breast (due to mastitis) O91.1
 - - nipple O91.0
- galactophoritis O91.2
- galactorrhea O92.6
- glomerular diseases (conditions in N00-N07) O90.8 2b
- - with hypertension, pre-existing O10.2
- hematoma, subdural O99.4 2b
- hemiplegia, cerebral O99.3
 - - due to cerebral vascular disorder O99.4 2b
- hemorrhage (*see also* Hemorrhage, postpartum) O72.1 2b
 - - brain O99.4 2b
 - - bulbar O99.4 2b
 - - cerebellar O99.4 2b
 - - cerebral O99.4 2b
 - - cortical O99.4 2b
 - - delayed (uterine) O72.2
 - - extradural O99.4 2b
 - - internal capsule O99.4 2b
 - - intracranial O99.4 2b
 - - intrapontine O99.4 2b
 - - meningeal O99.4 2b
 - - pontine O99.4 2b
 - - subarachnoid O99.4 2b
 - - subcortical O99.4 2b
 - - subdural O99.4 2b
 - - uterine, delayed O72.2
 - - ventricular O99.4 2b
- hemorrhoids O87.2
- hepatorenal syndrome O90.4
- hypertrophy, breast O92.2
- induration breast (fibrous) O92.2
- infection O86.4
 - - cervix O86.1
 - - generalized O85
 - - genital tract NEC O86.1
 - - - minor or localized NEC O86.1
 - - - obstetric surgical wound O86.0
 - - kidney (*Bacillus coli*) O86.2
 - - nipple O91.0
 - - peritoneum O85
 - - renal O86.2
 - - specified NEC O86.8
 - - urinary (tract) NEC O86.2
 - - - asymptomatic O86.2
 - - - vagina O86.1
 - - vein - *see* Puerperal, phlebitis
- ischemia, cerebral O99.4 2b
- lymphangitis O86.8
- - breast O91.2
- mammillitis O91.0
- mammitis O91.2
- mania F30.8
- mastitis O91.2
 - - purulent O91.1
- metroperitonitis O85
- metrorrhagia (*see also* Hemorrhage, postpartum) O72.1 2b

- - delayed (secondary) O72.2
- metrosalpingitis O85
- metrovaginitis O85
- milk leg O87.1
- necrosis, liver (acute) (subacute) (conditions in category K72.0 2a 2b) O90.8 2b
- - with renal failure O90.4
- neuritis O90.8 2b
- paralysis, bladder (sphincter) O90.8 2b
- parametritis O85
- paravaginitis O86.1
- pelviperitonitis O85
- perimetritis O86.1
- perimetrosalpingitis O85
- perinephritis O86.2
- periphlebitis - *see* Puerperal, phlebitis
- peritoneal infection O85
- peritonitis (pelvic) O85
- perivaginitis O86.1
- phlebitis O87.9
- - deep O87.1
- - pelvic O87.1
- - superficial O87.0
- phlebothrombosis, deep O87.1
- phlegmasia alba dolens O87.1
- placental polyp O90.8 2b
- pneumonia, embolic - *see* Puerperal, embolism
- pre-eclampsia (*see also* Pre-eclampsia) O14.9 2a
- - with pre-existing hypertension O11
- - severe O14.1
- psychosis F53.1
- pyelitis O86.2
- pyelocystitis O86.2
- pyelonephritis O86.2
- pyelonephrosis O86.2
- pyemia O85
- pyocystitis O86.2
- pyohemia O85
- pyometra O85
- pyonephritis O86.2
- pyosalpingitis O85
- pyrexia (of unknown origin) O86.4
- renal
 - - disease NEC O90.8 2b
 - - failure O90.4
- retention
 - - decidua - *see* Retention, decidua
 - - placenta - *see* Retention, placenta
 - - secundines - *see* Retention, secundines
- salpingo-ovaritis O86.1
- salpingoperitonitis O85
- secondary perineal tear O90.1
- sepsis (pelvic) O85
- septicemia O85
- stroke O99.4 2b
- subinvolution (uterus) O90.8 2b
- suppuration - *see* Puerperal, abscess
- tetanus A34 2a 2b
- thelitis O91.0
- thrombocytopenia O72.3
- thrombophlebitis (superficial) O87.0
 - - deep O87.1
 - - pelvic O87.1
- thrombosis (venous) - *see* Thrombosis, puerperal
- thyroiditis O90.5
- uremia (due to renal failure) O90.4

- vaginitis O86.1
- varicose veins (legs) O87.8
- - vulva or perineum O87.8
- vulvitis O86.1
- vulvovaginitis O86.1
- white leg O87.1

Pulmolithiasis J98.4 2a 2b

- newborn P28.8

Pulmonary - *see condition*

Pulpitis (acute) (chronic) (hyperplastic) (irreversible) (reversible) (suppurative) (ulcerative) K04.0

Pulpless tooth K04.9

Pulse

- alternating R00.8 2b
- - fetal P20.9
- - newborn P29.1
- bigeminal R00.8 2b
- - fetal P20.9
- - newborn P29.1
- feeble, rapid, due to shock following injury T79.4 2a 2b
- weak R09.8 2b

Pulseless

- activity (electrical) I45.8
- arrest (electrical) I45.8

Pulsus alternans or trigeminus R00.8 2b

- fetal P20.9
- newborn P29.1

Punch drunk F07.2

Punctum lacrimale occlusion H04.5

Puncture (*see also* Wound) T14.1 2a 2b

- accidental, complicating surgery T81.2 2a 2b
- accidental during procedure (blood vessel) (nerve) (organ) T81.2 2a 2b
- by
 - - device, implant or graft - *see* Complications, by site and type, mechanical
 - - foreign body left accidentally in operation wound T81.5
 - - instrument (any), catheter, endoscope, probe, during a procedure (accidental) T81.2 2a 2b
- complicating a procedure T81.2 2a 2b
- heart S26.8 2a 2b
- - with hemopericardium S26.0
- multiple T01.9 2b
- surgical (accidental) (blood vessel) (by instrument) (nerve) (organ) T81.2 2a 2b

PUO (pyrexia of unknown origin) R50.9 2a

Pupillary membrane (persistent) Q13.8

Pupillotonia H57.0

Purpura D69.2 2b

- abdominal D69.0 2a 2b
- allergic D69.0 2a 2b
- anaphylactoid D69.0 2a 2b
- annularis telangiectodes L81.7
- arthritic D69.0 2a 2b
- bacterial D69.0 2a 2b
- capillary fragility (idiopathic) D69.8
- cryoglobulinemic D89.1
- fibrinolytic (*see also* Fibrinolysis) D65 2b
- fulminans, fulminous D65 2b
- gangrenous D65 2b
- hemorrhagic, hemorrhagica D69.3 2a 2b
- - not due to thrombocytopenia D69.0 2a 2b
- Henoch(-Schönlein) D69.0 2a 2b
- hypergammaglobulinemic (benign) (Waldenström's) D89.0
- idiopathic (thrombocytopenic) D69.3 2a 2b
- - nonthrombocytopenic D69.0 2a 2b
- infectious D69.0 2a 2b
- malignant D69.0 2a 2b
- nervosa D69.0 2a 2b
- nonthrombocytopenic D69.2 2b

- - hemorrhagic D69.0 2a 2b
- - idiopathic D69.0 2a 2b
- - nonthrombopenic D69.2 2b
- pigmentaria progressive L81.7
- rheumatica D69.0 2a 2b
- Schönlein(-Henoch) D69.0 2a 2b
- scorbatic E54† 2a 2b D77* 2b
- senile D69.2 2b
- simplex D69.2 2b
- symptomatica D69.0 2a 2b
- thrombocytopenic (congenital) (hereditary) (*see also* Thrombocytopenia) D69.4
- - idiopathic D69.3 2a 2b
- - neonatal, transitory P61.0 2b
- - thrombotic M31.1
- thrombolytic (*see also* Fibrinolysis) D65 2b
- thrombopenic (congenital) (hereditary) (*see also* Thrombocytopenia) D69.4
- thrombotic, thrombocytopenic M31.1
- toxic D69.0 2a 2b
- vascular D69.0 2a 2b
- visceral symptoms D69.0 2a 2b

Purulent - *see condition*

Pus (in)

- stool R19.5
- urine N39.0 2a 2b

Pustular rash L08.0

Pustule (nonmalignant) L08.9

- malignant A22.0

Pustulosis palmaris et plantaris L40.3

Putnam(-Dana) disease or syndrome - *see* Degeneration, combined

Putrescent pulp (dental) K04.1

Pyarthritis, pyarthrosis M00.9 2a 2b

- tuberculous - *see* Tuberculosis, joint

Pyelectasis N13.3

- congenital Q62.0 2a
- with
 - - calculus N20.9 2a 2b
 - - - with hydronephrosis N13.2
 - - contracted kidney N11.9 2b
 - acute N10 2b
 - chronic N11.9 2b
 - - with calculus N20.9 2a 2b
 - - - with hydronephrosis N13.2
 - complicating pregnancy O23.0
 - - affecting fetus or newborn P00.1
 - cystica N28.8 2a 2b
 - puerperal (postpartum) O86.2
 - tuberculous A18.1† 2a 2b N29.1*

Pyelocystitis (*see also* Pyelonephritis) N12 2a 2b

Pyelonephritis (*see also* Nephritis,tubulo-interstitial) N12 2a 2b

- with
 - - calculus NEC N20.9 2a 2b
 - - - with hydronephrosis N13.2
 - - contracted kidney N11.9 2b
 - acute N10 2b
 - calculous NEC N20.9 2a 2b
 - - with hydronephrosis N13.2
 - chronic N11.9 2b
 - - with calculus N20.9 2a 2b
 - - - with hydronephrosis N13.2
 - - nonobstructive N11.8
 - - - with reflux (vesicoureteral) N11.0
 - - obstructive N11.1
 - - specified NEC N11.8
 - complicating pregnancy O23.0

- - affecting fetus or newborn P00.1
- - in (due to)
- - brucellosis A23† 2a N16.0*
- - cryoglobulinemia (mixed) D89.1† N16.2*
- - cystinosis E72.0† N16.3*
- - diphtheria A36.8† 2b N16.0*
- - glycogen storage disease E74.0† 2a 2b N16.3*
- - leukemia NEC (M9800/3) C95.9† 2a 2b N16.1*
- - lymphoma NEC (M9590/3) C85.9† 2a 2b N16.1*
- - multiple myeloma (M9732/3) C90.0† 2b N16.1*
- - obstruction N11.1
- - salmonella infection A02.2† 2b N16.0*
- - sarcoidosis D86.8† N16.2*
- - septicemia NEC A41† 2a 2b N16.0*
- - newborn P36.9
- - Sjögren's disease M35.0† N16.4*
- - toxoplasmosis B58.8† 2b N16.0*
- - transplant rejection T86† N16.5*
- - Wilson's disease E83.0† 2b N16.3*
- nonobstructive N12 2a 2b
- - with reflux (vesicoureteral) N11.0
- - chronic N11.8
- obstructive N11.1
- syphilitic A52.7† 2a 2b N16.0*

Pyelonephrosis (obstructive) N11.1

- chronic N11.9 2b

Pyelophlebitis I80.8

Pyeloureteritis cystica N28.8 2a 2b

Pyemia, pyemic (purulent) (see also Septicemia) A41.9 2a 2b

- joint M00.9 2a 2b
- postvaccinal T88.0
- tuberculous - *see* Tuberculosis, miliary

Pygopagus Q89.4

Pyknoepilepsy, pyknolepsy (idiopathic) G40.3

Pylephlebitis K75.1

Pylephlebothrombosis I81 2a 2b

Pyle's syndrome (-Cohn) (craniometaphyseal dysplasia) (disease) Q78.5 2b

Pylethrombophlebitis K75.1

Pyloritis K29.9

Pylorospasm (reflex) NEC K31.3

- congenital or infantile Q40.0
- neurotic F45.3 2b
- psychogenic F45.3 2b

Pylorus, pyloric - *see condition*

Pyoarthritis M00.9 2a 2b

Pyocele

- mastoid H70.0
- sinus (accessory) (see also Sinusitis) J32.9
- turbinate (bone) (see also Sinusitis) J32.9
- urethra N34.0

Pyocolpos (see also Vaginitis) N76.0

Pyocystitis (see also Cystitis) N30.8 2a 2b

Pyoderma, pyoderma NEC L08.0

- gangrenosum L88 2b
- newborn P39.4
- phagedenic L88 2b
- vegetans L08.8

Pyodermatitis L08.0

- vegetans L08.8

Pyogenic - *see condition*

Pyohydronephrosis N13.6 2a 2b

Pyometra, pyometrium, pyometritis (see also Endometritis) N71.9 2b

Pyomyositis (tropical) M60.0 2a 2b

Pyonephritis N12 2a 2b

Pyonephrosis N13.6 2a 2b

- tuberculous A18.1† 2a 2b N29.1*

Pyo-oophoritis (see also Salpingo-oophoritis) N70.9

Pyo-ovarium (see also Salpingo-oophoritis) N70.9

Pyopericarditis, pyopericardium I30.1

- rheumatic I09.2 2b

- - active or acute I01.0 2a 2b

Pyophlebitis - see Phlebitis

Pyopneumopericardium I30.1

- rheumatic I09.2 2b

- - active or acute I01.0 2a 2b

Pyopneumothorax (infective) J86.9

- with fistula J86.0

- tuberculous NEC A16.5 2a 2b

Pyorrhea K05.3

Pyosalpinx, pyosalpingitis (see also Salpingo-oophoritis) N70.9

- acute N70.0

- chronic N70.1

Pyosepticemia - see Septicemia

Pyosis of Corlett or Manson L00

Pyothorax J86.9

- with fistula J86.0

- tuberculous NEC A16.5 2a 2b

Pyoureter N28.8 2a 2b

- tuberculous A18.1† 2a 2b N29.1*

Pyrexia (of unknown origin) R50.9 2a

- atmospheric T67.0

- during labor NEC O75.2

- heat T67.0

- newborn, environmentally-induced P81.0

- persistent R50.8

- puerperal O86.4

Pyroglobulinemia NEC E88.0 2b

Pyromania F63.1

Pyrosis R12

Pyuria (bacterial) N39.0 2a 2b

Q

Q fever A78 2a

- with pneumonia A78† 2a J17.8*

Quadrantanopia, quadrantanopsia H53.4

Quadricuspid aortic valve Q23.8

Quadriplegia G82.5

- congenital (cerebral) G80.8 2a 2b

- - spastic G80.0

- embolic (current episode) I63.4 2a 2b

- - bilateral (multiple) I63.40 2a 2b

- - multiple (bilateral) I63.40 2a 2b

- flaccid G82.3

- - congenital (cerebral) G80.8 2a 2b

- - - spastic G80.0

- newborn NEC P11.9 2a 2b

- spastic G82.4

- - congenital (cerebral) G80.0

- spinal G82.4

- thrombotic (current episode) I63.3 2a 2b

- - bilateral (multiple) I63.30 2a 2b

- - multiple (bilateral) I63.30 2a 2b

- traumatic S14.1

Quadruplet, affecting fetus or newborn P01.5 2b

- pregnancy O30.2

Quarrelsomeness F60.3

Queensland fever A77.3 2a

Quervain's disease M65.4

Queyrat's erythroplasia (M8080/2)

- penis D07.4
- specified site - *see* Neoplasm, skin, in situ
- unspecified site D07.4

Quincke's disease or edema T78.3 2b

- hereditary D84.1

Quincke's meningitis G03.0 2b

- sequelae G09 2a 2b

Quinsy (gangrenous) J36**Quintan fever** A79.0**Quintuplet, affecting fetus or newborn** P01.5 2b

- pregnancy O30.8

Quit

- drinking or eating R63.6

R**Rabies** A82.9

- inoculation reaction - *see* Complications, vaccination
- sylvatic A82.0
- urban A82.1

Rachischisis (*see also* Spina bifida) Q05.9 2a 2b

- with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4

Rachitic - *see also* condition

- deformities of spine (late effect) E64.3 2a 2b
- pelvis (late effect) E64.3 2a 2b
- - with disproportion (fetopelvic) O33.0
- - - affecting fetus or newborn P03.1
- - - causing obstructed labor O65.0

Rachitis, rachitism (*see also* Rickets) E55.0 2b

- sequelae E64.3 2a 2b

Radial nerve - *see* condition**Radiation**

- effects or sickness NEC T66 2b
- exposure NEC Z58.4(1493)
- - occupational Z57.1(1494)

Radiculitis (pressure) (vertebrogenic) M54.1

- brachial NEC M54.1
- cervical NEC M54.1
- due to displacement of intervertebral disc - *see* Neuritis, due to displacement, intervertebral disc
- lumbar, lumbosacral NEC M54.1
- syphilitic A52.1† 2a 2b G99.8*
- thoracic (with visceral pain) NEC M54.1

Radiculomyelitis (*see also* Encephalitis) G04.9

- toxic due to *Corynebacterium diphtheriae* A36.8† 2b G05.0*

Radiculopathy (*see also* Radiculitis) M54.1**Radioactive substances, adverse effects NEC** T66 2b**Radiodermal burns (acute, chronic, or occupational)** - *see* Burn**Radiodermatitis** L58.9

- acute L58.0
- chronic L58.1 2b

Radiology, maternal, affecting fetus or newborn P00.7**Radionecrosis** NEC T66 2b**Radiotherapy session** Z51.0(1495)**Radium, adverse effect NEC** T66 2b**Raeder-Harbitz syndrome (pulseless disease)** M31.4**Rage, meaning rabies** - *see* Rabies**Raillietiniasis** B71.8**Railroad neurosis** F48.8**Railway spine** F48.8**Raised** - *see also* Elevated

- antibody titre R76.0

Rales R09.8 2b**Ramifying renal pelvis** Q63.8

Ramsay-Hunt disease or syndrome (*see also* Hunt's disease) B02.2† G53.0*

- meaning dyssynergia cerebellaris myoclonica G11.1 2a 2b

Ranula K11.6

- congenital Q38.4

Rape T74.2**Rapid**

- feeble pulse, due to shock, following injury T79.4 2a 2b

- heart(beat) R00.0 2a 2b

- - fetal P20.9

- - newborn P29.1

- - psychogenic F45.3 2b

- second stage (delivery) O62.3

- - affecting fetus or newborn P03.5

Rarefaction, bone M85.8**Rash** R21

- canker A38 2a 2b

- diaper L22

- drug (internal use) L27.0

- - contact (*see also* Dermatitis, due to, drugs, external) L25.1

- following immunization T88.1 2b

- food (*see also* Dermatitis, due to, food) L27.2 2b

- heat L74.0

- napkin (psoriasisiform) L22

- nettle (*see also* Urticaria) L50.9

- pustular L08.0

- scarlet A38 2a 2b

- serum (prophylactic) (therapeutic) T80.6 2b

- wandering, tongue K14.1

Rasmussen encephalitis or syndrome G04.8**Rasmussen's aneurysm** (*see also* Tuberculosis, pulmonary) A16.2 2a 2b**Rathke's pouch tumor** (M9350/1) D44.3 2b**Raynaud's disease, gangrene, phenomenon or syndrome** I73.0

- congenital Q27.9

R.D.S. (newborn) (*see also* Syndrome, respiratory distress) P22.0 2a 2b**Reaction** - *see also* Disorder

- adaption (*see also* Reaction, adjustment) F43.2

- adjustment (anxiety) (conduct disorder) (depressiveness) (distress) (emotional disturbance) F43.2

- - with mutism, elective (adolescent) (child) F94.0

- affective (*see also* Disorder, affective) F39

- allergic (*see also* Allergy) T78.4 2b

- - drug, medicament or biological - *see* Allergy, drug

- - food (any) (ingested) NEC T78.1

- - - dermatitis L27.2 2b

- - serum T80.6 2b

- anaphylactic - *see* Shock, anaphylactic

- anesthesia - *see* Anesthesia, complication

- antitoxin (prophylactic) (therapeutic) - *see* Complications, vaccination

- anxiety F41.1

- Arthus - *see* Arthus' phenomenon

- asthenic F48.0

- compulsive F42.1

- conversion F44.9 2b

- crisis, acute F43.0

- depressive (single episode) F32.9 2b

- - psychotic F32.3

- - recurrent - *see* Disorder, depressive, recurrent

- dissociative F44.9 2b

- drug NEC T88.7 2a 2b

- - addictive - *code to* F11-F19 with fourth character .9

- - - transmitted via placenta or breast milk - *see* Absorption, drug, addictive, through placenta

- - allergic - *see* Allergy, drug

- - correct substance properly administered T88.7 2a 2b

- - lichenoid L43.2

- - newborn P93

- - overdose or poisoning T50.9 2a 2b

- - - specified drug - *see* Table of drugs and chemicals
- - photoallergic L56.1
- - phototoxic L56.0
- - withdrawal - *code to* F11-F19 with fourth character .3
- - - infant of dependent mother P96.1
- - - newborn P96.1
- - wrong substance given or taken in error T50.9 2a 2b
- - - specified drug - *see* Table of drugs and chemicals
- fear F40.9
- - child (abnormal) F93.1
- fluid loss, cerebrospinal G97.1
- foreign
- - body NEC M60.2
- - substance accidentally left during a procedure (chemical) (powder) (talc) T81.6
- graft-versus-host (GVH) (bone marrow) T86.0
- - transplants other than bone marrow - *see* Complications, organ or tissue transplant
- grief F43.2
- Herxheimer's T78.2
- hyperkinetic - *see* Hyperkinesia
- hypochondriacal F45.2
- hypoglycemic, due to insulin E16.0
- - with coma (diabetic) - *code to* E10-E14 with fourth character .0 E14.0 2b
- - - nondiabetic E15 2a 2b
- - therapeutic misadventure T38.3 2b
- hypomanic F30.0
- hysterical F44.9 2b
- immunization - *see* Complications, vaccination
- incompatibility
- - blood group (ABO) (infusion) (transfusion) T80.3
- - Rh (factor) (infusion) (transfusion) T80.4
- inflammatory - *see* Infection
- infusion - *see* Complications, infusion
- inoculation (immune serum) - *see* Complications, vaccination
- leukemoid (lymphocytic) (monocytic) (myelocytic) D72.8 2b
- LSD (acute) F16.1
- lumbar puncture G97.1
- manic-depressive - *see* Disorder, bipolar, affective
- neurasthenic F48.0
- neurogenic (*see also* Neurosis) F48.9
- neuroleptic
- - malignant G21.0
- neurotic F48.9
- nitritoid - *see* Crisis, nitritoid
- obsessive-compulsive F42.9
- organic, acute or subacute (*see also* Delirium) F05.9
- paranoid (acute) F23.3
- - chronic F22.0
- - senile F03 2a 2b
- phobic F40.9
- postradiation NEC T66 2b
- post-traumatic stress, uncomplicated Z73.3(1496)
- psychogenic F99 2a 2b
- psychoneurotic (*see also* Neurosis) F48.9
- - compulsive F42.1
- - obsessive F42.0
- psychophysiological (*see also* Disorder, somatoform) F45.9
- psychotic F23.9 2b
- - due to or associated with physical condition F06.8 2b
- radiation NEC T66 2b
- scarlet fever toxin - *see* Complications, vaccination
- schizophrenic F23.2
- - acute (brief) (undifferentiated) F23.2
- - latent F21
- - undifferentiated (acute) (brief) F23.2
- serological for syphilis - *see* Serology for syphilis

- serum (prophylactic) (therapeutic) T80.6 2b
- - immediate T80.5
- situational (*see also* Reaction, adjustment) F43.2
- - acute F43.0
- - maladjustment F43.2
- somatization (*see also* Disorder, somatoform) F45.9
- spinal puncture G97.1
- stress (severe) F43.9
 - - acute (agitation) ("daze") (disorientation) (disturbance of consciousness) (flight reaction) (fugue) F43.0
 - - specified NEC F43.8
- surgical procedure - *see* Complications, surgical procedure
- tetanus antitoxin - *see* Complications, vaccination
- toxic, to local anesthesia T81.8 2a 2b
 - - in labor and delivery O74.4
 - - in pregnancy O29.3
 - - postpartum, puerperal O89.3
 - toxin-antitoxin - *see* Complications, vaccination
- transfusion (allergic) (blood) (bone marrow) (lymphocytes) - *see* Complications, transfusion
- tuberculin skin test, abnormal R76.1
- ultraviolet NEC T66 2b
- vaccination (any) - *see* Complications, vaccination
- withdrawing, child or adolescent F93.2
- X-ray NEC T66 2b

Reactive depression - *see* Reaction, depressive

Rearrangement, chromosomal - balanced (in) Q95.9

- - abnormal individual (autosomal) Q95.2
- - - non-sex (autosomal) chromosomes Q95.2
- - - sex/non-sex chromosomes Q95.3
- - specified NEC Q95.8

Recanalization, thrombus - *see* Thrombosis

Recession

- chamber angle (eye) H21.5
- gingival (generalized) (localized) (postinfective) (postoperative) K06.0

Recklinghausen's disease (M9540/1) Q85.0 2b

- bones E21.0

Reclus' disease (cystic) N60.1

Recruitment, auditory H93.2

Rectalgia K62.8

Rectitis K62.8

Rectocele

- female N81.6
- in pregnancy or childbirth O34.8
 - - causing obstructed labor O65.5
 - - - affecting fetus or newborn P03.1
- male K62.3

Rectosigmoid junction - *see* condition

Rectosigmoiditis K63.8

- ulcerative (chronic) K51.3

Rectourethral - *see* condition

Rectovaginal - *see* condition

Rectovesical - *see* condition

Rectum, rectal - *see* condition

Recumbency (prolonged) R26.3 2a 2b

Recurrent - *see* condition

Red-cedar lung or pneumonitis J67.8

Redlick-Flateau syndrome A85.8

- sequellae B94.1 2a 2b

Reduced ventilatory or vital capacity R94.2

Reduction

- fetus(es) (any number) (multiple) P01.5 2b

Redundant, redundancy

- anus (congenital) Q43.8
- clitoris N90.8
- colon (congenital) Q43.8
- foreskin (congenital) N47

- intestine (congenital) Q43.8
- labia N90.6
- organ or site, congenital NEC - *see Accessory*
- panniculus (abdominal) E65
- prepuce (congenital) N47
- pylorus K31.8 2a
- rectum (congenital) Q43.8
- scrotum N50.8
- sigmoid (congenital) Q43.8
- skin (of face) L57.4
- - eyelids H02.3
- stomach K31.8 2a

Reduplication - *see Duplex*

Reflex - *see also condition*

- gag
- - decreased R19.8 2b
- - hyperactive J39.2
- pupillary, abnormal H57.0
- vasovagal R55

Reflux R11 2a 2b

- acid K21.9
- esophageal K21.9
- - with esophagitis K21.0
- - neonatal P78.8
- gastroesophageal K21.9
- - with esophagitis K21.0
- - in newborn P78.8
- mitral - *see Insufficiency, mitral*
- ureteral N13.7
- - with pyelonephritis (chronic) N11.0
- vesicoureteral NEC (with scarring) N13.7
- - with pyelonephritis (chronic) N11.0
- - congenital Q62.7

Reforming, artificial openings - *see Attention to, artificial, opening*

Refractive error H52.7

Refsum's disease or syndrome G60.1

Refusal (of)

- food R63.6
- - psychogenic F50.8
- immunization or vaccination because of
- - patient's decision NEC Z28.2(1497)
- - reasons of belief or group pressure Z28.1(1498)
- to drink R63.6
- to eat R63.6
- treatment (because of) Z53.2(1499)
- - patient's decision NEC Z53.2(1500)
- - reasons of belief or group pressure Z53.1(1501)

Regulation

- feeding (elderly) (infant) R63.3 2b
- menstrual Z30.3(1502)

Regurgitation R11 2a 2b

- aortic (valve) (*see also Insufficiency, aortic*) I35.1 2b
- - syphilitic A52.0† 2b I39.1*
- food (*see also Vomiting*) R11 2a 2b
- - with reswallowing - *see Rumination*
- - newborn P92.1
- gastric contents (*see also Vomiting*) R11 2a 2b
- heart - *see Endocarditis*
- mitral (valve) - *see Insufficiency, mitral*
- - congenital Q23.3
- myocardial - *see Endocarditis*
- pulmonary (heart) (valve) (*see also Insufficiency, pulmonary*) I37.1
- - congenital Q22.2
- - syphilitic A52.0† 2b I39.3*
- reflux K21.9

- tricuspid (*see also* Insufficiency, tricuspid) I07.1 2a
- - nonrheumatic (*see also* Insufficiency, tricuspid, nonrheumatic) I36.1
- valve, valvular - *see* Endocarditis
- vesicoureteral N13.7
- - with pyelonephritis (chronic) N11.0

Rehabilitation Z50.9(1503)

- alcohol Z50.2(1504)
- cardiac Z50.0(1505)
- drug Z50.3(1506)
- occupational (therapy) Z50.7(1507)
- personal history of Z92.5(1508)
- specified NEC Z50.8(1509)
- substance abuse NEC Z50.8(1510)
- - alcohol Z50.2(1511)
- - drug Z50.3(1512)
- tobacco use Z50.8(1513)
- vocational Z50.7(1514)

Reidmann's periodic disease E85.0**Reifenstein's syndrome** E34.5**Reilly's syndrome** G90.1 2a 2b**Reinsertion, contraceptive device** Z30.5(1515)**Reiter's disease, syndrome or urethritis** M02.3 2b**Rejection**

- food, psychogenic F50.8
- transplant T86.9
- - bone T86.8
- - - marrow T86.0
- - heart T86.2
- - - with lung(s) T86.3
- - intestine T86.8
- - kidney T86.1
- - liver T86.4
- - lung(s) T86.8
- - - with heart T86.3
- - organ (immune or nonimmune cause) T86.9
- - pancreas T86.8
- - skin (allograft) (autograft) T86.8
- - specified NEC T86.8

Relaxation

- anus (sphincter) K62.8
- - psychogenic F45.8
- arch (foot) M21.4
- - congenital Q66.5
- back ligaments M53.2
- bladder (sphincter) N31.2
- cardioesophageal K21.9
- diaphragm J98.6
- joint (capsule) (paralytic) M25.2
- - congenital NEC Q74.8
- lumbosacral (joint) M53.2
- pelvic floor N81.8
- perineum N81.8
- posture R29.3
- rectum (sphincter) K62.8
- sacroiliac (joint) M53.2
- scrotum N50.8
- urethra (sphincter) N36.8
- vesical N31.2

Release from prison, anxiety concerning Z65.2(1516)**Remains**

- canal of Cloquet Q14.0
- capsule (opaque) Q14.8

Remission in

- bipolar affective disorder F31.7
- recurrent depressive disorder F33.4

Remnant

- fingernail L60.8
- - congenital Q84.6
- meniscus, knee M23.3
- thyroglossal duct Q89.2
- tonsil J35.8
- - infected (chronic) J35.0
- urachus Q64.4

Removal (from) (of)

- cardiac pulse generator (battery)(end-of-life) Z45.0(1517)
- catheter (indwelling) (urinary) Z46.6(1518)
- - from artificial opening - *see* Attention to, artificial, opening
- - vascular NEC Z45.2(1519)
- device
- - contraceptive Z30.5(1520)
- - fixation (internal) Z47.0(1521)
- - - external Z47.8(1522)
- - traction Z47.8(1523)
- dressing Z48.0(1524)
- home in childhood (to foster home or institution) Z61.1(1525)
- Kirschner wire Z47.0(1526)
- myringotomy device (stent) (tube) Z45.8(1527)
- organ, prophylactic (for neoplasm management) Z40.0(1528)
- pin Z47.0(1529)
- plaster cast Z47.8(1530)
- plate (fracture) Z47.0(1531)
- rod Z47.0(1532)
- screw Z47.0(1533)
- splint, external Z47.8(1534)
- suture Z48.0(1535)
- traction device, external Z47.8(1536)
- vascular access device or catheter Z45.2(1537)

Ren

- arcuatus Q63.1
- mobile, mobilis N28.8 2a 2b
- - congenital Q63.8
- unguiformis Q63.1

Renal - *see condition***Rendu-Osler-Weber disease or syndrome I78.0****Reninoma (M8361/1) D41.0****Renon-Delille syndrome E23.3****Reovirus - *see* Infection, reovirus****Repair**

- pelvic floor, previous, in pregnancy or childbirth O34.8
- scarred tissue Z42.9(1538)
- - breast Z42.1(1539)
- - head and neck Z42.0(1540)
- - lower extremity Z42.4(1541)
- - specified NEC Z42.8(1542)
- - trunk Z42.2(1543)
- - upper extremity Z42.3(1544)

Repeated falls NEC R29.6**Replaced chromosome by ring or dicentric Q93.2****Replacement by artificial or mechanical device or prosthesis of**

- bladder Z96.0(1545)
- blood vessel NEC Z95.8(1546)
- bone NEC Z96.7(1547)
- cochlea Z96.2(1548)
- coronary artery Z95.5(1549)
- eustachian tube Z96.2(1550)
- eye globe Z97.0(1551)
- heart Z95.8(1552)
- - valve NEC Z95.4(1553)
- intestine Z96.8(1554)
- joint Z96.6(1555)

- larynx Z96.3(1556)
- lens Z96.1(1557)
- limb(s) Z97.1(1558)
- mandible NEC (for tooth root implant(s)) Z96.5(1559)
- organ NEC Z96.8(1560)
- peripheral vessel NEC Z95.8(1561)
- stapes Z96.2(1562)
- teeth Z97.2(1563)
- tendon Z96.7(1564)
- tissue NEC Z96.8(1565)
- tooth root(s) Z96.5(1566)
- vessel NEC Z95.8(1567)
- - coronary (artery) Z95.5(1568)

Request for expert evidence Z04.8(1569)

Reserve, decreased or low

- cardiac - *see* Disease, heart
- kidney N28.8 2a 2b

Residual - *see also* condition

- affective disorder (due to alcohol or drug use) - *code to* F10-F19 with fourth character .7 F1x.7
- disorder of personality and behavior (due to alcohol or drug use) - *code to* F10-F19 with fourth character .7 F1x.7
- ovary syndrome N99.8 2b
- state, schizophrenic F20.5
- urine R39.1 2b

Resistance

- activated protein C [factor V Leiden mutation] D68.5

Resorption

- dental (roots) K03.3
- - alveoli K08.8 2a 2b
- teeth (external) (internal) (pathological) (roots) K03.3

Respiration

- Cheyne-Stokes R06.3
- decreased due to shock, following injury T79.4 2a 2b
- disorder of, psychogenic F45.3 2b
- insufficient, or poor R06.8 2a 2b
- - newborn NEC P28.5 2a 2b
- sighing, psychogenic F45.3 2b

Respiratory - *see also* condition

- syncytial virus - *see* Infection, respiratory, syncytial virus

Respite care Z75.5(1570)

Response (drug)

- heart (ventricular)
- - rapid R00.0 2a 2b
- photoallergic L56.1
- phototoxic L56.0

Restless legs (syndrome) G25.8 2a

Restlessness R45.1

Restriction (of)

- housing space Z59.1(1571)
- intrauterine growth P05.9

Rests, ovarian, in fallopian tube Q50.6

Restzustand (schizophrenic) F20.5

Retained - *see* Retention

Retardation

- congenital (*see also* Retardation, mental) F79 2a 2b
- development, developmental, specific (*see also* Disorder, developmental) F89
- - arithmetical skills F81.2
- - learning F81.9
- - - language (skills) (expressive) F80.1
- - motor function F82
- - reading F81.0
- - spelling (without reading disorder) F81.1
- endochondral bone growth M89.2
- growth (*see also* Retardation, physical) R62.8 2b
- - fetus P05.9
- - - affecting management of pregnancy O36.5

- intrauterine growth P05.9
- - affecting management of pregnancy O36.5
- mental F79 2a 2b
- - with
 - - - autistic features F84.1
 - - - overactivity and stereotyped movements F84.4
 - - mild (I.Q. 50-69) F70 2a 2b
 - - moderate (I.Q. 35-49) F71 2a 2b
 - - profound (I.Q. under 20) F73 2a 2b
 - - severe (I.Q. 20-34) F72 2a 2b
- - specified NEC F78 2a 2b
- - substantial F79 2a 2b
- motor function, specific F82
- physical (child) R62.8 2b
- - due to malnutrition E45 2b
- - fetus P05.9
- psychomotor F82
- reading (specific) F81.0
- spelling (specific) (without reading disorder) F81.1

Retching (*see also* Vomiting) R11 2a 2b

Retention, retained

- carbon dioxide R06.8 2a 2b
- cyst - *see* Cyst
- dead
- - fetus (at or near term) (mother) O36.4
- - - early fetal death O02.1
- - ovum O02.0
- decidua (following delivery) (fragments) (with hemorrhage) O72.2
- - with abortion - *see* Abortion, by type
- - without hemorrhage O73.1
- deciduous tooth K00.6
- dental root K08.3
- fecal (*see also* Constipation) K59.0
- fetus, dead O36.4
- - early O02.1
- fluid R60.9 2b
- - due to
 - - - medical care NEC E89.8 2b
- foreign body - *see also* Foreign body, retained
- - current trauma - *code as* Foreign body, by site or type
- intrauterine contraceptive device, in pregnancy O26.3
- membranes (complicating delivery) (with hemorrhage) O72.2
- - with abortion - *see* Abortion, by type
- - without hemorrhage O73.1
- meniscus (*see also* Derangement, meniscus) M23.3
- menses N94.8 2b
- milk (puerperal, postpartum) O92.7
- nitrogen, extrarenal R39.2 2b
- ovary syndrome N99.8 2b
- placenta (total) (with hemorrhage) O72.0
- - affecting fetus or newborn P02.8
- - portions or fragments (with hemorrhage) O72.2
 - - - without hemorrhage O73.1
 - - without hemorrhage O73.0
- products of conception
- - early pregnancy (dead fetus) O02.1
- - - affecting fetus or newborn P01.8
- - following
 - - - abortion - *see* Abortion, by type
 - - - delivery (with hemorrhage) O72.2
 - - - - affecting fetus or newborn P02.8
 - - - - without hemorrhage O73.1
- secretions
- - airway J98.8 2b
- - - newborn P28.8

- - of bronchus J98.0
- - - newborn P28.8
- - of lungs J98.4 2a 2b
- - - newborn P28.8
- - pulmonary J98.4 2a 2b
- - - newborn P28.8
- secundines (following delivery) (with hemorrhage) O72.0
- - with abortion - *see* Abortion, by type
- - complicating puerperium (delayed hemorrhage) O72.2
- - partial O72.2
- - - without hemorrhage O73.1
- - without hemorrhage O73.0
- smegma, clitoris N90.8
- urine R33 2b
- - psychogenic F45.3 2b
- water (in tissues) (*see also* Edema) R60.9 2b

Reticular erythematous mucinosus L98.5

Reticulation, dust - *see* Pneumoconiosis

Reticuloendotheliosis

- acute infantile (M9722/3) C96.0
- leukemic (M9941/3) C91.4 2a 2b
- nonlipid (M9722/3) C96.0

Reticulohistiocytoma (giant-cell) D76.3

Reticuloid, actinic L57.1

Reticulolymphosarcoma (diffuse) (M9675/3) C83.2 2a

- follicular (M9691/3) C82.1 2a
- nodular (M9691/3) C82.1 2a

Reticuloma C83.9

Reticulosarcoma (diffuse) (M9591/3) C83.3 2a 2b

Reticulosis (skin)

- acute, of infancy (M9722/3) C96.0
- hemophagocytic, familial D76.1
- histiocytic medullary (M9720/3) C96.1
- lipomelanotic I89.8 2b
- malignant (midline) (M9713/3) C85.7
- polymorphic (M9713/3) C85.7
- Sézary's (M9701/3) C84.1

Retina, retinal - *see condition*

Retinitis (*see also* Chorioretinitis) H30.9 2a

- albuminuric, albuminurica N18.5† 2b H32.8*
- arteriosclerotic I70.8† H36.8*
- cytomegalovirus B25.8 2b
- diabetic (*see also* E10-E14 with fourth character .3) E14.3† H36.0*
- disciformis H35.3
- focal H30.0
- gravidarum O26.8
- juxtapapillaris H30.0
- luetic - *see* Retinitis, syphilitic
- pigmentosa H35.5
- punctata albescens H35.5
- renal N18.5† 2b H32.8*
- syphilitic (early) (secondary) A51.4† H32.0*
- - central, recurrent A52.7† 2a 2b H32.0*
- - congenital (early) A50.0† 2a 2b H32.0*
- - late A52.7† 2a 2b H32.0*
- tuberculous A18.5† H32.0*

Retinoblastoma (M9510/3) C69.2

- differentiated (M9511/3) C69.2
- undifferentiated (M9512/3) C69.2

Retinochoroiditis (*see also* Chorioretinitis) H30.9 2a

- disseminated H30.1
- - syphilitic A52.7† 2a 2b H32.0*
- focal H30.0
- juxtapapillaris H30.0

Retinopathy (background) (Coats) (exudative) (hypertensive) H35.0 2a

- arteriosclerotic I70.8† H36.8*
- atherosclerotic I70.8† H36.8*
- central serous H35.7
- circinate H35.0 2a
- diabetic (*see also* E10-E14 with fourth character .3) E14.3† H36.0*
- in (due to)
 - - atherosclerosis I70.8† H36.8*
 - - diabetes (*see also* E10-E14 with fourth character .3) E14.3† H36.0*
 - - sickle-cell disorders D57† H36.8*
- of prematurity H35.1
- pigmentary, congenital H35.5
- proliferative NEC H35.2 2a
- - sickle-cell D57† H36.8*
- solar H31.0

Retinoschisis H33.1

- congenital Q14.1

Retractile testis Q55.2

Retraction

- cervix (*see also* Retroversion, uterus) N85.4
- drum (membrane) H73.8
- finger M20.0
- lid H02.5
- lung J98.4 2a 2b
- - newborn P28.8
- mediastinum J98.5
- nipple N64.5
- - congenital Q83.8
- - gestational O92.0
- - puerperal, postpartum O92.0
- palmar fascia M72.0
- pleura (*see also* Pleurisy) R09.1
- ring, uterus (Bandl's) (pathological) O62.4
- - affecting fetus or newborn P03.6
- sternum (congenital) Q76.7
- - acquired M95.4
- syndrome H50.8
- uterus (*see also* Retroversion, uterus) N85.4
- valve (heart) - *see* Endocarditis

Retraining

- activities of daily living NEC Z50.8(1572)
- cardiac Z50.0(1573)

Retrobulbar - *see condition*

Retrocecal - *see condition*

Retrocession - *see* Retroversion

Retrodisplacement - *see* Retroversion

Retrognathia, retrognathism (mandibular) (maxillary) K07.1

Retrograde menstruation N92.5

Retroperitoneal - *see condition*

Retroperitoneal - *see condition*

Retoperitonitis (*see also* Peritonitis) K65.9 2a 2b

Retropharyngeal - *see condition*

Retroplacental - *see condition*

Retroposition - *see* Retroversion

Retrosternal thyroid Q89.2

Retroversion, retroverted

- cervix (*see also* Retroversion, uterus) N85.4
- female NEC (*see also* Retroversion, uterus) N85.4
- iris H21.5
- testis (congenital) Q55.2
- uterus, uterine N85.4
- - congenital Q51.8
- - in pregnancy or childbirth O34.5
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1

Retrovirus - see Infection, retrovirus

Rett's disease or syndrome F84.2

Return

- anomalous pulmonary venous - see Anomaly, anomalous (congenital), pulmonary, venous connection

Reverse

- end diastolic flow P02.2

- peristalsis R19.2

Reye's syndrome G93.7 2a 2b

Rh (factor)

- hemolytic disease (fetus or newborn) P55.0 2b

- incompatibility, immunization or sensitization

- - affecting management of pregnancy O36.0

- - fetus or newborn P55.0 2b

- - transfusion reaction T80.4

- negative mother affecting fetus or newborn P55.0 2b

- transfusion reaction T80.4

Rhabdomyolysis (idiopathic) NEC M62.8

- traumatic T79.6 2a 2b

Rhabdomyoma (M8900/0) - see also Neoplasm, connective tissue, benign

- adult (M8904/0) D21.9

- fetal (M8903/0) D21.9

- glycogenic (M8904/0) D21.9

Rhabdomyosarcoma (M8900/3) - see also Neoplasm, connective tissue, malignant

- alveolar (M8920/3)

- embryonal (M8910/3)

- mixed type (M8902/3)

- pleomorphic (M8901/3)

Rhabdosarcoma (M8900/3) - see Rhabdomyosarcoma

Rhesus (factor) incompatibility - see Rh,incompatibility

Rheumatic (acute) (chronic) (subacute)

- chorea - see Chorea, rheumatic

- fever (acute) - see Fever, rheumatic

- heart (see also Disease, heart, rheumatic) I09.9 2a 2b

- - specified NEC I09.8

- pneumonia I00† 2a 2b J17.8*

Rheumatism (articular) (neuralgic) (nonarticular) M79.0

- palindromic (any site) M12.3

Rheumatoid - see also condition M06.9 2a 2b

- arthritis M06.9 2a 2b

- - with involvement of organs NEC M05.3

- - seronegative M06.0

- - seropositive M05.9

- - - specified NEC M05.8

- lung (disease) M05.1† J99.0*

- myocarditis M05.3† I41.8*

- pericarditis M05.3† I32.8*

- polyarthritis M06.9 2a 2b

- vasculitis M05.2 2b

Rhinitis (catarrhal) (fibrinous) (membranous) J31.0

- with sore throat - see Nasopharyngitis

- acute J00 2a 2b

- allergic J30.4

- - with asthma J45.0 2b

- - due to pollen J30.1

- - nonseasonal J30.3

- - perennial J30.3

- - seasonal NEC J30.2

- - specified NEC J30.3

- atrophic (chronic) J31.0

- chronic J31.0

- granulomatous (chronic) J31.0

- hypertrophic (chronic) J31.0

- infective J00 2a 2b

- obstructive (chronic) J31.0

- pneumococcal J00 2a 2b

- purulent (chronic) J31.0
- syphilitic A52.7† 2a 2b J99.8*
- - congenital A50.0† 2a 2b J99.8*
- tuberculous A16.8 2a 2b
- ulcerative (chronic) J31.0
- vasomotor J30.0

Rhinoantritis (chronic) (*see also* Sinusitis,maxillary) J32.0

Rhinodacryolith H04.5

Rhinolith (nasal sinus) J34.8

Rhinomegaly J34.8

Rhinopharyngitis (acute) (subacute) (*see also* Nasopharyngitis) J00 2a 2b

- chronic J31.1
- destructive ulcerating A66.5† J99.8*
- mutilans A66.5† J99.8*

Rhinophyma L71.1

Rhinorrhea J34.8

- cerebrospinal (fluid) G96.0
- paroxysmal (*see also* Rhinitis, allergic) J30.3
- spasmodic (*see also* Rhinitis, allergic) J30.3

Rhinosalpingitis H68.0

Rhinoscleroma A48.8

Rhinosporidiosis B48.1

Rhinovirus infection NEC B34.8

Rhythm

- atrioventricular nodal I49.8
- - newborn P29.1
- disorder I49.9 2b
- - coronary sinus I49.8
- - - newborn P29.1
- - ectopic I49.8
- - - newborn P29.1
- - newborn P29.1
- - nodal I49.8
- - - newborn P29.1
- escape I49.9 2b
- - newborn P29.1
- heart, abnormal I49.9 2b
- - newborn P29.1
- idioventricular I44.2
- nodal I49.8
- - newborn P29.1
- sleep, inversion G47.2

Rhytidosis facialis L98.8

Rib - *see also* condition

- cervical Q76.5

Riboflavin deficiency E53.0

Rice bodies M24.0

- knee M23.4

Richter's hernia - *see* Hernia, abdomen, withobstruction

Richter's syndrome C85.9 2a 2b

Ricinism T62.2

Rickets (active) (acute) (adolescent) (chest wall) (congenital) (current) (infantile) (intestinal) E55.0 2b

- adult - *see* Osteomalacia
- celiac K90.0 2b
- inactive E64.3 2a 2b
- kidney N25.0
- renal N25.0
- sequelae, any E64.3 2a 2b
- vitamin-D-resistant E83.3† M90.8*

Rickettsial disease NEC A79.9

- specified type NEC A79.8

Rickettsialpox (*Rickettsia akari*) A79.1

Rickettsiosis NEC A79.9

- due to

- - *Ehrlichia sennetsu* (*see* Rickettsiosis, due to,Neorickettsia sennetsu)

- - *Neorickettsia sennetsu* A79.8
- - *Rickettsia akari (rickettsialpox)* A79.1
- specified type NEC A79.8
- tick-borne A77.9 2a
- vesicular A79.1

Rider's bone M61.5

Ridge, alveolus - *see also condition*

- flabby K06.8

Ridged ear, congenital Q17.3

Riedel's

- lobe, liver Q44.7
- struma, thyroiditis or disease E06.5

Rieger's anomaly or syndrome Q13.8

Riehl's melanosis L81.4

Riemann's periodic disease

Rietti-Greppi-Micheli anemia D56.9

Rieux's hernia - *see Hernia, abdomen,specified site NEC*

Riga-Fede disease K14.0

Riggs' disease K05.3

Rigid, rigidity - *see also condition*

- abdominal R19.3 2b
- - with severe abdominal pain R10.0 2b
- articular, multiple, congenital Q68.8
- cervix (uteri)
 - - in pregnancy or childbirth O34.4
 - - - affecting fetus or newborn P03.8
 - - - causing obstructed labor O65.5
 - - - - affecting fetus or newborn P03.1
- decerebrate
- - nontraumatic G93.8 2b
- hymen (acquired) (congenital) N89.6
- pelvic floor
 - - in pregnancy or childbirth O34.8
 - - - affecting fetus or newborn P03.8
 - - - causing obstructed labor O65.5
 - - - - affecting fetus or newborn P03.1
- perineum or vulva
 - - in pregnancy or childbirth O34.7
 - - - causing obstructed labor O65.5
 - - - - affecting fetus or newborn P03.1
- spine M53.8
- vagina
 - - in pregnancy or childbirth O34.6
 - - - causing obstructed labor O65.5
 - - - - affecting fetus or newborn P03.8

Rigors R68.8 2a 2b

- with fever R50.8

Riley-Day syndrome G90.1 2a 2b

Ring(s)

- aorta (vascular) Q25.4
- Bandl's O62.4
- - fetus or newborn P03.6
- contraction, complicating delivery O62.4
- - affecting fetus or newborn P03.6
- esophageal, lower (muscular) K22.2 2b
- Fleischer's (cornea) H18.0
- hymenal, tight N89.6
- Kayser-Fleischer (cornea) H18.0
- retraction, uterus, pathological O62.4
- - affecting fetus or newborn P03.6
- Schatzki's (esophagus) (lower) K22.2 2b
- - congenital Q39.3
- Soemmerring's H26.4 2b
- vascular (congenital) Q25.8
- - aorta Q25.4

Ringed hair (congenital) Q84.1

Ringworm B35.9

- beard B35.0
- black dot B35.0
- body B35.4
- Burmese B35.5
- corporeal B35.4
- foot B35.3
- groin B35.6
- hand B35.2
- honeycomb B35.0
- nails B35.1
- perianal (area) B35.6
- scalp B35.0
- specified NEC B35.8
- Tokelau B35.5

Rise, venous pressure I87.8 2b

Risk, suicidal R45.8

- constituting part of a mental disorder - *see condition*

Ritter's disease L00

Rivalry, sibling F93.3

River blindness B73† 2a H45.1*

Robert's pelvis Q74.2

- with disproportion (fetopelvic) O33.0

- - causing obstructed labor O65.0

Robert's syndrome Q89.8

Robin(-Pierre) syndrome Q87.0

Robinow-Silvermann-Smith syndrome Q87.1 2a

Robinson's (hidrotic) ectodermal dysplasia or syndrome Q82.4

Robles' disease B73 2a

Rocker bottom feet Q66.8

Rocky Mountain fever (spotted) A77.0

Roentgen ray, adverse effect NEC T66 2b

Roeteln (*see also* Rubella) B06.9

Roger's disease Q21.0 2b

Rokitansky-Aschoff sinuses (gallbladder) K82.8

Rollet's syndrome H49.9 2a

Romano-Ward syndrome I45.8

Romberg's disease or syndrome G51.8

Roof, mouth - *see condition*

Rosacea L71.9

- acne L71.9

- keratitis L71.8† H19.3*

- specified NEC L71.8

Rosai-Dorfman disease D76.3

Rosenbach's erysipeloid A26.0

Rosenthal's disease or syndrome D68.1 2a 2b

Roseola B09

- infantum B08.2

Ross River disease or fever B33.1

Rossbach's disease K31.8 2a

- psychogenic F45.3 2b

Rostan's asthma (*see also* Failure,ventricular, left) I50.1 2a

Rot, Barcoo (*see also* Ulcer, skin) L98.4 2a 2b

Rotation

- anomalous, incomplete or insufficient, intestine Q43.3

- manual, affecting fetus or newborn P03.8

- spine, incomplete or insufficient M43.8

- tooth, teeth K07.3

- vertebra, incomplete or insufficient M43.8

Rotes Quérol disease or syndrome M48.1

Roth(-Bernhardt) disease or syndrome (meralgia paraesthetica) G57.1

Rothmund(-Thomson) syndrome Q82.8 2b

Rotor's disease or syndrome E80.6

Rotoscoliosis (*see also* Scoliosis) M41.9 2a 2b

Round

- back (with wedging of vertebrae) M40.2 2a 2b
- - late effect of rickets E64.3 2a 2b
- worms (large) (infestation) NEC B82.0
- - Ascariasis B77-

Roussy-Lévy syndrome G60.0 2a 2b**Rubella** B06.9

- complicating pregnancy, childbirth or puerperium O98.5 2b
- complication NEC B06.8
- - neurological B06.0† 2a 2b G99.8*
- congenital P35.0 2a 2b
- maternal
- - affecting fetus or newborn P00.2
- - - manifest rubella in infant P35.0 2a 2b
- - care for (suspected) damage to fetus O35.3
- - suspected damage to fetus affecting management of pregnancy O35.3
- specified complications NEC B06.8

Rubeola (meaning measles) (*see also* Measles) B05.9

- meaning rubella (*see also* Rubella) B06.9

Rubeosis, iris H21.1**Rubinstein-Taybi syndrome** Q87.2**Rudimentary (congenital)** - *see also* Agenesis

- arm Q71.9
- cervix uteri Q51.8
- eye Q11.2
- lobule of ear Q17.3
- patella Q74.1
- tracheal bronchus Q32.4
- uterus Q51.8
- - in male Q56.1
- vagina Q52.0

Ruled out condition (*see also* Observation,suspected) Z03.9(1574)**Rumination** R11 2a 2b

- disorder of infancy F98.2
- neurotic F42.0
- newborn P92.1
- obsessional F42.0
- psychogenic F42.0

Rupia (syphilitic) A51.3

- congenital A50.0 2a 2b
- tertiary A52.7† 2a 2b L99.8*

Rupture, ruptured (*see also* Perforation)

- abscess (spontaneous) - *code as* Abscess, by site
- anastomosis NEC K91.8 2a 2b
- - colon K91.8 2a 2b
- - esophageal K91.8 2a 2b
- - gastrointestinal K91.8 2a 2b
- - aneurysm - *see* Aneurysm
- anus (sphincter) - *see* Laceration, anus
- aorta, aortic (*see also* Aneurysm, aorta) I71.8
- - abdominal I71.3
- - arch I71.1
- - ascending I71.1 - - descending I71.8
- - - abdominal I71.3
- - - thoracic I71.1
- - syphilitic A52.0† 2b I79.0*
- - thorax, thoracic I71.1
- - transverse I71.1
- - traumatic (thoracic) S25.0
- - - abdominal S35.0
- - valve or cusp (*see also* Endocarditis, aortic) I35.8
- appendix (with peritonitis) (*see also* Appendicitis, acute) K35.8 2b
- - with
- - - peritonitis, generalized K35.2
- - - peritonitis, localized K35.3

- arteriovenous fistula, brain I60.8 2a 2b
- artery I77.2
 - - brain (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
 - - - bilateral (multiple) I61.90 2a 2b
 - - - multiple (bilateral) I61.90 2a 2b
 - - carotid I61.8 2a 2b
 - - - bilateral (multiple) I61.80 2a 2b
 - - - multiple (bilateral) I61.80 2a 2b
 - - coronary (*see also* Infarct, myocardium) I21.9 2a 2b
 - - heart (*see also* Infarct, myocardium) I21.9 2a 2b
 - - precerebral I61.8 2a 2b
 - - - bilateral (multiple) I61.80 2a 2b
 - - - multiple (bilateral) I61.80 2a 2b
 - - pulmonary I28.8
 - - spinal G95.1 2b
 - - traumatic (complication) (*see also* Injury, blood vessel) T14.5
- - vertebral I61.8 2a 2b
 - - - bilateral (multiple) I61.80 2a 2b
 - - - multiple (bilateral) I61.80 2a 2b
- - bile duct (common) (hepatic) K83.2
- - bladder (nontraumatic) (sphincter) (spontaneous) N32.4
- - following abortion O08.6
- - obstetrical trauma O71.5
- - traumatic S37.2
- - blood vessel (*see also* Hemorrhage) R58.00 2a 2b
- - brain (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
 - - - bilateral (multiple) I61.90 2a 2b
 - - - multiple (bilateral) I61.90 2a 2b
 - - heart (*see also* Infarct, myocardium) I21.9 2a 2b
 - - traumatic (complication) (*see also* Injury, blood vessel) T14.5
- - bone - *see* Fracture
- - bowel (nontraumatic) K63.10 2a 2b
- - brain
 - - - aneurysm - *see* Aneurysm, brain ruptured
 - - - syphilitic A52.0† 2b I68.8*
 - - - hemorrhagic (*see also* Hemorrhage, intracerebral) I61.9 2a 2b
 - - - bilateral (multiple) I61.90 2a 2b
 - - - multiple (bilateral) I61.90 2a 2b
- - capillaries I78.8
- - cardiac (wall) I21.9 2a 2b
 - - concurrent with acute myocardial infarction - *see* Infarct, myocardium
 - - following acute myocardial infarction (current complication) I21.9 2a 2b
 - - - with hemopericardium I21.9 2a 2b
- - carotid artery NEC I61.8 2a 2b
 - - bilateral (multiple) I61.80 2a 2b
 - - multiple (bilateral) I61.80 2a 2b
- - cartilage (articular) (current) (*see also* Sprain) T14.3
- - knee S83.3
 - - semilunar - *see* Tear, meniscus
- - cecum (with peritonitis) K35.8 2b
- - cerebral aneurysm - *see* Aneurysm, brain, ruptured
- - cervix (uteri)
- - obstetrical trauma O71.3
- - traumatic S37.6
- - chordae tendineae NEC I51.1 2a 2b
 - - concurrent with acute myocardial infarction - *see* Infarct, myocardium
 - - following acute myocardial infarction (current complication) I21.9 2a 2b
- - choroid (direct) (indirect) (traumatic) H31.3
- - circle of Willis I60.6 2a 2b
- - colon (nontraumatic) K63.1 2a 2b
- - cornea (traumatic) - *see* Rupture, eye
- - coronary (artery) (thrombotic) (*see also* Infarct, myocardium) I21.9 2a 2b
- - corpus luteum (infected) (ovary) N83.1
- - cyst - *see* Cyst
- - cystic duct K82.2

- Descemet's membrane H18.3
- - traumatic - *see* Rupture, eye
- diaphragm, traumatic S27.8 2a
- disc - *see* Displacement, intervertebral disc
- diverticulum (intestine) (*see also* Diverticula, by site, with perforation) K57.8
- duodenal stump K31.8 2a
- ear drum (nontraumatic) (*see also* Perforation, tympanic membrane) H72.9
- - with otitis media - *see* Otitis media
- - traumatic, current episode S09.2
- esophagus K22.3 2b
- eye (without prolapse or loss of intraocular tissue) S05.3
- - with prolapse or loss of intraocular tissue S05.2
- fallopian tube NEC (nonobstetric) (nontraumatic) N83.8
- - due to pregnancy O00.1 2b
- fontanel P13.1
- gallbladder K82.2
- - gangrenous (*see also* Cholecystitis, acute) K81.0
- gastric (*see also* Rupture, stomach) K31.8 2a
- - vessel K92.2 2a 2b
- globe (eye) (traumatic) - *see* Rupture, eye
- graafian follicle (hematoma) N83.0
- heart - *see* Rupture, cardiac
- - traumatic S26.8 2a 2b
- hymen (nonintentional) (nontraumatic) N89.8
- internal organ, traumatic - *see* Injury, by site
- intervertebral disc - *see* Displacement, intervertebral disc
- intestine NEC (nontraumatic) K63.10 2a 2b
- iris H21.5
 - - traumatic - *see* Rupture, eye
- joint capsule - *see* Sprain
- kidney S37.0 2b
 - - birth injury P15.8
 - - nontraumatic N28.8 2a 2b
 - - lacrimal duct (traumatic) S05.8
 - - lens (cataract) (traumatic) H26.1
 - - ligament (*see also* Sprain) T14.3
 - - liver S36.1 2b
 - - birth injury P15.0
 - - lymphatic vessel I89.8 2b
 - - marginal sinus (placental) (withhemorrhage) O46.8
 - - with placenta previa O44.1
 - - - affecting fetus or newborn P02.0
 - - - affecting fetus or newborn P02.1 2a
 - - membrana tympani (nontraumatic) (*see also* Perforation, tympanic membrane) H72.9
 - - membranes (spontaneous)
 - - artificial
 - - - delayed delivery following O75.5
 - - - - affecting fetus or newborn P01.1 2a
 - - delayed delivery following O75.6
 - - - affecting fetus or newborn P01.1 2a
 - - premature O42.9
 - - - affecting fetus or newborn P01.1 2a
 - - - labor delayed by therapy O42.2
 - - - onset of labor
 - - - - after 24 hours O42.1
 - - - - delayed by therapy O42.2
 - - - - within 24 hours O42.0
 - - meningeal artery I60.8 2a 2b
 - - meniscus (knee) (*see also* Tear, meniscus) S83.2
 - - old (*see also* Derangement, meniscus) M23.2
 - - site other than knee - *code as* Sprain
 - - mesentery (nontraumatic) K66.8
 - - mitral (valve) I34.8
 - - muscle (traumatic) NEC - *see* Injury, muscle
 - - nontraumatic M62.1

- - papillary I51.2
- musculotendinous junction NEC, nontraumatic M66.5
- mycotic aneurysm causing cerebral hemorrhage (*see also* Hemorrhage, subarachnoid) I60.90 2a 2b
- myocardium, myocardial (*see also* Infarct, myocardium) I21.9 2a 2b
- - traumatic S26.8 2a 2b
- operation wound T81.3 2b
- ovary, ovarian N83.8
- - corpus luteum cyst N83.1
- - follicle (graafian) N83.0
- oviduct (nonobstetric) (nontraumatic) N83.8
- - due to pregnancy O00.1 2b
- pancreas (nontraumatic) K86.8 2b
- - traumatic S36.2 2a
- papillary muscle NEC I51.2
- - following acute myocardial infarction (current complication) I21.9 2a 2b
- pelvic
 - - floor, complicating delivery O70.1
 - - organ NEC, obstetrical trauma O71.5
- perineum (female only) (nonobstetric) (nontraumatic) N90.8
- - complicating delivery O70.9
 - - first degree O70.0
 - - fourth degree O70.3
 - - second degree O70.1
 - - third degree O70.2
- postoperative wound T81.3 2b
- prostate (traumatic) S37.8
- pulmonary
 - - artery I28.8
 - - valve (heart) I37.8
 - - vessel I28.8
- pyosalpinx (*see also* Salpingo-oophoritis) N70.9
- rectum (nontraumatic) K63.1 2a 2b
- - traumatic S36.6
- retina, retinal (traumatic) (without detachment) H33.3
- - with detachment H33.0
- rotator cuff (complete) (incomplete) (nontraumatic) M75.1
- sclera S05.3
- semilunar cartilage, knee S83.2
- sigmoid (nontraumatic) K63.1 2a 2b
- - traumatic S36.5
- spinal cord (*see also* Injury, spinal cord, by region) T09.3
 - - fetus or newborn (birth injury) P11.5 2a 2b
- spleen (traumatic) S36.0 2b
 - - birth injury P15.1
 - - congenital (birth injury) P15.1
 - - due to *Plasmodium vivax* malaria B51.0† D77* 2b
 - - nontraumatic D73.5
 - - spontaneous D73.5
- splenic vein R58 2a 2b
- stitches or sutures T81.3 2b
- stomach (nontraumatic) (spontaneous) K31.8 2a
 - - traumatic S36.3
- supraspinatus (complete) (incomplete) (nontraumatic) M75.1
- symphysis pubis
 - - obstetric O71.6
 - - traumatic S33.4
- synovium (cyst) M66.1
- tendon (traumatic) - *see also* Injury, muscle
 - - nontraumatic M66.5
 - - - specified M66.4
 - - spontaneous M66.5
 - - - extensor M66.2
 - - - flexor M66.3
 - - - specified NEC M66.4
- thoracic duct I89.8 2b

- tonsil J35.8
- traumatic
 - - ankle ligament S93.2
 - - aorta (thoracic) S25.0
 - - - abdominal S35.0
 - - diaphragm S27.8 2a
 - - external site - *see* Wound, by site
 - - eye (*see also* Rupture, eye) S05.3
 - - internal organ - *see* Injury, by site
 - - intervertebral disc T09.2
 - - - cervical S13.0
 - - - lumbar S33.0
 - - - thoracic S23.0
 - - kidney S37.0 2b
 - - ligament (*see also* Sprain) T14.3
 - - - carpus (radiocarpal) (ulnocarpal) S63.3
 - - - collateral (hand) S63.4
 - - - - wrist S63.3
 - - - finger at metacarpo- and interphalangeal joint(s) (collateral) (palmar) (volar plate) S63.4
 - - - foot S93.2
 - - - palmar S63.4
 - - - radial collateral S53.2
 - - - radiocarpal S63.3
 - - - ulnar collateral S53.3
 - - - ulnocarpal S63.3
 - - - wrist (collateral) S63.3
 - - liver S36.1 2b
 - - membrana tympani S09.2
 - - muscle or tendon - *see* Injury, muscle
 - - pancreas S36.2 2a
 - - rectum S36.6
 - - sigmoid S36.5
 - - spleen S36.0 2b
 - - stomach S36.3
 - - symphysis pubis S33.4
 - - tympanum, tympanic (membrane) S09.2
 - - ureter S37.1
 - - vagina S31.4 2b
 - - uterus S37.6
 - tricuspid (heart) (valve) I07.8
 - tube, tubal (nonobstetric) (nontraumatic) N83.8
 - - abscess (*see also* Salpingo-oophoritis) N70.9
 - - due to pregnancy O00.1 2b
 - - tympanum, tympanic (membrane) (nontraumatic) (*see also* Perforation, tympanic membrane) H72.9
 - - multiple H72.8
 - - total H72.8
 - - traumatic S09.2
 - umbilical cord, complicating delivery O69.8
 - - affecting fetus or newborn P50.1
 - ureter (traumatic) S37.1
 - - nontraumatic N28.8 2a 2b
 - urethra (nontraumatic) N36.8
 - - following abortion O08.6
 - - obstetrical trauma O71.5
 - - traumatic S37.3
 - uterosacral ligament (nonobstetric) (nontraumatic) N83.8
 - uterus (traumatic) S37.6
 - - affecting fetus or newborn P03.8
 - - during or after labor O71.1
 - - - affecting fetus or newborn P03.8
 - - nonpuerperal, nontraumatic N85.8
 - - pregnant (during labor) O71.1
 - - - affecting fetus or newborn P03.8
 - - - before labor O71.0
 - - vagina S31.4 2b

- - complicating delivery O71.4
- valve, valvular (heart) - *see* Endocarditis
- varicose vein - *see* Varicose vein
- varix - *see* Varix
- vena cava (*see also* Hemorrhage) R58 2a 2b
- vertebral artery NEC I61.8 2a 2b
- - bilateral (multiple) I61.80 2a 2b
- - multiple (bilateral) I61.80 2a 2b
- vessel (*see also* Hemorrhage) R58.00 2a 2b
- - pulmonary I28.8
- viscus R19.8 2b
- - abdominal R19.8 2b
- vulva, complicating delivery O70.0

Russell-Silver syndrome Q87.1 2a

Rust's disease (tuberculous cervical spondylitis) A18.0† 2a 2b M49.0

S

Saber, sabre tibia (syphilitic) A50.5† M90.2*

Sac, lacrimal - *see condition*

Saccharopinuria E72.3

Saccular - *see condition*

Sacculation

- aorta (nonsyphilitic) (*see also* Aneurysm, aorta) I71.9 2a 2b
- - ruptured I71.8
- - syphilitic A52.0† 2b I79.0*
- bladder N32.3
- intralaryngeal (congenital) (ventricular) Q31.3
- larynx (congenital) (ventricular) Q31.3
- organ or site, congenital - *see* Distortion
- pregnant uterus O34.5
- ureter N28.8 2a 2b
- urethra N36.1

Sachs' amaurotic familial idiocy or disease E75.0 2b

Sachs-Tay disease E75.0 2b

Sacks-Libman disease M32.1† 2a 2b I39.8*

Sacralgia M53.3

Sacralization Q76.4

Sacrodynia M53.3

Sacroiliac joint - *see condition*

Sacroiliitis NEC M46.1

Sacrum - *see condition*

Saddle

- back M40.5
- embolus, aorta I74.0
- nose M95.0
- - due to syphilis A50.5

Sadism (sexual) F65.5

Sadomasochism F65.5

Saemisch's ulcer (cornea) H16.0

Sahib disease B55.0

Sailor's skin L57.8

Saint

- Anthony's fire (*see also* Erysipelas) A46 2a
- Vitus' dance - *see* Chorea, Sydenham's

Saint's triad (*see also* Hernia, diaphragm) K44.9 2b

Salaam

- attack(s) G40.4
- tic R25.8 2b

Salicylism

- abuse F55 2b
- overdose or wrong substance given or taken T39.0 2a 2b

Salivary duct or gland - *see condition*

Salivation, excessive K11.7

Salmonella - see Infection, Salmonella

Salmonellosis A02.0

Salpingitis (fallopian tube) (see also Salpingo-oophoritis) N70.9

- acute N70.0
- chlamydial A56.1† N74.4*
- chronic N70.1
- ear H68.0
- eustachian (tube) H68.0
- gonococcal (acute) (chronic) A54.2† N74.3*
- specific (acute) (chronic) (gonococcal) A54.2† N74.3*
- tuberculous (acute) (chronic) A18.1† 2a 2b N74.1*
- venereal (acute) (chronic) (gonococcal) A54.2† N74.3*

Salpingocele N83.4

Salpingo-oophoritis (purulent) (ruptured) (septic) (suppurative) N70.9

- acute N70.0
- - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - current episode - see Abortion
 - - - ectopic or molar pregnancy O08.0 2b
 - - - gonococcal A54.2† N74.3*
- chronic (see also Salpingo-oophoritis, by type, chronic) N70.1
- complicating pregnancy O23.5
- - affecting fetus or newborn P00.8
- following
 - - abortion (subsequent episode) O08.0 2b
 - - - current episode - see Abortion
 - - - ectopic or molar pregnancy O08.0 2b
 - - - gonococcal (acute) (chronic) A54.2† N74.3*
- puerperal O86.1
- specific A54.2† N74.3*
- tuberculous (acute) (chronic) A18.1† 2a 2b N74.1*
- venereal A54.2† N74.3*

Salpingo-ovaritis (see also Salpingo-oophoritis) N70.9

Salpingoperitonitis (see also Salpingo-oophoritis) N70.9

Salzmann's nodular dystrophy H18.4

Sampson's cyst or tumor N80.1

San Joaquin (Valley) fever B38.0† J99.8*

Sandblaster's asthma, lung or pneumoconiosis J62.8

Sander's disease (paranoia) F22.0

Sandhoff's disease E75.0 2b

Sanfilippo (type B) (type C) (type D) syndrome E76.2

Sanger-Brown ataxia G11.2

Sao Paulo fever or typhus A77.0

Saponification, mesenteric K65.8 2b

Sarcocele (benign)

- syphilitic (late) A52.7† 2a 2b N51.1*
- - congenital A50.5† N51.1*

Sarcocystosis A07.8 2b

Sarcoepiplomphalocele Q79.2

Sarcoid (see also Sarcoidosis) D86.9

- arthropathy D86.8† M14.8*
- Boeck's D86.9
- Darier-Roussy D86.3
- myocarditis D86.8† I41.8*
- myositis D86.8† M63.3*

Sarcoidosis D86.9

- combined sites NEC D86.8
- lung D86.0
 - - and lymph nodes D86.2
 - lymph nodes D86.1
 - - and lung D86.2
 - skin D86.3
 - specified type NEC D86.8
- alveolar soft part (M9581/3)

- ameloblastic (M9330/3) C41.1
- - upper jaw (bone) C41.0
- botryoid, botryoides (M8910/3)
- cerebellar (M9480/3) C71.6
 - - circumscribed (arachnoidal) (M9471/3) C71.6
 - circumscribed (arachnoidal) cerebellar (M9471/3) C71.6
- clear cell (M9044/3)
- - kidney (M8964/3) C64 2a 2b
- embryonal (M8991/3)
- endometrial (stromal) (M8930/3) C54.1 2b
 - - isthmus C54.0
- epithelioid (cell) (M8804/3)
- Ewing's (M9260/3) - *see Neoplasm, bone, malignant*
- giant cell (except of bone) (M8802/3)
- - bone (M9250/3) - *see Neoplasm, bone, malignant*
- glomoid (M8710/3)
- granulocytic (M9930/3) C92.3
- hemangioendothelial (M9130/3) - *see also Neoplasm, connective tissue, malignant*
- histiocytic C83.3 2a 2b
- Hodgkin's (M9662/3) C81.7 2b
- immunoblastic (diffuse) (M9684/3) C83.4
- Kaposi's (M9140/3)
 - - connective tissue C46.1
 - - lymph node(s) C46.3
 - - multiple organs C46.8 2a
 - - palate (hard) (soft) C46.2 2a
 - - resulting from HIV disease B21.0
 - - skin C46.0 2a
 - - specified site NEC C46.7 2a 2b
 - - unspecified site C46.9 2a 2b
- Kupffer cell (M9124/3) C22.3 2a
- leptomeningeal (M9530/3) - *see Neoplasm, meninges, malignant*
- liver C22.4
- lymphangioendothelial (M9170/3)
- lymphoblastic (M9685/3) C83.5
- lymphocytic (M9670/3) C83.0 2a
- mast cell (M9740/3) C96.2
- melanotic (M8720/3) - *see Melanoma*
- meningeal (M9530/3) - *see Neoplasm, meninges, malignant*
- meningotheelial (M9530/3) - *see Neoplasm, meninges, malignant*
- mesenchymal (M8800/3)
 - - mixed (M8990/3)
 - mesothelial (M9050/3) - *see Mesothelioma*
 - monstrocellular (M9481/3)
 - - specified site - *see Neoplasm, malignant*
 - - unspecified site C71.9 2a 2b
 - myeloid (M9930/3) C92.3
- neurogenic (M9540/3) - *see Neoplasm, nerve, malignant*
- odontogenic (M9270/3) C41.1
 - - upper jaw (bone) C41.0
- osteoblastic (M9180/3) - *see Neoplasm, bone, malignant*
- osteogenic (M9180/3) - *see also Neoplasm, bone, malignant*
 - - juxtacortical (M9190/3) - *see Neoplasm, bone, malignant*
 - - periosteal (M9190/3) - *see Neoplasm, bone, malignant*
 - periosteal (M8812/3) - *see also Neoplasm, bone, malignant*
 - - osteogenic (M9190/3) - *see Neoplasm, bone, malignant*
- plasma cell (M9731/3) C90.2
- pleomorphic cell (M8802/3)
- reticulum cell (diffuse) (M9593/3) C83.3 2a 2b
 - - nodular (M9698/3) C82.2 2a
 - - pleomorphic cell type (M9680/3) C83.3 2a 2b
- rhabdoid (M8963/3) - *see Neoplasm, malignant*
- round cell (M8803/3)
- small cell (M8803/3)
- soft tissue (M8800/3)

- spindle cell (M8801/3)
- stromal (endometrial) (M8930/3) C54.1 2b
- - isthmus (M8930/3) C54.0
- synovial (M9040/3)
- - biphasic (M9043/3)
- - epithelioid cell (M9042/3)
- - spindle cell (M9041/3)

Sarcomatosis

- meningeal (M9539/3) - *see* Neoplasm, meninges, malignant
- specified site NEC (M8800/3) - *see* Neoplasm, connective tissue, malignant
- unspecified site (M8800/6) C80 2a 2b

Sarcopenia R29.8 2b

Sarcosinemia E72.5

Sarcosporidiosis (intestinal) A07.8 2b

Saturnine - *see condition*

Saturnism T56.0

Satyriasis F52.7

Sauriasis - *see* Ichthyosis

Scabies (any site) B86

Scald - *see* Burn

Scaling, skin R23.4

Scalp - *see condition*

Scapegoating, affecting child Z62.3(1575)

Scaphocephaly Q75.0

Scapulalgia M89.8 2b

Scar, scarring (*see also* Cicatrix) L90.5

- adherent L90.5
- atrophic L90.5
- bowel K63.8
- cervix
- - in pregnancy or childbirth O34.4
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- chorioretinal H31.0
- - postsurgical H59.8
- choroid H31.0
- conjunctiva H11.2 2a 2b
- cornea H17.9
- - xerophthalmic H17.8
- - - vitamin A deficiency E50.6† H19.8*
- due to
- - previous cesarean section, complicating pregnancy or childbirth O34.2
- - - affecting fetus or newborn P03.8
- duodenum, obstructive K31.5
- esophagus, esophageal K22.2 2b
- heart (interventricular) (ventricle) I25.8 2a 2b
- hypertrophic L91.0
- intravascular septum (old) I25.8 2a 2b
- keloid L91.0
- kidney N28.8 2a 2b
- labia N90.8
- lung (base) J98.4 2a 2b
- macula H31.0
- muscle M62.8
- myocardium, myocardial I25.8 2a 2b
- painful L90.5
- pancreas K86.8 2b
- posterior pole (eye) H31.0
- psychic Z91.4(1576)
- retina H31.0
- trachea J39.8
- uterus N85.8
- - in pregnancy or childbirth O34.2
- - - affecting fetus or newborn P03.8
- vagina N89.8

- - postoperative N99.2

- vulva N90.8

Scarabiasis B88.2

Scarlatina A38 2a 2b

- myocarditis (acute) A38† 2a 2b I41.0*

- - old (*see also* Myocarditis) I51.4 2a 2b

Schamberg's disease (progressive pigmentary dermatosis) L81.7

Schatzki's ring (acquired) (esophagus) (lower) K22.2 2b

- congenital Q39.3

Schaumann's

- benign lymphogranulomatosis D86.1

- disease or syndrome (*see also* Sarcoidosis) D86.9

Scheie's syndrome E76.0

Schenck's disease B42.1

Scheuermann's disease or osteochondrosis M42.0

Schilder(-Flatau) disease G37.0

Schilder-Addison complex E71.3 2b

Schilling-type monocytic leukemia(M9890/3) C93.9

Schimmelbusch's disease, cystic mastitis or hyperplasia N60.1

Schinzel-Gideon syndrome Q87.8 2b

Schistosoma infestation - *see*Schistosomiasis

Schistosomiasis B65.9

- Asiatic B65.2

- bladder B65.0

- colon B65.1

- cutaneous B65.3

- Eastern B65.2

- genitourinary tract B65.0

- intestinal B65.1

- lung NEC B65† 2a J99.8*

- - pneumonia B65† 2a J17.3*

- Manson's (intestinal) B65.1

- oriental B65.2

- pulmonary NEC B65† 2a J99.8*

- - pneumonia B65† 2a J17.3*

- *Schistosoma*

- - *haematobium* B65.0

- - *japonicum* B65.2

- - *mansoni* B65.1

- specified type NEC B65.8

- urinary B65.0

- vesical B65.0

Schizencephaly Q04.6 2b

Schizoaffective psychosis F25.9

Schizodontia K00.2

Schizoid (personality) F60.1

- of childhood F84.5

Schizophrenia, schizophrenic F20.9

- acute (brief) (undifferentiated) F23.2

- atypical (form) F20.3

- borderline F21

- cataplexy F20.2

- catatonic (type) (excited) (withdrawn) F20.2

- cenesthopathic, cenesthesiopathic F20.8

- childhood type F84.5

- chronic (undifferentiated) F20.5

- cyclic F25.2

- disorganized (type) F20.1

- flexibilitas cerea F20.2

- hebephrenic (type) F20.1

- incipient F21

- latent F21

- negative type F20.5

- paranoid (type) F20.0

- paraphrenic F20.0

- postpsychotic depression F20.4
- prepsychotic F21
- prodromal F21
- pseudoneurotic F21
- pseudopsychopathic F21
- reaction F23.2
- residual (state) (type) F20.5
- Restzustand F20.5
- schizoaffective (type) - *see Psychosis, schizoaffective*
- simple (type) F20.6
- simplex F20.6
- specified type NEC F20.8
- stupor F20.2
- syndrome of childhood NEC F84.5
- undifferentiated (type) F20.3
 - acute F23.2
 - chronic F20.5

Schizothymia (persistent) F60.1

Schlatter-Osgood disease or osteochondrosis M92.5

Schlatter's tibia M92.5

Schmidt's syndrome (polyglandular, autoimmune) E31.0

Schmincke's carcinoma or tumor(M8082/3) - *see Neoplasm, nasopharynx,malignant*

Schmitz(-Stutzer) dysentery A03.0

Schmorl's disease or nodes M51.4

Schneiderian

- carcinoma (M8121/3)
 - specified site - *see Neoplasm, malignant*
 - unspecified site C30.0
- papilloma (M8121/0)
 - specified site - *see Neoplasm, benign*
 - unspecified site D14.0 2b

Scholz(-Bielchowsky-Henneberg) disease or syndrome E75.2 2b

Schönlein(-Henoch) disease or purpura (primary) (rheumatic) D69.0 2a 2b

Schüller-Christian disease or syndrome D76.0 2b

Schultze's type acroparesthesia, simple I73.8

Schultz's disease or syndrome D70

Schwalbe-Ziehen-Oppenheim disease G24.1

Schwannoma (M9560/0) - *see also Neoplasm, nerve, benign*

- malignant (M9560/3) - *see also Neoplasm,nerve, malignant*
- with rhabdomyoblastic differentiation (M9561/3) - *see Neoplasm, nerve, malignant*
- melanocytic (M9560/0) - *see Neoplasm,nerve, benign*
- pigmented (M9560/0) - *see Neoplasm, nerve, benign*

Schwartz(-Jampel) syndrome Q78.8

Schweninger-Buzzi anetoderma L90.1

Sciatic - *see condition*

Sciatica (infective) M54.3

- with lumbago M54.4
 - due to intervertebral disc disorder M51.1† G55.1*
- due to displacement of intervertebral disc (with lumbago) M51.1† G55.1*

Scimitar syndrome Q26.8

Sclera - *see condition*

Sclerectasia H15.8

Scleredema

- adultorum M34.8
- Buschke's M34.8
- newborn P83.0

Sclerema

- adiposum (newborn) P83.0
- adultorum M34.8
- edematosum (newborn) P83.0
- newborn P83.0

Scleriasis - *see Scleroderma*

Scleritis (annular) (anterior) (granulomatous) (posterior) (suppurative) H15.0

- in (due to) zoster B02.3† H19.0*

- syphilitic A52.7† 2a 2b H19.0*

- tuberculous (nodular) A18.5† H19.0*

Sclerochoroiditis H31.8

Scleroconjunctivitis H15.0

Sclerocystic ovary syndrome E28.2

Sclerodactyly, sclerodactylia L94.3

Scleroderma, sclerodermia (diffuse) (generalized) M34.9 2b

- circumscribed L94.0

- linear L94.1

- localized L94.0

- newborn P83.8

- pulmonary M34.8† J99.1*

Sclerokeratitis H16.8

- tuberculous A18.5† H19.2*

Scleroma nasi A48.8

Scleromalacia (perforans) H15.8

Scleromyxedema L98.5

Sclérose en plaques G35 2a 2b

Sclerosis, sclerotic, sclerosing

- adrenal (gland) E27.8

- Alzheimer's G30.9 2a 2b

- - dementia in G30.9† 2a 2b F00.9*

- - - early (onset) G30.0† F00.0*

- - - late (onset) G30.1† 2a 2b F00.1*

- - - early (onset) G30.0† F00.0*

- - - late (onset) G30.1† 2a 2b F00.1

- amyotrophic (lateral) G12.2 2a 2b

- - advanced G12.20 2a 2b

- - grave G12.20 2a 2b

- - severe G12.20 2a 2b

- aorta, aortic I70.0 2a

- - valve (*see also* Endocarditis, aortic) I35.8

- artery, arterial, arteriolar, arteriovascular - *see* Arteriosclerosis

- ascending multiple G35 2a 2b

- brain G37.9 2a 2b

- - artery, arterial I67.2 2a 2b

- - atrophic lobar G31.0

- - - dementia in G31.0† F02.0*

- - diffuse G37.0

- - - familial (chronic) (infantile) E75.2 2b

- - - infantile (chronic) (familial) E75.2 2b

- - - Pelizaeus-Merzbacher type E75.2 2b

- - disseminated G35 2a 2b

- - infantile (degenerative) (diffuse) (familial) E75.2 2b

- - insular G35 2a 2b

- - Krabbe's E75.2 2b

- - miliary G35 2a 2b

- - multiple G35 2a 2b

- - Pelizaeus-Merzbacher E75.2 2b

- - presenile (Alzheimer's) G30.0

- - - dementia in G30.0† F00.0*

- - progressive familial E75.2 2b

- - senile (arteriosclerotic) I67.2 2a 2b

- - stem, multiple G35 2a 2b

- - tuberous Q85.1

- bulbar, multiple G35 2a 2b

- bundle of His I44.3

- cardiac I25.1 2a 2b

- cardiorenal (*see also* Hypertension, cardiorenal) I13.9 2a 2b

- cardiovascular (*see also* Disease, cardiovascular) I51.6 2a 2b

- - renal (*see also* Hypertension, cardiorenal) I13.9 2a 2b

- centrolobar, familial E75.2 2b

- cerebellar - *see* Sclerosis, brain

- cerebral - *see* Sclerosis, brain

- cerebrospinal (disseminated) (multiple) G35 2a 2b

- cerebrovascular I67.2 2a 2b

- choroid H31.1
- combined (spinal cord) - *see also* Degeneration, combined
 - - multiple G35 2a 2b
 - - concentric (Balo) G37.5
 - - cornea H17.8
 - - coronary (artery) I25.1 2a 2b
 - - corpus cavernosum
 - - female N90.8
 - - male N48.6
 - - diffuse (brain) (spinal cord) G37.0
 - - disseminated G35 2a 2b
 - - dorsolateral (spinal cord) - *see* Degeneration, combined
 - - extrapyramidal G25.9
- focal and segmental (glomerular) - *code to* N00-N07 with fourth character .1 N05.1
- Friedreich's (spinal cord) G11.1 2a 2b
- funicular (spermatic cord) N50.8
- general (vascular) - *see* Arteriosclerosis
- gland (lymphatic) I89.8 2b
- globoid body, diffuse E75.2 2b
- hepatic K74.1 2a
 - - alcoholic K70.2 2a
- hereditary
 - - cerebellar G11.9
 - - spinal (Friedreich's ataxia) G11.1 2a 2b
- hyaline necrosis of liver K72.9 2a 2b
- insular G35 2a 2b
- kidney - *see* Sclerosis, renal
- larynx J38.7
- lateral (amyotrophic) (descending) (primary) (spinal) G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
- lens, senile nuclear H25.1
- liver K74.1 2a
 - - with fibrosis K74.2 2a
 - - - alcoholic K70.2 2a
 - - - alcoholic K70.2 2a
 - - - cardiac K76.1 2a 2b
- lobar, atrophic (of brain) G31.0
 - - dementia in G31.0† F02.0*
- lung (*see also* Fibrosis, lung) J84.1 2a 2b
- mitral I05.8 2a
- Mönckeberg's I70.2 2a 2b
- multiple (brain stem) (cerebral) (generalized) (spinal cord) G35 2a 2b
- myocardiopathy I25.1 2a 2b
- myocardium, myocardial I25.1 2a 2b
- ovary N83.8
- pancreas K86.8 2b
- penis N48.6
- peripheral arteries I70.2 2a 2b
- plaques G35 2a 2b
- pluriglandular E31.8
- polyglandular E31.8
- posterolateral (spinal cord) - *see* Degeneration, combined
- presenile (Alzheimer's) G30.0
 - - dementia in G30.0† F00.0*
- primary, lateral G12.2 2a 2b
 - - advanced G12.20 2a 2b
 - - grave G12.20 2a 2b
 - - severe G12.20 2a 2b
- progressive, systemic M34.0 2a 2b
- pulmonary (*see also* Fibrosis, lung) J84.1 2a 2b
 - - artery I27.0
 - - valve (heart) (*see also* Endocarditis, pulmonary) I37.8
- renal N26 2a

- - with
- - - cystine storage disease E72.0† N29.8*
- - - hypertensive heart disease (conditions in I11-) (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- - arteriolar (hyaline) (hyperplastic) (*see also* Hypertension, kidney) I12.9 2a 2b
- retina (senile) (vascular) H35.0 2a
- senile (vascular) - *see* Arteriosclerosis
- spinal (cord) (progressive) G95.8 2b
- - combined - *see also* Degeneration, combined
- - - multiple G35 2a 2b
- - - syphilitic A52.1† 2a 2b G32.0*
- - disseminated G35 2a 2b
- - dorsolateral - *see* Degeneration, combined
- - hereditary (Friedreich's) (mixed form) G11.1 2a 2b
- - lateral (amyotrophic) G12.2 2a 2b
- - - advanced G12.20 2a 2b
- - - grave G12.20 2a 2b
- - - severe G12.20 2a 2b
- - multiple G35 2a 2b
- - posterior (syphilitic) A52.1† 2a 2b G32.8*
- stomach K31.8 2a
- subendocardial, congenital I42.4 2a 2b
- systemic M34.9 2b
- - with
- - - lung involvement M34.8† J99.1*
- - - myopathy M34.8† G73.7*
- - drug-induced M34.2
- - due to chemicals NEC M34.2
- - progressive M34.0 2a 2b
- - specified NEC M34.8
- tricuspid (heart) (valve) I07.8
- tuberous (brain) Q85.1
- tympanic membrane H73.8
- valve, valvular (heart) - *see* Endocarditis
- vascular - *see* Arteriosclerosis
- vein I87.8 2b

Sclerotenonitis H15.0

Scoliosis (acquired) (postural) M41.9 2a 2b

- adolescent (idiopathic) M41.1
- congenital Q67.5
- - due to bony malformation Q76.3
- - failure of segmentation (hemivertebra) Q76.3
- - hemivertebra fusion Q76.3
- - postural Q67.5
- idiopathic NEC M41.2
- - infantile M41.0
- - juvenile M41.1
- neuromuscular M41.4 2b
- paralytic M41.4 2b
- postradiation therapy M96.5
- rachitic (late effect or sequelae) E64.3 2a 2b
- secondary (to) NEC M41.5 2a 2b
- - cerebral palsy, Friedreich's ataxia, poliomyelitis and other neuromuscular disorders M41.4 2b
- specified form NEC M41.8
- thoracogenic M41.3
- tuberculous A18.0† 2a 2b M49.0*

Scoliotic pelvis with disproportion (fetopelvic) O33.0

- affecting fetus or newborn P03.1
- causing obstructed labor O65.0

Scorbutus, scorbutic (*see also* Scurvy) E54 2a 2b

- anemia D53.2

Scotoma (arcuate) (Bjerrum) (central) (ring) H53.4

- scintillating H53.1

Scratch - *see* Injury, superficial

Screening (for) Z13.9(1577)

- alcoholism Z13.3(1578)

- anemia Z13.0(1579)
- anomaly, congenital Z13.7(1580)
- antenatal - *see* Antenatal, screening
- arterial hypertension Z13.6(1581)
- arthropod-borne viral disease NEC Z11.5(1582)
- bacteriuria, asymptomatic Z13.8(1583)
- behavioral disorder Z13.3(1584)
- bronchitis, chronic Z13.8(1585)
- brucellosis Z11.2(1586)
- cardiovascular disorder NEC Z13.6(1587)
- cataract Z13.5(1588)
- Chagas' disease Z11.6(1589)
- chlamydial diseases Z11.8(1590)
- cholera Z11.0(1591)
- chromosomal abnormalities Z13.7(1592)
 - - athletes Z10.3(1593)
 - - by amniocentesis Z36.0(1594)
 - - postnatal Z13.7(1595)
- congenital
 - - dislocation of hip Z13.7(1596)
 - - eye disorder Z13.5(1597)
 - - malformation or deformation Z13.7(1598)
- contamination NEC Z13.8(1599)
- cystic fibrosis Z13.8(1600)
- dengue fever Z11.5(1601)
- dental disorder Z13.8(1602)
- depression Z13.3(1603)
- developmental handicap Z13.3(1604)
 - - in early childhood Z13.4(1605)
- diabetes mellitus Z13.1(1606)
- diphtheria Z11.2(1607)
- disease or disorder Z13.9(1608)
- - bacterial NEC Z11.2(1609)
- - blood or blood-forming organ Z13.0(1610)
- - cardiovascular NEC Z13.6(1611)
- - Chagas' Z11.6(1612)
- - chlamydial Z11.8(1613)
- - dental Z13.8(1614)
- - developmental NEC Z13.3(1615)
 - - - in early childhood Z13.4(1616)
- - ear NEC Z13.5(1617)
- - endocrine NEC Z13.8(1618)
- - eye NEC Z13.5(1619)
- - gastrointestinal NEC Z13.8(1620)
- - genitourinary NEC Z13.8(1621)
- - heart NEC Z13.6(1622)
- - human immunodeficiency virus (HIV) infection Z11.4(1623)
- - immunity NEC Z13.0(1624)
- - infectious Z11.9(1625)
- - mental Z13.3(1626)
- - metabolic NEC Z13.8(1627)
- - neurological Z13.8(1628)
- - nutritional NEC Z13.2(1629)
- - protozoal Z11.6(1630)
 - - - intestinal Z11.0(1631)
- - respiratory NEC Z13.8(1632)
- - rheumatic NEC Z13.8(1633)
- - rickettsial Z11.8(1634)
- - sexually transmitted NEC Z11.3(1635)
 - - - human immunodeficiency virus (HIV) Z11.4(1636)
- - sickle-cell (trait) Z13.0(1637)
- - skin Z13.8(1638)
- - specified NEC Z13.8(1639)
- - spirochetal Z11.8(1640)
- - thyroid Z13.8(1641)

- - vascular NEC Z13.6(1642)
- - venereal Z11.3(1643)
- - viral NEC Z11.5(1644)
 - - - human immunodeficiency virus (HIV) Z11.4(1645)
- - - intestinal Z11.0(1646)
- drugs Z04.0(1647)
- emphysema Z13.8(1648)
- encephalitis, viral (mosquito- or tick-borne) Z11.5(1649)
- fever
 - - dengue Z11.5(1650)
 - - hemorrhagic Z11.5(1651)
 - - yellow Z11.5(1652)
 - filariasis Z11.6(1653)
 - galactosemia Z13.8(1654)
- gastrointestinal condition NEC Z13.8(1655)
- genitourinary condition NEC Z13.8(1656)
- glaucoma Z13.5(1657)
- gout Z13.8(1658)
- helminthiasis (intestinal) Z11.6(1659)
- hematopoietic malignancy Z12.8(1660)
- hemoglobinopathies NEC Z13.0(1661)
- - antenatal Z36.8(1662)
- hemorrhagic fever Z11.5(1663)
- Hodgkin's disease Z12.8(1664)
- hormones Z04.0(1665)
- human immunodeficiency virus (HIV) Z11.4(1666)
- hypertension Z13.6(1667)
- immunity disorders Z13.0(1668)
- infection
 - - intestinal (disease) Z11.0(1669)
 - - - helminthiasis Z11.6(1670)
 - - - specified NEC Z11.0(1671)
 - - mycotic Z11.8(1672)
 - - parasitic NEC Z11.8(1673)
- ingestion of radioactive substance Z13.8(1674)
- leishmaniasis Z11.6(1675)
- leprosy Z11.2(1676)
- leptospirosis Z11.8(1677)
- leukemia Z12.8(1678)
- lymphoma Z12.8(1679)
- malaria Z11.6(1680)
- malnutrition Z13.2(1681)
- measles Z11.5(1682)
- mental disorder or retardation Z13.3(1683)
- metabolic errors, inborn Z13.8(1684)
- multiphasic Z13.9(1685)
- mycoses Z11.8(1686)
- neoplasm (of) Z12.9(1687)
 - - bladder Z12.6(1688)
 - - blood Z12.8(1689)
 - - breast Z12.3(1690)
 - - cervix Z12.4(1691)
 - - hematopoietic system Z12.8(1692)
 - - intestinal tract NEC Z12.1(1693)
 - - lymph (glands) Z12.8(1694)
 - - prostate Z12.5(1695)
 - - respiratory organs Z12.2(1696)
 - - specified site NEC Z12.8(1697)
- - stomach Z12.0(1698)
- nephropathy Z13.8(1699)
- neurological condition Z13.8(1700)
- obesity Z13.8(1701)
- parasitic infestation Z11.9(1702)
 - - specified NEC Z11.8(1703)
- phenylketonuria Z13.8(1704)

- plague Z11.2(1705)
- poisoning (chemical) (heavy metal) Z13.8(1706)
- poliomyelitis Z11.5(1707)
- postnatal, chromosomal abnormalities Z13.7(1708)
- prenatal - *see* Antenatal, screening
- protozoal disease Z11.6(1709)
 - - intestinal Z11.0(1710)
 - radiation exposure Z13.8(1711)
 - respiratory condition NEC Z13.8(1712)
 - - tuberculous Z11.1(1713)
 - rheumatoid arthritis Z13.8(1714)
 - rubella Z11.5(1715)
 - schistosomiasis Z11.6(1716)
- sexually-transmitted disease NEC Z11.3(1717)
 - - human immunodeficiency virus (HIV) Z11.4(1718)
- sickle-cell disease or trait Z13.0(1719)
- skin condition Z13.8(1720)
- sleeping sickness Z11.6(1721)
- special Z13.9(1722)
 - - specified NEC Z13.8(1723)
- stimulants Z04.0(1724)
- tetanus Z11.2(1725)
- trachoma Z11.8(1726)
- trypanosomiasis Z11.6(1727)
- tuberculosis, respiratory Z11.1(1728)
- venereal disease Z11.3(1729)
- viral encephalitis (mosquito- or tick-borne) Z11.5(1730)
- whooping cough Z11.2(1731)
- worms, intestinal Z11.6(1732)
- yaws Z11.8(1733)
- yellow fever Z11.5(1734)

Scratan's disease (posttraumatic edema) R60.9 2b

Scrofula, scrofulosis (tuberculosis of cervical lymph glands) A18.2

Scrofulide (primary) (tuberculous) A18.4

Scrofuloderma, scrofulodermia (any site) (primary) A18.4

Scrofulosus lichen (primary) (tuberculous) A18.4

Scrofulous - *see* condition

Scrotal tongue K14.5

Scrotum - *see* condition

Scurvy, scorbutic E54 2a 2b

- anemia D53.2
- gum E54† 2a 2b K93.8*
- infantile E54 2a 2b
- rickets E54† 2a 2b M90.8*

Seasickness T75.3

Seatworm (infection) (infestation) B80

Sebaceous - *see also* condition

- cyst (*see also* Cyst, sebaceous) L72.1

Seborrhea, seborrheic R23.8 2b

- capitis L21.0
- dermatitis L21.9
 - - infantile L21.1
- eczema L21.9
 - - infantile L21.1
- keratosis L82
- sicca L21.0

Seckel's syndrome Q87.1 2a

Seclusion, pupil H21.4

Seclutio pupillae H21.4

Secondary

- dentin (in pulp) K04.3
- neoplasm (M8000/6) - *see* Table of neoplasms, secondary

Secretion

- catecholamine, by pheochromocytoma E27.5
- hormone

- - antidiuretic, inappropriate (syndrome) E22.2

- - by

- - - carcinoid tumor E34.0

- - - pheochromocytoma E27.5

- - ectopic NEC E34.2

- urinary

- - excessive R35 2b

- - suppression R34 2b

Section

- cesarean (*see also* Delivery, cesarean) O75.9 2a 2b

- - affecting fetus or newborn P03.4

- - postmortem, affecting fetus or newborn P01.6

- - previous, in pregnancy or childbirth O34.2

- - - affecting fetus or newborn P03.8

- nerve, traumatic - *see* Injury, nerve

Seeking and accepting known hazardous and harmful

- behavioral or psychological interventions Z64.3(1735)

- chemical, nutritional or physical interventions Z64.2(1736)

Segmentation, incomplete (congenital) - *see also* Fusion

- bone NEC Q78.8

- lumbosacral (joint) (vertebra) Q76.4

Seizure(s) (*see also* Convulsions) R56.8 2b

- Adams-Stokes I45.9 2a 2b

- akinetic G40.3

- alcohol F10.3

- alcohol withdrawal F10.3

- alcohol-related F10.3

- apoplexy, apoplectic I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- atonic G40.3

- autonomic (hysterical) F44.5

- brain or cerebral I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- convulsive (*see also* Convulsions) R56.8 2b

- coronary I21.9 2a 2b

- cortical (focal) (motor) G40.1

- epileptic (*see also* Epilepsy) G40.9

- - complex partial G40.2

- - localized onset G40.0

- - nonspecific (tonic) (clonic) (myoclonic) (tonic) (tonic-clonic) G40.3

- - simple partial G40.1

- - epileptiform, epileptoid R56.8 2b

- - focal G40.1

- - grand mal G40.6

- - petit mal G40.7

- febrile R56.0

- fetal, fetus G40.4

- grand mal G40.6

- heart - *see* Disease, heart

- hysterical F44.5

- jacksonian (focal) (motor type) (sensory type) G40.1

- newborn P90 2a

- paralysis I64 2a 2b

- - bilateral (multiple) I64.00 2a 2b

- - multiple (bilateral) I64.00 2a 2b

- petit mal G40.7

- pregnancy (nephritic) (uremic) - *see* Eclampsia, pregnancy

- puerperal, postpartum - *see* Eclampsia, puerperal

- tonic clonic G40.3

- uncinate G40.2

Selenium deficiency, dietary E59

Self-damaging behavior (lifestyle) Z72.8(1737)

Self-harm (attempted)

- history (personal) Z91.5(1738)
- - in family Z81.8(1739)
- observation following (alleged) attempt Z03.8(1740)

Self-mutilation (history) Z91.5(1741)

Self neglect R46.8

- causing insufficient intake of food and water R63.6

Self-poisoning

- history (personal) Z91.5(1742)
- - in family Z81.8(1743)
- observation following (alleged) attempt Z03.6(1744)

Semicoma R40.1 2b

Seminoma (M9061/3)

- anaplastic (M9062/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C62.9
- specified site - *see* Neoplasm, malignant
- spermatocytic (M9063/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C62.9
- unspecified site C62.9

Senear-Usher disease or syndrome L10.4

Senectus R54 2a 2b

Senescence (without mention of psychosis) R54 2a 2b

Senile, senility (*see also condition*) R54 2a 2b

- with
 - - acute confusional state F05.1
 - - mental changes NEC F03 2a 2b
 - - psychosis NEC (*see also* Psychosis, senile) F03 2a 2b
- asthenia R54 2a 2b
- cervix (atrophic) N88.8
- debility R54 2a 2b
- endometrium (atrophic) N85.8
- fallopian tube (atrophic) N83.3
- mental changes F03 2a 2b
- ovary (atrophic) N83.3
- premature E34.8
- wart (*see also* Keratosis, seborrheic) L82

Sensation

- burning (skin) R20.8
- loss of R20.8
- prickling (skin) R20.2
- tingling (skin) R20.2

Sense loss

- smell R43.1
- taste R43.2
- - and smell mixed R43.8
- touch R20.8

Sensibility disturbance of skin (deep) (vibratory) R20.8

Sensitive, sensitivity (*see also* Allergy) T78.4 2b

- carotid sinus G90.0
- cold, autoimmune D59.1
- dentin K03.8
- methemoglobin D74.8 2b

Sensitiver Beziehungswahn F22.0

Sensitization, auto-erythrocytic D69.2 2b

Separation

- anxiety, abnormal (of childhood) F93.0
- apophysis, traumatic - *code as* Fracture, by site
- choroid H31.4
- epiphysis, epiphyseal, traumatic - *code as* Fracture, by site
- fracture - *see* Fracture
- joint (traumatic) (current) - *code as* Dislocation, by site
- placenta (normally implanted) (premature) (*see also* Abruptio placentae) O45.9 2b
- pubic bone, obstetrical trauma O71.6
- retina, retinal - *see* Detachment, retina

- symphysis pubis, obstetrical trauma O71.6
- tracheal ring, incomplete, congenital Q32.1
- Sepsis (generalized)** (*see also* Septicemia) A41.9 2a 2b
 - bacterial, newborn P36.9
 - - due to
 - - - anaerobes NEC P36.5
 - - - *Escherichia coli* P36.4
 - - - *Staphylococcus* NEC P36.3
 - - - *aureus* P36.2
 - - - streptococcus NEC P36.1
 - - - group B P36.0
 - - specified type NEC P36.8
 - - diphtheroid A41.8
 - - due to device, implant or graft (*see also* Complications, by site and type, infection or inflammation) T85.7
 - - arterial graft NEC T82.7
 - - breast (implant) T85.7
 - - catheter NEC T85.7
 - - - cardiac NEC T82.7
 - - - dialysis (renal) T82.7
 - - - intraperitoneal T85.7
 - - - infusion NEC T82.7
 - - - spinal (epidural) (subdural) T85.7
 - - - urinary (indwelling) T83.5 2b
 - - - electronic (electrode) (pulse generator) (stimulator)
 - - - bone T84.7
 - - - cardiac T82.7
 - - - nervous system (brain) (peripheral nerve) (spinal) T85.7
 - - - urinary T83.5 2b
 - - - fixation, internal (orthopedic) NEC T84.6
 - - - orthopedic NEC T84.7
 - - - gastrointestinal (bile duct) (esophagus) T85.7
 - - - genital NEC T83.6
 - - - heart NEC T82.7
 - - - valve (prosthesis) T82.6
 - - - graft T82.7
 - - - joint prosthesis T84.5
 - - - ocular (corneal graft) (orbital implant) NEC T85.7
 - - - orthopedic NEC T84.7
 - - - specified NEC T85.7
 - - - urinary NEC T83.5 2b
 - - - vascular NEC T82.7
 - - - ventricular intracranial shunt T85.7
 - - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy O08.0 2b
 - - - immunization T88.0
 - - - infusion, therapeutic injection or transfusion T80.2
 - - intraocular H44.0
 - - localized, in operation wound T81.4 2b
 - - *Neisseria meningitidis* A39.4 2a
 - - newborn NEC P36.9
 - - due to
 - - - anaerobes NEC P36.5
 - - - *Escherichia coli* P36.4
 - - - *Staphylococcus* NEC P36.3
 - - - *aureus* P36.2
 - - - streptococcus NEC P36.1
 - - - group B P36.0
 - - specified NEC P36.8
 - - pelvic, puerperal, postpartum, childbirth O85
 - - puerperal, postpartum, childbirth (pelvic) O85
 - - tracheostomy stoma J95.0
 - - umbilical, umbilical cord (newborn) (organism unspecified) (unspecified species) P36-
 - - tetanus A33 2a

- urinary N39.0 2a 2b
- Septate** - *see* Septum
- Septic** - *see also* condition
 - arm (with lymphangitis) L03.1
 - embolus - *see* Embolism
 - finger (with lymphangitis) L03.0
 - foot (with lymphangitis), except toe(s) L03.1
 - gallbladder (acute) K81.0
 - hand (with lymphangitis) L03.1
 - joint M00.9 2a 2b
 - leg (with lymphangitis), except toe(s) L03.1
 - nail L03.0
 - sore (*see also* Abscess) L02.9
 - - throat J02.0 2a 2b
 - - - streptococcal J02.0 2a 2b
 - spleen (acute) D73.8
 - state R99 2a 2b
 - throat (*see also* Pharyngitis) J02.0 2a 2b
 - thrombus - *see* Thrombosis
 - toe (with lymphangitis) L03.0
 - tonsils, chronic J35.0
 - umbilical cord P38
 - uterus (*see also* Endometritis) N71.9 2b
- Septicemia, septicemic (generalized) (suppurative) (*see also* Sepsis)** A41.9 2a 2b
 - *Actinobacter* A41.5
 - - newborn P36.8
 - actinomycotic A42.7
 - adrenal hemorrhage syndrome (meningococcal) A39.1† 2a E35.1*
 - *Aerobacter aerogenes* A41.5
 - - newborn P36.8
 - anaerobic A41.4
 - - newborn P36.5
 - *Bacillus anthracis* A22.7
 - *Bacillus coli* A41.5
 - - newborn P36.8
 - bacterioides A41.4
 - - newborn P36.5
 - *Brucella* (*see also* Brucella) A23.9
 - candidal B37.7 2b
 - *Citrobacter Citrobacter (braakii) (freundii) (koseri)* A41.5
 - - newborn P36.8
 - *Clostridium (difficile)* A41.4
 - - newborn P36.5
 - congenital P36.9
 - cryptococcal B45.7
 - cryptogenic A41.9 2a 2b
 - - newborn P36.9
 - *Cryptosporidium* A07.3
 - cytomegalic, cytomegalovirus B25.8 2b
 - due to infusion, therapeutic injection or transfusion T80.2
 - during labor O75.3
 - *Enterobacter (aerogenes) (clocae)* A41.5
 - - newborn P36.8
 - enterococcus, enterococcal A40.2 2b
 - - newborn P36.1
 - *Erysipelothrix (rhusiopathiae) (erysipeloid)* A26.7
 - *Escherichia coli* A41.5
 - - newborn P36.4
 - extraintestinal yersiniosis A28.2
 - following
 - - abortion (subsequent episode) O08.0 2b
 - - - current episode - *see* Abortion
 - - ectopic or molar pregnancy O08.0 2b
 - - immunization T88.0
 - - infusion, therapeutic injection or transfusion T80.2

- Friedländers' A41.5
- - newborn P36.8
- fungus B49
- - newborn P37.8
- gangrenous A41.9 2a 2b
- - newborn P36.9
- gonococcal A54.8 2b
- gram-negative (organism) A41.5
- - anaerobic A41.4
- - - newborn P36.5
- - newborn P36.9
- gram-positive A41.8
- - newborn P36.8
- *Haemophilus influenzae* A41.3 2a 2b
- - newborn P36.8
- herpesviral B00.7 2a 2b
- *Klebsiella (pneumoniae)* A41.5
- - newborn P36.8
- *Listeria monocytogenes* A32.7
- melioidosis A24.1
- meningeal - *see* Meningitis
- meningococcal A39.4 2a
 - - acute A39.2 2a
 - - chronic A39.3 2a
- mucormycosis B46.5
- mycobacterial, mycobacterium (*see also* Mycobacterium) A31.9
- mycotic B49
- newborn NEC (*see also* Sepsis, newborn) P36.9
- *Nocardia* A43.8
- *Pasteurella multocida* A28.0
- pneumococcal A40.3
- - newborn P36.1
- postprocedural T81.4 2b
- *Proteus (mirabilis) (vulgaris)* A41.5
- - newborn P36.8
- *Providencia* (species) A41.4
- - newborn P36.5
- *Pseudomonas (aeruginosa)* A41.5
- - newborn P36.8
- puerperal, postpartum O85
- *Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium)* A02.1
- *Serratia* A41.5
- - newborn P36.8
- *Shigella* (*see also* Dysentery, bacillary) A03.9
- specified bacterial organism NEC A41.8
- - newborn P36.8
- specified organism NEC, other than bacterial, *see* Infection, by organism, disseminated, generalized, or systemic
- *Staphylococcus*, staphylococcal A41.2 2a 2b
 - - *aureus* A41.0 2b
 - - - newborn P36.2
 - - coagulase-negative A41.1
 - - - newborn P36.3
 - - newborn P36.3
 - - specified NEC A41.1
 - - - newborn P36.3
- *Streptococcus*, streptococcal A40.9
 - - *agalactiae* A40.1
 - - - newborn P36.0
 - - group
 - - - A A40.0
 - - - - newborn P36.1
 - - - B A40.1
 - - - - newborn P36.0
 - - - D A40.2 2b
 - - - - newborn P36.1

- - - neonatal P36.1
- - - *pneumoniae* A40.3
- - - newborn P36.1
- - - *pyogenes* A40.0
- - - newborn P36.1
- - specified NEC A40.8
- - - newborn P36.1
- torulopsis B45.9
- tularemic A21.7
- viral B34.9 2b
- - newborn P35.8
- - respiratory syncytial B34.8
- *Yersinia pestis (enterocolitica)* A20.7
- Septum, septate (congenital)** - *see also* Anomaly, by site
 - anal Q42.3
 - - with fistula Q42.2
 - aqueduct of Sylvius Q03.0
 - - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
 - uterus (*see also* Double uterus) Q51.2
 - vagina Q52.1
 - - in pregnancy or childbirth O34.6
 - - - causing obstructed labor O65.5
- Sequelae (of)** - *see also* condition
 - abscess, intracranial or intraspinal (conditions in G06-) G09 2a 2b
 - amputation
 - - postoperative NEC (late) T98.3 2a 2b
 - - traumatic T94.1 2a 2b
 - - - face T90.8 2b
 - - - head (parts) T90.8 2b
 - - - limb
 - - - - lower T93.6
 - - - - upper T92.6
 - - - multiple body regions T94.0
 - - - trunk T91.8 2b
 - burn and corrosion T95.9
 - - classified according to extent of body surface involved T95.4 2b
 - - eye T95.8
 - - face, head and neck T95.0 2b
 - - limb
 - - - lower T95.3
 - - - upper T95.2
 - - multiple body regions T95.8
 - - specified site NEC T95.8
 - - trunk T95.1
 - calcium deficiency E64.8 2a 2b
 - cerebrovascular disease NEC (conditions in I67.0-I67.1, I67.4-I67.9) I69.8 2a 2b
 - childbirth complication O94
 - - resulting in death (one year or more after delivery) O97-
 - - - between 42 days and one year after delivery O96-
 - - complication(s) of
 - - childbirth (delivery), pregnancy or puerperium O94
 - - - resulting in death (one year or more after delivery) O97-
 - - - - between 42 days and one year after delivery O96-
 - - surgical and medical care T98.3 2a 2b
 - - trauma (conditions in T79-) T98.2
 - contusion T94.1 2a 2b
 - - brain T90.5 2b
 - - face T90.0
 - - head T90.0
 - - limb
 - - - lower T93.8 2b
 - - - upper T92.8 2b
 - - multiple body regions T94.0
 - - neck T91.0 2a 2b
 - - trunk T91.0 2a 2b

- corrosion - *see* Sequelae, burn and corrosion
- crushing injury T94.1 2a 2b
 - - face T90.8 2b
 - - head T90.8 2b
 - - limb
 - - - lower T93.6
 - - - upper T92.6
 - - multiple body regions T94.0
 - - neck T91.8 2b
 - - trunk T91.8 2b
- delivery complication O94
 - - resulting in death (one year or more after delivery) O97-
 - - - between 42 days and one year after delivery O96-
- dislocation T94.1 2a 2b
 - - jaw T90.8 2b
 - - limb
 - - - lower T93.3
 - - - upper T92.3
 - - lower back T91.8 2b
 - - multiple body regions T94.0
 - - neck T91.8 2b
 - - pelvis T91.8 2b
 - - thorax T91.8 2b
 - - trunk T91.8 2b
- effect of external cause NEC T98.1 2b
- encephalitis or encephalomyelitis (conditions in G04-) G09 2a 2b
 - - in infectious disease NEC B94.8 2a 2b
 - - viral B94.1 2a 2b
- external cause NEC T98.1 2b
 - foreign body entering natural orifice T98.0
 - fracture T94.1 2a 2b
 - - facial bones T90.2 2b
 - - femur T93.1 2a 2b
 - - finger and thumb T92.2
 - - hip T93.1 2a 2b
 - - limb
 - - - lower NEC T93.2
 - - - - femur T93.1 2a 2b
 - - - upper NEC T92.1
 - - - - finger and thumb T92.2
 - - - - wrist and hand T92.2
 - - multiple body regions T94.0
 - - pelvis T91.2
 - - shoulder (girdle) T92.1
 - - skull T90.2 2b
 - - spine T91.1 2a
 - - thorax, thoracic T91.2
 - - - spine T91.1 2a
 - - - wrist and hand T92.2
 - - frostbite T95.9
 - - eye T95.8
 - - face, head and neck T95.0 2b
 - - limb
 - - - lower T95.3
 - - - upper T95.2
 - - multiple body regions T95.8
 - - specified site NEC T95.8
 - - trunk T95.1
 - Hansen's disease B92 2a 2b
 - - hematoma
 - - subdural T90.5 2b
 - - - nontraumatic I69.2 2a 2b
 - - hemiplegia
 - - traumatic T91.3 2a 2b
 - - hemorrhage

- - intracerebral I69.1 2a 2b
- - - bilateral (multiple) I69.10 2a 2b
- - - multiple (bilateral) I69.10 2a 2b
- - intracranial, nontraumatic NEC I69.2 2a 2b
- - subarachnoid I69.0
- hepatitis, viral B94.2 2a 2b
- hyperalimentation E68 2a 2b
- infarction, cerebral I69.3 2a 2b
- - bilateral (multiple) I69.30 2a 2b
- - multiple (bilateral) I69.30 2a 2b
- infection, pyogenic, intracranial orintraspinal G09 2a 2b
- infectious disease B94.9 2a 2b
- - specified NEC B94.8 2a 2b
- injury NEC T94.1 2a 2b
- - blood vessel T94.1 2a 2b
- - - abdomen and pelvis T91.8 2b
- - - head T90.8 2b
- - - - intracranial T90.5 2b
- - - - - with skull fracture T90.2 2b
- - - limb
- - - - lower T93.8 2b
- - - - upper T92.8 2b
- - - neck T91.8 2b
- - - thorax T91.8 2b
- - brain T90.5 2b
- - eye and orbit T90.4 2b
- - head T90.9 2a 2b
- - - specified NEC T90.8 2b
- - internal organ T91.9
- - - abdomen T91.5
- - - specified NEC T91.8 2b
- - - thorax T91.4
- - intra-abdominal (organs) T91.5
- - intracranial (organs) T90.5 2b
- - - with skull fracture T90.2 2b
- - intrathoracic (organs) T91.4
- - limb
- - - lower T93.9 2b
- - - - specified NEC T93.8 2b
- - - upper T92.9
- - - - specified NEC T92.8 2b
- - multiple body regions T94.0
- - muscle T94.1 2a 2b
- - - limb
- - - - lower T93.5
- - - - upper T92.5
- - - multiple body regions T94.0
- - - neck T91.8 2b
- - - trunk T91.8 2b
- - neck T91.9
- - - specified NEC T91.8 2b
- - nerve NEC T94.1 2a 2b
- - - cranial T90.3
- - - multiple body regions T94.0
- - - neck T91.8 2b
- - - peripheral NEC T94.1 2a 2b
- - - - lower limb and pelvic girdle T93.4
- - - - upper limb and shoulder girdle T92.4
- - - roots and plexus(es), spinal T91.8 2b
- - - trunk T91.8 2b
- - spine, spinal T91.8 2b
- - - cord T91.3 2a 2b
- - - nerve root(s) and plexus(es) T91.8 2b
- - superficial T94.1 2a 2b
- - - face T90.0

- - - head T90.0
- - - limb
- - - lower T93.8 2b
- - - upper T92.8 2b
- - - multiple body regions T94.0
- - - neck T91.0 2a 2b
- - - trunk T91.0 2a 2b
- - tendon T94.1 2a 2b
- - - face and head T90.8 2b
- - - limb
- - - lower T93.5
- - - upper T92.5
- - - multiple body regions T94.0
- - - neck T91.8 2b
- - - trunk T91.8 2b
- - trunk T91.9
- - - specified NEC T91.8 2b
- leprosy B92 2a 2b
- malnutrition E64.0 2a 2b
- meningitis
- - bacterial (conditions in G00-) G09 2a 2b
- - other or unspecified cause (conditions in G03-) G09 2a 2b
- muscle (and tendon) injury T94.1 2a 2b
- - face T90.8 2b
- - head T90.8 2b
- - limb
- - - lower T93.5
- - - upper T92.5
- - - multiple body regions T94.0
- - - neck T91.8 2b
- - trunk T91.8 2b
- myelitis (*see also* Sequelae, encephalitis) G09 2a 2b
- niacin deficiency E64.8 2a 2b
- nutritional deficiency E64.9 2a 2b
- - specified NEC E64.8 2a 2b
- obstetric cause
- - resulting in death (one year or more after delivery) O97-
- - - between 42 days and one year after delivery O96-
- paralysis
- - traumatic T94.1 2a 2b
- - - specified site - *see* Sequelae, injury nerve, by site or region
- paraplegia
- - traumatic T91.3 2a 2b
- parasitic disease B94.9 2a 2b
- phlebitis or thrombophlebitis of intracranial or intraspinal venous sinuses and veins (conditions in G08 2a 2b) G09 2a 2b
- poisoning due to
- - drug, medicament or biological substance T96
- - nonmedicinal substance T97 2a 2b
- poliomyelitis (acute) B91 2a 2b
- pregnancy complication(s) O94
- - resulting in death (one year or more after delivery) O97-
- - - between 42 days and one year after delivery O96-
- protein-energy malnutrition E64.0 2a 2b
- puerperium complication(s) O94
- - resulting in death (one year or more after delivery) O97-
- - - between 42 days and one year after delivery O96-
- quadriplegia
- - traumatic T91.3 2a 2b
- radiation T98.1 2b
- rickets E64.3 2a 2b
- selenium deficiency E64.8 2a 2b
- sprain and strain T94.1 2a 2b
- - jaw T90.8 2b
- - limb
- - - lower T93.3

- - - upper T92.3
- - multiple body regions T94.0
- - neck T91.8 2b
- - trunk T91.8 2b
- stroke NEC I69.4 2a 2b
- - bilateral (multiple) I69.40 2a 2b
- - multiple (bilateral) I69.40 2a 2b
- tendon and muscle injury - *see Sequelae, muscle injury*
- thiamine deficiency E64.8 2a 2b
- toxic effect of
 - - drug, medicament or biological substance T96
 - - nonmedicinal substance T97 2a 2b
- trachoma B94.0 2a 2b
- tuberculosis B90.9 2a 2b
- - bones and joints B90.2 2a 2b
- - central nervous system B90.0 2a 2b
- - genitourinary B90.1
- - pulmonary (respiratory) B90.9 2a 2b
- - specified organs NEC B90.8 2a 2b
- viral
 - - encephalitis B94.1 2a 2b
 - - hepatitis B94.2 2a 2b
- vitamin deficiency NEC E64.8 2a 2b
 - - A E64.1 2a 2b
 - - B E64.8 2a 2b
 - - C E64.2 2a 2b
- wound T94.1 2a 2b
- - eye and orbit T90.4 2b
- - face T90.1 2b
- - head T90.1 2b
- - limb
 - - - lower T93.0
 - - - upper T92.0
- - multiple body regions T94.0
- - neck T91.0 2a 2b
- - trunk T91.0 2a 2b

Sequestration - *see also Sequestrum*

- disk - *see Displacement, intervertebral disk*
- lung, congenital Q33.2

Sequestrum

- bone M86.6
- dental K10.2
- jaw bone K10.2
- orbit H05.1
- sinus (accessory) (nasal) (*see also Sinusitis*) J32.9

Sequoiosis (lung, or pneumonitis) J67.8

Serology for

- AIDS virus
- - positive R75 2a 2b
- HIV
- - positive R75 2a 2b
- syphilis
- - doubtful
 - - - with signs or symptoms - *code as Syphilis, by site and stage*
 - - - follow-up of latent syphilis - *see Syphilis, latent*
- - false-positive R76.2
- - positive A53.0
 - - - with signs or symptoms - *code as Syphilis, by site and stage*
 - - - false R76.2
- - reactivated A53.0

Seroma - *see Hematoma*

Seropurulent - *see condition*

Serositis (multiple) K65.8 2b

- peritoneal K65.8 2b

Serous - *see condition*

Sertoli cell

- adenoma (M8640/0)
- - specified site - *see* Neoplasm, benign
- - unspecified site
- - - female D27
- - - male D29.2
- carcinoma (M8640/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C62.9
- - - female C56 2a 2b
- - - male C62.9
- tumor (M8640/0)
- - with lipid storage (M8641/0)
- - - specified site - *see* Neoplasm, benign
- - - unspecified site
- - - - female D27
- - - - male D29.2
- - specified site - *see* Neoplasm, benign
- - unspecified site
- - - female D27
- - - male D29.2

Sertoli-Leydig cell tumor (M8631/0)

- specified site - *see* Neoplasm, benign
- unspecified site
- - female D27
- - male D29.2

Serum

- allergy, allergic reaction T80.6 2b
- - shock T80.5
- complication or reaction NEC T80.6 2b
- disease NEC T80.6 2b
- hepatitis (*see also* Hepatitis, viral, type B) B16.9 2a 2b
- intoxication T80.6 2b
- neuropathy G61.1
- poisoning NEC T80.6 2b
- rash NEC T80.6 2b
- sickness NEC T80.6 2b
- urticaria T80.6 2b

Sesamoiditis M86.8**Severed**

- extremity (including finger(s) or toe(s)) - *see* Amputation, traumatic, by site
- head - *see also* Amputation, traumatic, head S18
- sites other than extremity and head - *see* Wound, by site

Sever's disease or osteochondrosis M92.6**Sex**

- chromosome mosaics Q97.8
- - lines with various numbers of X chromosomes Q97.2
- education Z70.8(1745)

Sextuplet, affecting fetus or newborn P01.5 2b

- pregnancy O30.8

Sexuality, pathologic (*see also* Deviation, sexual) F65.9**Sézary's disease, reticulosis or syndrome**(M9701/3) C84.1**Shadow, lung** R91 2a 2b**Shaking (of)**

- child (age less than 18 years) (*see also* Abuse, child) T74.8

Shaking palsy or paralysis (*see also* Parkinsonism) G20 2a 2b**Shallowness, acetabulum** M24.8**Shaver's disease** J63.1**Sheath (tendon)** - *see condition***Sheathing, retinal vessels** H35.0 2a**Shedding**

- nail L60.8
- premature, primary (deciduous) teeth K00.6

Sheehan's disease or syndrome E23.0 2b**Shelf, rectal** K62.8

Shell teeth K00.5

Shellshock (current) F43.0

- lasting state F43.1

Shield kidney Q63.1

Shift

- auditory threshold (temporary) H93.2

- mediastinal R93.8

Shiga(-Kruse) dysentery A03.0

Shigella (dysentery), shigellosis (see also Dysentery, bacillary) A03.9

Shin splints T79.6 2a 2b

Shingles - see Herpes, zoster

Shipyard disease or eye B30.0† H19.2*

Shirodkar suture, in pregnancy O34.3

Shock (acute) R57.9 2a 2b

- adrenal (cortical) (Addisonian) E27.2

- adverse food reaction (anaphylactic) T78.0

- allergic - see Shock, anaphylactic

- anaphylactic T78.2

- - chemical - see Table of drugs and chemicals

- - correct medicinal substance properly administered T88.6 2b

- - drug or medicinal substance

- - - correct substance properly administered T88.6 2b

- - - overdose or wrong substance given or taken T50.9 2a 2b

- - - - specified drug - see Table of drugs and chemicals

- - following sting(s) T63.9

- - - arthropod NEC T63.4

- - - bee T63.4

- - - hornet T63.4

- - - insect NEC T63.4

- - - jelly-fish T63.6

- - - marine animal NEC T63.6

- - - scorpion T63.2

- - - sea-anemone T63.6

- - - shellfish T63.6

- - - starfish T63.6

- - - wasp T63.4

- - food T78.0

- - - marine animal NEC T63.6

- - immunization T80.5

- - serum T80.5

- - anaphylactoid - see Shock, anaphylactic

- - anesthetic

- - correct substance properly administered T88.2 2b

- - overdose or wrong substance given T41.1

- - - specified anesthetic - see Table of drugs and chemicals

- - bacteremic R57.8 2b

- - bacterial R57.8 2b

- - birth (fetus or newborn) P96.8

- - cardiac R57.0 2b

- - cardiogenic R57.0 2b

- - cardiovascular R57.0 2b

- - central nervous system (CNS) R57.9 2a 2b

- - chemical substance - see Table of drugs and chemicals

- - circulatory R57.9 2a 2b

- - coronary R57.0 2b

- - culture F43.2

- - drug T78.2

- - correct substance properly administered T88.6 2b

- - overdose or wrong drug given or taken T50.9 2a 2b

- - - specified drug - see Table of drugs and chemicals

- - due to

- - - procedures, NEC other than surgery T81.9

- - during or after labor and delivery O75.1

- - electric T75.4

- - endotoxic R57.8 2b

- - due to surgical procedure T81.1 2b
- - during or following procedure T81.1 2b
- following
 - - abortion (subsequent episode) O08.3 2b
 - - - current episode - *see* Abortion
 - - ectopic or molar pregnancy O08.3 2b
 - - injury (delayed) (immediate) T79.4 2a 2b
 - - labor and delivery O75.1
 - food (anaphylactic) T78.0
 - Gram-negative R57.8 2b
 - hematologic R57.8 2b
 - hemorrhagic R57.8 2b
 - hypovolemic R57.1
 - - surgical T81.1 2b
 - - traumatic T79.4 2a 2b
 - infectious R57.8 2b
 - lightning T75.0 2b
 - lung J80 2b
 - - newborn P22.0 2a 2b
 - - postoperative J95.8 2b
 - myocardial (acute) R57.0 2b
 - neurovascular R57.9 2a 2b
 - obstetric O75.1
 - - following abortion (subsequent episode) O08.3 2b
 - - - current episode - *see* Abortion
 - postoperative (any R57-) T81.1 2b
 - postprocedural NEC (any R57-) T81.1 2b
 - psychic F43.0
 - septic (*see also* Septicemia) A41.9 2a 2b
 - - due to
 - - - infusion, therapeutic injection or transfusion T80.2
 - - - surgical procedure T81.1 2b
 - - following
 - - - abortion (subsequent episode) O08.0 2b
 - - - - current episode - *see* Abortion
 - - - ectopic or molar pregnancy O08.0 2b
 - - newborn P36.9
 - septicemic A41.9 2a 2b
 - - newborn P36.9
 - specified NEC R57.8 2b
 - specified site NEC R57.9 2a 2b
 - spinal (*see also* Injury, spinal cord, by region) T09.3
 - surgical (any R57-) T81.1 2b
 - therapeutic misadventure NEC (*see also* Complications) T81.1 2b
 - thermal T30.0 2a 2b
 - toxic R57.8 2b
 - toxic, syndrome A48.3
 - transfusion - *see* Complications, transfusion
 - traumatic (any type classifiable to R57-) (delayed) (immediate) T79.4 2a 2b
 - vascular R57.9 2a 2b

Shoemaker's chest M95.4

Shone's complex Q24.8 2b

Shooting, shot (wound) (*see also* Wound) T14.1 2a 2b

Shoplifting, without manifest psychiatric disorder Z03.2(1746)

Short, shortened, shortening, shortness

- arm (acquired) M21.7
- - congenital Q71.8
- breath R06.0 2b
- cervix, maternal affecting fetus or newborn P01.0
- common bile duct, congenital Q44.5
- cord (umbilical), complicating delivery O69.3
 - - affecting fetus or newborn P02.6
 - cystic duct, congenital Q44.5
 - esophagus (congenital) Q39.8
 - extremities Q73.8

- femur (acquired) M21.7
- - congenital Q72.4
- frenum, frenulum, linguae (congenital) Q38.1
- hip (acquired) M21.7
- - congenital Q65.8
- leg (acquired) M21.7
- - congenital Q72.8
- limb Q73.8
- limbed stature, with immunodeficiency D82.2
- metatarsus (congenital) Q66.8
- - acquired M21.8
- organ or site, congenital NEC - *see* Distortion
- palate, congenital Q38.5
- radius (acquired) M21.7
- - congenital Q71.4
- rib syndrome Q77.2 2b
- stature NEC (*see also* Dwarfism) E34.3
- - constitutional E34.3
- - hypochondroplastic Q77.4
- - hypophyseal E23.0 2b
- - Laron-type E34.3
- - Lorain-Levi E23.0 2b
- - nutritional E45 2b
- - pituitary E23.0 2b
- - psychosocial E34.3
- - renal N25.0
- - thanatophoric Q77.1
- tendon M67.1
- - with contracture of joint M24.5 2b
- - Achilles (acquired) M67.0
- - - congenital Q66.8
- - congenital Q79.8 2b
- thigh (acquired) M21.7
- - congenital Q72.4
- tibialis anterior (tendon) M67.1
- umbilical cord
- - complicating delivery O69.3
- - - affecting fetus or newborn P02.6
- urethra N36.8
- uvula, congenital Q38.5
- vagina (congenital) Q52.4

Shortsightedness H52.1**Shoulder** - *see condition***Shovel-shaped incisors** K00.2**Shower, thromboembolic** - *see* Embolism**Shunt**

- arteriovenous (dialysis) Z99.2(1747)
- - pulmonary (acquired) NEC I28.0
- - - congenital Q25.7
- cerebral ventricle (communicating) in situ Z98.2(1748)
- surgical, prosthetic, with complications - *see* Complications, graft, arterial

Shutdown

- cardiac I50.9 2a 2b
- - fetal, fetus P29.8
- - newborn P29.0
- cardiorenal I50.9 2a 2b
- - fetal, fetus P29.8
- - newborn P29.0
- renal (*see also* Failure, renal) N19 2a 2b
- - following
- - - abortion (subsequent episode) O08.4 2b
- - - - current episode - *see* Abortion
- - - ectopic or molar pregnancy O08.4 2b
- urinary (*see also* Uremia) N19 2a 2b

Shwachman-Diamond syndrome Q45.3

Shy-Drager syndrome G90.3 2b

Sialadenitis, sialitis, sialoadenitis (any gland) (chronic) (suppurative) K11.2

Sialectasia K11.8

Sialidosis E77.1

Sialoadenopathy K11.9

Sialodochitis (fibrinosa) K11.2

Sialodocholithiasis K11.5

Sialolithiasis K11.5

Sialometaplasia, necrotizing K11.8

Sialorrhea (*see also* Ptyalism) K11.7

Sialosis K11.7

Siamese twin Q89.4

Sibling rivalry, affecting child Z61.2(1749)

Sicard's syndrome G52.7

Sicca syndrome M35.0

- with

- - keratoconjunctivitis M35.0† H19.3*

- - lung involvement M35.0† J99.1*

- - myopathy M35.0† G73.7*

- - renal tubulo-interstitial disorders M35.0† N16.4*

Sick R99 2a 2b

- or handicapped person in family Z63.7(1750)

- - needing care at home Z63.6(1751)

- sinus (syndrome) I49.5

- - newborn P29.1

Sick-euthyroid syndrome E07.8

Sickle-cell anemia (*see also* Disease,sickle-cell) D57.1

- with crisis D57.0

Sicklemia (*see also* Disease, sickle-cell) D57.1

Sickness

- air (travel) T75.3

- alpine T70.2

- altitude T70.2

- aviator's T70.2

- balloon T70.2

- car T75.3

- catheter NEC T85.8 2b

- compressed air T70.3

- decompression T70.3

- motion T75.3

- mountain T70.2

- protein T80.6 2b

- radiation NEC T66 2b

- roundabout (motion) T75.3

- sea T75.3

- serum NEC T80.6 2b

- sleeping (African) (*see also* Trypanosomiasis, African) B56.9

- swing (motion) T75.3

- train (railway) (travel) T75.3

- travel (any vehicle) T75.3

Siderosilicosis J62.8

Siderosis (lung) J63.4

- eye (globe) H44.3

Siegal-Cattan-Mamou disease (periodic) E85.9 2b

Siemens' syndrome Q82.8 2b

Sighing R06.8 2a 2b

- psychogenic F45.3 2b

Sigmoid - *see also condition*

- flexure - *see condition*

- kidney Q63.1

Sigmoiditis (*see also* Enteritis) A09.9 2a 2b

- infectious A09.0 2a 2b

- noninfectious K52.9 2a 2b

Silicosiderosis J62.8

Silicosis, silicotic (complicated) (simple) J62.8

- with tuberculosis J65 2a 2b

Silicotuberculosis J65 2a 2b

Silo-filler's disease J68.8

- bronchitis J68.0 2b

- pneumonitis J68.0 2b

- pulmonary edema J68.1 2b

Silver's syndrome Q87.1 2a

Simian crease Q82.8 2b

Simian malaria B53.1

Simmonds' cachexia or disease E23.0 2b

Simons' disease or syndrome E88.1

Simple, simplex - *see condition*

Simulation, conscious (of illness) Z76.5(1752)

Sinding-Larsen disease or osteochondrosis M92.4

Singer's node or nodule J38.2

Single

- atrium Q21.2 2b

- leg, two feet Q87.2

- organ or site NEC - *see* Absence, congenital, by site

- - acquired or indication of acquired - *see* Absence, acquired, by site

- umbilical artery Q27.0

- ventricle Q20.4 2b

Singultus R06.6 2b

- epidemicus B33.0 2a

Sin Nombre virus disease (Hantavirus (cardio)-pulmonary syndrome) B33.4† 2a J17.1* 2a

Sinus - *see also* Fistula

- arrest I45.5

- arrhythmia I49.8

- - newborn P29.1

- bradycardia R00.1 2b

- branchial cleft (external) (internal) Q18.0

- coccygeal L05.9

- - with abscess L05.0

- dental K04.6

- dermal (congenital) L05.9

- - with abscess L05.0

- - coccygeal, pilonidal - *see* Sinus, coccygeal

- infected, skin NEC L08.8

- marginal, ruptured or bleeding O46.8

- - with placental previa O44.1

- - - affecting fetus or newborn P02.0

- - - affecting fetus or newborn P02.1 2a

- medial, face and neck Q18.8

- pause I45.5

- pericranii Q01.9

- pilonidal (infected) (rectum) L05.9

- - with abscess L05.0

- preauricular Q18.1

- pretragal Q18.1

- rectovaginal N82.3

- Rokitansky-Aschoff (gallbladder) K82.8

- tachycardia R00.0 2a 2b

- - paroxysmal I47.1

- testis N50.8

- tract (postinfective) - *see* Fistula

Sinusitis (accessory) (chronic) (hyperplastic) (nasal) (nonpurulent) (purulent) J32.9

- acute J01.9

- - ethmoidal J01.2

- - frontal J01.1

- - involving more than one sinus but not pansinusitis J01.8

- - maxillary J01.0

- - specified NEC J01.8

- - sphenoidal J01.3

- allergic (*see also* Rhinitis, allergic) J30.4

- due to high altitude T70.1

- ethmoidal J32.2
- - acute J01.2
- frontal J32.1
- - acute J01.1
- influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- involving more than one sinus but not pansinusitis J32.8
- maxillary J32.0
- - acute J01.0
- sphenoidal J32.3
- - acute J01.3
- tuberculous, any sinus A16.8 2a 2b

Sinusitis-bronchiectasis-situs inversus (syndrome) (triad) Q89.3

Sipple's syndrome C73 2b

Sirenomelia (syndrome) Q87.2

Siriasis T67.0

Siti A65 2a

Sitting (in chair) (prolonged) R26.3 2a 2b

Situational

- disturbance (transient) (*see also* Reaction, adjustment) F43.2
- - acute F43.0
- maladjustment (*see also* Reaction, adjustment) F43.2
- reaction (*see also* Reaction, adjustment) F43.2
- - acute F43.0

Situs inversus or transversus (abdominalis) (thoracis) Q89.3

Sixth disease B08.2

Sjögren-Larsson syndrome Q87.1 2a

Sjögren's syndrome or disease (*see also* Sicca syndrome) M35.0

Skeletal - *see condition*

Skene's gland - *see condition*

Skenitis (*see also* Urethritis) N34.2

Skerljevo A65 2a

Skevas-Zerfus disease T63.6

Skin - *see also condition*

- clammy R23.1

Slate-dresser's or slate-miner's lung J62.8

Sleep

- apnea G47.3 2b
- - newborn P28.3
- disorder or disturbance G47.9
- - nonorganic origin F51.9
- - specified NEC G47.8
- disturbance G47.9
- rhythm inversion G47.2
- - nonorganic origin F51.2
- terrors F51.4
- walking F51.3
- - hysterical F44.8

Sleeping sickness NEC (*see also* Sickness,sleeping) B56.9

Sleeplessness G47.0

- psychogenic F51.0

Sleep-wake schedule disorder G47.2

Slim disease (in HIV infection) (drug related) (nondrug related) B22.2

Slipped, slipping

- epiphysis M93.9
- - traumatic (old) M93.9
- - - current - *code as* Fracture, by site
- - upper femoral (nontraumatic) M93.0
- intervertebral disc - *see* Displacement, intervertebral disc
- ligature, umbilical P51.8
- patella M22.3
- rib M89.8 2b
- sacroiliac joint M53.2
- skin, fetus - *see* Maceration, fetus
- ulnar nerve, nontraumatic G56.2
- vertebra NEC (*see also* Spondylolisthesis) M43.1

Sloughing (multiple) (phagedena) (skin)(*see also* Gangrene) R02 2a 2b

- abscess (*see also* Abscess) L02.9
- appendix K38.8
- fascia M79.8
- fetus - *see* Maceration, fetus
- scrotum N50.8
- ulcer (*see also* Ulcer, skin) L98.4 2a 2b

Slow

- feeding, newborn P92.2
- fetal growth NEC P05.9
- - affecting management of pregnancy O36.5
- heart(beat) R00.1 2b
- - fetal P20.9
- - newborn P29.1
- rebound (transient) following surgery Z48.8(1753)

Slowing, urinary stream R39.1 2b**Sluder's neuralgia (syndrome)** G44.8**Slurring, slurred speech** R47.8**Small(ness)**

- fetus or newborn for gestational age P05.1
- introitus, vagina N89.6
- kidney (unknown cause) N27.9
- - bilateral N27.1
- - unilateral N27.0
- ovary (congenital) Q50.3
- pelvis
 - - with disproportion (fetopelvic) O33.1
 - - - affecting fetus or newborn P03.1
 - - - causing obstructed labor O65.1
- uterus N85.8

Small-and-light-for-dates (infant) P05.1

- affecting management of pregnancy O36.5

Small-for-dates (infant) P05.1

- affecting management of pregnancy O36.5

Smallpox B03 2a**Smith-Beginus syndrome** Q93.5**Smith-Lemli-Opitz syndrome** Q87.1 2a**Smith-Magenis syndrome** Q93.5**Smith's fracture (separation)** S52.5**Smoker's**

- lung (chronic) J41.0
- palate K13.2
- throat J31.2

Smokes (stated number) cigarettes per day F17.9 2b**Smoking** F17.9 2b

- cigarettes F17.9 2b
- - chronic F17.1 2b
- cocaine F14.9 2a 2b
- crack F14.9 2a 2b
- excessive F17.1 2b
- heavy F17.1 2b

Smothering spells R06.8 2a 2b**Snapping**

- finger M65.3
- hip M24.8
- - involving iliotibial band M76.3
- knee M23.8
- - involving iliotibial band M76.3

Sneddon-Wilkinson disease or syndrome L13.1**Sneezing (intractable)** R06.7**Sniffing**

- cocaine (habitual) F14.2 2b
- gasoline F18-
- - addiction F18.2 2b
- glue (airplane) F18.1 2b

- - addiction F18.2 2b

- petrol F18-

- - addiction F18.2 2b

Snoring R06.5

Snow blindness H16.1

Snuffles (non-syphilitic) R06.5

- newborn P28.8

- syphilitic (infant) A50.0† 2a 2b J99.8*

Social

- exclusion Z60.4(1754)

- - due to discrimination or persecution (perceived) Z60.5(1755)

- migrant Z59.0(1756)

- - acculturation difficulty Z60.3(1757)

- rejection Z60.4(1758)

- - due to discrimination or persecution Z60.5(1759)

- role conflict NEC Z73.5(1760)

- skills inadequacy NEC Z73.4(1761)

- transplantation Z60.3(1762)

Sudoku A25.0

Soemmerring's ring H26.4 2b

Soft - *see also condition*

- nails L60.3

Softening

- bone - *see* Osteomalacia

- brain (necrotic) (progressive) G93.8 2b

- - arteriosclerotic I63.8 2a 2b

- - - bilateral (multiple) I63.80 2a 2b

- - - multiple (bilateral) I63.80 2a 2b

- - congenital Q04.8

- - embolic I63.4 2a 2b

- - - bilateral (multiple) I63.40 2a 2b

- - - multiple (bilateral) I63.40 2a 2b

- - hemorrhagic (*see also* Hemorrhage, intracerebral) I61.9 2a 2b

- - - bilateral (multiple) I61.90 2a 2b

- - - multiple (bilateral) I61.90 2a 2b

- - occlusive I63.5 2a 2b

- - - bilateral (multiple) I63.50 2a 2b

- - - multiple (bilateral) I63.50 2a 2b

- - thrombotic I63.3 2a 2b

- - - bilateral (multiple) I63.30 2a 2b

- - - multiple (bilateral) I63.30 2a 2b

- cartilage M94.8

- cerebellar - *see* Softening, brain

- cerebral - *see* Softening, brain

- cerebrospinal - *see* Softening, brain

- heart (*see also* Degeneration, heart) I51.5 2a 2b

- myocardial (*see also* Degeneration, myocardial) I51.5 2a 2b

- spinal cord G95.8 2b

- stomach K31.8 2a

Soldier's heart F45.3 2b

Solitary kidney (congenital) Q60.0

Solvent abuse F18.1 2b

Somatization reaction, somatic reaction - *see* Disorder, somatoform

Somnambulism F51.3

- hysterical F44.8

Somnolence R40.0 2b

- nonorganic origin F51.1

- periodic G47.8

Sonne dysentery A03.3

Sore

- chilero B55.1

- Delhi B55.1

- desert (*see also* Ulcer, skin) L98.4 2a 2b

- eye H57.1

- Lahore B55.1

- limb, lower L97 2a 2b
- mouth K13.7
- muscle M79.1
- Naga (*see also* Ulcer, skin) L98.4 2a 2b
- oriental B55.1
- pressure L89.9 _
- - stage
 - - - I L89.0
 - - - II L89.1
 - - - III L89.2
 - - - IV L89.3
- skin NEC L98-
- soft A57
- throat (acute) (*see also* Pharyngitis) J02.9 2a 2b
- - with influenza, flu, or grippe (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- - chronic J31.2
- - coxsackie (virus) B08.5
- - diphtheritic A36.0
- - herpesviral B00.2
- - influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
- - septic J02.0 2a 2b
- - streptococcal (ulcerative) J02.0 2a 2b
- - viral NEC J02.8
- - - coxsackie B08.5
- tropical (*see also* Ulcer, skin) L98.4 2a 2b
- veldt (*see also* Ulcer, skin) L98.4 2a 2b

Soto's syndrome Q87.3

Spacing, abnormal, tooth, teeth K07.3

Spade-like hand (congenital) Q68.1

Spading nail L60.8

- congenital Q84.6

Sparganosis B70.1

Spasm(s), spastic, spasticity (*see also* condition) R25.2 2b

- accommodation H52.5
- ampulla of Vater K83.4
- anus, ani (sphincter) (reflex) K59.4
- - psychogenic F45.3 2b
- artery NEC I73.9 2a 2b
- - cerebral G45.9 2b
- Bell's G51.3
- bladder (sphincter, external or internal) N32.8
- - psychogenic F45.3 2b
- bronchus, bronchiole J98.0
- cardia K22.0
- cardiac I20.1
- carpopedal (*see also* Tetany) R29.0 2b
- cerebral (arteries) (vascular) G45.9 2b
- cervix, complicating delivery O62.4
- - affecting fetus or newborn P03.6
- ciliary body (of accommodation) H52.5
- colon K58.9
- - with diarrhea K58.0
- - psychogenic F45.3 2b
- common duct K83.8
- compulsive (*see also* Tic) F95.9
- conjugate H51.8
- coronary (artery) I20.1
- diaphragm (reflex) R06.6 2b
- - epidemic B33.0 2a
- - psychogenic F45.3 2b
- duodenum K59.8
- epidemic diaphragmatic (transient) B33.0 2a
- esophagus (diffuse) K22.4
- - psychogenic F45.3 2b

- facial G51.3
- fallopian tube N83.8
- gastrointestinal (tract), psychogenic F45.3 2b
- glottis J38.5 2b
 - - hysterical F44.4
 - - psychogenic F45.3 2b
 - - conversion reaction F44.4
- habit (*see also* Tic) F95.9
- heart I20.1
- hemifacial (clonic) G51.3
- hourglass - *see* Contraction, hourglass
- hysterical F44.4
- infantile G40.4
- inferior oblique, eye H51.8
- intestinal (*see also* Syndrome, irritable bowel) K58.9
 - - psychogenic F45.3 2b
- larynx, laryngeal J38.5 2b
 - - hysterical F44.4
 - - psychogenic F45.3 2b
 - - conversion reaction F44.4
- levator palpebrae superioris H02.5
- lightning G40.4
- nervous F45.8
- nodding F98.4
- occupational F48.8
- oculogyric H51.8
 - - psychogenic F45.8
- ophthalmic artery H34.2
- perineal, female N94.8 2b
- pharynx (reflex) J39.2
 - - hysterical F45.3 2b
 - - psychogenic F45.3 2b
- psychogenic F45.8
- pylorus NEC K31.3
 - - congenital or infantile Q40.0
 - - psychogenic F45.3 2b
- rectum (sphincter) K59.4
 - - psychogenic F45.3 2b
- retinal (artery) H34.2
- sigmoid (*see also* Syndrome, irritable bowel) K58.9
 - - psychogenic F45.3 2b
- sphincter of Oddi K83.4
- stomach K31.8 2a
 - - neurotic F45.3 2b
- throat J39.2
 - - hysterical F45.3 2b
 - - psychogenic F45.3 2b
- tic F95.9
- tongue K14.8
- torsion (progressive) G24.1
- trigeminal nerve (*see also* Neuralgia, trigeminal) G50.0
- ureter N13.5
- urethra (sphincter) N35.9 2b
- uterus N85.8
 - - complicating labor O62.4
 - - - affecting fetus or newborn P03.6
- vagina N94.2
 - - psychogenic F52.5 2b
- vascular NEC I73.9 2a 2b
- vasomotor NEC I73.9 2a 2b
- vein NEC I87.8 2b
- viscera R10.4 2b

Spasmodic - *see condition*

Spasmus nutans F98.4

Spastic, spasticity - *see also* Spasm

- child (cerebral) (congenital) (paralysis) G80.1

Speaker's throat R49.8

Specific, specified - *see condition*

Speech defect, disorder, disturbance, impediment NEC R47.8

- psychogenic, in childhood and adolescence F98.8

Spencer's disease A08.1

Sperm counts Z31.4(1763)

- postvasectomy Z30.8(1764)

Spermatic cord - *see condition*

Spermatocele N43.4

- congenital Q55.4

Spermatocystitis N49.0

Spermatocytoma (M9063/3)

- specified site - *see Neoplasm, malignant*

- unspecified site C62.9

Spermatorrhea N50.8

Sphacelus (*see also Gangrene*) R02 2a 2b

Sphenoidal - *see condition*

Sphenoiditis (chronic) (*see also Sinusitis,sphenoidal*) J32.3

Sphericity, increased, lens (congenital) Q12.4

Spherocytosis (congenital) (familial) (hereditary) D58.0

- hemoglobin disease D58.0

- sickle-cell (disease) D57.8

Spherophakia Q12.4

Sphincter - *see condition*

Sphincteritis, sphincter of Oddi (*see also Cholangitis*) K83.0

Sphingolipidosis E75.3 2b

- specified NEC E75.2 2b

Sphingomyelinosis E75.3 2b

Spider

- fingers Q87.4

- nevus I78.1

- toes Q87.4

- vascular I78.1

Spieglér-Fendt benign lymphocytoma L98.8

Spielmeyer-Vogt disease E75.4 2b

Spina bifida (aperta) Q05.9 2a 2b

- with hydrocephalus NEC Q05.4

- cervical Q05.5

- - with hydrocephalus Q05.0

- dorsal Q05.6

- - with hydrocephalus Q05.1

- fetus (suspected), affecting management of pregnancy O35.0

- lumbar Q05.7

- - with hydrocephalus Q05.2

- lumbosacral Q05.7

- - with hydrocephalus Q05.2

- occulta Q76.0

- sacral Q05.8

- - with hydrocephalus Q05.3

- thoracic Q05.6

- - with hydrocephalus Q05.1

- thoracolumbar Q05.6

- - with hydrocephalus Q05.1

Spindle, Krukenberg's H18.0

Spine, spinal - *see condition*

Spiradenoma (eccrine) (M8403/0) - *see Neoplasm, skin, benign*

Spirilllosis A25.0

Spirochetal - *see condition*

Spirochetosis A69.9

- icterohemorrhagic A27.0

Spirometrosis B70.1

Spitting blood (*see also Hemoptysis*) R04.2 2b

Splanchnoptosis K63.4

Spleen, splenic - *see condition*

Splenitis (interstitial) (malignant) (nonspecific) D73.8

- tuberculous A18.8† 2a 2b D77* 2b

Splenocele D73.8**Splenomegaly, splenomegaliasia** R16.1 2a

- with hepatomegaly R16.2 2b

- congenital Q89.0

- congestive (chronic) D73.2

- Egyptian B65.1† D77* 2b

- Gaucher's E75.2 2b

- idiopathic R16.1 2a

- malarial (*see also* Malaria) B54† 2b D77* 2b

- neutropenic D70

- Niemann-Pick E75.2 2b

- syphilitic A52.7† 2a 2b D77* 2b

- - congenital (early) A50.0† 2a 2b D77* 2b

Splenopathy D73.9**Splenoptosis** D73.8**Splenosis** D73.8

Splinter - *code as* Injury, superficial, by site

Split, splitting

- foot Q72.7

- heart sounds R01.2 2b

- lip, congenital (*see also* Cleft, lip) Q36.9

- nails L60.3

- urinary stream R39.1 2b

Spondylarthrosis M47.9 2a 2b**Spondylitis** M46.9

- ankylopoietica M45

- ankylosing (chronic) M45

- - with lung involvement M45† J99.8*

- atrophic (ligamentous) M45

- chronic M46.9

- deformans (chronic) M47.9 2a 2b

- gonococcal A54.4† 2b M49.3*

- gouty M10.0

- in (due to)

- - brucellosis A23† 2a M49.1*

- - enterobacteria A04.9† M49.2*

- - tuberculosis A18.0† 2a 2b M49.0*

- infectious NEC M46.5

- juvenile ankylosing (chronic) M08.1

- Kümmell's M48.3

- Marie-Strümpell M45

- muscularis M48.8

- psoriatic L40.5† M07.2*

- rheumatoid M45

- rhizomelica M45

- sacroiliac NEC M46.1

- senescent, senile M47.9 2a 2b

- traumatic (chronic) or post-traumatic M48.3

- tuberculous A18.0† 2a 2b M49.0*

- typhosa A01.0† M49.2*

Spondyloarthritis M47.9 2a 2b**Spondylolisthesis (acquired)** M43.1

- with disproportion (fetopelvic) O33.0

- - affecting fetus or newborn P03.1

- - causing obstructed labor O65.0

- congenital Q76.2

- degenerative M43.1

- traumatic (old) M43.1

- - acute (lumbar) (lumbosacral) S33.1

- - - site other than lumbosacral - *code as* Fracture, vertebra, by region

Spondylolysis (acquired) M43.0

- congenital Q76.2

- lumbosacral region M43.0

- - with disproportion (fetopelvic) O33.0
- - - affecting fetus or newborn P03.1
- - - causing obstructed labor O65.8
- Spondylopathy** M48.9
 - infective NEC M46.5
 - inflammatory M46.9
 - - specified NEC M46.8
 - neuropathic, in
 - - syringomyelia and syringobulbia G95.0† 2a 2b M49.4*
 - - tabes dorsalis A52.1† 2a 2b M49.4*
 - specified NEC M48.8
 - traumatic M48.3

Spondylosis M47.9 2a 2b

- with
- - compression (of)
- - - nerve root or plexus M47.2† G55.2*
- - disproportion (fetopelvic) O33.0
- - - affecting fetus or newborn P03.1
- - - causing obstructed labor O65.0
- - myelopathy NEC M47.1† G99.2*
- - radiculopathy M47.2
- cervical M47.8
- coccyx M47.8
- lumbar M47.8
- sacral, sacrococcygeal M47.8
- specified NEC M47.8
- traumatic M48.3

Sponge

- inadvertently left in operation wound T81.5
- kidney (medullary) Q61.5

Sponge-diver's disease T63.6

Spongioblastoma (M9422/3)

- multiforme (M9440/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C71.9 2a 2b
- polare (M9423/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C71.9 2a 2b
- primitive polar (M9443/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C71.9 2a 2b
- specified site - *see* Neoplasm, malignant
- unspecified site C71.9 2a 2b

Spongioneuroblastoma (M9504/3) - *see* Neoplasm, malignant

Spontaneous - *see also condition*

- fracture (cause unknown) M84.4 2a 2b

Spoon nail L60.3

- congenital Q84.6

Sporadic - *see condition*

Sporothrix schenckii infection - *see* Sporotrichosis

Sporotrichosis B42.9

- arthritis B42.8† 2b M01.6*
- disseminated B42.7
- generalized B42.7
- lymphocutaneous (fixed) (progressive) B42.1
- pulmonary B42.0† J99.8*
- specified NEC B42.8 2b

Spots

- Bitot's H11.1
- - in the young child E50.1† H13.8*
- - vitamin A deficiency E50.1† H13.8*
- café au lait L81.3
- Cayenne pepper I78.1
- cotton wool, retina H34.2
- de Morgan's I78.1

- liver L81.4

Spotted fever - *see* Fever, spotted

Spotting, intermenstrual NEC (regular) N92.3

- irregular N92.1

Sprain, strain (joint) (ligament) T14.3

- Achilles tendon S86.0

- acromioclavicular joint or ligament S43.5

- ankle S93.4

- anterior longitudinal, cervical S13.4

- atlas, atlanto-axial, atlanto-occipital S13.4

- back T09.2

- breast bone S23.4

- broad ligament S37.8

- calcaneofibular S93.4

- carpal S63.5

- carpometacarpal S63.7

- cartilage

- - costal S23.4

- - semilunar (knee) S83.6

- - - with current tear S83.2

- - thyroid region S13.5

- - xiphoid S23.4

- cervical, cervicodorsal, cervicothoracic S13.4

- chondrocostal, chondrosternal S23.4

- coccyx S33.7

- coracoclavicular S43.7

- coracohumeral S43.4

- costal cartilage S23.4

- cricoarytenoid articulation or ligament S13.5

- cricothyroid articulation S13.5

- cruciate, knee S83.5

- deltoid, ankle S93.4

- dorsal (spine) S23.3

- elbow S53.4

- femur, head S73.1

- fibular collateral, knee S83.4

- fibulocalcaneal S93.4

- finger(s) S63.6

- foot S93.6

- hand S63.7

- hip S73.1

- iliofemoral S73.1

- innominate

- - acetabulum S73.1

- - pubic junction S33.7

- - sacral junction S33.6

- internal collateral, ankle S93.4

- interphalangeal

- - finger S63.6

- - toe S93.5

- ischiocapsular S73.1

- ischiofemoral S73.1

- jaw (articular disc) (cartilage) S03.4

- knee NEC S83.6

- - cruciate (anterior) (posterior) S83.5

- - lateral (fibular) collateral S83.4

- - medial (tibial) collateral S83.4

- - patellar ligament S76.1

- - specified NEC S83.6

- - tibiofibular joint and ligament, superior S83.6

- lateral collateral, knee S83.4

- limb

- - lower T13.2

- - - multiple sites T03.3

- - upper T11.2

- - - multiple sites T03.2
- lumbar (spine) S33.5
- lumbosacral S33.5
- mandible (articular disc) S03.4
- medial collateral, knee S83.4
- meniscus
- - knee S83.6
- - - with current tear S83.2
- - - old M23.2
- metacarpal (distal) (proximal) S63.7
- metacarpophalangeal S63.6
- metatarsophalangeal S93.5
- midcarpal S63.7
- midtarsal S93.6
- multiple T03.9
- - specified site - *see Sprain, by site multiple*
- neck NEC S13.6
- nose S03.5
- orbicular, hip S73.1
- patella S83.6
- pelvis NEC S33.7
- phalanx
- - finger S63.6
- - toe S93.5
- pubofemoral S73.1
- radiocarpal S63.5
- radiohumeral S53.4
- rib (cage) S23.4
- rotator cuff (tendon) S46.0
- - capsule S43.4
- round ligament S37.8
- - femur S73.1
- sacral (spine) S33.7
- sacrococcygeal S33.7
- sacroiliac (region) S33.7
- - chronic or old M53.2
- - joint S33.6
- sacrotuberous S33.7
- scaphoid (hand) S63.7
- scapula(r) S43.7
- semilunar cartilage (knee) S83.6
- - with current tear S83.2
- - old M23.2
- shoulder joint S43.4
- - blade S43.7
- - girdle NEC S43.7
- specified site not indexed - *see Sprain, by body region*
- spine T09.2
- - cervical S13.4
- - coccyx S33.7
- - lumbar S33.5
- - sacral S33.7
- - thoracic S23.3
- sternoclavicular joint S43.6
- sternum S23.4
- symphysis pubis S33.7
- talofibular S93.4
- tarsal S93.6
- tarsometatarsal S93.6
- temporomandibular S03.4
- thoracic (spine) S23.3
- thorax NEC S23.5
- thumb S63.6
- thyroid cartilage or region S13.5
- tibia (proximal end) S83.6

- tibial collateral, knee S83.4
- tibiofibular
- - distal S93.4
- - superior S83.6
- toe(s) S93.5
- ulnohumeral S53.4
- vertebra (*see also* Sprain, spine) T09.2
- wrist (cuneiform) (scaphoid) (semilunar) S63.5
- xiphoid cartilage S23.4

Sprengel's deformity (congenital) Q74.0

Sprue K90.1

- nontropical K90.0 2b
- tropical K90.1

Spur, bone M77.9

- calcaneal M77.3
- iliac crest M76.2
- nose (septum) J34.8

Sputum

- blood-stained R04.2 2b
- excessive (cause unknown) R09.3

Squamous - *see also condition*

- epithelium in
- - cervical canal (congenital) Q51.8
- - uterine mucosa (congenital) Q51.8

Squashed nose M95.0

- congenital Q67.4

Squint (*see also* Strabismus) H50.9

accommodative H50.0

St Hubert's disease A82.9

Stab - *see also* Wound

- internal organs - *see* Injury, by site

Stafne's cyst or cavity K10.0

Staggering gait R26.0 2b

- hysterical F44.4

Staghorn calculus (*see also* Calculus,kidney) N20.0 2a

Stähli's line (cornea) (pigment) H18.0

Stain, portwine Q82.5

Staining, tooth, teeth (hard tissues) (extrinsic) (due to) K03.6

- accretions K03.6
- deposits (betel) (black) (green) (materia alba) (orange) (soft) (tobacco) K03.6
- intrinsic NEC K00.8
- metals (copper) (silver) K03.7
- pulpal bleeding K03.7

Stammering F98.5

Standstill

- auricular I45.5
- cardiac (*see also* Arrest, cardiac) I46.9 2a 2b
- cardiorespiratory I46.9 2a 2b
- coronary I24.8
- myocardium, myocardial I46.9 2a 2b
- respiration, respiratory R09.2 2a 2b
- - newborn P28.5 2a 2b
- sinoatrial I45.5
- ventricular (*see also* Arrest, cardiac) I46.9 2a 2b

Stannosis J63.5

Stanton's disease (*see also* Melioidosis) A24.4

Staphylitis (acute) (catarrhal) (chronic) (gangrenous) (membranous) (suppurative) (ulcerative) K12.2

Staphylococcal scalded skin syndrome L00

Staphylococcemia A41.2 2a 2b

- newborn P36.3

Staphylococcus, staphylococcal - *see also condition*

- aureus - *see* Infection, staphylococcal
- specified NEC - *see* Infection, Staphylococcal

Staphyloma (anterior) (ciliary) (equatorial) (posterior) (sclera) H15.8

- cornea H18.7

Stargardt's disease H35.5**Starvation** T73.0 2a 2b

- edema (*see also* Malnutrition, severe) E43 2b
- self imposed F50.8
- self induced F50.8
- voluntary F50.8

Stasis

- bile (noncalculous) K83.1
- bronchus J98.0
 - - with infection (*see also* Bronchitis) J40 2a 2b
- cardiac (*see also* Failure, heart, congestive) I50.0 2a 2b
- cecum or colon K59.8
- circulatory I99 2a 2b
- dermatitis I83.1
- duodenal K31.5
- eczema I83.1
- gallbladder K82.8
- ileum K59.8
- intestinal K59.8
- jejunum K59.8
- kidney N28.8 2a 2b
- liver (cirrhotic) - *see* Cirrhosis, cardiac
- lymphatic I89.8 2b
- meaning immobility R26.3 2a 2b
- mesentery vein I87.8 2b
- pulmonary (*see also* Edema, lung) J81 2a 2b
- renal N28.8 2a 2b
 - - tubular N17.0
- ulcer I83.0
- urine R33 2b
- venous (mesentery) I87.8 2b

State (of)

- affective and paranoid, mixed, organic psychotic F06.8 2b
- agitated R45.1
 - - acute reaction to stress F43.0
- alcoholic (chronic) F10.2 2a 2b
- anxiety (neurotic) F41.1
- apprehension F41.1
- burn-out Z73.0(1765)
- climacteric, female N95.1
- clouded epileptic or paroxysmal G40.8
- compulsive F42.1
 - - mixed with obsessional thoughts F42.2
- confusional (psychogenic) F44.8
 - - acute or subacute (*see also* Delirium) F05.9
 - - - with senility or dementia F05.1
 - - epileptic F05.8
 - - reactive (from emotional stress, psychological trauma) F44.8
- convulsive (*see also* Convulsions) R56.8 2b
- crisis F43.0
- debilitated R53 2b
- depressive NEC F32.9 2b
 - - neurotic F34.1
 - dissociative F44.9 2b
 - emotional shock (stress) R45.7
- hallucinatory, induced by drug - *see* F11-F19 with fourth character .5
- hypercoagulation D68.9 2b
- immune deficiency D84.9 2b
- immunocompromised D89.9
 - - hereditary D84.1
- menopausal N95.1
 - - artificial N95.3
- neurotic NEC F48.9
 - - with depersonalization F48.1
- obsessional F42.0

- - mixed with compulsive acts F42.2
- oneiroid (schizophrenia-like) F23.2
- organic
- - hallucinatory (nonalcoholic) F06.0
- - paranoid(-hallucinatory) F06.2
- panic F41.0
- paranoid F22.0
- - climacteric F22.8
- - induced by drug - *code to* F10-F19 with fourth character .5 F1x.5
- - involutional F22.8
- - menopausal F22.8
- - organic F06.2
- - senile F03 2a 2b
- - simple F22.0
- phobic F40.9
- postleukotomy F07.0 2b
- pregnant (*see also* Pregnancy) Z33(1766)
- preleukemic D46.9
- psychogenic, twilight F44.8
- psychopathic (constitutional) F60.2
- psychotic, organic F06.8 2b
- - mixed paranoid and affective F06.8 2b
- - senile or presenile NEC F03 2a 2b
- residual schizophrenic F20.5
- restlessness R45.1
- septic R99 2a 2b
- stress (emotional) R45.7
- tension (mental) F48.9
- - specified NEC F48.8
- twilight
- - epileptic F05.8
- - psychogenic F44.8
- vegetative (persistent) R26.3 2a 2b
- vital exhaustion Z73.0(1767)
- withdrawal, *see* Withdrawal, state

Status (post)

- absence, epileptic G41.1
- adrenalectomy (bilateral) (unilateral) E89.6
- anastomosis Z98.0(1768)
- angioplasty (peripheral) NEC Z95.8(1769)
- - coronary artery NEC Z95.5(1770)
- aortocoronary bypass Z95.1(1771)
- arthrodesis Z98.1(1772)
- artificial opening (of) Z93.9(1773)
- - gastrointestinal tract NEC Z93.4(1774)
- - specified NEC Z93.8(1775)
- - urinary tract NEC Z93.6(1776)
- - vagina Z93.8(1777)
- asthmaticus J46 2a
- cholecystectomy Z90.4(1778)
- colectomy (complete) (partial) Z90.4(1779)
- colostomy Z93.3(1780)
- convulsivus idiopathicus G41.0
- coronary artery angioplasty Z95.5(1781)
- cystectomy (urinary bladder) Z90.6(1782)
- cystostomy Z93.5(1783)
- defibrillator-cardioverter, cardiac (CRT-D) (ICD) Z95.0(1784)
- epilepticus G41.9
- - complex partial G41.2
- - focal motor G41.8
- - grand mal G41.0
- - partial G41.8
- - petit mal G41.1
- - psychomotor G41.2
- - specified NEC G41.8

- - temporal lobe G41.2
- - tonic-clonic G41.0
- gastrectomy (complete) (partial) Z90.3(1785)
- gastrostomy Z93.1(1786)
- grand mal G41
- human immunodeficiency virus (HIV) infection, asymptomatic Z21(1787)
- hysterectomy (complete) (partial) Z90.7(1788)
- ileostomy Z93.2(1789)
- immunocompromised D89.9
- intestinal bypass Z98.0(1790)
- laryngectomy Z90.0(1791)
- marmoratus G80.3
- mastectomy (bilateral) (unilateral) Z90.1(1792)
- medicament regimen for a long term (current) NEC Z92.2(1793)
- - anticoagulants Z92.1(1794)
- - aspirin Z92.2(1795)
- mental
- - altered F99 2a 2b
- migrainosus G43.2
- nephrectomy (bilateral) (unilateral) Z90.5(1796)
- nephrostomy Z93.6(1797)
- oophorectomy (bilateral) (unilateral) Z90.7(1798)
- pacemaker
- - brain Z96.8(1799)
- - cardiac Z95.0(1800)
- - - resynchronization therapy (CRT) Z95.0(1801)
- - specified NEC Z96.8(1802)
- pancreatectomy Z90.4(1803)
- petit mal G41.1
- pneumonectomy (complete) (partial) Z90.2(1804)
- poor nutritional E63.9 2a 2b
- postcommotio cerebri F07.2
- postoperative NEC Z98.8(1805)
- postpartum NEC (routine follow-up) Z39.2(1806)
- - care immediately after delivery Z39.0(1807)
- postsurgical NEC Z98.8(1808)
- renal dialysis Z99.2(1809)
- salpingo-oophorectomy (bilateral) (unilateral) Z90.7(1810)
- shunt, cerebrospinal fluid Z98.2(1811)
- splenectomy D73.0
- thyroidectomy (hypothyroidism) E89.0 2b
- tracheostomy Z93.0(1812)
- transplant - *see* Transplant
- ureterostomy Z93.6(1813)
- urethrostomy Z93.6(1814)

Stave fracture S62.4

Stealing

- child problem F91.8
- - in company with others F91.2
- pathological (compulsive) F63.2

Steam burn - *see* Burn

Steatocirrhosis K76.0 2a 2b

Steatocystoma multiplex L72.2

Steatohepatitis - *see* Fatty, liver

Steatoma L72.1

- eyelid (cystic) H01.1
- - infected H00.0

Steatorrhea (chronic) K90.4

- idiopathic (adult) (infantile) K90.0 2b
 - pancreatic K90.3
 - tropical K90.1
- Steatosis E88.8 2a 2b**
- heart (*see also* Degeneration, myocardial) I51.5 2a 2b
 - - arteriosclerotic I51.50 2a 2b
 - kidney N28.8 2a 2b

- liver NEC K76.0 2a 2b

- - alcoholic K70.0 2a

Steele-Richardson disease or syndrome G23.1

Steinbrocker's syndrome G90.8

Steinert's disease G71.1 2a

Stein-Leventhal syndrome E28.2

Stenocardia I20.8

Stenocephaly Q75.8 2b

Stenosis (cicatricial) - *see also* Stricture

- ampulla of Vater K83.1

- anus, anal (canal) (sphincter) K62.4

- - and rectum K62.4

- - congenital Q42.3

- - - with fistula Q42.2

- aorta, aorta arch, aortic arch (ascending) (congenital) (supravalvular) (supraventricular) Q25.3

- - arteriosclerotic I70.0 2a

- - calcified I70.0 2a

- aortic (valve) I35.0 2a 2b

- - with insufficiency I35.2

- - congenital Q23.0 2a

- - rheumatic I06.0 2a 2b

- - - with

- - - - incompetence, insufficiency or regurgitation I06.2

- - - - with mitral (valve) disease I08.0 2a

- - - - - with tricuspid (valve) disease I08.3

- - - - mitral (valve) disease I08.0 2a

- - - - - with tricuspid (valve) disease I08.3

- - - - tricuspid (valve) disease I08.2 2a

- - - - - with mitral (valve) disease I08.3

- - - active or acute I01.1 2a 2b

- - specified cause NEC I35.0 2a 2b

- - syphilitic A52.0† 2b I39.1*

- aqueduct of Sylvius (congenital) Q03.0

- - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4

- - acquired G91.1

- artery NEC I77.1

- - cerebral - *see* Occlusion, artery, cerebral

- - precerebral (*see also* Occlusion, artery, precerebral)

- - pulmonary Q25.6 2a 2b

- bile duct (common) (hepatic) K83.1

- - congenital Q44.3

- bladder-neck (acquired) N32.0

- - congenital Q64.3

- brain G93.8 2b

- bronchus J98.0

- - congenital Q32.3

- - syphilitic A52.7† 2a 2b J99.8*

- cardia (stomach) K22.2 2b

- cardiovascular (*see also* Disease, cardiovascular) I51.6 2a 2b

- carotid (artery) (vessels) I63.2 2a 2b

- - bilateral (multiple) I63.20 2a 2b

- - multiple (bilateral) I63.20 2a 2b

- caudal M48.0

- cerebral vessels I63.5 2a 2b

- - bilateral (multiple) I63.50 2a 2b

- - multiple (bilateral) I63.50 2a 2b

- cervix, cervical (canal) N88.2

- - congenital Q51.8

- - female N88.2

- - - meaning spinal M48.0

- - in pregnancy or childbirth O34.4

- - - affecting fetus or newborn P03.8

- - - causing obstructed labor O65.5

- - - - affecting fetus or newborn P03.1

- - male M48.0

- colon (see also Obstruction, intestine) K56.6 2a 2b
- - congenital Q42.9
- - - specified NEC Q42.8
- colostomy K91.4
- common (bile) duct K83.1
- - congenital Q44.3
- coronary (artery) I25.1 2a 2b
- cystic duct (*see also* Obstruction, gallbladder) K82.0
- due to presence of device, implant or graft (*see also* Complications, by site and type, specified NEC) T85.8 2b
 - - arterial graft NEC T82.8 2b
 - - breast (implant) T85.8 2b
 - - catheter T83.8 2b
 - - - dialysis (renal) T82.8 2b
 - - - - intraperitoneal T85.8 2b
 - - - infusion NEC T82.8 2b
 - - - - spinal (epidural) (subdural) T85.8 2b
 - - - urinary (indwelling) T83.8 2b
- - fixation, internal (orthopedic) NEC T84.8
- - gastrointestinal (bile duct) (esophagus) T85.8 2b
- - genital NEC T83.8 2b
- - heart NEC T82.8 2b
- - joint prosthesis T84.8
- - ocular (corneal graft) (orbital implant) NEC T85.8 2b
- - orthopedic NEC T84.8
- - specified NEC T85.8 2b
- - urinary NEC T83.8 2b
- - vascular NEC T82.8 2b
- - ventricular intracranial shunt T85.8 2b
- duodenum K31.5
- - congenital Q41.0
- ejaculatory duct NEC N50.8
- endocervical os - *see* Stenosis, cervix
- enterostomy K91.4
- esophagus K22.2 2b
- - congenital Q39.3
- - syphilitic A52.7† 2a 2b K23.8*
- - - congenital A50.5† K23.8*
- eustachian tube H68.1
- external ear canal (acquired) H61.3
- - congenital Q16.1
- foramen magnum Q75.8 2b
- gallbladder (*see also* Obstruction, gallbladder) K82.0
- glottis J38.6
- hymen N89.6
- ileum (*see also* Obstruction, intestine) K56.6 2a 2b
- - congenital Q41.2
- intervertebral foramina M99.8
- - connective tissue M99.7
- - disc M99.7
- - osseous M99.6
- - subluxation M99.6
- intestine (*see also* Obstruction, intestine) K56.6 2a 2b
- - congenital (small) Q41.9 2b
- - - large Q42.9
- - - - specified NEC Q42.8
- - - specified NEC Q41.8
- jejunum (*see also* Obstruction, intestine) K56.6 2a 2b
- - congenital Q41.1
- lacrimal duct, punctum or sac H04.5
- - congenital Q10.5
- lacrimonasal duct H04.5
- - congenital Q10.5
- larynx J38.6
- - congenital NEC Q31.8
- - - subglottic Q31.1

- - syphilitic A52.7† 2a 2b J99.8*
- - - congenital A50.5† J99.8*
- lung J98.0
- mitral (chronic) (inactive) (valve) I05.0 2a 2b
- - with
 - - - aortic valve disease (unspecified origin) I08.0 2a
 - - - incompetence, insufficiency or regurgitation I05.2 2a
- - active or acute I01.1 2a 2b
- - - with rheumatic or Sydenham's chorea I02.0
- - congenital Q23.2
- - nonrheumatic I34.2 2a 2b
- - syphilitic A52.0† 2b I39.0*
- myocardium, myocardial (*see also* Degeneration, myocardial) I51.5 2a 2b
- - arteriosclerotic I51.50 2a 2b
- nares (anterior) (posterior) J34.8
- - congenital Q30.0
- nasal duct H04.5
- - congenital Q10.5
- nasolacrimal duct H04.5
- - congenital Q10.5
- neural canal M99.8
- - connective tissue M99.4
- - intervertebral disc M99.5
- - osseous M99.3
- - subluxation M99.2
- oesophagus - *see* Stenosis, esophagus
- organ or site, congenital NEC - *see* Atresia, by site
- pulmonary (artery) (congenital) (supravalvular) (subvalvular) Q25.6 2a 2b
- - acquired I28.8
- - in tetralogy of Fallot Q21.3
- - infundibular Q24.3
- - valve I37.0
- - - with insufficiency I37.2
- - - congenital Q22.1
- - - rheumatic I09.8
- - - - with aortic, mitral or tricuspid (valve) disease (unspecified origin) I08.8
- - - active or acute I01.1 2a 2b
- - vessel NEC I28.8
- pulmonic - *see* Stenosis, pulmonary
- pylorus (acquired) (hypertrophic) K31.1
- - adult K31.1
- - congenital Q40.0
- - infantile Q40.0
- rectum (sphincter) (*see also* Stricture, rectum) K62.4
- renal artery I70.1 2b
- - congenital Q27.1
- salivary duct (any) K11.8
- spinal M48.0
- stomach, hourglass K31.2
- subaortic (congenital) Q24.4
- - hypertrophic I42.1 2a 2b
- - - familial I42.10 2a 2b
- - - idiopathic I42.10 2a 2b
- - - primary I42.10 2a 2b
- subglottic
- - congenital Q31.1
- - postprocedural J95.5
- supravalvular aortic Q25.3
- trachea J39.8
- - congenital Q32.1
- - syphilitic A52.7† 2a 2b J99.8*
- - tuberculous NEC A16.4 2a 2b
- tricuspid (valve) I07.0
- - with
 - - - aortic (valve) disease (unspecified origin) I08.2 2a

- - - incompetence, insufficiency or regurgitation I07.2
- - - with aortic (valve) disease (unspecified origin) I08.2 2a
- - - - with mitral (valve) disease (unspecified origin) I08.3
- - mitral (valve) disease (unspecified origin) I08.1
- - - with aortic (valve) disease (unspecified origin) I08.3
- - active or acute I01.1 2a 2b
- - congenital Q22.4
- - nonrheumatic I36.0
- - - with insufficiency I36.2
- tubal N97.1
- umbilical cord P02.6
- ureteropelvic junction, congenital Q62.1 2a
- ureterovesical orifice, congenital Q62.1 2a
- urethra (valve) N35.9 2b
- - congenital Q64.3
- urinary meatus, congenital Q64.3
- vagina N89.5
- - congenital Q52.4
- - in pregnancy or childbirth O34.6
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1
- valve (cardiac) (heart) (*see also* Endocarditis) I38 2a
- - congenital Q24.8 2b
- vena cava (inferior) (superior) I87.1
- - congenital Q26.0
- vertebrae basilar (artery) I63.2 2a 2b
- - bilateral (multiple) I63.20 2a 2b
- - multiple (bilateral) I63.20 2a 2b
- vesicourethral orifice Q64.3
- vulva N90.5

Stercolith (impaction) K56.4 2b

- appendix K38.1

Stercoraceous, stercoral ulcer K63.3 2b

- anus or rectum K62.6

Stereotypies NEC F98.4**Sterility**

- female - *see* Infertility, female
- male N46 2a

Sterilization, admission for Z30.2(1815)**Sternalgia** (*see also* Angina) I20.9**Sternopagus** Q89.4**Sternum bifidum** Q76.7**Steroid**

- effects (adverse) (adrenocortical) (iatrogenic)
- - cushingoid
- - - overdose or wrong substance given or taken T38.0
- - diabetes
- - - correct substance properly administered E13-
- - - overdose or wrong substance given or taken T38.0
- - due to
- - - correct substance properly administered E27.3
- - - overdose or wrong substance given or taken T38.0
- - fever
- - - correct substance properly administered R50.9 2a
- - - overdose or wrong substance given or taken T38.0
- - withdrawal
- - - correct substance properly administered E27.3
- - - overdose or wrong substance given or taken T38.0

Stevens-Johnson disease or syndrome L51.1**Stewart-Morel syndrome** M85.2**Sticker's disease** B08.3**Sticky eye** H10.0**Stiff neck** (*see also* Torticollis) M43.6**Stiff-man syndrome** G25.8 2a

Stiffness, joint M25.6

- ankle M25.6
- elbow M25.6
- finger M25.6
- hip M25.6
- knee M25.6
- multiple sites NEC M25.6
- sacroiliac M53.3
- shoulder M25.6
- specified NEC M25.6
- spine M53.8
- surgical fusion Z98.1(1816)
- wrist M25.6

Stigmata, congenital syphilis A50.5

Stillbirth NEC - *see* Death, fetus

Stilling's syndrome H50.8**Still's disease or syndrome (juvenile)** M08.2

- adult-onset M06.1

Sting (venomous) (with allergic or anaphylactic shock) T63.9

- arthropod NEC T63.4
- fish T63.5
- insect, venomous NEC (bee) (hornet) (wasp) T63.4
- - nonvenomous - *see* Injury, superficial
- jellyfish (Portuguese man-of-war) T63.6
- marine animal NEC T63.6
- plant L24.7
- scorpion T63.2
- sea anemone T63.6
- shellfish T63.6
- starfish T63.6

Stippled epiphyses Q78.8**Stitch**

- abscess T81.4 2b
- burst (in operation wound) T81.3 2b

Stokes-Adams disease or syndrome I45.9 2a 2b**Stokvis(-Talma) disease** D74.8 2b**Stomach** - *see condition***Stomatitis (denture) (ulcerative)** K12.1

- angular K13.0
- aphthous K12.0
- candidal B37.0 2b
- diphtheritic A36.8 2b
- due to vitamin deficiency
- - B group NEC E53.9† 2b K93.8*
- - B₂ (riboflavin) E53.0† K93.8*
- epidemic B08.8
- epizootic B08.8
- gangrenous A69.0
- *Geotrichum* B48.3† K93.8*
- herpesviral B00.2
- herpetiformis K12.0
- membranous, acute K12.1
- monilial B37.0 2b
- mycotic B37.0 2b
- necrotizing ulcerative A69.0
- spirochetal A69.1 2a
- suppurative (acute) K12.2
- ulceromembranous A69.1 2a
- vesicular K12.1
- - with exanthem (enteroviral) B08.4
- - virus disease A93.8
- Vincent's A69.1 2a

Stomatocytosis D58.8**Stomatomycosis** B37.0 2b**Stomatorrhagia** K13.7

Stone(s) - *see also* Calculus

- bladder (diverticulum) N21.0
- kidney N20.0 2a
- prostate N42.0
- pulpal (dental) K04.2
- renal N20.0 2a
- salivary gland or duct (any) K11.5
- urethra (impacted) N21.1
- urinary (duct) (impacted) (passage) N20.9 2a 2b
 - - bladder (diverticulum) N21.0
 - - lower tract NEC N21.9
 - - - specified NEC N21.8
- xanthine E79.8† 2b N22.8*

Stonecutter's lung J62.8**Stonemason's asthma, disease, lung or pneumoconiosis** J62.8**Stoppage**

- bowel - *see* Obstruction, intestine
- heart (*see also* Arrest, cardiac) I46.9 2a 2b
- urine R33 2b

Stopped drinking or eating R63.6**Storm, thyroid** E05.5 2b**Strabismus (alternating) (congenital) (nonparalytic)** H50.9

- concomitant NEC H50.4
- - convergent H50.0
- - divergent H50.1
- convergent H50.0
- divergent H50.1
- due to adhesions, scars H50.6
- intermittent H50.3
- latent H50.5
- mechanical H50.6
- paralytic H49.9 2a
- - specified NEC H49.8
- specified NEC H50.8
- vertical H50.2

Strain - *see also* Sprain

- eye NEC H53.1
- heart - *see* Disease, heart
- low back M54.5
- mental NEC Z73.3(1817)
- - work-related Z56.6(1818)
- muscle M62.6
- - traumatic - *see* Injury, muscle, by site
- myocardium, myocardial I51.9 2a 2b
- nontraumatic F43.0
- physical NEC Z73.3(1819)
- - work-related Z56.6(1820)
- postural M70.9
- psychological NEC Z73.3(1821)
- ventricular I51.9 2a 2b

Strand, vitreous H43.3**Strangulation, strangulated** T71 2a 2b

- appendix K38.8
- asphyxiation or suffocation by T71 2a 2b
- bladder-neck N32.0
- bowel or colon K56.2
- food or foreign body (*see also* Asphyxia, food) T17.9 2b
- hernia (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
 - - with gangrene (*see also* Hernia, by site, with gangrene) K46.1
 - intestine K56.2
 - - with hernia (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
 - - - with gangrene (*see also* Hernia, by site, with gangrene) K46.1
- mesentery K56.2
- mucus (*see also* Asphyxia, mucus) T17.9 2b
- omentum K56.2

- organ or site, congenital NEC - *see* Atresia, by site
- ovary N83.5
- stomach due to hernia (*see also* Hernia, by site, with obstruction) K46.0 2a 2b
- - with gangrene (*see also* Hernia, by site, with gangrene) K46.1
- umbilical cord - *see also* Compression, umbilical cord P02.5
- - fetus or newborn P02.5
- vesicourethral orifice N32.0

Strangury R30.0 2b

Strawberry gallbladder K82.4

Streak(s)

- macula, angiod H35.3
- ovarian Q50.3

Streeter's syndrome Q74.8

Strephosymbolia F81.0

- secondary to organic lesion R48.8

Streptobacillosis A25.1

Streptococcemia (*see also* Septicemia, streptococcal) A40.9

Streptococcus, streptococcal - *see also* condition

- group

- - A - *see* Infection, streptococcal
- - B - *see* Infection, streptococcal
- - D - *see* Infection, streptococcal
- *pneumoniae* - *see* Infection, streptococcal
- specified NEC - *see* Infection, streptococcal

Streptoderma (*see also* Pyoderma) L08.0

Streptomycosis B47.1

Streptotrichosis A48.8

Stress F43.9

- emotional F43.9
- fetal - *see* Distress, fetal
- mental NEC F43.9
- - work-related F43.9
- perioperative R99 2a 2b
- physical NEC Z73.3(1822)
- - work-related Z56.6(1823)
- reaction (*see also* Reaction, stress) F43.9
- - acute F43.0
- situational F43.9
- work schedule Z56.3(1824)

Stretching, nerve - *see* Injury, nerve

Striae albicantes, atrophicae or distensae (cutis) L90.6

Stricture (*see also* Stenosis) R68.8 2a 2b

- ampulla of Vater K83.1
- anus (sphincter) K62.4
- - congenital Q42.3
- - - with fistula Q42.2
- - infantile Q42.3
- - - with fistula Q42.2
- aorta (ascending) (congenital) (*see also* Stenosis, aorta) Q25.3
- - supravalvular, congenital Q25.3
- aortic (valve) (*see also* Stenosis, aortic) I35.0 2a 2b
- - congenital Q23.0 2a
- aqueduct of Sylvius (congenital) Q03.0
- - with spina bifida (*see also* Spina bifida, with hydrocephalus) Q05.4
- - acquired G91.1
- artery I77.1
- - basilar (*see also* Occlusion, artery, basilar) I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- - carotid (*see also* Occlusion, artery, carotid) I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- - celiac I77.4
- - - arteriosclerotic I67.2 2a 2b
- - congenital (peripheral) Q27.8 2a 2b

- - - cerebral Q28.3 2a 2b
- - - coronary Q24.5
- - - retinal Q14.1
- - coronary I25.1 2a 2b
- - precerebral (*see also* Occlusion, artery, precerebral) I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- - pulmonary (congenital) Q25.6 2a 2b
- - - acquired I28.8
- - vertebral (*see also* Occlusion, artery, vertebral) I63.2 2a 2b
- - - bilateral (multiple) I63.20 2a 2b
- - - multiple (bilateral) I63.20 2a 2b
- - auditory canal (external) (congenital) Q16.1
- - acquired H61.3
- - bile duct (common) (hepatic) K83.1
- - congenital Q44.3
- - postoperative K91.8 2a 2b
- - bladder N32.8
- - neck N32.0
- - bowel (*see also* Obstruction, intestine) K56.6 2a 2b
- - bronchus J98.0
- - congenital Q32.3
- - syphilitic A52.7† 2a 2b J99.8*
- - cardia (stomach) K22.2 2b
- - cardiac (*see also* Disease, heart) I51.9 2a 2b
- - orifice (stomach) K22.2 2b
- - cecum (*see also* Obstruction, intestine) K56.6 2a 2b
- - cervix, cervical (canal) N88.2
- - congenital Q51.8
- - in pregnancy or childbirth O34.4
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1
- - colon (*see also* Obstruction, intestine) K56.6 2a 2b
- - congenital Q42.9
- - - specified NEC Q42.8
- - common (bile) duct K83.1
- - coronary (artery) I25.1 2a 2b
- - congenital Q24.5
- - cystic duct (*see also* Obstruction, gallbladder) K82.0
- - duodenum K31.5
- - congenital Q41.0
- - ear canal (external) (congenital) Q16.1
- - acquired H61.3
- - ejaculatory duct N50.8
- - esophagus K22.2 2b
- - congenital Q39.3
- - syphilitic A52.7† 2a 2b K23.8*
- - - congenital A50.5† K23.8*
- - eustachian tube H68.1
- - congenital Q16.4
- - fallopian tube N97.1
- - gonococcal A54.2† N74.3*
- - tuberculous A18.1† 2a 2b N74.1*
- - gallbladder (*see also* Obstruction, gallbladder) K82.0
- - glottis J38.6
- - heart (*see also* Disease, heart) I51.9 2a 2b
- - valve (*see also* Endocarditis) I38 2a
- - hepatic duct K83.1
- - hourglass, of stomach K31.2
- - hymen N89.6
- - hypopharynx J39.2
- - ileum (*see also* Obstruction, intestine) K56.6 2a 2b
- - - congenital Q41.2
- - intestine (*see also* Obstruction, intestine) K56.6 2a 2b
- - - congenital (small) Q41.9 2b

- - - large Q42.9
- - - specified NEC Q42.8
- - - specified NEC Q41.8
- - ischemic K55.1
- jejunum (*see also* Obstruction, intestine) K56.6 2a 2b
- - congenital Q41.1
- lacrimal passages H04.5
- - congenital Q10.5
- larynx J38.6
- - congenital NEC Q31.8
- - - subglottic Q31.1
- - syphilitic A52.7† 2a 2b J99.8*
- - - congenital A50.5† J99.8*
- meatus
- - ear (congenital) Q16.1
- - - acquired H61.3
- - osseous (ear) (congenital) Q16.1
- - - acquired H61.3
- - urinarius (*see also* Stricture, urethra) N35.9 2b
- - - congenital Q64.3
- mitral (valve) (*see also* Stenosis, mitral) I05.0 2a 2b
- - congenital Q23.2
- nares (anterior) (posterior) J34.8
- - congenital Q30.0
- nasal duct H04.5
- - congenital Q10.5
- nasolacrimal duct H04.5
- - congenital Q10.5
- nasopharynx J39.2
- - syphilitic A52.7† 2a 2b J99.8*
- nose J34.8
- nostril (anterior) (posterior) J34.8
- - syphilitic A52.7† 2a 2b J99.8*
- - - congenital A50.5† J99.8*
- oesophagus - *see* Stricture, esophagus
- organ or site, congenital NEC - *see* Atresia, by site
- os uteri (*see also* Stricture, cervix) N88.2
- osseous meatus (ear) (congenital) Q16.1
- - acquired H61.3
- oviduct - *see* Stricture, fallopian tube
- pelviureteric junction N13.5
- - with
 - - - hydronephrosis N13.0
 - - - with infection N13.6 2a 2b
 - - - pyelonephritis (chronic) N11.1
- penis, by foreign body T19.8
- pharynx J39.2
- prostate N42.8
- pulmonary
- - artery (congenital) Q25.6 2a 2b
- - - acquired I28.8
- - valve I37.0
- - - congenital Q22.1
- - vessel NEC I28.8
- punctum lacrimale H04.5
- - congenital Q10.5
- pylorus (hypertrophic) K31.1
- - adult K31.1
- - congenital Q40.0
- - infantile Q40.0
- rectosigmoid K56.6 2a 2b
- rectum (sphincter) K62.4
- - congenital Q42.1
- - - with fistula Q42.0
- - due to

- - chlamydial lymphogranuloma A55
- - irradiation K91.8 2a 2b
- - gonococcal A54.6
- - inflammatory (chlamydial) A55
- - syphilitic A52.7† 2a 2b K93.8*
- - tuberculous A18.3† K93.0*
- renal artery I70.1 2b
- - congenital Q27.1
- salivary duct or gland (any) K11.8
- sigmoid (flexure) (*see also* Obstruction, intestine) K56.6 2a 2b
- spermatic cord N50.8
- stoma, following
- - colostomy K91.4
- - enterostomy K91.4
- - gastrostomy K91.8 2a 2b
- - tracheostomy J95.0
- stomach K31.8 2a
- - congenital Q40.2
- - hourglass K31.2
- - subglottic J38.6
- - syphilitic NEC A52.7 2a 2b
- - trachea J39.8
- - congenital Q32.1
- - - syphilitic A52.7† 2a 2b J99.8*
- - - tuberculous NEC A16.4 2a 2b
- - tricuspid (valve) (*see also* Stenosis, tricuspid) I07.0
- - congenital Q22.4
- tunica vaginalis N50.8
- umbilical cord P02.6
- ureter (postoperative) N13.5
- - with
 - - - hydronephrosis N13.1
 - - - - with infection N13.6 2a 2b
 - - - pyelonephritis (chronic) N11.1
- - congenital Q62.1 2a
- - tuberculous A18.1† 2a 2b N29.1*
- ureteropelvic junction N13.5
- - with
 - - - hydronephrosis N13.0
 - - - - with infection N13.6 2a 2b
 - - - pyelonephritis (chronic) N11.1
- - ureterovesical orifice N13.5
- - with infection N13.6 2a 2b
- urethra (anterior) (meatal) (organic) (posterior) (spasmodic) N35.9 2b
- - associated with schistosomiasis B65.0† N29.1*
- - congenital Q64.3
- - - valvular (posterior) Q64.2
- - gonococcal, gonorrhreal A54.0
- - infective NEC N35.1
- - late effect of injury N35.0
- - postcatheterization N99.1 2b
- - postinfective NEC N35.1
- - postprocedural or postoperative N99.1 2b
- - post-traumatic N35.0
- - sequela of
 - - - childbirth N35.0
 - - - injury N35.0
 - - - specified NEC N35.8
- - syphilitic A52.7† 2a 2b N37.8*
- - traumatic N35.0
- - valvular (posterior), congenital Q64.2
- urinary meatus (*see also* Stricture, urethra) N35.9 2b
- - congenital Q64.3
- uterus, uterine (synechiae) N85.6
- - os (external) (internal) - *see* Stricture, cervix

- vagina (outlet) (*see also* Stenosis, vagina) N89.5
- - congenital Q52.4
- valve (cardiac) (heart) (*see also* Endocarditis) I38 2a
- vas deferens N50.8
- - congenital Q55.4
- vein I87.1
- vena cava (inferior) (superior) NEC I87.1
- - congenital Q26.0
- vesical neck N32.0
- vesicourethral orifice N32.0
- - congenital Q64.3
- vulva (acquired) N90.5

Stridor R06.1 2b

- congenital (larynx) NEC P28.8

Stridulous - *see condition*

Stroke (apoplectic) (brain) (lacunar) (paralytic) I64 2a 2b

- bilateral (multiple) I64.00 2a 2b
- embolic I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- epileptic - *see* Epilepsy
- heart - *see* Disease, heart
- heat T67.0
- hemorrhagic I61.9 2a 2b
- - bilateral (multiple) I61.90 2a 2b
- - multiple (bilateral) I61.90 2a 2b
- - newborn P52.4 2a 2b
- infarct I63.9 2a 2b
- - multiple I63.90 2a 2b
- ischemic (*see also* Infarction, cerebral) I63.9 2a 2b
- lightning T75.0 2b
- multiple (bilateral) I64.00 2a 2b
- thromboembolic I63.4 2a 2b
- - bilateral (multiple) I63.40 2a 2b
- - multiple (bilateral) I63.40 2a 2b
- thrombotic I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b

Stromatosis, endometrial (M8931/1) D39.0 2b

Strongyloides stercoralis infestation (*see also* Strongyloidiasis) B78.9

Strongyloidiasis, strongyloidosis B78.9

- cutaneous B78.1† L99.8*
- disseminated B78.7
- intestinal B78.0

Struck by lightning T75.0 2b

Struma (*see also* Goiter) E04.9

- lymphomatosa E06.3
- ovarii (M9090/0) D27
- - with carcinoid (M9091/1) D39.1
- - malignant (M9090/3) C56 2a 2b
- Riedel's E06.5

Strumipriva cachexia E03.4 2b

Strümpell-Marie spine M45

Strümpell-Westphal pseudosclerosis E83.0 2b

Stuart deficiency disease (factor X) D68.2 2a 2b

Stuart-Prower factor deficiency (factor X) D68.2 2a 2b

Student's elbow M70.2

Stunting, nutritional E45 2b

Stupor R40.1 2b

- catatonic F20.2
- depressive F32.8
- dissociative F44.2
- manic F30.2
- manic-depressive F31.8
- psychogenic (anergic) F44.2

- reaction to exceptional stress (transient) F43.0

Sturge(-Weber)(-Dimitri)(-Kalischer) disease or syndrome Q85.8

Stuttering F98.5

Sty, stye (external) (internal) (meibomian) (zeisian) H00.0

Subacidity, gastric K31.8 2a

- psychogenic F45.3 2b

Subacute - *see condition*

Subarachnoid - *see condition*

Subarcuate

- uterus Q51.9

Subcortical - *see condition*

Subcutaneous, subcuticular - *see condition*

Subdural - *see condition*

Subendocardium - *see condition*

Subependymoma (M9383/1)

- specified site - *see Neoplasm, uncertain behavior*

- unspecified site D43.2 2a 2b

Suberosis J67.3

Subglossitis - *see Glossitis*

Subinvolution

- breast (postlactational) (postpuerperal) N64.8

- puerperal O90.8 2b

- uterus (nonpuerperal) N85.3

- - and congestion N94.8 2b

- - puerperal O90.8 2b

Sublingual - *see condition*

Subluxatable hip Q65.6

Subluxation - *see also Dislocation*

- atlantoaxial, recurrent M43.4

- - with myelopathy M43.3

- complex (vertebral) M99.1

- congenital NEC - *see also Malposition, congenital*

- - hip Q65.5

- - - bilateral Q65.4

- - - unilateral Q65.3

- - joint (excluding hip)

- - - lower limb Q68.8

- - - shoulder Q68.8

- - - upper limb Q68.8

- lens H27.1

- patella, recurrent M22.1

- pathological M24.3

- symphysis (pubis), in pregnancy, childbirth or puerperium O26.7

- vertebral, recurrent NEC M43.5

Submaxillary - *see condition*

Submersion (fatal) (nonfatal) T75.1 2a 2b

Submucous - *see condition*

Subnormal accommodation (old age) H52.4

Subnormality, mental F79 2a 2b

- mild F70 2a 2b

- moderate F71 2a 2b

- profound F73 2a 2b

- severe F72 2a 2b

Subphrenic - *see condition*

Subscapular nerve - *see condition*

Subseptus uterus Q51.8

Substernal thyroid E04.9

Substitution disorder F44.9 2b

Subtentorial - *see condition*

Subthyroidism (acquired) (*see also Hypothyroidism*) E03.9 2a 2b

- congenital E03.1

Succenturiate placenta O43.1

Succinicacidemia E72.8

Sucking thumb, child (excessive) F98.8

Sudamen, sudamina L74.1

Sudden

- death, cause unknown R96.0 2b
- - during childbirth O95 2a 2b
- - infant R95 2a 2b
- - obstetric O95 2a 2b
- - puerperal, postpartum O95 2a 2b
- heart failure (*see also* Failure, heart) I50.9 2a 2b
- infant death syndrome R95 2a 2b

Sudeck's atrophy, disease or syndrome M89.0**Suffocation** (*see also* Asphyxia) R09.0 2b

- by
 - - bed clothes T71 2a 2b
 - - bunny bag T71 2a 2b
 - - cave-in T71 2a 2b
 - - constriction T71 2a 2b
 - - drowning T75.1 2a 2b
 - - inhalation
 - - - food or foreign body (*see also* Asphyxia, food) T17.9 2b
 - - - gases, fumes, or vapors NEC T59.9 2b
 - - - specified agent - *see* Table of drugs and chemicals
 - - - oil or gasoline (*see also* Asphyxia, food) T17.9 2b
 - - overlying T71 2a 2b
 - - plastic bag T71 2a 2b
 - - pressure T71 2a 2b
 - - strangulation T71 2a 2b
 - - mechanical T71 2a 2b

Sugar

- blood
- - high R73.9
- - low E16.2 2b
- in urine R81 2b

Suicide, suicidal (attempted)

- by poisoning - *see* Table of drugs and chemicals
- history of (personal) Z91.5(1825)
- - in family Z81.8(1826)
- observation following alleged attempt Z03.8(1827)
- risk R45.8
- - constituting part of a mental disorder - *see condition*
- tendencies R45.8
- - constituting part of a mental disorder - *see condition*
- trauma NEC (*see also* Nature and site of injury) T14.9 2a 2b

Sulfhemoglobinemia, sulphemoglobinemia (acquired) (with methemoglobinemia) D74.8 2b**Summer** - *see condition***Sunburn** L55.9

- first degree L55.0
- second degree L55.1
- specified NEC L55.8
- third degree L55.2

Sunstroke T67.0**Superfecundation** O30.8**Superfetation** O30.8**Superinvolution (uterus)** N85.8**Supernumerary (congenital)**

- aortic cusps Q23.8
- auditory ossicles Q16.3
- bone Q79.8 2b
- breast Q83.1
- carpal bones Q74.0
- cusps, heart valve NEC Q24.8 2b
- - aortic Q23.8
- - pulmonary Q22.3 2a 2b
- digit(s) Q69.9
- ear Q17.0
- fallopian tube Q50.6
- finger Q69.0

- hymen Q52.4
- kidney Q63.0
- lacrimonasal duct Q10.6
- lobule (ear) Q17.0
- muscle Q79.8 2b
- nipple(s) Q83.3
- organ or site not listed - *see Accessory*
- ovary Q50.3
- oviduct Q50.6
- pulmonary cusps Q22.3 2a 2b
- rib Q76.6
- - cervical or first (syndrome) Q76.5
- roots (of teeth) K00.2
- tarsal bones Q74.2
- teeth K00.1
- - causing crowding K07.3
- testis Q55.2
- thumb Q69.1
- toe Q69.2
- uterus Q51.2
- vagina Q52.1
- vertebra Q76.4

Supervision (of)

- contraceptive method previously prescribed Z30.5(1828)
- dietary Z71.3(1829)
- high-risk pregnancy (*see also* Pregnancy, supervision) Z35.9(1830)
- lactation Z39.1(1831)
- pregnancy - *see* Pregnancy, supervision of

Supplementary teeth K00.1

- causing crowding K07.3

Suppression

- bone marrow D75.8 2a 2b
- hormonal E34.8
- lactation O92.5
- menstruation N94.8 2b
- ovarian secretion E28.3
- renal (*see also* Failure, renal) N19 2a 2b
- urine, urinary secretion R34 2b

Suppuration, suppurative - *see also condition*

- accessory sinus (chronic) (*see also* Sinusitis) J32.9
- antrum (chronic) (*see also* Sinusitis, maxillary) J32.0
- bladder (*see also* Cystitis) N30.8 2a 2b
- brain G06.0 2a 2b
- breast N61 2b
- - puerperal, postpartum or gestational O91.1
- dental periosteum K10.3
- ear (middle) NEC H66.4
- - external NEC H60.3
- - internal H83.0
- ethmoidal (chronic) (sinus) (*see also* Sinusitis, ethmoidal) J32.2
- fallopian tube (*see also* Salpingo-oophoritis) N70.9
- frontal (chronic) (sinus) (*see also* Sinusitis, frontal) J32.1
- gallbladder (acute) K81.0
- intracranial G06.0 2a 2b
- joint M00.9 2a 2b
- labyrinthine H83.0
- lung - *see* Abscess, lung
- mammary gland N61 2b
- - puerperal, postpartum O91.1
- maxilla, maxillary K10.2
- - sinus (chronic) (*see also* Sinusitis, maxillary) J32.0
- muscle M60.0 2a 2b
- nasal sinus (chronic) (*see also* Sinusitis) J32.9
- pancreas (acute) K85.9 2a 2b
- pelvis, pelvic

- - female (*see also* Disease, pelvis, inflammatory) N73.9
- - male K65.0 2a 2b
- pericranial (*see also* Osteomyelitis) M86.8
- salivary duct or gland (any) K11.2
- sinus (accessory) (chronic) (nasal) (*see also* Sinusitis) J32.9
- sphenoidal sinus (chronic) (*see also* Sinusitis, sphenoidal) J32.3
- thymus (gland) E32.1
- thyroid (gland) E06.0
- tonsil (*see also* Tonsillitis) J03.9
- - chronic J35.0
- uterus (*see also* Endometritis) N71.9 2b

Suprarenal (gland) - *see condition*

Suprascapular nerve - *see condition*

Suprasellar - *see condition*

Surfer's knots or nodules T14.0 2b

Surgery

- elective Z41.9(1832)
- - breast augmentation or reduction (cosmetic) Z41.1(1833)
- - face-lift (cosmetic) Z41.1(1834)
- - hair transplant Z41.0(1835)
- - specified type NEC Z41.8(1836)
- not done - *see Procedure (surgical)*, not done
- plastic
- - corrective, restorative - *see Surgery, reconstructive*
- - cosmetic Z41.1(1837)
- - - breast augmentation or reduction Z41.1(1838)
- - - face-lift Z41.1(1839)
- - - hair transplant Z41.0(1840)
- - following healed injury or operation - *see Surgery, reconstructive*
- - for unacceptable cosmetic appearance Z41.1(1841)
- previous, in pregnancy or childbirth
- - cervix O34.4
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1
- - pelvic soft tissues NEC
- - - affecting fetus or newborn P03.8
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1
- - perineum or vulva O34.7
- - uterus O34.2
- - - causing obstructed labor O65.5
- - - - affecting fetus or newborn P03.1
- - vagina O34.6
- prophylactic Z40.9(1842)
- - for risk factors related to malignant neoplasm Z40.0(1843)
- - specified NEC Z40.8(1844)
- reconstructive (following healed injury or operation) Z42.9(1845)
- - breast Z42.1(1846)
- - head and neck Z42.0(1847)
- - lower limb Z42.4(1848)
- - specified NEC Z42.8(1849)
- - trunk Z42.2(1850)
- - - breast Z42.1(1851)
- - upper limb Z42.3(1852)

Surgical

- emphysema T81.8 2a 2b
- procedures, complication or misadventure - *see Complications, surgical procedures*
- shock T81.1 2b

Surveillance (of) (for) (*see also* Observation) Z04.9(1853)

- alcohol abuse Z71.4(1854)
- contraceptive
- - device Z30.5(1855)
- - drugs Z30.4(1856)
- dietary Z71.3(1857)
- drug abuse Z71.5(1858)

Suspected condition, ruled out (*see also* Observation, suspected) Z03.9(1859)

Suspended uterus

- in pregnancy or childbirth O34.5
- - causing obstructed labor O65.5
- - - affecting fetus or newborn P03.1

Sutton-Gull's disease I12.9 2a 2b

Sutton's nevus (M8723/0) D22.9

Suture

- burst (in operation wound) T81.3 2b
- inadvertently left in operation wound T81.5

Swab inadvertently left in operation wound T81.5

Swallowed foreign body (*see also* Foreign body) T18.9

Swan-neck deformity (finger) M20.0

Swartz syndrome Q89.8

Swearing, compulsive F42.8

- in Gilles de la Tourette's syndrome F95.2

Sweat, sweats

- fetid L75.0
- night R61.9

Sweating, excessive R61.9

Sweet's disease or dermatosis L98.2

Swelling (of)

- abdomen, abdominal (not referable to any particular organ) R19.0 2b
- ankle M25.4
- arm M79.8
- brain G93.6 2b
- Calabar B74.3
- cervical gland R59.0 2b
- chest, localized R22.2 2b
- extremity (lower) (upper) M79.8
- finger M79.8
- foot M79.8
- glands R59.9 2b
- - generalized R59.1 2b
- - localized R59.0 2b
- hand M79.8
- head (localized) R22.0
- inflammatory - *see* Inflammation
- intra-abdominal R19.0 2b
- joint M25.4
- leg M79.8
- limb M79.8
- localized (skin) R22.9
- - chest R22.2 2b
- - head R22.0
- - limb
- - - lower R22.4
- - - upper R22.3
- - multiple sites R22.7
- - neck R22.1
- - trunk R22.2 2b
- neck (localized) R22.1
- pelvic R19.0 2b
- scrotum N50.8
- testis N50.8
- toe M79.8
- tubular N28.8 2a 2b
- umbilical R19.0 2b
- wandering, due to *Gnathostoma (spinigerum)* B83.1
- white - *see* Tuberculosis, arthritis

Swift(-Feer) disease T56.1

Swimmer's

- cramp T75.1 2a 2b
- ear H60.3
- itch B65.3

Swollen - *see* Swelling

Swyer-James syndrome J43.0

Swyer's syndrome Q99.1

Sycosis L73.8

- barbae (not parasitic) L73.8
- contagiosa (mycotic) B35.0
- lupoides L73.8
- mycotic B35.0
- parasitic B35.0
- vulgaris L73.8

Sydenham's chorea - *see* Chorea,Sydenham's

Syblepharon H11.2 2a 2b

- congenital Q10.3

Symond's syndrome G93.2

Sympathetic - *see condition*

Sympatheticotonia G90.8

Sympathicoblastoma (M9500/3)

- specified site - *see* Neoplasm, malignant
- unspecified site C74.9

Sympathicogonioma (M9500/3) - *see*Sympathicoblastoma

Sympathoblastoma (M9500/3) - *see*Sympathicoblastoma

Sympathogonioma (M9500/3) - *see*Sympathicoblastoma

Symphalangy (fingers) (toes) Q70.9

Symptoms specified NEC R68.8 2a 2b

- factitious, self-induced F68.1
- involving
 - abdomen NEC R19.8 2b
 - appearance NEC R46.8
 - awareness NEC R41.8
 - behavior NEC R46.8
 - cardiovascular system NEC R09.8 2b
 - chest NEC R09.8 2b
 - circulatory system NEC R09.8 2b
 - cognitive functions NEC R41.8
 - development NEC R62.8 2b
 - digestive system NEC R19.8 2b
 - emotional state NEC R45.8
 - food and fluid intake R63.8
 - general perceptions and sensations R44.8
 - musculoskeletal system NEC R29.8 2b
 - nervous system NEC R29.8 2b
 - pelvis NEC R19.8 2b
 - respiratory system NEC R09.8 2b
 - skin and integument NEC R23.8 2b
 - urinary system NEC R39.8 2b
- neurotic F48.8

Sympus Q74.2

Syncephalus Q89.4

Synchondrosis

- abnormal Q78.8
- ischiopubic M91.0

Synchysis (scintillans) (senile) (vitreous body) H43.8

Syncope R55

- bradycardia R00.1 2b
- fetal P20.9
- newborn P29.1
- cardiac R55
- carotid sinus G90.0
- due to spinal (lumbar) puncture G97.1
- fatal R96.0 2b
- heart R55
- heat T67.1
- psychogenic F48.8
- tussive R05 2a 2b
- vasoconstriction R55

Syndactylism, syndactyly Q70.9

- complex (with synostosis) Q70.9
- - fingers Q70.0
- - toes Q70.2
- fingers (without synostosis) Q70.1
- - with synostosis Q70.0
- simple (without synostosis) Q70.9
- - fingers Q70.1
- - toes Q70.3
- toes (without synostosis) Q70.3
- - with synostosis Q70.2

Syndrome - *see also* Disease

- abdominal
- - acute R10.0 2b
- - migraine G43.1
- - muscle deficiency Q79.4
- abstinence
- - alcoholic F10.3
- acquired immune depression D84.9 2b
- acquired immunodeficiency - *see* Human, immunodeficiency virus (HIV) disease
- acetyl Q11.2
- acute abdominal R10.0 2b
- adiposogenital E23.6
- adrenal
 - - hemorrhage (meningococcal) A39.1† 2a E35.1*
 - - meningococcic A39.1† 2a E35.1*
- adrenocortical - *see* Cushing's syndrome
- adrenogenital E25.9
- - congenital, associated with enzyme deficiency E25.0
- adult immunodeficiency D84.9 2b
- afferent loop NEC K91.8 2a 2b
- AIDS-like (*see also* Human, immunodeficiency virus (HIV) disease) B24 2a 2b
- alcohol withdrawal F10.3
- - with delirium F10.4 2a
- alveolar hypoventilation E66.2
- - congenital central (CCHS) G47.3 2b
- alveolocapillary block J84.1 2a 2b
- amnesic, amnestic (confabulatory) (due to) R41.3
- - alcoholic F10.6 2a 2b
- - alcohol-induced F10.6 2a 2b
- - drug-induced - *code to* F11-F19 with fourth character .6
- - organic
 - - - alcohol-induced F10.6 2a 2b
 - - - drug-induced - *code to* F11-F19 with fourth character .6 F19.6
- - sedative or hypnotic F13.6
- amniotic band Q79.8 2b
- amyostatic (Wilson's disease) E83.0 2b
- anaphylactoid, of pregnancy O88.1
- androgen resistance E34.5
- anginal (*see also* Angina) I20.9
- anterior
 - - chest wall R07.3
 - - interosseous nerve M54.1
 - - spinal artery G95.1 2b
 - - - compression M47.0† G99.2*
- antibody deficiency D80.9
- - agammaglobulinemic D80.1 2b
 - - hereditary D80.0
 - - hypogammaglobulinemic D80.1 2b
 - - hereditary D80.0
 - - anticardiolipin D68.6
 - - antiphospholipid(-antibody) D68.6
 - - anxiety (*see also* Anxiety) F41.9 2b
 - - aortic
 - - arch M31.4

- - bifurcation I74.0
- aortomesenteric duodenum occlusion K31.5
- arcus aortae M31.4
- argentaffin E34.0
- aspiration, of newborn (massive) P24.9
- - meconium P24.0
- ataxia-telangiectasia G11.3
- autoerythrocyte sensitization (Gardner-Diamond) D69.2 2b
- autoimmune deficiency M35.9 2a 2b
- autoimmune polyglandular E31.0
- autosomal (*see also* Abnormal, autosomes NEC) Q99.9
- bare lymphocyte D81.6
- basilar artery G45.0
- battered
- - baby or child T74.1
- - spouse T74.1
- bilateral polycystic ovarian E28.2
- black bowel K63.8
- black widow spider bite T63.3
- blind loop K90.2
- - congenital Q43.8
- - postsurgical K91.2 2b
- blue berry muffin D69.4
- blue diaper E70.8
- body stalk(er) Q79.5
- brachial plexus G54.0 2b
- brachiootorenal (BOR) Q87.0
- brain (anoxic) (chronic) (ischemic) (senile) F06.9 2a 2b
- - acute or subacute (*see also* Delirium) F05.9
- - alcoholic (chronic) F10.7 2a
- - Alzheimer's (type) G30.9 2a 2b
- - - early (onset) G30.0
- - - late (onset) G30.1 2a 2b
- - congenital - *see* Retardation, mental
- - organic F06.9 2a 2b
- - - post-traumatic (nonpsychotic) F07.2
- - - - psychotic F06.8 2b
- - personality change F07.0 2b
- - psychotic F06.8 2b
- - traumatic (nonpsychotic) (post) F07.2
- brain stem stroke I67.9† 2a 2b G46.3*
- broad ligament laceration N83.8
- bronze baby P83.8
- bubbly lung P27.0
- bulbar (progressive) G12.2 2a 2b
- - advanced G12.20 2a 2b
- - grave G12.20 2a 2b
- - severe G12.20 2a 2b
- burning feet E53.9 2b
- camptomelic Q78.9
- carbohydrate-deficient glycoprotein (CDGS) E77.8
- carcinoid E34.0
- cardioauditory Q99.8 2a
- cardiopulmonary-obesity E66.2
- cardiorenal (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- cardiorespiratory distress (idiopathic), newborn P22.0 2a 2b
- cardiovascular renal (*see also* Hypertension, cardiorenal) I13.9 2a 2b
- carotid
- - artery (hemispheric) G45.1
- - - internal G45.1
- - sinus G90.0
- carpal tunnel G56.0
- cartilage-hair hypoplasia Q99.9
- cat-cry Q93.4
- cat eye Q92.8

- cauda equina G83.4
- caudal regression Q89.8
- causalgia G56.4
- celiac artery compression I77.4
- central cord T09.3
- cerebellar
 - - artery I67.9 2a 2b
 - - hereditary G11.9
 - - stroke I67.9† 2a 2b G46.4*
- cerebral artery
 - - anterior I63.5† 2a 2b G46.1*
 - - - bilateral (multiple) I63.50 2a 2b
 - - - multiple (bilateral) I63.50 2a 2b
 - - middle I63.5† 2a 2b G46.0*
 - - - bilateral (multiple) I63.50 2a 2b
 - - - multiple (bilateral) I63.50 2a 2b
 - - posterior I63.5† 2a 2b G46.2*
 - - - bilateral (multiple) I63.50 2a 2b
 - - - multiple (bilateral) I63.50 2a 2b
- cerebro-costo-mandibular Q99.8 2a
- cerebrohepatorenal Q89.8
- cervical (root) M53.1
- - disc M50.1† G55.1*
- - fusion Q76.1
- - posterior, sympathicus M53.0
- - rib Q76.5
- - sympathetic paralysis G90.2
- cervicobrachial (diffuse) M53.1
- cervicocranial M53.0
- cervicothoracic outlet G54.0 2b
- CHARGE Q89.8
- CHILD Q89.9 2a 2b
- child maltreatment NEC T74.9
- chondrocostal junction M94.0
- chorionic band Q79.8 2b
- chromosome
 - - 18 long arm deletion Q93.5
 - - 21 long arms deletion Q93.5
 - - 22q11.2 deletion Q92.8
 - - 4 short arm deletion Q93.3
 - - 5 short arm deletion Q93.4
- chronic pain personality F62.8
- climacteric N95.1
- cloverleaf skull deformity Q03.8
- clumsiness, clumsy child F82
- cluster headache G44.0
- COFS (cerebro-oculo-fascio-skeletal) Q89.8
- cold injury (newborn) P80.0
- compartment (deep) (posterior) T79.6 2a 2b
- - nontraumatic M62.2 2a 2b
- compression T79.5 2b
 - - anterior spinal and vertebral artery M47.0† G99.2*
 - - cauda equina G83.4
 - - celiac artery I77.4
- concussion F07.2
- congenital
 - - affecting multiple systems NEC Q87.8 2b
 - - facial diplegia Q87.0
 - - high airway obstruction (CHAOS) Q34.8
 - - muscular hypertrophy-cerebral Q87.8 2b
 - - oculo-auriculovertebral Q87.0
 - - oculofacial diplegia (Moebius) Q87.0
 - - rubella (manifest) P35.0 2a 2b
- congestion-fibrosis (pelvic), female N94.8 2b
- congestive dysmenorrhea N94.6 2b

- connective tissue M35.9 2a 2b
- - overlap NEC M35.1
- conus medullaris G95.8 2b
- copper deficiency (*see also* Deficiency, copper) E61.0
- coronary
 - - acute NEC I24.9 2a 2b
 - - intermediate I20.0
 - - slow flow I20.8
- cortico-basilar G31.9
- - degenerative G31.8
- costochondral junction M94.0
- costoclavicular G54.0 2b
- cranivertebral M53.0
- cri-du-chat Q93.4
- CRST (cutaneous systemic sclerosis) M34.1
- crush T79.5 2b
- cryptophthalmos Q87.0
- Cushingoid E24.2 2b
- defibrillation (*see also* Fibrinolysis) D65 2b
 - - with
 - - - antepartum hemorrhage O46.0
 - - - intrapartum hemorrhage O67.0
 - - - premature separation of placenta O45.0
 - - fetus or newborn P60
 - - postpartum O72.3
- deficiency
- - immune
 - - - acquired (AIDS) (*see* Human, immuno- deficiency virus (HIV) disease) B24 2a 2b
 - - multiple E40
- degenerative R68.8 2a 2b
- delayed sleep phase G47.2
- demyelinating G37.9 2a 2b
- dependence - *code to* F10-F19 with fourth character .2
- depersonalization(-derealization) F48.1
- distal intestinal obstruction E84.1 2b
- distress
- - respiratory
 - - - adult
 - - - - due to a procedure J95.8 2b
 - - - bilateral (multiple) I63.50 2a 2b G46.4*
 - - - multiple (bilateral) I63.50 2a 2b
- drug withdrawal, infant of dependent mother P96.1
- dry eye H04.1
- due to abnormality
- - chromosomal Q99.9
- - - sex
 - - - - female phenotype Q97.9
 - - - - male phenotype Q98.9
- - - specified NEC Q99.8 2a
- dumping (postgastrectomy) K91.1 2b
- dying heart I51.9 2a 2b
- dysmyelopoetic D61.9 2b
- dysmorphic (congenital) Q89.8
- dyspraxia, developmental F82
- ectopic ACTH E24.3 2b
- effort (psychogenic) F45.3 2b
- empty nest Z60.0(1860)
- empty sella (turcica) E23.6
- entrapment - *see* Neuropathy, entrapment
- eosinophilia-myalgia M35.8 2b
- epidemic vomiting A08.1
- epileptic (*see also* Epilepsy) G40.9
 - - special G40.5 2a 2b
- erythrocyte fragmentation D59.4 2a 2b

- exhaustion F48.0
- extrapyramidal G25.9
 - - specified NEC G25.8 2a
- eye retraction H50.8
- eyelid-malar-mandible Q87.0
- facial pain, paroxysmal G50.0
- familial eczema-thrombocytopenia (Wiskott-Aldrich) D82.0 2b
- fatigue F48.0
 - - chronic G93.3 2b
 - - postviral G93.3 2b
- FDH (focal dermal hyperplasia) Q82.8 2b
- fertile eunuch E23.0 2b
- fetal
 - - alcohol (dysmorphic) Q86.0
 - - hydantoin Q86.1
 - - transfusion P02.3
- fetomaternal dysfunctional P02.2
- first arch Q87.0
- flatback M40.3
- floppy
 - - baby P94.2
 - - mitral valve I34.1
- forearm pronator G96.9
- fragile X Q99.2
- frontal lobe F07.0 2b
- functional
 - - bowel K59.9
 - - prepupal castrate E29.1
- ganglion (basal ganglia brain) G25.9
 - - geniculi G51.1
- gastroesophageal
 - - junction K22.0
 - - laceration-hemorrhage K22.6
- gastrojejunal loop obstruction K91.8 2a 2b
- generalized, neoplastic (malignant) C80 2a 2b
- genito-anorectal A55
- giant platelet (Bernard-Soulier) D69.1
- goiter-deafness E07.1 2b
- gray (newborn) P93
 - - platelet D69.1
- gustatory sweating G50.8
- hand and foot D57.1
- hand-shoulder G90.8
- Hantavirus (cardio)-pulmonary (HPS) (HCPS) B33.4† 2a J17.1 2a
- headache NEC G44.8
- heart and hand Q87.2
- HELLP (hemolysis, elevated liver enzymes and low platelet count) O14.2
 - - affecting fetus or newborn P00.0
- hemolytic-uremic D59.3
- hemophagocytic (infection-associated) D76.2
- hepatic flexure K59.8
- hepatorenal K76.7
 - - following delivery O90.4
 - - postoperative or postprocedural K91.8 2a 2b
 - - postpartum, puerperal O90.4
- histamine-like (fish poisoning) T61.1
- histiocytosis NEC D76.3
- HIV infection, acute B23.0
- human immunodeficiency - *see* Human, immunodeficiency virus (HIV) disease
- hyperabduction G54.0 2b
- hyperaldosterone E26.9 2b
- hypereosinophilic (idiopathic) D72.1 2b
- hyperimmunoglobulin E (IgE) D82.4
- hyperinfection B78.9
- hyperkalemia, hyperkalemic E87.5

- - due to
- - medical care NEC E89.8 2b
- hyperkinetic (*see also* Hyperkinesia) F90.9
- - heart I51.8 2a 2b
- hypermobility M35.7
- hyperosmolarity, hyperosmolality E87.0
- hyperosmotic-hyperglycemic E14.0 2b
- hypersomnia-bulimia G47.8
- hyperventilation F45.3 2b
- hyperviscosity R70.1
- hypokalemia, hypokalemic E87.6
- - due to
 - - - medical care NEC E89.8 2b
- hyponatremic E87.1 2b
- hypopituitarism E23.0 2b
- hypoplastic left-heart Q23.4
- hypopotassemia E87.6
- - due to
 - - - medical care NEC E89.8 2b
- hypostatic left heart Q23.4
- hypotension, maternal O26.5
- idiopathic cardiorespiratory distress, newborn P22.0 2a 2b
- iliotibial band M76.3
- immobility, immobilization (paraplegic) M62.3
- immune deficiency (*see also* Syndrome immunodeficiency) D84.9 2b
- - acquired - *see* Human, immunodeficiency virus (HIV) disease
- immune reconstitution (inflammatory) D89.3
- immunodeficiency D84.9 2b
- - acquired - *see* Human, immunodeficiency virus (HIV) disease
- - adult D84.9 2b
- impingement, shoulder M75.4
- inappropriate secretion of antidiuretic hormone E22.2
- infant of diabetic mother P70.1 2b
- - gestational diabetes P70.0
- infantile child E23.0 2b
- infantilism (pituitary) E23.0 2b
- inferior vena cava I87.1
- inflammatory response A41.9 2a 2b
- - newborn P36.9
- influenza-like J11.10 2a 2b
- inspissated bile (newborn) P59.1
- institutional (childhood) F94.2
- intermediate coronary I20.0
- interspinous ligament M48.8
- iodine-deficiency, congenital E00.9
- - type
 - - - mixed E00.2
 - - - myxedematous E00.1
 - - - neurological E00.0
- irritable
- - bowel K58.9
 - - - with diarrhea K58.0
 - - - psychogenic F45.3 2b
- - heart (psychogenic) F45.3 2b
- - weakness F48.0
- jaw-winking Q07.8
- jugular foramen G52.7
- kinky hair E83.0 2b
- knot intestinal (volvulus) K56.2
- labyrinthine H83.2
- lacunar NEC I67.9† 2a 2b G46.7*
- lateral
 - - bulbar I64 2a 2b
 - - - bilateral (multiple) I64.00 2a 2b
 - - - multiple (bilateral) I64.00 2a 2b

- - cutaneous nerve of thigh G57.1
- - medullary I63.5† 2a 2b G46.4*
- - - bilateral (multiple) I63.50 2a 2b
- - - multiple (bilateral) I63.50 2a 2b
- lazy posture M62.8
- lenticular, progressive E83.0 2b
- limbic epilepsy personality F07.0 2b
- lipase deficiency E88.0 2b
- lipoproteinemia (alpha) E78.5
- lobotomy F07.0 2b
- long QT I45.8
- low
- - atmospheric pressure T70.2
- - back M54.5
- - - psychogenic F45.4
- - cardiac
- - - output I51.9 2a 2b
- - - - newborn P29.8
- - sodium E87.1 2b
- lower radicular, newborn (birth injury) P14.8
- lupus anticoagulant D68.8
- macrophage activation D76.1
- - due to infection D76.2
- malabsorption K90.9
- - postsurgical K91.2 2b
- malformation, congenital, due to
- - alcohol Q86.0
- - exogenous cause NEC Q86.8
- - hydantoin Q86.1
- - warfarin Q86.2
- malignant neuroleptic G21.0
- mandibulofacial dysostosis Q75.4
- manic-depressive (*see also* Disorder, bipolar, affective) F31.9
- maple-syrup-urine E71.0
- maternal hypotension O26.5
- meconium plug (newborn) P76.0
- median cleft Q36.1
- megavitamin-B6 E67.2
- MELAS (mitochondrial encephalopathy, lactic acidosis, stroke-like episodes) G31.8
- menopause N95.1
- - postartificial N95.3
- menstruation N94.3
- mesenteric
- - artery (superior) K55.1
- - vascular insufficiency K55.1
- micrognathia-glossoptosis Q87.0
- micturition (syncope) R39.1 2b
- midbrain NEC G93.8 2b
- middle lobe (lung) J98.1 2b
- migraine G43.9 2a
- milk-alkali E83.5 2a 2b
- Miller Fisher G61.0
- mirror (maternal) P01.8
- monofixation H50.4
- mucocutaneous lymph node (acute febrile) (MCLS) M30.3
- multiorgan(s) (dysfunction) (failure) (systems(s)) R68.8 2a 2b
- multiple operations F68.1
- myasthenic (in) G70.9 2a
- - diabetes mellitus - *code to* E10-E14 with fourth character .4 E14.4† G73.0*
- - endocrine disease NEC E34.9† 2b G73.0*
- - neoplastic disease NEC (M8000/1) (*see also* Neoplasm) D48.9† 2a 2b G73.2*
- - thyrotoxicosis (hyperthyroidism) E05.9† 2b G73.0*
- myelodysplastic (M9989/1) D46.9
- - specified NEC D46.7
- myeloproliferative (chronic) (M9960/1) D47.1 2b

- nail patella Q87.2
- neonatal abstinence (NAS) P96.1
- - correct therapeutic substance properly administered P96.2
- nephritic (*see also* Nephritis) N05-

Note - Where a term is indexed only at the three-character level, e.g. N03-, reference should be made to the list of fourth-character subdivisions in Volume 1, categories N00-N08.

- - with edema - *see* Nephrosis
- - acute N00-
- - chronic N03-
- - rapidly progressive N01-
- nephrotic (congenital) (*see also* Nephrosis) N04-
- neuroleptic
- - malignant G21.0
- oculomotor H51.9
- ophthalmoplegia ataxia-areflexia G62.9 2a
- ophthalmoplegia-cerebellar ataxia H49.0
- organic amnesia (not alcohol- or drug-induced) F04 2a 2b
- organic mental F06.9 2a 2b
- organ(s) (dysfunction) (failure) (multiple) (systems(s)) R68.8 2a 2b
- oro-facial-digital Q87.0
- orthostatic hypotensive - dysautonomic- dyskinetic G90.3 2b
- osteoporosis-osteomalacia M83.8
- otolith H81.8
- oto-palatal-digital Q87.0
- ovary
 - - polycystic E28.2
 - - residual N99.8 2b
 - - resistant E28.3
 - - sclerocystic E28.2
 - 6 p deletion Q93.5
 - 6 p minus Q93.5
 - 8 p Q99.9
- pain - *see* Pain
- paralysis agitans (*see also* Parkinsonism) G20 2a 2b
- paralytic G83.9 2a 2b
- - specified NEC G83.8
- paraneoplastic L53.9
- parkinsonian (*see also* Parkinsonism) G20 2a 2b
- paroxysmal E85.9 2b
 - - facial pain G50.0
- pellagroid E52 2a 2b
- pelvic congestion-fibrosis, female N94.8 2b
- penta X Q97.1
- peptic ulcer - *see* Ulcer, peptic
- perfusion J84.1 2a 2b
- - newborn P28.8
- perisylvian (bilateral) (congenital) Q04.3
- phantom limb (without pain) G54.7 2b
 - - with pain G54.6
- pharyngeal pouch D82.1 2b
- pigmentary pallidal degeneration (progressive) G23.0
- pineal E34.8
- placental
 - - dysfunction O43.8 2b
 - - - affecting fetus or newborn P02.2
 - - insufficiency O43.8 2b
 - - - affecting fetus or newborn P02.2
 - - transfusion (mother) O43.0
 - - - in fetus or newborn P02.3
- pluricarential, of infancy E40
- plurideficiency E40
- pluriglandular (compensatory) (M8360/1) D44.8 2b
- - autoimmune E31.0
- pneumatic hammer T75.2 2b
- polyangiitis overlap M30.8

- polycarential, of infancy E40
- polyglandular (M8360/1) D44.8 2b
- - autoimmune E31.0
- polyradiculoneuropathy G61.0
- pontine NEC G93.8 2b
- popliteal (pterygium) web Q87.8 2b
- post-artificial-menopause N95.3
- postcardiotomy I97.0
- postcholecystectomy K91.5
- postcommissurotomy I97.0
- postconcussional F07.2
- postcontusional F07.2
- postencephalitic F07.1
- posterior cervical sympathetic M53.0
- posterior inferior cerebellar artery I67.9 2a 2b
- postgastrectomy (dumping) K91.1 2b
- postgastric surgery K91.1 2b
- postherpetic (zoster) B02.9
- - geniculate ganglion B02.2
- - ophthalmica B02.3
- postlaminectomy NEC M96.1
- postleukotomy F07.0 2b
- postmastectomy lymphedema I97.2 2b
- postmyocardial infarction I24.1
- postoperative NEC T81.9
- postpartum panhypopituitary (Sheehan) E23.0 2b
- postphlebitic I87.0
- postpolio (postpoliomyelic) G14
- postthrombotic I87.0
- postvagotomy K91.1 2b
- postvalvulotomy I97.0
- postviral NEC R53 2b
- - fatigue G93.3 2b
- potassium intoxication E87.5
- - due to
 - - - medical care NEC E89.8 2b
- precerebral artery (bilateral) (multiple) G45.2
- preinfarction I20.0
- preleukemic (M9989/1) D46.9
- premature senility E34.8
- premenstrual tension N94.3
- prolonged QT I45.8
- prune belly Q79.4
- pseudocarpal tunnel (sublimis) G56.0
- pseudoclaudication G83.4
- psycho-organic (nonpsychotic severity) F70 2a 2b
 - - acute or subacute F05.9
 - - specified NEC F07.8
- pterygium (multiple) Q87.8 2b
- ptosis-epicanthus E70.2
- pulmonary
 - - arteriosclerosis I27.0
 - - dysmaturity (Wilson-Mikity) P27.0
 - - renal (hemorrhagic) (Goodpasture's) M31.0 2a 2b
- pure
 - - motor lacunar I67.9† 2a 2b G46.5*
 - - sensory lacunar I67.9† 2a 2b G46.6*
- 13q (minus) Q93.8
- radicular NEC M54.1
 - - upper limbs, newborn (birth injury) P14.3
- reactive airways dysfunction J68.3
- redman (red-man) or red-neck or red-person T88.7 2a 2b
- residual ovary N99.8 2b
- resistant ovary E28.3
- respiratory

- - distress (idiopathic) J80 2b
- - - adult J80 2b
- - - - newborn P22.0 2a 2b
- - - - newborn P22.0 2a 2b
- - - - postoperative J95.8 2b
- restless legs G25.8 2a
- retinoic acid T88.7 2a 2b
- retraction H50.8
- right
- - heart, hypoplastic Q22.6
- - ventricular obstruction - *see* Failure, heart, congestive
- rotator cuff, shoulder M75.1
- salt
- - depletion E87.1 2b
- - - due to heat NEC T67.8
- - - - causing heat exhaustion or prostration T67.4
- - low E87.1 2b
- salt-losing N28.8 2a 2b
- scalded skin L00
- scalenus anticus (anterior) G54.0 2b
- scapulocostal G56.8
- scapuloperoneal G71.0
- schizophrenic, of childhood NEC F84.5
- scimitar Q26.8
- sea blue histocyte E75.5
- senile brain F06.9 2a 2b
- septicemic adrenal hemorrhage A39.1† 2a E35.1*
- serotonin R99 2a 2b
- - due to drug T88.7 2a 2b Y57.8 2a 2b
- shaking (of)
- - child (age less than 18 years) (*see also* Abuse, child) T74.8
- shock-lung J80 2b
- shock, toxic A48.3
- short bowel - *see* Syndrome, blind loop
- short gut - *see* Syndrome, blind loop
- short rib Q77.2 2b
- short umbilical cord Q89.7 2a 2b
- shoulder-hand M89.0
- sicca M35.0
- sick-euthyroid E07.8
- sick sinus I49.5
- - newborn P29.1
- sinus node I49.8
- - newborn P29.1
- sirenomelia Q87.2
- 6 p deletion Q93.5
- 6 p minus Q93.5
- sleep apnea - *see* Apnea, sleep
- slow flow, coronary I20.8
- smoker's F17.1 2b
- sodium
- - low E87.1 2b
- spasmodic
- - upward movement, eyes H51.8
- - winking F95.8
- sphenoid fissure H49.9 2a
- spinal cord injury (*see also* Injury, spinal cord, by region) T09.3
- splenic flexure K59.8
- sprue like K90.1
- staphylococcal scalded skin L00
- steely hair E83.0 2b
- stiff lung J98.4 2a 2b
- - newborn P28.8
- stiff man G25.8 2a
- stone heart (*see also* Failure, ventricular, left) I50.1 2a

- straight back, congenital Q76.4
- stress R99 2a 2b
- stroke I64 2a 2b
 - - bilateral (multiple) I64.00 2a 2b
 - - multiple (bilateral) I64.00 2a 2b
- subclavian-carotid obstruction (chronic) M31.4
- subclavian steal G45.8
- subcoracoid-pectoralis minor G54.0 2b
- sudden infant death R95 2a 2b
- superior
 - - cerebellar artery I63.8 2a 2b
 - - - bilateral (multiple) I63.80 2a 2b
 - - - multiple (bilateral) I63.80 2a 2b
- - mesenteric artery K55.1
- - orbital fissure H49.9 2a
- - vena cava I87.1
- supine hypotensive (maternal) O26.5
- supraspinatus M75.1
- surdocardiac H91.9
- sweat retention L74.0
- sympathetic
- - cervical paralysis G90.2
- - pelvic, female N94.8 2b
- tachycardia-bradycardia I49.5
- - newborn P29.1
- TAR (thrombocytopenia with absent radius) Q87.2
- tarsal tunnel G57.5
- teething K00.7
- segmental G93.8 2b
- telangiectasic-pigmentation-cataract Q82.8 2b
- temporal pyramidal apex H66.0
- temporomandibular joint-pain-dysfunction K07.6
- testicular feminization E34.5
- thalamic (nerve) (pain) G93.8 2b
- thoracic outlet (compression) G54.0 2b
- thrombocytopenia with absent radius (TAR) Q87.2
- thyroid-adrenocortical insufficiency E31.0
- tibial
 - - anterior M76.8
 - - posterior M76.8
- toxic shock A48.3
- transfusion
 - - fetomaternal P50.4
- traumatic vasospastic T75.2 2b
- trefoil skull Q03.8
- triad Q79.8 2b
- triple X, female Q97.0
- trisomy NEC Q92.9
 - - 13-15 (partial) Q91.7
 - - - meiotic nondisjunction Q91.4
 - - - mitotic nondisjunction Q91.5
 - - - mosaicism Q91.5
 - - - translocation Q91.6
 - - - 16-18 (partial) Q91.3
 - - - meiotic nondisjunction Q91.0
 - - - mitotic nondisjunction Q91.1
 - - - mosaicism Q91.1
 - - - translocation Q91.2
 - - - 20(p)(q) Q92.8
 - - - 21 (partial) Q90.9 2b
 - - - meiotic nondisjunction Q90.0
 - - - mitotic nondisjunction Q90.1
 - - - mosaicism Q90.1
 - - - translocation Q90.2
 - - - 22 Q92.8

- tumor lysis (following antineoplastic drug therapy) (spontaneous) NEC E88.3
- twin (to twin) transfusion
- - in fetus or newborn P02.3
- - mother O43.0
- upward gaze H51.8
- uremia, uremic (acute) N19 2a 2b
- - chronic (*see also* Disease, kidney, chronic) N18.5 2b
- urethral N34.3
- urethro-oculo-articular M02.3 2b
- vago-hypoglossal G52.7
- vascular NEC in cerebrovascular disease I67.9† 2a 2b G46.8*
- vasomotor I73.9 2a 2b
- vasospastic (traumatic) T75.2 2b
- vasovagal R55
- VATER Q87.2
- vena cava (inferior) (superior) (obstruction) I87.1
- vertebral
- - artery G45.0
- - - compression M47.0† G99.2*
- - steal G45.0
- vertebro-basilar artery G45.0
- vertebrogenic (pain) M54.8
- vertiginous H81.9
- virus B34.9 2b
- visceral larva migrans B83.0
- visual disorientation H53.8
- vitamin B₆ deficiency E53.1 2b
- vitreal corneal H59.0
- vitreous (following cataract surgery) (touch) H59.0
- wasting NEC R64 2b
- - resulting from HIV disease B22.2
- WDHA D13.7 2a
- wet lung J80 2b
- - with injury J80 2b
- - - newborn P22.1 2b
- whiplash S13.4
- whistling face Q87.0
- white lung A51.3
- withdrawal - *see* Withdrawal, state
- - drug
- - - infant of dependent mother P96.1
- - - therapeutic use, newborn P96.2
- xiphiosternal M79.2 2a
- XXXX, female Q97.1
- 48,XXXX Q97.1
- XXXXX, female Q97.1
- 49,XXXXX Q97.1
- XXXXY Q98.1
- XXY Q98.0
- yellow nail L60.5
- Synechia (anterior) (iris) (posterior) (pupil)** H21.5
- intra-uterine N85.6
- uterus (maternal)
- - affecting fetus or newborn P03.8
- Synesthesia** R20.8
- Syngamiasis, syngamosis** B83.3
- Synodontia** K00.2
- Synorchidism, synorchism** Q55.1
- Synostosis (congenital)** Q78.8
- astragalo-scaphoid Q74.2
- radioulnar Q74.0
- Synovial sarcoma** (M9040/3) - *see* Neoplasm, connective tissue, malignant
- Synovioma (malignant)** (M9040/3) - *see also* Neoplasm, connective tissue,malignant
- benign (M9040/0) - *see* Neoplasm, connective tissue, benign
- Synoviosarcoma** (M9040/3) - *see* Neoplasm,connective tissue, malignant

Synovitis M65.9

- chronic crepitant, hand or wrist M70.0
- gonococcal A54.4† 2b M68.0*
- gouty M10.0
- in (due to)
 - crystals M65.8
 - gonorrhea A54.4† 2b M68.0*
 - syphilis (late) A52.7† 2a 2b M68.0*
 - use, overuse, pressure M70.9
- specified NEC M70.8
- infective NEC M65.1
- specified NEC M65.8
- syphilitic A52.7† 2a 2b M68.0*
- congenital (early) A50.0 2a 2b
- toxic M67.3
- transient M67.3
- traumatic, current - *see* Sprain
- tuberculous - *see* Tuberculosis, synovitis
- villonodular (pigmented) M12.2

Syphilid A51.3

- congenital A50.0 2a 2b
- newborn A50.0 2a 2b
- tubercular (late) A52.7† 2a 2b L99.8*
- congenital A50.0 2a 2b

Syphilis, syphilitic (acquired) A53.9 2a 2b

- abdomen (late) A52.7 2a 2b
- acoustic nerve A52.1† 2a 2b H94.0*
- adenopathy (secondary) A51.4
- adrenal (gland) (with cortical hypofunction) A52.7† 2a 2b E35.1*
- age under 2 years NEC (*see also* Syphilis, congenital, early) A50.2
- acquired A51.9
- alopecia (secondary) A51.3† L99.8*
- anemia (late) A52.7† 2a 2b D63.8*
- aneurysm (aorta) (ruptured) A52.0† 2b I79.0*
- central nervous system A52.0† 2b I68.8*
- congenital A50.5† I79.0*
- anus (late) A52.7† 2a 2b K93.8*
- primary A51.1
- secondary A51.3
- aorta (abdominal) (arch) (thoracic) A52.0† 2b I79.1*
- aneurysm A52.0† 2b I79.0*
- aortic (insufficiency) (regurgitation) (stenosis) A52.0† 2b I39.1*
- aneurysm A52.0† 2b I79.0*
- arachnoid (adhesive) (cerebral) (spinal) A52.1† 2a 2b G01* 2b
- asymptomatic - *see* Syphilis, latent
- ataxia (locomotor) A52.1 2a 2b
- atrophoderma maculatum A51.3† L99.8*
- auricular fibrillation A52.0† 2b I52.0*
- bladder (late) A52.7† 2a 2b N33.8*
- bone A52.7† 2a 2b M90.2*
- secondary A51.4† M90.2*
- brain A52.1† 2a 2b G94.8*
- breast (late) A52.7 2a 2b
- bronchus (late) A52.7† 2a 2b J99.8*
- bubo (primary) A51.0 2a
- bulbar palsy A52.1 2a 2b
- bursa (late) A52.7† 2a 2b M73.1*
- cardiac decompensation A52.0† 2b I52.0*
- cardiovascular A52.0† 2b I98.0*
- causing death under 2 years of age (*see also* Syphilis, congenital, early) A50.2
- stated to be acquired A51.9
- central nervous system (late) (recurrent) (relapse) (tertiary) A52.3
- with
 - ataxia A52.1 2a 2b
 - general paralysis A52.1 2a 2b

- - - juvenile A50.4
- - - paresis (general) A52.1 2a 2b
- - - juvenile A50.4
- - - tabes (dorsalis) A52.1 2a 2b
- - - juvenile A50.4
- - - taboparesis A52.1 2a 2b
- - - juvenile A50.4
- - aneurysm A52.0† 2b I68.8*
- - congenital A50.4
- - juvenile A50.4
- - serology doubtful, negative, or positive A52.3
- - specified nature or site NEC A52.1 2a 2b
- - vascular A52.0† 2b I68.8*
- cerebral A52.1† 2a 2b G94.8*
- - meningovascular A52.1† 2a 2b G01* 2b
- - nerves (multiple palsies) A52.1† 2a 2b G53.1*
- - sclerosis A52.1† 2a 2b G94.8*
- - thrombosis A52.0† 2b I68.8*
- cerebrospinal (tabetic type) A52.1 2a 2b
- cerebrovascular A52.0† 2b I68.8*
- cervix (late) A52.7† 2a 2b N74.2*
- chancre (multiple) A51.0 2a
- - extragenital A51.2
- - Rollet's A51.0 2a
- Charcot's joint A52.1† 2a 2b M14.6*
- chorioretinitis A51.4† H32.0*
- - late A52.7† 2a 2b H32.0*
- choroiditis - *see* Syphilitic chorioretinitis
- choroidoretinitis - *see* Syphilitic chorioretinitis
- ciliary body (secondary) A51.4† H22.0*
- - late A52.7† 2a 2b H22.0*
- colon (late) A52.7† 2a 2b K93.8*
- combined spinal sclerosis A52.1† 2a 2b G32.0*
- complicating pregnancy, childbirth or puerperium O98.1
- - affecting fetus or newborn P00.2
- condyloma (latum) A51.3
- congenital A50.9 2a 2b
- - with
- - - paresis (general) A50.4
- - - tabes (dorsalis) A50.4
- - - taboparesis A50.4
- - chorioretinitis, choroiditis A50.0† 2a 2b H32.0*
- - early, or less than 2 years after birth NEC A50.2
- - - with manifestations A50.0 2a 2b
- - - latent (without manifestations) A50.1
- - - - negative spinal fluid test A50.1
- - - - serology positive A50.1
- - - symptomatic A50.0 2a 2b
- - interstitial keratitis A50.3† H19.2*
- - juvenile neurosyphilis A50.4
- - late, or 2 years or more after birth NEC A50.7
- - - chorioretinitis, choroiditis A50.3† H32.0*
- - - interstitial keratitis A50.3† H19.2*
- - - juvenile neurosyphilis A50.4
- - - latent (without manifestations) A50.6
- - - - negative spinal fluid test A50.6
- - - - serology positive A50.6
- - - symptomatic or with manifestations NEC A50.5
- conjugal A53.9 2a 2b
- - tabes A52.1 2a 2b
- conjunctiva (late) A52.7† 2a 2b H13.1*
- cord bladder A52.1 2a 2b
- cornea, late A52.7† 2a 2b H19.2*
- coronary (artery) (sclerosis) A52.0† 2b I52.0*
- cranial nerve A52.1† 2a 2b G53.8*

- - multiple palsies A52.1† 2a 2b G53.1*
- cutaneous - *see* Syphilis, skin
- dacryocystitis (late) A52.7† 2a 2b H06.0*
- degeneration, spinal cord A52.1 2a 2b
- dementia paralytica A52.1 2a 2b
- - juvenilis A50.4
- destruction of bone A52.7† 2a 2b M90.2*
- dilatation, aorta A52.0† 2b I79.0*
- due to blood transfusion A53.9 2a 2b
- dura mater A52.1† 2a 2b G01* 2b
- ear A52.7† 2a 2b H94.8*
- - inner A52.7† 2a 2b H94.8*
- - - nerve (eighth) A52.1† 2a 2b H94.0*
- - - neurorecurrence A52.1† 2a 2b H94.0*
- early NEC A51.9
- - cardiovascular A52.0† 2b I98.0*
- - latent (less than 2 years after infection) (without manifestations) A51.5
- - - negative spinal fluid test A51.5
- - - serological relapse after treatment A51.5
- - - serology positive A51.5
- - relapse (treated, untreated) A51.9
- - skin A51.3
- - symptomatic A51.9
- - - extragenital chancre A51.2
- - - primary, except extragenital chancre A51.0 2a
- - - secondary (*see also* Syphilis, secondary) A51.3
- - - - relapse (treated, untreated) A51.4
- - ulcer A51.3
- eighth nerve (neuritis) A52.1† 2a 2b H94.0*
- endemic A65 2a
- endocarditis A52.0† 2b I39.8*
- - aortic A52.0† 2b I39.1*
- - pulmonary A52.0† 2b I39.3*
- epididymis (late) A52.7† 2a 2b N51.1*
- epiglottis (late) A52.7† 2a 2b J99.8*
- epiphysitis (congenital) (early) A50.0† 2a 2b M90.2*
- episcleritis (late) A52.7† 2a 2b H19.0*
- esophagus A52.7† 2a 2b K23.8*
- eustachian tube A52.7† 2a 2b J99.8*
- eye A52.7† 2a 2b H58.8*
- eyelid (late) (with gumma) A52.7† 2a 2b H03.1*
- fallopian tube (late) A52.7† 2a 2b N74.2*
- fracture A52.7† 2a 2b M90.2*
- gallbladder (late) A52.7† 2a 2b K87.0*
- gastric (late) (polyposis) A52.7† 2a 2b K93.8*
- general A53.9 2a 2b
- - paralysis A52.1 2a 2b
- - - juvenile A50.4
- genital (primary) A51.0 2a
- glaucoma A52.7† 2a 2b H42.8*
- gumma NEC A52.7 2a 2b
- - cardiovascular system A52.0† 2b I98.0*
- - central nervous system A52.3
- - congenital A50.5
- heart (block) (decompensation) (disease) (failure) A52.0† 2b I52.0*
- - valve NEC A52.0† 2b I39.8*
- hemianesthesia A52.1 2a 2b
- hemianopsia A52.7† 2a 2b H58.1*
- hemiparesis A52.1 2a 2b
- hemiplegia A52.1 2a 2b
- hepatic artery A52.0† 2b I79.8*
- hepatitis A52.7† 2a 2b K77.0*
- hereditaria tarda (*see also* Syphilis, congenital, late) A50.7
- hereditary (*see also* Syphilis, congenital) A50.9 2a 2b
- hyalitis A52.7† 2a 2b H45.8*

- inactive - *see* Syphilis, latent
- infantum - *see* Syphilis, congenital
- inherited - *see* Syphilis, congenital
- internal ear A52.7† 2a 2b H94.8*
- intestine (late) A52.7† 2a 2b K93.8*
- iris, iritis (secondary) A51.4† H22.0*
- - late A52.7† 2a 2b H22.0*
- joint (late) A52.7† 2a 2b M03.1*
- keratitis (congenital) (interstitial) (late) A50.3† H19.2*
- kidney (late) A52.7† 2a 2b N29.0*
- lacrimal passages (late) A52.7† 2a 2b H06.0*
- larynx (late) A52.7† 2a 2b J99.8*
- late A52.9 2a
 - cardiovascular A52.0† 2b I98.0*
 - central nervous system A52.3
 - kidney A52.7† 2a 2b N29.0*
 - latent (2 years or more after infection) (without manifestations) A52.8
 - negative spinal fluid test A52.8
 - serology positive A52.8
 - paresis A52.1 2a 2b
 - specified site NEC A52.7 2a 2b
 - symptomatic or with manifestations A52.7 2a 2b
 - tabes A52.1 2a 2b
- latent A53.0
 - with signs or symptoms - *code as* Syphilis, by site and stage
 - central nervous system A52.2
 - early, or less than 2 years after infection A51.5
 - follow-up of latent syphilis A53.0
 - date of infection unspecified A53.0
 - late, or 2 years or more after infection A52.8
 - late, or 2 years or more after infection A52.8
 - positive serology A53.0
 - date of infection unspecified A53.0
 - early, or less than 2 years after infection A51.5
 - late, or 2 years or more after infection A52.8
- lens (late) A52.7† 2a 2b H28.8*
- leukoderma A51.3† L99.8*
- late A52.7† 2a 2b L99.8*
- lienis A52.7† 2a 2b D77* 2b
- lip A51.3
 - chancre (primary) A51.2
 - late A52.7† 2a 2b K93.8*
- Lissauer's paralysis A52.1 2a 2b
- liver A52.7† 2a 2b K77.0*
- locomotor ataxia A52.1 2a 2b
- lung A52.7† 2a 2b J99.8*
- lymph gland (early) (secondary) A51.4
- late A52.7† 2a 2b I98.8*
- lymphadenitis (secondary) A51.4
- macular atrophy of skin A51.3† L99.8*
- striated A52.7† 2a 2b L99.8*
- maternal, affecting fetus or newborn P00.2
- manifest syphilis in infant - *see* Syphilis, congenital
- mediastinum (late) A52.7† 2a 2b J99.8*
- meninges (adhesive) (brain) (spinal cord) A52.1† 2a 2b G01* 2b
- meningitis A52.1† 2a 2b G01* 2b
 - acute (secondary) A51.4† G01* 2b
 - congenital A50.4† G01* 2b
- meningoencephalitis A52.1† 2a 2b G05.0*
- meningovascular A52.1† 2a 2b G01* 2b
 - congenital A50.4† G01* 2b
- mesarteritis A52.0† 2b I79.8*
- brain A52.0† 2b I68.1*
- middle ear A52.7† 2a 2b H75.8*
- mitral stenosis A52.0† 2b I39.0*

- monoplegia A52.1 2a 2b
- mouth (secondary) A51.3
- - late A52.7† 2a 2b K93.8*
- mucocutaneous (secondary) A51.3
- - late A52.7 2a 2b
- mucous
- - membrane (secondary) A51.3
- - - late A52.7 2a 2b
- - patches A51.3
- - - congenital A50.0 2a 2b
- muscle A52.7† 2a 2b M63.0*
- myocardium A52.0† 2b I41.0*
- nasal sinus (late) A52.7† 2a 2b J99.8*
- neonatorum - *see* Syphilis, congenital
- nephrotic syndrome (secondary) A51.4† N08.0*
- nerve palsy (any cranial nerve) A52.1† 2a 2b G53.8*
- - multiple A52.1† 2a 2b G53.1*
- nervous system, central A52.3
- neuritis A52.1† 2a 2b G59.8*
- - acoustic A52.1† 2a 2b H94.0*
- neurorecidive of retina A52.1† 2a 2b H36.8*
- neuroretinitis A52.1† 2a 2b H36.8*
- nodular superficial (late) A52.7 2a 2b
- nonvenereal A65 2a
- nose (late) A52.7† 2a 2b J99.8*
- - saddle back deformity A50.5
- occlusive arterial disease A52.0† 2b I79.8*
- oculopathy A52.7† 2a 2b H58.8*
- oesophagus (late) A52.7† 2a 2b K23.8*
- ophthalmic (late) A52.7† 2a 2b H58.8*
- optic nerve (atrophy) (neuritis) (papilla) A52.1† 2a 2b H48.0*
- orbit (late) A52.7† 2a 2b H06.3*
- organic A53.9 2a 2b
- osseous (late) A52.7† 2a 2b M90.2*
- osteochondritis (congenital) (early) A50.0† 2a 2b M90.2*
- osteoporosis A52.7† 2a 2b M90.2*
- ovary (late) A52.7† 2a 2b N74.2*
- oviduct (late) A52.7† 2a 2b N74.2*
- palate (late) A52.7† 2a 2b K93.8*
- pancreas (late) A52.7† 2a 2b K87.1*
- paralysis A52.1 2a 2b
- - general A52.1 2a 2b
- - - juvenile A50.4
- paresis (general) A52.1 2a 2b
- - juvenile A50.4
- paresthesia A52.1 2a 2b
- Parkinson's disease or syndrome A52.1† 2a 2b G22* 2b
- paroxysmal tachycardia A52.0† 2b I52.0*
- pemphigus (congenital) A50.0 2a 2b
- penis (chancre) A51.0 2a
- - late A52.7† 2a 2b N51.8*
- pericardium A52.0† 2b I32.0*
- perichondritis, larynx (late) A52† J99.8*
- periosteum (late) A52.7† 2a 2b M90.1*
- - congenital (early) A50.0† 2a 2b M90.1*
- - early (secondary) A51.4† M90.1*
- peripheral nerve A52.7† 2a 2b G59.8*
- petrous bone (late) A52.7† 2a 2b M90.2*
- pharynx (late) A52.7† 2a 2b J99.8*
- - secondary A51.3
- pituitary (gland) A52.7† 2a 2b E35.8*
- placenta O98.1
- pleura (late) A52.7† 2a 2b J99.8*
- pontine lesion A52.1† 2a 2b G94.8*
- portal vein A52.0† 2b I98.0*

- primary A51.0 2a
- - anal A51.1
- - and secondary (*see also* Syphilis, secondary) A51.4
- - extragenital chancre NEC A51.2
- - fingers A51.2
- - genital A51.0 2a
- - lip A51.2
- - specified site NEC A51.2
- - tonsils A51.2
- prostate (late) A52.7† 2a 2b N51.0*
- ptosis (eyelid) A52.7† 2a 2b H03.1*
- pulmonary (late) A52.7† 2a 2b J99.8*
- - artery A52.0† 2b I98.0*
- pyelonephritis (late) A52.7† 2a 2b N16.0*
- recently acquired, symptomatic NEC A51.9
- rectum (late) A52.7† 2a 2b K93.8*
- respiratory tract (late) A52.7† 2a 2b J99.8*
- retina, late A52.7† 2a 2b H32.0*
- retrobulbar neuritis A52.1† 2a 2b H48.1*
- salpingitis A52.7† 2a 2b N74.2*
- sclera (late) A52.7† 2a 2b H19.0*
- sclerosis
 - - cerebral A52.1† 2a 2b G94.8*
 - - coronary A52.0† 2b I52.0*
 - - multiple A52.1† 2a 2b G99.8*
- scotoma (central) A52.7† 2a 2b H58.1*
- scrotum (late) A52.7† 2a 2b N51.8*
- secondary (and primary) A51.4
- - adenopathy A51.4
- - anus A51.3
- - bone A51.4† M90.2*
- - chorioretinitis, choroiditis A51.4† H32.0*
- - hepatitis A51.4† K77.0*
- - liver A51.4† K77.0*
- - lymphadenitis A51.4
- - meningitis (acute) A51.4† G01* 2b
- - mouth A51.3
- - mucous membranes A51.3
- - periosteum, periostitis A51.4† M90.1*
- - pharynx A51.3
- - relapse (treated, untreated) A51.4
- - skin A51.3
- - specified form NEC A51.4
- - tonsil A51.3
- - ulcer A51.3
- - viscera NEC A51.4
- - vulva A51.3
- seminal vesicle (late) A52.7† 2a 2b N51.8*
- seropositive
 - - with signs or symptoms - *code as* Syphilis, by site and stage
 - - follow-up of latent syphilis - *see* Syphilis, latent
 - - only finding - *see* Syphilis, latent
- seventh nerve (paralysis) A52.1† 2a 2b G53.8*
- sinus, sinusitis (late) A52.7† 2a 2b J99.8*
- skeletal system A52.7† 2a 2b M90.2*
- skin (early) (secondary) (with ulceration) A51.3
- - late or tertiary A52.7† 2a 2b L99.8*
- small intestine A52.7† 2a 2b K93.8*
- spastic spinal paralysis A52.1 2a 2b
- spermatic cord (late) A52.7† 2a 2b N51.8*
- spinal (cord) A52.1 2a 2b
- spleen A52.7† 2a 2b D77* 2b
- splenomegaly A52.7† 2a 2b D77* 2b
- spondylitis A52.7† 2a 2b M49.3*
- staphyloma A52.7† 2a 2b H19.8*

- stigmata (congenital) A50.5
- stomach A52.7† 2a 2b K93.8*
- synovium A52.7† 2a 2b M68.0*
- tabes dorsalis (late) A52.1 2a 2b
- - juvenile A50.4
- tabetic type A52.1 2a 2b
- - juvenile A50.4
- taboparesis A52.1 2a 2b
- - juvenile A50.4
- tachycardia A52.0† 2b I52.0*
- tendon (late) A52.7† 2a 2b M68.0*
- tertiary A52.9 2a
- - with symptoms NEC A52.7 2a 2b
- - cardiovascular A52.0† 2b I98.0*
- - central nervous system A52.3
- - multiple NEC A52.7 2a 2b
- - specified site NEC A52.7 2a 2b
- testis A52.7† 2a 2b N51.1*
- thorax A52.7 2a 2b
- throat A52.7† 2a 2b J99.8*
- thymus (gland) (late) A52.7† 2a 2b E35.8*
- thyroid (late) A52.7† 2a 2b E35.0*
- tongue (late) A52.7† 2a 2b K93.8*
- tonsil (lingual) (late) A52.7† 2a 2b J99.8*
- - primary A51.2
- - secondary A51.3
- trachea (late) A52.7† 2a 2b J99.8*
- tunica vaginalis (late) A52.7† 2a 2b N51.8*
- ulcer (any site) (early) (secondary) A51.3
- - late A52.7 2a 2b
- - perforating A52.7 2a 2b
- - - foot A52.1 2a 2b
- urethra (late) A52.7† 2a 2b N37.0*
- urogenital (late) A52.7 2a 2b
- uterus (late) A52.7† 2a 2b N74.2*
- uveal tract (secondary) A51.4† H22.0*
- - late A52.7† 2a 2b H22.0*
- uveitis (secondary) A51.4† H22.0*
- - late A52.7† 2a 2b H22.0*
- uvula (late) (perforated) A52.7† 2a 2b K93.8*
- vagina A51.0 2a
- - late A52.7† 2a 2b N77.1*
- valvulitis NEC A52.0† 2b I39.8*
- vascular A52.0† 2b I98.0*
- - brain (cerebral) A52.0† 2b I68.8*
- ventriculi A52.7† 2a 2b K93.8*
- vesicae urinariae (late) A52.7† 2a 2b N33.8*
- viscera (abdominal) (late) A52.7 2a 2b
- - secondary A51.4
- vitreous (opacities) (late) A52.7† 2a 2b H45.8*
- - hemorrhage A52.7† 2a 2b H45.0*
- vulva A51.0 2a
- - late A52.7† 2a 2b N77.1*
- - secondary A51.3

Syphiloma A52.7 2a 2b

- cardiovascular system A52.0† 2b I98.0*
- central nervous system A52.3
- circulatory system A52.0† 2b I98.0*
- congenital A50.5

Syphilophobia F45.2

Syringadenoma (M8400/0) - *see also* Neoplasm, skin, benign

- papillary (M8406/0) D23.9

Syringobulbia G95.0 2a 2b

Syringocystadenoma (M8400/0) - *see* Neoplasm, skin, benign

- papillary (M8406/0) D23.9

Syringoma (M8407/0) - *see also* Neoplasm,skin, benign

- chondroid (M8940/0) D23.9

Syringomyelia G95.0 2a 2b

Syringomyelitis (*see also* Encephalitis) G04.9

Syringomyelocele (*see also* Spina bifida) Q05.9 2a 2b

- with hydrocephalus (*see also* Spina bifida, with hydrocephalus) Q05.4

Syringopontia G95.0 2a 2b

System, systemic - *see also* condition

- disease, combined - *see* Degeneration, combined

- lupus erythematosus M32.9 2b

- - inhibitor present D68.6

T

Tabacism, tabacosis, tabagism T65.2

- meaning dependence F17.2

Tabardillo A75.9

- flea-borne A75.2

- louse-borne A75.0

Tabes, tabetic A52.1 2a 2b

- with

- - Charcot's joint A52.1† 2a 2b M14.6*

- - cord bladder A52.1 2a 2b

- - crisis, viscera (any) A52.1 2a 2b

- - paralysis, general A52.1 2a 2b

- - paresis (general) A52.1 2a 2b

- - perforating ulcer (foot) A52.1 2a 2b

- arthropathy (Charcot) A52.1† 2a 2b M14.6*

- bladder A52.1 2a 2b

- bone A52.1† 2a 2b M90.2*

- cerebrospinal A52.1 2a 2b

- congenital A50.4

- conjugal A52.1 2a 2b

- dorsalis A52.1 2a 2b

- - juvenile A50.4

- juvenile A50.4

- latent A52.1 2a 2b

- mesenterica A18.3† K93.0*

- paralysis, insane, general A52.1 2a 2b

- spasmotic A52.1 2a 2b

- syphilis (cerebrospinal) A52.1 2a 2b

Taboparalysis A52.1 2a 2b

Taboparesis (remission) A52.1 2a 2b

- juvenile A50.4

Tachyarrhythmia, tachyrhythmia (*see also* Tachycardia) R00.0 2a 2b

Tachycardia R00.0 2a 2b

- atrial I47.1

- atrioventricular (re-entrant) I47.1

- auricular I47.1

- fetal - *see* Distress, fetal

- junctional I47.1

- newborn, types classifiable to R00.0 2a 2b , I47- P29.1

- nodal I47.1

- paroxysmal NEC I47.9

- - atrial I47.1

- - atrioventricular (AV) (re-entrant) I47.1

- - junctional I47.1

- - nodal I47.1

- - supraventricular I47.1

- - ventricular I47.2

- psychogenic F45.3 2b

- sick sinus I49.5

- - newborn P29.1

- sinoauricular R00.0 2a 2b

- - paroxysmal I47.1

- sinus R00.0 2a 2b

- - paroxysmal I47.1

- supraventricular I47.1

- ventricular I47.2

Tachypnea R06.8 2a 2b

- hysterical F45.3 2b

- psychogenic F45.3 2b

- transitory, of newborn P22.1 2b

Taenia infection or infestation B68.9

- *mediocanellata* B68.1

- *saginata* B68.1

- *solium* (intestinal form) B68.0

- - larval form (*see also* Cysticercosis) B69.9

Taeniasis (intestine) (*see also* *Taenia*) B68.9

Tag (hypertrophied skin) (infected) L91.8

- adenoid J35.8

- anus I84.6

- ear

- - congenital Q82.8 2b

- hemorrhoidal I84.6

- hymen N89.8

- perineal N90.8

- rectum I84.6

- skin L91.8

- - accessory (congenital) Q82.8 2b

- - congenital Q82.8 2b

- tonsil J35.8

- urethra, urethral N36.8

- vulva N90.8

Tahyna fever B33.8

Takahara's disease E80.3 2b

Takayasu's disease or syndrome (Onishi) (pulseless disease) M31.4

Takotsubo syndrome I42.8 2a 2b

Talcosis (pulmonary) J62.0

Talipes (congenital) Q66.8

- asymmetric Q66.8

- calcaneovalgus Q66.4

- calcaneovarus Q66.1

- calcaneus Q66.8

- cavus Q66.7

- equinovalgus Q66.6

- equinovarus Q66.0

- equinus Q66.8

- percabus Q66.7

- planovalgus Q66.6

- planus (acquired) (any degree) M21.4

- - congenital Q66.5

- - due to rickets (late effect) E64.3 2a 2b

- valgus Q66.6

- varus Q66.3

Tall stature, constitutional E34.4

Talma's disease M62.8

Tamponade

- cor I31.9 2b

- - rheumatic I09.2 2b

- - - active or acute I01.0 2a 2b

- coronary I31.9 2b

- - rheumatic I09.2 2b

- - - active or acute I01.0 2a 2b

- heart (*see also* Pericarditis) I31.9 2b

- - rheumatic I09.2 2b

- - - active or acute I01.0 2a 2b

- pulmonary J98.4 2a 2b

- - newborn P28.8

Tanapox (virus disease) B08.8

Tangier disease E78.6

Tantrum, child problem F91.8

Tapeworm (infection) (infestation) (*see also* Infestation, tapeworm) B71.9 2b

Tapia's syndrome G52.7

TAR (thrombocytopenia with absent radius) syndrome Q87.2

Tarsal tunnel syndrome G57.5

Tarsalgia M79.6

Tarsitis (eyelid) H01.8

- syphilitic A52.7† 2a 2b H03.1*

- tuberculous A18.4† H03.1*

Tartar (teeth) (dental calculus) K03.6

Tattoo (mark) L81.8 2b

Tauri's disease E74.0 2a 2b

Taurodontism K00.2

Taussig-Bing syndrome Q20.1

Taybi-Linder syndrome Q87.2

Taybi's syndrome Q87.2

Tay-Sachs amaurotic familial idiocy or disease E75.0 2b

Teacher's node or nodule J38.2

Tear, torn (traumatic) - *see also* Wound T14.1 2a 2b

- with abortion (subsequent episode) O08.6

- - current episode - *see* Abortion

- anus, anal (sphincter) S31.8 2b

- - complicating delivery O70.2

- - - with mucosa O70.3

- - nontraumatic, nonpuerperal (*see also* Fissure, anus) K60.2

- articular cartilage, old M24.1

- bladder

- - obstetrical O71.5

- - traumatic S37.2

- bowel, obstetrical trauma O71.5

- broad ligament, obstetrical trauma O71.6

- bucket handle (knee) (meniscus) S83.2

- - old M23.2

- capsule, joint - *see* Sprain

- cartilage - *see also* Sprain

- - articular, old M24.1

- cervix

- - obstetrical trauma (current) O71.3

- - old N88.1

- - traumatic S37.6

- internal organ - *see* Injury, by site

- knee cartilage

- - articular (current) S83.3

- - old M23.2

- ligament - *see* Sprain

- meniscus (knee) (current injury) S83.2

- - bucket handle S83.2

- - - old (anterior horn) (lateral) (medial) (posterior horn) M23.2

- - old (anterior horn) (lateral) (medial) (posterior horn) M23.2

- - site other than knee - *code as* Sprain

- mesenteric artery

- - nontraumatic I77.2

- muscle - *see* Injury, muscle

- pelvic

- - floor, complicating delivery O70.1

- - organ NEC, obstetric trauma O71.5

- perirethral tissue, obstetric trauma O70.0

- rectovaginal septum - *see* Laceration, rectovaginal septum

- retina, retinal (horseshoe) (without detachment) H33.3

- - with detachment H33.0

- rotator cuff (complete) (incomplete) (nontraumatic) M75.1

- - traumatic (tendon) S46.0

- - - capsule S43.4

- semilunar cartilage, knee (*see also* Tear, meniscus) S83.2
- supraspinatus (complete) (incomplete) (nontraumatic) M75.1
- tendon - *see* Injury, muscle
- tentorial, at birth P10.4
- umbilical cord
 - - affecting fetus or newborn P50.1
 - - complicating delivery O69.8
- urethra, obstetric trauma O71.5
- uterus - *see* Injury, uterus
- vagina - *see* Laceration, vagina
- vulva, complicating delivery O70.0

Tearing

- excess (ducts) (eye) H04.8

Tear-stone H04.5

Teeth - *see also* condition

- grinding F45.8

Teething syndrome K00.7

Telangiectasia, telangiectasis (verrucous) I78.1

- ataxic (cerebellar) (Louis-Bar) G11.3
- hemorrhagic, hereditary (congenital) (senile) I78.0
- juxtafoveal H35.0 2a
- macular H35.0 2a
- parafoveal H35.0 2a
- retinal (idiopathic) (juxtafoveal) (macular) (parafoveal) H35.0 2a
- spider I78.1

Telephone scatologia F65.8

Telescoped bowel or intestine (*see also* Intussusception) K56.1

Teletherapy, adverse effect NEC T66 2b

Temperature

- body, high (of unknown origin) R50.9 2a
- cold, trauma from T69.9 2b
- - newborn P80.0
- - specified effect NEC T69.8

Temple - *see* condition

Temporal - *see* condition

Temporosphenoidal - *see* condition

Tendency

- bleeding (*see also* Defect, coagulation) D68.9 2b
- paranoid F61
- suicide R45.8
- - constituting part of a mental disorder - *see* condition
- to fall R29.6

Tenderness, abdominal R10.4 2b

Tendinitis, tendonitis (*see also* Tenosynovitis) M77.9

- Achilles M76.6
- adhesive M65.8
- - shoulder M75.0
- bicipital M75.2
- calcific M65.2
- - shoulder M75.3
- due to use, overuse, pressure M70.9
- - specified NEC M70.8
- gluteal M76.0
- hypertrophic infiltrative M65.9
- patellar M76.5
- peroneal M76.7
- psoas M76.1
- tibialis (anterior) (posterior) M76.8
- trochanteric M70.6

Tendon - *see* condition

Tendosynovitis - *see* Tenosynovitis

Tenesmus (rectal) R19.8 2b

- vesical R30.1 2b

Tennis elbow M77.1

Tenonitis - *see also* Tenosynovitis

- eye (capsule) H05.0

Tenontosynovitis - *see* Tenosynovitis

Tenontotheatitis - *see* Tenosynovitis

Tenophyte M67.8

Tenosynovitis M65.9

- adhesive M65.8

- - shoulder M75.0

- bicipital M75.2

- gonococcal A54.4† 2b M68.0*

- in (due to)

- - crystals M65.8

- - gonorrhea A54.4† 2b M68.0*

- - syphilis (late) A52.7† 2a 2b M68.0*

- - use, overuse, pressure M70.9

- - - specified NEC M70.8

- infective NEC M65.1

- radial styloid M65.4

- shoulder M75.8

- - adhesive M75.0

- specified NEC M65.8

- tuberculous - *see* Tuberculosis, tenosynovitis

Tenovaginitis - *see* Tenosynovitis

Tension

- arterial, high (*see also* Hypertension) I10 2a 2b

- headache G44.2

- nervous R45.0

- premenstrual N94.3

- state (mental) F48.9

Tentorium - *see condition*

Teratencephalus Q89.8

Teratism Q89.7 2a 2b

Teratoblastoma (malignant) (M9080/3) - *see* Neoplasm, malignant

Teratocarcinoma (M9081/3) - *see also* Neoplasm, malignant

- liver C22.7

Teratoma (solid) (M9080/1) - *see also* Neoplasm, uncertain behavior

- with embryonal carcinoma, mixed (M9081/3) - *see* Neoplasm, malignant

- with malignant transformation (M9084/3) - *see* Neoplasm, malignant

- adult (cystic) (M9080/0) - *see* Neoplasm, benign

- benign (M9080/0) - *see* Neoplasm, benign

- cervical - *see* Neoplasm, neck, uncertain behavior

- combined with choriocarcinoma (M9101/3) - *see* Neoplasm, malignant

- cystic (adult) (M9080/0) - *see* Neoplasm, benign

- differentiated (M9080/0) - *see* Neoplasm, benign

- embryonal (M9080/3) - *see also* Neoplasm, malignant

- - liver C22.7

- immature (M9080/3) - *see* Neoplasm, malignant

- liver (M9080/3) C22.7

- - adult, benign, cystic, differentiated type or mature (M9080/0) D13.4

- malignant (M9080/3) - *see also* Neoplasm, malignant

- - anaplastic (M9082/3) - *see* Neoplasm, malignant

- - intermediate (M9083/3) - *see* Neoplasm, malignant

- - trophoblastic (M9102/3)

- - - specified site - *see* Neoplasm, malignant

- - - unspecified site C62.9

- - undifferentiated (M9082/3) - *see* Neoplasm, malignant

- mature (M9080/1) - *see* Neoplasm, uncertain behavior

- ovary (M9080/0) D27

- - embryonal, immature or malignant (M9080/3) C56 2a 2b

- sacral, fetal, causing obstructed labor (mother) O66.3

- solid (M9080/1) - *see* Neoplasm, uncertain behavior

- testis (M9080/3) C62.9

- - adult, benign, cystic, differentiated type or mature (M9080/0) D29.2

- - scrotal C62.1

- - undescended C62.0

Termination

- anomalous - *see also* Malposition, congenital
 - - right pulmonary vein Q26.3
 - pregnancy - *see* Abortion
- Ternidens diminutus* infection or infestation B81.8
- Ternidens diminutus* infection or infestation B81.8

Ternidensiasis B81.8

Terrian-Veil syndrome H40.4

Terror(s), night (child) F51.4

Terrorism, victim of Z65.4(1861)

Tertiary - *see condition*

Test(s)

- allergens Z01.5(1862)
- blood pressure Z01.3(1863)
- - abnormal reading - *see* Blood, pressure
- blood-alcohol Z04.0(1864)
- - positive - *see* Finding in blood
- blood-drug Z04.0(1865)
- - positive - *see* Finding in blood
- cardiac pulse generator (battery) Z45.0(1866)
- contraceptive management Z30.8(1867)
- developmental, infant or child Z00.1(1868)
- fertility Z31.4(1869)
- hearing Z01.1(1870)
- HIV (human immunodeficiency virus)
- - nonconclusive in infants R75 2a 2b
- - positive R75 2a 2b
- - - asymptomatic Z21(1871)
- intelligence NEC Z01.8(1872)
- - infant or child Z00.1(1873)
- laboratory Z01.7(1874)
- - abnormal finding - *see* Abnormal, by type
- - for medicolegal reason NEC Z04.8(1875)
- Mantoux, abnormal result R76.1
- pregnancy (possible) (unconfirmed) Z32.0(1876)
- - confirmed Z32.1(1877)
- procreative Z31.4(1878)
- skin, diagnostic
- - allergy Z01.5(1879)
- - bacterial disease Z01.5(1880)
- - - special screening examination - *see* Screening, by name of disease
- - hypersensitivity Z01.5(1881)
- specified NEC Z01.8(1882)
- tuberculin, abnormal result R76.1
- vision Z01.0(1883)
- Wassermann Z11.3(1884)
- - positive (*see also* Serology for syphilis, positive) A53.0
- - - false R76.2

Testicle, testicular, testis - *see also condition*

- feminization syndrome E34.5
- migrans Q55.2

Tetanus, tetanic (cephalic) (convulsions) A35 2a 2b

- with abortion or ectopic gestation A34 2a 2b
- inoculation Z23.5(1885)
- - reaction (due to serum) - *see* Complications, vaccination
- neonatorum A33 2a
- obstetric A34 2a 2b
- puerperal, postpartum, childbirth A34 2a 2b

Tetany (due to) R29.0 2b

- alkalosis E87.3
- - due to
- - - medical care NEC E89.8 2b
- associated with rickets E55.0 2b
- convulsions R29.0 2b
- - hysterical F44.5
- functional (hysterical) F44.5

- hyperkinetic R29.0 2b
- - hysterical F44.5
- hyperpnea R06.4 2b
- - hysterical F45.3 2b
- - psychogenic F45.3 2b
- hyperventilation (*see also* Hyperventilation) R06.4 2b
- - hysterical F45.3 2b
- - psychogenic F45.3 2b
- hysterical F45.3 2b
- neonatal (without calcium or magnesium deficiency) P71.3
- parathyroid (gland) E20.9
- parathyroprival E89.2 2b
- post-(para)thyroidectomy E89.2 2b
- postoperative E89.2 2b
- psychogenic (conversion reaction) F44.5

Tetralogy of Fallot Q21.3

Tetraplegia (*see also* Quadriplegia) G82.5

Tetrasomy 9p Q99.8 2a

Thalassanemia - see Thalassemia

Thalassemia (anemia) (disease) D56.9

- with other hemoglobinopathy NEC D56.9
- alpha D56.0
- beta (severe) D56.1
- - sickle-cell D57.2
- delta-beta D56.2
- intermedia D56.1
- major D56.1
- minor D56.9
- mixed (with other hemoglobinopathy) D56.9
- sickle-cell D57.2
- specified type NEC D56.8
- trait D56.3
- variants D56.8

Thanatophoric dwarfism or short stature Q77.1

Thaysen's disease K90.0 2b

Thecoma (M8600/0) D27

- luteinized (M8601/0) D27

- malignant (M8600/3) C56 2a 2b

Thelarche, premature E30.8

Thelaziasis B83.8

Thelitis N61 2b

- puerperal, postpartum or gestational O91.0

Therapeutic - *see condition*

Therapy Z51.9(1886)

- aversive (behavior) NEC Z50.4(1887)
- - alcohol Z50.2(1888)
- - drug Z50.3(1889)
- breathing Z50.1(1890)
- detoxification
- - alcohol Z50.2(1891)
- - drug Z50.3(1892)
- intravenous (IV) without reported diagnosis Z51.8(1893)
- - following surgery Z48.8(1894)
- occupational Z50.7(1895)
- physical NEC Z50.1(1896)
- psychodynamic NEC Z50.4(1897)
- speech Z50.5(1898)
- vocational Z50.7(1899)

Thermic - *see condition*

Thermoplegia T67.0

Thesaurismosis, glycogen (*see also* Disease,glycogen storage) E74.0 2a 2b

Thiamin deficiency E51.9

- specified NEC E51.8

Thibierge-Weissenbach syndrome M34.8

Thick, Thickening

- bone M89.3
- breast N64.5
- epidermal L85.9
- - specified NEC L85.8
- hymen N89.6
- larynx J38.7
- membranes (maternal), affecting fetus or newborn P02.8
- nail L60.2
 - - congenital Q84.5
- periosteal M89.3
- pleura J92.9
 - - with asbestos J92.0
- skin R23.4
- subepiglottic J38.7
- tongue K14.8
- valve, heart - *see* Endocarditis

Thigh - *see condition*

Thinning vertebra M48.8

Thirst, excessive R63.1 2b

- due to deprivation of water T73.1

Thomsen's disease G71.1 2a

Thoracogastroschisis (congenital) Q79.8 2b

Thoracopagus Q89.4

Thorax, thoracic - *see also condition*

- kidney Q63.2

Thorn's syndrome N28.8 2a 2b

Threadworm infection or infestation B80

Threatened

- abortion O20.0
- - with subsequent abortion O03-
- - affecting fetus P01.8
- job loss, anxiety concerning Z56.2(1900)
- labor (*see also* Labor, false) O47.9
 - - affecting fetus P01.8
- loss of job, anxiety concerning Z56.2(1901)
- miscarriage O20.0
 - - affecting fetus P01.8
- premature delivery, affecting fetus P01.8
- unemployment, anxiety concerning Z56.2(1902)

Three chambered heart Q24.8 2b

Thresher's lung J67.0

Thrix annulata (congenital) Q84.1

Throat - *see condition*

Thromboangiitis obliterans (general) I73.1

Thromboarteritis - *see Arteritis*

- obliterans
- - subclavicular M31.4

Thromboasthenia (Glanzmann) (hemorrhagic) (hereditary) D69.1

Thrombocytasthenia (Glanzmann) D69.1

Thrombocythemia (essential) (hemorrhagic) (idiopathic) (primary)(M9962/1) D47.3

Thrombocytopathy D69.1

- dystrophic D69.1
- granulopenic D69.1

Thrombocytopenia, thrombocytopenic D69.6 2a 2b

- with absent radius (TAR) Q87.2
- congenital D69.4
- dilutional D69.5 2a 2b
- due to
 - - drugs D69.5 2a 2b
 - - extracorporeal circulation of blood D69.5 2a 2b
 - - massive blood transfusion D69.5 2a 2b
 - - platelet alloimmunization D69.5 2a 2b
- essential D69.3 2a 2b
- hereditary D69.4
- idiopathic D69.3 2a 2b

- neonatal, transitory P61.0 2b
- - due to
- - - exchange transfusion P61.0 2b
- - - idiopathic maternal thrombocytopenia P61.0 2b
- - - isoimmunization P61.0 2b
- primary NEC D69.4
- puerperal, postpartum O72.3
- secondary D69.5 2a 2b
- transient neonatal P61.0 2b

Thrombocytosis D75.8 2a 2b

- essential D75.2
- malignant D75.2

Thromboembolism (*see also* Embolism) I74.9 2a 2b

- coronary (artery) (vein) (*see also* Infarct, myocardium) I21.90 2a 2b
- - not resulting in infarction I21.90 2a 2b
- following infusion, therapeutic injection or transfusion T80.1

Thromboencephalomalacia I63.3 2a 2b

- bilateral (multiple) I63.30 2a 2b
- multiple (bilateral) I63.30 2a 2b

Thrombopathy (Bernard-Soulier) D69.1

- constitutional D68.0 2a 2b
- Willebrand-Jurgens D68.0 2a 2b

Thrombopenia (*see also* Thrombocytopenia) D69.6 2a 2b

Thrombophilia D68.9 2b

- primary D68.5

Thrombophlebitis I80.9 2a 2b

- antepartum (superficial) O22.2
- - affecting fetus or newborn P00.3
- - deep O22.3
- cavernous (venous) sinus G08 2a 2b
- - nonpyogenic I67.6
- cerebral (sinus) (vein) G08 2a 2b
- - nonpyogenic I67.6
- deep vein I80.9 2a 2b
- due to implanted device - *see* Complications, by site and type, specified NEC
- during or resulting from a procedure NEC T81.7 2b
- femoral (superficial) I80.1
- following infusion, therapeutic injection or transfusion T80.1
- hepatic (vein) I80.8

- idiopathic, recurrent I82.1

- iliofemoral I80.1

- intracranial venous sinus (any) G08 2a 2b

- - nonpyogenic I67.6

- intraspinal venous sinus and vein G08 2a 2b

- - nonpyogenic G95.1 2b

- lateral (venous) sinus G08 2a 2b

- - nonpyogenic I67.6

- leg I80.3 2b

- - deep (vessels) NEC I80.2

- - superficial (vessels) I80.0

- longitudinal (venous) sinus G08 2a 2b

- - nonpyogenic I67.6

- lower extremity I80.3 2b

- - deep (vessels) NEC I80.2

- - superficial (vessels) I80.0

- migrans, migrating I82.1

- pelvic

- - following

- - - abortion O08.0 2b

- - - ectopic or molar pregnancy O08.0 2b

- - puerperal O87.1

- portal (vein) K75.1

- postoperative T81.7 2b

- pregnancy (superficial) O22.2

- - affecting fetus or newborn P00.3

- - deep O22.3
- puerperal, postpartum, childbirth (superficial) O87.0
- - deep O87.1
- - pelvic O87.1
- sinus (intracranial) G08 2a 2b
- - nonpyogenic I67.6
- specified site NEC I80.8

Thrombosis, thrombotic (multiple) (progressive) (septic) (vascular) (vein) (vessel) I82.9 2a 2b

- anal (*see also* Thrombosis, perianal) I84.3
- antepartum O22.9 2b
- aorta, aortic I74.1
- - abdominal I74.0
- - bifurcation I74.0
- - saddle I74.0
- - thoracic I74.1
- - valve - *see* Endocarditis, aortic
- apical I51.3
- apoplexy I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- appendix, septic K35.8 2b
- artery, arteries (postinfectional) I74.9 2a 2b
- - auditory, internal I63.0 2a 2b
- - - bilateral (multiple) I63.00 2a 2b
- - - multiple (bilateral) I63.00 2a 2b
- - axillary I74.8 2b
- - basilar (*see also* Occlusion, artery, basilar) I63.0 2a 2b
- - - bilateral (multiple) I63.00 2a 2b
- - - multiple (bilateral) I63.00 2a 2b
- - brachial I74.2
- - carotid (common) (internal) (*see also* Occlusion, artery, carotid) I63.0 2a 2b
- - - bilateral (multiple) I63.00 2a 2b
- - - multiple (bilateral) I63.00 2a 2b
- - cerebellar (anterior inferior) (posterior inferior) (superior) (*see also* Occlusion, artery, cerebellar) I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - cerebral (*see also* Occlusion, artery, cerebral) I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - choroidal (anterior) I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - communicating, posterior I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - coronary (*see also* Infarct, myocardium) I21.9 2a 2b
- - - due to syphilis A52.0† 2b I52.0*
- - - not resulting in infarction I21.9 2a 2b
- - hepatic I74.8 2b
- - hypophyseal I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - iliac I74.5
- - limb I74.4
- - - lower I74.3
- - - upper I74.2
- - meningeal, anterior or posterior I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - mesenteric (with gangrene) K55.0 2a 2b
- - ophthalmic H34.2
- - pontine I63.3 2a 2b
- - - bilateral (multiple) I63.30 2a 2b
- - - multiple (bilateral) I63.30 2a 2b
- - precerebral (*see also* Occlusion, artery, precerebral) I63.0 2a 2b

- - - bilateral (multiple) I63.00 2a 2b
- - - multiple (bilateral) I63.00 2a 2b
- - pulmonary (*see also* Embolism, pulmonary) I26.9 2a 2b
- - renal N28.0
- - retinal H34.2
- - spinal, anterior or posterior G95.1 2b
- - subclavian I74.8 2b
- - vertebral (*see also* Occlusion, artery, vertebral) I63.0 2a 2b
- - - bilateral (multiple) I63.00 2a 2b
- - - multiple (bilateral) I63.00 2a 2b
- atrial I51.3
- auricular I51.3
- axillary I82.8
- basilar (artery) (*see also* Occlusion, artery, basilar) I63.0 2a 2b
- - bilateral (multiple) I63.00 2a 2b
- - multiple (bilateral) I63.00 2a 2b
- bland NEC I82.9 2a 2b
- brain (artery) (stem) (*see also* Occlusion, artery, cerebral) I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - due to syphilis A52.0† 2b I68.8*
- - multiple (bilateral) I63.30 2a 2b
- - puerperal, postpartum, childbirth O99.4 2b
- - sinus (*see also* Thrombosis, intracranial venous sinus) G08 2a 2b
- capillary I78.8
- cardiac (*see also* Infarct, myocardium) I21.9 2a 2b
- - due to syphilis A52.0† 2b I52.0*
- - not resulting in infarction I21.9 2a 2b
- - valve - *see* Endocarditis
- carotid (artery) (common) (internal) (*see also* Occlusion, artery, carotid) I63.0 2a 2b
- - bilateral (multiple) I63.00 2a 2b
- - multiple (bilateral) I63.00 2a 2b
- cavernous (venous) sinus (*see also* Thrombosis, intracranial venous sinus) G08 2a 2b
- cerebral (artery) (*see also* Occlusion, artery, cerebral) I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- cerebrovenous sinus (*see also* Thrombosis, intracranial venous sinus) G08 2a 2b
- - pregnancy O22.5
- - puerperium O87.3
- cervix (uteri) N94.8 2b
- coronary (artery) (vein) (*see also* Infarct, myocardium) I21.9 2a 2b
- - due to syphilis A52.0† 2b I52.0*
- - not resulting in infarction I21.9 2a 2b
- corpus cavernosum N48.8
- cortical I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- deep (vein) NEC I80.2
- - specified site - *see* Thrombosis, by site
- due to device, implant or graft (*see also* Complications, by site and type, specified NEC) T85.8 2b
- - arterial graft NEC T82.8 2b
- - breast (implant) T85.8 2b
- - catheter NEC T85.8 2b
- - - dialysis (renal) T82.8 2b
- - - - intraperitoneal T85.8 2b
- - - infusion NEC T82.8 2b
- - - - spinal (epidural) (subdural) T85.8 2b
- - - urinary (indwelling) T83.8 2b
- - electronic (electrode) (pulse generator) (stimulator)
- - - bone T84.8
- - - cardiac T82.8 2b
- - - nervous system (brain) (peripheral nerve) (spinal) T85.8 2b
- - - urinary T83.8 2b
- - fixation, internal (orthopedic) NEC T84.8
- - gastrointestinal (bile duct) (esophagus) T85.8 2b
- - genital NEC T83.8 2b

- - heart T82.8 2b
- - joint prosthesis T84.8
- - ocular (corneal graft) (orbital implant) NEC T85.8 2b
- - orthopedic NEC T84.8
- - specified NEC T85.8 2b
- - urinary NEC T83.8 2b
- - vascular NEC T82.8 2b
- - ventricular intracranial shunt T85.8 2b
- during puerperium - *see* Thrombosis, puerperal
- effort I82.8
- endocardial (*see also* Infarct, myocardium) I21.9 2a 2b
- - not resulting in infarction I21.9 2a 2b
- eye H34.8
- femoral (superficial) I80.1
- - artery I74.3
- genital organ
- - female NEC N94.8 2b
- - - pregnancy O22.9 2b
- - male N50.1
- hepatic I82.0
- - artery I74.8 2b
- iliac I80.2
- - artery I74.5
- iliofemoral I80.1
- intestine (with gangrene) K55.0 2a 2b
- intracardiac NEC (apical) (atrial) (auricular) (ventricular) (old) I51.3
- intracranial (arterial) I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- - venous sinus (any) G08 2a 2b
- - - nonpyogenic origin I67.6
- - - pregnancy O22.5
- - - puerperum O87.3
- intramural (*see also* Infarct, myocardium) I21.9 2a 2b
- - not resulting in infarction I21.9 2a 2b
- intraspinal venous sinus and vein G08 2a 2b
- - nonpyogenic G95.1 2b
- jugular (bulb) I82.8
- kidney (artery) N28.0
- lateral (venous) sinus - *see* Thrombosis, intracranial venous sinus
- leg I80.3 2b
- - deep (vessels) NEC I80.2
- - superficial (vessels) I80.0
- liver I82.0
- - artery I74.8 2b
- longitudinal (venous) sinus - *see* Thrombosis, intracranial venous sinus
- lower limb - *see* Thrombosis, leg
- lung (*see also* Embolism, pulmonary) I26.9 2a 2b
- meninges (brain) (arterial) I63.3 2a 2b
- - bilateral (multiple) I63.30 2a 2b
- - multiple (bilateral) I63.30 2a 2b
- mesenteric (artery) (with gangrene) K55.0 2a 2b
- mitral I34.8
- mural (*see also* Infarct, myocardium) I21.9 2a 2b
- - due to syphilis A52.0† 2b I52.0*
- - specified site - *see* Thrombosis, specified site
- myocardium, myocardial (*see also* Infarction, myocardial) I21.9 2a 2b
- omentum (with gangrene) K55.0 2a 2b
- ophthalmic H34.8
- parietal (*see also* Infarct, myocardium) I21.9 2a 2b
- - not resulting in infarction I21.9 2a 2b
- penis, penile N48.8
- perianal I84.3
- peripheral arteries I74.4
- placenta P02.2

- - marginal vein P02.2
- plaque I82.9 2a 2b
- popliteal I80.3 2b
- portal I81 2a 2b
- - due to syphilis A52.0† 2b I98.0*
- precerebral artery (*see also* Occlusion, artery, precerebral) I63.0 2a 2b
- - bilateral (multiple) I63.00 2a 2b
- - multiple (bilateral) I63.00 2a 2b
- pregnancy O22.9 2b
- - cerebral venous (sinus) O22.5
- - deep-vein O22.3
- - following
- - - abortion (subsequent episode) O08.7
- - - - current episode - *see* Abortion
- - - ectopic or molar pregnancy O08.7
- puerperal, postpartum O87.9
- - brain (artery) O99.4 2b
- - - venous (sinus) O87.3
- - cardiac O99.4 2b
- - cerebral (artery) O99.4 2b
- - - venous (sinus) O87.3
- - superficial O87.0
- pulmonary (artery) (vein) (*see also* Embolism, pulmonary) I26.9 2a 2b
- renal (artery) N28.0
- - vein I82.3
- resulting from presence of device, implant or graft (any - *see* Complications, by site and type, specified NEC)
- retina, retinal H34.8
- scrotum N50.1
- seminal vesicle N50.1
- sigmoid (venous) sinus - *see* Thrombosis, intracranial venous sinus
- silent NEC I82.9 2a 2b
- sinus, intracranial (any) (*see also* Thrombosis, intracranial venous sinus) G08 2a 2b
- specified site NEC I82.8
- spermatic cord N50.1
- spinal cord (arterial) G95.1 2b
- - due to syphilis A52.0† 2b I79.8*
- spleen, splenic D73.5
- - artery I74.8 2b
- subclavian I82.8
- testis N50.1
- tricuspid I07.8
- tunica vaginalis N50.1
- umbilical cord (vessels),
- - affecting fetus or newborn P02.6
- - complicating delivery O69.5
- - - affecting fetus or newborn P02.6
- uterus N94.8 2b
- vas deferens N50.1
- vena cava (inferior) (superior) I82.2
- ventricular I51.3

Thrombus - *see* Thrombosis

Thrush (*see also* Candidiasis) B37.9 2a 2b

- oral B37.0 2b
- vaginal B37.3† 2b N77.1*

Thumb - *see also* condition

- sucking (child problem) F98.8

Thymitis E32.8

Thymoma (benign) (M8580/0) D15.0

- malignant (M8580/3) C37

Thymus, thymic (gland) - *see* condition

Thyroglossal - *see also* condition

- cyst Q89.2

- duct, persistent Q89.2

Thyroid (body) (gland) - *see also* condition

- nodule (cystic) (nontoxic) (single) E04.1

Thyroiditis E06.9

- acute E06.0
- autoimmune E06.3
- chronic E06.5
 - - with thyrotoxicosis, transient E06.2
 - - fibrous E06.5
 - - lymphadenoid E06.3
- de Quervain E06.1
- drug-induced E06.4
- fibrous (chronic) E06.5
- giant-cell E06.1
- granulomatous (de Quervain) (subacute) E06.1
- Hashimoto's E06.3
- iatrogenic E06.4
- ligneous E06.5
- lymphocytic (chronic) E06.3
- lymphoid E06.3
- lymphomatous E06.3
- nonsuppurative E06.1
- postpartum, puerperal O90.5
- pseudotuberculous E06.1
- pyogenic E06.0
- Riedel's E06.5
- subacute E06.1
- suppurative E06.0
- toxic E06.9
- tuberculous A18.8† 2a 2b E35.0*
- woody E06.5

Thyrolingual duct, persistent Q89.2**Thyrotoxic**

- heart disease or failure (*see also* Thyrotoxicosis) E05.9† 2b I43.8*
- storm or crisis E05.5 2b

Thyrotoxicosis (recurrent) E05.9 2b

- with
 - - goiter (diffuse) (*see also* Goiter, toxic) E05.0 2b
 - - - multinodular E05.2
 - - - nodular E05.2
 - - - uninodular E05.1
 - - single thyroid nodule E05.1
- apathetic E05.9 2b
- due to
 - - ectopic thyroid nodule or tissue E05.3
 - - ingestion of (excessive) thyroid material E05.4
 - - overproduction of thyroid-stimulating hormone E05.8
 - - specified cause NEC E05.8
- factitia E05.4
- heart E05.9† 2b I43.8*
- neonatal P72.1
- transient with chronic thyroiditis E06.2

Tibia vara M92.5**Tic (disorder)** F95.9

- breathing F95.8
- chronic
- - motor F95.1
- - vocal F95.1
- combined vocal and multiple motor F95.2
- de la Tourette F95.2
- degenerative (generalized) (localized) G25.6
 - - facial G25.6
- douloureux (*see also* Neuralgia, trigeminal) G50.0
 - - atypical G50.1
- drug-induced G25.6
- eyelid F95.8
- habit F95.9
- occupational F48.8

- orbicularis F95.8
- organic origin G25.6
- postchoreic G25.6
- salam R25.8 2b
- spasm F95.9
- specified NEC F95.8
- transient F95.0

Tietze's disease or syndrome M94.0

Tight fascia (lata) M62.8

Tightness

- anus K62.8
- foreskin (congenital) N47
- hymen, hymenal ring N89.6
- introitus N89.6
- perineum N94.8 2b
- rectal sphincter K62.8
- tendon (*see also* Short, tendon) M67.1
- urethral sphincter N35.9 2b

Tilting vertebra M43.8

Tin-miner's lung J63.5

Tinea (intersecta) (tarsi) B35.9

- amiantacea L44.8 2b
- barbae B35.0
- beard B35.0
- black dot B35.0
- blanca B36.2
- capitis B35.0
- corporis B35.4
- cruris B35.6
- flava B36.0
- foot B35.3
- imbricata (Tokelau) B35.5
- kerion B35.0
- manuum B35.2
- microsporic (*see also* Dermatophytosis) B35.9
- nigra B36.1
- nodosa (*see also* Piedra) B36.8
- pedis B35.3
- scalp B35.0
- specified site NEC B35.8
- sycosis B35.0
- tonsurans B35.0
- trichophytic (*see also* Dermatophytosis) B35.9
- unguium B35.1
- versicolor B36.0

Tingling sensation (skin) R20.2

Tinnitus (audible) (aurium) (subjective) H93.1

Tipping pelvis M95.5

- with disproportion (fetopelvic) O33.0
- - causing obstructed labor O65.0

Tiredness R53 2b

Tissue - *see condition*

Tobacco (nicotine) F17.9 2b

- dependence F17.2
- harmful use F17.1 2b
- heart T65.2
- maternal use, affecting fetus or newborn P04.2
- use NEC F17.9 2b
- - counseling and surveillance Z71.6(1903)
- withdrawal state F17.3

Tobaccoism F17.2

Tocopherol deficiency E56.0

Todd's

- cirrhosis K74.3 2b
- paralysis (postepileptic) G83.8

Toe - *see condition*

Toilet, artificial opening - *see* Attention to,artificial, opening

Tokelau (ringworm) B35.5

Tollwut - *see* Rabies

Tolosa Hunt syndrome H49.9 2a

Tommaselli's disease

- correct substance properly administered R31 2a 2b
- overdose or wrong substance given or taken T37.2

Tongue - *see also condition*

- tie Q38.1

Tonic pupil H57.0

Tonsil - *see condition*

Tonsillitis (acute) (follicular) (gangrenous) (infective) (lingual) (septic) (subacute) (ulcerative) J03.9

- chronic J35.0
- diphtheritic A36.0
- hypertrophic J35.0
- parenchymatous J03.9
- specified organism NEC J03.8
- staphylococcal J03.8
- streptococcal J03.0 2a 2b
- tuberculous A16.8 2a 2b
- Vincent's A69.1 2a

Tonsillopharyngitis J06.8

Tooth, teeth - *see condition*

Toothache K08.8 2a 2b

Topagnosis R20.8

Tophi (*see also Gout*) M10-

TORCH syndrome P37.8

Torn - *see Tear*

Tornwaldt's cyst or disease J39.2

Torsades de pointes syndrome I49.0 2b

- newborn P29.1

Torsion

- accessory tube N83.5
- adnexa (female) N83.5
- bile duct (common) (hepatic) K83.8
- - congenital Q44.5
- bowel, colon or intestine K56.2
- cervix (*see also* Malposition, uterus) N85.4
- cystic duct K82.8
- dystonia - *see* Dystonia, torsion
- epididymis N44
- falciform ligament N76.8
- fallopian tube N83.5
- gallbladder K82.8
- - congenital Q44.1
- hydatid of Morgagni
- - female N83.5
- - male N44
- kidney (pedicle) (leading to infarction) N28.0
- Meckel's diverticulum (congenital) Q43.0
- mesentery or omentum K56.2
- organ or site, congenital NEC - *see* Anomaly, by site
- ovary (pedicle) N83.5
- - congenital Q50.2
- oviduct N83.5
- penis N48.8
- - congenital Q55.6
- spasm - *see* Dystonia, torsion
- spermatic cord N44
- spleen D73.5
- testis, testicle N44
- tibia M21.8
- umbilical cord in fetus or newborn P02.5
- uterus (*see also* Malposition, uterus) N85.4

Torticollis (intermittent) (spastic) M43.6

- congenital (sternomastoid) Q68.0 2b
- due to birth injury P15.2
- hysterical F44.4
- psychogenic F45.8
- - conversion reaction F44.4
- rheumatoid M06.8
- spasmodic G24.3
- traumatic, current NEC S13.4

Tortipelvis G24.1**Tortuous**

- artery I77.1
- organ or site, congenital NEC - *see* Distortion
- retinal vessel, congenital Q14.1
- urethra N36.8
- vein - *see* Varicose vein

Torture, victim of Z65.4(1904)

Torula, torular (*histolytica*) (infection) (*see also* Cryptococcosis) B45.9

Torulopsis

- glabrata - *see* Candidiasis, candidal

Torulosis (*see also* Cryptococcosis) B45.9**Torus (mandibularis) (palatinus)** K10.0**Tourette's syndrome** F95.2**Tower skull** Q75.0

- with exophthalmos Q87.0

Toxemia R68.8 2a 2b

- bacterial - *see* Septicemia
- burn - *see* Burn
- eclamptic (*see also* Eclampsia) O15.9
- fatigue R68.8 2a 2b
- kidney (*see also* Uremia) N19 2a 2b
- maternal (of pregnancy), affecting fetus or newborn P00.0
- metabolic E88.9
- myocardial - *see* Myocarditis, toxic
- of pregnancy (*see also* Pre-eclampsia) O14.9 2a
- - affecting fetus or newborn P00.0
- pre-eclamptic (*see also* Pre-eclampsia) O14.9 2a
- septic (*see also* Septicemia) A41.9 2a 2b
- stasis R68.8 2a 2b
- uremic (*see also* Uremia) N19 2a 2b
- urinary (*see also* Uremia) N19 2a 2b

Toxic (poisoning) - *see also* condition T65.9 2b

- from drug or nonmedicinal substance - *see* Table of drugs and chemicals
- shock syndrome A48.3
- thyroid (gland) (*see also* Thyrotoxicosis) E05.9 2b

Toxicemia - *see* Toxemia**Toxicity** T65.9 2b

- alcohol, alcoholic (*see also* Table of Drugs and Chemicals) T51.9 2a 2b
- fava bean D55.0
- from drug or nonmedicinal substance - *see* Table of drugs and chemicals

Toxicosis (*see also* Toxemia) R68.8 2a 2b

- capillary, hemorrhagic D69.0 2a 2b

Toxocariasis B83.0

Toxoplasma, toxoplasmosis (acquired) B58.9 2b

- with
 - hepatitis B58.1† K77.0*
 - meningoencephalitis B58.2† G05.2*
 - ocular involvement B58.0† H58.8*
 - other organ involvement B58.8 2b
 - pneumonia, pneumonitis B58.3† J17.3*
 - cerebral B58.8 2b
- congenital (acute) (chronic) (subacute) P37.1
- encephalitis B58.2
- maternal, affecting fetus or newborn P00.2
- - manifest toxoplasmosis in infant or fetus (acute) (chronic) (subacute) P37.1

- resulting from HIV disease B20.8 2a
- specified site B58.8 2b
- suspected damage to fetus affecting management of pregnancy O35.8

Trabeculation, bladder N32.8

Trachea - *see condition*

Tracheitis (acute) (catarrhal) (infantile) (membranous) (plastic) (pneumococcal) (viral) J04.1

- with
 - - bronchitis (15 years of age and above) J40 2a 2b
 - - acute or subacute (*see also* Bronchitis, acute) J20.9 2a 2b
 - - chronic J42 2a 2b
 - - tuberculous NEC A16.4 2a 2b
 - - under 15 years of age J20-
 - - laryngitis (acute) J04.2
 - - chronic J37.1
 - - tuberculous NEC A16.4 2a 2b
- chronic J42 2a 2b
- - with
 - - bronchitis (chronic) J42 2a 2b
 - - laryngitis (chronic) J37.1
- diphtheritic A36.8 2b
- due to external agent - *see* Inflammation, respiratory, upper, due to
- streptococcal J04.1
- syphilitic A52.7† 2a 2b J99.8*
- tuberculous A16.4 2a 2b

Trachelitis (nonvenereal) (*see also* Cervicitis) N72

Tracheobronchial - *see condition*

Tracheobronchitis (15 years of age and above) (*see also* Bronchitis) J40 2a 2b

- acute or subacute (*see also* Bronchitis, acute) J20.9 2a 2b
- chronic J42 2a 2b
- due to
 - *Bordetella bronchiseptica* A37.8
 - *Francisella tularensis* A21.8
 - influenzal (*see also* Influenza, with, respiratory manifestations) J11.1 2a 2b
 - senile (chronic) J42 2a 2b
 - under 15 years of age J20-

Tracheobronchopneumonitis - *see* Pneumonia, broncho

Tracheocele (external) (internal) J39.8

- congenital Q32.1

Tracheomalacia J39.8

- congenital Q32.0

Tracheopharyngitis (acute) J06.8

- chronic J42 2a 2b
- due to external agent - *see* Inflammation, respiratory, upper, due to

Tracheostenosis (*see also* Stenosis, trachea) J39.8

Tracheostomy

- status Z93.0(1905)
- - attention to Z43.0(1906)
- - malfunctioning J95.0

Trachoma, trachomatous A71.9

- active (stage) A71.1
- contraction of conjunctiva A71.1
- dubium A71.0
- initial (stage) A71.0
- pannus A71.1

Train sickness T75.3

Training (in)

- activities of daily living NEC Z50.8(1907)
- orthoptic Z50.6(1908)

Trait(s)

- amoral F61
- antisocial F61
- dissocial F61
- HbAS D57.3
- Hb-S D57.3
- hemoglobin

- - abnormal NEC D58.2 2b
- - - with thalassemia D56.3
- - C (*see also* Disease, hemoglobin C) D58.2 2b
- - - with elliptocytosis D58.1
- - S (Hb-S) D57.3
- paranoid F61
- personality, accentuated Z73.1(1909)
- sickle-cell D57.3
- - with elliptocytosis or spherocytosis D57.3
- type A personality Z73.1(1910)

Tramp Z59.0(1911)

Trance R41.8

- hysterical F44.3

Transection (trunk) (abdomen) (thorax) T05.8 2a 2b

- specified site NEC - *see* Wound, by site

Transfusion

- blood
- - reaction or complication - *see* Complications, transfusion
- - without reported diagnosis Z51.3(1912)
- fetomaternal (mother) O43.0
- maternofetal (mother) O43.0
- placental (syndrome) (mother) O43.0
- - in fetus or newborn P02.3
- reaction (adverse) - *see* Complications, transfusion
- twin-to-twin O43.0
- - fetus or newborn P02.3

Transient (meaning homeless) (*see also* condition) Z59.0(1913)

Translocation

- balanced
- - autosomal Q95.9
- - - in normal individual Q95.0
- - chromosomes Q95.9
- - - in normal individual Q95.0
- chromosomes NEC Q99.8 2a
- Down's syndrome Q90.2
- trisomy
- - I3 Q91.6
- - I8 Q91.2
- - 21 Q90.2
- 2-6 syndrome Q99.8 2a

Translucency, iris H21.2

Transmission of chemical substances through the placenta - *see* Absorption,chemical, through placenta

Transparency, lung, unilateral J43.0

Transplant(ed) (status) Z94.9(1914)

- bone Z94.6(1915)
- - marrow Z94.8(1916)
- complication NEC - *see* Complications, transplant
- - skin NEC (infection) (rejection) T86.8
- cornea Z94.7(1917)
- hair Z41.0(1918)
- heart Z94.1(1919)
- - and lung(s) Z94.3(1920)
- - valve Z95.4(1921)
- - - prosthetic Z95.2(1922)
- - - xenogenic Z95.3(1923)
- intestine Z94.8(1924)
- kidney Z94.0(1925)
- liver Z94.4(1926)
- lung(s) Z94.2(1927)
- - and heart Z94.3(1928)
- organ Z94.9(1929)
- pancreas Z94.8(1930)
- skin Z94.5(1931)
- social Z60.3(1932)
- specified organ or tissue NEC Z94.8(1933)

- tissue Z94.9(1934)

Transplants, ovarian, endometrial N80.1

Transposed - see Transposition

Transposition (congenital) - see also Malposition, congenital

- abdominal viscera Q89.3

- aorta (dextra) Q20.3

- appendix Q43.8

- colon Q43.8

- corrected Q20.5

- great vessels (complete) (partial) Q20.3

- heart Q24.0

- - with complete transposition of viscera Q89.3

- intestine (large) (small) Q43.8

- stomach Q40.2

- - with complete transposition of viscera Q89.3

- tooth, teeth K07.3

- vessels, great (complete) (partial) Q20.3

- viscera (abdominal) (thoracic) Q89.3

Transsexualism F64.0

Transverse - see also condition

- arrest (deep), in labor O64.0

- - affecting fetus or newborn P03.1

- lie (mother) O32.2

- - before labor, affecting fetus or newborn P01.7

- - causing obstructed labor O64.8

- - - affecting fetus or newborn P03.1

Transvestism, transvestitism (dual-role) F64.1

- fetishistic F65.1

TRAP (twin-twin reverse arterial perfusion) (sequence) (syndrome) Q89.8

Trapped placenta (with hemorrhage) O72.0

- without hemorrhage O73.0

Trauma, traumatism (see also Injury) T14.9 2a 2b

- acoustic H83.3

- birth - see Birth, injury

- during delivery NEC O71.9

- generalized T07 2a 2b

- maternal, during pregnancy, affecting fetus or newborn P00.5

- obstetric O71.9

- - specified NEC O71.8

- previous major, affecting management of pregnancy Z35.8(1935)

Traumatic - see condition

Treacher Collins syndrome Q75.4

Treitz's hernia - see Hernia, abdomen, specified site NEC

Trematode infestation NEC (see also Infestation, fluke) B66.9

Trematodiasis NEC (see also Infestation, fluke) B66.9

Trembles T62.8

Tremor R25.1 2b

- drug-induced G25.1

- essential (benign) G25.0

- familial G25.0

- hereditary G25.0

- hysterical F44.4

- intention G25.2

- mercurial T56.1

- Parkinson's (see also Parkinsonism) G20 2a 2b

- psychogenic (conversion reaction) F44.4

- senilis R54 2a 2b

- specified type NEC G25.2

Trench

- fever A79.0

- foot T69.0

- mouth A69.1 2a

Treponema pallidum infection (see also Syphilis) A53.9 2a 2b

Treponematosis

- due to

- - *Treponema pallidum* - see Syphilis

- - *Treponema pertenue* - see Yaws

Triad

- Hutchinson's (congenital syphilis) A50.5

- Kartagener Q89.3

- Saint's (*see also* Hernia, diaphragm) K44.9 2b

Trichiasis (eyelid) H02.0

Trichinella spiralis infection, infestation B75 2b

Trichinellosis, trichiniasis, trichilelliasis, trichinosis B75 2b

Trichobezoar T18.9

- intestine T18.3

- stomach T18.2

Trichocephaliasis, trichocephalosis B79

Trichocephalus infestation B79

Trichoclasia L67.8

Trichoepithelioma (M8100/0) - *see* Neoplasm, skin, benign

Trichofolliculoma (M8101/0) - *see* Neoplasm, skin, benign

Tricholemmoma (M8102/0) - *see* Neoplasm, skin, benign

Trichomoniasis A59.9

- bladder A59.0† N33.8*

- cervix A59.0† N74.8*

- intestinal A07.8 2b

- prostate A59.0† N51.0*

- seminal vesicles A59.0† N51.8*

- specified site NEC A59.8

- urethra A59.0† N37.0*

- urogenitalis A59.0

- vagina A59.0† N77.1*

- vulva A59.0† N77.1*

Trichomycosis

- axillaris A48.8

- nodosa, nodularis B36.8

Trichonodosis L67.8

Trichophytid, Trichophyton infection (*see also* Dermatophytosis) B35.9

Trichophytobezoar T18.9

- intestine T18.3

- stomach T18.2

Trichophytosis (*see also* Dermatophytosis) B35.9

- unguium B35.1

Trichoptilosis L67.8

Tricho-rhino-phalangeal syndrome Q79.8 2b

Trichorrhexis (nodosa) (invaginata) L67.0

Trichosis axillaris A48.8

Trichosporosis nodosa B36.2

Trichostasis spinulosa (congenital) Q84.1

Trichostrongylasis, trichostrongylosis (small intestine) B81.2

Trichostrongylus infection B81.2

Trichotillomania F63.3

Trichromat, trichromatopsia, anomalous (congenital) H53.5

Trichuriasis B79

Trichuris trichiura infection or infestation (any site) B79

Tricuspid (valve) - *see* condition

Trifid - *see also* Accessory

- kidney (pelvis) Q63.8

- tongue Q38.3

Trigeminy R00.8 2b

- fetal P20.9

- newborn P29.1

Trigger finger (acquired) M65.3

- congenital Q74.0

Triglyceridemia E78.1

Trigonitis (bladder) (pseudomembranous) N30.3

Trigonocephaly Q75.0

Trilocular heart (*see also* Cor triloculare) Q20.8 2b

Trimethylaminuria E88.8 2a 2b

Triopathy

- diabetic - code to E10-E14 with fourth character .7

Tripartite placenta (*see also* Placenta,abnormal) O43.1**Triphalangeal thumb** Q74.0

Triple - *see also* Accessory

- kidneys Q63.0

- uteri Q51.8

- X, female Q97.0

Triplegia G83.8

- congenital or infantile G80.8 2a 2b

- traumatic T14.4 2a 2b

Triplet, affecting fetus or newborn P01.5 2b

- pregnancy O30.1

Tricpllication - *see* Accessory

Trisomy Q92.7**Trismus** R25.2 2b

- neonatorum A33 2a

- newborn A33 2a

Trisomy (syndrome) Q92.9

- autosomes NEC Q92.9

- chromosome specified NEC Q92.8

- - major (whole arm or more duplicated) Q92.2

- - minor (less than whole arm duplicated) Q92.3

- - whole (nonsex chromosome)

- - - meiotic nondisjunction Q92.0

- - - mitotic nondisjunction Q92.1

- - - mosaicism Q92.1

- major partial (whole arm or more duplicated) Q92.2

- minor partial (less than whole arm duplicated) Q92.3

- partial NEC Q92.8

- - major (whole arm or more duplicated) Q92.2

- - minor (less than whole arm duplicated) Q92.3

- - specified NEC Q92.8

- specified NEC Q92.8

- whole chromosome Q92.9

- - meiotic nondisjunction Q92.0

- - mitotic nondisjunction Q92.1

- - mosaicism Q92.1

- - partial Q92.9

- - specified NEC Q92.8

- 7 Q92.8

- 8 Q92.8

- 13-15 (partial) Q91.7

- - meiotic nondisjunction Q91.4

- - mitotic nondisjunction Q91.5

- - mosaicism Q91.5

- - translocation Q91.6

- 16-18 (partial) Q91.3

- - meiotic nondisjunction Q91.0

- - mitotic nondisjunction Q91.1

- - mosaicism Q91.1

- - translocation Q91.2

- 20 (p)(q) Q92.8

- 21 (partial) Q90.9 2b

- - meiotic nondisjunction Q90.0

- - mitotic nondisjunction Q90.1

- - mosaicism Q90.1

- - translocation Q90.2

- 22 Q92.8

- 23 Q92.8

Tritanomaly, tritanopia H53.5**Trombiculosis, trombiculiasis, trombidiosis** B88.0**Trophoblastic disease** (M9100/0) (*see also* Mole, hydatidiform) O01.9

- previous, affecting management of pregnancy Z35.1(1936)

Trophoneurosis NEC G96.8

- disseminated M34.9 2b

- facial G96.8

Tropical - *see condition*

Trouble - *see also Disease*

- heart - *see Disease, heart*

- - sclerotic I25.1 2a 2b

- kidney (*see also Disease, kidney*) N28.9 2a 2b

- nervous R45.0

- sinus (*see also Sinusitis*) J32.9

Trousseau's syndrome I82.1

Truancy, childhood

- socialized F91.2

- unsocialized F91.1

Truncus

- arteriosus (persistent) Q20.0

- communis Q20.0

Trunk - *see condition*

Trypanosomiasis

- African B56.9

- - due to *Trypanosoma brucei*

- - - *gambiense* B56.0

- - - *rhodesiense* B56.1

- - East B56.1

- - West B56.0

- American (*see also Chagas' disease*) B57.2

- - with

- - - heart involvement B57.2† I41.2*

- - - other organ involvement B57.5

- Brazilian - *see Trypanosomiasis, American*

- due to *Trypanosoma*

- - *brucei gambiense* B56.0

- - *brucei rhodesiense* B56.1

- - *cruzi* - *see Chagas' disease*

- East African B56.1

- gambiaensis, Gambian B56.0

- rhodesiensis, Rhodesian B56.1

- South American - *see Chagas' disease*

- West African B56.0

- where

- - African trypanosomiasis is prevalent B56.9

- - Chagas' disease is prevalent B57.2

T-shaped incisors K00.2

Tsutsugamushi (disease) (fever) A75.3

Tube, tubal, tubular - *see also condition*

- ligation, admission for Z30.2(1937)

Tubercle - *see also Tuberculosis*

- brain, solitary A17.8† 2a 2b G07* 2b

- Darwin's Q17.8

- Ghon, primary infection A16.7 2a 2b

Tuberculid, tuberculide (indurating, subcutaneous) (lichenoid) (miliary) (papulonecrotic) (primary) (skin) A18.4

Tuberculoma - *see also Tuberculosis*

- brain A17.8† 2a 2b G07* 2b

- meninges (cerebral) (spinal) A17.1† G07* 2b

- spinal cord A17.8† 2a 2b G07* 2b

Tuberculosis, tubercular, tuberculous (caseous) (degeneration) (gangrene) (necrosis) A16.90 2a 2b

- with pneumoconiosis (any condition in J60-J64) J65 2a 2b

- abdomen (lymph gland) A18.3† K93.0*

- abscess NEC (respiratory) A16.9 2a 2b

- - bone A18.0† 2a 2b M90.0*

- - - hip A18.0† 2a 2b M01.1*

- - - knee A18.0† 2a 2b M01.1*

- - - sacrum A18.0† 2a 2b M49.0*

- - - specified site NEC A18.0† 2a 2b M90.0*

- - - spine A18.0† 2a 2b M49.0*

- - - vertebra A18.0† 2a 2b M49.0*

- - brain A17.8† 2a 2b G07* 2b
- - breast A18.8 2a 2b
- - Cowper's gland A18.1† 2a 2b N51.8*
- - dura (mater) (cerebral) (spinal) A17.8† 2a 2b G07* 2b
- - epidural (cerebral) (spinal) A17.8† 2a 2b G07* 2b
- - female pelvis A18.1† 2a 2b N74.1*
- - frontal sinus (*see also* Tuberculosis, sinus) A16.8 2a 2b
- - genital organs NEC A18.1 2a 2b
- - genitourinary A18.1 2a 2b
- - gland (lymphatic) - *see* Tuberculosis, lymph gland
- - hip A18.0† 2a 2b M01.1*
- - intestine A18.3† K93.0*
- - ischiorectal A18.3† K93.0*
- - joint NEC A18.0† 2a 2b M01.1*
- - - hip A18.0† 2a 2b M01.1*
- - - knee A18.0† 2a 2b M01.1*
- - - vertebral A18.0† 2a 2b M49.0*
- - kidney A18.1† 2a 2b N29.1*
- - knee A18.0† 2a 2b M01.1*
- - lumbar (spine) A18.0† 2a 2b M49.0*
- - lung (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
- - - primary (progressive) A16.7 2a 2b
- - meninges (cerebral) (spinal) A17.0† 2a 2b G01* 2b
- - muscle A18.8† 2a 2b M63.0*
- - perianal (fistula) A18.3† K93.0*
- - perinephritic A18.1† 2a 2b N29.1*
- - perirectal A18.3† K93.0*
- - rectum A18.3† K93.0*
- - retropharyngeal A16.8 2a 2b
- - sacrum A18.0† 2a 2b M49.0*
- - scrofulous A18.2
- - scrotum A18.1† 2a 2b N51.8*
- - skin (primary) A18.4
- - spinal cord A17.8† 2a 2b G07* 2b
- - spine or vertebra (column) A18.0† 2a 2b M49.0*
- - subdiaphragmatic A18.3† K93.0*
- - testis A18.1† 2a 2b N51.1*
- - urinary A18.1 2a 2b
- - uterus A18.1† 2a 2b N74.1*
- accessory sinus - *see* Tuberculosis, sinus
- Addison's disease A18.7† 2b E35.1*
- adenitis (*see also* Tuberculosis, lymph gland) A18.2
- adenoids A16.8 2a 2b
- adenopathy (*see also* Tuberculosis, lymph gland) A18.2
- tracheobronchial A16.3 2a 2b
- - - primary (progressive) A16.7 2a 2b
- adherent pericardium A18.8† 2a 2b I32.0*
- adnexa (uteri) A18.1† 2a 2b N74.1*
- adrenal (capsule) (gland) A18.7† 2b E35.1*
- alimentary canal A18.3† K93.0*
- anemia A18.8† 2a 2b D63.8*
- ankle (joint) A18.0† 2a 2b M01.1*
- anus A18.3† K93.0*
- apex, apical - *see* Tuberculosis, pulmonary
- appendix, appendicitis A18.3† K93.0*
- arachnoid A17.0† 2a 2b G01* 2b
- artery, arteritis A18.8† 2a 2b I79.8*
- - cerebral A18.8† 2a 2b I68.1*
- arthritis (chronic) (synovial) A18.0† 2a 2b M01.1*
- - spine or vertebra (column) A18.0† 2a 2b M49.0*
- articular - *see* Tuberculosis, joint
- ascites A18.3
- asthma (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
- axilla, axillary (gland) A18.2
- bilateral - *see* Tuberculosis, pulmonary

- bladder A18.1† 2a 2b N33.0*
- bone A18.0† 2a 2b M90.0*
- - hip A18.0† 2a 2b M01.1*
- - knee A18.0† 2a 2b M01.1*
- - limb NEC A18.0† 2a 2b M90.0*
- - sacrum A18.0† 2a 2b M49.0*
- - spine or vertebra (column) A18.0† 2a 2b M49.0*
- bowel (miliary) A18.3† K93.0*
- brain A17.8† 2a 2b G07* 2b
- breast A18.8 2a 2b
- broad ligament A18.1† 2a 2b N74.1*
- bronchi, bronchial, bronchus A16.4 2a 2b
- - ectasia, ectasis (bronchiectasis) - *see* Tuberculosis, pulmonary
- - fistula A16.4 2a 2b
- - - primary (progressive) A16.7 2a 2b
- - gland or node A16.3 2a 2b
- - - primary (progressive) A16.7 2a 2b
- - lymph gland or node A16.3 2a 2b
- - - primary (progressive) A16.7 2a 2b
- bronchiectasis - *see* Tuberculosis, pulmonary
- bronchitis A16.4 2a 2b
- bronchopleural A16.5 2a 2b
- bronchopneumonia, bronchopneumonic - *see* Tuberculosis, pulmonary
- bronchorrhagia A16.4 2a 2b
- bronchotracheal A16.4 2a 2b
- bronze disease A18.7† 2b E35.1*
- buccal cavity A18.8† 2a 2b K93.8*
- bulbourethral gland A18.1† 2a 2b N51.8*
- bursa A18.0† 2a 2b M01.1*
- cachexia NEC A16.9 2a 2b
- cardiomyopathy A18.8† 2a 2b I43.0*
- caries (*see also* Tuberculosis, bone) A18.0† 2a 2b M90.0*
- cartilage A18.0† 2a 2b M01.1*
- - intervertebral A18.0† 2a 2b M49.0*
- - vertebral column A18.0† 2a 2b M49.0*
- cecum A18.3† K93.0*
- cellulitis (primary) A18.4
- cerebellum A17.8† 2a 2b G07* 2b
- cerebrum, cerebral A17.8† 2a 2b G07* 2b
- cerebrospinal A17.8† 2a 2b G07* 2b
- - meninges A17.0† 2a 2b G01* 2b
- cervical (lymph gland or node) A18.2
- cervix (uteri), cervicitis A18.1† 2a 2b N74.0*
- chest (*see also* Tuberculosis, respiratory) A16.9 2a 2b
- chorioretinitis A18.5† H32.0*
- choroid, choroiditis A18.5† H32.0*
- ciliary body A18.5† H22.0*
- collier's J65 2a 2b
- colliquativa (primary) A18.4
- colon, colitis A18.3† K93.0*
- complex, primary A16.7 2a 2b
- complicating pregnancy, childbirth or puerperium O98.0
- - affecting fetus or newborn P00.2
- congenital P37.0
- conjunctiva A18.5† H13.1*
- connective tissue (systemic) A18.8† 2a 2b M36.8*
- cornea (ulcer) A18.5† H19.2*
- Cowper's gland A18.1† 2a 2b N51.8*
- coxae A18.0† 2a 2b M01.1*
- coxalgia A18.0† 2a 2b M01.1*
- cul-de-sac of Douglas A18.1† 2a 2b N74.1*
- curvature, spine A18.0† 2a 2b M49.0*
- cutis (colliquativa) (primary) A18.4
- cyst, ovary A18.1† 2a 2b N74.1*
- cystitis A18.1† 2a 2b N33.0*

- dactylitis A18.0† 2a 2b M90.0*
- diarrhea A18.3† K93.0*
- diffuse (*see also* Tuberculosis, miliary) A19.9
- digestive tract A18.3† K93.0*
- disseminated (*see also* Tuberculosis, miliary) A19.9
- duodenum A18.3† K93.0*
- dura (mater) (cerebral) (spinal) A17.0† 2a 2b G01* 2b
 - - abscess (cerebral) (spinal) A17.8† 2a 2b G07* 2b
- dysentery A18.3† K93.0*
- ear (inner) (middle) A18.6
 - - bone A18.0† 2a 2b M90.0*
 - - external (primary) A18.4
 - - skin (primary) A18.4
- elbow A18.0† 2a 2b M01.1*
- empyema A16.5 2a 2b
- encephalitis A17.8† 2a 2b G05.0*
- endarteritis A18.8† 2a 2b I79.8*
- endocarditis A18.8† 2a 2b I39.8*
- - aortic A18.8† 2a 2b I39.1*
- - mitral A18.8† 2a 2b I39.0*
- - pulmonary A18.8† 2a 2b I39.3*
- - tricuspid A18.8† 2a 2b I39.2*
- endocrine glands NEC A18.8† 2a 2b E35.8*
- endometrium A18.1† 2a 2b N74.1*
- enteric, enterica, enteritis A18.3† K93.0*
- enterocolitis A18.3† K93.0*
- epididymis, epididymitis A18.1† 2a 2b N51.1*
- epidural abscess (cerebral) (spinal) A17.8† 2a 2b G07* 2b
- epiglottis A16.4 2a 2b
- episcleritis A18.5† H19.0*
- erythema (induratum) (nodosum) (primary) A18.4
- esophagus A18.8† 2a 2b K23.0*
- eustachian tube A18.6† H75.0*
- exudative - *see* Tuberculosis, pulmonary
- eye A18.5
 - - glaucoma A18.5† H42.8*
 - - eyelid (lupus) (primary) A18.4† H03.1*
- fallopian tube (acute) (chronic) A18.1† 2a 2b N74.1*
- fascia A18.8† 2a 2b M73.8*
- fauces A16.8 2a 2b
- female pelvic inflammatory disease A18.1† 2a 2b N74.1*
- first infection A16.7 2a 2b
- gallbladder A18.8† 2a 2b K87.0*
- ganglion A18.0† 2a 2b M68.0*
- gastritis A18.8† 2a 2b K93.8*
- gastrocolic fistula A18.3† K93.0*
- gastroenteritis A18.3† K93.0*
- gastrointestinal tract A18.3† K93.0*
- general, generalized (*see also* Tuberculosis, miliary) A19.9
- genital organs A18.1 2a 2b
- genitourinary A18.1 2a 2b
- genu A18.0† 2a 2b M01.1*
- glandula suprarenalis A18.7† 2b E35.1*
- glandular, general A18.2
- glottis A16.4 2a 2b
- grinder's J65 2a 2b
- gum A18.8† 2a 2b K93.8*
- heart A18.8† 2a 2b I52.0*
- hematogenous - *see* Tuberculosis, miliary
- hemoptysis - *see* Tuberculosis, pulmonary
- hemorrhage NEC - *see* Tuberculosis, pulmonary
- hemothorax A16.5 2a 2b
- hepatitis A18.8† 2a 2b K77.0*
- hilar lymph nodes A16.3 2a 2b
- - primary (progressive) A16.7 2a 2b

- hip (bone) (disease) (joint) A18.0† 2a 2b M01.1*
- hydropneumothorax A16.5 2a 2b
- hydrothorax A16.5 2a 2b
- hypoadrenalinism A18.7† 2b E35.1*
- hypopharynx A16.8 2a 2b
- ileocecal (hyperplastic) A18.3† K93.0*
- ileocolitis A18.3† K93.0*
- ileum A18.3† K93.0*
- iliac spine (superior) A18.0† 2a 2b M90.0*
- immunological findings only A16.7 2a 2b
- indurativa (primary) A18.4
- infantile A16.7 2a 2b
- infection A16.90 2a 2b
 - - without clinical manifestations A16.7 2a 2b
- infraclavicular gland A18.2
- inguinal gland A18.2
- inguinalis A18.2
- intestine (any part) A18.3† K93.0*
- iridocyclitis A18.5† H22.0*
- iris, iritis A18.5† H22.0*
- ischiorectal A18.3† K93.0*
- jaw A18.0† 2a 2b M90.0*
- jejunum A18.3† K93.0*
- joint A18.0† 2a 2b M01.1*
- - vertebral A18.0† 2a 2b M49.0*
- keratitis (interstitial) A18.5† H19.2*
- keratoconjunctivitis A18.5† H19.2*
- kidney A18.1† 2a 2b N29.1*
- knee (joint) A18.0† 2a 2b M01.1*
- kyphosis, kyphoscoliosis A18.0† 2a 2b M49.0*
- laryngitis A16.4 2a 2b
- larynx A16.4 2a 2b
- leptomeninges, leptomeningitis (cerebral) (spinal) A17.0† 2a 2b G01* 2b
- lichenoides (primary) A18.4
- linguae A18.8† 2a 2b K93.8*
- lip A18.8† 2a 2b K93.8*
- liver A18.8† 2a 2b K77.0*
- lordosis A18.0† 2a 2b M49.0*
- lung - *see* Tuberculosis, pulmonary
- lupus vulgaris A18.4
- lymph gland or node (peripheral) A18.2
 - - abdomen A18.3
 - - bronchial A16.3 2a 2b
 - - - primary (progressive) A16.7 2a 2b
 - - cervical A18.2
 - - hilar A16.3 2a 2b
 - - - primary (progressive) A16.7 2a 2b
 - - intrathoracic A16.3 2a 2b
 - - - primary (progressive) A16.7 2a 2b
 - - mediastinal A16.3 2a 2b
 - - - primary (progressive) A16.7 2a 2b
 - - mesenteric A18.3† K93.0*
 - - retroperitoneal A18.3
 - - tracheobronchial A16.3 2a 2b
 - - - primary (progressive) A16.7 2a 2b
- lymphadenitis - *see* Tuberculosis, lymph gland
- lymphangitis - *see* Tuberculosis, lymph gland
- lymphatic (gland) (vessel) - *see* Tuberculosis, lymph gland
- mammary gland A18.8 2a 2b
- marasmus NEC A16.9 2a 2b
- mastoiditis A18.0† 2a 2b H75.0*
- mediastinal lymph gland or node A16.3 2a 2b
 - - primary (progressive) A16.7 2a 2b
- mediastinum, mediastinitis A16.8 2a 2b
- - primary (progressive) A16.7 2a 2b

- medulla A17.8† 2a 2b G07* 2b
- melanosis, Addisonian A18.7† 2b E35.1*
- meninges, meningitis (basilar) (cerebral) (cerebrospinal) (spinal) A17.0† 2a 2b G01* 2b
- meningoencephalitis A17.8† 2a 2b G05.0*
- mesentery, mesenteric (gland or node) A18.3† K93.0*
- miliary A19.9
 - - acute A19.2
 - - - multiple sites A19.1
 - - - single specified site A19.0 2a
 - - chronic A19.8
 - - specified NEC A19.8
- miner's J65 2a 2b
- molder's J65 2a 2b
- mouth A18.8† 2a 2b K93.8*
- multiple A19.9
 - - acute A19.1
 - - chronic A19.8
- muscle A18.8† 2a 2b M63.0*
- myelitis A17.8† 2a 2b G05.0*
- myocardium, myocarditis A18.8† 2a 2b I41.0*
- nasal (passage) (sinus) A16.8 2a 2b
- nasopharynx A16.8 2a 2b
- neck gland A18.2
- nephritis A18.1† 2a 2b N29.1*
- nerve (mononeuropathy) A17.8† 2a 2b G59.8*
- nervous system NEC A17.9† G99.8*
- nose (septum) A16.8 2a 2b
- ocular A18.5
- omentum A18.3
- oophoritis (acute) (chronic) A18.1† 2a 2b N74.1*
- optic (nerve trunk) (papilla) A18.5† H48.8*
- orbit A18.5
- orchitis A18.1† 2a 2b N51.1*
- organ, specified NEC A18.8 2a 2b
- osseous (*see also* Tuberculosis, bone) A18.0† 2a 2b M90.0*
- osteitis (*see also* Tuberculosis, bone) A18.0† 2a 2b M90.0*
- osteomyelitis (*see also* Tuberculosis, bone) A18.0† 2a 2b M90.0*
- otitis media A18.6† H67.0*
- ovary, ovaritis (acute) (chronic) A18.1† 2a 2b N74.1*
- oviduct (acute) (chronic) A18.1† 2a 2b N74.1*
- pachymeningitis A17.0† 2a 2b G01* 2b
- palate (soft) A18.8† 2a 2b K93.8*
- pancreas A18.8† 2a 2b K87.1*
- papulonecrotic(a) (primary) A18.4
- parathyroid glands A18.8† 2a 2b E35.8*
- paronychia (primary) A18.4
- parotid gland or region A18.8† 2a 2b K93.8*
- pelvis (bony) A18.0† 2a 2b M90.0*
- penis A18.1† 2a 2b N51.8*
- peribronchitis A16.4 2a 2b
- pericardium, pericarditis A18.8† 2a 2b I32.0*
- perichondritis, larynx A16.4 2a 2b
- periostitis (*see also* Tuberculosis, bone) A18.0† 2a 2b M90.0*
- perirectal fistula A18.3† K93.0*
- peritoneum NEC A18.3† K93.0*
- peritonitis A18.3† K67.3*
- pharynx, pharyngitis A16.8 2a 2b
- phlyctenulosis (keratoconjunctivitis) A18.5† H19.2*
- phthisis NEC - *see* Tuberculosis, pulmonary
- pituitary gland A18.8† 2a 2b E35.8*
- placenta O98.0
- pleura, pleural, pleurisy, pleuritis (fibrinous) (obliterative) (purulent) (simple plastic) (with effusion) A16.5 2a 2b
 - - primary (progressive) A16.7 2a 2b
- pneumonia, pneumonic - *see* Tuberculosis, pulmonary
- pneumothorax (spontaneous) (tense valvular) - *see* Tuberculosis, pulmonary

- polyneuropathy A17.8† 2a 2b G63.0*
- polyserositis A19.9
 - - acute A19.1
 - - chronic A19.8
- potter's J65 2a 2b
- prepuce A18.1† 2a 2b N51.8*
- primary (complex) A16.7 2a 2b
- proctitis A18.3† K93.0*
- prostate, prostatitis A18.1† 2a 2b N51.0*
- pulmonalis - *see* Tuberculosis, pulmonary
- pulmonary (cavitated) (fibrotic) (infiltrative) (nodular) A16.2 2a 2b
 - - childhood type or first infection A16.7 2a 2b
 - - primary (complex) A16.7 2a 2b
 - - without mention of bacteriological or histological confirmation A16.2 2a 2b
- pyelitis A18.1† 2a 2b N29.1*
- pyelonephritis A18.1† 2a 2b N29.1*
- pyemia - *see* Tuberculosis, miliary
- pyonephrosis A18.1† 2a 2b N29.1*
- pyopneumothorax A16.5 2a 2b
- pyothorax A16.5 2a 2b
- rectum (fistula) (with abscess) A18.3† K93.0*
- reinfection stage - *see* Tuberculosis, pulmonary
- renal A18.1† 2a 2b N29.1*
- respiratory A16.9 2a 2b
 - - primary A16.7 2a 2b
 - - specified site NEC A16.8 2a 2b
- resulting from HIV disease B20.0
- retina, retinitis A18.5† H32.0*
- retroperitoneal (lymph gland or node) A18.3
- rheumatism NEC A18.0† 2a 2b M01.1*
- rhinitis A16.8 2a 2b
- sacroiliac (joint) A18.0† 2a 2b M49.0*
- sacrum A18.0† 2a 2b M49.0*
- salivary gland A18.8† 2a 2b K93.8*
- salpingitis (acute) (chronic) A18.1† 2a 2b N74.1*
- sandblaster's J65 2a 2b
- sclera A18.5† H19.0*
- scoliosis A18.0† 2a 2b M49.0*
- scrofulous A18.2
- scrotum A18.1† 2a 2b N51.8*
- seminal tract or vesicle A18.1† 2a 2b N51.8*
- septic NEC (*see also* Tuberculosis, miliary) A19.9
- shoulder (joint) A18.0† 2a 2b M01.1*
- - blade A18.0† 2a 2b M90.0*
- sigmoid A18.3† K93.0*
- sinus (any nasal) A16.8 2a 2b
 - - bone A18.0† 2a 2b M90.0*
 - - epididymis A18.1† 2a 2b N51.1*
- skeletal NEC A18.0† 2a 2b M90.0*
- skin (any site) (primary) A18.4
- spermatic cord A18.1† 2a 2b N51.8*
- spine, spinal (column) A18.0† 2a 2b M49.0*
- - cord A17.8† 2a 2b G07* 2b
- - medulla A17.8† 2a 2b G07* 2b
- - membrane A17.0† 2a 2b G01* 2b
- - meninges A17.0† 2a 2b G01* 2b
- spleen, splenitis A18.8† 2a 2b D77* 2b
- spondylitis A18.0† 2a 2b M49.0*
- sternoclavicular joint A18.0† 2a 2b M01.1*
- stomach A18.8† 2a 2b K93.8*
- stonemason's J65 2a 2b
- subcutaneous tissue (cellular) (primary) A18.4
- subcutis (primary) A18.4
- submaxillary (region) A18.8† 2a 2b K93.8*
- suprACLAVICULAR gland A18.2

- suprarenal (capsule) (gland) A18.7† 2b E35.1*
- symphysis pubis A18.0† 2a 2b M01.1*
- synovitis A18.0† 2a 2b M68.0*
- - articular A18.0† 2a 2b M01.1*
- - spine or vertebra A18.0† 2a 2b M49.0*
- systemic - *see* Tuberculosis, miliary
- tarsitis A18.4† H03.1*
- tendon (sheath) - *see* Tuberculosis, tenosynovitis
- tenosynovitis A18.0† 2a 2b M68.0*
- - spine or vertebra A18.0† 2a 2b M49.0*
- testis A18.1† 2a 2b N51.1*
- throat A16.8 2a 2b
- thymus gland A18.8† 2a 2b E35.8*
- thyroid gland A18.8† 2a 2b E35.0*
- tongue A18.8† 2a 2b K93.8*
- tonsil, tonsillitis A16.8 2a 2b
- trachea, tracheal A16.4 2a 2b
- - lymph gland or node A16.3 2a 2b
- - - primary (progressive) A16.7 2a 2b
- tracheobronchial A16.4 2a 2b
- - lymph gland or node A16.3 2a 2b
- - - primary (progressive) A16.7 2a 2b
- tubal (acute) (chronic) A18.1† 2a 2b N74.1*
- tunica vaginalis A18.1† 2a 2b N51.8*
- ulcer (primary) (skin) A18.4
- - bowel or intestine A18.3† K93.0*
- - specified NEC - *code as* Tuberculosis, by site
- unspecified site A16.90 2a 2b
- ureter A18.1† 2a 2b N29.1*
- urethra, urethral (gland) A18.1† 2a 2b N37.0*
- urinary organ or tract A18.1 2a 2b
- uterus A18.1† 2a 2b N74.1*
- uveal tract A18.5† H22.0*
- uvula A18.8† 2a 2b K93.8*
- vagina A18.1† 2a 2b N77.1*
- vas deferens A18.1† 2a 2b N51.8*
- verruca, verrucosa (cutis) (primary) A18.4
- vertebra (column) A18.0† 2a 2b M49.0*
- vesiculitis A18.1† 2a 2b N51.8*
- vulva A18.1† 2a 2b N77.1*
- - with ulceration A18.1† 2a 2b N77.0*
- wrist (joint) A18.0† 2a 2b M01.1*

Tuberculum

- Carabelli - *see Note at* K00.2
- occlusal - *see Note at* K00.2
- paramolare K00.2

Tuberous sclerosis (brain) Q85.1

Tubo-ovarian - *see condition*

Tuboplasty, after previous sterilization Z31.0(1938)

Tubotympanitis, catarrhal (chronic) H65.2

Tularemia A21.9

- abdominal A21.3
- conjunctivitis A21.1† H13.1*
- gastrointestinal A21.3
- generalized A21.7
- ingestion A21.3
- oculoglandular A21.1
- ophthalmic A21.1
- pneumonia (any), pneumonic A21.2† J17.0*
- septicemia A21.7
- specified NEC A21.8
- typhoidal A21.7
- ulceroglandular A21.0

Tumefaction - *see also* Swelling

- liver (*see also* Hypertrophy, liver) R16.0

Tumor (M8000/1) - *see also* Neoplasm, uncertain behavior

- acinar cell (M8550/1) D48.9 2a 2b
- acinic cell (M8550/1) D48.9 2a 2b
- adenocarcinoid (M8245/3) - *see* Neoplasm, malignant
- adenomatoid (M9054/0) - *see also* Neoplasm, benign
- - odontogenic (M9300/0) D16.5
- - - upper jaw (bone) D16.4
- adnexal (skin) (M8390/0) - *see* Neoplasm, skin, benign
- adrenal
 - - cortical (benign) (M8370/0) D35.0 2a 2b
 - - - malignant (M8370/3) C74.0
 - - rest (M8671/0) - *see* Neoplasm, benign
- alpha-cell (M8152/0)
- - malignant (M8152/3)
- - - pancreas C25.4
- - - - specified site NEC - *see* Neoplasm, malignant
- - - - unspecified site C25.4
- - pancreas D13.7 2a
- - specified site NEC - *see* Neoplasm, benign
- - unspecified site D13.7 2a
- aneurysmal (*see also* Aneurysm) I72.9 2b
- aortic body (M8691/1) D44.7
- Askin's (M8803/3) - *see* Neoplasm, connective tissue, malignant
- basal cell (M8090/1) - *see* Neoplasm, skin, uncertain behavior
- Bednar (M8833/3) - *see* Neoplasm, skin, malignant
- benign (unclassified) (M8000/0) - *see* Neoplasm, benign
- beta-cell (M8151/0)
- - malignant (M8151/3)
- - - pancreas C25.4
- - - - specified site NEC - *see* Neoplasm, malignant
- - - - unspecified site C25.4
- - pancreas D13.7 2a
- - specified site NEC - *see* Neoplasm, benign
- - unspecified site D13.7 2a
- Brenner (M9000/0) D27
- - borderline malignancy (M9000/1) D39.1
- - malignant (M9000/3) C56 2a 2b
- - proliferating (M9000/1) D39.1
- bronchial alveolar, intravascular (M9134/1) D38.1
- Brooke's (M8100/0) - *see* Neoplasm, skin, benign
- brown fat (M8880/0) - *see* Lipoma
- Burkitt's (*see also* Burkitt's, lymphoma) (M9687/3) C83.7
- calcifying epithelial odontogenic (M9340/0) D16.5
- - upper jaw (bone) D16.4
- - carcinoid (M8240/3) - *see* Carcinoid
- - carotid body (M8692/1) D44.6 2b
- - cervix, in pregnancy or childbirth O34.4
- - affecting fetus or newborn P03.8
- - causing obstructed labor O65.5
- - - affecting fetus or newborn P03.1
- chondromatous giant cell (M9230/0) - *see* Neoplasm, bone, benign
- chromaffin (M8700/0) - *see also* Neoplasm, benign
- - malignant (M8700/3) - *see* Neoplasm, malignant
- Cock's peculiar L72.1
- Codman's (M9230/0) - *see* Neoplasm, bone, benign
- dentigerous, mixed (M9282/0) D16.5
- - upper jaw (bone) D16.4
- - dermoid (M9084/0) - *see* Neoplasm, benign
- - - with malignant transformation (M9084/3) C56 2a 2b
- desmoid (extra-abdominal) (M8821/1) - *see also* Neoplasm, connective tissue, uncertain behavior
- - abdominal (M8822/1) D48.1
- embolus (M8000/6) - *see* Neoplasm, secondary
- embryonal (mixed) (M9080/1) - *see also* Neoplasm, uncertain behavior
- - liver (M9080/3) C22.7
- endodermal sinus (M9071/3)

- - specified site - *see* Neoplasm, malignant
- - unspecified site
- - - female C56 2a 2b
- - - male C62.9
- endometrioid, of low malignant potential (M8380/1) - *see* Neoplasm, uncertain behavior
- epithelial
 - - benign (M8010/0) - *see* Neoplasm, benign
 - - malignant (M8010/3) - *see* Neoplasm, malignant
- Ewing's (M9260/3) - *see* Neoplasm, bone, malignant
- fatty (M8850/0) - *see* Lipoma
- fetal, causing obstructed labor (mother) O66.3
- fibroid (M8890/0) - *see* Leiomyoma
- G cell (M8153/1)
- - malignant (M8153/3)
- - - pancreas C25.4
 - - - specified site NEC - *see* Neoplasm, malignant
 - - - unspecified site C25.4
- - specified site - *see* Neoplasm, uncertain behavior
- - unspecified site D37.7 2a
 - germ cell (M9064/3) - *see also* Neoplasm, malignant
 - - mixed (M9085/3) C80 2a 2b
 - ghost cell, odontogenic (M9302/0) D16.5
 - - upper jaw (bone) D16.4
 - giant cell (M8003/1) - *see also* Neoplasm, uncertain behavior
 - - bone (M9250/1) D48.0 2a 2b
 - - - malignant (M9250/3) - *see* Neoplasm, bone, malignant
 - - chondromatous (M9230/0) - *see* Neoplasm, bone, benign
 - - malignant (M8003/3) - *see* Neoplasm, malignant
 - - soft parts (M9251/1) - *see* Neoplasm, connective tissue, uncertain behavior
 - - - malignant (M9251/3) - *see* Neoplasm, connective tissue, malignant
 - glomus (M8711/0) D18.0
 - - jugulare (M8690/1) D44.7
 - gonadal stromal (M8590/1) - *see* Neoplasm, uncertain behavior
 - granular cell (M9580/0) - *see also* Neoplasm, connective tissue, benign
 - - malignant (M9580/3) - *see* Neoplasm, connective tissue, malignant
 - granulosa cell (M8620/1) D39.1
 - - juvenile (M8622/1) D39.1
 - - malignant (M8620/3) C56 2a 2b
 - granulosa cell-theca cell (M8621/1) D39.1
 - Gravitz's (M8312/3) C64 2a 2b
 - hemorrhoidal - *see* Hemorrhoids
 - hilar cell (M8660/0) D27
 - hilus cell (M8660/0) D27
 - Hurthle cell (benign) (M8290/0) D34
 - - malignant (M8290/3) C73 2b
 - hydatid (*see also* Echinococcus) B67.9 2b
 - hypernephroid (M8311/1) - *see* Neoplasm, uncertain behavior
 - interstitial cell (M8650/1) - *see also* Neoplasm, uncertain behavior
 - - benign (M8650/0) - *see* Neoplasm, benign
 - - malignant (M8650/3) - *see* Neoplasm, malignant
 - intravascular bronchial alveolar (M9134/1) D38.1
 - invasive (*see also* Neoplasm, malignant) C80 2a 2b
 - islet cell (M8150/0)
 - - malignant (M8150/3)
 - - - pancreas C25.4
 - - - specified site NEC - *see* Neoplasm, malignant
 - - - unspecified site C25.4
 - - specified site NEC - *see* Neoplasm, benign
 - - unspecified site D13.7 2a
 - - - juxtapaglomerular (M8361/1) D41.0
 - Klatskin's (M8162/3) C22.1 2a
 - Krukenberg's (M8490/6) C79.6 2a 2b
 - Leydig cell (M8650/1)
 - - benign (M8650/0)

- - - specified site - *see* Neoplasm, benign
- - - unspecified site
- - - - female D27
- - - - male D29.2
- - malignant (M8650/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site
- - - - female C56 2a 2b
- - - - male C62.9
- - specified site - *see* Neoplasm, uncertain behavior
- - unspecified site
- - - female D39.1
- - - male D40.1
- lipid cell, ovary (M8670/0) D27
- lipoid cell, ovary (M8670/0) D27
- lysis (syndrome) E88.3
- malignant (M8000/3) - *see also* Neoplasm, malignant
- - fusiform cell (type) (M8004/3) C80 2a 2b
- - giant cell (type) (M8003/3) C80 2a 2b
- - mixed NEC (M8940/3) C80 2a 2b
- - small cell (type) (M8002/3) C80 2a 2b
- - spindle cell (type) (M8004/3) C80 2a 2b
- - unclassified (M8000/3) C80 2a 2b
- mast cell (M9740/1) D47.0
- - malignant (M9740/3) C96.2
- melanotic, neuroectodermal (M9363/0) - *see* Neoplasm, benign
- Merkel cell (M8247/3) - *see* Neoplasm, skin, malignant
- mesenchymal
- - malignant (M8800/3) - *see* Neoplasm, connective tissue, malignant
- - mixed (M8990/1) - *see* Neoplasm, connective tissue, uncertain behavior
- mesodermal, mixed (M8951/3) - *see also* Neoplasm, malignant
- - liver C22.4
- mesonephric (M9110/1) - *see also* Neoplasm, uncertain behavior
- - malignant (M9110/3) - *see* Neoplasm, malignant
- metastatic
- - from specified site (M8000/3) - *see* Neoplasm, malignant, by site
- - of specified site - *code as* metastatic neoplasm
- - to specified site (M8000/6) - *see* Neoplasm, secondary, by site
- mixed NEC (M8940/0) - *see also* Neoplasm, benign
- - malignant (M8940/3) - *see* Neoplasm, malignant
- mucinous (of low malignant potential) (M8472/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C56 2a 2b
- mucocarcinoid (M8243/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C18.1
- mucoepidermoid (M8430/1) - *see* Neoplasm, uncertain behavior
- Müllerian, mixed (M8950/3)
- - specified site - *see* Neoplasm, malignant
- - unspecified site C54.9
- myoepithelial (M8982/0) - *see* Neoplasm, benign
- neuroectodermal (peripheral) (M9364/3) - *see also* Neoplasm, malignant C80 2a 2b
- - primitive (M9473/3)
- - - specified site - *see* Neoplasm, malignant
- - - unspecified site C71.9 2a 2b
- neurogenic olfactory (M9520/3) C30.0
- nonencapsulated sclerosing (M8350/3) C73 2b
- odontogenic (M9270/1) D48.0 2a 2b
- - adenomatoid (M9300/0) D16.5
- - - upper jaw (bone) D16.4
- - benign (M9270/0) D16.5
- - - upper jaw (bone) D16.4
- - calcifying epithelial (M9340/0) D16.5
- - - upper jaw (bone) D16.4
- - malignant (M9270/3) C41.1

- - - upper jaw (bone) C41.0
- - squamous (M9312/0) D16.5
- - - upper jaw (bone) D16.4
- ovarian stromal (M8590/1) D39.1
- ovary, in pregnancy or childbirth O34.8
- - affecting fetus or newborn P03.8
- - causing obstructed labor O65.5
- pacinian (M9507/0) - *see Neoplasm, skin, benign*
- Pancoast's (M8010/3) C34.1 2b
- papillary (M8050/0) - *see also Papilloma*
- - cystic (M8452/1) D37.7 2a
- - mucinous, of low malignant potential (M8473/3) C56 2a 2b
- - - specified site - *see Neoplasm, malignant*
- - - unspecified site C56 2a 2b
- - serous, of low malignant potential (M8462/3)
- - - specified site - *see Neoplasm, malignant*
- - - unspecified site C56 2a 2b
- pelvic, in pregnancy or childbirth O34.8
- - affecting fetus or newborn P03.8
- - causing obstructed labor O65.5
- - - affecting fetus or newborn P03.1
- phantom F45.8
- phyllodes (M9020/1) D48.6
- - benign (M9020/0) D24
- - malignant (M9020/3) - *see Neoplasm, breast, malignant*
- Pindborg (M9340/0) D16.5
- - upper jaw (bone) D16.4
- placental
- - affecting fetus or newborn P02.2
- - site trophoblastic (M9104/1) D39.2
- placental site trophoblastic (M9104/1) D39.2
- plasma cell (malignant) (M9731/3) C90.2
- polyvesicular vitelline (M9071/3)
- - specified site - *see Neoplasm, malignant*
- - unspecified site
- - - female C56 2a 2b
- - - male C62.9
- Pott's puffy - *see Osteomyelitis*
- primary (*see also Neoplasm, malignant*) C80 2a 2b
- primitive lymphoid (with metastases) C96.9
- Rathke's pouch (M9350/1) D44.3 2b
- reticuloendothelial D47.7
- - malignant C85.7
- retinal anlage (M9363/0) - *see Neoplasm, benign*
- salivary gland type, mixed (M8940/0) - *see also Neoplasm, salivary gland, benign* D11.9
- - malignant (M8940/3) - *see Neoplasm, salivary gland, malignant*
- Sampson's N80.1
- Schmincke's (M8082/3) - *see Neoplasm, nasopharynx, malignant*
- sclerosing stromal (M8602/0) D27
- sebaceous (*see also Cyst, sebaceous*) L72.1
- secondary (M8000/6) - *see Neoplasm, secondary*
- serous, of low malignant potential (M8442/3)
- - specified site - *see Neoplasm, malignant*
- - unspecified site C56 2a 2b
- Sertoli cell (M8640/0)
- - with lipid storage (M8641/0)
- - - specified site - *see Neoplasm, benign*
- - - unspecified site
- - - - female D27
- - - - male D29.2
- - specified site - *see Neoplasm, benign*
- - unspecified site
- - - female D27
- - - male D29.2
- Sertoli-Leydig cell (M8631/0)

- - malignant (M8630/3)
- - - specified site - see Neoplasm, malignant
- - - unspecified site
- - - - female C56 2a 2b
- - - - male C62.9
- - specified site - *see* Neoplasm, benign
- - unspecified site
- - - female D27
- - - male D29.2
- sex cord(-stromal) (M8590/1) - *see* Neoplasm, uncertain behavior
- - with annular tubules (M8623/1) D39.1
- skin appendage (M8390/0) - *see* Neoplasm, skin, benign
- smooth muscle (M8897/1) - *see* Neoplasm, connective tissue, uncertain behavior
- soft tissue
 - - benign (M8800/0) - *see* Neoplasm, connective tissue, benign
 - - malignant (M8800/3) - *see* Neoplasm, connective tissue, malignant
- sternomastoid (congenital) Q68.0 2b
- stromal
 - - gastric D48.1
 - - - benign D21.4
 - - - malignant C49.4 2a 2b
 - - - uncertain behavior D48.1
- - gastrointestinal D48.1
 - - benign D21.4
 - - - malignant C49.4 2a 2b
 - - - uncertain behavior D48.1
- - intestinal D48.1
 - - benign D21.4
 - - - malignant C49.4 2a 2b
 - - - uncertain behavior D48.1
- sweat gland (M8400/1) - *see also* Neoplasm, skin, uncertain behavior
- - benign (M8400/0) - *see* Neoplasm, skin, benign
- - malignant (M8400/3) - *see* Neoplasm, skin, malignant
- syphilitic, brain A52.1† 2a 2b G94.8*
- testicular stromal (M8590/1) D40.1
- theca cell (M8600/0) D27
 - theca cell-granulosa cell (M8621/1) D39.1
 - Triton, malignant (M9561/3) - *see* Neoplasm, nerve, malignant
 - trophoblastic, placental site (M9104/1) D39.2
- turban (M8200/0) D23.4
- uterus (body), in pregnancy or childbirth O34.1
 - - affecting fetus or newborn P03.8
 - - causing obstructed labor O65.5
 - - - affecting fetus or newborn P03.1
- vagina, in pregnancy or childbirth O34.6
 - - affecting fetus or newborn P03.8
 - - causing obstructed labor O65.5
 - - - affecting fetus or newborn P03.1
- varicose (*see also* Varicose vein) I83.9 2a 2b
- von Recklinghausen's - *see* Neurofibromatosis
- vulva or perineum, in pregnancy or childbirth O34.7
 - - affecting fetus or newborn P03.8
 - - causing obstructed labor O65.5
 - - - affecting fetus or newborn P03.1
- Warthin's (M8561/0) - *see* Neoplasm, salivary gland, benign
- Wilms' (M8960/3) C64 2a 2b
- yolk sac (M9071/3)
 - - specified site - *see* Neoplasm, malignant
 - - unspecified site
 - - - female C56 2a 2b
 - - - male C62.9
- Tumorlet** (M8040/1) - *see* Neoplasm, uncertain behavior
- Tungiasis** B88.1
- Tunica vasculosa lentis** Q12.2
- Turban tumor** (M8200/0) D23.4

Turner-like syndrome Q87.1 2a

Turner's

- hypoplasia (tooth) K00.4
- mosaic, mosaicism Q96.8
- syndrome Q96.9
- - male Q87.1 2a
- - specified NEC Q96.8
- tooth K00.4

Turner-Ullrich syndrome Q96.9

Tussis convulsiva (*see also* Whooping cough) A37.9

Twilight state

- epileptic F05.8
- psychogenic F44.8

Twin (pregnancy) (fetus or newborn) P01.5 2b

- complicating pregnancy O30.0
- conjoined Q89.4

Twist, twisted

- bowel, colon or intestine K56.2
- hair (congenital) Q84.1
- mesentery or omentum K56.2
- organ or site, congenital NEC - *see* Anomaly, by site
- ovarian pedicle N83.5
- - congenital Q50.2
- umbilical cord in fetus or newborn P02.5

Twitching R25.3 2b

Two

- chambered heart Q20.8 2b
- vessel cord (umbilical) Q27.0

Tylosis (acquired) L84

- linguae K13.2
- palmaris et plantaris (congenital) (inherited) Q82.8 2b
- - acquired L85.1

Tympanites (abdominal) (intestinal) R14

Tympanitis H73.8

- with otitis media - *see* Otitis media
- acute H73.0
- chronic H73.1

Tympanosclerosis H74.0

Tympanum - *see condition*

Tympamy

- abdomen R14
- chest R09.8 2b

Type A behavior pattern Z73.1(1939)

Typhilitis (*see also* Appendicitis) K37 2a 2b

Typhoenteritis A01.0

Typhoid (abortive) (ambulant) (any site) (fever) (hemorrhagic) (infection) (intermittent) (malignant) (rheumatic)
A01.0

- inoculation reaction - *see* Complications, vaccination
- pneumonia A01.0† J17.0*

Typhoperitonitis A01.0

Typhus (fever) A75.9

- abdominal, abdominalis A01.0
- African tick A77.1 2a
- brain A75.9† G94.8*
- cerebral A75.9† G94.8*
- classical A75.0
- due to *Rickettsia*
- - *prowazekii* A75.0
- - - recrudescence A75.1
- - - *tsutsugamushi* A75.3
- - *typhi* A75.2
- endemic (flea-borne) A75.2
- epidemic (louse-borne) A75.0
- exanthematic NEC A75.0
- flea-borne A75.2

- India tick A77.1 2a
- Kenya (tick) A77.1 2a
- louse-borne A75.0
- Mexican A75.2
- mite-borne A75.3
- murine A75.2
- North Asian tick-borne A77.2 2a
- Queensland tick A77.3 2a
- rat A75.2
- recrudescient A75.1
- recurrens (*see also* Fever, relapsing) A68.9
- Sao Paulo A77.0
- scrub (China) (India) (Malaysia) (New Guinea) A75.3
- shop (of Malaysia) A75.2
- Siberian tick A77.2 2a
- tick-borne A77.9 2a
- tropical (mite-borne) A75.3

Tyrosinemia E70.2

- newborn, transitory P74.5

Tyrosinosis E70.2

Tyrosinuria E70.2

- Tyrotoxicosis** (*see also* Thyrotoxicosis) E05.9 2b

U

Uhl's disease Q24.8 2b

Ulcer, ulcerated, ulcerating, ulceration, ulcerative (wound) L98.4 2a 2b

- amebic (intestine) (*see also* Amebiasis) A06.1
- - skin A06.7
- anastomotic - *see* Ulcer, gastrojejunal
- anorectal K62.6
- antral - *see* Ulcer, stomach
- anus (sphincter) (solitary) K62.6
- - varicose - *see* Varicose, ulcer, anus
- aphthous (oral) (recurrent) K12.0
- - genital organ(s)
- - - female N76.6
- - - male N50.8
- artery I77.8 2a 2b
- artheromatous plaque (*see also* Arteriosclerosis) I70.9 2a 2b
- atrophic NEC - *see* Ulcer, skin
- Barrett's K22.1
- bile duct (common) (hepatic) K83.8
- bladder (sphincter) (solitary) NEC N32.8
- - in schistosomiasis (bilharzial) B65.0† N33.8*
- - submucosal N30.1
- - tuberculous A18.1† 2a 2b N33.0*
- bleeding NEC K27.4 2a
- - specified site - *code as* Ulcer, by site, with hemorrhage
- bone M86.8
- bowel (*see also* Ulcer, intestine) K63.3 2b
- breast N61 2b
- bronchus J98.0
- buccal (cavity) (traumatic) K12.1
- Buruli A31.1
- cancerous (M8000/3) - *see* Neoplasm, malignant
- cardia K22.1
- cardioesophageal (peptic) K22.1
- cecum (*see also* Ulcer, intestine) K63.3 2b
- cervix (uteri) (decubitus) (trophic) N86
- - with cervicitis N72
- chancroidal A57
- chiclero B55.1
- chronic (cause unknown) - *see* Ulcer, skin

- Cochin-China B55.1
- colon (*see also* Ulcer, intestine) K63.3 2b
- conjunctiva H10.8
- cornea (annular) (catarrhal) (central) (infectious) (marginal) (ring) (serpent) (serpiginous) (with perforation) H16.0
- - dendritic (herpes simplex) B00.5† H19.1*
- - tuberculous (phlyctenular) A18.5† H19.2*
- corpus cavernosum (chronic) N48.5
- crural - *see* Ulcer, lower limb
- Curling's - *see* Ulcer, peptic, acute
- Cushing's - *see* Ulcer, peptic, acute
- cystic duct K82.8
- decubitus (skin, any site) (with infection) L89.9
- - cervix N86
- - stage
 - - - I L89.0
 - - - II L89.1
 - - - III L89.2
 - - - IV L89.3
- dendritic, cornea (herpes simplex) B00.5† H19.1*
- diabetes, diabetic (mellitus) (*see also* E10-E14 with fourth character .5) E14.5 2a 2b
- Dieulafoy's K25.0
- digestive (site unspecified) - *see* Ulcer, peptic
- due to
 - - infection NEC - *see* Ulcer, skin
 - - radiation NEC L59.8
 - - trophic disturbance (any region) - *see* Ulcer, skin
 - - X-ray L58.1 2b
- duodenum, duodenal (eroded) (peptic) K26.9 2b
- - with
 - - - hemorrhage K26.4
 - - - and perforation K26.6
 - - - perforation K26.5
 - - acute K26.3
 - - - with
 - - - - hemorrhage K26.0
 - - - - and perforation K26.2
 - - - - perforation K26.1
 - - chronic K26.7
 - - - with
 - - - - hemorrhage K26.4
 - - - - and perforation K26.6
 - - - - perforation K26.5
- dysenteric NEC A09.9 2a 2b
- elusive N30.1
- epiglottis J38.7
- esophagus (peptic) K22.1
- - due to
 - - - gastrointestinal reflux disease K21.0
 - - - ingestion of chemical or medicament K22.1
 - - fungal K22.1
 - - infective K22.1
 - - varicose I85.9 2a 2b
 - - - bleeding I85.0 2a 2b
- eyelid (region) H01.8
- fauces J39.2
- fistulous NEC - *see* Ulcer, skin
- foot (indolent) (*see also* Ulcer, lower limb) L97 2a 2b
- - perforating L97 2a 2b
- - - leprosus A30.1
- - - syphilitic A52.1 2a 2b
- - varicose I83.0
- - - inflamed or infected I83.2
- frambesial, initial A66.0
- frenum (tongue) K14.0
- gallbladder K82.8

- gangrenous (*see also* Gangrene) R02 2a 2b
- gastric - *see* Ulcer, stomach
- gastrocolic - *see* Ulcer, gastrojejunal
- gastroduodenal - *see* Ulcer, peptic
- gastroesophageal - *see* Ulcer, stomach
- gastrointestinal - *see* Ulcer, gastrojejunal
- gastrojejunal (peptic) K28.9
 - - with
 - - - hemorrhage K28.4
 - - - and perforation K28.6
 - - - perforation K28.5
 - - acute K28.3
 - - with
 - - - hemorrhage K28.0
 - - - and perforation K28.2
 - - - perforation K28.1
 - - chronic K28.7
 - - with
 - - - hemorrhage K28.4
 - - - and perforation K28.6
 - - - perforation K28.5
 - - due to procedure K91.8 2a 2b
- gastrojejunocolic - *see* Ulcer, gastrojejunal
- gingiva K06.8
- gingivitis K05.1
- glottis J38.7
- gum K06.8
- heel (*see also* Ulcer, lower limb) L97 2a 2b
- Hunner's N30.1
- hypopharynx J39.2
- hypopyon (chronic) (subacute) H16.0
- hypostaticum - *see* Ulcer, varicose
- ileum (*see also* Ulcer, intestine) K63.3 2b
- intestine, intestinal K63.3 2b
 - - amebic (*see also* Amebiasis) A06.1
 - - duodenal - *see* Ulcer, duodenum
 - - marginal (*see also* Ulcer, gastrojejunal) K28.9
 - - perforating K63.1 2a 2b
 - - fetus or newborn P78.0
 - - primary, small intestine K63.3 2b
 - - rectum K62.6
 - - stercoraceous, stercoral K63.3 2b
 - - tuberculous A18.3† K93.0*
 - - typhoid (fever) A01.0
 - - varicose I86.8
 - - ischemic L98.4 2a 2b
 - - lower extremity L97 2a 2b
- jejunum, jejunal - *see* Ulcer, gastrojejunal
- keratitis H16.0
- knee - *see* Ulcer, lower limb
- labium (majus) (minus) N76.6
- laryngitis (*see also* Laryngitis) J04.0
- larynx (aphthous) (contact) J38.7
 - - diphtheritic A36.2
- leg - *see* Ulcer, lower limb
- lip K13.0
 - lower limb (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) (tropical) L97 2a 2b
 - - varicose I83.0
 - - - inflamed or infected I83.2
 - - luetic - *see* Ulcer, syphilitic
 - - lung J98.4 2a 2b
 - - newborn P28.8
 - - tuberculous (*see also* Tuberculosis, pulmonary) A16.2 2a 2b
 - - malignant (M8000/3) - *see* Neoplasm, malignant
 - - marginal NEC - *see* Ulcer, gastrojejunal

- meatus (urinarius) N34.2
- Meckel's diverticulum Q43.0
- Meleney's (chronic undermining) L98.4 2a 2b
- Mooren's (cornea) H16.0
- nasopharynx J39.2
- necrotic, necrotizing L98.4 2a 2b
- neurogenic NEC - *see Ulcer, skin*
- nose, nasal (passage) (infective) (septum) J34.0
- - skin - *see Ulcer, skin*
- - varicose (bleeding) I86.8
- oesophagus - *see Ulcer, esophagus*
- oral mucosa (traumatic) K12.1
- palate (soft) K12.1
- penis (chronic) N48.5
- peptic (site unspecified) K27.9 2a 2b
 - - with
 - - - hemorrhage K27.4 2a
 - - - - and perforation K27.6
 - - - perforation K27.5
 - - acute K27.3
 - - - with
 - - - - hemorrhage K27.0
 - - - - - and perforation K27.2
 - - - - perforation K27.1
 - - chronic K27.7
 - - - with
 - - - - hemorrhage K27.4 2a
 - - - - - and perforation K27.6
 - - - - perforation K27.5
 - - newborn P78.8
 - perforating NEC K27.5
 - - skin L98.4 2a 2b
 - - specified site - *code as Ulcer, by site, with perforation*
 - peritonsillar J35.8
 - phagedenic (tropical) NEC - *see Ulcer, skin*
 - pharynx J39.2
 - phlebitis - *see Phlebitis*
 - plaster L89.9
 - - stage
 - - I L89.0
 - - II L89.1
 - - III L89.2
 - - IV L89.3
 - popliteal space - *see Ulcer, lower limb*
 - postgastrojejunostomy K91.8 2a 2b
 - postpyloric - *see Ulcer, duodenum*
 - prepuce N48.1
 - prepyloric - *see Ulcer, stomach*
 - pressure (with infection) (*see also* Decubitus) L89.9
 - - due to cast L89.9
 - - stage
 - - I L89.0
 - - II L89.1
 - - III L89.2
 - - IV L89.3
 - pyloric - *see Ulcer, stomach*
 - rectosigmoid K63.3 2b
 - rectum (sphincter) (solitary) K62.6
 - - stercoraceous, stercoral K62.6
 - - varicose - *see Varicose, ulcer, anus*
 - retina H30.0
 - rodent (M8090/3) - *see also* Neoplasm, skin, malignant
 - sclera H15.0
 - scrofulous (tuberculous) A18.2
 - scrotum N50.8

- - tuberculous A18.1† 2a 2b N51.8*
- - varicose I86.1 2b
- seminal vesicle N50.8
- sigmoid (*see also* Ulcer, intestine) K63.3 2b
- skin (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) L98.4 2a 2b
- - with gangrene (*see also* Gangrene) R02 2a 2b
- - amebic A06.7
- - decubitus (*see also* Decubitus) L89.9
- - - stage
 - - - I L89.0
 - - - II L89.1
 - - - III L89.2
 - - - IV L89.3
- - extremities (necrotizing) L98.4 2a 2b
- - lower limb L97 2a 2b
- - tuberculous (primary) A18.4
- - varicose - *see* Ulcer, varicose
- sloughing NEC - *see* Ulcer, skin
- solitary, anus or rectum (sphincter) K62.6
- sore throat J02.9 2a 2b
- - streptococcal J02.0 2a 2b
- - specified site - *see* Ulcer, skin
- - internal organ - *see* Ulcer, by site
- spermatic cord N50.8
- spine (tuberculous) A18.0† 2a 2b M49.0*
- stasis (venous) I83.0
- - inflamed or infected I83.2
- - stercoraceous, stercoral K63.3 2b
- - anus or rectum K62.6
- - stoma, stomal - *see* Ulcer, gastrojejunal
- - stomach (eroded) (peptic) (round) K25.9 2a 2b
- - with
 - - - hemorrhage K25.4 2a 2b
 - - - and perforation K25.6
 - - - perforation K25.5 2a 2b
 - - acute K25.3
- - with
 - - - hemorrhage K25.0
 - - - and perforation K25.2
 - - - perforation K25.1
- - chronic K25.7
- - with
 - - - hemorrhage K25.4 2a 2b
 - - - and perforation K25.6
 - - - perforation K25.5 2a 2b
- - stomatitis K12.1
- stress - *see* Ulcer, peptic
- strumous (tuberculous) A18.2
- syphilitic (any site) (early) (secondary) A51.3
- - late A52.7 2a 2b
- - perforating A52.7 2a 2b
- - foot A52.1 2a 2b
- testis N50.8
- thigh - *see* Ulcer, lower limb
- throat J39.2
- toe - *see* Ulcer, lower limb
- tongue (traumatic) K14.0
- tonsil J35.8
- trachea J39.8
- trophic - *see* Ulcer, skin
- tropical NEC L98.4 2a 2b
- tuberculous - *see* Tuberculosis, ulcer
- tunica vaginalis N50.8
- turbinete J34.8
- typhoid (perforating) A01.0

- urethra (meatus) (*see also* Urethritis) N34.2
- uterus N85.8
 - - cervix N86
 - - - with cervicitis N72
 - - neck N86
 - - - with cervicitis N72
 - - vagina N76.5
 - - pessary N89.8
 - - valve, heart I33.0 2a 2b
 - - varicose (lower limb, any part) (venous) I83.0
 - - anus - *see* Varicose, ulcer, anus
 - - esophagus I85.9 2a 2b
 - - - bleeding I85.0 2a 2b
 - - inflamed or infected I83.2
 - - nasal septum I86.8
 - - rectum - *see* Varicose, ulcer, anus
 - - scrotum I86.1 2b
 - - - specified site NEC I86.8
 - - vascular NEC I99 2a 2b
 - - extremity I73.8
 - - vas deferens N50.8
 - - vein, venous NEC (any site) I83.0
 - - - due to venous insufficiency I87.2 2b
 - - - inflamed or infected I83.2
 - - - postphlebitic (infected) (inflamed) (postthrombotic) I87.0
 - - vulva (acute) (infectious) N76.6
 - - in (due to)
 - - - Behcet's disease M35.2† 2b N77.8*
 - - - herpesviral (herpes simplex) infection A60.0† N77.0*
 - - - tuberculosis A18.1† 2a 2b N77.0*
- X-ray L58.1 2b
- yaws A66.4

Ulcer - *see also* Ulcer

- cutis tuberculatum A18.4
- duodeni - *see* Ulcer, duodenum
- durum (syphilitic) A51.0 2a
 - - extragenital A51.2
- gastrojejunale - *see* Ulcer, gastrojejunal
- hypostaticum - *see* Ulcer, varicose
- molle (cutis) (skin) A57
- serpens cornea H16.0
- ventriculi - *see* Ulcer, stomach

Ulegyria Q04.8

Ulerythema

- ophryogenes, congenital Q84.2
- sycosiforme L73.8

Ullrich(-Bonnevie)(-Turner) syndrome Q87.1 2a

Ullrich-Feichtiger syndrome Q87.0

Ulnar - *see* condition

Ulorrhagia, ulorrhea K06.8

Unable (*see also* Inability)

- to swallow R13 2a 2b

Unavailability (of)

- bed at medical facility Z75.1(1940)
- health service-related agencies NEC Z75.4(1941)
- medical facilities (at) Z75.3(1942)
 - - due to
 - - - investigation by social service agency Z75.2(1943)
 - - - lack of services at home Z75.0(1944)
 - - - remoteness from facility Z75.3(1945)
 - - - waiting list Z75.1(1946)
 - - home Z75.0(1947)
 - - outpatient clinic Z75.3(1948)
 - - schooling Z55.1(1949)
 - - social service agencies Z75.4(1950)

Uncinariasis B76.9

Uncongenital work Z56.5(1951)

Unconscious(ness) R40.2 2a 2b

Under influence (of)

- alcohol F10.1 2a 2b
- - chronic F10.2 2a 2b
- drug F19.1 2b
- ethanol F10.1 2a 2b
- - chronic F10.2 2a 2b
- ethyl alcohol F10.1 2a 2b
- - chronic F10.2 2a 2b

Under observation (*see also* Observation) Z03.9(1952)

Underachievement in school Z55.3(1953)

Underdevelopment - *see also* Undeveloped

- nose Q30.1
- sexual E30.0

Underfeeding, newborn P92.3

Undernourishment (*see also* Malnutrition) E46 2a 2b

Undernutrition (*see also* Malnutrition)

Underweight R62.8 2b

- for gestational age P05.0

Underwood's disease P83.0

Undescended - *see also* Malposition, congenital

- cecum Q43.3
- colon Q43.3
- testicle Q53.9
- - bilateral Q53.2
- - unilateral Q53.1

Undetermined cause R97 2a 2b

Undeveloped, undevelopment - *see also* Hypoplasia

- brain (congenital) Q02
- cerebral (congenital) Q02
- heart Q24.8 2b
- lung Q33.6 2a 2b
- testis E29.1
- uterus E30.0

Undiagnosed (disease) R99 2a 2b

Unemployment, anxiety concerning Z56.0(1954)

- threatened Z56.2(1955)

Unequal length (acquired) (arm) (leg) (limb) M21.7

Unextracted dental root K08.3

Unguis incarnatus L60.0 2a

Unhappiness R45.2

Unicornate uterus Q51.4

Unilateral - *see also* condition

- development, breast N64.8
- organ or site, congenital NEC - *see* Agenesis, by site

Unilocular heart Q20.8 2b

Union, abnormal - *see also* Fusion

- larynx and trachea Q34.8

Univentricular heart Q24.4

Universal mesentery Q43.3

Unknown cause of

- fetal death in fetal death file P95 2a 2b
- mortality R97 2a 2b

Unrecognizable genitalia Q56.4

Unresponsive R99 2a 2b

Unsatisfactory

- surroundings NEC Z59.1(1956)
- - physical environment Z58.9(1957)
- - - specified NEC Z58.8(1958)
- - work NEC Z56.5(1959)

Unspecified cause

- mortality R97 2a 2b

Unstable

- back NEC M53.2
- hip (congenital) Q65.6
- - acquired M24.8
- joint (*see also* Instability, joint) M25.3
- - secondary to removal of joint prosthesis M96.8
- lie (mother) O32.0
- - fetus or newborn, before labor P01.7
- lumbosacral joint (congenital) Q76.4
- - acquired M53.2
- sacroiliac M53.2
- spine NEC M53.2

Unsteadiness on feet R26.8 2b

Untruthfulness, child problem F91.8

Unverricht(-Lundborg) disease or epilepsy G40.3

Unwanted pregnancy Z64.0(1960)

Unwilling

- to drink R63.6
- to eat R63.6

Upbringing, institutional Z62.2(1961)

Upper respiratory - *see condition*

Upset

- gastrointestinal K30
- - psychogenic F45.3 2b
- intestinal (large) (small) K59.9
- - psychogenic F45.3 2b
- mental F99.2a 2b
- stomach K30
- - psychogenic F45.3 2b

Urachus - *see also condition*

- patent or persistent Q64.4

Urbach-Oppenheim disease L92.1 2a

Urbach's lipoid proteinosis E78.8

Urbach-Wiethe disease E78.8

Urea

- blood, high (*see also* Uremia) N19.2a 2b
- cycle metabolism disorder E72.2
- Uremia, uremic (coma)** N19.2a 2b
 - chronic (*see also* Disease, kidney, chronic) N18.5 2b
 - complicating hypertension (*see also* Hypertension, kidney) I12.0
 - congenital P96.0 2a
 - extrarenal R39.2 2b
 - following
 - - abortion (subsequent episode) O08.4 2b
 - - ectopic or molar pregnancy O08.4 2b
 - - hypertensive (*see also* Hypertension, kidney) I12.0
 - - maternal NEC, affecting fetus or newborn P00.1
 - - newborn P96.0 2a
 - - prerenal R39.2 2b

Ureter, ureteral - *see condition*

Ureteralgia N23

Ureterectasis (*see also* Hydroureter) N13.4

Ureteritis N28.8 2a 2b

- cystica N28.8 2a 2b
- due to calculus N20.1
- - with calculus, kidney N20.2
- - - with hydronephrosis N13.2
- gonococcal (acute) (chronic) A54.2† N29.1*
- nonspecific N28.8 2a 2b

Ureterocele N28.8 2a 2b

- congenital Q62.3 2a

Ureterolith, ureterolithiasis (*see also* Calculus, ureter) N20.1

Ureterostomy

- attention to Z43.6(1962)
- status Z93.6(1963)

Urethra, urethral - *see condition*

Urethralgia R39.8 2b

Urethritis (anterior) (posterior) N34.2

- calculous N21.1
- candidal B37.4† 2b N37.0*
- chlamydial A56.0
- diplococcal (gonococcal) A54.0
 - - with abscess (accessory gland) (periurethral) A54.1
- gonococcal A54.0
 - - with abscess (accessory gland) (periurethral) A54.1
- nongonococcal N34.1 2b
 - - Reiter's M02.3 2b
- nonspecific N34.1 2b
- nonvenereal N34.1 2b
- postmenopausal N34.2
- Reiter's M02.3 2b
- specified NEC N34.2
- trichomonal or due to *Trichomonas (vaginalis)* A59.0† N37.0*
- venereal NEC (nongonococcal) A64† N37.0*

Urethrocele

- congenital Q64.7
- female N81.0
- - with
 - - - cystocele N81.1
 - - - prolapse of uterus - *see Prolapse, uterus*
- male N36.3

Urethrolithiasis (with colic or infection) N21.1

Urethrorectal - *see condition*

Urethrorrhagia N36.8

Urethrrhea R36 2b

Urethrostomy

- attention to Z43.6(1964)
- status Z93.6(1965)

Urethrotrigonitis N30.3

Urethrovaginal - *see condition*

Uridrosis, uridrosis L74.8

Uric acid in blood (increased) E79.0

Uricacidemia (asymptomatic) E79.0

Uricemia (asymptomatic) E79.0

Uricosuria R82.9 2b

Urinary - *see condition*

Urination, painful R30.9 2b

Urine

- blood in (*see also* Hematuria) R31 2a 2b
- discharge, excessive R35 2b
- extravasation R39.0 2b
- incontinence R32 2b
- - nonorganic origin F98.0
- pus in N39.0 2a 2b
- retention or stasis R33 2b
- - psychogenic F45.3 2b
- secretion
- - deficient R34 2b
- - excessive R35 2b

Urinemia - *see* Uremia

Urinoma N39.9 2a 2b

Uroarthritis, infectious (Reiter's) M02.3 2b

Urodialysis R34 2b

Urolithiasis (*see also* Calculus, urinary) N20.9 2a 2b

Uronephrosis N13.3

Uropathy N39.9 2a 2b

- obstructive N13.9 2a
 - - specified NEC N13.8
 - reflux N13.9 2a
 - - specified NEC N13.8
 - vesicoureteral, reflux-associated N13.7

- - with pyelonephritis (chronic) N11.0

Urosepsis N39.0 2a 2b

Urticaria L50.9

- with angioneurotic edema T78.3 2b

- - hereditary D84.1

- allergic L50.0

- cholinergic L50.5

- chronic L50.8

- contact L50.6

- dermatographic L50.3

- due to

- - cold or heat L50.2

- - food L50.0

- - plants L50.6

- factitial L50.3

- giant T78.3 2b

- - hereditary D84.1

- idiopathic L50.1

- larynx T78.3 2b

- - hereditary D84.1

- neonatorum P83.8

- nonallergic L50.1

- papulosa (Hebra) L28.2

- pigmentosa Q82.2

- recurrent periodic L50.8

- serum T80.6 2b

- solar L56.3

- specified type NEC L50.8

- thermal (cold) (heat) L50.2

- vibratory L50.4

- xanthelasmoides Q82.2

Use (of)

- alcohol F10.9 2b

- - chronic F10.1 2a 2b

- - excessive F10.1 2a 2b

- anticoagulant for a long term (current) Z92.1(1966)

- aspirin for a long term (current) Z92.2(1967)

- cigarettes - see Use, tobacco

- drugs F19.9 2a 2b

- - named

- - - listed under Addiction...*code to* the appropriate F10-F19 with fourth character .9

- - - listed under Dependence...*code to* the appropriate F10-F19 with fourth character .9

- - - not listed under Addiction or

Dependence...*code to* the External Cause for Adverse effect in therapeutic use as listed in the Table of drugs and chemicals

- ethanol F10.9 2b

- - chronic F10.1 2a 2b

- - excessive F10.1 2a 2b

- ethyl alcohol F10.9 2b

- - chronic F10.1 2a 2b

- - excessive F10.1 2a 2b

- harmful F1x.1

- - alcohol F10.1 2a 2b

- - drugs - *code to* F11-F19 with fourth character .1 F1x.1

- - inhalants F18.1 2b

- - nonprescribed drugs, non-dependence producing F55 2b

- - patent medicines F55 2b

- - - maternal, affecting fetus or newborn P04.1

- - volatile solvents F18.1 2b

- medicaments for a long term (current) NEC Z92.2(1968)

- tobacco F17.9 2b

- - chronic F17.1 2b

- - excessive F17.1 2b

- - heavy F17.1 2b

- - volatile solvents F18.9 2a

Usher-Senear disease or syndrome L10.4

Uta B55.1

Uteromegaly N85.2

Uterovaginal - see condition

Uterovesical - see condition

Uveal - see condition

Uveitis (anterior) (see also Iridocyclitis) H20.9 2a

- due to toxoplasmosis (acquired) B58.0† H22.0*

- - congenital P37.1† H22.0*

- heterochromic H20.8

- posterior - see Chorioretinitis

- sympathetic H44.1

- syphilitic (secondary) A51.4† H22.0*

- - congenital (early) A50.0† 2a 2b H22.0*

- - late A52.7† 2a 2b H22.0*

- tuberculous A18.5† H22.0*

Uveokeratitis (see also Iridocyclitis) H20.9 2a

Uveoparotitis D86.8

Uvula - see condition

Uvulitis (acute) (catarrhal) (chronic) (gangrenous) (membranous) (suppurative) (ulcerative) K12.2

V

Vaccination

- complication or reaction - see Complications, vaccination
- not done Z28.9(1969)
- - because of, due to
- - - contraindication Z28.0(1970)
- - - patient's decision NEC Z28.2(1971)
- - - - for reason of belief or group pressure Z28.1(1972)
- - specified reason NEC Z28.8(1973)
- prophylactic (against) Z26.9(1974)
- - arthropod-borne viral encephalitis Z24.1(1975)
- - cholera (alone) Z23.0(1976)
- - - with typhoid-paratyphoid (cholera + TAB) Z27.0(1977)
- - common cold Z25.8(1978)
- - diphtheria (alone) Z23.6(1979)
- - diphtheria-tetanus-pertussis combined (DTP) Z27.1(1980)
- - - with
 - - - - poliomyelitis (DTP + polio) Z27.3(1981)
 - - - - typhoid-paratyphoid (DTP + TAB) Z27.2(1982)
- - disease (single) Z26.9(1983)
- - bacterial NEC Z23.8(1984)
- - combinations Z27.9(1985)
- - - specified NEC Z27.8(1986)
- - - specified NEC Z26.8(1987)
- - - viral NEC Z25.8(1988)
- - encephalitis, viral, arthropod-borne Z24.1(1989)
- - influenza Z25.1(1990)
- - leishmaniasis Z26.0(1991)
- - measles (alone) Z24.4(1992)
- - measles-mumps-rubella (MMR) Z27.4(1993)
- - mumps (alone) Z25.0(1994)
- - pertussis (alone) Z23.7(1995)
- - plague Z23.3(1996)
- - poliomyelitis Z24.0(1997)
- - rabies Z24.2(1998)
- - rubella (alone) Z24.5(1999)
- - smallpox Z25.8(2000)
- - tetanus toxoid (alone) Z23.5(2001)
- - tuberculosis (BCG) Z23.2(2002)
- - tularemia Z23.4(2003)
- - typhoid-paratyphoid (TAB) (alone) Z23.1(2004)
- - viral hepatitis Z24.6(2005)
- - yellow fever Z24.3(2006)

Vaccinia (generalized) (localized) B08.0 2a 2b

- congenital P35.8

Vacuum

- extraction (delivery) O75.9 2a 2b
- in sinus (accessory) (nasal) J34.8

Vagabond Z59.0(2007)

Vagabond's disease B85.1

Vagina, vaginal - see condition

Vaginalitis (tunica) N49.1

Vaginismus (reflex) N94.2

- nonorganic F52.5 2b

- psychogenic F52.5 2b

- secondary N94.2

Vaginitis (acute) N76.0

- atrophic, postmenopausal N95.2

- blennorrhagic (gonococcal) A54.0

- candidal B37.3† 2b N77.1*

- chlamydial A56.0

- chronic N76.1

- complicating pregnancy O23.5

- - affecting fetus or newborn P00.8

- due to *Trichomonas (vaginalis)* A59.0† N77.1*

- following

- - abortion (subsequent episode) O08.0 2b

- - ectopic or molar pregnancy O08.0 2b

- gonococcal A54.0

- - with abscess (accessory gland) (periurethral) A54.1

- in (due to)

- - candidiasis B37.3† 2b N77.1*

- - herpesviral (herpes simplex) infection A60.0† N77.1*

- - pinworm infection B80† N77.1*

- monilial B37.3† 2b N77.1*

- mycotic (candidal) B37.3† 2b N77.1*

- postmenopausal atrophic N95.2

- puerperal (postpartum) O86.1

- senile (atrophic) N95.2

- subacute or chronic N76.1

- syphilitic (early) A51.0 2a

- - late A52.7† 2a 2b N77.1*

- trichomonal A59.0† N77.1*

- tuberculous A18.1† 2a 2b N77.1*

- venereal NEC A64† N77.1*

Vagotonia G52.2

VAIN - see Neoplasia, intraepithelial, vagina

Vallecula - see condition

Valley fever B38.0† J99.8*

Valsuani's disease O99.0 2b

Valve, valvular (formation) - see also condition

- cerebral ventricle (communicating) in situ Z98.2(2008)

- cervix, internal os Q51.8

- congenital NEC - see Atresia, by site

- ureter (pelvic junction) (vesical orifice) Q62.3 2a

- urethra (congenital) (posterior) Q64.2

Valvulitis (see also Endocarditis) I38 2a

- rheumatic (chronic) (inactive) (with chorea) I09.1 2a 2b

- - active or acute (aortic) (mitral) (pulmonary) (tricuspid) I01.1 2a 2b

- syphilitic A52.0† 2b I39.8*

- - aortic A52.0† 2b I39.1*

- - mitral A52.0† 2b I39.0*

- - pulmonary A52.0† 2b I39.3*

- - tricuspid A52.0† 2b I39.2*

Valvulopathy - see Endocarditis

Van Bogaert's leukoencephalopathy (sclerosing) (subacute) A81.1

Van Bogaert-Scherer-Epstein disease or syndrome E75.5

Van Creveld-von Gierke disease E74.0 2a 2b

Van der Hoeve(-de Kleyn) (-Gualdi) (-Halbertsma) (-Waardenburg) (syndrome) Q78.0

Van der Woude's syndrome Q38.0

Van Neck's disease or osteochondrosis M91.0

Vanillism L23.6

Vapor asphyxia or suffocation NEC T59.9 2b

- specified agent - *see* Table of drugs and chemicals

Variance

- lethal ball, prosthetic heart valve T82.0

Variants, thalassemic D56.8

Variations in hair color L67.1

Varicella B01.9

- with

- - complications NEC B01.8

- - encephalitis B01.1† G05.1*

- - meningitis B01.0† 2a 2b G02.0*

- - pneumonia B01.2† J17.1* 2a

- congenital P35.8

- zoster - *see* Herpes, zoster

Varices - *see* Varix

Varicocele (thrombosed) (scrotum) I86.1 2b

- ovary I86.2

- spermatic cord (ulcerated) I86.1 2b

Varicose

- aneurysm (ruptured) I77.0 2b

- dermatitis I83.1

- eczema I83.1

- phlebitis - *see* Varicose vein, inflamed

- placental vessel O43.8 2b

- tumor - *see* Varicose vein

- ulcer (lower limb, any part) (venous) I83.0

- - anus I84.8

- - - external I84.4

- - - internal I84.1

- - esophagus I85.9 2a 2b

- - - bleeding I85.0 2a 2b

- - inflamed or infected I83.2

- - nasal septum I86.8

- - rectum - *see* Varicose, ulcer, anus

- - scrotum I86.1 2b

- - specified site NEC I86.8

- vein (lower limb) (ruptured) I83.9 2a 2b

- - anus - *see* Hemorrhoids

- - congenital (peripheral) Q27.8 2a 2b

- - esophagus (ulcerated) I85.9 2a 2b

- - - bleeding I85.0 2a 2b

- - inflamed or infected I83.1

- - - with ulcer (venous) I83.2

- - pelvis I86.2

- - pregnancy (lower limb) O22.0

- - - anus or rectum O22.4

- - - genital (perineum, vagina or vulva) O22.1

- - puerperium (genital) (lower limb) O87.8

- - - anus or rectum O87.2

- - rectum - *see* Hemorrhoids, internal

- - scrotum (ulcerated) I86.1 2b

- - specified site NEC I86.8

- - sublingual I86.0

- - ulcerated I83.0

- - - inflamed or infected I83.2

- - umbilical cord, affecting fetus or newborn P02.6

- - vulva I86.3 2b

- vessel I83.9 2a 2b

- - placenta O43.8 2b

Varicosis, varicosities, varicosity (*see also* Varix) I83.9 2a 2b

Variola (major) (minor) B03 2a

Varioloid B03 2a

Varix (lower limb) (ruptured) I83.9 2a 2b

- with
 - - inflammation or infection I83.1
 - - - with ulcer (venous) I83.2
 - - stasis dermatitis I83.1
 - - - with ulcer I83.2
 - - ulcer (venous) I83.0
 - - - with inflammation or infection I83.2
- aneurysmal I77.0 2b
- anus - *see* Hemorrhoids
- bladder I86.2
- broad ligament I86.2
- congenital (any site) Q27.8 2a 2b
- esophagus (ulcerated) I85.9 2a 2b
- - bleeding I85.0 2a 2b
- - congenital Q27.8 2a 2b
- - in (due to)
 - - - alcoholic liver disease K70† 2a I98.2*
 - - - cirrhosis of liver K74† 2a I98.2*
 - - - schistosomiasis B65† 2a I98.2*
 - - - toxic liver disease K71† 2a I98.2*
- gastric I86.4
- inflamed or infected I83.1
- - ulcerated I83.2
- labia (majora) I86.3 2b
- orbit I86.8
- - congenital Q27.8 2a 2b
- ovary I86.2
- papillary I78.1
- pelvis I86.2
- pharynx I86.8
- placenta O43.8 2b
- pregnancy (lower limb) O22.0
- - anus or rectum O22.4
- - genital (vagina, vulva or perineum) O22.1
- puerperium O87.8
- - genital (vagina, vulva, perineum) O87.8
- rectum - *see* Hemorrhoids, internal
- renal papilla I86.8
- retina H35.0 2a
- scrotum (ulcerated) I86.1 2b
- sigmoid colon I86.8
- specified site NEC I86.8
- spinal (cord) (vessels) I86.8
- spleen, splenic (vein) (with phlebolith) I86.8
- stomach I86.4
- sublingual I86.0
- ulcerated I83.0
- - inflamed or infected I83.2
- umbilical cord, affecting fetus or newborn P02.6
- uterine ligament I86.2
- vocal cord I86.8
- vulva (in) I86.3 2b
- - pregnancy O22.1
- - puerperium O87.8

Vas deferens - *see* condition

Vas deferentitis N49.1

Vasa previa O69.4

- affecting fetus or newborn P02.6
- hemorrhage from, affecting fetus or newborn P50.0

Vascular - *see also* condition

- loop on optic papilla Q14.2
- sheathing, retina H35.0 2a
- spider I78.1

Vasculitis (*see also* Angitis) I77.6 2b

- allergic D69.0 2a 2b
- brain I67.7
- cerebral I67.7
- chorionic
- - affecting fetus or newborn P02.7
- coronary (artery) (vein) (*see also* Arteritis, coronary) I25.8 2a 2b
- cryoglobulinemic D89.1
- disseminated I77.6 2b
- hypocomplementemic M31.8
- kidney I77.8 2a 2b
- livedoid L95.0
- nodular L95.8 2b
- pulmonary I28.8
- retina H35.0 2a
- rheumatic - *see* Fever, rheumatic
- rheumatoid M05.2 2b
- skin (limited to) L95.9 2b
- - specified NEC L95.8 2b

Vasculopathy, necrotizing M31.9

- diabetic - *see* Diabetes, vasculopathy
- placental fetal P02.2
- specified NEC M31.8
- thrombotic, fetal, specified NEC P02.2

Vasitis (nodosa) N49.1

- tuberculous A18.1† 2a 2b N51.8*

Vasodilation I73.9 2a 2b**Vasomotor** - *see condition***Vasoplasty, after previous sterilization** Z31.0(2009)**Vasospasm** I73.9 2a 2b

- cerebral (artery) G45.9 2b
- peripheral NEC I73.9 2a 2b
- retina (artery) H34.2

Vasospastic - *see condition***Vasovagal attack (paroxysmal)** R55

- psychogenic F45.3 2b

VATER syndrome Q87.2**Vater's ampulla** - *see condition***Vegetation, vegetative**

- adenoid (nasal fossa) J35.8
- endocarditis (acute) (any valve) (subacute) I33.0 2a 2b
- heart (mycotic) (valve) I33.0 2a 2b

Veil, Jackson's Q43.3**Vein, venous** - *see condition***Veldt sore** (*see also* Ulcer, skin) L98.4 2a 2b**Velpeau's hernia** - *see* Hernia, femoral**Venofibrosis** I87.8 2b**Venom, venomous**

- bite or sting (animal or insect) (with allergic or anaphylactic shock) T63.9
- - arthropod NEC T63.4
- - - scorpion T63.2
- - - spider T63.3
- - insect NEC T63.4
- - jellyfish T63.6
- - lizard T63.1
- - marine animal NEC T63.6
- - reptile NEC T63.1
- - sea anemone T63.6
- - sea-snake T63.0
- - shellfish T63.6
- - snake T63.0
- - starfish T63.6
- poisoning - *see* Venom, bite or sting

Venous - *see condition***Ventilator lung, newborn** P27.8

Ventouse delivery NEC O75.9 2a 2b

- affecting fetus or newborn P03.3

Ventral - *see condition*

Ventricle, ventricular - *see also condition*

- escape I49.3 2b

- - newborn P29.1

- inversion Q20.5

Ventriculitis (cerebral) (*see also* Encephalitis) G04.9

Ventriculomegaly G93.8 2b

- congenital Q03.8

Verbiest's syndrome G95.1 2b

Verner-Morrison syndrome D13.7 2a

Vernet's syndrome G52.7

Verneuil's disease (syphilitic bursitis) A52.7† 2a 2b M73.1*

Verruca (filiformis) (plana) (plana juvenilis) (plantaris) (simplex) (viral) (vulgaris) B07

- acuminata A63.0

- necrogenica (primary) (tuberculosa) A18.4

- seborrheica L82

- senile (seborrheic) L82

- tuberculosa (primary) A18.4

- venereal A63.0

Verrucosities (*see also* Verruca) B07

Verruga peruana, peruviana A44.1

Version

- with extraction O75.9 2a 2b

- - affecting fetus or newborn P01.7

- cervix (*see also* Malposition, uterus) N85.4

- uterus (postinfectional) (postpartal, old) (*see also* Malposition, uterus) N85.4

- - forward - *see* Anteversion, uterus

- - lateral - *see* Lateroversion, uterus

Vertebra, vertebral - *see condition*

Vertical talus Q66.8

Vertigo R42

- auditory H81.3

- aural H81.3

- benign paroxysmal H81.1

- central (origin) H81.4

- cerebral H81.4

- due to vibration T75.2 2b

- epidemic A88.1† H82* 2b

- epileptic G40.8

- hysterical F44.8

- infrasound T75.2 2b

- labyrinthine H81.0

- Ménière's H81.0

- menopausal N95.1

- otogenic H81.3

- peripheral NEC H81.3

Very long chain acyl-CoA dehydrogenase deficiency E71.3 2b

Very-low-density-lipoprotein-type (VLDL) hyperlipoproteinemia E78.1

Very low I.Q. F72 2a 2b

Vesania - *see* Psychosis

Vesical - *see condition*

Vesicle

- cutaneous R23.8 2b

- seminal - *see condition*

- skin R23.8 2b

Vesicocolic - *see condition*

Vesicoperineal - *see condition*

Vesicorectal - *see condition*

Vesicourethrectal - *see condition*

Vesicovaginal - *see condition*

Vesicular - *see condition*

Vesiculitis (seminal) N49.0

- amebic A06.8

- gonorrhreal (acute) (chronic) A54.2† N51.8*
- trichomonal A59.0† N51.8*
- tuberculous A18.1† 2a 2b N51.8*

Vestibulitis (ear) H83.0

- nose (external) J34.8
 - vulvar N76.2
- Vestige, vestigial** - *see also* Persistence
- branchial Q18.0
 - structures in vitreous (body) (humor) Q14.0

Vibration

- exposure (occupational) Z57.7(2010)
- vertigo T75.2 2b

Victim (of)

- crime Z65.4(2011)
- disaster Z65.5(2012)
- terrorism Z65.4(2013)
- torture NEC Z65.4(2014)
- war Z65.5(2015)

Vidal's disease L28.0**Villaret's syndrome** G52.7**Villitis (placenta)**

- affecting fetus or newborn P02.2

Villous - *see condition***VIN** - *see* Neoplasia, intraepithelial, vulva**Vincent's**

- angina or gingivitis A69.1 2a
- disease A69.1 2a
- stomatitis A69.1 2a

Vinson-Plummer syndrome D50.1**Violence (physical)** R45.6**Viosterol deficiency** (*see also* Deficiency, calciferol) E55.9**Vipoma** (M8155/3) - *see* Neoplasm, malignant**Viremia** B34.9 2b

- newborn P35.9

Virilism (adrenal) E25.9

- congenital E25.0

Virilization (female) E25.9

- congenital E25.0

Virus, viral NEC - *see also* condition, *see also* Infection, virus

- cytomegalovirus B25-
- resulting from HIV disease B20.2
- human immunodeficiency (HIV) - *see* Human, immunodeficiency virus (HIV) disease
- infection (*see also* Infection, virus) B34.9 2b
- specified NEC B34.8
- resulting from HIV disease B20.3
- West Nile A92.3

Viscera, visceral - *see condition***Visceroptosis** K63.4**Visible peristalsis** R19.2**Vision, visual**

- binocular, suppression H53.3
- blurred, blurring H53.8
- hysterical F44.6
- defect, defective NEC H54.9
- disorientation (syndrome) H53.8
- disturbance H53.9
- hysterical F44.6
- double H53.2
- examination Z01.0(2016)
- field, limitation (defect) H53.4
- hallucinations R44.1
- halos H53.1
- loss H54.9
- both eyes H54.1

- - complete, with or without light perception- *see* Blindness
- - one eye H54.5
- - sudden H53.1
- low (both eyes) H54.2
- - one eye (other eye normal) H54.6
- - - blindness, other eye H54.4
- perception, simultaneous without fusion H53.3

Vitality, lack of R53 2b

- newborn P96.8

Vitamin deficiency NEC - *see* Deficiency,vitamin

Vitelline duct, persistent Q43.0

Vitiligo L80

- eyelid H02.7
- pinta A67.2
- vulva N90.8

Vitreal corneal syndrome H59.0

Vitreitis H44.1

Vitreoretinopathy, proliferative H35.2 2a

- with retinal detachment H33.4

Vitreous - *see also* condition

- touch syndrome H59.0

Vocal cord - *see* condition

Vocational rehabilitation Z50.7(2017)

Vogt-Koyanagi syndrome H20.8

Vogt's disease or syndrome G80.3

Vogt-Spielmeyer amaurotic idiocy or disease E75.4 2b

Voice

- change R49.8
- loss (*see also* Aphonia) R49.1

Volhynian fever A79.0

Volkmann's ischemic contracture or paralysis (complicating trauma) T79.6 2a 2b

Volvulus (bowel) (colon) (intestine) (newborn) K56.2

- congenital Q43.8
- fallopian tube N83.5
- oviduct N83.5
- stomach (due to absence of gastrocolic ligament) K31.8 2a

Vomiting (*see also* Hyperemesis) R11 2a 2b

- bilious (cause unknown) R11 2a 2b
- - following gastrointestinal surgery K91.0
- blood (*see also* Hematemesis) K92.0 2a
- causing asphyxia, choking or suffocation (*see also* Asphyxia, food) T17.9 2b
- cyclical R11 2a 2b
- - psychogenic F50.5
- epidemic A08.1
- fecal matter R11 2a 2b
- following gastrointestinal surgery K91.0
- - psychogenic F50.5
- hysterical F50.5
- nervous F50.5
- neurotic F50.5
- newborn P92.0
- of or complicating pregnancy O21.9
- - due to
 - - - diseases classified elsewhere O21.8
 - - - specific cause NEC O21.8
 - - - early (before the end of the 22nd week of gestation) (mild) O21.0
 - - - with metabolic disturbance O21.1
 - - late (after 22 completed weeks' gestation) O21.2
- periodic R11 2a 2b
- - psychogenic F50.5
- psychogenic F50.5
- stercoral R11 2a 2b
- uremic - *see* Uremia
- winter (epidemic) A08.1

Vomito negro - *see* Fever, yellow

Von Bezold's abscess H70.0

Von Economo-Cruchet disease A85.8

Von Gierke's disease E74.0 2a 2b

Von Hippel(-Lindau) disease or syndrome Q85.8

Von Jaksch's anemia or disease D64.8 2a 2b

Von Recklinghausen-Applebaum disease E83.1 2a 2b

Von Recklinghausen's

- disease (neurofibromatosis) (M9540/1) Q85.0 2b

- - bones E21.0

Von Schroetter's syndrome I82.9 2a 2b

Von Willebrand(-Jurgens)(-Minot) disease or syndrome D68.0 2a 2b

Von Zumbusch's disease L40.1

Voyeurism F65.3

Vulva - see condition

Vulvitis (acute) (allergic) (aphthous) (atrophic) (gangrenous) (hypertrophic) (intertriginous) (senile) N76.2

- adhesive, congenital Q52.7

- blennorrhagic (gonococcal) A54.0

- candidal B37.3† 2b N77.1*

- chlamydial A56.0

- complicating pregnancy O23.5

- due to *Haemophilus ducreyi* A57

- gonococcal A54.0

- - with abscess (accessory gland) (periurethral) A54.1

- leukoplakic N90.4

- monilial B37.3† 2b N77.1*

- puerperal (postpartum) O86.1

- subacute or chronic N76.3

- syphilitic (early) A51.0 2a

- - late A52.7† 2a 2b N77.1*

- trichomonal A59.0† N77.1*

- tuberculous A18.1† 2a 2b N77.1*

Vulvorectal - see condition

Vulvovaginitis (acute) (see also Vaginitis) N76.0

- amebic A06.8

- candidal B37.3† 2b N77.1*

- chlamydial A56.0

- gonococcal (acute) (chronic) A54.0

- - with abscess (accessory gland) (periurethral) A54.1

- herpetic A60.0† N77.1*

- in (due to)

- - herpesviral (herpes simplex) infection A60.0† N77.1*

- - pinworm infection B80† N77.1*

- monilial B37.3† 2b N77.1*

- subacute or chronic N76.1

- trichomonal A59.0† N77.1*

W

Waardenburg's syndrome (with albinism) E70.3 2b

Waiting list, person on Z75.1(2018)

- undergoing social service agencyinvestigation Z75.2(2019)

Waldenström's (disease) C88.0 2a 2b

- hypergammaglobulinemia D89.0

- syndrome or macroglobulinemia (M9761/3) C88.0 2a 2b

Walker-Warburg syndrome Q04.3

Walking

- difficulty R26.2 2b

- - psychogenic F44.4

- sleep F51.3

- - hysterical F44.8

Wall, abdominal - see condition

Wallenberg's disease or syndrome I63.3† 2a 2b G46.3*

- bilateral (multiple) I63.30 2a 2b

- multiple (bilateral) I63.30 2a 2b

Wandering

- gallbladder, congenital Q44.1
- kidney, congenital Q63.8
- organ or site, congenital NEC - *see* Malposition, congenital, by site
- pacemaker (heart) I49.8
- - newborn P29.1
- spleen D73.8

War neurosis F48.8**Wart (common) (digitate) (filiform) (infectious) (juvenile) (plantar) (viral) B07**

- anogenital region (venereal) A63.0
- external genital organs (venereal) A63.0
- Hassal-Henle's (of cornea) H18.4
- Peruvian A44.1
- prosector (tuberculous) A18.4
- seborrheic L82
- senile (seborrheic) L82
- tuberculous A18.4
- venereal A63.0

Warthin's tumor (M8561/0) - *see* Neoplasm, salivary gland, benign

Wasting

- disease R64 2b
- extreme (due to malnutrition) E41 2b
- muscle NEC M62.5
- syndrome, resulting from HIV disease B22.2

Water

- clefts (senile cataract) H25.0
- deprivation of T73.1
- intoxication E87.7 2b
- - due to
 - - - medical care NEC E89.8 2b
- itch B76.9
- lack of T73.1
- loading E87.7 2b
- - due to
 - - - medical care NEC E89.8 2b
- on
- - brain - *see* Hydrocephalus
- - chest J94.8
- poisoning
- - due to
 - - - medical care NEC E89.8 2b
- pollution (exposure to) Z58.2(2020)

Waterbrash R12**Waterhouse(-Friderichsen) syndrome or disease (meningococcal) A39.1† 2a E35.1*****Watsoniasis B66.8****Wax in ear H61.2****Weak, weakness R53 2b**

- arches (acquired) M21.4
- - congenital Q66.5
- bladder (sphincter) R32 2b
- foot (double) - *see* Weak, arches
- heart, cardiac (*see also* Failure, heart) I50.9 2a 2b
- mind F70 2a 2b
- muscle M62.8
- myocardium (*see also* Failure, heart) I50.9 2a 2b
- neuromuscular G70.9 2a
- newborn P96.8
- pelvic fundus N81.8
- senile R54 2a 2b
- valvular - *see* Endocarditis

Weaning from ventilator or respirator (mechanical) Z51.8(2021)**Wear, worn, tooth, teeth (approximal) (hard tissues) (interproximal) (occlusal) K03.0****Weather, effects (of) (on)**

- cold NEC T69.9 2b
- - specified effect NEC T69.8

- hot (*see also* Heat) T67.9

- skin L57.8

Weaver's syndrome Q87.3

Web, webbed

- esophagus Q39.4

- fingers Q70.1

- larynx (glottic) (subglottic) Q31.0

- neck Q18.3

- popliteal syndrome Q87.8 2b

- toes Q70.3

Weber-Christian disease M35.6

Weber-Cockayne syndrome (epidermolysis bullosa) Q81.8

Weber-Gubler syndrome I67.8† G46.3*

Weber-Leyden syndrome I67.8† G46.3*

Weber-Osler syndrome I78.0

Weber's paralysis or syndrome I67.8† G46.3*

Wedge-shaped or wedging vertebra NEC M48.5

Wegener's (granulomatosis) (syndrome) (vasculitis) M31.3

- with

- - kidney involvement M31.3† N08.5*

- - lung involvement M31.3† J99.1*

Weight

- gain (abnormal) (excessive) R63.5

- - in pregnancy O26.0

- - - low O26.1

- loss (abnormal) (cause unknown) R63.4

- over 2 pounds (1000 gms) but not more than 5½ pounds (2499 gms) at birth P07.1 2b

- 2 pounds (999 gms) or under at birth P07.0 2b

- 10 pounds (4500 gms) or more at birth P08.0 2b

- 999 grams or less at birth (extremely low) P07.0 2b

- 1000-2499 grams at birth (low) P07.1 2b

Weightlessness (effect of) T75.8 2b

Weil(I)-Marchesani syndrome Q87.1 2a

Weil's disease A27.0

Weingarten's syndrome J82

Wells' disease L98.3

Wen (*see also* Cyst, sebaceous) L72.1

Wenckebach's block or phenomenon I44.1

Werdnig-Hoffmann

- atrophy, muscular G12.0

- disease or syndrome G12.0

Werlhof's disease D69.3 2a 2b

Werner's disease or syndrome E34.8

Werner-Schultz disease D70

Wernicke-Posada disease B38.7

Wernicke's

- developmental aphasia F80.2

- disease or syndrome E51.2† 2a 2b G32.8*

- encephalopathy E51.2† 2a 2b G32.8*

- polioencephalitis, superior E51.2† 2a 2b G32.8*

Wernicke's-Korsakoff syndrome - *see also* Korsakov's disease, psychosis or syndrome (alcoholic) F10.6 2a 2b

West African fever B50.8 2b

Westphal-Strümpell syndrome E83.0 2b

West's syndrome G40.4

Wet lung J80 2b

- newborn P22.1 2b

Wharton's duct - *see condition*

Wheal (*see also* Urticaria) L50.9

Wheezing R06.2 2b

Whiplash injury S13.4

Whipple's disease K90.8† 2b M14.8*

Whipworm (disease) (infection) (infestation) B79

Whistling face Q87.0

White - *see also condition*

- leg, puerperal, postpartum or childbirth O87.1

- mouth B37.0 2b
- spot lesions, teeth K02.0

Whitehead L70.0

Whitlow (with lymphangitis) L03.0

- herpesviral B00.8† L99.8*

Whitmore's disease or fever (*see also* Melioidosis) A24.4

Whooping cough A37.9

- with pneumonia A37† 2a J17.0*

- *Bordetella*

- - *bronchiseptica* A37.8

- - *parapertussis* A37.1

- - *pertussis* A37.0

Wide cranial sutures, newborn P96.3

Widening aorta (*see also* Aneurysm, aorta) I71.9 2a 2b

- ruptured I71.8

Wilkie syndrome K55.1

Wilkinson-Sneddon disease or syndrome L13.1

Willebrand-Jurgens thrombopathy D68.0 2a 2b

Williams syndrome Q89.7 2a 2b

Willige-Hunt disease or syndrome G23.1

Willi-Prader syndrome Q87.1 2a

Wilms' tumor (M8960/3) C64 2a 2b

Wilson-Mikity syndrome P27.0

Wilson's

- disease or syndrome E83.0 2b
- hepatolenticular degeneration E83.0 2b
- lichen ruber L43.9

Window - *see also* Imperfect, closure

- aorticopulmonary Q21.4

Winter - *see condition*

Wiskott-Aldrich syndrome D82.0 2b

Withdrawal

- state, symptoms, syndrome - *code to* F10-F19 with fourth character .3 F1x.3

- - with delirium - *code to* F10-F19 with fourth character .4 F1x.4

- - alcohol F10.3

- - - with delirium F10.4 2a

- - amphetamine (or related substance) F15.3

- - - with delirium F15.4

- - caffeine F15.3

- - cannabinoids F12.3

- - cocaine F14.3

- - - with delirium F14.4

- - drug NEC F19.3

- - - with delirium F19.4

- - hallucinogens F16.3

- - - with delirium F16.4

- - hypnotics F13.3

- - - with delirium F13.4

- - newborn

- - - correct therapeutic substance properly administered P96.2

- - - infant of dependent mother P96.1

- - opioids F11.3

- - - with delirium F11.4

- - phencyclidine (PCP) F19.3

- - - with delirium F19.4

- - psychoactive substances NEC F19.3

- - - with delirium F19.4

- - sedatives F13.3

- - - with delirium F13.4

- - steroid NEC (correct substance properly administered) E27.3

- - - overdose or wrong substance given or taken T38.0

- - stimulants NEC F15.3

- - - with delirium F15.4

- - tobacco F17.3

- - volatile solvents F18.3

- - - with delirium F18.4
- therapeutic substance, neonatal P96.2
- Witts' anemia** D50.8
- Witzelsucht** F07.0 2b
- Woakes' ethmoiditis or syndrome** J33.1
- Wolff-Hirschorn syndrome** Q93.3
- Wolff-Parkinson-White syndrome** I45.6
- Wolfram syndrome** E14.7 2b
- Wolhynian fever** A79.0
- Wolman's disease** E75.5
- Wood lung or pneumonitis** J67.8
- Woolly hair (congenital)** Q84.1
- Word**
 - blindness (congenital) (developmental) F81.0
 - deafness (congenital) (developmental) F80.2
- Worm(s) (infection) (infestation)** (*see also* Infestation) B83.9
 - guinea B72 2a
 - in intestine NEC B82.0
- Worm-eaten soles** A66.3
- Worn out** (*see also* Exhaustion) R53 2b
- Worried well** Z71.1(2022)
- Worries** R45.2
- Wound (animal bite) (cut) (laceration) (open) (penetrating) (puncture wound) (shot wound) (with penetrating foreign body)** T14.1 2a 2b
 - abdomen, abdominal S31.8 2b
 - - and lower back, pelvis, multiple S31.7
 - - wall S31.1
 - alveolar (process) S01.5
 - ankle S91.0
 - - and foot, multiple S91.7
 - anterior chamber, eye - *see* Wound, ocular
 - anus S31.8 2b
 - arm
 - - meaning upper limb - *see* Wound, limb, upper
 - - upper S41.1
 - - - and shoulder (level), multiple S41.7
 - auditory canal (external) (meatus) S01.3
 - auricle, ear S01.3
 - axilla S41.8
 - back S21.2 2b
 - - lower S31.0
 - blood vessel - *see* Injury, blood vessel
 - body NEC T09.1 2b
 - bone T14.1 2a 2b
 - - specified site - *see* Wound, site of bone
 - - - site(s) not indexed - *see* Wound, by body region
 - brain S06.9 2a 2b
 - breast S21.0
 - brow S01.1
 - buttock S31.0
 - calf S81.8
 - canaliculus lacrimalis S01.1
 - - with wound of eyelid S01.1
 - canthus, eye S01.1
 - cervical esophagus S11.2
 - cheek (external) S01.4
 - - internal S01.5
 - chest (wall) (external) S21.9 2b
 - - back S21.2 2b
 - - front S21.1
 - - multiple S21.7 2a 2b
 - chin S01.8
 - choroid - *see* Wound, ocular
 - ciliary body (eye) - *see* Wound, ocular
 - clitoris S31.4 2b

- conjunctiva (*see also* Wound, ocular) S05.0
- cornea (*see also* Wound, ocular) S05.8
- costal region S21.9 2b
 - - back S21.2 2b
 - - front S21.1
- Descemet's membrane - *see* Wound, ocular
- digit(s)
- - foot S91.1
 - - - with damage to nail (matrix) S91.2
- - hand S61.0
 - - - with damage to nail (matrix) S61.1
- ear (canal) (external) S01.3
- - drum S09.2
- elbow S51.0
- epididymis S31.3
- epigastric region S31.1
- epiglottis S11.0
- esophagus (thoracic) S27.8 2a
- - cervical S11.2
- extremity, extremities - *see* Wound, limb
- eye - *see* Wound, ocular
- eyeball - *see* Wound, ocular
- eyelid S01.1
- face NEC S01.8
- finger(s) S61.0
 - - with damage to nail (matrix) S61.1
- flank S31.1
- foot S91.3
 - - and ankle, multiple S91.7
- forearm S51.9
 - - multiple S51.7
 - - specified NEC S51.8
- forehead S01.8
- genital organs (external) NEC S31.5
- globe (eye) (*see also* Wound, ocular) S05-
- groin S31.1
- gum S01.5
- hand S61.9
 - - and wrist, multiple S61.7
 - - specified NEC S61.8
- head (intra-oral) S01.9 2a 2b
 - - multiple S01.7
 - - scalp S01.0
 - - specified NEC S01.8
- heel S91.3
- hip S71.0
 - - and thigh, multiple S71.7
- hymen S31.4 2b
- hypochondrium S31.1
- hypogastric region S31.1
- iliac (region) S31.1
- infection (any site)
- - traumatic T79.3
 - - with statement of surgery on certificate T81.4 2b
 - - without indication of surgery or trauma on certificate L08.9
- inguinal region S31.1
- instep S91.3
- internal sites NEC - *see* Injury, internal, by site
- interscapular region S21.2 2b
- intraocular - *see* Wound, ocular
- iris - *see* Wound, ocular
- jaw S01.8
- knee S81.0
- labium (majus) (minus) S31.4 2b
- lacrimal duct S05.8

- - with wound of eyelid S01.1
- larynx S11.0
- leg
 - - lower S81.9
 - - - and knee, multiple S81.7
 - - - multiple S81.7
 - - - specified NEC S81.8
- meaning lower limb - *see* Wound, limb, lower
- limb T14.1 2a 2b
- - lower NEC T13.1 2b
- - multiple sites T01.3 2b
- - upper NEC T11.1 2b
- - - multiple sites T01.2
- lip S01.5
- loin S31.0
- lower back S31.0
- - and abdomen, pelvis, multiple S31.7
- lumbar region S31.0
- malar region S01.8
- mammary S21.0
- mastoid region S01.8
- mouth S01.5
- multiple T01.9 2b
- - specified site - *see* Wound, by site, multiple
- nail
 - - finger(s) S61.1
 - - thumb S61.1
 - - toe(s) S91.2
- nape (neck) S11.8 2b
- nasopharynx S01.8
- neck S11.9 2b
- - multiple S11.7
- - specified part NEC S11.8 2b
- nontraumatic - *see* Sore
- internal organ NEC - *see* Disease, of specified site
- nose, nasal (septum) (sinus) S01.2
- ocular S05.9
 - - adnexa S05.8
 - - avulsion (traumatic enucleation) S05.7
 - - eyelid S01.1
 - - laceration and rupture S05.3
 - - - with prolapse or loss of intraocular tissue S05.2
 - - muscle (extraocular) S05.4
 - - orbit (penetrating) (with or without foreign body) S05.4
 - - penetrating (eyeball) S05.6
 - - - with foreign body S05.5
 - - - orbit (with or without foreign body) S05.4
 - - periocular area S01.1
 - - specified NEC S05.8
 - oral cavity S01.5
 - orbit, penetrating (with or without foreign body) S05.4
 - oropharynx S11.2
 - palate S01.5
 - palm S61.8
 - pelvis, pelvic (floor) S31.0
 - - and abdomen, lower back, multiple S31.7
 - - girdle NEC S71.8
 - - region S31.0
 - penis S31.2
 - perineum S31.0
 - periocular area (with or without lacrimal passages) S01.1
 - pharynx S11.2
 - pinna S01.3
 - popliteal space S81.8
 - prepuce S31.2

- pubic region S31.1
- pudendum S31.4 2b
- rectovaginal septum S31.8 2b
- sacral region S31.0
- sacroiliac region S31.0
- salivary gland S01.5
- scalp S01.0
- scalpel, fetus or newborn (birth injury) P15.8
- scapular region S41.8
- sclera - *see* Wound, ocular
- scrotum S31.3
- shin S81.8
- shoulder S41.0 2b
 - - and upper arm (level), multiple S41.7
 - - girdle S41.8
- side T09.1 2b
- skin NEC T14.1 2a 2b
- skull S01.8
- specified site not indexed - *see* Wound, by body region
 - - internal sites - *see* Injury, by site
 - - spermatic cord (scrotal) S31.3
 - - pelvic region S37.8
 - - spinal cord - *see* Injury, spinal cord
 - - spine (spinal) T09.1 2b
 - - atlanto axil S11.8 2b
 - - atlanto occipital S11.8 2b
 - - atlas S11.8 2b
 - - axis S11.8 2b
 - - cervical S11.8 2b
 - - coccyx S31.0
 - - dorsal S21.8
 - - lumbar S31.0
 - - lumbar sacral S31.0
 - - sacral S31.0
 - - thoracic S21.8
 - - sternal region S21.1
 - - submaxillary region S01.8
 - - submental region S01.8
 - - supraclavicular region S11.8 2b
 - - temple, temporal region S01.8
 - - temporomandibular area S01.4
 - - testis S31.3
 - - thigh S71.1 2b
 - - and hip, multiple S71.7
 - - thorax, thoracic (external) (wall) S21.9 2b
 - - back S21.2 2b
 - - front S21.1
 - - multiple S21.7 2a 2b
 - - specified NEC S21.8
 - - throat S11.8 2b
 - - thumb S61.0
 - - with damage to nail (matrix) S61.1
 - - thyroid (gland) S11.1
 - - toe(s) S91.1
 - - with damage to nail (matrix) S91.2
 - - tongue S01.5
 - - trachea (cervical region) S11.0
 - - intrathoracic S27.5
 - - trunk NEC T09.1 2b
 - - tunica vaginalis S31.3
 - - tympanum, tympanic membrane S09.2
 - - umbilical region S31.1
 - - uvula S01.5
 - - vagina S31.4 2b
 - - vertebrae T09.1 2b

- - cervical S11.8 2b
- - lumbar S31.0
- - thoracic S21.8
- vitreous (humor) - *see* Wound, ocular
- vulva S31.4 2b
- wrist S61.9
- - and hand, multiple S61.7
- - specified NEC S61.8

Wright's syndrome G54.0 2b

Wrist - *see condition*

Wrong drug (given in error) NEC T50.9 2a 2b

- specified drug or substance - *see* Table of drugs and chemicals

Wry neck - *see* Torticollis

Wuchereria (bancrofti) infestation B74.0

Wuchereriasis B74.0

Wuchernde Struma Langhans (M8332/3) C73 2b

X

Xanthelasma (eyelid) (palpebrarum) H02.6

Xanthinuria, hereditary E79.8 2b

Xanthoastrocytoma, pleomorphic(M9424/3)

- specified site - *see* Neoplasm, malignant
- unspecified site C71.9 2a 2b

Xanthofibroma (M8830/0) - *see* Neoplasm,connective tissue, benign

Xanthogranuloma D76.3

- juvenile E75.5

Xanthoma(s), xanthomatosis (primary) (familial) (hereditary) E75.5

- bone (generalisata) D76.0 2b
- cerebrotendinous E75.5
- cutaneotendinous E75.5
- disseminatum (skin) E78.2 2b
- eruptive E78.2 2b
- hypercholesterolemic E78.0
- hyperlipidemic E78.5
- joint E75.5
- multiple (skin) E78.2 2b
- tendon (sheath) E75.5
- tubero-eruptive E78.2 2b
- tuberosum E78.2 2b
- verrucous, oral mucosa K13.4

Xanthosis R23.8 2b

Xenophobia F40.1

Xeroderma - *see also* Ichthyosis

- acquired L85.0
- - eyelid H01.1
- pigmentosum Q82.1
- vitamin A deficiency E50.8† L86* 2b

Xerophthalmia (vitamin A deficiency) E50.7† H19.8*

- unrelated to vitamin A deficiency H16.2

Xerosis

- conjunctiva H11.1
- - with Bitot's spots H11.1
- - - vitamin A deficiency E50.1† H13.8*
- - vitamin A deficiency E50.0† H13.8*
- cornea H18.8
- - with ulceration H16.0
- - - vitamin A deficiency E50.3† H19.8*
- - vitamin A deficiency E50.2† H19.8*
- cutis L85.3
- skin L85.3

Xerostomia K11.7

Xiphoidalgia M94.8

Xiphoiditis M94.8

Xiphopagus Q89.4

XO syndrome Q96.9

X-ray (of)

- abnormal findings - *see* Abnormal, diagnostic imaging
- breast (mammogram) Z12.3(2023)
- - routine Z01.6(2024)
- chest
- - for suspected tuberculosis Z03.0(2025)
- - routine Z01.6(2026)
- effects, adverse NEC T66 2b
- routine NEC Z01.6(2027)

XXXX syndrome, female Q97.1

XXXXX syndrome, female Q97.1

XXXXY syndrome Q98.1

XXY syndrome Q98.0

Y

Yaba pox virus disease B08.8

Yawning R06.8 2a 2b

- psychogenic F45.3 2b

Yaws A66.9

- bone lesions A66.6† 2a 2b M90.2*
- chancre A66.0
- cutaneous, less than five years after infection A66.2
- early (cutaneous) (macular) (maculopapular) (micropapular) (papular) A66.2
- - frambeside A66.2
- - skin lesions NEC A66.2
- eyelid A66† 2a H03.1*
- ganglion A66.6 2a 2b
- gangosis, gangosa A66.5† J99.8*
- gumma, gummatous A66.4
- - bone A66.6† 2a 2b M90.2*
- gummatous
- - frambeside A66.4
- - osteitis A66.6† 2a 2b M90.2*
- - periostitis A66.6† 2a 2b M90.1*
- hydrarthrosis A66.6† 2a 2b M14.8*
- hyperkeratosis (early) (late) A66.3
- initial lesions A66.0
- joint lesions A66.6† 2a 2b M14.8*
- juxta-articular nodules A66.7
- late nodular (ulcerated) A66.4
- latent (without clinical manifestations) (with positive serology) A66.8
- mother A66.0
- mucosal A66.7
- multiple papillomata A66.1
- nodular, late (ulcerated) A66.4
- osteitis A66.6† 2a 2b M90.2*
- papilloma, plantar or palmar A66.1
- periostitis (hypertrophic) A66.6† 2a 2b M90.1*
- specified NEC A66.7
- ulcers A66.4
- wet crab A66.1

Yellow

- atrophy (liver) (*see also* Failure, hepatic) K72.9 2a 2b
- fever - *see* Fever, yellow
- jaundice - *see* Jaundice
- nail syndrome L60.5

Yersiniosis - *see also* Infection, *Yersinia*

- extraintestinal A28.2
- intestinal A04.6

- Zellweger's syndrome** Q87.8 2b
Zenker's diverticulum (esophagus) K22.5
Zetterstrom syndrome E16.2 2b
Ziehen-Oppenheim disease G24.1
Zieve's syndrome K70.0 2a
Zinc
 - deficiency, dietary E60
 - metabolism disorder E83.2
Zollinger-Ellison syndrome E16.4
Zona - see Herpes, zoster
Zoophobia F40.2
Zoster (herpes) - see Herpes, zoster
Zygomycosis B46.9
 - specified NEC B46.8
Zymotic - see condition

SECTION II - External causes of injury

- Abandonment (accident) (causing exposure to weather conditions) (undetermined) (with intent to injure or kill) NEC**
Y06.9
 - by
 - - acquaintance or friend Y06.2
 - - parent Y06.1
 - - specified person NEC Y06.8
 - - spouse or partner Y06.0
Abuse (accidental) (adult) (child) (mental) (physical) (sexual) (undetermined intent) (*see also* Maltreatment) Y07.9 2a 2b
Accident (to) X59.9 2a 2b
 - aircraft (in transit) (powered) NEC (*see also* Accident, transport) V95.9
 - - due to, caused by cataclysm - see Cataclysm, by type
 - animal-rider NEC (*see also* Accident, transport) V80.9
 - animal-drawn vehicle NEC (*see also* Accident, transport) V80.9
 - automobile NEC (*see also* Accident, transport) V49.9 2a 2b
 - boat, boating NEC (*see also* Accident, watercraft) V94-
 - bus NEC (*see also* Accident, transport) V79.9
 - car NEC (*see also* Accident, transport) V49.9 2a 2b
 - caused by, due to
 - - animal NEC W64-
 - - cold (excessive) (*see also* Exposure, cold) X31-
 - - corrosive liquid, substance - see Table of drugs and chemicals
 - - cutting or piercing instrument (*see also* Contact, with, by type of instrument) W45-
 - - electric
 - - - current (*see also* Exposure, electric current) W87-
 - - - motor (*see also* Contact, with, by type of machine) W31-
 - - - - current (of) W86-
 - - environmental factor NEC X58-
 - - explosive material (*see also* Explosion) W40-
 - - fire, flames (*see also* Exposure, fire) X09-
 - - firearm missile (*see also* Discharge, by type of firearm) W34-
 - - heat (excessive) (*see also* Heat) X30-
 - - ignition (*see also* Ignition) X09-
 - - lifting device (*see also* Contact, with, by type of lifting device) W24-
 - - lightning NEC X33-
 - - machine, machinery NEC (*see also* Contact, with, by type of machine) W31-
 - - natural factor NEC X58-
 - - radiation (*see also* Radiation) W91-
 - - steam (*see also* Burn, steam) X13-

- - thunderbolt NEC X33-
- - transmission device (*see also* Contact, with, by type of transmission device) W24-
- - coach NEC (*see also* Accident, transport) V79.9
- - diving W16-
- - - with
 - - - drowning or submersion (*see also* Drowning) W74-
 - - - insufficient air supply W81-
- - heavy transport vehicle NEC (*see also* Accident, transport) V69.9
- - late effect of (*see also* Sequelae) Y86 2a 2b
- - machine, machinery NEC (*see also* Contact, with, by type of machine) W31-
- - motorcycle NEC (*see also* Accident, transport) V29.9
- - motor vehicle NEC (traffic) (*see also* Accident, transport) V89.2 2a 2b
- - nonmotor vehicle NEC (nontraffic) (*see also* Accident, transport) V89.1
- - traffic NEC V89.3
- - pedal cycle NEC (*see also* Accident, transport) V19.9
- - pick-up truck or van (*see also* Accident, transport) V59.9
- - railway vehicle (any) (in motion) NEC (*see also* Accident, transport) V81.9
- - - due to cataclysm - *see* Cataclysm, by type
- - sequelae of (*see also* Sequelae) Y86 2a 2b
- - ski(ing) W02-
- - sledding NEC W02-
- - specified cause NEC X58-
- - streetcar NEC (*see also* Accident, transport) V82.9
- - traffic V89.2 2a 2b
- - transport (involving injury to) (*see also* Table of land transport accidents) V99 2a 2b
- - - agricultural vehicle (nontraffic) V84.9
- - - - driver V84.5
- - - - passenger V84.6
- - - - person on outside V84.7
- - - - traffic V84.3
- - - - - driver V84.0
- - - - - passenger V84.1
- - - - - person on outside V84.2
- - - - while boarding or alighting V84.4
- - - aircraft (*see also* Accident, transport, occupant (of))
- - - person (injured by)
- - - - falling from, in or on aircraft V97.0
- - - - machinery on aircraft V97.8
- - - - on ground V97.3 2a 2b
- - - - rotating propeller V97.3 2a 2b
- - - - struck by object falling from aircraft V97.3 2a 2b
- - - - sucked into jet V97.3 2a 2b
- - - - while boarding or alighting V97.1
- - - all-terrain or off-road vehicle (nontraffic) V86.9 2a 2b
- - - - driver V86.5 2a 2b
- - - - passenger V86.6 2a 2b
- - - - person on outside V86.7
- - - - traffic V86.3 2a 2b
- - - - - driver V86.0 2a 2b
- - - - - passenger V86.1
- - - - - person on outside V86.2
- - - - while boarding or alighting V86.4
- - - animal-rider or animal-drawn vehicle occupant (in) V80.9
- - - collision (with)
- - - - animal V80.1
- - - - - being ridden V80.7
- - - - animal-drawn vehicle V80.7
- - - - bus or heavy transport vehicle V80.4
- - - - car, pick-up truck or van V80.4
- - - - fixed or stationary object V80.8
- - - - nonmotor vehicle V80.7
- - - - pedal cycle V80.2
- - - - pedestrian V80.1
- - - - railway train or vehicle V80.6
- - - - specified NEC V80.5

- - - streetcar V80.7
 - - - two- or three-wheeled motor vehicle V80.3
 - - - noncollision V80.0
 - - bus occupant (in) V79.9
 - - collision (motor vehicle) (with) V79.6
 - - - animal V70-
 - - - - being ridden V76-
 - - - animal-drawn vehicle V76-
 - - - bus or heavy transport vehicle V74-
 - - - car, pick-up truck or van V73-
 - - - fixed or stationary object V77-
 - - - nonmotor vehicle V76-
 - - - nontraffic V79.2
 - - - - driver V79.0

Table of land transport accidents

In collision with or involved in:

| Victim and mode of transport | Pedestrian | Pedal cycle | Two-or three-wheeled motor vehicle | Car (automobile), pick-up truck or van | Heavy transport vehicle or bus (coach) | Motor vehicle | Railway train or vehicle | Other nonmotor vehicle including animal-drawn vehicle | Fixed or stationary object | Noncollision transport accident ¹ | Other or unspecified transport accident ² |
|--|----------------|----------------|------------------------------------|--|--|----------------|--------------------------|---|----------------------------|--|--|
| Pedestrian | (W51-) | V01- | V02- | V03- | V04- | V09- | V05- | V06- | (W22-) | | V09- |
| Pedal cyclist | V10- | V11- | V12- | V13- | V14- | V19- | V15- | V16- | V17- | V18- | V19- |
| Motorcycle rider | V20- | V21- | V22- | V23- | V24- | V29- | V25- | V26- | V27- | V28- | V29- |
| Occupant of: | | | | | | | | | | | |
| - three-wheeled motor vehicle | V30- | V31- | V32- | V33- | V34- | V39- | V35- | V36- | V37- | V38- | V39- |
| - car (automobile) | V40- | V41- | V42- | V43- | V44- | V49- | V45- | V46- | V47- | V48- | V49- |
| - pickup truck or van | V50- | V51- | V52- | V53- | V54- | V59- | V55- | V56- | V57- | V58- | V59- |
| - heavy transport vehicle | V60- | V61- | V62- | V63- | V64- | V69- | V65- | V66- | V67- | V68- | V69- |
| - bus (coach) | V70- | V71- | V72- | V73- | V74- | V79- | V75- | V76- | V77- | V78- | V79- |
| - animal-drawn (or animal rider) | V80.1 | V80.2 | V80.3 | V80.4 | V80.4 | V80.5 | V80.6 | V80.7 | V80.8 | V80.0 | V80.9 |
| -railway train or vehicle | V81- | V81- | V81- | V81- | V81- | V81- | V81- | V81- | V81- | V81- | V81- |
| - street car | V82- | V82- | V82- | V82- | V82- | V82- | V82- | V82- | V82- | V82- | V82- |
| - industrial vehicle ³ | V83- | V83- | V83- | V83- | V83- | V83- | V83- | V83- | V83- | V83- | V83- |
| - agriculture ³ | V84- | V84- | V84- | V84- | V84- | V84- | V84- | V84- | V84- | V84- | V84- |
| -construction vehicle ³ | V85- | V85- | V85- | V85- | V85- | V85- | V85- | V85- | V85- | V85- | V85- |
| - ATV (off road vehicle) | V86- | V86- | V86- | V86- | V86- | V86- | V86- | V86- | V86- | V86- | V86- |
| -motor vehicle (traffic) | V89.2
2a 2b | V89.2
2a 2b | V87.7
2a 2b | V87.7 2a 2b | V87.7 2a
2b | V87.7
2a 2b | V87.7 2a
2b | V89.2 2a 2b | V89.2 2a
2b | V89.2 2a 2b | V89.2 2a 2b |
| - motor vehicle (nontraffic) | V89.0 | V89.0 | V88.7
2a 2b | V88.7 2a 2b | V88.7 2a
2b | V88.7
2a 2b | V88.7 2a
2b | V89.0 | V89.0 | V89.0 | V89.0 |
| - vehicle, traffic - see motor vehicle (traffic) | | | | | | | | | | | |
| - vehicle (nontraffic) | V89.9
2a 2b | V89.9
2a 2b | V89.9
2a 2b | V88.7 2a 2b | V88.7 2a
2b | V88.7 2a
2b | V88.7 2a
2b | V89.9 2a 2b | V89.9 2a
2b | V89.9 2a 2b | V89.9 2a 2b |

¹ Includes: Note 6, Volume 1 - Overturning, ran off road or roadway, loss of control, thrown from, ejected from, fell from

² Includes: Collision NOS, collision with vehicle NOS, head-on collision. Use ⁴th character .0 driver, .1 passenger, .2 unspecified, nontraffic and .4 driver, .5 passenger, .6 unspecified, traffic for categories V19, V20, V29, V39, V49, V59, V69, V79

³ Includes: Accident NOS, crash, wreck, single (any type vehicle) collision. Use ⁴th character .3, nontraffic and .9, traffic for categories V19, V20, V29,

V39, V49, V59, V69, V79

² Must be stated "on highway"

- - - - - passenger V79.1
- - - - - pedal cycle V71-
- - - - - pedestrian V70-
- - - - - railway train or vehicle V75-
- - - - - streetcar V76-
- - - - - traffic V79.6
- - - - - driver V79.4
- - - - - passenger V79.5
- - - - - two- or three-wheeled motor vehicle V72-
- - - noncollision V78-
- - - nontraffic V79.3
- - - overturning V78-
- - - specified NEC V79.8
- - car occupant (in) V49.9 2a 2b
- - - collision (motor vehicle) (with) V49.6
- - - animal V40-
- - - - - being ridden V46-
- - - - - animal-drawn vehicle V46-
- - - - - bus or heavy transport vehicle V44-
- - - - - car, pick-up truck or van V43-
- - - - - fixed or stationary object V47-
- - - - - nonmotor vehicle V46-
- - - - - nontraffic V49.2
- - - - - driver V49.0
- - - - - passenger V49.1
- - - - - pedal cycle V41-
- - - - - pedestrian V40-
- - - - - railway train or vehicle V45-
- - - - - streetcar V46-
- - - - - traffic V49.6
- - - - - driver V49.4
- - - - - passenger V49.5
- - - - - two- or three-wheeled motor vehicle V42-
- - - noncollision V48-
- - - nontraffic V49.3
- - - overturning V48-
- - - specified NEC V49.8
- - construction vehicle (nontraffic) V85.9
- - - driver V85.5
- - - passenger V85.6
- - - person on outside V85.7
- - - traffic V85.3
- - - - - driver V85.0
- - - - - passenger V85.1
- - - - - person on outside V85.2
- - - while boarding or alighting V85.4
- - due to cataclysm - see Cataclysm, by type
- - heavy transport vehicle occupant (in) V69.9
- - - collision (motor vehicle) (with) V69.6
- - - animal V60-
- - - - - being ridden V66-
- - - - - animal-drawn vehicle V66-
- - - - - bus or heavy transport vehicle V64-
- - - - - car, pick-up truck or van V63-
- - - - - fixed or stationary object V67-
- - - - - nonmotor vehicle V66-
- - - - - nontraffic V69.2
- - - - - driver V69.0
- - - - - passenger V69.1
- - - - - pedal cycle V61-
- - - - - pedestrian V60-
- - - - - railway train or vehicle V65-

- - - - streetcar V66-
- - - - traffic V69.6
- - - - driver V69.4
- - - - passenger V69.5
- - - - two- or three-wheeled motor vehicle V62-
- - - noncollision V68-
- - - nontraffic V69.3
- - - overturning V68-
- - - specified NEC V69.8
- - industrial vehicle (nontraffic) V83.9
- - - driver V83.5
- - - passenger V83.6
- - - person on outside V83.7
- - - traffic V83.3
- - - - driver V83.0
- - - - passenger V83.1
- - - - person on outside V83.2
- - - - while boarding or alighting V83.4
- - involving ditch or ditch bank (hit) (ran into) (struck) - *see* Table of land transports, fixed object
- - motorcycle rider V29.9
- - - collision (motor vehicle) (with) V29.6
- - - animal V20-
- - - - being ridden V26-
- - - - animal-drawn vehicle V26-
- - - - bus or heavy transport vehicle V24-
- - - - car, pick-up truck or van V23-
- - - - fixed or stationary object V27-
- - - - nonmotor vehicle V26-
- - - - nontraffic V29.2
- - - - - driver V29.0
- - - - - passenger V29.1
- - - - - pedal cycle V21-
- - - - - pedestrian V20-
- - - - - railway train or vehicle V25-
- - - - - streetcar V26-
- - - - - traffic V29.6
- - - - - driver V29.4
- - - - - passenger V29.5
- - - - two- or three-wheeled motor vehicle V22-
- - - noncollision V28-
- - - nontraffic V29.3
- - - overturning V28-
- - - specified NEC V29.8
- - occupant (of)
- - - aircraft (powered) V95.9
- - - - commercial (fixed wing) V95.3
- - - - nonpowered V96.9
- - - - private (fixed wing) V95.2
- - - - specified NEC V95.8 2a 2b
- - - all-terrain vehicle (ATV) (*see also* Accident, transport, all-terrain or off-road vehicle) V86.9 2a 2b
- - - animal-drawn vehicle V80.9
- - - automobile V49.9 2a 2b
- - - balloon V96.0
- - - battery-powered vehicle (airport passenger vehicle) (truck) V83.9
- - - bicycle - *see* Accident, transport, pedal cyclist
- - - - motorized - *see* Accident, transport, motorcycle rider
- - - boat NEC V94-
- - - bulldozer (*see also* Accident, transport, construction vehicle) V85.9
- - - bus V79.9
- - - cable car (on rails) V82.9
- - - - not on rails V98
- - - car V49.9 2a 2b
- - - - cable (on rails) V82.9
- - - - - not on rails V98
- - - coach V79.9

- - - coal-car (*see also* Accident, transport, industrial vehicle) V83.9
- - - earth-leveler (*see also* Accident, transport, construction vehicle) V85.9
- - - farm machinery (self-propelled) (*see also* Accident, transport, agricultural vehicle) V84.9
- - - forklift (*see also* Accident, transport, industrial vehicle) V83.9
- - - glider (unpowered) V96.2
- - - - hang V96.1
- - - - powered (microlight) (ultralight) V95.1
- - - hang-glider V96.1
- - - harvester (*see also* Accident, transport, agricultural vehicle) V84.9
- - - heavy (transport) vehicle V69.9
- - - helicopter V95.0
- - - hovercraft (open water) NEC V94.3
- - - ice-yacht V98
- - - kite (carrying person) V96.8
- - - land-yacht V98
- - - logging car (*see also* Accident, transport, industrial vehicle) V83.9
- - - mechanical shovel (*see also* Accident, transport, construction vehicle) V85.9
- - - microlight V95.1
- - - minibus V49.9 2a 2b
- - - moped - *see* Accident, transport, motorcycle rider
- - - motorcycle (with sidecar) - *see* Accident, transport, motorcycle rider
- - - motor scooter - *see* Accident, transport, motorcycle rider
- - - pedal cycle - *see* Accident, transport, pedal cyclist
- - - pick-up (truck) V59.9
- - - railway (train) (vehicle) (monorail) (two rail) (elevated) (subterranean) V81.9
- - - - collision (with)
- - - - - motor vehicle
- - - - - nontraffic V81.0
- - - - - traffic V81.1
- - - - - object NEC V81.3
- - - - - rolling stock V81.2
- - - rickshaw - *see also* Accident, transport, pedal cyclist
- - - motorized - *see* Accident, transport, three-wheeled motor vehicle
- - - - pedal driven V19.9
- - - road-roller (*see also* Accident, transport, construction vehicle) V85.9
- - - ship NEC V94-
- - - ski-lift (chair) (gondola) V98
- - - snowmobile (*see also* Accident, transport, all-terrain or off-road vehicle) V86.9 2a 2b
- - - spacecraft, spaceship V95.4
- - - streetcar (interurban) (operating on public street or highway) V82.9
- - - - collision (with)
- - - - - animal being ridden or animal-drawn vehicle V82.8
- - - - - motor vehicle
- - - - - nontraffic V82.0
- - - - - traffic V82.1
- - - - - object NEC V82.3
- - - - - rolling stock V82.2
- - - - hit by rolling stock V82.2
- - - - operating on own right-of-way, not open to other traffic V81-
- - - téléférique V98
- - - three-wheeled vehicle (motorized) V39.9
- - - - nonmotorized - *see* Accident, transport, pedal cyclist
- - - tractor (farm) (and trailer) (*see also* Accident, transport, agricultural vehicle) V84.9
- - - train V81.9
- - - tram V82.9
- - - tricycle - *see* Accident, transport, pedal cyclist
- - - - motorized - *see* Accident, transport, three-wheeled motor vehicle
- - - trolley V82.9
- - - tub, in mine or quarry (*see also* Accident, transport, industrial vehicle) V83.9
- - - ultralight V95.1
- - - van (*see also* Accident, transport, pick-up truck or van occupant) V59.9
- - - vehicle NEC V89.9 2a 2b
- - - - heavy transport V69.9
- - - - motor (traffic) NEC V89.2 2a 2b
- - - - nontraffic NEC V89.0

- - - watercraft NEC V94-
- - - parachutist V97.2
- - - after accident to aircraft V95.9
- - - pedal cyclist (in) V19.9
- - - collision (motor vehicle) (with) V19.6
- - - - animal V10-
- - - - being ridden V16-
- - - - animal-drawn vehicle V16-
- - - - bus or heavy transport vehicle V14-
- - - - car, pick-up truck or van V13-
- - - - fixed or stationary object V17-
- - - - nonmotor vehicle NEC V16-
- - - - nontraffic V19.2
- - - - driver V19.0
- - - - passenger V19.1
- - - - pedal cycle V11-
- - - - pedestrian V10-
- - - - railway train or vehicle V15-
- - - - streetcar V16-
- - - - traffic V19.6
- - - - driver V19.4
- - - - passenger V19.5
- - - - two- or three-wheeled motor vehicle V12-
- - - noncollision V18-
- - - nontraffic V19.3
- - - specified NEC V19.8
- - - pedestrian (in) V09.9
- - - collision (with)
- - - - animal being ridden or animal-drawn vehicle V06-
- - - - bus or heavy transport vehicle V04-
- - - - car V03-
- - - - pedal cycle V01-
- - - - pick-up truck or van V03-
- - - - railway train or vehicle V05-
- - - - streetcar V06-
- - - - two- or three-wheeled motor vehicle V02-
- - - - vehicle V09.9
- - - - animal-drawn V06-
- - - - motor
- - - - nontraffic V09.0
- - - - traffic V09.2
- - - - nonmotor V06-
- - - nontraffic V09.1
- - - - involving motor vehicle NEC V09.0
- - - traffic V09.3
- - - - involving motor vehicle NEC V09.2
- - person NEC (unknown means of transportation) (in) V99 2a 2b
- - - collision (between)
- - - - bus and heavy transport vehicle (traffic) V87.5
- - - - nontraffic V88.5
- - - - car (with)
- - - - bus (traffic) V87.3 2a 2b
- - - - nontraffic V88.3
- - - - heavy transport vehicle (traffic) V87.4
- - - - nontraffic V88.4
- - - - pick-up truck or van (traffic) V87.2
- - - - nontraffic V88.2
- - - - railway train or vehicle (traffic) V87.6
- - - - nontraffic V88.6
- - - - two- or three-wheeled motor vehicle (traffic) V87.0 2a 2b
- - - - nontraffic V88.0
- - - - motor vehicle (traffic) (with) NEC V87.7 2a 2b
- - - - fixed or stationary object V89.2 2a 2b
- - - - nontraffic V88.7 2a 2b
- - - - vehicle (motor) V87.7 2a 2b

- - - - multiple (specified) motor vehicles not classified to same category - *see* Accident, transport, person, collision, motor vehicle NEC
- - - - two- or three-wheeled motor vehicle (traffic) (with)
- - - - motor vehicle NEC V87.1
- - - - nontraffic V88.1
- - - nonmotor vehicle (collision) (noncollision) (traffic) V87.9
- - - nontraffic V88.9
- - pick-up truck or van occupant V59.9
- - collision (motor vehicle) (with) V59.6
- - - animal V50-
- - - - being ridden V56-
- - - animal-drawn vehicle V56-
- - - bus or heavy transport vehicle V54-
- - - car, pick-up truck or van V53-
- - - fixed or stationary object V57-
- - - nonmotor vehicle V56-
- - - nontraffic V59.2
- - - - driver V59.0
- - - - passenger V59.1
- - - - pedal cycle V51-
- - - - pedestrian V50-
- - - - railway train or vehicle V55-
- - - - streetcar V56-
- - - - traffic V59.6
- - - - driver V59.4
- - - - passenger V59.5
- - - - two- or three-wheeled motor vehicle V52-
- - - noncollision V58-
- - - nontraffic V59.3
- - - overturning V58-
- - - specified NEC V59.8
- - specified NEC V98
- - three-wheeled motor vehicle (in) V39.9
- - collision (motor vehicle) (with) V39.6
- - - animal V30-
- - - - being ridden V36-
- - - animal-drawn vehicle V36-
- - - bus or heavy transport vehicle V34-
- - - car, pick-up truck or van V33-
- - - fixed or stationary object V37-
- - - nonmotor vehicle V36-
- - - nontraffic V39.2
- - - - driver V39.0
- - - - passenger V39.1
- - - - pedal cycle V31-
- - - - pedestrian V30-
- - - - railway train or vehicle V35-
- - - - streetcar V36-
- - - - traffic V39.6
- - - - driver V39.4
- - - - passenger V39.5
- - - - two- or three-wheeled motor vehicle V32-
- - - noncollision V38-
- - - nontraffic V39.3
- - - specified NEC V39.8
- vehicle NEC V89.9 2a 2b
- - animal-drawn NEC (*see also* Accident, transport, animal rider or animal-drawn vehicle occupant) V80.9
- - special
- - - agricultural NEC (*see also* Accident, transport, agricultural vehicle) V84.9
- - - construction NEC (*see also* Accident, transport, construction vehicle) V85.9
- - - industrial NEC (*see also* Accident, transport, industrial vehicle) V83.9
- - three-wheeled NEC (motorized) (*see also* Accident, transport, three-wheeled motor vehicle) V39.9
- watercraft NEC V94-
- - with
- - - drowning or submersion NEC V92-
- - - resulting from

- - - - accident other than to watercraft V92-
- - - - accident to watercraft V90-
- - due to, caused by cataclysm - *see* Cataclysm, by type
- wheelchair NEC W05-

Acid throwing (assault) X86-

Aerosinusitis W94-

After-effect, late (*see also* Sequelae) Y89.9 2a 2b

Air

- blast in war operations Y36.2
- sickness X51-

Allergy NEC X59.9 2a 2b

- food (any) X58-
- latex X58-
- other specified substance X58-

Alpine sickness W94-

Altitude sickness W94-

Anaphylactic shock, anaphylaxis (*see also* Table of drugs and chemicals) Y57.9 2a 2b

Andes disease W94-

Arachnidism, arachnoidism X21-

Arson (with intent to injure or kill) X97-

Asphyxia, asphyxiation

- by
 - - any object, except food or vomitus W80-
 - - chemical in war operations Y36.7
 - - food (bone) (seed) W79-
 - - fumes in war operations (chemical weapons) Y36.7
 - - gas (*see also* Table of drugs and chemicals) X47-
 - - - in war operations (chemical weapons) Y36.7
 - - - legal
 - - - - execution Y35.5
 - - - - intervention Y35.2
 - - - mechanical means (*see also* Suffocation) W84-
 - - vomitus W78-
- from
 - - fire (*see also* Exposure, fire) X09-
 - - - in war operations Y36.3
 - - ignition (*see also* Ignition) X09-
 - - positional (*see also* Suffocation) W84-

Aspiration W80-

- food (any type) (into respiratory tract) (with asphyxia, obstruction respiratory tract, suffocation) W79-
- foreign body - *see* Foreign body, object or material, aspiration
- mucus, not of newborn (with asphyxia, obstruction respiratory tract, suffocation) W80-
- phlegm, not of newborn (with asphyxia, obstruction respiratory tract, suffocation) W80-
- vomitus (with asphyxia, obstruction respiratory tract, suffocation) W78-

Assassination (attempt) (*see also* Assault) Y09-

Assault (homicidal) (by) (in) Y09-

- acid (swallowed) X86-
- bite (of human being) Y08-
- bodily force (hand) (fists) (foot) Y04-
- - sexual Y05-
- bomb (antipersonnel) (letter) (petrol) X96-
- brawl (hand) (fists) (foot) (unarmed) Y04-
- burning, burns (by fire) NEC X97-
- - acid (swallowed) X86-
- - caustic, corrosive substance (swallowed) X86-
- - - gas X88-
- - chemical (from swallowing caustic, corrosive substance) X86-
- - cigarette(s) X97-
- - hot liquid, object or vapor X98-
- - scalding X98-
- - steam X98-
- - vitriol (swallowed) X86-
- caustic, corrosive substance (swallowed) X86-
- - gas X88-
- - chemical X90-

- - specified NEC X89-
- collision, transport (vehicle(s)) Y03-
- crashing of motor vehicle Y03-
- cut, any part of body X99-
- dagger X99-
- drowning X92-
- drugs or biological substances X85-
- dynamite X96-
- explosive(s) (material) X96-
- fertilizer X89-
- fight (hand) (fists) (foot) (unarmed) Y04-
- - with weapon NEC Y09-
- - - blunt Y00-
- - - cutting or piercing X99-
- - - firearm (*see also* Discharge, by type of firearm, homicide) X95-
- fire X97-
- firearm(s) (*see also* Discharge, by type of firearm, homicide) X95-
- garrotting X91-
- gases and vapors (corrosive), except drugs and biological substances X88-
- gunshot (wound) NEC (*see also* Discharge, by type of firearm, homicide) X95-
- hanging X91-
- incendiary device X97-
- injury NEC Y09-
- - to child due to criminal abortion attempt NEC Y08-
- knife X99-
- late effect of Y87.1 2a 2b
- ligature X91-
- noxious substance X90-
- pesticides X87-
- placing before moving object, train, vehicle Y02-
- plant food X89-
- poisoning X90-
- - chemical(s) X90-
- - - specified NEC X89-
- - drugs or biological substances X85-
- - gases and vapors (corrosive), except drugs and biological substances X88-
- - noxious substances NEC X90-
- - - specified NEC X89-
- - specified substance - *use* Table of drugs and chemicals to identify type of substance
- puncture, any part of body X99-
- pushing
- - before moving object, train, vehicle Y02-
- - from high place Y01-
- rape Y05-
- scalding X98-
- sequelae of Y87.1 2a 2b
- sexual (by bodily force) Y05-
- shooting (*see also* Discharge, by type of firearm, homicide) X95-
- specified means NEC Y08-
- stab, any part of body X99-
- steam X98-
- strangulation X91-
- submersion X92-
- suffocation X91-
- violence NEC Y09-
- vitriol (swallowed) X86-
- weapon NEC Y09-
- - blunt Y00-
- - cutting or piercing X99-
- - firearm (*see also* Discharge, by type of firearm, homicide) X95-
- wood preservatives X87-
- wound Y09-
- - cutting X99-
- - gunshot (*see also* Discharge, by type of firearm, homicide) X95-
- - knife X99-

- - piercing X99-
- - puncture X99-
- - stab X99-

Attack by mammal NEC W55-**Avalanche X36-**

- falling on or hitting
- - railway train or vehicle (in motion) X36-
- - transport (motor) vehicle (in motion) X36-

Aviator's disease W94-**B****Barotitis, barodontalgia, barosinusitis, barotrauma (otitic) (sinus) W94-****Battered (baby) (child) (person) (syndrome) (see also Maltreatment) Y07.9 2a 2b****Bayonet wound W26-**

- in
- - legal intervention Y35.4
- - war operations Y36.4

Bean in nose W79-**Beaten Y08-****Bed set on fire NEC X08-****Beheading (by guillotine)**

- homicide X99-
- legal execution Y35.5

Bending, injury in X50-**Bends W94-****Bite, bitten by**

- alligator W58-
- arthropod (nonvenomous) NEC W57-
- - venomous (*see also* Contact, with, by type of arthropod) X25-
- black widow spider X21-
- cat W55-
- centipede X24-
- cobra X20-
- crocodile W58-
- dog W54-
- fer de lance X20-
- Gila monster X20-
- human being (accidental) W50-
- - intentional Y08-
- insect (nonvenomous) W57-
- - venomous (*see also* Contact, with, by type of insect) X25-
- krait X20-
- lizard (nonvenomous) W59-
- - venomous X20-
- mammal NEC W55-
- - marine W56-
- - venomous X29-
- - - specified NEC X27-
- marine animal (nonvenomous) W56-
- - venomous X26-
- - - snake X20-
- millipede W57-
- - venomous (tropical) X24-
- moray eel W56-
- person(s) (accidental) W50-
- - intentional Y08-
- rat W53-
- rattlesnake X20-
- reptile NEC W59-
- rodent, except rat W55-
- serpent (*see also* Bite, snake) X20-
- shark W56-
- snake (venomous) X20-

- - nonvenomous W59-
- - sea X20-
- spider (venomous) X21-
- - nonvenomous W57-
- tarantula X21-
- venomous (*see also* Contact, with, by type of bite) X29-
- viper X20-

Blast (air) in war operations Y36.2

- from nuclear explosion Y36.5 2a
- underwater Y36.0

Blizzard X37-**Blow** X59.9 2a 2b

- by law-enforcement agent, police (on duty) Y35.6
- - blunt object Y35.3

Blowing up (*see also* Explosion) W40-Brawl (hand) (fists) (foot) Y04-**Breakage (accidental) (part of)**

- ladder (causing fall) W11-
- scaffolding (causing fall) W12-

Broken

- glass, contact with (*see also* Contact, with, glass) W25-
- power line (causing electric shock) W85-

Bumping against, into (accidentally)

- object (stationary) NEC W22-
- - with fall W18-
- - caused by crowd or human stampede (with fall) W52-
- - sports equipment W21-
- person(s) W51-
- - with fall W03-
- - caused by crowd or human stampede (with fall) W52-
- sports equipment W21-

Burn, burned, burning (accidental) (by) (from) (on) X09-

- acid NEC (*see also* Table of drugs and chemicals) X49-
- bedlinen X08-
- blowtorch (*see also* Exposure, fire) X08-
- bonfire, campfire (controlled) X03-
- - uncontrolled X01-
- candle (*see also* Exposure, fire) X08-
- caustic liquid, substance (external) (internal) NEC (*see also* Table of drugs and chemicals) X49-
- chemical (external) (internal) X49-
- - in war operations (chemical weapons) Y36.7
- cigar or cigarette (*see also* Exposure, fire) X08-
- clothes, clothing NEC (from controlled fire) X06-
- - with conflagration X00-
- - - not in building or structure X01-
- cooker (hot) X15-
- electric blanket X16-
- engine (hot) X17-
- fire, flames (*see also* Exposure, fire) X09-
- flare, Very pistol (*see also* Discharge, firearm) W34-
- heat
- - from appliance (electrical) (household) NEC X15-
- - - heating X16-
- - in local application or packing during medical or surgical procedure Y63.5
- heating appliance, radiator or pipe X16-
- homicide (attempt) (*see also* Assault, burning) X97-
- hot
- - air X14-
- - cooker X15-
- - drink X10-
- - engine X17-
- - fat X10-
- - fluid NEC X12-
- - food X10-
- - gases X14-
- - heating appliance X16-

- - household appliance NEC X15-
- - kettle X15-
- - liquid NEC X12-
- - machinery X17-
- - metal (liquid) (molten) NEC X18-
- - object (not producing fire or flames) NEC X19-
- - oil (cooking) X10-
- - pipe X16-
- - plate X15-
- - radiator X16-
- - saucepan (glass) (metal) X15-
- - stove (kitchen) X15-
- - substance NEC X19-
- - - caustic or corrosive NEC - *see* Table of drugs and chemicals
- - toaster X15-
- - tool X17-
- - vapor X13-
- - water (bath) (bucket) (from hose) (tap) (tub) X11-
- - - heated on stove X12-
- hotplate X15-
- ignition (*see also* Ignition) X09-
- - highly flammable material (benzine) (fat) (gasoline) (kerosene) (paraffin) (petrol) X04-
- - nightwear (gown, nightclothes, nightdress, pajamas, robe) X05-
- in war operations (from fire-producing device or conventional weapon) NEC (*see also* War operations) Y36.3
- - nuclear explosion Y36.5 2a
- - petrol bomb Y36.3
- inflicted by other person
- - stated as
 - - - intentional, homicide (attempt) X97-
 - - - by hot objects, hot vapor, or steam X98-
- - undetermined whether accidental or intentional Y26-
- - - by hot objects, hot vapor, or steam Y27-
- internal, from swallowed caustic, corrosive liquid, substance X49-
- iron (hot) X15-
- kettle (hot) X15-
- lamp (flame) (*see also* Exposure, fire) X08-
- lighter (cigar) (cigarette) (*see also* Exposure, fire) X08-
- lightning X33-
- liquid (boiling) (hot) NEC X12-
- local application of externally applied substance in medical or surgical care Y63.5
- machinery (hot) X17-
- matches (*see also* Exposure, fire) X08-
- mattress X08-
- medicament, externally applied Y63.5
- metal (hot) (liquid) (molten) NEC X18-
- nightwear (gown, nightclothes, nightdress, pajamas, robe) X05-
- object (hot) NEC X19-
- pipe (hot) X16-
- - smoking (*see also* Exposure, fire) X08-
- radiator (hot) X16-
- saucepan (hot) (glass) (metal) X15-
- self-inflicted (unspecified whether accidental or intentional) Y26-
- - by hot object, hot vapor, or steam Y27-
- - caustic or corrosive substance NEC Y33-
- - stated as intentional, purposeful, suicide (attempt) X76-
- - - caustic or corrosive substance NEC X83-
- stated as undetermined whether accidentally or purposely inflicted Y26-
- - by hot objects, hot vapor, or steam Y27-
- - caustic or corrosive substance NEC Y33-
- steam X13-
- - pipe X16-
- stove (hot) (kitchen) X15-
- substance (hot) NEC X19-
- - boiling X12-
- - molten (metal) X18-

- suicide (attempt) NEC X76-
- - caustic substance X83-
- therapeutic misadventure
- - heat in local application or packing during medical or surgical procedure Y63.5
- - overdose of radiation Y63.2 2a 2b
- toaster (hot) X15-
- tool (hot) X17-
- torch, welding (*see also* Exposure, fire) X08-
- trash fire (controlled) (*see also* Burn, bonfire) X03-
- vapor (hot) X13-
- Very pistol (*see also* Discharge, firearm) W34-
- vitriol X49-

Butted by animal NEC W55-

C

Caisson disease W94-

Campfire (exposure to) (controlled) X03-

- uncontrolled X01-

Capital punishment (any means) Y35.5

Car sickness X51-

Casualty (not due to war) NEC X59.9 2a 2b

- war (*see also* War operations) Y36.9

Cat bite or scratch W55-

Cataclysm, cataclysmic (any injury) NEC X39-

- avalanche X36-
- earth surface movement NEC X36-
- earthquake X34-
- flood X38-
- landslide X36-
- storm X37-
- volcanic eruption X35-

Catching fire (*see also* Exposure, fire) X09-

Caught

- between
- - folding object W23-
- - objects (moving) (stationary and moving) W23-
- - - and machinery (*see also* Contact, with, by type of machine) W31-
- - sliding door and door frame W23-
- by, in
- - escalator W24-
- - machinery (moving parts of) (*see also* Contact, with, by type of machine) W31-
- - object NEC W23-
- - washing-machine wringer W23-
- under packing crate (due to losing grip) W23-

Cave-in (causing asphyxia, suffocation (by pressure)) W77-

- caused by cataclysmic earth surface movement or eruption X36-
- without asphyxia or suffocation W20- **Change(s) in air pressure** W94-
- sudden, in aircraft (ascent) (descent) W94-

Choked, choking (on) (any object except food or vomitus) W80-

- food (bone) (seed) W79-
- mucus or phlegm, not of newborn W80-
- vomitus W78-

Civil insurrection (*see also* War operations) Y36.9

Cloudburst (any injury) X37-

Cold, exposure to (accidental) (excessive) (extreme) (natural) (place) NEC (*see also* Exposure, cold) X31-

Collapse

- building W20-
- - burning (uncontrolled fire) X00-
- dam or man-made structure (causing earth movement) X36-
- machinery (*see also* Contact, with, by type of machine) W31-
- structure W20-
- - burning (uncontrolled fire) X00-

Collision (accidental) NEC (*see also* Accident, transport) V89.9 2a 2b

- motor vehicle V89.2 2a 2b
- motor vehicle with motor vehicle V87.7 2a 2b
- pedestrian (conveyance) W51-
- - with fall W03-
- - and
- - - crowd or human stampede (with fall) W52-
- - - object (stationary) W22-
- - - - with fall W18-
- person(s) (using pedestrian conveyance) (*see also* Collision, pedestrian) W51-
- transport vehicle NEC V89.9 2a 2b
- - and
- - - avalanche, fallen or not moving - *see* Accident, transport
- - - falling or moving X36-
- - - landslide, fallen or not moving - *see* Accident, transport
- - - falling or moving X36-
- - due to cataclysm - *see* Cataclysm, by type
- - intentional, purposeful, suicide (attempt) X82-

Combustion, spontaneous (*see also* Ignition) X09-

Complication (delayed) (of or following) (laparoscopic) (laser) (medical or surgical procedure)

- with misadventure (*see also* Misadventure) Y69
- abdominocentesis Y84.4 2b
- adenoidectomy Y83.6 2a 2b
- adrenalectomy Y83.6 2a 2b
- amputation (of limb(s)) Y83.5 2b
- anastomosis (arteriovenous) (blood vessel) (gastrojejunal) (skin) (tendon) (natural, artificial material, tissue) Y83.2 2b
- aneurysmectomy Y83.8 2b
- angiography Y84.8 2b
- angioplasty Y83.4
- antrectomy Y83.6 2a 2b
- aorta (with any other vessel) graft Y83.2 2b
- aortoplasty Y83.4
- aortopulmonary window Y83.2 2b
- appendectomy Y83.6 2a 2b
- arteriovenous fistula Y83.2 2b
- arthroplasty Y83.4
- - total joint Y83.1
- arthroscopic surgery (knee) Y83.8 2b
- aspiration (of fluid) Y84.4 2b
- - tissue Y84.8 2b
- atrioventricular shunt Y83.2 2b
- Austin-Moore prosthesis Y83.1
- bariatric surgery Y83.9 2a 2b
- Billroth (I or II) Y83.6 2a 2b
- biopsy Y84.8 2b
- Blalock-Taussig Y83.2 2b
- blood
- - sampling Y84.7
- - transfusion
- - - procedure Y84.8 2b
- bone marrow aspiration Y84.8 2b
- bone marrow transplant Y84.8 2b
- Brock valvulotomy Y83.8 2b
- bronchoscopy Y84.8 2b
- bypass (any site) (graft) Y83.2 2b
- cardiac revascularization Y83.2 2b
- cardiotomy Y83.8 2b
- catheter, catheterization (urinary) Y84.6 2b
- - artery or vein Y84.8 2b
- - cardiac Y84.0 2b
- - dialysis Y83.2 2b
- - Foley Y84.6 2b
- - Hickman Y84.8 2b
- - peritoneal (dialysis) Y83.2 2b
- - subclavian Y84.8 2b
- - Swan Gantz Y84.8 2b

- - Tenckoff Y84.6 2b
- - vascular Y84.8 2b
- cholecystectomy Y83.6 2a 2b
- choledochoduodenostomy Y83.2 2b
- cholelithotomy Y83.8 2b
- chordotomy Y83.8 2b
- colectomy Y83.6 2a 2b
- colostomy Y83.3 2b
- commando-procedure (radical glossectomy) Y83.6 2a 2b
- cordotomy Y83.8 2b
- coronary endarterectomy Y83.8 2b
- coronary revascularization Y83.2 2b
- correction (of a site) - *see* Complication, repair
- craniotomy Y83.8 2b
- cystostomy Y83.3 2b
- debridement Y83.8 2b
- defibrillator Y84.8 2b
- - implanted internal device Y83.1
- dental extraction Y84.8 2b
- dialysis (kidney) Y84.1
- - shunt Y83.2 2b
- dilation and curettage (D&C) Y83.8 2b
- diverticulectomy Y83.8 2b
- drug NEC (*see also* Table of drugs and chemicals) Y57.9 2a 2b
- due to misadventure (*see also* Misadventure) Y69
- duodenostomy Y83.3 2b
- electrocauterization Y83.8 2b
- electrofulguration Y83.8 2b
- electroshock therapy Y84.3
- embolectomy Y83.8 2b
- endarterectomy Y83.8 2b
- esophagectomy Y83.6 2a 2b
- evacuation Y83.8 2b
- exenteration
 - - pelvic Y83.6 2a 2b
- external stoma, creation of Y83.3 2b
- extracorporeal membrane oxygenation (ECMO) Y84.8 2b
- feeding tube Y84.8 2b
- fixation hip Y83.1
- fusion knee Y83.4
- fusion spine Y83.4
- gastrectomy Y83.6 2a 2b
- gastric banding Y83.8 2b
- gastric lavage Y84.8 2b
- gastric stapling Y83.4
- gastroenterostomy Y83.2 2b
- gastrojejunectomy Y83.6 2a 2b
- gastrojejunostomy Y83.2 2b
- gastroscopy Y84.8 2b
- gastrostomy Y83.3 2b
- gastrostomy tube Y84.8 2b
- glossectomy Y83.6 2a 2b
- graft (bypass) Y83.2 2b
- Heimlich maneuver Y84.8 2b
- hemodialysis Y84.1
- hemorrhoidectomy Y83.8 2b
- hernia repair Y83.4
- herniorrhaphy Y83.4
- hip fixation Y83.1
- hip nailing Y83.1
- hip pinning Y83.1
- hip prosthesis Y83.1
- hip repair Y83.4
- hypothermia (medically induced) Y84.8 2b
- hysterectomy Y83.6 2a 2b

- hysterotomy Y83.8 2b
- ileal conduit Y83.2 2b
- ileal loop Y83.2 2b
- ileostomy Y83.3 2b
- implant, implantation (of)
 - - artery Y83.2 2b
 - - artificial
 - - - internal device (cardiac pacemaker) (electrodes in brain) (heart valve prosthesis) (orthopedic) Y83.1
 - - - material or tissue (for anastomosis or bypass) Y83.2 2b
 - - - with creation of external stoma Y83.3 2b
 - - bioprosthetic heart valve Y83.2 2b
 - - natural tissues (for anastomosis or bypass) Y83.2 2b
 - - with creation of external stoma Y83.3 2b
- - vein Y83.2 2b
- infusion
 - - procedure Y84.8 2b
- injection - *see Table of drugs and chemicals*
- - procedure Y84.8 2b
- insertion of gastric or duodenal sound Y84.5
- insulin-shock therapy Y84.3
- intraaortic balloon Y83.1
- intrauterine device (IUD) Y84.8 2b
- laminectomy Y83.6 2a 2b
- laparotomy (exploratory) Y83.8 2b
- laryngectomy Y83.6 2a 2b
- Levin tube Y84.8 2b
- ligation, tubal Y83.8 2b
- line (central) (venous) Y84.8 2b
- liposuction Y83.8 2b
- lobectomy Y83.6 2a 2b
- lobotomy Y83.8 2b
- lymphadenectomy Y83.6 2a 2b
- lysis of adhesions Y83.8 2b
- mammary artery implant Y83.2 2b
- mastectomy Y83.6 2a 2b
- meniscectomy Y83.6 2a 2b
- mitral commissurotomy Y83.8 2b
 - - with graft Y83.2 2b
- mustard procedure Y83.8 2b
- nailing hip Y83.1
- nephrectomy Y83.6 2a 2b
- Nissen fundoplication Y83.4
- oophorectomy Y83.6 2a 2b
- open reduction of a fracture Y83.4
- orchidectomy Y83.6 2a 2b
- ORIF (open reduction and internal fixation) Y83.1
- pacemaker Y83.1
- pancreatectomy Y83.6 2a 2b
- paracentesis (abdominal) (thoracic) (aspirative) Y84.4 2b
- parenteral (nutrition) (total) therapy Y84.8 2b
- PEG (percutaneous endoscopic gastrostomy) (placement) Y83.3 2b
 - - tube Y84.8 2b
- pelvic exenteration Y83.6 2a 2b
- pericardial window Y83.8 2b
- pharyngectomy Y83.6 2a 2b
- plasmapheresis Y84.8 2b
- plastic surgery Y83.4
- pneumonectomy Y83.6 2a 2b
- procedures other than surgical operation NEC (*see also* Complication, by type of procedure) Y84.9 2b
 - - specified NEC Y84.8 2b
- prostatectomy Y83.6 2a 2b
- pulmonary banding Y83.8 2b
- pyloroplasty Y83.4
- radiation therapy Y84.2 2a 2b
- radical neck dissection Y83.6 2a 2b

- radiological procedure or therapy Y84.2 2a 2b
- reduction of fracture Y83.4
- removal of lesion Y83.8 2b
- removal of organ (partial) (total) NEC Y83.6 2a 2b
- removal of tube (any) Y84.8 2b
- repair (of a site) (heart valve) Y83.4
- replacement
 - - joint (hip) (knee) Y83.1
 - - valve (aortic) (heart) (mitral) Y83.1
 - - - artificial mechanical (device) Y83.1
 - - - bioprosthetic Y83.2 2b
 - - - natural tissue (bovine) (porcine) Y83.2 2b
- resection
- - Austin-Moore prosthesis Y83.8 2b
- - of a (an)
 - - - aneurysm Y83.8 2b
 - - - lesion Y83.8 2b
 - - - neoplasm Y83.8 2b
 - - - organ Y83.6 2a 2b
- resuscitation (cardiac) (cardiopulmonary) (cardiorespiratory) (effort) (unsuccessful) Y84.8 2b
- revascularization heart Y83.2 2b
- revascularization myocardium Y83.2 2b
- revision (of a site) Y83.4
- rhizotomy Y83.8 2b
- Roux-en-Y (bypass) (loop) Y83.2 2b
- sampling
 - - blood Y84.7
 - - fluid NEC Y84.4 2b
 - - tissue Y84.8 2b
- shock therapy Y84.3
- shunt Y83.2 2b
 - - arteriovenous Y83.2 2b
 - - dialysis Y83.2 2b
 - - portocaval Y83.2 2b
- stent (any site) Y83.1
- surgical operation NEC (*see also* Complication, by type of operation) Y83.9 2a 2b
- - reconstructive NEC Y83.4
 - - - with
 - - - - anastomosis, bypass or graft Y83.2 2b
 - - - - formation of external stoma Y83.3 2b
 - - - specified NEC Y83.8 2b
 - - suture or stitch Y83.8 2b
 - - sympathectomy Y83.8 2b
- T and A (tonsillectomy and adenoidectomy) Y83.6 2a 2b
- thoracentesis Y84.4 2b
- thoracoplasty Y83.8 2b
- thoracostomy Y83.8 2b
- thoracotomy Y83.8 2b
- thrombectomy Y83.8 2b
- thrombolytic therapy NEC (*see also* Table of Drugs and Chemicals) Y44.5
- thyroidectomy Y83.6 2a 2b
- tonsillectomy Y83.6 2a 2b
- tooth extraction Y84.8 2b
- total hip replacement Y83.1
- tracheostomy Y83.3 2b
- tracheostomy tube Y84.8 2b
- tracheotomy Y83.3 2b
- transfusion
 - - procedure Y84.8 2b
- transplant, transplantation (heart) (kidney) (liver) (whole organ, any) Y83.0
 - - bone marrow Y84.8 2b
 - - cord blood Y84.8 2b
 - - partial organ Y83.4
 - - skin Y83.2 2b
 - - stem cell Y84.8 2b

- treatment NEC Y84.9 2b
- tubal ligation Y83.8 2b
- ureterolithotomy Y83.8 2b
- uretersigmoid bypass Y83.2 2b
- uretersigmoidostomy Y83.2 2b
- ureterostomy Y83.3 2b
- vaccination - *see* Table of drugs and chemicals
- - procedure Y84.8 2b
- vagotomy Y83.8 2b
- valvuloplasty (balloon) Y83.4
- valvuotomy Y83.8 2b
- vas ligation Y83.8 2b
- vasectomy Y83.6 2a 2b
- vein stripping Y83.6 2a 2b
- Vineberg operation Y83.2 2b
- Whipple operation or procedure Y83.6 2a 2b

Compression

- diver's squeeze W94-
- trachea by
 - - food (lodged in esophagus) W79-
 - - foreign body, except food or vomitus W80-
 - - vomitus (lodged in esophagus) W78-

Confined in low-oxygen environment W81-

Conflagration - *see* Exposure, fire

Contact (accidental)

- with
 - - abrasive wheel (metalworking) W31-
 - - animal (nonvenomous) NEC W64-
 - - - marine W56-
 - - - - venomous X26-
 - - - - venomous X29-
 - - - - specified NEC X27-
 - - ants X25-
 - - arrow W21-
 - - - not thrown, projected or falling W45-
 - - arthropods NEC
 - - - nonvenomous W57-
 - - - venomous X25-
 - - axe W27-
 - - band-saw (industrial) W31-
 - - bayonet (*see also* Bayonet wound) W26-
 - - bee(s) X23-
 - - bench-saw (industrial) W31-
 - - black widow spider X21-
 - - blender W29-
 - - bore, earth-drilling or mining (land) (seabed) W31-
 - - can
 - - - lid W45-
 - - - opener W27-
 - - - - powered W29-
 - - caterpillar (venomous) X25-
 - - centipede (venomous) X24-
 - - chain
 - - - hoist W24-
 - - - - agricultural operations W30-
 - - - saw W29-
 - - chisel W27-
 - - circular saw W31-
 - - cobra X20-
 - - combine (harvester) W30-
 - - conveyer belt W24-
 - - cooker (hot) X15-
 - - coral X26-
 - - cotton gin W31-
 - - crane W24-

- - - agricultural operations W30-
- - dagger W26-
- - dairy equipment W31-
- - dart W21-
- - - not thrown, projected or falling W45-
- - derrick W24-
- - - agricultural operations W30-
- - drier (spin) (clothes) (powered) W29-
- - drill (powered) W29-
- - - earth (land) (seabed) W31-
- - - nonpowered W27-
- - drive belt W24-
- - - agricultural operations W30-
- - dry ice W93-
- - earth(-)
- - - drilling machine (industrial) W31-
- - - scraping machine (in stationary use) W31-
- - edge of stiff paper W45-
- - electric
- - - beater W29-
- - - blanket X16-
- - - fan W29-
- - - knife W29-
- - - mixer W29-
- - elevator (building) W24-
- - - agricultural operations W30-
- - - grain W30-
- - engine, hot NEC X17-
- - excavating machine (in stationary use) W31-
- - farm machine W30-
- - fer de lance X20-
- - forging (metalworking) machine W31-
- - fork W27-
- - forklift (truck) W24-
- - - agricultural operations W30-
- - garden
- - - cultivator (powered) W29-
- - - riding W30-
- - - fork W27-
- - gas turbine W31-
- - Gila monster X20-
- - glass (broken) (sharp) W25-
- - - due to
- - - - explosion (*see also* Explosion, by type) W40-
- - - - fall (*see also* Fall, by type) W19-
- - - - firearm discharge (*see also* Discharge, by type of firearm) W34-
- - hand
- - - saw W27-
- - - - powered W29-
- - - tool (not powered) NEC W27-
- - - - powered W29-
- - harvester W30-
- - hay-derrick, -mover or -rake W30-
- - heat NEC X19-
- - - from appliance (electrical) (household) X15-
- - - - heating X16-
- - heating
- - - - appliance (hot) X16-
- - - pad (electric) X16-
- - hedge-trimmer (powered) W29-
- - hoe W27-
- - hoist (chain) (shaft) NEC W24-
- - - agricultural W30-
- - hornet(s) X23-
- - hot

- - - air X14-
- - - cooker X15-
- - - drink X10-
- - - engine X17-
- - - fat X10-
- - - food X10-
- - - gases X14-
- - - heating appliance X16-
- - - household appliance NEC X15-
- - - kettle X15-
- - - liquid NEC (*see also* Burn) X12-
- - - machinery X17-
- - - metal (liquid) (molten) NEC X18-
- - - object (not producing fire or flames) NEC X19-
- - - oil (cooking) X10-
- - - pipe X16-
- - - plate X15-
- - - radiator X16-
- - - saucepan (glass) (metal) X15-
- - - stove (kitchen) X15-
- - - substance NEC X19-
- - - tapwater (from hose or tap) (in bath, bucket or tub) X11-
- - - - heated on stove X12-
- - - toaster X15-
- - - tool X17-
- - - vapor X13-
- - - water (tap) in bath, bucket or tub (from hose) X11-
- - - - heated on stove X12-
- - hotplate X15-
- - ice-pick W27-
- - insect (nonvenomous) NEC W57-
- - jellyfish X26-
- - kettle (hot) X15-
- - knife W26-
- - - electric W29-
- - krait X20-
- - lathe (metalworking) (woodworking) W31-
- - - turnings W45-
- - lawnmower (powered) (ridden) W28-
- - - causing electrocution W86-
- - - unpowered W27-
- - lift, lifting (devices) (shaft) W24-
- - - agricultural operations W30-
- - liquefied gas W93-
- - liquid air, hydrogen, nitrogen W93-
- - lizard (nonvenomous) W59-
- - - venomous X20-
- - machine, machinery NEC (*see also* Contact, with, by type of machine) W31-
- - - agricultural, including animal-powered W30-
- - - amusement ride W31-
- - - back hoe W31-
- - - conveyor belt W24-
- - - drilling, metal (industrial) W31-
- - - earth-drilling W31-
- - - earthmoving or scraping (in stationary use) W31-
- - - excavating (in stationary use) W31-
- - - front end loader W31-
- - - hot X17-
- - - lawn mower, riding W28-
- - - lifting (devices) W24-
- - - metalworking (industrial) W31-
- - - milling, metal W31-
- - - mining W31-
- - - molding W31-
- - - oil derrick W24-

- - - pay loader W31-
- - - power press, metal W31-
- - - prime mover W31-
- - - printing W31-
- - - recreational W31-
- - - rig, oil or drilling W31-
- - - rolling mill, metal W31-
- - - snow machine W31-
- - - specified NEC W31-
- - - spinning W31-
- - - transmission W24-
- - - weaving W31-
- - - woodworking or forming (industrial) W31-
- - marine
- - - animal W56-
- - - plant, venomous X26-
- - meat
 - - - grinder (domestic) W29-
 - - - industrial W31-
- - - slicer (domestic) W29-
- - - industrial W31-
- - metal, hot (liquid) (molten) NEC X18-
- - millipede W57-
- - - venomous (tropical) X24-
- - nail W45-
- - - gun W29-
- - needle W27-
- - - hypodermic W46-
- - nematocysts X26-
- - object (blunt) NEC
- - - hot NEC X19-
- - - legal intervention Y35.3
- - - sharp NEC W49-
- - - - inflicted by other person NEC W49-
- - - - stated as
 - - - - - intentional, homicide (attempt) X99-
 - - - - - undetermined whether accidental or intentional Y28-
 - - - - legal intervention Y35.4
 - - - - self-inflicted (unspecified whether accidental or intentional) Y28-
 - - - - intentional, purposeful, suicide (attempt) X78-
 - - - - stated as undetermined whether accidentally or purposely inflicted Y28-
 - - - - stated as undetermined whether accidentally or purposely inflicted Y29-
- - overhead plane W31-
- - paper (as sharp object) W45-
- - paper-cutter W27-
- - pipe, hot X16-
- - pitchfork W27-
- - plane (metal) (wood) W27-
- - - overhead W31-
- - plant thorns, spines, or sharp leaves W60-
- - - toxic reaction X28-
- - powered
 - - - garden cultivator W29-
 - - - household appliance, implement, or machine W29-
- - - saw (industrial) W31-
- - - - hand W29-
- - - printing machine W31-
- - - pulley (block) (transmission) W24-
- - - agricultural operations W30-
- - - radial-saw (industrial) W31-
- - - radiator (hot) X16-
- - - rake W27-
- - - rattlesnake X20-
- - - reaper W30-
- - - reptile NEC W59-

- - rivet gun (powered) W29-
- - road scraper - *see* Accident, transport, construction vehicle
- - roller coaster W31-
- - rope (lifting or transmission device) NEC W24-
- - - agricultural operations W30-
- - sander W29-
- - - industrial W31-
- - saucépan (hot) (glass) (metal) X15-
- - saw W27-
 - - - band (industrial) W31-
 - - - bench (industrial) W31-
 - - - chain W29-
 - - - hand W27-
 - - - - powered W29-
- - sawing machine, metal W31-
- - scissors W27-
- - scorpion X22-
- - screwdriver W27-
- - - powered W29-
- - sea anemone, cucumber or urchin (spine) X26-
- - serpent (*see also* Contact, with, snake, by type) X20-
- - sewing-machine (electric) (powered) W29-
- - - not powered W27-
- - shaft (hoist) (lift) (transmission) NEC W24-
- - - agricultural W30-
- - shears (hand) W27-
- - - powered (industrial) W31-
- - - domestic W29-
- - shovel W27-
- - - steam (in stationary use) W31-
- - snake (venomous) X20-
- - - nonvenomous W59-
- - - sea X20-
- - spade W27-
- - spider (venomous) X21-
- - spin-drier W29-
- - spinning machine W31-
- - splinter W45-
- - sports equipment W21-
- - staple gun (powered) W29-
- - steam X13-
 - - - engine W31-
 - - - pipe X16-
 - - - shovel (in stationary use) W31-
- - stove (hot) (kitchen) X15-
- - substance, hot NEC X19-
- - - molten (metal) X18-
- - sword W26-
- - tarantula X21-
- - thresher W30-
- - tin can lid W45-
- - toaster (hot) X15-
- - tool NEC W27-
- - - hot X17-
- - - powered NEC W29-
- - transmission device (belt, cable, chain, gear, pinion, pulley, shaft) W24-
- - - agricultural operations W30-
- - - turbine (gas) (water-driven) W31-
- - under-cutter W31-
- - vehicle
 - - - agricultural use (transport) - *see* Accident, transport, agricultural vehicle
 - - - - in stationary use or maintenance W30-
 - - - industrial use (transport) - *see* Accident, transport, industrial vehicle
 - - - - in stationary use or maintenance W31-
 - - - off-road use (transport) - *see* Accident, transport, all-terrain or off-road vehicle

- - - - in stationary use or maintenance W31-
- - - special construction use (transport) - *see* Accident, transport, construction vehicle
- - - - in stationary use or maintenance W31-
- - venomous
- - - animal X29-
- - - - specified NEC X27-
- - - arthropod X25-
- - - lizard X20-
- - - marine animal NEC X26-
- - - marine plant NEC X26-
- - - millipede (tropical) X24-
- - - plant X29-
- - - - specified NEC X28-
- - - snake X20-
- - - spider X21-
- - - viper X20-
- - washing-machine (powered) W29-
- - wasp(s) X23-
- - weaving-machine W31-
- - winch W24-
- - - agricultural operations W30-
- - wire (for lifting and transmission devices) NEC W24-
- - - agricultural operations W30-
- - wood slivers W45-
- - yellow jacket X23-

Coup de soleil X32-

Crash

- aircraft (powered) V95-
- - in war operations Y36.1
- - stated as
- - - homicide (attempt) Y03-
- - - suicide (attempt) X83-
- - - undetermined whether accidental or intentional Y33-
- transport vehicle NEC (*see also* Accident, transport) V89.9 2a 2b
- - homicide (attempt) Y03-
- - motor NEC (traffic) V89.2 2a 2b
- - - homicide (attempt) Y03-
- - - suicide (attempt) X82-
- - - undetermined whether accidental or intentional Y32-
- - suicide (attempt) X83-
- - undetermined whether accidental or intentional Y33-

Cruelty (mental) (physical) (sexual) (*see also* Maltreatment) Y07.9 2a 2b

Crushed (accidentally) X59.9 2a 2b

- between objects (moving) (stationary and moving) (*see also* Caught) W23-
- by, in
- - avalanche NEC X36-
- - cave-in
 - - - with asphyxia or suffocation (*see also* Suffocation, due to, cave-in) W77-
 - - - without asphyxia or suffocation W20-
- - crowd or human stampede W52-
- - door (building) W23-
- - escalator W24-
- - falling
- - - aircraft V95.9
- - - - in war operations Y36.1
- - earth, material
 - - - with asphyxia or suffocation (*see also* Suffocation, due to, cave-in) W77-
 - - - without asphyxia or suffocation W20-
- - object NEC W20-
- - landslide NEC X36-
- - lizard (nonvenomous) W59-
- - machinery NEC (*see also* Contact, with, by type of machine) W31-
- - reptile NEC W59-
- - snake (nonvenomous) W59-
- - - venomous X20-

Cut, cutting (any part of body) (accidental) (by) (*see also* Contact, with, by object or machine) W49-

- during medical or surgical treatment as misadventure (*see also* Misadventure, cut, by type of procedure) Y60.9
- homicide (attempt) X99-
- inflicted by other person
- - stated as
 - - - intentional, homicide (attempt) X99-
 - - - undetermined whether accidental or intentional Y28-
- legal
 - - execution Y35.5
 - - intervention Y35.4
- machine NEC (*see also* Contact, with, by type of machine) W31-
- self-inflicted (unspecified whether accidental or intentional) Y28-
- - stated as intentional, purposeful, suicide (attempt) X78-
- stated as undetermined whether accidentally or purposely inflicted Y28-
- suicide (attempt) X78-
- war operations Y36.4

Cyclone (any injury) X37-**D****Death due to injury occurring one year or more previously** (*see also* Sequelae) Y89.9 2a 2b**Decapitation (accidental circumstances) NEC** X59.9 2a 2b

- homicide X99-
- legal execution (by guillotine) Y35.5

Dehydration from lack of water (*see also* Lack of, water) X54-**Deprivation** (*see also* Privation) X57-

- homicidal intent (*see also* Abandonment) Y06.9

Derailment (accidental)

- railway train or vehicle (rolling stock) (without antecedent collision) NEC V81.7
- - with antecedent collision NEC V81.3
- streetcar (without antecedent collision) NEC V82.7
- - with antecedent collision NEC V82.3

Descent parachute (voluntary) (without accident to aircraft) V97.2

- due to accident to aircraft V95.9

Desertion (with intent to injure or kill) (*see also* Abandonment) Y06.9**Destitution** (*see also* Privation) X57-**Disability, late effect or sequela of injury** (*see also* Sequelae) Y89.9 2a 2b**Discharge (accidental)**

- airgun (*see also* Discharge, firearm) W34-
- BB gun (*see also* Discharge, firearm) W34-
- firearm NEC W34-
- - homicide (attempt) X95-
- - larger W33-
- - - homicide (attempt) X94-
- - - legal intervention Y35.0
- - - self-inflicted (unspecified whether accidental or intentional) Y23-
- - - stated as undetermined whether accidentally or purposely inflicted Y23-
- - - suicide (attempt) X73-
- - legal intervention Y35.0
- - self-inflicted (unspecified whether accidental or intentional) Y24-
- - stated as undetermined whether accidentally or purposely inflicted Y24-
- - suicide (attempt) X74-
- firework(s) W39-
- gun NEC (*see also* Discharge, firearm) W34-
- - air (*see also* Discharge, firearm) W34-
- - BB (*see also* Discharge, firearm) W34-
- - for single hand use (*see also* Discharge, handgun) W32-
- - hand (*see also* Discharge, handgun) W32-
- - machine (*see also* Discharge, firearm, larger) W33-
- - other specified (*see also* Discharge, firearm) W34-
- - pellet (*see also* Discharge, firearm) W34-
- handgun W32-
- - homicide (attempt) X93-
- - legal intervention Y35.0

- - self-inflicted (unspecified whether accidental or intentional) Y22-
- - stated as undetermined whether accidentally or purposely inflicted Y22-
- - suicide (attempt) X72-
- machine gun (*see also* Discharge, firearm, larger) W33-
- pistol (*see also* Discharge, handgun) W32-
- - flare (*see also* Discharge, firearm) W34-
- - pellet (*see also* Discharge, firearm) W34-
- - Very (*see also* Discharge, firearm) W34-
- revolver (*see also* Discharge, handgun) W32-
- rifle (army) (hunting) (*see also* Discharge, firearm, larger) W33-
- shotgun (*see also* Discharge, firearm, larger) W33-

Disease

- Andes W94-
- aviator's W94-
- range W94-

Diver's disease, palsy, paralysis, squeeze W94-

Diving (into water) (*see also* Accident, diving) W16-

Dog bite W54-

Dragged by transport vehicle NEC (*see also* Accident, transport) V09.9

Drinking poison (accidental) (*see also* Table of drugs and chemicals) X49-

Dropped (accidentally) while being carried or supported by other person W04-

Drowning (accidental) W74-

- by other person
- - intentional, homicide (attempt) X92-
- - stated as undetermined whether accidentally or purposely inflicted Y21-
- due to
- - accident
 - - - machinery NEC (*see also* Contact, with, by type of machine) W31-
 - - - transport - *see* Accident, transport
 - - avalanche X36-
 - - cataclysmic
 - - - earth surface movement NEC X36-
 - - - storm X37-
 - - cloudburst X37-
 - - cyclone X37-
 - - fall into deep hole W74-
 - - fall off dock W70-
 - - fall overboard NEC V92-
 - - - resulting from accident to boat, ship, watercraft V90-
 - - hurricane X37-
 - - jumping into water from boat, ship, watercraft (burning) (crushed) (involved in accident) V90-
 - - - without accident to watercraft V92-
 - - slipping into deep hole W74-
 - - - while wading W74-
 - - slipping into pond W70-
 - - tidal wave NEC X39-
 - - - caused by storm X37-
 - - torrential rain X37-
- following fall
- - into
 - - - bathtub W66-
 - - - canal W73-
 - - - hot tub W66-
 - - - irrigation ditch W73-
 - - - pool (swimming) (wading) W68-
 - - - quarry W70-
 - - - swimming-pool W68-
 - - - water NEC W74-
 - - - - fresh W70-
 - - - - natural (lake) (open sea) (pond) (river) (stream) W70-
 - - - - salt W70-
- - overboard NEC V92-
- - - resulting from accident to boat, ship, watercraft V90-
- homicide (attempt) X92-
- in

- - bathtub W65-
- - - following fall W66-
- - canal W73-
- - fresh water W69-
- - hot tub W65-
- - - following fall W66-
- - irrigation ditch W73-
- - natural water (lake) (open sea) (pond) (river) (stream) W69-
- - - following fall W70-
- - pool (swimming) (wading) W67-
- - - following fall W68-
- - quarry W69-
- - - following fall W70-
- - quenching tank W73-
- - reservoir W73-
- - salt water W69-
- - specified place NEC W73-
- - swimming-pool W67-
- - - following fall W68-
- - war operations Y36.4
- self-inflicted (unspecified whether accidental or intentional) Y21-
- - stated as intentional, purposeful, suicide (attempt) X71-
- stated as undetermined whether accidentally or purposely inflicted Y21-
- suicide (attempt) X71-
- while diving (*see also* Drowning) W74-
- while water skiing (*see also* Drowning) W74-

Dust in eye W44-

E

Earth (surface) movement NEC X36-

Earth falling (on) (with asphyxia or suffocation (by pressure)) (*see also* Suffocation, due to, cave-in) W77-

- without asphyxia or suffocation W20-

Earthquake (any injury) X34-

- cataclysmic earth movements X34.0
- specified effect NEC X34.8
- tsunami X34.1

Edema

- angioneurotic X59.9 2a 2b

Effect(s) (adverse) of

- air pressure (any) W94-
- cold, excessive (exposure to) (*see also* Exposure, cold) X31-
- heat (excessive) (*see also* Heat) X30-
- hot
- - place (*see also* Heat) X30-
- - weather X30-
- insolation X30-
- late - *see* Sequelae
- motion X51-
- nuclear explosion or weapon in war operations (blast) (direct) (fireball) (heat) (radiation) (secondary) Y36.5 2a
- radiation - *see* Radiation
- travel X51-

Electric shock (accidental) (by) (in) (*see also* Exposure, electric current) W87-

Electrocution (accidental) (*see also* Exposure, electric current) W87-

Endotracheal tube wrongly placed during anesthetic procedure Y65.3

Entanglement in

- bed linen, causing suffocation W75-
- wheel of pedal cycle V19.8

Entry of foreign body or material - *see* Foreign body, object or material

Execution, legal (any method) Y35.5

Exhaustion

- cold (*see also* Exposure, cold) X31-
- due to excessive exertion X50-
- heat (*see also* Heat) X30-

Explosion (accidental) (in) (of) (on) (with secondary fire) W40-

- acetylene W40-
- aerosol can W36-
- air tank (compressed) (in machinery) W36-
- aircraft (in transit) (powered) NEC V95.9
- anesthetic gas in operating theatre W40-
- blasting (cap) (materials) W40-
- boiler (machinery), not on transport vehicle W35-
- butane W40-
- caused by other person stated as
 - - intentional, homicide (attempt) X96-
 - - undetermined whether accidental or intentional Y25-
- coal gas W40-
- detonator W40-
- dump (munitions) W40-
- dynamite W40-
- explosive (gas) (material) NEC W40-
- factory (munitions) W40-
- fire-damp W40-
- fireworks W39-
- gas W40-
- - cylinder or pressure tank (in machinery) W36-
- gasoline (fumes) (tank) not in moving motor vehicle W40-
- grain store W40-
- grenade NEC W40-
- homicide (attempt) X96-
- hot water heater, tank (in machinery) W35-
- in mine (of explosive gases) NEC W40-
- machinery (*see also* Contact, with, by type of machine) W31-
- - pressure vessel (*see also* Explosion, by type of vessel) W38-
- methane W40-
- mine W40-
- missile NEC W40-
- munitions (dump) (factory) W40-
- pressure, pressurized
 - - cooker W38-
 - - gas tank (in machinery) W36-
 - - hose W37-
 - - pipe W37-
 - - tire W37-
 - - vessel (in machinery) W38-
- propane W40-
- self-inflicted (unspecified whether accidental or intentional) Y25-
- - stated as intentional, purposeful, suicide (attempt) X75-
- shell (artillery) NEC W40-
- stated as undetermined whether accidentally or purposely inflicted Y25-
- steam or water lines (in machinery) W37-
- stove (oil) W40-
- suicide (attempt) X75-
- vehicle tire NEC W37-
- war operations (*see also* War operations, explosion) Y36.2

Exposure (to) NEC X59.9 2a 2b

- cold (accidental) (excessive) (extreme) (natural) (place) X31-
- - due to
 - - - man-made conditions W93-
 - - - weather (conditions) X31-
 - - - self-inflicted (undetermined whether accidental or intentional) Y33-
 - - - suicide (attempt) X83-
- due to abandonment or neglect (*see also* Abandonment) Y06.9
- electric (current) W87-
- - appliance (faulty) W86-
- - caused by other person
 - - - stated as
 - - - - intentional, homicide (attempt) Y08-
 - - - - undetermined whether accidentally or purposely inflicted Y33-

- - mine (uncontrolled) X01-
- - prairie (uncontrolled) X01-
- - resulting from
- - - explosion (*see also* Explosion) W40-
- - - lightning NEC X09-
- - self-inflicted (unspecified whether accidental or intentional) Y26-
- - - stated as intentional, purposeful, suicide (attempt) X76-
- - specified NEC X08-
- - started by other person
- - - stated as
- - - - intentional, homicide (attempt) X97-
- - - undetermined whether or not with intent to injure or kill Y26-
- - stated as
- - - undetermined whether or not with intent to injure or kill Y26-
- - stove X02-
- - suicide (attempt) X76-
- - tunnel (uncontrolled) X01-
- - uncontrolled
- - - in building or structure X00-
- - - not in building or structure (any) X01-
- flames (*see also* Exposure, fire) X09-
- forces of nature NEC X39-
- G-forces (abnormal) W49-
- gravitational forces (abnormal) W49-
- heat (natural) NEC (*see also* Heat) X30-
- high-pressure jet (hydraulic) (pneumatic) W41-
- hydraulic jet W41-
- jet, high-pressure (hydraulic) (pneumatic) W41-
- lightning X33-
- mechanical forces NEC W49-
- - animate NEC W64-
- - inanimate NEC W49-
- noise W42-
- noxious substance (*see also* Table of drugs and chemicals) X49-
- pneumatic jet W41-

Exposure—continued

- prolonged in deep-freeze unit or refrigerator W93-
- radiation (*see also* Radiation) W91-
- smoke (*see also* Exposure, fire) X09-
- specified factors NEC X58-
- sunlight NEC X32-
- taser W86-
- - assault Y08-
- - legal intervention Y35.6
- - self-inflicted (unspecified whether accidental or intentional) Y33-
- - stated as undetermined whether accidentally or purposefully inflicted Y33-
- - suicide X83-
- transmission line(s), electric W85-
- vibration W43-
- waves
- - infrasound W43-
- - sound W42-
- - supersonic W42-
- weather NEC X39-
- - with homicidal intent (*see also* Abandonment) Y06.9

F

Failure

- in suture or ligature during surgical procedure Y65.2
- mechanical, of instrument or apparatus (any) (during any medical or surgical procedure) Y65.8 2a 2b
- sterile precautions (during medical and surgical care) (*see also* Misadventure, failure, sterile precautions, by type of procedure) Y62.9
- to
- - introduce tube or instrument (except endotracheal tube during anesthesia) Y65.4

- - make curve (transport vehicle) NEC (*see also* Accident, transport) V89.9 2a 2b
 - - remove tube or instrument (except endotracheal tube during anesthesia) Y65.4
- Fall, falling (accidental)** W19-
- before train, vehicle or other moving object
 - - stated as
 - - - intentional, purposeful, suicide (attempt) X81-
 - - - undetermined whether accidental or intentional Y31-
 - building W20-
 - - burning (uncontrolled fire) X00-
 - climbing
 - - mountain W15-
 - - rock W15-
 - down
 - - escalator W10-
 - - ladder W11-
 - - ramp (involving ice or snow) W10-
 - - stairs, steps (involving ice or snow) W10-
 - earth (with asphyxia or suffocation (by pressure) (*see also* Earth falling) W77-
 - from, off
 - - aircraft NEC (with accident to aircraft NEC) V97.0
 - - - while boarding or alighting V97.1
 - - balcony W13-
 - - bed W06-
 - - boat, ship, watercraft NEC (with drowning or submersion) V92-
 - - - with
 - - - - accident to watercraft V90-
 - - - - injury (other than drowning or submersion) V94-
 - - bridge W13-
 - - building W13-
 - - - burning (uncontrolled fire) X00-
 - - chair W07-
 - - cherry picker W17-
 - - cliff W15-
 - - dock W17-
 - - - loading W13-
 - - embankment W17-
 - - escalator W10-
 - - flagpole W13-
 - - furniture NEC W08-
 - - haystack W17-
 - - high place NEC W17-
 - - - mountain W15-
 - - - stated as undetermined whether accidentally or purposely inflicted Y30-
 - - incline (involving ice or snow) W10-
 - - ladder W11-
 - - lifting device NEC W17-
 - - machine, machinery (*see also* Contact, with, by type of machine) W31-
 - - - not in operation W17-
 - - mobile elevated work platform [MEWP] W17-
 - - mountain W15-
 - - one level to another NEC W17-
 - - - intentional, purposeful, suicide (attempt) X80-
 - - - stated as undetermined whether accidentally or purposely inflicted Y30-
 - - pier W13-
 - - playground equipment W09-
 - - porch W13-
 - - railing W13-
 - - ramp (involving ice or snow) W10-
 - - roof W13-
 - - scaffolding W12-
 - - sky lift W17-
 - - stairs, steps (involving ice or snow) W10-
 - - stand (deer) (tree) W13-
 - - standing height W18 2a 2b
 - - stepladder W11-

- - stool (step) W08-
- - streetcar NEC V82.6
 - - - with antecedent collision NEC V82.3
 - - - while boarding or alighting V82.4
- - structure NEC W13-
- - - burning (uncontrolled fire) X00-
- - table W08-
- - toilet W18-
- - tower W13-
- - train NEC V81.6
 - - - during derailment (without antecedent collision) V81.7
 - - - with antecedent collision V81.3
 - - - while boarding or alighting V81.4
- - transport vehicle after collision - *see* Accident, transport, by type of vehicle, collision
- - tree W14-
- - turret W13-
- - vehicle (in motion) NEC - *see* Table of land transport accidents, vehicle, noncollision
- - - motor NEC - *see* Table of land transport accidents, motor vehicle, noncollision
- - - specified type - *see* Table of land transport accidents, specified type of vehicle, noncollision
- - - stationary, except while alighting, boarding, entering, leaving W17-
- - viaduct W13-
- - wall W13-
- - wheelchair W05-
- - window W13-
- ground level W18 2a 2b
- in, on
 - - aircraft NEC V97.0
 - - - with accident to aircraft V97.0
 - - - while boarding or alighting V97.1
 - - bath(tub) (without drowning or submersion) W18-
 - - escalator W10-
 - - ice W00-
 - - incline W10-
 - - ladder W11-
 - - machine, machinery (*see also* Contact, with, by type of machine) W31-
 - - object, edged, pointed or sharp (with cut) (*see also* Fall, by type) W19-
 - - ramp (involving ice or snow) W10-
 - - scaffolding W12-
 - - shower W18 2a 2b
 - - staircase, stairs, steps (involving ice or snow) W10-
 - - streetcar (without antecedent collision) V82.5
 - - - with antecedent collision V82.3
 - - - while boarding or alighting V82.4
 - - train (without antecedent collision) V81.5
 - - - with antecedent collision V81.3
 - - - during derailment (without antecedent collision) V81.7
 - - - - with antecedent collision V81.3
 - - - - while boarding or alighting V81.4
 - - transport vehicle after collision - *see* Accident, transport, by type of vehicle, collision
 - - tub W18-
- into
 - - canyon W17-
 - - - from mountain W15-
 - - cavity W17-
 - - fire - *see* Exposure, fire, by type
 - - hole W17-
 - - manhole W17-
 - - moving part of machinery (*see also* Contact, with, by type of machine) W31-
 - - opening in surface NEC W17-
 - - pit W17-
 - - quarry W17-
 - - shaft W17-
 - - storm drain W17-
 - - tank W17-
 - - water (with drowning or submersion) (*see also* Drowning) W74-

- - well W17-
- involving
- - bed W06-
- - chair W07-
- - furniture NEC W08-
- - glass - *see* Fall, by type
- - playground equipment W09-
- - skateboard(s) W02-
- - skates (ice) (roller) W02-
- - skis W02-
- - table W08-
- - treadmill W31-
- - wheelchair W05-
- object (*see also* Struck by, object, falling) W20-
- over
- - animal W01-
- - cliff W15-
- - embankment W17-
- - small object W01-
- rock W20-
- same level NEC W18-
- - from
 - - - being crushed, pushed, or stepped on by a crowd or human stampede W52-
 - - - collision, pushing, shoving, by or with other person W03-
 - - - slipping, stumbling, tripping W01-
- - involving ice or snow W00-
- - - involving skates (ice) (roller), skateboard, skis W02-
- snowslide (avalanche) X36-
- stone W20-
- structure W20-
- - burning (uncontrolled fire) X00-
- through floor, roof or window W13-
- timber W20-
- tree (caused by lightning) W20-
- while
- - being carried or supported by other person(s) W04-
- - mountain climbing W15-

Fallen on by

- animal (not being ridden) NEC W55-
- - being ridden (*see also* Accident, transport) V06-

Felo-de-se - *see* Suicide

Fight (hand) (fists) (foot) (*see also* Assault, fight) Y04-

Fire (accidental) (*see also* Exposure, fire) X09-

Fireball effects from nuclear explosion in war operations Y36.5 2a

Fireworks (explosion) W39-

Flash burns from explosion (*see also* Explosion) W40-

Flood (any injury) X38-

Food (any type) in

- air passage (with asphyxia, obstruction, or suffocation) W79-
- alimentary tract causing asphyxia (due to compression of trachea) W79-

Foreign body, object or material (entrance into (accidental))

- air passage (causing injury) W44-
- - with asphyxia, obstruction, suffocation W80-
- - - food W79-
- - - vomitus W78-
- - nose (without asphyxia, obstruction, suffocation) W44-
- - - with asphyxia, obstruction, suffocation W80-
- - - - food W79-
- - - - vomitus W78-
- - - causing other injury W44-
- alimentary canal (causing injury) (with obstruction) W44-
- - with asphyxia, compression of respiratory passage, suffocation W80-
- - - vomitus W78-
- - mouth W44-
- - - with asphyxia, obstruction, suffocation W80-

- - - vomitus W78-
- - pharynx W44-
- - - with asphyxia, obstruction, suffocation W80-
- - - vomitus W78-
- aspiration (with asphyxia, obstruction of respiratory passage, suffocation) W80-
- - causing injury other than asphyxia, obstruction of respiratory passage or suffocation W44-
- - food W79-
- - mucus, not of newborn W80-
- - phlegm, not of newborn W80-
- - vomitus W78-
- bladder (causing injury or obstruction) W44-
- bronchus, bronchi (*see also* Foreign body, air passage) W44-
- conjunctival sac W44-
- digestive system (*see also* Foreign body, alimentary canal) W44-
- ear (causing injury or obstruction) W44-
- esophagus (causing injury or obstruction) W44-
- - causing compression of trachea with interruption or obstruction of respiration W80-
- eye (any part) W44-
- ingestion W44-
- inhalation (*see also* Foreign body, aspiration) W80-
- larynx (*see also* Foreign body, air passage) W44-
- mouth (*see also* Foreign body, alimentary canal, mouth) W44-
- nasal passage (*see also* Foreign body, air passage, nose) W44-
- nose (*see also* Foreign body, air passage, nose) W44-
- oesophagus (causing injury or obstruction) W44-
- - causing compression of trachea with interruption or obstruction of respiration W80-
- operation wound (left in) (*see also* Misadventure, foreign object, by specified type of procedure) Y61.9
- pharynx (*see also* Foreign body, alimentary canal, pharynx) W44-
- rectum (causing injury or obstruction) W44-
- skin (*see also* Contact, with, by type of object) W45-
- stomach (hairball) (causing injury or obstruction) W44-
- tear ducts or glands W44-
- trachea W44-
- - causing suffocation NEC W80-
- - - food W79-
- - - vomitus W78-
- urethra (causing injury or obstruction) W44-
- vagina (causing injury or obstruction) W44-

Forest fire (exposure to) X01-

Found injured (dead) X59.9 2a 2b

- from exposure (to) - *see* Exposure
- on
- - highway, road(way), street NEC V89.2 2a 2b
- - railway right of way V81.9

Fracture (circumstances unknown or unspecified) X59.0 2a 2b

- due to specified cause NEC X58-

Freezing (*see also* Exposure, cold) X31-

Frostbite X31-

- due to man-made conditions W93-

Frozen (*see also* Exposure, cold) X31-

G

Garrotting, homicidal (attempted) X91-

Gored W55-

Gunshot wound (*see also* Discharge, by typeof firearm) W34-

H

Hailstones, injured by X39-

Hairball (stomach) (with obstruction) W44-

Hanged herself or himself (*see also* Hanging, self-inflicted) Y20-

Hanging (accidental) W76-

- caused by other person
- - in accidental circumstances W76-
- - stated as
- - - intentional, homicide (attempt) X91-
- - - undetermined whether accidental or intentional Y20-
- homicide (attempt) X91-
- in bed or cradle W75-
- legal execution Y35.5
- ligature W76
- self-inflicted (unspecified whether accidental or intentional) Y20-
- - in accidental circumstances W76-
- - stated as intentional, purposeful, suicide (attempt) X70-
- stated as undetermined whether accidentally or purposely inflicted Y20-
- suicide (attempt) X70-

Heat (effects of) (excessive) X30-

- due to
- - man-made conditions, except on boat, ship, or watercraft W92-
- - weather (conditions) X30-
- from
- - electric heating apparatus causing burning X16-
- - nuclear explosion in war operations Y36.5 2a
- inappropriate, in local application or packing in medical or surgical procedure Y63.5

Hemorrhage

- delayed following medical or surgical treatment without mention of misadventure (*see also* Complication, by type of procedure) Y84.9
2b

- during medical or surgical treatment as misadventure (*see also* Misadventure, cut, by type of procedure) Y60.9

High

- altitude (effects) W94-
- level of radioactivity, effects - *see* Radiation
- pressure (effects) W94-
- temperature, effects (*see also* Heat) X30-

Hit, hitting (accidental) by - *see* Struck by

Hitting against - *see* Striking against

Homicide (attempt) (*see also* Assault) Y09-

Hot

- place, effects (*see also* Heat) X30-
- weather, effects X30-

House fire (uncontrolled) X00-

Humidity, causing problem X39-

Hunger (*see also* Lack of, food) X53-

- resulting from abandonment or neglect (*see also* Abandonment) Y06.9

Hurricane (any injury) X37-

Hypobarism, hypobaropathy W94-

Hypothermia (*see also* Exposure, cold) X31-

I

Ictus

- caloris (*see also* Heat) X30-
- solaris X30-

Ignition (accidental) (*see also* Exposure, fire) X09-

- anesthetic gas in operating theatre W40-
- apparel NEC X06-
- - from highly flammable material X04-
- bed linen (bed clothes) (mattress) (pillows) (sheets) (spreads) X08-
- benzine X04-
- clothes, clothing NEC (from controlled fire) X06-
- - from
- - - highly flammable material X04-
- - - uncontrolled fire (in building or structure) X00-
- - - - not in building or structure X01-
- explosive material (*see also* Explosion) W40-
- gasoline X04-
- jewelry (plastic) X06-

- kerosene X04-
- material
- - explosive (*see also* Explosion) W40-
- - highly flammable (with secondary explosion) X04-
- nightwear X05-
- paraffin X04-
- petrol X04-

Immersion (accidental) (*see also* Drowning) W74-

- hand or foot due to cold (excessive) X31-

Implantation of quills of porcupine W55-

Inanition (from) (hunger) (*see also* Lack of, food) X53-

- resulting from homicidal intent (*see also* Abandonment) Y06.9
- thirst (*see also* Lack of, water) X54-

Inappropriate operation performed Y65.5

Inattention at or after birth (homicidal intent) (infanticidal intent) (*see also* Abandonment) Y06.9

Incident, adverse

- device
- - anesthesiology Y70-
- - cardiovascular Y71-
- - gastroenterology Y73-
- - general hospital Y74-
- - general surgical Y81-
- - gynecological Y76-
- - medical (specified) NEC Y82-
- - neurological Y75-
- - obstetric Y76-
- - ophthalmic Y77-
- - orthopedic Y79-
- - otorhinolaryngological Y72-
- - personal use Y74-
- - physical medicine Y80-
- - plastic surgical Y81-
- - radiological Y78-
- - urology Y73-

Incineration (accidental) (*see also* Exposure, fire) X09-

Incised (*see also* Cut) W49-

Infanticide (*see also* Assault) Y09-

Infrasound waves (causing injury) W43-

Ingestion

- foreign body (causing injury) (with obstruction) (*see also* Foreign body, alimentary canal) W44-
- poisonous
- - plant(s) X49-
- - substance NEC (*see also* Table of drugs and chemicals) X49-

Inhalation

- excessively cold substance, man-made W93-
- food (any type) (into respiratory tract) (with asphyxia, obstruction respiratory tract, suffocation) W79-
- foreign body (*see also* Foreign body, aspiration) W80-
- gastric contents (with asphyxia, obstruction respiratory passage, suffocation) W78-
- hot air or gases X14-
- liquid air, hydrogen, nitrogen W93-
- mucus, not of newborn (with asphyxia, obstruction respiratory passage, suffocation) W80-
- phlegm, not of newborn (with asphyxia, obstruction respiratory passage, suffocation) W80-
- toxic gas - *see* Table of drugs and chemicals
- vomitus (with asphyxia, obstruction respiratory passage, suffocation) W78-

Injury, injured (accidental(ly)) NEC X59.9 2a 2b

- by, caused by, from
- - assault (*see also* Assault) Y09-
- - law-enforcement agent, police, in course of legal intervention (*see also* Legal intervention) Y35.7
- - suicide (attempt) (*see also* Suicide) X84-
- due to, in
- - civil insurrection - *see* War operations
- - engine in watercraft (without transport accident) V93-
- - fight (*see also* Assault, fight) Y04-
- - war operations - *see* War operations
- homicide (*see also* Assault) Y09-

- inflicted (by)
- - in course of arrest (attempted), suppression of disturbance, maintenance of order, by law-enforcement agents (*see also* Legal intervention) Y35.7
- - other person
- - - stated as
- - - - accidental X59.9 2a 2b
- - - - intentional, homicide (attempt) (*see also* Assault) Y09-
- - - - undetermined whether accidental or intentional (*see also* Injury, stated as, undetermined) Y34-
- purposely (inflicted) by other person(s) (*see also* Assault) Y09-
- self-inflicted (unspecified whether accidental or intentional) Y34-
- - stated as
- - - accidental X59.9 2a 2b
- - - intentional, purposeful, suicide (attempt) X84-
- specified cause NEC X58-
- stated as
- - undetermined whether accidentally or purposely inflicted (by) Y34-
- - - cut (any part of body) Y28-
- - - cutting or piercing instrument Y28-
- - - drowning Y21-
- - - explosive(s) (missile) Y25-
- - - falling from high place Y30-
- - - hanging Y20-
- - - knife Y28-
- - - object (blunt) NEC Y29-
- - - sharp (any) Y28-
- - - puncture (any part of body) Y28-
- - - shooting (*see also* Discharge, by type of firearm, stated as undetermined whether accidentally or purposely inflicted) Y24-
- - - specified means NEC Y33-
- - - stab (any part of body) Y28-
- - - strangulation Y20-
- - - submersion Y21-
- - - suffocation Y20-

Insolation, effects X30-

Insufficient nourishment (*see also* Lack of, food) X53-

- homicidal intent (*see also* Abandonment) Y06.9

Interruption of respiration (by)

- food (lodged in esophagus) W79-
- foreign body, except food or vomitus (lodged in esophagus) W80-
- vomitus (lodged in esophagus) W78-

Intervention, legal (*see also* Legal intervention) Y35.7

Intoxication

- drug - *see* Table of drugs and chemicals
- poison - *see* Table of drugs and chemicals

J

Jammed (accidentally)

- between objects (moving) (stationary and moving) (*see also* Caught) W23-
- in object NEC W23-

Jogging, excessive X50-

Jumped, jumping

- before train, vehicle or other moving object (unspecified whether accidental or intentional) Y31-
- - stated as intentional, purposeful, suicide (attempt) X81-
- from
 - - boat (into water) voluntarily, without accident (to boat), with injury (other than drowning or submersion) W16-
 - - - with drowning or submersion W69-
 - - building (*see also* Jumped, from, high place) W13-
 - - - burning (uncontrolled fire) X00-
 - - high place NEC W17-
 - - - stated as
 - - - - in undetermined circumstances Y30-
 - - - - intentional, purposeful, suicide (attempt) X80-
 - - structure (*see also* Jumped, from, high place) W13-
 - - - burning (uncontrolled fire) X00-

- into water
- - with injury (other than drowning or submersion) W16-
- - - drowning or submersion (*see also* Drowning) W74-
- - from, off watercraft - *see* Jumped, from, boat

K

Kicked by

- animal NEC W55-
- person(s) (accidentally) W50-
- - with intent to injure or kill Y04-
- - as, or caused by, a crowd or human stampede (with fall) W52-
- - in fight Y04-

Kicking against

- object (stationary) W22-
- - sports equipment W21-
- person (*see also* Striking against, person) W51-
- sports equipment W21-

Killed, killing (accidentally) NEC (*see also* Injury) X59.9 2a 2b

- in
 - - action (*see also* War operations) Y36.9
 - - brawl, fight (hand) (fists) (foot) Y04-
 - - - by weapon (*see also* Assault) Y09-
 - - - - cutting, piercing X99-
 - - - - firearm (*see also* Discharge, by type of firearm, homicide) X95-
 - self
 - - stated as
 - - - accident NEC X59.9 2a 2b
 - - - suicide (*see also* Suicide) X84-
 - - - undetermined whether accidental or intentional Y34-
- Knocked down (accidentally) (by) NEC X59.9 2a 2b**
- animal (not being ridden) NEC (*see also* Struck by, by type of animal) W55-
 - - being ridden V06-
 - crowd or human stampede W52-
 - person W51-
 - - in brawl, fight Y04-
 - transport vehicle NEC (*see also* Accident, transport) V09.9

L

Laceration NEC (*see also* Injury) X59.9 2a 2b

Lack of

- air (refrigerator or closed place), suffocation by W81-
- care (helpless person) (infant) (newborn) (*see also* Abandonment) Y06.9
- fluid except as result of transport accident X54-
- - helpless person, infant, newborn (*see also* Abandonment) Y06.9
- food (except as result of abandonment or neglect) X53-
- - due to abandonment or neglect (*see also* Abandonment) Y06.9
- nutrition (except as result of abandonment or neglect) X53-
- - due to abandonment or neglect (*see also* Abandonment) Y06.9
- water except as result of transport accident X54-
- - helpless person, infant, newborn (*see also* Abandonment) Y06.9

Landslide X36-

- falling on, hitting
- - railway train or vehicle X36-
- - transport (motor) vehicle (any) X36-

Late effect - *see* Sequelae

Legal

- execution, any method Y35.5
- intervention (by) (injury from) Y35.7
- - baton Y35.3
- - bayonet Y35.4
- - blow NEC Y35.6

- - blunt object Y35.3
- - bomb (any) Y35.1
- - cutting or piercing instrument Y35.4
- - dynamite Y35.1
- - execution, any method Y35.5
- - explosive(s) (shell) Y35.1
- - firearm(s) (discharge) (any) Y35.0
- - gas (asphyxiation) (poisoning) (tear) Y35.2
- - grenade Y35.1
- - late effect (of) Y89.0 2a 2b
- - manhandling Y35.6
- - sequelae (of) Y89.0 2a 2b
- - sharp object Y35.4
- - specified means NEC Y35.6
- - stabbing Y35.4
- - stave Y35.3
- - tear gas Y35.2
- - truncheon Y35.3

Lifting (heavy objects) (weights), excessive X50-

Lightning (shock) (stroke) (struck by) X33-

- causing fire (*see also* Exposure, fire) X09-

Liquid (noncorrosive) in eye W44-

- corrosive X49-

Loss of control (transport vehicle) NEC (*see also* Accident, transport) V89.9 2a 2b

Lost at sea NEC V92-

- in war operations Y36.4

Low

- pressure (effects) W94-
- temperature (effects) (*see also* Exposure, cold) X31-

Lying before train, vehicle or other moving object (unspecified whether accidental or intentional) Y31-

- stated as intentional, purposeful, suicide (attempt) X81-

Lynching (*see also* Assault) Y09-

M

Maltreatment (accidental) (syndrome) (undetermined intent) NEC Y07.9 2a 2b

- by
- - acquaintance or friend Y07.2
- - official authorities Y07.3
- - parent Y07.1
- - specified person(s) NEC Y07.8
- - spouse or partner Y07.0

Mangled (accidentally) NEC X59.9 2a 2b

Manhandling (in brawl, fight) Y04-

- legal intervention Y35.6

Manslaughter (nonaccidental) (*see also* Assault) Y09-

Mauled by animal NEC W55-

Medical procedure, complication of (delayed or as an abnormal reaction without mention of misadventure) (*see also* Complication, by type of procedure) Y84.9 2b

- due to or as a result of misadventure (*see also* Misadventure) Y69

Melting (due to fire) (*see also* Exposure, fire) X09-

- apparel NEC X06-
- clothes, clothing NEC X06-
- - nightwear X05-
- fittings or furniture (burning building) (uncontrolled fire) X00-
- jewelry, plastic X06-
- - nightwear X05-

Mental cruelty (*see also* Maltreatment) Y07.9 2a 2b

Minamata disease X49-

Misadventure(s) to patient(s) during surgical or medical care Y69

- contaminated medical or biological substance (blood, drug, fluid) Y64.9
- - administered (by)
- - - immunization Y64.1
- - - infusion Y64.0 2a 2b

- - - injection Y64.1
- - - specified means NEC Y64.8
- - - transfusion Y64.0 2a 2b
- - - vaccination Y64.1
- cut, cutting, laceration, puncture, perforation or hemorrhage (accidental) (inadvertent) (unintentional) (during) Y60.9
- - aspiration of fluid or tissue (by puncture or catheterization, except heart) Y60.6 2a
- - biopsy (except by needle aspiration) Y60.8
- - - needle (aspirating) Y60.6 2a
- - blood sampling Y60.6 2a
- - catheterization Y60.6 2a
- - - heart Y60.5 2b
- - dialysis (kidney) Y60.2
- - endoscopic examination Y60.4
- - enema Y60.7 2b
- - immunization Y60.3 2b
- - infusion Y60.1
- - injection Y60.3 2b
- - needle biopsy Y60.6 2a
- - paracentesis (abdominal) (thoracic) Y60.6 2a
- - perfusion Y60.2
- - puncture (lumbar) Y60.6 2a
- - specified procedure NEC Y60.8
- - surgical operation Y60.0 2a 2b
- - transfusion Y60.1
- - vaccination Y60.3 2b
- excessive amount of blood or other fluid during transfusion or infusion Y63.0
- failure
 - - in dosage Y63.9
 - - - electroshock therapy Y63.4
 - - - infusion
 - - - - excessive amount of fluid Y63.0
 - - - - incorrect dilution of fluid Y63.1
 - - - insulin-shock therapy Y63.4
 - - - overdose - see Table of drugs and chemicals
 - - - radiation, in therapy Y63.2 2a 2b
 - - - specified procedure NEC Y63.8
 - - - transfusion of excessive amount of blood Y63.0
- - mechanical, of instrument or apparatus (any) (during any procedure) Y65.8 2a 2b
- - sterile precautions (during procedure) Y62.9
- - aspiration of fluid or tissue (by puncture or catheterization, except heart) Y62.6
- - biopsy (except needle aspiration) Y62.8
- - - needle (aspirating) Y62.6
- - - blood sampling Y62.6
- - - catheterization (except heart) Y62.6
- - - heart Y62.5 2b
- - - dialysis (kidney) Y62.2
- - - endoscopic examination Y62.4
- - - enema Y62.8
- - - immunization Y62.3 2b
- - - infusion Y62.1
- - - injection Y62.3 2b
- - - needle biopsy Y62.6
- - - paracentesis (abdominal) (thoracic) Y62.6
- - - perfusion Y62.2
- - - puncture (lumbar) Y62.6
- - - removal of catheter or packing Y62.8
- - - specified procedure NEC Y62.8
- - - surgical operation Y62.0
- - - transfusion Y62.1
- - - vaccination Y62.3 2b
- - suture or ligature during surgical procedure Y65.2
- - to introduce or to remove tube or instrument (except endotracheal tube during anesthesia) Y65.4
- foreign object left in body (during procedure) Y61.9
- - aspiration of fluid or tissue (by puncture or catheterization, except heart) Y61.6
- - biopsy (except by needle aspiration) Y61.8

- - needle (aspirating) Y61.6
- - blood sampling Y61.6
- - catheterization (except heart) Y61.6
- - - heart Y61.5 2b
- - dialysis (kidney) Y61.2
- - endoscopic examination Y61.4
- - enema Y61.8
- - immunization Y61.3 2b
- - infusion Y61.1
- - injection Y61.3 2b
- - needle biopsy Y61.6
- - paracentesis (abdominal) (thoracic) Y61.6
- - perfusion Y61.2
- - puncture (lumbar) Y61.6
- - removal of catheter or packing Y61.7 2b
- - specified procedure NEC Y61.8
- - surgical operation Y61.0
- - transfusion Y61.1
- - vaccination Y61.3 2b
- hemorrhage (*see also* Misadventure, cut, by type of procedure) Y60.9
- inadvertent exposure of patient to radiation Y63.3
- inappropriate
 - - operation performed Y65.5
 - - temperature (too hot or too cold) in local application or packing Y63.5
- infusion (*see also* Misadventure, by type, infusion) Y69
- - excessive amount of fluid Y63.0
- - incorrect dilution of fluid Y63.1
- - wrong fluid Y65.1
- laceration (*see also* Misadventure, cut, by type of procedure) Y60.9
- late effect (of) Y88.1 2a 2b
- mismatched blood in transfusion Y65.0
- nonadministration of necessary drug or biological substance Y63.6
- overdose - *see* Table of drugs and chemicals
- - radiation (in therapy) Y63.2 2a 2b
- perforation (*see also* Misadventure, cut, by type of procedure) Y60.9
- performance of inappropriate operation Y65.5
- puncture (*see also* Misadventure, cut, by type of procedure) Y60.9
- radiation (in therapy) Y63.2 2a 2b
- sequelae (of) Y88.1 2a 2b
- specified type NEC Y65.8 2a 2b
- transfusion (*see also* Misadventure, by type, transfusion) Y69
- - excessive amount of blood Y63.0
- - mismatched blood Y65.0
- wrong
 - - drug given in error - *see* Table of drugs and chemicals
 - - fluid in infusion Y65.1
- - placement of endotracheal tube during anesthetic procedure Y65.3

Mismatched blood in transfusion Y65.0**Motion (effects) (sickness)** X51-**Mountain sickness** W94-**Mucus aspiration or inhalation, not of newborn (with asphyxia, obstruction respiratory passage, suffocation)** W80-**Mudslide (of cataclysmic nature)** X36-**Murder (attempt)** (*see also* Assault) Y09-

N**Nail, contact with** W45-**Neglect (accident) (criminal) (homicidal intent) (undetermined)** (*see also* Abandonment) Y06.9**Noise (causing injury) (pollution)** W42-**Nonadministration (of)**

- drug or biological substance (necessary) Y63.6
- surgical and medical care Y66

O**Object**

- falling from, in, on, hitting, machinery (*see also* Contact, with, by type of machine) W31-
- set in motion by
 - accidental explosion or rupture of pressure vessel NEC W38-
 - firearm (*see also* Discharge, by type of firearm) W34-
 - machine(ry) (*see also* Contact, with, by type of machine) W31-

Obstruction

- air passages, larynx, respiratory passages
- - by
 - food, any type W79-
 - material or object except food or vomitus W80-
 - mucus W80-
 - phlegm W80-
 - vomitus W78-
- digestive tract, except mouth or pharynx
 - by
 - food, any type W44-
 - foreign body (any) W44-
 - vomitus W44-
 - esophagus
 - by
 - food, any type W44-
 - with asphyxia, obstruction of respiratory passage, suffocation (due air passage compression) W79-
 - foreign body, except food or vomitus W44-
 - vomitus W44-
 - with asphyxia, obstruction of respiratory passage, suffocation W78-
 - pharynx
 - by
 - food, any type W79-
 - material or object except food or vomitus W80-
 - vomitus W78-
 - respiration
 - by
 - food (lodged in esophagus) W79-
 - foreign body, except food or vomitus (lodged in esophagus) W80-
 - vomitus (lodged in esophagus) (compression of trachea) W78-

Overdose (drug) - *see* Table of drugs and chemicals

- radiation Y63.2 2a 2b

Overexertion (lifting) (pulling) (pushing) X50-**Overexposure (accidental) (to)**

- cold (*see also* Exposure, cold) X31-
- due to man-made conditions W93-
- heat (*see also* Heat) X30-
- radiation - *see* Radiation
- radioactivity W88-
- sun (sunburn) X32-
- weather NEC X39-
- wind NEC X39-

Overheated (*see also* Heat) X30-**Overlaid** W75-**OVERTURNING (accidental)**

- boat, ship, watercraft (causing drowning, submersion) V90-
- causing injury except drowning or submersion V91-
- machinery (*see also* Contact, with, by type of machine) W31-
- transport vehicle NEC (*see also* Accident, transport) V89.9 2a 2b
- wheelchair NEC W05-

P**Parachute descent (voluntary) (without accident to aircraft)** V97.2

- due to accident to aircraft V95.9

Pecked by bird W64-

Perforation during medical or surgical treatment as misadventure (*see also* Misadventure, cut, by type of procedure) Y60.9

Phlegm aspiration or inhalation, not of newborn (with asphyxia, obstruction respiratory passage, suffocation) W80-

Piercing (*see also* Contact, with, by type of object or machine) W49-

Pinched between objects (moving) (stationary and moving) (*see also* Caught) W23-

Pinned under machine(ry) (*see also* Contact, with, by type of machine) W31-

Plumbism - *see* Table of drugs and chemicals, Lead

Poisoning (accidental) (by) (*see also* Table of drugs and chemicals) X49-

- carbon monoxide

- - generated by

- - - motor vehicle - *see Note 6, Volume 1*

- - - watercraft (in transit) (not in transit) V93-

- exhaust gas

- - generated by

- - - motor vehicle - *see Note 6, Volume 1*

- - - watercraft (in transit) (not in transit) V93-

- fumes or smoke due to

- - explosion (*see also* Explosion) W40-

- - fire (*see also* Exposure, fire) X09-

- - ignition (*see also* Ignition) X09-

- gas

- - in legal intervention Y35.2

- - legal execution Y35.5

- homicide - *see* Assault, poisoning by type of substance

- in war operations (chemical weapons) Y36.7

- legal

- - execution Y35.5

- - intervention by gas Y35.2

- plant, thorns, spines, or sharp leaves (*see also* Table of drugs and chemicals) X28-

- - marine or sea plants (venomous) X26-

Premature cessation of surgical and medical care Y66

Pressure, external, causing asphyxia, suffocation (*see also* Suffocation) W84-

Privation X57-

- due to abandonment or neglect (*see also* Abandonment) Y06.9

- food (*see also* Lack of, food) X53-

- water (*see also* Lack of, water) X54-

Prolonged stay in

- high altitude as cause of anoxia, barodontalgia, barotitis or hypoxia W94-

- weightless environment X52-

Pulling, excessive X50-

Puncture, puncturing (*see also* Contact, with, by type of object or machine) W49-

- by

- - plant thorns, spines, sharp leaves or other mechanisms NEC W60-

- - sea-urchin spine X26-

- during medical or surgical treatment as misadventure (*see also* Misadventure, cut, by type of procedure) Y60.9

Pushed, pushing (accidental) (injury in) (overexertion) X50-

- by other person(s) (accidental) W51-

- - with fall W03-

- - as, or caused by, a crowd or human stampede (with fall) W52-

- - before moving object, train, vehicle

- - - stated as

- - - - intentional, homicide (attempt) Y02-

- - - - undetermined whether accidentally or purposely inflicted Y33-

- - from

- - - high place NEC

- - - - in accidental circumstances W17-

- - - - stated as

- - - - - intentional, homicide (attempt) Y01-

- - - - - undetermined whether accidentally or purposely inflicted Y30-

- - - transport vehicle NEC (*see also* Accident, transport) V89.9 2a 2b

- - - - stated as

- - - - - intentional, homicide (attempt) Y08-

- - - - - undetermined whether accidentally or purposely inflicted Y33-

Radiation (exposure to) W91-

- arc lamps W89-
- atomic power plant (malfunction) NEC W88-
- complication of or abnormal reaction to medical radiotherapy Y84.2 2a 2b
- electromagnetic, ionizing W88-
- gamma rays W88-
- in
 - war operations (from or following nuclear explosion) (direct) (secondary) Y36.5 2a
 - laser(s) Y36.7
- inadvertent exposure of patient (receiving test or therapy) Y63.3
- infrared (heaters and lamps) W90-
- excessive heat from W92-
- ionized, ionizing (particles, artificially accelerated) W88-
- isotopes, radioactive (*see also* Radiation, radioactive isotopes) W88-
- laser(s) W90-
- in war operations Y36.7
- misadventure in medical care Y63.2 2a 2b
- light sources (man-made visible and ultraviolet) W89-
- natural X32-
- man-made visible light W89-
- microwave W90-
- misadventure in medical or surgical procedure Y63.2 2a 2b
- natural NEC X39-
- overdose (in medical or surgical procedure) Y63.2 2a 2b
- radar W90-
- radioactive isotopes (any) W88-
- atomic power plant malfunction W88-
- misadventure in medical or surgical treatment Y63.2 2a 2b
- radiofrequency W90-
- radium NEC W88-
- sun X32-
- ultraviolet (light) (man-made) W89-
- natural X32-
- welding arc, torch, or light W89-
- excessive heat from W92-
- X-rays (hard) (soft) W88-

Range disease W94-**Rape (attempted) Y05-****Rat bite W53-****Reaction, abnormal to medical procedure** (*see also* Complication, by type of procedure) Y84.9 2b

- with misadventure (*see also* Misadventure) Y69
- biologicals - *see* Table of drugs and chemicals
- drugs - *see* Table of drugs and chemicals
- vaccine - *see* Table of drugs and chemicals

Reduction in

- atmospheric pressure W94-
- while surfacing from
 - deep water diving (causing caisson or diver's disease, palsy or paralysis) W94-
 - underground W94-

Repetitive movements, excessive X50-**Residual (effect)** (*see also* Sequelae) Y89.9 2a 2b**Rock falling on or hitting (accidentally) person W20-****Rowing, excessive X50-****Run over (accidentally) (by)**

- animal (not being ridden) NEC W55-
- being ridden V06-
- machinery (*see also* Contact, with, by type of machine) W31-
- transport vehicle NEC (*see also* Accident, transport) V09.9
- intentional, homicide (attempt) Y03-
- motor NEC V09.2
- intentional, homicide (attempt) Y03-

- - - undetermined whether accidental or intentional Y33-

- - undetermined whether accidental or intentional Y33-

Running

- before train, vehicle or other moving object (unspecified whether accidental or intentional) Y31-

- - stated as intentional, purposeful, suicide (attempt) X81-

- excessive X50-

Running off, away

- animal (being ridden) (*see also* Accident, transport) V80.9

- - not being ridden W55-

- animal-drawn vehicle NEC (*see also* Accident, transport) V80.9

- highway, road(way), street

- - transport vehicle NEC (*see also* Accident, transport) V89.9 2a 2b

Rupture of pressurized device (*see also* Explosion, by type of device) W38-

S

Saturnism - *see* Table of drugs and chemicals, Lead

Scald, scalding (accidental) (by) (from) (in) X19-

- air (hot) X14-

- gases (hot) X14-

- homicide (attempt) X98-

- inflicted by other person

- - stated as

- - - intentional, homicide (attempt) X98-

- - - undetermined whether accidental or intentional Y27-

- liquid (boiling) (hot) NEC X12-

- local application of externally applied substance in medical or surgical care Y63.5

- metal (hot) (liquid) (molten) NEC X18-

- self-inflicted (unspecified whether accidental or intentional) Y27-

- - stated as intentional, purposeful, suicide (attempt) X77-

- stated as undetermined whether accidental or intentional Y27-

- steam X13-

- suicide (attempt) X77-

- vapor (hot) X13-

Scratched by

- cat W55-

- person(s) (accidentally) W50-

Seasickness X51-

Secondhand

- smoke (tobacco) X49-

- - marijuana X42-

Self-harm NEC (*see also* external cause by type, undetermined whether accidental or intentional) Y34-

- intentional (*see also* Suicide) X84-

Self-inflicted (injury) NEC (*see also* external cause by type, undetermined whether accidental or intentional) Y34-

- intentional (*see also* Suicide) X84-

- poisoning NEC (*see also* Table of drugs and chemicals) X49-

Sequelae (of) Y89.9 2a 2b

- accident NEC (classifiable to W00-X59) Y86 2a 2b

- adverse incident associated with medical device in diagnostic or therapeutic use (classifiable to Y70-Y82) Y88.2 2a 2b

- assault (homicidal) (any means) (classifiable to X85-Y09) Y87.1 2a 2b

- drugs and biologicals causing adverse effects in therapeutic use (classifiable to Y40-Y59) Y88.0 2a 2b

- event of undetermined intent (classifiable to Y10-Y34) Y87.2 2a 2b

- homicide, attempt (any means) (classifiable to X85-Y09) Y87.1 2a 2b

- injury undetermined whether accidentally or purposely inflicted (classifiable to Y10-Y34) Y87.2 2a 2b

- intentional self-harm (classifiable to X60-X84) Y87.0 2a 2b

- legal intervention Y89.0 2a 2b

- medical or surgical procedure, resulting from misadventure Y88.1 2a 2b

- misadventure to patient during medical or surgical procedure (classifiable to Y60-Y69) Y88.1 2a 2b

- motor vehicle accident (V01-V89) Y85.0 2a 2b

- suicide (attempt) (any means) (classifiable to X60-X84) Y87.0 2a 2b

- surgical and medical procedures as cause of abnormal reaction or later complication (classifiable to Y83-Y84) Y88.3 2a 2b

- transport accident, except motor vehicles (V90-V99) Y85.9 2a 2b

- war operations Y89.1 2a 2b

Shaking (of)

- child (age less than 18 years) (*see also* Maltreatment NEC) Y07.9 2a 2b

Shock

- electric (*see also* Exposure, electric current) W87-

- from electric appliance (any) (faulty) W86-

Shooting, shot (accidental(ly)) (*see also* Discharge, by type of firearm) W34-

- herself or himself (*see also* Discharge, by type of firearm, self-inflicted) Y24-

- homicide (attempt) (*see also* Discharge, firearm, by type, homicide) X95-

- in war operations Y36.4

- inflicted by other person

- - stated as

- - - intentional, homicide (attempt) (*see also* Discharge, by type of firearm) X95-

- - - undetermined whether accidental or intentional (*see also* Discharge, by type of firearm, stated as undetermined intent) Y24-

- legal

- - execution Y35.5

- - intervention Y35.0

- self-inflicted (unspecified whether accidental or intentional) (*see also* Discharge, by type of firearm, self-inflicted) Y24-

- - stated as

- - - intentional, purposeful, suicide (attempt) (*see also* Discharge, by type of firearm, suicide) X74-

- - suicide (attempt) (*see also* Discharge, by type of firearm, suicide) X74-

Shoving (accidentally) by other person (*see also* Pushed, by other person) W51-

Shut in (accidentally) (*see also* suffocation)

- airtight space, except plastic bag W81-

- plastic bag (*see also* Suffocation, in, plastic bag) W83-

- refrigerator W81-

Sickness

- air X51-

- alpine W94-

- car X51-

- motion X51-

- mountain W94-

- sea X51-

- travel X51-

Sinking (accidental)

- boat, ship, watercraft (causing drowning or submersion) V90-

- - causing injury except drowning or submersion V91-

Siriasis X32-

Slashed wrists (*see also* Cut, self-inflicted) Y28-

Slipping (accidental) (on same level) (with fall) W01-

- on

- - ice W00-

- - - with skates W02-

- - mud W01-

- - oil W01-

- - snow W00-

- - - with skis W02-

- - surface (slippery) (wet) NEC W01-

Sliver, wood, contact with W45-

Smoke (tobacco)

- secondhand (tobacco) X49-

- - marijuana X42-

Smothering, smothered (*see also* Suffocation) W84-

Smouldering (due to fire) (*see also* Exposure, fire) X09-

Sodomy (attempted) by force Y05-

Sound waves (causing injury) W42-

Splinter, contact with W45-

Stab, stabbing X99-

- accidental (*see also* Contact, with, by object) W49-

Starvation X53-

- due to abandonment or neglect (*see also* Abandonment) Y06.9

Stepped on

- by

- - animal (not being ridden) NEC W55-

- - - being ridden V06-

- - crowd or human stampede W52-

- - person W50-

Stepping on

- object (stationary) W22-
- - with fall W18-
- - sports equipment W21-
- sports equipment W21-

Sting (venomous) (*see also* Contact, with, by type of sting) X29-

- ant X25-
- arthropod NEC X25-
- - nonvenomous W57-
- bee X23-
- caterpillar X25-
- centipede X24-
- coral X26-
- hornet X23-
- insect NEC X25-
- - nonvenomous W57-
- jelly fish X26-
- marine animal or plant X26-
- millipede, venomous X24-
- nematocysts X26-
- scorpion X22-
- sea anemone, cucumber, or urchin (spine) X26-
- wasp X23-
- yellow jacket X23-

Storm (cataclysmic) X37-

- causing flood X38-

Straining, excessive X50-**Strangling** - *see* Strangulation**Strangulation (accidental)** W76-

- by, due to, in
- - baby carriage W75-
- - bed, bed linen W75-
- - bib W76-
- - blanket W75-
- - cot, cradle W75-
- - foreign body - *see* Foreign body, object or material, aspiration
- - other person NEC W76-
- - - in bed W75-
- - - stated as undetermined whether accidentally or purposely inflicted Y20-
- - perambulator W75-
- - pillow W75-
- - sheet (plastic) W75-
- homicide (attempt) X91-
- self-inflicted (unspecified whether accidental or intentional) Y20-
- - accidental W76-
- - stated as intentional, purposeful, suicide (attempt) X70-
- stated as undetermined whether accidentally or purposely inflicted Y20-
- suicide (attempt) X70-

Strenuous movements (in recreational or other activities) X50-**Striking against**

- bottom (when jumping or diving into water) W16-
- diving board (swimming-pool) (when jumping or diving into water) W16-
- object (stationary) W22-
- - with
- - - drowning or submersion (*see also* Drowning) W74-
- - - fall W18-
- - caused by crowd or human stampede (with fall) W52-
- - moving, projected W20-
- - sports equipment W21-
- person(s) W51-
- - with fall W03-
- - as, or caused by, a crowd or human stampede (with fall) W52-
- sports equipment W21-
- wall of swimming-pool (when jumping or diving into water) W16-
- water surface (with injury other than drowning or submersion) W16-

Struck (accidentally) by

- alligator W58-
- animal (not being ridden) NEC W55-
- - being ridden V06-
- avalanche X36-
- ball (hit) (thrown) W21-
- bullet (*see also* Discharge, by type of firearm) W34-
- - in war operations Y36.4
- crocodile W58-
- dog W54-
- flare, Very pistol (*see also* Discharge, firearm) W34-
- hailstones X39-
- hockey stick or puck W21-
- landslide X36-
- law-enforcement agent (on duty) Y35.6
- - with blunt object (baton) (stave) (truncheon) Y35.3
- lightning X33-
- machine (*see also* Contact, with, by type of machine) W31-
- mammal NEC W55-
- - marine W56-
- marine animal W56-
- missile
 - - firearm (*see also* Discharge, by type of firearm) W34-
 - - in war operations - *see* War operations, missile
- object NEC W22-
- - falling W20-
- - - from, in, on
 - - - building W20-
 - - - - burning (uncontrolled fire) X00-
 - - - - cataclysmic
 - - - - earth surface movement NEC X36-
 - - - - storm X37-
 - - - - cave-in W20-
 - - - - with asphyxiation or suffocation (*see also* Suffocation, due to, cave-in) W77-
 - - - - earthquake X34-
 - - - - machine (in operation) (*see also* Contact, with, by type of machine) W31-
 - - - - structure W20-
 - - - - burning X00-
 - - - - transport vehicle (in motion) NEC (*see also* Accident, transport) V89.9 2a 2b
 - - - - stationary W20-
 - - moving NEC W20-
 - - projected NEC W20-
 - - set in motion by explosion (*see also* Explosion) W40-
 - - thrown NEC W20-
 - other person(s) W50-
 - - with blunt object W22-
 - - intentional, homicide (attempt) Y00-
 - - sports equipment W21-
 - - as, or caused by, a crowd or human stampede (with fall) W52-
 - - sports equipment W21-
 - police (on duty) Y35.6
 - - with blunt object (baton) (stave) truncheon) Y35.3
 - sports equipment W21-
 - thunderbolt X33-
 - transport vehicle NEC (*see also* Accident, transport) V09.9
 - - intentional, homicide (attempt) Y03-
 - - motor NEC (*see also* Accident, transport) V09.2
 - - - intentional, homicide (attempt) Y03-
 - - - suicide X81-
 - - - undetermined whether accidental or intentional Y33-
 - - suicide X81-
 - - undetermined whether accidental or intentional Y33-
 - vehicle (transport) NEC (*see also* Accident, transport) V09.9
 - - stationary (falling from jack, hydraulic lift, ramp) W20-

Stumbling

- over
- - animal NEC W64-
- - - with fall W01-
- - carpet, curb, kerb, rug or (small) object (*see also* Striking against, object) W22-
- - - with fall W01-
- - person W51-
- - - with fall W03-

Stun gun - *see* Exposure, taser

Submersion (accidental) (*see also* Drowning) W74-

Suffocation (accidental) (by external means) (by pressure) (mechanical) W84-

- caused by other person
- - in accidental circumstances W84-
- - stated as
- - - intentional, homicide (attempt) X91-
- - - undetermined whether accidentally or purposely inflicted Y20-
- due to, by
- - another person in bed W75-
- - avalanche X36-
- - bed, bed linen W75-
- - bib W76-
- - blanket W75-
- - cave-in W77-
- - - caused by cataclysmic earth surface movement X36-
- - explosion (*see also* Explosion) W40-
- - falling earth or other substance W77-
- - fire (*see also* Exposure, fire) X09-
- - food, any type (aspiration) (ingestion) (inhalation) W79-
- - foreign body, except food or vomitus W80-
- - ignition (*see also* Ignition) X09-
- - landslide X36-
- - ligature W84
- - - hanging (*see also* Hanging) W76
- - machine(ry) (*see also* Contact, with, by type of machine) W31-
- - material or object except food or vomitus W80-
- - mucus (aspiration) (inhalation), not of newborn W80-
- - phlegm (aspiration) (inhalation), not of newborn W80-
- - pillow W75-
- - plastic bag (*see also* Suffocation, in, plastic bag) W83-
- - sheet (plastic) W75-
- - specified means NEC W83-
- - vomitus (aspiration) (inhalation) W78-
- homicide (attempt) X91-
- in
 - - airtight place W81-
 - - baby carriage W75-
 - - bed W75-
 - - burning building X00-
 - - closed place W81-
 - - cot, cradle W75-
 - - perambulator W75-
 - - plastic bag (in accidental circumstances) W83-
 - - - homicide (attempt) X91-
 - - - self-inflicted (unspecified whether accidental or intentional) Y20-
 - - - - in accidental circumstances W83-
 - - - - stated as intentional, purposeful, suicide (attempt) X70-
 - - - stated as undetermined whether accidentally or purposely inflicted Y20-
 - - - suicide (attempt) X70-
 - - refrigerator W81-
 - infant while asleep W75-
 - self-inflicted Y20-
 - - in accidental circumstances W84-
 - - stated as intentional, purposeful, suicide (attempt) X70-
 - stated as undetermined whether accidentally or purposely inflicted Y20-
 - - suicide (attempt) X70-

Suicide, suicidal (attempted) (by) X84-

- blunt object X79-
- burning, burns X76-
- - hot object, steam or vapor X77-
- caustic substance X83-
- - poisoning - *see* Table of drugs and chemicals
- - swallowed - *see* Table of drugs and chemicals
- cold, extreme X83-
- collision (of)
- - motor vehicle X82-
- - streetcar, train or tram X82-
- - transport vehicle NEC X82-
- crashing of
- - aircraft X83-
- - streetcar, train or tram X82-
- - transport vehicle NEC X82-
- cut (any part of body) X78-
- cutting or piercing instrument X78-
- drowning X71-
- electrocution X83-
- explosive(s) (material) X75-
- fire, flames X76-
- firearm (*see also* Discharge, by type of firearm, suicide) X74-
- hanging X70-
- hot object X77-
- jumping
- - before moving object, train, vehicle X81-
- - from high place X80-
- late effect of attempt Y87.0 2a 2b
- lying before moving object, train, vehicle X81-
- poisoning - *see* Table of drugs and chemicals
- puncture (any part of body) X78-
- scald X77-
- sequelae of attempt Y87.0 2a 2b
- sharp object (any) X78-
- shooting (*see also* Discharge, by type of firearm, suicide) X74-
- specified means NEC X83-
- stab (any part of body) X78-
- steam, hot vapor X77-
- strangulation X70-
- submersion X71-
- suffocation X70-
- wound NEC X84-

Sunstroke X32-

Supersonic waves (causing injury) W42-

Surgical procedure, complication of (delayed or as an abnormal reaction without mention of misadventure) (*see also*

Complication, by type of procedure) Y83.9 2a 2b

- due to or as a result of misadventure (*see also* Misadventure) Y69

Swallowed, swallowing

- foreign body (*see also* Foreign body, alimentary canal) W44-
- poison - *see* Table of drugs and chemicals
- substance
- - caustic or corrosive X49-
- - poisonous - *see* Table of drugs and chemicals

Syndrome

- battered - *see* Maltreatment
- maltreatment - *see* Maltreatment

T

Tackle in sport W03-

Taser - *see* Exposure, taser

Thirst (*see also* Lack of, water) X54-

Threat to breathing W84-

- due to cave-in, falling earth or other substance NEC W77-

- specified NEC W83-

Thrown (accidentally)

- against part (any) of or object in transport vehicle (in motion) NEC - *see* Accident, transport
- from, off
- - high place, intentional, homicide (attempt) Y01-
- - machinery (*see also* Contact, with, by type of machine) W31-
- - transport vehicle NEC (*see also* Accident, transport) V89.9 2a 2b

Thunderbolt NEC X33-

Tidal wave (any injury) NEC X39-

- caused by storm X37-

Took

- overdose (drug) - *see* Table of drugs and chemicals
- poison - *see* Table of drugs and chemicals

Tornado (any injury) X37-

Torrential rain (any injury) X37-

Torture - *see* Maltreatment

Trampled by animal NEC W55-

- being ridden V06-

Trapped (accidentally)

- between
- - buildings (collapsing) in earthquake X34.0
- - objects (moving) (stationary and moving) (*see also* Caught) W23-
- by part (any) of
- - motorcycle V29.8
- - pedal cycle V19.8
- - transport vehicle NEC (*see also* Accident, transport) V89.9 2a 2b
- in low-oxygen environment W81-

Travel (effects) (sickness) X51-

Tree falling on or hitting (accidentally) (person) W20-

Tripping

- with fall W01-
- over
- - animal W64-
- - carpet, curb, kerb, rug or (small) object (*see also* Striking against, object) W22-
- - - with fall W01-
- - person W51-
- - - with fall W03-

Tsunami (any injury) NEC X34.1

Twisted by person(s) (accidentally) W50-

Twisting, excessive X50-

V

Vibration (causing injury) W43-

Victim (of)

- avalanche X36-
- earth movement NEC X36-
- earthquake X34.9
- - cataclysmic earth movements X34.0
- - specified effect NEC X34.8
- - tsunami X34.1
- flood X38-
- landslide X36-
- lightning X33-
- storm (cataclysmic) NEC X37-
- - causing flood X38-
- volcanic eruption X35-

Volcanic eruption (any injury) X35-

Vomitus, gastric contents, regurgitated food in air passages (with asphyxia, obstruction or suffocation) (*see also* Foreign body, air passage) W78-

W

Walked into stationary object (any) W22-**War operations (during hostilities) (injury) (by) (in) Y36.9**

- after cessation of hostilities, injury due to Y36.8
- air blast Y36.2
- aircraft burned, destroyed, exploded, shot down Y36.1
- asphyxia from
 - chemical (weapons) Y36.7
 - fire, conflagration (caused by fire-producing device or conventional weapon) Y36.3
 - from nuclear explosion Y36.5 2a
 - gas or fumes Y36.7
- battle wound NEC Y36.9
- bayonet Y36.4
- biological warfare agents Y36.6
- blast (air) (effects) Y36.2
- - from nuclear explosion Y36.5 2a
- - underwater Y36.0
- bomb (antipersonnel) (mortar) (explosion) (fragments) Y36.2
- - after cessation of hostilities Y36.8
- bullet(s) (from carbine, machine gun, pistol, rifle, shotgun) Y36.4
- burn from
 - chemical Y36.7
 - fire, conflagration (caused by fire- producing device or conventional weapon) Y36.3
 - from nuclear explosion Y36.5 2a
 - gas Y36.7
- burning aircraft Y36.1
- chemical Y36.7
- conventional warfare, specified form NEC Y36.4
- crushed by falling aircraft Y36.1
- depth-charge Y36.0
- destruction of aircraft Y36.1
- disability as sequela one year or more after injury Y89.1 2a 2b
- drowning Y36.4
- effect (direct) (secondary) of nuclear weapon Y36.5 2a
- explosion (artillery shell) (breech-block) (cannon block) Y36.2
- - after cessation of hostilities of bomb, mine placed in war Y36.8
- - aircraft Y36.1
- - bomb (antipersonnel) (mortar) Y36.2
- - - nuclear (atom) (hydrogen) Y36.5 2a
- - depth-charge Y36.0
- - grenade Y36.2
- - injury by fragments from Y36.2
- - land-mine Y36.2
- - marine weapon Y36.0
- - mine (land) Y36.2
- - - at sea or in harbor Y36.0
- - - marine Y36.0
- - missile (explosive) NEC (*see also* War operations, missile) Y36.2
- - munitions (accidental) (being used in war) (dump) (factory) Y36.2
- - nuclear (weapon) Y36.5 2a
- - own weapons (accidental) Y36.2
- - sea-based artillery shell Y36.0
- - torpedo Y36.0
- exposure to ionizing radiation from nuclear explosion Y36.5 2a
- falling aircraft Y36.1
- fire or fire-producing device Y36.3
- fireball effects from nuclear explosion Y36.5 2a
- fragments from artillery shell, bomb NEC, grenade, guided missile, land-mine, rocket, shell, shrapnel Y36.2
- gas or fumes Y36.7
- grenade (explosion) (fragments) Y36.2
- guided missile (explosion) (fragments) Y36.2
- - nuclear Y36.5 2a
- heat from nuclear explosion Y36.5 2a
- injury due to, but occurring after cessation of hostilities Y36.8
- land-mine (explosion) (fragments) Y36.2
- - after cessation of hostilities Y36.8

- laser(s) Y36.7
- late effect of Y89.1 2a 2b
- lewisite Y36.7
- lung irritant (chemical) (fumes) (gas) Y36.7
- marine mine Y36.0
- mine Y36.2
 - - after cessation of hostilities Y36.8
 - - at sea Y36.0
 - - in harbor Y36.0
 - - land (explosion) (fragments) Y36.2
 - - marine Y36.0
- missile (guided) (explosion) (fragments) Y36.2
- - marine Y36.0
- - nuclear Y36.5 2a
- mortar bomb (explosion) (fragments) Y36.2
- mustard gas Y36.7
- nerve gas Y36.7
- phosgene Y36.7
- poisoning (chemical) (fumes) (gas) Y36.7
- radiation, ionizing from nuclear explosion Y36.5 2a
- rocket (explosion) (fragments) Y36.2
- saber, sabre Y36.4
- screening smoke Y36.7
- shell (aircraft) (artillery) (cannon) (land-based) (explosion) (fragments) Y36.2
- - sea-based Y36.0
- shooting Y36.4
 - - after cessation of hostilities Y36.8
 - - bullet(s) Y36.4
 - - pellet(s) (rifle) (shotgun) Y36.4
 - - shrapnel Y36.2
 - - submersion Y36.4
 - - torpedo Y36.0
- unconventional warfare NEC Y36.7
 - - biological (warfare) Y36.6
 - - gas, fumes, chemicals Y36.7
 - - laser(s) Y36.7
 - - nuclear weapon Y36.5 2a
 - - specified NEC Y36.7
- underwater blast Y36.0
- vesicant (chemical) (fumes) (gas) Y36.7
- weapon burst Y36.2

Washed

- away by flood X38-
- off road by storm (transport vehicle) X37-

Weather exposure NEC (*see also* Exposure) X39-

Weightlessness (causing injury) (effects of) (in spacecraft, real or simulated) X52-

Wound (accidental) NEC (*see also* Injury) X59.9 2a 2b

- battle (*see also* War operations) Y36.9

- gunshot (*see also* Discharge, by type of firearm) W34-

Wreck transport vehicle NEC (*see also* Accident, transport) V89.9 2a 2b

Wrong fluid in infusion Y65.1

SECTION III - Table of drugs and chemicals

A

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Abrine | T62.2 | X49- | X69- | Y19- | |

| | | | | | |
|----------------------------|-------------|------|------|------|-------------|
| Absinthe | T51.0 2b | X45- | X65- | Y15- | |
| Acetbutolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Acecarbromal | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| Aceclidine | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Acedapsone | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Acefylline piperazine | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Acemetacin | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Acemorphan | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Acenocoumarin | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Acenocoumarol | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Acepifylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Acepromazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Acesulfamethoxypyridazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Acetal | T52.8 2b | X46- | X66- | Y16- | |
| Acetaldehyde (vapor) | T52.8 2b | X46- | X66- | Y16- | |
| - liquid | T65.8 | X49- | X69- | Y19- | |
| β-Acetamidophenol | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| Acetaminophen | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| Acetanilide | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| Acetarsol | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Acetazolamide | T50.2 2a | X44- | X64- | Y14- | Y54.2 |
| Acetiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Acetic | | | | | |
| - acid | T54.2 | X49- | X69- | Y19- | |
| -- ester (solvent) (vapor) | T52.8 2b | X46- | X66- | Y16- | |
| -- medicinal (lotion) | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - anhydride | T65.8 | X49- | X69- | Y19- | |
| - ether (vapor) | T52.8 2b | X46- | X66- | Y16- | |
| Acetohexamide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Acetohydroxamic acid | T50.9 2a 2b | X44- | X64- | Y14- | Y43.5 |
| Acetomenaphthone | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Acetone (oils) | T52.4 | X46- | X66- | Y16- | |
| - chlorinated | T52.4 | X46- | X66- | Y16- | |
| - vapor | T52.4 | X46- | X66- | Y16- | |
| Acetonitrile | T52.8 2b | X46- | X66- | Y16- | |
| Acetophenazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Acetophenetidin | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| Acetophenone | T52.4 | X46- | X66- | Y16- | |
| Acetrizoic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Acetyl | | | | | |
| - bromide | T53.6 | X46- | X66- | Y16- | |
| - chloride | T53.6 | X46- | X66- | Y16- | |
| Acetylcholine | | | | | |
| - chloride | T44.1 | X43- | X63- | Y13- | Y51.1 |
| - derivative | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Acetylcysteine | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Acetyldigitoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Acetyldigoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Acetylene (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - dichloride | T53.6 | X46- | X66- | Y16- | |
| - industrial | T59.8 2a 2b | X47- | X67- | Y17- | |
| - tetrachloride | T53.6 | X46- | X66- | Y16- | |
| -- vapor | T53.6 | X46- | X66- | Y16- | |
| Acetylpheneturide | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Acetylsalicylic acid (salts) | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - enteric coated | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Acetylsulfamethoxypyridazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Aciclovir | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Acid (corrosive) NEC | T54.2 | X49- | X69- | Y19- | |
| Acidifying agent NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y43.5 |
| Acipimox | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Acitretin | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Aclarubicin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Aclatonium napadisilate | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Aconitine | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Acridine | T65.6 | X49- | X69- | Y19- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |

| | | | | | |
|------------------------|-------------|------|------|------|----------|
| Acriflavinium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Acrinol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Acrivastine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Acrolein (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - liquid | T54.1 | X49- | X69- | Y19- | |
| Acrylamide | T65.8 | X49- | X69- | Y19- | |
| Acrylic resin | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Acrylonitrile | T65.8 | X49- | X69- | Y19- | |
| ACTH | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Actinomycin C | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Actinomycin D | T45.1 | X44- | X64- | Y14- | Y43.3 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Activated charcoal | T47.6 | X44- | X64- | Y14- Y53.6 |
| Acyclovir | T37.5 2a | X44- | X64- | Y14- Y41.5 2a |
| Adderall | T43.6 2b | X41- | X61- | Y11- Y49.7 |
| Adenine | T45.2 | X44- | X64- | Y14- Y57.7 |
| - arabinoside | T37.5 2a | X44- | X64- | Y14- Y41.5 2a |
| Adhesive NEC | T65.8 | X49- | X69- | Y19- |
| Adicillin | T36.0 | X44- | X64- | Y14- Y40.0 2a 2b |
| Adiphenine | T44.3 | X43- | X63- | Y13- Y51.3 |
| Adipiodone | T50.8 | X44- | X64- | Y14- Y57.5 2b |
| Adrenaline | T44.5 | X43- | X63- | Y13- Y51.5 |
| Adrenergic NEC | T44.9 | X43- | X63- | Y13- Y51.9 |
| - blocking agent NEC | T44.8 | X43- | X63- | Y13- Y51.8 |
| - - beta, heart | T44.7 | X43- | X63- | Y13- Y51.7 |
| - specified NEC | T44.9 | X43- | X63- | Y13- Y51.9 |
| Adrenochrome | | | | |
| - (mono) semicarbazone | T46.9 | X44- | X64- | Y14- Y52.9 |
| - derivative | T46.9 | X44- | X64- | Y14- Y52.9 |
| Adrenocorticotrophic hormone | T38.8 | X44- | X64- | Y14- Y42.8 |
| Adrenocorticotrophin | T38.8 | X44- | X64- | Y14- Y42.8 |
| - long-acting | T38.8 | X44- | X64- | Y14- Y42.8 |
| Adriamycin | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Aerosol spray NEC | T65.9 2b | X49- | X69- | Y19- |
| Aflatoxin | T64 | X49- | X69- | Y19- |
| Afloqualone | T42.8 2b | X41- | X61- | Y11- Y46.8 |
| Agar | T47.4 | X44- | X64- | Y14- Y53.4 |
| Agonist | | | | |
| - predominantly | | | | |
| - - - adrenoreceptor | T44.4 | X43- | X63- | Y13- Y51.4 |
| - - - adrenoreceptor | T44.5 | X43- | X63- | Y13- Y51.5 |
| AHLG | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| Air contaminant(s), source or type not specified | T65.9 2b | X49- | X69- | Y19- |
| Ajmaline | T46.2 2b | X44- | X64- | Y14- Y52.2 |
| Akritoïn | T37.8 | X44- | X64- | Y14- Y41.8 |
| Alacepril | T46.4 | X44- | X64- | Y14- Y52.4 |
| Albendazole | T37.4 | X44- | X64- | Y14 2a 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|----------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Albumin | | | | |
| - bovine | T45.8 | X44- | X64- | Y14- Y44.6 |
| - human serum | T45.8 | X44- | X64- | Y14- Y44.6 |
| - - salt-poor | T45.8 | X44- | X64- | Y14- Y44.6 |
| - normal human serum | T45.8 | X44- | X64- | Y14- Y44.6 |
| Albuterol | T48.6 | X44- | X64- | Y14- Y55.6 |
| Albutoïn | T42.0 2a | X41- | X61- | Y11- Y46.2 2a |
| Alclofenac | T39.3 | X40- | X60- | Y10- Y45.3 2a 2b |
| Alclometasone | T49.0 | X44- | X64- | Y14- Y56.0 |
| Alcohol | T51.9 2a 2b | X45- | X65- | Y15- |
| - absolute | T51.0 2b | X45- | X65- | Y15- |
| - allyl | T51.8 | X45- | X65- | Y15- |
| - amyl | T51.3 | X45- | X65- | Y15- |
| - beverage | T51.0 2b | X45- | X65- | Y15- |
| - butyl | T51.3 | X45- | X65- | Y15- |

| | | | | | |
|------------------------------------|-------------|------|------|------|-------------|
| - dehydrated | T51.0 2b | X45- | X65- | Y15- | |
| - denatured | T51.0 2b | X45- | X65- | Y15- | |
| - deterrent NEC | T50.6 | X44- | X64- | Y14- | Y57.3 2a 2b |
| - ethyl | T51.0 2b | X45- | X65- | Y15- | |
| - grain | T51.0 2b | X45- | X65- | Y15- | |
| - industrial | T51.0 2b | X45- | X65- | Y15- | |
| - isopropyl | T51.2 | X45- | X65- | Y15- | |
| - methyl | T51.1 | X45- | X65- | Y15- | |
| - propyl | T51.3 | X45- | X65- | Y15- | |
| - rubbing | T51.2 | X45- | X65- | Y15- | |
| - surgical | T51.0 2b | X45- | X65- | Y15- | |
| - vapor (from any type of alcohol) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - wood | T51.1 | X45- | X65- | Y15- | |
| Alcuronium (chloride) | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Aldesulfone sodium | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Aldicarb | T60.0 2b | X48- | X68- | Y18- | |
| Aldosterone | T50.0 | X44- | X64- | Y14- | Y54.0 2b |
| Aldrin (dust) | T60.1 | X48- | X68- | Y18- | |
| Alexitol sodium | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Alfacalcidol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Alfadolone | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Alfaxalone | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Alfentanil | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Alfuzosin (hydrochloride) | T44.8 | X43- | X63- | Y13- | Y51.8 |
| Algeldrate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Algin | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Alglucerase | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Alimemazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Alizapride | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Alkali (caustic) | T54.3 | X49- | X69- | Y19- | |
| Alkalizing agent NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y43.5 |
| Alkonium (bromide) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Alkylating drug NEC | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| - antimyeloproliferative | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| - lymphatic | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Alkylisocyanate | T65.0 | X49- | X69- | Y19- | |
| Allantoin | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Allethrin | T49.0 | X48- | X68- | Y18- | Y56.0 |
| Allobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Allopurinol | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Allyl | | | | | |
| - alcohol | T51.8 | X45- | X65- | Y15- | |
| - disulfide | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Allylestrenol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Allylthiourea | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Allypropymal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Almagate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Almasilate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Alminoprofen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Almitrine | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Aloes | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Aloglutamol | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Aloin | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Aloxiprin | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Alpha | | | | | |
| - acetyldigoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| - amylase | T45.3 | X44- | X64- | Y14- | Y43.6 |
| - tocopherol (acetate) | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Alpha-adrenergic blocking drug | T44.6 | X43- | X63- | Y13- | Y51.6 |
| Alphadolone | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Alphaprodine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| | | | | | |

| | | | | | |
|---------------------------------------|-------------|------|------|------|----------|
| Alphaxalone | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Alprazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Alprenolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Alprostadiol | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Alsactide | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Alseroxylon | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Alteplase | T45.6 | X44- | X64- | Y14- | Y44.5 |
| Altizide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Altretamine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Alum (medicinal) | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - nonmedicinal (ammonium) (potassium) | T56.8 | X49- | X69- | Y19- | |
| Alumin(i)um | | | | | |
| - acetate | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - - solution | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - bis (acetylsalicylate) | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - carbonate (gel, basic) | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - chlorhydroxide-complex | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - chloride | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - clofibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| - diacetate | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - glycinate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - hydroxide (gel) | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - hydroxide-magnesium carb. gel | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - magnesium silicate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - nicotinate | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| - phosphate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - salicylate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - silicate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - sodium silicate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - sulfate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - tannate | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Alverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Amanitine | T62.0 | X49- | X69- | Y19- | |
| Amantadine | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Ambazone | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Ambenonium (chloride) | T44.0 | X43- | X63- | Y13- | Y51.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---------------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Ambien | T42.6 2b | X41- | X61- | Y47.8 2a 2b |
| Ambroxol | T48.4 | X44- | X64- | Y55.4 |
| Ambuphylline | T48.6 | X44- | X64- | Y55.6 |
| Amcinonide | T49.0 | X44- | X64- | Y56.0 |
| Amdinocilline | T36.0 | X44- | X64- | Y40.0 2a 2b |
| Ametazole | T50.8 | X44- | X64- | Y57.6 2b |
| Amethocaine | T41.3 | X44- | X64- | Y48.3 2b |
| - regional | T41.3 | X44- | X64- | Y48.3 2b |
| - spinal | T41.3 | X44- | X64- | Y48.3 2b |
| Amezinium metilsulfate | T44.9 | X43- | X63- | Y51.9 |
| Amfebutamone | T43.2 2b | X41- | X61- | Y49.2 |
| Amfenac | T39.3 | X40- | X60- | Y45.3 2a 2b |
| Amfepramone | T50.5 | X44- | X64- | Y57.0 |
| Amfetamine | T43.6 2b | X41- | X61- | Y49.7 |
| Amfetaminil | T43.6 2b | X41- | X61- | Y49.7 |
| Amfomycin | T36.8 | X44- | X64- | Y40.8 2b |
| Amidefrine mesilate | T48.5 | X44- | X64- | Y55.5 |
| Amidone | T40.3 2b | X42- | X62- | Y45.0 2b |
| Amidopyrine | T39.2 | X40- | X60- | Y45.8 |
| Amidotrizoate | T50.8 | X44- | X64- | Y57.5 2b |
| Amiflamine | T43.1 | X41- | X61- | Y49.1 |
| Amikacin | T36.5 | X44- | X64- | Y40.5 |
| Amikhelline | T46.3 | X44- | X64- | Y52.3 |
| Amiloride | T50.2 2a | X44- | X64- | Y54.5 |
| Aminaphthone | T45.5 | X44- | X64- | Y44.2 2b |
| Amineptine | T43.0 2b | X41- | X61- | Y49.0 |
| Aminoacetic acid (derivatives) | T50.3 | X44- | X64- | Y54.6 |
| Aminoacridine | T49.0 | X44- | X64- | Y56.0 |
| Aminobenzoic acid (- $\tilde{\eta}$) | T49.3 | X44- | X64- | Y56.3 |
| 4-Aminobutyric acid | T43.8 | X41- | X61- | Y49.8 |
| Aminocaproic acid | T45.6 | X44- | X64- | Y44.3 |

| | | | | | |
|-------------------------|-------|------|------|------|----------|
| Aminofenazole | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Aminoglutethimide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Aminoglycoside | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Aminohippuric acid | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Aminomethylbenzoic acid | T45.6 | X44- | X64- | Y14- | Y44.3 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Aminometradine | T50.2 2a | X44- | X64- | Y14- Y54.5 |
| Aminophenazole | T39.2 | X40- | X60- | Y10- Y45.8 |
| Aminophenol | T54.0 2b | X49- | X69- | Y19- |
| 4-Aminophenol derivatives | T39.1 2b | X40- | X60- | Y10- Y45.5 |
| Aminophylline | T48.6 | X44- | X64- | Y14- Y55.6 |
| Aminopterin sodium | T45.1 | X44- | X64- | Y14- Y43.1 |
| Aminopyrine | T39.2 | X40- | X60- | Y10- Y45.8 |
| 8-Aminoquinoline drugs | T37.2 | X44- | X64- | Y14- Y41.2 |
| Aminorex | T50.5 | X44- | X64- | Y14- Y57.0 |
| Aminosalicylic acid | T37.1 | X44- | X64- | Y14- Y41.1 |
| Aminosalylum | T37.1 | X44- | X64- | Y14- Y41.1 |
| Amiodarone | T46.2 2b | X44- | X64- | Y14- Y52.2 |
| Amiphenazole | T50.7 | X44- | X64- | Y14- Y50.0 |
| Amisulpride | T43.5 2b | X41- | X61- | Y11- Y49.5 |
| Amitriptyline | T43.0 2b | X41- | X61- | Y11- Y49.0 |
| Amitriptylinoxide | T43.0 2b | X41- | X61- | Y11- Y49.0 |
| Amlexanox | T48.6 | X44- | X64- | Y14- Y55.6 |
| Ammonia (fumes) (gas) (vapor) | T59.8 2a 2b | X47- | X67- | Y17- |
| - aromatic spirit | T48.7 | X44- | X64- | Y14- Y55.7 |
| - liquid (household) | T54.3 | X49- | X69- | Y19- |
| Ammoniated mercury | T49.0 | X44- | X64- | Y14- Y56.0 |
| Ammonium | | | | |
| - acid tartrate | T49.5 | X44- | X64- | Y14- Y56.5 |
| - bromide | T42.6 2b | X41- | X61- | Y11- Y47.4 |
| - chloride | T50.9 2a 2b | X44- | X64- | Y14- Y43.5 |
| - compounds (household) NEC | T54.3 | X49- | X69- | Y19- |
| -- fumes (any usage) | T59.8 2a 2b | X47- | X67- | Y17- |
| -- industrial | T54.3 | X49- | X69- | Y19- |
| - sulfamate | T60.3 | X48- | X68- | Y18- |
| - sulfonate resin | T47.8 | X44- | X64- | Y14- Y53.8 |
| Amobarbital (sodium) | T42.3 2a 2b | X41- | X61- | Y11- Y47.0 |
| Amodiaquine | T37.2 | X44- | X64- | Y14- Y41.2 |
| Amoxapine | T43.0 2b | X41- | X61- | Y11- Y49.0 |
| Amoxicillin | T36.0 | X44- | X64- | Y14- Y40.0 2a 2b |
| Amperozide | T43.5 2b | X41- | X61- | Y11- Y49.5 |
| Amphetamine NEC | T43.6 2b | X41- | X61- | Y11- Y49.7 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Amphotalide | T37.4 | X44- | X64- | Y14- Y41.4 |
| Amphotericin B | T36.7 | X44- | X64- | Y14- Y40.7 |
| Ampicillin | T36.0 | X44- | X64- | Y14- Y40.0 2a 2b |
| Amsacrine | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Amygdaline | T62.2 | X49- | X69- | Y19- |
| Amyl | | | | |
| - acetate | T52.8 2b | X46- | X66- | Y16- |
| -- vapor | T59.8 2a 2b | X47- | X67- | Y17- |
| - alcohol | T51.3 | X45- | X65- | Y15- |
| - chloride | T53.6 | X46- | X66- | Y16- |
| - formate | T52.8 2b | X46- | X66- | Y16- |
| - nitrite | T46.3 | X44- | X64- | Y14- Y52.3 |
| - propionate | T65.8 | X49- | X69- | Y19- |
| Amylase | T47.5 | X44- | X64- | Y14- Y53.5 |
| Amylene, regional | T41.3 | X44- | X64- | Y14- Y48.3 2b |
| Amylene | | | | |
| - dichloride | T53.6 | X46- | X66- | Y16- |
| - hydrate | T51.3 | X45- | X65- | Y15- |
| Amylmetacresol | T49.6 | X44- | X64- | Y14- Y56.6 |
| Amylobarbitone | T42.3 2a 2b | X41- | X61- | Y11- Y47.0 |

| | | | | | |
|-------------------------------|----------|------|------|------|-------------|
| Amylocaine, regional | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Amylopectin | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Anabolic steroid | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Analeptic NEC | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Analgesic NEC | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| - anti-inflammatory NEC | T39.9 | X40- | X60- | Y10- | Y45.9 |
| - - propionic acid derivative | T39.3 | X40- | X60- | Y10- | Y45.2 |
| - antirheumatic NEC | T39.9 | X40- | X60- | Y10- | Y45.9 |
| - aromatic NEC | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| - narcotic NEC | T40.6 2b | X42- | X62- | Y12- | Y45.0 2b |
| - - combination | T40.6 2b | X42- | X62- | Y12- | Y45.0 2b |
| - - obstetric | T40.6 2b | X42- | X62- | Y12- | Y45.0 2b |
| - non-narcotic NEC | T39.9 | X40- | X60- | Y10- | Y45.9 |
| - - combination | T39.9 | X40- | X60- | Y10- | Y45.9 |
| - nonopiod | T39.9 | X40- | X60- | Y10- | Y45.9 |
| - pyrazole | T39.2 | X40- | X60- | Y10- | Y45.8 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Analgin | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Ancrod | T45.6 | X44- | X64- | Y14- | Y44.9 |
| Androgen | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Androgen-estrogen mixture | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Androstanolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Anesthesia (<i>see also</i> Anesthetic NEC) | T41.4 | X44- | X64- | Y14- | Y48.4 2b |
| - caudal | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - endotracheal | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - epidural | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - inhalation | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - local | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - mucosal | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - muscle relaxation | T48.1 | X44- | X64- | Y14- | Y55.1 |
| - nerve blocking | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - plexus blocking | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - potentiated | T41.2 | X44- | X64- | Y14- | Y48.2 |
| - rectal | T41.2 | X44- | X64- | Y14- | Y48.2 |
| - regional | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - surface | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Anesthetic NEC (<i>see also</i> Anesthesia) | T41.4 | X44- | X64- | Y14- | Y48.4 2b |
| - with muscle relaxant | T41.2 | X44- | X64- | Y14- | Y48.2 |
| - gaseous NEC | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - general NEC | T41.2 | X44- | X64- | Y14- | Y48.2 |
| - infiltration NEC | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - inhaled | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - intravenous NEC | T41.1 | X44- | X64- | Y14- | Y48.1 |
| - local NEC | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - rectal | T41.2 | X44- | X64- | Y14- | Y48.2 |
| - regional NEC | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - spinal NEC | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - thiobarbiturate | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Aneurine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Angiotensinamide | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Anileridine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Aniline (dye) (liquid) | T65.3 | X49- | X69- | Y19- | |
| Anise oil | T47.5 | X44- | X64- | Y14- | Y53.5 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-------------------------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Anisidine | T65.3 | X49- | X69- | Y19- | |
| Anisindione | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Anisotropine methylbromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Anistreplase | T45.6 | X44- | X64- | Y14- | Y44.5 |
| Anorexiant (central) | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Ansamycin | T36.6 | X44- | X64- | Y14- | Y40.6 |
| Ant poison - <i>see</i> Insecticide | | | | | |
| Antacid NEC | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Antagonist | | | | | |

| | | | | | |
|----------------------------------|----------|------|------|------|----------|
| - -adrenoreceptor NEC | T44.6 | X43- | X63- | Y13- | Y51.6 |
| - -adrenoreceptor NEC | T44.7 | X43- | X63- | Y13- | Y51.7 |
| - aldosterone | T50.0 | X44- | X64- | Y14- | Y54.1 |
| - anticoagulant | T45.7 | X44- | X64- | Y14- | Y44.3 |
| - extrapyramidal NEC | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - folic acid | T45.1 | X44- | X64- | Y14- | Y43.1 |
| - heavy metal | T45.8 | X44- | X64- | Y14- | Y43.8 |
| - H ₂ receptor | T47.0 | X44- | X64- | Y14- | Y53.1 |
| - narcotic analgesic | T50.7 | X44- | X64- | Y14- | Y50.1 |
| - opiate | T50.7 | X44- | X64- | Y14- | Y50.1 |
| - pyrimidine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| - serotonin | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Antazolin(e) | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Anterior pituitary hormone NEC | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Anthelminthic NEC | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Anthiolimine | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Anthralin | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Antiadrenergic NEC | T44.8 | X43- | X63- | Y13- | Y51.8 |
| Antiallergic NEC | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Antiandrogen NEC | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Anti-anemic (drug) (preparation) | T45.8 | X44- | X64- | Y14- | Y44.9 |
| Antianxiety drug NEC | T43.5 2b | X41- | X61- | Y11- | Y47.9 |
| Antiarteriosclerotic drug | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Antiasthmatic drug NEC | T48.6 | X44- | X64- | Y14- | Y55.6 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|----------------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Antibiotic NEC | T36.9 | X44- | X64- | Y14- | Y40.9 |
| - aminoglycoside | T36.5 | X44- | X64- | Y14- | Y40.5 |
| - anticancer | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| - antifungal | T36.7 | X44- | X64- | Y14- | Y40.7 |
| - antineoplastic | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| - ENT | T49.6 | X44- | X64- | Y14- | Y56.6 |
| - eye | T49.5 | X44- | X64- | Y14- | Y56.5 |
| - fungicidal (local) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - intestinal | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| - -lactam NEC | T36.1 | X44- | X64- | Y14- | Y40.1 |
| - local | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - polypeptide | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| - specified NEC | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| - throat | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Anticholesterolemic drug NEC | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Anticholinergic NEC | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Anticholinesterase | T44.0 | X43- | X63- | Y13- | Y51.0 |
| - organophosphorus | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Anticoagulant NEC | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| - antagonist | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Anti-common-cold drug NEC | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Anticonvulsant NEC | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| - barbiturate | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - combination (with barbiturate) | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - deoxybarbiturates | T42.3 2a 2b | X41- | X61- | Y11- | Y46.3 |
| - hydantoin | T42.0 2a | X41- | X61- | Y11- | Y46.2 2a |
| - hypnotic NEC | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| - oxazolidinedione | T42.2 | X41- | X61- | Y11- | Y46.1 |
| - pyrimidinedione | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| - succinimide | T42.2 | X41- | X61- | Y11- | Y46.0 |
| Anti-D immunoglobulin (human) | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| Antidepressant NEC | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| - monoamine-oxidase-inhibitor | T43.1 | X41- | X61- | Y11- | Y49.1 |
| - triazolopyridine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| - tricyclic or tetracyclic | T43.0 2b | X41- | X61- | Y11- | Y49.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Antidiabetic NEC | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - biguanide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |

| | | | | | |
|---------------------------------|-------------|------|------|------|----------|
| - - and sulfonyl combined | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - combined | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - sulfonylurea | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Antidiarrheal drug NEC | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - absorbent | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Antidiphtheria serum | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| Antidiuretic hormone | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Antidote NEC | T50.6 | X44- | X64- | Y14- | Y57.2 |
| - heavy metal | T45.8 | X44- | X64- | Y14- | Y43.8 |
| Antidysrhythmic NEC | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Antiemetic drug | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Antiepileptic | T42.7 2b | X41- | X61- | Y11- | Y46.6 |
| - mixed NEC | T42.5 | X41- | X61- | Y11- | Y46.6 |
| - specified NEC | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Antiestrogen NEC | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Antifertility pill | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Antifibrinolytic drug | T45.6 | X44- | X64- | Y14- | Y44.3 |
| Antifilarial drug | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Antiflatulent | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Antifreeze | T65.9 2b | X49- | X69- | Y19- | |
| - ethylene glycol | T51.8 | X45- | X65- | Y15- | |
| Antifungal | | | | | |
| - antibiotic (systemic) | T36.7 | X44- | X64- | Y14- | Y40.7 |
| - anti-infective NEC | T37.9 | X44- | X64- | Y14- | Y41.9 |
| - disinfectant, local | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nonmedicinal (spray) | T60.3 | X48- | X68- | Y18- | |
| Anti-gastric-secretion drug NEC | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Antigonadotrophin NEC | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Antihallucinogen | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Antihemophilic | | | | | |
| - factor | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - fraction | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - globulin concentrate | T45.7 | X44- | X64- | Y14- | Y44.3 |
| - human plasma | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - plasma, dried | T45.7 | X44- | X64- | Y14- | Y44.3 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Antihemorrhoidal preparation | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Antiheparin drug | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Antihistamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Antihookworm drug | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Anti-human lymphocytic globulin | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| Antihyperlipidemic drug | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Antihypertensive drug NEC | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Anti-infective NEC | T37.9 | X44- | X64- | Y14- | Y41.9 |
| - bismuth, local | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - ENT | T49.6 | X44- | X64- | Y14- | Y56.6 |
| - eye NEC | T49.5 | X44- | X64- | Y14- | Y56.5 |
| - local NEC | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - - specified NEC | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - mixed | T37.9 | X44- | X64- | Y14- | Y41.9 |
| Anti-inflammatory drug, NEC | T39.3 | X40- | X60- | Y10- | Y45.9 |
| - local | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nonsteroidal NEC | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| - specified NEC | T39.3 | X40- | X60- | Y10- | Y45.8 |
| Antikaluretic | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Antiknock (tetraethyl lead) | T56.0 | X49- | X69- | Y19- | |
| Antilipemic drug NEC | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Antimalarial | T37.2 | X44- | X64- | Y14- | Y41.2 |
| - prophylactic NEC | T37.2 | X44- | X64- | Y14- | Y41.2 |
| - pyrimidine derivative | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Antimetabolite | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Antimitotic agent | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Antimony (compounds) (vapor) NEC | T56.8 | X49- | X69- | Y19- | |
| - dimercaptosuccinate | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| - hydride | T56.8 | X49- | X69- | Y19- | |
| - pesticide (vapor) | T60.8 | X48- | X68- | Y18- | |
| - potassium (sodium) tartrate | T37.8 | X44- | X64- | Y14- | Y41.8 |
| - sodium dimercaptosuccinate | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |

| | | | | | |
|----------------------------|----------|------|------|------|-------|
| Antimuscarinic NEC | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Antimycobacterial drug NEC | T37.1 | X44- | X64- | Y14- | Y41.1 |
| - combination | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Antinausea drug | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Antinematode drug | T37.4 | X44- | X64- | Y14- | Y41.4 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Antineoplastic NEC | T45.1 | X44- | X64- | Y43.3 2b |
| - alkaloidal | T45.1 | X44- | X64- | Y43.2 |
| - combination | T45.1 | X44- | X64- | Y43.3 2b |
| - - estrogen | T38.5 | X44- | X64- | Y42.5 2b |
| - steroid | T38.7 | X44- | X64- | Y42.7 2a 2b |
| Antiparasitic drug (systemic) | T37.9 | X44- | X64- | Y41.9 |
| - local | T49.0 | X44- | X64- | Y56.0 |
| - specified NEC | T37.8 | X44- | X64- | Y41.8 |
| Antiparkinsonism drug NEC | T42.8 2b | X41- | X61- | Y46.7 |
| Antiperspirant NEC | T49.2 | X44- | X64- | Y56.2 |
| Antiphlogistic NEC | T39.4 | X40- | X60- | Y45.4 |
| Antiplatelet | T45.5 | X44- | X64- | Y44.2 2b |
| Antiplatyhelminthic drug | T37.4 | X44- | X64- | Y41.4 |
| Antiprotozoal drug NEC | T37.3 2a | X44- | X64- | Y41.3 2a |
| - local | T49.0 | X44- | X64- | Y56.0 |
| Antipruritic drug NEC | T49.1 | X44- | X64- | Y56.1 |
| Antipsychotic drug NEC | T43.5 2b | X41- | X61- | Y49.5 |
| - phenothiazine | T43.3 2b | X41- | X61- | Y49.3 2b |
| Antipyretic NEC | T39.8 2b | X40- | X60- | Y45.8 |
| Antipyrine | T39.2 | X40- | X60- | Y45.8 |
| Antirabies hyperimmune serum | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| Antirheumatic NEC | T39.4 | X40- | X60- | Y45.4 |
| Antirigidity drug NEC | T42.8 2b | X41- | X61- | Y46.8 |
| Antischistosomal drug | T37.4 | X44- | X64- | Y41.4 |
| Antiscorpion sera | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| Antitapeworm drug | T37.4 | X44- | X64- | Y41.4 |
| Antitetanus immunoglobulin | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| Antithyroid drug NEC | T38.2 | X44- | X64- | Y42.2 |
| Antitoxin | | | | |
| - diphtheria | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| - gas gangrene | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| - tetanus | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| Antitrichomonial drug | T37.3 2a | X44- | X64- | Y41.3 2a |
| Antitussive NEC | T48.3 | X44- | X64- | Y55.3 |
| - codeine mixture | T40.2 2b | X42- | X62- | Y45.0 2b |
| - opiate | T40.2 2b | X42- | X62- | Y45.0 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Antivaricose drug | T46.8 | X44- | X64- | Y52.8 |
| Antivenin, antivenom (sera) | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| - crotaline | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| - spider bite | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| Antivertigo drug | T45.0 2b | X44- | X64- | Y43.0 |
| Antiviral drug NEC | T37.5 2a | X44- | X64- | Y41.5 2a |
| - eye | T49.5 | X44- | X64- | Y56.5 |
| Antiwhipworm drug | T37.4 | X44- | X64- | Y41.4 |
| Antrafenine | T39.3 | X40- | X60- | Y45.3 2a 2b |
| ANTU (alpha naphthylthiourea) | T60.4 2b | X48- | X68- | Y18- |
| Apalcillin | T36.0 | X44- | X64- | Y40.0 2a 2b |
| APC | T48.5 | X44- | X64- | Y55.5 |
| Aplonidine | T44.4 | X43- | X63- | Y51.4 |
| Apomorphine | T47.7 | X44- | X64- | Y53.7 |
| Apraclonidine (hydrochloride) | T44.4 | X43- | X63- | Y51.4 |
| Aprindine | T46.2 2b | X44- | X64- | Y52.2 |
| Aprobarbital | T42.3 2a 2b | X41- | X61- | Y47.0 |
| Aprotinin | T45.6 | X44- | X64- | Y44.3 |
| Aptocaine | T41.3 | X44- | X64- | Y48.3 2b |
| Aqua fortis | T54.2 | X49- | X69- | Y19- |

| | | | | | |
|---|-------------|------|------|------|----------|
| Ara-A | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Ara-C | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Arachis oil | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Arecoline | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Arginine | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| - glutamate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Arsenate of lead | T57.0 | X48- | X68- | Y18- | |
| Arsenic, arsenicals (compounds) (dust)
(vapor) NEC | T57.0 | X48- | X68- | Y18- | |
| Arsine (gas) | T57.0 | X49- | X69- | Y19- | |
| Arsthinol | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Articaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Asbestos | T57.8 | X49- | X69- | Y19- | |
| Ascaridole | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Ascorbic acid | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Asparaginase | T45.1 | X44- | X64- | Y14- | Y43.3 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|------------------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Aspirin (aluminum) (soluble) | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Aspoxicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Astemizole | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Astringent (local) | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - specified NEC | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Astromicin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Ataractic drug NEC | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Atenolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Ativan | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Atomoxetine (hydrochloride) | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Atorvastatin | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Atracurium besilate | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Atropine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - derivative | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - methonitrate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Attapulgite | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Auramine | T65.8 | X49- | X69- | Y19- | |
| Auranofin | T39.4 | X40- | X60- | Y10- | Y45.4 |
| Aurantiin | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Aurothioglucose | T39.4 | X40- | X60- | Y10- | Y45.4 |
| Aurothioglycanide | T39.4 | X40- | X60- | Y10- | Y45.4 |
| Aurothiomalate sodium | T39.4 | X40- | X60- | Y10- | Y45.4 |
| Aurotioprol | T39.4 | X40- | X60- | Y10- | Y45.4 |
| Autonomic nervous system agent NEC | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Axerophthol | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Azacitidine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Azacyclonol | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Azadirachta | T60.2 | X48- | X68- | Y18- | |
| Azanidazole | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Azapetine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Azapropazone | T39.2 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Azaribine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Azataidine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Azatepa | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Azathioprine | T45.1 | X44- | X64- | Y14- | Y43.4 2b |
| Azelaic acid | T49.0 | X44- | X64- | Y14- | Y56.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Azelastine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Azidocillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Azidothymidine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Azinphos (ethyl) (methyl) | T60.0 2b | X48- | X68- | Y18- | |
| Aziridine (chelating) | T54.1 | X49- | X69- | Y19- | |
| Azithromycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Azlocillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Azobenzene smoke | T65.8 | X48- | X68- | Y18- | |
| AZT | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |

B

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Bacampicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Bacillus | | | | | |
| - lactobacillus | T47.8 | X44- | X64- | Y14- | Y53.8 |
| - subtilis | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Bacitracin zinc | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - with neomycin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Baclofen | T42.8 2b | X41- | X61- | Y11- | Y46.8 |
| BAL | T45.8 | X44- | X64- | Y14- | Y43.8 |
| Bambuterol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Bamethan (sulfate) | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Bamifylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Bamipine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Barbexalone | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Barbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - sodium | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Barbitone | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Barbiturate NEC | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - with tranquillizer | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Barium (carbonate) (chloride) (sulfite) | T57.8 | X49- | X69- | Y19- | |
| - pesticide | T60.4 2b | X48- | X68- | Y18- | |
| - sulfate (medicinal) | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Barrier cream | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Basic fuchsin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Battery acid or fluid | T54.2 | X49- | X69- | Y19- | |
| Bay rum | T51.8 | X45- | X65- | Y15- | |
| BCG (vaccine) | T50.9 2a 2b | X44- | X64- | Y14- | Y58.0 |
| BCNU | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Beclamide | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Beclometasone | T44.5 | X43- | X63- | Y13- | Y51.5 |
| Befunolol | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Bekanamycin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Belladonna | | | | | |
| - alkaloids | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - extract | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - herb | T44.3 | X43- | X63- | Y13- | Y51.3 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Bemegride | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Benactyzine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Benaprizine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Benazepril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Bencyclane | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Bendazac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Bendazol | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Bendrofluazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Bendroflumethiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Benethamine penicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Benexate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Benfluorex | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Benfotiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Benomyl | T60.0 2b | X48- | X68- | Y18- | |
| Benorilate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Benoxinate | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Benperidol | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Benproperine | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Benserazide | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Bentazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |

| | | | | | |
|--|----------|------|------|------|-------------|
| Bentiromide | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Bentonite | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Benzalbutyramide | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Benzalkonium (chloride) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Benzamine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - lactate | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Benzamphetamine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Benzapril hydrochloride | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Benzathine benzylpenicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Benzatropine | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Benzbromarone | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Benzenamine | T65.3 | X49- | X69- | Y19- | |
| Benzene | T52.1 2b | X46- | X66- | Y16- | |
| - homologues (acetyl) (dimethyl) (methyl)
(solvent) | T52.2 | X46- | X66- | Y16- | |
| Benzethonium (chloride) | T49.0 | X44- | X64- | Y14- | Y56.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Benzfetamine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Benzhexol | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Benzhydramine (chloride) | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Benzidine | T65.8 | X49- | X69- | Y19- | |
| Benzilonium bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Benzimidazole | T60.3 | X48- | X68- | Y18- | |
| Benzin(e) - see Ligroin | | | | | |
| Benziodarone | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Benznidazole | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Benzocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Benzoctamine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Benzodiazepine NEC | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Benzoic acid | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - with salicylic acid | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Benzoin (tincture) | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Benzol (benzene) | T52.1 2b | X46- | X66- | Y16- | |
| - vapor | T52.0 | X46- | X66- | Y16- | |
| Benzonataate | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Benzophenones | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Benzopyrone | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Benzothiadiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Benzoxonium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Benzoyl peroxide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Benzoylpas calcium | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Benzperidin | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Benzphetamine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Benzpyrinium bromide | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Benzquinamide | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Benzthiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Benztropine | | | | | |
| - anticholinergic | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - antiparkinson | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Benzydamine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Benzyl | | | | | |
| - acetate | T52.8 2b | X46- | X66- | Y16- | |
| - alcohol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - benzoate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - benzoic acid | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nicotinate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| - penicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|----------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Benzylhydrochlorthiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Benzylpenicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Benzylthiouracil | T38.2 | X44- | X64- | Y14- | Y42.2 |
| Bephenum hydroxynaphthoate | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Bepridil | T46.1 | X44- | X64- | Y14- | Y52.1 |

| | | | | | |
|---------------------------------------|-------------|------|------|------|-------------|
| Bergamot oil | T65.8 | X49- | X69- | Y19- | |
| Bergapten | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Berries, poisonous | T62.1 | X49- | X69- | Y19- | |
| Beryllium (compounds) | T56.7 | X49- | X69- | Y19- | |
| Beta-acetyldigoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Beta-adrenergic blocking agent, heart | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Beta-benzalbutyramide | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Betacarotene | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Beta-eucaine | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Beta-galactosidase | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Betahistine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Betaine | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Betamethasone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Betamicin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Betanidine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Beta-sitosterol(s) | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Betaxolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Betazole | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Bethanechol | T44.1 | X43- | X63- | Y13- | Y51.1 |
| - chloride | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Bethanidine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Betoxycaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Bevantolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Bevonium metilsulfate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Bezafibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Bezitramide | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| BHA | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Bhang | T40.7 | X42- | X62- | Y12- | Y49.6 |
| BHC (medicinal) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nonmedicinal (vapor) | T53.6 | X46- | X66- | Y16- | |
| Bialamicol | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Bibenzonium bromide | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Bibrocathol | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Bichromates (calcium) (potassium) (sodium) (crystals) | T57.8 | X49- | X69- | Y19- | |
| Biclotymol | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Bicucculine | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Bifemelane | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Bile salts | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Binifibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Binitrobenzol | T65.3 | X46- | X66- | Y16- | |
| Bioflavonoid(s) | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Biological substance NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y59.9 |
| Biotin | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Biperiden | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Bisacodyl | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Bisbentiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Bisbutiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Biskequalinium (salts) (diacetate) | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Bishydroxycoumarin | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Bismuth salts | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - aluminate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - formic iodide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - glycolylarsenate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nonmedicinal (compounds) NEC | T65.9 2b | X49- | X69- | Y19- | |
| - subcarbonate | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - subsalicylate | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Bisoprolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Bisoxatin | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Bisulepin (hydrochloride) | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Bithionol | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Bitolterol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Bitoscanate | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Bitter almond oil | T62.8 | X49- | X69- | Y19- | |
| Bittersweet | T62.2 | X49- | X69- | Y19- | |
| Blast furnace gas (carbon monoxide from) | T58 2b | X47- | X67- | Y17- | |
| Bleach | T54.9 | X49- | X69- | Y19- | |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Bleaching agent (medicinal) | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Bleomycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Blockers, calcium-channel | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Blood | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - dried | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - drug affecting NEC | T45.9 | X44- | X64- | Y14- | Y44.9 |
| - expander NEC | T45.8 | X44- | X64- | Y14- | Y44.7 |
| - fraction NEC | T45.8 | X44- | X64- | Y14- | Y44.6 |
| Bone meal | T62.8 | X49- | X69- | Y19- | |
| Bopindolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Borane complex | T57.8 | X49- | X69- | Y19- | |
| Borate(s) | T57.8 | X49- | X69- | Y19- | |
| - buffer | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| - cleanser | T55 | X49- | X69- | Y19- | |
| - sodium | T57.8 | X49- | X69- | Y19- | |
| Borax (cleanser) | T55 | X49- | X69- | Y19- | |
| Bordeaux mixture | T60.3 | X48- | X68- | Y18- | |
| Boric acid | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Bornaprine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Boron | T57.8 | X49- | X69- | Y19- | |
| - hydride NEC | T57.8 | X49- | X69- | Y19- | |
| - - fumes or gas | T57.8 | X47- | X67- | Y17- | |
| - trifluoride | T59.8 2a 2b | X47- | X67- | Y17- | |
| Botulinus antitoxin (type A, B) | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| Brake fluid | T52.3 | X46- | X66- | Y16- | |
| Brallobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Bran (wheat) | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Brass (fumes) | T56.8 | X49- | X69- | Y19- | |
| Bretylium tosilate | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Brinase | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Brodifacoum | T60.4 2b | X48- | X68- | Y18- | |
| Bromazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Bromazine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Brombenzylcyanide | T59.3 | X47- | X67- | Y17- | |
| Bromelains | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Bromethalin | T60.4 2b | X48- | X68- | Y18- | |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Bromhexine | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Bromide salts | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| Bromindione | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Bromine | | | | | |
| - sedative | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Bromisoval | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| Bromobenzylcyanide | T59.3 | X47- | X67- | Y17- | |
| Bromochlorosalicylanilide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Bromocriptine | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Bromodiphenhydramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Bromoform | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| Bromopride | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Bromosalicylchloranitide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Bromoxynil | T60.3 | X48- | X68- | Y18- | |
| Bromperidol | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Brompheniramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Bromsulfophthalein | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Bromvaletone | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| Bronchodilator NEC | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Brotizolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Brovincamine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Broxaterol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Broxuridine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Broxyquinoline | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Bruceine | T48.2 | X44- | X64- | Y14- | Y55.2 |

| | | | | | |
|-------------------------------------|----------|------|------|------|-------------|
| Brucine | T65.1 | X49- | X69- | Y19- | |
| Brunswick green - <i>see</i> Copper | | | | | |
| Bryonia | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Buclizine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Buclosamide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Bucolome | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Budesonide | T44.5 | X43- | X63- | Y13- | Y51.5 |
| Budralazine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Bufexamac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Buflomedil | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Buformin | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Bufrolin | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Buflomine | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Bulk filler | T50.5 | X44- | X64- | Y14- | Y57.0 |
| - cathartic | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Bumadizone | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Bumetanide | T50.1 | X44- | X64- | Y14- | Y54.4 |
| Bunaftine | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Bunamiodyl | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Bunazosin | T44.6 | X43- | X63- | Y13- | Y51.6 |
| Bunitrolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Buphenine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Bupivacaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - spinal | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Bupranolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Buprenorphine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Bupropion | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Burimamide | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Buserelin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Buspirone | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Busulfan, busulphan | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Butacaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Butalamine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Butalbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Butamben | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Butamirate | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Butane (distributed in mobile container) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - distributed through pipes | T59.8 2a 2b | X47- | X67- | Y17- | |
| - incomplete combustion | T58 2b | X47- | X67- | Y17- | |
| Butanilicaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Butanol | T51.3 | X45- | X65- | Y15- | |
| Butanone, 2-butanone | T52.4 | X46- | X66- | Y16- | |
| Butantrone | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Butaperazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Butetamate | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Butethal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Butizide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Butobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - sodium | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Butoobarbitone | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Butoconazole (nitrate) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Butorphanol | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Butriptyline | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Butropium bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Butyl | | | | | |
| - acetate (secondary) | T52.8 2b | X46- | X66- | Y16- | |
| - alcohol | T51.3 | X45- | X65- | Y15- | |
| - aminobenzoate | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - butyrate | T52.8 2b | X46- | X66- | Y16- | |
| - carbinol | T51.3 | X45- | X65- | Y15- | |
| - carbitol | T52.3 | X46- | X66- | Y16- | |

| | | | | | |
|--------------------------|-------------|------|------|------|-------|
| - cellosolve | T52.3 | X46- | X66- | Y16- | |
| - formate | T52.8 2b | X46- | X66- | Y16- | |
| - lactate | T52.8 2b | X46- | X66- | Y16- | |
| - propionate | T52.8 2b | X46- | X66- | Y16- | |
| - scopolamine bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - thiobarbital sodium | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Butylated hydroxyanisole | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Butylchloral hydrate | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| Butyltoluene | T52.2 | X46- | X66- | Y16- | |

C

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|------------------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Cabergoline | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Cacodyl, cacodylic acid | T57.0 | X48- | X68- | Y18- | |
| Cactinomycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Cadexomer iodine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cadmium (chloride) (fumes) (oxide) | T56.3 | X49- | X69- | Y19- | |
| Cadralazine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Caffeine | T43.6 2b | X41- | X61- | Y11- | Y50.2 |
| Calamine (lotion) | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Calcifediol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Calciferol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Calcitonin | T50.9 2a 2b | X44- | X64- | Y14- | Y54.7 |
| Calcitriol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Calcium | | | | | |
| - acetylsalicylate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - benzamidosalicylate | T37.1 | X44- | X64- | Y14- | Y41.1 |
| - bromide | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| - bromolactobionate | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| - carbaspirin | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - carbimide | T50.6 | X44- | X64- | Y14- | Y57.3 2a 2b |
| - carbonate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - chloride | T50.9 2a 2b | X44- | X64- | Y14- | Y54.9 |
| - - anhydrous | T50.9 2a 2b | X44- | X64- | Y14- | Y54.9 |
| - cyanide | T57.8 | X48- | X68- | Y18- | |
| - disodium edetate | T45.8 | X44- | X64- | Y14- | Y43.8 |
| - dobesilate | T46.9 | X44- | X64- | Y14- | Y52.9 |
| - ferrous citrate | T45.4 | X44- | X64- | Y14- | Y44.0 |
| - folinate | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - glubionate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - gluconate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - gluconogalactogluconate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - hydrate, hydroxide | T54.3 | X49- | X69- | Y19- | |
| - hypochlorite | T37.8 | X44- | X64- | Y14- | Y41.8 |
| - iodide | T48.4 | X44- | X64- | Y14- | Y55.4 |
| - iopodate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - lactate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - leucovorin | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - oxide | T54.3 | X49- | X69- | Y19- | |
| - pantothenate | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - phosphate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - salicylate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - salts | T50.3 | X44- | X64- | Y14- | Y54.9 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Calculus-dissolving drug | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Calomel | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Caloric agent | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Calusterone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Camazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Camomile | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Camphor | | | | | |

| | | | | | |
|---|-------------|------|------|------|-------------|
| - insecticide | T60.2 | X48- | X68- | Y18- | |
| - medicinal | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Camyllofin | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Cancer chemotherapy drug regimen | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Candidicin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cannabinol | T40.7 | X42- | X62- | Y12- | Y49.6 |
| Cannabis (derivatives) | T40.7 | X42- | X62- | Y12- | Y49.6 |
| Canrenoic acid | T50.0 | X44- | X64- | Y14- | Y54.1 |
| Canrenone | T50.0 | X44- | X64- | Y14- | Y54.1 |
| Canthaxanthin | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Capillary-active drug NEC | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Capreomycin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Capsicum | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Captafol | T60.3 | X48- | X68- | Y18- | |
| Captan | T60.3 | X48- | X68- | Y18- | |
| Captopril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Caramiphen | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Carazolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Carbachol | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Carbacrylamine (resin) | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Carbamate (insecticide) | T60.0 2b | X48- | X68- | Y18- | |
| Carbamazepine | T42.1 | X41- | X61- | Y11- | Y46.4 |
| Carbamide | T47.3 | X44- | X64- | Y14- | Y53.3 |
| - peroxide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Carbaril | T60.0 2b | X48- | X68- | Y18- | |
| Carbarsone | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Carbaryl | T60.0 2b | X48- | X68- | Y18- | |
| Carbasalate calcium | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Carbazochrome (salicylate) (sodium sulfonate) | T49.4 | X44- | X64- | Y14- | Y56.4 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Carbenicillin | T36.0 | X44- | X64- | Y40.0 2a 2b |
| Carbenoxolone | T47.1 | X44- | X64- | Y53.1 |
| Carbetapentane | T48.3 | X44- | X64- | Y55.3 |
| Carbethyl salicylate | T39.0 2a 2b | X40- | X60- | Y10- Y45.1 2a |
| Carbidopa (with levodopa) | T42.8 2b | X41- | X61- | Y11- Y46.7 |
| Carbimazole | T38.2 | X44- | X64- | Y14- Y42.2 |
| Carbinol | T51.1 | X45- | X65- | Y15- |
| Carbinoxamine | T45.0 2b | X44- | X64- | Y14- Y43.0 |
| Carbiphene | T39.8 2b | X40- | X60- | Y10- Y45.8 |
| Carbitol | T52.3 | X46- | X66- | Y16- |
| Carbo medicinalis | T47.6 | X44- | X64- | Y14- Y53.6 |
| Carbocisteine | T48.4 | X44- | X64- | Y14- Y55.4 |
| Carbocromen | T46.3 | X44- | X64- | Y14- Y52.3 |
| Carbol fuchsin | T49.0 | X44- | X64- | Y14- Y56.0 |
| Carbolic acid (<i>see also</i> Phenol) | T54.0 2b | X49- | X69- | Y19- |
| Carbolonium (bromide) | T48.1 | X44- | X64- | Y14- Y55.1 |
| Carbon | | | | |
| - bisulfide (liquid) | T65.4 | X49- | X69- | Y19- |
| - - vapor | T65.4 | X47- | X67- | Y17- |
| - dioxide (gas) | T59.7 | X47- | X67- | Y17- |
| - - medicinal | T41.5 | X44- | X64- | Y14- Y48.5 |
| - - nonmedicinal | T59.7 | X47- | X67- | Y17- |
| - - snow | T49.4 | X44- | X64- | Y14- Y56.4 |
| - disulfide (liquid) | T65.4 | X49- | X69- | Y19- |
| - - vapor | T65.4 | X47- | X67- | Y17- |
| - monoxide (from incomplete combustion) | T58 2b | X47- | X67- | Y17- |
| - tetrachloride (vapor) NEC | T53.0 | X46- | X66- | Y16- |
| - - liquid (cleansing agent) NEC | T53.0 | X46- | X66- | Y16- |
| - - solvent | T53.0 | X46- | X66- | Y16- |
| Carbonic acid gas | T59.7 | X47- | X67- | Y17- |
| - anhydrase inhibitor NEC | T50.2 2a | X44- | X64- | Y14- Y54.2 |
| Carbophenothon | T60.0 2b | X48- | X68- | Y18- |
| Carboplatin | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Carboprost | T48.0 | X44- | X64- | Y14- Y55.0 |
| Carboquone | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Carboxymethylcellulose | T47.4 | X44- | X64- | Y14- Y53.4 |

| Substance | Poisoning | | | | | effect in therapeutic use |
|------------------------------|-------------|------------|-----------------------|---------------------|-------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | | |
| S-Carboxymethylcysteine | T48.4 | X44- | X64- | Y14- | Y55.4 | |
| Carbromal | | | T42.6 2b | X41- | X61- | Y47.4 |
| Carbutamide | | | T38.3 2b | X44- | X64- | Y42.3 2b |
| Carbuterol | | | T48.6 | X44- | X64- | Y55.6 |
| Cardiac rhythm regulator NEC | | | T46.2 2b | X44- | X64- | Y52.2 |
| - specified NEC | | | T46.2 2b | X44- | X64- | Y52.2 |
| Cardiotonic (glycoside) NEC | | | T46.0 2a 2b | X44- | X64- | Y52.0 2a 2b |
| Cardiovascular drug NEC | | | T46.9 | X44- | X64- | Y52.9 |
| Carfecillin | | | T36.0 | X44- | X64- | Y40.0 2a 2b |
| Carfenazine | | | T43.3 2b | X43- | X63- | Y49.3 2b |
| Carindacillin | | | T36.0 | X44- | X64- | Y40.0 2a 2b |
| Carisoprodol | | | T42.8 2b | X41- | X61- | Y46.8 |
| Carmellose | | | T47.4 | X44- | X64- | Y53.4 |
| Carminative | | | T47.5 | X44- | X64- | Y53.5 |
| Carmofur | | | T45.1 | X44- | X64- | Y43.1 |
| Carmustine | | | T45.1 | X44- | X64- | Y43.3 2b |
| Carotene | | | T45.2 | X44- | X64- | Y57.7 |
| Carphenazine | | | T43.3 2b | X41- | X61- | Y49.3 2b |
| Carpipramine | | | T42.4 2b | X41- | X61- | Y47.1 |
| Carprofen | | | T39.3 | X40- | X60- | Y45.3 2a 2b |
| Carpronium chloride | | | T44.3 | X43- | X63- | Y51.3 |
| Carrageenan | | | T47.8 | X44- | X64- | Y53.8 |
| Carteolol | | | T44.7 | X43- | X63- | Y51.7 |
| Cascara (sagrada) | | | T47.2 | X44- | X64- | Y53.2 |
| Castor | | | | | | |
| - bean | | | T62.2 | X49- | X69- | Y19- |
| - oil | | | T47.2 | X44- | X64- | Y53.2 |
| Catalase | | | T45.3 | X44- | X64- | Y43.6 |
| Catha (tea) | | | T43.6 2b | X41- | X61- | Y49.7 |
| Cathartic NEC | | | T47.4 | X44- | X64- | Y53.4 |
| - anthacene derivative | | | T47.2 | X44- | X64- | Y53.2 |
| - bulk | | | T47.4 | X44- | X64- | Y53.4 |
| - emollient NEC | | | T47.4 | X44- | X64- | Y53.4 |
| - irritant NEC | | | T47.2 | X44- | X64- | Y53.2 |
| - mucilage | | | T47.4 | X44- | X64- | Y53.4 |
| - vegetable | | | T47.2 | X44- | X64- | Y53.2 |
| Substance | Poisoning | | | | | Adverse effect in therapeutic use |
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | | |
| Cathine | T50.5 | X44- | X64- | Y14- | Y57.0 | |
| Cation exchange resin | T50.3 | X44- | X64- | Y14- | Y54.6 | |
| Caustic(s) NEC | T54.9 | X49- | X69- | Y19- | | |
| - alkali | T54.3 | X49- | X69- | Y19- | | |
| - hydroxide | T54.3 | X49- | X69- | Y19- | | |
| - potash | T54.3 | X49- | X69- | Y19- | | |
| - soda | T54.3 | X49- | X69- | Y19- | | |
| Cefacetile | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefaclor | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefadroxil | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefalexin | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefaloglycin | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefaloridine | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefalosporins | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefalotin | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefamandole | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefamycin antibiotic | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefapirin | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefatrizine | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefazidone | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefazolin | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefbuperazone | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefetamet | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefixime | T36.1 | X44- | X64- | Y14- | Y40.1 | |
| Cefmenoxime | T36.1 | X44- | X64- | Y14- | Y40.1 | |

| | | | | | |
|--------------|-------|------|------|------|-------|
| Cefmetazole | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefminox | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefonicid | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefoperazone | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Ceforanide | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefotaxime | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefotetan | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefotiam | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefoxitin | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cepfimizole | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefpiramide | T36.1 | X44- | X64- | Y14- | Y40.1 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Cefradine | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefroxadine | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefsulodin | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Ceftazidime | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefteram | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Ceftezole | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Ceftizoxime | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Ceftriaxone | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefuroxime | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cefuzonam | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Celiprolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Cellulose | | | | | |
| - cathartic | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - hydroxyethyl | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - oxidized | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Cephaloridine | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cephalosporins | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cephalothin | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cephalexin | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cephadrine | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Cerium oxalate | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Cerous oxalate | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Ceruleotide | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Cetalkonium (chloride) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cethexonium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cetiedil | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Cetirizine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Cetomacrogol | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Cetotiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Cetraxate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Cetrimide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cetrimonium (bromide) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cetylpyridinium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Chamomile | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Ch'an su | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Charcoal | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - activated | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - fumes (carbon monoxide) | T58.2b | X47- | X67- | Y17- | |
| -- industrial | T58.2b | X47- | X67- | Y17- | |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Chaulmosulfone | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Chelating agent NEC | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Chemical substance NEC | T65.9 2b | X49- | X69- | Y19- | |
| Chenodeoxycholic acid | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Chenodiol | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Chenopodium | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Chinidin(e) | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Chinifon | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Chlophedianol | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Chloral | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| - derivative | T42.6 2b | X41- | X61- | Y11- | Y47.2 |

| | | | | | |
|--|----------|------|------|------|-------------|
| - hydrate | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| Chloraladol | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| Chloralose | T60.4 2b | X48- | X68- | Y18- | |
| Chlorambucil | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Chloramine (-T) | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Chloramphenicol | T36.2 | X44- | X64- | Y14- | Y40.2 2a 2b |
| Chloramphenicolum | T36.2 | X44- | X64- | Y14- | Y40.2 2a 2b |
| Chlorate (potassium) (sodium) NEC | T60.3 | X48- | X68- | Y18- | |
| - herbicide | T60.3 | X48- | X68- | Y18- | |
| Chlorazanil | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Chlorbenzene, chlorbenzol | T53.7 | X46- | X66- | Y16- | |
| Chlorbenzoxamine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Chlorbutol | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| Chlorcyclizine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Chlordan(e) (dust) | T60.1 | X48- | X68- | Y18- | |
| Chlordiazepoxide | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Chlordiethyl benzamide | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Chlorethyl - <i>see</i> Ethyl chloride | | | | | |
| Chlorfenvinphos | T60.0 2b | X48- | X68- | Y18- | |
| Chlorhexamide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Chlorhexidine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Chlorimipramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Chlorinated | | | | | |
| - camphene | T53.6 | X48- | X68- | Y18- | |
| - diphenyl | T53.7 | X49- | X69- | Y19- | |
| - hydrocarbons NEC | T53.9 | X48- | X68- | Y18- | |
| - - solvents | T53.9 | X46- | X66- | Y16- | |
| - lime (bleach) | T54.3 | X49- | X69- | Y19- | |
| - - and boric acid solution | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - naphthalene | T60.1 | X48- | X68- | Y18- | |
| - pesticide NEC | T60.8 | X48- | X68- | Y18- | |
| - soda - <i>see also</i> Sodium hypochlorite | | | | | |
| - - solution | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Chlorine (fumes) (gas) | T59.4 | X47- | X67- | Y17- | |
| - bleach | T54.3 | X49- | X69- | Y19- | |
| - compound gas NEC | T59.4 | X47- | X67- | Y17- | |
| - disinfectant | T59.4 | X47- | X67- | Y17- | |
| - releasing agents NEC | T59.4 | X47- | X67- | Y17- | |
| Chlorisondamine chloride | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Chlormadinone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Chlormephos | T60.0 2b | X48- | X68- | Y18- | |
| Chlormerodrin | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Chlormethiazole | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Chlormethine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Chlormezanone | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Chloroacetic acid | T60.3 | X48- | X68- | Y18- | |
| Chloroacetone | T59.3 | X47- | X67- | Y17- | |
| Chloroacetophenone | T59.3 | X47- | X67- | Y17- | |
| Chloroaniline | T53.7 | X49- | X69- | Y19- | |
| Chlorobenzene, chlorobenzol | T53.7 | X46- | X66- | Y16- | |
| Chlorobromomethane (fire extinguisher) | T53.6 | X46- | X66- | Y16- | |
| Chlorobutanol | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| Chlorocresol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Chlorodehydromethyltestosterone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Chlorodinitrobenzene | T53.7 | X46- | X66- | Y16- | |
| - dust or vapor | T53.7 | X47- | X67- | Y17- | |
| Chlorodiphenyl | T53.7 | X49- | X69- | Y19- | |
| Chloroethane - <i>see</i> Ethyl chloride | | | | | |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Chloroethylene | T53.6 | X46- | X66- | Y16- | |
| Chlorofluorocarbons | T53.5 2b | X46- | X66- | Y16- | |
| Chloroform (fumes) (vapor) | T53.1 | X46- | X66- | Y16- | |

| | | | | | |
|--|-------------|------|------|------|----------|
| - anesthetic | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - solvent | T53.1 | X46- | X66- | Y16- | |
| - water, concentrated | T41.0 | X44- | X64- | Y14- | Y48.0 |
| Chloromycetin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Chloronitrobenzene | T53.7 | X49- | X69- | Y19- | |
| - dust or vapor | T53.7 | X46- | X66- | Y16- | |
| Chlorophacinone | T60.4 2b | X48- | X68- | Y18- | |
| Chlorophenol | T53.7 | X46- | X66- | Y16- | |
| Chlorophenothane | T60.1 | X48- | X68- | Y18- | |
| Chlorophyll | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Chloropicrin (fumes) | T53.6 | X46- | X66- | Y16- | |
| - pesticide | T60.8 | X48- | X68- | Y18- | |
| Chlorprocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - spinal | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Chloropurine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Chloropyramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Chloropyrifos | T60.0 2b | X48- | X68- | Y18- | |
| Chloropyrilene | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Chloroquine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Chlorothalonil | T60.3 | X48- | X68- | Y18- | |
| Chlorothiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Chlorothymol | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Chlorotrianisene | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Chlorovinyldichloroarsine, not in war | T57.0 | X49- | X69- | Y19- | |
| Chloroxine | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Chloroxylenol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Chlorphenamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Chlorphenesin | T42.8 2b | X41- | X61- | Y11- | Y46.8 |
| Chlorpheniramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Chlorphenoxyamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Chlorphentermine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Chlorprocaine - <i>see</i> Chlorprocaine | | | | | |
| Chlorproguanil | T37.2 | X44- | X64- | Y14- | Y41.2 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Chlorpromazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Chlorpropamide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Chlorprothixene | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Chlorquinaldol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Chlorquinol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Chlortalidone | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Chlortetracycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Chlorthalidone | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Chlorthion | T60.0 2b | X48- | X68- | Y18- | |
| Chlorthiophos | T60.0 2b | X48- | X68- | Y18- | |
| Chlorzoxazone | T42.8 2b | X41- | X61- | Y11- | Y46.8 |
| Choke damp | T59.7 | X47- | X67- | Y17- | |
| Cholagogues | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Cholecalciferol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Cholecystokinin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Cholera vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y58.2 |
| Choleretic | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Cholestyramine (resin) | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Cholic acid | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Choline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| - chloride | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| - dihydrogen citrate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| - salicylate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - theophyllinate | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Cholinergic (drug) NEC | T44.1 | X43- | X63- | Y13- | Y51.1 |
| - muscle tone enhancer | T44.1 | X43- | X63- | Y13- | Y51.1 |
| - organophosphorus | T44.0 | X43- | X63- | Y13- | Y51.0 |
| - trimethyl ammonium propanediol | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Cholinesterase reactivator | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Chorionic gonadotropin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Chromate | T56.2 | X49- | X69- | Y19- | |
| - dust or mist | T56.2 | X49- | X69- | Y19- | |
| - lead (<i>see also</i> Lead) | T56.0 | X49- | X69- | Y19- | |
| Chromic | | | | | |

| | | | | | |
|-----------------------------|-------|------|------|------|----------|
| - acid | T56.2 | X49- | X69- | Y19- | |
| - - dust or mist | T56.2 | X49- | X69- | Y19- | |
| - phosphate ^{32}P | T45.1 | X44- | X64- | Y14- | Y43.3 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Chromium | T56.2 | X49- | X69- | Y19- |
| - compounds -see Chromate | | | | |
| - sesquioxide | T50.8 | X44- | X64- | Y14- |
| Chromomycin A ₃ | T45.1 | X44- | X64- | Y14- |
| Chromyl chloride | T56.2 | X49- | X69- | Y19- |
| Chrysarobin | T49.4 | X44- | X64- | Y14- |
| Chymopapain | T45.3 | X44- | X64- | Y14- |
| Chymotrypsin | T45.3 | X44- | X64- | Y14- |
| Cianidanol | T50.9 2a 2b | X44- | X64- | Y14- |
| Cianopramine | T43.0 2b | X41- | X61- | Y11- |
| Cibenzoline | T46.2 2b | X44- | X64- | Y14- |
| Ciclacillin | T36.0 | X44- | X64- | Y14- |
| Ciclobarbital - see Hexobarbital | | | | |
| Ciclonicate | T46.7 2a | X44- | X64- | Y14- |
| Ciclopirox (olamine) | T49.0 | X44- | X64- | Y14- |
| Ciclosporin | T45.1 | X44- | X64- | Y14- |
| Cicutoxin | T62.2 | X49- | X69- | Y19- |
| Cigarette lighter fluid | T52.0 | X46- | X66- | Y16- |
| Ciguatoxin | T61.0 | X49- | X69- | Y19- |
| Cilazapril | T46.4 | X44- | X64- | Y14- |
| Cimetidine | T47.0 | X44- | X64- | Y14- |
| Cimetropium bromide | T44.3 | X43- | X63- | Y13- |
| Cinchocaine | T41.3 | X44- | X64- | Y14- |
| Cinchophen | T50.4 | X44- | X64- | Y14- |
| Cinepazide | T46.7 2a | X44- | X64- | Y14- |
| Cinnamedrine | T48.5 | X44- | X64- | Y14- |
| Cinnarizine | T45.0 2b | X44- | X64- | Y14- |
| Cinoxacin | T37.8 | X44- | X64- | Y14- |
| Ciprofibrate | T46.6 | X44- | X64- | Y14- |
| Ciprofloxacin | T36.8 | X44- | X64- | Y14- |
| Cisapride | T47.8 | X44- | X64- | Y14- |
| Cisplatin | T45.1 | X44- | X64- | Y14- |
| Citalopram | T43.2 2b | X41- | X61- | Y11- |
| Citric acid | T47.5 | X44- | X64- | Y14- |
| Citrovorum (factor) | T45.8 | X44- | X64- | Y14- |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Clavulanic acid | T36.1 | X44- | X64- | Y14- |
| Cleaner, cleansing agent NEC | T52.9 | X49- | X69- | Y19- |
| - of paint or varnish | T52.9 | X46- | X66- | Y16- |
| Clebopride | T47.8 | X44- | X64- | Y14- |
| Clefamide | T37.3 2a | X44- | X64- | Y14- |
| Clemastine | T45.0 2b | X44- | X64- | Y14- |
| Clemizole | T45.0 2b | X44- | X64- | Y14- |
| - penicillin | T36.0 | X44- | X64- | Y14- |
| Clenbuterol | T48.6 | X44- | X64- | Y14- |
| Clidanac | T39.3 | X40- | X60- | Y10- |
| Clidinium bromide | T44.3 | X43- | X63- | Y13- |
| Clindamycin | T36.8 | X44- | X64- | Y14- |
| Clinofibrate | T46.6 | X44- | X64- | Y14- |
| Clioquinol | T37.8 | X44- | X64- | Y14- |
| Clobazam | T42.4 2b | X41- | X61- | Y11- |
| Clobenzorex | T50.5 | X44- | X64- | Y14- |
| Clobetasol | T49.0 | X44- | X64- | Y14- |
| Clobetasone | T49.0 | X44- | X64- | Y14- |
| Clobutinol | T48.3 | X44- | X64- | Y14- |
| Clocapramine | T43.0 2b | X41- | X61- | Y11- |
| Clodantoin | T49.0 | X44- | X64- | Y14- |
| Clodronic acid | T50.9 2a 2b | X44- | X64- | Y14- |

| | | | | | |
|---------------|----------|------|------|------|-------------|
| Clofazimine | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Clofedanol | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Clofenamide | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Clofenotane | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Clofezone | T39.2 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Clofibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Clofibride | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Cloforex | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Clomacran | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Clometacin | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Clomethiazole | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Clometocillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Clomifene | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Clomipramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Clomocycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Clonazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Clonidine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Clonixin | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Clopamide | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Clopenthixol | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Cloperastine | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Clophedianol | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Clopirac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Cloponone | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Cloprednol | T38.0 | X44- | X64- | Y14- | Y42.0 2a 2b |
| Cloral betaine | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| Cloramfenicol | T36.2 | X44- | X64- | Y14- | Y40.2 2a 2b |
| Clorazepate (dipotassium) | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Clorexolone | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Clorfenamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Clorgiline | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Clorotepine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Clorprenaline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Clortermine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Clotiapine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Clotiazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Clotibric acid | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Clotrimazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cloxacillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Cloxacizolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Cloxiquine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Clozapine | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Coagulant NEC | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Coal (carbon monoxide from) - tar | T58 2b | X47- | X67- | Y17- | |
| Cobalamine | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Cobalt (nonmedicinal) (fumes) (industrial) - medicinal (trace) (chloride) | T45.2 | X44- | X64- | Y14- | Y44.1 |
| Cocaine | T56.8 | X49- | X69- | Y19- | |
| Cocarboxylase | T45.8 | X44- | X64- | Y14- | Y44.1 |
| | T40.5 2a 2b | X42- | X62- | Y12- | Y48.3 2b |
| | T45.3 | X44- | X64- | Y14- | Y43.6 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Coccidioidin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Cochineal | T65.6 | X49- | X69- | Y19- | |
| Codeine | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Cod-liver oil | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Coenzyme A | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Coffee | T62.8 | X49- | X69- | Y19- | |
| Cogalactoisomerase | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Cogentin | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Coke fumes or gas (carbon monoxide) - industrial use | T58 2b | X47- | X67- | Y17- | |
| Colaspase | T58 2b | X47- | X67- | Y17- | |
| | T45.1 | X44- | X64- | Y14- | Y43.3 2b |

| | | | | | |
|-------------------------------|-------------|------|------|------|-------------|
| Colchicine | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Colecalciferol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Colestipol | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Colestyramine | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Colimycin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Colistimethate | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Colistin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| - sulfate (eye preparation) | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Collagenase | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Collodion | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Colophony adhesive | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Colorant | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Combustion gas | T58 2b | X47- | X67- | Y17- | |
| Compound | | | | | |
| - 42 (warfarin) | T60.4 2b | X48- | X68- | Y18- | |
| - 269 (endrin) | T60.1 | X48- | X68- | Y18- | |
| - 497 (dieldrin) | T60.1 | X48- | X68- | Y18- | |
| - I080 (sodium fluoroacetate) | T60.4 2b | X48- | X68- | Y18- | |
| - 3422 (parathion) | T60.0 2b | X48- | X68- | Y18- | |
| - 3911 (phorate) | T60.0 2b | X48- | X68- | Y18- | |
| - 3956 (toxaphene) | T60.1 | X48- | X68- | Y18- | |
| - 4069 (malathion) | T60.0 2b | X48- | X68- | Y18- | |
| - 4124 (dicapthon) | T60.0 2b | X48- | X68- | Y18- | |
| Concerta | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Congenor, anabolic | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Congo red | T50.8 | X44- | X64- | Y14- | Y57.6 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Coniine | T62.2 | X49- | X69- | Y19- | |
| Conjugated estrogenic substances | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Contraceptive (oral) | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Contrast medium, radiography | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Convallaria glycosides | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Copper (dust) (fumes) (nonmedicinal) NEC | T56.4 | X49- | X69- | Y19- | |
| - arsenate, arsenite | T57.0 | X48- | X68- | Y18- | |
| - - insecticide | T60.2 | X48- | X68- | Y18- | |
| - gluconate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - medicinal (trace) | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - oleate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - sulfate | T56.4 | X49- | X69- | Y19- | |
| - - medicinal | T49.6 | X44- | X64- | Y14- | Y56.6 |
| - - - eye | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Corbadrine | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Cordite | T65.8 | X49- | X69- | Y19- | |
| -vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Coronary vasodilator NEC | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Corrosive NEC | T54.9 | X49- | X69- | Y19- | |
| - acid NEC | T54.2 | X49- | X69- | Y19- | |
| - aromatics | T54.1 | X49- | X69- | Y19- | |
| - fumes NEC | T54.9 | X47- | X67- | Y17- | |
| - sublimate | T56.1 | X49- | X69- | Y19- | |
| Corticosteroid | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| - mineral | T50.0 | X44- | X64- | Y14- | Y54.0 2b |
| - ophthalmic | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Corticotrophin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - long-acting | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - zinc hydroxide | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Cortisol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cortisone (acetate) | T38.0 | X44- | X64- | Y14- | Y42.0 2a 2b |
| Cortivazol | T38.0 | X44- | X64- | Y14- | Y42.0 2a 2b |
| Corynebacterium parvum | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Cosmetic preparation | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Cosmetics | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Cosyntropin | T38.8 | X44- | X64- | Y14- | Y42.8 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-----------|-------------|------------|-----------------------|-----------------------------------|--|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |

| | | | | | |
|---------------------------------|-------------|------|------|------|-------------|
| Co-trimoxazole | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Cough mixture (syrup) | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Coumadin | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Coumaphos | T60.0 2b | X48- | X68- | Y18- | |
| Coumarin | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Coumetarol | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Crataegus extract | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Creosol (compound) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Creosote (coal tar) (beechwood) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cresol(s) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - and soap solution | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cresyl acetate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cresylic acid | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Crimidine | T60.4 2b | X48- | X68- | Y18- | |
| Croconazole | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Cromoglicic acid | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Cromolyn | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Cromonar | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Crotamiton | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Crude oil | T52.0 | X46- | X66- | Y16- | |
| Cryolite (vapor) | T60.1 | X48- | X68- | Y18- | |
| - insecticide | T60.1 | X48- | X68- | Y18- | |
| Cryptenamine (tannates) | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Crystal violet | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Cupric | | | | | |
| - acetate | T60.3 | X48- | X68- | Y18- | |
| - acetoarsenite | T57.0 | X48- | X68- | Y18- | |
| - arsenate | T57.0 | X49- | X69- | Y19- | |
| - gluconate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - oleate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - sulfate | T56.4 | X49- | X69- | Y19- | |
| Cyamemazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Cyamopsis tetragonoloba | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Cyanacetyl hydrazide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Cyanic acid (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Cyanide(s) (compounds) (potassium) (sodium) NEC | T65.0 | X49- | X69- | Y19- |
| - hydrogen | T57.3 | X48- | X68- | Y18- |
| Cyanoacrylate adhesive | T49.3 | X44- | X64- | Y14- Y56.3 |
| Cyanocobalamin | T45.8 | X44- | X64- | Y14- Y44.1 |
| Cyanogen (chloride) (gas) NEC | T59.8 2a 2b | X47- | X67- | Y17- |
| Cyclacillin | T36.0 | X44- | X64- | Y14- Y40.0 2a 2b |
| Cyclamate | T50.9 2a 2b | X44- | X64- | Y14- Y57.4 |
| Cyclandelate | T46.7 2a | X44- | X64- | Y14- Y52.7 2a |
| Cyclazocine | T50.7 | X44- | X64- | Y14- Y50.1 |
| Cyclizine | T45.0 2b | X44- | X64- | Y14- Y43.0 |
| Cyclobarbital | T42.3 2a 2b | X41- | X61- | Y11- Y47.0 |
| Cyclobarbitone | T42.3 2a 2b | X41- | X61- | Y11- Y47.0 |
| Cyclobenzaprine | T48.1 | X44- | X64- | Y14- Y55.1 |
| Cyclodrine | T44.3 | X43- | X63- | Y13- Y51.3 |
| Cycloguanil embonate | T37.2 | X44- | X64- | Y14- Y41.2 |
| Cycloheptadiene | T43.2 2b | X41- | X61- | Y11- Y49.2 |
| Cyclohexane | T52.8 2b | X46- | X66- | Y16- |
| Cyclohexanol | T51.8 | X45- | X65- | Y15- |
| Cyclohexanone | T52.4 | X46- | X66- | Y16- |
| Cycloheximide | T60.3 | X48- | X68- | Y18- |
| Cyclohexyl acetate | T52.8 2b | X46- | X66- | Y16- |
| Cycloleucin | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Cyclomethycaine | T41.3 | X44- | X64- | Y14- Y48.3 2b |
| Cyclopenthiazide | T50.2 2a | X44- | X64- | Y14- Y54.3 2a |
| Cyclopentolate | T44.3 | X43- | X63- | Y13- Y51.3 |
| Cyclophosphamide | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Cycloplegic drug | T49.5 | X44- | X64- | Y14- Y56.5 |
| Cyclopropane | T41.2 | X44- | X64- | Y14- Y48.2 |
| Cyclopyrabital | T39.8 2b | X40- | X60- | Y10- Y45.8 |
| Cycloserine | T37.1 | X44- | X64- | Y14- Y41.1 |

| | | | | | |
|---------------|----------|------|------|------|----------|
| Cyclosporin | T45.1 | X44- | X64- | Y14- | Y43.4 2b |
| Cyclothiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Cyclamine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Cyhalothrin | T60.1 | X48- | X68- | Y18- | |
| Cypermethrin | T60.1 | X48- | X68- | Y18- | |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|----------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Cyphenothrin | T60.2 | X48- | X68- | Y18- |
| Cyproheptadine | T45.0 2b | X44- | X64- | Y43.0 |
| Cyproterone | T38.6 | X44- | X64- | Y42.6 |
| Cysteamine | T50.6 | X44- | X64- | Y57.2 |
| Cytarabine | T45.1 | X44- | X64- | Y43.1 |
| Cytochrome C | T47.5 | X44- | X64- | Y53.5 |
| Cytosine arabinoside | T45.1 | X44- | X64- | Y43.1 |
| Cytozyme | T45.7 | X44- | X64- | Y44.3 |

D

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| 2,4-D | T60.3 | X48- | X68- | Y18- |
| Dacarbazine | T45.1 | X44- | X64- | Y43.3 2b |
| Dactinomycin | T45.1 | X44- | X64- | Y43.3 2b |
| DADPS | T37.1 | X44- | X64- | Y41.1 |
| Dakin's solution | T49.0 | X44- | X64- | Y56.0 |
| Dalapon (sodium) | T60.3 | X48- | X68- | Y18- |
| Dalmane | T42.4 2b | X41- | X61- | Y47.1 |
| Danazol | T38.6 | X44- | X64- | Y42.6 |
| Danthron | T47.2 | X44- | X64- | Y53.2 |
| Dantrolene | T42.8 2b | X41- | X61- | Y46.8 |
| Dantron | T47.2 | X44- | X64- | Y53.2 |
| Dapsone | T37.1 | X44- | X64- | Y41.1 |
| Darvocet | T40.4 2a 2b | X42- | X62- | Y45.0 2b |
| Darvon | T40.4 2a 2b | X42- | X62- | Y45.0 2b |
| Daunomycin | T45.1 | X44- | X64- | Y43.3 2b |
| Daunorubicin | T45.1 | X44- | X64- | Y43.3 2b |
| DDAVP | T38.8 | X44- | X64- | Y42.8 |
| DDE (bis(chlorophenyl)-dichloroethylene) | T60.2 | X48- | X68- | Y18- |
| DDT (dust) | T60.1 | X48- | X68- | Y18- |
| Deadly nightshade | T62.2 | X49- | X69- | Y19- |
| Deamino-D-arginine vasopressin | T38.8 | X44- | X64- | Y42.8 |
| Deanol (aceglumate) | T50.9 2a 2b | X44- | X64- | Y50.8 |
| Debrisoquine | T46.5 2a | X44- | X64- | Y52.5 2a |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Decaborane | T57.8 | X49- | X69- | Y19- |
| - fumes | T59.8 2a 2b | X47- | X67- | Y17- |
| Decahydronaphthalene | T52.8 2b | X46- | X66- | Y16- |
| Decalin | T52.8 2b | X46- | X66- | Y16- |
| Decamethonium (bromide) | T48.1 | X44- | X64- | Y14- |
| Decongestant, nasal (mucosa) | T48.5 | X44- | X64- | Y14- |
| - combination | T48.5 | X44- | X64- | Y14- |
| Deet | T60.8 | X48- | X68- | Y18- |
| Deferoxamine | T45.8 | X44- | X64- | Y14- |
| Deflazacort | T38.0 | X44- | X64- | Y14- |
| Deglycyrrhizinated extract of liquorice | T48.4 | X44- | X64- | Y14- |
| Dehydrocholic acid | T47.5 | X44- | X64- | Y14- |
| Dehydroemetine | T37.3 2a | X44- | X64- | Y14- |
| Dekalin | T52.8 2b | X46- | X66- | Y16- |
| Delorazepam | T42.4 2b | X41- | X61- | Y47.1 |

| | | | | | |
|--------------------------------------|-------------|------|------|------|----------|
| Deltamethrin | T60.1 | X48- | X68- | Y18- | |
| Demecarium (bromide) | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Demeclocycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Demecolcine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Demegestone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Demephion-O and -S | T60.0 2b | X48- | X68- | Y18- | |
| Demerol | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Demethylchlortetracycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Demeton-O and -S | T60.0 2b | X48- | X68- | Y18- | |
| Demulcent (external) | T49.3 | X44- | X64- | Y14- | Y56.3 |
| - specified NEC | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Denatured alcohol | T51.0 2b | X45- | X65- | Y15- | |
| Dental drug, topical application NEC | T49.7 | X44- | X64- | Y14- | Y56.7 |
| Dentifrice | T49.7 | X44- | X64- | Y14- | Y56.7 |
| Deoxybarbiturates | T42.3 2a 2b | X41- | X61- | Y11- | Y46.3 |
| Deoxycortone | T50.0 | X44- | X64- | Y14- | Y54.0 2b |
| 2-Deoxy-5-fluorouridine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| 5-Deoxy-5-fluorouridine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Deoxyribonuclease (pancreatic) | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Depilatory | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Deprenalin | T42.8 2b | X41- | X61- | Y11- | Y46.7 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Deprenyl | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Depressant | | | | | |
| - appetite | T50.5 | X44- | X64- | Y14- | Y57.0 |
| - muscle tone, central NEC | T42.8 2b | X41- | X61- | Y11- | Y46.8 |
| Depropionate | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Dequalinium (chloride) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Derris root | T60.2 | X48- | X68- | Y18- | |
| Deserpipine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Desferrioxamine | T45.8 | X44- | X64- | Y14- | Y43.8 |
| Desipramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Deslanoside | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Desloughing agent | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Desmethylimipramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Desmopressin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Desogestrel | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Desonide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Desoximetasone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Desoxycorticosteroid | T50.0 | X44- | X64- | Y14- | Y54.0 2b |
| Desoxycortone | T50.0 | X44- | X64- | Y14- | Y54.0 2b |
| Desoxyephedrine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Detaxtran | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Detergent (local) (medicinal) NEC | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - nonmedicinal | T55 | X49- | X69- | Y19- | |
| - specified NEC | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Detoxifying agent | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Dexamethasone | T38.0 | X44- | X64- | Y14- | Y42.0 2a 2b |
| Dexamfetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Dexamphetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Dexbrompheniramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Dexchlorpheniramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Dexetimide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Dexfenfluramine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Dexpanthenol | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Dextran (40) (70) (150) | T45.8 | X44- | X64- | Y14- | Y44.7 |
| Dextriferron | T45.4 | X44- | X64- | Y14- | Y44.0 |
| Dextroamphetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Dextromethorphan | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Dextromoramide | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dextropropoxyphene | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dextrose | T50.3 | X44- | X64- | Y14- | Y54.6 |

| | | | | | |
|--------------------------------------|-------------|------|------|------|-------------|
| - concentrated solution, intravenous | T46.8 | X44- | X64- | Y14- | Y52.8 |
| Dextrothyroxine sodium | T38.1 | X44- | X64- | Y14- | Y42.1 |
| DHE | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| - 45 | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Diacerein | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Diacetone alcohol | T52.4 | X46- | X66- | Y16- | |
| Diacetylmorphine | T40.1 2b | X42- | X62- | Y12- | Y45.0 2b |
| Diachylon plaster | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Diaethylstilboestrolum | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Diagnostic agent NEC | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Dialkyl carbonate | T52.9 | X46- | X66- | Y16- | |
| Diallylmal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Dialysis solution (intraperitoneal) | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Diaminodiphenylsulfone | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Diamorphine | T40.1 2b | X42- | X62- | Y12- | Y45.0 2b |
| Diamthazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Dianthane | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Diaphenylsulfone | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Diastase | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Diatrizoate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Diazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Diazinon | T60.0 2b | X48- | X68- | Y18- | |
| Diazomethane (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |
| Diazoxide | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Dibekacin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Dibenzezin | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Diborane (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |
| Dibromochloropropane | T60.8 | X48- | X68- | Y18- | |
| Dibromodulcitol | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Dibromoethane | T53.6 | X46- | X66- | Y16- | |
| Dibromomannitol | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Dibromopropamidine isethionate | T49.0 | X44- | X64- | Y14- | Y56.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Dibromopropamidine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Dibucaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Dibutoline sulfate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Dicamba | T60.3 | X48- | X68- | Y18- | |
| Dicapthon | T60.0 2b | X48- | X68- | Y18- | |
| Dichlobenil | T60.3 | X48- | X68- | Y18- | |
| Dichlalone | T60.3 | X48- | X68- | Y18- | |
| Dichloralphenozone | T42.6 2b | X41- | X61- | Y11- | Y47.5 |
| Dichlorbenzidine | T65.3 | X49- | X69- | Y19- | |
| Dichlorhydrin, dichlorohydrin, alpha-dichlorohydrin | T52.8 2b | X46- | X66- | Y16- | |
| Dichlorhydroxyquinoline | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Dichlorobenzene | T53.7 | X46- | X66- | Y16- | |
| Dichlorobenzyl alcohol | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Dichlorodifluoromethane | T53.5 2b | X46- | X66- | Y16- | |
| Dichloroethane | T52.8 2b | X46- | X66- | Y16- | |
| <i>sym</i> -Dichloroethyl ether | T53.6 | X46- | X66- | Y16- | |
| Dichloroethyl sulfide, not in war | T59.8 2a 2b | X47- | X67- | Y17- | |
| Dichloroethylene | T53.6 | X46- | X66- | Y16- | |
| Dichloroformoxine, not in war | | X49- | | | |
| Dichloromethane (solvent) | T53.4 | X46- | X66- | Y16- | |
| - vapor | T53.4 | X46- | X66- | Y16- | |
| Dichloronaphthoquinone | T60.3 | X48- | X68- | Y18- | |
| Dichlorophen | T37.4 | X44- | X64- | Y14- | Y41.4 |
| 2,4-Dichlorophenoxyacetic acid | T60.3 | X48- | X68- | Y18- | |
| Dichloropropene | T60.3 | X48- | X68- | Y18- | |
| Dichloropropionic acid | T60.3 | X48- | X68- | Y18- | |
| Dichlorphenamide | T50.2 2a | X44- | X64- | Y14- | Y54.2 |
| Dichlorvos | T60.0 2b | X48- | X68- | Y18- | |
| Diclofenac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Diclofenamide | T50.2 2a | X44- | X64- | Y14- | Y54.2 |
| Diclofensine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Diclonixine | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Dicloxacillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Dicophane | T49.0 | X44- | X64- | Y14- | Y56.0 |

| Dicoumarol, dicoumarin, dicumarol | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| Substance | Poisoning | | | | Adverse effect in therapeutic use |
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Dicrotophos | T60.0 2b | X48- | X68- | Y18- | |
| Dicyanogen (gas) | T65.0 | X47- | X67- | Y17- | |
| Dicyclomine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Dicycloverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Dideoxycytidine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Dideoxyinosine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Dieldrin (vapor) | T60.1 | X48- | X68- | Y18- | |
| Diemal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Dienestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Dienoestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Diet pills - <i>see</i> Anorexiant | | | | | |
| Dietetic drug NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Diethazine | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Diethyl | | | | | |
| - carbinol | T51.3 | X45- | X65- | Y15- | |
| - carbonate | T52.8 2b | X46- | X66- | Y16- | |
| - ether (vapor) (<i>see also</i> Ether) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - oxide | T52.8 2b | X46- | X66- | Y16- | |
| - toluamide (nonmedicinal) | T60.8 | X48- | X68- | Y18- | |
| -- medicinal | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Diethylcarbamazine | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Diethylene | | | | | |
| - dioxide | T52.8 2b | X46- | X66- | Y16- | |
| - glycol (monoacetate) (monobutyl ether) (monoethyl ether) | T52.3 | X46- | X66- | Y16- | |
| Diethylhexylphthalate | T65.8 | X49- | X69- | Y19- | |
| Diethylpropion | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Diethylstilbestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Diethylstilboestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Diethyltoluamide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Difebarbamate | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Difenidol | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Difenoxin | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Difetarsone | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Diflorasone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Diflubenzuron | T60.1 | X48- | X68- | Y18- | |
| Substance | Poisoning | | | | Adverse effect in therapeutic use |
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Diflucortolone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Diflunisal | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Difluorethane | T59.8 2a 2b | X47- | X67- | Y17- | |
| Difluoromethyldopa | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Difluorophate | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Digestant NEC | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Digitalis (leaf) (glycoside) | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| - lanata | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| - purpurea | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Digitoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Digitoxose | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Digoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Digoxine | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Dihydralazine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Dihydrazine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Dihydrocodeine | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dihydrocodeinone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dihydroergocornine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Dihydroergocristine (mesilate) | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Dihydroergokryptine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Dihydroergotamine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Dihydroergotoxine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| - mesilate | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Dihydrohydroxycodeinone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |

| | | | | | |
|------------------------------------|----------|------|------|------|----------|
| Dihydromorphinone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dihydrostreptomycin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Dihydrotachysterol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Dihydroxyaluminum aminoacetate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Dihydroxyaluminum sodium carbonate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Dihydroxyanthraquinone | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Dihydroxypropyl theophylline | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Diiodohydroxyquinoline | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Diiodotyrosine | T38.2 | X44- | X64- | Y14- | Y42.2 |
| Diisopromine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Diisopropylamine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Diisopropylfluorophosphonate | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Dilantin | T42.0 2a | X41- | X61- | Y11- | Y46.2 2a |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-------------------------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Dilaudid | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dilazep | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Dill | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Diloxanide | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Diltiazem | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Dimazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Dimeflane | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Dimefox | T60.0 2b | X48- | X68- | Y18- | |
| Dimemorfan | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Dimenhydrinate | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Dimercaprol (British anti-lewisite) | T45.8 | X44- | X64- | Y14- | Y43.8 |
| Dimestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Dimethicone | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Dimethindene | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Dimethisoquin | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Dimethylsterone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Dimethoate | T60.0 2b | X48- | X68- | Y18- | |
| Dimethocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Dimethoxanate | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Dimethyl
- arsine, arsenic acid | T57.0 | X48- | X68- | Y18- | |
| - carbinol | T51.2 | X45- | X65- | Y15- | |
| - carbonate | T52.8 2b | X46- | X66- | Y16- | |
| - ketone | T52.4 | X46- | X66- | Y16- | |
| - - vapor | T52.4 | X46- | X66- | Y16- | |
| - phthalate | T49.3 | X44- | X64- | Y14- | Y56.3 |
| - sulfate (fumes) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - liquid | T65.8 | X49- | X69- | Y19- | |
| - sulfoxide (nonmedicinal) | T52.8 2b | X46- | X66- | Y16- | |
| - medicinal | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Dimethylamine sulfate | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Dimethylformamide | T52.8 2b | X46- | X66- | Y16- | |
| Dimethyltubocurarinium chloride | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Dimeticone | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Dimetilan | T60.0 2b | X48- | X68- | Y18- | |
| Dimetindene | T45.0 2b | X44- | X64- | Y14- | Y43.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Dimetotiazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Dimorpholamine | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Dimoxyline | T46.3 | X43- | X63- | Y13- | Y52.3 |
| Dinitrobenzene | T65.3 | X46- | X66- | Y16- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Dinitrobenzol | T65.3 | X46- | X66- | Y16- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Dinitrobutylphenol | T65.3 | X46- | X66- | Y16- | |
| Dinitro(-ortho-)cresol (pesticide) (spray) | T65.3 | X46- | X66- | Y16- | |
| Dinitrocyclohexylphenol | T65.3 | X46- | X66- | Y16- | |
| Dinitrophenol | T65.3 | X46- | X66- | Y16- | |
| Dinoprost | T48.0 | X44- | X64- | Y14- | Y55.0 |

| | | | | | |
|----------------------------------|----------|------|------|------|-------------|
| Dinoprostone | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Dinoseb | T60.3 | X48- | X68- | Y18- | |
| Diodone | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Diosmin | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Dioxane | T52.8 2b | X46- | X66- | Y16- | |
| Dioxathion | T60.0 2b | X48- | X68- | Y18- | |
| Dioxin | T53.7 | X46- | X66- | Y16- | |
| Dioxopromethazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Dioxyline | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Dipentene | T52.8 2b | X46- | X66- | Y16- | |
| Diperodon | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Diphacinone | T60.4 2b | X48- | X68- | Y18- | |
| Diphemanil | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - metilsulfate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Diphenadione | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| - rodenticide | T60.4 2b | X48- | X68- | Y18- | |
| Diphenhydramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Diphenidol | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Diphenoxylate | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Diphenylamine | T65.3 | X49- | X69- | Y19- | |
| Diphenylbutazone | T39.2 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Diphenylchloroarsine, not in war | T57.0 | X49- | X69- | Y19- | |
| Diphenylhydantoin | T42.0 2a | X41- | X61- | Y11- | Y46.2 2a |
| Diphenylmethane dye | T52.1 2b | X46- | X66- | Y16- | |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Diphenylpyraline | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Diphtheria | | | | | |
| - antitoxin | T50.9 2a 2b | X44- | X64- | Y14- | Y58.5 |
| - vaccine (combination) | T50.9 2a 2b | X44- | X64- | Y14- | Y58.5 |
| Diphylline | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Dipipanone | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dipivefrine | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Diprophylline | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Dipropylene | T48.2 | X44- | X64- | Y14- | Y55.2 |
| Dipyridamole | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Dipyrocetyl | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Dipyrone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Diquat (dibromide) | T60.3 | X48- | X68- | Y18- | |
| Disinfectant | T65.8 | X49- | X69- | Y19- | |
| - alkaline | T54.3 | X49- | X69- | Y19- | |
| - intestinal | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Disodium edetate | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Disoprofrol | T41.2 | X44- | X64- | Y14- | Y48.2 |
| Disopyramide | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Distigmine (bromide) | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Disulfamide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Disulfiram | T50.6 | X44- | X64- | Y14- | Y57.3 2a 2b |
| Disulfoton | T60.0 2b | X48- | X68- | Y18- | |
| Ditazole | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Dithiazanine iodide | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Dithiocarbamate | T60.0 2b | X48- | X68- | Y18- | |
| Dithranol | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Diuretic NEC | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - benzothiadiazine | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| - furfuryl NEC | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - loop (high-ceiling) | T50.1 | X44- | X64- | Y14- | Y54.4 |
| - mercurial NEC | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - osmotic | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - purine NEC | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - saluretic NEC | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - sulfonamide | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - thiazide NEC | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| - xanthine | T50.2 2a | X44- | X64- | Y14- | Y54.5 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-----------|-------------|------------|-----------------------|-----------------------------------|--|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |

| | | | | | |
|-------------------------------|----------|------|------|------|-------------|
| Diurgin | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Diuron | T60.3 | X48- | X68- | Y18- | |
| Divalproex | T42.6 2b | X41- | X61- | Y11- | Y46.5 |
| Dixanthogen | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Dixyrazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| DMSO - see Dimethyl sulfoxide | | | | | |
| DNBP | T60.3 | X48- | X68- | Y18- | |
| DNOC | T65.3 | X46- | X66- | Y16- | |
| Dobutamine | T44.5 | X43- | X63- | Y13- | Y51.5 |
| Docusate sodium | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Dodicin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Dofamium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Domestic gas | T58 2b | X47- | X67- | Y17- | |
| Domiadol | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Domiphen (bromide) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Domperidone | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Donepezil | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Dopa | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Dopamine | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Dordenen | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Dornase | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Dosulepin | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Dothiepin | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Doxantrazole | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Doxapram | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Doxazosin | T44.6 | X43- | X63- | Y13- | Y51.6 |
| Doxepin | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Doxifluridine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Doxorubicin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Doxycycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Doxylamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Drano | T54.3 | X49- | X69- | Y19- | |
| Dressing, live pulp | T49.7 | X44- | X64- | Y14- | Y56.7 |
| Drocode | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Dronabinol | T40.7 | X42- | X62- | Y12- | Y49.6 |
| Droperidol | T43.5 2b | X41- | X61- | Y11- | Y49.5 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|----------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Dropropizine | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Drostanolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Drotaverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Drug NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y57.9 2a 2b |
| DTIC | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Duloxetine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Dyclonine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Dydrogesterone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Dye NEC | T65.6 | X49- | X69- | Y19- | |
| - antiseptic | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Dyflos | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Dynamite | T65.3 | X49- | X69- | Y19- | |
| - fumes | T59.8 2a 2b | X47- | X67- | Y17- | |

E

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Ear drug NEC | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Econazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Ecothiopate iodide | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Ecstasy | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Ectylurea | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Edoxudine | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Edrophonium | T44.0 | X43- | X63- | Y13- | Y51.0 |

| | | | | | |
|--------------------------|-------------|------|------|------|-------------|
| - chloride | T44.0 | X43- | X63- | Y13- | Y51.0 |
| EDTA | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Eflornithine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Efloxate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Elastase | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Elavil | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Elcatonin | T50.9 2a 2b | X44- | X64- | Y14- | Y54.7 |
| Electrolyte balance drug | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Elemental diet | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Elliptinium acetate | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Embramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Emepronium (salts) | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Emetic NEC | T47.7 | X44- | X64- | Y14- | Y53.7 |
| Emetine | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Emollient NEC | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Emorfazone | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Emylcamate | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Enalapril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Enalaprilat | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Encainide | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Endosulfan | T60.2 | X48- | X68- | Y18- | |
| Endothall | T60.3 | X48- | X68- | Y18- | |
| Endralazine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Endrin | T60.1 | X48- | X68- | Y18- | |
| Enflurane | T41.0 | X44- | X64- | Y14- | Y48.0 |
| Enhexamal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Enocitabine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Enoxacin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Enoxaparin (sodium) | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Enpiprazole | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Enprofylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Enprostil | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Enterogastrone | T38.8 | X44- | X64- | Y14- | Y42.8 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---------------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Enviomycin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Enzyme NEC | T45.3 | X44- | X64- | Y14- | Y43.6 |
| - depolymerizing | T49.8 | X44- | X64- | Y14- | Y56.8 |
| - fibrolytic | T45.3 | X44- | X64- | Y14- | Y43.6 |
| - gastric | T45.3 | X44- | X64- | Y14- | Y43.6 |
| - intestinal | T47.5 | X44- | X64- | Y14- | Y53.5 |
| - local action | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - proteolytic | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - thrombolytic | T45.3 | X44- | X64- | Y14- | Y43.6 |
| EPAB | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Ephedra | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Ephedrine | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Epichlorhydrin, epichlorohydrin | T52.8 2b | X46- | X66- | Y16- | |
| Epicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Epimestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Epinephrine | T44.5 | X43- | X63- | Y13- | Y51.5 |
| Epirizole | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Epirubicin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Epitiostanol | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Epitizide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| EPN | T60.0 2b | X48- | X68- | Y18- | |
| EPO | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Epoetin alpha | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Epomediol | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Epoprostenol | T45.5 | X44- | X64- | Y14- | Y44.4 |
| Epoxy resin | T65.8 | X49- | X69- | Y19- | |
| Eprazinone | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Epsilon aminocaproic acid | T45.6 | X44- | X64- | Y14- | Y44.3 |
| Eptazocine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Equanil | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Ergobasine | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Ergocalciferol | T45.2 | X44- | X64- | Y14- | Y54.7 |
| Ergoloid mesylates | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |

| Ergometrine | T48.0 | X44- | X64- | Y14- | Y55.0 |
|-------------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| Ergonovine | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Substance | Poisoning | | | | Adverse effect in therapeutic use |
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Ergot NEC | T64 | X49- | X69- | Y19- | |
| - derivative | T48.0 | X44- | X64- | Y14- | Y55.0 |
| - prepared | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Ergotamine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Ergotocine | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Eritrityl tetranitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Erythrityl tetranitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Erythrol tetranitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Erythromycin (salts) | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Erythropoietin | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - human | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Escin | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Escitalopram | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Esclulin | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Esculoside | T45.2 | X44- | X64- | Y14- | Y57.7 |
| ESDT (ether-soluble tar distillate) | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Eserine | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Esfurbiprofen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Esmolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Estanozolol | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Estazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Estradiol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| - with testosterone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| - benzoate | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Estramustine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Estriol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Estrogen | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| - with progesterone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| - conjugated | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Estrone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Estropipate | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Eszopiclone | T42.7 2b | X41- | X61- | Y11- | Y47.9 |
| Etacrylate sodium | T50.1 | X44- | X64- | Y14- | Y54.4 |
| Etacrylic acid | T50.1 | X44- | X64- | Y14- | Y54.4 |
| Etafedrine | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Etafenone | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Etambutol | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Etamiphyllin | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Substance | Poisoning | | | | Adverse effect in therapeutic use |
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Etamivan | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Etamsylate | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Etebenecid | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Etersalate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Eterylate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Ethacridine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Ethacrylic acid | T50.1 | X44- | X64- | Y14- | Y54.4 |
| Ethadione | T42.2 | X41- | X61- | Y11- | Y46.1 |
| Ethambutol | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Ethamivan | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Ethamsylate | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Ethanol | T51.0 2b | X45- | X65- | Y15- | |
| Ethanolamine oleate | T46.8 | X44- | X64- | Y14- | Y52.8 |
| Ethaverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Ethchlorvynol | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Ethenzamide | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Ether (vapor) | T41.0 | X47- | X67- | Y17- | Y48.0 |
| - anesthetic | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - divinyl | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - ethyl (medicinal) | T41.0 | X44- | X64- | Y14- | Y48.0 |
| - - nonmedicinal | T52.8 2b | X46- | X66- | Y16- | |

| | | | | | |
|---|-------------|------|------|------|-------------|
| - petroleum - <i>see</i> Ligroin | | | | | |
| - solvent | T52.8 2b | X46- | X66- | Y16- | |
| Ethiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Ethidium chloride (vapor) | T59.8 2a 2b | X46- | X66- | Y16- | |
| Ethinamate | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Ethinylestradiol, ethynodiol-17 β -diol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| - with | | | | | |
| - - levonorgestrel | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| - - norethisterone | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Ethiodized oil (^{131}I) | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ethion | T60.0 2b | X48- | X68- | Y18- | |
| Ethionamide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Ethioniamide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Ethisterone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Ethoheptazine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|------------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Ethopropazine | T44.3 | X43- | X63- | Y51.3 |
| Ethosuximide | T42.2 | X41- | X61- | Y46.0 |
| Ethotoxin | T42.0 2a | X41- | X61- | Y46.2 2a |
| Ethoxazorutoside | T46.9 | X44- | X64- | Y52.9 |
| 2-Ethoxyethanol | T52.3 | X46- | X66- | Y16- |
| Ethoxzolamide | T50.2 2a | X44- | X64- | Y54.2 |
| Ethyl | | | | |
| - acetate | T52.8 2b | X46- | X66- | Y16- |
| - alcohol | T51.0 2b | X45- | X65- | Y15- |
| - aldehyde (vapor) | T59.8 2a 2b | X47- | X67- | Y17- |
| - - liquid | T52.8 2b | X46- | X66- | Y16- |
| - aminobenzoate | T41.3 | X44- | X64- | Y14- |
| - aminophenothiazine | T43.3 2b | X41- | X61- | Y11- |
| - benzoate | T52.8 2b | X46- | X66- | Y16- |
| - biscoumacetate | T45.5 | X44- | X64- | Y14- |
| - carbamate | T45.1 | X44- | X64- | Y14- |
| - carbinol | T51.3 | X45- | X65- | Y15- |
| - carbonate | T52.8 2b | X46- | X66- | Y16- |
| - chloride (anesthetic) | T41.0 | X44- | X64- | Y14- |
| - - local | T49.4 | X44- | X64- | Y14- |
| - - solvent | T53.6 | X46- | X66- | Y16- |
| - dibunate | T48.3 | X44- | X64- | Y14- |
| - dichloroarsine (vapor) | T57.0 | X49- | X69- | Y19- |
| - ether (<i>see also</i> Ether) | T52.8 2b | X46- | X66- | Y16- |
| - formate NEC (solvent) | T52.0 | X46- | X66- | Y16- |
| - fumarate | T49.4 | X44- | X64- | Y14- |
| - hydroxyisobutyrate NEC (solvent) | T52.8 2b | X46- | X66- | Y16- |
| - iodoacetate | T59.3 | X47- | X67- | Y17- |
| - lactate NEC (solvent) | T52.8 2b | X46- | X66- | Y16- |
| - loflazepate | T42.4 2b | X41- | X61- | Y11- |
| - mercuric chloride | T56.1 | X49- | X69- | Y19- |
| - noradrenaline | T48.6 | X44- | X64- | Y14- |
| - oxybutyrate NEC (solvent) | T52.8 2b | X46- | X66- | Y16- |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-----------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Ethylene (gas) | T59.8 2a 2b | X47- | X67- | Y17- |
| - chlorohydrin | T52.8 2b | X46- | X66- | Y16- |
| - - vapor | T53.6 | X46- | X66- | Y16- |
| - dichloride | T52.8 2b | X46- | X66- | Y16- |
| - - vapor | T53.6 | X46- | X66- | Y16- |
| - dinitrate | T52.3 | X46- | X66- | Y16- |
| - glycol(s) | T52.8 2b | X46- | X66- | Y16- |
| - - dinitrate | T52.3 | X46- | X66- | Y16- |
| - - monobutyl ether | T52.3 | X46- | X66- | Y16- |
| - imine | T54.1 | X49- | X69- | Y19- |
| - oxide (fumigant) (nonmedicinal) | T59.8 2a 2b | X47- | X67- | Y17- |
| - - medicinal | T49.0 | X44- | X64- | Y14- |
| Ethylenediamine theophylline | T48.6 | X44- | X64- | Y14- |
| | | | | Y56.0 |
| | | | | Y55.6 |

| | | | | | |
|-----------------------------------|-------------|------|------|------|-------------|
| Ethylenediaminetetraacetic acid | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Ethylenedinitrilotetraacetate | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Ethylestrenol | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Ethylhydroxycellulose | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Ethylidene | | | | | |
| - chloride NEC | T53.6 | X46- | X66- | Y16- | |
| - diacetate | T60.3 | X48- | X68- | Y18- | |
| - dicoumarin | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| - dicumarol | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| - diethyl ether | T52.0 | X46- | X66- | Y16- | |
| Ethylmorphine | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Ethylnorepinephrine | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Ethylparachlorophenoxyisobutyrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Ethynodiol | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| - with mestranol diacetate | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Etidocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Etidronate | T50.9 2a 2b | X44- | X64- | Y14- | Y54.7 |
| Etidronic acid (disodium salt) | T50.9 2a 2b | X44- | X64- | Y14- | Y54.7 |
| Etifoxine | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Etilefrine | T44.4 | X43- | X63- | Y13- | Y51.4 |
| Etinodiol | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Etiroxate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Etizolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Etodolac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Etofamide | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Etofibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Etofylline | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| - clofibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Etoglucid | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| ETOH | T51.0 2b | X45- | X65- | Y15- | |
| Etomidate | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Etomidoline | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Etoposide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Etosalamide | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Etozolin | T50.1 | X44- | X64- | Y14- | Y54.4 |
| Etretinate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Etybenzatropine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Etnodiol | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Eucaïne | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Eucalyptus oil | T49.7 | X44- | X64- | Y14- | Y56.7 |
| Eucatropine | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Evans blue | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Exalamide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Exhaust gas | T58 2b | X47- | X67- | Y17- | |
| Expectorant NEC | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Extended insulin zinc suspension | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Extrapyramidal antagonist NEC | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Eye drug NEC | T49.5 | X44- | X64- | Y14- | Y56.5 |

F

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| FAC (fluorouracil + doxorubicin + cyclophosphamide) | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Factor | | | | | |
| - I (fibrinogen) | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - III (thromboplastin) | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - VIII (antihemophilic factor) (concentrate) | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - IX complex | T45.7 | X44- | X64- | Y14- | Y44.3 |
| - - human | T45.8 | X44- | X64- | Y14- | Y44.6 |
| Famotidine | T47.0 | X44- | X64- | Y14- | Y53.0 |

| | | | | | | | |
|-----------------------------|-------|-------|------|------|------|-------|-------|
| Fat suspension, intravenous | T50.9 | 2a 2b | X44- | X64- | Y14- | Y57.8 | 2a 2b |
| Fazadinium bromide | T48.1 | | X44- | X64- | Y14- | Y55.1 | |
| Febaramate | T42.3 | 2a 2b | X41- | X61- | Y11- | Y47.0 | |
| Fecal softener | T47.4 | | X44- | X64- | Y14- | Y53.4 | |
| Fedrilate | T48.3 | | X44- | X64- | Y14- | Y55.3 | |
| Feldene | T39.3 | | X40- | X60- | Y10- | Y45.3 | 2a 2b |
| Felodipine | T46.1 | | X44- | X64- | Y14- | Y52.1 | |
| Felypressin | T38.8 | | X44- | X64- | Y14- | Y42.8 | |
| Femoxetine | T43.2 | 2b | X41- | X61- | Y11- | Y49.2 | |
| Fenalcomine | T46.3 | | X44- | X64- | Y14- | Y52.3 | |
| Fenamisal | T37.1 | | X44- | X64- | Y14- | Y41.1 | |
| Fenazole | T39.2 | | X40- | X60- | Y10- | Y45.8 | |
| Fenbendazole | T37.4 | | X44- | X64- | Y14- | Y41.4 | |
| Fenbufen | T39.3 | | X40- | X60- | Y10- | Y45.2 | |
| Fenbutrazate | T50.5 | | X44- | X64- | Y14- | Y57.0 | |
| Fenclofenac | T39.3 | | X40- | X60- | Y10- | Y45.3 | 2a 2b |
| Fendiline | T46.1 | | X44- | X64- | Y14- | Y52.1 | |
| Fenetylline | T43.6 | 2b | X41- | X61- | Y11- | Y49.7 | |
| Fenflumizole | T39.3 | | X40- | X60- | Y10- | Y45.3 | 2a 2b |
| Fenfluramine | T50.5 | | X44- | X64- | Y14- | Y57.0 | |
| Fenobarbital | T42.3 | 2a 2b | X41- | X61- | Y11- | Y47.0 | |
| Fenofibrate | T46.6 | | X44- | X64- | Y14- | Y52.6 | |
| Fenoprofen | T39.3 | | X40- | X60- | Y10- | Y45.2 | |
| Fenoterol | T48.6 | | X44- | X64- | Y14- | Y55.6 | |
| Fenoverine | T44.3 | | X43- | X63- | Y13- | Y51.3 | |
| Fenoxyazoline | T48.5 | | X44- | X64- | Y14- | Y55.5 | |
| Fenproporex | T50.5 | | X44- | X64- | Y14- | Y57.0 | |
| Fenquizone | T50.2 | 2a | X44- | X64- | Y14- | Y54.5 | |
| Fentanyl | T40.4 | 2a 2b | X42- | X62- | Y12- | Y45.0 | 2b |
| Fenthion | T60.0 | 2b | X48- | X68- | Y18- | | |

| Substance | Poisoning | | | | Adverse effect in therapeutic use | |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|-------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | | |
| Fentiazac | T39.3 | X40- | X60- | Y10- | Y45.3 | 2a 2b |
| Fenticlor | T49.0 | X44- | X64- | Y14- | Y56.0 | |
| Fenylbutazone | T39.2 | X40- | X60- | Y10- | Y45.3 | 2a 2b |
| Feprazone | T39.2 | X40- | X60- | Y10- | Y45.8 | |
| Ferric - <i>see also</i> Iron | | | | | | |
| - chloride | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| - citrate | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| - hydroxide | | | | | | |
| - - colloidal | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| - - polymaltose | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| - pyrophosphate | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| Ferritin | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| Ferrocholinate | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| Ferrodextrane | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| Ferropolimaler | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| Ferrous - <i>see also</i> Iron | | | | | | |
| - phosphate | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| - salt | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| - - with folic acid | T45.4 | X44- | X64- | Y14- | Y44.0 | |
| Ferrovanadium (fumes) | T59.8 | 2a 2b | X47- | X67- | Y17- | |
| Ferrum - <i>see</i> Iron | | | | | | |
| Fertilizers NEC | T65.8 | X49- | X69- | Y19- | | |
| Fetoxilate | T47.6 | X44- | X64- | Y14- | Y53.6 | |
| Fiber, dietary | T47.4 | X44- | X64- | Y14- | Y53.4 | |
| Fibrinogen (human) | T45.8 | X44- | X64- | Y14- | Y44.6 | |
| Fibrinolysin (human) | T45.6 | X44- | X64- | Y14- | Y44.5 | |
| Fibrinolysis-affecting drug | T45.6 | X44- | X64- | Y14- | Y44.9 | |
| Fibrinolysis inhibitor NEC | T45.6 | X44- | X64- | Y14- | Y44.3 | |
| Fibrinolytic drug | T45.6 | X44- | X64- | Y14- | Y44.5 | |
| Filix mas | T37.4 | X44- | X64- | Y14- | Y41.4 | |
| Filtering cream | T49.3 | X44- | X64- | Y14- | Y56.3 | |
| Firedamp | T59.8 | 2a 2b | X47- | X67- | Y17- | |
| Fish, noxious, nonbacterial | T61.2 | X49- | X69- | Y19- | | |
| - shell | T61.2 | X49- | X69- | Y19- | | |
| Flavine adenine dinucleotide | T45.2 | X44- | X64- | Y14- | Y57.7 | |
| Flavodic acid | T46.9 | X44- | X64- | Y14- | Y52.9 | |

Adverse

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|------------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Flavoxate | T44.3 | X43- | X63- | Y13- |
| Flecainide | T46.2 2b | X44- | X64- | Y14- |
| Fleroxacin | T36.8 | X44- | X64- | Y14- |
| Floctafenine | T39.8 2b | X40- | X60- | Y10- |
| Flomoxef | T36.1 | X44- | X64- | Y14- |
| Flopropione | T44.3 | X43- | X63- | Y13- |
| Floxuridine | T45.1 | X44- | X64- | Y14- |
| Fluanisone | T43.4 | X41- | X61- | Y11- |
| Flubendazole | T37.4 | X44- | X64- | Y14- |
| Fluclorolone acetonide | T49.0 | X44- | X64- | Y14- |
| Flucloxacillin | T36.0 | X44- | X64- | Y14- |
| Fluconazole | T37.8 | X44- | X64- | Y14- |
| Flucytosine | T37.8 | X44- | X64- | Y14- |
| Fludeoxyglucose (¹⁸ F) | T50.8 | X44- | X64- | Y14- |
| Fludiazepam | T42.4 2b | X41- | X61- | Y11- |
| Fludrocortisone | T50.0 | X44- | X64- | Y14- |
| Fludroxycortide | T49.0 | X44- | X64- | Y14- |
| Flufenamic acid | T39.3 | X40- | X60- | Y10- |
| Fluindione | T45.5 | X44- | X64- | Y14- |
| Flumequine | T37.8 | X44- | X64- | Y14- |
| Flumetasone | T49.0 | X44- | X64- | Y14- |
| Flunarizine | T46.7 2a | X44- | X64- | Y14- |
| Flunidazole | T37.8 | X44- | X64- | Y14- |
| Flunisolide | T48.6 | X44- | X64- | Y14- |
| Flunitrazepam | T42.4 2b | X41- | X61- | Y11- |
| Flunoxaprofen | T39.3 | X40- | X60- | Y10- |
| Fluocinolone (acetone) | T49.0 | X44- | X64- | Y14- |
| Fluocinonide | T49.0 | X44- | X64- | Y14- |
| Flucortin (butyl) | T49.0 | X44- | X64- | Y14- |
| Flucortolone | T49.0 | X44- | X64- | Y14- |
| Fluopromazine | T43.3 2b | X41- | X61- | Y11- |
| Fluorescein | T50.8 | X44- | X64- | Y14- |
| Fluorhydrocortisone | T50.0 | X44- | X64- | Y14- |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Fluoride (nonmedicinal) (pesticide) (sodium) | | | | |
| NEC | T60.8 | X48- | X68- | Y18- |
| - medicinal NEC | T50.9 2a 2b | X44- | X64- | Y14- |
| - - dental use | T49.7 | X44- | X64- | Y14- |
| Fluorine (gas) | | | | |
| - salt - see Fluoride(s) | T59.5 | X47- | X67- | Y17- |
| Fluormetholone | T49.0 | X44- | X64- | Y14- |
| Fluoroacetate | T60.4 2b | X48- | X68- | Y18- |
| Fluorocarbon monomer | T53.6 | X46- | X66- | Y16- |
| Fluorocytosine | T37.8 | X44- | X64- | Y14- |
| Fluorometholone | T49.0 | X44- | X64- | Y14- |
| Fluorophosphate insecticide | T60.0 2b | X48- | X68- | Y18- |
| Fluorosol | T46.3 | X44- | X64- | Y14- |
| Fluorouracil | T45.1 | X44- | X64- | Y14- |
| Fluorophenylalanine | T49.5 | X44- | X64- | Y14- |
| Fluoxetine | T43.2 2b | X41- | X61- | Y11- |
| Fluoxymesterone | T38.7 | X44- | X64- | Y14- |
| Flupenthixol | T43.4 | X41- | X61- | Y11- |
| Flupentixol | T43.4 | X41- | X61- | Y11- |
| Fluphenazine | T43.3 2b | X41- | X61- | Y11- |
| Fluprednidene | T49.0 | X44- | X64- | Y14- |
| Fluprednisolone | T38.0 | X44- | X64- | Y14- |
| Fluradoline | T39.8 2b | X40- | X60- | Y10- |
| Flurandrenolone | T49.0 | X44- | X64- | Y14- |
| Flurazepam | T42.4 2b | X41- | X61- | Y11- |
| Flurbiprofen | T39.3 | X40- | X60- | Y10- |
| Flurotyl | T43.2 2b | X41- | X61- | Y11- |
| Fluroxene | T41.0 | X44- | X64- | Y14- |
| Fluspirilene | T43.5 2b | X41- | X61- | Y11- |

| | | | | | |
|------------------------|----------|------|------|------|-------|
| Flutamide | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Flutazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Fluticasone propionate | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Flutoprazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Flutropium bromide | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Fluvoxamine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Folic acid | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - with ferrous salt | T45.2 | X44- | X64- | Y14- | Y44.1 |
| - antagonist | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Folinic acid | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Folium stramoniae | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Follicle-stimulating hormone, human | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Folpet | T60.3 | X48- | X68- | Y18- | |
| Fominoben | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Food, foodstuffs, noxious, nonbacterial, NEC | T62.9 | X49- | X69- | Y19- | |
| Formaldehyde (solution), gas or vapor | T59.2 | X47- | X67- | Y17- | |
| Formalin (vapour) | T59.2 | X47- | X67- | Y17- | Y56.0 |
| Formic acid | T54.2 | X49- | X69- | Y19- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Fortovase | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Foscarnet sodium | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Fosfestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Fosfomycin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Fosfonet sodium | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Fosfosal | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Fosinopril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| - sodium | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Foxglove | T62.2 | X49- | X69- | Y19- | |
| Framycetin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Frangula | T47.2 | X44- | X64- | Y14- | Y53.2 |
| -extract | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Frei antigen | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Freon | T53.5 2b | X46- | X66- | Y16- | |
| Fructose | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Frusemide | T50.1 | X44- | X64- | Y14- | Y54.4 |
| FSH | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Ftorafur | T45.1 | X44- | X64- | Y14- | Y43.1 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Fuel | | | | | |
| - automobile | T52.0 | X46- | X66- | Y16- | |
| - - exhaust gas, not in transit | T58 2b | X47- | X67- | Y17- | |
| - - vapor NEC | T52.0 | X46- | X66- | Y16- | |
| - gas (domestic use) | T58 2b | X47- | X67- | Y17- | |
| - industrial, incomplete combustion | T58 2b | X47- | X67- | Y17- | |
| Fulminate of mercury | T56.1 | X49- | X69- | Y19- | |
| Fumagillin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Fumaric acid | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Fumes (from) | T59.9 2b | X47- | X67- | Y17- | |
| - carbon monoxide | T58 2b | X47- | X67- | Y17- | |
| - charcoal (domestic use) | T58 2b | X47- | X67- | Y17- | |
| - coke (in domestic stoves, fireplaces) | T58 2b | X47- | X67- | Y17- | |
| - corrosive NEC | T59.8 2a 2b | X47- | X67- | Y17- | |
| - ether - see Ether | | | | | |
| - lead - see Lead | | | | | |
| - metal - see Metals, or the specified metal | | | | | |
| - specified source NEC | T59.9 2b | X47- | X67- | Y17- | |
| Fumigant NEC | T60.9 | X48- | X68- | Y18- | |
| Fungi, noxious, used as food | T62.0 | X49- | X69- | Y19- | |
| Fungicide NEC (nonmedicinal) | T60.3 | X48- | X68- | Y18- | |
| Furazolidone | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Furazolium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Furfural | T52.8 2b | X46- | X66- | Y16- | |

| | | | | | |
|--|--------|------|------|------|----------|
| Furnace (coal burning) (domestic), gas from industrial | T58 2b | X47- | X67- | Y17- | |
| Furniture polish | T65.8 | X49- | X69- | Y19- | |
| Furosemide | T50.1 | X44- | X64- | Y14- | Y54.4 |
| Fursultiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Fusafungine | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Fusel oil (any) (amyl) (butyl) (propyl), vapor | T51.3 | X45- | X65- | Y15- | |
| Fusidate (ethanolamine) (sodium) | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Fusidic acid | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Fytic acid, nonasodium | T50.6 | X44- | X64- | Y14- | Y57.2 |

G

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| GABA | T43.8 | X41- | X61- | Y49.8 |
| Gabapentine | T42.6 2b | X41- | X61- | Y46.6 |
| Gabexate | T45.6 | X44- | X64- | Y44.3 |
| Gadopentetic acid | T50.8 | X44- | X64- | Y57.5 2b |
| Galactose | T50.3 | X44- | X64- | Y54.6 |
| -Galactosidase | T47.5 | X44- | X64- | Y53.5 |
| Galantamine | T44.0 | X43- | X63- | Y51.0 |
| Gallamine (triethiodide) | T48.1 | X44- | X64- | Y55.1 |
| Gallium citrate | T50.9 2a 2b | X44- | X64- | Y54.7 |
| Gallopamil | T46.1 | X44- | X64- | Y52.1 |
| Gamma globulin NEC | T50.9 2a 2b | X44- | X64- | Y59.3 2a |
| Gamma-aminobutyric acid | T43.8 | X41- | X61- | Y49.8 |
| Gamma-benzene hexachloride (medicinal) | T49.0 | X44- | X64- | Y56.0 |
| - nonmedicinal, vapor | T53.6 | X46- | X66- | Y16- |
| Gamma-BHC (medicinal) | T49.0 | X44- | X64- | Y56.0 |
| Gammahydroxybutyric acid | T41.2 | X44- | X64- | Y48.2 |
| Gammahydroxybutyrate | T41.2 | X44- | X64- | Y48.2 |
| Ganciclovir (sodium) | T37.5 2a | X44- | X64- | Y41.5 2a |
| Ganglionic blocking drug NEC | T44.2 | X43- | X63- | Y51.2 |
| - specified NEC | T44.2 | X43- | X63- | Y51.2 |
| Ganja | T40.7 | X42- | X62- | Y12- |
| Gas | T59.9 2b | X47- | X67- | Y17- |
| - acetylene | T59.8 2a 2b | X47- | X67- | Y17- |
| - air contaminants, source or type not specified | T59.9 2b | X47- | X67- | Y17- |
| - anesthetic | T41.0 | X44- | X64- | Y14- |
| - blast furnace | T58 2b | X47- | X67- | Y17- |
| - butane - <i>see</i> Butane | | | | |
| - carbon monoxide | T58 2b | X47- | X67- | Y17- |
| - chlorine | T59.4 | X47- | X67- | Y17- |
| - coal | T58 2b | X47- | X67- | Y17- |
| - cyanide | T57.3 | X47- | X67- | Y17- |
| - dicyanogen | T65.0 | X47- | X67- | Y17- |
| - domestic | T58 2b | X47- | X67- | Y17- |
| - exhaust | T58 2b | X47- | X67- | Y17- |
| - from utility (for cooking, heating, or lighting) | T58 2b | X47- | X67- | Y17- |
| - from wood-or coal-burning stove or fireplace | T58 2b | X47- | X67- | Y17- |
| - fuel (domestic use) | T58 2b | X47- | X67- | Y17- |
| - garage | T58 2b | X47- | X67- | Y17- |
| - hydrocarbon NEC | T59.8 2a 2b | X47- | X67- | Y17- |
| - liquefied - <i>see</i> Butane | | | | |
| - hydrocyanic acid | T59.8 2a 2b | X47- | X67- | Y17- |
| - illuminating | T58 2b | X47- | X67- | Y17- |
| - incomplete combustion, any | T58 2b | X47- | X67- | Y17- |
| - kiln | T58 2b | X47- | X67- | Y17- |
| - lacrimogenic | T59.3 | X47- | X67- | Y17- |
| - liquefied petroleum - <i>see</i> Butane | | | | |
| - marsh | T59.8 2a 2b | X47- | X67- | Y17- |
| - motor exhaust, not in transit | T58 2b | X47- | X67- | Y17- |

| | | | | |
|------------------------------------|-------------|------|------|------------|
| - mustard, not in war | T59.8 2a 2b | X47- | X67- | Y17- |
| - natural | T59.8 2a 2b | X47- | X67- | Y17- |
| - nerve, not in war | T59.9 2b | X47- | X67- | Y17- |
| - oil | T52.0 | X46- | X66- | Y16- |
| - producer | T58 2b | X47- | X67- | Y17- |
| - propane -see Propane | T53.5 2b | X47- | X67- | Y17- |
| - refrigerant (chlorofluorocarbon) | T59.8 2a 2b | X47- | X67- | Y17- |
| - - not chlorofluorocarbon | T59.9 2b | X47- | X67- | Y17- |
| - sewer | T59.9 2b | X47- | X67- | Y17- |
| - specified source NEC | T58 2b | X47- | X67- | Y17- |
| - stove | T41.5 | X44- | X64- | Y14- |
| - therapeutic | T58 2b | X47- | X67- | Y17- Y48.5 |
| - water | | | | |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-----------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Gaseous substance - see Gas | | | | |
| Gasolene, gasoline | T52.0 | X46- | X66- | Y16- |
| - vapor | T52.0 | X46- | X66- | Y16- |
| Gastrointestinal drug | T47.9 | X44- | X64- | Y14- |
| - biological | T47.8 | X44- | X64- | Y14- Y53.9 |
| - specified NEC | T47.8 | X44- | X64- | Y14- Y53.8 |
| Gefarnate | T44.3 | X43- | X63- | Y13- Y51.3 |
| Gemeprost | T48.0 | X44- | X64- | Y14- Y55.0 |
| Gemfibrozil | T46.6 | X44- | X64- | Y14- Y52.6 |
| Gentamicin | T36.5 | X44- | X64- | Y14- Y40.5 |
| Gentian | T47.5 | X44- | X64- | Y14- Y53.5 |
| - violet | T49.0 | X44- | X64- | Y14- Y56.0 |
| Gepefrine | T44.4 | X43- | X63- | Y13- Y51.4 |
| Gestonorone caproate | T38.5 | X44- | X64- | Y14- Y42.5 2b |
| Ginger | T47.5 | X44- | X64- | Y14- Y53.5 |
| - jamaica | T62.2 | X49- | X69- | Y19- |
| Gitalin | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| - amorphous | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| Gitaloxin | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| Glafenine | T39.8 2b | X40- | X60- | Y10- Y45.8 |
| Glibenclamide | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Glibornuride | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Gliclazide | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Glimidine | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Glipizide | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Gliquidone | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Glisolamide | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Glisoxepide | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Globin zinc insulin | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Globulin | | | | |
| - antilymphocytic | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| - antirhesus | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| - antivenin | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| - antiviral | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| Glucagon | T38.3 2b | X44- | X64- | Y14- Y42.3 2b |
| Glucametacin | T39.3 | X40- | X60- | Y10- Y45.3 2a 2b |
| Glucocorticoid | T38.0 | X44- | X64- | Y14- Y42.0 2a 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Glucocorticosteroid | T38.0 | X44- | X64- | Y14- Y42.0 2a 2b |
| Gluconic acid | T50.9 2a 2b | X44- | X64- | Y14- Y43.5 |
| Glucosamine sulfate | T39.4 | X40- | X60- | Y10- Y45.4 |
| Glucose | T50.3 | X44- | X64- | Y14- Y54.6 |
| - with sodium chloride | T50.3 | X44- | X64- | Y14- Y54.6 |
| Glucurolactone | T47.8 | X44- | X64- | Y14- Y53.8 |
| Glue NEC | T52.8 2b | X49- | X69- | Y19- |
| Glutamic acid | T47.5 | X44- | X64- | Y14- Y53.5 |
| Glutaral (medicinal) | T49.0 | X44- | X64- | Y14- Y56.0 |
| - nonmedicinal | T65.8 | X49- | X69- | Y19- |
| Glutaraldehyde (nonmedicinal) | T65.8 | X49- | X69- | Y19- |

| | | | | | |
|------------------------------|-------------|------|------|------|-------------|
| - medicinal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Glutathione | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Glutethimide | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Glyburide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Glycerin | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Glycerol | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - borax | T49.6 | X44- | X64- | Y14- | Y56.6 |
| - intravenous | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - iodinated | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Glycerophosphate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Glyceryl | | | | | |
| - guaiacolate | T48.4 | X44- | X64- | Y14- | Y55.4 |
| - nitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| - trinitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Glycopyramide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Glycobiarisol | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Glycols (ether) | T52.3 | X46- | X66- | Y16- | |
| Glyconiazide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Glycopyrrolate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Glycopyrronium | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Glycoside, cardiac-stimulant | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Glycyclamide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Glycyrrhiza extract | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Glycyrrhizic acid | T48.4 | X44- | X64- | Y14- | Y55.4 |

| Substance | Chapter XIX | Poisoning | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | | Accidental | Intentional self-harm | Undetermined intent | |
| Glycyrrhizinate potassium | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Glymidine sodium | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Glyphosate | T60.3 | X48- | X68- | Y18- | |
| Glyphylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Gold | | | | | |
| - colloidal (¹⁹⁸ Au) | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| - salts | T39.4 | X40- | X60- | Y10- | Y45.4 |
| Golden sulfide of antimony | T56.8 | X49- | X69- | Y19- | |
| Gonadorelin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Gonadotrophin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - chorionic | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - serum | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Goserelin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Grain alcohol | T51.0 2b | X45- | X65- | Y15- | |
| Gramicidin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Granisetron | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Grease | T65.8 | X49- | X69- | Y19- | |
| Griseofulvin | T36.7 | X44- | X64- | Y14- | Y40.7 |
| Guacetisal | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Guaiacol derivatives | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Guaiifenesin | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Guaimesal | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Guaiophenesin | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Guamecycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Guanabenz | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guanacline | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guanadrel | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guanethidine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guanfacine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guano | T65.8 | X49- | X69- | Y19- | |
| Guanochlor | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guanoclor | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guanoxabenz | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guanoxan | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Guar gum (medicinal) | T46.6 | X44- | X64- | Y14- | Y52.6 |

H

| | Poisoning | | | Adverse effect in |
|--|-----------|---|---|-------------------|
| | U d | i | d | |

| Substance | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | therapeutic use |
|---------------------------|-------------|------------|-----------------------|---------------------|-----------------|
| Hachimycin | T36.7 | X44- | X64- | Y14- | Y40.7 |
| Hair | | | | | |
| - dye | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - preparation NEC | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Halazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Halcinolone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Halcinonide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Haldol | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Hallucinogen NEC | T40.9 | X42- | X62- | Y12- | Y49.6 |
| Halofantrine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Halofenate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Halometasone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Haloperidol | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Haloprogin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Halothane | T41.0 | X44- | X64- | Y14- | Y48.0 |
| Haloxazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Halquinols | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hamamelis | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Haptendextran | T45.8 | X44- | X64- | Y14- | Y44.7 |
| Hartmann's solution | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Hashish | T40.7 | X42- | X62- | Y12- | Y49.6 |
| HCB | T60.3 | X48- | X68- | Y18- | |
| HCH | T53.6 | X46- | X66- | Y16- | |
| - medicinal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| HCN | T57.3 | X48- | X68- | Y18- | |
| Heavy metal antidote | T45.8 | X44- | X64- | Y14- | Y43.8 |
| Helium (nonmedicinal) NEC | T59.8 2a 2b | X47- | X67- | Y17- | |
| - medicinal | T48.7 | X44- | X64- | Y14- | Y55.7 |
| Hematin | T45.8 | X44- | X64- | Y14- | Y44.9 |
| Hematinic preparation | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Hematological agent | T45.9 | X44- | X64- | Y14- | Y44.9 |
| - specified NEC | T45.8 | X44- | X64- | Y14- | Y44.9 |
| Hemlock | T62.2 | X49- | X69- | Y19- | |
| Hemostatic | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - drug, systemic | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Hemostyptic | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Heparin (sodium) | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| - action reverser | T45.7 | X44- | X64- | Y14- | Y44.3 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-----------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Heparin-fraction | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Heparinoid (systemic) | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Hepatic secretion stimulant | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Hepatitis B | | | | | |
| - immune globulin | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| Heprionate | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Heptabarbitone | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Heptachlor | T60.1 | X48- | X68- | Y18- | |
| Heptaminol | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Herb(s) | T65.9 2b | X49- | X69- | Y19- | |
| Herbicide NEC | T60.3 | X48- | X68- | Y18- | |
| Heroin | T40.1 2b | X42- | X62- | Y12- | Y45.0 2b |
| Hesperidin | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Hetacillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Hetastarch | T45.8 | X44- | X64- | Y14- | Y44.7 |
| HETP | T60.0 2b | X48- | X68- | Y18- | |
| Hexachlorobenzene (vapor) | T60.3 | X48- | X68- | Y18- | |
| Hexachlorocyclohexane | T53.6 | X46- | X66- | Y16- | |
| Hexachlorophene | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hexadililine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Hexadylamine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Hexaethyl tetraphosphate | T60.0 2b | X48- | X68- | Y18- | |
| Hexafluoruenium bromide | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Hexafluorodiethyl ether | T43.2 2b | X41- | X61- | Y11- | Y49.2 |

| | | | | | |
|-------------------------|-------------|------|------|------|-------|
| Hexafluronium (bromide) | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Hexahydrobenzol | T52.8 2b | X46- | X66- | Y16- | |
| Hexahydrocresol(s) | T51.8 | X45- | X65- | Y15- | |
| - arsenide | T57.0 | X49- | X69- | Y19- | |
| - arseniurated | T57.0 | X49- | X69- | Y19- | |
| - cyanide | T57.3 | X49- | X69- | Y19- | |
| -- gas | T59.8 2a 2b | X47- | X67- | Y17- | |
| - fluoride (liquid) | T57.8 | X49- | X69- | Y19- | |
| -- vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| - phosphorated | T60.0 2b | X48- | X68- | Y18- | |
| - sulfate | T57.8 | X49- | X69- | Y19- | |
| - sulfide (gas) | T59.6 | X47- | X67- | Y17- | |
| -- arseniurated | T57.0 | X49- | X69- | Y19- | |
| - sulfurated | T57.8 | X49- | X69- | Y19- | |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Hexahydrophenol | T51.8 | X45- | X65- | Y15- | |
| Hexamethonium bromide | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Hexamethylene | T52.8 2b | X46- | X66- | Y16- | |
| Hexamethylmelamine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Hexamidine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hexamine (mandelate) | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Hexanone, 2-hexanone | T52.4 | X46- | X66- | Y16- | |
| Hexapropymate | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Hexasonium iodide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Hexcarbacholine bromide | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Hexemal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Hexestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Hexetidine | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Hexobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - rectal | T41.2 | X44- | X64- | Y14- | Y48.2 |
| - sodium | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Hexobendine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Hexocyclium | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - metilsulfate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Hexone | T52.4 | X46- | X66- | Y16- | |
| Hexoprenaline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Hexylcaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Hexylresorcinol | T52.2 | X46- | X66- | Y16- | |
| HGH (human growth hormone) | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Histamine (phosphate) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Histoplasmin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Homatropine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - methylbromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Homochlorcyclizine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Homosalate | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Hormone NEC | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - androgenic | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| - anterior pituitary NEC | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - antidiuretic | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - cancer therapy | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| - luteinizing | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - ovarian | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| - oxytocic | T48.0 | X44- | X64- | Y14- | Y55.0 |
| - pituitary (posterior) NEC | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - thyroid | T38.1 | X44- | X64- | Y14- | Y42.1 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Horse anti-human lymphocytic serum | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| Human | | | | | |
| - albumin | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - growth hormone (HGH) | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - immune serum | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| Hyaluronidase | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Hydantoin derivative NEC | T42.0 2a | X41- | X61- | Y11- | Y46.2 2a |

| | | | | | |
|--------------------------------|-------------|------|------|------|----------|
| Hydralazine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Hydrargaphen | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hydrargyri aminochloridum | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hydrastine | T48.2 | X44- | X64- | Y14- | Y55.2 |
| Hydrazine | T54.1 | X49- | X69- | Y19- | |
| - monoamine oxidase inhibitors | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Hydrazoic acid, azides | T54.2 | X49- | X69- | Y19- | |
| Hydriodic acid | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Hydrochloric acid (liquid) | T54.2 | X49- | X69- | Y19- | |
| - medicinal (digestant) | T47.5 | X44- | X64- | Y14- | Y53.5 |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Hydrochlorothiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Hydrocodone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Hydrocortisone (derivatives) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - aceponate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hydrocyanic acid (liquid) | T57.3 | X49- | X69- | Y19- | |
| - gas | T65.0 | X47- | X67- | Y17- | |
| Hydroflumethiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Hydrofluoric acid (liquid) | T54.2 | X49- | X69- | Y19- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Hydrogen | T59.8 2a 2b | X47- | X67- | Y17- | |
| - chloride | T57.8 | X49- | X69- | Y19- | |
| - cyanide (gas) | T57.3 | X48- | X68- | Y18- | |
| - fluoride | T59.5 | X47- | X67- | Y17- | |
| - peroxide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - sulfide | T59.6 | X47- | X67- | Y17- | |
| Hydromethylpyridine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Hydromorphone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Hydroquinidine | T46.2 2b | X44- | X64- | Y14- | Y52.2 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Hydroquinone | T52.2 | X46- | X66- | Y16- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Hydrosulfuric acid (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |
| Hydrotalcite | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Hydrous wool fat | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Hydroxide, caustic | T54.3 | X49- | X69- | Y19- | |
| Hydroxocobalamin | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Hydroxyamphetamine | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Hydroxyamphetamine | T44.9 | X43- | X63- | Y13- | Y56.5 |
| Hydroxycarbamide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Hydroxylchloroquine | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Hydroxyestrone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Hydroxymethylpentanone | T52.4 | X46- | X66- | Y16- | |
| Hydroxyprogesterone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| - caproate | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Hydroxyquinoline (derivatives) NEC | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Hydroxystilbamidine | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Hydroxytoluene (nonmedicinal) | T54.0 2b | X49- | X69- | Y19- | |
| - medicinal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hydroxyurea | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Hydroxyzine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Hyoscine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Hyoscyamine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Hyoscyamus | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - dry extract | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Hypnotic | T42.7 2b | X41- | X61- | Y11- | Y47.9 |
| - anticonvulsant | T42.7 2b | X41- | X61- | Y11- | Y47.5 |
| - specified NEC | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Hypochlorite | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Hypophysis, posterior | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Hypotensive NEC | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Hypromellose | T49.5 | X44- | X64- | Y14- | Y56.5 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Ibacitabine | T37.5 2a | X44- | X64- | Y14- Y41.5 2a |
| Ibogaine | T43.8 | X41- | X61- | Y11- Y49.8 |
| Ibopamine | T44.9 | X43- | X63- | Y13- Y51.9 |
| Ibufenac | T39.3 | X40- | X60- | Y10- Y45.3 2a 2b |
| Ibuprofen | T39.3 | X40- | X60- | Y10- Y45.2 |
| Ibuproxam | T39.3 | X40- | X60- | Y10- Y45.3 2a 2b |
| Ibuterol | T48.6 | X44- | X64- | Y14- Y55.6 |
| Ichthammol | T49.0 | X44- | X64- | Y14- Y56.0 |
| Idarubicin | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Idoxuridine | T37.5 2a | X44- | X64- | Y14- Y41.5 2a |
| Idrocilamide | T42.8 2b | X41- | X61- | Y11- Y46.8 |
| Ifenprodil | T46.7 2a | X44- | X64- | Y14- Y52.7 2a |
| Ifosfamide | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Illuminating gas | T58 2b | X47- | X67- | Y17- |
| Iloprost | T46.7 2a | X44- | X64- | Y14- Y52.7 2a |
| Imidazole-4-carboxamide | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Iminostilbene | T42.1 | X41- | X61- | Y11- Y46.4 |
| Imipenem | T36.0 | X44- | X64- | Y14- Y40.0 2a 2b |
| Imipramine | T43.0 2b | X41- | X61- | Y11- Y49.0 |
| Imipraminoxide | T43.0 2b | X41- | X61- | Y11- Y49.0 |
| Immune | | | | |
| - globulin | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| - serum globulin | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| Immunogloblin human (intravenous) (normal) | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| - unmodified | T50.9 2a 2b | X44- | X64- | Y14- Y59.3 2a |
| Immunological agent | T50.9 2a 2b | X44- | X64- | Y14- Y59.9 |
| - specified NEC | T50.9 2a 2b | X44- | X64- | Y14- Y59.8 |
| Immunosuppressive drug | T45.1 | X44- | X64- | Y14- Y43.4 2b |
| Indalpine | T43.2 2b | X41- | X61- | Y11- Y49.2 |
| Indanazoline | T48.5 | X44- | X64- | Y14- Y55.5 |
| Indapamide | T46.5 2a | X44- | X64- | Y14- Y52.5 2a |
| Indendione (derivatives) | T45.5 | X44- | X64- | Y14- Y44.2 2b |
| Indenolol | T44.7 | X43- | X63- | Y13- Y51.7 |
| Indian hemp | T40.7 | X42- | X62- | Y12- Y49.6 |
| Indigo carmine | T50.8 | X44- | X64- | Y14- Y57.6 2b |
| Indobufen | T45.5 | X44- | X64- | Y14- Y44.4 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Indocyanine green | T50.8 | X44- | X64- | Y14- Y57.6 2b |
| Indometacin | T39.3 | X40- | X60- | Y10- Y45.3 2a 2b |
| Indomethacin | T39.3 | X40- | X60- | Y10- Y45.3 2a 2b |
| - farnesil | T39.4 | X40- | X60- | Y10- Y45.4 |
| Indoramin | T44.6 | X43- | X63- | Y13- Y51.6 |
| Influenza vaccine | T50.9 2a 2b | X44- | X64- | Y14- Y59.0 2a 2b |
| Ingested substance NEC | T65.9 2b | X49- | X69- | Y19- |
| INH | T37.1 | X44- | X64- | Y14- Y41.1 |
| Inhalant NEC - <i>see</i> Fumes | | | | |
| Inhibitor | | | | |
| - angio-tensin-converting enzyme | T46.4 | X44- | X64- | Y14- Y52.4 |
| - carbonic-anhydrase | T50.2 2a | X44- | X64- | Y14- Y54.2 |
| - fibrinolysis | T45.6 | X44- | X64- | Y14- Y44.3 |
| - monoamine oxidase NEC | T43.1 | X41- | X61- | Y11- Y49.1 |
| - - hydrazine | T43.1 | X41- | X61- | Y11- Y49.1 |
| - postsynaptic | T43.8 | X41- | X61- | Y11- Y49.8 |
| - prothrombin synthesis | T45.5 | X44- | X64- | Y14- Y44.2 2b |
| Inosine pranobex | T37.5 2a | X44- | X64- | Y14- Y41.5 2a |
| Inositol | T50.9 2a 2b | X44- | X64- | Y14- Y57.1 |
| - nicotinate | T46.7 2a | X44- | X64- | Y14- Y52.7 2a |
| Insect (sting), venomous | T63.4 | | | |
| Insecticide NEC | T60.9 | X48- | X68- | Y18- |
| - carbamate | T60.0 2b | X48- | X68- | Y18- |
| - mixed | T60.9 | X48- | X68- | Y18- |
| - organochlorine | T60.1 | X48- | X68- | Y18- |
| - organophosphorus | T60.0 2b | X48- | X68- | Y18- |

| | | | | | |
|--|----------|------|------|------|----------|
| Insulin NEC | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - defalan | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - human | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - injection, soluble | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - - biphasic | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - intermediate acting | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - protamine zinc | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - slow acting | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - zinc | | | | | |
| - - protamine injection | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - - suspension (amorphous) (crystalline) | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |

| Substance | Chapter XIX | Poisoning | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | | Accidental | Intentional self-harm | Undetermined intent | |
| Interferon (alpha) (beta) (gamma) | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Intestinal motility control drug | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - biological | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Intravenous | | | | | |
| - amino acids | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| - fat suspension | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Inulin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Invert sugar | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Iobenzamic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iocarmic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iocetamic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iodamide | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iodinated | | | | | |
| - contrast medium | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - glycerol | T48.4 | X44- | X64- | Y14- | Y55.4 |
| - human serum albumin (¹³¹ I) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Iodine (antiseptic, external) (tincture) NEC | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - solution | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - 125 | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| - 131 | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Iodipamide | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iodized (poppy seed) oil | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iodochlorhydroxyquinoline | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Iodocholesterol (¹³¹ I) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Iodoform | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Iodohippuric acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iodophthalein (sodium) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Iodopyracet | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Iodoquinol | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Iodoxamic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iofendylate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ioglycamic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iohexol | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ion exchange resin | | | | | |
| - anion | T47.8 | X44- | X64- | Y14- | Y53.8 |
| - cation | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - cholestyramine | T46.6 | X44- | X64- | Y14- | Y52.6 |
| - intestinal | T47.8 | X44- | X64- | Y14- | Y53.8 |

| Substance | Chapter XIX | Poisoning | | | Adverse effect in therapeutic use |
|------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | | Accidental | Intentional self-harm | Undetermined intent | |
| Iopamidol | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iopanoic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iophenoic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iopodate, sodium | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iopodic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iopromide | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iopydol | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iotalamic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iothalamate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iotrol | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iotrolan | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Iotroxate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |

| | | | | | |
|----------------------------------|----------|------|------|------|----------|
| Iotroxic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ioversol | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Ioxaglate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ioxaglic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ioxitalamic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ipecacuanha, ipecac | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Ipodate, calcium | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Ipratropium (bromide) | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Ipriflavone | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Iprindole | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Iproclozide | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Iprofenin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Iproheptine | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Iproniazid | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Iroplatin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Iroveratril | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Iron (compounds) (medicinal) NEC | T45.4 | X44- | X64- | Y14- | Y44.0 |
| - ammonium | T45.4 | X44- | X64- | Y14- | Y44.0 |
| - dextran injection | T45.4 | X44- | X64- | Y14- | Y44.0 |
| - nonmedicinal | T56.8 | X49- | X69- | Y19- | |
| - salts | T45.4 | X44- | X64- | Y14- | Y44.0 |
| - sorbitex | T45.4 | X44- | X64- | Y14- | Y44.0 |
| - sorbitol citric acid complex | T45.4 | X44- | X64- | Y14- | Y44.0 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Irrigating fluid (vaginal) | T49.8 | X44- | X64- | Y14- | Y56.8 |
| - eye | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Isepamicin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Isoaminile (citrate) | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Isobenzan | T60.1 | X48- | X68- | Y18- | |
| Isobutyl acetate | T52.8 2b | X46- | X66- | Y16- | |
| Isocarboxazid | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Isoconazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Isocyanate | T65.0 | X49- | X69- | Y19- | |
| Isoetarine | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Isoethadione | T42.2 | X41- | X61- | Y11- | Y46.1 |
| Isoflurane | T41.0 | X44- | X64- | Y14- | Y48.0 |
| Isofluorophate | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Isomaltose, ferric complex | T45.4 | X44- | X64- | Y14- | Y44.0 |
| Isomethptene | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Isoniazid | T37.1 | X44- | X64- | Y14- | Y41.1 |
| - with | | | | | |
| -- rifampicin | T36.6 | X44- | X64- | Y14- | Y40.6 |
| -- thioacetazone | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Isonicotinic acid hydrazide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Isonipecaïne | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Isonixin | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Isophorone | T65.8 | X49- | X69- | Y19- | |
| Isophosphamide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Isoprenaline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Isopromethazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Isopropamide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| - iodide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Isopropanol | T51.2 | X45- | X65- | Y15- | |
| Isopropyl | | | | | |
| - acetate | T52.8 2b | X46- | X66- | Y16- | |
| - alcohol | T51.2 | X45- | X65- | Y15- | |
| -- medicinal | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - ether | T52.8 2b | X46- | X66- | Y16- | |
| Isopropylaminophenazone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Isoproterenol | T48.6 | X44- | X64- | Y14- | Y55.6 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Isosorbide dinitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Isothipendyl | T45.0 2b | X44- | X64- | Y14- | Y43.0 |

| | | | | | |
|----------------------|-------------|------|------|------|-------------|
| Isotretinoin | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Isoxicam | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Ixoxyprine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Ispagula | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - husk | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Isradipine | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Itraconazole | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Itramin tosilate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Ivermectin | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Izoniazid | T37.1 | X44- | X64- | Y14- | Y41.1 |
| - with thioacetazone | T37.1 | X44- | X64- | Y14- | Y41.1 |

J

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Jalap | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Jamaica ginger | T62.2 | X49- | X69- | Y19- | |
| Jimson weed (stramonium) | T62.2 | X49- | X69- | Y19- | |
| Josamycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Juniper tar | T49.1 | X44- | X64- | Y14- | Y56.1 |

K

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Kallidinogenase | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Kallikrein | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Kanamycin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Kaolin | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - light | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Kebuzone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Kelevan | T60.1 | X48- | X68- | Y18- | |
| Keratolytic drug NEC | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - anthracene | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Keratoplastic NEC | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Kerosene, kerosine (fuel) (solvent) NEC | T52.0 | X46- | X66- | Y16- | |
| - insecticide | T52.0 | X46- | X66- | Y16- | |
| - vapor | T52.0 | X46- | X66- | Y16- | |
| Ketamine | T41.2 | X44- | X64- | Y14- | Y48.2 |
| Ketazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Ketazon | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Ketobemidone | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Ketoconazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Ketols | T52.4 | X46- | X66- | Y16- | |
| Ketone oils | T52.4 | X46- | X66- | Y16- | |
| Ketoprofen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Ketorolac | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Ketotifen | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Khat | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Khellin | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Khelloside | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Kiln gas or vapor (carbon monoxide) | T58 2b | X47- | X67- | Y17- | |
| Kitasamycin | T36.3 | X44- | X64- | Y14- | Y40.3 |

L

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |

| Substance | Chapter XIX | Accidental | self-harm | intent | use |
|---|-------------|------------|-----------|--------|-------------|
| Labetalol | T44.8 | X43- | X63- | Y13- | Y51.8 |
| Laburnum (seeds) | T62.2 | X49- | X69- | Y19- | |
| Lachesine | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Lacidipine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Lacquer | T65.6 | X49- | X69- | Y19- | |
| Lactated potassium saline | T50.3 | X44- | X64- | Y14- | Y54.9 |
| Lactic acid | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Lactobacillus | | | | | |
| - acidophilus | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - - compound | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - bifidus, lyophilized | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - bulgaricus | T47.6 | X44- | X64- | Y14- | Y53.6 |
| - sporogenes | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Lactose (as excipient) | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Lactulose | T47.3 | X44- | X64- | Y14- | Y53.3 |
| Laevo - see Levobunolol | | | | | |
| Lamotrigine | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Lanatosides | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Lanolin | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Lassar's paste | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Latamoxef | T36.1 | X44- | X64- | Y14- | Y40.1 |
| Laudanum | T40.0 | X42- | X62- | Y12- | Y45.0 2b |
| Laughing gas | T41.0 | X44- | X64- | Y14- | Y48.0 |
| Lauryl sulfoacetate | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Laxative NEC | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - osmotic | T47.3 | X44- | X64- | Y14- | Y53.3 |
| - saline | T47.3 | X44- | X64- | Y14- | Y53.3 |
| - stimulant | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Lead (dust) (fumes) (vapor) NEC | T56.0 | X49- | X69- | Y19- | |
| - acetate | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - alkyl (fuel additive) | T56.0 | X46- | X66- | Y16- | |
| - arsenate, arsenite (dust) (herbicide) (insecticide) (vapor) | T57.0 | X48- | X68- | Y18- | |
| - inorganic | T56.0 | X49- | X69- | Y19- | |
| - organic | T56.0 | X49- | X69- | Y19- | |
| Lefetamine | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Lenperone | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Leptazol | T50.7 | X44- | X64- | Y14- | Y50.0 |

| Substance | Chapter XIX | Poisoning | | Adverse effect in therapeutic use | |
|-------------------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | | Accidental | Intentional self-harm | Undetermined intent | |
| Leptophos | T60.0 2b | X48- | X68- | Y18- | |
| Letosteine | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Leucinocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Leucocianidol | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Leucovorin (factor) | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Leuprorelin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Levallorphan | T50.7 | X44- | X64- | Y14- | Y50.1 |
| Levamisole | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Levarterenol | T44.4 | X43- | X63- | Y13- | Y51.4 |
| Levdropropizine | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Levetiracetam | T42.7 2b | X41- | X61- | Y11- | Y46.6 |
| Levobunolol | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Levocabastine (hydrochloride) | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Levcarnitine | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Levodopa | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| - with carbidopa | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Levoglutamide | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Levomepromazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Levonordefrin | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Levonorgestrel | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| - with ethinylestradiol | T38.4 | X44- | X64- | Y14- | Y42.5 2b |
| Levopromazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Levopropoxyphene | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Levopropylhexedrine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Levoproxyphylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Levorphanol | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |

| | | | | | |
|----------------------------|----------|------|------|------|----------|
| Levothyroxine | T38.1 | X44- | X64- | Y14- | Y42.1 |
| - sodium | T38.1 | X44- | X64- | Y14- | Y42.1 |
| Levulose | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Lewisite (gas), not in war | T57.0 | X49- | X69- | Y19- | |
| Librium | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Lidocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - regional | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - spinal | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Lidofenin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Lidoflazine | T46.1 | X44- | X64- | Y14- | Y52.1 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Lighter fluid | T52.0 | X46- | X66- | Y16- | |
| Lignin hemicellulose | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Lignocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - regional | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - spinal | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Ligroin(e) (solvent) | T52.0 | X46- | X66- | Y16- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Lime (chloride) | T54.3 | X49- | X69- | Y19- | |
| Limonene | T52.8 2b | X46- | X66- | Y16- | |
| Lincomycin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Lindane (insecticide) (nonmedicinal) (vapor) | T53.6 | X46- | X66- | Y16- | |
| - medicinal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Linoleic acid | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Linolenic acid | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Linseed | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Liothryronine | T38.1 | X44- | X64- | Y14- | Y42.1 |
| Liotrix | T38.1 | X44- | X64- | Y14- | Y42.1 |
| Lipitor | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Lipo-alprostadiol | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Lipotropic drug NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Liquid | | | | | |
| - paraffin | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - substance NEC | T65.9 2b | X49- | X69- | Y19- | |
| Liquor creosolis compositus | T65.8 | X49- | X69- | Y19- | |
| Liquorice | T48.4 | X44- | X64- | Y14- | Y55.4 |
| - extract | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Lisinopril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Lisuride | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Lithium | T56.8 | X49- | X69- | Y19- | |
| - gluconate | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| - salts (carbonate) | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Liver | | | | | |
| - extract | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - - for parenteral use | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - fraction 1 | T45.8 | X44- | X64- | Y14- | Y44.1 |
| - hydrolysate | T45.8 | X44- | X64- | Y14- | Y44.1 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Lobeline | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Lobenzarit | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Local action drug NEC | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Lofepramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Lomustine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Lonazolac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Lonidamine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Loperamide | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Loprazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Lorajmine | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Loratadine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Lorazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Lorcainide | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Lormetazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Lovastatin | T46.6 | X44- | X64- | Y14- | Y52.6 |

| | | | | | |
|----------------------------------|-------------|------|------|------|----------|
| Loxapine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Loxoprofen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| LSD | T40.8 | X42- | X62- | Y12- | Y49.6 |
| Lubricant, eye | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Lubricating oil NEC | T52.0 | X46- | X66- | Y16- | |
| Lucanthone | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Lung irritant (gas) NEC | T59.8 2a 2b | X47- | X67- | Y17- | |
| Luteinizing hormone | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Lututrin | T48.2 | X44- | X64- | Y14- | Y55.2 |
| Lye (concentrated) | T54.3 | X49- | X69- | Y19- | |
| Lymecycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Lymphogranuloma venereum antigen | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Lynestrenol | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Lypressin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Lysergic acid diethylamide | T40.8 | X42- | X62- | Y12- | Y49.6 |
| Lysergide | T40.8 | X42- | X62- | Y12- | Y49.6 |
| Lysozyme | T49.0 | X44- | X64- | Y14- | Y56.0 |

M

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|------------------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Macrogol | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Macrolide | | | | | |
| - anabolic drug | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| - antibiotic | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Mafenide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Magaldrate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Magnesia magma | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Magnesium NEC | T56.8 | X49- | X69- | Y19- | |
| - carbonate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - citrate | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - hydroxide | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - oxide | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - peroxide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - salicylate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - silicofluoride | T50.3 | X44- | X64- | Y14- | Y54.9 |
| - sulfate | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - thiosulfate | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| - trisilicate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Malathion (medicinal) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - insecticide | T60.0 2b | X48- | X68- | Y18- | |
| Male fern extract | T37.4 | X44- | X64- | Y14- | Y41.4 |
| M-AMSA | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mandelic acid | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Manganese (dioxide) (salts) | T57.2 | X49- | X69- | Y19- | |
| - medicinal | T50.9 2a 2b | X44- | X64- | Y14- | Y54.9 |
| Mannitol | T47.3 | X44- | X64- | Y14- | Y53.3 |
| - hexanitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Mannomustine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Maphenide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Maprotiline | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Marihuana | T40.7 | X42- | X62- | Y12- | Y49.6 |
| Marijuana | T40.7 | X42- | X62- | Y12- | Y49.6 |
| Marsh gas | T59.8 2a 2b | X47- | X67- | Y17- | |
| Mazindol | T50.5 | X44- | X64- | Y14- | Y57.0 |
| MCPA | T60.3 | X48- | X68- | Y18- | |
| MDMA | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Measles virus vaccine (attenuated) | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---------------|-------------|------------|-----------------------|-----------------------------------|-------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Meat, noxious | T62.8 | X49- | X69- | Y19- | |
| Meballymal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Mebanazine | T43.1 | X41- | X61- | Y11- | Y49.1 |

| | | | | | |
|-------------------------------------|-------------|------|------|------|-------------|
| Mebendazole | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Mebeverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Mebhydrolin | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Mebumal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Mebutamate | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Mecamylamine | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Mechlorethamine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mecillinam | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Meclizine (hydrochloride) | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Mecloxycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Meclofenamate | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Meclofenamic acid | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Meclofenoxate | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Meclozine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Mecobalamin | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Mecoprop | T60.3 | X48- | X68- | Y18- | |
| Mecrilate | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Mecysteine | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Medazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Medicament NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y57.9 2a 2b |
| Medrogestone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Medroxalol | T44.8 | X43- | X63- | Y13- | Y51.8 |
| Medroxyprogesterone acetate (depot) | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Medrysone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Mefenamic acid | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Mefenorex | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Mefloquine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Mefruside | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Megestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Meglumine | | | | | |
| - antimoniate | T37.8 | X44- | X64- | Y14- | Y41.8 |
| - diatrizoate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - iodipamide | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - iotroxate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| MEK (methyl ethyl ketone) | T52.4 | X46- | X66- | Y16- |
| Meladrazine | T44.3 | X43- | X63- | Y13- |
| Melaleuca alternifolia oil | T49.0 | X44- | X64- | Y14- |
| Melanocyte-stimulating hormone | T38.8 | X44- | X64- | Y14- |
| Melarsonyl potassium | T37.3 2a | X44- | X64- | Y14- |
| Melarsoprol | T37.3 2a | X44- | X64- | Y14- |
| Melitracen | T43.0 2b | X41- | X61- | Y11- |
| Mellaril | T43.3 2b | X41- | X61- | Y11- |
| Melperone | T43.4 | X41- | X61- | Y11- |
| Melphalan | T45.1 | X44- | X64- | Y14- |
| Memantine | T42.8 2b | X41- | X61- | Y11- |
| Menadiol | T45.7 | X44- | X64- | Y14- |
| - sodium sulfate | T45.7 | X44- | X64- | Y14- |
| Menadione | T45.7 | X44- | X64- | Y14- |
| - sodium bisulfite | T45.7 | X44- | X64- | Y14- |
| Menaphthone | T45.7 | X44- | X64- | Y14- |
| Menaquinone | T45.7 | X44- | X64- | Y14- |
| Menatetrenone | T45.7 | X44- | X64- | Y14- |
| Meningococcal vaccine | T50.9 2a 2b | X44- | X64- | Y14- |
| Menthol | T48.5 | X44- | X64- | Y14- |
| Mepacrine | T37.2 | X44- | X64- | Y14- |
| Meparfynol | T42.6 2b | X41- | X61- | Y11- |
| Mepartrinic | T36.7 | X44- | X64- | Y14- |
| Mepenzolate | T44.3 | X43- | X63- | Y13- |
| - bromide | T44.3 | X43- | X63- | Y13- |
| Meperidine | T40.4 2a 2b | X42- | X62- | Y12- |
| Mephebarbital | T42.3 2a 2b | X41- | X61- | Y11- |
| Mephenesin | T42.8 2b | X41- | X61- | Y11- |
| Mephenhydramine | T45.0 2b | X44- | X64- | Y14- |
| Mphenoxalone | T42.8 2b | X41- | X61- | Y11- |
| Mephentermine | T44.9 | X43- | X63- | Y13- |
| Mephenytoin | T42.0 2a | X41- | X61- | Y11- |
| - with phenobarbital | T42.3 2a 2b | X41- | X61- | Y11- |

| | | | | | |
|---------------|-------------|------|------|------|-------|
| Mephobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Mephosfolan | T60.0 2b | X48- | X68- | Y18- | |
| Mepindolol | T44.7 | X43- | X63- | Y13- | Y51.7 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Mepitiostane | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Mepivacaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - epidural | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Meprednisone | T38.0 | X44- | X64- | Y14- | Y42.0 2a 2b |
| Meprobamate | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Meproscliarin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Meprylcaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Meptazinol | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Mepyramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Mequitazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Meralluride | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Merbromin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Mercaptobenzothiazole salts | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Mercaptomerin | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Mercaptopurine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Mercuramide | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Mercurochrome | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Mercuropophylline | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Mercury, mercurial, mercuric, mercurous (compounds) (cyanide) (fumes) (nonmedicinal) (vapor) NEC | T56.1 | X49- | X69- | Y19- | |
| - anti-infective | | | | | |
| -- local | T49.0 | X44- | X64- | Y14- | Y56.0 |
| -- systemic | T37.8 | X44- | X64- | Y14- | Y41.8 |
| - chloride (ammoniated) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - diuretic NEC | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - oxide, yellow | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Mersalyl | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Mertazepine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Merthiolate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Mesalazine | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Mescaline | T40.9 | X42- | X62- | Y12- | Y49.6 |
| Mesna | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Mesoglycan | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Mesoridazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Mestanolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Mesterolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Mestranol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Mesulergine | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Mesulfen | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Mesuximide | T42.2 | X41- | X61- | Y11- | Y46.0 |
| Metabutethamine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Metacycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Metaldehyde (snail killer) NEC | T60.8 | X48- | X68- | Y18- | |
| Metals (heavy) (nonmedicinal) | T56.9 | X49- | X69- | Y19- | |
| - specified NEC | T56.8 | X49- | X69- | Y19- | |
| Metamfetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Metamizole sodium | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Metampicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Metandienone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Metandrostenolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Metaphos | T60.0 2b | X48- | X68- | Y18- | |
| Metapramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Metaproterenol | T48.2 | X44- | X64- | Y14- | Y55.2 |
| Metaraminol | T44.4 | X43- | X63- | Y13- | Y51.4 |
| Metaxalone | T42.8 2b | X41- | X61- | Y11- | Y46.8 |
| Metenolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Metergoline | T42.8 2b | X41- | X61- | Y11- | Y46.7 |

| | | | | | |
|--------------------|-------------|------|------|------|-------------|
| Metescufylline | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Metetoin | T42.0 2a | X41- | X61- | Y11- | Y46.2 2a |
| Metformin | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Methacholine | T44.1 | X43- | X63- | Y13- | Y51.1 |
| Methadone | T40.3 2b | X42- | X62- | Y12- | Y45.0 2b |
| Methallenestril | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Methallenoestril | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Methamphetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Methampyrone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Methandienone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Methandriol | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Methandrostenolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Methane | T59.8 2a 2b | X47- | X67- | Y17- | |
| Methanethiol | T59.8 2a 2b | X47- | X67- | Y17- | |
| Methaniazide | T37.1 | X44- | X64- | Y14- | Y41.1 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|----------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Methanol (vapor) | T51.1 | X45- | X65- | Y15- |
| Methantheline | T44.3 | X43- | X63- | Y13- |
| Methanthelinium bromide | T44.3 | X43- | X63- | Y13- |
| Methapyrilene | T45.0 2b | X44- | X64- | Y14- |
| Methaqualone (compound) | T42.6 2b | X41- | X61- | Y11- |
| Metharbital | T42.3 2a 2b | X41- | X61- | Y11- |
| Methazolamide | T50.2 2a | X44- | X64- | Y14- |
| Methdilazine | T43.3 2b | X41- | X61- | Y11- |
| Methenamine (mandelate) | T37.8 | X44- | X64- | Y14- |
| Methenolone | T38.7 | X44- | X64- | Y14- |
| Methetoin | T42.0 2a | X41- | X61- | Y11- |
| Methicillin | T36.0 | X44- | X64- | Y14- |
| Methimazole | T38.2 | X44- | X64- | Y14- |
| Methiodal sodium | T50.8 | X44- | X64- | Y14- |
| Methionine | T50.9 2a 2b | X44- | X64- | Y14- |
| Methisoprinol | T37.5 2a | X44- | X64- | Y14- |
| Methixene | T44.3 | X43- | X63- | Y13- |
| Methocarbamol | T42.8 2b | X41- | X61- | Y11- |
| - skeletal muscle relaxant | T48.1 | X44- | X64- | Y14- |
| Methohexital | T41.1 | X44- | X64- | Y14- |
| Methohexitone | T41.1 | X44- | X64- | Y14- |
| Methoin | T42.0 2a | X41- | X61- | Y11- |
| Methopromazine | T43.3 2b | X41- | X61- | Y11- |
| Methoserpidine | T46.5 2a | X44- | X64- | Y14- |
| Methotrexate | T45.1 | X44- | X64- | Y14- |
| Methotriimeprazine | T43.3 2b | X41- | X61- | Y11- |
| Methoxamine | T44.4 | X43- | X63- | Y13- |
| Methoxsalen | T50.9 2a 2b | X44- | X64- | Y14- |
| Methoxyaniline | T65.3 | X49- | X69- | Y19- |
| Methoxychlor | T53.7 | X46- | X66- | Y16- |
| Methoxy-DDT | T53.7 | X46- | X66- | Y16- |
| 2-Methoxyethanol | T52.3 | X46- | X66- | Y16- |
| Methoxyflurane | T41.0 | X44- | X64- | Y14- |
| Methoxyphenamine | T48.6 | X44- | X64- | Y14- |
| 5-Methoxypsoralen (5-MOP) | T50.9 2a 2b | X44- | X64- | Y14- |
| 8-Methoxypsoralen (8-MOP) | T50.9 2a 2b | X44- | X64- | Y14- |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Methscopolamine bromide | T44.3 | X43- | X63- | Y13- |
| Methsuximide | T42.2 | X41- | X61- | Y11- |
| Methylclothiazide | T50.2 2a | X44- | X64- | Y14- |
| Methyl | | | | |
| - acetate | T52.4 | X46- | X66- | Y16- |
| - acetone | T52.4 | X46- | X66- | Y16- |
| - acrylate | T65.8 | X49- | X69- | Y19- |
| - alcohol | T51.1 | X45- | X65- | Y15- |
| - aminophenol | T65.3 | X49- | X69- | Y19- |
| - benzene | T52.2 | X46- | X66- | Y16- |

| | | | | | |
|------------------------|-------------|------|------|------|----------|
| - benzoate | T52.8 2b | X46- | X66- | Y16- | |
| - benzol | T52.2 | X46- | X66- | Y16- | |
| - bromide (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - - fumigant | T60.8 | X48- | X68- | Y18- | |
| - butanol | T51.3 | X45- | X65- | Y15- | |
| - carbonate | T52.8 2b | X46- | X66- | Y16- | |
| - CCNU | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| - chloride (gas) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - chloroformate | T59.3 | X47- | X67- | Y17- | |
| - cyclohexane | T52.8 2b | X46- | X66- | Y16- | |
| - cyclohexanol | T51.8 | X45- | X65- | Y15- | |
| - cyclohexanone | T52.8 2b | X46- | X66- | Y16- | |
| - cyclohexyl acetate | T52.8 2b | X46- | X66- | Y16- | |
| - demeton | T60.0 2b | X48- | X68- | Y18- | |
| - ethyl ketone | T52.4 | X46- | X66- | Y16- | |
| - glucamine antimonate | T37.8 | X44- | X64- | Y14- | Y41.8 |
| - hydrazine | T65.8 | X49- | X69- | Y19- | |
| - iodide | T65.8 | X49- | X69- | Y19- | |
| - isobutyl ketone | T52.4 | X46- | X66- | Y16- | |
| - isothiocyanate | T60.3 | X48- | X68- | Y18- | |
| - mercaptan | T59.8 2a 2b | X47- | X67- | Y17- | |
| - nicotinate | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - paraben | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - parathion | T60.0 2b | X48- | X68- | Y18- | |
| - propylcarbinol | T51.3 | X45- | X65- | Y15- | |
| - salicylate | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - sulfate (fumes) | T59.8 2a 2b | X47- | X67- | Y17- | |
| - - liquid | T52.8 2b | X46- | X66- | Y16- | |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Methylamphetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Methylated spirit | T51.1 | X45- | X65- | Y15- | |
| Methylatropine nitrate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Methylbenactyzium bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Methylbenzethonium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Methylcellulose | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - laxative | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Methylchlorophenoxyacetic acid | T60.3 | X48- | X68- | Y18- | |
| Methyldopa | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Methyldopate | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Methylene | | | | | |
| - blue | T50.6 | X44- | X64- | Y14- | Y57.2 |
| - chloride or dichloride (solvent) NEC | T53.4 | X46- | X66- | Y16- | |
| Methylenedioxyamphetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Methylergometrine | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Methylergonovine | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Methylestrenolone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Methylethyl cellulose | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Methylmorphine | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Methylparafynol | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Methylpentynol, methylpentynol | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Methylphenidate | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Methylphenobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Methylpolysiloxane | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Methylprednisolone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - intravenous | T38.0 | X44- | X64- | Y14- | Y42.0 2a 2b |
| Methylrosaniline | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Methylrosanilinium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Methyltestosterone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Methylthionine chloride | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Methylthioninium chloride | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Methylthiouracil | T38.2 | X44- | X64- | Y14- | Y42.2 |
| Methyprylon | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Methysergide | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Metiamide | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Metiazinic acid | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Meticillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |

| Poisoning | Adverse effect in |
|-----------|-------------------|
|-----------|-------------------|

| Substance | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | therapeutic use |
|------------------------------|-------------|------------|-----------------------|---------------------|-----------------|
| Meticrane | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Metildigoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Metipranolol | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Metirosine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Metisazone | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Metixene | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Metizoline | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Metoclopramide | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Metofenazate | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Metolazone | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Metoprine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Metoprolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Metrifonate | T60.0 2b | X48- | X68- | Y18- | |
| Metrizamide | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Metrizoic acid | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Metronidazole | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Metyrapone | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Mevinphos | T60.0 2b | X48- | X68- | Y18- | |
| Mexazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Mexenone | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Mexiletine | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Mezlocillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Mianserin | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Miconazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Micronomicin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Midazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Midecamycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Mifepristone | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Milk of magnesia | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Milverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Minaprine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Minaxolone | T41.2 | X44- | X64- | Y14- | Y48.2 |
| Mineral | | | | | |
| - acids | T54.2 | X49- | X69- | Y19- | |
| - oil (laxative) (medicinal) | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - - emulsion | T47.2 | X44- | X64- | Y14- | Y53.2 |
| - - nonmedicinal | T52.0 | X46- | X66- | Y16- | |
| - salt NEC | T50.3 | X44- | X64- | Y14- | Y54.9 |

| Substance | Chapter XIX | Poisoning | | Adverse effect in therapeutic use | |
|---------------------------------|-------------|------------|-----------------------|-----------------------------------|--------------------|
| | | Accidental | Intentional self-harm | Undetermined intent | in therapeutic use |
| Mineralocorticosteroid | T50.0 | X44- | X64- | Y14- | Y54.0 2b |
| Minocycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Minoxidil | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Miokamycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Miotic drug | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Mipafox | T60.0 2b | X48- | X68- | Y18- | |
| Mirex | T60.1 | X48- | X68- | Y18- | |
| Mirtazapine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Misonidazole | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Misoprostol | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Mithramycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mitobronitol | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mitoguazone | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mitolactol | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mitomycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mitopodozide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mitotane | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mitoxantrone | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Mivacurium chloride | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Miyari bacteria | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Moclobemide | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Mofebutazone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Molindone | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Molsidomine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Mometasone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Monoamine oxidase inhibitor NEC | T43.1 | X41- | X61- | Y11- | Y49.1 |

| | | | | | |
|--------------------------|-------------|------|------|------|-------------|
| - hydrazine | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Monobenzone | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Monochloroacetic acid | T60.3 | X48- | X68- | Y18- | |
| Monochlorobenzene | T53.7 | X46- | X66- | Y16- | |
| Monoethanolamine | T46.8 | X44- | X64- | Y14- | Y52.8 |
| - oleate | T46.8 | X44- | X64- | Y14- | Y52.8 |
| Monoctanooin | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Monophenylbutazone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Monosulfiram | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Monoxide, carbon | T58 2b | X47- | X67- | Y17- | |
| Monoxidine hydrochloride | T46.1 | X44- | X64- | Y14- | Y52.1 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent |
| Monuron | T60.3 | X48- | X68- | Y18- |
| Moperone | T43.4 | X41- | X61- | Y11- |
| Mopidamol | T45.1 | X44- | X64- | Y14- |
| MOPP (mechlorethamine + vincristine + prednisone + procarbazine) | T45.1 | X44- | X64- | Y14- |
| Morfin | T40.2 2b | X42- | X62- | Y12- |
| Morinamide | T37.1 | X44- | X64- | Y14- |
| Morniflumate | T39.3 | X40- | X60- | Y10- |
| Moroxydine | T37.5 2a | X44- | X64- | Y14- |
| Morphazinamide | T37.1 | X44- | X64- | Y14- |
| Morphine | T40.2 2b | X42- | X62- | Y12- |
| - antagonist | T50.7 | X44- | X64- | Y14- |
| Morsuximide | T42.2 | X41- | X61- | Y11- |
| Mosapramine | T43.5 2b | X41- | X61- | Y11- |
| Motor exhaust gas | T58 2b | X47- | X67- | Y17- |
| Mouthwash (antiseptic) (zinc chloride) | T49.6 | X44- | X64- | Y14- |
| Moxastine | T45.0 2b | X44- | X64- | Y14- |
| Moxaverine | T44.3 | X43- | X63- | Y13- |
| Moxifensine | T43.2 2b | X41- | X61- | Y11- |
| Moxislyte | T46.7 2a | X44- | X64- | Y14- |
| Mucilage, plant | T47.4 | X44- | X64- | Y14- |
| Mucolytic drug | T48.4 | X44- | X64- | Y14- |
| Mupirocin | T49.0 | X44- | X64- | Y14- |
| Muriatic acid - see Hydrochloric acid | | | | |
| Muromonab-CD3 | T45.1 | X44- | X64- | Y14- |
| Muscle relaxant - see Relaxant, muscle | | | | |
| Muscle-action drug NEC | T48.2 | X44- | X64- | Y14- |
| Muscle-tone depressant, central NEC | T42.8 2b | X41- | X61- | Y11- |
| - specified NEC | T42.8 2b | X41- | X61- | Y11- |
| Mushroom, noxious | T62.0 | X49- | X69- | Y19- |
| Mussel, noxious | T61.2 | X49- | X69- | Y19- |
| Mustard (emetic) | T47.7 | X44- | X64- | Y14- |
| - black | T47.7 | X44- | X64- | Y14- |
| - gas, not in war | T59.9 2b | X47- | X67- | Y17- |
| Mustine | T45.1 | X44- | X64- | Y14- |
| Mycotoxins | T64 | X49- | X69- | Y19- |
| Mydriatic drug | T49.5 | X44- | X64- | Y14- |
| Myleran | T45.1 | X44- | X64- | Y14- |
| Myralact | T49.0 | X44- | X64- | Y14- |
| Myristicin | T65.8 | X49- | X69- | Y19- |

N

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent |
| Nabilone | T40.7 | X42- | X62- | Y12- |
| Nabumetone | T39.3 | X40- | X60- | Y10- |
| Nadolol | T44.7 | X43- | X63- | Y13- |
| Nafamostat | T45.6 | X44- | X64- | Y14- |
| Nafcillin | T36.0 | X44- | X64- | Y14- |
| Nafoxidine | T38.6 | X44- | X64- | Y14- |

| | | | | | |
|---------------------------------|-------------|------|------|------|-------------|
| Naftazone | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Naftidrofuryl (oxalate) | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Naftifine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Nalbuphine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Naled | T60.0 2b | X48- | X68- | Y18- | |
| Nalidixic acid | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Nalorphine | T50.7 | X44- | X64- | Y14- | Y50.1 |
| Naloxone | T50.7 | X44- | X64- | Y14- | Y50.1 |
| Naltrexone | T50.7 | X44- | X64- | Y14- | Y50.1 |
| Nandrolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Naphazoline | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Naphtha (painters') (petroleum) | T52.0 | X46- | X66- | Y16- | |
| - solvent | T52.0 | X46- | X66- | Y16- | |
| - vapor | T52.0 | X46- | X66- | Y16- | |
| Naphthalene (chlorinated) | T60.1 | X48- | X68- | Y18- | |
| - insecticide or moth repellent | T60.1 | X48- | X68- | Y18- | |
| - vapor | T60.1 | X48- | X68- | Y18- | |
| Naphthol | T65.8 | X49- | X69- | Y19- | |
| Naphthylamine | T65.8 | X49- | X69- | Y19- | |
| Naphthylthiourea (ANTU) | T60.4 2b | X48- | X68- | Y18- | |
| Naproxen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Narcotic NEC | T40.6 2b | X42- | X62- | Y12- | Y45.0 2b |
| - synthetic NEC | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Nasal drug NEC | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Natamycin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Natural gas | T59.8 2a 2b | X47- | X67- | Y17- | |
| - incomplete combustion | T58 2b | X47- | X67- | Y17- | |
| Nealbarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Nedocromil | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Nefopam | T39.8 2b | X40- | X60- | Y10- | Y45.8 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Nemonapride | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Neoarsphenamine | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Neomycin (derivatives) | T36.5 | X44- | X64- | Y14- | Y40.5 |
| - with | | | | | |
| -- bacitracin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| -- neostigmine | T44.0 | X44- | X64- | Y14- | Y51.0 |
| Neostigmine bromide | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Nerium oleander | T62.2 | X49- | X69- | Y19- | |
| Nerve gas, not in war | T59.9 2b | X47- | X67- | Y17- | |
| Netilmicin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Neuroleptic drug NEC | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| - butyrophenone | T43.4 | X41- | X61- | Y11- | Y49.4 |
| - phenothiazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - thioxanthene | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Neuromuscular blocking drug | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Neurontin | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Neutral insulin injection | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Nevirapine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Niacin | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Niacinamide | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Nialamide | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Niaprazine | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Nicametate | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Nicardipine | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Nicergoline | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Nickel (carbonyl) (tetracarbonyl) (fumes) (vapor) | T56.8 | X49- | X69- | Y19- | |
| Nickelocene | T56.8 | X49- | X69- | Y19- | |
| Nicosamide | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Nicoturanose | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Nicomorphine | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Nicorandil | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Nicotiana (plant) | T62.2 | X49- | X69- | Y19- | |
| Nicotinamide | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Nicotine (insecticide) (spray) (sulfate) NEC | T60.2 | X48- | X68- | Y18- | |
| - from tobacco | T65.2 | X49- | X69- | Y19- | |
| Nicotinic acid | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Nicotinyl alcohol | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Nicoumalone | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Nifedipine | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Nifenazone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Niflumic acid | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Nifuratel | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Nifurtimox | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Nifurtoinol | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Nightshade, deadly (solanum) | T62.2 | X49- | X69- | Y19- | |
| Nikethamide | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Nilutamide | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Nimesulide | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Nimetazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Nimodipine | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Nimorazole | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Nimustine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Niridazole | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Nisoldipine | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Nitramine | T65.3 | X49- | X69- | Y19- | |
| Nitrate, organic | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Nitrazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Nitrefazole | T50.6 | X44- | X64- | Y14- | Y57.3 2a 2b |
| Nitrendipine | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Nitric | | | | | |
| - acid (liquid) | T54.2 | X49- | X69- | Y19- | |
| - - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| - oxide (gas) | T59.0 | X47- | X67- | Y17- | |
| Nitrimidazine | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Nitroaniline | T65.3 | X49- | X69- | Y19- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Nitrobenzene, nitrobenzol | T65.3 | X49- | X69- | Y19- | |
| - vapor | T65.3 | X47- | X67- | Y17- | |
| Nitrocellulose | T65.8 | X49- | X69- | Y19- | |
| - lacquer | T65.8 | X49- | X69- | Y19- | |
| Nitrodiphenyl | T65.3 | X49- | X69- | Y19- | |
| Nitrofural | T49.0 | X44- | X64- | Y14- | Y56.0 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Nitrofurantoin | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Nitrofurazone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Nitrogen | T59.0 | X47- | X67- | Y17- | |
| - mustard | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Nitroglycerin, nitroglycerol (medicinal) | T46.3 | X44- | X64- | Y14- | Y52.3 |
| - nonmedicinal | T65.5 | X49- | X69- | Y19- | |
| Nitroglycol | T52.3 | X46- | X66- | Y16- | |
| Nitrohydrochloric acid | T54.2 | X49- | X69- | Y19- | |
| Nitromersol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Nitronaphthalene | T65.8 | X49- | X69- | Y19- | |
| Nitrophenol | T54.0 2b | X49- | X69- | Y19- | |
| Nitropropane | T52.8 2b | X46- | X66- | Y16- | |
| Nitroprusside | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Nitrosodimethylamine | T65.3 | X49- | X69- | Y19- | |
| Nitrotoluene, nitrotoluol | T65.3 | X49- | X69- | Y19- | |
| - vapor | T65.3 | X47- | X67- | Y17- | |
| Nitrous | | | | | |
| - acid (liquid) | T54.2 | X49- | X69- | Y19- | |
| - - fumes | T59.8 2a 2b | X47- | X67- | Y17- | |
| - ether spirit | T46.3 | X44- | X64- | Y14- | Y52.3 |
| - oxide | T41.0 | X44- | X64- | Y14- | Y48.0 |
| Nitroxoline | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Nizatidine | T47.0 | X44- | X64- | Y14- | Y53.0 |
| Nizofenone | T43.8 | X41- | X61- | Y11- | Y49.8 |
| Noctec | T42.6 2b | X41- | X61- | Y11- | Y47.2 |
| Nomegestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |

| | | | | | |
|-------------------------------------|----------|------|------|------|-------------|
| Nomifensine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Nonoxinol | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Nonsteroidal anti-inflammatory drug | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Nonylphenoxy (polyethoxyethanol) | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Noradrenaline | T44.4 | X43- | X63- | Y13- | Y51.4 |
| Noramidopyrine | T39.2 | X40- | X60- | Y10- | Y45.8 |
| - methanesulfonate sodium | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Norbormide | T60.4 2b | X48- | X68- | Y18- | |
| Nordazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Norepinephrine | T44.4 | X43- | X63- | Y13- | Y51.4 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Norethandrolone | T38.7 | X44- | X64- | Y42.7 2a 2b |
| Norethindrone | T38.4 | X44- | X64- | Y42.4 2b |
| Norethisterone (acetate) (enantate) | T38.4 | X44- | X64- | Y42.4 2b |
| - with ethynodiol | T38.5 | X44- | X64- | Y42.5 2b |
| Norethyndrel | T38.5 | X44- | X64- | Y42.5 2b |
| Norfeneferine | T44.4 | X43- | X63- | Y51.4 |
| Norfloxacin | T36.8 | X44- | X64- | Y40.8 2b |
| Norgestrel | T38.4 | X44- | X64- | Y42.4 2b |
| Norgestrinone | T38.4 | X44- | X64- | Y42.4 2b |
| Normal serum albumin (human), salt-poor | T45.8 | X44- | X64- | Y44.6 |
| Normethandrone | T38.5 | X44- | X64- | Y42.5 2b |
| Norpramin | T43.0 2b | X41- | X61- | Y49.0 |
| Norpseudoephedrine | T50.5 | X44- | X64- | Y57.0 |
| Nortestosterone (furanpropionate) | T38.7 | X44- | X64- | Y42.7 2a 2b |
| Nortriptyline | T43.0 2b | X41- | X61- | Y49.0 |
| Noscapine | T48.3 | X44- | X64- | Y55.3 |
| Novobiocin | T36.5 | X44- | X64- | Y40.5 |
| Noxious foodstuff | T62.9 | X49- | X69- | Y19- |
| - specified NEC | T62.8 | X49- | X69- | Y19- |
| Noxiptiline | T43.0 2b | X41- | X61- | Y49.0 |
| Noxytiolin | T49.0 | X44- | X64- | Y56.0 |
| NSAID NEC | T39.3 | X40- | X60- | Y45.3 2a 2b |
| Nutritional supplement | T50.9 2a 2b | X44- | X64- | Y57.8 2a 2b |
| Nyldrin | T46.7 2a | X44- | X64- | Y52.7 2a |
| Nystatin | T36.7 | X44- | X64- | Y40.7 |

O

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Obidoxime chloride | T50.6 | X44- | X64- | Y57.2 |
| Octafonium (chloride) | T49.3 | X44- | X64- | Y56.3 |
| Octamethyl pyrophosphoramide | T60.0 2b | X48- | X68- | Y18- |
| Octanoic acid | T50.9 2a 2b | X44- | X64- | Y14- |
| Octatropine methylbromide | T44.3 | X43- | X63- | Y13- |
| Octotiamine | T45.2 | X44- | X64- | Y57.7 |
| Octoxinol (9) | T49.8 | X44- | X64- | Y56.8 |
| Octreotide | T38.9 | X44- | X64- | Y42.9 |
| Oestradiol | T38.5 | X44- | X64- | Y42.5 2b |
| Oestriol | T38.5 | X44- | X64- | Y42.5 2b |
| Oestrogen | T38.5 | X44- | X64- | Y42.5 2b |
| Oestrone | T38.5 | X44- | X64- | Y42.5 2b |
| Ofloxacin | T36.8 | X44- | X64- | Y40.8 2b |
| Oil (of) | | | | |
| - bitter almond | T62.8 | X49- | X69- | Y19- |
| - cloves | T49.7 | X44- | X64- | Y14- |
| - colors | T65.6 | X49- | X69- | Y19- |
| - fumes | T59.8 2a 2b | X47- | X67- | Y17- |
| - lubricating | T52.0 | X46- | X66- | Y16- |
| - Niobe | T52.8 2b | X46- | X66- | Y16- |
| - vitriol (liquid) | T54.2 | X49- | X69- | Y19- |
| -- fumes | T54.2 | X47- | X67- | Y17- |

| | | | | | |
|-----------------------------|-------------|------|------|------|-------------|
| Oily preparation (for skin) | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Ointment NEC | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Olanzapine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Oleander | T62.2 | X49- | X69- | Y19- | |
| Oleandomycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Oleandrin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Oleic acid | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Oleovitamin A | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Oleum ricini | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Olivomycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Olsalazine | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Omeprazole | T47.1 | X44- | X64- | Y14- | Y53.1 |
| OMPA | T60.0 2b | X48- | X68- | Y18- | |
| Ondansetron | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Ophthalmological drug NEC | T49.5 | X44- | X64- | Y14- | Y56.5 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---------------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Opiate NEC | T40.6 2b | X42- | X62- | Y12- | Y45.0 2b |
| Opioid NEC | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Opipramol | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Opium alkaloids (total) | T40.0 | X42- | X62- | Y12- | Y45.0 2b |
| - standardized powdered | T40.0 | X42- | X62- | Y12- | Y45.0 2b |
| - tincture (camphorated) | T40.0 | X42- | X62- | Y12- | Y45.0 2b |
| Oral rehydration salts | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Orazamide | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Orciprenaline | T48.2 | X44- | X64- | Y14- | Y55.2 |
| Organonitrate NEC | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Organophosphates | T60.0 2b | X48- | X68- | Y18- | |
| Orgotein | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Ormeloxifene | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Ornidazole | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Ornipressin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Ornithine aspartate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Ornoprostil | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Orphenadrine (hydrochloride) | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Orthodichlorobenzene | T53.7 | X46- | X66- | Y16- | |
| Osmic acid (liquid) | T54.2 | X49- | X69- | Y19- | |
| - fumes | T54.2 | X47- | X67- | Y17- | |
| Otorhinolaryngological drug NEC | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Otilonium bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Ouabain(e) | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Ovarian | | | | | |
| - hormone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| - stimulant | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Oxaceprol | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Oxacillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Oxalic acid | T54.2 | X49- | X69- | Y19- | |
| - ammonium salt | T50.9 2a 2b | X44- | X64- | Y14- | Y57.6 2b |
| Oxametacin | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Oxamniquine | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Oxandrolone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Oxantel | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Oxapium iodide | T44.3 | X43- | X63- | Y13- | Y51.3 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|------------------|-------------|------------|-----------------------|-----------------------------------|-------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Oxaprotiline | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Oxaprozin | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Oxatomide | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Oxazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Oxazimedrine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Oxazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Oxazolidinedione | T42.2 | X41- | X61- | Y11- | Y46.1 |
| Ox bile extract | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Oxcarbazepine | T42.1 | X41- | X61- | Y11- | Y46.4 |
| Oxedrine | T44.4 | X43- | X63- | Y13- | Y51.4 |

| | | | | | |
|---------------------|----------|------|------|------|-------------|
| Oxeladin (citrate) | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Oxendolone | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Oxetacaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Oxethazine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Oxetorone | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Oxiconazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Oxidizing agent NEC | T54.9 | X49- | X69- | Y19- | |
| Oxipurinol | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Oxitriptan | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Oxitropium bromide | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Oxodipine | T46.1 | X44- | X64- | Y14- | Y52.1 |
| Oxolamine | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Oxolinic acid | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Oxomemazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Oxophenarsine | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Oxprenolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Oxtriphylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Oxybate sodium | T41.2 | X44- | X64- | Y14- | Y48.2 |
| Oxybuprocaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Oxybutynin | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Oxychlorosene | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Oxycodone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Oxyfedrine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Oxygen | T41.5 | X44- | X64- | Y14- | Y48.5 |
| Oxymesterone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Oxymetazoline | T48.5 | X44- | X64- | Y14- | Y55.5 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Oxymetholone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Oxymorphone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Oxypertine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Oxyphenbutazone | T39.2 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Oxyphencyclimine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Oxyphenisatine | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Oxyphenonium bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Oxypolygelatin | T45.8 | X44- | X64- | Y14- | Y44.7 |
| Oxyquinoline (derivatives) | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Oxytetracycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Oxytocic drug NEC | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Oxytocin (synthetic) | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Ozone | T59.8 2a 2b | X47- | X67- | Y17- | |

P

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Padimate | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Paint NEC | T65.6 | X49- | X69- | Y19- | |
| - cleaner | T52.9 | X46- | X66- | Y16- | |
| - fumes NEC | T59.8 2a 2b | X47- | X67- | Y17- | |
| - lead (fumes) | T56.0 | X49- | X69- | Y19- | |
| - solvent NEC | T52.8 2b | X46- | X66- | Y16- | |
| - stripper | T52.8 2b | X46- | X66- | Y16- | |
| Palladone | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Palm kernel oil | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Pancreatic | | | | | |
| - digestive secretion stimulant | T47.8 | X44- | X64- | Y14- | Y53.8 |
| - dornase | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Pancreatin | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Pancrelipase | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Pancuronium (bromide) | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Pangamic acid | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Panthenol | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Pantothenic acid | T45.2 | X44- | X64- | Y14- | Y57.7 |

| | | | | | |
|--------------------------------|----------|------|------|------|-------------|
| Papain | T47.5 | X44- | X64- | Y14- | Y53.5 |
| - digestant | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Papaveretum | T40.0 | X42- | X62- | Y12- | Y45.0 2b |
| Papaverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Para-acetamidophenol | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| Para-aminobenzoic acid | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Para-aminosalicylic acid | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Paracetdehyde | T42.6 2b | X41- | X61- | Y11- | Y47.3 |
| Paracetamol | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| Parachlorophenol (camphorated) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Paraffin(s) (wax) | T52.0 | X46- | X66- | Y16- | |
| - liquid (medicinal) | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - - nonmedicinal | T52.0 | X46- | X66- | Y16- | |
| Paraformaldehyde | T60.3 | X48- | X68- | Y18- | |
| Paraldehyde | T42.6 2b | X41- | X61- | Y11- | Y47.3 |
| Paramethadione | T42.2 | X41- | X61- | Y11- | Y46.1 |
| Paramethasone | T38.0 | X44- | X64- | Y14- | Y42.0 2a 2b |
| - acetate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Paraoxon | T60.0 2b | X48- | X68- | Y18- | |
| Paraquat | T60.3 | X48- | X68- | Y18- | |
| Parasympatholytic NEC | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Parasympathomimetic drug NEC | T44.1 | X43- | X63- | Y13- | Y51.1 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Parathion | T60.0 2b | X48- | X68- | Y18- | |
| Parathyroid extract | T50.9 2a 2b | X44- | X64- | Y14- | Y54.7 |
| Paregoric | T40.0 | X42- | X62- | Y12- | Y45.0 2b |
| Pargyline | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Paris green | T57.0 | X49- | X69- | Y19- | |
| Paromomycin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Paroxetine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| PAS | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Pasiniazid | T37.1 | X44- | X64- | Y14- | Y41.1 |
| PBB (polybrominated biphenyls) | T65.8 | X49- | X69- | Y19- | |
| PCB | T65.8 | X49- | X69- | Y19- | |
| PCP | T41.1 | X40- | X60- | Y10- | Y48.1 |
| Pecazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Pectin | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Pefloxacin | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Pegademase, bovine | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Pelletierine tannate | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Pemirolast (potassium) | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Pemoline | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Pempidine | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Penamecillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Penbutolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Penethamate | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Penfluridol | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Penflutizide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Pengitoxin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Penicillamine | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Penicillin (any) | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Penicillinase | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Penicilloyl polylysine | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Penimepicycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Pentachloroethane | T53.6 | X46- | X66- | Y16- | |
| Pentachloronaphthalene | T53.7 | X46- | X66- | Y16- | |
| Pentachlorophenol (pesticide) | T60.3 | X48- | X68- | Y18- | |
| Pentaerythritol tetranitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Pentaerythrityl tetranitrate | T46.3 | X44- | X64- | Y14- | Y52.3 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Pentagastrin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Pentalin | T53.6 | X46- | X66- | Y16- | |
| Pentamethonium bromide | T44.2 | X43- | X63- | Y13- | Y51.2 |

| | | | | | |
|-------------------------------|-------------|------|------|------|----------|
| Pentamidine | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Pentanol | T51.3 | X45- | X65- | Y15- | |
| Pentapyrrolinium (bitartrate) | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Pentazocine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Pentetrazole | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Penthienate bromide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Pentifylline | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Pentobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - sodium | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Pentobarbitone | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Pentolinium tartrate | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Pentosan polysulfate (sodium) | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Pentostatin | T45.1 | X44- | X64- | Y14- | Y43.4 2b |
| Pentoxifylline | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Pentoxyverine | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Pentrinat | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Pentylenetetrazole | T50.7 | X44- | X64- | Y14- | Y50.0 |
| Pentymal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Peplomycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Peppermint (oil) | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Pepsin | T47.5 | X44- | X64- | Y14- | Y53.5 |
| - digestant | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Pepstatin | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Perazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Perchloroethylene | T53.3 | X46- | X66- | Y16- | |
| - vapor | T53.3 | X46- | X66- | Y16- | |
| Percodan | T40.2 2b | X42- | X62- | Y12- | Y45.0 2b |
| Pergolide | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Perhexilene | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Perhexiline (maleate) | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Periciazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Perindopril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Perisoxal | T39.8 2b | X40- | X60- | Y10- | Y45.8 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--------------------------------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Peritoneal dialysis solution | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Perlapine | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Permanganate | T65.8 | X49- | X69- | Y19- | |
| Permethrin | T60.1 | X48- | X68- | Y18- | |
| Perphenazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Pertussis vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y58.6 |
| Peruvian balsam | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Peruvoside | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Pesticide (dust) (fumes) (vapor) NEC | T60.9 | X48- | X68- | Y18- | |
| - chlorinated | T60.1 | X48- | X68- | Y18- | |
| Pethidine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Petrol | T52.0 | X46- | X66- | Y16- | |
| - vapor | T52.0 | X46- | X66- | Y16- | |
| Petrolatum | T49.3 | X44- | X64- | Y14- | Y56.3 |
| - nonmedicinal | T52.0 | X46- | X66- | Y16- | |
| - red veterinary | T49.3 | X44- | X64- | Y14- | Y56.3 |
| - white | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Petroleum (products) NEC | T52.0 | X46- | X66- | Y16- | |
| - benzine(s) - see Ligroin | | | | | |
| - ether - see Ligroin | | | | | |
| - jelly - see Petrolatum | | | | | |
| - naphtha - see Ligroin | | | | | |
| - pesticide | T60.8 | X48- | X68- | Y18- | |
| - vapor | T52.0 | X46- | X66- | Y16- | |
| Peyote | T40.9 | X42- | X62- | Y12- | Y49.6 |
| Phanquinone | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Phanquone | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Pharmaceutical | | | | | |
| - adjunct NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| - excipient NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| - sweetener | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| - viscous agent | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Phemitone | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Phenacaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |

| | | | | | |
|----------------------------------|--------------------|-------------------|------------------------------|----------------------------|--|
| Phenacetin | T39.1 2b | X40- | X60- | Y10- | Y45.5 |
| | | | | | Poisoning |
| Substance | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | Adverse effect in therapeutic use |
| Phenaglycodol | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Phenantoin | T42.0 2a | X41- | X61- | Y11- | Y46.2 2a |
| Phenazocine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Phenazone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Phenazopyridine | T39.8 2b | X40- | X60- | Y10- | Y45.9 |
| Phenbutrazate | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Phencyclidine | T41.1 | X40- | X60- | Y10- | Y48.1 |
| Phendimetrazine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Phenelzine | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Phenemal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Phenetichillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Pheneturide | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Phenformin | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Phenglutarimide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Phenindamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Phenindione | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Pheniprazine | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Pheniramine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Phenisatin | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Phenmetrazine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Phenobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - with | | | | | |
| -- mephenytoin | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| -- phenytoin | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - sodium | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Phenobarbitone | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Phenobutiodil | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Phenol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - disinfectant | T54.0 2b | X49- | X69- | Y19- | |
| - in oil injection | T46.8 | X44- | X64- | Y14- | Y52.8 |
| - medicinal | T49.1 | X44- | X64- | Y14- | Y56.1 |
| - nonmedicinal NEC | T54.0 2b | X49- | X69- | Y19- | |
| - pesticide | T60.8 | X48- | X68- | Y18- | |
| - red | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Phenolic preparation | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Phenolphthalein | T47.2 | X44- | X64- | Y14- | Y53.2 |
| | | | | | Poisoning |
| Substance | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | Adverse effect in therapeutic use |
| Phenolsulfonphthalein | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Phenoperidine | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Phenopyrazone | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Phenoquin | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Phenothiazine (psychotropic) NEC | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - insecticide | T60.2 | X48- | X68- | Y18- | |
| Phenothrin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Phenoxybenzamine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Phenoxyethanol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Phenoxycephalothin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Phenprobamate | T42.8 2b | X41- | X61- | Y11- | Y46.8 |
| Phenprocoumon | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Phensuximide | T42.2 | X41- | X61- | Y11- | Y46.0 |
| Phentermine | T50.5 | X44- | X64- | Y14- | Y57.0 |
| Phenthicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Phentolamine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Phenyl | | | | | |
| - hydrazine | T65.3 | X49- | X69- | Y19- | |
| - salicylate | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Phenylalanine mustard | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Phenylbutazone | T39.2 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Phenylenediamine | T65.3 | X49- | X69- | Y19- | |
| Phenylephrine | T44.4 | X43- | X63- | Y13- | Y51.4 |

| | | | | | |
|-----------------------|-------------|------|------|------|----------|
| Phenylmercuric | | | | | |
| - acetate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - borate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nitrate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Phenylmethylbarbitone | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Phenylpropanol | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Phenylpropanolamine | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Phenyltoloxamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Phenytoin | T42.0 2a | X41- | X61- | Y11- | Y46.2 2a |
| - with phenobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Pholcodine | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Pholedrine | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Phorate | T60.0 2b | X48- | X68- | Y18- | |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Phosfolan | T60.0 2b | X48- | X68- | Y18- |
| Phosgene (gas) | T59.8 2a 2b | X47- | X67- | Y17- |
| Phosphamidon | T60.0 2b | X48- | X68- | Y18- |
| Phosphate | | | | |
| - laxative | T47.4 | X44- | X64- | Y14- |
| - tricresyl | T65.8 | X49- | X69- | Y19- |
| Phosphine | T57.1 | X49- | X69- | Y19- |
| Phosphoric acid | T54.2 | X49- | X69- | Y19- |
| Phosphorus (compound) NEC | T57.1 | X49- | X69- | Y19- |
| - pesticide | T60.0 2b | X48- | X68- | Y18- |
| Phthalates | T65.8 | X49- | X69- | Y19- |
| Phthalic anhydride | T65.8 | X49- | X69- | Y19- |
| Phthalylsulfathiazole | T37.0 | X44- | X64- | Y14- |
| Phylloquinone | T45.7 | X44- | X64- | Y14- |
| Physostigmine | T49.5 | X44- | X64- | Y14- |
| Phytomenadione | T45.7 | X44- | X64- | Y14- |
| Picoperine | T48.3 | X44- | X64- | Y14- |
| Picosulfate (sodium) | T47.2 | X44- | X64- | Y14- |
| Picric (acid) | T54.2 | X49- | X69- | Y19- |
| Picrotoxin | T50.7 | X44- | X64- | Y14- |
| Piketoprofen | T49.0 | X44- | X64- | Y14- |
| Pilocarpine | T44.1 | X43- | X63- | Y13- |
| Pilsicainide (hydrochloride) | T46.2 2b | X44- | X64- | Y14- |
| Pimeclone | T50.7 | X44- | X64- | Y14- |
| Pimelic ketone | T52.8 2b | X46- | X66- | Y16- |
| Pimethixene | T45.0 2b | X44- | X64- | Y14- |
| Pimozone | T43.5 2b | X41- | X61- | Y11- |
| Pinacidil | T46.5 2a | X44- | X64- | Y14- |
| Pinaverium bromide | T44.3 | X43- | X63- | Y13- |
| Pinazepam | T42.4 2b | X41- | X61- | Y11- |
| Pindolol | T44.7 | X43- | X63- | Y13- |
| Pindone | T60.4 2b | X48- | X68- | Y18- |
| Pine oil (disinfectant) | T65.8 | X49- | X69- | Y19- |
| Pipamazine | T45.0 2b | X44- | X64- | Y14- |
| Pipamerone | T43.4 | X41- | X61- | Y11- |
| Pipazetate | T48.3 | X44- | X64- | Y14- |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Pipemic acid | T37.8 | X44- | X64- | Y41.8 |
| Pipenzolate bromide | T44.3 | X43- | X63- | Y51.3 |
| Piperacetazine | T43.3 2b | X41- | X61- | Y49.3 2b |
| Piperacillin | T36.0 | X44- | X64- | Y40.0 2a 2b |
| Piperazine | T37.4 | X44- | X64- | Y41.4 |
| Piperidolate | T44.3 | X43- | X63- | Y51.3 |
| Piperocaine | T41.3 | X44- | X64- | Y48.3 2b |
| Piperonyl butoxide | T60.8 | X48- | X68- | Y18- |
| Pipethanate | T44.3 | X43- | X63- | Y51.3 |
| Pipobroman | T45.1 | X44- | X64- | Y43.3 2b |
| Pipofezine | T43.0 2b | X41- | X61- | Y49.0 |
| Pipotiazine | T43.3 2b | X41- | X61- | Y49.3 2b |

| | | | | | |
|-----------------------------|-------------|------|------|------|-------------|
| Pipoxizine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Pipradrol | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Piprinhydrate | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Piproxen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Pirarubicin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Pirazinamide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Pirbuterol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Pirenzepine | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Piretanide | T50.1 | X44- | X64- | Y14- | Y54.4 |
| Piribedil | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Piridoxilate | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Piritramide | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Pirlindole | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Piromidic acid | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Piroxicam | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| - beta-cyclodextrin complex | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Pirozadil | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Pirprofen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Pitch | T65.8 | X49- | X69- | Y19- | |
| Pivampicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Pivmeccillinam | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Placental hormone | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Placidyl | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Plafibride | T45.5 | X44- | X64- | Y14- | Y44.4 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Plague vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y58.3 |
| Plant | | | | | |
| - food or fertilizer NEC | T65.8 | X49- | X69- | Y19- | |
| - - containing herbicide | T60.3 | X48- | X68- | Y18- | |
| - noxious, used as food | T62.2 | X49- | X69- | Y19- | |
| Plasma | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - expander NEC | T45.8 | X44- | X64- | Y14- | Y44.7 |
| - protein fraction (human) | T45.8 | X44- | X64- | Y14- | Y44.6 |
| Plasminogen (tissue) activator | T45.6 | X44- | X64- | Y14- | Y44.5 |
| Plaster dressing | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Plastic dressing | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Plavix | T45.6 | X44- | X64- | Y14- | Y44.3 |
| Plicamycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Podophyllotoxin | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Podophyllum (resin) | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Poison NEC | T65.9 2b | X49- | X69- | Y19- | |
| Pokeweed (any part) | T62.2 | X49- | X69- | Y19- | |
| Poldine metilsulfate | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Polidexide (sulfate) | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Polidocanol | T46.8 | X44- | X64- | Y14- | Y52.8 |
| Poliomyelitis vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| Polish (car) (floor) (furniture) (metal) (porcelain) (silver) | T65.8 | X49- | X69- | Y19- | |
| Poloxamer | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Polycarbophil | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Polychlorinated biphenyl | T53.7 | X49- | X69- | Y19- | |
| Polyester fumes | T59.8 2a 2b | X47- | X67- | Y17- | |
| Polyestradiol phosphate | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Polyethanolamine alkyl sulfate | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Polyethylene adhesive | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Polygeline | T45.8 | X44- | X64- | Y14- | Y44.7 |
| Polymyxin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| - B | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| - E sulfate (eye preparation) | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Polynoxylin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Polyoestradiol phosphate | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Polysilane | T47.8 | X44- | X64- | Y14- | Y53.8 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-----------|-------------|------------|-----------------------|-----------------------------------|--|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |

| | | | | | | | |
|---------------------------------------|-------|----|----|------|------|------|----------|
| Polytetrafluoroethylene (inhaled) | T59.8 | 2a | 2b | X47- | X67- | Y17- | |
| Polythiazide | T50.2 | 2a | | X44- | X64- | Y14- | Y54.3 2a |
| Polyvidone | T45.8 | | | X44- | X64- | Y14- | Y44.7 |
| Polyvinylpyrrolidone | T45.8 | | | X44- | X64- | Y14- | Y44.7 |
| Porfiromycin | T45.1 | | | X44- | X64- | Y14- | Y43.3 2b |
| Posterior pituitary hormone NEC | T38.8 | | | X44- | X64- | Y14- | Y42.8 |
| Potash (caustic) | T54.3 | | | X49- | X69- | Y19- | |
| Potassium (salts) NEC | T50.3 | | | X44- | X64- | Y14- | Y54.9 |
| - aminobenzoate | T45.8 | | | X44- | X64- | Y14- | Y43.8 |
| - aminosalicylate | T37.1 | | | X44- | X64- | Y14- | Y41.1 |
| - antimony tartrate | T37.8 | | | X44- | X64- | Y14- | Y41.8 |
| - bichromate | T56.2 | | | X49- | X69- | Y19- | |
| - bisulfate | T47.3 | | | X44- | X64- | Y14- | Y53.3 |
| - bromide | T42.6 | 2b | | X41- | X61- | Y11- | Y47.4 |
| - canrenoate | T50.0 | | | X44- | X64- | Y14- | Y54.1 |
| - carbonate | T54.3 | | | X49- | X69- | Y19- | |
| - chlorate NEC | T65.8 | | | X49- | X69- | Y19- | |
| - chloride | T50.3 | | | X44- | X64- | Y14- | Y54.9 |
| - citrate | T50.9 | 2a | 2b | X44- | X64- | Y14- | Y43.5 |
| - cyanide | T65.0 | | | X49- | X69- | Y19- | |
| - ferric hexacyanoferrate (medicinal) | T50.6 | | | X44- | X64- | Y14- | Y57.2 |
| - - nonmedicinal | T65.8 | | | X49- | X69- | Y19- | |
| - fluoride | T57.8 | | | X49- | X69- | Y19- | |
| - glucaldrate | T47.1 | | | X44- | X64- | Y14- | Y53.1 |
| - hydroxide | T54.3 | | | X49- | X69- | Y19- | |
| - iodate | T49.0 | | | X44- | X64- | Y14- | Y56.0 |
| - iodide | T48.4 | | | X44- | X64- | Y14- | Y55.4 |
| - nitrate | T57.8 | | | X49- | X69- | Y19- | |
| - oxalate | T65.8 | | | X49- | X69- | Y19- | |
| - perchlorate (nonmedicinal) NEC | T65.8 | | | X49- | X69- | Y19- | |
| - - medicinal | T38.2 | | | X44- | X64- | Y14- | Y42.2 |
| - permanganate (nonmedicinal) | T65.8 | | | X49- | X69- | Y19- | |
| - - medicinal | T49.0 | | | X44- | X64- | Y14- | Y56.0 |
| - sulfate | T47.2 | | | X44- | X64- | Y14- | Y53.2 |
| Potassium-removing resin | T50.3 | | | X44- | X64- | Y14- | Y54.6 |
| Potassium-retaining drug | T50.3 | | | X44- | X64- | Y14- | Y54.6 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | | |
|--------------------------|-------------|------------|-----------------------|-----------------------------------|------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | | | |
| Potpourri (liquid) | T65.9 | 2b | X49- | X69- | Y19- | |
| Povidone | T45.8 | | X44- | X64- | Y14- | Y44.7 |
| - iodine | T49.0 | | X44- | X64- | Y14- | Y56.0 |
| Practolol | T44.7 | | X43- | X63- | Y13- | Y51.7 |
| Prajmalium bitartrate | T46.2 | 2b | X44- | X64- | Y14- | Y52.2 |
| Pralidoxime (iodide) | T50.6 | | X44- | X64- | Y14- | Y57.2 |
| - chloride | T50.6 | | X44- | X64- | Y14- | Y57.2 |
| Pramiverine | T44.3 | | X43- | X63- | Y13- | Y51.3 |
| Pramocaine | T49.1 | | X44- | X64- | Y14- | Y56.1 |
| Pramoxine | T49.1 | | X44- | X64- | Y14- | Y56.1 |
| Pranoprofen | T39.3 | | X40- | X60- | Y10- | Y45.2 |
| Prasterone | T38.7 | | X44- | X64- | Y14- | Y42.7 2a 2b |
| Pravastatin | T46.6 | | X44- | X64- | Y14- | Y52.6 |
| Prazepam | T42.4 | 2b | X41- | X61- | Y11- | Y47.1 |
| Praziquantel | T37.4 | | X44- | X64- | Y14- | Y41.4 |
| Prazitone | T43.2 | 2b | X41- | X61- | Y11- | Y49.2 |
| Prazosin | T44.6 | | X43- | X63- | Y13- | Y51.6 |
| Prednicarbate | T49.0 | | X44- | X64- | Y14- | Y56.0 |
| Prednimustine | T45.1 | | X44- | X64- | Y14- | Y43.3 2b |
| Prednisolone (oral) | T38.0 | | X44- | X64- | Y14- | Y42.0 2a 2b |
| - ENT agent | T49.6 | | X44- | X64- | Y14- | Y56.6 |
| - ophthalmic preparation | T49.5 | | X44- | X64- | Y14- | Y56.5 |
| - steaglate | T49.0 | | X44- | X64- | Y14- | Y56.0 |
| - topical NEC | T49.0 | | X44- | X64- | Y14- | Y56.0 |
| Prednisone | T38.0 | | X44- | X64- | Y14- | Y42.0 2a 2b |
| Prednylidene | T38.0 | | X44- | X64- | Y14- | Y42.0 2a 2b |
| Pregnadiol | T38.5 | | X44- | X64- | Y14- | Y42.5 2b |
| Premedication anesthetic | T41.2 | | X44- | X64- | Y14- | Y48.2 |
| Penalterol | T44.5 | | X43- | X63- | Y13- | Y51.5 |
| Prenoxdiazine | T48.3 | | X44- | X64- | Y14- | Y55.3 |
| Prenylamine | T46.3 | | X44- | X64- | Y14- | Y52.3 |

| | | | | | |
|-----------------------------|-------------|------|------|------|-------|
| Preparation, local | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Preservative (nonmedicinal) | T65.8 | X49- | X69- | Y19- | |
| - medicinal | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| - wood | T60.9 | X48- | X68- | Y18- | |
| Prethcamide | T50.7 | X44- | X64- | Y14- | Y50.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Pridinol | T44.3 | X43- | X63- | Y51.3 |
| Prifinium bromide | T44.3 | X43- | X63- | Y51.3 |
| Prilocaine | T41.3 | X44- | X64- | Y48.3 2b |
| - regional | T41.3 | X44- | X64- | Y48.3 2b |
| Primaquine | T37.2 | X44- | X64- | Y41.2 |
| Primidone | T42.6 2b | X41- | X61- | Y46.6 |
| Pristinamycin | T36.3 | X44- | X64- | Y40.3 |
| Probenecid | T50.4 | X44- | X64- | Y54.8 |
| Probucol | T46.6 | X44- | X64- | Y52.6 |
| Procainamide | T46.2 2b | X44- | X64- | Y52.2 |
| Procaine | T41.3 | X44- | X64- | Y48.3 2b |
| - benzylpenicillin | T36.0 | X44- | X64- | Y40.0 2a 2b |
| - regional | T41.3 | X44- | X64- | Y48.3 2b |
| - spinal | T41.3 | X44- | X64- | Y48.3 2b |
| Procarbazine | T45.1 | X44- | X64- | Y43.3 2b |
| Procaterol | T44.5 | X43- | X63- | Y51.5 |
| Prochlorperazine | T43.3 2b | X41- | X61- | Y49.3 2b |
| Procyclidine | T44.3 | X43- | X63- | Y51.3 |
| Producer of gas | T58 2b | X47- | X67- | |
| Products of combustion | T59.9 2b | X47- | X67- | |
| Profadol | T40.4 2a 2b | X42- | X62- | Y45.0 2b |
| Profenamine | T44.3 | X43- | X63- | Y51.3 |
| Proflavine | T49.0 | X44- | X64- | Y56.0 |
| Progabide | T42.6 2b | X41- | X61- | Y46.6 |
| Progesterone | T38.5 | X44- | X64- | Y42.5 2b |
| Progestogen NEC | T38.5 | X44- | X64- | Y42.5 2b |
| Proglumetacin | T39.3 | X40- | X60- | Y45.3 2a 2b |
| Proglumide | T47.1 | X44- | X64- | Y53.1 |
| Proguanil | T37.2 | X44- | X64- | Y41.2 |
| Prolactin | T38.8 | X44- | X64- | Y42.8 |
| Prolactinol | T38.8 | X44- | X64- | Y42.8 |
| Prolintane | T43.6 2b | X41- | X61- | Y49.7 |
| Promazine | T43.3 2b | X41- | X61- | Y49.3 2b |
| Promegestone | T38.5 | X44- | X64- | Y42.5 2b |
| Promethazine (teoclate) | T43.3 2b | X41- | X61- | Y49.3 2b |
| Pronase | T45.3 | X44- | X64- | Y43.6 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Pronetalol | T44.7 | X43- | X63- | Y51.7 |
| Propachlor | T60.3 | X48- | X68- | Y18- |
| Propafenone | T46.2 2b | X44- | X64- | Y52.2 |
| Propallylonal | T42.3 2a 2b | X41- | X61- | Y47.0 |
| Propamidine | T49.0 | X44- | X64- | Y56.0 |
| Propane (distributed in mobile container) | T59.8 2a 2b | X47- | X67- | Y17- |
| - distributed through pipes | T59.8 2a 2b | X47- | X67- | Y17- |
| - incomplete combustion | T58 2b | X47- | X67- | Y17- |
| Propanidid | T41.2 | X44- | X64- | Y48.2 |
| Propanil | T60.3 | X48- | X68- | Y18- |
| 1-Propanol | T51.3 | X45- | X65- | Y15- |
| 2-Propanol | T51.2 | X45- | X65- | Y15- |
| Propantheline | T44.3 | X43- | X63- | Y51.3 |
| - bromide | T44.3 | X43- | X63- | Y51.3 |
| Proparacaine | T41.3 | X44- | X64- | Y48.3 2b |
| Propatylnitrate | T46.3 | X44- | X64- | Y52.3 |
| Propicillin | T36.0 | X44- | X64- | Y40.0 2a 2b |
| Propiolactone | T49.0 | X44- | X64- | Y56.0 |
| Propiomazine | T45.0 2b | X44- | X64- | Y43.0 |
| Propionate (calcium) (sodium) | T49.0 | X44- | X64- | Y56.0 |

| | | | | | |
|--------------------------|-------------|------|------|------|-------------|
| Propofol | T41.2 | X44- | X64- | Y14- | Y48.2 |
| Propoxur | T60.0 2b | X48- | X68- | Y18- | |
| Propoxycaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Propoxyphene | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Propranolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Propylaminophenothiazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Propylene | T59.8 2a 2b | X47- | X67- | Y17- | |
| Propylhexedrine | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Propylidone | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Propylthiouracil | T38.2 | X44- | X64- | Y14- | Y42.2 |
| Propyphenazone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Proquazone | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Proscillarinidin | T46.0 2a 2b | X44- | X64- | Y14- | Y52.0 2a 2b |
| Prostacyclin | T45.5 | X44- | X64- | Y14- | Y44.4 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Prostaglandin (I ₂) | T45.5 | X44- | X64- | Y14- | Y44.4 |
| - E ₁ | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| - E ₂ | T48.0 | X44- | X64- | Y14- | Y55.0 |
| - F ₂ | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Prosultiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Protamine sulfate | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Protease | T47.5 | X44- | X64- | Y14- | Y53.5 |
| Protectant, skin NEC | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Protein hydrolysate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Prothionamide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Prothipendyl | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Prothoate | T60.0 2b | X48- | X68- | Y18- | |
| Prothrombin | | | | | |
| - activator | T45.7 | X44- | X64- | Y14- | Y44.3 |
| - synthesis inhibitor | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Prortionamide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Protirelin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Protokylol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Protoveratrine(s) (A) (B) | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Protriptyline | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Proxibarbal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Proxymetacaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Proxyphylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Prozac | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Prussian blue | | | | | |
| - commercial | T65.8 | X49- | X69- | Y19- | |
| - therapeutic | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Prussic acid | T57.3 | X48- | X68- | Y18- | |
| - vapor | T57.3 | X49- | X69- | Y19- | |
| Pseudoephedrine | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Psilocin | T40.9 | X42- | X62- | Y12- | Y49.6 |
| Psilocybin | T40.9 | X42- | X62- | Y12- | Y49.6 |
| Psilocybine | T40.9 | X42- | X62- | Y12- | Y49.6 |
| Psoralene (nonmedicinal) | T65.8 | X49- | X69- | Y19- | |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Psoralens (medicinal) | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Psychodysleptic drug NEC | T40.9 | X42- | X62- | Y12- | Y49.6 |
| Psychostimulant NEC | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Psychotherapeutic drug NEC | T43.9 | X41- | X61- | Y11- | Y49.9 |
| Psychotropic drug NEC | T43.9 | X41- | X61- | Y11- | Y49.9 |
| - specified NEC | T43.8 | X41- | X61- | Y11- | Y49.8 |
| Psyllium hydrophilic mucilloid | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Pteroylglutamic acid | T45.8 | X44- | X64- | Y14- | Y44.1 |
| Pulp | | | | | |
| - devitalizing paste | T49.7 | X44- | X64- | Y14- | Y56.7 |
| - dressing | T49.7 | X44- | X64- | Y14- | Y56.7 |

| | | | | | |
|--|-------------|------|------|------|-------------|
| Pumpkin seed extract | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Purgative NEC (<i>see also</i> Cathartic) | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Purine analogue (antineoplastic) | T45.1 | X44- | X64- | Y14- | Y43.1 |
| PVP | T45.8 | X44- | X64- | Y14- | Y44.7 |
| Pyrantel | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Pyrazinamide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Pyrazolone analgesic NEC | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Pyrethrin, pyrethrum (nonmedicinal) | T60.2 | X48- | X68- | Y18- | |
| Pyrethrum extract | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Pyridine | T52.8 2b | X46- | X66- | Y16- | |
| - aldoxime methiodide | T50.6 | X44- | X64- | Y14- | Y57.2 |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Pyridostigmine bromide | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Pyridoxal phosphate | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Pyridoxine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Pyrilamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Pyrimethamine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| - with sulfadoxine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Pyrimidine antagonist | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Pyriminil | T60.4 2b | X48- | X68- | Y18- | |
| Pyrithione zinc | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Pyrithydione | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Pyrogallic acid | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Pyrogallol | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Pyroxylin | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Pyrrobutamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Pyrrolizidine alkaloids | T62.8 | X49- | X69- | Y19- | |
| Pyrvium chloride | T37.4 | X44- | X64- | Y14- | Y41.4 |

Q

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-----------------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Quaternary ammonium | | | | | |
| - anti-infective | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - ganglion blocking | T44.2 | X43- | X63- | Y13- | Y51.2 |
| - parasympatholytic | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Quazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Quetiapine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Quicklime | T54.3 | X49- | X69- | Y19- | |
| Quillaja extract | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Quinacrine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Quinalbarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Quinalbarbitone sodium | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Quinalphos | T60.0 2b | X48- | X68- | Y18- | |
| Quinapril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Quinestradol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Quinestrol | T38.5 | X44- | X64- | Y14- | Y42.5 2b |
| Quinethazone | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Quingestanol | T38.4 | X44- | X64- | Y14- | Y42.4 2b |
| Quinidine | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Quinine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Quinisocaine | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Quinocide | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Quinoline (derivatives) NEC | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Quinupramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |

R

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|-----------|-------------|------------|-----------------------|-----------------------------------|--|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Rabies | | | | | |

| | | | | | | |
|---|-------|-------|------|------|------|-------------|
| - immune globulin (human) | T50.9 | 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - vaccine | T50.9 | 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| Racepinefrin | T44.5 | | X43- | X63- | Y13- | Y51.5 |
| Raclopride | T43.5 | 2b | X41- | X61- | Y11- | Y49.5 |
| Radioactive drug NEC | T50.8 | | X44- | X64- | Y14- | Y57.6 2b |
| Ramifenazone | T39.2 | | X40- | X60- | Y10- | Y45.8 |
| Ramipril | T46.4 | | X44- | X64- | Y14- | Y52.4 |
| Ranitidine | T47.0 | | X44- | X64- | Y14- | Y53.0 |
| Rat poison NEC | T60.4 | 2b | X48- | X68- | Y18- | |
| Raubasine | T46.7 | 2a | X44- | X64- | Y14- | Y52.7 2a |
| Rauwolfia (alkaloids) | T46.5 | 2a | X44- | X64- | Y14- | Y52.5 2a |
| Razoxane | T45.1 | | X44- | X64- | Y14- | Y43.3 2b |
| Recombinant (R) - <i>see</i> specific protein | | | | | | |
| Red blood cells, packed | T45.8 | | X44- | X64- | Y14- | Y44.6 |
| Red squill (scilliroside) | T60.4 | 2b | X48- | X68- | Y18- | |
| Reducing agent, industrial NEC | T65.8 | | X49- | X69- | Y19- | |
| Refrigerant gas (chlorofluorocarbon) | T53.5 | 2b | X46- | X66- | Y16- | |
| - not chlorofluorocarbon | T59.8 | 2a 2b | X47- | X67- | Y17- | |
| Rehydration salts (oral) | T50.3 | | X44- | X64- | Y14- | Y54.6 |
| Relaxant, muscle | | | | | | |
| - anesthetic | T48.1 | | X44- | X64- | Y14- | Y55.1 |
| - skeletal NEC | T48.1 | | X44- | X64- | Y14- | Y55.1 |
| - smooth NEC | T44.3 | | X43- | X63- | Y13- | Y51.3 |
| Remoxipride | T43.5 | 2b | X41- | X61- | Y11- | Y49.5 |
| Replacement solution | T50.3 | | X44- | X64- | Y14- | Y54.6 |
| Reprotorol | T48.6 | | X44- | X64- | Y14- | Y55.6 |
| Rescinnamine | T46.5 | 2a | X44- | X64- | Y14- | Y52.5 2a |
| Reserpine(e) | T46.5 | 2a | X44- | X64- | Y14- | Y52.5 2a |
| Resorcin, resorcinol (nonmedicinal) | T65.8 | | X49- | X69- | Y19- | |
| - medicinal | T49.4 | | X44- | X64- | Y14- | Y56.4 |
| Resperidone | T43.5 | 2b | X41- | X61- | Y11- | Y49.5 |
| Respiratory drug NEC | T48.7 | | X44- | X64- | Y14- | Y55.7 |
| - antiasthmatic NEC | T48.6 | | X44- | X64- | Y14- | Y55.6 |
| - anti-common-cold NEC | T48.5 | | X44- | X64- | Y14- | Y55.5 |
| - expectorant NEC | T48.4 | | X44- | X64- | Y14- | Y55.4 |
| - stimulant | T48.7 | | X44- | X64- | Y14- | Y55.7 |
| Retinoic acid | T49.0 | | X44- | X64- | Y14- | Y56.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---------------------------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Retinol | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Retrovir | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Rhubarb | | | | | |
| - dry extract | T47.2 | X44- | X64- | Y14- | Y53.2 |
| - tincture, compound | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Ribavirin | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Riboflavin | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Ribostamycin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Ricin | T62.2 | X49- | X69- | Y19- | |
| Rickettsial vaccine NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y59.1 2a |
| Rifabutin | T36.6 | X44- | X64- | Y14- | Y40.6 |
| Rifamide | T36.6 | X44- | X64- | Y14- | Y40.6 |
| Rifampicin | T36.6 | X44- | X64- | Y14- | Y40.6 |
| - with isoniazid | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Rifampin | T36.6 | X44- | X64- | Y14- | Y40.6 |
| Rifamycin | T36.6 | X44- | X64- | Y14- | Y40.6 |
| Rifaximin | T36.6 | X44- | X64- | Y14- | Y40.6 |
| Rimantadine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Rimazolium metilsulfate | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Rimiterol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Ringer (lactate) solution | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Risperdal | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Risperidone | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Ritodrine | T44.5 | X43- | X63- | Y13- | Y51.5 |
| Roach killer - <i>see</i> Insecticide | | | | | |
| Rociverine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Rodenticide NEC | T60.4 2b | X48- | X68- | Y18- | |
| Rokitamycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Rolitetracycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Ronifibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |

| | | | | | |
|--|----------|------|------|------|----------|
| Rosaprostol | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Rose bengal sodium (¹³¹ I) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Rosoxacin | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Rotenone | T60.2 | X48- | X68- | Y18- | |
| Rotoxamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Roxatidine | T47.0 | X44- | X64- | Y14- | Y53.0 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Roxithromycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Rt-PA | T45.6 | X44- | X64- | Y14- | Y44.5 |
| Rubbing alcohol | T51.2 | X45- | X65- | Y15- | |
| Rubefacient | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Rubella vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| Rubidium chloride Rb82 | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Rubidomycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Rue | T62.2 | X49- | X69- | Y19- | |
| Rufocromomycin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Russel's viper venin | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Rutinum | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Rutoside | T46.9 | X44- | X64- | Y14- | Y52.9 |

S

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Saccharated iron oxide | T45.8 | X44- | X64- | Y14- | Y44.0 |
| Saccharin | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Saccharomyces boulardii | T47.6 | X44- | X64- | Y14- | Y53.6 |
| Safflower oil | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Safrazine | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Salazosulfapyridine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Salbutamol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Salicylamide | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Salicylate NEC | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Salicylazosulfapyridine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Salicylic acid | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - with benzoic acid | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - derivative | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Salinazid | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Salmeterol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Salol | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Salsalate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| Salt substitute | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Salt-replacing drug | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Salt-retaining mineralocorticoid | T50.0 | X44- | X64- | Y14- | Y54.0 2b |
| Saluretic NEC | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Santonin | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Saquinavir | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Saralasin | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Sarcolysin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Saturnine - see Lead | | | | | |
| Scheele's green | T57.0 | X49- | X69- | Y19- | |
| - insecticide | T57.0 | X48- | X68- | Y18- | |
| Schizontozide (blood) (tissue) | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Schradan | T60.0 2b | X48- | X68- | Y18- | |
| Schweinfurth green | T57.0 | X49- | X69- | Y19- | |
| - insecticide | T57.0 | X48- | X68- | Y18- | |
| Scilla, rat poison | T60.4 2b | X48- | X68- | Y18- | |
| Scillaren | T60.4 2b | X48- | X68- | Y18- | |
| Sclerosing agent | T46.8 | X44- | X64- | Y14- | Y52.8 |
| Scombrotoxin | T61.1 | X49- | X69- | Y19- | |
| Scopolamine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Scopolia extract | T44.3 | X43- | X63- | Y13- | Y51.3 |

| | | | | | |
|-----------------|-------------|------|------|------|----------|
| Secbutabarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Secnidazole | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Secobarbital | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Seconal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Secretin | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Sedative NEC | T42.7 2b | X41- | X61- | Y11- | Y47.9 |
| - mixed NEC | T42.6 2b | X41- | X61- | Y11- | Y47.5 |
| Seed disinfectant or dressing | T60.8 | X48- | X68- | Y18- | |
| Seeds, poisonous | T62.2 | X49- | X69- | Y19- | |
| Selegiline | T42.8 2b | X41- | X61- | Y11- | Y46.7 |
| Selenium NEC | T56.8 | X49- | X69- | Y19- | |
| - fumes | T59.8 2a 2b | X47- | X67- | Y17- | |
| - sulfide | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Selenomethionine (⁷⁵ Se) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Semustine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Senega syrup | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Senna | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Sennoside A+B | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Seractide | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Serentil | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Sermorelin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Serrapeptase | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Sertraline | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Serum | | | | | |
| - antitoxin | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - anticytotoxic | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - antidiphtheria | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - antimeningococcus | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - anti-Rh | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - anti-snake-bite | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - antitetanic | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - antitoxic | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - complement (inhibitor) | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - convalescent | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - gonadotrophin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| - hemolytic complement | T45.8 | X44- | X64- | Y14- | Y44.6 |
| - immune (human) | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| - protective NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y59.3 2a |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Setastine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Setoperone | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Sewer gas | T59.8 2a 2b | X47- | X67- | Y17- | |
| Shampoo | T55 | X49- | X69- | Y19- | |
| Shellfish, noxious, nonbacterial | T61.2 | X49- | X69- | Y19- | |
| Sildenafil | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Silibinin | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Silicone NEC | T65.8 | X49- | X69- | Y19- | |
| - medicinal | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Silver | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - colloidal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nitrate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - nonmedicinal (dust) | T56.8 | X49- | X69- | Y19- | |
| - protein | T49.5 | X44- | X64- | Y14- | Y56.5 |
| - sulfadiazine | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Silymarin | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Simaldrate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Simazine | T60.3 | X48- | X68- | Y18- | |
| Simethicone | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Simfibrate | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Simvastatin | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Sincalide | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Sinemet | T42.8 2b | X41- | X61- | Y11- | Y46.7 |

| | | | | | |
|-------------------------|-------------|------|------|------|-------------|
| Sinequan | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Sisomicin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Sleeping draught, pill | T42.7 2b | X41- | X61- | Y11- | Y47.9 |
| Smallpox vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| Smelter fumes NEC | T56.9 | X49- | X69- | Y19- | |
| Smog | T59.1 | X47- | X67- | Y17- | |
| Smoke NEC | T59.8 2a 2b | X47- | X67- | Y17- | |
| Snail killer NEC | T60.8 | X48- | X68- | Y18- | |
| Snake venom or bite | T63.0 | | | | |
| - hemocoagulase | T45.7 | X44- | X64- | Y14- | Y44.3 |
| Snuff | T65.2 | X49- | X69- | Y19- | |
| Soap (powder) (product) | T55 | X49- | X69- | Y19- | |
| - enema | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - superfatted | T49.2 | X44- | X64- | Y14- | Y56.2 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-------------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Sobrerol | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Soda (caustic) | T54.3 | X49- | X69- | Y19- | |
| Sodium | | | | | |
| - acetosulfone | T37.1 | X44- | X64- | Y14- | Y41.1 |
| - acetrizoate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - acid phosphate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - alginate | T47.8 | X44- | X64- | Y14- | Y53.8 |
| - amidotrizoate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - aminopterin | T45.1 | X44- | X64- | Y14- | Y43.1 |
| - amylosulfate | T47.8 | X44- | X64- | Y14- | Y53.8 |
| - antimony gluconate | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| - arsenate | T57.0 | X48- | X68- | Y18- | |
| - aurothiomalate | T39.4 | X40- | X60- | Y10- | Y45.4 |
| - aurothiosulfate | T39.4 | X40- | X60- | Y10- | Y45.4 |
| - barbiturate | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| - basic phosphate | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - bicarbonate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - bichromate | T57.8 | X49- | X69- | Y19- | |
| - biphosphate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - bisulfate | T65.8 | X49- | X69- | Y19- | |
| - borate | | | | | |
| - - cleanser | T57.8 | X49- | X69- | Y19- | |
| - - - eye | T49.5 | X44- | X64- | Y14- | Y56.5 |
| - - therapeutic | T49.8 | X44- | X64- | Y14- | Y56.8 |
| - bromide | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| - calcium edetate | T45.8 | X44- | X64- | Y14- | Y43.8 |
| - carbonate NEC | T54.3 | X49- | X69- | Y19- | |
| - chlorate NEC | T65.8 | X49- | X69- | Y19- | |
| - chloride | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - - with glucose | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - chromate | T65.8 | X49- | X69- | Y19- | |
| - citrate | T50.9 2a 2b | X44- | X64- | Y14- | Y43.5 |
| - cromoglicate | T48.6 | X44- | X64- | Y14- | Y55.6 |
| - cyanide | T65.0 | X49- | X69- | Y19- | |
| - dehydrocholate | T45.8 | X44- | X64- | Y14- | Y57.8 2a 2b |
| - dibunate | T48.4 | X44- | X64- | Y14- | Y55.4 |
| - dioctyl sulfosuccinate | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - dipantoyl ferrate | T45.8 | X44- | X64- | Y14- | Y44.0 |
| - etacrynate | T50.1 | X44- | X64- | Y14- | Y54.4 |
| - feredetate | T45.8 | X44- | X64- | Y14- | Y44.0 |
| - fluoride - <i>see</i> Fluoride | | | | | |
| - fluoroacetate (dust) (pesticide) | T60.4 2b | X48- | X68- | Y18- | |
| - fusidate | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| - glucaldrate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - glucosulfone | T37.1 | X44- | X64- | Y14- | Y41.1 |
| - glutamate | T45.8 | X44- | X64- | Y14- | Y43.5 |
| - hydrogen carbonate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - hydroxide | T54.3 | X49- | X69- | Y19- | |
| - hypochlorite (bleach) NEC | T54.3 | X49- | X69- | Y19- | |
| - - vapor | T54.3 | X47- | X67- | Y17- | |
| - indigotin disulfonate | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| - iodohippurate (¹³¹ I) | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - iopodate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |

| | | | | | |
|--------------------------------------|-------------|------|------|------|-------------|
| - lactate (compound solution) | T45.8 | X44- | X64- | Y14- | Y43.5 |
| - lauryl (sulfate) | T49.2 | X44- | X64- | Y14- | Y56.2 |
| - magnesium citrate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| - mersalate | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| - metasilicate | T65.8 | X49- | X69- | Y19- | |
| - metrizoate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - monofluoroacetate (pesticide) | T60.1 | X48- | X68- | Y18- | |
| - morrhuate | T46.8 | X44- | X64- | Y14- | Y52.8 |
| - nitrate (oxidizing agent) | T65.8 | X49- | X69- | Y19- | |
| - nitrite | T50.6 | X44- | X64- | Y14- | Y57.2 |
| - nitroprusside | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| - oxalate | T65.8 | X49- | X69- | Y19- | |
| - oxide/peroxide | T65.8 | X49- | X69- | Y19- | |
| - oxybate | T41.2 | X44- | X64- | Y14- | Y48.2 |
| - perborate (nonmedicinal) NEC | T65.8 | X49- | X69- | Y19- | |
| - - medicinal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - pertechnetate Tc 99m | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - phosphate | | | | | |
| - - dibasic | T47.2 | X44- | X64- | Y14- | Y53.2 |
| - - monobasic | T45.8 | X44- | X64- | Y14- | Y43.5 |
| - phytate | T50.6 | X44- | X64- | Y14- | Y57.2 |
| - picosulfate | T47.2 | X44- | X64- | Y14- | Y53.2 |
| - polyhydroxyaluminium monocarbonate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - polystyrene sulfonate | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - propyl hydroxybenzoate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| - salicylate | T39.0 2a 2b | X40- | X60- | Y10- | Y45.1 2a |
| - salt NEC | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - selenate | T60.2 | X48- | X68- | Y18- | |
| - stibogluconate | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| - sulfate | T47.4 | X44- | X64- | Y14- | Y53.4 |
| - tetradecyl sulfate | T46.8 | X44- | X64- | Y14- | Y52.8 |
| - thiosulfate | T50.6 | X44- | X64- | Y14- | Y57.2 |
| - tolbutamide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| - L-triiodothyronine | T38.1 | X44- | X64- | Y14- | Y42.1 |
| - tyropanoate | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| - versenate | T50.6 | X44- | X64- | Y14- | Y57.2 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Sodium-free salt | T50.9 2a 2b | X44- | X64- | Y57.8 2a 2b |
| Sodium-removing resin | T50.3 | X44- | X64- | Y54.6 |
| Soft soap | T55 | X44- | X64- | Y53.4 |
| Solanine | T62.2 | X49- | X69- | Y19- |
| Solapsone | T37.1 | X44- | X64- | Y14- |
| Solar lotion | T49.3 | X44- | X64- | Y56.3 |
| Solasulfone | T37.1 | X44- | X64- | Y41.1 |
| Soldering fluid | T65.8 | X49- | X69- | Y19- |
| Solvent, industrial NEC | T52.9 | X46- | X66- | Y16- |
| Somatotropin | T38.8 | X44- | X64- | Y14- |
| Somatostatin | T38.9 | X44- | X64- | Y42.9 |
| Somatotropin | T38.8 | X44- | X64- | Y42.8 |
| Somatrem | T38.8 | X44- | X64- | Y42.8 |
| Somatropin | T38.8 | X44- | X64- | Y42.8 |
| Soporific | T42.7 2b | X41- | X61- | Y11- |
| Sorbide nitrate | T46.3 | X44- | X64- | Y52.3 |
| Sorbitol | T47.4 | X44- | X64- | Y53.4 |
| Sotalol | T44.7 | X43- | X63- | Y13- |
| Soysterol | T46.6 | X44- | X64- | Y52.6 |
| Sparteine | T48.0 | X44- | X64- | Y55.0 |
| Spasmolytic | | | | |
| - autonomic | T44.3 | X43- | X63- | Y51.3 |
| - bronchial NEC | T48.6 | X44- | X64- | Y55.6 |
| - quaternary ammonium | T44.3 | X43- | X63- | Y51.3 |
| - skeletal muscle NEC | T48.1 | X44- | X64- | Y55.1 |
| Spectinomycin | T36.5 | X44- | X64- | Y40.5 |
| Spermicide | T49.8 | X44- | X64- | Y56.8 |
| Spindle inactivator | T50.4 | X44- | X64- | Y54.8 |
| Spiperone | T43.4 | X41- | X61- | Y11- |
| Spiramycin | T36.3 | X44- | X64- | Y49.4 |
| Spirapril | T46.4 | X44- | X64- | Y40.3 |
| | | | | Y52.4 |

| | | | | | |
|--|----------|------|------|------|-------|
| Spirilene | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Spirit(s) (neutral) NEC | T51.0 2b | X45- | X65- | Y15- | |
| - industrial | T51.0 2b | X45- | X65- | Y15- | |
| - of salt - <i>see</i> Hydrochloric acid | | | | | |
| - surgical | T51.0 2b | X45- | X65- | Y15- | |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Spironolactone | T50.0 | X44- | X64- | Y14- Y54.1 |
| Spiroperidol | T43.4 | X41- | X61- | Y11- Y49.4 |
| Spray (aerosol) | T65.9 2b | X49- | X69- | Y19- |
| - specified content - <i>see</i> specific substance | | | | |
| Sputum viscosity-lowering drug | T48.4 | X44- | X64- | Y14- Y55.4 |
| Squill | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| - rat poison | T60.4 2b | X48- | X68- | Y18- |
| Stannous fluoride | T49.7 | X44- | X64- | Y14- Y56.7 |
| Stanolone | T38.7 | X44- | X64- | Y14- Y42.7 2a 2b |
| Stanozolol | T38.7 | X44- | X64- | Y14- Y42.7 2a 2b |
| Starch | T50.9 2a 2b | X44- | X64- | Y14- Y57.4 |
| Stepronin | T48.4 | X44- | X64- | Y14- Y55.4 |
| Sterculia | T47.4 | X44- | X64- | Y14- Y53.4 |
| Sternutator gas | T59.8 2a 2b | X47- | X67- | Y17- |
| Steroid | T38.7 | X44- | X64- | Y14- Y42.7 2a 2b |
| - anabolic | T38.7 | X44- | X64- | Y14- Y42.7 2a 2b |
| - androgenic | T38.7 | X44- | X64- | Y14- Y42.7 2a 2b |
| - antineoplastic, hormone | T38.7 | X44- | X64- | Y14- Y42.7 2a 2b |
| - - estrogen | T38.5 | X44- | X64- | Y14- Y42.5 2b |
| Stibine | T56.8 | X49- | X69- | Y19- |
| Stibogluconate | T37.3 2a | X44- | X64- | Y14- Y41.3 2a |
| Stibophen | T37.4 | X44- | X64- | Y14- Y41.4 |
| Stilbamidine (isetionate) | T37.3 2a | X44- | X64- | Y14- Y41.3 2a |
| Stilbestrol | T38.5 | X44- | X64- | Y14- Y42.5 2b |
| Stilboestrol | T38.5 | X44- | X64- | Y14- Y42.5 2b |
| Stimulant | T50.9 2a 2b | X44- | X64- | Y14- Y50.9 |
| - central nervous system | T50.9 2a 2b | X44- | X64- | Y14- Y50.9 |
| - - specified NEC | T50.9 2a 2b | X44- | X64- | Y14- Y50.8 |
| - respiratory | T48.7 | X44- | X64- | Y14- Y55.7 |
| Stone-dissolving drug | T50.9 2a 2b | X44- | X64- | Y14- Y57.8 2a 2b |
| Storage battery (cells) (acid) | T65.8 | X49- | X69- | Y19- |
| Stove gas | T58 2b | X47- | X67- | Y17- |
| Stramonium | T48.6 | X44- | X64- | Y14- Y55.6 |
| Straterra | T43.6 2b | X41- | X61- | Y11- Y49.7 |
| Streptodornase | T45.3 | X44- | X64- | Y14- Y43.6 |
| Streptoduocin | T36.5 | X44- | X64- | Y14- Y40.5 |
| Streptokinase | T45.6 | X44- | X64- | Y14- Y44.5 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Streptomycin (derivative) | T36.5 | X44- | X64- | Y14- Y40.5 |
| Streptonivicin | T36.5 | X44- | X64- | Y14- Y40.5 |
| Streptovarycin | T36.5 | X44- | X64- | Y14- Y40.5 |
| Streptozocin | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Streptozotocin | T45.1 | X44- | X64- | Y14- Y43.3 2b |
| Stripper (paint) (solvent) | T52.8 2b | X46- | X66- | Y16- |
| Strobane | T60.1 | X48- | X68- | Y18- |
| Strofantine | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| Strophanthin (g) (k) | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| Strophanthus | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| Strophantin | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| Strophantin-g | T46.0 2a 2b | X44- | X64- | Y14- Y52.0 2a 2b |
| Strychnine (nonmedicinal) (pesticide) (salts) | T65.1 | X49- | X69- | Y19- |
| - medicinal | T48.2 | X44- | X64- | Y14- Y55.2 |
| Styramate | T42.8 2b | X41- | X61- | Y11- Y46.8 |
| Styrene | T65.8 | X49- | X69- | Y19- |
| Substance | | | | |
| - with drugs reported elsewhere on the | | | | |

| | | | | | |
|--|-------------|------|------|------|-------------|
| certificate | T50.9 2a 2b | X44- | X64- | Y14- | Y57.9 2a 2b |
| - with no indication of drugs on the certificate | T65.9 2b | X49- | X69- | Y19- | |
| Succinimide, antiepileptic or anticonvulsant | T42.2 | X41- | X61- | Y11- | Y46.0 |
| Succinylcholine | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Succinylsulfathiazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sucralfate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Sucrose | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Sufentanil | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Sulbactam | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Sulbenicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Sulbentine | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Sulfacetamide | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Sulfachlorpyridazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfacitine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfadiasulfone sodium | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfadiazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfadimethoxine | T37.0 | X44- | X64- | Y14- | Y41.0 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Sulfadimidine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfadoxine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| - with pyrimethamine | T37.2 | X44- | X64- | Y14- | Y41.2 |
| Sulfafurazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfaguanidine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfalene | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfaloxate | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfaloxic acid | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamazone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Sulfamerazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamer | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamethazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamethizole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamethoxazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| - with trimethoprim | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Sulfamethoxydiazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamethoxypyridazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfametoxydiazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamidopyrine | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Sulfamonomethoxine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfamoxole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfanilamide | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfaperin | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfaphenazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfaproxyline | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfapyridine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfasalazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfasymazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfated amylopectin | T47.8 | X44- | X64- | Y14- | Y53.8 |
| Sulfathiazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfatostearate | T49.2 | X44- | X64- | Y14- | Y56.2 |
| Sulfinpyrazone | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Sulfiram | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Sulfisomidine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfisoxazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulfobromophthalein (sodium) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Sulfobromphthalein | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Sulfogaiacol | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Sulfonamide NEC | T37.0 | X44- | X64- | Y14- | Y41.0 |
| - eye | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Sulfonazide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Sulfuridazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Sulfur, sulfurated, sulfuric, sulfurous, sulfuryl (compounds NEC) (medicinal) | T49.4 | X47- | X67- | Y17- | Y56.4 |

| | | | | | |
|--|----------|------|------|------|-------------|
| - dioxide (gas) | T59.1 | X47- | X67- | Y17- | |
| - ointment | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Sulfuric acid | T54.2 | X49- | X69- | Y19- | |
| Sulglicotide | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Sulindac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Sulisatin | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Sulisobenzone | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Sulmetozine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Suloctidil | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Sulph- - <i>see also</i> Sulfacetamide | | | | | |
| Sulphadiazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphadimethoxine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphadimidine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphafurazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphamethizole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphamethoxazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphan blue | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Sulphaphenazole | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphapyridine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphasalazine | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Sulphipyrazone | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Sulpiride | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Sulprostone | T48.0 | X44- | X64- | Y14- | Y55.0 |
| Sulpyrine | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Sultamicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Sulthiame | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Sultiame | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Sultopride | T43.5 2b | X41- | X61- | Y11- | Y49.5 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--------------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Sumatriptan | T39.8 2b | X40- | X60- | Y10- | Y45.8 |
| Sunflower seed oil | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Suprofen | T39.3 | X40- | X60- | Y10- | Y45.2 |
| Suramin (sodium) | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Sutilains | T45.3 | X44- | X64- | Y14- | Y43.6 |
| Suxamethonium (chloride) | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Suxethonium (chloride) | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Suxibuzone | T39.2 | X40- | X60- | Y10- | Y45.8 |
| Sweet niter spirit | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Sweetener | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Sympatholytic NEC | T44.8 | X43- | X63- | Y13- | Y51.8 |
| - haloalkylamine | T44.8 | X43- | X63- | Y13- | Y51.8 |
| Sympathomimetic NEC | T44.9 | X43- | X63- | Y13- | Y51.9 |
| - anti-common-cold | T48.5 | X44- | X64- | Y14- | Y55.5 |
| - bronchodilator | T48.6 | X44- | X64- | Y14- | Y55.6 |
| - specified NEC | T44.9 | X43- | X63- | Y13- | Y51.9 |
| Syrosingopine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Systemic drug | T45.9 | X44- | X64- | Y14- | Y43.9 |
| - specified NEC | T45.8 | X44- | X64- | Y14- | Y43.8 |

T

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---------------|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| 2,4,5-T | T60.3 | X48- | X68- | Y18- | |
| Tacrine | T44.0 | X43- | X63- | Y13- | Y51.0 |
| Tadalafil | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Talampicillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Talbutal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Talc powder | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Taleranol | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Talwin | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Tamoxifen | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Tannic acid | T49.2 | X44- | X64- | Y14- | Y56.2 |

| | | | | | |
|--------------------------------|-------------|------|------|------|-------------|
| Tar NEC | T52.0 | X46- | X66- | Y16- | |
| - camphor | T60.1 | X48- | X68- | Y18- | |
| - distillate | T49.1 | X44- | X64- | Y14- | Y56.1 |
| - fumes | T59.8 2a 2b | X47- | X67- | Y17- | |
| - medicinal | T49.1 | X44- | X64- | Y14- | Y56.1 |
| - ointment | T49.1 | X44- | X64- | Y14- | Y56.1 |
| Taractan | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Tartar emetic | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Tartaric acid | T65.8 | X49- | X69- | Y19- | |
| Tartrate, laxative | T47.4 | X44- | X64- | Y14- | Y53.4 |
| Tauromustine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| TCA - see Trichloroacetic acid | | | | | |
| TCDD | T65.8 | X49- | X69- | Y19- | |
| TDI (vapor) | T65.0 | X49- | X69- | Y19- | |
| Tear | | | | | |
| - gas | T59.3 | X47- | X67- | Y17- | |
| - solution | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Teclothiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Teclozan | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Tegaful | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Teicoplanin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Tellurium | T56.8 | X49- | X69- | Y19- | |
| Temazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Temocillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Tenamfetamine | T43.6 2b | X41- | X61- | Y11- | Y49.7 |
| Teniposide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Tenitramine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Tenoglicin | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Tenonitrozole | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---|-------------|------------|-----------------------|-----------------------------------|-------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Tenoxicam | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| TEPP | T60.0 2b | X48- | X68- | Y18- | |
| Teprotide | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Terazosin | T44.6 | X43- | X63- | Y13- | Y51.6 |
| Terbufos | T60.0 2b | X48- | X68- | Y18- | |
| Terbutaline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Terconazole | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Terfenadine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Teriparatide (acetate) | T50.9 2a 2b | X44- | X64- | Y14- | Y54.7 |
| Terizidone | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Terlipressin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Terodilane | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Terpin (cis) hydrate | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Tertatolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Testolactone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Testosterone | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Tetanus toxoid or vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y58.4 |
| Tetrabenazine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Tetracaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - regional | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| - spinal | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Tetrachlorethylene - see Tetrachloroethylene | | | | | |
| 2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin | T53.7 | X46- | X66- | Y16- | |
| Tetrachloroethane | T53.3 | X46- | X66- | Y16- | |
| - vapor | T53.3 | X46- | X66- | Y16- | |
| Tetrachloroethylene (liquid) | T53.3 | X46- | X66- | Y16- | |
| - medicinal | T37.4 | X44- | X64- | Y14- | Y41.4 |
| - vapor | T53.3 | X46- | X66- | Y16- | |
| Tetrachloromethane - see Carbon tetrachloride | | | | | |
| Tetracosactide | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Tetracosactrin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Tetracycline | T36.4 | X44- | X64- | Y14- | Y40.4 |
| Tetradifon | T60.8 | X48- | X68- | Y18- | |
| Tetradotoxin | T61.2 | X49- | X69- | Y19- | |

| | Poisoning | | | Adverse effect in therapeutic | |
|--|-------------|--------------|--|-------------------------------|--|
| | Intentional | Undetermined | | | |
| | | | | | |

| Substance | Chapter XIX | Accidental | self-harm | intent | use |
|--------------------------------------|-------------|------------|-----------|--------|-------------|
| Tetraethyl | | | | | |
| - lead | T56.0 | X49- | X69- | Y19- | |
| - pyrophosphate | T60.0 2b | X48- | X68- | Y18- | |
| Tetrahydrocannabinol | T40.7 | X42- | X62- | Y12- | Y49.6 |
| Tetrahydrofuran | T52.8 2b | X46- | X66- | Y16- | |
| Tetrahydronaphthalene | T52.8 2b | X46- | X66- | Y16- | |
| Tetrahydrozoline | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Tetralin | T52.8 2b | X46- | X66- | Y16- | |
| Tetramethrin | T60.2 | X48- | X68- | Y18- | |
| Tetramethylthiuram (disulfide) NEC | T60.3 | X48- | X68- | Y18- | |
| - medicinal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Tetramisole | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Tetranicotinoyl fructose | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Tetrazepam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Tetryl | T65.3 | X49- | X69- | Y19- | |
| Tetrylammonium chloride | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Tetryzoline | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Thalidomide | T45.1 | X44- | X64- | Y14- | Y43.4 2b |
| Thallium (compounds) (dust) NEC | T56.8 | X49- | X69- | Y19- | |
| - pesticide | T60.4 2b | X48- | X68- | Y18- | |
| Thebacon | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Thenoic acid | T49.6 | X44- | X64- | Y14- | Y56.6 |
| Thenyldiamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Theobromine (calcium salicylate) | T48.6 | X44- | X64- | Y14- | Y55.6 |
| - sodium salicylate | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Theophyllamine | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Theophylline | T48.6 | X44- | X64- | Y14- | Y55.6 |
| - aminobenzoic acid | T48.6 | X44- | X64- | Y14- | Y55.6 |
| - piperazine <i>p</i> -aminobenzoate | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Thiabendazole | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Thialbarbital | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Thiamazole | T38.2 | X44- | X64- | Y14- | Y42.2 |
| Thiambutosine | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Thiamine | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Thiamphenicol | T36.2 | X44- | X64- | Y14- | Y40.2 2a 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---------------------------------------|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Thiamylal | T41.1 | X44- | X64- | Y14- | Y48.1 |
| - sodium | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Thiazinium metilsulfate | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Thiethylperazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Thimerosal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Thioacetazone | T37.1 | X44- | X64- | Y14- | Y41.1 |
| - with isoniazid | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Thiobarbital sodium | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Thiobarbiturate anesthetic | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Thiobutabarbital sodium | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Thiocarbamate (insecticide) | T60.0 2b | X48- | X68- | Y18- | |
| Thiocarlide | T37.1 | X44- | X64- | Y14- | Y41.1 |
| Thioctamide | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Thioctic acid | T50.9 2a 2b | X44- | X64- | Y14- | Y57.1 |
| Thiofos | T60.0 2b | X48- | X68- | Y18- | Y56.0 |
| Thioglycolate | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Thioglycolic acid | T65.8 | X49- | X69- | Y19- | |
| Thioguanine | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Thiomersal | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Thionazin | T60.0 2b | X48- | X68- | Y18- | |
| Thiopental (sodium) | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Thiopentone (sodium) | T41.1 | X44- | X64- | Y14- | Y48.1 |
| Thiopropazate | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Thioproperazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Thioridazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Thiosinamine | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Thiotepa | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Thiothixene | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Thiouracil (benzyl) (methyl) (propyl) | T38.2 | X44- | X64- | Y14- | Y42.2 |

| | | | | | |
|---|----------|------|------|------|----------|
| Thiphenamil | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Thiram | T60.3 | X48- | X68- | Y18- | |
| Thonzylamine (systemic)
- mucosal decongestant | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Thorazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Thorium dioxide suspension | T50.8 | X44- | X64- | Y14- | Y57.5 2b |
| Throat drug NEC | T49.6 | X44- | X64- | Y14- | Y56.6 |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|-----------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Thrombolytic drug NEC | T45.6 | X44- | X64- | Y44.5 |
| Thromboplastin | T45.7 | X44- | X64- | Y44.3 |
| Thurfyl nicotinate | T46.7 2a | X44- | X64- | Y52.7 2a |
| Thymol | T49.0 | X44- | X64- | Y56.0 |
| Thymopentin | T37.5 2a | X44- | X64- | Y41.5 2a |
| Thymoxamine | T46.7 2a | X44- | X64- | Y52.7 2a |
| Thyreotrophic hormone | T38.8 | X44- | X64- | Y42.8 |
| Thyroglobulin | T38.1 | X44- | X64- | Y42.1 |
| Thyroid (hormone) | T38.1 | X44- | X64- | Y42.1 |
| Thyrotrophin | T38.8 | X44- | X64- | Y42.8 |
| Thyrotropic hormone | T38.8 | X44- | X64- | Y42.8 |
| Thyroxine | T38.1 | X44- | X64- | Y42.1 |
| Tiabendazole | T37.4 | X44- | X64- | Y41.4 |
| Tiamizide | T50.2 2a | X44- | X64- | Y54.5 |
| Tianeptine | T43.0 2b | X41- | X61- | Y49.0 |
| Tiapamil | T46.1 | X44- | X64- | Y52.1 |
| Tiapride | T43.5 2b | X41- | X61- | Y49.5 |
| Tiaprofenic acid | T39.3 | X40- | X60- | Y45.2 |
| Tiaramide | T39.8 2b | X40- | X60- | Y45.8 |
| Ticarcillin | T36.0 | X44- | X64- | Y40.0 2a 2b |
| Ticlatone | T49.0 | X44- | X64- | Y56.0 |
| Ticlopidine | T45.5 | X44- | X64- | Y44.2 2b |
| Ticrynafen | T50.1 | X44- | X64- | Y54.4 |
| Tidiacic | T50.9 2a 2b | X44- | X64- | Y57.1 |
| Tiemonium | T44.3 | X43- | X63- | Y51.3 |
| - iodide | T44.3 | X43- | X63- | Y51.3 |
| Tienilic acid | T50.1 | X44- | X64- | Y54.4 |
| Tifenamil | T44.3 | X43- | X63- | Y51.3 |
| Tigloidine | T44.3 | X43- | X63- | Y51.3 |
| Tilactase | T47.5 | X44- | X64- | Y53.5 |
| Tiletamine | T41.2 | X44- | X64- | Y48.2 |
| Tilidine | T40.4 2a 2b | X42- | X62- | Y45.0 2b |
| Timepidium bromide | T44.3 | X43- | X63- | Y51.3 |
| Timiperone | T43.4 | X41- | X61- | Y49.4 |
| Timolol | T44.7 | X43- | X63- | Y51.7 |
| Tin (chloride) (dust) (oxide) NEC | T56.6 | X49- | X69- | Y19- |

| Substance | Poisoning | | | Adverse effect in therapeutic use |
|--------------------------------------|-------------|------------|-----------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | |
| Tincture, iodine - <i>see</i> Iodine | | | | |
| Tinidazole | T37.3 2a | X44- | X64- | Y41.3 2a |
| Tinoridine | T39.8 2b | X40- | X60- | Y45.8 |
| Tiocarlide | T37.1 | X44- | X64- | Y41.1 |
| Tioclomarol | T45.5 | X44- | X64- | Y44.2 2b |
| Tioconazole | T49.0 | X44- | X64- | Y56.0 |
| Tioguanine | T45.1 | X44- | X64- | Y43.1 |
| Tiopronin | T50.9 2a 2b | X44- | X64- | Y57.1 |
| Tiotixene | T43.4 | X41- | X61- | Y49.4 |
| Tioxolone | T49.4 | X44- | X64- | Y56.4 |
| Tipepidine | T48.3 | X44- | X64- | Y55.3 |
| Tiquizium bromide | T44.3 | X43- | X63- | Y51.3 |
| Tiratricol | T38.1 | X44- | X64- | Y42.1 |
| Tisokinase | T45.5 | X44- | X64- | Y44.2 2b |
| Tisopurine | T50.4 | X44- | X64- | Y54.8 |
| Titanium (compounds) (vapor) | T56.8 | X49- | X69- | |
| - dioxide | T49.3 | X44- | X64- | Y56.3 |
| - oxide | T49.3 | X44- | X64- | Y56.3 |

| | | | | | |
|-------------------|----------|------|------|------|----------|
| - tetrachloride | T65.8 | X49- | X69- | Y19- | |
| Titanocene | T65.8 | X49- | X69- | Y19- | |
| Tizanidine | T42.8 2b | X41- | X61- | Y11- | Y46.8 |
| TMTD | T60.3 | X48- | X68- | Y18- | |
| TNT (fumes) | T65.3 | X49- | X69- | Y19- | |
| Toadstool | T62.0 | X49- | X69- | Y19- | |
| Tobacco NEC | T65.2 | X49- | X69- | Y19- | |
| Tobramycin | T36.5 | X44- | X64- | Y14- | Y40.5 |
| Tocainide | T46.2 2b | X44- | X64- | Y14- | Y52.2 |
| Tocoferol | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Tocopherol | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - acetate | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Todralazine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Tofisopam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Tofranil | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Toilet deodorizer | T65.8 | X49- | X69- | Y19- | |
| Tolamolol | T44.7 | X43- | X63- | Y13- | Y51.7 |
| Tolazamide | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Tolazoline | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Tolbutamide (sodium) | T38.3 2b | X44- | X64- | Y14- | Y42.3 2b |
| Tolciclate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Tolfenamic acid | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Tolmetin | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Tolnaftate | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Tolonidine | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Toloxatone | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Tolperisone | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Toluene (liquid) | T52.2 | X46- | X66- | Y16- | |
| - diisocyanate | T65.0 | X49- | X69- | Y19- | |
| Toluidine | T65.8 | X49- | X69- | Y19- | |
| - vapor | T59.8 2a 2b | X47- | X67- | Y17- | |
| Toluol (liquid) | T52.2 | X46- | X66- | Y16- | |
| - vapor | T52.2 | X46- | X66- | Y16- | |
| Toluylenediamine | T65.3 | X49- | X69- | Y19- | |
| Tonic NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Topical action drug NEC | T49.9 | X44- | X64- | Y14- | Y56.9 |
| - ear, nose or throat | T49.6 | X44- | X64- | Y14- | Y56.6 |
| - eye | T49.5 | X44- | X64- | Y14- | Y56.5 |
| - skin | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - specified NEC | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Topiramate | T42.6 2b | X41- | X61- | Y11- | Y46.6 |
| Toquizine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Toremifene | T38.6 | X44- | X64- | Y14- | Y42.6 |
| Tosylchloramide sodium | T49.8 | X44- | X64- | Y14- | Y56.8 |
| Toxin, diphtheria (Schick test) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Toxoid | | | | | |
| - combined | T50.9 2a 2b | X44- | X64- | Y14- | Y58.9 |
| - diphtheria | T50.9 2a 2b | X44- | X64- | Y14- | Y58.5 |
| - tetanus | T50.9 2a 2b | X44- | X64- | Y14- | Y58.4 |
| Trace element NEC | T45.8 | X44- | X64- | Y14- | Y57.8 2a 2b |
| Tractor fuel NEC | T52.0 | X46- | X66- | Y16- | |
| Tragacanth | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Tramadol | T40.4 2a 2b | X42- | X62- | Y12- | Y45.0 2b |
| Tramazoline | T48.5 | X44- | X64- | Y14- | Y55.5 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Tranexamic acid | T45.6 | X44- | X64- | Y14- | Y44.3 |
| Tranilast | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Tranquilizer NEC | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| - with hypnotic or sedative | T42.6 2b | X41- | X61- | Y11- | Y47.5 |
| - benzodiazepine NEC | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| - butyrophenone NEC | T43.4 | X41- | X61- | Y11- | Y49.4 |
| - carbamate | T43.5 2b | X41- | X61- | Y11- | Y49.5 |

| | | | | | |
|----------------------|----------|------|------|------|----------|
| - dimethylamine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - ethylamine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - hydroxyzine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| - major NEC | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| - penothiazine NEC | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - piperazine NEC | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - piperidine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - propylamine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| - thioxanthene NEC | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Tranylcypromine | T43.1 | X41- | X61- | Y11- | Y49.1 |
| Trapidil | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Trazodone | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Treosulfan | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Tretamine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Tretinoïn | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Tretoquinol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Triacetin | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Triacetoxyanthracene | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Triacetyleandomycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Triamcinolone | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - hexacetonide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Triampyzine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Triamterene | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Triavil | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Triazine (herbicide) | T60.3 | X48- | X68- | Y18- | |
| Triaziquone | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Triazolam | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Triazole (herbicide) | T60.3 | X48- | X68- | Y18- | |
| Tribenoside | T46.9 | X44- | X64- | Y14- | Y52.9 |

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|---|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Tribromoethanol, rectal | T41.2 | X44- | X64- | Y14- | Y48.2 |
| Trichlorethylene | T53.2 | X46- | X66- | Y16- | |
| Trichlorfon | T60.0 2b | X48- | X68- | Y18- | |
| Trichlormethiazide | T50.2 2a | X44- | X64- | Y14- | Y54.3 2a |
| Trichlormethine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Trichloroacetic acid, trichloracetic acid | T54.2 | X49- | X69- | Y19- | |
| - medicinal | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Trichloroethane | T53.2 | X46- | X66- | Y16- | |
| Trichloroethylene | T53.2 | X46- | X66- | Y16- | |
| - vapor NEC | T41.0 | X44- | X64- | Y14- | |
| Trichlorofluoromethane NEC | T53.5 2b | X46- | X66- | Y16- | |
| Trichloronat(e) | T60.0 2b | X48- | X68- | Y18- | |
| 2,4,5-Trichlorophenoxyacetic acid | T60.3 | X48- | X68- | Y18- | |
| Trichloropropane | T53.6 | X46- | X66- | Y16- | |
| Triclobisodium chloride | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Triclocarban | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Triclofos | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Triclosan | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Tricresyl phosphate | T65.8 | X49- | X69- | Y19- | |
| Tricyclamol chloride | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Tridihexethyl iodide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Trientine | T45.8 | X44- | X64- | Y14- | Y57.2 |
| Triethanolamine NEC | T54.3 | X49- | X69- | Y19- | |
| - detergent | T54.3 | X49- | X69- | Y19- | |
| - trinitrate (biphosphate) | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Triethanomelamine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Triethylenemelamine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Triethylenethiophosphoramide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Trifluoperazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Trifluoroethyl vinyl ether | T41.0 | X44- | X64- | Y14- | Y48.0 |
| Trifluperidol | T43.4 | X41- | X61- | Y11- | Y49.4 |
| Triflupromazine | T43.3 2b | X41- | X61- | Y11- | Y49.3 2b |
| Trifluridine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Triflusal | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| Trihexyphenidyl | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Trilostane | T38.9 | X44- | X64- | Y14- | Y42.9 |

| | Poisoning | Adverse effect in |
|--|-----------|-------------------|
| | | |

| Substance | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | therapeutic use |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------|
| Trimebutine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Trimecaine | T41.3 | X44- | X64- | Y14- | Y48.3 2b |
| Trimeprazine (tartrate) | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Trimetaphan camsilate | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Trimetazidine | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Trimethadione | T42.2 | X41- | X61- | Y11- | Y46.1 |
| Trimethaphan | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Trimethidinium | T44.2 | X43- | X63- | Y13- | Y51.2 |
| Trimethobenzamide | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Trimethoprim | T37.8 | X44- | X64- | Y14- | Y41.8 |
| - with sulfamethoxazole | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Trimethylcarbinol | T51.3 | X45- | X65- | Y15- | |
| Trimetrexate | T45.1 | X44- | X64- | Y14- | Y43.1 |
| Trimipramine | T43.0 2b | X41- | X61- | Y11- | Y49.0 |
| Trinitrine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Trinitrobenzol | T65.3 | X49- | X69- | Y19- | |
| Trinitrophenol | T65.3 | X49- | X69- | Y19- | |
| Trinitrotoluene (fumes) | T65.3 | X49- | X69- | Y19- | |
| Triorthocresyl phosphate | T65.8 | X49- | X69- | Y19- | |
| Trioxide of arsenic | T57.0 | X48- | X68- | Y18- | |
| Trioxysalen | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Tripamide | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Triparanol | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Tripeleannamine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Triperiden | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Triphenylphosphate | T65.8 | X49- | X69- | Y19- | |
| Triple | | | | | |
| - bromides | T42.6 2b | X41- | X61- | Y11- | Y47.4 |
| - carbonate | T47.1 | X44- | X64- | Y14- | Y53.1 |
| - vaccine, including pertussis | T50.9 2a 2b | X44- | X64- | Y14- | Y58.6 |
| Triprolidine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |
| Trisodium hydrogen edetate | T50.6 | X44- | X64- | Y14- | Y57.2 |
| Trisulfapyrimidines | T37.0 | X44- | X64- | Y14- | Y41.0 |
| Trithiozine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Tritiozine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Tritoqualine | T45.0 2b | X44- | X64- | Y14- | Y43.0 |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|---|-------------|------------|-----------------------|-----------------------------------|----------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Trofosfamide | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Troleandomycin | T36.3 | X44- | X64- | Y14- | Y40.3 |
| Trolnitrate (phosphate) | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Tromantadine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Trometamol | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Tromethamine | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Tropacine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Tropatepine | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Tropicamide | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Trospium chloride | T44.3 | X43- | X63- | Y13- | Y51.3 |
| Troxerutin | T46.9 | X44- | X64- | Y14- | Y52.9 |
| Troxidone | T42.2 | X41- | X61- | Y11- | Y46.1 |
| Tryparsamide | T37.3 2a | X44- | X64- | Y14- | Y41.3 2a |
| Trypsin | T45.3 | X44- | X64- | Y14- | Y43.6 |
| TSH | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Tuaminoheptane | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Tuberculin, purified protein derivative (PPD) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Tubocurarine (chloride) | T48.1 | X44- | X64- | Y14- | Y55.1 |
| Tuinal | T42.3 2a 2b | X41- | X61- | Y11- | Y47.0 |
| Tulobuterol | T48.6 | X44- | X64- | Y14- | Y55.6 |
| Turpentine (spirits of) | T52.8 2b | X46- | X66- | Y16- | |
| - vapor | T52.8 2b | X46- | X66- | Y16- | |
| Tybamate | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Tyloxapol | T48.4 | X44- | X64- | Y14- | Y55.4 |
| Tymazoline | T48.5 | X44- | X64- | Y14- | Y55.5 |
| Typhoid-paratyphoid vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y58.1 |
| Typhus vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y59.1 2a |

| | | | | | |
|---------------|-------|------|------|------|----------|
| Tyropanoate | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Tyrothrinicin | T49.6 | X44- | X64- | Y14- | Y56.6 |

U

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Ufenamate | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Ultraviolet light protectant | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Undecenoic acid | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Undecocylum | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Undecylenic acid (derivatives) | T49.0 | X44- | X64- | Y14- | Y56.0 |
| Unsaturated fatty acid | T46.6 | X44- | X64- | Y14- | Y52.6 |
| Uracil mustard | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Uramustine | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Urapidil | T46.5 2a | X44- | X64- | Y14- | Y52.5 2a |
| Urate oxidase | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Urea | T47.3 | X44- | X64- | Y14- | Y53.3 |
| - peroxide | T49.0 | X44- | X64- | Y14- | Y56.0 |
| - stibamine | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Urethane | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Uric acid metabolism drug NEC | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Uricosuric agent | T50.4 | X44- | X64- | Y14- | Y54.8 |
| Urinary anti-infective | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Urofollitropin | T38.8 | X44- | X64- | Y14- | Y42.8 |
| Urokinase | T45.6 | X44- | X64- | Y14- | Y44.5 |
| Ursodeoxycholic acid | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Ursodiol | T50.9 2a 2b | X44- | X64- | Y14- | Y57.8 2a 2b |
| Uterine relaxing factor | T44.5 | X43- | X63- | Y13- | Y51.5 |
| Utility gas | T58 2b | X47- | X67- | Y17- | |

V

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Vaccine NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y59.9 |
| - antineoplastic | T50.9 2a 2b | X44- | X64- | Y14- | Y59.8 |
| - bacterial NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y58.9 |
| - - mixed NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y58.8 |
| - BCG | T50.9 2a 2b | X44- | X64- | Y14- | Y58.0 |
| - cholera | T50.9 2a 2b | X44- | X64- | Y14- | Y58.2 |
| - diphtheria | T50.9 2a 2b | X44- | X64- | Y14- | Y58.5 |
| - - with tetanus | T50.9 2a 2b | X44- | X64- | Y14- | Y58.8 |
| - - - and pertussis | T50.9 2a 2b | X44- | X64- | Y14- | Y58.6 |
| - influenza | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - measles | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - - with mumps and rubella | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - mixed, viral-rickettsial | T50.9 2a 2b | X44- | X64- | Y14- | Y59.8 |
| - mumps | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - pertussis | T50.9 2a 2b | X44- | X64- | Y14- | Y58.6 |
| - - with diphtheria | T50.9 2a 2b | X44- | X64- | Y14- | Y58.6 |
| - - - and tetanus | T50.9 2a 2b | X44- | X64- | Y14- | Y58.6 |
| - plague | T50.9 2a 2b | X44- | X64- | Y14- | Y58.3 |
| - poliomyelitis | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - protozoal | T50.9 2a 2b | X44- | X64- | Y14- | Y59.2 2a |
| - rabies | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - rickettsial NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y59.1 2a |
| - Rocky Mountain spotted fever | T50.9 2a 2b | X44- | X64- | Y14- | Y59.1 2a |
| - rubella | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - smallpox | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - TAB | T50.9 2a 2b | X44- | X64- | Y14- | Y58.1 |
| - tetanus | T50.9 2a 2b | X44- | X64- | Y14- | Y58.4 |

| | | | | | | |
|--------------------------|-------|-------|------|------|------|-------------|
| - typhoid | T50.9 | 2a 2b | X44- | X64- | Y14- | Y58.1 |
| - typhus | T50.9 | 2a 2b | X44- | X64- | Y14- | Y59.1 2a |
| - viral NEC | T50.9 | 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - yellow fever | T50.9 | 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| Vaccinia immune globulin | T50.9 | 2a 2b | X44- | X64- | Y14- | Y59.3 2a |
| Valerian | | | | | | |
| - root | T42.6 | 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| - tincture | T42.6 | 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Valethamate bromide | T44.3 | | X43- | X63- | Y13- | Y51.3 |
| Valium | T42.4 | 2b | X41- | X61- | Y11- | Y47.1 |
| Valnoctamide | T42.6 | 2b | X41- | X61- | Y11- | Y47.8 2a 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|--|-------------|------------|-----------------------|-----------------------------------|---------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Valproate (sodium) | T42.6 | 2b | X41- | X61- | Y11- Y46.5 |
| Valproic acid | T42.6 | 2b | X41- | X61- | Y11- Y46.5 |
| Valpromide | T42.6 | 2b | X41- | X61- | Y11- Y46.5 |
| Vanadium | T56.8 | | X49- | X69- | Y19- |
| Vancomycin | T36.8 | | X44- | X64- | Y14- Y40.8 2b |
| Vapor (<i>see also</i> Gas) | T59.9 | 2b | X47- | X67- | Y17- |
| - kiln (carbon monoxide) | T58 | 2b | X47- | X67- | Y17- |
| - lead - <i>see</i> Lead | | | | | |
| - specified source NEC | T59.8 | 2a 2b | X47- | X67- | Y17- |
| Vardenafil | T46.7 | 2a | X44- | X64- | Y14- Y52.7 2a |
| Varicose reduction drug | T46.8 | | X44- | X64- | Y14- Y52.8 |
| Varnish | T65.4 | | X49- | X69- | Y19- |
| Vasodilator | | | | | |
| - coronary NEC | T46.3 | | X44- | X64- | Y14- Y52.3 |
| - peripheral NEC | T46.7 | 2a | X44- | X64- | Y14- Y52.7 2a |
| Vasopressin | T38.8 | | X44- | X64- | Y14- Y42.8 |
| Vecuronium bromide | T48.1 | | X44- | X64- | Y14- Y55.1 |
| Vegetable extract, astringent | T49.2 | | X44- | X64- | Y14- Y56.2 |
| Venlafaxine | T43.2 | 2b | X41- | X61- | Y11- Y49.2 |
| Venom (centipede) (insect) (reptile) (snake) | T63.9 | | | | |
| Venous sclerosing drug NEC | T46.8 | | X44- | X64- | Y14- Y52.8 |
| Verapamil | T46.1 | | X44- | X64- | Y14- Y52.1 |
| Veratrum alkaloid, veratrine | T46.5 | 2a | X44- | X64- | Y14- Y52.5 2a |
| Verdigris | T60.3 | | X48- | X68- | Y18- |
| Versenate | T50.6 | | X44- | X64- | Y14- Y57.2 |
| Vetebutine | T48.0 | | X44- | X64- | Y14- Y55.0 |
| Viagra | T46.7 | 2a | X44- | X64- | Y14- Y52.7 2a |
| Vicodin | T40.2 | 2b | X42- | X62- | Y12- Y45.0 2b |
| Vidarabine | T37.5 | 2a | X44- | X64- | Y14- Y41.5 2a |
| Vienna | | | | | |
| - green | T57.0 | | X49- | X69- | Y19- |
| - - insecticide | T60.2 | | X48- | X68- | Y18- |
| - red | T57.0 | | X49- | X69- | Y19- |
| Vigabatrin | T42.6 | 2b | X41- | X61- | Y11- Y46.6 |
| Viloxazine | T43.2 | 2b | X41- | X61- | Y11- Y49.2 |
| Viminol | T39.8 | 2b | X40- | X60- | Y10- Y45.8 |
| Vinblastine | T45.1 | | X44- | X64- | Y14- Y43.3 2b |

| Substance | Poisoning | | | Adverse effect in therapeutic use | |
|----------------------|-------------|------------|-----------------------|-----------------------------------|---------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Vinburnine | T46.7 | 2a | X44- | X64- | Y14- Y52.7 2a |
| Vincamine | T45.1 | | X44- | X64- | Y14- Y43.3 2b |
| Vincristine | T45.1 | | X44- | X64- | Y14- Y43.3 2b |
| Vindesine | T45.1 | | X44- | X64- | Y14- Y43.3 2b |
| Vinorelbine tartrate | T45.1 | | X44- | X64- | Y14- Y43.3 2b |
| Vinpocetine | T46.7 | 2a | X44- | X64- | Y14- Y52.7 2a |
| Vinyl | | | | | |
| - acetate | T65.8 | | X49- | X69- | Y19- |
| - bromide | T65.8 | | X47- | X67- | Y17- |
| - chloride | T59.8 | 2a 2b | X47- | X67- | Y17- |
| - ether | T41.0 | | X44- | X64- | Y14- Y48.0 |
| Vinylbital | T42.3 | 2a 2b | X41- | X61- | Y11- Y47.0 |
| Vinylidene chloride | T65.8 | | X49- | X69- | Y19- |

| | | | | | |
|--------------------|-------------|------|------|------|-------------|
| Viomycin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Viprynum | T37.4 | X44- | X64- | Y14- | Y41.4 |
| Viquidil | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Viral vaccine NEC | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| Virginiamycin | T36.8 | X44- | X64- | Y14- | Y40.8 2b |
| Viscos agent | T50.9 2a 2b | X44- | X64- | Y14- | Y57.4 |
| Visnadine | T46.3 | X44- | X64- | Y14- | Y52.3 |
| Vitamin NEC | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - A | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - B NEC | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - - nicotinic acid | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| - B ₁ | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - B ₂ | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - B ₆ | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - B ₁₂ | T45.2 | X44- | X64- | Y14- | Y44.1 |
| - B ₁₅ | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - C | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - D | T45.2 | X44- | X64- | Y14- | Y54.7 |
| - D ₂ | T45.2 | X44- | X64- | Y14- | Y54.7 |
| - D ₃ | T45.2 | X44- | X64- | Y14- | Y54.7 |
| - E | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - E acetate | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - K NEC | T45.7 | X44- | X64- | Y14- | Y44.3 |
| - K ₁ | T45.7 | X44- | X64- | Y14- | Y44.3 |
| - K ₂ | T45.7 | X44- | X64- | Y14- | Y44.3 |
| - PP | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - ulceroprotectant | T47.1 | X44- | X64- | Y14- | Y53.1 |
| Vyvanse | T43.6 2b | X41- | X61- | Y11- | Y49.7 |

W

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|----------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Warfarin | T45.5 | X44- | X64- | Y14- | Y44.2 2b |
| - rodenticide | T60.4 2b | X48- | X68- | Y18- | |
| Water | | | | | |
| - balance drug | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - distilled | T50.3 | X44- | X64- | Y14- | Y54.6 |
| - gas | T58 2b | X47- | X67- | Y17- | |
| - purified | T50.3 | X44- | X64- | Y14- | Y54.6 |
| Wax (paraffin) (petroleum) | T52.0 | X46- | X66- | Y16- | |
| - automobile | T65.8 | X49- | X69- | Y19- | |
| White | | | | | |
| - arsenic | T57.0 | X48- | X68- | Y18- | |
| - spirit | T52.0 | X46- | X66- | Y16- | |
| Whitewash | T65.8 | X49- | X69- | Y19- | |
| Whole blood (human) | T45.8 | X44- | X64- | Y14- | Y44.6 |
| Wisterine | T62.2 | X49- | X69- | Y19- | |
| Wood alcohol or spirit | T51.1 | X45- | X65- | Y15- | |
| Wool fat (hydrous) | T49.3 | X44- | X64- | Y14- | Y56.3 |
| Wood preservatives | T60.9 | X48- | X68- | Y18- | |

X

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-----------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Xamoterol | T44.5 | X43- | X63- | Y13- | Y51.5 |

| | | | | | |
|---|----------|------|------|------|-------------|
| Xanax | T42.4 2b | X41- | X61- | Y11- | Y47.1 |
| Xanthinol nicotinate | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Xantinol nicotinate | T46.7 2a | X44- | X64- | Y14- | Y52.7 2a |
| Xantocillin | T36.0 | X44- | X64- | Y14- | Y40.0 2a 2b |
| Xenon (¹²⁷ Xe) (¹³³ Xe) | T50.8 | X44- | X64- | Y14- | Y57.6 2b |
| Xenysalate | T49.4 | X44- | X64- | Y14- | Y56.4 |
| Xibornol | T37.8 | X44- | X64- | Y14- | Y41.8 |
| Xipamide | T50.2 2a | X44- | X64- | Y14- | Y54.5 |
| Xylene (vapor) | T52.2 | X46- | X66- | Y16- | |
| Xylol (vapor) | T52.2 | X46- | X66- | Y16- | |
| Xylometazoline | T48.5 | X44- | X64- | Y14- | Y55.5 |

Y

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|-------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Yeast | T45.2 | X44- | X64- | Y14- | Y57.7 |
| - dried | T45.2 | X44- | X64- | Y14- | Y57.7 |
| Yellow | | | | | |
| - fever vaccine | T50.9 2a 2b | X44- | X64- | Y14- | Y59.0 2a 2b |
| - phenolphthalein | T47.2 | X44- | X64- | Y14- | Y53.2 |
| Yew | T62.2 | X49- | X69- | Y19- | |
| Yohimbic acid | T40.9 | X42- | X62- | Y12- | Y49.6 |

Z

| Substance | Poisoning | | | | Adverse effect in therapeutic use |
|--------------------------------------|-------------|------------|-----------------------|---------------------|-----------------------------------|
| | Chapter XIX | Accidental | Intentional self-harm | Undetermined intent | |
| Zalcitabine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Zaleplon | T42.7 2b | X41- | X61- | Y11- | Y47.9 |
| Zeranol | T38.7 | X44- | X64- | Y14- | Y42.7 2a 2b |
| Zidovudine | T37.5 2a | X44- | X64- | Y14- | Y41.5 2a |
| Zimeldine | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Zinc (compounds) (fumes) (vapor) NEC | T56.5 | X49- | X69- | Y19- | |
| - chloride (mouthwash) | T49.6 | X44- | X64- | Y14- | Y56.6 |
| - chromate | T56.5 | X49- | X69- | Y19- | |
| - oxide | T49.3 | X44- | X64- | Y14- | Y56.3 |
| - - plaster | T49.3 | X44- | X64- | Y14- | Y56.3 |
| - phosphide | T60.4 2b | X48- | X68- | Y18- | |
| - pyrithionate | T49.4 | X44- | X64- | Y14- | Y56.4 |
| - stearate | T49.3 | X44- | X64- | Y14- | Y56.3 |
| - sulfate | T49.5 | X44- | X64- | Y14- | Y56.5 |
| Zineb | T60.0 2b | X48- | X68- | Y18- | |
| Zinostatin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Zipeprol | T48.3 | X44- | X64- | Y14- | Y55.3 |
| Zofenopril | T46.4 | X44- | X64- | Y14- | Y52.4 |
| Zoloft | T43.2 2b | X41- | X61- | Y11- | Y49.2 |
| Zolpidem | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Zomepirac | T39.3 | X40- | X60- | Y10- | Y45.3 2a 2b |
| Zopiclone | T42.6 2b | X41- | X61- | Y11- | Y47.8 2a 2b |
| Zorubicin | T45.1 | X44- | X64- | Y14- | Y43.3 2b |
| Zotepine | T43.5 2b | X41- | X61- | Y11- | Y49.5 |
| Zuclopentixol | T43.4 | X41- | X61- | Y11- | Y49.4 |