



GRAHAM-FIELD
MEDICAL • SURGICAL PRODUCT CATALOG



TABLE OF CONTENTS

BANDAGES	3
BLADES / SCALPELS	5
DIAGNOSTIC INSTRUMENTS	8
EMERGENCY FIRST AID	23
EXAM LAMPS	26
EXAM ROOM SUPPLIES	29
INFECTION CONTROL	58
LABORATORY	61
MICROSCOPES	65
PAIN MANAGEMENT	70
PERSONAL CARE	73
SCALES	87
SPHYGMOMANOMETERS	91
STETHOSCOPES	97
THERMOMETERS	105
CLINICAL CARE RECLINERS	107
CRUTCHES	111
BATH SAFETY	112
PATIENT LIFT / SLINGS	115
WHEELCHAIRS	118
INDEX	121



*indicates
GF Best Seller*

Everest & Jennings®

Grafco®

labTRON®

LUMEX®

Bristoline, E&J, Everest & Jennings, Goldnamer Ear Basin, Grafco, Graham-Field, HealthTeam, Labtron, Lumex, Medicopaste, Thera-Putty, and Traveler are registered trademarks of GF Health Products, Inc.

Accumax, Aerocell, Aerosil, Champion, Diamond Head, Electromax, Everest, GrafKette, Labstar, Maxisoft, Optimax, Panascope, Paramount, Patricia, Pipeer, Superior, SOK-IT-GUARD, and Wallmax are trademarks of GF Health Products, Inc.

CastGard, Ethafoam, Feather, Gowllands, Ishihara, Liquicell, Lycra, Medi-System, Megaview, MicroBeads, ProPlus, Safeshield, Silent Slide, Super Stop, SUREgrip, Tente, and Tygon are registered trademarks and trademarks of their respective owners.

GF Health Products, Inc. is not responsible for typographical errors. Packaging, warranties, products, and specifications are subject to change without notice. Medicare reimbursement information is to be used as a guide only. Please check with your DMERC for the most current reimbursement information and guidelines. All sales are subject to GF Health Products, Inc. terms and conditions.

© 2009 GF Health Products, Inc.

Medicopaste® Bandage

Zinc-impregnated premium gauze bandage. Aids in healing of venous stasis ulcers, reduces and controls edema, and improves blood flow by providing support for subcutaneous tissues. Also acts as a “flexible cast” in the treatment of sprains, strains, and dislocations. Graham-Field’s manufacturing history dates back to 1949; originally manufactured in New York by Graham-Field Surgical Co., Inc., and currently manufactured in Rhode Island in our ISO 13485:2003 certified facility by our wholly-owned subsidiary, GFCO, Inc.

The brand medical professionals rely on for superior performance and quality.

1565 3 3" x 10 yd. 1/dz
1565 4 4" x 10 yd. 1/dz

With Calamine

1565C-3 3" x 10 yd. 1/dz
1565C-4 4" x 10 yd. 1/dz



1565-3

1565C-4


Unna's Boot Dressing

Zinc-impregnated gauze bandages. Commonly used in the therapy of circulatory disturbances of a peripheral nature.

UNNA3 3" x 10 yd. 1/dz
UNNA4 4" x 10 yd. 1/dz

With Calamine

UNNA-C3 3" x 10 yd. 1/dz
UNNA-C4 4" x 10 yd. 1/dz



UNNA3

UNNA-C4

Grafco® Bandages

A Graham-Field Brand

Grafco® Deluxe Latex-Free Bandages

Bandages are manufactured from cotton/poly blend and spandex. Providing continuous tension, the lightweight, porous bandage provides firm but flexible support. Five yard length, tan/white color and convenient self closure.

Non-sterile.

1981E-2	2"	10 rolls/bx
1981E-3	3"	10 rolls/bx
1981E-4	4"	10 rolls/bx
1981E-6	6"	10 rolls/bx



1981E-6



1971E-3

Grafco® Elastic Bandages

Manufactured from cotton/poly blend and heat-resistant latex rubber. Five-yard (approximate) stretched length. Non-sterile.

1971E-2	2"	10 rolls/bx
1971E-3	3"	10 rolls/bx
1971E-4	4"	10 rolls/bx
1971E-6	6"	10 rolls/bx



Cotton Triangular Bandage

100% cotton versatile bandages can be used as an arm sling, cover for head dressing, binding for splint or tourniquet. Complete with safety pins. Non-sterile.

8661	35" x 35" x 50"	12/bx
-------------	-----------------	-------



Safety Pins

Nickel-plated steel safety pins.

3039-1 C	#1 size	10 gross/bx
3039-2 C	#2 size	10 gross/bx
3039-3 C	#3 size	10 gross/bx






Feather® Sterile Scalpels

Sterile, disposable scalpel features heat-treated stainless steel blade securely integrated with rigid, chemically-resistant plastic handle. Individually wrapped in hermetically sealed aluminum foil. Blades are protected with snap-off cover. Scalpels available with choice of blade size. All sizes packed 20/bx. ISO 14001 compliant, ISO 9001 certified and ISO 13485 certified.

- 2975 #10
- 2975 #11
- 2975 #12
- 2975 #20
- 2975 #21
- 2975 #22
- 2975 #23
- 2975 #24



Feather® Sterile Scalpels

Feather® Sterile Surgical Blades

Superior cutting quality, strength and corrosion resistance characterize these stainless steel disposable blades. Individually wrapped and sealed to maintain sterility and ensure long shelf life. Blades available in several sizes. All sizes packed 100/bx. ISO 14001 compliant, ISO 9001 certified and ISO 13485 certified.

- 2976 #10
- 2976 #11
- 2976 #12
- 2976 #15
- 2976 #21
- 2976 #22
- 2976 #23
- 2976 #24



Feather® Sterile Surgical Blades

Stainless Steel Blades

#10	#11	#12
#15	#20	#21
#22	#23	#24

Feather® Safeshield™ Disposable Sterile Scalpel

Excellent for delicate procedures when precise control is needed. SUREgrip™ created by rounded plastic body that fits the hand comfortably. Designed to reduce injury and disease from contaminated blades. Features a locking retractable shield. Stainless steel blade, individually packaged. ISO 14001 compliant, ISO 9001 certified and ISO 13485 certified.



2980#10		10/bx
2980#11		10/bx
2980#14		10/bx
2980#15		10/bx
2980#15C		10/bx
2980#20		10/bx
2980#21		10/bx
2980#22		10/bx
2980#23		10/bx
2980#24		10/bx
2980#25		10/bx



Feather® Surgical Blade Handles

Stainless Steel handles are designed for smooth loading, functional handling ease, and perfect balance. Three handle types accommodate different size blades. 1 ea.



2977#3 Fits blade sizes # 10, 11, 12, 15



2977#4 Fits blade sizes # 20, 21, 22, 23, 24



2977#7 Fits blade sizes # 10, 11, 12, 15




Blades/Scalpels



Feather® Sterile MiniScalpel

Sterile (gamma irradiation), disposable scalpel features heat-treated stainless steel blade securely integrated with rigid, chemically resistant Acrylonitrile Styrene plastic handle. This slender plastic handle is suitable for surgery in limited areas such as brain, nerve, ear, nose, mouth, plastic surgery, blood vessel, skin and infant. Individually wrapped. Blades are protected with snap-off cover. Scalpels available with choice of 3 blade sizes. All sizes packed 20/bx. ISO 14001 compliant, ISO 9001 certified and ISO 13485 certified.

2978#11	Mini Scalpel, Disposable #11	20/bx
2978#14	Mini Scalpel, Disposable #14	20/bx
2978#15	Mini Scalpel, Disposable #15	20/bx



Feather® Sterile MicroScalpels

Lightweight aluminum handle with non-slip finger grip combines with angles and ultra-sharp stainless steel blade. Individually wrapped to assure sterility (gamma irradiation); color-coded for identification. ISO 14001 compliant, ISO 9001 certified and ISO 13485 certified.

2979#15	15° angle	5/bx
2979#30	30° angle	5/bx
2979#45	45° angle	5/bx



Feather® Surgical Blade Remover

Palm-sized plastic holder is designed for safe, hygienic removal of surgical blades from most types of scalpels. Holds between 150 and 300 used blades.

2990 1 ea



Feather® Disposable Blood Lancet

Sterile, stainless steel microsharp point provides quick, clean puncture. Straight side easily spreads blood on glass slide. Manufactured of cold-rolled, chrome-polished, stainless steel. Precision engineering assures accuracy to within 1/100 mm in thickness, along with superior hardness and point sharpness. Individually wrapped, permanently sealed. Designed for one-time use.

3554 200/bx

Feather® Surgical Blade Remover

Individually packaged, sterile.

2991 10/pk



Grafco® Dopplers/Ultrasound

A Graham-Field Brand

Ultrasound Pocket Doppler

The Grafco® Ultrasound Pocket Doppler is intended for clinical use as an obstetrical or vascular monitoring tool. The unit includes a mini USB probe socket, probe detector, built-in speaker, adjustable volume, alkaline battery, and low battery detector. Available with one of three different probes: 2MHz, 4MHz or 8MHz. The 2MHz probe is used primarily for fetal heart detection, The 4MHz for vascular monitoring, and the 8MHz for superficial vascular monitoring. Features:

- Compact lightweight design
- Accurate detection with clear audible sound produced
- Low battery indicator and volume control
- Interchangeable waterproof probe
- Carrying Case Included

14423-2	Mini Doppler w/2 MHz Probe	1 ea
14423-4	Mini Doppler w/4 MHz Probe	1 ea
14423-8	Mini Doppler w/8 MHz Probe	1 ea

Optional Accessories:

14423-2P	2 MHz Waterproof Probe	1 ea
14423-4P	4 MHz Waterproof Probe	1 ea
14423-8P	8 MHz Waterproof Probe	1 ea



External Fetal Doppler

The Grafco® External Fetal Doppler is intended for use as a diagnostic tool to measure Fetal Heart Rate and Maternal Uterine Contraction in a hospital or clinic setting using non-invasive, ultrasound Doppler and external TOCO technique. Features:

- 4.1" x 3.1" adjustable LCD
- Build-in thermal line recorder
- Nine-crystal broadband pulsed wave transducer
- FHR monitoring
- Remote marker automatic fetal movement recognition
- TOCO monitoring
- Real-time display of CTG, 12-hour monitoring trends, and playback
- Audible and visible alarm with upper and lower alarm limit settings
- Automatic transducer identification

4077 1 ea



Ultrasound Gel Warmer

White, metal gel warmer. The new and improved sleeve holds the bottle deeper than the old style, allowing for more even heating of the gel.

GF108	holds one 8 oz bottle	1/bx
GW208	holds two 8 oz bottles	1/bx



Ultrasound Transmission Gel

Designed for diagnostic and therapeutic medical ultrasound, the transmission gel is ideal for procedures requiring a viscous or nonspermicidal gel. Skin problems derived from prolonged skin contact have been eliminated by the transmission gel's hypoallergenic and completely aqueous formulation. The gel will not stain clothing and is applied and removed with ease. Salt and formaldehyde-free.

4001GF	250 ml	12/cs
4002GF	5 liters	1 ea





Neurological Diagnostic Instrument Set

Includes: 7" Buck Neurological Hammer with octagonal chrome-plated handle, dual latex-free heads, and removable needle and brush; 7.5" Taylor Hammer with latex-free black triangular head and chrome-plated handle; 7" Wartenberg Pinwheel with chrome-plated handle and rotating spur; and 8" Babinski Percussion Hammer with octagonal chrome-plated handle and adjustable latex-free head that can be oriented in two directions.

1303 1/st



Percussion Hammer — Taylor-Type

Soft bumper. Size: 7 3/4"

1305	Stainless Steel Handle	1 ea
1305-1	Chrome-plated Handle	1 ea



Wartenberg Pinwheel

7" Length. Precision machined rotating spur.

1309	Stainless Steel	1 ea
1309-1	Chrome Plated	1 ea



Percussion Hammer — Infant Size

Soft bumper in chrome-plated handle.

1306	Length 6 1/2"	1 ea
------	---------------	------



Buck Neurological Hammer

Chrome-plated octagonal handle with compartment to house stainless steel needle and brush. Black rubber bumper.

1304		1 ea
1304-1	Same as 1304 but with telescoping handle 4 1/2" - 7"	1 ea



Babinski Percussion Hammer

Adjustable head can be oriented in two directions.

1307	Chrome-plated Handle	1 ea
------	----------------------	------



4-in-1 Neurological Hammer

Unique neurological examination tool combines needle, brush, and pinwheel. Well-balanced, all-aluminum hammer with black rubber bumpers.

1311	1 ea
------	------



Dejerine Percussion Hammer

Hollow stainless steel handle. Black rubber bumper. 8" Long.


1312-1	Percussion Hammer	1 ea
1312-2	Percussion Hammer with Stainless Steel Needle	1 ea



Tuning Forks

Non-rusting, non-tarnishing aluminum alloy tuning forks scientifically designed to meet medical requirements. Tines are 3/8" with 1 3/4" long handles. Single-frequency pure tone will remain constant for many years. Set includes C128 and C256 with fixed weights and C512, C1024 and C2048 without weights. Set comes with cushioned vinyl zippered case. Tuning Forks also sold separately.

1313	Set of 5	1/st
1314	C128 fixed weight	1 ea
1315	C256 fixed weight	1 ea
1316	C512	1 ea
1317	C1024	1 ea
1318	C2048	1 ea



Tuning Fork — Hertz Frequency

Aluminum alloy neurological tuning fork capable of vibrating nerve stimulus at two popular frequencies: C128 with weights and C64 with no weights


1321	Tines 3/8"	Handle 2" long	1 ea
-------------	------------	----------------	------



Tuning Forks — Student Grade

Die cast, aluminum alloy medical tuning fork.

1322	C128 fixed weights	1 ea
1323	C256 no weights	1 ea
1324	C512 no weights	1 ea



5-in-1 Combination Neuro Tuning Fork

Instrument contains all the tools necessary for a complete neurological examination. Includes needle, brush, pinwheel, and percussion hammer integrated as part of 256 Hz aluminum tuning fork.

1319	1 ea
-------------	------



Tuning Fork — Adjustable Frequency

All-aluminum tuning fork with adjustable weight scale in seven frequencies: C128, D144, E160, F170.7, G192, A213.3 and B240 (weights removed). Scale letters are stamped on stems.

1325	Tines 3/8"	Length 8"	1 ea
-------------	------------	-----------	------



2-in-1 Tuning Fork & Percussion Hammer

Aluminum 256 Hz tuning fork with permanently affixed molded red hammer head for general neurological testing.

1320	1 ea
-------------	------



Tuning Fork — Sensory Evaluation

For use on damaged regenerating nerves. Aluminum alloy 30 Hz tuning fork with massive steel weights. Machined from 1 1/4" bar stock.

1325-1	Tines 3/8"	Handle 2 7/8"	Length 11 1/2"	1 ea
---------------	------------	---------------	----------------	------

Flex/Hyperextend Goniometer

Measures range of 25 degrees hyperextension to 135 degrees flexion.

13640 360° protractor head 1 ea




13640

Pocket Goniometer

6" long plastic goniometer.

13630 360° protractor head 1 ea

13635 180° protractor head 1 ea




13630

Orthopedic Goniometer

Plastic. Laminated; printing will not scratch off.

12-1000 12" 1 ea

12-1001 8" 1 ea



12-1000

Radiopaque Goniometers

Use during X-ray filming to document angles of the X-ray negative. 180° head has two opposing scales calibrated in 2.5° increments. The black anodized aluminum goniometer has easy-to-read white radiopaque markings.

2163 14" 1 ea

2164 8" 1 ea

2165 6 1/2" 1 ea



2164

180° Stainless Steel Goniometers

Goniometer has two opposing scales marked in 1° increments. A thumb knob controls tension between measurement arms.

2166 8" 1 ea



2166



Hydraulic Hand Dynamometer

Dynamometer gives accurate grip strength readings without the subject being able to 'feel' the handle move. Handle adjusts into five different positions to fit any size hand. Indicator remains at maximum setting until reset for new measurement. 200 lb capacity with dual scale measures both pounds and kilograms. Comes with carrying case.

2175 1 ea



Lange Skinfold Caliper

Accurately measures subcutaneous or adipose tissue. Pivoted tips adjust automatically for parallel measurement of skinfold. Easy-to-read 0 mm – 60 mm scale. Spring-loaded levers provide constant standard pressure, 10 gm/sq.mm over entire operating range. Contoured handgrip. Lightweight, anti-corrosive aluminum. Comes with jeweler-type case and instruction manual.

2179 1 ea



Mechanical Pinch Gauge

Measure tip, key, and palmer strength in both pounds and kilograms. Both the 30 and 60-pound gauges are used to measure the 'healthy' hand. Includes carrying case.

2176-30 30lb gauge 1 ea

2176-60 60lb gauge 1 ea



Bubble Inclinometer

Accurately measures range of motion of any joint.


2183 1 ea



Economy Skinfold Caliper

Durable, plastic construction. Spring-loaded arm assures reproducible pitch. Includes instructions and charts.

12-1112 1 ea



Gravity Inclinometer

Measures range of motion of any joint. Moveable dial for manual "O" setting. Calibrated in 1" increments.

2188 1 ea

LISTER BANDAGE SCISSORS

Chrome plated.

2600	3 1/2"	1 ea
2601	4 1/2"	1 ea
2602	5 1/2"	1 ea
2603	7 1/4"	1 ea



Stainless steel.

2606	3 1/2"	1 ea
2607	4 1/2"	1 ea
2608	5 1/2"	1 ea
2609	6 1/2"	1 ea



One Large Ring, stainless steel.

2612	8 1/4"	1 ea
-------------	--------	------



Clip-On Bandage Scissors

Sturdy riveted clip keeps scissors securely attached to pocket.

2604	4 1/2"	Chrome-plated	1 ea
2605	5 1/2"	Chrome-plated	1 ea
2611	5 1/2"	Stainless Steel	1 ea



Knowles Bandage Scissors

Stainless steel.

2616	5 1/2"	1 ea
-------------	--------	------



Operating Scissors, Straight

Stainless steel.

2623	S/B	4 1/2"	1 ea
2624	S/B	5 1/2"	1 ea
2628	S/S	5 1/2"	1 ea
2629	S/S	6 1/2"	1 ea
2630	B/B	4 1/2"	1 ea
2631	B/B	5 1/2"	1 ea
2632	B/B	6 1/2"	1 ea



Operating Scissors, Curved

Stainless steel.

2633	S/B	4 1/2"	1 ea
2634	S/B	5 1/2"	1 ea
2636	S/S	4 1/2"	1 ea
2637	S/S	5 1/2"	1 ea
2639	B/B	4 1/2"	1 ea
2641	B/B	6 1/2"	1 ea



Deaver Operating Scissors, Straight

Stainless steel.

2642	S/B	5 1/2"	1 ea
2643	S/S	5 1/2"	1 ea





Mayo Dissecting Scissors

Stainless steel.

2644	Straight	5 1/2"	1 ea
2645	Straight	6 3/4"	1 ea
2646	Curved	5 1/2"	1 ea



Chokkin Scissors

Designed by Feather® with gentle, curved lines, Chokkin Scissors Blade edges are coated with fluorocarbon plastic resin to prevent adhesive tape (glue) from clinging to the blade when cutting. Comes with a holder and clip; attaches easily to pocket.

2998BL	Blue	1 ea
---------------	------	------



Iris Scissors

Stainless steel.

2652	Straight	4 1/2"	1 ea
2653	Curved	4 1/2"	1 ea



Strabismus Scissors

Stainless steel.

2655	Curved	4 1/2"	1 ea
-------------	--------	--------	------



Olsen Hegar Needle Holder/Scissor Combination Forceps

Stainless steel.

2721	9 1/2"	1 ea
-------------	--------	------



Ligature Scissors, Littauer

Stainless steel.

2664	4 1/2"	1 ea
2665	5 1/2"	1 ea



Halsted Mosquito Hemostatic Forceps

Stainless steel.

2672	Straight	5"	1 ea
2673	Curved	5"	1 ea



Hartman Mosquito Hemostatic Forceps

Stainless steel.

2670	Straight	3 1/2"	1 ea
2671	Curved	3 1/2"	1 ea



Kelly Hemostatic Forceps

Stainless steel. 5 1/2"

2674	Straight	1 ea
2675	Curved	1 ea



Crile Hemostatic Forceps

Stainless steel.


2676	Straight	5 1/2"	1 ea
------	----------	--------	------



Rankin-Crile Hemostatic Forceps

Stainless steel.

2678	Straight	6 1/4"	1 ea
------	----------	--------	------



Rochester Ochsner Forceps

Stainless steel.

2702	Straight	7 1/4"	1 ea
2705	Curved	8"	1 ea



Rochester-Pean Hemostatic Forceps

Stainless steel.


2686	Straight	5 1/2"	1 ea
2688	Straight	6 1/4"	1 ea
2690	Straight	7 1/4"	1 ea
2692	Straight	8"	1 ea
2693	Curved	8"	1 ea



Kocher Forceps

1 x 2 teeth. Stainless steel.

2698 Straight 5 1/2" 1 ea



Backhaus Towel Forceps

Stainless steel.

2725 3 1/2" 1 ea
2726 5 1/4" 1 ea



Ballenger Sponge Forceps, Serrated

Stainless steel.

2730 Straight 7" 1 ea
2731 Curved 7" 1 ea



Foerster Sponge Forceps

Stainless steel.

2732 Smooth 9 1/2" 1 ea
2733 Serrated 9 1/2" 1 ea
2734 Curved, Serrated 9 1/2" 1 ea



Utility Sterilizer Forceps

Stainless steel.

2739 Straight 11" 1 ea



Helsey Needle Holder, Smooth Jaw

Stainless steel.

2713 5" 1 ea



Mayo Hegar Needle Holder

Stainless steel.

2708 5 1/2" 1 ea
2709 6" 1 ea
2710 7" 1 ea
2711 8" 1 ea



Crile Wood Needle Holder

Stainless steel.

2716 6" 1 ea



Thumb Dressing Forceps

Serrated; stainless steel.

2743	4 1/2"	1 ea
2744	5"	1 ea
2745	5 1/2"	1 ea
2746	6"	1 ea
2747	8"	1 ea
2748	10"	1 ea

1 x 2 teeth; stainless steel.

2749	4 1/2"	1 ea
2750	5"	1 ea
2751	5 1/2"	1 ea
2752	6"	1 ea



Russian Tissue Forceps

Stainless steel.

2755	6"	1 ea
2756	8"	1 ea



Eye Dressing Forceps

Serrated, stainless steel.

2764	Full Curved	4"	1 ea
------	-------------	----	------



Adson Thumb Dressing Forceps

Stainless steel. Serrated.

2757	4 3/4"	1 ea
------	--------	------



Adson Thumb Tissue Forceps

1 x 2 teeth, stainless steel.

2758	4 3/4"	1 ea
------	--------	------



Iris Forceps

1 x 2 teeth, stainless steel.

2765	Straight	4"	1 ea
------	----------	----	------



Splinter Forceps

Stainless steel.


2768	3 1/2"	1 ea
2769	4 1/2"	1 ea
2770	5 1/2"	1 ea



Carmalt Splinter Forceps

Stainless steel.

2771	Straight	4 1/4"	1 ea
------	----------	--------	------



Mosquito Tube Occluding Clamp

Straight.

2875 5" Smooth 1 ea



Magill Catheter Forceps

Stainless steel.

2838 Infant, 6 3/4" 1 ea
2839 Child, 8" 1 ea



Wilde Ear Forceps

Stainless steel.

2798 5" 1 ea



Ear & Bladder Syringe

Chrome-plated. Comes with shield, one tapered tip, and one bulbous tip.

2807 2 oz 1 ea
2808 3 oz 1 ea
2809 4 oz 1 ea
GRA2810 Shield Only 1 ea
2812 Tips Only (one tapered, one bulbous) 1 st



Hartmann Alligator Forceps

5 1/2" serrated.

2802 1 ea



Kelly Placenta Forceps

Stainless steel.

2849 12" 1 ea



Vienna Nasal Speculum

Stainless steel. 5 3/4" long.

2803 Child 1 ea
2805 Adult 1 ea



Lore Suction Tubing Holding Forceps

6 1/4".

2882 1 ea



Graves Vaginal Speculum

Stainless steel.

- 2857 Small (3" x 3/4") 1 ea
- 2858 Medium (4" x 1/4") 1 ea
- 2859 Large (4 1/2" x 1 1/2") 1 ea



Pederson Vaginal Speculum

Stainless steel.

- 2860 Small (3" x 1/2") 1 ea
- 2861 Medium (3 1/2" x 7/8") 1 ea
- 2862 Large (4" x 1") 1 ea



BIOLOGY STUDENT DISSECTING KITS FOR SMALL ORGANISMS

Biology Student Standard Dissecting Kit

Contains 9 instruments. Lined, zippered case.

2884 1 ea

Biology Student Deluxe Dissecting Kit

Contains 11 instruments. Lined, zippered case.

2885 1 ea

Spiropet Spirometer

Measures lung capacity without using water. Unit is small, lightweight, easy to handle, and offers a broad measurement range of 1,000 cc – 7,000 cc.

- 3791 Spirometer 1 ea
- 3791-1 Mouthpieces 100/bx



Hegar Uterine Dilators

Set of 8, stainless steel.

- 2868 Sizes 3/4 mm to 17/18 mm 1/st



Laryngeal Mirror

Chrome-plated mirrors can be sterilized by boiling, steam, hot air, or with antiseptic solutions.

- 1192-1#00 12 mm 1 ea
- 1192-1#0 14 mm 1 ea
- 1192-1#2 18 mm 1 ea
- 1192-1#5 24 mm 1 ea



Laryngeal Mirror Handles

Chrome-plated hexagon handle for 1192-1, all sizes.

- 1192-2 Non-adjustable 1 ea
- 1192-3 Slide-screw adjustable 1 ea

Otoscope Sets



Gowllands® Standard Otoscope Set

Plastic otoscope head with three aural (small, medium, and large) and one nasal push-fit specula. Sterilizable and autoclavable.

1227-1	Otoscope Set	1/st
1230I	Specula for 1227-1	3/pk



Gowllands® Otoscope Set

Premium diagnostic instrument has chrome-plated otoscope head with integral and swivel lens. Comes with five interchangeable bayonet-catch aural specula (one pediatric, two small, one medium, one large). Sterilizable and autoclavable.

1224	Otoscope Set	1/st
1229	4 mm Disposable Specula	200/bx
1229-1	Adapter For Disposable Specula	1 ea
1229-2	Push-Fit Adapter For Disposable Specula	1 ea
1230A	Battery Handle	1 ea



Gowllands® Pocket Otoscope

Plastic otoscope head with three aural (small, medium, large) and one nasal push-fit specula. Sterilizable and autoclavable.

1228-3	1/st
---------------	------

Grafco® Otoscope Set

Premium diagnostic instrument has chrome-plated head with integral and swivel lens. Comes with two aural specula in sturdy black plastic case. Sterilizable and autoclavable. Uses two C batteries (not included).

1220	1 ea
-------------	------



Grafco® Mini Otoscope

High quality, affordable diagnostic instrument has swivel magnifying lens. Comes with two aural specula in carrying case. Uses two AA batteries.

1221	1 ea
-------------	------



Fiber-Optic Otoscope With Halogen Lamp

Scientifically designed high intensity halogen illumination for accurate, reliable service. Complete with twenty-four reusable, sterilizable aural specula and hard storage case.

8616	1/st
-------------	------



Grafco® Fiber-Optic Otoscope Set

Fiber-Optic Otoscope is ideal for illuminating and examining the auditory canal. The cool, bright fiber-optic light produced is shadow-free and ideal for soft tissue examination. Features 2.5x magnification with lateral lens swivel capability. Includes five 2.5 mm and five 4.0 mm reusable sterilizable specula. Includes black hard storage case. Uses two AA batteries (not included).

8617	Fiber-Optic Otoscope Set	1 ea
8617-1	5 Replacement 2.5 mm Specula	5/bag
8617-2	5 Replacement 4.0 mm Specula	5/bag
8617-3	Otoscope Replacement Bulb	1 ea



Otosopes/Ophthalmoscopes/Diagnostic Sets



Gowllands® Otoscope/Ophthalmoscope Set

Uses two AA batteries. Comes with 4 different size disposable specula and a hard case. Ophthalmoscope and otoscope have pocket clip on side.

8700	Otoscope/Ophthalmoscope Set	1 ea
8700SPEC	Grafco® Specula for 8700	12/pk



Gowllands® Otoscope/Ophthalmoscope Set

Set includes chrome-plated otoscope head designed with integral and swivel lens and four specula. Pre-focused ophthalmoscope head has five different apertures; slit, small circle, large circle, green filter, and graticule. Corrective lens can be selected from +40 to -25 D. Bulbs are easy to replace.

1226	Otoscope/Ophthalmoscope Set	1/st
1230A	Battery Handle	1 ea



Gowllands® Standard Ophthalmoscope Set

Ophthalmoscope head with dioptic range of +20 to -20. Pinhole opening has light in dioptr scale. Chrome-plated screw-lock handle with rheostat houses two C batteries (not included). Comes with replacement bulb and case.

1227-2	1/st
---------------	------



Gowllands® Ophthalmoscope Set

Pre-focused ophthalmoscope head with five different apertures: slit, small circle, large circle, green filter, and graticule. Select corrective lens from +40 to -25D. Easily replaceable bulb.

1225	Otoscope Set	1/st
1230A	Battery Handle	1 ea



Gowllands® Complete Diagnostic Set

Complete set for eyes, ears, nose and throat. Includes chrome-plated otoscope head with 3 aural bayonet-catch specula (small, medium, large); ophthalmoscope head with metal nasal speculum, metal tongue depressor and throat lamp. #2 18 mm and #4 22 mm mirror attachments. Chrome-plated screw-lock handle with rheostat houses two C batteries (not included). Sterilizable and autoclavable. Comes with replacement bulb and case.

1227-4	1/st
---------------	------

Grafco® Laryngoscope Sets/Replacement Bulbs

A Graham-Field Brand

Grafco® Laryngoscope Sets

Stainless steel construction with non-glare satin finish. Set includes 1 Medium "C" battery handle, four blades (one ea. #1,2,3,4) and handy carry case.

1196	Macintosh Standard	1/st
1196F	Macintosh Fiber-Optic	1/st
1197	Miller Standard	1/st
1197F	Miller Fiber-Optic	1/st

Laryngoscope Handles

1196H	Medium "C" handle, Standard Illumination	1 ea
1196FH	Medium "C" handle, Fiber-Optic Illumination	1 ea

Laryngoscope Blades

Blade #	Size	Macintosh Standard Blade	Macintosh Fiber-Optic Blade	Miller Standard Blade	Miller Fiber-Optic Blade	Quantity
#1	Infant	1196#1	1196F#1	1197#1	1197F#1	1 ea
#2	Child	1196#2	1196F#2	1197#2	1197F#2	1 ea
#3	Medium Adult	1196#3	1196F#3	1197#3	1197F#3	1 ea
#4	Large Adult	1196#4	1196F#4	1197#4	1197F#4	1 ea



Replacement Bulbs for Oscopes, Ophthalmoscopes and Laryngoscopes

Model	Application	Quantity
900	Otoscope And Anoscope Bulb 2.5v, .35a 8-32 UNC-2A Thread 15 Hours Life TI-1 1/2 Nickel Plated, Vacuum	6/bx
901	Ophthalmoscope And Illuminator 3.5v, .72a 15 Hours Life T-1 1/2 Lamp Nickel Plated, Xenon	6/bx
902	Otoscope And Illuminator 3.5v, .72a 48 Grooves Per Inch 20 Hours Life TI-1 1/2 Nickel Plated, Xenon	6/bx
903	Otoscope And Illuminator 2.5v, .64a 20 Hours Life TI-1 1/2 Lamp Nickel Plated, Xenon	6/bx
904	Examination Bulb 14.5v, 2.3a 100 Hours Life T-3 Lamp 10-32 UNC-2A Thread Nickel Plated, Halogen Xenon,	6/bx
905	Child Laryngoscope Bulb 2.5v, .28a 1/8-72 Ns3 Thread 20 Hours Life TI-1 Lamp Nickel Plated, Vacuum	6/bx
906	Adult Laryngoscope Bulb 2.5v, .38a 8-32 UNC-2A Thread 20 Hours Life TI-1 1/2 Lamp Nickel Plated, Vacuum	6/bx
907	Ophthalmoscope Bulb 3.5v, .72a 20 Hours Life T-1 1.2 Lamp Nickel Plated, Xenon	6/bx
908	Fiber-Optic Laryngoscope 2.5v, .66a 10-32 UNF-2A Thread 20 Hours Life TI-1 1/2 Lamp Nickel Plated, Xenon	6/bx
909	Examination Bulb 15.1v, 2.26a 10-32 UNF-2A Thread 100 Hours Life T-3 Lamp Nickel Plated, Halogen, Xenon	6/bx
910	Vaginal Specula Illuminator 6.0v, .71a 10-32 UNF-2A Thread 75 Hours Life TI-1 1/2 Lamp Halogen, Xenon	6/bx
911	Vaginal Specula Illuminator 4.6v, .81a 12-28 UNF-2A Thread 30 Hours Life TI-1 1/2 Lamp Halogen, Xenon	6/bx



Replacement Bulb Cross Reference Chart

GF	Welch-Allyn	Bulbtronics	MCK Cat. No.	Healthlink Inc.	ADC	Rusch Inc.	Omron
900	200	6651	46-0035433	1-020	—	—	—
901	3000	1069	46-0035421	1-300	4513-6	—	19-W30
902	3100	1073	46-0035422	1-310	4514-6	—	19-W31
903	3400	29290	46-0035420	1-340	—	—	—
904	4100	6644	46-0035423	1-410	—	—	—
905	4700	1041	46-0035425	1-4700	4531-1	008623100	19-W47
906	4800	1068	46-0035429	1-480	4500-1	008622300	19-W48
907	4900	1074	46-0035428	1-490	—	—	—
908	6000	1070	46-0035427	—	4523-6	—	—
909	6100	—	—	—	—	—	—
910	7800	29281	46-0035426	1-780	4504-3	—	—
911	8800	32488	—	—	—	—	—

A Graham-Field Brand



Seizure Bite Stick

Light blue, plastic polyurethane. Contains no latex. Length: 4 3/4" Width: 3/4" (at widest point). Can be ETO or cold-sterilized.

3789 10/bx
3789-1B 100/bg



Hook and Loop Tourniquet

Latex-free nylon band threads through plastic "D" buckle for an effective, easily-applied tourniquet. Washable and autoclavable.

1802 Adult – 16" x 1" 12/bx
1803 Child – 10" x 1" 12/bx

Disposable Tourniquet

Smooth latex, easy to apply and release.

4109 1" x 18" 100/bx
4109-1 1" x 18" 250/bx



Latex-free

4109-1LF 1" x 18" 250/bx



Grafkette™ Tourniquet

Pinchless, flat rubber band with a hook and loop closure provides venous and arterial constriction. Contains dry, natural rubber.

1806 Adult – 14 1/2" x 1" 12/bx
1807 Child – 10" x 1" 12/bx
1808 Thigh – 17" x 1 1/2" 1 ea



Fracture Kit

Each fracture kit contains two adult arm splints, two adult leg splints, one arm/shoulder immobilizer, one extraction collar with neck pad, and one waterproof nylon carry bag.

6000 1/st

1 adult arm splint, 1 child arm splint, 1 adult leg splint, 1 child leg splint.

6000C 1/st

Replacement Accessories:

6011 Adult Arm Splint 1 ea
6012 Adult Leg Splint 1 ea



Berman-Type Oral Airways

Smooth, flexible white polyethylene airway with reinforced bite block, to prevent airway collapse.

Gas/cold sterilizable. Recommended for single-patient use.

3786 KT 50 mm, 60 mm, 80 mm, 90 mm, 100 mm 110 mm 6/bag
3787 KT 50 mm, 60 mm, 80 mm, 90 mm, 100 mm 110 mm 6/bx

3786-12#0 40 mm Neonatal 12/pk
3786-12#1 50 mm Infant 12/pk
3786-12#2 60 mm Small Child 12/pk
3786-12#3 80 mm Small Adult 12/pk
3786-12#4 90 mm Medium Adult 12/pk
3786-12#5 100 mm Large Adult 12/pk
3786B#0 40 mm Neonatal 100/bx
3786B#1 50 mm Infant 100/bx
3786B#2 60 mm Small Child 100/bx
3786B#3 80 mm Small Adult 100/bx
3786B#4 90 mm Medium Adult 100/bx
3786B#5 100 mm Large Adult 100/bx

Grafco® Stocked First Aid Kits

A Graham-Field Brand



First Aid Travel Kit

Carry-anywhere plastic case. Ideal for autos, campers, etc.

1799-9133 7 1/8" x 5 1/8" x 2" 1 ea

Description: Travel Kit	Qty.
3/4" x 3" Plastic Strips	20 ea
1" Bandage	1 ea
Ammonia Inhalants	2 ea
1/2 oz Absorbent Cotton	1 ea
Scissors	1 ea
Content Label	1 ea
1" x 2 1/2 yd Adhesive Tape	1 ea
2" x 2" Sterile Pads	10 ea
1/2 oz Tube First Aid Cream	1 ea
Antiseptic Wipes	2 ea



25 Person

Kit contains a balanced assortment of essential first aid supplies adequate for up to 25 employees. Metal case, constructed of heavy-gauge enameled steel, is resistant to weather, rust and dust, and can be wall hung. Cover acts as additional shelf when open.

1799-25 10 1/2" x 7 1/2" x 2 1/2" 1 ea



Kit contains a balanced assortment of essential first aid supplies adequate for up to 25 employees. Plastic case.

1799-25P 9" x 8 3/8" x 2 1/2" 1 ea

Description: 1799-25 */1799-25P *	Qty.
1" x 3" Adhesive Plastic Bandages	100 ea
Knuckle Fabric Bandages	3 ea
Fingertip Fabric Bandages	3 ea
40" x 40" x 56" Triangular Sling/Bandage, with 2 Safety Pins	1 set
3" x 3" Gauze Dressing Pads, 3 2-Pks	6 ea
5" x 9" Trauma Pad	1 ea
3" Conforming Gauze Roll Bandage	1 ea
Antiseptic Cleansing Wipes (sting free)	42 ea
First Aid/Burn Cream Packs, 0.9 g	6 ea
4" x 5" Instant Cold Compress	1 ea
1/2" x 10 yd First Aid Tape Roll	1 ea
4 1/2" Scissors, Nickel Plated	1 ea
4" Tweezers, Plastic, One-Time Use	1 ea
Exam Quality Vinyl Gloves, 2 Pairs	4 ea
First Aid Guide	1 ea



10 Person

Plastic Case with Gasket.

1799-10P 7 11/16" x 4 9/16" x 2 3/8" 1 ea

Description: 1799-10P *	Qty.
1" x 3" Adhesive Plastic Bandages	30 ea
Knuckle Fabric Bandages	3 ea
Fingertip Fabric Bandages	3 ea
40" x 40" x 56" Triangular Sling/Bandage, w/2 Safety Pins	1 set
3" x 3" Gauze Dressing Pads, 2 2-Pks	4 ea
5" x 9" Trauma Pad	1 ea
3" Conforming Gauze Roll Bandage	1 ea
Antiseptic Cleansing Wipes (Sting Free)	30 ea
First Aid/Burn Cream Packs, 0.9 g, 10/Bx	1 bx
1/2" x 10 yd First aid Tape Roll	1 ea
4 1/2" Scissors, Nickel Plated	1 ea
4" Tweezers, Plastic, One-time use	1 ea
Exam Quality Vinyl Gloves, 2 Pairs	4 ea
First Aid Guide	1 ea

* ANSI Z308.1-2003

Meets federal OSHA standard 1910.151b (state requirements may vary).

Grafco® Stocked First Aid Kits/Emergency First Aid

A Graham-Field Brand



50 Person

Durable, Extra-Large Plastic Case.

1799-50P 10 3/4" x 11 1/4" x 3" 1 ea

Description: 1799-50P *	Qty.
1" x 3" Adhesive Plastic Bandages	125 ea
Knuckle Fabric Bandages	6 ea
Fingertip Fabric Bandages	6 ea
2" x 4" Elbow and Knee Bandages	10 ea
40" x 40" x 56" Triangular Sling/Bandage, w/2 Safety Pins	1 set
3" x 3" Gauze Dressing Pads, 2 2-Pks	4 ea
2" x 3" Non-Stick Pads	8 ea
5" x 9" Trauma Pad	3 ea
3" Conforming Gauze Roll Bandage	2 ea
2" Conforming Gauze Roll Bandage	3 ea
Sterile Eye Pads	4 ea
Antiseptic Cleansing Wipes (Sting Free)	30 ea
Antibiotic Ointment Packs, 1/32 oz, 10/Bx	1 bx
Ammonia Inhalant Ampoules	4 ea
First Aid/Burn Cream Packs, 0.9 g, 10/Bx	1 bx
4" x 5" Instant Cold Compress	1 ea
6" x 9" Instant Cold Compress, 1/Bx	1 bx
1/2" x 10 yd First Aid Tape Roll	1 ea
Latex-Free Tourniquets	2 ea
Scissors	1 ea
4" Tweezers, Plastic, One-Time Use	1 ea
Exam Quality Vinyl Gloves, 1 Pair	2 ea
Eye Wash, 1/2 oz	2 ea
Finger Splints	2 ea
One-way CPR Faceshield, 2 Exam-Quality Vinyl Gloves, 3 Antiseptic Cleansing Wipes (Sting Free), 1 Set/Bx	1 bx
First Aid Guide	1 ea

* ANSI Z308.1-2003

Meets federal OSHA standard 1910.151b (state requirements may vary).

100 Person

This 3-shelf, 942-piece industrial first aid station is designed for medium-sized businesses, offices and work sites, and can act as a satellite first aid cabinet for buildings, wings or departments. Serves up to 100 people. The metal cabinet holds a wide variety of items, offering simple refilling and compliance assurance with the help of a full-color, easy-to-use reordering schematic. Swing-out door and easy-to-carry handle.

1799-100 15 3/16" x 16 3/8" x 5 13/16" 1 ea

Description: 1799-100 *	Qty.
1" x 3" Adhesive Plastic Bandages, 250	1 bx
1" x 3" Fabric Bandages, 50	1 bx
Knuckle Fabric Bandages, 25 and Fingertip Fabric Bandages, 25	1 bx
Triangular Sling/Bandage	1 ea
Triangular Sling/Bandage	1 bx
32 sq in Absorbent Gauze Compress	1 bx
Super Stop™ Bandage	1 ea
3" x 5 yd Cohesive Elastic Bandage	1 ea
3" x 3" Gauze Dressing Pads, 24, and 2" x 2" Gauze Dressing Pads, 24	1 bx
3" x 4.1 yd Conforming Gauze Roll Bandages	2 ea
2" x 4.1 yd Conforming Gauze Roll Bandages	2 ea
Alcohol Cleansing Pads, 100	1 bx
Triple Antibiotic Ointment Packs, 10	1 bx
Burn Spray, 3 oz	1 ea
Antiseptic Spray, 3 oz	1 ea
6" x 1 1/16" Tongue Depressors	6 ea
6" x 9" Instant Cold Compress, 1	1 bx
Cherry Cough Drops, 50	1 bx
50-Antacid Tablets, 25 2-Pks	1 bx
250-Aspirin Tablets, 125 2-Pks	1 bx
50-Extra-Strength Pain Reliever, 25 2-Pks	1 bx
2" x 5 yd 3-Cut First Aid Tape	2 ea
4 1/2" Scissors, Nickel Plated	1 ea
4" Tweezers, Plastic	1 ea
10-Exam-Quality Vinyl Gloves, 5 pr/bx	1 bx
Eye Wash, 4 oz	1 ea
First Aid Guide Booklet, 40 pg	1 ea



First Aid Case

Hinged cover opens at 90° angle and can be used as shelf when case is wall mounted. Pull-down lock. One center Shelf. 1 1/2 lb.

1793-2 10 1/2" x 7" x 2 1/2" 1 ea



EMT Holster

Washable nylon belt-hung holster accommodates up to 5 instruments or other small items. Hook and loop closure secures holster to belt, in addition to 2 snaps. Hook and loop front flap secures 3 small compartments plus 2 easy-to-access large compartments. 7" x 5".

6615B Black 1 ea
6615BL Blue 1 ea



Grafco® Halogen Exam Lamp Series

Flared, double-wall, dual cool ventilated reflector and shade are of heavy-gauge anodized aluminum. 50W bright, focused, white halogen light (bulb included). Designed with swivel assembly for complete adjustability. One-hand, slip-proof lock. Weighted, chrome-plated steel base. 115/120V AC transformer 12V 50W. Height adjustable 34 1/2" – 53 1/2".

1696	Halogen Exam Lamp	1 ea
1696M	Halogen Exam Lamp With Mobile Base	1 ea



Grafco® Deluxe Exam Lamp Series

Flared, double-wall, dual cool ventilated reflector and shade are of heavy-gauge anodized aluminum. Designed with swivel assembly for complete adjustability. One-piece, high-heat, phenolic socket with back-turn knob switch. One-hand, slip-proof lock. Weighted, chrome-plated steel base. UL listed. 115/120V AC. 3 wire, 8 ft. grounded cord/plug. Height adjustable 34 1/2" – 53 1/2".

1698	Chrome-Plated Base	1 ea
1698C	Chrome-Plated Base and Clutch-Collar Lock	1 ea
1698CM	Mobile Base and Clutch-Collar Lock	1 ea
1698M	Mobile Base	1 ea

With Hospital-Grade Plug

1698-1	Chrome-Plated Base	1 ea
1698-1C	Chrome-Plated Base and Clutch-Collar Lock	1 ea
1698-1CM	Mobile Base and Clutch-Collar Lock	1 ea





Grafco® Exam Lamp Series

Rod is sturdy, chrome-plated steel, adjustable from 34 1/2" – 53 1/2". 74" overall height (base, rod, gooseneck, shade). Weighted, chrome-plated steel base has rust-proof, smooth, rounded lip, which will not cut into wiring or mar floors. Smooth-rolling, tip-resistant mobile base is enameled steel with four casters and protective bumpers. Heavily chrome-plated pharmacy shade features baked white enamel bowl for maximum illumination. Features include solid cast SOK-IT-GUARD™ Safety Lock, push-through switch, and slip-proof adjustable lock. UL listed. 115/120V AC. 3 wire, 8 ft. grounded cord/plug.

- | | | |
|----------------|-------------------------------------------|------|
| 1697-1 | Chrome-Plated Base | 1 ea |
| 1697-1C | Chrome-Plated Base and Clutch-collar Lock | 1 ea |
| 1697-1M | Mobile Base | 1 ea |

With Hospital-Grade Plug

- | | | |
|----------------|--------------------|------|
| 1697-2 | Chrome-Plated Base | 1 ea |
| 1697-2M | Mobile Base | 1 ea |



1697-1



Clutch-Collar Lock



Standard Lock



E-Series Hand-Held UV-A Lamps

Featuring a silver-anodized aluminum housing that makes the lamp both attractive and durable. A full range of models offers a selection of UV intensity, size and wattage. They are perfect for all applications where a compact lightweight lamp is desired.

1 ea

Model		Typical Peak Intensity (µW/cm²) at 6"	Dimensions
2211	One 4-Watt integrally filtered tube	800	3 1/4" x 7" x 2 1/2"
2212	One 6-Watt integrally filtered tube	1,280	3 1/4" x 10 1/4" x 2 1/2"
2213	Two 4-Watt integrally filtered tubes	620	3 1/4" x 7" x 2 1/2"
2214	One 4-Watt integrally filtered assembly	555	3 1/4" x 8" x 2 1/2"



2211



2213

B-Series Battery-Operated UV Hand Lamp

Designed to provide hours of uninterrupted use and can operate for approximately five hours on fresh batteries. The B-14N operates on five C-cell batteries, either alkaline or NiCad rechargeable. A specular aluminum reflector maximizes UV irradiance for even brighter fluorescent response. Batteries not included.

2218 1 ea

Q-Series UV Magnifier Lamps

Ideal for visual magnification during fluorescence analysis. Specially designed to detect trace amounts of fluorescence through a built-in 3X magnifier lens at 8" focal length. Ultraviolet (UVA long wave) wave length is 365nm. High-impact polymer housing encloses a specular aluminum reflector, which ensures maximum irradiance. 1 ea.

Model		Typical Peak Intensity (µW/cm²) at 6"	Dimensions
2200	Two 4-Watt integrally filtered tubes	650	7" x 5 3/4" x 2 1/4"
2203	Two 4-Watt integrally filtered UV-A tubes and Two 4-Watt white light tubes	650	7" x 5 3/4" x 2 1/4"



Grafco® Glove Box

A Graham-Field Brand

Clear PVC Glove Box

Clear PVC Glove Box, which includes mounting hardware, may be hung horizontally or vertically.

9672	Single	1 ea
9673	Double	1 ea
9674	Triple	1 ea



9672



9673



9674



Grafco® Headlight/Headmirror/Headband

A Graham-Field Brand



L.E.D. Headlight

Bright, 1 watt L.E.D. headlight. Adjustable, lightweight aluminum head connected to comfortable elastic headband. Uses three AAA batteries (not supplied), easily installed in battery case.

- Up to 100,000 hour L.E.D. life
- Hinged headlight adjusts to 7 different angles/positions
- Convenient On/Off switch
- Reflector enhances brightness



570 1 ea



Halogen Physician's Magnifying Headlight

A precision professional instrument designed to enhance your vision with 10-watt Halogen illumination and increased definition. Easy to use, lightweight and comfortable. Halogen magnifying headlight, complete, powered by a 120V, 60Hz wall plug-in transformer with 11' low voltage cord set and female connector switch.

580-3 Magnifier with Transformer 1 ea



Halogen Focusing Headlight

A precision professional instrument designed to enhance your vision with intense, high-quality halogen illumination. Powerful, lightweight, comfortable and easy to use. Halogen headlight includes transformer, 11' cordset, and female connector switch. Illuminator provides 10 watts of intense halogen light at 3250°K to emulate the color rendition of natural white light. The projected light beam spot size and location are fully adjustable.

560 With Transformer 1 ea

Halogen headlight, complete. Includes two power sources: 1) The wall plug-in transformer with an 11' low voltage cordset and connector-switch, and 2) a small lightweight rechargeable #375 battery and #220 charger.

565T Complete 1 ea



Headband

Lightweight, flexible 1" wide polyethylene headband with tension-grip stainless steel ball clamp. Adjusts to fit with snap closure.

1181 1 ea



Headmirror

Highly polished, concave optical glass, with reinforced chrome-plated knob. Silvered and electrolytically copper-plated to preserve brilliance. Mounted in aluminum frame and finished in optical black to prevent glare. 3 1/2" diameter and focal distance 10"-14".

1191 1 ea



Headmirror with Headband

Highly polished, concave optical glass, with reinforced chrome-plated knob. Silvered and electrolytically copper-plated to preserve brilliance. Mounted in aluminum frame. 3 1/2" diameter and focal distance 10"-14". Comes with adjustable headband for hands-free use and black mirror cover.

1185 1 ea



1200

Standard Magnifying Binocular Loupe

Single lens, with no center post, increases viewing area for clear, comfortable, unobstructed vision. Shatter resistant. Magnification brings smallest details up large and sharp. Convenient flip-up, flip-down feature for regular vision and magnification. Can be worn over regular or safety glasses. Lightweight: 4 1/2 oz. Self-locking, vinyl-lined, adjustable headband.

Model	Working Distance	Power	Pkg.
1200	14"	1.75 X	1 ea
1201	8"	2.25 X	1 ea
1202	6"	2.75 X	1 ea
1203	4"	3.5 X	1 ea



1204

Magni-Focuser Binocular Loupe With Auxiliary Lens

Same features as the standard model with auxiliary lens to augment magnification. Additional lens swings up and down. Ideal for work requiring varying degrees of magnification.

Model	Working Distance	Working Distance with Auxiliary Lens	Power	Pkg.
1204	14"	4"	2.25 X	1 ea
1205	8"	3"	4.75 X	1 ea
1206	6"	2"	5.25 X	1 ea



Megaview™ Head Loupe With Three Interchangeable Lenses

Lightweight, wide-angle Head Loupe with three interchangeable color-coded powered lenses. The headband and lens assembly are fully adjustable and flip up. 1 ea

	Three Lenses Included	Working Distance
MG-2	2.0 x	17"
	2.5 x	12"
	3.0 x	8"



Magnifier

Lens arm and magnifier compatible with most lamps, including Grafco® 1697-1 and 1698 series. 1 ea

	Lens Size	Lens Power	Arm Length
DL-1XM	5" diameter	4.5 Diopter	13.5"

Grafco® Penlights/Eye Test Cabinet

A Graham-Field Brand



Silver Penlight

Uses two AAA replaceable batteries (included).

DM 43613 Silver 1 ea



Reusable Penlights

Slim, pocket penlight delivers bright light when clip is depressed. Uses two AAA batteries (not included).

1290 B Black 1 ea
1290 S Silver 1 ea

Disposable Penlights



Deliver high intensity bright light without the inconvenience of changing batteries or bulbs. Compact, lightweight, ready to use. Shelf life of one year. Ideal for the physician, nurse, technician or paramedic.

4062 White/Pupil Gauge Imprint 6/pk
4063 Multicolor Pkg. 24/bx
4065 Individually Wrapped 12/bx

Illuminated Eye Test Cabinet

Non-glare, illuminated metal cabinet with Standard Snellen 20 ft., Illiterate E 20 ft. and Illiterate 10 ft. translucent plastic 14" x 9" eye charts. 8W daylight fluorescent bulb illuminates black letters on bright white screen for more efficient testing. Grey hammertone finish. 110-120V AC. Portable or can be wall mounted.

1258 Cabinet (includes 1261, 1262, and 1262-1 eye charts) 1 ea
1261 Standard Snellen 1 ea
1262 Illiterate E 1 ea
1262-1 Illiterate 10-ft. 1 ea




Kindergarten Eye Test Chart

Shows easy-to-distinguish objects. 20' distance.

1263 14" x 9" 1 ea


A Graham-Field Brand



**Snellen-Type
Plastic
Eye Chart**

Non-reflective, matte finish with green and red color bars. 20' distance.


1240 22" x 11" 1 ea



**Illiterate
Plastic
Eye Chart**

With green and red color bars. 20' distance.


1241 22" x 11" 1 ea



**Kindergarten
Plastic
Eye Chart**

Shows easy-to-distinguish objects. 20' distance.

1243 22" x 11" 1 ea



**Jaeger Reading
and Test-Type
Plastic Chart**

Printed on both sides. Designed to be read from distance measured in meters.

1242 4 3/4" x 7" 1 ea



**Pocket-Size Plastic
Eye Chart**

Precise, clear, legible; provides 20/800 distance equivalent testing at 14".

1243-1 6 3/8" x 3 1/2" 1 ea




**Snellen-Type
Plastic Eye Chart**

10' distance. For use with 1258 Illuminated Eye Test Cabinet.

1264 14" x 9" 1 ea

Ishihara® Test Chart Book/Eye Occluder



Ishihara® Test Chart Books, for Color Deficiency

Accepted by leading authorities as a simple and accurate method for discovering congenital color blindness and red-green blindness, each in two forms, complete and incomplete. Includes four special plates for tests to determine the kind and degree of defect in color vision. Makes use of the peculiarity that in red-green blindness, blue and yellow appear remarkably bright compared with red and green. Color plates encased in specially designed album-type books for ease of handling. Detailed instructions included.

1254	14 Plate Book	1 ea
1255	24 Plate Book	1 ea
1256	38 Plate Book	1 ea
1257	10 Plate Book (Unlettered Persons and Children)	1 ea



Standard Eye Occluder

Shaped to occlude either eye without pressure. Constructed of black plastic.


1266 6" 1 ea



Eye Protector

Black sateen finish, elastic headband. Latex free.

1273 12/pk



Eye Protector

Black sateen exterior with lining, elastic headband. Latex free.

1275 12/pk



Grafco® Eye Shield/Absorband/Flashlight

A Graham-Field Brand



BEST SELLER

Plastic Eye Protector

White, ventilated, convex plastic with elastic headband.

1274 12/pk



Grafco® Absorband

Absorbent, sanitized sponge, reinforced with stitched medical gauze. Prevents perspiration from trickling into eyes. Holds firmly on forehead with industrial grade rubber band.

1190 10/pk



BEST SELLER

Grafco®

Fox Aluminum Eye Shield

Malleable, lightweight, perforated convex eye shield with slots.

1276 No cloth covers 12/bx



BEST SELLER

Grafco® Plastic Ventilated Eye Shield

Ventilated clear acrylic shield with 1/4" openings for tape attachments. Ideal for use after surgery. Accommodates either eye.

1276-1	No Cloth Cover	1 ea
1276-1B	Adult	100/bg
1276-2	Child	1 ea



BEST SELLER

Grafco® Fox Aluminum Eye Shield With Protective Cloth Cover — Latex Free

1276GA LB	Lt. Blue	50/bx
1276GA W	White	50/bx

Protective Cloth Cover For Grafco® Fox Aluminum Eye Shield — Latex Free

Banded with elastic for use with 1276.

1276G W	White	50/bx
1276G LB	Lt. Blue	50/bx



L.E.D. Flashlight

Bright 16 L.E.D. flashlight. High-strength aluminum alloy housing. Uses three AAA batteries (not included).

1294 Pewter 1 ea



Magnifier Flashlight

Distortion-free acrylic lens. Illuminates and magnifies 3X. Complete with bulb. Uses two AAA batteries (not included).

5728 1 ea



Plungerless Syringe

Heavy-walled resistance flint glass, perfectly retempered and strain free. Rubber-compound bulb is specially constructed so liquids cannot enter. Complete unit can be sterilized repeatedly without fear of breakage. Catheter point. Individually boxed.

3475	1/2 oz	1 ea
3476	1 oz	1 ea
3477	2 oz	1 ea
3478	3 oz	1 ea
3479	4 oz	1 ea



Antrum Syringe

English Antrum syringe with tip. Soft rubber finish. One-piece construction.

3914	1 ea
-------------	------

Enema Syringe

Comfortable, durable and easy to use.

3920-4	1 ea
---------------	------



Ear Syringe

Comfortable, durable and easy to use. Latex free. Boxed.

3918-1	1 oz	1 ea
3918-2	2 oz	1 ea
3918-3	3 oz	1 ea



Alcohol Dispenser

Polypropylene 8 oz capacity one-handed dispensing unit. "Alcohol" imprinted.

1533-1	1 ea
---------------	------



Goldnamer Ear Basin®

Conforms to any ear size. One-piece, seamless white plastic. Lightweight.

1280	1 ea
-------------	------



Hospital-Type Soap Dispenser With Foot Pedal

The aseptic method for dispensing liquid soap, surgical detergents, lotions and alcohol. Simple wall mounted installation. Cannot drip or leak. Convenient swivel nozzle. Unbreakable polyethylene bottle. Complete with 6-ft. air tubing and molded rubber foot pump with anti-slip neoprene base.

3388-1	32 oz	1 ea
---------------	-------	------



A Graham-Field Brand

Bowen Dispenser

Unbreakable, 8 oz capacity plastic bottle with plastic cover and pump tube connected to non-corrosive stainless steel dispensing disc. Ideal for all liquids. Easily operated with one hand, prevents waste, non-clogging. No mechanical parts to replace.

1532 1 ea



Wall Clock

Large, legible black numerals on 12" white dial. Red continuous-sweep second hand. Brown plastic case, clear plastic lens. Quartz Model operates on one AA battery (not included).

1640-1 1 ea

Liquid Soap Dispenser Chrome Bracket Valve

Wall plate conceals screw heads. Unbreakable polyethylene globe.

3383-1 32 oz 1 ea



Non-Electric Minute Minder

Chime sounds at end of preset time period up to 60 minutes. White plastic housing with easy-to-read numerals.

1667 Minute Minder 1 ea

1668 Long-Ring Minute Minder 1 ea



Tincture of Green Soap, N.F.

Alkaline (10.6 pH) cleansing detergent made with pure vegetable oil soap in alcohol and water solution. Distinctive Oil of Lavender scent. Ideal for topical skin cleansing where usage of other detergents containing U.S.P. Hexachlorophene is not desired.

3375 4/cs



Non-Electric Mark Timer

Clear, loud bell chimes at end of preset interval. Black bakelite housing with goldtone dial, easy-to-read numerals.

1654 60 minute timer 1 ea



Stainless Steel Sterilizer

The improved technique for dry heat sterilization in the shortest possible time. Sterilizes instruments, needles, syringes, dressings at 320 – 360° F (160 – 180° C). Sharp instruments remain sharp; no steam or moisture to corrode the finest edge. Exclusive internal-wall tubular heating system is completely burn-out proof. 115V AC. UL/CSA listed.

The Best Method for Sharp Instruments

Dry Heat Sterilizers kill bacteria without moisture and will not dull sharp instruments. Plus, they can be used to dry wet packs or as a back-up sterilizer in your practice — the perfect complement to an autoclave.

Maintenance Free

Unlike wet heat methods, Dry Heat Sterilizers require no routine cleaning.

Safe and Simple to Operate

Dry heat sterilization works safely without pressure, steam, or chemicals.

Convenient

Utility trays can be sterilized with lids on and stored without contamination. Dry Heat Sterilizers also have automatic timers with heat “hold” capability for continuous use in a busy practice.

High Quality

Stainless steel construction means no rust.

SPORE TEST STRIPS The Centers for Disease Control (CDC) recommends the sterilizer be tested weekly. For Dry Heat Sterilizers, use Bacillus Atrophaeus spore test strips.



Inner Dimensions: 12.5" W x 5" H x 7.5" D

8375 500W 1 ea

Three large instrument trays plus needle tray and removable tray handle. Power consumption: 650W

Inner Dimensions: 15" W x 7.5" H x 9" D

Tray Dimensions: 11.75" W x 7.5" H x 9" D

8376 Hospital Model 1 ea



Aerosil™ Silicone Instrument Lubricant

Fast method for lubricating instruments prior to sterilization. Invisible barrier prevents rust, lubricates joints, protects cutting edges. Does not interfere with heat sterilization. Colorless, odorless.

AQ106-12 4.5 oz 12/cs

AQ106-12-1 4.5 oz 1 ea



Steam Sterilizer Indicator

Provides visible proof of steam sterilization. For use in steam sterilizers at 250 – 285° F. When processed, indicator bars will turn as dark or darker than center color standard. If not, indicates inadequate steam sterilization.

8350 Long Form: 8" 250/bx

8351 Short Form: 4" 250/bx

Grafco® Applicators/Tongue Depressors

A Graham-Field Brand




Grafco® Silver Nitrate Applicators

Rigid, wooden applicator stick tipped with 75% silver nitrate and 25% potassium nitrate, for precise placement. Silver nitrate tips (70 mg) are soluble in all secretions. Control strength by dipping in (sterile) water. Convenient dispenser tube vial. Made in Graham-Field's ISO 13485:2003 Certified U.S. plant for 60 years.

1590	6"	100/vial, 12 vials/bx
1592	12"	100/vial
1593	18" Double Dipped	1 ea


Federal Law (U.S.) prohibits dispensing without prescription.



Cotton-Tipped Applicators

Non-sterile. 100/bag; 10 bag/box.

1599	6" wood	1000/bx
1599-3	3" wood	1000/bx
1599-PN6	6" plastic	1000/bx
1599-PN3	3" plastic	1000/bx



Wood Applicators

Disposable birchwood applicators for stirring, smearing. Non-sterile.

1600-4	6"	1,000/bx
1600-5	3"	1,000/bx
1600-6	12"	10,000/cs



Cervical Scrapers

Smooth wooden scraper used to collect cytological specimens from cervix, vulva, skin and other anatomical areas.


1601	7"	500/bx
-------------	----	--------



Tongue Depressor

Non-sterile.

1584	Standard Size: 5 7/8" x 11/16"	500/bx
1587	Standard Size: 5 7/8" x 11/16"	5000/cs
1586	Child Size: 5 1/2" x 5/8"	500/bx
1589	Child Size: 5 1/2" x 5/8"	5000/cs




Cytology Brush

Used in obtaining pap smear samples and other specimens from the endocervical area. Brush has a tapered tip, comprised of soft nylon bristles. Tip is secured to a white polystyrene shaft.

1600	100/bx
-------------	--------





Paper Rolls

Smooth finish, fine quality, water repellent white paper

3063	18" x 225'	12/cs
3064	21" x 225'	12/cs



Pessary* Smith Shape

Clear Acrylic. Cold sterilizable. For single-patient use.

1615#1	3" (75 mm)	1 ea
1615#3	3 1/2" (90 mm)	1 ea
1615#4	3 3/4" (95 mm)	1 ea

**Federal Law (USA) restricts this device to sale or on the order of a physician.*

Umbilical Tape

Superior quality, polyester tape sealed in vinyl.
Diameter: 1/8".

3031	100 yards	1 ea
-------------	-----------	------



Pessary* Red Rubber Soft Inflated Ring

Wash with soap; boilable. For single-patient use.


1620#1	2 1/8" (55 mm)	1 ea
1620#2	2 1/2" (65 mm)	1 ea
1620#3	2 3/4" (70 mm)	1 ea
1620#4	3" (75 mm)	1 ea
1620#5	3 1/8" (80 mm)	1 ea

**Federal Law (USA) restricts this device to sale or on the order of a physician.*

Grafco® Paper Infant Tape Measure

Disposable tape measure printed on sturdy white stock.

1335	36"	1000/bx
1336	24"	1000/bx



1335



1336



Woven Tape Measure

Durable tape graduated with inches in black on one side and centimeters in red on reverse side. Blank space before zero. Push-button, white plastic case.

1340-2	72"	1/4" width	6/bx
--------	-----	------------	------




1340-2

Neo-Infantometer

Designed for measurement of premature infants, neonates and children up to approximately 24 months. Sliding rule provides easy-to-read, color-coded graduations from 0" – 40" in 1/8" increments and 0 cm – 100 cm in 1 cm increments. Improved spring hinge automatically secures outer flaps at right angles, assuring accuracy.

1334	1 ea
------	------



1334



Black Leather Specialist Bags With Brass Fittings

Pebble-grain cowhide bags, available in different sizes and configurations, feature washable vinyl lining, solid steel snap-open/stay-open frame, key lock, heavy-duty bottom studs, and leather handles.

1544-12	12" x 7" x 5"	1 ea
1544-14	14" x 8" x 5"	1 ea
1544-16	16" x 9" x 6"	1 ea

Boston Bag With Brass Fittings

Quality black pebble-grain cowhide bag features washable vinyl lining, solid steel snap-open/stay-open frame, key lock, heavy-duty bottom studs, and leather handles.

1542	16" x 11" x 7"	1 ea
-------------	----------------	------



Euro Line Leather Bag

Smooth grain leather with two zipper pockets, antibacterial liner, and combination lock.

75213BK	13"	Black	1 ea
----------------	-----	-------	------



Utility Bag With Zipper Closure

Black pebble-grain cowhide bag with brass fittings features washable vinyl lining, double handles, and dual zipper closure.

1548	14" x 5 3/4" x 6"	1 ea
-------------	-------------------	------



Vinyl Specialist Bags

Leather-look, durable black vinyl bag. Roomy interior, two side pockets. Features steel snap-open/stay-open frame, attractive brass fittings, key lock, heavy-duty bottom studs, and double handles.

1541-12	12" x 7" x 5"	1 ea
1541-14	14" x 8" x 5"	1 ea

Medbag Plus

Features a spacious main compartment, smaller exterior pocket, handles, and adjustable shoulder strap. Made of black padded nylon.

85214C BK	13" x 6" x 7"	1 ea
------------------	---------------	------



Nylon Multipocket Medbag

Constructed of durable padded nylon inside and out. The interior has 10 pouches and zipper pocket; the exterior has two pockets, handles, and adjustable shoulder strap.

85215C BK	10" x 14" x 6"	Black	1 ea
------------------	----------------	-------	------



Narcotic Safe

Double-door protection for narcotics, with individual key for each door. Keys cannot be removed when lock is in open position. Doors are suspended on full-length piano hinges. Units are of high-quality steel, welded construction. Safes can be set into the wall or wall mounted. Two adjustable, removable steel shelves. 11 lb.

3007	14 1/2" x 9 1/2" x 4"	1 ea
3008	24" x 16" x 8"	1 ea



3007

Medicine Cards

Imprinted index card stock provides space for recording information. Sized for use with 3154 Medicine Dispenser Tray. Card size: 1 1/2" x 1 3/4". 500/bx.

3129 BL	Blue
3129 G	Green
3129 P	Pink
3129 W	White
3129 Y	Yellow



3129 BL

Medicine Dispenser Tray

High-impact styrene tray with slot for card above each medicine card cutout. Molded legs. Holds 30 medicine glasses.

3154	1 ea
-------------	------



3154

Medicine Glass

Graduated with pressed lines and figures by 1/4 oz up to 1 oz, by 5 ml. Up to 30 ml., by tsp. and tbsp. Pouring lip facilitates usage.

3486	144/cs
-------------	--------



3486



Pill Counter

Counter-top platform tray for convenient, time-saving pill counting. Tray, spatula, hinged funnel of rigid plastic.

5709 8" x 6" 1 ea



Printed Pill Envelope

Apply moisture to seal. Size: 3 1/2" x 2 1/2".

9600 1,000/bx

Self-seal closure.

9600SS 1,000/bx



Henning Plaster Spreader

Stainless steel plaster spreader features thin, grooved jaws. Slips easily between cast edges and spreads up to 2"; allows maximum pressure with minimum effort.

4160 10 1/2" 1 ea

Nurse's Pocket Organizer

Washable four-pocket nylon organizer. Includes two hook and loop tabs with snap and metal clip.


3186-2 Royal Blue 1 ea



Book-Type Hospital Chart Holder

Matte-finish anodized aluminum with rounded corners and edges. Back cover thumb-notched for easy opening. Full-length aluminum hinge. Sturdy, three-coil, steel-spring mechanism. Complete with two rubber bumpers and name plate.

3177 9" x 12" 1 ea



X-Ray Illuminators

Designed for desk viewing or wall hanging. Each utilizes 15W fluorescent tubes for even diffusion of light. Housings are stainless steel with powder-coated finish. All units come with three-wire grounded cords.

One Bank

Self-standing for desktop viewing. Viewing panel: 14" x 17".

3792GF 1 ea

Two Bank

Two 14" x 17" viewing areas in a single case. Each bank has own On/Off switch.

3793GF 1 ea

Three Bank

Three 14" x 17" viewing areas in a single case. Each bank has own On/Off switch.

3795GF 1 ea



3792GF



Tubing

Latex Tubing

Glass-smooth purest amber latex rubber tubing for use with pharmaceuticals, blood, intravenous solutions, laboratory operations. Seamless, sterilizable, lumen free of striations for clear passage of liquids and gases. Tubing is extensively leached, washed, and surface-treated to virtually undetectable protein levels (99.9% protein free). On dispenser reels. Meets Federal Specifications ZZ-T831c.

Model	I.D. (inches)	O.D. (inches)	WALL (inches)	Length (feet)
3931 316	1/8	3/16	1/32	50
3931 14	1/8	1/4	1/16	
3931 38	1/8	3/8	1/8	
3931 332	1/8	5/16	3/32	
3931 732	1/8	7/32	3/64	
3932 38	1/4	3/8	1/16	
3932 12	1/4	1/2	1/8	
3932 132	1/4	5/16	1/32	
3932 716	1/4	7/16	3/32	
3933 12	3/8	1/2	1/16	
3933 516	3/16	5/16	1/16	
3933 716	3/16	7/16	1/8	
3933 38	3/16	3/8	3/32	
3934 12	5/16	1/2	3/32	
3934 716	5/16	7/16	1/16	
3935 14	5/32	1/4	3/64	
3933 58	3/8	5/8	1/8	25



3931 14

Silicone Tubing

Non-toxic, non-carcinogenic, non-pyrogenic with low thrombogenicity. Reusable. ETO or steam-sterilizable without degradation. Excellent flexibility over wide temperature range and essentially non-reactive to body tissue or fluids; non-wettable. Excellent flow characteristics for suctioning and drainage. Applications: general laboratory, clinical, surgical, blood handling, peristaltic pumps, dialysis shunts, IV sets, drains. Packed clean, non-sterile, in sealed poly bags, 50 ft. reels.

Model	I.D. (inches)	O.D. (inches)	WALL (inches)
3936 14	1/8	1/4	1/16
3937 516	3/16	5/16	1/16
3937 38	3/16	3/8	3/32
3938 38	1/4	3/8	1/16
3938 12	1/4	1/2	1/8
3939 12	5/16	1/2	3/32
3940 12	3/8	1/2	1/16



3936 14

Tygon® Tubing, Hospital/Surgical Formulation S-50-HL

Clear flexible tubing meets critical requirements of heart-lung machines and similar apparatus. Documented animal implant and toxicity tests verify meeting USP/NF Class VI criteria. Non-pyrogenic, compatible with blood. Autoclavable and sterilizable with chemicals or gas. Ideal for use in peristaltic pumps. Complies with Federal Specification L-T-790A Type I. Durometer Hardness, Shore A 64. 50 ft./box.

Model	I.D. (inches)	O.D. (inches)	WALL (inches)
3941	1/8	1/4	1/16
3942	3/16	5/16	1/16
3943	1/4	3/8	1/16
3944	3/8	1/2	1/16



3941

Exam Room Supplies

Tygon® Tubing, Laboratory Formulation R-3603

Clear, flexible, non-oxidizing tubing provides outstanding flow characteristics. Odorless, tasteless, non-toxic, non-contaminating, widely used in peristaltic pumps. Complies with Federal Specification L-T709A for laboratory applications. Durometer Hardness Shore A55.

Model	I.D. (inches)	O.D. (inches)	WALL (inches)	
3949	1/4	3/8	1/16	50'/bx
3950	5/16	7/16	1/16	50'/bx



3949

Penrose Drainage Tubing

Latex tubing.

Model	Diameter	Length	Packed
3953 1	1"	18"	25/bx
3953 1/2	1/2"	18"	25/bx
3953 1/2-12	1/2"	12"	50/bx
3953 1/4	1/4"	18"	25/bx
3953 3/4	3/4"	18"	25/bx
3953 3/8	3/8"	18"	25/bx
3953 5/8	5/8"	18"	25/bx
3953 7/8	7/8"	18"	25/bx



3953 1

Medi-System® Ear Piercer

Safe, modern, one-step precision instrument pierces ears and attaches pre-sterilized earrings and clasps in a fraction of a second. Complete with detailed illustrated instructions.

1376-1	Medi-System® Ear Piercer	1 ea
1376-2	Medi-System® Ear Studs & Clasps	12 pr



1376-1

Skin Marker

Sterile skin marker makes fiber-free markings in highly visible Gentian Violet ink. Will not tattoo skin. Individually wrapped.

3174-1	Regular point	100/bx
--------	---------------	--------



3174-1

Tube/Catheter Clamp

Sterilizable, autoclavable polypropylene. Lock-tight clamp for tubes and catheters up to 1/2" diameter.

3913-2	100/bx
--------	--------



3913-2



Deluxe Revolving Stool With Foot Ring

Durable, 4" foam-padded, 14.5" diameter vinyl seat on ruggedly constructed tubular chrome-plated steel frame. Large base spread provides added stability. Footrest ring for comfort. Height adjustment 17 1/2" to 27 1/2".

- 1834 B Black seat 1 ea
- 1834 C Casters for 1834B 4/pk



Hoffman Screw Compressor

Large knurled thumbscrew. Size 1" x 3/4" for tubing up to 1/2".

- 3080DZ C Closed type 12/bx
- 3080DZ O Open type 12/bx



Side Open Jaw Hoffman Screw Compressor

Size: 7/8" x 1" for tubing up to 1/2".

- 3083DZ 12/bx



C Clamp Screw Compressor

Serrated thumbscrew head.

Standard size: 5/8" x 3/4" for tubing up to 1/2"
3084DZ 12/bx

Small size: 1/2" x 1/2" for tubing up to 3/8"
3085DZ 12/bx



Mayo-Type Instrument Table

Stainless steel tray (12.5" x 19"). Chrome-plated steel base. Adjustable height (31" – 50"). Casters increase maneuverability. K.D.

- GF1843 1 ea



Ointment Jar With Strap Handle Cover

- 3238 2 1/2" x 3 1/8". Capacity: 8 oz 1 ea



Graduated Medicine Cup

- 3241 2" x 1 3/4". Capacity: 2 oz 1 ea



Feeding Cup

- 3242 Capacity: 12 oz. 1 ea



Iodine Cups

- Small*
3239 3 1/4" x 2". Capacity: 6 oz 1 ea

- Large*
3240 4 3/8" x 2 5/8". Capacity: 14 oz 1 ea





Wash Basin

3252 12 3/8" x 3 1/4". Capacity: 3 7/8 qt 1 ea



Solution Bowl

3247 13 5/8" x 4 5/8". Capacity: 7 qt 1 ea



Sponge Bowls

3248 4 1/4" x 2". Capacity: 12 oz 1 ea

3249 5 3/4" x 2 1/2". Capacity: 1 qt 1 ea

3250 6 1/2" x 3". Capacity: 1 3/8 qt 1 ea

3251 7 3/8" x 3". Capacity: 1 7/8 qt 1 ea



Fracture Bedpan

Doubles as female urinal. Recommended for immobile or obese patients up to 250 lb.

3229 12 1/2" x 9 1/4". Front: 3". Back: 1". 1 ea



Emesis Basins

Small

3231 8 1/8" x 3 5/8" x 1 3/4" Capacity: 13 oz 1 ea

Large

3232 10" x 4 1/2" x 2 1/8" Capacity: 26 oz 1 ea



Male Urinal

3230 9 1/2" x 4 1/2". Capacity: 1 1/4 - 1 3/4 qt 1 ea

Forceps Jars

Small

3234 4 5/8" x 2 1/8" 1 ea

Large

3235 7 3/8" x 2 1/8" 1 ea



Thermometer Jar

3236 4" x 1" 1 ea



Bedpans

Seamless, sanitary, highly-polished stainless steel ware. Reusable; autoclavable.

Adult

3227 14" x 11 3/8". Front: 4 3/8". Back: 2 5/8" 1 ea

Child

3228 12 1/4" x 9 1/2". Front: 3 3/4". Back: 2" 1 ea

Dressing Jars

3233 6 7/8" x 4 7/8". Capacity: 2 1/8 qt 1 ea

3233-1 5" x 4". Capacity: 1 qt 1 ea

3233-2 4 1/8" x 2 1/2". Capacity: 1/2 qt 1 ea





**Instrument Trays
Without Cover**

- | | | |
|-------------|---------------------------|------|
| 3258 | 8 7/8" x 5" x 2" | 1 ea |
| 3259 | 12 1/4" x 7 5/8" x 2 1/8" | 1 ea |



Flat-Type Instrument Trays

- | | | |
|-------------|--------------------------|------|
| 3261 | 13 5/8" x 9 3/4" x 1/8" | 1 ea |
| 3262 | 15 1/8" x 10 1/2" x 5/8" | 1 ea |
| 3264 | 19" x 12 1/2" x 5/8" | 1 ea |



**Instrument Catheter
Tray With Flat Cover/Recessed Grip**

- | | | |
|-------------|---------------------------|------|
| 3256 | 12 1/8" x 7 5/8" x 2 1/8" | 1 ea |
|-------------|---------------------------|------|



3244



3245

Measuring Beakers

Graduated with raised lettering, oz/cc. Comfort handle.

- | | | |
|-------------|-------------------------|------|
| 3244 | Capacity: 16 oz/500 cc | 1 ea |
| 3245 | Capacity: 32 oz/1000 cc | 1 ea |



**Instrument Catheter Trays
With Strap Handle Cover**

- | | | |
|-------------|----------------------|------|
| 3254 | 8 1/2" x 3" x 1 1/2" | 1 ea |
| 3255 | 8 7/8" x 5" x 2" | 1 ea |
| 3257 | 17" x 4" x 2 1/8" | 1 ea |



Stainless Steel Kick Bucket/Stand Set

Bucket pours easily without removal from stand. Vinyl covered ring on stand prevents marring of walls and floors. Smooth-rolling 2" ball bearing conductive casters. Capacity: 12 1/2 qt.

- | | | |
|-------------|-----|------|
| 3267 | Set | 1 ea |
|-------------|-----|------|

Grafco® Latex-Free Plasticware

A Graham-Field Brand

Male Urinal With Cover

Easy grip open handle hangs on bed rail. Translucent body, gold cap. Graduated in oz/cc up to 1 qt/1000 cc.

3201 1 ea

Durable translucent polyethylene hospital ware designed for single-patient use. Easy to clean, lightweight and economical.



Round Wash Basin

Diameter: 13 1/8".

3203 Capacity: 6 qt 1 ea

Durable gold polypropylene resists fading, cracking, warping and staining. Easy to clean. Autoclavable to 275° F (135° C).



Hanging Male Urinal

Individually bagged. Latex-free polyethylene. Translucent, lightweight, durable for easy cleaning. Graduated for accurate measurement. Attached lid to prevent spills and minimize odor. Easy-grip handle attaches to healthcare beds.


2311-B Clear 1 ea



Female Urinal

Flat on one side. Autoclavable to 212° F (100° C). Molded handle. 10 1/4" x 4 1/2".

3214 24 oz capacity 1 ea



Male Urinal

Easy-to-clean molded plastic.

3213 Urinal 1 ea
3213-1 Urinal with Cover 1 ea



Thermometer Jar With Cover

3219 4 1/8" x 1" 1 ea



Forceps Jars

Sterilizable to 275° F (135° C).

Small
3217 5 1/4" x 2 1/8", tube depth 4 1/2" 1 ea

Large
3218 8" x 2 1/8", tube depth 7 1/8" 1 ea



Sponge Bowl

Autoclavable to 275° F (135° C). Diameter 6 1/2", depth 3", capacity 1 3/8 qt.

3220 1 ea



Solution Bowl

Autoclavable to 275° F (135° C).

Diameter 13 5/8", depth 4 5/8", capacity 7 qt.


3221 1 ea



Bedside Tray

Tray has angular sides. Autoclavable to 275° F (135° C).

3226 Aqua 1 ea



Grafco® Disposable, Latex-Free Plasticware

A Graham-Field Brand

8 oz Tumbler

Polypropylene tumblers stack conveniently. Disposable. Graduated in cc and oz.

2321 Mauve 500/cs



Denture Cup With Clear Lid

Polypropylene with clear snap-on polyethylene lid for easy identification of contents. Lid has clearly marked areas to write patient's name and room. Maximum volume 200 cc.

5706 Blue 250/cs



2302

Hanging Fracture Bedpan

Polypropylene. Tapered front for easy placement, built-in loop handle for easy positioning. Plastic guard prevents spills. Maximum patient load 331 lb. Maximum volume 1000 cc.

2302 Mauve 50/cs

2302-B Gold, individually bagged 1 ea

2302-B



Insulated Carafe With Straw And Lid

22 oz polypropylene carafe with removable straw and lid is ideal for hot or cold beverages.

2312 Mauve 48/cs



Rectangular Tray - No Ridges

Polypropylene tray provides an ideal surface for accommodating pitchers, carafes or tumblers and capturing condensation.

2320 Mauve 200/cs



Stackable Bedpan

Polypropylene bedpan is designed to maximize storage by nesting tightly together. Maximum patient load 243 lb. Maximum volume 2000 cc.

2306 Mauve 50/cs



Calculi Strainer

Polypropylene with nylon mesh screen strainer. Rinsable to accommodate several uses.

2299 White 100/cs



2331

Wash Basin

Polypropylene wash basins stack conveniently. Rolled rims for easy carrying. Mauve.

2331 Round 5 qt, ideal for soaking or washing 50/cs

2334 Rectangular 6.3 qt, ideal for bed bathing and limb soaking. Graduated in liters and qt. Prefabricated slots for soap dish. 50/cs



2334



Emesis Basin

Polypropylene. 10" (700 cc). Graduated in oz and cc.

2327 Mauve 250/cs



Tap-Style Call Bell

Polished steel gong on black 3" diameter base.

3161 1 ea



Hand-Style Call Bell

Polished 4" high steel bell with wooden handle. Delivers loud, clear ring.

3162 1 ea

Medication Portion Cup


Ideal for dispensing capsules, pills, liquid medication. Dry waxed pleated paper.

3328 Size: 1 1/4 oz 5000/cs



Litmus Paper

3717 BL 2" x 1/4" 12/bx
3717 N 2" x 1/4" 12/bx



Specimen Collection Bowl

Latex-free polypropylene bowl with pouring lip designed for convenient and accurate collection and measurement of urine output. Volume calibration printed in large numbers (oz and cc). Gas sterilizable.

3344-1 1 ea



Specimen Container - Disposable

Large-capacity latex-free polypropylene specimen container is compatible with standard commodes and toilets. Volume calibration printed in large numbers (oz and cc). Pouring lip designed for convenient and accurate collection and measurement of urine output.

3345 100/cs



3459



3460

Applicator Jar

Unlabeled 7" x 3 3/4" flint glass jar with overlapping stainless steel cover.

3459 1 ea
3459P Pyrex 1 ea



Unlabeled Glass Dressing Jars With Covers

3460		3" x 3"	12/cs
3460P	Pyrex	3" x 3"	12/cs
3461		4" x 4"	6/cs
3461P	Pyrex	4" x 4"	6/cs
3462		5" x 5"	6/cs
3462P	Pyrex	5" x 5"	6/cs
3463		6" x 6"	6/cs
3463P	Pyrex	6" x 6"	6/cs



A Graham-Field Brand



3454

Labeled Sundry Jars

Clear flint glass with overlapping, stainless steel covers. Each jar permanently imprinted in blue: Applicators, Gauze, Tongue Depressors, Cotton, and Bandages.



3454	Set of Five Jars with Covers		1/st
3454C	Cover Only		1 ea
3454A A	"Applicators"	Jar with Cover	1 ea
3454A B	"Bandage"	Jar with Cover	1 ea
3454A C	"Cotton"	Jar with Cover	1 ea
3454A G	"Gauze"	Jar with Cover	1 ea
3454A T	"Tongue Depressors"	Jar with Cover	1 ea
3454J A	"Applicators"	Jar Only (No Cover)	1 ea
3454J B	"Bandage"	Jar Only (No Cover)	1 ea
3454J C	"Cotton"	Jar Only (No Cover)	1 ea
3454J G	"Gauze"	Jar Only (No Cover)	1 ea
3454J T	"Tongue Depressors"	Jar Only (No Cover)	1 ea




3455

Plastic Sundry Jars

Set of five opaque Plastic Sundry Jars with Lids.

3455 1/st



3452



3458

Unlabeled Sundry Jars

Unlabeled flint glass jar with overlapping stainless steel cover.



3458	Set of Six Jars with Covers		1/st
3458EA	One Jar with Cover		1 ea
3454C	Cover Only		1 ea



3453



Clear Plastic Sundry Jars

Set of five clear plastic sundry jars with clear plastic lids.

3452	Labeled	1/st
3453	Unlabeled	1/st



3456

Rack For Sundry Jars

Stainless steel counter rack holds five Sundry Jars.

3456 1 ea

Skeletal System

Front, side and rear views. Ligaments on right side. Insets illustrate anatomy of long bone, ossicles, dorsal and volar views of hand and foot, including ligaments. Interior/posterior aspects of knee joint with ligaments. Size: 20" x 26".


Laminated Plastic
4444-2 1 ea



Muscular System

Front/rear views showing superficial and deeper muscles, all layers of anterior thoracic and abdominal walls. Insets detail hand, foot, diaphragm, posterior abdominal wall and pelvis. Size: 20" x 26".

Laminated Plastic
4445-2 1 ea



Circulatory System And Viscera

Primarily arterial system on right, venous circulation on left. Digital and tourniquet pressure points clearly indicated. Four different heart dissections, arteries of brain, vascular system of pelvis, abdominal viscera with aorta and branches, portal vein with tributaries. Size: 20" x 26".

Laminated Card Stock
4446-2 1 ea



Folding Set Up Screens

Sets up in minutes to afford individual privacy. Vinyl reinforced panels with heat-sealed hems on snap-out rods, lightweight aluminum hinged tubing frame. Use with casters (included) or easily convert to tipped leg bases (included). Base allows screen to extend to full width and adjusts for multiple configurations. Easily dismantled for storage. White panels are 27.5" x 56".

- | | | |
|-------|-------------------------|------|
| 4297W | Three-section screen | 1 ea |
| 4298W | Four-section screen | 1 ea |
| 4299C | Replacement casters | 4/st |
| 4299W | Replacement white panel | 1 ea |



Nervous System

Central nervous system in yellow, autonomic in white. Insets illustrate base of brain with cranial nerves, dissection of mid brain, medulla oblongata, spinal cord, nerves, section of thoracic vertebra, ribs with intercostal nerves, cross-section through spinal cord between third and fourth cervical vertebrae and sagittal section of female pelvis. Size: 20" x 26".

Laminated Plastic
4447-2 1 ea



Diamond Point Pencil

Genuine industrial diamond chip securely mounted on hexagonal aluminum handle. Clear plastic cap with pocket clip protects point when not in use. Ideal for marking all laboratory glass surfaces.

- | | | |
|------|----|------|
| 3742 | 6" | 1 ea |
|------|----|------|

Grafc® Utility Cart/Waste Receptacles

A Graham-Field Brand

Utility Cart, Stainless Steel

Chrome-plated tubular steel frame with 4" casters. Three stainless steel shelves. Pushes from either end. Shipped knocked down; assembles in minutes. 400 lb load capacity.

8146 1 ea



Enamel Square Step-On Waste Receptacles

Rolled edges. Smooth pedal action triggers cover lift mechanism with minimum effort. Comes complete with polyethylene liner. Dimensions: 13"W x 12"D x 18 1/4"H.

8285 18 qt 1 ea



Stainless Steel Step-On Waste Receptacle

Perfect for hospitals, doctors' offices, patient rooms, and laboratory settings, with durable, unitized construction. The can has a self-closing lid for sanitation, heavy-gauge stainless steel for easy cleaning, and full-width hinges for long-term use. Dimensions: 11.75"W x 13"D x 21"H.

C-32 32 qt. (8 gal) 1 ea



Square Step-On Waste Receptacles

Heavy-duty, direct-action pedal lifts lid with ease. Lid attaches to can with full-length piano hinge and is cushioned along rim to reduce noise. Optional liners sold separately.

11 1/2" x 11 1/2" x 22 1/2", 13 gal
8300 1 ea

14" x 14" x 30", 21 gal
8301 1 ea

18" x 18" x 30", 36 gal
8302 1 ea



Polypropylene Waste Receptacle Liner

No seams. Steam cleanable. Fits Item 8300 Waste Receptacle. Dimensions: 9 1/4" sq x 20 3/4".

8310 1 ea

Galvanized Steel Waste Receptacle Liners

Fire resistant. Fits 8300. Dimensions: 8 1/4" x 20 1/2". Capacity: 10 gal.

8316 1 ea

Eye-Wash Cup

Heavyweight, clear, flint glass cup on molded stand. Smooth, glazed edges.

3507 24/cs



Delee-Type Mucous Trap

Borosilicate glass construction. Improved type with round-lipped mouthpiece.

3526 1 ea

Medicine Dropper

Clear, flint glass pipet. Bulb capacity approximately 1 ml. Delivers 30 – 35 drops per ml. Length : 3".

3508 Curved 144/cs



Flint Glass Nasal Olive

3538A Small: 5/8" 12/bx
3538B Medium: 7/8" 12/bx



Murphy Drip Meter

Flint glass meter without vent. Hose connection at each end.


3525 5/16" 12/bx



Female Catheter

Bent, two-hole, 6" long, 4.5 mm outer diameter.

3543 12/bx



Junior Urinometer

Flint glass construction. Shot-weighted hydrometer float reads from 1.000 – 1.040 specific gravity. Clear, glass jar with extra-wide base to prevent tipping. Height: 4 7/8".

3530 Complete Set 1 ea
3531 Float only 1 ea
3532 Jar only 1 ea



Urinometer

Flint glass urinometer designed for routine urinalysis. Shot-weighted hydrometer float reads from 1.000 – 1.060 specific gravity. Reinforced, heavy-fluted jar with extra-wide base. Height: 6".

3527 Complete set 1 ea





Deluxe Finger Ring Cutter

Specially-designed lever slips under ring to permit rotating thumb screw to cut ring. Chrome-plated with forged tapered handles and 1 1/4" rotary jeweler's saw.

1372-1	6 1/2"	1 ea
1372-2	Blade Only	1 ea



All Purpose Shears

7 1/2" shears easily cut leather, plastic casts, and bandages. Made of fully-hardened stainless steel with serrated non-slip cutting edge. Sterilizable and autoclavable.

1358-1	Standard, Black	1 ea
1358-4W	Standard, White	1 ea
1358-4N OR	Deluxe, Neon Orange	1 ea



Standard Finger Ring Cutter

Specially-designed lever slips under ring to permit rotating thumb screw to cut ring. Knurled straight handle with 7/8" rotary jeweler's saw.

1372-3	5 3/4"	1 ea
1372-4	Ring Rotary Blade Only	1 ea



ECG Caliper

Chrome-plated caliper measures ECG wave sections with radius up to 7". Complete with plastic end cap.


6840	3 7/8" Length	1 ea
-------------	---------------	------



Fingernail Drill

Quality chrome-plated instrument with three drill points nestled in handle. Can also be used as a toenail drill. Manual operation.

1370-1	Fingernail Drill	1 ea
1370-2	Set of 3 drill points only	3/pk



ECG Paper Chemical/Thermal

Black trace on red grid, single channel for ECG-103

6860	50 mm x 100 ft.	3/bx
-------------	-----------------	------

ECG Paper Standard Grade

Black trace on white grid, bluish-coated, single channel for Burdick EK-I, II, III, IV; Hewlett-Packard 1500 series.

6855	63 mm x 150 ft.	2/bx
-------------	-----------------	------

Face Mask

For single-person use. Helps filter out dust and pollen. Contains no fiberglass or formaldehyde.

3813 White 50/bx



Face Mask With Ties

Soft, breathable, light blue, latex free, 3-ply, 20 g. Dust filtration efficiency 95%.

3814 17 cm x 9 cm 100/bx
3814C 17 cm x 9 cm 10 bx/cs



Cone Mask

Filters potentially harmful particulate. Adjustable nosepiece. Light blue, latex free. 120 g.

3813B 40 cm x 18 cm 100/bx
3813B-CASE 40 cm x 18 cm 10 bx/cs



Face Mask With Ear Loops

Soft, breathable, light blue, latex free, 3-ply, 20 g. Dust filtration efficiency 95%.

3816 17 cm x 9 cm 100/bx
3816C 17 cm x 9 cm 10 bx/cs



Goggles

Plastic cups completely cover eye area. Smoked green lenses. Secures with elastic string.

2227 One Size Fits All 1 ea



Face Shield

Clear plastic shield, with positive-lock adjustable plastic headgear, protects face from flying particles and resists chemical splash. Eyewear can be worn under shield for additional protection. Shield attaches easily with slotted keyhole assembly. Shield size is 8" x 12".

1194-1 1 ea



Goggles

Dust and splash-resistant goggles, manufactured with clear plastic lenses. Adjustable strap.

9675 One Size Fits All 24/bx

Disposable Safety Glasses

Polypropylene frame, polystyrene lenses. Individually wrapped in polybags.

9676 25/bx





Anti-Skid Shoe Covers

Lightweight and breathable. Light blue. 35 g.

3810	40 cm x 18 cm	100/bx
3810C	40 cm x 18 cm	10 bx/cs



Round Bouffant Cap

Lightweight, light blue with elastic band opening. Latex free. 14 g.

3815	24"	100/bx
3815C	24"	10 bx/cs



Patient ID Bracelet

White opaque textured vinyl bracelet with crystal-clear card window welded to band, plus insert cards. Adjusts to fit wrist sizes 4"-9".

1503	Adult	500/bx
-------------	-------	--------



Pillow Cases

Fits standard size pillow. Latex-free PVC plastic. Dimensions: 21" x 27". Thickness: 4 mil (.10 mm).

3857	Zipper Closure	1 ea
3858	Overlap Closure	1 ea



Chain Bib Holder

Two sharp-tooth, cadmium-plated jaw clips on a ball chain hold bib, towel, or napkin securely in place.

3822-1	Length 12"	1 ea
---------------	------------	------



Plastic Mattress Covers

4-gauge latex-free PVC plastic provides protection from moisture, stains and dust. Thickness: 4 mil (.10 mm).

Note: Item is NOT flame retardant.

Zippered Cover encloses mattress completely.

3862	76" x 36" x 6"	1 ea
3862-1	80" x 36" x 6"	1 ea
3862-1-50	80" x 36" x 6"	50/cs
3863	76" x 54" x 6"	1 ea

Contoured Cover with elastic-bound corners fits snugly over the top of mattress.

3864	76" x 36" x 6"	1 ea
3864-1	80" x 36" x 6"	1 ea
3865	84" x 36" x 6"	1 ea



Cotton Gloves

Lightweight cotton gloves provide stain protection from hand creams, ointments and medication.

9665	Regular (S/M)	12 pr/bx
9666	Large (M/L)	12 pr/bx



Isolation Gown

Latex-free, impervious, polypropylene isolation gown with polyethylene coating and elastic cuff. Yellow. 30 g.

3806 50" x 60" 10/bx
3806C 50" x 60" 10 bx/cs



Patient/Geriatric Bib

Extra-large bib with bound edges, tie tapes at neck, and catch-all pocket at bottom.

3856 33" x 18" 1 ea



Utility Aprons

Features bound edges, neck band, and side tie tapes.

3854 36" x 27" 1 ea
3855 42" x 36" 1 ea



Neck-Clasp Apron

Comfortable neck band with hook and loop closure fits snugly without pressure.

3853 54" x 36" 1 ea

Latex Finger Cots

Not for exam use.

3908 S Small 144/bx
3908 M Medium 144/bx
3908 L Large 144/bx
3908 XL Extra Large 144/bx



Reinforced Latex Finger Cots

Pre-powdered. Not for exam use.

3911 S Small 144 /bx
3911 M Medium 144 /bx
3911 L Large 144 /bx
3911 XL X-Large 144 /bx



Vinyl Emergency Cadaver Bag

6-gauge latex-free PVC plastic pouch, double-sealed at both ends for extra protection. Full-length, center-zipper closure. Water resistant. Thickness: 6 mil (.15 mm).

3831 36" x 90" 1 ea





Laboratory Centrifuge (6 Place)

This affordable single-speed centrifuge is designed for blood separation in a small lab or physician office. Compact design (8.5" x 11" x 12.5"); 18.5 lb weight; mechanical timer (1 to 30 minutes); lid safety latch (system will not run with lid open); brushless motor for smooth, quiet operation with no routine maintenance; clear lid provides safe observation; nominal speed of 3150 RPM(+/- 100); custom tube holders designed to spin without cushions; capacity of six 15ml test tubes up to 17 mm x 125 mm; cool running (motor housing and rotation chamber allow cool operation under the heaviest workloads). Includes six 75 mm tube holders, six 100 mm tube holders, six 125 mm tube holders, and user manual.

GF614B	Laboratory Centrifuge	1 ea
GF614B-75	75 mm tube holders (green)	6/bx
GF614B-100	100 mm tube holders (red)	6/bx
GF614B-125	125 mm tube holders (black)	6/bx

Centrifuge Tube

Flint glass, conical bottom, 15 ml capacity.

3568	Plain	12/bx
-------------	-------	-------



Hemacytometer Set

For RBC, WBC, and platelet counting. Double Neubauer chamber with rulings 0.1 mm. below the cover glass. Dividing lines indicate which cells lie within the two counting areas. Complete with red pipet, white pipet, tubing, mouthpiece, and two cover glasses in convenient case.

3556		1 ea
3557	Neubauer Chamber	1 ea
3558	Glass Cover	12/bx



Hematocrit Centrifuge

Intended to provide laboratory tests for hematocrit values (HCT) in the fields of biochemistry, microbic immunity genetics, and blood separation, as well as general clinical tests. Featuring a digital timer (up to 99 min.), fixed speed, brake control, and a reading scale. Spins loads at a fixed speed of 12,000 RPM. Can hold up to 24 capillary tubes of size 1.2 mm (or 1.5 mm) x 75 mm.

410E	Hematocrit Centrifuge	1 ea
410E-1	Replacement Carbon Brushes	1 pr

Flint Glass Microhematocrit Capillary Tubes

Anticoagulant tubes with ammonium heparin provide accurate reproducible readings. Fire polished tips are easily sealed by flame, clay or patented caps. Tubes are color coded for easy identification: red for heparinized and blue for plain tubes. Length: 75 mm. 100 tubes/vial.



*Heparinized: I.D. 1.1 mm - 1.2 mm.
Wall 0.2 mm ±0.02 mm*

3550	12/cs
-------------	-------

*Plain: I.D. 1.1 mm - 1.2 mm.
Wall 0.2 mm ±0.02 mm*

3550-1	12/cs
---------------	-------

*Micro-cal. heparinized: O.D. 1.4 mm - 1.7 mm
Calibrated 60 mm. from one end*

3551	12/cs
-------------	-------

Hand Tally

Registers 0000-9999. Plunger on top of counter clicks to signal registration. Side knob resets all four figures to zero. Can be operated in either hand.



3750	1 ea
-------------	------

A Graham-Field Brand

Trachea Tube Brushes

White nylon bristles on malleable, twisted wire handle. Can be shaped to fit contour of any trachea tube.

Model	Length	Bristles	Cleans Tubes #	Quantity
3399-1	14"	3/4" x 3 1/2"	5 - 9	1/dz
3399-2	4 1/2"	1/4" x 1 1/2"	00 - 4	1/dz
3399-3	4 1/2"	3/4" x 1 1/2"	5 - 9	1/dz
3399-4	14"	1/2" x 2 5/8"	00 - 4	1/dz



3399-1

Test Tube Brushes

Firm white nylon bristles with radial tufted end on sturdy, twisted, galvanized wire handle. Sized to clean test tubes with a minimum of effort.

Model	Length	Bristles	Quantity
3403	8"	1/2" x 3"	1/dz
3404	9"	3/4" x 3 1/2"	1/dz



3403

Bottle Brush

White nylon bristles on twisted galvanized wire handle.

Model	Length	Bristles	Quantity
3406	11"	1 3/4" x 4 1/2"	1/dz




3406

Feeding Tube Brush

White bristles on twisted galvanized wire handle.

Model	Length	Bristles	Quantity
3413	14"	3/4" x 3 1/2"	1/dz




3419

Pipet Brush

Soft white nylon bristles on galvanized wire handle.

Model	Length	Bristles	Quantity
3419	17"	3/4" x 3 1/4" and 1/4" x 4"	1/dz



3414

Small Bore Test Tube Brush

White bristles with 1/2" sponge end. Twisted galvanized wire handle. Ideal for cleaning small culture tubes, test tubes, sahli tubes, and all small-bore glassware.

Model	Length	Bristles	Quantity
3414	6"	1/2" x 3"	1/dz

Chenille Wire Wicking

Chenille-wrapped flexible wire, ideal for cleaning laboratory glassware, pipets, funnel stems, stopcocks, or small lumen.

Model	Length	Quantity
3560	6"	144/pk
3561	12"	144/pk
3562	50 ft/roll	1 ea



3560

Ziegler Eye-Flushing Bottle

Flint glass bottle used for flushing eyes with boric acid or other solutions. Ground glass stopper assures sanitary protection and guards against evaporation. Bulb: 1 oz (30 ml), Bottle: 8 oz (250 ml).

3489 1/bx



Barnes Dropping Bottle

Flint glass bottle complete with rubber stopper and nipple.

3490 1 oz (30 ml) capacity 1 ea

Dropping Bottles

Army-Type borosilicate glass pipet is finely ground to form stopper. Rubber bulb will pass accelerated aging test.

3497A 1 oz (30 ml) capacity 1 ea

3497B 2 oz (60 ml) capacity 1 ea



Balsam Bottle, Borosilicate Glass

Complete with glass rod and glass cap.

3499 1 1/2 oz (45 ml) 1 ea



Glass Mortars

Heavyweight molded flint glass with smooth, rounded interior.

3512-1A 2 oz 1 ea

3512-1B 4 oz 1 ea

3512-1C 8 oz 1 ea



Glass Pestles

Smooth, heavyweight flint glass for use with mortar models listed above.

3512-2A For Use With 3512-1A 1 ea

3512-2B For Use With 3512-1B 1 ea


3512-2C For Use With 3512-1C 1 ea

**Mortars and pestles must be ordered separately.*

Coplin Staining Jar

Flint glass jar is designed to be used for staining or as a solvent preparation chamber.

3517 With Ground Glass Cover 1 ea



Screw Cap Staining Jar


The flint glass jar is designed to be used for staining or as a solvent preparation chamber in micro-thin layer chromatography. Holds five single 3" x 1" slides back to back.

3518 1 ea

Vertical Staining Jar

Flint glass jar with wide top for convenience in transferring slides inscribed on one end. Holds eight single 3" x 1" slides or 16 slides back to back.

3519 1 ea



Funnels

Made of linear polyethylene. Stackable and dishwasher safe.

- 3618A** 2 oz
Top size: 2 3/4" 1 ea
- 3618C** 8 oz
Top size: 4 1/4" 1 ea
- 3618D** 16 oz 1 ea



Glass Cap Alcohol Lamps

Heavy molded glass. Ground glass cap and neck. Wick included. Individually boxed.

- 3655** 2 oz 1 ea
- 3656** 4 oz 1 ea



Bibulous Paper

50 perforated sheets. 4" x 6" A-grade cotton fiber. 0.18 mm thick, 80 g/m².

3718 6 bk/pk (~50sheets/bk)



Flask, Narrow Mouth

Heavy-duty borosilicate glass. Calibrated.

3597D 250 ml 1 ea

Lens Paper

Soft, thin paper sheets are recommended for cleaning microscope eyepieces and objectives and the lenses of other optical instruments. 4" x 6" AA-grade wood pulp. 0.02 mm thick, 13 g/m².

3719 12 bk/pk (~50sheets/bk)



Micro Spatula

Wire: 0.103" diameter. Overall length: 8". Flat ends: 2" long. Glazed finish.

3757 1 ea



Pasteur Pipet

Quality-controlled, heavy-wall flint glass with straight-cut tips. Protective overwraps. Disposable. Length: 7.0 mm – 7.5 mm.

3566 Length: 5 3/4" 250/bx



Aerocell™ Exfoliative Cytology Fixative Spray

Quick drying, clear film coating for cytological specimens. Water soluble; use with standard staining techniques. Store coated slide in dry place indefinitely.

AQ109-05 3.5 oz 12/cs



A Graham-Field Brand

BR3016122 Microscope

A cost-effective solution for all your digital imaging needs, providing versatility and superior optical and digital quality at an affordable price. The Bristoline® BR3016122 features the combination of sturdy, precision-built microscope with digital camera and image analysis software to deliver outstanding results for all levels of microscopy.

Eyepieces:

HWF10x Eyepieces, 20 mm field of view.

Head:

Precise Siedentopf binocular or trinocular viewing head, inclined 30° and rotatable 360° for maximum flexibility. Interpupillary distance settings (55 mm - 75 mm) and diopter adjustment allow the user to maintain objective parfocality when switching to different objective magnifications. The trinocular viewing head is available with either a photo or CCTV tube.

Stand:

Ergonomically designed with comfortable low-position coaxial coarse and fine focusing controls and an adjustable tension control to maximize individual comfort and convenience. A built-in fixed-focus stop allows for rapid image focusing while protecting specimens and objectives. Acid-resistant lustrous almond finish.

Nosepiece:

Quadruple, ball bearing, reverse angle nosepiece with positive click stops to ensure parcentration. Durable rubber grip on turret makes switching objectives fast and easy.

Objectives:

Infinity-corrected, DIN standard achromat or plan, parfocal, parcenter and color-coded. 4x (N.A. 0.10), 10x (N.A. 0.20), Semi-Plan 40x R* (N.A. 0.65), Semi-Plan 100x R* (N.A. 1.25) oil immersion.

**Retractable Spring Mount*

Stage:

Professional double-plate graduated mechanical stage (155 mm x 135 mm) with vernier scales to provide accurate specimen location. Travel area 75 mm (X) x 50 mm (Y), with a low-position right-hand control.

Sub-stage:

Pre-centered N.A. 1.25 two-lens Abbe condenser with iris diaphragm, filter holder and position guide markings for resolution, contrast control and ease of use.

Illumination:

Koehler-type variable 6 volt 20 watt enhanced halogen illuminator. Field diaphragm incorporates an aspheric lens system and filter holder for critical illumination. Pre-centered mount for the bulb filament refines light for all contrast techniques. Trap door makes bulb replacement fast and easy.

Camera Specifications:

- Image Sensor: 1/2" 1.3-Megapixel CMOS
- Imaging Area: 6.83 mm x 5.45 mm
- Resolution: 1280 H x 1024 V
- Pixel Size: 5.2 µm x 5.2 µm
- Frame Rate: Max 30 fps, Average 15 fps at full resolution
- Shutter: Electronic Rolling
- Color: Bayer RGB Mosaic, uncompressed 3 x 8 bit output



BR3016122 Microscope.

BR3016122 1/ea

BR3002 Binocular Microscope

Sharp, high-contrast images and a rigid, cast alloy aluminum frame make the Bristoline® BR3002 Microscope an excellent choice for educators and medical and veterinary professionals. Durable and ergonomic by design, the 3002 is built for many years of dependable use.

Eyepieces:

WF10x/18.5 mm field of view; a pointer is standard in one eyepiece. Eyepieces are locked in to prevent classroom tampering. Eyepieces accept 21 mm reticles.

Viewing Head:

Binocular or monocular, 30° inclined and rotatable 360°. Single-diopter adjustment. Interpupillary distance adjustment 55 mm – 75 mm.

Nosepiece:

Rear-facing, quadruple ball bearing with positive click stops to ensure parcentration.

Objectives:

Choice of standard achromat or plan objectives. Standard configuration includes DIN 4x, 10x, Semi-plan 40xR and 100xR oil immersion.

Stage:

Stage size 140 mm x 140 mm. Travel area: 75 mm (X) by 50 mm (Y) movement with right-hand control. Vernier scale reading to 0.1 mm.

Condenser:

N.A. 1.25 Abbe condenser on rack and pinion with iris diaphragm and swing-out filter holder. A clear blue filter is supplied.

Stand:

Cast alloy aluminum. A built-in, fixed-focus stop allows for rapid image focusing while protecting specimens.

Illumination:

6 volt 20 watt halogen with variable intensity control; lamp is easily changeable by removing the field lens unit.

Focusing System:

Coaxial coarse and fine focus controls with an adjustable tension control. All metal gears.

Optional Accessories:

Plan 20x, 50xR oil and 60xR objectives, WF15x or WF20x eyepieces, Slider phase contrast set, microscope carry case and 21 mm reticles.

Miscellaneous:

Five year limited warranty for parts, labor and electronic components. Dust cover, immersion oil and instruction manual included with each complete model.

Dimensions:

231 mm (L) by 178 mm (W) by 360 mm (H).

Net weight:

13.90 lb

Shipping weight:

17 lb

Shipping dimensions:

15" x 11" x 19"



BR3002 Microscope.

BR3002 1/ea

A Graham-Field Brand

BR3000 Microscope Series

The advanced, durable, high-performance Bristoline® BR3000 microscope series is engineered to exceed the exacting standards of life science professionals. The BR3000 microscope series provides crisp, high-contrast images with outstanding resolution, precision design, and enhanced illumination.

Eyepieces:

HWF10x Eyepiece with pointer, 18 mm field of view.

Head:

Binocular, trinocular or monocular viewing heads are inclined 30° and rotatable 360°. Interpupillary distance settings (55 mm – 74 mm) and dual diopter adjustments allow the user to maintain objective parfocality when switching to different objective magnifications. The trinocular viewing head is available with either a photo or CCTV tube.

Stand:

Ergonomically designed with comfortable low-position coaxial coarse and fine focusing controls and an adjustable tension control to maximize individual comfort and convenience. A built-in fixed focus stop allows rapid image focusing while protecting specimens and objectives. Acid-resistant lustrous almond finish.

Nosepiece:

Quadruple ball bearing nosepiece with positive click stops to ensure parcentration. Durable rubber grip on turret makes switching objectives fast and easy.

Objectives:

DIN standard achromat or plan, parfocal, parcenter and color-coded. 4x (N.A. 0.10), 10x (N.A. 0.20), Semi-Plan 40x R' (N.A. 0.65), Semi-Plan 100x R' (N.A. 1.25) oil immersion. **Retractable Spring Mount*

Stage:

Professional double-plate graduated mechanical stage (155 mm x 140 mm) with vernier scales to provide accurate specimen location. Travel area 75 mm (X) x 50 mm (Y), with a low-position right-hand control.

Sub-stage:

Pre-centered N.A. 1.25 two lens Abbe condenser with iris diaphragm, filter holder and position guide markings for resolution, contrast control and ease of use.

Illumination:

High-intensity variable 6 volt 20 watt halogen illuminator with cord hanger. Trap door makes bulb replacement fast and easy.

Anti-mold:

Optical surfaces in the viewing head are protected with an anti-mold system to ensure proper performance in unusually hot and humid environments.



Comes complete with dust cover, immersion oil, and blue filter. Five year warranty for manufacturing defects.

ITEM #	DESCRIPTION	ILLUMINATION
BR3000	Binocular	6v20w Variable Halogen
BR3001	Trinocular	6v20w Variable Halogen
BR3020	Monocular	6v20w Variable Halogen

BR3015 Microscope Series

The BR3015 microscope series brings superior research level, **Infinity** corrected optics to laboratories, hospitals and educational institutions at an affordable price.

The most advanced optical and mechanical components are incorporated to offer exceptional value, versatility and performance to meet the exacting requirements of life science professionals.

Eyepieces:

HWF10x eyepieces, 20 mm field of view.

Head:

Precise Siedentopf binocular or trinocular viewing head, inclined 30° and rotatable 360° for maximum flexibility. Interpupillary distance settings (55 mm – 75 mm) and diopter adjustment allow the user to maintain objective parfocality when switching to different objective magnifications. The trinocular viewing head is available with either a photo or CCTV tube.

Stand:

Ergonomically designed with comfortable, low-position coaxial coarse and fine focusing controls, and an adjustable tension control to maximize individual comfort and convenience. A built-in fixed-focus stop allows for rapid image focusing while protecting specimens and objectives. Acid-resistant lustrous almond finish.

Nosepiece:

Quadruple, ball bearing, reverse angle nosepiece with positive click stops to ensure parcentration. Durable, wide rubber grip on turret makes switching objectives fast and easy.

Objectives:

Infinity corrected, DIN standard achromat or plan, parfocal, parcenter and color-coded. ∞ 4x (N.A. 0.10), ∞ 10x (N.A. 0.20), ∞ 40xR* (N.A. 0.66), 100xR* (N.A. 1.25) oil immersion.

**Retractable Spring Mount*

Stage:

Professional double-plate graduated mechanical stage (155 mm x 135 mm) with vernier scales to provide accurate specimen location. Travel area 75 mm (X) x 50 mm (Y), with a low-position right-hand control.

Sub-stage:

Pre-centered N.A. 1.25 three lens Abbe condenser with iris diaphragm is adjustable by an advanced rack and pinion control. A built-in centering device provides evenly illuminated image fields at all magnifications.

Illumination:

Koehler-type variable 6 volt 20 watt enhanced halogen illuminator. Field diaphragm incorporates an aspheric lens system and filter holder for critical illumination. Pre-centered mount for the bulb filament refines light for all contrast techniques. Trap door makes bulb replacement fast and easy.

Anti-mold: Optical surfaces in the viewing head are protected with an anti-mold system to ensure proper performance in unusually hot and humid environments.



Comes complete with dust cover, eye guards, immersion oil, and blue filter. Five year warranty for manufacturing defects.

ITEM #	DESCRIPTION	ILLUMINATION
BR3015	Binocular	6v20w Variable Halogen
BR3016	Trinocular	6v20w Variable Halogen

A Graham-Field Brand

BR3088F Microscope Series

Bristoline®s BR3088F microscope series was designed to provide educators with a high performance, student-proof instrument at an affordable price. The BR3088F series includes many professional features while remaining easy to use and maintain for secondary schools, technical institutes and hobbyists.

Eyepiece:

WF10x eyepiece with pointer, 18 mm field of view. The eyepiece is locked-in to prevent classroom tampering.

Head:

Monocular or dual inclined teaching head. Viewing bodies are inclined 45° and rotatable 360°.

Stand:

Full-size stand with separate coarse and fine adjustment controls set in ergonomic, low positions for comfortable use. Cast alloy aluminum stand with an acid-resistant lustrous almond finish.

Nosepiece:

Rear-facing, triple (BR3088F) or quadruple (BR3089F) revolving, ball-bearing nosepiece with positive click stops to ensure parcentration.

Objectives:

DIN standard achromat, parfocal, parcenter and color-coded. All models include 4x (N.A. 0.10), 10x (N.A. 0.25) and 40x R' (N.A. 0.65). A 100x R' (N.A. 1.25) objective is also supplied with the BR3089F.

'Retractable Spring Mount

Stage:

119 mm x 119 mm with stage clips or factory-installed double-plate mechanical stage with low-position controls and iris diaphragm.

ITEM #	HEAD	STAGE	DIAPHRAGM	ILLUMINATION
BR3088F	Monocular	Clips	Disc	5 watt fluor.
BR3088F-MS	Monocular	Mechanical	Iris	5 watt fluor.
BR3089F	Monocular	Mechanical	Disc	5 watt fluor.

Substage:

BR3088F models offer a built-in N.A. 0.65 condenser with five-aperture disc or iris diaphragm. The 3089F incorporates an N.A. 1.25 abbe condenser with iris diaphragm on a spiral mount.

Focusing:

Separate coarse and fine adjustment controls with tension adjustment on the coarse control. Built-in slip-clutch system and pre-set focus stop prevents accidental damage to objectives or slides.

Illumination:

Built-in 5 watt fluorescent illumination with collector lens and On/Off switch. Fluorescent bulb has a 10,000-hour rated bulb life. Grounded 3-wire line cord and cord hanger for simple and easy storage.

Optional Accessories:

Eyepieces - WF15x (15 mm F.O.V.) or WF20x (11 mm F.O.V.), Objectives - 20x and 60x R', Mirror and fork, 21 mm micrometers and microscope carry case.

Dimensions (L-W-H):

9" x 6 3/8" x 15"

Comes complete with dust cover. Five year warranty for manufacturing defects.



Microscope Supplies



Grafco® Micro Cover Glasses

ITEM #	GLASS SIZE	THICKNESS	APPROX. QTY./BOX	QUANTITY
3704	22 mm x 22 mm	#1 (0.13 mm - 0.18 mm)	200	1 bx
3705	22 mm x 22 mm	#2 (0.17 mm - 0.25 mm)	100	1 bx

Grafco® Microscope Slides


Exceptionally clear, water-white, extra-hard glass. Rounded corners, ground and polished edges. Non-corrosive and non-fogging. Thickness: 0.9 mm to 1.0 mm.

- 3703-2F** Frosted, 3" x 1" (2 x 72/bx) 144/bx
- 3703-2P** Clear, 3" x 1" (2 x 72/bx) 144/bx

Micro Slide Box

Wood frame covered with waterproof, black skytogen paper. Hinged cover. Numbered plastic insert holds 100 standard 3" x 1" slides. Size: 9 3/4" x 7 3/4" x 1 1/4".

3709 1/bx





Analog T.E.N.S.*

T.E.N.S. (Transcutaneous Electrical Nerve Stimulation) system use is indicated under a physician's prescription for the symptomatic relief and management of chronic (long-term) pain and the treatment of postoperative or posttraumatic pain.

Dual channel, modulation/burst/standard modes, complete with 9-volt battery, lead wires, electrodes, and carrying case. Designed to meet the requirements of HCPCS Code: E0720.

GF-3 Analog T.E.N.S. Unit 1 ea

GF-3T Analog T.E.N.S. Unit With Timer 1 ea




T.E.N.S. Accessories

9260 2" T.E.N.S. Pre-gelled Electrodes (4/pk, 10pk/bx) 40/bx

GF-45 Lead Wires 1 ea

GF-3T1 Belt Clip for GF-3 and GF-3T 1 ea



* Federal Law (USA) restricts this device to sale by or on the order of a physician.



Digital T.E.N.S.*

T.E.N.S. (Transcutaneous Electrical Nerve Stimulation) system use is indicated under a physician's prescription for the symptomatic relief and management of chronic (long-term) pain and for the treatment of postoperative or posttraumatic pain.

GF-TX5 Digital T.E.N.S. 1 ea

MODEL	GF-TX5
POWER SOURCE	Operated by 9v battery
CHANNEL	Dual, isolated
AMPLITUDE	Adjustable 0 – 80 mA 500 ohm load each channel
OUTPUT VOLTAGE	Adjustable, 0 – 40v
PULSE RATE	1 – 150 Hz adjustable, 45 adjustable frequencies
PULSE WIDTH	30 – 300 µs adjustable
WAVE FORM	Asymmetrical bi-phasic rectangular pulse
TIMER	1 – 60 minutes auto-off
STIMULATION MODE	Burst: PW adjustable Constant: PR/PW adjustable 3 Modulation Capacities: M: PR/PW modulation A(SD1): PR/PW modulation S(SD2): PR/PW modulation
TREATMENT MEMORY FUNCTION	Memorize the last set of operation records
RESET MEMORY FUNCTION	Yes
COMPLIANCE TIMER	Total record time is 999 minutes
RESET COMPLIANCE TIMER	Yes
LOW BATTERY	Yes
FUNCTION CONTROL COVER	Yes
INTENSITY CONTROL COVER	N/A
BELT CLIP	Metal belt clip for strength (Rotates 360°)
WEIGHT	90 grams (without battery)
SIZE	95 mm x 60 mm x 25 mm
DISPLAY	Output indicator, Low batt. Output amplitude (mA) PW, PR, Timer, Compliance Timer, Stimulation Modes

* Federal Law (USA) restricts this device to sale by or on the order of a physician.

Digital E.M.S.*

The Digital E.M.S. (Electrical Neuromuscular Stimulator) is a battery-operated pulse generator that sends electrical impulses to electrodes attached to the body to stimulate motor nerves and cause contraction and relaxation of muscles. Indicated for muscle spasm relaxation, to prevent or retard disuse atrophy, to maintain or increase of range of motion, to increase local blood circulation, muscle re-education, and immediate post-surgical stimulation of calf muscles to prevent venous thrombosis.

GF-TX5EMS Digital E.M.S. 1 ea



KEY FEATURES OF Digital E.M.S.

Channel A and Channel B can each be set at different currents or at the same current outputs.

Dual Channel digital

Metal belt clip for strength rotates 360°

Memory Function unit does not lose patient's key settings, such as pulse rate, pulse width, when battery is removed.

Current output in mA are shown on the digital screen in addition to other key features.

Unit has patient compliance timer recording time from 0 - 999 minutes

Top Function of E.M.S.:

PR: Adjustable from 1 to 150 Hz

PW: Adjustable from 30 to 300 μ s

Contraction ON Time: Adjustable from 1 to 30 seconds

Relaxation OFF Time: Adjustable from 1 to 30 seconds

Ramp UP/DOWN Time: Adjustable from 1 to 6 seconds

All controls are covered to avoid accidental change of settings, yet can be seen through outer window.



	FUNCTIONS - MODES	PULSE RATE	PULSE WIDTH
GF-TX5EMS <ul style="list-style-type: none"> • Digital • 5 Memory Storage Capacity • Time Use Memory • Asymmetrical or Symmetrical Waveforms • Alternating Continuous or Synchronous Modes • LCD • Dual Channel 	Constant On-Time Off-Time Ramp Time Timer	Adjustable	Adjustable


* Federal Law (USA) restricts this device to sale by or on the order of a physician.



Reachers

Lightweight aluminum reaching aid. A squeeze of the trigger closes jaws for a tight grip, plus magnet on tip helps pick up metal items.

- 5686 Regular Reach: 26" 1 ea
- 5688 Long Reach: 32" 1 ea



Pill Organizer

Individual days are removable. 4 compartments for each day of the week. Dispenses exact dosage 4 times a day to help eliminate user confusion.

- 5717 1 ea

Pill Cutter



Sturdy plastic cutter with stainless steel edge requires little pressure to split coated or uncoated pills, caplets and tablets. Splits tablets up to 9/16" diameter without crumbling. Features a storage compartment to hold unused portions.

- 5711 1 ea



Pill Crusher

Crushes tablets to a fine powder with a twist of the wrist. The specially-designed heavy-duty plastic container is dishwasher safe, stores pills, crushes them and provides a drinking vessel.

- 5713 1 ea



Pill Crusher, Metal

Heavy-duty, corrosion-resistant, die cast crusher. Chrome-plated with metal fittings.

- 5712M 1 ea

3-in-1 Mirror

Silvered mirror; one side plain, one side 3x magnification. May be used standing, hanging, or hand-held. Frame adjusts to all angles.

1770 1 ea



Combs

Black plastic comb with coarse and fine teeth.

1771B	7" medium	144/bx
1772	5" pocket	144/bx
1773	8 1/4" large	12/bx

Black plastic fine comb.

1774	3 1/2" x 1 3/4"	12/bx
------	-----------------	-------

Stainless Steel Triple Cut Nail File

1776 5" 12/bx



Stainless Steel Tweezers

Length 3 1/2"

1783	Fine-point tip	1 ea
1784	Slant tip	1 ea
1785	Blunt tip	1 ea

Emery Boards

1778	4 1/4"	144/bx
1779	7" (Professional Size)	144/bx



Stainless Steel Manicure Scissors

3 1/2" With Curved Blades.

1786 1 ea



Manicure Sticks

Smooth, beveled wood. Hoof shaped.

1780 Length 4 1/2" 144/bx



Razor Blade

Stainless steel, double edge blade.


3171 250/bx

Stainless Steel Nail Scissors

1787 3 1/2" 1 ea



A Graham-Field Brand



Chrome-Plated Cuticle Nipper

Sharp, fine-cutting edges.

1788 4" 1 ea



Fingernail Clipper

Precision-ground and nickel-plated. Includes file/cleaning tip and thumb pad lever. Heat treated for durable, sharper cutting edges.

1790-1 6/bx




Chrome-Plated Nail Nippers

With coiled spring and concave cutting edges.

1789 4 1/2" 1 ea

1790 5 1/2" 1 ea



Toenail Clipper

Precision-ground and nickel-chrome plated. Includes file/cleaning tip and thumb-pad lever. Side ground and heat-treated for durable, sharper cutting edges. Position lugs prevent from slipping.

1790-2 6/bx



Slumber Mask

Completely eliminates disturbing lights. Dark sateen finish and elastic head band.

1272 1 ea



Chrome Plated Nail Nippers

Heavy-duty nail clippers.

1792 4 1/2" 1 ea



Polypropylene Hand Brush

Resilient, long lasting nylon bristles are resistant to chemicals and provide thorough scrubbing, without scratching. Non-corrosive wire securely anchors each tuft. Can use cold sterilization process. Fits standard brush dispenser. Dimensions are 4 1/4" x 1 3/4".

3389 12/bx



Pedi-Corn Cutter

Chrome-plated holder with plastic handle. Planes corns or excess skin. Razor-sharp blade is enclosed for safety. Instructions included.

1793 Pedi-Corn Cutter 1 ea


1793C Blades 10/bx



Toothbrushes

Durable polypropylene handles. Three rows of white nylon bristles.

- 3395-1 Adult, 39 tufts, 7" length 144/gr
- 3395-2 Adult, 32 tufts, 6" length 144/gr
- 3396 Child, 31 tufts, 5 1/4" length 144/gr



Denture Plate Brush

Polypropylene white handle is 3 5/8" long, bristled on 2 sides with nylon filaments; one side is 4 rows (16 tufts) with contour trimming for easy reach into crevices in the anatomy of the denture. The other side is 4 rows (22 tufts) with serrated trimming. Can withstand temperature changes from 0° – 180°F. Individually packaged.

- 3397 24/bx



Polyethylene Hair Brush

High-impact polyethylene handle features semi-curved top and comfortable grip. Seven rows (80 tufts) of black nylon bristles.

- 3394 36/bx



Aspheric Magnifier, Hand-held

Precision-molded lens delivers distortion-free magnification that resists dust and scratching with lightweight plastic handle. Lens size: 2".

- 5736 Magnification: 5X 1 ea



Plastic Breast Pump

Manual operation. Latex free.

- 3909-1 1 ea



Sitz Bath

Complete with graduated water bag and tubing. Capacity: 2000 cc.

- 3209 1 ea



Plastic Bedpan

Gold.

- HT9011 Adult 1 ea



Hanging Fracture Bedpan



Individually bagged. Latex-free polypropylene. Tapered front for easy placement, built-in loop handle for easy positioning. Plastic guard prevents spills. Maximum patient load 331 lb. Maximum volume 1000 cc.

- 2302-B Gold 1 ea



Hanging Male Urinal



Individually bagged. Latex-free polyethylene. Translucent, lightweight, durable for easy cleaning. Graduated for accurate measurement. Attached lid to prevent spills and minimize odor. Easy-grip handle attaches to healthcare beds.

- 2311-B Clear 1 ea



A Graham-Field Brand



Hair Shampooer, Inflatable

Heavy-duty inflatable plastic ring supports neck, forms shallow basin. Portable, folds flat for storage. Complete with drainage hose.


5358 22 1/2" x 23 1/2" 1 ea



Stopperless Water Bottle

Dual-purpose rubber bottle. Large, leakproof opening for easy filling with ice cubes or hot water. Special folding closure eliminates need for separate stopper. Capacity: 2 qt. Boxed.

3867 1 ea
3867-1 12/bx



Rinsette

Durable, heavy-duty, latex-free molded styrene tray for washing hair, dressing head wounds, or irrigating ears without moving bedridden patients. Prevents wet bed linen as excess fluids flow directly into bedside container. Hang-up slot for convenient storage. Cold sterilizable.

5356 1 ea



Hot Water Bottle

Seamless, molded, leakproof rubber bottle. Embossed surface. Complete with stopper. Capacity: 2 qt.

3868-1 12/cs
HT9013 Individually boxed 1 ea



Reusable Bed Pad

Extra-absorbent, cool cotton pad protects bedding. Three layers consisting of a bottom vinyl, an absorbent soaker middle, and a top layer of breathable cotton. Machine washable.

D0095 29" x 35" 1 ea



Throat/Spinal Bag

Contoured, molded rubber bag with tie tab at each end. Plastic leakproof lid with large opening for easy filling. Capacity: 1pt. Size: 12".

3874 1 bx

English Style Ice Caps

Wide mouth accommodates even large ice cubes.

HT9007 6" 1 ea
HT9008 9" 1 ea
HT9009 11" 1 ea



Fountain Syringe

Durable rubber bag complete with tubing, shut-off clamp, and two slip syringe pipes (vaginal and adult rectal).

3869-2 1 ea



Reusable Hot/Cold Gel Packs

Microwaveable. May be used hot or cold. Stays flexible.

9122A	Standard	6" x 10"	24/cs
9123A	Junior	4" x 6"	24/cs
9124A	Throat/Perineal	4" x 10"	24/cs
9125A	Small	4" x 15"	12/cs
9126A	Large	7 1/2" x 15"	6/cs

Reusable Hot/Cold Gel Packs

Great for transporting products that need to remain cold.

Reusable hard freeze. Non-toxic.

170872	4" x 7"	72/cs
171636	6" x 8"	36/cs
172424	6" x 8 1/2"	24/cs



Disposable Instant Heat Pack

Heats in seconds — provides instant soothing heat therapy for stiff, aching muscles. Ideal for joint pain.

9000H	6" x 8.5"	24/cs
-------	-----------	-------



Disposable Instant Cold Packs

9100A	Standard	6" x 8.5"	24/cs
010210	Instant Cold Pack	5" x 7"	48/cs
010407	Instant Cold Pack	5" x 5"	80/cs



Moist Heat Therapy Packs and Covers

The moist heat pack is a simple and effective method of applying moist heat to a local area. It gives at least 30 minutes of therapeutic heat. Use with either a moist heat pack cover or a heavy towel. The cover allows therapeutic moist heat to penetrate without burning the skin. Cover is made of terry cloth filled with foam. Use two standard covers for oversize packs.

Packs

2085	Oversize Pack 15" x 24"	1 ea
2086	Standard Pack 10" x 12"	1 ea
2087	Half Size Pack 5" x 12"	1 ea
2088	Neck Pack 9" x 24"	1 ea

Covers


2089	Standard Terry/Foam Cover	1 ea
2090	Neck Terry/Foam Cover	1 ea
2091-1	Cover 24" x 30"	1 ea

Personal Care — Therapy

Grafco® Microwaveable Moist Heat Pads with MicroBeads™ Technology

Without electricity or added water, these reusable heat pads will produce moist heat using the convenience of a microwave oven. When heated in the microwave, the MicroBeads™ release their retained moisture, providing therapeutic moist heat.

2080	Moist Heat Pad 9"x12"	1 ea
2080-C50	Cover for 2080	50/bx
2081	Moist Heat Pad 10" Round	1 ea
2082	Moist Heat Pad Neck Wrap	1 ea



HealthTeam® Paraffin Heat System

The HealthTeam® Paraffin Heat System, packaged for retail sale, provides soothing moist heat. The intensive moisture provided by the paraffin wax also nourishes and conditions the skin. Can be used on hands, feet or elbows. The paraffin wax temperature is thermostat controlled. Holds up to 6 lb paraffin wax. Each system includes one Paraffin Heat System, one paraffin mitt, one paraffin bootie, fifty plastic hand/foot liners, and user instructions.

PA2293	Paraffin Heat System	1 ea
PA2293W	Paraffin Heat System with wax (six 1-lb bags/box)	1 ea
2294	Wax, wintergreen, six 1-lb bags/box	1 box
2295	Wax, unscented, six 1-lb bags/box	1 box



Grafco® Electric Heating Pad — Moist Heat

Dependable electric heating pad with moisture-holding sponge.

4507-1	1 ea
---------------	------



CastGard® BandageGard

Cast, bandage, or wet dressing cover-up of durable 100% latex rubber. Prevents water damage to casts and bandages with an 8x stretch at opening. Slips on easily and stays securely in place. Reusable.



- 4201 Full Leg Adult: Regular 1 ea
- 4202 Full Leg Adult: Small 1 ea
- 4203 Half Leg Adult: Regular 1 ea
- 4204-1 Half Leg Adult: Large 1 ea
- 4205 Foot Adult: Regular 1 ea
- 4207 Full Arm Adult: Regular 1 ea
- 4208 Full Arm Adult: Small 1 ea
- 4209 Half Arm Adult: Regular 1 ea
- 4210 Half Arm Adult: Small 1 ea



Thera-Putty®

Non-hardening silicone putty recommended for strengthening finger, hand and forearm muscles. Available in Extra-Soft, Soft, Soft-Medium, Medium-Firm, and Firm densities.

Each density is a different color for easy identification.

- 2013 Tan Color, Extra-Soft Density, 2 oz 1 ea
- 2013-S Yellow Color, Soft Density, 2 oz 1 ea
- 2013-SM Red Color, Soft-Medium Density, 2 oz 1 ea
- 2013-MF Green Color, Medium-Firm Density, 2 oz 1 ea
- 2013-F Blue Color, Firm Density, 2 oz 1 ea



Hand Exercise Ball

For strengthening weak finger and hand muscles. Vinyl ball molded with finger loop.

- 2009M Medium Density 1 ea

Walking Heel

Provides stability and early ambulation. Molded from lightweight, durable, resilient polymer. Resilient cushioning with excellent grip and traction. Abrasion resistant with low water absorption.



- 8798 S Small (Green) 1 ea
- 8798 M Medium (Grey) 1 ea
- 8798 L Large (Green) 1 ea



Inflatable Vinyl Invalid Ring

Vinyl ring with push/pull inflating valve.

- 1819 14 1/2" 1 ea



Inflatable Rubber Invalid Rings

Red rubber ring complete with inflating valve.

- 1820 14" 1 ea
- 1821 16" 1 ea
- 1822 18" 1 ea



Invalid Ring With Cover, 16"

Comfortable, pressure-relieving foam cushion with washable cover.

- 1823 16" x 13" 1 ea



Cervical Traction Set

Deluxe over-door type. 20 lb. capacity. Includes: Machine washable, foam-padded, heavy-duty head halter with metal support rings and hook and loop closures; over-door clamp; pulley; 12" adjustable spreader bar; 8 ft. traction rope; double-sealed vinyl water bag; and S-hook. Sturdy, chrome-plated steel construction. One size fits all.

GF1871 Retail Boxed With Instructions 1 ea

Component Parts for Traction Sets

All parts compatible with Graham-Field traction sets.

1874	Deluxe Head Halter	1 ea
1876	Vinyl Bag, 20 lb	1 ea
1878	Spreader Bar, 12"	1 ea
1879	Spreader Bar, 20"	1 ea



Exercise Pulley Traction Set

Helps increase range of arm mobility while stimulating muscles. Fits over standard door. Can be used sitting or standing. Lightweight; easily removable.

1001P 1 ea



Peddler Floor Exerciser

Safe and gentle form of low-impact aerobic exercise. Stimulates circulation while toning leg/arm muscles. Durable chrome finish. Compact design for easy storage.

GF1965-1	Fully Assembled	1 ea
GF1965-1KD	Assembly Required	1 ea



Exercise Weights

Covered in heavy-duty, supple vinyl. Individual pocket design allows easy wrapping around the wrist or ankle. Secures snugly with extra long hook and loop closure. Lock-stitched sewing. Color coded and marked in lb and kg for quick weight identification.

1891	1 lb (.45 kg)	Orange	1 ea
1893	1 1/2 lb (.68 kg)	Dark Brown	1 ea
1894	2 lb (.91 kg)	Turquoise	1 ea
1895	2 1/2 lb (1.13 kg)	Tan	1 ea
1896	3 lb (1.36 kg)	Green	1 ea
1897	4 lb (1.81 kg)	Blue	1 ea
1898	5 lb (2.27 kg)	Gold	1 ea
1899	7 1/2 lb (3.40 kg)	Red	1 ea
1900	10 lb (4.52 kg)	Black	1 ea

A Graham-Field Brand



Stat Frog Splints

Aluminum coated with blue polyester urethane foam.

1944-4	Small	12/pk
1944-5	Medium	12/pk
1944-6	Large	12/pk



Aluminum Finger Splints

Used in dislocations to immobilize joint and transverse fractures of phalanges. Foam-lined aluminum splint is cut, then curved to conform to finger in semi-flexed position.

1943-1	18" x 1/2"	12/pk
1943-2	18" x 3/4"	12/pk
1943-3	18" x 1"	12/pk

Basswood Splints

Fine selected seasoned poplar.

Size: 18" x 3 1/2" x 1/8".

1941	12/pk
------	-------



Finger Splint

1946	10-ft. roll
	1/bx



Prokot Plastic Finger Guard

Plastic guard prevents further injury of fingers and toes. Can be cut with scissor for proper fit.

1968 S	Small	1dz/bx
1968 M	Medium	1dz/bx
1968 L	Large	1dz/bx



Prokot Plastic Finger Guard Assortment

Same features as Prokot Plastic Finger Guard. Kit includes 4 each of small, medium and large sizes.

1968-1	12/bx
--------	-------



Jordan Splint

Felt pad backed with canvas. Spring steel stays provide rigid support.

8649 S	Small	1 ea
--------	-------	------



Orthopedic Felt

Small. No adhesive backing.

1976	21" x 36" x 1/4"	1 ea
------	------------------	------



Envelope Style Arm Sling

With cotton strap and metal slide buckle.

Poly/cotton blend.

8666 M	Medium	1 ea
8666 L	Large	1 ea

With hook and loop strap and rectangular metal link.

Poly/cotton blend.

8667 S	Small	1 ea
8667 M	Medium	1 ea
8667 L	Large	1 ea



Cradle Style Arm Sling

Shoulder strap adjusts with metal slide buckle.

Poly/cotton blend.

8668	1 ea
------	------

Deluxe Foam Cervical Collar

Medium density, 1" thick foam collar covered in natural stockinette. Contoured design features chin cutout. Hook and loop closure.

- | | | |
|----------------|------------------------|------|
| 8601 S | Small, 12" – 14" | 1 ea |
| 8601 M | Medium, 14" – 16" | 1 ea |
| 8601 L | Large, 16" – 18" | 1 ea |
| 8601 XL | Extra Large, 18" – 20" | 1 ea |



Soft Foam Cervical Collar With Support

Conventional collar made of high-density polyurethane foam. Covered with soft, hypoallergenic cotton stockinette.

- | | | |
|---------------|------------------------|------|
| 8605XL | Extra Large, 18" – 23" | 1 ea |
|---------------|------------------------|------|

Soft Foam Cervical Collar

Firm-density polyurethane foam provides cushion and comfortable cervical support. Covered with nylon stockinette and cotton sleeve.

- | | | |
|---------------|------------------------|------|
| 8602S | Small, 12" – 14" | 1 ea |
| 8602M | Medium, 14" – 16" | 1 ea |
| 8602L | Large, 16" – 18" | 1 ea |
| 8602XL | Extra Large, 18" – 23" | 1 ea |



Cervical Philadelphia Collar

Very high immobilization, yet still provides patient comfort. Molded of high quality Ethafoam® to ensure comfortable support. Anatomical shape, preformed chin, and tracheotomy opening.

- | | | | |
|---------------|-------------|------------------------------------------------------|------|
| 8607M | Medium | Height Adjustable < 70 mm (2 3/4") | |
| | | Fits neck circumference 16" – 21" | 1 ea |
| 8607L | Large | Height Adjustable 70 mm - 100 mm (2 3/4" - 3 15/16") | |
| | | Fits neck circumference 16" – 21" | 1 ea |
| 8607XL | Extra Large | Height Adjustable > 100 mm (3 15/16") | |
| | | Fits neck circumference 16" – 21" | 1 ea |



Adjustable Cervical Collar

Rigid plastic support trimmed with soft foam padding and washable vinyl. Double front height adjusts from 3 1/2" – 4 1/2". Hook and loop closure.

- | | | |
|----------------|-------------|------|
| 8604 M | 16" – 21" | |
| | Medium | 1 ea |
| 8604 L | 17" – 22" | |
| | Large | 1 ea |
| 8604 XL | 18" – 23" | |
| | Extra Large | 1 ea |

Protective Helmet, Head Guard

Black cowhide lined with 1/2" foam rubber and white cowhide. Soft crown area for extra comfort. Adjustable hook and loop chin strap. Completely washable. Buckle snap closure.

- | | <u>Head Circumference</u> | |
|----------------|---------------------------|------|
| 9860 S | 19" - 20" | 1 ea |
| 9860 M | 20 1/2" - 21 1/2" | 1 ea |
| 9860 L | 22" - 23" | 1 ea |
| 9860 XL | 23 1/2" - 24 1/2" | 1 ea |



Personal Care — Orthopedic



Grafc® Wrist Wrap With Loop

Woven elastic support utilizes elastic thumb loop for ease of application and tension adjustment. Hook and loop closure. Universal size.

8630B Beige 1 ea



Grafc® Universal Wrist Support

Soft loop material provides maximum comfort. One rigid metal boning, four hook and loop closures, and sturdy plastic loops assure firm immobilization.

8631 Left Hand 1 ea

8632R Right Hand 1 ea



Grafc® Tennis Elbow Support

Provides compression to forearm muscles and supports upper forearm during many activities involving repeated hand motion, strong grip, torquing of the arm, and impact. Typically used when playing sports, gardening, or using hand tools. Adjustable strap has hook and loop closure with aluminum stay. Ambidextrous. Black.

8638 Medium, 10 1/2" - 11 1/4" 1 ea

8639 Large, 11 1/4" - 12" 1 ea



Pipeer™ Stirrup Stocking

Form-fitting compression stocking helps to control varicose veins and relieve tired, aching legs. Ideal for people who spend a lot of time on their feet. One-way stretch Lycra® material. Measure calf to determine stocking size. Sold in pairs. Made in USA.

187S Small, 13" - 14" 1 ea

187M Medium, 15" - 16" 1 ea

187L Large, 17" - 18" 1 ea

187XL Extra Large, 19" - 20" 1 ea

Pipeer™ Arch Easer

This elastic compression wrap, designed to relieve and help prevent arch-related foot pain, also helps to relieve tired or aching feet and other foot-related problems. Designed to be worn over or under a sock. Washable. Sold in pairs. Made in USA.

188 Adjustable 1 ea



Stockinette Dispensing Box

Tubular, unbleached knitted cotton bandage. Non-sterile. Length: 25 yd/roll in convenient dispenser box.

1984-2 2" 1 ea

1984-3 3" 1 ea

1984-4 4" 1 ea

1984-6 6" 1 ea



Personal Care — Orthopedic



Grafc® Dual Adjustable Back Support

Knitted elastic back panel has four flexible metal bonings for firm support. Soft loop material laminated to 1/8" foam and brushed cotton gives maximum comfort. Hook and loop closure.

8622 M	Medium	32" – 42"	1 ea
8622 L	Large	42" – 52"	1 ea

Grafc® Lumbar/Sacral Support

Unique design combines two belts in one for maximum support.



8624B M	Beige	Medium	32" – 36"	1 ea
8624 L	Beige	Large	36" – 40"	1 ea
862B XL	Beige	Extra Large	40" – 44"	1 ea

Pipeer™ Shoulder Brace

Excellent aid for the relief of the symptoms of osteoporosis. One-strap adjustment corrects posture. Holds shoulders back, prevents stoop, and brings chest up. Comfortable 3-ply perforated cotton, foam, and tricot construction. Gives superior fit with maximum ventilation. Washable. To determine size: Men measure chest; women measure under bust .



837XXS	Extra Extra Small		1 ea
837XS	Extra Small	24" – 26"	1 ea
837S	Small	38" – 34"	1 ea
837M	Medium	34" – 36"	1 ea
837ML	Medium/Large	38" – 40"	1 ea
837L	Large	42" – 44"	1 ea
837XL	Extra Large	46" – 48"	1 ea

Pipeer™ Elasto Back Support

Specially-woven, breathable ribbed elastic provides compression as well as superior fit. Elastic pelvic straps provide additional support and custom adjustment.



Washable. Measure hip circumference to determine size. Made in USA.

712S	Small	30" – 33"	1 ea
712M	Medium	34" – 37"	1 ea
712ML	Medium/Large	38" – 41"	1 ea
712L	Large	42" – 45"	1 ea
712XL	Extra Large	46" – 49"	1 ea
712XXL	Extra Extra Large	50" – 53"	1 ea

Grafc® Abdominal Binder

Knitted elastic and two flexible metal bonings assure maximum support. Hook and loop closures, 10" width. Washable. Tapered design for better fit. Latex free.



8619 L	Large	34" – 38"	1 ea
8619 XL	Extra Large	38" – 42"	1 ea
8619 XXL	Extra Extra Large	42" – 48"	1 ea

Pipeer™ Tummy Uplifter

All-in-one support requires no additional undergarment. Provides firm and balanced abdominal support and comfort. Lifts and supports the tummy. 3" elastic belt clinches for added support. Washable. Measure hip circumference to determine size. Made in USA.



774S	Small	32" – 34"	1 ea
774M	Medium	36" – 38"	1 ea
774L	Large	40" – 42"	1 ea
774XL	Extra Large	44" – 46"	1 ea
774XXL	Extra Extra Large	48" – 50"	1 ea



Rupture Easer

Patented form-fitting support for reducible inguinal hernias. Lightweight and comfortable to wear, does not restrict movement. Available in right side, left side, or double. Simple pull straps offer instant adjustment. Washable cotton duck cloth and foam pads. Measure hip circumference to determine size. Made in USA. 1 ea.

SIZE	Small 30" - 33"	Medium 34" - 37"	Medium/ Large 38" - 41"	Large 42" - 45"	Extra Large 46" - 49"
TYPE					
Double	504DS	504DM	504DML	504DL	504DXL
Right	504RS	504RM	504RML	504RL	504RXL
Left	504LS	504LM	504LML	504LL	504LXL



Golden Crown Truss

Deluxe patented form-fitting support for reducible inguinal hernias. 3-ply perforated foam material with Tricot inner lining and preshrunk gray outer fabric with padded leg straps provide gentle 3-way suspension. Can be worn day or night. Washable. Measure hip circumference to determine size. Made in USA. 1 ea.

SIZE	Small 30" - 33"	Medium 34" - 37"	Medium/ Large 38" - 41"	Large 42" - 45"	Extra Large 46" - 49"
TYPE					
Double	527DS	527DM	527DML	527DL	527DXL
Right	527RS	527RM	527RML	527RL	527RXL
Left	527LS	527LM	527LML	527LL	527LXL



Supporto Truss

Designed to provide rupture relief and athletic support with the added comfort of Spandex brief. Athletic-type abdominal support with two foam pads. Supports right, left, or double hernia. Lightweight, comfortable, cool material. Exclusively designed 3" band stretches over pads for extra compression. Measure hip circumference to determine size. Made in USA.


549S	Small	30" - 32"	1 ea
549M	Medium	34" - 36"	1 ea
549ML	Medium/Large	38" - 40"	1 ea
549L	Large	42" - 44"	1 ea
549XL	Extra Large	46" - 48"	1 ea
549XXL	Extra Extra Large	50" - 52"	1 ea



Criss Cross Back Support

Compression straps provide custom fit and extra support. Custom design promotes good posture and provides comfortable back support. Side panels adjust to fit shape and reinforce support. Easy touch closure. Lightweight, soft elastic construction. Available in black or white. Washable. Measure hip circumference to determine size. Made in USA. 1 ea.

SIZE	Small 28" - 32"	Medium 33" - 37"	Large 38" - 42"	Extra Large 43" - 47"	Extra Extra Large 48" - 52"
COLOR					
White	723S	723M	723L	723XL	723XXL
Black	723SBLK	723MBLK	723LBLK	723XLBLK	723XXLBLK



Digital Bariatric/Veterinary Scale

The stainless steel platform with heavy-duty rubber mat makes this scale very durable and long-lasting. Its low profile makes use very easy, with no need for stepping up or lifting. Weight capacity 600 lb (270 kg) with .2 lb or 0.1 kg (100 g) weight graduations. Auto-zero, auto-tare, weight lock-in and auto-re-weigh functions mean there is no need to remove the patient from the scale. Easy-to-read 1/2" LED digital display may be wall or countertop-mounted, offering eye-level reading. Display size 7" x 4 1/2" x 7 1/4". Dual power source with rechargeable battery with 120V adapter/charger (both included).

HOM2842 1 ea



Digital Sling Stretcher Scale

Designed with motion detection system to read actual weight. Industrial-strength construction for long-lasting reliability. 270 patient memory. 3-way tare with memory. Weight capacity of 400 lb / 181 kg. Casters with wheel locks for mobility and stability. Customizable 1" backlit LCD displays in fractions and decimals. Includes one USB and two serial ports. Keypad entry, BMI, manual tare. Dual power source with rechargeable battery and 120V AC adapter/charger (both included). Metallic gray.

HOM2000 1 ea



ProPlus™ Oversized Folding Wheelchair Scale

180° swivel head for side read. Motion-sensing weighing technology. Customizable 1" backlight LCD display. Displays fractions, lb/oz, decimals in standard; decimals in metric. User-friendly menu screen. Platform with wheels for mobility. Keypad entry, BMI, manual tare, zero, auto-off, auto-hold, re-weigh, hold/release. EMR connectivity through USB and Serial Ports (2). Six D-cell batteries (not included) and 120V AC adapter (included). Ramp attaches to either side for left/right access. Second ramp available (2600RAMP). Three year limited warranty.

HOM2600 1 ea



ProPlus™ Wheelchair Ramp Scale

Motion-sensing weighing technology. Customizable 1" backlight LCD display. Displays fractions, lb/oz, decimals in standard; decimals in metric. User-friendly menu screen. Platform with wheels for mobility Keypad entry, BMI, manual tare, zero, auto-off, auto-hold, re-weigh, hold/release. EMR connectivity through USB and Serial Ports (2). Six D-cell batteries (not included) and 120V AC adapter (included). Ramp attaches to either side for left/right access. Three year limited warranty.

HOM2650 1 ea

Pediatric / Small Animal Scales



Portable Digital Baby/Small Animal Scale

Portable digital scale with motion-sensing weighing technology for faster readings of active infants. Features a 6/10" LCD display showing weight in pounds and fractions of ounces, or in kilograms. 44 lb / 20 kg weight capacity. Includes tare function to remove pad or blanket weight. Uses one 9V battery (included).

HOM549 1 ea



Digital Pediatric/Veterinary Scale

High performance digital pediatric scale with motion-sensing technology to capture the weights of even the most active babies. Weighs in kilograms and pounds/ounces. Waterproof On/Off, zero/clear (tare), hold/release and kg/lb buttons. Features include auto-off, auto-zero and low-battery indicator. Tare memory. Measuring tape included (24" x 1/8" / 59 cm x 1 mm). Powered by six AA batteries (included) or AC adapter (not included).

HOM553 1 ea



Pediatric Balance Beam Scale

Mechanical pediatric scale provides precision and accuracy. Durable steel base and easy-to-clean tray and seat guarantees long-lasting reliability. Heavy-duty steel base for improved strength and durability. Sanitary tray made of easy-to-clean ABS plastic has built-in measuring tape, reads up to 23" x 1/4". Child seat provides comfort and reduces infant movement. Rotating poise bars for dual reading of pounds and kilograms. Poise bar lock-in for error-free operation. Factory-calibrated to ensure accuracy. Two year limited warranty.

HOM1524 1 ea



Pediatric Balance Beam Scale With Tray

Mechanical pediatric scale provides precision and accuracy. Durable steel base and easy-to-clean tray and seat guarantee long-lasting reliability. Heavy-duty steel base for improved strength and durability. Sanitary tray with built-in measuring tape reads up to 23" x 1/4" or 58 cm x 1 cm. Rotating poise bars for dual reading of pounds and kilograms. Poise bar lock-in for error-free operation. Factory-calibrated to ensure accuracy. Two year limited warranty.

HOM1522 1 ea

Digital Handrail Patient Scale

High-capacity scale with wide-access wraparound handrail for safety and stability. Industrial-strength construction for long-lasting reliability. Non-skid platform provides added support to unsteady patients. 180° swivel head for side read. Weight capacity of 1,000 lb / 360 kg. Motion-sensing weighing technology. Customizable 1" backlit LCD display. Displays fractions, lb/oz, decimals in standard; decimals in metric. User-friendly menu screen. Clock with date and time. Keypad Entry, BMI, manual tare, zero, auto-off, auto-hold, re-weigh, hold/release. USB and Serial Ports (two) for computer interface with 270 patient memory. Rechargeable 8V battery, built-in charger and 120V hospital-grade plug included. Heavy-duty wheels.

HOM2101 1 ea



Large Raised-Dial Personal Scale

With superior accuracy, this scale gives precise weight measurements. Stable, extra-large platform accommodates multiple users. Raised dial for extra foot room. Non-slip, textured mat. Heavy-duty steel base and platform for improved strength and durability. 8" easy-to-read dial.

HOM160 1 ea



Physician Mechanical Beam Scale

Permanent, engraved readings on poise bar give long-lasting readability. Designed with Professional Silent Slide™ height rod for smooth, quiet operation. Dual-read height rod with range 24" to 84" (by 1/8"), 60 cm to 213 cm (by 1 mm). Heavy-duty steel base for improved strength and durability. Weight capacity of 500 lb x 1/4 lb (with included 150 lb counterweight). ABS plastic platform cover for easy cleaning. Factory-calibrated to ensure accuracy. Two year limited warranty.


HOM402LB 1 ea



Physician Balance Beam Scale LB / KL

Features a rotating poise bar for dual reading of pounds and kilograms that locks in for error-free operation. Permanent, engraved readings on poise bar give long-lasting readability. Dual-read height rod with 24" to 84" range (by 1/8"), 60 cm to 213 cm (by 1 mm). Heavy-duty steel base for improved strength and durability. Weight capacity of 500 lb x 1/4 lb / 200 kg x 100 g (with included 150 lb / 40 kg counterweight). ABS plastic platform cover for easy cleaning. Factory-calibrated to ensure accuracy. Designed with Professional Silent Slide™ height rod for smooth, quiet operation. Two year limited warranty.

HOM402KL 1 ea




Physician Balance Beam Scale LB / KL

Features rotating poise bars for dual reading of pounds and kilograms that lock in for error-free operation. Permanent, engraved readings on poise bar give long-lasting readability. Dual-read height rod with 24" to 84" range (by 1/8"), 60 cm to 213 cm (by 1 mm). Heavy-duty steel base for improved strength and durability. ABS plastic platform cover for easy cleaning. Factory-calibrated to ensure accuracy. Weight capacity of 350 lb (159 kg). Available Accessories: Counterweights to increase capacity to 500 lb or 200 kg, wheels to provide easy mobility. Assembly required.

Three year limited warranty


HOM400KL 1 ea



Physician Waist-High Digital Scale

BMI (easy scroll method). Hold/release, zero, kg/lb, clear, enter functions. Weight capacity of 500 lb / 227 kg. Auto-zero, five minute auto-off (AC mode disabled), low battery indicator. Wheels and handle for maximum portability. Updatable firmware. 6 C-cell batteries (not included) or 120V AC adapter (included). Metallic gray.

HOM599 1 ea



Professional Digital Scale

500 lb / 227 kg capacity in 0.2 lb / 0.1 kg increments. Large, low platform with non-skid mat for stability and easy access. Easy-read, 1" high LCD readout. User-friendly interface features: BMI (easy scroll method), hold/release, zero, kg/lb, clear, enter functions, auto-zero, 2 minute auto-off (AC mode disabled), low battery indicator. Height rod (24" - 84" x 1/8" / 60 cm - 213 cm x 1 mm) (500KL). Strong aluminum pillar. Updatable firmware. EMR connectivity via USB. Optional adapter available (ADPT31). Two year limited warranty.

HOM500KL 1 ea



A Graham-Field Brand

Optimax™ Sphygmomanometer

Unit has a calibrated, blue nylon Accumax™ cuff and chrome-plated manometer, which measures pressure from 20 mmHg to 300 mmHg. Deluxe inflation system has a two-tube latex bladder and a large knurled air release valve for precision deflation. Deluxe end valve reduces dust build-up. Comes complete with zippered carrying case. Lifetime calibration warranty.

205 Adult 1 ea



205

Labstar™ Deluxe Sphygmomanometer

This unit offers a calibrated nylon Accumax™ cuff which measures pressure from 20 mmHg to 300 mmHg. Deluxe inflation system has a two-tube latex bladder and a large knurled air release valve for precision deflation. Deluxe end valve reduces dust build-up. Comes complete with zippered carrying case. Lifetime Calibration Warranty.

202	Blue	Adult	1 ea
202C	Blue	Child	1 ea
202I	Blue	Infant	1 ea
202N	Blue	Newborn	1 ea
202T	Blue	Thigh	1 ea
202X	Blue	Large Adult	1 ea
202BK	Black	Adult	1 ea
202CBK	Black	Child	1 ea
202IBK	Black	Infant	1 ea
202TBK	Black	Thigh	1 ea
202XBK	Black	Large Adult	1 ea
202GY	Grey	Adult	1 ea
202XGY	Grey	Large Adult	1 ea
202OR	Orange	Adult	1 ea
202COR	Orange	Child	1 ea
202IOR	Orange	Infant	1 ea
202XOR	Orange	Large Adult	1 ea



202

Labstar™ Latex-free Sphygmomanometer

Each unit features a calibrated Accumax™ nylon cuff. The color-coordinated gauge is backed by a lifetime calibration warranty and reliably measures pressure from 20 mmHg to 300 mmHg. The inflation system includes a two-tube latex-free bladder; deluxe air release and end valves; and a latex-free inflation bulb. Comes complete with zippered carrying case.

200	Blue	Adult	1 ea
200C	Blue	Child	1 ea
200X	Blue	Large Adult	1 ea
200BK	Black	Adult	1 ea
200BK-C	Black	Child	1 ea
200BK-I	Black	Infant	1 ea
200BK-T	Black	Thigh	1 ea
200BK-X	Black	Large Adult	1 ea
200GY	Grey	Adult	1 ea
200GY-C	Grey	Child	1 ea
200GY-X	Grey	Large Adult	1 ea



200

Labstar™ Sphygmomanometer

Standard bulb, inflation and end valves.
Blue Accumax™ nylon cuff. Zippered carrying case.
Lifetime calibration warranty.

202S	Adult	1 ea
202S-X	Large Adult	1 ea



202S

Multicuff 5 Blood Pressure Kit

Compact orange multiple blood pressure cuff kit includes nylon blood pressure cuffs for infant, child, adult, large adult, and thigh. Durable, aluminum manometer with large, easy-to-read 65 mm dial; 1-tube inflation bladder; integral latex-free, ribbed inflation bulb with dust filter; and deluxe, push-button air release valve. The rotating bulb and valve allow ambidextrous use. Includes extra storage compartment with hook and loop closure.

206	Orange	1 ea
------------	--------	------



206

Patricia™ Sphygmomanometer

Black enamel manometer, which reads pressures from 20 mmHg to 300 mmHg, is color-coordinated with the black cotton cuff. The cuff has artery indicator label and gauge holder for maximum convenience. Two-tube latex bladder and standard chrome-plated air release and end valves.

Comes complete with zippered case. Lifetime calibration warranty.

180	Adult	1 ea
180C	Child	1 ea
180I	Infant	1 ea
180T	Thigh	1 ea
180X	Large Adult	1 ea



180



175

Superior™ Sphygmomanometer

Cotton cuff with gauge holder and blue manometer, which measures pressure from 20 mmHg to 300 mmHg. Two-tube latex bladder and standard air release and end valves. Comes complete with zippered case. Ten year calibration warranty.

175	Blue	Adult	1 ea
175GY	Grey	Adult	1 ea



Economy Sphygmomanometer

Blue nylon cuff. Two-tube latex bladder with standard air and end valves. Comes with zippered case. One year calibration warranty.

165NBL	Adult	1 ea
--------	-------	------




215

Labtron® Palm Aneroid Sphygmomanometer

Durable, aluminum manometer with large, easy-to-read 65 mm dial. Integral latex-free, ribbed inflation bulb with dust filter. Deluxe push-button air release valve. Rotating bulb and valve provide ambidextrous use. Nylon cuff and latex-free one-tube bladder. Deluxe nylon carry case. Twenty year calibration warranty

215	Adult Grey	1 ea
215C	Child Grey	1 ea
215X	Large Adult Grey	1 ea
216	Adult Orange	1 ea



216



Labtron® Wallmax™ Aneroid Sphygmomanometer

Large, 6" easy-to-read gauge is attached to a 110° swivel wall mounting bracket. Accumax™ cuff includes 8' coiled tubing. Cuff can be stored behind gauge.

222	Adult Blue	1 ea
V222B	Adult Latex-Free Black Cuff and Faceplate	1 ea
CR222	Replacement Crystal Faceplate	1 ea



Labtron® Mobile Aneroid Sphygmomanometer

This mobile, height-adjustable aneroid sphygmomanometer features a large, 6" easy-to-read gauge mounted on a tip-resistant 5-wheel base. Accumax™ cuff includes 8' coiled tubing. Cuff can be stored behind gauge.

223B	Adult Black	1 ea
V223	Adult Black Latex-Free	1 ea



Labtron® Home Blood Pressure Kit with Attached Stethoscope

This unit has an attached single-head stethoscope and self-adjusting D-Bar cuff. Ten year calibration warranty.

242	Adult	1 ea
------------	-------	------



Labtron® Home Blood Pressure Kit with Separate Stethoscope

This unit has a self-adjusting D-Bar cuff. Ten year calibration warranty.

240	Adult	1 ea
240C	Child	1 ea
240X	Large Adult	1 ea



Labtron® Digital Blood Pressure Monitor with Manual Inflation

Reliable readings with simple operation. Perfect for home use. Manual inflation/auto deflation. Offers easy-to-read, large digital display with a self-adjusting cuff for one-handed use. Accurately measures systolic/diastolic pressures and pulse. Automatic power-off function. Compact size. Instruction manual included. Latex free. One year warranty.

707A	Adult	1 ea
707A C	Small Adult	1 ea
707A X	Large Adult	1 ea



HealthTeam® Automatic Digital Wrist Blood Pressure Monitor — Wristwatch Style

Easy-to-read LCD display. Automatic inflation, electronically controlled deflation. Seven sets of memory, pulse rate display, automatic power-off function, and low battery indicator. Includes utility case. Uses two 1.5V AAA alkaline batteries (not included). Wrist circumference: 13.5 cm - 19.5 cm (5.3" - 7.7"). Latex free.

HT8250	1 ea
---------------	------

Labtron® Digital Blood Pressure Monitor with Automatic Inflation

The easy-to-use, fully automatic cuff inflation makes this unit the perfect choice for home use. Jumbo digital display shows readout of pressures and pulse. Measures systolic/diastolic/pulse. Cuff size for upper arm circumference 22 cm - 33 cm (9" - 13"). Three-minute automatic power-off function and low battery indicator. Seven sets of memory + average. Uses four AA alkaline batteries (not included). Latex free. One year warranty.


847	Adult	1 ea
------------	-------	------



MANOMETERS ONLY


See sphygmomanometer unit listed below for descriptions.

For 165NBL, 175, 240, 242, 202S, 200	
2315BL	Blue
2315GY	Grey
2316	Black for 180, 202BK



2315BL

For 202, 200	
2318BL	Blue
2318OR	Orange
2319	Chrome for 205



2319

INFLATION BLADDERS

Seamless dip molded latex. Designed to fit inside all popular brands of cuffs.

One Tube	
2325-1A	Adult
2325-1I	Infant
2325-1C	Child
2325-1X	Large Adult
2325-1T	Thigh



2325-1A

Two Tubes	
2325-2A	Adult
2325-2N	Newborn
2325-2I	Infant
2325-2C	Child
2325-2X	Large Adult
2325-2T	Thigh



2325-2A

Labtron® Gauge Guards

Latex-free guard helps protect aneroid gauges from damage and decalibration. Fits most aneroid gauges.

Gauge Guard	
GG600	Black
GG600BL	Blue



Wallmax™ Accessories

Replacement wire basket with mounting hardware.

2466 Grey 1 ea

ACCUMAX™ INFLATION CUFFS ONLY


A wide range of colors and sizes, and durable reinforced nylon characterize Accumax™ cuffs. All cuffs with nylon gauge holder, Labtron® artery indicator label, size identification and Index and Range markings in centimeters.

BLUE	
2338A	Adult
2338N	Newborn
2338I	Infant
2338C	Child
2338X	Large Adult
2338T	Thigh



2338A

GREY	
2339A	Adult



2339A

ORANGE	
2341A	Adult
2341I	Infant
2341C	Child
2341X	Large Adult
2341T	Thigh

BLACK	
2355A	Adult
2355I	Infant
2355C	Child
2355X	Large Adult



2355A

ACCUMAX™ NYLON INFLATION CUFF AND BLADDERS

BLUE, with One Tube	
2348-1A	Adult
2348-1I	Infant
2348-1C	Child
2348-1X	Large Adult
2348-1T	Thigh

ORANGE, with One Tube	
2349-1A	Adult
2349-1I	Infant
2349-1C	Child
2349-1X	Large Adult
2349-1T	Thigh

BLACK, with One Tube	
2355-1A	Adult
2355-1C	Child
2355-1X	Large Adult
2355-1T	Thigh

BLUE, with Two Tube	
2356-2A	Adult
2356-2N	Newborn
2356-2I	Infant
2356-2C	Child
2356-2X	Large Adult
2356-2T	Thigh

BLACK, with Two Tube	
2355-2A	Adult
2355-2C	Child
2355-2N	Newborn
2355-2X	Thigh
2355-2T	Large Adult



2355-2A

CUFFS AND BLADDERS

COTTON CUFFS and Two Tube Bladders

BLUE	
2345-2A	Adult
2345-2I	Infant
2345-2C	Child
2345-2X	Large Adult
2345-2T	Thigh

BLACK	
2346-2A	Adult
2346-2I	Infant
2346-2C	Child
2346-2X	Large Adult
2346-2T	Thigh



2346-2A

GREY, with Two Tube	
2357-2A	Adult
2357-2C	Child
2357-2I	Infant
2357-2T	Thigh
2357-2X	Large Adult

ORANGE, with Two Tube	
2358-2A	Adult

COMPLETE INFLATION SYSTEMS

Calibrated nylon ACCUMAX™ inflation cuff, two tube latex bladder, deluxe bulb & valve.

BLUE	
2361A	Adult
2361N	Newborn
2361I	Infant
2361C	Child
2361X	Large Adult
2361T	Thigh



BLACK	
2365A	Adult
2365N	Newborn
2365I	Infant
2365C	Child
2365X	Large Adult
2365T	Thigh

LATEX-FREE COMPLETE INFLATION SYSTEM

Calibrated nylon ACCUMAX™ inflation cuff, two tube latex-free bladder, deluxe latex-free bulb and deluxe valve.

BLUE	
2367A	Adult
2367C	Child
2367X	Large Adult

BLACK	
2360A	Adult
2360I	Infant
2360C	Child
2360X	Large Adult
2360T	Thigh



GREY	
2366A	Adult
2366C	Child
2366X	Large Adult

BULB AND VALVE COMBINATIONS

2422	Standard Bulb End Valve/ Standard Air Release Valve
2424	Deluxe Bulb End Valve/ Deluxe Air Release Valve



“D” BAR INFLATION CUFF AND BLADDERS

Designed for ease of application.

Cotton cuff with two-tube bladder and secure hook and loop closure.

BLUE	
2382A	Adult



LATEX-FREE CUFFS AND BLADDERS

Cotton cuff with one-tube bladder and secure hook and loop closure.

ORANGE	
2351A	Adult
2351C	Child
2351X	Large Adult

GREY	
2352A	Adult
2352C	Child
2352X	Large Adult

BLACK	
2353A	Adult
2353I	Infant
2353C	Child
2353X	Large Adult
2353T	Thigh

LATEX-FREE CUFFS AND BLADDERS

Nylon cuff with two-tube bladder.

BLUE	
2362A	Adult
2362C	Child
2362X	Large Adult

BLACK	
2369A	Adult
2369I	Infant
2369C	Child
2369X	Large Adult
2369T	Thigh



GREY	
2368A	Adult
2368C	Child
2368X	Large Adult

MANOMETER PARTS

MANOMETER CRYSTAL, Plastic	
2430	For Optimax (205)
2433	For All Other Models



RETAINING RINGS	
2436	For Standard Models

2442	Spring Clip
------	-------------

ZIPPER CASE, Black	
2444	Standard



BLOOD PRESSURE BULBS AND PARTS

2401	Bulb, End Valve Standard
2402	Bulb End Valve-Deluxe with Filter Screen
2404	Air Release Valve Standard
2405	Air Release Valve-Deluxe heavy duty
2411	Bulb Only
2412	Bulb with Standard End Valve
2413	Bulb with Deluxe End Valve with Filter Screen



LUER LOCK CONNECTORS

ALUMINUM	
2447	Set
2448	Male
2449	Female



COILED TUBING	
2456	8' Extension
2457	4' Extension



Professional Dual-Frequency Stethoscope

Zinc alloy single-sided chestpiece with dual-frequency diaphragm. Specially-designed membrane lock within the chestpiece alters the diaphragm to achieve dual frequency. Hold the chestpiece to achieve low frequency response (similar to dual-sided bell chestpiece). Apply firm pressure to achieve high-frequency diaphragm response. Comfortable non-chill ring. Lightweight steel binaural with internal spring. 22" latex-free 'Y' tubing and deluxe eartips. Lifetime warranty.

430 Black 1 ea



Electromax™ Stethoscope

The Electromax™ stethoscope offers electronically amplified sound of 50db at 100Hz. With the circuitry, amplifier and speaker built into the chestpiece, the unit can be easily controlled with one fingertip to adjust volume, change frequency to accommodate cardiac or respiratory sounds, and turn power On/Off. Chrome-plated internal spring binaural with white eartips and 22" 'Y' tubing. Bell diameter is 1 3/4". Comes complete with deluxe hard carrying case, instruction manual and two 1.5 silver oxide batteries.

One year warranty.

1060 Grey 1 ea 



Cardiology Dual-Frequency Stethoscope

Stainless steel single-sided chestpiece with dual-frequency diaphragm. Specially-designed membrane lock within the chestpiece alters the diaphragm to achieve dual frequency. Hold the chestpiece to achieve low frequency response (similar to dual-sided bell chestpiece). Comfortable non-chill ring. Lightweight stainless steel binaural with internal spring. Extra-thick cardiology 19" latex-free 'Y' tubing and deluxe eartips. Lifetime warranty.

435 Black 1 ea
 435-1 Replacement Chestpiece 1 ea
 435-2 Replacement Tubing/Eartips 1 ea
 435-3 Replacement Eartips/Diaphragm 1 ea



Cardiology Stethoscope



Features a stainless steel combination chestpiece for maximum convenience, and internal spring binaural for high acoustic sensitivity. Dual non-chill rings provide patient comfort and 22" latex-free tubing keeps acoustics clear, even in the noisiest settings. Comes complete with additional diaphragm and two pairs of contoured eartips. Lifetime warranty.

425 Grey 1 ea 
 425BLK Black 1 ea 



Stainless Steel Stethoscope


The stainless steel dual head chestpiece has a non-chill ring for patient comfort. The internal spring binaural ensures acoustic sensitivity. 22" latex-free tubing keeps acoustics intact, even in the noisiest settings. Comes complete with two pair of contoured eartips. Lifetime warranty.

LAB-7100	Black, Adult	1 ea	
LAB-7100GY	Grey, Adult	1 ea	
LAB-7200	Black, Pediatric	1 ea	
LAB-7300	Black, Infant	1 ea	
LAB-7300GY	Grey, Infant	1 ea	



Diamond Head™ Stethoscope




Dual head chestpiece. Non-chill rubber ring is color coordinated with 22" latex-free 'Y' tubing. Internal spring binaural. Includes extra diaphragm and set of mushroom-type eartips. Lifetime warranty.

505	Black	1 ea	
505BL	Blue	1 ea	
505GY	Grey	1 ea	



Panascope™ Dual Head Stethoscope — Lightweight

This lightweight aluminum stethoscope offers a dual head chestpiece with a non-chill ring and 22" latex-free tubing, and adjustable binaural with an internal spring. Comes complete with additional diaphragm and eartips. Lifetime Warranty.

With Adult Chestpiece			
500	Black	1 ea	
500BL	Blue	1 ea	
500GY	Grey	1 ea	
With Pediatric Chestpiece			
510	Black	1 ea	
510GY	Grey	1 ea	



NEW!

Deluxe Panascope™ Dual Head Stethoscope — Midnight Black

Non-chill bell and diaphragm retaining ring. Midnight Black unit with black diaphragm, single lumen tubing, eartips, retaining ring, and chestpiece. Lightweight aluminum internal binaural. Reliable, clear acoustics. Includes additional diaphragm and set of eartips.

500BK	Black	1 ea	
--------------	-------	------	--



22" Sprague-Rappaport Type Stethoscope

Five interchangeable chestpieces (two diaphragms, three bells) facilitate detection of high, medium and low frequency sounds, making this unit ideal for infant, pediatric, and adult use. Heavy-walled 22" tubing decreases extraneous sounds. Includes three eartip sets to maximize comfort. Metal binaural. Accessory pouch included. Latex free.

602	Black	1 ea	
602BL	Blue	1 ea	
602R	Red	1 ea	
602TL	Teal	1 ea	
602LB	Lt. Blue	1 ea	
602MAG	Magenta	1 ea	
602L	Lavender	1 ea	
602BUR	Burgundy	1 ea	



22" Gel Series

Sprague-Rappaport Type Stethoscope

Features attractive 22" latex-free gel colored tubing. Five interchangeable chestpieces (two diaphragms, three bells) facilitate detection of high, medium, and low frequency sounds, making this unit ideal for infant, pediatric, and adult use. Heavy-walled 22" tubing decreases extraneous sounds. Includes three eartip sets to maximize comfort. Metal binaural. Accessory pouch included.

602SL-GEL	Slate Blue Gel	1 ea	
602SF-GEL	Seafoam Gel	1 ea	
602MV-GEL	Mauve Gel	1 ea	



22" Neon Series

Sprague-Rappaport Type Stethoscope

Five interchangeable chestpieces (two diaphragms, three bells) facilitate detection of high, medium, and low frequency sounds, making this unit ideal for infant, pediatric, and adult use. Heavy-walled 22" tubing decreases extraneous sounds. Includes three eartip sets to maximize comfort. Metal binaural. Accessory pouch included.

602N-BL	Neon Blue	1 ea	
602N-GR	Neon Green	1 ea	
602N-OR	Neon Orange	1 ea	
602N-P	Neon Pink	1 ea	



16" Sprague-Rappaport Type Stethoscope

Accurate detection of high, medium, and low frequency sounds in a unit versatile enough for infants, children, and adults. Latex free tubing. Accessory pouch includes three interchangeable bells, adult diaphragm, pediatric diaphragm, two pairs of eartips.

600	Black	1 ea	
------------	-------	------	--



NEW!

Deluxe Sprague-Rappaport Type Stethoscope — Midnight Black








Five interchangeable black chestpieces (two diaphragms, three bells) facilitate detection of high, medium, and low frequency sounds. Includes three black eartip sets for maximum comfort. Heavy walled 22" tubing decreases extraneous sounds. Ideal for infant, pediatric, and adult use. Accessory pouch included. Midnight Black metal binaural.

602BK BK 1 ea 



Dual Head Stethoscope

Rotating chestpiece with recessed non-chill ring and adjustable metal binaural. 22" latex-free 'Y' tubing.


400	Black	1 ea	
400BL	Blue	1 ea	
400GY	Grey	1 ea	
400L	Lavender	1 ea	
400P	Pink	1 ea	
400R	Red	1 ea	
400TL	Teal	1 ea	

BEST SELLER



Single Head Stethoscope

This stethoscope features adjustable metal binaural, anodized aluminum chestpiece with finger rest for firm application, and 22" latex-free 'Y' tubing.

300DLX	Black	1 ea	
300DLX-BL	Blue	1 ea	
300DLX-GL	Gold	1 ea	
300DLX-GR	Green	1 ea	
300DLX-GY	Grey	1 ea	
300DLX-R	Red	1 ea	
300DLX-Y	Yellow	1 ea	
300DLX-P	Pink	1 ea	
300DLX-TL	Teal	1 ea	
300DLX-LB	Lt. Blue	1 ea	
300DLX-L	Lavender	1 ea	



Ford Stethoscope

Chrome-plated chestpiece with adjustable chrome-plated binaural. 18" black 2-piece latex-free tubing.

700 1 ea



Ford-Bowles Stethoscope

Combines Ford and Bowles stethoscopes in one chestpiece. Chestpiece lever controls and directs sounds. Chrome-plated and plastic chestpiece. Adjustable chrome-plated external spring binaural with black plastic eartips. Black, 2-piece, 18" latex-free tubing.

715 1 ea



Pediatric Dual Head Stethoscope

Lightweight anodized aluminum rotating dual head chestpiece with recessed non-chill ring and adjustable metal external spring binaural. 22" latex-free tubing.

507	Black	1 ea	
507LB	Lt. Blue	1 ea	
507P	Pink	1 ea	



710

Bowles Stethoscope

Chrome-plated chestpiece features a raised stem. Adjustable chrome-plated brass binaural. 22" latex-free tubing.

710	3-piece tubing	1 ea
711	'Y' tubing	1 ea




711



Neo-Natal Stethoscope

Lightweight, aluminum dual head chestpiece with non-chill ring for patient comfort. 22" latex-free tubing. Adjustable metal binaural. Lifetime warranty.

513	Black	1 ea	
513GY	Grey	1 ea	
513LB	Lt. Blue	1 ea	
513P	Pink	1 ea	



Champion™ Stethoscope

Plastic chestpiece has finger rest. Adjustable external spring binaural. 22" latex-free 'Y' tubing.

721	Black	1 ea	
721Y	Yellow	1 ea	



Disposable Stethoscope

This lightweight, durable, plastic stethoscope with 22" PVC tubing offers the safety and convenience of a disposable stethoscope along with superior acoustic sensitivity. ETO sterilizable.

722B	Blue	1 ea	
722Y	Yellow	1 ea	




Teaching Stethoscope

Excellent acoustical clarity. 22" latex-free tubing with connector allows both student and instructor to listen simultaneously. Anodized aluminum combination dual head chestpiece and chrome-plated brass rotating stem. Adjustable chrome-plated external spring binaurals.

540	Black	1 ea	
------------	-------	------	---------------------------------------------------------------------------------------


BINAURALS

BN300	Standard Style, Chrome/White Eartips
BN600	Sprague, Chrome/Black Eartips
BN710	Standard Binaural for Bowles



DIAPHRAGMS ONLY

DP300	For Nursescope (300DLX), Dual Head (400)
DP500	For Panascope™ (500), Diamond Head (505)
DP507	For Pediatric Dual Head (507)
DP510	For Panascope™ Pediatric (510)
DP600LG	Large Adult, Clear, for Sprague-Rappaport Type
DP600SM	Small (Pediatric), for Sprague-Rappaport Type



DIAPHRAGM RETAINING RINGS

DR300	For Nursescope (300DLX)
DR500	For Panascope™ (500), Diamond Head (505)
DR507	For Pediatric Dual Head (507)
DR510	For Pediatric Panascope™ (500)
DR600LG	Large Adult, for Sprague-Rappaport Type
DR600SM	Small Pediatric, for Sprague-Rappaport Type
DR711	For Bowles (710, 711)



EARTIPS

For All Stethoscopes

Mushroom Type	
ET310B	Black



Maxisoft™ Eartips

For Deluxe Stethoscope	
ET500LG	Large

For Sprague-Rappaport (600, 602)	
ET600B	Plastic, Black
ET600CL	Plastic, Clear

Binaural Springs Only

SP300	Standard Style, Chrome
SP600	Sprague-Rappaport Type, Chrome

NON-CHILL RINGS

For Panascope™ (500), Diamond Head (505)	
CR500	Black

For Pediatric and Infant Heads	
CR507	For Dual Head (507)
CR510	For Panascope™, Black (510)

CHESTPIECES

For Single Head (300)	
CH300	

For Dual Heads (400)	
CH400	

For Panascope™ (500)	
CH500	Black
CH500GY	Grey

For Pediatric Dual Head (507)	
CH507	

For Panascope™ Pediatric (510)	
CH510	Black
CH510GY	Grey

For Sprague-Rappaport Type	
CH600	Black



Miscellaneous	
CH700	For Ford (700)
CH711	For Bowles (710)
CH715	For Ford-Bowles (711)
CH721Y	For Champion, Yellow
CH721BLK	For Champion, Black

SPRAGUE-RAPPAPORT

SR610	Accessory Kit
--------------	---------------

Bells

Large 1 1/4"	
SR611	Black

Medium 1"	
SR612	Black

Small 3/4"	
SR613	Black

Disks

Large, Adult	
SR614	Black

Small, Pediatric	
SR615	Black

Complete Disk Assembly

Adult	
SR616	Black

Pediatric	
SR617	Black

Tubing Clips	
SR619	Black

TUBING, BINAURAL/TUBING SETS, CONNECTORS

'Y' Tubing, 22" PVC	
TB300	Black
TB300GY	Grey
TB300BL	Blue
TB300LB	Lt, Blue
TB300P	Pink
TB300Y	Yellow
TB300GL	Gold
TB300GR	Green
TB300L	Lavender

For Panascope™ & Diamond Head	
TB500	Black Tubing, Binaural
TB500GY	Grey Tubing, Binaural

Latex Tubing for 22" Sprague-Rappaport	
TB602	Black
TB602BL	Blue
TB602LB	Lt. Blue

I.D. Tag	
600ID	Black





HT1856-1

HealthTeam® Digital Thermometer With Beeper

Quickly records and displays oral, rectal or axillary temperature with flexible tip. Beeper sounds when peak temperature is reached. Easy-to-read LCD display.

- HT1856-1 Fahrenheit 1 ea
- HT1857 10 Sec. Response, Dual Scale °F or °C 1 ea



HT1857



HT1859-500



HT1859

HealthTeam® Disposable Probe Covers

Helps stop cross infection. Fits most glass and digital thermometers. Retail package.

- HT1859 100/bx
- HT1859-500 Institutional Package 500/bx

Room Thermometer

Wooden framed, 9 1/2" long thermometer with recessed red spirit scale. Measures both Fahrenheit (14°-122°F) and Centigrade (-10°-58°C).

1534 1 ea



Flat Bath Thermometer

Glass thermometer with dual graduated scale, fully recessed in 9" long, smoothly finished wooden housing. Measures both Fahrenheit (20° - 140°F) and Centigrade (0° - 60°C).

1537 1 ea



Thermometer Sterilizing Jars

Heavyweight, hexagonal-shaped base gives extra stability. Large frosted marking area.

3472 4 1/2" x 1 1/8" (with single-hole plastic cap) 1 ea

3473 4" x 1" 1 ea

3474 4" x 2" 1 ea



Clinical Care Recliner Colors



Vintage Gold (401)



Warm Taupe (409)



Blue Ridge (427)



Imperial Blue (432)



Royal Blue (454)



Doe Skin (851)



Jade (857)



Rosewood (863)

- Upholstery color may vary slightly from catalog.
- Lumex® Clinical Care Recliners with an FR prefix designates that the seating meets CA133 Fire Code specifications.
- Please contact Graham-Field Customer Service at ((115) 944) for details on specialty colors and COM orders.

Deluxe Clinical Care Recliner with Drop Arm (Model 566DG)

The latest innovation in Clinical Care Recliners, the Lumex® Deluxe Clinical Care Recliner with Drop Arm, offers the innovative, easy-to-actuate drop arm feature. The self-storing, dual drop arms are simple for the caregiver to activate and enable a safer, easier lateral transfer for the resident and caregiver.

- Easy-to-achieve Trendelenburg position. No more cables or handles: Trendelenburg position can be actuated from either side of recliner by a convenient foot pedal. Higher floor-to-back height enables the caregiver to raise the patient with less effort, reducing the chance for a back injury.
- Extra-deep Trendelenburg position — steeper angle improves patient stabilization.
- Easily removed “pop-out” side panels enable easy access to recliner for cleaning and maintenance.
- Four Tente® swivel casters facilitate transport and maneuverability in confined areas. Left and right rear top locking casters provide positive lock. Directional wheel lock on right rear caster reduces “crabbing” of recliner and enables the chair to be moved down hallways with less effort.
- Durable, high-impact side tables sit flush with chair arm to conveniently hold prep materials. Easy to actuate by caregiver.
- Upholstery meets California Technical Bulletin 133 (Flammability Standards).
- Extra heavy-duty recliner mechanism is thicker than standard mechanism.

Available Colors:

1. Vintage Gold **FR566DG401**
2. Warm Taupe **FR566DG409**
3. Blue Ridge **FR566DG427**
4. Imperial Blue **FR566DG432**
5. Royal Blue **FR566DG454**
6. Doe Skin **FR566DG851**
7. Jade **FR566DG857**
8. Rosewood **FR566DG863**



COMFORT EQUIPPED

LiquiCell® is scientifically proven to reduce soft tissue shear forces and provide long-term comfort.

ITEM	Overall Height	Overall Width	Overall Depth	Width Between Arms	Arm Height From Floor	Arm Height From Seat	Seat Height	Seat Width	Seat Depth	Depth Fully Reclined In Trendelenburg	Width With Both Side Tables in Upright Position	Shipping Weight	Max. Weight Capacity
566DG	51 1/2"	33"	38"	23"	28"	8"	22"	20 1/2"	19"	76"	53"	135 lb	350 lb

LUMEX® Clinical Care Recliner

A Graham-Field Brand

Clinical Care Recliner (Model 577RG)

- Welded steel frame is constructed of round tubing, resulting in improved structural integrity of the frame.
- Improved wider and softer armrest for patient comfort.
- Softer seat and back package for improved patient comfort. Varied-density seat back and redesigned seating position provide excellent comfort and support during long-term sitting.
- Easy-to-activate gas cylinder mechanism for quick Trendelenburg activation and improved lift.
- Durable, high-impact side tables sit flush with chair arm to conveniently hold prep materials. Easy to actuate by caregiver.
- Easily removed “pop-out” side panels enable easy access to recliner for cleaning and maintenance.
- Three positions plus Trendelenburg.
- Four Tente® swivel casters facilitate transport and maneuverability in confined areas. Left and right rear top locking casters provide positive lock. Directional wheel lock on right rear caster reduces “crabbing” of recliner and enables the chair to be moved down hallways with less effort.
- Upholstery meets California Technical Bulletin 133 (Flammability Standards).
- Weight Bearing Capacity: 290 Pounds

Available Colors:

1. Vintage Gold **FR577RG401**
2. Warm Taupe **FR577RG409**
3. Blue Ridge **FR577RG427**
4. Imperial Blue **FR577RG432**
5. Royal Blue **FR577RG454**
6. Doe Skin **FR577RG851**
7. Jade **FR577RG857**
8. Rosewood **FR577RG863**

BEST SELLER



LIQUICELL®
COMFORT EQUIPPED

LiquiCell® is scientifically proven to reduce soft tissue shear forces and provide long-term comfort.



ITEM	Overall Height	Overall Width	Overall Depth	Width Between Arms	Arm Height From Floor	Arm Height From Seat	Seat Height	Seat Width	Seat Depth	Depth Fully Reclined In Trendelenburg	Width With Both Side Tables in Upright Position	Shipping Weight	Max. Weight Capacity
577RG	47"	31"	35"	22"	25 1/2"	8"	22"	21 1/2"	21"	74"	51"	127 lb	290 lb

LUMEX® Deluxe Clinical Care Recliner

A Graham-Field Brand

Deluxe Clinical Care Recliner (Model 566G)

The Lumex Deluxe Clinical Care Recliner sets a new standard of comfort for the patient and ease of use for the caregiver. The Lumex Deluxe Clinical Care Recliner is EXTRAordinary in many ways:

- The unique, patent-pending recliner mechanism enables the patient to position the back infinitely from TV position to full recline. The wide, contoured seat and back, along with an integrated footrest, provide an enhanced level of comfort. Built-in arm pads in the back give improved support for the arms while in Trendelenburg position. Wall saver armrest caps increase durability of the armrests and protect walls from marring.
- Easy-to-achieve Trendelenburg position. No more cables or handles: Trendelenburg position can be actuated from either side of recliner by a convenient foot pedal. Higher floor-to-back height enables the caregiver to raise the patient with less effort, reducing the chance for a back injury.
- Extra-deep Trendelenburg position — steeper angle improves patient stabilization.
- Easily removed “pop-out” side panels enable easy access to recliner for cleaning and maintenance.
- Four Tente® swivel casters facilitate transport and maneuverability in confined areas. Left and right rear top locking casters provide positive lock. Directional wheel lock on right rear caster reduces “crabbing” of recliner and enables the chair to be moved down hallways with less effort.
- Durable, high-impact side tables sit flush with chair arm to conveniently hold prep materials. Easy to actuate by caregiver.
- Upholstery meets California Technical Bulletin 133 (Flammability Standards).
- Extra heavy-duty recliner mechanism is thicker than standard mechanism.
- Weight bearing capacity: 350 Pounds.

• **Available Colors:**

1. Vintage Gold **FR566G401**
2. Warm Taupe **FR566G409**
3. Blue Ridge **FR566G427**
4. Imperial Blue **FR566G432**
5. Royal Blue **FR566G454**
6. Doe Skin **FR566G851**
7. Jade **FR566G857**
8. Rosewood **FR566G863**



LiquiCell® is scientifically proven to reduce soft tissue shear forces and provide long-term comfort.

ITEM	Overall Height	Overall Width	Overall Depth	Width Between Arms	Arm Height From Floor	Arm Height From Seat	Seat Height	Seat Width	Seat Depth	Depth Fully Reclined In Trendelenburg	Width With Both Side Tables in Upright Position	Shipping Weight	Max. Weight Capacity
566G	50"	31"	43"	21"	27 1/2"	8"	22"	20 1/2"	20"	75"	51"	145 lb	350 lb



Extra-Wide Clinical Care Recliner (Model 587W)

The Lumex Extra-Wide Clinical Care Recliner has been designed specifically for the larger resident/patient. The extra-wide seat width of 24" and greater weight-bearing capacity enable the recliner to comfortably sit and position patients up to 450 lb.

- Dual gas cylinders give smooth power assistance to and from Trendelenburg position.
- Ergonomically designed padded armrests for added patient comfort.
- Four Tente® swivel casters facilitate transport and maneuverability in confined areas. Left and right rear top locking casters provide positive lock. Directional wheel lock on right rear caster reduces “crabbing” of recliner and enables the chair to be moved down hallways with less effort.
- Durable, high-impact side tables sit flush with chair arm to conveniently hold prep materials. Easy to actuate by caregiver.
- Upholstery meets California Technical Bulletin 133 (Flammability Standards).

• **Warranty**

1. Welded Frame: Limited lifetime
2. Upholstery: Limited 1 Year
3. All Other Components: Limited 3 Year

• **Available Colors:**

1. Vintage Gold **FR587W401**
2. Warm Taupe **FR587W409**
3. Blue Ridge **FR587W427**
4. Imperial Blue **FR587W432**
5. Royal Blue **FR587W454**
6. Doe Skin **FR587W851**
7. Jade: **FR587W857**
8. Rosewood: **FR587W863**



LiquiCell® is scientifically proven to reduce soft tissue shear forces and provide long-term comfort.

ITEM	Overall Height	Overall Width	Overall Depth	Width Between Arms	Arm Height From Floor	Arm Height From Seat	Seat Height	Seat Width	Seat Depth	Depth Fully Reclined In Trendelenburg	Width With Both Side Tables in Upright Position	Shipping Weight	Max. Weight Capacity
587W	50"	33"	36"	23"	26 1/2"	8"	21 1/2"	23 1/2"	20 1/2"	-	-	138 1/2 lb	450 lb

Universal Aluminum Crutches

- Latex free.
- Made of lightweight, anodized aluminum.
- Reinforced center tube and footpiece provide added strength.
- Push-button adjustment makes changing height easy.
- Height adjustment in 1" increments.
- Handgrip position is readily adjusted with wing nuts.
- Underarm and handgrip pads are comfortable and durable.
- 300 lb maximum weight capacity.
- Includes laminated color operating instructions.
- Designed to meet the requirements of HCPCS code: E0114.
- Lifetime limited warranty.

3610LF-8	Adult	8 pr/cs
3611LF-8	Tall	8 pr/cs
3612LF-8	Youth	8 pr/cs



3610LF-8



3615A

BARIATRIC

Bariatric: Imperial Steel Crutches

- 600 lb maximum weight capacity.
- Heavy-duty steel construction.
- Push-button height adjustment makes changing height easy.
- Height adjustment in 1" increments.
- Handgrip position is readily adjusted with wing nuts.
- Underarm and handgrip pads are comfortable and durable.
- Designed to meet the requirements of HCPCS code: E0114.
- Lifetime limited warranty.

3614A	Adult	1 pr
3615A	Tall	1 pr

ITEM	Size	Armpad to Grip Height Range	Armpad to Floor Height Range	Recommended Patient Height Range
3610LF-8	Adult	15" – 19"	45" – 53"	5' 2" – 5' 10"
3611LF-8	Tall	16" – 20"	53" – 61 1/2"	5' 10" – 6' 6"
3612LF-8	Youth	9" – 13"	37" – 46"	4' 6" – 5' 2"
3614A	Adult	15" – 19"	46" – 54"	5' 2" – 5' 10"
3615A	Tall	16" – 20"	54" – 62"	5' 10" – 6' 6"

Platinum Collection Bath Seat

- Anodized aluminum frame is lightweight, durable and rust-resistant.
- Seat height is adjustable in 1" increments.
- Attractive platinum grey color.
- Available with or without backrest.
- Comes assembled with tool-free back attachment.
- Available in attractive retail package.
- 400 lb maximum weight capacity.
- Includes laminated color operating instructions.
- Designed to meet the requirements of HCPCS code: E0245.
- Lifetime limited warranty.



7931A	Without Backrest	4/cs
7921A-4	With Backrest	4/cs

Unassembled in Retail Box

7931R	Without Backrest	4/cs
7921R	With Backrest	3/cs

Bariatric Bath Seat

- Durable blow-molded plastic seat with optional backrest accommodates up to a 600 lb weight capacity.
- Anodized aluminum frame is lightweight, durable and rust resistant.
- Seat height is adjustable in 1" increments.
- Attractive platinum grey color.
- Comes assembled with tool-free back attachment.
- Includes laminated color operating instructions.
- Designed to meet the requirements of HCPCS code: E0245.
- Lifetime limited warranty.



Bariatric



7932A	Without Back	2/cs
7939A	With Back	2/cs

ITEM	Overall Width	Overall Depth	Seat Width	Seat Depth	Minimum Seat Height	Maximum Seat Height	Height of Back Support Above Seat	Weight Capacity
7931A, 7931R	20"	17"	20"	12"	15"	22"	–	400 lb
7921A-4, 7921R	20"	17"	20"	12"	15"	22"	–	400 lb
7932A	18"	16 3/4"	17 3/4"	12"	14"	17"	–	600 lb
7939A	18"	20 1/2"	17"	16 1/4"	16"	20"	13"	600 lb

LUMEX® Commodes — Three-In-One

A Graham-Field Brand

Three-In-One Aluminum Commode

- 3-in-1 design is versatile and economical.
- Aluminum frame is lightweight and easy to transport.
- Removable back bar.
- Contoured armrests enhance user comfort.
- Sturdy plastic seat snaps on easily.
- Comes complete with commode pail, cover, and splash shield.
- Lifetime limited warranty.



2195A-4



2215A-2

Designed to meet the requirements of HCPCS code: E0163.

2195A-4 2/cs

With casters (4" rear swivel, locking casters).

Designed to meet the requirements of HCPCS code: E0164.

Includes laminated color operating instructions.

2215A-2 2/cs

Imperial Collection Drop Arm Three-In-One Commode

- Arms drop independently below seat level for safer, easier lateral transfers.
- Easy-to-release mechanism may be operated by patients lacking manual dexterity.
- Arms automatically lock in raised position.
- Height readily adjusts from 19 1/2" - 23", in 1 inch increments.
- 600 lb maximum weight capacity.
- Extra-wide platform seat is comfortable for long periods of sitting.
- Commode opening is contoured and indented in the front to accommodate the needs of larger users.
- Welded steel construction and extra wide base provide strength and stability.
- Cushioned back bar enhances user comfort.
- Removable back bar facilitates use as a bedside commode, raised toilet seat or toilet safety frame.
- Comes complete with commode pail, cover, and splash shield.
- Includes laminated color operating instructions.
- Designed to meet the requirements of HCPCS code: E0168.
- Lifetime limited warranty.



6438A

6438A 600 lb 1 ea

ITEM	Width Between Arms	Overall Width	Seat Width	Seat Depth	Seat Height Range	Weight Capacity	Replacement Tip
2195A-4	17 1/2"	21 1/4"	14"	16 3/4"	18" - 23"	300 lb	LX9141
2215A-2	16 3/4"	21 1/4"	14"	16 3/4"	21 1/2"	300 lb	-
6438A	25 1/2"	31"	23"	18 1/2"	19 1/2" - 23"	600 lb	9290

LUMEX® Transfer Benches/Transfer Board

A Graham-Field Brand

Transfer Bench

- Provides assistance to those who have difficulty stepping over bathtub walls.
- Anodized aluminum frame is lightweight, durable and rust resistant.
- Drainage holes in seat minimize water build-up.
- Reversible back attachment to accommodate any bathroom.
- Lifetime limited warranty.



Maxi-Drain Transfer Bench

Side support arm aids in lateral transfer. Seat height is adjustable in 1/2" increments. Comes assembled with tool-free arm and back attachments. Designed to meet the requirements of HCPCS code: E0247.

7927A 2/cs



Imperial Collection Transfer Bench

Durable blow-molded plastic bench and backrest. Seat has curtain cut-out and accessory tray. Extra-deep seat provides added stability. Seat height is adjustable in 1/2" increments. Comes assembled with tool-free arm and back attachment. Includes laminated color operating instructions. Designed to meet the requirements of HCPCS code: E0248.

7929 2/cs



Bariatric Transfer Bench

Durable blow-molded plastic bench and backrest. Extra-deep seat provides added stability. Height is adjustable in 1" increments. Comes assembled with tool-free back attachment. Includes laminated color operating instructions. Designed to meet the requirements of HCPCS code: E0248.


7925A 2/cs

ITEM	Overall Width	Overall Depth	Seat Width	Seat Depth	Minimum Seat Height	Maximum Seat Height	Clearance Beneath Frame	Height of Back Support Above Seat	Weight Capacity
7925A	29 1/2"	20 1/2"	26 3/4"	16 1/4"	16"	20"	14" - 18"	13"	600 lb
7927A	29 1/4"	20"	26 1/2"	16"	18 1/4"	22 1/4"	15 1/4" - 19 1/4"	15"	350 lb
7929	30"	20"	27"	16 3/4"	19 1/2"	23 1/2"	18" - 22"	13"	400 lb

Everyday Transfer Board

- Non-slip, easy-to-clean aluminum/plastic base.
- Built-in water drainage channels.
- Quick, tool-free adjustment to accommodate various tub widths.
- One-piece design is excellent for travel.

5242 1 ea



Easy Lift Patient Lifting System

- Heavy-gauge steel construction.
- Six-point spreader bar with 360° rotation tilts for extra comfort and safety.
- Uses Lumex six-point, four-point or 2-point slings.
- Unique, ergonomic foot pedal leg opening.
- Large, easy-to-grip handles for easy maneuvering.
- Lower base height maximizes stability and fits under most beds.
- Rubber base coating protects furniture and walls.
- 24V DC motor allows quiet, smooth operation.
- Ergonomically designed hand pendant with pendant hook.
- Warning beep for low battery charge and weight capacity levels.
- Easy-access emergency stop button.
- Emergency manual lowering device.
- Maximum weight capacity of 400 lb.
- White powder-coated finish.
- Accessory storage bag included for slings and charger.
- Optional digital scale available.
- Designed to meet the requirements of HCPCS code: E0635.
- One year limited warranty.

LF1050 1 ea



ITEM	Type	Max. Weight Capacity	Floor Clearance	Lifting Range Min. Height	Max. Height	Overall Length	Overall Width	Max. Base Width	Min. Base Width	Weight	Motor	Warranty Frame	Warranty Battery
LF1050	Electric	400 lb	4.5"	15.5"	67"	41.0"	26.5"	38.0"	26.5"	114.4 lb	24v DC	1 year	1 year

Chain Set for 2-Point Slings

For use with 2-point spreader.

GF133-S-C Chain Set for Slings 1 set



GF133-S-C

2-Point Slings

- One piece sling for use with 2-point spreader.
- Provides support from shoulders to knees.
- Used for transferring, weighing or toileting.
- For use with chain set.
- Canvas slings are green.
- Nylon slings are white.
- Designed to meet the requirements of HCPCS Code: E0621.
- Six month limited warranty.

400 lb Weight Capacity, Heavy-Duty Canvas Fabric

GF114-C-LC Without Commode Opening 1 ea

GF115-C-LC With Commode Opening 1 ea

220 lb Weight Capacity, Canvas Fabric

GF112-C-LC Without Commode Opening 1 ea


GF113-C-LC With Commode Opening 1 ea

220 lb Weight Capacity, Nylon Fabric

GF112-N-LC Without Commode Opening 1 ea

GF113-N-LC With Commode Opening 1 ea

2-Point Sling Dimensions




Item	Sling Type	Body Width	Body Length	Commode Opening Width	Commode Opening Length
GF114-C-LC, GF112-C-LC, GF112-N-LC	Without Commode Opening	26"	41 1/2"	NA	NA
GF115-C-LC, GF113-C-LC, GF113-N-LC	With Commode Opening	26"	41 1/2"	6"	10 1/2"

Mesh Full-Body Commode Sling

- Quick draining/drying mesh fabric offers full head and neck support.
- For use with 4-point spreader option.
- Designed to meet the requirements of HCPCS code: E0621.
- One year limited warranty.


DSL114	Medium	1 ea
DSL115	Large	1 ea
DSL116	X-Large	1 ea
DSL141	Heavy Duty, XX-Large	1 ea



Mesh Full-Body Sling

- Quick draining/drying mesh fabric offers full head and neck support.
- For use with 4-point spreader option.
- Designed to meet the requirements of HCPCS code: E0621.
- One year limited warranty.


DSL110	Medium	1 ea
DSL111	Large	1 ea
DSL140	Heavy Duty, XX-Large	1 ea



Solid Full-Body Sling

- Fully padded fabric that offers a soft yet supportive surface.
- Offers full head and neck support.
- For use with 4-point spreader option.
- Designed to meet the requirements of HCPCS code: E0621.
- 450 lb maximum weight capacity.
- One year limited warranty.

DSL112	Medium	1 ea
DSL113	Large	1 ea
DSL117	X-Large	1 ea



Item	Sling Size	Body Width	Body Length	Commode Opening to Top of Back	Weight Capacity
DSL114, DSL110, DSL112	Medium	42 3/4"	50 3/4"	34 3/4"	450 lb
DSL115, DSL111, DSL113	Large	44 3/4"	54 1/4"	38"	450 lb
DSL116, DSL117	X Large	44 3/4"	60 1/4"	43"	450 lb
DSL141, DSL140	XX Large	42"	51"	41 1/2"	600 lb

Everest & Jennings[®] Paramount[™]/Paramount[™] XD Wheelchairs

A Graham-Field Brand

Paramount[™]

The Paramount[™] is the choice for users up to 500 lb who want a heavyweight chair for a lightweight price. Available in 22" and 24" seat widths, this chair features 18" seat depth (2" longer than standard), chrome steel frame, double crossbraces, dual axles, and removable armrests. Meets Medicare K0007 specifications.

- Black, embossed leatherette upholstery with padding.
- Heavy-duty 8" x 1 3/4" black, semi-pneumatic front casters on three-position forks.
- 24" x 1" molded rear wheels with solid tires and chrome handrims.
- Front and rear slide post design for easy folding and portability.
- Choice of swingaway footrests or elevating legrests.
- Lifetime limited warranty on sideframes and crossbraces.



Paramount[™] XD

The Paramount[™] XD is ideal for the bariatric user, with a weight capacity of 650 lb. Available in 26" and 30" seat widths, this chair features 19 1/2" seat depth.

- Black reinforced vinyl upholstery.
- 8" x 2" solid front casters.
- 24" rear wheels with solid tires.
- Choice of swingaway footrests or elevating legrests.
- Lifetime limited warranty on sideframes and crossbraces.



Paramount [™] /Paramount [™] XD		Dimensions and Weights									
		Seat			Back	Overall				Wt.*	
Item Number											
Paramount[™]											
5P010420	Detachable Desk Arm, Swingaway Footrest	22"	18"	22"	16"	45"	37"	30 1/2"	13 1/2"	55 lb	
5P010430	Detachable Desk Arm, Elevating Legrest	22"	18"	22"	16"	49"	37"	30 1/2"	13 1/2"	55 lb	
5P010520	Detachable Desk Arm, Swingaway Footrest	24"	18"	22"	16"	45"	37"	32 1/2"	13 1/2"	55 lb	
5P010530	Detachable Desk Arm, Elevating Legrest	24"	18"	22"	16"	49"	37"	32 1/2"	13 1/2"	55 lb	
Paramount[™] XD											
5PX10620	Detachable Desk Arm, Swingaway Footrest	26"	19 1/2"	20 1/2"	18 1/2"	49"	39"	35 1/2"	14 1/2"	90 lb	
5PX10630	Detachable Desk Arm, Elevating Legrest	26"	19 1/2"	20 1/2"	18 1/2"	49"	39"	35 1/2"	14 1/2"	90 lb	
5PX10820	Detachable Desk Arm, Swingaway Footrest	30"	19 1/2"	20 1/2"	18 1/2"	49"	39"	35 1/2"	14 1/2"	93 lb	
5PX10830	Detachable Desk Arm, Elevating Legrest	30"	19 1/2"	20 1/2"	18 1/2"	49"	39"	35 1/2"	14 1/2"	93 lb	

NOTE: GF Health Products, Inc. maintains the policy of continual product improvement, and thus reserves the right to make changes without notice. All dimensions are ±1/4". *Without Front Rigging.

Everest & Jennings® Traveler® Wheelchairs

A Graham-Field Brand

Traveler®

The institutional and rental chair of choice, the Traveler® has earned its reputation for quality and durability. Its front slide post design provides added rigidity and ease of folding. Its parts and components are interchangeable with past and current E&J® manual wheelchairs. Meets Medicare K0001 specifications and has K0002 capabilities.



Detachable desk arms
and elevating legrests

- Deep blue leatherette upholstery with double embossing.
- Sturdy, one piece 24" composite rear wheels with integral handrims.
- Sealed precision bearings on rear wheels for ease of propulsion.
- Secure, self-locking double button arm locks on detachable arm models.
- Chrome steel frame.

- Durable aluminum footplates.
- Reinforced top inner rail for extra strength.
- Padded armrests and calf pads.
- 250 lb maximum weight capacity for 16" or 18" wide models.
- 300 lb maximum weight capacity on 20" wide models.
- 2 year limited warranty on sideframes and crossbraces.

Traveler® Item Number		Dimensions and Weights								
		Seat		Back	Overall				Wt.*	
51010100	Fixed Full Arm, Swingaway Footrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	36 lb
51010110	Fixed Full Arm, Elevating Legrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	36 lb
51010120	Detachable Desk Arm, Swingaway Footrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	41 lb
51010130	Detachable Desk Arm, Elevating Legrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	41 lb
51010140	Detachable Full Arm, Swingaway Footrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	41 lb
51010150	Detachable Full Arm, Elevating Legrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	41 lb
51010160	Adjustable Height Desk Arm, Swingaway Footrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	41 lb
51010170	Adjustable Height Desk Arm, Elevating Legrest	18"	16"	19 3/4"	16 1/2"	34"	36"	26 1/2"	11"	41 lb
51010200	Fixed Full Arm, Swingaway Footrest	16"	16"	19 3/4"	16 1/2"	34"	36"	24 1/2"	11"	36 lb
51010210	Fixed Full Arm, Elevating Legrest	16"	16"	19 3/4"	16 1/2"	34"	36"	24 1/2"	11"	36 lb
51010220	Detachable Desk Arm, Swingaway Footrest	16"	16"	19 3/4"	16 1/2"	34"	36"	24 1/2"	11"	40 lb
51010230	Detachable Desk Arm, Elevating Legrest	16"	16"	19 3/4"	16 1/2"	34"	36"	24 1/2"	11"	40 lb
51010320	Detachable Desk Arm, Swingaway Footrest	20"	16"	19 3/4"	16 1/2"	34"	36"	28 1/4"	11 3/4"	43 lb
51010330	Detachable Desk Arm, Elevating Legrest	20"	16"	19 3/4"	16 1/2"	34"	36"	28 1/4"	11 3/4"	43 lb
51010340	Detachable Full Arm, Swingaway Footrest	20"	16"	19 3/4"	16 1/2"	34"	36"	28 1/4"	11 3/4"	43 lb
51010350	Detachable Full Arm, Elevating Legrest	20"	16"	19 3/4"	16 1/2"	34"	36"	28 1/4"	11 3/4"	43 lb

NOTE: GF Health Products, Inc. maintains the policy of continual product improvement, and thus reserves the right to make changes without notice. All dimensions are ±1/4". *Without Front Rigging.



Traveler® XD

For users up to 400 lb who need the strength of a heavy-duty frame at an affordable price, the Traveler® XD is the solution. This model comes with double crossbraces, heavy-duty 5/8" diameter axles, and long lasting, double embossed seat and back upholstery. Available in 20", 22" and 24" seat widths, with 17" seat depth (1" longer than standard). Meets Medicare K0007 specifications.



Detachable desk arms with elevating legrests.

- Deep blue double embossed leatherette upholstery with double padding.
- Capped, reinforced seat and back.
- Chrome steel frame.
- 24" x 1" black molded wheels with snap-on tires and integrated handrims.
- 8" x 1 3/4" black molded front casters.
- Front slide post design for foldability and rigidity.
- Sideframe reinforced with gussets at all critical load-bearing points.
- Durable aluminum footplates.
- User-friendly swingaway detachable footrests or elevating legrests.
- Maximum weight capacity 400 lb.
- 2 year limited warranty on sideframes and crossbraces.

Traveler® XD		Dimensions and Weights								
		Seat			Back	Overall				Wt.*
54050320	Detachable Desk Arm, Swingaway Footrest	20"	17"	19 3/4"	16 1/2"	33"	36"	28 1/2"	12"	51 lb
54050330	Detachable Desk Arm, Elevating Legrest	20"	17"	19 3/4"	16 1/2"	33"	36"	28 1/2"	12"	51 lb
54050340	Detachable Full Arm, Swingaway Footrest	20"	17"	19 3/4"	16 1/2"	33"	36"	28 1/2"	12"	51 lb
54050350	Detachable Full Arm, Elevating Legrest	20"	17"	19 3/4"	16 1/2"	33"	36"	28 1/2"	12"	51 lb
54050420	Detachable Desk Arm, Swingaway Footrest	22"	17"	19 3/4"	16 1/2"	33"	36"	30 1/2"	12"	52 lb
54050430	Detachable Desk Arm, Elevating Legrest	22"	17"	19 3/4"	16 1/2"	33"	36"	30 1/2"	12"	52 lb
54050440	Detachable Full Arm, Swingaway Footrest	22"	17"	19 3/4"	16 1/2"	33"	36"	30 1/2"	12"	52 lb
54050450	Detachable Full Arm, Elevating Legrest	22"	17"	19 3/4"	16 1/2"	33"	36"	30 1/2"	12"	52 lb
54050520	Detachable Desk Arm, Swingaway Footrest	24"	17"	19 3/4"	16 1/2"	33"	36"	32 1/2"	12"	55 lb
54050530	Detachable Desk Arm, Elevating Legrest	24"	17"	19 3/4"	16 1/2"	33"	36"	32 1/2"	12"	55 lb
54050540	Detachable Full Arm, Swingaway Footrest	24"	17"	19 3/4"	16 1/2"	33"	36"	32 1/2"	12"	55 lb
54050550	Detachable Full Arm, Elevating Legrest	24"	17"	19 3/4"	16 1/2"	33"	36"	32 1/2"	12"	55 lb

NOTE: GF Health Products, Inc. maintains the policy of continual product improvement, and thus reserves the right to make changes without notice. All dimensions are ±1/4". *Without Front Rigging

Index — Product Number

01021078	124233	1363011	1696M26	1834 C47	202C91
01040778	124333	1363511	1697-127	187481	202CBK91
1001P81	1243-133	1364011	1697-1C27	187681	202COR91
106097	125434	1370-157	1697-1M27	187881	202GY91
118130	125534	1370-257	1697-227	187981	202I91
118530	125634	1372-157	1697-2M27	187L84	202IBK91
119035	125734	1372-257	169826	187M84	202IOR91
119130	125832	1372-357	1698-126	187S84	202N91
1192-1#019	126132	1372-457	1698-1C26	187XL84	202OR91
1192-1#0019	126232	1376-146	1698-1CM26	18884	202S92, 95
1192-1#219	1262-132	1376-246	1698C26	189181	202S-X92
1192-1#519	126332	14423-28	1698CM26	189381	202T91
1192-219	126433	14423-2P8	1698M26	189481	202TBK91
1192-319	126634	14423-48	17087278	189581	202X91
1194-158	127275	14423-4P8	17163678	189681	202XBK91
119622	127334	14423-88	17242478	189781	202XGY91
1196#122	127435	14423-8P8	17593, 95	189881	202XOR91
1196#222	127534	150359	175GY93	189981	20591, 95, 96
1196#322	127635	153237	177074	190081	20692
1196#422	1276-135	1533-136	1771B74	194182	208079
1196F22	1276-1B35	153456, 106	177274	1943-182	2080-C5079
1196F#122	1276-235	153756, 106	177374	1943-282	208179
1196F#222	1276G LB35	1541-1242	177474	1943-382	208279
1196F#322	1276G W35	1541-1442	177674	1944-482	208578
1196F#422	1276GA LB35	154242	177874	1944-582	208678
1196FH22	1276GA W35	1544-1242	177974	1944-682	208778
1196H22	128036	1544-1442	178074	194682	208878
119722	1290 B32	1544-1642	178374	1968 L82	208978
1197#122	1290 S32	154842	178474	1968 M82	209078
1197#222	129435	1565 33	178574	1968 S82	2091-178
1197#322	13039	1565 43	178674	1968-182	21593
1197#422	13049	1565C-33	178774	1971E-24	215C93
1197F22	1304-19	1565C-43	178875	1971E-34	215X93
1197F#122	13059	158439	178975	1971E-44	21693
1197F#222	1305-19	158639	179075	1971E-64	216311
1197F#322	13069	158739	1790-175	197682	216411
1197F#422	13079	158939	1790-275	1981E-24	216511
12-100011	13099	159039	179275	1981E-34	216611
12-100111	1309-19	159239	179375	1981E-44	217512
12-111212	13119	159339	1793-225	1981E-64	2176-3012
120031	1312-19	159939	1793C75	1984-284	2176-6012
120131	1312-29	1599-339	1799-10025	1984-384	217912
120231	131310	1599-PN339	1799-10P24	1984-484	218312
120331	131410	1599-PN639	1799-2524	1984-684	218812
120431	131510	160039	1799-25P24	20091, 95	2195A-4113
120531	131610	1600-439	1799-50P25	2009M80	220028
120631	131710	1600-539	1799-913324	200BK91	220328
122020	131810	1600-639	18092, 95	200BK-C91	221128
122120	131910	160139	180223	200BK-I91	221228
122420	132010	1615#140	180323	200BK-T91	221328
122521	132110	1615#340	180623	200BK-X91	221428
122621	132210	1615#440	180723	200C91	2215A-2113
1227-120	132310	1620#140	180823	200GY91	221828
1227-221	132410	1620#240	180C92	200GY-C91	22294
1227-421	132510	1620#340	180I92	200GY-X91	222758
1228-320	1325-110	1620#440	180T92	200X91	223B94
122920	133441	1620#540	180X92	201380	229479
1229-120	133541	1640-137	181980	2013-F80	229579
1229-220	133641	165437	182080	2013-MF80	229951
1230A20, 21	1340-241	165NBL93, 95	182180	2013-S80	230251
1230I20	1358-157	166737	182280	2013-SM80	2302-B51, 76
124033	1358-4N OR57	166837	182380	20291, 95	230651
124133	1358-4W57	169626	1834 B47	202BK91, 95	2311-B50, 76

Index — Product Number

2312	.51	2353I	.96	2401	.96	2674	.15	2862	.19	3064	.40
2315BL	.95	2353T	.96	2402	.96	2675	.15	2868	.19	3080DZ C	.47
2315GY	.95	2353X	.96	2404	.96	2676	.15	2875	.18	3080DZ O	.47
2316	.95	2355-1A	.95	2405	.96	2678	.15	2882	.18	3083DZ	.47
2318BL	.95	2355-1C	.95	240C	.94	2686	.15	2884	.19	3084DZ	.47
2318OR	.95	2355-1T	.95	240X	.94	2688	.15	2885	.19	3085DZ	.47
2319	.95	2355-1X	.95	2411	.96	2690	.15	2975#10	.5	3129 BL	.43
2320	.51	2355-2A	.95	2412	.96	2692	.15	2975#11	.5	3129 G	.43
2321	.51	2355-2C	.95	2413	.96	2693	.15	2975#12	.5	3129 P	.43
2325-1A	.95	2355-2N	.95	242	.94, 95	2698	.16	2975#20	.5	3129 W	.43
2325-1C	.95	2355-2T	.95	2422	.96	2702	.15	2975#21	.5	3129 Y	.43
2325-1I	.95	2355-2X	.95	2424	.96	2705	.15	2975#22	.5	3154	.43
2325-1T	.95	2355A	.95	2430	.96	2708	.16	2975#23	.5	3161	.52
2325-1X	.95	2355C	.95	2433	.96	2709	.16	2975#24	.5	3162	.52
2325-2A	.95	2355I	.95	2436	.96	2710	.16	2976#10	.5	3171	.74
2325-2C	.95	2355X	.95	2442	.96	2711	.16	2976#11	.5	3174-1	.46
2325-2I	.95	2356-2A	.95	2444	.96	2713	.16	2976#12	.5	3177	.44
2325-2N	.95	2356-2C	.95	2447	.96	2716	.16	2976#15	.5	3186-2	.44
2325-2T	.95	2356-2I	.95	2448	.96	2721	.14	2976#21	.5	3201	.50
2325-2X	.95	2356-2N	.95	2449	.96	2725	.16	2976#22	.5	3203	.50
2327	.51	2356-2T	.95	2456	.96	2726	.16	2976#23	.5	3209	.76
2331	.51	2356-2X	.95	2457	.96	2730	.16	2976#24	.5	3213	.50
2334	.51	2357-2A	.95	2466	.95	2731	.16	2977#3	.6	3213-1	.50
2338A	.95	2357-2C	.95	2600	.13	2732	.16	2977#4	.6	3214	.50
2338C	.95	2357-2I	.95	2601	.13	2733	.16	2977#7	.6	3217	.50
2338I	.95	2357-2T	.95	2602	.13	2734	.16	2978#11	.7	3218	.50
2338N	.95	2357-2X	.95	2603	.13	2739	.16	2978#14	.7	3219	.50
2338T	.95	2358-2A	.95	2604	.13	2743	.17	2978#15	.7	3220	.50
2338X	.95	2360A	.96	2605	.13	2744	.17	2979#15	.7	3221	.50
2339A	.95	2360C	.96	2606	.13	2745	.17	2979#30	.7	3226	.50
2341A	.95	2360I	.96	2607	.13	2746	.17	2979#45	.7	3227	.48
2341C	.95	2360T	.96	2608	.13	2747	.17	2980#10	.6	3228	.48
2341I	.95	2360X	.96	2609	.13	2748	.17	2980#11	.6	3229	.48
2341T	.95	2361A	.96	2611	.13	2749	.17	2980#14	.6	3230	.48
2341X	.95	2361C	.96	2612	.13	2750	.17	2980#15	.6	3231	.48
2345-2A	.95	2361I	.96	2616	.13	2751	.17	2980#15C	.6	3232	.48
2345-2C	.95	2361N	.96	2623	.13	2752	.17	2980#20	.6	3233	.48
2345-2I	.95	2361T	.96	2624	.13	2755	.17	2980#21	.6	3233-1	.48
2345-2T	.95	2361X	.96	2628	.13	2756	.17	2980#22	.6	3233-2	.48
2345-2X	.95	2362C	.96	2629	.13	2757	.17	2980#23	.6	3234	.48
2346-2A	.95	2362X	.96	2630	.13	2758	.17	2980#24	.6	3235	.48
2346-2C	.95	2365A	.96	2631	.13	2764	.17	2980#25	.6	3236	.48
2346-2I	.95	2365C	.96	2632	.13	2765	.17	2990	.7	3238	.47
2346-2T	.95	2365I	.96	2633	.13	2768	.17	2991	.7	3239	.47
2346-2X	.95	2365N	.96	2634	.13	2769	.17	2998BL	.14	3240	.47
2348-1A	.95	2365T	.96	2636	.13	2770	.17	3007	.43	3241	.47
2348-1C	.95	2365X	.96	2637	.13	2771	.17	3008	.43	3244	.49
2348-1I	.95	2366A	.96	2639	.13	2798	.18	300DLX	.100, 103	3245	.49
2348-1T	.95	2366C	.96	2641	.13	2802	.18	300DLX-BL	.100, 103	3245	.49
2348-1X	.95	2366X	.96	2642	.13	2803	.18	300DLX-GL	.100, 103	3247	.48
2349-1A	.95	2367A	.96	2643	.13	2805	.18	300DLX-GR	.100, 103	3248	.48
2349-1C	.95	2367C	.96	2644	.14	2807	.18	300DLX-GY	.100, 103	3249	.48
2349-1I	.95	2367X	.96	2645	.14	2808	.18	300DLX-L	.100, 103	3250	.48
2349-1T	.95	2368A	.96	2646	.14	2809	.18	300DLX-LB	.100, 103	3251	.48
2349-1X	.95	2368C	.96	2652	.14	2812	.18	300DLX-P	.100, 103	3252	.48
2351A	.96	2368X	.96	2653	.14	2838	.18	300DLX-R	.100, 103	3254	.49
2351C	.96	2369A	.96	2655	.14	2839	.18	300DLX-TL	.100, 103	3255	.49
2351X	.96	2369C	.96	2664	.14	2849	.18	300DLX-Y	.100, 103	3256	.49
2352A	.96	2369I	.96	2665	.14	2857	.19	3031	.40	3257	.49
2352C	.96	2369T	.96	2670	.15	2858	.19	3039-1 C	.4	3258	.49
2352X	.96	2369X	.96	2671	.15	2859	.19	3039-2 C	.4	3259	.49
2353A	.96	2382A	.96	2672	.15	2860	.19	3039-3 C	.4	3261	.49
2353C	.96	240	.94, 95	2673	.15	2861	.19	3063	.40	3262	.49

Index — Product Number

326449	3497B63	3786-12#523	3931 1445	420880	513GY102
326749	349963	3786B#023	3931 31645	420980	513LB102
332852	350756	3786B#123	3931 33245	421080	513P102
3344-152	350856	3786B#223	3931 3845	42597	5242114
334552	3512-1A63	3786B#323	3931 73245	425BLK97	527DL86
337537	3512-1B63	3786B#423	3932 1245	4297W54	527DM86
3383-137	3512-1C63	3786B#523	3932 13245	4298W54	527DML86
3388-136	3512-2A63	3787 KT23	3932 3845	4299C54	527DS86
338975	3512-2B63	378923	3932 71645	4299W54	527DXL86
339476	3512-2C63	3789-1B23	3933 1245	43097	527LL86
3395-176	351763	379119	3933 3845	43597	527LM86
3395-276	351863	3791-119	3933 51645	435-197	527LML86
339676	351964	3792GF44	3933 5845	435-297	527LS86
339776	352556	3793GF44	3933 71645	435-397	527LXL86
3399-162	352656	3795GF44	3934 1245	4444-254	527RL86
3399-262	352756	380660	3934 71645	4445-254	527RM86
3399-362	353056	3806C60	3935 1445	4446-254	527RML86
3399-462	353156	381059	3936 1445	4447-254	527RS86
340362	353256	3810C59	3937 3845	4507-179	527RXL86
340462	3538A56	381358	3937 51645	50098, 103	535677
340662	3538B56	3813B58	3938 1245	500BK98	535877
341362	354356	3813BC58	3938 3845	500BL98	540102
341462	355061	381458	3939 1245	500GY98	54050320120
341962	3550-161	3814C58	3940 1245	504DL86	54050330120
345253	355161	381559	394145	504DM86	54050340120
345353	35547	3815C59	394245	504DML86	54050350120
345453	355661	381658	394345	504DS86	54050420120
3454A A53	355761	3816C58	394445	504DXL86	54050430120
3454A B53	355861	3822-159	394946	504LL86	54050440120
3454A C53	356062	383160	395046	504LM86	54050450120
3454A G53	356162	385360	3953 146	504LML86	54050520120
3454C53	356262	385460	3953 1/246	504LS86	54050530120
3454J A53	356664	385560	3953 1/2 -1246	504LXL86	54050540120
3454J B53	356861	385660	3953 1/446	504RL86	54050550120
3454J C53	3597D64	385759	3953 3/446	504RM86	549L86
3454J G53	3610LF-8111	385859	3953 3/846	504RML86	549M86
3454J T53	3611LF-8111	386259	3953 5/846	504RS86	549ML86
345553	3612LF-8111	3862-159	3953 7/846	504RXL86	549S86
345653	3614A111	3862-1-5059	400100, 103	50598, 103	549XL86
345853	3615A111	386359	4001GF8	505BL98	549XXL86
3458EA53	3618A64	386459	4002GF8	505GY98	56030
345952	3618C64	3864-159	400BL100	507101, 103	565T30
3459P52	3618D64	386559	400GY100	507LB101	566DG107
346052	365564	386777	400L100	507P101	566G109
3460P52	365664	3867-177	400P100	51098, 103	568673
346152	3703-2F69	3868-177	400R100	51010100119	568873
3461P52	3703-2P69	3869-277	400TL100	51010110119	57030
346252	370469	387477	406232	51010120119	570651
3462P52	370569	3908 L60	406332	51010130119	570944
346352	370969	3908 M60	406532	51010140119	571173
3463P52	3717 BL52	3908 S60	40778	51010150119	5712M73
3472106	3717 N52	3908 XL60	410923	51010160119	571373
3473106	371864	3909-176	4109-123	51010170119	571773
3474106	371964	3911 L60	4109-1LF23	51010200119	572835
347536	374254	3911 M60	410E61	51010210119	573676
347636	375061	3911 S60	410E-161	51010220119	577RG108
347736	375764	3911 XL60	416044	51010230119	580-330
347836	3786 KT23	3913-246	420180	51010320119	587W110
347936	3786-12#023	391436	420280	51010330119	5P010420118
348643	3786-12#123	3918-136	420380	51010340119	5P010430118
348963	3786-12#223	3918-236	4204-180	51010350119	5P010520118
349063	3786-12#323	3918-336	420580	510GY98	5P010530118
3497A63	3786-12#423	3920-436	420780	513102	5PX10620118

Index — Product Number

5PX10630118	774XXL85	863984	C-3255	FR566G863 . . .109	HT900777
5PX10820118	7921A-4112	8649 S82	CH300103	FR577RG401 . .108	HT900877
5PX10830118	7921R112	86614	CH400103	FR577RG409 . .108	HT900977
60099, 103	7925A114	8666 L82	CH500103	FR577RG427 . .108	HT901176
600023	7927A114	8666 M82	CH500GY103	FR577RG432 . .108	HT901377
6000C23	7929114	8667 L82	CH507103	FR577RG454 . .108	LAB-710098
600ID104	7931A112	8667 M82	CH510103	FR577RG851 . .108	LAB-7100GY . .98
601123	7931R112	8667 S82	CH510GY103	FR577RG857 . .108	LAB-720098
601223	7932A112	866882	CH600103	FR577RG863 . .108	LAB-730098
60299, 103	7939A112	870021	CH700103	FR587W401 . . .110	LAB-7300GY . .98
602BK100	814655	8700SPEC21	CH711103	FR587W409 . . .110	LF1050115
602BL99	828555	8798 L80	CH715103	FR587W427 . . .110	MG-231
602BUR99	830055	8798 M80	CH721BLK . . .103	FR587W432 . . .110	PA229379
602L99	830155	8798 S80	CH721Y103	FR587W454 . . .110	PA2293W79
602LB99	830255	90022	CR22294	FR587W851 . . .110	SP300103
602MAG99	831055	9000H78	CR500103	FR587W857 . . .110	SP600103
602MV-GEL99	831655	90122	CR507103	FR587W863 . . .110	SR610104
602N-BL99	835038	90222	CR510103	GF-370	SR611104
602N-GR99	835138	90322	D009577	GF-3T70	SR612104
602N-OR99	837538	90422	DL-1XM31	GF-3T170	SR613104
602N-P99	837638	90522	DM 4361332	GF-4570	SR614104
602R99	837L85	90622	DP300103	GF-TX571	SR615104
602SF-GEL99	837M85	90722	DP500103	GF-TX5EMS . . .72	SR616104
602SL-GEL99	837ML85	90822	DP507103	GF1088	SR617104
602TL99	837S85	90922	DP510103	GF112-C-LC . . .116	SR619104
6438A113	837XL85	91022	DP600LG103	GF112-N-LC . . .116	TB300104
6615B25	837XS85	9100A78	DP600SM103	GF113-C-LC . . .116	TB300BL104
6615BL25	837XXS85	91122	DR300103	GF113-N-LC . . .116	TB300GL104
684057	84794	9122A78	DR500103	GF114-C-LC . . .116	TB300GR104
685557	85214C BK . . .42	9123A78	DR507103	GF115-C-LC . . .116	TB300GY104
686057	85215C BK . . .42	9124A78	DR510103	GF133-S-C . . .116	TB300L104
700100, 103	8601 L83	9125A78	DR600LG103	GF184347	TB300LB104
707A94	8601 M83	9126A78	DR600SM103	GF187181	TB300P104
707A C94	8601 S83	926070	DR711103	GF1965-181	TB300Y104
707A X94	8601 XL83	960044	DSL110117	GF1965-1KD . . .81	TB500104
710101, 103	8602 L83	9600SS44	DSL111117	GF614B61	TB500GY104
711101, 103	8602 M83	966559	DSL112117	GF614B-100 . . .61	TB602104
712L85	8602 S83	966659	DSL113117	GF614B-125 . . .61	TB602BL104
712M85	8602 XL83	967229	DSL114117	GF614B-7561	TB602LB104
712ML85	8604 L83	967329	DSL115117	GG60095	UNNA-C33
712S85	8604 M83	967429	DSL116117	GG600BL95	UNNA-C43
712XL85	8604 XL83	967558	DSL117117	GRA281018	UNNA33
712XXL85	8605XL83	967658	DSL140117	GW2088	UNNA43
715101	8607L83	9860 L83	DSL141117	HOM152288	V222B94
721102	8607M83	9860 M83	ET310B103	HOM152488	V22394
721Y102	8607XL83	9860 S83	ET500LG103	HOM16089	
722B102	861620	9860 XL83	ET600B103	HOM200087	
722Y102	861720	AQ106-1238	ET600CL103	HOM210189	
723L86	8617-120	AQ106-12-1 . . .38	FR566DG401 . .107	HOM260087	
723LBLK86	8617-220	AQ109-0564	FR566DG409 . .107	HOM265087	
723M86	8617-320	BN300103	FR566DG427 . .107	HOM284287	
723MBLK86	8619 L85	BN600103	FR566DG432 . .107	HOM400KL90	
723S86	8619 XL85	BN710103	FR566DG454 . .107	HOM402KL90	
723SBLK86	8619 XXL85	BR300067	FR566DG851 . .107	HOM402LB89	
723XL86	8622 L85	BR300167	FR566DG857 . .107	HOM500KL90	
723XLBLK86	8622 M85	BR300266	FR566DG863 . .107	HOM54988	
723XXL86	8624 BM85	BR301568	FR566G401 . . .109	HOM55388	
723XXLBLK86	8624 BXL85	BR301668	FR566G409 . . .109	HOM59990	
75213BK42	8624 L85	BR3016122 . . .65	FR566G427 . . .109	HT1856-1105	
774L85	8630B84	BR302067	FR566G432 . . .109	HT1857105	
774M85	863184	BR3088F69	FR566G454 . . .109	HT1859105	
774S85	8632R84	BR3088F-MS . .69	FR566G851 . . .109	HT1859-500 . .105	
774XL85	863884	BR3089F69	FR566G857 . . .109	HT825094	

Index — Product Name

Abdominal Binder, Grafc®	.85	Bottle		Commode	
Absorbant, Grafc®	.35	Balsam Borosilicate Glass	.63	Sling, Mesh Full-Body	.117
Accumax™		Barnes Dropping	.63	Three-In-One, Imperial Collection Drop Arm	.113
Inflation Cuffs Only	.95	Brush	.62	Three-In-One Aluminum	.113
Nylon Inflation Cuffs and Bladders	.95	Dropping	.63	Coplin Staining Jar	.63
Aerocell™ Exfoliative Cytology Fixative		Hot Water	.77	Crutches	
Spray	.64	Water, Stopperless	.77	Bariatric	.111
Aerosil™ Silicone Instrument Lubricant	.38	Ziegler Eye-Flushing	.63	Universal Aluminum	.111
Alcohol Dispenser	.36	Bowen Dispenser	.37	Cuff, Sphygmomanometer	.95
Applicator, Cotton-Tipped	.39	Bowl, Sponge	.48, 50	Accumax™ Inflation	.95
Apron, Neck-Clasp	.60	Bracelet, Patient ID	.59	Accumax™ Nylon Inflation	.95
Apron, Utility	.60	Breast Pump, Plastic	.76	Cup, Medication Portion	.52
Arch Easer, Pipeer™	.8	Brush		Cuticle Nipper, Chrome-Plated	.75
B-Series Battery-Operated UV Hand		Cytology	.39	Cytology Brush	.39
Lamp	.284	Denture Plate	.76	Denture	
Babinski Percussion Hammer	.9	Feeding Tube	.62	Cup With Clear Lid	.51
Back Support		Hair, Polyethylene	.76	Plate Brush	.76
Criss Cross, Pipeer™	.86	Hand, Polypropylene	.75	Diagnostic Instrument Set, Neurological	.9
Dual Adjustable, Grafc®	.85	Pipet	.62	Diagnostic Set, Gowlands® Complete	.21
Elasto, Pipeer™	.85	Test Tube	.62	Dissecting Kit, Biology Student	
Bag		Test Tube, Small Bore	.62	Deluxe	.19
Black Leather Specialist, With Brass Fittings	.42	Trachea Tube	.62	Standard	.19
Boston, With Brass Fittings	.42	Bucket, Kick/Stand Set, Stainless Steel	.49	For Small Organisms	.19
Cadaver, Vinyl Emergency	.60	C-Clamp Screw Compressor	.47	Dissecting Scissors, Mayo	.14
Euro Line Leather	.42	Cadaver Bag, Vinyl Emergency	.60	Doppler	
Throat/Spinal	.77	Calculi Strainer	.51	External Fetal	.8
Utility, With Zipper Closure	.42	Caliper		Ultrasound, Pocket	.8
Vinyl Specialist	.42	ECG	.57	Drill, Fingernail	.57
Balsam Bottle, Borosilicate Glass	.63	Economy Skinfold	.12	Drip Meter, Murphy	.56
Bandage		Lange Skinfold	.12	Dropper, Medicine	.56
Cotton Triangular	.4	Cap, Round Bouffant	.59	Dropping Bottle	.63
Grafc® Deluxe Latex-Free	.4	Capillary Tube, Flint Glass		Dynamometer, Hydraulic Hand	.12
Medicopaste®	.3	Microhematocrit	.61	E.M.S., Digital	.72
Barnes Dropping Bottle	.63	Carafe With Straw And Lid, Insulated	.51	Ear Basin, Goldnamer	.36
Basin		Card, Medicine	.43	Ear Piercer, Medi-System®	.46
Emesis	.48, 51	Cart, Utility, Stainless Steel	.55	Easy Lift Patient Lifting System	.115
Wash	.48	CastGard® BandageGard	.80	ECC	
Wash, Round	.50	Catheter, Female	.56	Caliper	.57
Bath Seat		Centrifuge		Paper Chemical/Thermal	.57
Bariatric	.112	Hematocrit	.61	Paper Standard Grade	.57
Platinum Collection	.112	Laboratory (6 Place)	.61	Elbow Support, Grafc® Tennis	.84
Tube	.61	Tube	.61	Emery Board	.74
Beaker, Measuring	.49	Cervical Collar		Emesis Basin	.48, 51
Bed Pad, Reusable	.77	Adjustable	.83	EMT Holster	.25
Bedpan	.48	Deluxe Foam	.83	Exam Lamp Series	
Fracture	.48	Soft Foam	.83	Grafc®	.27
Hanging Fracture	.51, 76	Soft Foam, With Support	.83	Grafc® Deluxe	.26
Plastic	.76	Cervical Philadelphia Collar	.83	Grafc® Halogen	.26
Stackable	.51	Cervical Scrapers	.39	Exercise Pulley Traction Set	.81
Bell, Call		Cervical Traction Set, Overdoor	.81	Exercise Weights	.81
Hand-Style	.52	Chain Bib Holder	.59	Exerciser, Peddler Floor	.81
Tap-Style	.52	Chart Holder, Book-Type Hospital	.44	Eye Chart	.33
Bib, Patient/Geriatric	.60	Chart		Illiterate, Plastic	.33
Binder, Grafc® Abdominal	.85	Circulatory System And Viscera	.54	Jaeger Reading And Test-Type, Plastic	.33
Bladder, Sphygmomanometer	.95	Muscular System	.54	Kindergarten	.32, 33
Accumax™ Nylon Inflation	.95	Nervous System	.54	Pocket-Size, Plastic	.33
Blade, Stainless Steel	.5	Skeletal System	.54	Snellen-Type, Plastic	.33
Blood Pressure Kit		Chokkin Scissors	.14	Eye-Flushing Bottle, Ziegler	.63
With Attached Stethoscope, Home	.94	Clamp, Occluding, Mosquito Tube	.18	Eye Occluder, Standard	.34
With Separate Stethoscope, Home	.94	Clamp, Tube/Catheter	.46	Eye Protector	.34
Multicuff 5	.92	Clipper, Fingernail	.75	Eye Protector, Plastic	.35
Blood Pressure Monitor		Clipper, Toenail	.75	Eye Shield, Grafc® Fox Aluminum With	
With Automatic Inflation, Digital	.94	Clock, Wall	.37	Protective Cloth Cover, Latex Free	.35
Automatic Digital Wristwatch Style	.94	Cold Pack, Disposable Instant	.78	Protective Cloth Cover For	.35
		Cold/Hot Reusable Gel Packs	.78	Eye Shield, Grafc® Fox Aluminum	.35
		Comb	.74		

Index — Product Name

Eye Shield, Grafco® Plastic Ventilated . . .	35	Fracture Bedpan	48	Indicator, Steam Sterilizer	38
Eye Test Cabinet, Illuminated	32	Fracture Kit	23	Instrument Set, Neurological Diagnostic . .	9
Eye Test Chart Books, Ishihara®, for Color Deficiency	34	Replacement Accessories	23	Instrument Tray, Flat-Type	49
Eye-Flushing Bottle, Ziegler	63	Funnel	64	Invalid Ring With Cover, 16"	80
Eye-Wash Cup	56	Gauge, Pinch, Mechanical	12	Inflatable Rubber	80
Face Mask	58	Gel Packs, Reusable Hot/Cold	78	Inflatable Vinyl	80
Face Shield	58	Gel Warmer, Ultrasound	8	Iodine Cup	47
Feeding Cup	47	Gel, Transmission, Ultrasound	8	Ishihara® Test Chart Books, for Color Deficiency	34
Feeding Tube Brush	62	Glass Dressing Jars With Covers, Unlabeled	52	Isolation Gown	60
Felt, Orthopedic	82	Glass, Medicine	43	Jaeger Reading And Test-Type Plastic Chart	33
Female Catheter	56	Glove Box, Clear PVC	29	Jar Applicator	52
Urinal	50	Gloves, Cotton	59	Coplin Staining	63
Finger Cot Latex	60	Goggles	58	Dressing	48
Reinforced Latex	60	Goldnamer Ear Basin®	36	Dressing, With Covers, Glass Unlabeled . .	52
Finger Guard Prokot Plastic	82	Goniometer 180° Stainless Steel	11	Forceps	48, 50
Assortment, Prokot Plastic	82	Flex/Hyperextend	11	Ointment, With Strap Handle Cover	47
Finger Ring Cutter Deluxe	57	Orthopedic	11	Staining, Screw Cap	63
Standard	57	Pocket	11	Sundry, Clear Plastic	53
Fingernail Clipper	75	Radiopaque	11	Sundry, Labeled	53
Drill	57	Gown, Isolation	60	Sundry, Plastic	53
First Aid Case	25	Grafkette™ Tourniquet	23	Sundry, Rack For	53
First Aid Kit	24	Hair Brush, Polyethylene	76	Sundry, Unlabeled	53
10 Person	24	Hair Shampooer, Inflatable	77	Vertical Staining	64
25 Person	24	Halogen Focusing Headlight	30	Laboratory Centrifuge (6 Place) Lamp	61
50 Person	25	Halogen Physician's Magnifying Headlight	30	Exam, Grafco®	27
100 Person	25	Hammer 4-in-1 Neurological	9	Exam, Grafco® Deluxe	26
Travel	24	Babinski Percussion	9	Exam, Grafco® Halogen	26
Fixative Spray, Aerocell™ Exfoliative Cytology	64	Buck Neurological	9	Glass Cap Alcohol	64
Flashlight L.E.D.	35	Dejerine Percussion	9	Hand, B-Series Battery-Operated UV	28
Magnifier	35	Percussion/Tuning Fork, 2-in-1	10	Hand, E-Series UV-A	28
Flask, Narrow Mouth	64	Percussion, Infant Size	9	Q-Series UV Magnifier	28
Forceps Jar	48, 50	Percussion, Taylor-Type	9	Lancet, Feather® Disposable Blood	7
Forceps Adson Thumb Dressing	17	Hand Brush, Polypropylene	75	Laryngeal Mirror	19
Adson Thumb Tissue	17	Hand Exercise Ball	80	Handles	19
Backhaus Towel	16	Hand Tally	61	Laryngoscope Replacement Bulbs	22
Ballenger Sponge Serrated	16	Hanging Fracture Bedpan	51, 76	Laryngoscope Sets, Grafco®	22
Carmalt Splinter	17	Hanging Male Urinal	50, 76	Latex Finger Cots	60
Crile Hemostatic	15	Head Loupe With Three Interchangeable Lenses, Megaview™	31	Latex Tubing	45
Eye Dressing	17	Headband	30	Lens Paper	64
Foerster Sponge	16	Headlight Halogen Focusing	30	Lift, Patient	115
Halsted Mosquito Hemostatic	15	Halogen Physician's Magnifying	30	Litmus Paper	52
Hartman Mosquito Hemostatic	15	L.E.D.	30	Loupe Binocular, Magni-Focuser With Auxiliary Lens	31
Hartmann Alligator	18	Headmirror	30	Binocular, Standard Magnifying	31
Iris	17	With Headband	30	Lubricant, Aerosil™ Silicone Instrument . .	38
Kelly Hemostatic	15	Heat Pack, Disposable Instant	78	Lumbar/Sacral Support, Grafco®	85
Kelly Placenta	18	Heat System, HealthTeam® Paraffin	79	Magnifier	31
Kocher	16	Heating Pad, Moist Heat, Grafco® Electric	79	Flashlight	35
Lore Suction Tubing Holding	18	Heel, Walking	80	Hand-held Aspheric	76
Magill Catheter	18	Helmet, Protective Head Guard	83	Male Urinal	48, 50
Olsen Hegar Needle Holder/Scissor	14	Helmet, Protective Head Guard	83	With Cover	50
Rankin-Crile Hemostatic	15	Hemacytometer Set	61	Manicure Sticks	74
Rochester Ochsner	15	Hematocrit Centrifuge	61	Manometer Only, Sphygmomanometer . .	95
Rochester-Pean Hemostatic	15	Holster, EMT	25	Mask Cone	58
Russian Tissue	17	Hot Water Bottle	77	Face	58
Splinter	17	Hot/Cold Reusable Gel Packs	78	Face, With Ear Loops	58
Thumb Dressing	17	Ice Cap, English Style	77	Face, With Ties	58
Utility Sterilizer	16	Illuminators, X-Ray	44	Slumber	75
Wilde Ear	18	Inclinometer Bubble	12	Mattress Cover, Plastic	59
		Gravity	12		

Index — Product Name

Mayo-Type Instrument Table	47	Paper		Safe, Narcotic	43
Medbag Plus	42	Infant Tape Measure, Grafc®	41	Safety Pins	4
Medbag, Nylon Multipocket	42	Rolls	40	Scale	
Medication Portion Cup	52	Bibulous	64	Digital Bariatric/Veterinary	87
Medicine		ECG Chemical/Thermal	57	Digital Handrail Patient	89
Cards	43	ECG Standard Grade	57	Digital Pediatric/Veterinary	88
Cup, Graduated	47	Lens	64	Digital Sling Stretcher	87
Dispenser Tray	43	Litmus	52	Large Raised-Dial Personal	89
Dropper	56	Paramount™ Wheelchair	118	Pediatric Balance Beam	88
Glass	43	Paramount™ XD Wheelchair	118	Pediatric Balance Beam With Tray	88
Medicopaste® Bandage	3	Patient ID Bracelet	59	Physician Balance Beam, LB/KL	90
Medi-System® Ear Piercer	46	Patient/Geriatric Bib	60	Physician Mechanical Beam	89
Megaview™ Head Loupe With Three		Peddler Floor Exerciser	81	Physician Waist-High Digital	90
Interchangeable Lenses	31	Pedi-Corn Cutter	75	Portable Digital Baby/Small Animal	88
Micro Cover Glasses, Grafc®	69	Pencil, Diamond Point	54	Professional Digital	90
Micro Slide Box	69	Penlight		ProPlus™ Oversized Folding Wheelchair	87
Micro Spatula	64	Reusable	32	ProPlus™ Wheelchair Ramp	87
Microscope		Disposable	32	Scalpel	
Slides, Grafc®	69	Silver	32	Feather® Safeshield™ Disposable Sterile	6
Supplies	69	Percussion Hammer, Babinski	9	Feather® Sterile	5
BR3000 Series	67	Pessary		Scissors	
BR3002	66	Red Rubber Soft Inflated Ring	40	Chokkin	14
BR3002 Binocular	66	Smith Shape	40	Clip-On Bandage	13
BR3015 Series	68	Pestle, Glass	63	Deaver Operating Straight	13
BR3016122	65	Pill		Iris	14
BR3016122	65	Counter	44	Knowles Bandage	13
BR3088F Series	69	Crusher	73	Lister Bandage	13
Minute Minder, Non-Electric	37	Crusher, Metal	73	Littauer Ligature	14
Mirror		Cutter	73	Manicure, Stainless Steel	74
Handles, Laryngeal	19	Envelope, Printed	44	Mayo Dissecting	14
3-in-1	74	Organizer	73	Nail, Stainless Steel	74
Laryngeal	19	Pillow Cases	59	Operating, Curved	13
Moist Heat Pads With MicroBeads™		Pinch Gauge, Mechanical	12	Operating, Straight	13
Technology, Grafc® Microwaveable	79	Pinwheel, Wartenberg	9	Strabismus	14
Moist Heat Therapy Packs and Covers	78	Pipeer™		Screen, Folding Set Up	54
Mortar, Glass	63	Arch Easer	84	Screw Compressor	
Mucous Trap, Delee-Type	56	Criss Cross Back Support	86	C-Clamp	47
Nail File, Triple Cut, Stainless Steel	74	Elasto Back Support	85	Hoffman	47
Nail Nippers, Chrome Plated	75	Golden Crown Truss	86	Side, Open-Jaw Hoffman	47
Narcotic Safe	43	Rupture Easer	86	Seizure Bite Stick	23
Nasal Olive, Flint Glass	56	Shoulder Brace	85	Shears, All Purpose	57
Nasal Speculum, Vienna	18	Stirrup Stocking	84	Shield, Face	58
Needle Holder,		Supporto Truss	86	Shoe Covers, Anti-Skid	59
Crile Wood	16	Tummy Uplifter	85	Shoulder Brace, Pipeer™	85
Helsey Smooth Jaw	16	Pipet		Silver Nitrate Applicators, Grafc®	39
Mayo Hegar	16	Brush	6	Sitz Bath	76
Neo-Infantometer	41	Pasteur	64	Skin Marker	46
Nurse's Pocket Organizer	44	Plaster Spreader, Henning	44	Skinfold Caliper	
Occluding Clamp, Mosquito Tube	18	Pocket Organizer, Nurse's	44	Economy	12
Ointment Jar With Strap Handle Cover	47	Rack For Sundry Jars	53	Lange	12
Ophthalmoscope		Razor Blade	74	Sling, Arm	
Set, Gowlands®	21	Reachers	73	Cradle-Style	82
Set, Gowlands® Standard	21	Recliner		Envelope-Style	82
Replacement Bulbs	22	Clinical Care (Model 577RG)	108	Sling, Patient	
Orthopedic Felt	82	Colors	107	2-Point, Chain Set for	116
Otoscope		Deluxe Clinical Care (Model 566G)	109	2-Point, Dimensions	116
& Ophthalmoscope Set, Gowlands®	21	Deluxe Clinical Care with Drop Arm		Commode, Mesh Full-Body	117
Fiber-Optic With Halogen Lamp	20	(Model 566DG)	107	Mesh Full-Body	117
Mini, Grafc®	20	Extra-Wide Clinical Care (Model 587W)	110	Solid Full-Body	117
Pocket, Gowlands®	20	Replacement Bulbs for Oscopes,		Slumber Mask	75
Replacement Bulbs	22	Ophthalmoscopes and Laryngoscopes	22	Soap Dispenser	
Set, Gowlands®	20	Replacement Parts		Hospital-Type With Foot Pedal	36
Set, Gowlands® Standard	20	Sphygmomanometers	95, 96	Liquid	37
Set, Grafc®	20	Stethoscopes	103, 104	Liquid, Chrome Bracket Valve	37
Set, Grafc® Fiber-Optic	20	Rinsette	77	Soap, N.F., Tincture of Green	37
		Rupture Easer, Pipeer™	86	Solution Bowl	50

Index — Product Name

Specimen			
Collection Bowl	52	
Container, Disposable	52	
Speculum			
Graves Vaginal	19	
Pederson Vaginal	19	
Vienna Nasal	18	
Sphygmomanometer			
Economy	93	
Inflation Bladder	95	
Labstar™	92	
Labstar™ Deluxe	91	
Labstar™ Latex-free	91	
Mobile Aneroid	94	
Optimax™	91	
Palm Aneroid	93	
Replacement Parts	95, 96	
Superior™	93	
Spirometer, Spiropet	19	
Splint,			
Basswood	82	
Finger	82	
Finger, Aluminum	82	
Frog, Stat	82	
Jordan	82	
Sponge Bowl	48, 50	
Staining Jar,			
Screw Cap	63	
Vertical	64	
Sterilizer, Stainless Steel	38	
Stethoscope			
16" Sprague-Rappaport Type	99	
22" Gel Series Sprague-Rappaport Type	99	
22" Neon Series Sprague-Rappaport Type	99	
22" Sprague-Rappaport Type	99	
Bowles	101	
Cardiology	97	
Champion™	102	
Diamond Head™	98	
Disposable	102	
Dual Head	100	
Electromax™	97	
Ford	100	
Ford-Bowles	101	
Neo-Natal	102	
Panascope™ Dual Head Lightweight	98	
Panascope™ Dual Head Deluxe	98	
Pediatric Dual Head	101	
Replacement Parts	103, 104	
Single Head	100	
Sprague-Rappaport Type	98	
Sprague-Rappaport Type, Deluxe	100	
Stainless Steel	98	
Teaching	102	
Stirrup Stocking, Pipeer™	84	
Stockinette Dispensing Box	84	
Stool, Deluxe Revolving With Foot Ring	47	
Strainer, Calculi	51	
Support			
Back, Pipeer™ Criss Cross	86	
Back, Pipeer™ Elasto	85	
Lumbar/Sacral, Grafco®	85	
Tennis Elbow, Grafco®	84	
Wrist, Universal, Grafco®	8	
Supporto Truss, Pipeer™	86	
Surgical Blade			
Handle, Feather®	6	
Remover, Feather®	7	
Sterile, Feather®	5	
Syringe			
Antrum	36	
Ear	36	
Ear & Bladder	18	
Enema	36	
Fountain	77	
Plungerless	36	
T.E.N.S.			
Accessories	70	
Analog	70	
Digital	71	
Table, Instrument, Mayo-Type	47	
Tape, Umbilical	40	
Tape Measure			
Paper, Infant, Grafco®	41	
Woven	41	
Test Tube			
Brush	62	
Brush, Small Bore	62	
Thera-Putty®	80	
Thermometer			
Digital, With Beeper, HealthTeam®	105	
Flat Bath	106	
Jar	48	
Jar With Cover	50	
Probe Covers, HealthTeam® Disposable	105	
Room	106	
Sterilizing Jar	106	
Throat/Spinal Bag	77	
Timer			
Non-Electric Mark	37	
Non-Electric Minute	37	
Toenail Clipper	75	
Tongue Depressor	39	
Toothbrush	76	
Tourniquet			
Disposable	23	
Grafkette™	23	
Hook and Loop	23	
Trachea Tube Brush	62	
Traction Set			
Component Parts	81	
Exercise Pulley	81	
Transfer Bench	114	
Bariatric	114	
Imperial Collection	114	
Maxi-Drain	114	
Transmission Gel, Ultrasound	8	
Travel Kit, First Aid	24	
Traveler® Wheelchair	119	
Traveler® XD Wheelchair	120	
Tray			
Bedside	50	
Instrument Catheter, Flat Cover	49	
Instrument Catheter, Strap Handle Cover	49	
Medicine Dispenser	43	
Rectangular, No Ridges	51	
Without Cover	49	
Truss			
Golden Crown, Pipeer™	86	
Supporto, Pipeer™	86	
Tube, Centrifuge	61	
Tube/Catheter Clamp	46	
Tubing			
Latex	45	
Penrose Drainage	46	
Silicone	45	
Tygon®, Laboratory Formulation R-3603	46	
Tygon®, Hospital/Surgical Formulation S50-HL	45	
Tumbler, 8 oz	51	
Tummy Uplifter, Pipeer™	85	
Tuning Fork	10	
& Percussion Hammer, 2-in-1	10	
5-in-1 Combination Neuro	10	
Adjustable Frequency	10	
Hertz Frequency	10	
Sensory Evaluation	10	
Student Grade	10	
Tweezers, Stainless Steel	74	
Ultrasound			
Gel Warmer	8	
Pocket Doppler	8	
Transmission Gel	8	
Umbilical Tape	40	
Unna's Boot Dressing	3	
Urinal			
Female	50	
Male	48, 50	
Male, Hanging	50, 76	
Male, With Cover	50	
Urinometer	56	
Junior	56	
Uterine Dilator, Hegar	19	
Utility Apron	60	
Utility Bag With Zipper Closure	42	
Utility Cart, Stainless Steel	55	
Vaginal Speculum, Graves	19	
Vinyl Emergency Cadaver Bag	60	
Vinyl Specialist Bag	42	
Walking Heel	80	
Wall Clock	37	
Wallmax™			
Aneroid Sphygmomanometer	94	
Accessories	95	
Wartenberg Pinwheel	9	
Wash Basin	48, 50, 51	
Waste Receptacle			
Liner, Galvanized Steel	55	
Liner, Polypropylene	55	
Step-On, Square	55	
Step-On, Square, Enamel	55	
Step-On, Stainless Steel	55	
Water Bottle, Stopperless	77	
Weights, Exercise	81	
Wheelchair			
Paramount™	118	
Paramount™ XD	118	
Traveler®	119	
Traveler® XD	120	
Wire Wicking, Chenille	62	
Wood Applicators	39	
Wrist Support			
Universal, Grafco®	84	
With Loop, Grafco®	84	
X-Ray Illuminators	44	

GF Health Products, Inc.
2935 Northeast Parkway • Atlanta, Georgia 30360
770.368.4700 • cs@grahamfield.com

www.grahamfield.com

LUMEX® Everest & Jennings® **labTRON**®

Grafco®  **BASIC AMERICAN** MEDICAL PRODUCTS **LUMISCOPE**®  **JOHN BUNN**®

