Equipment Country of the Country of



(800) 673-8740 www.GregSmithEquipment.com

ELITE 9KOH

The Elite 9KOH is the perfect choice for those customers who demand the most lifting capacity at the lowest possible price. The overhead beam can be adjusted to two different height settings: 11' 6" or 11' 10".

LIGHT COMMERCIAL GRADE

IN STORE PICK-UP PRICE



FEATURES

- 9,000 lb. Capacity
- Light Commercial Grade
- · Dual Point Lock Release
- Symmetric Columns
- · Asymmetric Arm Design Automatic Arm Restraints
- Clear Floor Design
- · Powder Coat Finish
- FREE Truck Adapters
- 1-Year Structural, 1-Year Hydraulic Warranty

Atlas 9KOH Specifications

VISIT OUR WEBSITE AND SPECIALS

9 000 lb Capacity 142" (11' 10") Or 138" (11' 6") Overall Height 134 1/4" (11' 2 1/4") Overall Floor Width Maximum Lift Height 80 1/4" (6' 8 1/4") Inside Column 109 3/4" (9' 1 3/4")

Shipping Weight 1,500 lb.

Atlas Single Screw-Up Adapters

Optional adjustable single screw-up lift pads are now available for all Atlas two post lifts. Screw-up adapters allow the operator to "precisely position" the lift pad in direct contact with the vehicle's lifting points. Please make sure of your arm hole size before you order.



Starting At 8 Piece Kit ATPK-S-SCREW-KIT1

3 Different Kits On Our Website





The Atlas 90HSC-SS features single piece columns and extra long carriages. The Atlas 90HSC-SS two-post above ground lift is the perfect choice for smaller repair facilities or Mr. Homeowner who demands the highest quality at the absolute best price.



IN STORE PICK-UP PRICE

COMMERCIAL GRADE

Atlas 90HSC-SS Specifications

Capacity Overall Height 142" (11' 10") Overall Floor Width 134" (11' 2") Maximum Lift Height 81 3/8" (6' 9 3/8") 109 1/2" (9' 1 1/2") Inside Column Shipping Weight

FEATURES

- 9,000 lb. Capacity
- · Light Commercial Grade
- Dual Hydraulic Chain-Over Cylinders
- Single Piece Columns
- Single-Point Lock Release
- Symmetric Columns · 3-Stage Super-Symmetric
- Front Arms Powder Coat Finish
- Clear Floor Design
- FREE Truck Adapters
- Mounting Hardware 5-Year Structural Warranty,
- 1-Year Hydraulic Warranty

Atlas RimRod Mountable Wheel Holders For Lift Arms



The RimRod tire/wheel support attaches to most above ground lift arms. Visit our website for product dimensions. IN STORE PICK-UP PRICE IN STORE PICK-UP PRICE

For One

Set of Four

COMMERCIAL GRADE

The Atlas PV-9P is a commercial grade two post lift that incorporates the same arm and carriage design as our Industry leader PV-10P. The PV-9P has symmetric columns and specially designed arms that can be set in either the symmetric or asymmetric position. The PV-9P has dual direct drive cylinders



Atlas PV-9P Specifications

9,000 lb.

135" (11' 3")

80 1/2" (6' 8 1/2")

112 1/4" (9' 4 1/4")

142 1/2" - 150 1/2" (11' 10 1/2" - 12' 6 1/2")



FEATURES

- · Commercial Grade
- Direct Drive Cylinders
- Single-Point Lock Release
 Front Arms May Be Configured
 Symmetric Or Asymmetric
- · "Padded" Shut-Off Bar
- Powder Coat Finish
- Adjustable Height · Clear Floor Design
- FREE Truck Adapters
- Mounting Hardware
 5-Year Structural, 2-Year

ATPK-PV9P-WKIT

Hydraulic Warran Shipping Weight 1.500 lb.

PV-9P Width Extension Kit Adds 6 inches to the overall width of the Atlas PV-9P.

IN STORE PICK-LIP PRICE

Capacity

Overall Height

Inside Column

Overall Floor Width

Maximum Lift Height

Add 6 Inches To **Overall Width**



Increase The Width Of Your Existing PV-9P!

EXTRA TALL

The Atlas PV-9HP is the taller version of our PV-9P two post above ground lift.

Adjustable From 13' 10 ½ " To 14' 6 ½ "

Atlas PV-9HP Specifications

9.000 lb Capacity 166 1/2" - 174 1/2" (13' 10 1/2" - 14' 6 1/2") Overall Height Overall Floor Width 135" (11' 3") Maximum Lift Height 81 3/4" (6' 9 3/4") 112 1/4" (9' 4 1/4") Inside Column Shipping Weight 1,650 lb.

2 Feet Taller!

IN STORE PICK-UP PRICE

OR

Perfect For High Profile Vehicles



The Atlas PV10P is a commercial grade two-post lift designed to lift a wide variety of vehicles. The PV10P has a low pad height to accommodate passenger vehicles but is built to handle full size pickups. The PV10P has dual direct drive cylinders and single-point lock release.



Atlas PV-10P Specifications

Capacity

Overall Height

Overall Width

Maximum Lift Height

Between Columns

Shipping Weight

10.000 lb

82" (6' 10")

1,900 lb.

Low: 142" (11' 10") High: 146" (12' 2")

137 3/8" (11' 5 3/8")

110 3/4" (9' 2 3/4")

IN STORE PICK-UP PRICE

FEATURES

- Commercial Grade
- Direct Drive Cylinders
- Single-Point Lock Release
- Front Arms May Be Configured Symmetric Or Asymmetric • "Padded" Shut-Off Bar
- Powder Coat Finish
- Adjustable Height
- Clear Floor Design
- FRFF Truck Adapters Mounting Hardware
- 5-Year Structural, 2-Year
- Hydraulic Warranty

COMMERCIAL GRADE



Atlas OH-10X Specifications

10,000 lb

84" (7')

1,800 lb.

151 1/2" (12' 7 1/2")

143 3/8" (11' 11 3/8")

117 1/2" (9' 9 1/2")

This commercial grade two-post lift is the perfect choice for garages that demand the highest quality at the absolute best price. The Atlas OH10X is WIDER and TALLER than most above ground two-post lifts. The OH10X has dual direct drive cylinders and single-point lock release.

IN STORE PICK-UP PRICE

EXTRA WIDE EXTRA TALL

FEATURES

- · Commercial Grade
- · Direct Drive Cylinders
- · 2-Stage Heavy Duty Symmetric Arms
- Single Piece Columns
- Symmetric Columns
- Extra Long CarriagesPowder Coat Finish
- 10,000 lb. Capacity
- Clear Floor Design
- · FREE Truck Adapters
- · Mounting Hardware
- 5-Year Structural, 2-Year Hydraulic Warranty

COMMERCIAL GRADE

PV-10P Height Extension Kit

Add 2 Feet To Overall **Height To Your Existing PV-10P** IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED ATPK-PV10PX-EXT



Atlas Wheel Stands

The Atlas Wheel Stands can support up to 6,000 lbs. and are the perfect choice for those smaller shops who want the advantages of a four post lift but have only limited floor space. Turntables can be placed on the wheel stands to turn any two-post lift into an alignment lift. *Turntables Sold Separately



IN STORE PICK-LIP PRICE



The Atlas APEX-10 was engineered and built to offer a commercial grade above ground lift to those customers who have "fallen in love" with the Double S column design. The Atlas APEX-10 can be installed with the columns positioned symmetrically. This offers easy vehicle access and superior vehicle lift point support due to the three stage front arm design.



Double Screw-Up Adapter Pads





Capacity

Overall Height

Max Lift Height

Shipping Weight

Inside Column

Overall Floor Width



FEATURES

- Commercial Grade • Double S Column Design
- Direct Drive Cylinders
- · Single-Point Lock Release · Symmetric Columns
- "Padded" Shut-Off Bar
- Powder Coat Finish
- Adjustable Height Clear Floor Design
- FREE Truck Adapters
- FREE Screw-Up Adapters Mounting Hardware
- 5-Year Structural, 2-Year Hydraulic Warranty

What ALI Certified Really Means



ALI (Automotive Lift Institute) governs the safety standards for automotive lifts in the U.S. ALI Certified lifts must all pass the exact same testing, material and operational standards. This testing covers the structural integrity, proper control function and even overloading the lift beyond its rated capacity. The procedures are PASS - FAIL. Either you get the sticker or you do not. Rotary, Forward, Mohawk and ATLAS Certified Lifts are all subject to the exact same production and testing standards.

If a product carries the ALI Gold Label you can be assured that the equipment and the manufacturing facility it is produced in are in compliance with the ALI Standard. The facilities are audited at least two times, yearly, to guarantee the process and product adhere to the ALI Guidelines.


IBC or International Building Code is in use in all 50 States. This Code states that for every region governed by IBC, automotive lifts must adhere to the ALI Standard in order to obtain permits for lift installation in new construction buildings





Atlas APEX 10 Specifications

Capacity	10,000 lb.
Overall Height	Low: 135 7/8" (11' 3 7/8") High: 139 7/8" (11' 7 7/8"
Overall Height w/ Cylinder	142 1/2" (11' 10 1/2")
Overall Width	139" (11' 7")
Max Lift Height (w/ adapters)	81 1/2" (6' 9 1/2")
Shipping Weight	1,750 lb.



*Requires spacers



EXTRA WIDE EXTRA TALL



The Atlas PV-12P and PV-15P are commercial grade lifts designed to accommodate heavy, long wheel base trucks. The low pad height on the PV-12P allows the operator to lift both cars and trucks. The larger arms and taller pad height on the PV-15P are designed for customers who primarily work on trucks and SUVs. The extra distance between the columns accommodates wider vehicles or vehicles with wide rear-view mirrors. The extra height is perfect for tall vans and box trucks.



FEATURES

- Commercial grade
- Single point lock release
- Symmetric design
- · Powder coat finish
- Adjustable to three (3) heights · Free 12 piece truck adapter set
- Anchor bolts included
- 5 Year Structural Warranty, 2 Year Hydraulic Warranty



VISIT OUR WEBSITE AND SPECIALS

Atlas PV-12P Specifications

	Low	Middle	High
Capacity	12,000 lb.		
Overall Height	148 1/2" (12' 4 1/2") [‡]	163 1/2" (13' 7 1/2")	175 1/2" (14' 7 1/2")
Height To Shut Off Bar	142" (11' 10") [‡]	157" (13' 1")	169" (14' 1")
Overall Width	158" (13' 2")		
Maximum Lift Height (With Truck Adapters)	82" (6' 10")		
Between Columns	122 5/8" (10' 2 5/8'	")	
Drive Thru	108 5/8" (9'5/8")		
Motor/Electrical Requirement	220 Volt Single (1) Phase; A 30 amp Breaker Is Recommended		
Shipping Weight	2,250 lb.		

‡ Requires purchase of additional shorter cables

Atlas APEX 12 Specifications

12,000 lb.

86" (7' 2")

2,100 lb.

Low: 165" (13' 9") High: 177" (14' 9")

155 3/4" (12' 11 3/4")

109 2/3" (9' 1 2/3")

Atlas PV-15P Specifications

· · · · · · · · · · · · · · · · · · ·			
	Low	Middle	High
Capacity	15,000 lb.		
Overall Height	150 3/8" (12' 6 3/8") [‡]	162 3/8" (13' 6 3/8")	177 3/8" (14' 9 3/8")
Height To Shut Off Bar	140 3/4" (11' 8 3/4") [‡]	152 3/4" (12' 8 3/4")	167 3/4" (13' 11 3/4")
Overall Width	158" (13' 2")		
Maximum Lift Height (With Truck Adapters)	79 3/4" (6' 7 3/4")		
Between Columns	122 5/8" (10' 2 5/8	")	
Drive Thru	109" (9' 1")		
Motor/Electrical Requirement	220 Volt, Single (1) Phase; A 30 amp Breaker Is Recommended		
Shipping Weight	2,600 lb.		



The Atlas Apex 12 is an ALI CERTIFIED overhead two-post lift with two adjustable height settings and single point lock release.



Capacity

Overall Height

Overall Width

Drive Thru

Max Lift Height

Shipping Weight

FEATURES

- Commercial Grade
- Direct Drive Cylinders
- Single-Point Lock Release
- "Padded" Shut-Off Bar • Powder Coat Finish
- Adjustable Height
- Clear Floor Design FREE Truck Adapters

- FREE Screw-Up Adapters Mounting Hardware · Professional Grade Arm Lock Restraint System

NO VALIDATED

The Atlas Apex 15 is an ALI CERTIFIED, commercial grade, overhead two-post lift designed to accommodate both long wheel base trucks and passenger cars.



Auds AFLA	13 Specifications
Capacity	15,000 lb.
Overall Height	174 1/2" (14' 6 1/2")
Overall Width	154 1/2" (12' 10 1/2")
Max Lift Height	87 1/2" (7' 3 1/2")
Drive Thru	107 1/2" (8' 11 1/2")
Shinning Weight	2 400 lb

FEATURES

- Commercial Grade
- Direct Drive Cylinders
- Single-Point Lock Release

GRADE

NO VALIDATES

- "Padded" Shut-Off Bar
- Powder Coat Finish
- Clear Floor Design
- FREE Truck Adapters • FREE Screw-Up Adapters
- Mounting Hardware
- Professional Grade Arm Lock Restraint System



Atlas 18K

ALI Certified

The ALI CERTIFIED Atlas 18,000 lb capacity heavy duty two post lift meets the highest European and American Lift Institute standards. This electro-hydraulic lift features the finest design, engineering, and manufacturing that has made the Atlas brand a globally recognized stamp of quality. Includes safety lowering valve, mechanical safety latch, synchronization cables, and high quality steel to ensure a safe and powerful lift system. Arms, adapters, and carriages are usually the first components to show excessive signs of wear on a low quality lift. Atlas takes important steps to ensure that our components stay working correctly and safely for years to come.



IN STORE PICK-UP PRICE

80" Maximum Lifting Height



The Atlas BP8000 is a base-plate two-post lift designed for low ceiling garages. The total column height is 108" (9 feet.) This lift features a single-point lock release.

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

FEATURES

- 8,000 lb. Capacity
- Dual Hydraulic
- Chain-Over Cylinders
- · Single-Point Lock Release • 3-Stage Super-Symmetric
- Front Arms
- · Automatic Arm Restraints
- · Base-Plate Design
- · Powder Coat Finish • FREE Truck Adapters
- Mounting Hardware
- 5-Year Structural.

2-Year Hydraulic Warranty



Atlas BP-8000 Specifications

Capacity	8,000 lb.
Overall Height	108" (9')
Overall Floor Width	132" (11')
Maximum Lift Height	81 3/8" (6' 9 3/8")
Inside Column	109 5/8" (9' 1 5/8")
Shinning Weight	1 350 lbs

Atlas Frame Adapters

The optional rear frame adapter set (2 pieces) is available for most of our Atlas line of 2-post lifts.



IN STORE PICK-UP PRICE per set

Works Great For Ford® Trucks!





Certified

The Atlas Apex 9BP is an ALI CERTIFIED baseplate two-post lift designed for low ceiling garages. The total column height is 111 1/8" (9' 3 1/8").

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

FEATURES

- 9,000 lb. Capacity
- Chain-Over Cylinders
- Symmetric Arms
- Base-Plate Design
 Powder Coat Finish
- · Mounting Hardware
- FREE Truck Adapters
 Dual Point Lock Release
- · Automatic Arm Restraints
- · Secondary Lock System (SLS)

PERFECT FOR LOW CEILINGS!

Atlas APEX 9BP Specifications

NO VALIDATED

Capacity	9,000 lb.	Maximum Lift Height	74 5/6" (6' 2 5/6")
Overall Height	111 1/8" (9' 3 1/8")	Drive Thru	97 1/3" (8' 1 1/3")
Overall Floor Width	138 3/5" (11' 6 3/5")	Shipping Weight	1,700 lbs.

The Elite 9KBP is a base-plate two-post lift designed for low ceiling garages. The total column height of 111 1/2" (9' 3 1/2") allows this lift to be installed in almost any professional or home garage with a ceiling as low as 9' 6"

LIGHT COMMERCIAL GRADE

IN STORE PICK-UP PRICE

Elite 9KBP Specifications

Capacity	9,000 lb.
Overall Height	111 1/2" (9' 3 1/2")
Overall Floor Width	134 1/2" (11' 2 1/2")
Maximum Lift Height	81" (6' 9")
Inside Column	110" (9' 2")
Shipping Weight	1,450 lbs.

FEATURES

- 9,000 lb. Capacity
 Light Commercial Grade
- Dual Point Lock Release
- Symmetric Arms
- Symmetric Colu · Automatic Arm Restraints
- Base-Plate Design
- Designed For Low
- Ceiling Clearance
 FREE Truck Adapters
- Mounting Hardware
- · Powder Coat Finish
- 1-Year Structural, 1-Year Hydraulic Warranty

The Atlas BP-10000 commercial grade 2 post lift

is built for those customers who want to lift heavy vehicles in a low ceiling garage. Columns have a middle welded support gusset that adds extra strength.

COMMERCIAL GRADE

Atlas BP-10000 Specifications

Capacity	10,000 lb.
Overall Height	111 7/8" (9' 3 7/8")
Overall Floor Width	139 1/8" (11' 7 1/8")
Maximum Lift Height	86 3/8" (7' 2 3/8")
Inside Column	112 1/4" (9' 4 1/4")
Shipping Weight	1,640 lbs.

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

FEATURES

- 10.000 lb. Capacity
 - Dual Hydraulic
 Chain-Over Cylinders
 - · Single-Point Lock Release
 - Automatic Arm Restraints
 3-Stage Super-Symmetric

 - Front Arms

 Base-Plate Design

 Powder Coat Finish
 - · FREE Truck Adapters
 - Mounting Hardware
 5-Year Structural,
 - 2-Year Hydraulic Warranty

The Atlas BP-12K base-plate style lift is equipped with single-point lock release - a very unique

feature for a base-plate style lift. With an overall column the BP-12K is the ideal

height of 9'3' solution for a garage with low ceilings

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

COMMERCIAL GRADE

Atlas BP-12000 Specifications

Capacity	12,000 lb.
Total Ceiling Height Required	122 ½" (10' 2 ½")
Overall Height	111 ¼" (9' 3 ¼")
Overall Floor Width	150 ¾" (12' 6 ¾")
Maximum Lift Height	80 ¾" (6' 8 ¾")
Inside Column	123 ½" (10' 3 ½")
Shipping Weight	2,300 lbs.

FEATURES

- 12,000 lb. Capacity
- Dual Hydraulic
- Chain-Over Cylinders • Single-Point Lock Release
- · Automatic Arm Restraints
- 3-Stage Symmetric Arms
- Base-Plate Design Powder Coat Finish
- FREE Truck Adapters
- Mounting Hardware
- 5-Year Structural. 2-Year Hydraulic Warranty



Atlas Garage Pro 8000

The Atlas Garage Pro 8000 is one of our most popular 4-post lifts. These 8,000 lb. capacity lifts feature a lock ladder column design with a single point lock release


Atlas Garage Pro 8000 EXT

The Atlas Garage Pro 8000 EXT is a true 8,000 LB. four post lift. The Atlas Garage Pro 8000 EXT incorporates many of the great features of both the Atlas Garage Pro 8000 and the Atlas Garage Pro 9000.

67 1/2" Clearance **Under Runways**

IN STORE PICK-UP PRICE





IN STORE PICK-UP PRICE



Runway Width

Runway Length

11 1/2" **TALLER!**

Than The Garage Pro 8000



FEATURES

- 8,000 lb. capacity
- · Powder coat finish
- · Diamond plated runways
- · Single point lock release
- · Caster kit with polyurethane wheels
- Steel approach ramps includedSteel jack tray included
- · Plastic drip trays included
- · Four steel wheel stops included
- · Two rubber wheel chocks included
- Perfect for storing or working on vehicles2 year structural, 1 year hydraulic warranty

No Need To Bolt Down! Atlas Garage Pro 8000 EXT-L



EXTRA TALL EXTRA LONG!

IN STORE PICK-UP PRICE

FEATURES

- 8,000 lb. Capacity Powder Coat Finish
- Diamond Plated Runways Four Drip Trays Included
- . Single Point Lock Release
- Steel Approach Ramps Included
 Caster Kit Included
- · Perfect For Storing Or Working On Vehicle

Specifications Clearance Under Runways 80" (6' 8") Overall Width (Without Motor) 104¾" (8' 8¾") 195" (16' 3") Overall Length (Without Approach Ramps) Height of Columns (Including Bolts) 100" (8' 4") Lifting Height 84 1/4" (7' 1/4")

22 ½ (1' 10 ½")

185" (15' 5")

LIGHT COMMERCIAL GRADE

The Atlas Garage Pro 8000, 8000EXT, 8000EXT-L, And 9000 Include these FREE accessories!











Atlas Garage Pro 9000 A portable lift that can accommodate a dual-wheel truck. Long runways support a long wheel

base, crew cab dually.

LIGHT **COMMERCIAL GRADE**

FEATURES

- Light commercial grade
- · Steel approach ramps
- included
 Powder coat finish
 9,000 lb. capacity
- Single point lock release
 Extra height AND width
- · Polyurethane wheels on caster kit
- Four wheel stops included
 Perfect for storing or
- working on vehicles
 2 year structural, 1 year
 hydraulic warranty

No Need To **Bolt Down!**

80 1/2" Clearance **Under Runways** IN STORE PICK-UP PRICE



Specifications

Capacity	9,000 LB.
Clearance under Runways	80 ½" (6' 8 ½")
Between Columns	109 ½" (9' 1 ½")
Maximum Wheel Base	187" (15' 7")
Shipping Weight	2,300 lb.



LONG!

SAVE BIG SSS When You Buy A 4-Post Lift And Add 2 **Rolling Jacks**



The Atlas Apex 8 is an ALI CERTIFIED four post hobbyist lift. This 8,000 lb. capacity lift was designed for storage and light vehicle maintenance and built for use by Mr. Homeowner or restoration shops.





PING INCLUDED



Atlas APEX 8 Specifications

Clearance Under Runways	67 ½" (5' 7 ½")
Overall Width (Without Motor)	114 ½" (9' 6 ½")
Overall Length (Without Approach Ramps)	186 ½" (15' 6 ½")
Height of Columns (Including Bolts)	87 ½" (7' 3 ½")
Runway Length	165 ½" (13' 9 ½")
Runway Width	18 ¾" (1' 6 ¾")

FEATURES

- 8,000 lb. capacity
- · Powder coat finish
- · Lock Ladder Design
- · Single point lock release
- Free Caster set included
- Double Lock Safety System
- · Steel approach ramps included . Four steel wheel stops included
- Two rubber wheel chocks included



This is THE lift to have for the customer who has extra tall ceilings and need to store regular height vehicles on top of extra tall vehicles.



Perfect For Storing Above Tall Vehicles

SUPER TALL 12' 3"

ST-7000 Specifications

_	
Lifting Height To Top Of Runway	147" (12' 3")
Height of Columns	162" (13' 6")
Clearance Under Runways	142" (11' 10")
Clearance Between Columns	100" (8' 4")
Runway Length	194" (16' ")

7000 LB CAPACITY



4-Post Commercial Service Lifts



Atlas 412



Atlas 414

Atlas lifts are designed and built to commercial grade standards, providing you with many years of service. Our Atlas lifts offer many exclusive features not found on many other competitors' lifts



IN STORE PICK-UP PRICE OR

COMMERCIAL GRADE



207" **Runway Length**

Visit Our Website **FOR MORE** Product Photos AND DETAILED SPECIFICATIONS

186 1/2" Runway Length **COMMERCIAL GRADE**

Add 2 Rolling Jacks And Save Big \$\$\$ On A Combo Deal

Specifications

Capacity 12.000 LB Lifting Height 75 ½" (6' 3 1/2") Shipping Weight 2,650LB.

OUR WEBSITE OR YOUR **BEST DEAL**

Specifications

Capacity 14.000 LB Lifting Height 74" (6' 2") Shipping Weight

Optional Equipment For 412/412A And 414/414A

Drive-Off Ramps

The heavy duty diamond plated Atlas drive-off ramps make the perfect addition to your existing Atlas 414/414A or 412/412A 4-post lift system. These ramps give you the option to "drive through" the lift rather than "backing off" the lift. The ramp kit contains all the necessary hardware for installation.

412/412A IN STORE PICK-LIP PRICE

IN STORE PICK-UP PRICE Set Of 2 Set Of 2



2-Foot Front Extension Kits

Add 24" To Your Existing Runway!



For Use With: Atlas 412, 412A, 414, And 414A

IN STORE PICK-UP PRICE

FOUR POST COMMERCIAL/ALIGNMENT LIFTS

The Atlas Apex 14 is an ALI CERTIFIED four post commercial grade lift is built for years of dependable service for the busiest of automotive shops.







COMMERCIAL GRADE

Specifications		
Capacity	14,000 LB.	
Lifting Height	76 ½" (6' 4 ½")	
Overall Height	92 ½" (7' 8 ½")	
Runway Length	205 ½" (17' 1 ½")	
Shipping Weight	2,800 LB.	



Atlas alignment lifts are designed and built to commercial grade standards and will provide many years of service. Our Atlas alignment lifts offer many exclusive features not found on many other competitors' lifts.

COMMERCIAL GRADE



IN STORE PICK-UP PRICE PPING INCLUDED

ATTD-APEX-ALIKIT



Atlas alignment lifts are designed and built to commercial grade standards and

will provide many years of service. Our Atlas alignment lifts offer many exclusive features not found on many other competitors' lifts.

IN STORE PICK-UP PRICE





Specifications

Capacity	14,000 LB.
Lifting Height	76 1/4" (6' 4 1/4")
4-Wheel Alignment Wheelbase	Maximum 172½″
2-Wheel Alignment Wheelbase	Maximum 175 ½"
Shipping Weight	3,500LB.



Capacity	12,000 LB.
Lifting Height	76¼" (6′ 4¼")
4-Wheel Alignment Wheelbase	Maximum 154"
2-Wheel Alignment Wheelbase	Maximum 157"
Shipping Weight	2,950 LB.

FEATURES

- Air operated single point lock release
- Diamond Plate Runway Surface
 Mounting Hardware Included
- · Flush-mounted alignment slip plates and
- recessed areas in the runways for turntables 5 Year Structural, 2 Year Hydraulic Warranty

Atlas 14KOF-EXT Open Front Alignment Lift

The Atlas 14KOF-EXT Garage Pro four post commercial grade open front alignment lift is built for years of dependable service for the busiest of automotive shops. The Atlas 14KOF-EXT Garage Pro open front alignment lift has 2 wheel alignment wheel base capabilities of 187 inches. The Atlas 14KOF-EXT Garage Pro has built in slip plates and recessed areas in the runways to allow for turntables



223" (18' 7")

Runway Length

W/ SHIPPING INCLUDED

SAVE BIG \$\$\$ When You Buy A 4-Post Lift **And Add 2 Rolling Jacks**





Specifications	
Capacity	14,000 LB.
Lifting Height	69 7/8" (5' 9 7/8")
4-Wheel Alignment Wheelbase	Maximum 162"
2-Wheel Alignment Wheelbase	Maximum 187"
Runway Length	223" (18' 7")
Shinning Weight:	3 500 lb





FEATURES

- · Four Post Open Front Alignment Lift
- 14,000 LB. lifting capacity
- · Recessed areas in the runways for turntables
- Built In rear slip-plates
- · Air operated double lock system

SCISSOR ALIGNMENT LIFTS

Alignment Scissor Lift

Specifications

Lifting Capacity	12,000 LB
Lifting Height	84 1/4" (7' 1/4")
4-Wheel Alignment Wheelbase	Max. 168" - Min. 90"
2-Wheel Alignment Wheelbase	Max. 172"- Min. 86"
Motor	220 Volt, 1 Phase
Shipping Weight	5000 lb.

FEATURES

- · Can be surfaced mounted or flush mounted
- · Very precise platform leveling accuracy · Mechanical safety lock with air
- operated engagement and release
- Emergency manual pump for lowering
- · Overload valve included
- · Lowering speed control valve included
- Extra Long Slip Plates allow for aligning of wheelbases from 86" to 172"





Air Operated **Locking System**



Flush Mounted Slip Plates



Recessed Area **For Turntables**



Atlas alignment scissor lifts are the perfect choice for customers who have limited bay space. This lift is comparable to other lifts costing \$15,000 or more.

Specifications

Lifting Capacity	12,000 LB
Lifting Height	84 1/4" (7' 1/4")
"Wheels Free" Platform Height	17" (1' 5")
4-Wheel Alignment Wheelbase	Max. 168" - Min. 90"
2-Wheel Alignment Wheelbase	Max. 172"- Min. 86"
Motor	220 Volt, 1 Phase
Shinning Weight	5.400 lb



IN STORE PICK-UP PRICE







SAVE BIG \$\$\$ When You Buy An Alignment Lift And **An Alignment Machine In A Combo Special!**

COMMERCIAL GRADE

tlas PX-16A Alignment Scissor Lift

The Atlas PX-16A (16,000 lb. capacity) scissor alignment lift is the perfect choice for those service shops that need a space saving alignment lift to accommodate most all passenger cars up to long up wheel base trucks and extended vans. The Atlas PX-16A allows the operator to perform 4-wheel alignments for vehicles with wheel bases lengths from 95 inches to 204 inches (with front extensions), (184 inches without front extensions) The Atlas PX-16A includes a set of turntables and can be used with (optional) rolling jacks and (optional) air line kit.

FEATURES

- Alignment Scissor Lift
- · 16,000 LB. lifting capacity
- · Recessed areas in the runways for turntables
- Built in rear slip-plates
- · Air operated double lock system

Specifications

Capacity	16,000 LB.
Lifting Height	71 1/2" (5' 11 1/2")
4-Wheel Alignment Wheelbase	Maximum 184"
2-Wheel Alignment Wheelbase	Maximum 188 1/2"
Runway Length	206" (17' 2")
Shipping Weight:	5,000 lb.

Add A Pair Of Rolling Jacks To Your Alignment Lift And SAVE BIG \$\$\$



Make Wheel Service Easy When You Add A Pair Of Center Jacks To Your 4-Post Or Scissor Alignment Lift!

Add A Pair Of Jacks To Your 4-Post Or Scissor Lift And SAVE HUN





OUR MANUAL AND AIR/HYDRAULIC OPERATED CENTER JACKS ARE DESIGNED TO WORK WITH MANY DIFFERENT BRANDS OF FOUR (4) POST LIFTS.

CHECK OUR WEBSITE TO DETERMINE IF OUR JACKS WILL WORK WITH YOUR FOUR (4) POST LIFT.

Atlas RJ-35

Manual Hydraulic Sliding Jack XH-PROJACK35

For Use With: Atlas Garage Pro 8000, 8000 EXT, 8000 EXT-L, 9000

IN STORE PICK-LIP PRICE

W/ SHIPPING INCLUDED



Atlas RJ-45

Manual Hydraulic Rolling Jack

For Use With: **Atlas Garage Pro 9000** IN STORE PICK-UP PRICE



Atlas RJ-6000

Manual Hydraulic Rolling Jack ATPK-RJ6BK

For Use With: Atlas Garage Pro 9000, 412, 412A, 414, 414A, 14K0F-EXT



Atlas RJ-6000

6,000 lb. Capacity

Air / Hvdraulic **Rolling Jack** ATPK-RJ6BK-AH-KIT

For Use With: Atlas Garage Pro 9000, 412, 412A, 414, 414A, 14KOF-EXT





Rolling Jack

For Use With: Atlas 12ASL And 12AWFSL



APEX RJ7

Air / Hydraulic **Rolling Jack** ATTD-APEXRJ7

For Use With: **Atlas Apex 14** And Apex 140F IN STORE PICK-UP PRICE



Atlas RJ-8000

Air / Hydraulic **Rolling Jack** ATPK-RJ8BKNP-AH-KIT

IN STORE PICK-UP PRICE

For Use With: Atlas 414, 414A, 14KOF-EXT. PX-16A

8,000 lb. capacity

Air/Hydraulic Pump Alúminum Reservoir

Convert almost any hydraulic cylinder from hand or foot pump to air powered simply by adding this Atlas® Air/Hydraulic Pump. This Air-Over-Hydraulic Pump features an aluminum 98cc reservoir and a strong désign making it great for commercial or home use

IN STORE PICK-UP PRICE



Atlas Air/Hydraulic Power Unit

IN STORE PICK-UP PRICE





.R-10P

6,000 lb. Capacity IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

The Atlas LR-06P portable 6,000 lb., And the LR-10P portable 10.000 lb. low rise lifts make the perfect addition to any garage that needs a quick method to raise a car to perform wheel service. The Atlas LR-06P and LR-10P low rise lifts come with a rubber top lifting surface and a set of four high density rubber blocks that help to protect the lifting points of most vehicles.

Maximum Lifting Height: 25 1/2"

(w/ positioning blocks)



LR-10P 10,000 lb. Capacity

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

COMMERCIAL GRADE

FEATURES

- 6,000 **OR** 10,000 LB.
- Portable
- Low profile design
- Positioning blocks included
 Multiple locking positions
- 110V Power Unit
- Powder Coated



The Atlas MR-06 is a free standing 6,000 lb. capacity portable scissor lift. The Atlas MR-06 is the perfect lift for body shops and wheel service specialists that need extra lifting height. This portable lift easily raises a 6,000 LB. car or light truck to a comfortable working height. The unique platform design of the Atlas MR-06 allows access to some areas on the underside of the car not easily accessible with other portable mid-rise lifts.

IN STORE PICK-UP PRICE

FEATURES

- 6,000 LB. capacity
- · Powder coated finish
- Commercial grade · Portable design
- 110V power unit
- · 3 locking heights
- Extension pad included

6.000 lb. Capacity

COMMERCIAL GRADE

Call Us For Current **Pricing And** SPECIALS!



The Atlas EM06 full platform portable mid rise lift is a great choice for the tire shop or service center that wants to get a passenger car or light SUV into the air as quickly as possible. Most full platform portable lifts only lift the vehicle about 24 inches. The Átlas EM06 raises the vehicle a full 40 inches (with lift blocks): a very comfortable working height for the

IN STORE PICK-UP PRICE

FEATURES

- Minimum Height: 4 ½*
- Maximum Height (With Blocks): 40"

6,000 lb. lifting capacity • Three locking positions
 Portable at heights of:

(w/o rubber blocks) 13 34". 27 34". and 36" 110V Power Unit

Maximum Lifting Height: 40"

(w/ positioning blocks)





COMMERCIAL GRADE

WATCH OUR VIDEO ONLINE!



The Atlas TD6MR is a free standing 6,000 lb. capacity portable scissor lift. The Atlas TD6MR is the perfect lift for body shops and wheel service specialists that need extra lifting height. This portable lift easily raises a 6,000 LB. car or truck to a comfortable working height.

IN STORE PICK-UP PRICE

6,000 lb. Capacity



FEATURES

- 6,000 LB. Capacity
- Portable, Easy To Move
- · Powder Coated
- Separate Power Unit Stand Included
- Several Locking Positions
- Dual Hydraulic Cylinders
- Truck Adapters Included
- · Commercial Grade • Single Point Lock Release
- Maximum **Lifting Height:**

53 1/2" (w/ truck adapters)



COMMERCIAL GRADE

Kwik Bay

The Atlas Kwik Bay is a free standing 7,000 lb. capacity portable scissor lift. The Atlas Kwik Bay is the perfect lift for body shops and wheel service specialists that need extra lifting height. This portable lift easily raises a 7,000 LB. car or truck to a comfortable working height and does not require the customer to position arms under the lifting points of the car.

FEATURES

- 7.000 LB, Capacity
- Portable
- · Open center • 110V motor
- · Air operated locks
- Zerk grease fittings at hinge points
- · Open middle for easy access
- · Four positioning blocks

COMMERCIAL GRADE

PRICES SUBJECT TO CHANGE VISIT OUR WEBSITE FOR CURRENT PRICING AND SPECIALS

IN STORE PICK-UP PRICE Maximum **Lifting Height:** 41" (w/ positioning blocks)



7,000 lb. Capacity



The Atlas 9KFMSL flush mounted scissor lift has a rated capacity of 9,000 LB. and a total lifting height of just over 71 inches.

FEATURES

- 9,000 lb. capacity
- 71 1/2" maximum lifting height
 Extendable platforms
 Air actuated locks

- · Open middle for easy access
- Separate Self-Contained Control Panel
 Mechanical safety locks
- · Shipping Weight: 2,500 lbs







COMMERCIAL GRADE

The Atlas SLP-9K full rise scissor lifts combine an extremely low lift platform height and a full rise scissor jack system. The Atlas SLP-9K full-rise scissor lifts can be flush mounted. It is the perfect above ground lift for those customers with ceiling height restrictions, or those service shops that want to avoid the cluttered look of dozens

of vertical lift columns.

(w/ positioning blocks)



 Air operated locks
 Positioning blocks included IN STORE PICK-UP PRICE

FEATURES

9,000 LB. capacity

· Commercial grade

. Open center for easy access • 220 volt. full rise Powder coat finish

Rotisserie

This auto body rotisserie is great for anyone wanting to restore a car or truck body or frame. The rotisserie allows a full 360° of vehicle movement by just turning the crank. When the vehicle is properly mounted and positioned, the rotisserie SPINS and allows the operator to have easy access to all parts of the body for welding, sandblasting, or any other work that needs to be done





Poly-Coated Steel Casters



Threaded **Rod Adjusters**





Atlas Lawn Mower Adapter

The ATLAS LMA (lawn mower adapter) will transform most two post above ground lifts with symmetric arms into an easy to use lawn mower lift, golf car lift, snowmobile lift, ATV lift, or a small sports car lift. The LMA is adjustable in width to accommodate the many different arm configurations found on two post lifts. The ATLAS LMA can be used in an infinite amount of wheel base configurations to allow the operator great flexibility in lifting different pieces of lawn service equipment with varying wheelbases.

Specifications


Capacity 5,000 LB.‡ Adjusts In Width 7' 41/4"- 10' 2 1/2"

Wheel Well Width 12"

Steel Thickness 1/4" (12 gauge) Shipping Weight 600 LBS.

Depending on capacity of lift, and adapter distance from lift columns.

Transform Your 2-Post Lift Into A 4-Post Lift





IN STORE PICK-UP PRICE



Alignment Lift + Instrumentation Combos

Atlas 412A + Two RJ-6000 Rolling Jacks + 501 Alignment Machine + 4 Point Clamps

COMMERCIAL GRADE

A Huge Savings When Bought Together



SAVE HUNDREDS \$\$\$

Visit Our Website Or Call Us **For Your Best Deal**

> **More Combo Deals Online!**

Atlas 414A + Two RJ-7000 Rolling Jacks + 601 Pro Alignment Machine + 3 Point Clamps









Mobile Column Lift Systems

Don't waste valuable floor space with a large four post lift. Atlas Mobile Column Lift Systems will save shop space and money versus a four post lift. No need to buy an extended length 4-post lift. With Atlas mobile column lifts, longer wheel bases are not a problem. Adjustable forks accommodate a wide range of wheel sizes. All Atlas Mobile Column Lift Systems electronically ensure synchronization of all columns.

44,000 lb CAPACITY SYSTEM

IN STORE PICK-UP PRICE

Per Set Of 4 Columns



Battery Powered

66,000 lb CAPACITY SYSTEM







FEATURES

- Automatic Safety Stops
- Simultaneous operation of all columns • Electronically ensures synchronization of all columns
- Can be "Expanded" from a four (4) column system to a six (6) or eight (8) column system



Adjustable arm forks support a wide array of wheel assemblies

74,000 lb **CAPACITY SYSTEM**

IN STORE PICK-UP PRICE

Per Set Of 4 Columns





Battery Powered



111,000 lb **CAPACITY SYSTEM**

IN STORE PICK-UP PRICE

Per Set Of 6 Columns



MOBILE COLUM SYSTEM ACCESSORIES

12,000 lb Capacity **Tripod** Stands

IN STORE PICK-UP PRICE Set Of 4



16,500 lb Capacity **Tripod** Stands

IN STORE PICK-UP PRICE



Atlas Cycle Lift

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Weight Capacity

Total Length Width

Fully Lowered

Shipping Weight

Full Rise

1,000 LB 113" (9' 5")

24" (2')

7 - 1/4

520 LB.

33" (2' 9")



Visit Our Website

Includes FREE Removable

Rear Section To Make

Wheel Service Easy

Motocross Lift The Motocross Lift HT1007 is a lightweight,

portable lift. This lift is ideal for anyone looking for an inexpensive way to get their bike off the floor. The lightweight and compact design also allows you to take this lift with you on the road.



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED





Atlas XLT Kit

Specifications

The Atlas XLT kit will fit the Atlas Cycle Lift. The Atlas XLT kit includes two 12" side extensions, a two wheeled dolly, approach ramp extensions, three connector rods and clips. In less than two minutes, you can convert a standard motorcycle lift into an ATV lift.

Fits Atlas Cycle Lifts

- [2] 12" Side Extensions
- (2) Approach ramp extensions
 One two wheeled dolly (used for moving the lift)
- Three rods [used to connect/support the side extensions]

 Set of pins [used to secure the rods in place]

IN STORE PICK-LIP PRICE

W/ SHIPPING INCLUDED





Motorcycle Jack

The Atlas Motorcycle Jack is a lightweight scissor jack that fits nicely under most motorcýcle and ATV framés.

Two Models Available





IN STORE PICK-UP PRICE





Atlas HT-ACL Cycle Lift

The Atlas HT-ACL Cycle Lift features a removable (drop in) roller plate with grooved rollers for better traction. The motorcycle lift has a platform length of over 85 inches.



Specifications		
Weight Capacity	1,000 LB.	
Length (w/ ramp)	107 1/2" (8' 11 1/2")	
Width	24" (2')	
Full Rise	31 1/4" (2' 7 1/4")	
Fully Lowered	7"	
Removable approach ramp	22 1/2" long	
Shipping Weight	500 LB.	

HT-ACL IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED 85 1/2" Table Length

HT-ACL XLT IN STORE PICK-LIP PRICE

W/ SHIPPING INCLUDED

Extra Wide 48" Center Table

Atlas EML-1200 Motorcycle Lift

The Atlas EML-1200 is an electric/hydraulic 1200 lb. capacity motorcycle lift with an extremely smooth ascent and a platform length of over 88 inches

ELECTRIC / **HYDRAULIC**

IN STORE PICK-LIP PRICE

Extra Wide 48"

Center Table

WATCH OUR VIDEO ONLINE!

IN STORE PICK-UP PRICE

Specifications Weight Capacity 1.200 LB. Length (w/ ramp) 104" (8' 8") Center table width 29½" (2' 5½") (without side extensions) Center table width 48" (with side extensions) Fully Lowered







W/ SHIPPING INCLUDED

48" Center Table

Extra Wide

Atlas Hi-Rise 1500 Motorcycle / ATV Lift

The Atlas HI-RISE 1500 is one of our most popular motorcycle and ATV lifts.

IN STORE PICK-LIP PRICE

FEATURES

- Weight capacity: 1,500 LB.
- Powder coat finish
- Includes removable drop out section
 Includes chopper extension
- · Includes side extensions

- Diamond Plate
 Vise included
- Table length with chopper extension: 99"
 Removable approach ramp included . 6 Locking Positions
 - Removable Drop Out Section



	Specificat	ions
	Overall Length (w/ Ramps)‡	125" (10' 5 ")
	Center Table Length (w/o Ramps)‡	99 ¾" (8' 3 ¾")
	Side Extension Length (w/o ramps)	88 ½" (7' 4 ½")
	Center Table Width (w/ Side Extensions)	51" (4' 3")
	Center Table Width (w/o Side Extensions)	29 ½"
	Height Fully Raised	43" (3' 7")
	Height Lowered	7 ½"
	Shipping Weight	800 LB.
	I The second sec	

These measurements are taken with the FREE chopper extension attached (20 34" long)

Atlas Edge 50

The Atlas Edge 501 is an ultra fast and accurate alignment system for under \$10,000. The Atlas® 501 is the perfect choice for quick reliable "dead-nut" alignment "full body" accuracy for an entry level price. The 501 System utilizes eight cameras (these cameras "look at each other from both sides of the rear of the vehicle) to provide accurate measurements between rear wheels just as the two front cameras provide measurements between the front wheels. The eight camera system completes a rectangle which produces a closed 360 degree measured field.

FEATURES

- Bluetooth® Wireless Data Transmission
- · 8 Camera Optical System
- Standard Four Point Clamps Included
- Deluxe Cabinetry With Printer Drawer
- · Lightweight (8 LB.) Sensor Heads
- Printer, LCD Monitor, Keyboard
- · Lipless Wheel Adapters
- 2 Heavy Duty Turntables Included
- 1 Brake Pedal Depressor
- 1 Steering Wheel Lock
- Wireless App Compatible
- Vast Vehicle Database
- Simple 4 Key Operation
- Spoiler Program For Low Air Dams

Servicing or updating your Atlas Edge alignment machine is simple if you have internet access at your shop!

We can access your alignment computer to provide upgraded software, install new vehicle data and diagnose software or hardware issues. There is no need to wait for the "alignment service tech in the little white van". We stock parts and can ship quickly. If you can replace parts on a car, then you can replace any broken part on your Atlas Edge alignment machine.



- Only four color coded (arrow) buttons are required to operate the entire program.
- The system can be operated from any sensor head and the software is simple.
- Lightweight (8 lb.) sensor heads





501 W/ Traditional 4-Point Clamp System

Includes a set of self-centering 4 point clamps, with removable claws. These clamps will clamp wheels 10"-24" and require runout compensation.



SAVE BIG \$\$\$ When You Buy An Alignment Lift And An Alignment Machine Combo

501 W/ Fast Clamp System

Clamping method prevents damage to expensive rims

The 3 point "Fast Clamp System" offers the finest wheel reference points in the industry. The operator does NOT need to perform any lateral runout compensation procedures or "roll-back" maneuvers when the sensors are mounted to the patented "Fast Clamp System". The technician does not need to disturb the vehicle's natural running position by rolling or raising it. A vehicle is most accurately aligned when it is in the "full rest" position.






Atlas Edge 6

The Atlas Edge 601 alignment system may be the most user friendly wheel alignment system available. The Atlas Edge 601 combines low price, simple to use technology, and repeatable accuracy in a machine that is "ready to use" out of the box.

FEATURES

- · The system can be operated from any sensor head. Software is simple.
- The machine is "ready to go" out of the box.
- · Bluetooth technology eliminates the need for any connecting cables
- Deluxe cabinetry
- · Fast set up and unparalleled accuracy in an alignment system costing thousands of dollars less than the Big Name competition ensures a fast return on your investment.
- · Non-proprietary computer hardware makes replacement or upgrades affordable.
- Printer, LCD monitor, and keyboard

ALIGNMENT Training Classes AVAILABLE



We can access your alignment computer to provide upgraded software, install new vehicle data and diagnose software or hardware issues. There is no need to wait for the "alignment service tech in the little white van". We stock parts and can ship quickly. If you can replace parts on a car, then you can replace any broken part on your Atlas Edge alignment machine.

W/ Fast Clamps **Clamping method prevents**

damage to expensive rims IN STORE PICK-LIP PRICE

W/ SHIPPING INCLUDED





WATCH OUR VIDEO ONLINE!





Huge Vehicle data base with yearly (2) updates available



Over 28 languages installed

Atlas Edge 801

We have the most innovative large truck alignment system on the world market. It features Bluetooth wireless data transmission and is customized for all truck axle configurations -2, 3, 4 and 5 axle configurations. This system combines blazing speed, precision accuracy, and reliable Bluetooth ® wireless care action and at a very affordable cost. It is PC Driven using high quality PC components and managed by Windows XP Pro ®. The system prints detailed alignment reports and stores these reports on its hard drive for future retrieval.

FEATURES

- Bluetooth wireless data transfer · Software lets you choose between trucks, trailers, buses, coaches, light
- ucks and more. · Allows you to choose between 2, 3,
- 4, or 5 axle vehicles
 Specifications for thousands of trucks, C, coaches, and light trucks are included in software
- Measures collision angles such as axle set back and offset to help
- diagnose uncommon problems
 Optional calibration package
- · Kingpin fixture assembly ar electronic focal points allow operator to quickly align trailer axles using the trailer kingpin as refe







- Only four color coded buttons
- operate the entire system. Program walks the operator thru the alignment process in a simple step by step manner

- Non Runout Fast Clamps- Accurately
- references the center of the wheel Eliminates need for time consuming runout compensation of all 6 wheel ositions of a 3 axle tractor



- TOTAL WHEEL ALIGNMENT Performs a total alignment of the vehicle and looks at all axles as a whole and not just a single axle at a time.
- Alignments can be performed in a service bay or outside





- air dams
- · Turning angle gauges



CYCLOPS ALSO **DOUBLES AS AN**

INSTACHECK

SYSTEM

FOR MORE

AND DETAILED SPECIFICATION

O-

Atlas Cyclops

With IC3D TowerFree™ Technology

After almost 20 years, a revolutionary new 3-D system is now available. Introducing the Atlas® Cyclops 3-D TowerFree™ Camera alignment system featuring IC3D technology. The Atlas® 3-D camera system does not require a fixed tower and is easily installed on the alignment lift runways so the size of the bay space needed is determined by the length of the lift (or vehicle on the lift). No more loss of valuable bay space at the front of your alignment lift. The "alignment lift" may be a four post lift, a scissor lift, a parallelogram lift, or "the floor".

IN STORE PICK-UP PRICE

FEATURES

- Compatible with any alignment lift
- · Works flawlessly at any height
- · Save valuable bay space
- · Wireless communication eliminates
- the need to walk to the console
- Portable computer console • Free InstaCheck system
- 3-Point Non-Runout FastClamps




The InstaCheck system provides accurate alignment measurements (on the floor) in less than 80 seconds. Simple to use and a great way to provide alignment information to potential alignment customers. Sell more alignments!





· 3-Point Non-Runout FastClamps







WATCH OUR

VIDEO ONLINE!

The Atlas Wheel Stands are the perfect choice for those smaller shops who want the advantages of a four post lift but have only limited floor space. The set of Atlas Wheels Stands can support up to 6,000 lbs. and, because they are taller than most other stands, are the perfect height for hanging wheel alignment sensors.

targets eliminate the need for rollback

Wheel Stand Package

IN STORE PICK-LIP PRICE

W/ SHIPPING INCLUDED

Includes 4 Turntables



- cludes 4 Steel Wheel Stands
- · 4 Alianment Turntables
- 39 1/2" High
 .38" Thick Top Steel Plating
 19.5" x 19.5" Solid Steel Surface
- 6,000 LB Capacity [1,500 LB Per Stand]









Atlas Traditional 4-Point Clamps

Four Point 10"-24" Self-Centering 4 Point Clamps (Set Of 4)

Traditional self-centering 4 point clamps with removable claws. These clamps will clamp wheels 10"-24" and require runout compensation



IN STORE PICK-UP PRICE OR

W/ SHIPPING INCLUDED

Set Of 4



Atlas 3-Point Fast Clamps

Three Point 13"-24" Non-Runout Wheel Clamps (Set Of 4)

The 3 point "Fast Clamp System" offers the finest wheel reference points in the industry. The operator does NOT need to perform any lateral runout compensation procedures or "roll-back" maneuvers when the sensors are mounted to the patented "Fast Clamp System".



IN STORE PICK-UP PRICE 0R

W/ SHIPPING INCLUDED

Set Of 4





Atlas Alignment Training Course



Visit Our Website For Details

Turntables

(Pair)

Passenger Light Truck





Atlas Alignment Calibration Bar

The Atlas calibration fixture system allows the owner of an Atlas Edge 401 or Atlas Edge 601 computer alignment machine to perform sensor calibration procedures in his shop



(For Edge 401, 501, and 601)

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Transmission Teardown Workbench

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED





FEATURES

Lockable Casters

Shipping Weight: 200 lb.

· Lockable Drawe

47" Wide x 32" Deep x 41" High Heavy Duty Steel Construction

2 Drawer Workbench **HEAVY DUTY STEEL**

- **FEATURES**
- L x W x H: 59" x 25" x 34" Heavy Duty Steel Construction
 Shipping Weight: 180 lb.

HTWS5911

W/ SHIPPING INCLUDED **LOCKING DRAWERS**

IN STORE PICK-LIP PRICE

HTWS79111



FEATURES

• L x W x H: 79" x 25" x 34"

 Heavy Duty Steel Construction Shipping Weight: 210 lb.

W/ SHIPPING INCLUDED



Wood Top Workbench

IN STORE PICK-UP PRICE



Wood Top Workbench

IN STORE PICK-UP PRICE

GRAY



Wood Top



5 Drawer With Rolling Cabinet IN STORE PICK-UP PRICE

HTTC321A

Rolling Work Table





The Atlas WB-HS is the perfect choice for smaller service shops or mobile wheel service companies. The Atlas WB-HS (with built in wheel assembly) is extremely portable and can easily be moved from service bay to service bay or can be rolled up a ramp to the inside of a mobile service truck.



IN STORE PICK-UP PRICE

FEATURES

- Extremely portable
- Operates on both 110V and 12V-24V DC power
- · Easily connects to a car battery · Static and dynamic balancing modes
- 1-year limited warranty



Foot Brake Pedal

Holds wheel in place when mounting wheel weights





The Atlas WB 11 is the most popular Atlas wheel balancer that we sell. Low price, dependability and repeatable accuracy make the Atlas WB-11 the backbone of the entire Atlas line of computer wheel balancers.



Specifications

Max Tire Diameter	39"
Rim Diameter	10"-32"
Rim Width	1 ½″-20″
Max. Wheel Weight	150 lb.
Shipping Weight	355 lb.

Specifications

Max Tire Diameter	39"
Rim Diameter	10"-32"
Rim Width	1 ½"-20"
Max. Wheel Weight	130 lb.
Shipping Weight	225 lb.

Built In Wheel Assembly



Static Bubble **Balancer**

IN STORE PICK-UP PRICE



- aluminum head cone

 Easy to use self-leveling stand. No need for
- leveling legs Shipping Weight: 21 LB





WB41

The Atlas WB 41 is the larger version of our extremely popular Atlas WB-11.



MENU

FINE

FEATURES

· Automatic and pedal operated brake. · Automatic start/stop when hood is lowered/raised.

IN STORE PICK-UP PRICE

- Static and dynamic balancing modes.
- Self-diagnosis / Self-calibration
- · 1-year limited warranty

Specifications

•	
Max Tire Diameter	39"
Rim Diameter	10"-32"
Rim Width	1 ½"-20"
Max Wheel Weight	165 lb.
Shipping Weight	380 lb.

Buy A Tire Changer When You Buy A Balancer And SAVE HUNDREDS \$\$\$ **Visit Our Website Or Call Us For Your Best Deal**

--- A+ A- -- B+ B- --- O+ O- START



WB49

The Atlas WB 49 computer wheel balancer incorporates all the great features (AND MORE) of the Atlas WB41 computer wheel balancer.



AUTOMATIC DATA ENTRY



FEATURES

- Automatic data entry
- Weight Splitting feature
- Automatic and pedal operated brake Automatic start/stop when hood is
- lowered/raised • Static and dynamic balancing modes
- Rapid optimization (OPT)
- Self-diagnosis / Self-calibration
- 1-year limited warranty

Specifications

Max Tire Diameter	39"
Rim Diameter	10"-32"
Rim Width	1 ½"-20"
Max Wheel Weight	150 lb.
Shipping Weight	380 lb.



The Atlas 3-D WB-55 has a 19 inch LED LCD digital flat screen that displays high resolution tire and wheel images, providing a clear "picture" of tire/wheel assembly and out of balance condition. The Atlas WB-55 incorporates the **Insta/Input (I/I)** measuring system that automatically enters all three parameters (rim size, rim width, and distance of rim from machine) when the operator touches the inside and outside of the mounted rim with the built-in measuring rods. The Atlas Smart/Selector (S/S) allows the operator to turn one knob and select the desired balancing mode.

Insta/Input **Automatic Data Entry**











IN STORE PICK-UP PRICE

Specifications

Max Tire Diameter	39"
Rim Diameter	10"-32"
Rim Width	1 ½"-20"
Max Wheel Weight	165 lb.
Shipping Weight	400 lb.

FEATURES

- 19" Color LED LCD Monitor
- · Large weight tray
- · Automatic positioning where
- to apply weights · Automatic and pedal
- operated brake
- · Automatic start/stop when hood is lowered/raised
- Static and dynamic balancing modes
- · Rapid optimization (OPT)
- · Self-diagnosis

- · Self-calibration
- · Exceptional stability in reading
- the unbalance between planes • Display in grams or ounces,
- in mm or inches
- Very fast 7 second cycle time
- · Multi user function for up to 4 different users
- Seven (7) ALU settings for both adhesive and clip on weight
- · 1-year limited warranty

*Requires manual input of some data between 23" - 32"



WB77

The Atlas WB-77 is our absolute top of the line wheel balancer. Please watch our online video highlighting all the amazing features of this balancer. The Atlas WB-77 guarantees dead nut accuracy by eliminating the "human error" of rim measurement and weight placement.

FEATURES

- 17" Color LED LCD Monitor
- · Large weight tray
- Self-calibration
- Auto/ALU + S-Drive + Direct3D
- Automatic distance, diameter
- and width entry

 Automatic ALU-type entry (Auto/ALU technology)
- · Precise direct measuring of ALU-rims weight planes (Direct 3D technology)
- Tire positioning optimization
- · Speech synthesizer

- 110 volt (Power Guard technology) with surge protection
- Automatic pivoting to the weight placing location (S-Drive technology)
- Precise placement of adhesive weights with the clip on the gauge arm
- SPLIT behind the spoke weight placement (invisible weight) Static imbalance minimizing
- Zero point setting
- High-precision spindle, shaft

diameter 40 mm



Specifications

_	
Max Tire Diameter	35 1/2"
Rim Diameter	10"-28"
Rim Width	1 ½" - 20"
Max Wheel Weight	155 lb.
Shipping Weight	420 lb.

From Car Wheels To Semi Wheels

The Atlas WBT-210 truck tire wheel balancer is one of the best values in large truck tire computer balancers sold. This truck tire balancer is priced thousands of dollars less than the Big Name brand truck tire balancers and offers the same accuracy and reliability as the rest of the Atlas wheel balancer products.



Specifications

Max Tire Diameter	47"
Rim Diameter	10"-32"
Rim Width	1 ½"-20"
Balance Capacity	440 lb.
Shipping Weight	725 lb.











Atlas Universal Truck Adapter



The Atlas Universal Adapter (TRUCK)/PF-40000 is designed for truck wheels that have either a closed center or wheels that are made "without a true center" and classified as lug-centric



FEATURES

- · Cone sets for car and light truck tires
- · Cone and spacer set for truck, bus
- or implement wheels • Quick release nut
- Heavy duty steel wing nut
- · Pneumatic wheel lift capacity: 300 lbs.
- Protective hood
- Self-diagnosis / Self-calibration
- Display in grams or ounces;
- · 1-year limited warranty

Atlas "UA" Universal Adapter (40 mm Shafts)

Atlas Universal Adapter (UA) is designed for wheels that have either a closed center or wheels that are made "without a true center" and classified as lug-centric. The Atlas UA was specifically designed for those custom alloy wheels that require a special mounting procedure.

Need to use with most GMC® Trucks & SUVs



WATCH OUR




IN STORE PICK-UP PRICE



Truck Adapter Set (40 mm Shafts)

This two piece truck adapter set consists of a double sided center cone for wheel centers up to 6 inches in diameter A spacer is also included to help prevent offset wheels from contacting the side of the balancer. Fits 40mm shafts



For Large Center Hole Rims on 1 Ton Trucks

IN STORE PICK-UP PRICE



WBAWL

Pneumatic Wheel Lift

The WBAWL is a pneumatic wheel lift designed to raise and support (up to 150 lb.) tire/wheel combinations. The WBAWL's compact design allows it to fit under most wheel balancers.





Specifications

Capacity	150 lbs
Max. Lifting Height	20 ½″
Min. Lifting Height	8"
Overall Height	32 ½″
Required Air Pressure	100 psi
Shipping Weight	100 lbs



Atlas Quick Release Nut

The Atlas Quick Release Nut fits all Atlas brand wheel balancers. Available in both 40mm and 36mm sizes. Please specify your shaft size.



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED ATWB-NUT

Atlas Metal Wing Nut

For Use with Heavy Truck Wheels

Available in 36mm OR 40mm



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Atlas Passenger Wheel Balancers Can Be Converted Into Motorcycle Wheel Balancers

MC Kit

The Atlas MC adapter kit will allow your Atlas (passenger and light truck) computer wheel balance to balance a variety of motorcycle wheels with hub assemblies up to 9.25 inches wide. The Atlas MC kit has a 14mm shaft size.





IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED ATWB-MCKIT-NFW

MC-XLT Kit

The Atlas MC-XLT adapter kit will allow your Atlas (passenger and light truck) computer wheel balancer to balance a variety of motorcycle wheels with hub assemblies up to 13.75 inches wide. The Atlas MC XLT kit has a 19mm shaft size.





IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED ATWB-MCXLTKIT-NEW

Spoke Support Adapter

The Atlas SSA offers the needed support for those extra heavy tires and rear wheel assemblies found on many custom motorcycles. For use





ATWB-SSA



1 Phase Motor

Truck Tire Changer

The Atlas TTC301 is a heavy duty truck tire changer designed to accommodate tire diameters in excess of 63" This Heavy Duty Atlas truck tire changer is designed and engineered to handle rim sizes from 3 3/8" to 27" and can easily accommodate tires with a maximum width

of 30 1/2". The Atlas TTC301 truck tire changer is the perfect choice for the large truck tire center that specializes in mounting and demounting over the road semi tires

IN STORE PICK-UP PRICE



Save Hundreds When You Buy A Combo!



TTC-301 Specifications

Center Hole Diameter	3-3/8" - 27"
Max. Wheel Weight	3,300 lb.
Max. Tire Diameter	63"
Max. Tire Width	30 ½"
Shipping Weight	1,400 lb.







1 Phase Motor

Changer

This Heavy Duty Atlas truck tire changer is designed and engineered to handle rim bore sizes from 8 inches to 26 inches and tire diameters in excess of 55 inches. The fully automatic Atlas TTC-305 truck tire changer can easily accommodate tires with a maximum width of 30.5 inches. The TTC-305 truck tire changer features a single speed hydraulic chuck with five (5) locking rim positions. The ergonomic toggle control panel and foot pedals control the automatic operation of the truck tire changer.

IN STORE PICK-UP PRICE

SHIPPING INCLUDED

TTC-305 Specifications

3-3/8" - 27" Center Hole Diameter Max. Wheel Weight 838 lb. 55' Max. Tire Diameter Max. Tire Width 30 ½"

1,490 lb.

3 Phase Motor

Shipping Weight



FEATURES

- Handles rim bores from 8" to 26" and tire diameters in excess of over 55"
- Interchangeable Mount/Demount and Roller Heads
- · Accommodates tires with a maximum width of up to 30.5 inches
- Electric/Hydraulic Self-Centering Four Jaw Chuck
- 5 different rim locking positions · Aluminum Rim Accessories Included
- Automatic movement and positioning of bead tool, carriage, and chuck arm.
- 220 Volt/ 1 Phase Motor

C-303 Super Duty Truck Tire Changer

The Atlas TTC303 is a heavy duty truck tire changer designed and engineered to handle rim sizes from 4 1/4" to 56" and tire diameters in excess of over 90". The Atlas Truck Tire Changer can easily accommodate tires with a maximum width of up to 42". The TTC303 handles off-road tires, agricultural tires, super single tires, and skidder tires with ease.

IN STORE PICK-UP PRICE



TTC-303 Specifications

4 1/4" - 46" (3' 10") [47"(3' 11") - 56" (4' 8") Center Hole Diameter With Extensions]

3.307 lb Max. Wheel Weight

Max. Tire Diameter 90 1/2" (7' 6 1/2")

42" (3' 6") Max. Tire Width

Shipping Weight 1,800 lb.

FEATURES

- Available With Either 1-Phase Or 3-Phase Power Unit
- Handles Rims From 4 1/4" To 56" And Tire Diameters In Excess Of Over 90" • Changes Tires With A
- Maximum Width Of Up To 42 Inches
- 2 Speed (3 Phase Power Unit) Hydraulic Chuck • 5 Rim Locking Positions
- 1 Speed Hydraulic Chuck When Equipped With 220 V, Single (1) Phase Power
- Portable Control Unit

Buy A Truck Tire Balancer When You Buy A Truck Tire Changer And **SAVE HUNDREDS \$\$\$**



1 Phase OR 3 Phase Motor



The Atlas TTC 306 features a remote controlled rotating bead breaker disc and mount/demount head that are controlled from either the portable remote console or (optional) ZigBee® remote control. This Super Duty Atlas truck tire changer is designed and engineered to handle rim sizes from 14" to 56" and tire

IN STORE PICK-UP PRICE

0R

diameters in excess of over 97'

W/ SHIPPING INCLUDED





TTC-306 W/Wireless Cóntrol Unit IN STORE PICK-LIP PRICE

FEATURES

- · Two Speed Hydraulic Chuck
- Portable Control Unit • Remote controlled Tilting/Shifting Tool Arm
- · Working Tool With Automatic Rotation System
- Wireless Control (Optional)

TTC-306 Specifications

4 1/4" - 46" (3' 10") [47"(3' 11") - 56" (4' 8") Center Hole Diameter With Extensions1 Max. Wheel Weight 3,968 lb.

Max. Tire Diameter 98" (8' 2") Max. Tire Width 53" (4' 5") 2,260 lb. Shipping Weight

The Atlas TC 211 wheel clamp tire changer is the perfect changer for a small commercial garage or an ATV/motorcycle dealer.



Specifications		
External clamping range	11" - 20"	
Internal clamping range	12 1/2" - 12 1/2"	
Maximum tire diameter	39"	
Operating voltage	110V 1Ph	
Maximum wheel width (Bead Breaker)	13"	
Shipping weight	500 lb.	

The Atlas TC221 is the perfect tire changer for a small commercial garage or an ATV/motorcycle dealer. It is designed to change tires on both high priced alloy wheels and steel wheels.



39 (
Specifications		
External clamping range	9 3/4" - 23 1/4"	
Internal clamping range	11 5/8" - 25 1/4"	
Maximum tire diameter	39"	
Operating voltage	110V 1Ph	
Maximum wheel width (Bead Breaker)	13″	
Shipping weight	500 lb.	

COMMERCIAL

The Atlas TC229 has the same clamping and tire changing capabilities as the Atlas TC221 wheel clamp tire changer, but has the added, built-in bead blaster system to help inflate stiff sidewall tires or other "hard to inflate" tires.



Specifications		
External clamping range	9 3/4" - 23 1/4"	
Internal clamping range	11 5/8" - 25 1/4"	
Maximum tire diameter	39"	
Operating voltage	110V 1Ph	
Maximum wheel width (Bead Breaker)	13″	
Shipping weight	500 lb.	

C289

The Atlas TC289 wheel clamp tire changer is the perfect wheel clamp tire changer for most general automotive service departments and medium sized tire stores. The powerful, adjustable bead breaker located on the side of the tire changer is designed to break even the most stubborn and rusted beads without damage to the rim. The Atlas TC289 is equipped with our powerful bead blast feature.

GRADE



When You Buy A

Tire Changer/Wheel Balancer

Combo

FEATURES

- 1-year limited warranty
- 4 plastic rim protectors
- Soap reservoir
- · Oiler, filter, regulator Commercial grade
- Air operated jaw slides
- Steel, aluminum, alloy rims
- · Bead Blaster System

Specifications		
External clamping range	11 7/8" - 28"	
Internal clamping range	13 7/8" - 29 7/8"	
Maximum tire diameter	47 1/2"	
Operating voltage	110V 1Ph	
Maximum wheel width (Bead Breaker)	18 1/2"	
Shipping weight	650 lb.	

Designed For Low Profile Tires

The Atlas TC755 wheel clamp tire changer is the perfect wheel clamp tire changer for most general automotive service departments and tire stores. The powerful bead breaker located on the side of the tire changer is designed to break even the most stubborn and rusted beads without damage to the rim. The Atlas TC755 is equipped with our powerful bead blast feature and has a tilt back column.



IN STORE PICK-UP PRICE

Specifications	
External clamping range	11 7/8" - 28"
Internal clamping range	13 7/8" - 29 7/8"
Maximum tire diameter	47 ½"
Operating voltage	110V 1Ph
Maximum wheel width (Bead Breaker)	13 ½
Shipping Weight	650 lb.



Add An Assist **Arm Now Or In The Future**

FEATURES

- 1-year limited warranty
- 4 plastic rim protectors
- Soap reservoir
- Oiler, filter, regulator · Tilt-back column
- · Air operated jaw slides
- · Bead Blaster System



The Atlas TC229LH wheel clamp tire changer is the Atlas TC229 wheel clamp tire changer that has been equipped with the pneumatic Atlas LH assist arm.



TC289DAA

The Atlas TC289 DAA wheel clamp tire changer is the Atlas 289 wheel clamp tire changer that has been equipped with the pneumatic Atlas LH assist arm plus the Atlas RF assist arm that includes a bead roller and second bead lifting/pressing disc.



Atlas 200 And 700 Series Tire Changers Can Be Converted Into Motorcycle/ATV Tire Changers

Motorcycle/ATV Flip Adapters



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Deluxe ATV Adapters



IN STORE PICK-LIP PRICE

This complete Atlas Deluxe ATV adapter kit is designed to decrease the external jaw clamping range of the 200 and 700 series Atlas wheel clamp tire changers.

Deluxe Motorcycle Adapters

IN STORE PICK-UP PRICE





ATTC-DX-MC-SPJP

Small Plastic Jaw Protectors



IN STORE PICK-UP PRICE

- Set of four
- Helps to prevent rim damage on custom rims
- Designed for the Deluxe ATV
- and Deluxe Motorcycle adapters

Large Plastic Jaw Protectors

Large Plastic Jaw Protectors are used on the tire changer turntable jaws to help prevent rim damage on custom aluminum and alloy rims.



Combo

IN STORE PICK-UP PRICE

ATTC-LPJP

AND SPECIALS

Plastic Inserts For Mount / Demount Heads

Replacement plastic inserts for Atlas 200 and 700 series tire changers.



Dual Assist Arm

IN STORE PICK-UP PRICE TAXP-MHPP

Right Assist Arm



Left Assist Arm



The Atlas DAA is the combination of the Atlas LH assist arm and the Atlas RH assist arm. IN STORE PICK-UP PRICE

IN STORE PICK-UP PRICE

Atlas Center Post Adapter

The Atlas center post adapter was designed to eliminate the possibility of jaw damage to decorative automotive rim. Makes any wheel clamp tire changer as versatile as a center post tire changer.







Pneumatic Portable Wheel Lift



The Atlas pneumatic portable wheel lift (AEZWL) is the perfect solution to prevent back injuries when lifting large wheel assemblies onto the shaft of a wheel balancer or on onto tire changer turntable. Today's wheels and tires are getting bigger and heavier. Many wheels are expensive and can be easily scratched or damaged. The Atlas wheel pneumatic wheel lift will lift a 180 pound wheel easily and allow the operator to maneuver the wheel into the correct position without fear of wheel damage or back strain. The AEZWL operates on 120 PSI air pressure.

IN STORE PICK-UP PRICE

- Capacity: 180 LBS. Max. Lifting Height: 39 1/8"

- Max. Lifting Height: 4"
 Arm Length: 17 1/2" 33 1/4"
 Distance Between Arms: 9" 22"
 Overall Height: 66 7/8"
 Required Air Pressure: 120 psi
 Shipping Weight: 175 LBS.



IN STORE PICK-UP PRICE Capacity: 180 LBS. 3" Poly Casters Max. Lifting Height: 40 1/2" Min. Lifting Height: 5 1/2" Arm Length: 12" Overall Height: 67 3/4" Required Air Pressure: 120 psi Shipping Weight: 175 LBS. New Model **Available** ATTC-AEZWL-2

Atlas Wheel Lift

The ATLAS wheel lift can be mounted on the Atlas 200 and 700 series wheel clamp tire changer. This wheel lift is a great back saver. The Atlas wheel lift can raise a 150 pound wheel assembly into the correct position for placement onto the turntable.

> Fits Atlas 200 And 700 **Series Tire Changers**

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

ATTC-WI -2



Quick Change Head Assembly



Change from a metal head to plastic head in 5 seconds!

Atlas ABS Bead Blaster

The (ABS) Atlas Bead Seater delivers a large volume of air in a very short amount of time to help seat the beads on the most stubborn of tires. The ABS is portable so that it can be used in the shop or in the field.

The ABS works well on ATV tires all the way up to semi truck tires

IN STORE PICK-UP PRICE

Atlas Aluminum Bead Seater

The Atlas Aluminum Bead Seater delivers a large volume of air in a very short amount of time to help seat the beads on the most stubborn of tires, from small passenger tires up to large over the road semi tires

Portable Lightweight Construction



IN STORE PICK-UP PRICE

Portable Bead Breaker

- Great for farm and truck tires
- Dimensions: 19" L x 5 ½" W x 13" T
 Max. Opening of Jaws: 5"
 Size of inlet for coupler or fitting:
- 5/8" pipe thread
 Fits All Types Of Rims
 Works With Plastic

- Air/Hydraulic Pump
- (HTTLA5100)
- Shipping Weight: 34 lbs



IN STORE PICK-UP PRICE

Hands Free Clamp

The ATLAS hands-free clamp is the perfect solution to help mount the stiff sidewall tires found on many of today's vehicles.

WATCH OUR VIDEO ONLINE!



Bench Vises

Great for home shops or commercial applications. These Bench Vises feature serrated jaws for better gripping, a swivel base for versatility, and a built in anvil.

5 Inch Jaw Width





IN STORE PICK-LIP PRICE

6 Inch Jaw Width



IN STORE PICK-LIP PRICE

10 Inch Jaw Width

HTVISF-10

IN STORE PICK-LIP PRICE

100 TON Air/Hydraulic



FEATURES

- Measurement between uprights: 31 1/2"
 Base measurement: 47 1/4" W x 39 1/4" L
 Overall height: 6' 10" [82"]

- · Includes Pressing Blocks
- Sliding ram assembly
 Shipping weight: 1,550 lb

75 TON Electric/Hydraulic



FEATURES

- Measurement between uprights: 31 1/2
 Base measurement: 45" W x 31 1/2" L
 Overall height: 6' 1" [73"]

- Includes Pressing Blocks
 Sliding ram assembly
- 110V Motor
- Shipping Weight: 1,225 lb

75 TON Air/Hydraulic



FEATURES

- Measurement between uprights 31 1/2"
 Base measurement: 45" W x 31 1/2" L
 Overall height: 5' 10 5/8" [70 5/8"]

- Includes Pressing Blocks
 Sliding ram assembly
 Shipping weight: 1,140 lb.

50 TON Air/Hydraulic

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HT0811-GG



- · Measurement between uprights: 28 1/2"
- Base measur
 x 31 1/2" L easurement: 40 3/4" W
- Overall height: 6' 10" (76 1/2")
 Ram assembly position adjustable side to side
- Includes Pressing BlocksShipping weight: 800 lbs.

45 TON Air/Hydraulic

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HT0807-GG



FEATURES

- · Measurement between uprights: 32 1/4"
- Working Height: 31 1/2"
- Base measurement: 44" W x 31 1/2" L

- Overall height: 5' 7 1/4"
 (67 1/4")
 Includes Pressing Blocks
 Shipping weight: 730 lbs.

40 TON Air/Hydraulic

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HT0806



- Measurement between
- upriahts: 25 1/2" Working Height: 41"
- · Base measurement:
- 38" W x 34" L
- Overall height: 6' 3" (75")
 Includes Pressing Blocks
 Shipping Weight: 540 Lb.

30 TON Air/Hydraulic

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HT070808A



FEATURES

- Pressure gauge
- Air or manual operation
- Pressing blocks
 6 positions for pressing bed
 Distance between uprights: 21 1/4"
- · Working Height: 34 1/4"
- Dimensions of base: 32" L x 27 1/2" W
 Overall Height: 75 1/2" (6' 3 1/2")
- Shipping weight: 335 lb.

20 TON Air/Hydraulic W/ Gauge

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED



- Measurement between uprights:
- 21 1/2"
- Working Height: 38 1/2"
 Base measurement: 29" W x 27" L
 Overall height: 6' (72")
- Ram assembly position adjustable side to side
- · Includes Pressing Blocks
- Shipping Weight: 217 Lb

20 TON Air/Hydraulic



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HT0704-KIT

FEATURES

- Measurement between uprights: 21 1/8"
 Working Height: 29 1/2"
 Base measurement: 25" W x 28" L

- Overall height: 5' (60")
 Includes Pressing Blocks
 Shipping weight: 174 lb.

20 TON Hydraulic



IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED

- Measurement between uprights: 21 1/2" Working Height: 30 1/2" Base measurement: 25" W x 28" L
- Overall height: 5' (60")
 Includes Pressing Blocks
 Shipping weight: 164 lb.

12 TON Hydraulic



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HT0803

FEATURES

- Measurement between uprights: 20°
 Working Height: 36 1/4°
 Base measurement: 27 W x 20° L
 Overall height: 5' 6' (66°)
 Includes Pressing Blocks
 Shipping weight: 163 lb.

25

35/22 Ton Air/Hydraulic Two Stage Service Jack

The full hydraulic model is operated by either the handle or the foot pedal. The air/hydraulic model can be operated by air pressure or can be manually operated.

IN STORE PICK-UP PRICE





FEATURES

- 35 Ton Capacity
- Fully Lowered: 8 1/4"
- Fully Raised: 17 1/4"
- Two Heavy Duty 8"
- Rubber Wheels
- Commercial Grade • Overall Length: 22'
- Overall Width: 7 7/8"
- Overall Width: 41 1/2"
- · Shipping Weight 120 lb.

5 Ton Hydraulic or Air/Hydraulic Low Profile Jack

The full hydraulic model is operated by either the handle or the foot pedal. The air/hydraulic model can be operated by air pressure or can be manually operated.



FEATURES

- 5 Ton Capacity
- Fully Lowered: 6 1/2
- Fully Raised: 26"
- · Rear swivel casters makes positioning under vehicles easy
- · Commercial Grade
- Overall Length: 57'
- Overall Width: 15"
- Saddle Diameter: 5 1/8"
- Shipping Weight 245 lb.



10 Ton Hydraulic or Air/Hydraulic Low Profile Floor Jack

The full hydraulic model is operated by either the handle or the foot pedal. The air/hydraulic model can be operated by air pressure or can be manually operated.



PRICES SUBJECT TO CHANGE VISIT OUR WEBSITE AND SPECIALS

FEATURES

- 10 Ton capacity
- Fully Lowered: 8 1/2"
- Fully Raised: 23"
- Rear swivel casters makes positioning under vehicles easy
- · Commercial grade
- · Overall Length: 62
- Overall Width: 20"
- Saddle Diameter: 5 7/8"
- · Shipping Weight 366 lb.

2 Ton Hydraulic or Air/Hydraulic Low Profile Floor Jack

This 2 ton capacity low profile floor jack will fit under almost any vehicle and is great for shop or home use. The long, low design of this floor jack along with the rear swivel casters make it easy to move and place. Foot pump operated.



FEATURES

- 2 Ton Capacity
- Fully Lowered (Pad Height): 5 1/4'
- Fully Raised: 31"
- · Rear Swivel Casters Make Positioning Under Vehicles Easy
- Foot Pump Operated · Commercial Grade
- Overall Length: 54"
- Overall Width: 17 1/2
- Saddle Diameter: 4 7/8" Shipping Weight: 143 Lb.

IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED

The full hydraulic model is operated by either the handle or the foot pedal The air/hydraulic model can be operated by air pressure or can be manually operated.

Air Bumper Jack

The 2,500 lb capacity bumper jack has an air control valve for easy raising and lowering of a load. This vehicle end lift also features an adjustable bumper extension with rubber mounting pads. This bumper jack has solid rubber tires in the rear, making it easy to move this jack in and out of position.

FEATURES

- Weight capacity: 2,500 LB. · Height range: 10"-30"
- Air Pressure: 120-180 psi
- · Air operated
- Shipping weight: 250 LB.

RICES SUBJECT TO CHANGE **VISIT OUR WEBSITE** FOR CURRENT PRICING AND SPECIALS



IN STORE PICK-UP PRICE

22 Or 35 Ton Air/Hydraulic Jack

22 Ton IN STORE PICK-UP PRICE

Shipping Weight: 90 lb

• 3 adapters included • Minimum height: 10" Maximum lifting height (w/ included adapter) 18" (22 ton) / 25" (35 ton)

35 Ton IN STORE PICK-UP PRICE HT1903 Shipping Weight: 108 lb.

2 Bag Air Jack



4,300 LB. capacity

Maximum height: 12 1/2'

3 Bag Air Jack



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HT3102-NEW

- Air operated • 3,500 LB. capacity
- · Maximum height: 15'

Adjustable Air Seat · Foam padded seat for maximum comfort

- Five swivel caster wheels for easy moving
- Height adjustable from 15" to 19 1/4"
- · Seat swivels 360 degrees Shipping Weight: 15 Lb.

MORE

MODELS

AVAILABLE

ON OUR

WEBSITE

HTSEAT-1 IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED

2(6)

ENGINE SUPPORT EQUIPMENT + PIPE BENDERS

2 Ton Air/Hydraulic Foldable Engine Crane

Used for maneuvering engines, transmissions, or heavy loads

Adjustable telescoping boom - 4 different positions

Power Train Lift

2,500 LB. CAPACITY

This lift table handles power train components like engines and their transmissions, engines with trans-axle assemblies, rear ends and large electric vehicle batteries. It will also serve as a work table where components can be lowered to a convenient work height for repairs.

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED



FEATURES

- Scissor lift design provides easy
- 360° access to any componen Table top height from 33" to 80"
 Four 8" diameter rubber coated swivel caster wheels for easy

 Table top height from 33" to 80"

 Table top height from 30"

 Table maneuverability with even the heaviest loads

 • Wheels can be locked in position for
- steering, rear wheels can be locked to prevent the lift from rolling
- Removable air/hydraulic power unit provides hands free operation anywhere around the lift's perimeter Adjusting screws tilt the table + or -
- 15 degrees side to side, or fore and aft, ensures maximum stability of the table in any position

3 Ton Hydraulic Engine Crane

Large diameter ram makes lifting easy

Shipping Weight: 250 LBS.

The 3 Ton Hydraulic Engine Crane is strong, durable, versatile, and a real space saver! This Cherry Picker's strong design allows for maximum lifting power for a minimum of shop space.

600 LB. Engine Support Bar

1000 LB. Engine Support Bar

- 3 Ton Capacity
- Hydraulic operated
 Used for maneuvering engines, transmissions, or heavy loads
- Adjustable length legs for stability
 Large diameter ram makes lifting easy
 Shipping Weight: 250 LBS.

Engine Cradle

- 1000 lb. capacity
 Fits most Small Block Chevy engines
- · FOUR heavy duty casters for easy maneuverability · Used for storing, transporting, and
- working on "in progress" engines

 Low design for maximum stability
- when working on engines
- Shipping Weight: 21 LBS

Minimum Width: 44 1/2

Shipping Weight: 33 LBS

Fully Adjustable Working Width

Maximum Width: 62

• Overall Width: 59"

• Shipping Weight: 41 LBS.

12 Ton

Hydraulic

Pipe Bender

IN STORE PICK-UP PRICE

OB

HTPB12

IN STORE PICK-UP PRICE

HT73001

W/ SHIPPING INCLUDED

Fully Adjustable



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

12 Ton

Air/Hydraulic Pipe Bender

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

IN STORE PICK-UP PRICE

Power Train Lift

1,250 LB. CAPACITY



IN STORE PICK-UP PRICE

WATCH OUR VIDEO ONLINE!

- Easier Hands Free Operation
 Fully Adjustable Saddle
- Heavy Duty Steel Swivel

1.250 Lb. Canacity Air/Hydraulic Operated Movable Power Unit For

Casters For Easy Positioning
• Shipping weight: 300 LBS.

2,000 LB. Capacity Folding **Engine Stand**

IN STORE PICK-UP PRICE



1,250 LB. Capacity **Engine**

IN STORE PICK-UP PRICE

• Fully adjustable mounting head Shipping Weight: HTES1250

Stand



- dies, from 1/2" to 2" W/ SHIPPING INCLUDED
 - Spring return ram for
- Heavy duty cast iron

HT1703

- · Adjustable top rollers for
- Air or manual operated

HT1701

degree of bends up to 90°

W/ SHIPPING INCLUDED

HTPB12-AIR 16 Ton

Air/Hydraulic

Pipe Bender

IN STORE PICK-UP PRICE

16 Ton **Hydraulic** Pipe Bender

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

· Horizontal and vertical positions

• Spring return rams for fast ram retraction

• 8 Heavy duty cast iron dies from 1/2" to 3"

• Adjustable top rollers for a degree of bends up to 90°

• 9 1/2" jack stroke

- HTPB16
- 9 1/2" jack stroke • 100 - 120 working PSI
 - · Air or manual operated

 - Horizontal and vertical positions
 - Spring return rams for fast ram retraction
 - 8 Heavy duty cast iron dies from 1/2" to 3"
 - Adjustable top rollers for a degree of bends up to 90°
- 222 200.673.8740

HTPB16-AIR

3.5 Gallon Parts Washer | 20 Gallon Parts Washer |



- Solvent Capacity
- Pump: 4 GPM
- steel nozzle
- Motor: 110V
- Removable tray
- construction
- Lightweight, portableShipping weight: 16 Lb.



FEATURES

- 110 volt
- Built in drain
- Shipping Weight: 60 Lb. 36" overall height on stand
- · Gooseneck spout: 20 1/4" L

SWC-750 Heated

Spray Wash Cabinet

The SWC-750 is designed to handle light diesel engines and engine parts for the

truck repair and maintenance trade. It is a full foot taller than our standard SWC-500.

- On/off switch with indicator light
 Re-circulates fluid at up to 50 GPH
- Washer dimensions 30" L x 20" D x 11" H
- 20 gallon steel tank has operating level of 12 gallons
- Extra powerful, heavy duty electric pump is fully enclosed

40 Gallon Parts Washer

IN STORE PICK-UP PRICE ٥R W/ SHIPPING INCLUDED HTPWANG

FEATURES

- 110 volt · Built in drain
- 40 gallon steel tank
 Gooseneck spout: 24" |
- · Shipping Weight: 109 Lb.
- 34 ¾" overall height on stand
 On/off switch with indicator light
- Re-circulates fluid at up to 50 GPH

*Color May Vary

- Washer dimensions:
 43 1/8" L x 20½" D
- x 10½"H
- Extra powerful, heavy duty electric pump is fully enclosed

SWC-500 Heated Spray Wash Cabinet

The SWC-500 Spray Wash Cabinet is the ideal parts washer for any automotive repair or transmission shop

IN STORE PICK-UP PRICE

PORTABLE!

SL-STD-500-KIT

FEATURES

- · Automatic cleaning
- Parts basket and hang tree
 Timer with auto shut-off

- 3/16" vents spray solution at 30-60 GPM
 Solution is filtered and recycled
- One Year Parts Warrants Shipping Weight: 750 Lbs

- - Uses eco-friendly soap and hot water
 Casters provide mobility

 - · Front loading design
 - Cleans small and large parts
 Oil skimmer
 Turntable rotates at 3 rpm



LARGER TANK

STD-750

IN STORE PICK-UP PRICE

FEATURES

- 53 Gallon Tank
- Automatic cleaning
- Uses eco-friendly soap and hot water
 Casters provide mobility
 Heavy duty pump

- . Timer with auto shut-off
- Front loading design
 Cleans small and large parts Oil skimmer
- Turntable rotates at 3 rpm
 3/16" vents spray solution at
 30-60 GPM
- · Solution is filtered and recycled
- Load capacity: 1,250 lbs
- · One Year Parts Warranty · Shipping weight: 960 lbs

Tire Rack Carrier



IN STORE PICK-UP PRICE

HTT250

Tire Inflation Cage



IN STORE PICK-UP PRICE OR

W/ SHIPPING INCLUDED

HT400

1,000 LB. Dual Wheel Dolly

The hydraulic system on this Dual Wheel Dolly makes it easy to remove and install dual wheel assemblies.

FEATURES

- 1,000 LB. Capacity Working range: 3 1/2" 10 3/4"
- 6 ft. support Chain included
 Two mounting positions for Lift Arms • Steel wheel casters: two 3 1/2
- stationary in front & one 3 ½" swivel in rear Floor Dimensions: 40" L x 40" W
- Height: 29 ¼" 35 ¼"
 Lift Arm Length: 23 ¾"
 Lift Arm Spread: Outer Position 25"-
- Inner Position 21'

Shipping Weight: 150 lbs





1,500 LB. Heavy Duty Wheel Dolly

The hydraulic system on this heavy duty Dual Wheel Dolly makes it easy to remove and install dual wheel assemblies from even the largest truck

FEATURES

- 1500 lb capacity
- For wheels up to 52" diameter
- 6 ft. Support Chain included
 Steel wheel roller bearing casters:
 two 3 ½" in front & one 3" in rear
- Tilt Frame and Rolling Lift Arms for easy positioning of dual wheel assemblies.

 Overall Dimensions: 43" W x 51" L x 35" H
- Lift Arm Length: 26"
 Lift Arm Spread: 21" 25"
 Lift: 9 1/4"
- Ram Travel 4 ¾" Shipping weight: 155 lbs.

HT90751 FOR MORE IN STORE PICK-LIP PRICE W/ SHIPPING INCLUDED

Heavy Duty Wheel Dolly This Heavy Duty Wheel Dolly is perfect for farm and shop use. This wheel dolly works with large truck wheel assemblies, implement tires, farm tractors and machinery, and other equipment requiring wheel changes. This dolly features hydraulic lifting action and heavy

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

FEATURES

duty rollers which make it easy to lift tires for moving and the heavy duty swivel casters

which make it a snap to transport wheels from one location to another.

- 2,600 LB. capacity
- · Accommodates wheel diameters from 39" - 83"
- Maximum wheel width: 31 1/2" Hydraulic • Shipping Weight: 330 LBS

2.600 LB CAPACITY







Portable 20 Gallon

These dynamite portable 110 volt electric air compressors deliver enough air for the average two man motorcycle shop



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Specifications

Motor Peak 5.0 Horsepower Motor Running 2.0 Horsepower

Delivered-CFM 40PSI 7 1 Delivered-CFM 90PSI 5.5 Pressure Setting 90 lb.-135 lb.

Power 110V

AF2 🕲

Portable 20 Gallon

These are belt driven reciprocating air compressors with a rebuildable cast iron twin cylinder single stage pumps.



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Specifications

Motor Peak	5.0 Horsepower
Motor Running	2.0 Horsepower
Delivered-CFM 40PSI	7.1
Delivered-CFM 90PSI	5.5
Pressure Setting	90 lb135 lb.

110V

Shipping Weight 250 Lb. **AF3**

Single Stage 60 Gallon



This 220 volt single stage air compressor is the perfect compressor for the one or two man automotive

IN STORE PICK-UP PRICE

IN STORE PICK-LIP PRICE

Specifications

Motor Peak	6.0 Horsepower
Motor Running	3.2 Horsepower
Delivered-CFM 40PSI	12.0

Delivered-CFM 90PSI 10.5 Pressure Setting 90 lb. - 135 lb.

AF4 🚱

Single Stage 60 Gallon

This compressor utilizes a three cylinder single stage pump as compared to the two cylinder pump on the Atlas AF3. The Atlas AF4 also employs a slightly more efficient motor than the Atlas AF3. The Atlas AF4 produces "faster" air for the shop operator who cannot wait. The no-load recovery time (90 LB. to 135 LB.) for the Atlas AF4 is twice as fast as the Atlas AF3. (1 minute and 40 seconds.)

Specifications

Оросино	4010110
Motor Peak	7.0 Horsepower
Motor Running	3.4 Horsepower
Delivered-CFM 40PSI	15.0
Delivered-CFM 90PSI	13.7
Pressure Setting	90 lb 135 lb.

Two Stage 80 Gallon

This is our entry level, two-stage air compressor. This

unit operates between 140 LB. and 175 LB. PSI. The

Atlas AF6 will run the SBC 420 sandblast cabinet (when used with #8 or #10 glass beads). The combination of

the commercial grade low RPM motor and heavy duty 3 cylinder (2 cylinders are low pressure and one cylinder is high pressure) cast iron reciprocating air compressor

pump delivers an incredible amount of air volume and

Specifications

5.0 Horsepower

145 lb. - 175 lb.

220V Single Phase

15.0

14 0

AF6

air pressure for a very low price.

Delivered-CFM 100PSI

Delivered-CFM 175PSI

Motor Running

Pressure Setting

Power



IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Quiet Operation

· Vibro-isolator Pads

· Heavy Duty Metal Belt Guard

· Shipping Weight: 485 lb.

FEATURES

IN STORE PICK-UP PRICE



FEATURES

- Quiet Operation
- Heavy Duty Metal Belt Guard
- Shipping Weight: 380 lb.
- Vibro-isolator Pads




Single Stage 60 Gallon

This compressor is equipped with an oversized three (3) cylinder cast iron single stage reciprocating pump that produces a large volume of air at a very competitive price. The Atlas AF5 is our lowest priced air compressor that is capable of delivering enough air to effectively run our SBC 420 sandblast cabinet (when used with #8 or #10 glass beads). The Atlas AF5 does not produce enough air to "run" the sandblast cabinet for an extended period of time, but does produce a sufficient volume and pressure to operate the machine for ten minute intervals.

FEATURES

- Quiet Operation
- Heavy Duty Metal Belt Guard
- · Shipping Weight: 390 lb.



Specifications

• Vibro-isolator Pads

Two Stage 80 Gallon

This is the perfect compressor for the 3-4 man auto shop, or for the one man shop that wants to be prepared for future growth.

COMMERCIAL GRADE

Specifications

Motor Running	5.0 Horsepower
Delivered-CFM 10PSI	15.0
Delivered-CFM 175PSI	14
Pressure Setting	145 lb 175 lb.
Motor Voltage	230VAC 1PH



IN STORE PICK-UP PRICE

FEATURES

- Mounted Magnetic Starter
- · Heavy Duty Metal Belt Guard
- · Shipping Weight: 485 lb.
- Vibro-isolator Pads

AF8

Two Stage 80 Gallon

FEATURES

- Quiet Operation
- · Heavy Duty Metal Belt Guard
- · Shipping Weight: 589 lb.
- Vibro-isolator Pads

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED



Specifications

Motor Running	5.0 Horsepower
Delivered-CFM 100PSI	19.6
Delivered-CFM 175PSI	18.4
Pressure Setting	145 lb 175 lb.
Motor Voltage	230VAC 1PH

Low Oil Shut Off

THESE ADDITIONAL FEATURES:

INCLUDES



COMMERCIAL GRADE



Two Stage 80 Gallon

The "PLUS" features for our commercial grade two stage air compressors include a low oil monitor, automatic tank drain, and air cooled aftercooler. These three feature help to extend the life of your Atlas air compressor while also delivering "better air"

Auto Drain





Air Aftercooler





AF9/17 🚱

Two Stage 80 Gallon

The Atlas AF9/17 is capable of providing adequate air for the medium to large shop owner.

COMMERCIAL GRADE

AF9/17 Plus 🚱 🔊

Two Stage 80 Gallon

The "PLUS" features for our commercial grade two stage air compressors include a low oil monitor, automatic tank drain, and air cooled aftercooler. These three feature help to extend the life of your Atlas air compressor while also delivering "better air".

COMMERCIAL GRADE

IN STORE PICK-UP PRICE





Specifications

IN STORE PICK-UP PRICE

FEATURES

- 1725 RPM Motor
- Quiet Operation · Magnetic Starter
- Heavy Duty Metal Belt Guard
- Vibro-isolator Pads
- · Shipping Weight: 627 lb.

INCLUDES THESE ADDITIONAL FEATURES:



Auto Tank Drain



Air Aftercooler



AF10 Plus



Motor Running

Pressure Setting

Tank Capacity

Motor Voltage

Delivered-CFM 175PSI

vailable In Phase Or 3 Phase

7.5 Horsepower

230VAC 1PH 60Hz

24.8

22.8

145 - 175

80 Gal.

1 Phase And 3 Phase Two Stage 120 Gallon

AF10 3-Phase

IN STORE PICK-UP PRICE

The Atlas Air Force AF-10 is available in either 1 phase or 3 phase, 10 HP motor configuration. This air compressor is designed for the service center that demands a lot of air! The AF-10 has a 120 gallon ASME certified storage tank. The heavy duty extra large three cylinder two stage pump delivers over 36 CFM @ 175 PSI.

FEATURES

- Magnetic Starter
- Auto Drain
- Air Aftercooler
- Heavy Duty Metal Belt Guard • Automatic Low Oil Shut Off
- Vibro-isolator Pads
- Shipping Weight: 969 lb

AF10 1-Phase IN STORE PICK-UP PRICE

Specifications

Motor Running 10 Horsepower Delivered-CFM 100PSI Delivered-CFM 175PSI Pressure Setting 145 lb. - 175 lb. 120 Gal.

Tank Capacity Motor Voltage 230VAC 1PH or 3PH 60Hz

INCLUDES THESE ADDITIONAL FEATURES:

Automatic Low Oil Shut Off



Aftercooler



Auto Tank Drain



AF15 Plus

Two Stage 120 Gallon

The Atlas Air Force AF-15 Plus is a 3 phase, 15 HP motor configuration. This air compressor is designed for the service center that demands a lot of air! The AF-15 has a 120 gallon ASME certified storage tank. The heavy duty extra large three cylinder two stage pump delivers over 49 CFM @ 175 PSI.

IN STORE PICK-UP PRICE

FEATURES

- Magnetic Starter Auto Drain
- Air Aftercooler
- Heavy Duty Metal Belt Guard
- · Automatic Low Oil Shut Off
- · Vibro-isolator Pads



Specifications

Motor Running	15 Horsepower
Delivered-CFM 100PSI	52
Delivered-CFM 175PSI	49
Pressure Setting	145 lb 175 lb.
Tank Capacity	120 Gal.
Motor Voltage	230VAC 3PH 60Hz

COMMERCIAL **GRADE**

Automatic Low Oil Shut Off



INCLUDES THESE ADDITIONAL FEATURES:

Aftercooler



Auto Tank Drain



GAS AIR COMPRESSORS + LIFT TABLES

AF17G

Gas Powered 30 Gallon

This air compressor is equipped with the super reliable Honda GX240 8.0 HP electric start gas engine. The Atlas AF17G gas powered air compressor features a pneumatic throttle control. electric start, vibro-isolator pads, charging system, and head unloaders. This is the perfect air compressor for the highway service truck.

The Atlas AF17G delivers plenty of air to power the large impact wrenches needed to remove those stubborn BUDD wheel lug nuts. The dependable HONDA engine and the Atlas two stage compressor pump are designed and engineered to provide years of service.

IN STORE PICK-UP PRICE



NOTE:



FEATURES

- Honda GX3240 8 HP Electric Start Gas Engine
- Heavy Duty Metal Belt Guard
- Shipping Weight: 630 lbs

Specifications

	Oper	Cilications
	Motor Running	8.0 Horsepower
(A) set of the second	Delivered-CFM 100PSI	18
	Delivered-CFM 175PSI	16.5
	Pressure Setting	145 lb 175 lb.
	Tank Capacity	30 Gal.
	Gasoline Engine	4 Cycle Air Cooled OHV Single cylinder
	Starting System	12VDC Electrical or Recoil
	Compressor Pump	CT51 2 Cylinder 2 Stage

AF13 0

Gas Powered 30 Gallon

This air compressor is equipped with the super reliable Honda GX390 13 HP electric start gas engine. The Atlas AF13 gas powered air compressor features a pneumatic throttle control, electric start, vibro-isolator pads, charging system, and head unloaders. This is the perfect air compressor for the highway service truck.





IN STORE PICK-UP PRICE

Designed For Service Trucks

FEATURES

- Honda GX390 13 HP Gas Engine
- Electric Start
- Heavy Duty Metal Belt Guard
- · Vibro-isolator Pads
- Shipping Weight: 627 lbs

Specifications

Motor Running	13.0 Horsepower
Delivered-CFM 100PSI	23
Delivered-CFM 175PSI	22
Pressure Setting	145 lb 175 lb.
Tank Capacity	30 Gal.
Gasoline Engine	4 Cycle Air Cooled OHV Single cylinder
Starting System	12VDC Electrical or Recoil
Compressor Pump	CT51 2 Cylinder 2 Stage

325 lb. Capacity **Table Truck** HTTF15 Maximum **Height:**

- 325 lb. capacity
- Table Dimensions: 18" wide x 28" long
- Maximum Height 29' · Minimum Height 9"
- Weight 102 lbs

Lever

Hydraulic Foot Pedal

Color May Vary

Operated • Hand Release Lowering

750 lb. Capacity Scissor Lift Table



- 750 lb. capacity • Table Top Dimensions:
- 19.5" wide x 36" long
- · Maximum Height 54" Minimum Height 14.5"
- Shipping Weight: 220 Lbs Hydraulic Foot Pedal Operated
- · Hand Release Lowering Lever

1100 lb. Capacity **Table Truck**



- 1,100 lb. capacity
- Table Dimensions: 20" wide x 32" long
- Maximum Height 35" Minimum Height 11.5"
- Weight 260 lbs. Hydraulic Foot Pedal
- Operated
- Hand Release Lowering Lever

Air Operated Grease Pump

Practical, functional and compact, the Atlas Air Operated Grease Pump can be used in all workplaces. Enables quick, high pressure greasing on any motor vehicle or mechanism. Equipped with a grease follower plate that protects the lubricant and ensures positive priming.

IN STORE PICK-UP PRICE

FEATURES

- Portable
- 50:1 pressure ratio 5 cu. in./min delivery
- · Comes with hose and pump



HT-K5001

Grease dispensing trolley for use with 35 LB. grease pails

HT-A7701

Stainless Steel, Air Operated Grease Pump

Practical, functional and compact, the Atlas Stainless Steel Air Operated Grease Pump can be used in all workplaces. Enables quick, high pressure greasing on any motor vehicle or mechanism.

Equipped with a grease follower plate that protects the lubricant and ensures positive priming.

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

FEATURES

- · Stainless steel
- Portable
- 50:1 pressure ratio • 5 cu. in./min delivery

• Comes with hose and pump



Portable Oil Dispenser

Practical and functional, with a wheel-mounted 17 gallon tank, the Portable Oil Dispenser can be used in all workplaces. The Portable Oil Dispenser has an air-operated pump that is suitable for oils of any density. The Portable Oil Dispenser comes equipped with an alúminum digital oil meter gun.



Grease Dispensing Trolley Kit

Grease dispensing trolley includes: 50:1 air operated pump with 28" suction tube, 12" drum cover, 12" follower plate, 13' hose, and grease gun. For use with 35 LB. grease pails.

FEATURES

- 50:1 air operated pump with 28" suction tube
- 12" drum cover
- 12" follower plate
- Grease gun • Portable
- *Color May Vary

Grease Dispensing Trolley Kit

Grease dispensing trolley includes: 50:1 air operated pump with 37" suction tube, 23 ½" drum cover, 23" follower plate, and grease gun. For use with 400 LB. grease drums.



Grease Dispensing Trolley Kit

Grease dispensing trolley includes: 50:1 air operated pump with 37" suction tube, 23 ½" drum cover, 23" follower plate, 50 ft., ¼" hose reel, and grease gun. For use with 400 LB. grease drums.



Oil Dispensing **Trolley Kit**

This mobile self contained system includes a heavy duty steel trolley platform that can support up to 400 pounds, up to a 55 gallon drum, a 5:1 ratio oil pump, heavy-duty 50 foot lubrication hose reel (and hose), and a digital control dispensing hand gun.



FEATURES

- Digital oil gun • 50:1 air operated pump with 36" suction tube • 50 Ft., 1/2" in.
- retractable hose reel



*Color May Vary

50 Ft. Retractable Grease Hose Reel *Color May Vary

FEATURES

- For 50:1 ratio Air Grease Pu
- Rubber Hose Retractable
- Available in both
 1/4" and 3/8" ID
- . 50 Foot Hose length



HT-D9306402.015-1/4ID IN STORE PICK-UP PRICE



IN STORE PICK-UP PRICE

OIL / GREASE GUNS AVAILABLE **Call For Details**

Pivot Hose Reel Wall Mount

IN STORE PICK-UP PRICE

IN STORE PICK-UP PRICE



360° Swivel Hose Reel Wall Mount

IN STORE PICK-UP PRICE



HOSE REELS + GAS CADDIES + CAR DOLLIES



33 Ft. HTHR-33FT 3/8" ID Shipping Weight: 27 lbs. W/ SHIPPING INCLUDED



50 Ft. HTHR-50FT IN STORE PICK-LIP PRICE 65 Ft. Retractable Air Hose Reel

IN STORE PICK-UP PRICE

65 Et. HTHR-65FT Shipping Weight: 57 lbs. 1/2" ID







Shipping Weight: 63 lbs. 100 Ft. HTHR-100FT IN STORE PICK-UP PRICE

3/8" ID **Heavy Duty Metal Frame**

50 Ft. Retractable Welding Dual-Hose Reel



50 Ft. HT-D3205202.015 IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED

1/4" ID **Heavy Duty Metal Frame**

75 Ft. Retractable Welding Dual-Hose Reel



HT-D3305202.023 IN STORE PICK-UP PRICE

75 Ft.

Heavy Duty Metal Frame

1/4" ID

100 Ft. Manual Water Hose Reel





200 Ft. Manual Water Hose Reel



25 Gallon Capacity Steel Gas Caddy

Perfect for homes, shops, marinas, farms, or anywhere you need to easily transport and dispense fuel. The Atlas gas caddy features heavy duty steel construction, rugged solid rubber wheels and a dolly handle for easy portability. Works with gasoline, kerosene, diesel, or mixed fuels.

FEATURES

- Heavy duty steel construction
- Two way rotary pump (for siphoning and dispensing) Fluid level gauge
- · 8" solid rubber tires
- 8' flexible hose
 Shipping weight 75 lb.



"Move-It" Dollies (Set of 4)

Our "Move-It" dolly system is the easy answer for moving cars in your garage. These dollies allow operators to lift the car in seconds with the built-in jacking mechanism - then just roll the car to the desired location. This unique system makes the need for a separate jack obsolete.

MOVING YOUR VEHICLE IS MUCH EASIER WITH A SET OF "MOVE-IT" DOLLIES!

Hydraulic Style

- 1500 lb. capacity per dolly
- 11" maximum distance closed

IN STORE PICK-UP PRICE

IN STORE PICK-UP PRICE OR

W/ SHIPPING INCLUDED Set Of 4 Each

Ratchet Style

- 1250 lb. capacity per dolly
- 11" maximum distance closed

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

IN STORE PICK-UP PRICE OR

W/ SHIPPING INCLUDED

Set Of 4 Each HTMDRS



"Move-It" Dolly Storage Rack

> IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED HTMD-RACK

Store and move up to 4 dollies

17 Gallon Low Profile Oil Drain



FEATURES

- Capacity: 17 Gallons
- Low profile design
 Durable lightweight
- polypropylene construction
- 4" Heavy-Duty swivel casters
 Ideal for draining oil or antifreeze
 T-Handle easily folds for storage
- . Built-In manual pump for fast
- fluid draining

 Top wire mesh drain reduces splashing
- Shipping Weight: 50 lbs.

17 Gallon Low Profile Oil Drain



FEATURES

- Capacity: 17 Gallons
 Low profile design
- · Ideal for draining oil or antifreeze
- T-Handle easily folds for storage
 Built-In 12V pump for fast fluid draining
- · Durable lightweight polypropylene nstructio
- 4" Heavy-Duty swivel casters
- · Top wire mesh drain reduces splashing
- Shipping Weight: 50 lbs.

18 Gallon Oil Drain

20 Gallon Low Profile Oil Drain

This Atlas Low Profile metal oil drain is perfect for rolling under trucks and buses to change oil and other fluids. This Low Profile roll around oil drain has less than 8 inch ground clearance. With the long "T" handle and swivel casters the oil drain is easily maneuvered into position.

FEATURES

- 2' 1" Wide X 6" Deep
- · Shipping Weight: 98 Lb

4 Gallon Oil

Drain Pan

IN STORE PICK-UP PRICE

• Plastic

• 4 Gallon (15L)

Oil Drain Pan

Shipping Weight: 5 Lb.

W/ SHIPPING INCLUDED

IN STORE PICK-UP PRICE



8 Gallon Oil Drain

IN STORE PICK-UP PRICE

HTA30L

Shipping Weight: 15 lbs.



- · Four swivel casters make it portable and easy to maneuver
- · Oil drain valve makes
- disposal easy 17" funnel diameter · Lightweight Plastic



IN STORE PICK-UP PRICE

HTB75L

Shipping Weight: 20 lbs.

- Capacity: 20 Gallons
 Reservoir: 2' 8 1/2" Long X
- 25 1/2" Long T Bar Handle Internal Baffles Prevent Spills

26 Gallon Oil Drain

To evacuate the oil from the container, simply hook an air line to the unit, turn the valve, and the oil is forced out through the evacuation tube.

PRESSURIZED

IN STORE PICK-LIP PRICE

Lightweight Plastic

FEATURES

- Heavy duty plastic construction
- 26 gallon capacity
 Pressurized evacuation
- Pressurized gauge
- · Shipping weight 75 lb



18 Gallon Oil Extractor

This Atlas 18 gallon capacity Oil Extractor and Oil Drain is perfect for any commercial or home shop. This oil drain/ extractor features both a standard funnel to catch drained oil from overhead as well as a vacuum system to suck oil out of an engine.

HTOD18-FX

PRESSURIZED

IN STORE PICK-UP PRICE

Adjustable From 36" to 72"

W/ SHIPPING INCLUDED

FEATURES

- Dolly handle
- Measuring tank
 3" Solid rubber
- rear swivel casters
- 5" Solid rubber front wheels · 3 probe adapters - 2 plastic.
- 1/4" and 5/16" diameter, 1 copper, 1/4" diameter

18 Gallon Steel Oil Drain

To evacuate the oil from the container, simply hook an air line to the unit, turn the valve, and the oil is forced out through the evacuation tube.



30 Gallon Steel Oil Drain

To evacuate the oil from the container, simply hook an air line to the unit, turn the valve, and the oil is forced out through the evacuation tube.

IN STORE PICK-UP PRICE

HTOD30

FEATURES

- 30 gallon capacity
 Adjustable Height from
 49 3/4" 73 1/2"
- Pressurized oil drain allows oil to be removed in seconds
- . Two front swivel casters make it
- portable and easy to maneuver

 15 1/2" funnel diameter

 Shipping Weight: 80 lb.

PRESSURIZED



Over Engine Creeper /Topsider



IN STORE PICK-UP PRICE

HTCRFFPFR-TS



Perfect For Working On Truck Engines

FEATURES

- Adjustable height: 47 1/2" 58 1/2"
- · Heavy duty casters
- · Convenient tool drawer
- Deck is padded and covered with heavy duty vinyl for comfort

HT53002/HT56002

3 Ton/6 Ton/(Set of 2)

3 Ton IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED

Pair HT53002

· Adjustable from 11" to 16 1/2 Shipping Weight

23 lbs.



HT52008 LOW

2 Ton Low Tripod Stand

The 2 ton low tripod stand is the perfect choice for the mechanic who is working on a vehicle that is lifted by a two post lift or a four post lift. The adjustable 2 ton low tripod stand is used to offer additional support to either the front or the rear of the vehicle

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Each HT52008

Max Height: 53" Min Height: 30" Shipping Weight: 26 lbs



IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED 10 Ton SHORT (Set of 2) **Pair**

HT510001

W/ SHIPPING INCLUDED 10 Ton TALL (Set of 2)

IN STORE PICK-UP PRICE

Pair HT510003

HT57501/HT512001

Deluxe 6 Ton/12 Ton

These deluxe trailer or truck lack stands work great with a variety of vehicles because it features adjustable height and three different contact adapters. These jack stands also features three spring loaded swivel casters, making it easy to move but stable when weight is applied on top.

Swivel Casters



6 Ton IN STORE PICK-UP PRICE

38 lbs.

OR

W/ SHIPPING INCLUDED Each

HT57501 Shipping Weight: 160 lbs.



12 Ton IN STORE PICK-UP PRICE **OR**

W/ SHIPPING INCLUDED

Each HT512001 Shipping Weight: 190 lbs.

HT58001 HIGH

2 Ton Heavy Duty Tripod Stand

The 2 ton heavy duty tripod stand is the perfect choice for the mechanic who is working on a vehicle that is lifted by a two post lift or a four post lift. The adjustable 2 ton heavy duty tripod stand is used to offer additional support to either the front or the rear of the vehicle. These jack stands can be placed between the runways of a four post lift and when the runways of the four post lift are lowered, the jack stands will support the weight of the vehicle. The wheels will be above the runway of the four post lift and wheel service can be easily performed.

- Minimum height: 48 1/2
- Maximum height: 84"
- · Shipping Weight: 39 lbs.

Max Height: 84"

IN STORE PICK-UP PRICE

ΛR W/ SHIPPING INCLUDED

> Each HT5800



HT58005 & HT58003

With & Without Foot Pedal

Foot pedal "jounces" the saddle to help line up bolt holes.

The 1,500 LB. Tall Jack Stand with foot pedal is used with four post lifts, and two post lifts. This Atlas jack stand supports up to 1,500 pounds. The lack stand can easily be placed into position under the lifting points of cars or trucks.

- Minimum height 54"
- Maximum height 80"
- · Shipping Weight: 40 lbs

Without **Foot Pedal**

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

Each HT58003



Pallet Jacks

FEATURES

- Maximum Height 7 1/2"
- Minimum Height 3
- Overall Width: 27 • Length of Forks 47 1/2
- Width of Forks 6 1/4'
- Distance Between Forks: 14 1/4



4,400 lb. Capacity IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HTPJ20 Shipping Weight: 175 lbs.

IN STORE PICK-UP PRICE

5,500 lb. Capacity IN STORE PICK-UP PRICE

Easily Transport

Heavy Engines,

Transmissions, Or

Any Other Large Piece

Of Automotive Parts

From Bay To Bay In

Your Service Shop

W/ SHIPPING INCLLINED

HTP.125 Shipping Weight: 270 lbs.

6,600 lb. Capacity IN STORE PICK-UP PRICE

*Color May Vary

W/ SHIPPING INCLUDED

HTP.I30 Shipping Weight: 300 lbs

4 Ton Porta Power Kit

IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED HT0102



FEATURES

- 4 ton Hydraulic Pump and Ram w/ female coupler
- 5' hydraulic hose
- 5 extension tubes: 3", 5", 8 ½", 16 ½", & 19 ¼" 1/2 ton capacity Spreader
- Flat base • Ram toe
- Plunger toe
- Wedge head 90° V-base
- Male connector
- Serrated Saddle Rubber Head
- Storage case

10 Ton Porta Power Kit

IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED HT0202



- 10 ton Hydraulic Pump
- . 5' hydraulic hose
- 4 extension tubes: 4 ¼" 10 ¼", 14 ¼", & 20 ¼" Flat base
- Ram toe
 Plunger toe
- · Wedge head
- 90° V-base
 Male connector
- · Serrated Saddle Bubber Head
- /2 ton capacity Spreader

FEATURES

- and Ram w/ female couple
 - HT0204
 - **Perfect For** Frame And



20 Ton Porta Power Kit

FEATURES

- 20 ton Hydraulic Pump and Ram
- · 5' hydraulic hose
- 4 connective tubes 10", 20", & 27
- 3 each, 3" connective tube & 2 1/2" joint connector tube
- Base
- Ram toe Plunger toe Wedge toe
- V-hase
- Metal Storage Cases
 Collapsed Height:
- 11 1/8 Extended Height: 16"

Sandblast Cabinets

Sandblast Cabinets allow you to remove scale or heavy rust from automotive parts, clean up rusty tools, etch glass, and many other special applications.



SBC350

The SBC350 sandblast cabinet features switches for power, light and dust collector, a regulator and pressure gauge, and indicator lights. The unit comes with 2 blasting nozzles: a heavy-duty gun with valve, and a stationary nozzle that is controlled with the foot switch Two large side doors make loading and unloading simple.

IN STORE PICK-UP PRICE



HTSBC350-KIT

Includes Free 50 lb. Baq Of Glass Beads

HTSBC420-KIT

SBC420

The SBC 420 Sandblast Cabinet has an attached vacuum system. The SBC420 allows you to load parts from both the side and top of the cabinet.

IN STORE PICK-UP PRICE

FEATURES

- · Continually recycles
- Bottom feed system
 Heavy-duty blast gun
- 4 Ceramic nozzles · Abrasive flexibility
- 2 side doors as we as top load door · Built-in fluorescent

110V

- Self-contained dust collection system with cartridge filter

Includes Free 50 lb. **Baq Of Glass Beads**

The SBC 990 Sandblast Cabinet has an attached vacuum system and allows you to load large parts through it's large folding front door.

FEATURES

- · Large folding front door
- Continually recycles
- · Abrasive flexibility
- NE490 Power gun with foot pedal
- · 4 Ceramic nozzles
- 110 Volt 24" Gauntlet gloves
- · Built-in fluorescent lan Shipping Weight: 490 lb.



IN STORE PICK-UP PRICE

OR

Includes Free 50 lb. Baq Of






PSBC990

W/ SHIPPING INCLUDED

HTPSBC990-KIT



VIDEO







SBC1200

HTSBC1200-KIT

The extra wide SBC1200 sandblast cabinet features two large folding doors (one in the front and one in the back) for easy loading and unloading of large parts. The SBC1200 has two foot-operated blasting guns located on each side of the blast cabinet allowing two people to operate the access ports at the same time.

110V

VISIT OUR WEBSITE AND SPECIALS IN STORE PICK-UP PRICE

IPPING INCLLIDED



FEATURES

- Easy operation
- Two blasting guns
 Ceramic tip sizes
 Gauntlet gloves

- 24' Gauntlet gloves
 Two large folding doors
 Overall size: 60" Wide x
 55" Deep x 72 '%" High
 Work Volume: 47" Wide
 x 51" Deep x 33 '%" High
 Built-in fluorescent lamp



Includes Free 100 lb. Bag Of Glass Beads

HTRA20

20 Gallon Roll About Sandblast Unit

FEATURES

- Easy operation
 Abrasive flexibility
- Portable
- 110V Power Heavy duty 8' 3/8" hose · 6" solid tires
- Tilt-and-go handle for increased mobility
- Concave head for ease of filling
 Carbon steel abrasive mixing
 valve for durability and long life
- · Shipping Weight: 60 lbs.



HTSB28

28 Gallon Roll Around Sandblast Unit With Vacuum

FEATURES

- · Easy operation
- Abrasive flexibility Portable
- 110V Power
- 110V Vacuum Heavy duty hose
- · 6" solid tires
- Concave head for ease of filling Carbon steel abrasive mixing
- valve for durability and long life Shipping Weight: 90 lbs

Visit Our Website **FOR MORE** Product Photos AND DETAILED SPECIFICATIONS

W/ SHIPPING INCLUDED

IN STORE PICK-UP PRICE



Passenger and Light Truck

IN STORE PICK-UP PRICE

W/ SHIPPING INCLUDED

HTMB275

Passenger and Light Truck

The HTMB275 tire spreader can be used with most wheel clamp tire changers. The metal mounting plate is held securely between the clamping jaws of the tire changer, allowing the operator to position the tire at the correct working height to make tire repair easy. The HTMB275 has adjustable spreader arms that fit on the inside beads of the tire and are spread open by use of the heavy metal arm. The 275 tire spreader is the perfect choice for those customers who need to perform inside tire repairs on most passenger and light truck tires. This tire spreader can be bolted to a workbench.

IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED

Specifications

Tire Width Capacity: 5 3/4" TO 10 3/4"

35" L x 12" W x 10 1/2" H Overall Dimensions:

Shipping Weight: 25 Lb.







accommodate passenger and light truck tires Specifications

Tire Width Capacity: 5 %" TO 10 %" Tire Diameter Capacity: 11" TO 24"

30" L x 12" W x 39 3/4" H Overall Dimensions:

Shipping Weight: 67 Lb.

HTM275

The HTM275 tire spreader is a heavy duty tire

spreader designed for use in shops that repair

passenger and light truck tires. The HTM275

has an adjustable four (4) position table that

can be rotated for easy access to the inside of the tire. The foot pedal controls the position of

the table top. Depressing the spring actuated


foot pedal allows operator to move the table top

to the most desired position. The tire is rotated easily on the heavy rollers mounted on the

table top. The spreader arms are adjustable to

FEATURES

- · Adjustable clamping arms
- 4 position table tilt
 Rotatable table design







HTS275

Passenger and Light Truck

The HTM275 tire spreader is a heavy duty tire spreader designed for use in shops that repair passenger and light truck tires. The HTM275 has an adjustable four (4) position table that can be rotated for easy access to the inside of the tire. The foot pedal controls the position of the table top. Depressing the spring actuated foot pedal allows operator to move the table top to the most desired position. The tire is rotated easily on the heavy rollers mounted on the table top. The spreader arms are adjustable to accommodate passenger and light truck tires.

FEATURES

- Portable
- · Adjustable clamping arms
- · 4 position table tilt

Tire Width Capacity:

Overall Dimensions:

Shipping Weight:

- Rotatable table design Makes tire inspections and
- repair quick & easy • Adapts to varying sidewall heights and tire widths

Tire Diameter Capacity: 11" TO 24"

IN STORE PICK-LIP PRICE

HTS825 Large Truck

The HTS825 truck tire spreader makes it easy to lift and repair large truck tires. The powerful pneumatic lifting table can accommodate tires of up to 250 lbs. and raises them to the perfect inspection and working height. The adjustable clamping arms and rollers as well as the pneumatic lift table allow the operator to repair large and small truck tires (and passenger tires) easily. If you are a professional tire repair shop that handles all sizes of tires, then the HTS825 is the perfect choice for all your tire repair needs. The HTS825 tire spreader has an adjustable work light and a tool tray.

FEATURES

- · Easy to use hand operated
- Adjustable clamping arms
- · Pressure gauge & regulator
- assembly Tool Tray

Work Light:

· Adjustable light

· Air outlet for air tool connection

IN STORE PICK-UP PRICE

Specifications

Tire Size Capability: 8.25-20; 14.00-20(9R-16.5R); 11-22.5R

110-145 PSI Air Requirements:

Overall Dimensions: 64" L x 28" W x 42" H

Shipping Weight: 450 Lb.

Strut Spring Compressor

30" L x 12" W x 39 3/4" H

This manually operated Strut Spring Compressor is designed to aid in replacing strut springs and strut assembly components. The Strut Spring Compressor is adjustable to handle a wide variety of strut spring sizes.

Specifications

67 Lb.

5 ¾" TO 10 ¾"

Commercial Grade

FEATURES

- · Heavy duty capacity handles the heaviest coil over shocks
- · Handles extra long springs room to disassemble long struts
- · Gives easy strut access • Independently adjustable upper

and lower hooks



Air Operated Strut **Spring Compressor**

This Air Operated Strut Spring Compressor is designed to aid in replacing strut springs and strut assembly components. The Strut Spring Compressor is adjustable to handle a wide variety of strut spring sizes.

Commercial Grade

FEATURES

- Fully Adjustable To Fit A Wide Variety Of Strut Springs
- Air Operated
- Heavy Duty
- Shipping Weight: 150 LBS.
- Shipping Dimensions: 55" x 23" x 12"

IN STORE PICK-UP PRICE W/ SHIPPING INCLUDED HT1206







Freight Truck Shipping Information

Our larger products are shipped by a common freight carrier. You (the customer) will need to have the product delivered to place that a 53 foot semi trailer can easily access. You (the customer) will need to provide the correct equipment to unload your purchase. If you do not have a loading dock, then you will need a forklift, skid steer, or some similar type of material handling equipment to unload the product. We included representative pictures of some products packaged for freight shipment below.

IF YOU HAVE ANY FREIGHT QUESTIONS REGARDING YOUR PRODUCT, PLEASE GET THEM ASKED AND ANSWERED BEFORE WE SHIP!

For the majority of locations, we may be able to provide a semi truck with a lift gate. The lift gate will assist the customer in unloading products such as motorcycle lifts, tire changers, wheel balancers, air compressors, sandblast cabinets, etc. Unloading two post or four post lifts (and other products weighing over 1000 pounds) will require a forklift (or some type of material handling equipment), if the customer does not have a truck-height loading dock. Remember, the customer is always responsible for providing the necessary equipment to offload their product safely.

If a product is picked up at a local trucking terminal, the truck terminal staff should be able to load the equipment on your trailer or truck. (You must furnish a vehicle that is large enough to "handle" your product). If you need to locate a terminal in your area, or if you would like a shipping quote, please contact our office.

GREG SMITH EQUIPMENT DOES NOT OWN THE DELIVERY TRUCK LINE.



THE CUSTOMER IS **ALWAYS RESPONSIBLE FOR UNLOADING THE PRODUCT** FROM THE DELIVERY TRUCK.

VISIT OUR WEBSITE FOR MORE SHIPPING INFORMATION



Shipping Weight: 1,800 lbs.



Shipping Weight: 400 lbs.



Shipping Weight: 800 lbs.



Shipping Weight: 1,700 lbs.

In Store Pick Up Is Available

Visit any of our nine brick and mortar locations and pick up your purchase. Just make sure that you bring "enough vehicle" and call ahead to make sure that "your" location has the product in stock.

WE HAVE PACKAGE DIMENSIONS AND SHIPPING WEIGHTS ON OUR WEBSITE. **CHECK TO MAKE SURE YOU BRING THE RIGHT VEHICLE** OR TRAILER TO PICK UP YOUR EQUIPMENT.





Our company has partnered with lendi institutions to provide our customers with alternative financing options.

Are you a new or growing business???

Ask our finance department about our 100% commercial lease to own programs.

Benefits Include:

- Conserve cash
- · Little to no money down
- · Easier than bank financing
- End of term ownership or new equipment upgrade options
- 100% Tax Deductible off balance sheet lease options available


We ship all over the USA and the World, so call us for your best shipping price.

(800)673-8740

VISIT ONE OF OUR



BRICK AND MORTAR LOCATIONS TODAY!

















PROUDLY SERVING YOU WITH NINE LOCATIONS NATIONWIDE!

WE SHIP ANYWHERE!

www.GregSmithEquipment.com



PRINTED IN THE USA

(800) 673-8740

VISIT ONE OF OUR BRICK AND MORTAR LOCATIONS TODAY!



Newark, Delaware

250 Executive Drive, Suite 1 Newark, DE 19702 salesDE@gregsmithequipment.com

salesDL@gregsmithequipment.com

Showroom Hours

M-F: 8-5:30 (EST) Saturday: 8-noon (EST)

Miami, Florida

11801 NW 100th Rd., Suite 8 Medley, FL 33178

salesFL@gregsmithequipment.com

Showroom Hours

M-F: 8-5:30 (EST) Saturday: By Appointment Only

Atlanta, Georgia

2375 Button Gwinnett Drive, Suite 100 Atlanta, GA 30340

salesGA@gregsmithequipment.com

Showroom Hours

M-F: 8-5:30 (EST) Saturday: 8-noon (EST)

Hudson, New Hampshire 8 Industrial Drive

Hudson, NH 03051
salesNH@gregsmithequipment.com

Showroom Hours

M-F: 8-4:30 (EST) Saturday: 8-noon (EST)

Tolleson, Arizona

8399 West Van Buren Street, Suite 210 Tolleson, AZ 85353

salesAZ@gregsmithequipment.com

Showroom Hours

M-F: 8-5:30 (MST) Saturday: 8-noon (MST)

Milwaukie, Oregon

5505 SE International Way, Suite D Milwaukie, OR 97222

salesOR@gregsmithequipment.com

Showroom Hours

M-F: 8-5:30 (PST) Saturday: By Appointment Only

Austin, Texas

3206 Industrial Terrace Suite #102 Austin, TX 78758

salesTX@gregsmithequipment.com

Showroom Hours

M-F: 8-5:30 (CST) Saturday: 8-noon (CST)

Grimes, Iowa

3801 S. James Street, Suite 140 Grimes, IA 50111

salesIA@gregsmithequipment.com

Showroom Hours

M-F: 8-5:30 (CST) Saturday: By Appointment Only