	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Engine							
Engine Type	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm³)	2198	2198	2198	2198	2198	3198	1996
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	16:1
Maximum Power	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	385Nm @	385Nm @	385Nm @	385Nm @	385Nm @	470Nm @	500Nm @
<u> </u>	1600-2500rpm	1600-2500rpm	1600-2500rpm	1600-2500rpm	1600-2500rpm	1750-2500rpm	1750-2000rpm
No. of Valves	16	16	16	16	16	20	16
Bore x Stroke (mm)	86 x 94.6 Turbocharged	86 x 94.6 Turbocharged	86 x 94.6 Turbocharged	86 x 94.6 Turbocharged	86 x 94.6 Turbocharged	89.9 x 100.76 Turbocharged	84 x 90 Turbocharged
Fuel Management System	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection
Transmissions/Ratios							
6-speed manual transmission	S						
6-speed automatic transmission		S	S	S	S	S	
10-speed automatic transmission							S
Fuel							
Combined Fuel Economy (L/100km)(Manual) ^{1.}	6.5						
CO ₂ Emissions (g/km)(Manual) ^{1.}	169						
Combined Fuel Economy (L/100km)(Auto) ¹ .		7.8	7.8	7.8	7.8	8.2	6.7
CO, Emissions (g/km)(Auto) ¹		203	203	203	203	216	177
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
	Dieset	DieSet	Dieser	Diezer	Dieset	Diezer	Dieset
Pick-up Box Dimensions (mm)							
Height - at centreline of axle					511	511	511
Height - floor height to ground					835	835	835
Length - at floor					1549	1549	1549
Length - top of box					1485	1485	1485
Width - between wheelhouses					1139	1139	1139
Width - pick-up box					1560	1560	1560
Width - rear opening					1330	1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5133	5133	5133	5133	5382	5446	5446
Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1703	1800	1804	1815	1815	1821	1821
Overhang - Front	928	928	928	928	928	928	928
	985	985	985	985	1234	1226	1226
Overhang - Rear							
Track - Front and Rear	1590	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	201	232	232	232	232	237	237
Wading Depth (mm)	600	800	800	800	800	800	800
Approach Angle (unladen, degrees)	22	28	28	28	28	29	29
Departure Angle (unladen, degrees)	24	28	24	28	27	21	21
Ramp Breakover Angle (degrees)	17	24	24	24	24	25	25
Turning Circle - Kerb to Kerb (m)	11.9	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)							
2nd Row Headroom			938	986	986	986	986
2nd Row Legroom			796	902	902	902	902
2nd Row Shoulder Room			1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)	1000	177.4	1700	10.45	1970	2121	3000
Kerb Weight - Total ²	1666	1724	1783	1845		2131	2099
Kerb Weight - Front Axle ²	1046	1084	1108	1119	1158	1164	1137
Kerb Weight - Rear Axle ^{2.}	620	640	675	726	812	967	962
Payload ^{3.}	1259	1476	1417	1355	1230	1069	1101
Gross Vehicle Mass	2925	3200	3200	3200	3200	3200	3200
Gross Combined Mass	5425	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ^{4,}	2500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1325	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1755	1850	1850	1850	1850	1850	1850

1. Fuel consumption and emissions sper ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GCM) are not exceeded. On variants where both a 6-speed anuto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Exterior							
Centre High Mounted Stop Light					S	S	S
Exterior Lighting - LED Daytime Running Lamps						S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S		
Exterior Door / Tailgate Handles - Chrome						S	S
Exterior Lighting - Front Fog Lamps (Halogen)						S	S
Exterior Lighting - High Performance Bi-LED Headlamps						S	S
Exterior Mirrors - Black	S	S	S	S	S		
Exterior Mirrors - Chrome						S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator						S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S
Grille - Black	S	S	S	S	S		
Grille - Chrome		<u> </u>				S	S
	S	-		-	S	S	S
Mud Flaps - Front and Rear ^{s.}	5	S	S	S	5		
Privacy Glass						S	S
Rear Bumper - Body Colour					S		
Rear Bumper - Chrome Steel						S	S
Rear Sports Bar - Chrome Tubular						S	S
Tow Bar						S	S
Wheels - 16" Steel	S	S	S	S	S		
Wheels - 17" Alloy						S	S
Wheels - 18" Alloy						0	0
Load Box Elements							
Bedliner with 12V Socket						S	S
					0	0	0
Tough Bed Spray-In Bedliner							
Inner Tie Downs					S	S	S
Load Box Illumination					S	S	S
Load Rest					S		
Tailgate Lock - Manual					S	S	S
Tailgate with Lift Assistance					S	S	S
Comfort and Convenience							
230V Inverter - Rear of Centre Console						S	S
Acoustic Windshield						S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console			S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)			S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S		
Climate Control - Dual Zone Automatic		<u> </u>				S	S
						5	5
Floor Coverings - Vinyl	S	S	S	S	S		
Floor Coverings - Carpet						S	S
Floor Mats - Driver Only						S	S
Floor Mats - Driver & Front Passenger							
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob						S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows				S	S	S	S
Rain Sensing Windscreen Wipers						S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	-	
Rear View Mirror - Electrochromatic		<u> </u>	<u></u>	<u>></u>	<u> </u>	S	S
	-	-			-		
Windscreen Mounted USB Port	S	S	S	S	S	S	S
Audio And Communication							
FordPass Connect - Embedded Modem ^{6.}	S	S	S	S	S	S	S
4.2" Colour Multi-Function Display	S	S	S	S	S	S	S
8" Colour Touch Screen	S	S	S	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)	S	S					
6 Speakers (2 Tweeters, 4 Woofers)			S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ^{7.}	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming®.	S	S	S	S	S	S	S
						S	S
CD Player (MP3 compatible)							
CD Player (MP3 compatible) DAB+ Digital Radio						S	S

5. Rear mud flaps on pick-up models only. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, intermet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modern and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass Mill be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple IOS / Android/ITM (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SiG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Audio And Communication continued.							
SYNC®310.	S	S	S	S	S		
SYNC®3 with Voice-Activated Controls ^{11.}						S	S
USB Ports	2	2	2	2	2	2	2
Seating							
6-way Manual Driver Seat Adjustment	S	S	S	S	S	S	S
XLT Leather Accented Seats (Black)						0	0
Safety, Security and Driver Assistance							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control ¹²						P	P
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors						S	S
Anti-Lock Braking System (ABS) ^{12.}	S	S	S	S	S	S	S
Auto High Beam ^{12.}	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor ^{12.}	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ¹² .	S	S	S	S	S	S	S
Emergency Assistance ^{13.}	S	S	S	S	S	S	S
Emergency Assistance Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Launch Assist ¹² .	S	S	S	S	S	S	S
Lane Keeping Aid ¹²	S	S	S	S	S	S	S
Load Adaptive Control ^{12.}	S	S	S	S	S	S	S
MyKey®						S	S
Parking Sensors - Front						S	S
Parking Sensors - Rear					S	S	S
Autonomous Emergency Braking (AEB) with Pedestrian Detection	S	S	S	S	S	S	S
Rear Differential - eLocking		0	0	0	0	S	S
Rear View Camera	A	A	Α Α	O	S	S	S
Remote Keyless Entry - 1 Fob Provided ¹⁴ .	S	S	S	S	S		
Roll Over Mitigation	S	S	S	S	S	S	S
Active Park Assist		<u>3</u>				P	
						S	S
Smart Keyless Entry with Push Button Start - 2 Fobs Provided14.		-					
Traction Control System ¹² Traffic Sign Recognition ¹²	S S	S S	S	S S	S S	S	S S
	S	S	S	S	S	S	S
Trailer Sway Control ^{12.} Tyre Pressure Monitoring System	3	5	5	5	5	S	S S
Regular Production Options						5	5
Automatic Transmission		S	S	S	S	S	S 0
Black 18" Alloy Wheels						0	0
XL Heavy Duty Suspension		0	0	0	0		
XL 4x2 Electronic Locking Rear Diff		0	0	0	0		
XLT Leather Accented Seats XLT Tech Pack (Pick-Up Models Only), including: Adaptive Cruise						0	0
Control with Forward Collision Alert, Active Park Assist						0	0
XLT Chrome Sports Bar Delete						0	0
Tough Bed Spray-In Bedliner					0	0	0
Prestige Paint	0	0	0	0	0	0	0

Pure December 1908		4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Performance 1986	Engine							
Part	Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder
Marie Note	Engine Size (cm³)	3198	3198	3198	2198	3198	2198	3198
Martin Property Martin Pro	Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1
Marie Mari		147kW @ 3000rpm	147kW @ 3000rpm	147kW @ 3000rpm	118kW @ 3200rpm	147kW @ 3000rpm	118kW @ 3200rpm	147kW @ 3000rpm
Personant		470Nm	470Nm	470Nm	385Nm	470Nm	385Nm	470Nm
Publish Publ	No. of Valves							
Fund Management System Turtschrögen der System Signe der Syst	Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	86 x 94.6	89.9 x 100.76	86 x 94.6	89.9 x 100.76
Pages annual transmission		Turbocharged direct common	Turbocharged direct common	direct common	Turbocharged direct common	Turbocharged direct common	direct common	Turbocharged direct common
c-good and marked teater marked in the Capend and state and the Capend and state and the Capend and State and St	Transmissions/Ratios	rail injection	rail injection	rail injection	rail injection	rail injection	rail injection	rail injection
Contributed Fusion Concerns (LNO00000)(Manual)** 0.3 3.3 2.8 2	6-speed manual transmission	S	S			S		S
Page Combined Fine Economy (L/100km)(Monu)	6-speed automatic transmission	0	0	S	S	0	S	0
Commoner (Fuel Economy (L/100mn)(Manualy)								
Commissions (splem) (Memory)		8.3	8.3			8.3		8.3
Combined Fuel Scroomy (L.1000mi) (Auto))*								
Companies (g/min/auto)	*			87	8.0		80	
Put Tank Capachy (L)								
Public Diseal D								
Peder Pede								
Megit - Anorhelight to gound		Dieset	Dieset	Dieset	Dieset	Dieset	Dieset	Dieset
Height - Anion Kenghi to ground				EII			E11	E11
Length - 16 por low 1847 1549 1550<								
March - Legenth - Lege								
With - between wheelhouses 1139 1139 1139 1139 1139 1139 1139 1130 1500 1500 1500 1500 1500 1500 1500 1500 1500 1500 1530 1533 1330 <th< td=""><td></td><td></td><td>-</td><td></td><td></td><td>-</td><td></td><td></td></th<>			-			-		
With - pick-up box 1560 1560 1560 1560 1560 1560 1560 1560 1560 1560 1530 1330 1330 1330 1330 1330 1330 1330 1330 1330 1330 1330 1330 1333 1333 1582 1582 1583 1333 1582 1583 1333 1582 1583 1333 1582 1583 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Multi- near opening	Width - between wheelhouses							1139
Part	Width - pick-up box			1560			1560	1560
Length - with rear bumper (where fitted) 5133 5133 5382 5133 5382 5382 Width - sectior miors extended 2163 1867 1868 28 28 28 28	Width - rear opening			1330			1330	1330
With the exterior mirrors sextended 2163 1867	Exterior Dimensions (mm)							
Width - exterior mirrors folded 1977 1978 1972 1972 1972 1972	Length - with rear bumper (where fitted)	5133	5133	5382	5133	5133	5382	5382
Width - excluding mirrors 1867	Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163
Height 1800 1804 1804 1815 1815 1815 1815 Overhang - Front 928 1234 1234 1234 1234 1234 1234 1234 1234 1234 1234 1234 1232 </td <td>Width - exterior mirrors folded</td> <td>1977</td> <td>1977</td> <td>1977</td> <td>1977</td> <td>1977</td> <td>1977</td> <td>1977</td>	Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Overhang - Front 928	Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Overhang- Rear 985 985 1234 985 985 1234	Height	1800	1804	1804	1815	1815	1815	1815
Track - Front and Rear 1560 156	Overhang - Front	928	928	928	928	928	928	928
Wheelbase 3220	Overhang - Rear	985	985	1234	985	985	1234	1234
Ground Clearance (unladen, mm) 232 242 24 24 24<	Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560
Wading Depth (mm) 800 200 200 200 200 200 200 200 900	Wheelbase	3220	3220	3220	3220	3220	3220	3220
Approach Angle (unladen, degrees) 28 28 28 28 28 28 28 28 28 28 27 28 28 27 27 27 27 27 28 28 27	Ground Clearance (unladen, mm)	232	232	232	232	232	232	232
Departure Angle (unladen, degrees) 28 28 27 28 28 27 27 Ramp Breakover Angle (degrees) 24 </td <td>Wading Depth (mm)</td> <td>800</td> <td>800</td> <td>800</td> <td>800</td> <td>800</td> <td>800</td> <td>800</td>	Wading Depth (mm)	800	800	800	800	800	800	800
Ramp Breakover Angle (degrees) 24	Approach Angle (unladen, degrees)	28	28	28	28	28	28	28
Ramp Breakover Angle (degrees) 24	Departure Angle (unladen, degrees)	28	28	27	28	28	27	27
Turning Circle - Kerb to Kerb (m) 12.7 12.7 12.7 12.7 12.7 12.7 12.7 12.7								
Part								
2nd Row Headroom 938 938 986 986 986 986 986 2nd Row Legroom 796 796 902 902 902 902 2nd Row Shoulder Room 1400 1400 1430 1430 1430 1430 Front Headroom 1024 1024 1024 1022 1022 1022 1022 Front Legroom 1058		12.17	12.7	12.7	12.7	12.7	12.17	12.17
2nd Row Legroom 796 796 902 903 902 903 902 903 902 903 902 903 903 903 903 903 903 903 903 903 903			038	038	086	086	086	086
2nd Row Shoulder Room 1400 1400 1430 1440 1440 1440 1440 1440 1440 1440 1440 1440 1440 1440 1440 1440								
Front Headroom 1024 1024 1024 1022 1028 1058								
Front Legroom 1058 1040 1480 1480		102/						
Front Shoulder Room 1440 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Vehicle Masses (kg)								
Kerb Weight - Total ² 1869(M) / 1887(A) 1933(M) / 1951(A) 2085 1938 1995(M) / 2012(A) 2064 2118(M) / 2135(M) / 1235(M) / 1243(A) Kerb Weight - Front Axle ² 1199(M) / 1217(A) 1223(M) / 1241(A) 1230 1195 1235(M) / 1253(A) 1235 1225(M) / 1243(A) Kerb Weight - Rear Axle ² 670 710 855 743 760 829 893 Payload3 ** 1331(M) / 1313(A) 1267 (M) / 1249 (A) 1115 1262 1205(M) / 1188(A) 1136 1082(M) / 1065 Gross Vehicle Mass 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3600 6000 6000 6000 6000 6000 6000 6000 6000 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 1480 1480 1480 1480 1480 1480 1480 1480 1480 1480 1480 1480 1		1440	1440	1440	1440	1440	1440	1440
Kerb Weight - Front Axle² 1199(M) / 1217(A) 1223(M) / 1241(A) 1230 1195 1235(M) / 1253(A) 1235 1225(M) / 1243(A) 1240 1240 125 1235(M) / 1253(A) 1235 1225(M) / 1243(A) 1240 1240 1250(M) / 1253(A) 1235 1225(M) / 1243(A) 1240 1240 1250(M) / 1253(A) 1235 1225(M) / 1243(A) 1240 855 743 760 829 893 893 893 893 1240 1240 1262 1205(M) / 1188(A) 1136 1082(M) / 1065 1065 1065 1262 1205(M) / 1188(A) 1136 1082(M) / 1065 1065 1065 1262 1205(M) / 1188(A) 1136 1082(M) / 1065 1065 1065 1262 1205(M) / 1188(A) 1136 1082(M) / 1065 1066 1066 1066 1066 1066 <td></td> <td>102000</td> <td>1000// 0 / 1000</td> <td>2225</td> <td></td> <td>1005/10 15</td> <td></td> <td>2110/112 (2:::</td>		102000	1000// 0 / 1000	2225		1005/10 15		2110/112 (2:::
Kerb Weight - Rear Axle² 670 710 855 743 760 829 893 Payload³³ 1331(M)/1313(A) 1267 (M)/1249 (A) 1115 1262 1205(M)/1188(A) 1136 1082(M)/1065 Gross Vehicle Mass 3200 3200 3200 3200 3200 3200 3200 3200 3200 300 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 3500 3500 3500 3500 3500 3500 3500 3500 1480 <								2118(M) / 2135(A)
Payload3 1331(M) / 1313(A) 1267 (M) / 1249 (A) 1115 1262 1205(M) / 1188(A) 1136 1082(M) / 1065 Gross Vehicle Mass 3200 6000 6000 6000 6000 6000 6000 6000 6000 6000 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3600 1480 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1225(M) / 1243(A)</td></td<>								1225(M) / 1243(A)
Gross Vehicle Mass 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 3200 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 3500 3500 3500 3500 3500 3500 3500 3500 3500 1480 <td>Kerb Weight - Rear Axle^{2.}</td> <td>670</td> <td>710</td> <td>855</td> <td>743</td> <td>760</td> <td>829</td> <td>893</td>	Kerb Weight - Rear Axle ^{2.}	670	710	855	743	760	829	893
Gross Combined Mass 6000 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1082(M) / 1065(A)</td>								1082(M) / 1065(A)
Maximum Braked Towing Capacity ⁴ 3500 3500	Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200
Maximum Axle Load - Front 1480 1480 1480 1480 1480 1480 1480 1480 1480	Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000
	Maximum Braked Towing Capacity ^{4.}	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Rear 1850 1850 1850 1850 1850 1850 1850 1850	Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480
	Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Sehicle Mass (GCM) are not exceeded. On variants where both a 6-speed anuto are available, the 6-speed auto tyrically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Exterior							
Centre High Mounted Stop Light			S			S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S	S	S
xterior Mirrors - Black	S	S	S	S	S	S	S
xterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
ront Bumper - Body Colour	S	S	S	S	S	S	S
Grille - Black	S	S	S	S	S	S	S
Mud Flaps - Front and Rear ^{5.}	S	S	S	S	S	S	S
Rear Bumper - Body Colour			S			S	S
Vheels - 16" Steel	S	S	S	S	S	S	S
oad Box Elements							
ough Bed Spray-In Bedliner						0	0
nner Tie Downs			S			S	S
oad Box Illumination			S			S	S
oad Rest			S			S	S
āilgate Lock - Manual			S			S	S
ailgate with Lift Assistance			S			S	S
Comfort and Convenience							
uxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
uxillary 12V Power Outlet - Rear of Centre Console		S	S	S	S	S	S
entre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S
hild Seat Upper Anchorage Points (x 2)		S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)		-		S	S	S	S
limate Control - Single Zone Manual	S	S	S	S	S	S	S
loor Coverings - Vinyl	S	S	S	S	S	S	s
leadlamps - Auto On/Off Function	S	S	S	S	S	S	S
lower Front Windows (Auto Driver)	S	S	S	S	S	S	s
				S	S	S	S
ower Rear Windows		S	S	S	S	S	S
lear Window Defrost	S						
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S
Vindscreen Mounted USB Port	S	S	S	S	S	S	S
Audio And Communication							
fordPass Connect - Embedded Modem ^{6.}	S	S	S	S	S	S	S
"Colour Touch Screen	S	S	S	S	S	S	S
Speakers (2 Tweeters, 2 Woofers)	S						
Speakers (2 Tweeters, 4 Woofers)		S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ^{7.}	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming ^{8.}	S	S	S	S	S	S	S
YNC®39.	S	S	S	S	S	S	S
JSB Ports	2	2	2	2	2	2	2
eating							
-way Manual Driver Seat Adjustment	S	S	S	S	S	S	S
afety, Security and Driver Assistance							
Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
djustable Speed Limiter	S	S	S	S	S	S	S
irbags - Driver and Front Passenger	S	S	S	S	S	S	S
irbags - Front Seat Side	S	S	S	S	S	S	S
irbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
nti-Lock Braking System (ABS) ^{10.}	S	S	S	S	S	S	S
uto High Beam ^{10.}	S	S	S	S	S	S	S
eltminder™ - All Positions	S	S	S	S	S	S	S
ruise Control	S	S	S	S	S	S	S
river Impairment Monitor ^{10.}	S	S	S	S	S	S	S
ynamic Stability Control (DSC) ^{10.}	S	S	S	S	S	S	S
mergency Assistance ^{11.}	S	S	S	S	S	S	S
mergency Brake Assist	S	S	S	S	S	S	S
mergency Brake Light	S	S	S	S	S	S	S
fill Descent Control ¹⁰ .	S	S	S	S	S	S	s
fill Launch Assist¹o.	s	S	S	S	S	S	S
ane Keeping Aid ^{10.}	S	S	S	S	S	S	S
oad Adaptive Control ^{10.}	S	S	S	S	S	S	S
эми жариче сониот	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Ca Pick-up 3.2 Diesel

5. Rear mud flaps on pick-up models only. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on you rmobile device, including associated fees. The FordPass App can only awork when connected to the telecommunications network. Ford cannot guarantee that FordPass swill be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device, 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / AndroidTM (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other truit parties are responsible for their responsible for their responsible for services and data rates may apply. Apple CarPlay, Sin Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warming: Local laws prohibit some phone functions while driving, Checkyour local road rules before using these functions. 8. Bluetooth® is a registered trademark of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible. 9. SYNC® features may not be compatible with all phones. For compatibility, see ford.com.au/sync. Sync ® 3 System on XL & XLS models do not have embedded voice control.satellite navigation or CD Player. 10. Driver-assist features are supplemental and do not replace the d

Safety, Security and Driver Assistance continued.							
Parking Sensors - Rear			S			S	S
Autonomous Emergency Braking (AEB) with Pedestrian Detection	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S
Rear View Camera	А	А	S	А	А	S	S
Remote Keyless Entry - 1 Fob Provided ^{11.}	S	S	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S	S	S
Traction Control System ^{12.}	S	S	S	S	S	S	S
Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S
Trailer Sway Control ^{12.}	S	S	S	S	S	S	S
Regular Production Options							
Automatic Transmission	0	0	S	S	0	S	0
17" Continental All Terrain Tyres	0	0	0	0	0	0	0
XL Heavy Duty Suspension	0	0	0	0	0	0	0
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis)	0	0			0		0
Tough Bed Spray-In Bedliner						0	0
Prestige Paint	0	0	0	0	0	0	0

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Engine										
Engine Type	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm³)	3198	1996	3198	3198	1996	1996	3198	1996	3198	1996
Compression Ratio	15.7:1	16:1	15.7:1	15.7:1	16:1	16:1	15.7:1	16:1	15.7:1	16:1
Maximum Power	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	147kW @ 3000rpm	157kW @ 3750rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm@ 1750-2000rpm
No. of Valves	20	16	20	20	16	16	20	16	20	16
Bore x Stroke (mm)	89.9 x 100.76	84 x 90	89.9 x 100.76	89.9 x 100.76	84 x 90	84 x 90	89.9 x 100.76	84 x 90	89.9 x 100.76	84x90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions/Ratios	,	,	,							,
6-speed manual transmission	S						S		S	
6-speed automatic	0		S	S			0		0	
transmission 10-speed automatic transmission		S			S	S		S		S
Fuel										
Combined Fuel Economy (L/100km) (Manual) ¹	8.3						8.4		8.4	
CO ₂ Emissions (g/km) (Manual) ^{1.}	218						221		221	
Combined Fuel Economy (L/100km)(Auto) ^{1.}	8.9	7.4	8.7	8.9	7.4	7.4	8.9	7.4	8.9	8.2
CO ₂ Emissions (g/km)(Auto) ¹	234	195	229	234	195	195	234	195	234	212
Fuel Tank Capacity (L)	80	80	80	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-Up Box Dimension (mr	n)									
Height - at centreline of axle	511	511	511			511	511	511	511	561
Height - floor height to ground	835	840	840			840	840	840	840	964
Length - at floor	1549	1847	1847			1549	1549	1549	1549	1549
Length - top of box	1485	1783	1783			1485	1485	1485	1485	1485
Width - between wheelhouses	1139	1139	1139			1139	1139	1139	1139	1139
Width - pick-up box	1560	1560	1560			1560	1560	1560	1560	1560
Width - rear opening	1330	1330	1330			1330	1330	1330	1330	1330
Exterior Dimensions (mm)										
Length - with rear bumper	5382	5446	5446	5446	5446	5446	5446	5446	5446	5398
(where fitted) Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163	2163	2163	2180
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977	1977	1977	2028
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867	1867	1867	2028
Height	1815	1810	1810	1821	1821	1821	1821	1848	1848	1873
Overhang - Front	928	928	928	928	928	928	928	928	928	908
Overhang - Rear	1234	1226	1226	1226	1226	1226	1226	1226	1226	1270
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560	1560	1560	1710
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220	3220	3220
Ground Clearance	232	237	237	237	237	237	237	237	237	283
(unladen, mm)										
Wading Depth (mm) Approach Angle	28	800	800	800 29	800	800	800	800	800	850 32.5
(unladen, degrees) Departure Angle	27	21	21	21	21	21	21	21	21	24
(unladen, degrees) Ramp Breakover Angle			25	25	25	25				
(degrees)	24	25					25	25	25	24
Turning Circle - Kerb to Kerb (m) Interior Dimensions (mm)	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.9
2nd Row Headroom	986	938	938	986	986	986	986	986	986	986
2nd Row Legroom	902	796	796	902	902	902	902	902	902	902
2nd Row Legiooni 2nd Row Shoulder Room	1430	1400	1400	1430	1430	1430	1430	1430	1430	1432
Front Headroom	1022	1024	1024	1022	1022	1022	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058	1058	1058	1116
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440	1440	1440	1355
Vehicle Masses (kg)	1-70	1-40	1740	0	0	1770	1-70	1740	1770	1535
	2191(M) / 2209(A)	2146	2178	2094	2083	2197	2212(M) / 2230(A)	2246	2260(M)/2278(A)	2342
	1226(M) / 1244(A)		1238	1217	1203	1218	1232(M) / 1250(A)		1241(M) / 1259(A)	
Kerb Weight - Rear Axle ²	965	934	940	877	880	979	980	1020	1019	1059
	905 1009(M) / 991(A)		1022	1106	1117	1003	980 988(M) / 970(A)	954		748
	3200	3200	3200	3200	3200	3200	3200	3200	940(M) / 922(A) 3200	3090
Gross Vehicle Mass				6000	6000					
Gross Combined Mass Maximum Braked Towing Capacity ⁴	6000 3500	6000 3500	6000 3500	3500	3500	6000 3500	6000 3500	6000 3500	6000 3500	5350 2500
,,	1480	1480	1480	1480	1480	1480	1480	1480	1480	1550
Maximum Axle Load - Front	1400									

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Exterior										
Centre High Mounted Stop Light	S	S	S			S	S	S	S	S
Exterior Lighting - LED Daytime Running Lamps		S	S	S	S	S	S	S	S	S
Exterior Door / Tailgate Handles - Black	S									
Exterior Door / Tailgate Handles - Chrome	Р	S	S	S	S	S	S			
Exterior Door / Tailgate								S	S	
Handles - Bolder Grey Exterior Door / Tailgate										
Handles - Dyno Grey										S
Exterior Lighting - Front Fog Lamps (Halogen)	S	S	S	S	S	S	S			
Exterior Lighting - Front Fog Lamps (LED)								S	S	S
Exterior Lighting - High Performance Bi-LED		S	S	S	S	S	S	S	S	S
Headlamps										
Exterior Mirrors - Black										S
Exterior Mirrors - Trivet Grey	S									
Exterior Mirrors - Chrome Exterior Mirrors - Bolder Grey		S	S	S	S	S	S	S	S	
Exterior Mirrors -										
Power Adjustable Exterior Mirrors -	S	S	S	S	S	S	S	S	S	S
Power Folding & Heated with		S	S	S	S	S	S	S	S	S
Turn Indicator Exterior Mirrors - Puddle Lamps								S	S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S	s	s	
Front Bumper Insert -								S	S	
Accent Bolder Grey Front Bumber - Chassis										S
Mounted in Dyno Grey										
Heavy Duty Side Steps Heavy Duty Front Bash Plate										S
& Underbody Shielding										S
Grille - Trivet Grey	S									
Grille - Chrome	Р	S	S	S	S	S	S		S	
Grille - Bolder Grey Grille - Unique Raptor Design								S	5	
(Black)										S
Mud Flaps - Front and Rear ^{5.}	S	S	S	S	S	S	S	S	S	S
Privacy Glass Rear Bumper - Body Colour	S	S	S	S	S	S	S	S	S	S
Rear Bumper - Chrome Steel		S	S			S	S			
Rear Bumper - Bolder Grey								S	S	
Rear Bumper - Unique Raptor										S
Design Side Steps - Black		S	S	S	S	S	S			
Side Steps - Black with Silver								S	S	
Inserts Rear Sports Bar - Chrome										
Tubular		5	5			S	5			
Rear Sports Bar - Sailplane								S S	S S	
Tow Bar Wheels - 16" Alloy	S	S	S	S	S	S	S	5	5	S
Wheels - 17" Alloy	0	S	S	S	S	S	S			S
Wheels - 18" Alloy		-		0	0	0	0	S	S	
Tyres - 33' BF Goodrich All- Terrain T/A ® KO2 (285/70 R17)										S
Recovery Hooks - Front										S
(rated at 4,635kg) Recovery Hooks - Rear										
(rated at 3,863kg)										S
Strengthened Chassis Frame Load Box Elements										S
Bedliner with 12V Socket		S	S			S	S	S	S	
Tough Bed Spray-In Bedliner	0					0	0			S
Inner Tie Downs	S	S	S			S	S	S	S	S
Load Box Illumination	S	S	S			S	S	S	S	S
Load Rest	S									
Power Roller Shutter								S	S	
Tailgate Lock - Manual Tailgate Lock - Power (activated with Central	S	S	S			S	S	S	S	S
Locking)										
Tailgate with Lift Assistance	S	S	S			S	S	S	S	S
Comfort and Convenience 230V Inverter - Rear of Centre										
Console		S	S	S	S	S	S	S	S	S
Acoustic Windshield		S	S	S	S	S	S	S	S	
Ambient Lighting - Multi-Colour								S	S	
Auxillary 12V Power Outlet -	S	S	S	S	S	S	S	S	S	S
Lower Dashboard Auxillary 12V Power Outlet -	S	S	S	S	S	S	S	S	S	S
Rear of Centre Console	5	5	5	5	5	5		5	5	5

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Comfort and Convenience cor	ntinued.									
Centre Console - Single Lid	S	S	S	S	S	S	S	S	S	S
with 2 Cup Holders Child Seat Upper Anchorage										
Points (x 2)	S	S	S	S	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S			S	S	S	S	S	S	S
Climate Control - Single Zone	S									
Manual	5									
Climate Control - Dual Zone Automatic	P	S	S	S	S	S	S	S	S	S
Floor Coverings - Carpet	S	S	S	S	S	S	S	S	S	S
Floor Mats - Driver Only	S	S	S	S	S	S	S			
Floor Mats - Driver & Front Passenger								S	S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S	S	S	S
Leather Wrapped Steering		S	S	S	S	S	S	S	S	
Wheel & Gear Knob Leather Wrapped Sports Steering Wheel with Contrast							3			S
Stitching										
Leather Wrapped Gear Shifter & Handbrake										S
Power Front Windows	S	S	S	S	S	S	S	S	S	S
(Auto Driver) Power Rear Windows	S	-		S	S	S	S	S	S	S
Rain Sensing Windscreen	3		_							
Wipers Windscreen		S	S	S	S	S	S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S									
Rear View Mirror -		S			S	S			S	
Electrochromatic		5	S	S	5	5	S	S		S
Under Seat Stowage								S	S	S
Windscreen Mounted USB Port	S	S	S	S	S	S	S	S	S	S
Audio And Communication										
FordPass Connect -	S	S	S	S	S	S	S	S	S	S
Embedded Modem ⁶										
4.2" Colour Multi-Function Display Dual Colour 4.2"	S	S	S	S	S	S	S			S
Instrumentation Screens								S	S	
8" Colour Touch Screen	S	S	S	S	S	S	S	S	S	S
6 Speakers (2 Tweeters, 4 Woofers)	S	S	S	S	S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ⁷	s	S	s	S	s	s	s	S	S	s
Bluetooth® with Phone/Audio										
Streaming ^{8.}	S	S	S	S	S	S	S	S	S	S
CD Player (MP3 compatible)	P	S	S	S	S	S	S	S	S	S
DAB+ Digital Radio	P	S	S	S	S	S	S	S	S	S
Satellite Navigation with Traffic Message Channel ^{9.}	Р	S	S	S	S	S	S	S	S	S
SYNC®310.	S									
SYNC®3 with Voice-Activated Controls ^{11.}	Р	S	S	S	S	S	S	S	S	S
USB Ports	2	2	2	S	S	2	2	2	2	2
Seating									1	
6-way Manual Driver Seat	S	S	S	S	S	S	S			
Adjustment 6-way Power Driver Seat Adjustment (plus Lumbar				3			3	S	S	
Support) 8-way Power Driver Seat										
Adjustment (plus Lumbar Support) 8-way Power Passenger Seat										S
Adjustment (plus Lumbar Support)										S
Heated Front Seats								S	S	S
XLT Leather Accented Seats (Black)				0	0	0	0			
Wildtrak Leather Accented Seats (Black with orange stitching)								S	S	
Raptor Embossed Ebony Leather & Dinamica with Blue Stitching										S
Front Sport Seats										S
Safety, Security and Driver As	sistance									
3 Point Lap Sash Seat Belt -	S	S	S	S	S	S	S	S	S	S
All Positions	J									<u>J</u>
Adaptive Cruise Control ¹²		P	P	P	P	P	Р	S	S	_
Adjustable Speed Limiter	S	S	S	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S	S	S	S

6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modern and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple IOS / Android^{1M} (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Sint Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered the US and other countries. Android Auto and Google Maps are trademarks of Spolp link® is a valiable on selected SYNC® models for compatible with select smartphone platforms. Warning Local Laws prohibits some phone functions while diving. Check you local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SiG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 10. SYNC® 3 to success for compatibility, see ford.com.au/sync. Sync. ® 3 System on XL

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 3.2 Diesel	4x4 XLT Double Cab Cab-Chassis 2.0 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Safety, Security and Driver As	ssistance continu	ved.								
Airbags - Front Seat Side	S	S	S	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors	S	S	S	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS) ^{12.}	S	S	S	S	S	S	S	S	S	S
Auto High Beam ^{12.}	S	S	S	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S	S	S	S
Driver Impairment Monitor ¹²	S	S	S	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ^{12.}	S	S	S	S	S	S	S	S	S	S
Emergency Assistance ^{13.}	S	S	S	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S	S	S	S
Hill Descent Control ^{12.}	S	S	S	S	S	S	S	S	S	S
Hill Launch Assist ^{12.}	S	S	S	S	S	S	S	S	S	S
Lane Keeping Aid ^{12.}	S	S	S	S	S	S	S	S	S	S
Load Adaptive Control ^{12.}	S	S	S	S	S	S	S	S	S	S
MyKey®		S	S	S	S	S	S	S	S	S
Parking Sensors - Front	S	S	S			S	S	S	S	
Parking Sensors - Rear	S	S	S			S	S	S	S	S
Autonomous Emergency Braking (AEB) with Pedestrian Detection	S	S	S	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S	S	S	S
Rear View Camera	S	S	S	S	S	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S	S	S	S	S	S
Active Park Assist Smart Keyless Entry with Push Button Start - 2 Fobs	P	P S	P S	S	S	P S	P S	S S	S S	S
Provided ^{14.}										
Traction Control System ^{12.}	S	S	S	S	S	S	S	S	S	S
Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S	S	S	S
Trailer Sway Control ^{12.} Tyre Pressure Monitoring	S	S	S S	S S	S S	S	S S	S S	S	S
System Terrain Management System with 6 Modes - Normal, Sport, Grass/Gravel/Snow, Mud/Sand, Rock, Baja Regular Production Options										S
Automatic Transmission	0	S	S	S	S	S	0	S	0	S
Black 17" Alloy Wheels	0	<u> </u>		<u> </u>		J		<u> </u>	<u> </u>	<u>J</u>
Black 18" Alloy Wheels XLS Premium Pack, including: Satellite Navigation, CD Player, Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with	0			0	0	0	0	0	0	
Push Button Start, Chrome Exterior Grille & Handles XLT Leather Accented Seats				0	0	0	0			
XLT Tech Pack (Pick-Up Models Only), including: Adaptive Cruise Control with Forward Collision Alert, Active Park Assist		0	0			0	0			
XLT Tech Pack (Cab-Chassis Models Only), including: Adaptive Cruise Control with Forward Collision Alert				0	0					
XLT Chrome Sports Bar Delete		0	0			0	0			
Tough Bed Spray-In Bedliner	0					0	0			S
Prestige Paint	0	0	0	0	0	0	0	0	0	0
Raptor Decal Pack										0