Straight Line Diagram

(Including Drain Pipes)

Cambria
11

January 2021

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM
INDEX FOR SR'S LOCATED IN THE COUNTY OF CAMBRIA

SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE
0022	1	24	1036	341	343	3031	476	478
0036	25	40	1038	344	344	3032	479	479
0053	41	71	2001	345	347	3033	480	482
0056	72	88	2002	348	348	3034	483	487
0160	89	105	2003	349	352	3035	488	490
0164	106	115	2004	353	353	3036	491	492
0219	116	158	2005	354	355	3037	493	496
0240	159	159	2006	356	361	3039	497	501
0253	160	164	2007	362	363	3041	502	506
0271	165	196	2008	364	364	3042	507	507
0403	197	207	2009	365	368	3043	508	512
0422	208	213	2010	369	370	3044	513	514
0553	214	218	2011	371	372	3045	515	517
0756	219	226	2012	373	376	3047	518	520
0865	227	231	2013	377	380	3048	521	521
0869	232	240	2014	381	388	3049	522	524
0985	241	241	2015	389	392	3053	525	525
1001	242	248	2016	393	393	3055	526	527
1002	249	251	2017	394	394	3102	528	528
1003	252	254	2019	395	397	3104	529	529
1004	255	256	2101	398	398	3106	530	530
1005	257	260	3001	399	399	4001	531	535
1006	261	263	3002	400	401	4002	536	540
1007	264	268	3003	402	402	4003	541	541
1008	269	271	3004	403	403	4004	542	544
1009	272	275	3005	404	406	4005	545	549
1010	276	277	3006	407	411	4006	550	552
1011	278	281	3007	412	418	4007	553	554
1012	282	285	3008	419	420	4008	555	558
1013	286	286	3009	421	421	4009	559	562
1014	287	289	3010	422	422	4010	563	563
1015	290	294	3011	423	425	4011	564	565
1016	295	297	3012	426	427	4012	566	566
1017	298	299	3013	428	429	4013	567	569
1018	300	300	3015	430	431	4014	570	571
1019	301	304	3016	432	440	4015	572	574
1020	305	307	3017	441	441	4016	575	578
1021	308	315	3018	442	442	4017	579	583
1022	316	318	3019	443	444	4018	584	585
1023	319	324	3020	445	445	4019	586	589
1024	325	326	3021	446	446	4020	590	590
1025	327	328	3022	447	447	4021	591	595
1026	329	332	3023	448	448	4022	596	597
1027	333	333	3024	449	458	4023	598	600
1028	334	334	3025	459	459	4024	601	602
1029	335	336	3026	460	463	4025	603	606
1030	337	337	3027	464	465	4027	607	610
1031	338	338	3028	466	467	4029	611	612
1032	339	339	3029	468	471	4031	613	618
1034	340	340	3030	472	475	4033	619	620

ROADWAY MANAGEMENT SYSTEM
INDEX FOR SR'S LOCATED IN THE COUNTY OF CAMBRIA

SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE
8001	621	622						
8002	623	624						
8003	625	626						
8004	627	628						
8005	629	629						
8006	630	631						
8007	632	633						
8008	634	635						
8009	636	637						
8010	638	639						
8011	640	642						
8012	643	644						
8013	645	646						
8014	647	648						
8015	649	650						
8016	651	651						
8017	652	652						
8018	653	653						
8019	654	654						
8020	655	656						
8022	657	658						
8024	659	660						
8026	661	662						
9101	663	663						
9402	664	664						
9404	665	665						
9406	666	666						

pennsylvania
DEPARTMENT OF TRANSPORTATION

December 30, 2020

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2021 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Colin McClenahen, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Maintenance and Operations, by calling (717) 783-0172.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2020 by the Commonwealth of Pennsylvania. All rights reserved.



Asset Management Division

Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

(Cut along dashed line

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a "grade" from "A" (excellent) to "E" (fail).

A B C D E

If your rating is not an "A," please let us know what we could do better.

_____

_____

_____

_____

_____

Name and Organization (optional)

_____

Thank You.

(Fold along line, and tape or staple together before mailing)

_____

_____

_____

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Colin McClenahen

F-CS-02

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Maintenance and Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1.	Traffic Routes: Routes designated as Interstates, US or PA Routes	0001-0999
2.	Quadrant Routes (Non-Traffic Routes)	1001-4999
3.	Relocated Traffic Routes	6000-6999
4.	Turned Back, Abandoned, or Null Routes	7000-7999
5.	Interchanges	8001-8999
6.	WYE's	9101-9199
7.	Rest Areas	9201-9299
8.	Truck Escape Ramps	9301-9399
9.	Others	9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes




FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.




FIGURE 2




FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

Undivided Roadways




FIGURE 4

Divided Roadways




FIGURE 5

Interstate Roadways




FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).




FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.







Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

S SEGMENT MARKER	AHEAD LEFT INTER STATE OWNED	RAILROAD CROSSING	INTERSTATE MILEPOST
T TURNBACK	AHEAD LEFT INTER NON-STATE	RAILROAD OVER-PASS	MFC BEGIN
N NULL	AHEAD RIGHT INTE STATE OWNED	OVER-PASS	MUNICIPAL BOUNDARY
UNDIVIDED HIGHWAY	AHEAD RIGHT INTE NON-STATE	BRIDGE END	VILLAGE BEGIN
PHYSICALLY DIVIDED	BACK LEFT INTER STATE OWNED	BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
PAINT DIVIDED	BACK LEFT INTER NON-STATE	TUNNEL	
INTERSECTION AHEAD	BACK RIGHT INTER STATE OWNED	SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
INTERSECTION BACK	BACK RIGHT INTER NON-STATE	RBR P3 BRIDGE	
REFERENCE AHEAD/BACK	T-LEFT INTERSEC STATE OWNED	RETAINING WALL	
DIVIDED CONNECTOR	T-LEFT INTERSEC NON-STATE	BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
CROSS INTERSEC STATE OWNED	T-RIGHT INTERSEC STATE OWNED	PIPE (STAMPP)	
CROSS INTERSEC NON-STATE	T-RIGHT INTERSEC NON-STATE	ROTARY INTERSEC	


STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY PAGE 2 OF 2

ROAD CLOSED	POI POINT OF INTEREST	BRIDGE CLOSED	P BRIDGE POSTED
M MONITORING SITE	TRAFFIC SIGNAL	W RWIS SITE	NC – STREET NAME CHANGE

DIR: B TOTAL LEN: .098 MI. DIST: 09-3 SR: 9406
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

000515 FT

000000 FT




000515 FT
WILLIAM PENN HW
0010/0515 (SR0022 SEG 0062/0246)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
WILLIAM PENN HW
(SR0022 SEG 0063/0000)
(SR0022 SEG 0062/0000)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0515 BK 0000)

DIR: B TOTAL LEN: .093 MI. DIST: 09-3 SR: 9404
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T


000489 FT

000000 FT



000489 FT WILLIAM PENN HW
0010/0489 (SR0022 SEG 0053/3199)
024 "DIA CIRC CONCR
0010/0148 LEN=0052 INSTALLED UNKN
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
WILLIAM PENN HW
(SR0022 SEG 0063/0000)
(SR0022 SEG 0062/0000)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0489 BK 0000)

DIR: B TOTAL LEN: .083 MI. DIST: 09-3 SR: 9402
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




000439 FT WILLIAM PENN HW
0010/0439 (SR0022 SEG 0013/2477)
018 "DIA CIRC CONCR
0010/0337 LEN=0112 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0030 LEN=0210 INSTALLED UNKN
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
WILLIAM PENN HW
(SR0022 SEG 0012/2710)
(SR0022 SEG 0013/2710)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0439 BK 0000)

DIR: N TOTAL LEN: .078 MI. DIST: 09-3 SR: 9101
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T

000413 FT

000000 FT




000413 FT
INTER-AHD CHESTNUT ST
0010/0413 (SR1015 SEG 0010/0456)
000000 FT 0 0 00000 0 00 0000+00
NC WYE RD A
INTER-BK GALLITZIN RD
(SR0053 SEG 0360/1997)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0413 BK 0000)

DIR: S TOTAL LEN: .471 MI. DIST: 09-3 SR: 8026
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

002487 FT


001868 FT



002487 FT DISHONG MT RD
0760/0619 (SR3041 SEG 0100/1536)

001868 FT 0 0 00000 0 00 0000+00

DIR: S TOTAL LEN: .471 MI. DIST: 09-3 SR: 8026
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



```
                                                NC RAMP C RD
                                    INTER-BK    WILLIAM PENN HW
                                                (SR0022 SEG 0042/0315)
                                    S 0760/0000 LENGTH(AH 0619 BK 0702)

                                    INTER-AHD   WILLIAM PENN HW
                                    0750/0702   (SR0022 SEG 0042/0581)
                                                018 "DIA CIRC CONCR
                                    0750/0455   LEN=0085 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                    0750/0269   LEN=0072 INSTALLED UNKN
001166 FT                           001166 FT   0 0 00000 0 00 0000+00
                                                NC RAMP D RD
                                                DISHONG MT RD
                                                (SR3041 SEG 0100/1536)
                                    S 0750/0000 LENGTH(AH 0702 BK 0523)

                                    INTER-AHD   WILLIAM PENN HW
                                    0510/0523   (SR0022 SEG 0043/0226)
                                                024 "DIA CIRC CONCR
                                    0510/0450   LEN=0059 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                    0510/0368   LEN=0048 INSTALLED UNKN
                                                024 "DIA CIRC METAL
                                    0510/0056   LEN=0020 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                    0510/0022   LEN=0020 INSTALLED UNKN
000643 FT                           000643 FT   0 0 00000 0 00 0000+00
                                                NC RAMP B RD
                                    * REF-BK    DISHONG MT RD
                                                (SR3041 SEG 0100/2019)
                                    S 0510/0000 LENGTH(AH 0523 BK 0643)

                                    * REF-AHD   DISHONG MT RD
                                    0500/0643   (SR3041 SEG 0100/2019)
                                                018 "DIA CIRC CONCR
                                    0500/0610   LEN=0020 INSTALLED UNKN
                                                024 "DIA CIRC METAL
                                    0500/0580   LEN=0160 INSTALLED UNKN
                                                024 "DIA CIRC CONCR
                                    0500/0150   LEN=0116 INSTALLED UNKN
000000 FT                           000000 FT   0 0 00000 0 00 0000+00
                                                NC RAMP A RD
                                    INTER-BK    WILLIAM PENN HW
                                                (SR0022 SEG 0043/0427)
                                                MFC BEGIN = F
                                    S 0500/0000 LENGTH(AH 0643 BK 0000)
```

DIR: E TOTAL LEN: .300 MI. DIST: 09-3 SR: 8024
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B

BEDFORD ST 001583 FT INTER-AHD BEDFORD ST

DIR: E TOTAL LEN: .300 MI. DIST: 09-3 SR: 8024
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B


(SR8024 SEG 0500/0000) 0510/0138
001445 FT

1 0 11009 0 00 0005+04 001229 FT
SR 8024 SH
(SR8024 SEG 0510/0138) 0500/0000

000648 FT

000336 FT

000000 FT



0510/0138 (SR3018 SEG 0020/0000)
001445 FT 1 0 00222 2 00 0000+00
NC RAMP C RD
INTER-BK SCALP AV
(SR3016 SEG 0101/3264)
S 0510/0000 LENGTH(AH 0138 BK 0216)

INTER-AHD BEDFORD ST
0500/0216 (SR3016 SEG 0101/3022)
001229 FT DFORD ST
INTER-BK BEDFORD ST
(SR3018 SEG 0020/0000)
S 0500/0000 LENGTH(AH 0216 BK 0581)

INTER-AHD BELMONT AV
0250/0581 (SR0756 SEG 0070/0218)
018 "DIA CIRC CONCR
0250/0170 LEN=0100 INSTALLED 1988
000648 FT 1 0 00222 2 01 0000+00
NC RAMP A RD
INTER-BK BEDFORD ST
(SR3016 SEG 0100/3050)
S 0250/0000 LENGTH(AH 0581 BK 0312)


INTER-AHD BELMONT AV
0020/0312 (SR0756 SEG 0070/0156)
018 "DIA CIRC CONCR
0020/0261 LEN=0100 INSTALLED 1988
018 "DIA CIRC CONCR
0020/0260 LEN=0020 INSTALLED 1988
000336 FT 1 0 00000 0 00 0000+00
NC RAMP B-1 RD
INTER-BK SCALP AV
(SR3016 SEG 0110/0251)
S 0020/0000 LENGTH(AH 0312 BK 0336)

INTER-AHD SCALP AV
0010/0336 (SR3016 SEG 0110/0315)
018"H 18"W ELLIP CONC
0010/0250 LEN=0200 INSTALLED 1988
000000 FT 1 0 00222 2 00 0000+00
NC RAMP B RD
BELMONT ST
(SR0756 SEG 0070/0110)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0336 BK 0000)

DIR: W TOTAL LEN: .547 MI. DIST: 09-3 SR: 8022
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T


002889 FT

001979 FT



002889 FT
INTER-AHD JOHNSTOWN EX
0760/0910 (SR0056 SEG 0250/0824)
015 "DIA CIRC CONCR
0760/0591 LEN=0030 INSTALLED 1988
015 "DIA CIRC CONCR
0760/0370 LEN=0030 INSTALLED 1988
015 "DIA CIRC CONCR
0760/0050 LEN=0040 INSTALLED 1988
001979 FT 2 0 11012 2 10 0000+00
NC RAMP P RD
WALTERS AV

DIR: W TOTAL LEN: .547 MI. DIST: 09-3 SR: 8022
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



(T339)
INTER-BK OLD SOLOMON RUN RD
(T703)
S 0760/0000 LENGTH(AH 0910 BK 0750)


INTER-AHD OLD SOLOMON RUN RD
(T703)
WALTERS AV
0750/0750 (T339)
018 "DIA CIRC CONCR
0750/0690 LEN=0060 INSTALLED 1988
018 "DIA CIRC CONCR
0750/0610 LEN=0030 INSTALLED 1988
018 "DIA CIRC CONCR
0750/0360 LEN=0030 INSTALLED 1988
018 "DIA CIRC CONCR
0750/0180 LEN=0030 INSTALLED 1988
001229 FT 001229 FT 2 0 11012 2 11 0002+10
NC RAMP Q RD
INTER-BK JOHNSTOWN EX
(SR0056 SEG 0250/0532)
S 0750/0000 LENGTH(AH 0750 BK 0487)

INTER-AHD SOLOMON RUN RD
(SR3029 SEG 0010/0521)
FULMER RD
0260/0487 (SR3029 SEG 0010/0521)
018 "DIA CIRC CONCR
0260/0364 LEN=0050 INSTALLED 1988
000742 FT 000742 FT 2 0 11012 2 15 0007+11
NC RAMP R RD
INTER-BK JOHNSTOWN EX
(SR0056 SEG 0241/1239)
S 0260/0000 LENGTH(AH 0487 BK 0742)

INTER-AHD JOHNSTOWN EX
0250/0742 (SR0056 SEG 0241/0792)
024 "DIA CIRC CONCR
0250/0256 LEN=0060 INSTALLED 1988
000000 FT 000000 FT 2 0 11012 2 14 0007+11
NC RAMP S RD
FULMER RD
(SR3029 SEG 0010/0521)
INTER-BK SOLOMON RUN RD
(SR3029 SEG 0010/0521)
MFC BEGIN = F
S 0250/0000 LENGTH(AH 0742 BK 0000)

DIR: S TOTAL LEN: .444 MI. DIST: 09-3 SR: 8020
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C


002343 FT



001406 FT

002343 FT
INTER-AHD JOHNSTOWN EX
0750/0937 (SR0056 SEG 0200/0973)
018 "DIA CIRC CONCR
0750/0553 LEN=0085 INSTALLED 1988
015 "DIA CIRC CONCR
0750/0255 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0750/0030 LEN=0045 INSTALLED 1988
001406 FT 2 0 11012 2 06 0000+00
NC RAMP T RD
WIDMAN ST
(CITY)
INTER-BK RAMP U RD

DIR: S TOTAL LEN: .444 MI. DIST: 09-3 SR: 8020
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C




(SR8020 SEG 0010/0459)
S 0750/0000 LENGTH(AH 0937 BK 0558)

INTER-AHD RAMP W RD
(SR8020 SEG 0250/0000)
WIDMAN ST
0500/0558 (T693)
018 "DIA CIRC CONCR
0500/0449 LEN=0050 INSTALLED 1988
STONYCREEK
0500/0307 JOHNSTOWN C
000848 FT 000848 FT 2 0 11012 2 08 0000+00
NC RAMP V RD
INTER-BK JOHNSTOWN EX
(SR0056 SEG 0201/0653)
S 0500/0000 LENGTH(AH 0558 BK 0389)

INTER-AHD JOHNSTOWN EX
0250/0389 (SR0056 SEG 0191/0826)
JOHNSTOWN
0250/0355 STONYCREEK T
TR.SOLOMN RN
STRUCTURE LENGTH 9 FT
0250/0035 BMSID 11/0056/0190/1233
000459 FT 000459 FT 2 0 11012 2 09 0000+00
NC RAMP W RD
WIDMAN ST
(T693)
INTER-BK RAMP V RD
(SR8020 SEG 0500/0558)
S 0250/0000 LENGTH(AH 0389 BK 0459)

INTER-AHD RAMP T RD
(SR8020 SEG 0750/0000)
WIDMAN ST
0010/0459 (CITY)
TR.SOLOMN RN
STRUCTURE LENGTH 9 FT
0010/0400 BMSID 11/0056/0190/1233
000000 FT 000000 FT 2 0 11012 2 07 0000+00
018 "DIA CIRC CONCR
LEN=0041 INSTALLED 1988
NC RAMP U RD
INTER-BK JOHNSTOWN EX
(SR0056 SEG 0190/0829)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0459 BK 0000)

DIR: N TOTAL LEN: .385 MI. DIST: 09-3 SR: 8019
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




002034 FT
001031 FT
000000 FT

002034 FT
INTER-AHD SR 0219 SH
0750/1003 (SR0219 SEG 0310/0995)

018 "DIA CIRC CONCR
0750/0400 LEN=0200 INSTALLED 1998
030 "DIA CIRC CONCR
0750/0031 LEN=0050 INSTALLED 1998
001031 FT 0 0 00000 0 00 0000+00
NC RAMP R RD
TOWER RD
(T417)
INTER-BK RAMP RD
(SR8019 SEG 0010/1031)
S 0750/0000 LENGTH(AH 1003 BK 1031)

INTER-AHD RAMP RD
(SR8019 SEG 0750/0000)
TOWER RD
0010/1031 (T417)
018 "DIA CIRC CONCR
0010/0662 LEN=0065 INSTALLED 1998
018 "DIA CIRC CONCR
0010/0107 LEN=0099 INSTALLED 1998
000000 FT 0 0 00000 0 00 0000+00
NC RAMP Q RD
INTER-BK SR 0219 SH
(SR0219 SEG 0300/1484)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1031 BK 0000)

DIR: E TOTAL LEN: .339 MI. DIST: 09-3 SR: 8018
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



```
001792 FT
                    001792 FT
                    INTER-AHD  JOHNSTOWN  EX
                    0750/0958  (SR0056  SEG  0180/1882)
                               018  "DIA  CIRC  CONCR
                    0750/0741  LEN=0070  INSTALLED  1988
                    0750/0453  BMSEN  11/8018/0010/0396
                               2  0  11012  2  03  0000+00
                               JACOBY  ST.
                    0750/0410  BMSBG  11/8018/0010/0396
                               018  "DIA  CIRC  CONCR
                    0750/0377  LEN=0045  INSTALLED  1988
                               SOLOMON  RUN
                               STRUCTURE  LENGTH   34  FT
                    0750/0268  BMSID  11/8018/0010/0585
                               018  "DIA  CIRC  CONCR
                    0750/0184  LEN=0025  INSTALLED  1988
                               FROM  3016/0070  SH
                    0750/0072  (CONN)
000834 FT           000834  FT  2  0  11012  2  03  0000+00
                         NC  RAMP  C  RD
                               BEDFORD  ST
                               (SR3016  SEG  0070/3076)
                  S 0750/0000  LENGTH(AH  0958  BK  0834)

                               BEDFORD  ST
                    0010/0834  (SR3016  SEG  0070/3076)
                               TO  3016/0070  SH
                    0010/0725  (CONN)
                               018  "DIA  CIRC  CONCR
                    0010/0656  LEN=0030  INSTALLED  1988
                               SOLOMON  RUN
                               STRUCTURE  LENGTH   34  FT
                    0010/0585  BMSID  11/8018/0010/0585
                    0010/0439  BMSEN  11/8018/0010/0396
                               2  0  11012  2  05  0004+33
                               JACOBY  ST.
                    0010/0396  BMSBG  11/8018/0010/0396
000000 FT           000000  FT  2  0  11012  2  05  0181+19
                         NC  RAMP  D  RD
                    INTER-BK   JOHNSTOWN  EX
                               (SR0056  SEG  0180/1475)
                               MFC  BEGIN  =  F
                  S 0010/0000  LENGTH(AH  0834  BK  0000)
```


DIR: N TOTAL LEN: .483 MI. DIST: 09-3 SR: 8017
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T

002550 FT

FROM 4031/0165 SH
(CONN)


0250/0358

001440 FT



002550 FT
INTER-AHD JACK MURTHA HW
0250/1110 (SR0219 SEG 0545/2640)
018 "DIA CIRC CONCR
0250/0550 LEN=0040 INSTALLED 1980
018 "DIA CIRC CONCR
0250/0422 LEN=0146 INSTALLED 1980
018 "DIA CIRC CONCR
0250/0368 LEN=0094 INSTALLED 1980
024 "DIA CIRC CONCR
0250/0100 LEN=0045 INSTALLED 1980
001440 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
INTER-BK PLANK RD
(SR4031 SEG 0165/1322)
S 0250/0000 LENGTH(AH 1110 BK 1440)

000000 FT




PLANK RD
(SR4031 SEG 0165/0355)
0010/1440 (SR4031 SEG 0164/0362)
024 "DIA CIRC CONCR
0010/1326 LEN=0110 INSTALLED 1980
TO 4031/0165 SH
0010/1096 (CONN)
024 "DIA CIRC CONCR
0010/1062 LEN=0040 INSTALLED 1980
024 "DIA CIRC CONCR
0010/0716 LEN=0040 INSTALLED 1980
000000 FT 0 0 00000 0 00 0000+00
NC RAMP D RD
INTER-BK JACK MURTHA HW
(SR0219 SEG 0544/2300)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1440 BK 0000)

DIR: E TOTAL LEN: .432 MI. DIST: 09-3 SR: 8016
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

BAUMER ST
(CITY)


002279 FT
0500/1084

001195 FT



INTER-AHD BEDFORD ST
(SR3016 SEG 0051/0000)
ADAMS ST
002279 FT (SR3024 SEG 0010/0000)
0500/1084
018 "DIA CIRC CONCR
0500/0713 LEN=0065 INSTALLED 1988
018 "DIA CIRC CONCR
0500/0384 LEN=0070 INSTALLED 1988
001195 FT 2 0 11012 2 00 0000+00
NC RAMP A RD
INTER-BK JOHNSTOWN EX
(SR0056 SEG 0161/0026)
S 0500/0000 LENGTH(AH 1084 BK 1195)

000000 FT




INTER-AHD JOHNSTOWN EX
0250/1195 (SR0056 SEG 0160/0552)
0250/0962 BMSEN 11/8016/0250/0740
DALE BOROUGH
0250/0876 JOHNSTOWN C
2 0 11012 2 02 0028+14
SR 3016
0250/0740 BMSBG 11/8016/0250/0740
036 "DIA CIRC METAL
0250/0600 LEN=0140 INSTALLED 1988
018 "DIA CIRC CONCR
0250/0180 LEN=0140 INSTALLED 1988
018 "DIA CIRC CONCR
0250/0170 LEN=0135 INSTALLED 1988
SR 0056 EBL
0250/0097 OP ID 11/0056/0150/0000
000000 FT 0 0 00000 0 00 0000+00
NC RAMP B RD
INTER-BK BEDFORD ST
(SR3016 SEG 0050/0282)
MFC BEGIN = F
S 0250/0000 LENGTH(AH 1195 BK 0000)

DIR: N TOTAL LEN: .776 MI. DIST: 09-3 SR: 8015
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

004097 FT

003142 FT




004097 FT
INTER-AHD SR 0219 SH
0750/0955 (SR0219 SEG 0100/2128)
018 "DIA CIRC CONCR
0750/0638 LEN=0150 INSTALLED 1988
018 "DIA CIRC METAL
0750/0471 LEN=0120 INSTALLED 1988
018 "DIA CIRC CONCR
0750/0050 LEN=0550 INSTALLED 1988
003142 FT 0 0 00000 0 00 0000+00
GALLERIA DR
(SR3031 SEG 0011/0506)
(SR3031 SEG 0010/0523)

INTER-BK RAMP RD
(SR8015 SEG 0010/1563)
S 0750/0000 LENGTH(AH 0955 BK 0486)


INTER-AHD RAMP RD
(SR8015 SEG 0250/0000)
GALLERIA DR
(SR3031 SEG 0011/1371)
(SR3031 SEG 0010/1398)
0500/0486

DIR: N TOTAL LEN: .776 MI. DIST: 09-3 SR: 8015
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



		TO 3031/0010 SH
	0500/0420	(CONN)
		024 "DIA CIRC CONCR
	0500/0210	LEN=0115 INSTALLED 1988
002656 FT	002656 FT	0 0 00000 0 00 0000+00
	INTER-BK	SR 0219 SH
		(SR0219 SEG 0101/2636)
S	0500/0000	LENGTH(AH 0486 BK 1093)
	INTER-AHD	SR 0219 SH
	0250/1093	(SR0219 SEG 0101/1014)
		024 "DIA CIRC CONCR
	0250/1060	LEN=0150 INSTALLED 1988
		018 "DIA CIRC CONCR
	0250/0720	LEN=0200 INSTALLED 1988
		024 "DIA CIRC CONCR
	0250/0370	LEN=0315 INSTALLED 1988
001563 FT	001563 FT	0 0 00000 0 00 0000+00
		GALLERIA DR
		(SR3031 SEG 0011/1371)
		(SR3031 SEG 0010/1398)
	INTER-BK	RAMP RD
		(SR8015 SEG 0500/0486)
S	0250/0000	LENGTH(AH 1093 BK 1563)
	INTER-AHD	RAMP RD
		(SR8015 SEG 0750/0000)
		GALLERIA DR
		(SR3031 SEG 0011/0506)
		(SR3031 SEG 0010/0523)
	0010/1563	
		TO 3031/0011 SH
	0010/1400	(CONN)
		018 "DIA CIRC CONCR
	0010/1167	LEN=0240 INSTALLED 1988
		018 "DIA CIRC METAL
	0010/0851	LEN=0210 INSTALLED 1988
		018 "DIA CIRC METAL
	0010/0500	LEN=0150 INSTALLED 1988
		024 "DIA CIRC CONCR
	0010/0240	LEN=0095 INSTALLED 1988
000000 FT	000000 FT	0 0 00000 0 00 0000+00
		NC RAMP RD
	INTER-BK	SR 0219 SH
		(SR0219 SEG 0090/1480)
		MFC BEGIN = F
S	0010/0000	LENGTH(AH 1563 BK 0000)

DIR: N TOTAL LEN: 1.192 MI. DIST: 09-3 SR: 8014
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T




006296 FT

005026 FT

006296 FT TUNNEL HILL ST
0260/1270 (SR4001 SEG 0020/0625)
018 "DIA CIRC METAL
0260/1189 LEN=0004 INSTALLED 1999
015 "DIA CIRC CONCR
0260/0538 LEN=0004 INSTALLED 1999
015 "DIA CIRC CONCR
0260/0537 LEN=0004 INSTALLED 1999
GALLITZIN
0260/0350 CRESSON T
005026 FT 1 0 01101 2 17 0400+00
NC RAMP C RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0431/2977)
S 0260/0000 LENGTH(AH 1270 BK 1565)

INTER-AHD WILLIAM PENN HW
0250/1565 (SR0022 SEG 0431/2008)
CRESSON
0250/0900 GALLITZIN T
018 "DIA CIRC CONCR
0250/0646 LEN=0363 INSTALLED 2001

DIR: N TOTAL LEN: 1.192 MI. DIST: 09-3 SR: 8014
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



018 "DIA CIRC CONCR
0250/0457 LEN=0030 INSTALLED 2001
FROM 4001/0020 SH
0250/0140 (CONN)
003461 FT
003461 FT 1 0 01101 2 15 0304+59
024 "DIA CIRC CONCR
LEN=0017 INSTALLED 2001
NC RAMP D RD
TUNNEL HILL ST
(SR4001 SEG 0020/0625)
S 0250/0000 LENGTH(AH 1565 BK 0230)


INTER-AHD RAMP B RD
0030/0230 (SR8014 SEG 0020/0159)
003231 FT
003231 FT 0 0 00000 0 00 0000+00
NC RAMP E RD
INTER-BK TUNNEL HILL ST
(SR4001 SEG 0010/0510)
S 0030/0000 LENGTH(AH 0230 BK 1387)

INTER-AHD WILLIAM PENN HW
0020/1387 (SR0022 SEG 0430/2826)
024 "DIA CIRC CONCR
0020/1024 LEN=0080 INSTALLED 1980
RAMP E RD
0020/0159 (SR8014 SEG 0030/0230)
001844 FT
001844 FT 1 0 01101 2 14 0179+88
NC RAMP B RD
TUNNEL HILL ST
(SR4001 SEG 0010/0344)
S 0020/0000 LENGTH(AH 1387 BK 1844)

TUNNEL HILL ST
0010/1844 (SR4001 SEG 0010/0344)


018 "DIA CIRC CONCR
0010/0188 LEN=0040 INSTALLED 1980
000000 FT
000000 FT 1 0 01101 2 12 0118+00
NC RAMP A RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0430/0940)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1844 BK 0000)

DIR: E TOTAL LEN: 1.168 MI. DIST: 09-3 SR: 8013
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



	006166 FT	
	INTER-AHD	JACK P MURTHA HW
	0750/1232	(SR0219 SEG 0464/0069)
		018 "DIA CIRC CONCR
	0750/1198	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0750/0654	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0750/0451	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0750/0246	LEN=0040 INSTALLED 1999
		FROM 1036/0011 SH
	0750/0101	(CONN)
		018 "DIA CIRC CONCR
	0750/0053	LEN=0030 INSTALLED 1999
	004934 FT	0 0 00000 0 00 0000+00
	NC	RAMP B RD
		OLD US 422
		(SR1036 SEG 0011/0189)
	INTER-BK	RAMP C RD
		(SR8013 SEG 0010/1210)
S	0750/0000	LENGTH(AH 1232 BK 2160)
	INTER-AHD	RAMP E RD
		(SR8013 SEG 0250/0000)
		BENJAMIN FRANKLIN HW
	0500/2160	(SR0422 SEG 0171/0846)
		018 "DIA CIRC CONCR
	0500/2124	LEN=0200 INSTALLED 1999
		TO 0422/0171 SH
	0500/1999	(CONN)

DIR: E TOTAL LEN: 1.168 MI. DIST: 09-3 SR: 8013
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



```
                                                018 "DIA CIRC CONCR
                                0500/1068       LEN=0500  INSTALLED 1999

                                                036 "DIA CIRC CONCR
                                0500/0104       LEN=0250  INSTALLED 1999
002774 FT                       002774 FT  0 0 00000 0 00 0000+00
                                      NC RAMP A RD
                                INTER-BK        JACK P MURTHA HW
                                                (SR0219 SEG 0465/0000)
                                S 0500/0000     LENGTH(AH 2160 BK 1564)

                                INTER-AHD       SR 0219 SH
                                0250/1564       (SR0219 SEG 0435/2832)

                                                018 "DIA CIRC CONCR
                                0250/0519       LEN=0047  INSTALLED 1999
                                                FROM 0422/0170 SH
                                0250/0192       (CONN)
                                                018 "DIA CIRC CONCR
                                0250/0163       LEN=0061  INSTALLED 1999
                                                018 "DIA CIRC CONCR
                                0250/0015       LEN=0015  INSTALLED 1999
001210 FT                       001210 FT  0 0 00000 0 00 0000+00
                                      NC RAMP E RD
                                                BENJAMIN FRANKLIN HW
                                                (SR0422 SEG 0170/0876)
                                INTER-BK        RAMP A RD
                                                (SR8013 SEG 0500/2160)
                                S 0250/0000     LENGTH(AH 1564 BK 1210)


                                INTER-AHD       RAMP B RD
                                                (SR8013 SEG 0750/0000)
                                                OLD US 422 SH
                                0010/1210       (SR1036 SEG 0010/0181)
                                                TO 1036/0010 SH
                                0010/1130       (CONN)
                                                018 "DIA CIRC CONCR
                                0010/1109       LEN=0127  INSTALLED 1999

000000 FT                       000000 FT  0 0 00000 0 00 0000+00
                                      NC RAMP C RD
                                INTER-BK        SR 0219 SH
                                                (SR0219 SEG 0434/2831)
                                                MFC BEGIN = F
                                S 0010/0000     LENGTH(AH 1210 BK 0000)
```

DIR: S TOTAL LEN: .847 MI. DIST: 09-3 SR: 8012
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T

004470 FT


003511 FT



004470 FT
INTER-AHD WILLIAM PENN HW
0750/0959 (SR0022 SEG 0400/1021)
018 "DIA CIRC CONCR
0750/0823 LEN=0045 INSTALLED 1980

003511 FT 1 0 01101 2 09 0202+00
NC RAMP G RD
ADMIRAL PEARY HW
(SR2014 SEG 0170/0454)
(SR2014 SEG 0171/0456)

DIR: S TOTAL LEN: .847 MI. DIST: 09-3 SR: 8012
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



INTER-BK RAMP L RD
(SR8012 SEG 0010/1543)
S 0750/0000 LENGTH(AH 0959 BK 0987)

INTER-AHD RAMP K RD
(SR8012 SEG 0250/0000)
ADMIRAL PEARY HW
0500/0987 (SR2014 SEG 0161/1050)

002524 FT
002524 FT 1 0 01101 2 10 0300+00
NC RAMP H RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0401/0892)
S 0500/0000 LENGTH(AH 0987 BK 0981)


INTER-AHD WILLIAM PENN HW
0250/0981 (SR0022 SEG 0391/1500)
018 "DIA CIRC CONCR
0250/0809 LEN=0020 INSTALLED 1980

001543 FT
001543 FT 1 0 01101 2 11 0404+20
NC RAMP K RD
ADMIRAL PEARY HW
(SR2014 SEG 0161/1012)
(SR2014 SEG 0160/1046)
INTER-BK RAMP H RD
(SR8012 SEG 0500/0987)
S 0250/0000 LENGTH(AH 0981 BK 1543)

INTER-AHD RAMP G RD
(SR8012 SEG 0750/0000)
ADMIRAL PEARY HW
(SR2014 SEG 0171/0456)
0010/1543 (SR2014 SEG 0170/0454)
018 "DIA CIRC CONCR
0010/1014 LEN=0040 INSTALLED 1980
018 "DIA CIRC CONCR
0010/0560 LEN=0040 INSTALLED 1980
018 "DIA CIRC CONCR
0010/0099 LEN=0040 INSTALLED 1980

000000 FT
000000 FT 1 0 01101 2 08 0100+00
NC RAMP L RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0390/1138)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1543 BK 0000)

DIR: S TOTAL LEN: 2.059 MI. DIST: 09-3 SR: 8011
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




010869 FT
009251 FT

010869 FT
INTER-AHD WILLIAM PENN HW
0760/1618 (SR0022 SEG 0170/2752)
036 "DIA CIRC CONCR
0760/1380 LEN=0175 INSTALLED 1999
015 "DIA CIRC CONCR
0760/1126 LEN=0035 INSTALLED 1999
015 "DIA CIRC CONCR
0760/0882 LEN=0035 INSTALLED 1999
015 "DIA CIRC CONCR
0760/0618 LEN=0035 INSTALLED 1999
015 "DIA CIRC CONCR
0760/0376 LEN=0035 INSTALLED 1999
015 "DIA CIRC CONCR
0760/0178 LEN=0120 INSTALLED 1999
009251 FT 1 0 01022 2 29 0337+05
NC RAMP Y RD
INTER-BK SR 219 SH
(SR0219 SEG 0380/2331)
S 0760/0000 LENGTH(AH 1618 BK 1458)

INTER-AHD SR 0219 SH
0750/1458 (SR0219 SEG 0390/0258)
036 "DIA CIRC CONCR
0750/1138 LEN=0035 INSTALLED 1999
036 "DIA CIRC CONCR
0750/0898 LEN=0035 INSTALLED 1999
036 "DIA CIRC CONCR

DIR: S TOTAL LEN: 2.059 MI. DIST: 09-3 SR: 8011
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



0750/0652 LEN=0035 INSTALLED 1999
036 "DIA CIRC CONCR
0750/0411 LEN=0100 INSTALLED 1999
036 "DIA CIRC CONCR
0750/0321 LEN=0201 INSTALLED 1999
007793 FT 007793 FT 1 0 01022 2 30 0407+70
NC RAMP Z RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0170/2279)
S 0750/0000 LENGTH(AH 1458 BK 1161)

INTER-AHD SR 0219 SH
0510/1161 (SR0219 SEG 0404/0973)
024 "DIA CIRC CONCR
0510/1005 LEN=0080 INSTALLED 1999
024 "DIA CIRC CONCR
0510/0376 LEN=0083 INSTALLED 1999
006632 FT 006632 FT 1 0 01022 2 28 0200+00
NC RAMP W RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0171/2896)
S 0510/0000 LENGTH(AH 1161 BK 0978)


INTER-AHD WILLIAM PENN HW
0500/0978 (SR0022 SEG 0171/2471)

005654 FT 005654 FT 1 0 01022 2 27 0128+61
NC RAMP X RD
INTER-BK SR 0219 SH
(SR0219 SEG 0404/0373)
S 0500/0000 LENGTH(AH 0978 BK 1713)


INTER-AHD SR 0219 SH
0260/1713 (SR0219 SEG 0405/0560)

042 "DIA CIRC CONCR
0260/0188 LEN=0175 INSTALLED 1999
003941 FT 003941 FT 1 0 01022 2 33 0700+00
NC RAMP V RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0171/1334)
S 0260/0000 LENGTH(AH 1713 BK 1893)


DIR: S TOTAL LEN: 2.059 MI. DIST: 09-3 SR: 8011
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



```
                INTER-AHD  WILLIAM PENN HW
                0250/1893  (SR0022 SEG 0171/0798)
                           024 "DIA CIRC CONCR
                0250/1675  LEN=0120 INSTALLED 1999
                           024 "DIA CIRC CONCR
                0250/1462  LEN=0100 INSTALLED 1999
                           024 "DIA CIRC CONCR
                0250/1157  LEN=0075 INSTALLED 1999
                           024 "DIA CIRC CONCR
                0250/0865  LEN=0060 INSTALLED 1999
                           024 "DIA CIRC CONCR
                0250/0567  LEN=0060 INSTALLED 1999
                           036 "DIA CIRC CONCR
                0250/0404  LEN=0300 INSTALLED 1999
                           015 "DIA CIRC CONCR
                0250/0215  LEN=0090 INSTALLED 1999
002048 FT       002048 FT  1 0 01022 2 34 0824+94
                     NC RAMP U RD
                INTER-BK   SR 0219 SH
                           (SR0219 SEG 0415/0000)
              S 0250/0000  LENGTH(AH 1893 BK 0897)
```




```
                INTER-AHD  WILLIAM PENN HW
                0020/0897  (SR0022 SEG 0170/1148)
                           036 "DIA CIRC CONCR
                0020/0587  LEN=0090 INSTALLED 1999
001151 FT       001151 FT  1 0 01022 2 32 0618+32
                     NC RAMP T RD
                INTER-BK   SR 219 SH
                           (SR0219 SEG 0391/0260)
              S 0020/0000  LENGTH(AH 0897 BK 1151)
```



```
                INTER-AHD  SR 219 SH
                0010/1151  (SR0219 SEG 0381/2274)
                           024 "DIA CIRC CONCR
                0010/0731  LEN=0040 INSTALLED 1999
                           036 "DIA CIRC CONCR
                0010/0577  LEN=0060 INSTALLED 1999
                           024 "DIA CIRC CONCR
                0010/0012  LEN=0200 INSTALLED 1999
000000 FT       000000 FT  1 0 01022 2 31 0500+00
                     NC RAMP S RD
                INTER-BK   WILLIAM PENN HWY
                           (SR0022 SEG 0170/0680)
                           MFC BEGIN = F
              S 0010/0000  LENGTH(AH 1151 BK 0000)
```

DIR: W TOTAL LEN: 1.189 MI. DIST: 09-3 SR: 8010
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



006276 FT


004563 FT

006276 FT
INTER-AHD WILLIAM PENN HW
0760/1713 (SR0022 SEG 0360/1403)
018 "DIA CIRC CONCR
0760/1236 LEN=0250 INSTALLED 1988

018 "DIA CIRC CONCR
0760/0227 LEN=0040 INSTALLED 1988
FROM 0053/0274 SH
0760/0120 (CONN)
018 "DIA CIRC CONCR
0760/0045 LEN=0045 INSTALLED 1988
004563 FT 1 0 01101 2 07 0299+50
018 "DIA CIRC CONCR
LEN=0056 INSTALLED 1988
NC RAMP A RD
SR 0053 SH
(SR0053 SEG 0275/1296)
(SR0053 SEG 0274/1306)
S 0760/0000 LENGTH(AH 1713 BK 1572)

018 "DIA CIRC CONCR
LEN=0030 INSTALLED 1988
SR 0053 SH
(SR0053 SEG 0275/1296)
0750/1572 (SR0053 SEG 0274/1306)
018 "DIA CIRC CONCR

DIR: W TOTAL LEN: 1.189 MI. DIST: 09-3 SR: 8010
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



0750/1464 LEN=0030 INSTALLED 1988
018 "DIA CIRC METAL
0750/1388 LEN=0065 INSTALLED 1988
TO 0053/0274 SH
0750/1304 (CONN)
018 "DIA CIRC CONCR
0750/1153 LEN=0040 INSTALLED 1988
018 "DIA CIRC METAL
0750/0523 LEN=0128 INSTALLED 1988
018 "DIA CIRC CONCR
0750/0385 LEN=0065 INSTALLED 1988
018 "DIA CIRC CONCR
0750/0030 LEN=0040 INSTALLED 1988

002991 FT
002991 FT 1 0 01101 2 04 0131+85
NC RAMP B RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0360/0204)
S 0750/0000 LENGTH(AH 1572 BK 1676)

SR 0053 SH
(SR0053 SEG 0281/0923)
0500/1676 (SR0053 SEG 0280/0936)
024 "DIA CIRC CONCR
0500/1535 LEN=0120 INSTALLED 1988

001315 FT
001315 FT 1 0 01101 2 06 0014+70
NC RAMP F RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0361/1571)
S 0500/0000 LENGTH(AH 1676 BK 1315)


INTER-AHD WILLIAM PENN HW
0250/1315 (SR0022 SEG 0351/3176)

FROM 0053/0280 SH
(CONN)
0250/0495

024 "DIA CIRC METAL
0250/0074 LEN=0200 INSTALLED 1988
000000 FT
000000 FT 1 0 01101 2 05 0109+42
NC RAMP E RD
INTER-BK SR 0053 SH
(SR0053 SEG 0281/1383)
MFC BEGIN = F
S 0250/0000 LENGTH(AH 1315 BK 0000)

DIR: N TOTAL LEN: .792 MI. DIST: 09-3 SR: 8009
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T


004184 FT



003243 FT

004184 FT RAILROAD ST
0260/0941 (SR3024 SEG 0250/0967)
036 "DIA CIRC METAL
0260/0684 LEN=0075 INSTALLED 1998
018 "DIA CIRC CONCR
0260/0261 LEN=0050 INSTALLED 1998
003243 FT 1 0 01022 2 24 0223+43

DIR: N TOTAL LEN: .792 MI. DIST: 09-3 SR: 8009
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1998
NC RAMP F RD
INTER-BK SR 0219 SH
(SR0219 SEG 0241/1322)
S 0260/0000 LENGTH(AH 0941 BK 0923)

INTER-AHD SR 0219 SH
0250/0923 (SR0219 SEG 0241/0932)
036 "DIA CIRC CONCR
0250/0395 LEN=0200 INSTALLED 1998
002320 FT 002320 FT 0 0 00000 0 00 0000+00
NC RAMP E RD
RAILROAD ST
(SR3024 SEG 0250/0967)
S 0250/0000 LENGTH(AH 0923 BK 1124)


INTER-AHD SR 0219 SH
0020/1124 (SR0219 SEG 0240/1297)
030 "DIA CIRC CONCR
0020/0955 LEN=0999 INSTALLED 1998
018 "DIA CIRC CONCR
0020/0522 LEN=0999 INSTALLED 1998
018 "DIA CIRC CONCR
0020/0341 LEN=0050 INSTALLED 1998
001196 FT 001196 FT 0 0 00000 0 00 0000+00
NC RAMP H RD
RAILROAD ST
(SR0053 SEG 0010/0232)
(SR0053 SEG 0011/0212)
S 0020/0000 LENGTH(AH 1124 BK 1196)

RAILROAD ST
(SR0053 SEG 0010/0232)
0010/1196 (SR0053 SEG 0011/0212)
018 "DIA CIRC CONCR
0010/0879 LEN=0045 INSTALLED 1998
018 "DIA CIRC METAL
0010/0643 LEN=0045 INSTALLED 1998
030 "DIA CIRC METAL
0010/0118 LEN=0100 INSTALLED 1998
000000 FT 000000 FT 0 0 00000 0 00 0000+00
NC RAMP G RD
INTER-BK SR 0219 SH
(SR0219 SEG 0240/0870)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1196 BK 0000)

DIR: W TOTAL LEN: .903 MI. DIST: 09-3 SR: 8008
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T


004770 FT

003855 FT



004770 FT
INTER-AHD WILLIAM PENN HIGHWAY
0750/0915 (SR0022 SEG 0290/0868)
036 "DIA CIRC CONCR
0750/0743 LEN=0200 INSTALLED 1999
036 "DIA CIRC CONCR
0750/0532 LEN=0200 INSTALLED 1999
003855 FT 0 0 00000 0 00 0000+00
NC RAMP F RD
MUNSTER RD
(SR0164 SEG 0014/0386)
(SR0164 SEG 0015/0386)
INTER-BK RAMP E RD

DIR: W TOTAL LEN: .903 MI. DIST: 09-3 SR: 8008
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



(SR8008 SEG 0010/1742)
S 0750/0000 LENGTH(AH 0915 BK 0878)

INTER-AHD RAMP H RD
(SR8008 SEG 0250/0000)
MUNSTER RD
(SR1003 SEG 0003/0165)
0500/0878 (SR1003 SEG 0002/0166)


036 "DIA CIRC CONCR
0500/0272 LEN=0200 INSTALLED 1999
002977 FT 002977 FT 0 0 00000 0 00 0000+00
NC RAMP G RD
INTER-BK WILLIAM PENN HWY
(SR0022 SEG 0291/0884)
S 0500/0000 LENGTH(AH 0878 BK 1235)

INTER-AHD WILLIAM PENN HIGHWAY
0250/1235 (SR0022 SEG 0281/1521)
024 "DIA CIRC CONCR
0250/1150 LEN=0042 INSTALLED 1999
024 "DIA CIRC CONCR
0250/0587 LEN=0080 INSTALLED 1999
001742 FT 001742 FT 0 0 00000 0 00 0000+00
NC RAMP H RD
MUNSTER RD
(SR1003 SEG 0003/0165)
(SR1003 SEG 0002/0166)
INTER-BK RAMP G RD
(SR8008 SEG 0500/0878)
S 0250/0000 LENGTH(AH 1235 BK 1742)

INTER-AHD RAMP F RD
(SR8008 SEG 0750/0000)
MUNSTER RD
(SR0164 SEG 0014/0386)
0010/1742 (SR0164 SEG 0015/0386)
024 "DIA CIRC CONCR
0010/1187 LEN=0075 INSTALLED 1999
024 "DIA CIRC CONCR
0010/0594 LEN=0075 INSTALLED 1999
000000 FT 000000 FT 0 0 00000 0 00 0000+00
NC RAMP E RD
INTER-BK WILLIAM PENN HWY
(SR0022 SEG 0280/1028)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1742 BK 0000)


DIR: E TOTAL LEN: .595 MI. DIST: 09-3 SR: 8007
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T

003142 FT



003142 FT LOCUST ST
(SR3048 SEG 0011/1070)
0500/0855 (SR3048 SEG 0010/0791)
024 "DIA CIRC CONCR
0500/0800 LEN=0090 INSTALLED 1988
TO 3048/0011 SH
0500/0720 (CONN)
024 "DIA CIRC METAL

DIR: E TOTAL LEN: .595 MI. DIST: 09-3 SR: 8007
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



0500/0600 LEN=0050 INSTALLED 1988

002287 FT
002287 FT 0 0 00000 0 00 0000+00
NC RAMP B RD
INTER-BK SR 0219 SH
(SR0219 SEG 0201/1173)
S 0500/0000 LENGTH(AH 0855 BK 0832)

INTER-AHD SR 0219 SH
0250/0832 (SR0219 SEG 0191/1770)
018 "DIA CIRC METAL
0250/0600 LEN=0170 INSTALLED 1988

FROM 3048/0011 SH
(CONN) 0250/0223

024 "DIA CIRC METAL
0250/0020 LEN=0090 INSTALLED 1988
001455 FT
001455 FT 0 0 00000 0 00 0000+00
NC RAMP A RD
INTER-BK LOCUST ST
(SR3048 SEG 0010/0862)
S 0250/0000 LENGTH(AH 0832 BK 0653)


INTER-AHD SR 0219 SH
0020/0653 (SR0219 SEG 0190/2028)
FROM 0869/0020 SH
0020/0150 (CONN)
000802 FT
000802 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
LOCUST ST
(SR0869 SEG 0021/0690)
(SR0869 SEG 0020/0645)
S 0020/0000 LENGTH(AH 0653 BK 0802)

LOCUST ST
(SR0869 SEG 0021/0690)
0010/0802 (SR0869 SEG 0020/0645)
TO 0869/0020 SH
0010/0730 (CONN)

024 "DIA CIRC CONCR
0010/0115 LEN=0105 INSTALLED 1988
000000 FT
000000 FT 0 0 00000 0 00 0000+00
NC RAMP D RD
INTER-BK SR 0219 SH
(SR0219 SEG 0190/1269)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0802 BK 0000)

DIR: W TOTAL LEN: .615 MI. DIST: 09-3 SR: 8006
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T


003247 FT



002574 FT

003247 FT
INTER-AHD WILLIAM PENN HW
0760/0673 (SR0022 SEG 0230/1091)
018 "DIA CIRC CONCR
0760/0567 LEN=0050 INSTALLED 1988
FROM 2014/0011 SH
0760/0124 (CONN)
064 "DIA CIRC CONCR
0760/0035 LEN=0035 INSTALLED 1988
018 "DIA CIRC CONCR
0760/0026 LEN=0026 INSTALLED 1988
002574 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
ADMIRAL PEARY HW

DIR: W TOTAL LEN: .615 MI. DIST: 09-3 SR: 8006
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




(SR2014 SEG 0010/0756)
S 0760/0000 LENGTH(AH 0673 BK 0375)

ADMIRAL PEARY HW
0750/0375 (SR2014 SEG 0010/0709)
064 "DIA CIRC CONCR
0750/0300 LEN=0250 INSTALLED 1988
TO 2014/0011 SH
0750/0219 (CONN)
036 "DIA CIRC CONCR
0750/0086 LEN=0175 INSTALLED 1988
002199 FT 002199 FT 0 0 00000 0 00 0000+00
NC RAMP B RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0230/0495)
S 0750/0000 LENGTH(AH 0375 BK 1624)

INTER-AHD ROWENA DR
0500/1624 (SR1036 SEG 0071/0234)
TO 1036/0071 SH
(CONN) 0500/1320
018 "DIA CIRC CONCR
0500/0860 LEN=0200 INSTALLED 1988
018 "DIA CIRC CONCR
0500/0556 LEN=0040 INSTALLED 1988
072 "DIA CIRC CONCR
0500/0051 LEN=0300 INSTALLED 1988
000575 FT 000575 FT 0 0 00000 0 00 0000+00
NC RAMP D RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0231/1275)
S 0500/0000 LENGTH(AH 1624 BK 0575)

INTER-AHD WILLIAM PENN HW
0250/0575 (SR0022 SEG 0221/1430)
036 "DIA CIRC CONCR
0250/0475 LEN=0075 INSTALLED 1988
FROM 1036/0070 SH
(CONN) 0250/0385
018 "DIA CIRC CONCR
0250/0220 LEN=0125 INSTALLED 1988
000000 FT 000000 FT 0 0 00000 0 00 0000+00
NC RAMP A RD
INTER-BK ROWENA DR
(SR1036 SEG 0060/1183)
MFC BEGIN = F
S 0250/0000 LENGTH(AH 0575 BK 0000)

DIR: W TOTAL LEN: .566 MI. DIST: 09-3 SR: 8005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



002989 FT
002989 FT
INTER-AHD JOHNSTOWN EX
0500/0484 (SR0056 SEG 0271/0162)
002505 FT 002505 FT 0 0 00000 0 00 0000+00
NC RAMP L RD
INTER-BK SR 0219 SH
(SR0219 SEG 0091/0264)
S 0500/0000 LENGTH(AH 0484 BK 0392)


INTER-AHD SR 0219 SH
0250/0392 (SR0219 SEG 0081/2835)
002113 FT 002113 FT 0 0 00000 0 00 0000+00
NC RAMP K RD
INTER-BK JOHNSTOWN EX
(SR0056 SEG 0270/0498)
S 0250/0000 LENGTH(AH 0392 BK 0945)

INTER-AHD SR 0219 SH
0020/0945 (SR0219 SEG 0080/2715)
018 "DIA CIRC CONCR
0020/0740 LEN=0060 INSTALLED 1988
018 "DIA CIRC CONCR
0020/0560 LEN=0040 INSTALLED 1988
048 "DIA CIRC CONCR
0020/0481 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR
0020/0390 LEN=0050 INSTALLED 1988
001168 FT 001168 FT 0 0 00000 0 00 0000+00
NC RAMP N RD
INTER-BK JOHNSTOWN EX
(SR0056 SEG 0270/0931)
S 0020/0000 LENGTH(AH 0945 BK 1168)

INTER-AHD JOHNSTOWN EX
0010/1168 (SR0056 SEG 0271/0695)
048 "DIA CIRC CONCR
0010/0650 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR
0010/0304 LEN=0060 INSTALLED 1988
000000 FT 000000 FT 0 0 00000 0 00 0000+00
018 "DIA CIRC CONCR
LEN=0304 INSTALLED 1988
NC RAMP M RD
INTER-BK SR 0219 SH
(SR0219 SEG 0080/2276)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1168 BK 0000)


DIR: N TOTAL LEN: .845 MI. DIST: 09-3 SR: 8004
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

004459 FT



004459 FT
INTER-AHD WILLIAM PENN HWY
0260/1688 (SR0022 SEG 0190/2246)
024 "DIA CIRC CONCR
0260/1321 LEN=0075 INSTALLED 1988
018 "DIA CIRC CONCR
0260/1117 LEN=0030 INSTALLED 1988
036 "DIA CIRC CONCR

DIR: N TOTAL LEN: .845 MI. DIST: 09-3 SR: 8004
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



0260/0740 LEN=0045 INSTALLED 1988
SR 0022 EBL
0260/0702 OP ID 11/0022/0190/2749
018 "DIA CIRC CONCR
0260/0537 LEN=0025 INSTALLED 1988
RAMP C RD
0260/0284 (SR8004 SEG 0250/0000)
002771 FT 002771 FT 0 0 00000 0 00 0000+00
NC RAMP B RD
DISHART RD
(T603)
JAMESWAY RD
(T601)
INTER-BK HIGH ST
(SR4031 SEG 0010/0000)
S 0260/0000 LENGTH(AH 1688 BK 0740)

INTER-AHD WILLIAM PENN HWY
0250/0740 (SR0022 SEG 0191/2369)
018 "DIA CIRC CONCR
0250/0486 LEN=0070 INSTALLED 1988
002031 FT 002031 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
INTER-BK RAMP B RD
(SR8004 SEG 0260/0284)
S 0250/0000 LENGTH(AH 0740 BK 2031)

INTER-AHD HIGH ST
(SR4031 SEG 0010/0000)
JAMESWAY RD
(T601)
DISHART RD
0010/2031 (T603)


SR 0022 EBL
0010/1366 OP ID 11/0022/0190/2749
018 "DIA CIRC CONCR
0010/1201 LEN=0040 INSTALLED 1988

018 "DIA CIRC CONCR
0010/0098 LEN=0050 INSTALLED 1988
000000 FT 000000 FT 0 0 00000 0 00 0000+00
NC RAMP A RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0190/1605)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 2031 BK 0000)

DIR: E TOTAL LEN: .450 MI. DIST: 09-3 SR: 8003
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

002377 FT

001954 FT




002377 FT
INTER-AHD SR 0219 SH
0750/0423 (SR0219 SEG 0070/0470)
001954 FT 0 0 00000 0 00 0000+00
NC RAMP H RD
ELTON RD
(SR0756 SEG 0121/0418)
(SR0756 SEG 0120/0399)

INTER-BK RAMP J RD
(SR8003 SEG 0010/0390)
S 0750/0000 LENGTH(AH 0423 BK 0845)

INTER-AHD RAMP F RD
(SR8003 SEG 0250/0000)

DIR: E TOTAL LEN: .450 MI. DIST: 09-3 SR: 8003
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T




ELTON RD
(SR0756 SEG 0121/0000)
(SR0756 SEG 0120/0000)
0500/0845
015 "DIA CIRC CONCR
0500/0640 LEN=0080 INSTALLED 1980
SIGN: 3 CHORD TRUSS
0500/0562 BMSID 11/8003/0500/0562
015 "DIA CIRC CONCR
0500/0320 LEN=0080 INSTALLED 1980
015 "DIA CIRC CONCR
0500/0030 LEN=0080 INSTALLED 1980
001109 FT 001109 FT 0 0 00000 0 00 0000+00
NC RAMP G RD
INTER-BK SR 0219 SH
(SR0219 SEG 0071/1008)
S 0500/0000 LENGTH(AH 0845 BK 0719)

INTER-AHD SR 0219 SH
0250/0719 (SR0219 SEG 0061/2485)
015 "DIA CIRC CONCR
0250/0150 LEN=0070 INSTALLED 1980
015 "DIA CIRC CONCR
0250/0040 LEN=0045 INSTALLED 1980
000390 FT 000390 FT 0 0 00000 0 00 0000+00
NC RAMP F RD
ELTON RD
(SR0756 SEG 0121/0000)
(SR0756 SEG 0120/0000)

INTER-BK RAMP G RD
(SR8003 SEG 0500/0845)
S 0250/0000 LENGTH(AH 0719 BK 0390)

INTER-AHD RAMP H RD
(SR8003 SEG 0750/0000)
ELTON RD
(SR0756 SEG 0121/0418)
(SR0756 SEG 0120/0399)
0010/0390
018 "DIA CIRC CONCR
0010/0290 LEN=0060 INSTALLED 1980
000000 FT 000000 FT 0 0 00000 0 00 0000+00
NC RAMP J RD
INTER-BK SR 0219 SH
(SR0219 SEG 0060/2807)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0390 BK 0000)


DIR: S TOTAL LEN: .541 MI. DIST: 09-3 SR: 8002
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




002858 FT
002858 FT
INTER-AHD WILLIAM PENN HW
0750/0850 (SR0022 SEG 0110/0831)
FROM 0271/0460 SH
0750/0092 (CONN)
002008 FT
002008 FT 0 0 00000 0 00 0000+00
018 "DIA CIRC METAL
LEN=0015 INSTALLED 2001
NC RAMP D RD
WILLIAM PENN BL
(SR0271 SEG 0460/0855)
INTER-BK RAMP C RD
(SR8002 SEG 0010/0486)
S 0750/0000 LENGTH(AH 0850 BK 0232)

INTER-AHD RAMP A RD
0270/0232 (SR8002 SEG 0250/0195)
018 "DIA CIRC CONCR
0270/0148 LEN=0055 INSTALLED 2001
015 "DIA CIRC CONCR
0270/0030 LEN=0060 INSTALLED 2001
001776 FT
001776 FT 0 0 00000 0 00 0000+00
NC LEG ONE RD
INTER-BK WILLIAM PENN BL
(SR0271 SEG 0471/0561)
S 0270/0000 LENGTH(AH 0232 BK 0620)


DIR: S TOTAL LEN: .541 MI. DIST: 09-3 SR: 8002
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



INTER-AHD PACE ST
(PRDR)
WILLIAM PENN BL
(SR0271 SEG 0471/0382)
0260/0620
TO 0271/0471 SH
0260/0522 (CONN)
018 "DIA CIRC CONCR
0260/0024 LEN=0060 INSTALLED 2001
001156 FT 001156 FT 0 0 00000 0 00 0000+00
NC RAMP B RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0101/2471)
S 0260/0000 LENGTH(AH 0620 BK 0670)




INTER-AHD WILLIAM PENN HW
0250/0670 (SR0022 SEG 0101/2272)
018 "DIA CIRC CONCR
0250/0610 LEN=0200 INSTALLED 2001
018 "DIA CIRC CONCR
0250/0489 LEN=0045 INSTALLED 2001
RAMP RD
0250/0195 (SR8002 SEG 0270/0232)
000486 FT 000486 FT 0 0 00000 0 00 0000+00
NC RAMP A RD
WILLIAM PENN BL
(SR0271 SEG 0471/0382)
INTER-BK PACE ST
(PRDR)
S 0250/0000 LENGTH(AH 0670 BK 0486)



INTER-AHD RAMP D RD
(SR8002 SEG 0750/0000)
WILLIAM PENN BL
0010/0486 (SR0271 SEG 0461/0850)
024 "DIA CIRC METAL
0010/0462 LEN=0068 INSTALLED 2001
TO 0271/0461 SH
0010/0340 (CONN)
000000 FT 000000 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0100/2338)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0486 BK 0000)

DIR: S TOTAL LEN: .983 MI. DIST: 09-3 SR: 8001
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



005189 FT

005018 FT

004016 FT


005189 FT
INTER-AHD RAMP D RD
0770/0171 (SR8001 SEG 0760/0155)
018 "DIA CIRC CONCR
0770/0060 LEN=0120 INSTALLED 1980
005018 FT 0 0 00000 0 00 0000+00
NC RAMP E RD
INTER-BK SCALP AV
(SR0056 SEG 0301/0467)
S 0770/0000 LENGTH(AH 0171 BK 1002)

INTER-AHD SR 0219 SH
0760/1002 (SR0219 SEG 0060/0074)
015 "DIA CIRC CONCR
0760/0925 LEN=0150 INSTALLED 1980
015 "DIA CIRC CONCR
0760/0570 LEN=0050 INSTALLED 1980
015 "DIA CIRC CONCR
0760/0360 LEN=0080 INSTALLED 1980
RAMP E RD
0760/0155 (SR8001 SEG 0770/0171)
004016 FT 0 0 00000 0 00 0000+00
NC RAMP D RD
SCALP AV
(SR0056 SEG 0301/0330)
(SR0056 SEG 0300/0321)

INTER-BK DWIGHT DR
(T706)
S 0760/0000 LENGTH(AH 1002 BK 0823)

INTER-AHD DWIGHT DR
(T706)
SCALP AV

DIR: S TOTAL LEN: .983 MI. DIST: 09-3 SR: 8001
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



(SR0056 SEG 0301/0330)
(SR0056 SEG 0300/0321)
0750/0823
TO 0056/0301 SH
0750/0688 (CONN)

003193 FT
003193 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
INTER-BK SR 0219 SH
(SR0219 SEG 0050/0570)
S 0750/0000 LENGTH(AH 0823 BK 1005)

INTER-AHD SCALP AV
0500/1005 (SR3016 SEG 0141/1270)

002188 FT
002188 FT 0 0 00000 0 00 0000+00
NC RAMP F RD
INTER-BK SR 0219 SH
(SR0219 SEG 0061/0266)
S 0500/0000 LENGTH(AH 1005 BK 1008)


INTER-AHD SCALP AV
0260/1008 (SR3016 SEG 0140/1322)
015 "DIA CIRC CONCR
0260/0925 LEN=0150 INSTALLED 1980

001180 FT
001180 FT 0 0 00000 0 00 0000+00
NC RAMP B RD
INTER-BK SR 0219 SH
(SR0219 SEG 0041/3392)
S 0260/0000 LENGTH(AH 1008 BK 1180)

INTER-AHD SR 0219 SH
0250/1180 (SR0219 SEG 0041/2981)
015 "DIA CIRC CONCR
0250/0623 LEN=0150 INSTALLED 1980
FROM 3016/0140 SH
0250/0090 (CONN)


000000 FT
000000 FT 0 0 00000 0 00 0000+00
NC RAMP A RD
SCALP AV
(SR3016 SEG 0141/1279)
(SR3016 SEG 0140/1264)
MFC BEGIN = F
S 0250/0000 LENGTH(AH 1180 BK 0000)

DIR: B TOTAL LEN: 3.261 MI. DIST: 09-3 SR: 4033
LEFT MUN: BARR T RIGHT MUN: BARR T



017217 FT		017217 FT SNAKE RD
	0060/2327	(SR4002 SEG 0070/2143)
		018 "DIA CIRC CONCR
	0060/2160	LEN=0045 INSTALLED UNKN
		BARR
	0060/1883	BLACKLICK T
		020 "DIA CIRC CONCR
	0060/1615	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/0900	LEN=0045 INSTALLED UNKN
014890 FT		014890 FT 0 0 00000 0 00 0000+00
		TR ELK CREEK
		STRUCTURE LENGTH 18 FT
		BMSID 11/4033/0060/0000
	S 0060/0000	LENGTH(AH 2327 BK 1789)
013101 FT		013101 FT 0 0 00000 0 00 0000+00
	S 0050/0000	LENGTH(AH 1789 BK 2231)
		066 "DIA CIRC CONCR
	0040/2200	LEN=0055 INSTALLED UNKN
010870 FT		010870 FT 0 0 00000 0 00 0000+00
	S 0040/0000	LENGTH(AH 2231 BK 3846)
		066 "DIA CIRC CONCR
	0030/3660	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 3.261 MI. DIST: 09-3 SR: 4033
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



007024 FT

007024 FT 0 0 00000 0 00 0000+00
TR ELK CREEK
STRUCTURE LENGTH 15 FT
BMSID 11/4033/0030/0000
S 0030/0000 LENGTH(AH 3846 BK 3299)

BETHEL RD
(T474)

0020/3246

SCOUT DAM RD
0020/2604 (T473)

018 "DIA CIRC CONCR
0020/1970 LEN=0075 INSTALLED UNKN

003725 FT

003725 FT 0 0 00000 0 00 0000+00
S BETHEL RD
(T475)
S 0020/0000 LENGTH(AH 3299 BK 3725)
060 "DIA CIRC CONCR
0010/3180 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/2660 LEN=0050 INSTALLED UNKN


036 "DIA CIRC CONCR
0010/1715 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0010/0040 LEN=0050 INSTALLED UNKN

000000 FT

000000 FT 0 0 00000 0 00 0000+00
NC REED HALL RD
BENJAMIN FRANKLIN HW
(SR0422 SEG 0090/2673)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 3725 BK 0000)

DIR: B TOTAL LEN: 6.095 MI. DIST: 09-3 SR: 4031
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



032170 FT
REF-AHD
0165/1346
PLANK RD
(SR0219 SEG 0570/0000)
0165/1322
RAMP C RD
(SR8017 SEG 0250/0000)
TO 8017/0250 SH
0165/1060
(CONN)

0165/0407
RAMP D RD
0165/0355
(SR8017 SEG 0010/1440)
FROM 8017/0010 SH
0165/0015
(CONN)
2 0 11034 0 00 0229+53
030824 FT
MFC BEGIN = D
0165/0000
LENGTH(AH 1346 BK 0449)
COURT LN
0160/0015
(PRDR)
030375 FT

032180 FT
REF-AHD
0164/1356
PLANK RD
(SR0219 SEG 0570/0000)


TO 8017/0250 SH
0164/1066
(CONN)

018 "DIA CIRC CONCR
LEN=0052 INSTALLED 1988
RAMP D RD
0164/0362
(SR8017 SEG 0010/1440)

030824 FT
2 0 11034 0 00 0229+53
MFC BEGIN = D
0164/0000
LENGTH(AH 1356 BK 0449)


030375 FT
2 0 11034 0 00 0225+10
T.LAUREL LK.
STRUCTURE LENGTH 23 FT

DIR: B TOTAL LEN: 6.095 MI. DIST: 09-3 SR: 4031
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



BMSID 11/4031/0160/0000
S 0160/0000 LENGTH(AH 0449 BK 2520)
018 "DIA CIRC CONCR
0150/1801 LEN=0058 INSTALLED 1988
015 "DIA CIRC CONCR
0150/1180 LEN=0055 INSTALLED 1988
036 "DIA CIRC CONCR
0150/0996 LEN=0125 INSTALLED 1988
018 "DIA CIRC CONCR
0150/0070 LEN=0052 INSTALLED 1988
027855 FT 027855 FT 2 0 11034 0 00 0199+53
S 0150/0000 LENGTH(AH 2520 BK 2172)
018 "DIA CIRC CONCR
0140/1789 LEN=0034 INSTALLED 1988
018 "DIA CIRC CONCR
0140/1418 LEN=0066 INSTALLED 1988
018 "DIA CIRC CONCR
0140/0930 LEN=0106 INSTALLED 1988
018 "DIA CIRC CONCR
0140/0571 LEN=0048 INSTALLED 1988
EAST CARROLL
0140/0516 CAMBRIA T
024 "DIA CIRC CONCR
0140/0189 LEN=0070 INSTALLED 1988
025683 FT 025683 FT 2 0 11034 0 00 0178+65
LEMON DROP RD
(SR1007 SEG 0120/3409)
S 0140/0000 LENGTH(AH 2172 BK 2346)
018 "DIA CIRC CONCR
0130/1386 LEN=0040 INSTALLED 1988
015 "DIA CIRC CONCR
0130/1086 LEN=0054 INSTALLED 1988
018 "DIA CIR PLASTIC
0130/0590 LEN=0092 INSTALLED 1988
023337 FT 023337 FT 2 0 11034 0 00 0155+55
S 0130/0000 LENGTH(AH 2346 BK 2439)
018 "DIA CIRC CONCR
0120/2400 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0120/2099 LEN=0056 INSTALLED 1988
024 "DIA CIRC CONCR
0120/1761 LEN=0065 INSTALLED 1988
024 "DIA CIRC CONCR
0120/1619 LEN=0065 INSTALLED 1988

DIR: B TOTAL LEN: 6.095 MI. DIST: 09-3 SR: 4031
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




FRIEND-LEA RD
(SR1002 SEG 0030/2342) 0120/1544

N.E.TRAILER CT
(PRDR) 0120/0092
020898 FT

018068 FT


0120/1438 WINTERSET RD
(SR1002 SEG 0040/0000)
018 "DIA CIRC CONCR
0120/1374 LEN=0250 INSTALLED 1988
018 "DIA CIRC CONCR
0120/1216 LEN=0070 INSTALLED 1988
018 "DIA CIRC CONCR
0120/0437 LEN=0056 INSTALLED 1988
0120/0092 (APRA) N.E.TRAILER CT
020898 FT 2 0 11034 0 00 0130+69
S 0120/0000 LENGTH(AH 2439 BK 2830)
018 "DIA CIRC METAL
0110/2813 LEN=0062 INSTALLED 1988
018 "DIA CIRC CONCR
0110/2560 LEN=0072 INSTALLED 1988
018 "DIA CIRC CONCR
0110/2109 LEN=0058 INSTALLED 1988
TR.S.BR.BL.C
STRUCTURE LENGTH 8 FT
0110/1121 BMSID 11/4031/0110/1121
018 "DIA CIRC CONCR
0110/0897 LEN=0058 INSTALLED 1988
018 "DIA CIRC CONCR
0110/0611 LEN=0050 INSTALLED 1988
024 "DIA CIRC CONCR
0110/0195 LEN=0056 INSTALLED 1988
018068 FT 2 0 11034 0 00 0102+46
I.G.A. RD
(T759)
S 0110/0000 LENGTH(AH 2830 BK 2223)
030 "DIA CIRC METAL
0100/1988 LEN=0065 INSTALLED UNKN
036 "DIA CIRC METAL
0100/1557 LEN=0070 INSTALLED UNKN
030 "DIA CIRC CONCR
0100/0943 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR
0100/0474 LEN=0064 INSTALLED UNKN
015845 FT 2 0 11034 0 00 0080+55
024 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN
NC PLANK RD
S 0100/0000 LENGTH(AH 2223 BK 2486)

DIR: B TOTAL LEN: 6.095 MI. DIST: 09-3 SR: 4031
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



		018 "DIA CIRC CONCR
		0090/1565 LEN=0064 INSTALLED UNKN
EMERALD DR (T757)	0090/1327	
		018 "DIA CIRC CONCR
		0090/1324 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0090/0881 LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0090/0626 LEN=0050 INSTALLED UNKN
	013359 FT	013359 FT 2 0 11034 0 00 0055+64
		S 0090/0000 LENGTH(AH 2486 BK 3070)
CAMBRIA EBENSBURG B	0080/2270	
		018 "DIA CIRC CONCR
		0080/1316 LEN=0076 INSTALLED UNKN
LANE RD (TWP)	0080/1255	
		018 "DIA CIRC CONCR
		0080/1040 LEN=0056 INSTALLED 1998
2 0 11034 0 00 0025+00	010289 FT	010289 FT
JULIAN ST (BORO)	0080/0000	S 0080/0000 LENGTH(AH 3070 BK 2467)
		014 "DIA CIRC CONCR
		0070/2148 LEN=0040 INSTALLED UNKN
		CAMBRIA
		0070/0857 EBENSBURG B
		BOLTON ST
		0070/0356 (BORO)
	007822 FT	007822 FT 2 0 11034 0 00 0000+00
		HIGHLAND AV
		(BORO)
HIGHLAND AV (SR4005 SEG 0010/0000)	0070/0000	S 0070/0000 LENGTH(AH 2467 BK 1026)
		MILTON ST
		0060/0790 (BORO)
		ALTON ST
		0060/0548 (BORO)
		HORNER ST

DIR: B TOTAL LEN: 6.095 MI. DIST: 09-3 SR: 4031
LEFT MUN: EBENSBURG B RIGHT MUN: EBENSBURG B



006796 FT

006160 FT


TO 1036/0030 SH
(CONN) 0040/0104
1 0 00062 0 00 0044+92 004278 FT
OLD US 422 SH
(SR1036 SEG 0030/1847) 0040/0000

PARK ST

0060/0315 (BORO)
018 "DIA CIRC CONCR
0060/0253 LEN=0030 INSTALLED UNKN
006796 FT 1 0 00062 0 01 0006+48
CRAWFORD ST
(BORO)
S 0060/0000 LENGTH(AH 1026 BK 0636)
UNION ST
0050/0486 (BORO)
SAMPLE ST
0050/0327 (BORO)
006160 FT 1 0 00062 0 01 0000+00
HIGH ST
(SR1036 SEG 0040/0000)
NC CENTER ST

CENTER ST
(SR2013 SEG 0100/0635)
MFC BEGIN = D
S 0050/0000 LENGTH(AH 0636 BK 1882)
CHERRY ST
0040/1595 (BORO)
JULIAN ST
0040/1295 (BORO)
BEECH ST
0040/0995 (BORO)
015 "DIA CIRC CONCR
0040/0990 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0040/0700 LEN=0038 INSTALLED UNKN
MARIAN ST
0040/0695 (BORO)
018 "DIA CIRC CONCR
0040/0525 LEN=0010 INSTALLED UNKN
SPRUCE ST
0040/0403 (BORO)
024 "DIA CIRC CONCR
0040/0365 LEN=0038 INSTALLED UNKN
WEST ST
0040/0104 (BORO)
004278 FT
MFC BEGIN = B
S 0040/0000 LENGTH(AH 1882 BK 1570)
018 "DIA CIRC CONCR
0030/1270 LEN=0030 INSTALLED UNKN
LLOYD ST
0030/1250 (BORO)
018 "DIA CIRC CONCR
0030/1155 LEN=0050 INSTALLED 1998

DIR: B TOTAL LEN: 6.095 MI. DIST: 09-3 SR: 4031
LEFT MUN: EBENSBURG B RIGHT MUN: EBENSBURG B



(BORO) 0030/1083

0030/1046 015 "DIA CIRC CONCR
LEN=0026 INSTALLED UNKN
HEMLOCK ST
0030/0917 (BORO)
TRIUMPH ST
0030/0772 (BORO)

018 "DIA CIR PLASTIC
0030/0127 LEN=0037 INSTALLED 2015
EBENSBURG
0030/0112 CAMBRIA T
0030/0064 BMSEN 11/4031/0030/0000
002708 FT 002708 FT 1 0 00062 0 00 0027+25
OTHER RR
BMSBG 11/4031/0030/0000
S 0030/0000 LENGTH(AH 1570 BK 1714)
NEW GERMANY RD
0020/1578 (SR0160 SEG 0500/1648)
030 "DIA CIR PLASTIC
0020/1427 LEN=0069 INSTALLED 2015

MYERS ST
(T451) 0020/1334

WOODLAND ST
(T415) 0020/0641

CEMETARY DR
0020/0483 (PRDR)
1 0 00062 0 00 0010+10 000994 FT 000994 FT
FOREST DR
(T616) 0020/0000 S 0020/0000 LENGTH(AH 1714 BK 0994)
018 "DIA CIRC CONCR
0010/0698 LEN=0040 INSTALLED UNKN

MAPLE AV
(T605) 0010/0644

BEECHWOOD DR
0010/0424 (T611)
018 "DIA CIRC CONCR
0010/0290 LEN=0050 INSTALLED UNKN
012 "DIA CIRC CONCR
0010/0008 LEN=0025 INSTALLED UNKN
000000 FT 000000 FT 1 0 00062 0 00 0000+00
VILLAGE: MYLO PARK
NC HIGH ST
DISHART RD
(T603)
INTER-BK RAMP A RD
(SR8004 SEG 0010/2031)
MFC BEGIN = D


JAMESWAY RD
(T601) 0010/0000 S 0010/0000 LENGTH(AH 0994 BK 0000)

DIR: B TOTAL LEN: 1.488 MI. DIST: 09-3 SR: 4029
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T

007856 FT

COAL LN
(T605)
GRAY ST
(T606)
HIDDEN LN
(PRDR)


0040/2494
0040/2415
0040/1872



007856 FT SHAWNA RD
0040/2596 (SR0219 SEG 0830/0737)
052 "DIA CIR PLASTIC
0040/2522 LEN=0018 INSTALLED 2006

036 "DIA CIR PLASTIC
0040/1796 LEN=0045 INSTALLED 1988
018 "DIA CIR PLASTIC
0040/1217 LEN=0038 INSTALLED 1988
015 "DIA CIRC METAL
0040/0947 LEN=0035 INSTALLED 1988
018 "DIA CIR PLASTIC
0040/0626 LEN=0043 INSTALLED 1988
024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 1.488 MI. DIST: 09-3 SR: 4029
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



			0040/0080 LEN=0038 INSTALLED 1988
	005260 FT		005260 FT 2 0 11079 0 00 0082+50
		S	0040/0000 LENGTH(AH 2596 BK 1962)
			015 "DIA CIR PLASTIC
			0030/1635 LEN=0035 INSTALLED 2002
			015 "DIA CIR PLASTIC
			0030/1512 LEN=0035 INSTALLED 2002
			015 "DIA CIRC METAL
			0030/1212 LEN=0035 INSTALLED 2002
			015 "DIA CIRC METAL
			0030/0946 LEN=0035 INSTALLED 2002
			015 "DIA CIR PLASTIC
			0030/0610 LEN=0035 INSTALLED 2002
			024 "DIA CIRC METAL
			0030/0290 LEN=0038 INSTALLED 1988
	003298 FT		003298 FT 2 0 11079 0 00 0062+93
			IRIS RD
			(T550)
		S	0030/0000 LENGTH(AH 1962 BK 3260)
			018 "DIA CIR PLASTIC
			0020/2770 LEN=0040 INSTALLED 2002
			024 "DIA CIR PLASTIC
			0020/2229 LEN=0043 INSTALLED 1988
			036 "DIA CIR PLASTIC
			0020/1630 LEN=0048 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0020/1132 LEN=0040 INSTALLED 2004
			018 "DIA CIR PLASTIC
			0020/0532 LEN=0043 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0020/0086 LEN=0042 INSTALLED 1988
2 0 11079 0 00 0030+34	000038 FT		INTER-BK MOSS CREEK RD
KEITH HOLLOW RD			(T530)
(T549)	0020/0000	S	0020/0000 LENGTH(AH 3260 BK 0513)
	000038 FT		000038 FT
			7014/0000 LENGTH(AH 0513 BK 0038)
			BMSEN 11/4029/0010/0000
		*	REF-AHD MOSS CREEK RD
			(T530)
			0010/0038 BARR T
	000000 FT		000000 FT 2 0 11079 0 00 0024+65
			NC MOSS CREEK RD
		*	REF-BK MOSS CREEK RD
			(T530)
			LONG RUN
			BMSBG 11/4029/0010/0000
		S	0010/0000 LENGTH(AH 0038 BK 2462)
	000000 FT		000000 FT
			7010/0000 LENGTH(AH 2462 BK 0000)

DIR: B TOTAL LEN: 5.097 MI. DIST: 09-3 SR: 4027
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T

SHAWNA RD
(SR0219 SEG 0870/0000)

026911 FT
0110/2987


023924 FT

OFFICE LN
(TWP)

0100/0986


021946 FT

TROY ST




026911 FT SHAWNA RD
0110/2987 (SR0219 SEG 0870/0000)
018 "DIA CIRC CONCR
0110/2370 LEN=0024 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/1844 LEN=0030 INSTALLED 2001
018 "DIA CIR PLASTIC
0110/1531 LEN=0030 INSTALLED 2001
018 "DIA CIRC CONCR
0110/1045 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0110/0236 LEN=0044 INSTALLED UNKN
023924 FT 2 0 11062 0 00 0030+06
S 0110/0000 LENGTH(AH 2987 BK 1978)
018 "DIA CIRC CONCR
0100/1839 LEN=0027 INSTALLED 2002
018 "DIA CIRC CONCR
0100/1240 LEN=0018 INSTALLED UNKN
ROSE ST
0100/1132 (T518)
LAURA ST
0100/0805 (T601)
018 "DIA CIRC CONCR
0100/0762 LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR
0100/0190 LEN=0050 INSTALLED UNKN
096"H 84"W CONC STRUCT
0100/0076 LEN=0028 INSTALLED UNKN
021946 FT 2 0 11062 0 00 0049+60
VILLAGE: EMEIGH
PAUL ST
(T601)
S 0100/0000 LENGTH(AH 1978 BK 3033)
LC FOR PAUL ST
0090/2956 (CONN)

DIR: B TOTAL LEN: 5.097 MI. DIST: 09-3 SR: 4027
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




(T558)	0090/2732	
		018 "DIA CIRC CONCR
	0090/2149	LEN=0040 INSTALLED 2002
		018 "DIA CIRC CONCR
	0090/1747	LEN=0024 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/1260	LEN=0024 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0107	LEN=0024 INSTALLED UNKN
2 0 11062 0 00 0090+90	018913 FT	018913 FT
FRANCES ST		
(T402)	0090/0000	S 0090/0000 LENGTH(AH 3033 BK 1182)
CAROL ST		
(T403)	0080/0956	
		012 "DIA CIRC CONCR
	0080/0762	LEN=0024 INSTALLED UNKN
JOAN ST		
(T404)	0080/0719	
		036 "DIA CIRC CONCR
	0080/0573	LEN=0024 INSTALLED UNKN
NANCY ST		
(T405)	0080/0503	
JULIA ST		
(T406)	0080/0240	
		015 "DIA CIRC CONCR
	0080/0110	LEN=0024 INSTALLED UNKN
2 0 11062 0 00 0102+55	017731 FT	017731 FT
HELEN ST		
(T407)	0080/0000	S 0080/0000 LENGTH(AH 1182 BK 2814)
		015 "DIA CIRC CONCR
	0070/2345	LEN=0030 INSTALLED UNKN
		012 "DIA CIRC CONCR
	0070/1865	LEN=0030 INSTALLED UNKN
		028 "DIA CIR PLASTIC
	0070/1005	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0070/0130	LEN=0030 INSTALLED 2002
	014917 FT	014917 FT 2 0 11062 0 00 0120+03
		S 0070/0000 LENGTH(AH 2814 BK 2001)
		018 "DIA CIR PLASTIC
	0060/1869	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/1597	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0060/1077	LEN=0030 INSTALLED UNKN
		030 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.097 MI. DIST: 09-3 SR: 4027
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



0060/0542 LEN=0032 INSTALLED UNKN
012916 FT 012916 FT 2 0 11062 0 00 0140+04
LION RD
(SR4025 SEG 0060/0000)
NC MAIN ST
PLATTSVILLE HILL RD
(SR4025 SEG 0060/0000)
S 0060/0000 LENGTH(AH 2001 BK 0878)
048 "DIA CIRC CONCR
0050/0705 LEN=0056 INSTALLED 2000
012038 FT 012038 FT 2 0 11087 0 02 0122+02
048 "DIA CIRC CONCR
LEN=0056 INSTALLED 2000
S 0050/0000 LENGTH(AH 0878 BK 3025)
018 "DIA CIR PLASTIC
0040/2448 LEN=0042 INSTALLED UNKN
015 "DIA CIR PLASTIC
0040/1496 LEN=0034 INSTALLED UNKN
015 "DIA CIR PLASTIC
0040/0578 LEN=0034 INSTALLED UNKN
009013 FT 009013 FT 2 0 11087 0 02 0091+60
GRACE ST
(T565)
S 0040/0000 LENGTH(AH 3025 BK 3197)
MARY ST
(T563) 0030/3173
015 "DIA CIR PLASTIC
0030/2799 LEN=0045 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/2380 LEN=0045 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/2032 LEN=0045 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/1809 LEN=0045 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/1320 LEN=0050 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/0854 LEN=0050 INSTALLED 1999
005816 FT 005816 FT 2 0 11087 0 02 0059+93
S 0030/0000 LENGTH(AH 3197 BK 3767)
015 "DIA CIRC CONCR
0020/3668 LEN=0029 INSTALLED 1988
015 "DIA CIR PLASTIC
0020/3440 LEN=0035 INSTALLED 1999


DIR: B TOTAL LEN: 5.097 MI. DIST: 09-3 SR: 4027
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



		018 "DIA CIR PLASTIC
	0020/3252	LEN=0040 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0020/3010	LEN=0035 INSTALLED 1999
		015 "DIA CIRC METAL
	0020/2771	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/2331	LEN=0038 INSTALLED 1988
		030 "DIA CIR PLASTIC
	0020/2167	LEN=0040 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0020/1925	LEN=0040 INSTALLED 1999
		015 "DIA CIRC METAL
	0020/1104	LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
	0020/0639	LEN=0032 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/0450	LEN=0032 INSTALLED 1997
	NC	DOUBLE DAM RD
		SUSQUEHANNA
	0020/0337	NORTHERN CAMBRIA B
		018 "DIA CIR PLASTIC
	0020/0107	LEN=0040 INSTALLED 1999
002049 FT	002049 FT	2 0 11087 0 01 0019+57
		IVY ST
		(BORO)
	S 0020/0000	LENGTH(AH 3767 BK 2049)
		LC FOR IVY ST
	0010/1925	(CONN)
EMPIRE AV (BORO)		
0010/1576		
		018 "DIA CIRC CONCR
	0010/0825	LEN=0033 INSTALLED UNKN
	0010/0181	BMSEN 11/4027/0010/0165
		2 0 11087 0 00 0001+72
		PORTER RUN
	0010/0165	BMSBG 11/4027/0010/0165
JONES ST (BORO)		
0010/0128		
		018 "DIA CIRC CONCR
	0010/0040	LEN=0040 INSTALLED UNKN
000000 FT	000000 FT	2 0 11087 0 00 0000+00
	NC	LAUREL ST
		PHILADELPHIA AV
		(SR0219 SEG 0800/0398)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 2049 BK 0000)


DIR: B TOTAL LEN: 5.224 MI. DIST: 09-3 SR: 4025
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T

027582 FT




027582 FT
* REF-AHD OLD SR 3017 SH
0090/2860 (TWP)
018 "DIA CIR PLASTIC
0090/2602 LEN=0035 INSTALLED 1999
018 "DIA CIR PLASTIC
0090/2121 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0090/1827 LEN=0035 INSTALLED 1999
LLOYD'S RD
0090/1770 (T575)
018 "DIA CIRC CONCR
0090/1731 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0090/1594 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0090/1402 LEN=0035 INSTALLED 1999
015 "DIA CIR PLASTIC
0090/0880 LEN=0040 INSTALLED 1999

DIR: B TOTAL LEN: 5.224 MI. DIST: 09-3 SR: 4025
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



			015 "DIA CIRC CONCR
		0090/0567	LEN=0032 INSTALLED UNKN
		0090/0008	BMSEN 11/4025/0090/0000
	024722 FT	024722 FT	2 0 11057 0 04 0093+85
			BEAVER RUN
			BMSBG 11/4025/0090/0000
		S 0090/0000	LENGTH(AH 2860 BK 3312)
			024 "DIA CIR PLASTIC
		0080/2932	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/2500	LEN=0034 INSTALLED 1999
			018 "DIA CIRC CONCR
		0080/2277	LEN=0061 INSTALLED 2002
			015 "DIA CIRC CONCR
		0080/2035	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/1670	LEN=0035 INSTALLED UNKN
			048 "DIA CIRC METAL
		0080/1248	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/0362	LEN=0032 INSTALLED UNKN
	021410 FT	021410 FT	2 0 11057 0 03 0058+36
			018 "DIA CIR PLASTIC
			LEN=0035 INSTALLED 1999
		S 0080/0000	LENGTH(AH 3312 BK 2778)
			018 "DIA CIR PLASTIC
		0070/2550	LEN=0035 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0070/2218	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0070/1761	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/1217	LEN=0026 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0929	LEN=0035 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0070/0574	LEN=0045 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0070/0281	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0143	LEN=0040 INSTALLED 1999
2 0 11057 0 02 0031+00	018632 FT	018632 FT	
SHEPHERD RD			
(T576)	0070/0000	S 0070/0000	LENGTH(AH 2778 BK 3107)
FERN ST			LEWIS RD
(T571)	0060/2652	0060/2652	(T572)
			018 "DIA CIR PLASTIC
		0060/2451	LEN=0060 INSTALLED 1998
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.224 MI. DIST: 09-3 SR: 4025
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



0060/2133 LEN=0030 INSTALLED 1998
018 "DIA CIR PLASTIC
0060/1835 LEN=0050 INSTALLED 1999
018 "DIA CIR PLASTIC
0060/1531 LEN=0015 INSTALLED 1999
018 "DIA CIR PLASTIC
0060/0714 LEN=0030 INSTALLED 1999

2 0 11057 0 00 0000+00 015525 FT
MAIN ST
(SR4027 SEG 0060/0000)
DOUBLE DAM RD
(SR4027 SEG 0060/0000) 0060/0000


015525 FT
NC LION RD
MFC BEGIN = E
S 0060/0000 LENGTH(AH 3107 BK 3381)
036 "DIA CIR METAL
0050/3062 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1400 LEN=0082 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0911 LEN=0038 INSTALLED UNKN
015 "DIA CIR PLASTIC
0050/0480 LEN=0030 INSTALLED 2001

012144 FT
012144 FT 2 0 11062 0 00 0173+83
VILLAGE: PLATTSVILLE
GRIFFITH RD
(T574)
NC PLATTSVILLE HILL RD
CARPINELLO RD
(T571)
S 0050/0000 LENGTH(AH 3381 BK 3393)
015 "DIA CIR PLASTIC
0040/3393 LEN=0060 INSTALLED 2004
018 "DIA CIRC CONCR
0040/3236 LEN=0031 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1826 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0950 LEN=0032 INSTALLED 2000

2 0 11058 0 00 0087+55 008751 FT
GRACE ST

008751 FT

DIR: B TOTAL LEN: 5.224 MI. DIST: 09-3 SR: 4025
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



(T565) 0040/0000 S 0040/0000 LENGTH(AH 3393 BK 2282)
015 "DIA CIRC METAL
0030/2030 LEN=0036 INSTALLED UNKN


018 "DIA CIRC CONCR
0030/0070 LEN=0040 INSTALLED UNKN
006469 FT 006469 FT 2 0 11058 0 00 0064+88
MURPHY SPRING RD
(SR4014 SEG 0010/0000)
MFC BEGIN = D
S 0030/0000 LENGTH(AH 2282 BK 3610)

015 "DIA CIR PLASTIC
0020/1958 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1279 LEN=0045 INSTALLED 2004
018 "DIA CIRC CONCR
0020/0995 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/0679 LEN=0040 INSTALLED 2004
036 "DIA CIRC CONCR
0020/0119 LEN=0045 INSTALLED UNKN
2 0 11058 0 00 0028+63 002859 FT 002859 FT
OLD MILLER RD
(T559) 0020/0000 S 0020/0000 LENGTH(AH 3610 BK 2859)

018 "DIA CIRC CONCR
0010/1703 LEN=0035 INSTALLED 1999


018 "DIA CIR PLASTIC
0010/0702 LEN=0040 INSTALLED 2004
018 "DIA CIR PLASTIC
0010/0481 LEN=0035 INSTALLED 2004
018 "DIA CIR PLASTIC
0010/0026 LEN=0065 INSTALLED 1998
NC RIDGE RD
MUNICIPAL RD
2 0 11058 0 00 0000+00 000000 FT 000000 FT (SR4016 SEG 0060/0990)
MUNICIPAL RD MFC BEGIN = E
(SR4016 SEG 0060/0990) 0010/0000 S 0010/0000 LENGTH(AH 2859 BK 0000)

DIR: B TOTAL LEN: 2.092 MI. DIST: 09-3 SR: 4024
LEFT MUN: CHEST T RIGHT MUN: CHEST T



011046 FT ST LAWRENCE RD
0050/2226 (SR4017 SEG 0050/0000)
018 "DIA CIR PLASTIC
0050/1866 LEN=0050 INSTALLED 1998
018 "DIA CIR PLASTIC
0050/1128 LEN=0010 INSTALLED 1998
018 "DIA CIR PLASTIC
0050/0585 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/0327 LEN=0036 INSTALLED UNKN
015 "DIA CIR PLASTIC
0050/0039 LEN=0032 INSTALLED UNKN
008820 FT 2 0 11056 0 01 0088+57
S 0050/0000 LENGTH(AH 2226 BK 2220)
015 "DIA CIRC METAL
0040/1884 LEN=0026 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/1343 LEN=0026 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/1032 LEN=0040 INSTALLED 2002
036 "DIA CIR PLASTIC
0040/0752 LEN=0056 INSTALLED UNKN


DIR: B TOTAL LEN: 2.092 MI. DIST: 09-3 SR: 4024
LEFT MUN: CHEST T RIGHT MUN: CHEST T



		015 "DIA CIRC CONCR
	0040/0253	LEN=0028 INSTALLED UNKN
006600 FT	006600 FT	2 0 11056 0 01 0066+37
S	0040/0000	LENGTH(AH 2220 BK 0676)
		018 "DIA CIRC CONCR
	0030/0557	LEN=0033 INSTALLED UNKN
	0030/0232	(AAR 506096T)#TRKS 01
	0030/0110	BMSEN 11/4024/0030/0000
		CHEST
	0030/0064	ELDER T
005924 FT	005924 FT	2 0 11056 0 00 0059+90
		VILLAGE: THOMAS MILL
		CHEST CREEK
		BMSBG 11/4024/0030/0000
S	0030/0000	LENGTH(AH 0676 BK 2389)
		THOMAS MILL RD
	0020/2260	(T536)
		018 "DIA CIR PLASTIC
	0020/1774	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1334	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0850	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0615	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0428	LEN=0032 INSTALLED UNKN
003535 FT	003535 FT	2 0 11056 0 00 0035+35
S	0020/0000	LENGTH(AH 2389 BK 3535)
		018 "DIA CIRC CONCR
	0010/3192	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/2901	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/2553	LEN=0034 INSTALLED UNKN
		030 "DIA CIRC CONCR
	0010/2285	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/1411	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/1100	LEN=0032 INSTALLED UNKN
000000 FT	000000 FT	2 0 11056 0 00 0000+00
	NC	THOMAS MILL RD
		MAIN ST
		(SR0036 SEG 0300/0475)
		MFC BEGIN = E
S	0010/0000	LENGTH(AH 3535 BK 0000)


DIR: B TOTAL LEN: 2.716 MI. DIST: 09-3 SR: 4023
LEFT MUN: ELDER T RIGHT MUN: ELDER T

MAIN ST
(SR0036 SEG 0360/0000) 014342 FT
0060/3799




014342 FT MAIN ST
0060/3799 (SR0036 SEG 0360/0000)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.716 MI. DIST: 09-3 SR: 4023
LEFT MUN: ELDER T RIGHT MUN: ELDER T



	0060/3460	LEN=0040 INSTALLED UNKN 015 "DIA CIR PLASTIC
	0060/3221	LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0060/2784	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/2552	LEN=0028 INSTALLED UNKN 018 "DIA CIRC CONCR
	0060/2454	LEN=0040 INSTALLED UNKN 024 "DIA CIRC CONCR
	0060/1893	LEN=0040 INSTALLED 2002 018 "DIA CIRC CONCR
	0060/1744	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/1279	LEN=0027 INSTALLED UNKN 018 "DIA CIRC CONCR
	0060/0839	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/0457	LEN=0036 INSTALLED UNKN
010543 FT	010543 FT	1 0 00221 0 04 1062+00
	S 0060/0000	LENGTH(AH 3799 BK 2052) 015 "DIA CIRC CONCR
	0050/1990	LEN=0031 INSTALLED UNKN 036 "DIA CAST IRON
	0050/1285	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
	0050/0554	LEN=0040 INSTALLED UNKN 036 "DIA CIRC CONCR
	0050/0011	LEN=0026 INSTALLED UNKN
008491 FT	008491 FT	1 0 00221 0 04 1041+52 SCOUT RD (T565)
==	S 0050/0000	LENGTH(AH 2052 BK 1268) 018 "DIA CIRC CONCR
	0040/0872	LEN=0030 INSTALLED 1998 018 "DIA CIRC CONCR
	0040/0561	LEN=0030 INSTALLED UNKN 036 "DIA CIRC CONCR
	0040/0267	LEN=0040 INSTALLED UNKN
1 0 00221 0 04 1028+80 007223 FT OTTO RD (T563)	007223 FT	
0040/0000 ==	S 0040/0000	LENGTH(AH 1268 BK 2827) 018 "DIA CIRC CONCR
	0030/2800	LEN=0040 INSTALLED 1998 018 "DIA CIRC CONCR
	0030/2049	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.716 MI. DIST: 09-3 SR: 4023
LEFT MUN: ELDER T RIGHT MUN: ELDER T



004396 FT

0030/1780 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1257 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0030/0973 LEN=0026 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/0510 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0030/0100 LEN=0026 INSTALLED UNKN
004396 FT 1 0 00221 0 04 1000+47
S 0030/0000 LENGTH(AH 2827 BK 3361)
015 "DIA CIRC CONCR
0020/3349 LEN=0029 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/2945 LEN=0028 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/2567 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/2343 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/2104 LEN=0028 INSTALLED UNKN
PINE RD
0020/2029 (SR4022 SEG 0010/0000)
018 "DIA CIRC CONCR
0020/1911 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/1374 LEN=0028 INSTALLED UNKN
012 "DIA CIRC CONCR
0020/1076 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0802 LEN=0040 INSTALLED UNKN
015 "DIA CIR PLASTIC
0020/0346 LEN=0060 INSTALLED UNKN
001035 FT

1 0 00221 0 04 0966+97 001035 FT
SPRING RD
(SR4014 SEG 0040/1376) 0020/0000

S 0020/0000 LENGTH(AH 3361 BK 1035)
024 "DIA CIR PLASTIC
0010/0926 LEN=0050 INSTALLED 2002
ELDER
0010/0698 HASTINGS B

BRIDGE ST
(BORO)
MILLER ST
(BORO)

0010/0244
000000 FT

NC MILLER ST
000000 FT 1 0 00221 0 04 0956+72
NC BRIDGE ST
INTER-BK BRIDGE ST
(SR4021 SEG 0080/0000)
MFC BEGIN = D


BEAVER ST
(SR4021 SEG 0080/0000) 0010/0000

S 0010/0000 LENGTH(AH 1035 BK 0000)

DIR: B TOTAL LEN: 1.670 MI. DIST: 09-3 SR: 4022
LEFT MUN: ELDER T RIGHT MUN: ELDER T


MAIN ST
(SR0036 SEG 0310/1215) 008815 FT
0030/1942

YEAGER RD
(T601) 0030/1154




008815 FT MAIN ST
0030/1942 (SR0036 SEG 0310/1215)
015 "DIA CIRC METAL
0030/1511 LEN=0034 INSTALLED UNKN
015 "DIA CIRC METAL
0030/1296 LEN=0030 INSTALLED UNKN
015 "DIA CIRC METAL
0030/1128 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 1.670 MI. DIST: 09-3 SR: 4022
LEFT MUN: ELDER T RIGHT MUN: ELDER T



		018 "DIA CIR PLASTIC
	0030/0181	LEN=0032 INSTALLED UNKN
006873 FT	006873 FT	2 0 11089 0 00 0069+53
	S 0030/0000	LENGTH(AH 1942 BK 3411)
		015 "DIA CIR PLASTIC
	0020/2856	LEN=0026 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0020/2635	LEN=0028 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0020/1329	LEN=0034 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0020/0736	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0020/0211	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0010	LEN=0040 INSTALLED UNKN
003462 FT	003462 FT	2 0 11089 0 00 0034+62
	S 0020/0000	LENGTH(AH 3411 BK 3462)
		024 "DIA CIR PLASTIC
	0010/2738	LEN=0053 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0010/2299	LEN=0050 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0010/1854	LEN=0050 INSTALLED 2006
		024 "DIA CIR METAL
	0010/1362	LEN=0032 INSTALLED 1988
SWEDETOWN RD (T564)	0010/1071	==
		072 "DIA CIRC METAL
	0010/1060	LEN=0032 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0010/0678	LEN=0032 INSTALLED 1988
		024 "DIA CIRC CONCR
	0010/0444	LEN=0030 INSTALLED 1988
	0010/0326	BMSEN 11/4022/0010/0308
		2 0 11089 0 00 0003+15
		BRUBAKER RUN
	0010/0308	BMSBG 11/4022/0010/0308
000000 FT	000000 FT	2 0 11089 0 00 0000+00
		VILLAGE: SWEDETOWN
	NC PINE RD	
		MILLER ST
		(SR4023 SEG 0020/2029)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 3462 BK 0000)

DIR: B TOTAL LEN: 4.883 MI. DIST: 09-3 SR: 4021
LEFT MUN: ELDER T RIGHT MUN: ELDER T




025780 FT MAIN ST
0100/2107 (SR0036 SEG 0310/0000)

015 "DIA CIRC CONCR
0100/1503 LEN=0034 INSTALLED UNKN
015 "DIA CIR PLASTIC
0100/1026 LEN=0028 INSTALLED UNKN


024 "DIA CIRC CONCR
0100/0155 LEN=0032 INSTALLED UNKN
023673 FT 1 0 00221 0 04 0900+01
S 0100/0000 LENGTH(AH 2107 BK 2577)
024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.883 MI. DIST: 09-3 SR: 4021
LEFT MUN: ELDER T RIGHT MUN: ELDER T



		0090/2381 LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0090/1595 LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0090/1355 LEN=0026 INSTALLED UNKN
	021096 FT	021096 FT 1 0 00221 0 04 0926+61
		S 0090/0000 LENGTH(AH 2577 BK 3011)
		024 "DIA CIR PLASTIC
		0080/2820 LEN=0026 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0080/2577 LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0080/1708 LEN=0050 INSTALLED UNKN
		ELDER
		0080/1700 HASTINGS B
HELFRICK ST (BORO)	0080/1643	
HUNTER ST (BORO)	0080/1398	
		018 "DIA CIR UNKNOWN
OAK ST (BORO)	0080/1173	0080/1174 LEN=0038 INSTALLED UNKN
RAILROAD ST (BORO)	0080/0766	
		015 "DIA CIRC CONCR
		LEN=0026 INSTALLED UNKN
		RAILROAD ST
		0080/0708 (BORO)
		COLEMAN ST
		0080/0423 (BORO)
		0080/0128 BMSEN 11/4021/0080/0105
		1 0 00221 0 04 0955+48
		BRUBAKER RUN
		0080/0105 BMSBG 11/4021/0080/0105
	018085 FT	018085 FT 1 0 00221 0 04 0956+72
BRIDGE ST (SR4023 SEG 0010/0000)	0080/0000	NC BRIDGE ST
		S 0080/0000 LENGTH(AH 3011 BK 0428)
		018 "DIA CIRC CONCR
		0070/0059 LEN=0030 INSTALLED UNKN
		EIGHTH AV
		0070/0038 (BORO)
	017657 FT	017657 FT 2 0 11051 0 02 0176+32
		S 0070/0000 LENGTH(AH 0428 BK 1818)
		015 "DIA CIRC METAL
		0060/1572 LEN=0001 INSTALLED UNKN

DIR: B TOTAL LEN: 4.883 MI. DIST: 09-3 SR: 4021
LEFT MUN: HASTINGS B RIGHT MUN: HASTINGS B




SEVENTH AV
(BORO)
0060/1493
MOCKINGBIRD RD
(BORO)
0060/1304
018 "DIA CIR PLASTIC
LEN=0030 INSTALLED UNKN
0060/1153
SIXTH AV
(BORO)
0060/1120
ROBIN RD
(BORO)
0060/0936
018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN
0060/0766
FIFTH AV
(BORO)
0060/0740
018 "DIA CIRC CONCR
LEN=0032 INSTALLED UNKN
0060/0599
CARDINAL RD
(BORO)
0060/0562
FOURTH AV
(BORO)
0060/0370
EAGLE RD
(BORO)
0060/0193
015839 FT
015839 FT 2 0 11051 0 02 0158+31
THIRD AV
(BORO)
018 "DIA CIRC CONCR
LEN=0034 INSTALLED UNKN
NC BEAVER ST

BEAVER ST
(BORO)
S 0060/0000 LENGTH(AH 1818 BK 3613)
MILLER ST
0050/3417 (BORO)

SPANGLER ST
(BORO)
THIRD AV
(BORO)
0050/3239
NC THIRD AV
WREN RD
0050/3042 (BORO)
015 "DIA CIRC CONCR
0050/3000 LEN=0163 INSTALLED UNKN
SECOND AV
0050/2870 (BORO)
MALLARD RD
0050/2685 (BORO)

FIRST AV
(BORO)
0050/2520
018 "DIA CIR PLASTIC
0050/2370 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 4.883 MI. DIST: 09-3 SR: 4021
LEFT MUN: HASTINGS B RIGHT MUN: HASTINGS B



HASTINGS
0050/1704 SUSQUEHANNA T

015 "DIA CIRC METAL
0050/0981 LEN=0035 INSTALLED 1999
018 "DIA CIRC CONCR
0050/0482 LEN=0040 INSTALLED 2002

MUNICIPAL RD
(SR4016 SEG 0080/1870) 0050/0457

NC SPANGLER ST
018 "DIA CIRC CONCR
0050/0365 LEN=0063 INSTALLED 2002
012226 FT 012226 FT 2 0 00000 0 00 0000+00
NUMBER NINE RD
(SR4019 SEG 0100/0000)
NC MUNICIPAL RD
TOWER RD
(SR4019 SEG 0100/0000)
S 0050/0000 LENGTH(AH 3613 BK 3252)


018 "DIA CIR PLASTIC
0040/1828 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0040/1536 LEN=0040 INSTALLED 1997

SALIX RD
(T543) 0040/1186

018 "DIA CIR PLASTIC
0040/0865 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/0634 LEN=0035 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/0436 LEN=0036 INSTALLED UNKN
008974 FT 008974 FT 2 0 11051 0 01 0090+36
S 0040/0000 LENGTH(AH 3252 BK 2609)
018 "DIA CIR PLASTIC
0030/2420 LEN=0045 INSTALLED 1997
ESQUIRE LN
0030/1992 (PRDR)
018 "DIA CIR PLASTIC
0030/1960 LEN=0035 INSTALLED 1997
018 "DIA CIR PLASTIC
0030/1726 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0030/1602 LEN=0040 INSTALLED 1997

BEARS RD ET
0030/0712 (TWP)
015 "DIA CIR PLASTIC


DIR: B TOTAL LEN: 4.883 MI. DIST: 09-3 SR: 4021
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



0030/0687 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0030/0139 LEN=0040 INSTALLED 1997
006365 FT 006365 FT 2 0 11051 0 01 0064+35
BEARS RD
(T532)
S 0030/0000 LENGTH(AH 2609 BK 2974)
018 "DIA CIR PLASTIC
0020/2468 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/2212 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/2087 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/1800 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/1319 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/0525 LEN=0035 INSTALLED 1997
003391 FT 003391 FT 2 0 11051 0 01 0034+61
S 0020/0000 LENGTH(AH 2974 BK 3391)
FARM LN
0010/2918 (TWP)
TRIB TO FOX RUN
STRUCTURE LENGTH 14 FT
0010/2584 BMSID 11/4021/0010/2584

POPLAR RD
(T542)
0010/2435
015 "DIA CIRC METAL
0010/2394 LEN=0052 INSTALLED UNKN
0010/1650 BMSEN 11/4021/0010/1618
2 0 11051 0 00 0016+35
TR SUSQ RIV
0010/1618 BMSBG 11/4021/0010/1618
018 "DIA CIRC CONCR
0010/1389 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/1026 LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0062 LEN=0062 INSTALLED UNKN
000000 FT 000000 FT 2 0 11051 0 00 0000+00
NC NUMBER NINE RD
THEATRE DR
(SR0219 SEG 0720/1690)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 3391 BK 0000)

DIR: B TOTAL LEN: .004 MI. DIST: 09-3 SR: 4020
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




000019 FT		000019 FT
		7034/0000 LENGTH(AH 0338 BK 0019)
		BMSEN 11/4020/0032/0000
	* REF-AHD	WHISKEY ST
	0032/0019	(T427)
000000 FT	000000 FT	2 0 11110 0 00 0048+80
	NC	WHISKEY ST
	* REF-BK	WHISKEY ST
		(T427)
		BURNS RUN
		BMSBG 11/4020/0032/0000
		MFC BEGIN = E
	S 0032/0000	LENGTH(AH 0019 BK 1907)
000000 FT	000000 FT	
	7030/0000	LENGTH(AH 1907 BK 0558)
000000 FT	000000 FT	
	7022/0000	LENGTH(AH 0558 BK 1347)
000000 FT	000000 FT	
	7020/0000	LENGTH(AH 1347 BK 1024)
000000 FT	000000 FT	
	7010/0000	LENGTH(AH 1024 BK 0000)

DIR: B TOTAL LEN: 5.140 MI. DIST: 09-3 SR: 4019
LEFT MUN: ELDER T RIGHT MUN: ELDER T

027141 FT


HUBER ST
(BORO)

0100/2234



027141 FT
INTER-AHD HAIDA AV
(T607)
HUBER ST
0100/2234 (SR4010 SEG 0016/0000)
ELDER
0100/1899 SUSQUEHANNA T
BRUBAKER RUN
STRUCTURE LENGTH 17 FT

DIR: B TOTAL LEN: 5.140 MI. DIST: 09-3 SR: 4019
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




BEAVER ST
(T541) 0100/1050

0 0 00000 0 00 0000+00 024907 FT
MUNICIPAL RD
(SR4021 SEG 0050/0000)
NUMBER NINE RD
(SR4021 SEG 0050/0000) 0100/0000

021300 FT

0100/1682 BMSID 11/4019/0100/1682
018 "DIA CIRC CONCR
0100/1345 LEN=0075 INSTALLED 2002
LANLARK RD
0100/1050 (SR4008 SEG 0032/0000)
018 "DIA CIRC CONCR
0100/0879 LEN=0046 INSTALLED 2002
018 "DIA CIRC CONCR
0100/0141 LEN=0046 INSTALLED 2002
024907 FT
NC NUMBER NINE RD
S 0100/0000 LENGTH(AH 2234 BK 3607)
018 "DIA CIR PLASTIC
0090/1930 LEN=0030 INSTALLED 2019
015 "DIA CIR PLASTIC
0090/0502 LEN=0045 INSTALLED 1999
018 "DIA CIR PLASTIC
0090/0078 LEN=0033 INSTALLED 2019
021300 FT 2 0 11049 0 02 0225+02
SUSQUEHANNA
ELDER T
S 0090/0000 LENGTH(AH 3607 BK 3363)
015 "DIA CIR PLASTIC
0080/2893 LEN=0040 INSTALLED 1999
015 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1999
SNAKE HILL RD
0080/2806 (SR4012 SEG 0010/0000)
018 "DIA CIR PLASTIC
0080/1952 LEN=0033 INSTALLED 2019
015 "DIA CIR PLASTIC
0080/1774 LEN=0035 INSTALLED 1999
018 "DIA CIR PLASTIC
0080/0770 LEN=0040 INSTALLED 1988
015 "DIA CIR PLASTIC
0080/0019 LEN=0035 INSTALLED 1999

DIR: B TOTAL LEN: 5.140 MI. DIST: 09-3 SR: 4019
LEFT MUN: ELDER T RIGHT MUN: ELDER T




017937 FT
017937 FT 2 0 11049 0 02 0258+65
S 0080/0000 LENGTH(AH 3363 BK 2162)
018 "DIA CIR PLASTIC
0070/1329 LEN=0010 INSTALLED 1999
(APRA) PATTON WIND FARM
WILMORE RD
0070/0996 (PRDR)
018 "DIA CIR PLASTIC
0070/0556 LEN=0030 INSTALLED 2019
018 "DIA CIR PLASTIC
0070/0241 LEN=0100 INSTALLED 1988
015775 FT
015775 FT 2 0 11049 0 02 0280+27
S 0070/0000 LENGTH(AH 2162 BK 3163)
ELDER
0060/3030 WEST CARROLL T
018 "DIA CIR PLASTIC
0060/2389 LEN=0040 INSTALLED 1988
018 "DIA CIR PLASTIC
0060/2150 LEN=0030 INSTALLED 1988
018 "DIA CIR PLASTIC
0060/1541 LEN=0030 INSTALLED 1988
018 "DIA CIR PLASTIC
0060/1254 LEN=0020 INSTALLED 1988
018 "DIA CIR PLASTIC
0060/1106 LEN=0040 INSTALLED 2019

2 0 11049 0 02 0311+90 012612 FT
STRIP RD
(T532)
012612 FT WEST CARROLL
EAST CARROLL T
0060/0000
S 0060/0000 LENGTH(AH 3163 BK 2216)
015 "DIA CIRC CONCR
0050/2102 LEN=0025 INSTALLED UNKN

018 "DIA CIR PLASTIC
0050/0475 LEN=0031 INSTALLED 2019
010396 FT
010396 FT 2 0 11049 0 02 0335+32
NC TOWER RD
SUNSET RD
(SR4013 SEG 0030/0000)
S 0050/0000 LENGTH(AH 2216 BK 1899)
MAGEE RD
0040/1474 (SR4006 SEG 0010/0000)
036 "DIA CIRC CONCR
0040/1205 LEN=0040 INSTALLED 1988

DIR: B TOTAL LEN: 5.140 MI. DIST: 09-3 SR: 4019
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T




		018 "DIA CIRC CONCR
	0040/1094	LEN=0060 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0040/0355	LEN=0040 INSTALLED 2000
008497 FT	008497 FT	2 0 11075 0 00 0085+07
	S 0040/0000	LENGTH(AH 1899 BK 2509)
		018 "DIA CIR PLASTIC
	0030/1490	LEN=0035 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0030/0412	LEN=0040 INSTALLED 2000
005988 FT	005988 FT	2 0 11075 0 00 0059+98
	S 0030/0000	LENGTH(AH 2509 BK 3715)
		018 "DIA CIRC CONCR
	0020/3472	LEN=0034 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/3063	LEN=0032 INSTALLED 2019
		018 "DIA CIR PLASTIC
	0020/1874	LEN=0038 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/1404	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/0435	LEN=0034 INSTALLED 1988
	0020/0017	BMSEN 11/4019/0020/0000
002273 FT	002273 FT	2 0 11075 0 00 0022+83
		L.CHEST CRK.
		BMSBG 11/4019/0020/0000
	S 0020/0000	LENGTH(AH 3715 BK 2273)
		018 "DIA CIR PLASTIC
	0010/1818	LEN=0037 INSTALLED 2019
		018 "DIA CIR PLASTIC
	0010/1176	LEN=0045 INSTALLED 2000
		018 "DIA CIRC CONCR
	0010/0389	LEN=0060 INSTALLED 1988
000000 FT	000000 FT	2 0 11075 0 00 0000+00
		CARROLL RD
		(SR4015 SEG 0060/0699)
	NC OTT RD	
		MFC BEGIN = D
CARROLL RD (SR4015 SEG 0060/0699) 0010/0000	S 0010/0000	LENGTH(AH 2273 BK 0000)

DIR: B TOTAL LEN: 1.513 MI. DIST: 09-3 SR: 4018
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T

007990 FT


2 0 11061 0 00 0063+91 006492 FT
MINE RD
(T566)

0030/0000



007990 FT SHAWNA RD
0030/1498 (SR0219 SEG 0840/0000)
024 "DIA CIRC CONCR
0030/1446 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/1341 LEN=0044 INSTALLED UNKN
JOYCE RD
0030/1129 (PRDR)
018 "DIA CIR PLASTIC
0030/0833 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/0198 LEN=0036 INSTALLED UNKN
006492 FT
S 0030/0000 LENGTH(AH 1498 BK 2826)
018 "DIA CIR PLASTIC
0020/2472 LEN=0035 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/2060 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1666 LEN=0033 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1268 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.513 MI. DIST: 09-3 SR: 4018
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




003666 FT

000000 FT

0020/1164 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/0766 LEN=0044 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/0548 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/0161 LEN=0034 INSTALLED UNKN
003666 FT 2 0 11061 0 00 0036+36
S 0020/0000 LENGTH(AH 2826 BK 3666)
018 "DIA CIR PLASTIC
0010/3632 LEN=0028 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/3429 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/3215 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/2885 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/2771 LEN=0034 INSTALLED UNKN
015 "DIA CIRC METAL
0010/2578 LEN=0032 INSTALLED UNKN
015 "DIA CIRC METAL
0010/2387 LEN=0033 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/2181 LEN=0036 INSTALLED UNKN
015 "DIA CIRC METAL
0010/2028 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1770 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1610 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1313 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0945 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0637 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0469 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0188 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0010 LEN=0016 INSTALLED UNKN
000000 FT 2 0 11061 0 00 0000+00
NC GREENWICH RD
* REF-BK GREENWICH RD
(SR1016 SEG 0030/1769)
MFC BEGIN = D
BK-INDIANA (32)
S 0010/0000 LENGTH(AH 3666 BK 0000)

DIR: B TOTAL LEN: 7.147 MI. DIST: 09-3 SR: 4017
LEFT MUN: CHEST T RIGHT MUN: CHEST T




037738 FT AH-CLEARFIELD (17)
REF-AHD ST LAWRENCE RD
0130/1720 (SR3003 SEG 0010/0000)
018 "DIA CIR PLASTIC
0130/1249 LEN=0040 INSTALLED 1998
018 "DIA CIR PLASTIC
0130/0578 LEN=0048 INSTALLED 2001
015 "DIA CIR PLASTIC
0130/0018 LEN=0045 INSTALLED 2002
036018 FT 2 0 11054 0 02 0379+93
S 0130/0000 LENGTH(AH 1720 BK 2984)

015 "DIA CIR PLASTIC
0120/1312 LEN=0035 INSTALLED 2002
015 "DIA CIR PLASTIC
0120/0675 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0120/0120 LEN=0045 INSTALLED 2001
033034 FT 2 0 11054 0 02 0350+09
S 0120/0000 LENGTH(AH 2984 BK 3002)
015 "DIA CIR PLASTIC
0110/2380 LEN=0048 INSTALLED 2001
015 "DIA CIR PLASTIC
0110/1743 LEN=0035 INSTALLED 2001

015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 7.147 MI. DIST: 09-3 SR: 4017
LEFT MUN: CHEST T RIGHT MUN: CHEST T



0110/0541 LEN=0040 INSTALLED 2001
030032 FT 030032 FT 2 0 11054 0 02 0319+62
S 0110/0000 LENGTH(AH 3002 BK 2089)


015 "DIA CIR PLASTIC
0100/0120 LEN=0030 INSTALLED 1999
027943 FT 027943 FT 2 0 11054 0 02 0298+73
NC BARRENS RD
ST LAWRENCE RD
(SR1020 SEG 0010/0000)
MFC BEGIN = E
LEIDEN LN
(T528) 0100/0000
S 0100/0000 LENGTH(AH 2089 BK 1239)
018 "DIA CIRC CONCR
0090/1179 LEN=0076 INSTALLED UNKN
LONG RD
0090/0805 (TBC)
018 "DIA CIR PLASTIC
0090/0222 LEN=0040 INSTALLED 2001
026704 FT 026704 FT 2 0 11054 0 01 0286+60
S 0090/0000 LENGTH(AH 1239 BK 3473)

018 "DIA CIR PLASTIC
0080/2709 LEN=0038 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/2320 LEN=0040 INSTALLED 2001
018 "DIA CIR PLASTIC
0080/2181 LEN=0052 INSTALLED 2001
018 "DIA CIR PLASTIC
0080/1785 LEN=0050 INSTALLED 1998
018 "DIA CIR PLASTIC
0080/1253 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/0726 LEN=0036 INSTALLED UNKN

018 "DIA CIR PLASTIC
0080/0105 LEN=0034 INSTALLED UNKN
023231 FT 023231 FT 2 0 11054 0 00 0244+82
VILLAGE: ST LAWRENCE
S 0080/0000 LENGTH(AH 3473 BK 3423)
015 "DIA CIR PLASTIC
0070/3304 LEN=0034 INSTALLED UNKN

015 "DIA CIR PLASTIC
0070/2516 LEN=0040 INSTALLED UNKN
015 "DIA CIRC METAL
0070/2273 LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 7.147 MI. DIST: 09-3 SR: 4017
LEFT MUN: CHEST T RIGHT MUN: CHEST T



0070/2001 015 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0070/1625 018 "DIA CIR PLASTIC LEN=0010 INSTALLED 2007

RHOA RD
0070/0482 (T548)
019808 FT 0070/0000 019808 FT 2 0 11054 0 00 0210+14 LENGTH(AH 3423 BK 3783)

0060/1918 018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0060/1706 024 "DIA CIRC METAL LEN=0060 INSTALLED UNKN

ROCK RUN RECREATION ARE
(PRDR) 0060/1693


0060/0143 024 "DIA CIRC METAL LEN=0052 INSTALLED UNKN
016025 FT 0060/0000 016025 FT 2 0 11054 0 00 0172+62 LENGTH(AH 3783 BK 3038)

0050/2410 018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1999

COSSITOR RD
0050/1536 (T557)
0050/1502 015 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN


0050/0057 015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
2 0 11054 0 00 0142+24 012987 FT 012987 FT
THOMAS MILL RD
(SR4024 SEG 0050/2226) 0050/0000 0050/0000 LENGTH(AH 3038 BK 3212)
0040/3068 018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 7.147 MI. DIST: 09-3 SR: 4017
LEFT MUN: CHEST T RIGHT MUN: CHEST T



009775 FT		009775 FT 2 0 11054 0 00 0109+89
	S	0040/0000 LENGTH(AH 3212 BK 3499)
		018 "DIA CIR PLASTIC
		0030/3025 LEN=0030 INSTALLED 1999
		018 "DIA CIR PLASTIC
		0030/2775 LEN=0030 INSTALLED 2001
		018 "DIA CIR PLASTIC
		0030/1970 LEN=0030 INSTALLED 2001
		018 "DIA CIRC CONCR
		0030/1385 LEN=0015 INSTALLED 1999
		018 "DIA CIR PLASTIC
		0030/1000 LEN=0030 INSTALLED 2003
		018 "DIA CIR PLASTIC
		0030/0725 LEN=0030 INSTALLED 2003
		018 "DIA CIR PLASTIC
		0030/0475 LEN=0030 INSTALLED 1999
		018 "DIA CIR PLASTIC
		0030/0210 LEN=0030 INSTALLED UNKN
006276 FT		006276 FT 2 0 11054 0 00 0074+96
	S	0030/0000 LENGTH(AH 3499 BK 3627)
		018 "DIA CIR PLASTIC
		0020/3549 LEN=0050 INSTALLED 2001
		018 "DIA CIR PLASTIC
		0020/3310 LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0020/3070 LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0020/2847 LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0020/2720 LEN=0046 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0020/2345 LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0020/1172 LEN=0025 INSTALLED 2001
		030 "DIA CIR PLASTIC
		0020/0744 LEN=0068 INSTALLED 1996
		NC ST LAWRENCE RD
		CHEST
		0020/0723 ELDER T
		PATTON TREATMENT PLANT
	==	0020/0235 (TWP)

DIR: B TOTAL LEN: 7.147 MI. DIST: 09-3 SR: 4017
LEFT MUN: ELDER T RIGHT MUN: ELDER T



0020/0125 BMSEN 11/4017/0020/0000
ELDER
0020/0105 PATTON B
002649 FT 002649 FT 2 0 11054 0 00 0038+72
CHEST CREEK
BMSBG 11/4017/0020/0000
S 0020/0000 LENGTH(AH 3627 BK 2649)
018 "DIA CIR PLASTIC
0010/2486 LEN=0046 INSTALLED UNKN
NC RIDGE AV
018 "DIA CIR PLASTIC
0010/2164 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/1869 LEN=0030 INSTALLED UNKN

THIRD AV
(BORO)
HIGHLAND AV
(BORO) 0010/1221
NC HIGHLAND AV
006 "DIA CIR PLASTIC
0010/1198 LEN=0050 INSTALLED UNKN
JASMINE ST
0010/1042 (BORO)
015 "DIA CIRC METAL
0010/0885 LEN=0030 INSTALLED UNKN
MCINTYRE AV
(BORO)
NC THIRD AV
THIRD AV
0010/0871 (BORO)
015 "DIA CIRC CONCR
0010/0836 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0780 LEN=0028 INSTALLED 2001
0010/0624 BMSEN 11/4017/0010/0580
2 0 11054 0 00 0017+43
OTHER RR
0010/0580 BMSBG 11/4017/0010/0580
018 "DIA CIRC CONCR
0010/0302 LEN=0028 INSTALLED 2001

FOURTH AV
(BORO)
MCINTYRE AV
(BORO) 0010/0202
000000 FT
NC MCINTYRE AV
000000 FT 2 0 11054 0 00 0012+15
NC FOURTH AV
INTER-BK FOURTH AV
(SR0036 SEG 0250/0000)
MFC BEGIN = D

RAILROAD AV
(SR0036 SEG 0250/0000) 0010/0000
S 0010/0000 LENGTH(AH 2649 BK 0000)

DIR: B TOTAL LEN: 3.564 MI. DIST: 09-3 SR: 4016
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T


018818 FT

SPANGLER ST
(SR4021 SEG 0050/0457) 0080/1870
LC FOR SPRUCE RD
(CONN) 0080/1368
SPRUCE RD
(T556) 0080/1234



018818 FT
INTER-AHD MUNICIPAL RD
0080/1870 (SR4021 SEG 0050/0457)

DIR: B TOTAL LEN: 3.564 MI. DIST: 09-3 SR: 4016
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




0080/0473 030 "DIA CIR PLASTIC LEN=0035 INSTALLED 1987
0080/0020 015 "DIA CIR PLASTIC LEN=0035 INSTALLED 1987
016948 FT 016948 FT 2 0 11049 0 01 0166+36
S 0080/0000 LENGTH(AH 1870 BK 1454)
0070/1000 015 "DIA CIRC CONCR LEN=0037 INSTALLED 1987
0070/0460 015 "DIA CIRC CONCR LEN=0032 INSTALLED 1987
015494 FT 015494 FT 2 0 11049 0 01 0152+46
POPLAR RD
(T542)
S 0070/0000 015 "DIA CIRC METAL LEN=0036 INSTALLED 1987
LENGTH(AH 1454 BK 3165)
0060/2457 015 "DIA CIRC METAL LEN=0038 INSTALLED 1987
0060/1841 015 "DIA CIRC CONCR LEN=0036 INSTALLED 1987

RIDGE RD
(SR4025 SEG 0010/0000) 0060/0990


0060/0924 018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1999
0060/0351 018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1999
0060/0043 018 "DIA CIRC CONCR LEN=0036 INSTALLED 1987
012329 FT 012329 FT 2 0 11049 0 01 0120+19
WALNUT AV
(T552)
S 0060/0000 LENGTH(AH 3165 BK 3075)
0050/2474 018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1999
0050/2029 018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1987
0050/1919 018 "DIA CIRC CONCR LEN=0050 INSTALLED 1987
0050/1760 018 "DIA CIR PLASTIC LEN=0052 INSTALLED 1987
0050/1528 018 "DIA CIR UNKNOWN LEN=0054 INSTALLED 1979
0050/1082 015 "DIA CIRC CONCR LEN=0037 INSTALLED 1979
0050/0878 015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999

DIR: B TOTAL LEN: 3.564 MI. DIST: 09-3 SR: 4016
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




		024 "DIA CIRC CONCR
	0050/0611	LEN=0048 INSTALLED 1987
		018 "DIA CIR PLASTIC
	0050/0266	LEN=0050 INSTALLED 1999
009254 FT	009254 FT	2 0 11049 0 01 0090+44
	S 0050/0000	LENGTH(AH 3075 BK 3490)
		015 "DIA CIRC METAL
	0040/3291	LEN=0042 INSTALLED 1987
		018 "DIA CIRC CONCR
	0040/3172	LEN=0043 INSTALLED 1987
		018 "DIA CIR PLASTIC
	0040/2768	LEN=0040 INSTALLED 1998
		015 "DIA CIRC CONCR
	0040/2380	LEN=0036 INSTALLED 1987
		018 "DIA CIRC CONCR
	0040/2051	LEN=0049 INSTALLED 1979
		018 "DIA CIRC CONCR
	0040/1282	LEN=0032 INSTALLED 1987
		018 "DIA CIR PLASTIC
	0040/1015	LEN=0055 INSTALLED 1999
		HILLCREST ST
	0040/0763	(T557)
		CEMETERY RD
	0040/0708	(PRDR)
		015 "DIA CIRC METAL
	0040/0570	LEN=0057 INSTALLED 1987
		030 "DIA CIRC METAL
	0040/0462	LEN=0035 INSTALLED 1987
		015 "DIA CIRC CONCR
	0040/0020	LEN=0035 INSTALLED 1987
2 0 11049 0 01 0055+80 005764 FT	005764 FT	ARBOR LN
BLUE LN		(T420)
(T616) 0040/0000	S 0040/0000	LENGTH(AH 3490 BK 2140)
		ARBOR LN
BLACK LN		
(PRDR) 0030/1493	0030/1493	(T420)
		018"H 00"W MULT CONCR
	0030/1471	LEN=0035 INSTALLED 1987
ASH ST		
(T544) 0030/1211		
	0030/0527	BMSEN 11/4016/0030/0504
		2 0 11049 0 01 0038+94
		BURNS RUN
	0030/0504	BMSBG 11/4016/0030/0504
ASH ST		
(T544) 0030/0068		
		018 "DIA CIRC CONCR
	0030/0020	LEN=0060 INSTALLED 1987

DIR: B TOTAL LEN: 3.564 MI. DIST: 09-3 SR: 4016
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T



003624 FT
003624 FT 2 0 11049 0 01 0034+20
NC MUNICIPAL RD
WHISKEY ST
(T427)
ALMOND ST
(BORO)
0030/0000
S 0030/0000 LENGTH(AH 2140 BK 2559)
012 "DIA CAST IRON
0020/2530 LEN=0042 INSTALLED 1987
015 "DIA CAST IRON
0020/2362 LEN=0053 INSTALLED 1987
SUSQUEHANNA
0020/2293 NORTHERN CAMBRIA B
018 "DIA CIR UNKNOWN
0020/1859 LEN=0035 INSTALLED 1987
APPLE AV
(BORO)
0020/1725
018 "DIA CAST IRON
0020/1590 LEN=0035 INSTALLED 1987
TULIP LN
0020/0953 (BORO)
018 "DIA CIRC CONCR
0020/0932 LEN=0035 INSTALLED 1979
CATALPA ST
0020/0885 (BORO)
CYPRESS ST
0020/0676 (BORO)
CARMEL ST
0020/0385 (BORO)
001065 FT
001065 FT 2 0 11049 0 00 0010+50
LESTER ST
(BORO)
S 0020/0000 LENGTH(AH 2559 BK 1065)
ST STANS AV
(BORO)
0010/0711
ST STANS ST
0010/0711 (BORO)
018 "DIA CIRC CONCR
0010/0389 LEN=0065 INSTALLED 1987
ST MARY'S AV
(BORO)
0010/0354
018 "DIA CIRC CONCR
0010/0320 LEN=0050 INSTALLED 1987
000000 FT
000000 FT 2 0 11049 0 00 0000+00
NC PHILADELPHIA AV
CRAWFORD AV
(SR0219 SEG 0790/0000)
INTER-BK PHILADELPHIA AV
(SR0219 SEG 0790/0000)
MFC BEGIN = D
CRAWFORD AV
(BORO)
0010/0000
S 0010/0000 LENGTH(AH 1065 BK 0000)


DIR: B TOTAL LEN: 4.402 MI. DIST: 09-3 SR: 4015
LEFT MUN: PATTON B RIGHT MUN: PATTON B



023241 FT
MAGEE AV
(BORO)
0100/0584
022657 FT
KERR AV
(BORO)
0090/2166
PARK AV
(BORO)
0090/1463
FIR ST
(BORO)
0090/1423
020383 FT
018520 FT

023241 FT
INTER-AHD FIFTH AV
(BORO)
MAGEE AV
(SR4008 SEG 0112/0000)
0100/0584
LANG AV
0100/0231 (BORO)
0100/0043 BMSEN 11/4015/0100/0000
022657 FT 2 0 11048 0 01 0227+57
L.CHEST CRK.
BMSBG 11/4015/0100/0000
S 0100/0000 LENGTH(AH 0584 BK 2274)
RUSSELL AV
0090/1817 (BORO)
018 "DIA CIRC CONCR
0090/1432 LEN=0028 INSTALLED UNKN
NC FIFTH AV
018 "DIA CIRC METAL
0090/1236 LEN=0046 INSTALLED UNKN
NC PARK AV
COWHER AV
0090/0738 (BORO)
018 "DIA CIRC METAL
0090/0726 LEN=0028 INSTALLED UNKN
PRINDIBLE AV
0090/0466 (BORO)
018 "DIA CIRC CONCR
0090/0451 LEN=0035 INSTALLED UNKN
GREEN AV
0090/0200 (BORO)
020383 FT 2 0 11048 0 01 0202+53
S 0090/0000 LENGTH(AH 2274 BK 1863)
PATTON
0080/1348 EAST CARROLL T
018 "DIA CIRC CONCR
0080/1099 LEN=0060 INSTALLED UNKN
LINDA AV
0080/0518 (BORO)
024 "DIA CIR PLASTIC
0080/0500 LEN=0036 INSTALLED UNKN
018520 FT 2 0 11048 0 00 0184+89
NC MELLON AV
S 0080/0000 LENGTH(AH 1863 BK 2968)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 4.402 MI. DIST: 09-3 SR: 4015
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



0070/2598 LEN=0036 INSTALLED UNKN

015 "DIA CIR PLASTIC
0070/1910 LEN=0032 INSTALLED UNKN

015552 FT

015552 FT 2 0 11048 0 00 0155+21
S 0070/0000 LENGTH(AH 2968 BK 3435)

015 "DIA CIRC CONCR
0060/2676 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/2439 LEN=0027 INSTALLED UNKN

018 "DIA CIRC CONCR
0060/0957 LEN=0037 INSTALLED UNKN
024 "DIA CIRC CONCR
0060/0835 LEN=0038 INSTALLED UNKN

OTT RD
(SR4019 SEG 0010/0000) 0060/0699

012117 FT

012117 FT 2 0 11048 0 00 0121+36
ECKENRODE MILL RD
(SR1008 SEG 0010/0000)
S 0060/0000 LENGTH(AH 3435 BK 3101)


015 "DIA CIRC CONCR
0050/2282 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0050/1903 LEN=0050 INSTALLED UNKN

018 "DIA CIR PLASTIC
0050/0457 LEN=0010 INSTALLED 2000

009016 FT

009016 FT 2 0 11048 0 00 0090+60
LINK RD
(T514)
S 0050/0000 LENGTH(AH 3101 BK 3001)

DIR: B TOTAL LEN: 4.402 MI. DIST: 09-3 SR: 4015
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



006015 FT
006015 FT 2 0 11048 0 00 0060+28
0040/0000 LENGTH(AH 3001 BK 3541)

018 "DIA CIRC CONCR
0030/2130 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/1317 LEN=0010 INSTALLED 2007
018 "DIA CIR PLASTIC
0030/0997 LEN=0030 INSTALLED UNKN
BENDER DR
0030/0701 (T607)
EAST CARROLL
0030/0034 CARROLLTOWN B
002474 FT 002474 FT 2 0 11048 0 00 0024+93
018 "DIA CIRC CONCR
LEN=0028 INSTALLED UNKN
0030/0000 LENGTH(AH 3541 BK 1389)
OLD DUTCH LN
0020/0698 (BORO)
015 "DIA CIRC CONCR
0020/0678 LEN=0040 INSTALLED UNKN

2 0 11048 0 00 0011+04 001085 FT 001085 FT
LACEY ST
(BORO) 0020/0000 0020/0000 LENGTH(AH 1389 BK 1085)
HENRY ST
(BORO) 0010/0873
BEDE ST
(BORO) 0010/0627

CHURCH ST
0010/0390 (BORO)

ZOLNER ST
(BORO) 0010/0201
000000 FT 000000 FT 2 0 11048 0 00 0000+00
NC CARROLL ST
MAIN ST
(SR0219 SEG 0650/1476)

INTER-BK CARROLL ST
(BORO)
MFC BEGIN = D
0010/0000 LENGTH(AH 1085 BK 0000)

DIR: B TOTAL LEN: 1.927 MI. DIST: 09-3 SR: 4014
LEFT MUN: ELDER T RIGHT MUN: ELDER T

010173 FT

FIRST ST
(T408)


0040/0638

MIDDLE ST
(T405)

0040/0325

008797 FT

SECOND ST




010173 FT MILLER ST
0040/1376 (SR4023 SEG 0020/0000)
024 "DIA CIRC CONCR
0040/1329 LEN=0028 INSTALLED 1988

018 "DIA CIRC OTHER
0040/0610 LEN=0052 INSTALLED 1988

015 "DIA CIRC CONCR
0040/0291 LEN=0033 INSTALLED 1988
015 "DIA CIRC METAL
0040/0079 LEN=0040 INSTALLED 1988
008797 FT 2 0 11121 0 00 0088+52
NC SPRING ST


DIR: B TOTAL LEN: 1.927 MI. DIST: 09-3 SR: 4014
LEFT MUN: ELDER T RIGHT MUN: ELDER T



(T407)	0040/0000	S 0040/0000 LENGTH(AH 1376 BK 3522)
		018 "DIA CIRC CONCR
	0030/3520	0030/3520 LEN=0149 INSTALLED 1987
		018 "DIA CIRC CONCR
	0030/3371	0030/3371 LEN=0034 INSTALLED 1987
		ELDER
	0030/3035	0030/3035 SUSQUEHANNA T
		018 "DIA CIR PLASTIC
	0030/2800	0030/2800 LEN=0036 INSTALLED 1987
		018 "DIA CIR PLASTIC
	0030/2086	0030/2086 LEN=0026 INSTALLED 1987
		018 "DIA CIR PLASTIC
	0030/0892	0030/0892 LEN=0035 INSTALLED 2006
	005275 FT	005275 FT 2 0 11121 0 00 0052+75
		SPRUCE RD
		(T556)
		S 0030/0000 LENGTH(AH 3522 BK 1765)
SPRUCE RD ET (TWP)	0020/1676	
	003510 FT	003510 FT 2 0 11121 0 00 0035+10
		S 0020/0000 LENGTH(AH 1765 BK 3510)
		015 "DIA CIRC CONCR
	0010/2191	0010/2191 LEN=0030 INSTALLED 1987
		018 "DIA CIR PLASTIC
	0010/0089	0010/0089 LEN=0035 INSTALLED 2005
	000000 FT	000000 FT 2 0 11121 0 00 0000+34
		RIDGE RD
		(SR4025 SEG 0030/0000)
		NC MURPHY SPRING RD
		INTER-BK RIDGE RD
		(SR4025 SEG 0030/0000)
		MFC BEGIN = D
		S 0010/0000 LENGTH(AH 3510 BK 0000)

DIR: B TOTAL LEN: 3.277 MI. DIST: 09-3 SR: 4013
LEFT MUN: ELDER T RIGHT MUN: ELDER T


FOURTH AV 017300 FT
(SR0036 SEG 0280/0000) 0060/2617



017300 FT FOURTH AV
0060/2617 (SR0036 SEG 0280/0000)
024 "DIA CIRC CONCR
0060/2045 LEN=0060 INSTALLED UNKN


015 "DIA CIR PLASTIC
0060/1221 LEN=0026 INSTALLED UNKN

DIR: B TOTAL LEN: 3.277 MI. DIST: 09-3 SR: 4013
LEFT MUN: ELDER T RIGHT MUN: ELDER T



			030 "DIA CIRC METAL
		0060/0579	LEN=0036 INSTALLED UNKN
	014683 FT	014683 FT	1 0 00221 0 03 0775+11
			BEAVER ST
			(SR4008 SEG 0070/0000)
		S 0060/0000	LENGTH(AH 2617 BK 3096)
			018 "DIA CIR PLASTIC
		0050/2241	LEN=0032 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0050/2055	LEN=0040 INSTALLED 1997
			ELDER
		0050/0728	EAST CARROLL T
2 0 11067 0 00 0054+68	011587 FT	011587 FT	
ST JOSEPH RD			
(T505)	0050/0000	S 0050/0000	LENGTH(AH 3096 BK 1818)
			018 "DIA CIR PLASTIC
		0040/1128	LEN=0040 INSTALLED 2005
			036 "DIA CIR PLASTIC
		0040/0708	LEN=0060 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0040/0425	LEN=0040 INSTALLED 1997
WARD RD			
(PRDR)	0040/0276	0040/0276	(APRA) PATTON WIND FARM
	009769 FT	009769 FT	2 0 11067 0 00 0036+50
		S 0040/0000	LENGTH(AH 1818 BK 3516)
			018 "DIA CIR PLASTIC
		0030/3500	LEN=0035 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0030/2960	LEN=0040 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0030/2783	LEN=0036 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0030/2550	LEN=0045 INSTALLED 2005
			036 "DIA CIR PLASTIC
		0030/2400	LEN=0050 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0030/1598	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0030/1360	LEN=0036 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0030/0923	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.277 MI. DIST: 09-3 SR: 4013
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



0030/0425 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/0025 LEN=0060 INSTALLED 2005
006253 FT OTT RD
(SR4019 SEG 0050/0000)
S 0030/0000 LENGTH(AH 3516 BK 3423)

2 0 11067 0 00 0000+00 006253 FT
TOWER RD
(SR4019 SEG 0050/0000) 0030/0000

018 "DIA CIRC CONCR
0020/3418 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/3001 LEN=0036 INSTALLED UNKN
024 "DIA CIRC CONCR
0020/2711 LEN=0038 INSTALLED 1999
018 "DIA CIR PLASTIC
0020/2614 LEN=0036 INSTALLED 1999
018 "DIA CIR PLASTIC
0020/2183 LEN=0045 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/1970 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1518 LEN=0045 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/1246 LEN=0045 INSTALLED 1997

018 "DIA CIR PLASTIC
0020/0588 LEN=0045 INSTALLED 1997
(APRA) PATTON WIND FARM
MORRIS RD

EVERPOWER RD
(PRDR) 0020/0451
002830 FT

POE

0020/0451 (PRDR)
002830 FT 2 0 11049 0 02 0369+60
S 0020/0000 LENGTH(AH 3423 BK 2830)

EAST CARROLL
0010/0807 CARROLLTOWN B
018 "DIA CIR PLASTIC
0010/0753 LEN=0040 INSTALLED 2005
018 "DIA CIR PLASTIC
0010/0665 LEN=0030 INSTALLED UNKN

FOR SR 0219 AND 4013
(CONN) 0010/0255

018 "DIA CIRC CONCR
0010/0240 LEN=0170 INSTALLED 1999
NC SUNSET RD
INTER-BK MAIN ST
000000 FT (SR0219 SEG 0670/0000)
MFC BEGIN = D

2 0 11049 0 02 0397+90 000000 FT
MAIN ST
(SR0219 SEG 0670/0000) 0010/0000


S 0010/0000 LENGTH(AH 2830 BK 0000)

DIR: B TOTAL LEN: .498 MI. DIST: 09-3 SR: 4012
LEFT MUN: ELDER T RIGHT MUN: ELDER T

LANLARK RD 002628 FT
(SR4008 SEG 0032/2848) 0010/2628


000000 FT

TOWER RD
(SR4019 SEG 0080/2806) 0010/0000




002628 FT LANLARK RD
0010/2628 (SR4008 SEG 0032/2848)
018 "DIA CIRC METAL
0010/2570 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1400 LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0950 LEN=0020 INSTALLED UNKN
018 "DIA CIR UNKNOWN
0010/0360 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0010/0065 LEN=0042 INSTALLED UNKN
000000 FT 2 0 11049 1 00 0000+00
TOWER RD
(SR4019 SEG 0080/2806)
NC SNAKE HILL RD
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2628 BK 0000)

DIR: B TOTAL LEN: 2.122 MI. DIST: 09-3 SR: 4011
LEFT MUN: WEST CARROLL T RIGHT MUN: WEST CARROLL T



	011206 FT	
		INTER-AHD SAINT JOE'S RD (T531)
		THEATRE RD
	0050/0926	(SR0219 SEG 0690/0000)
FORD ST (T611)	0050/0466	
	010280 FT	
		010280 FT 2 0 11047 0 01 0238+54
S	0050/0000	LENGTH(AH 0926 BK 3410)
		018 "DIA CIR PLASTIC
	0040/3085	LEN=0052 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0040/2657	LEN=0039 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0040/2416	LEN=0030 INSTALLED 1998
		048 "DIA CIR PLASTIC
	0040/2165	LEN=0030 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0040/0250	LEN=0034 INSTALLED 1998
		024 "DIA CIRC CONCR
	0040/0051	LEN=0040 INSTALLED 1998

DIR: B TOTAL LEN: 2.122 MI. DIST: 09-3 SR: 4011
LEFT MUN: WEST CARROLL T RIGHT MUN: WEST CARROLL T




```
006870 FT                    006870 FT 2 0 11047 0 01 0204+44
                          S  0040/0000 LENGTH(AH 3410 BK 2742)
                             018 "DIA CIR PLASTIC
                             0030/2460 LEN=0045 INSTALLED 1998

                             018 "DIA CIR PLASTIC
                             0030/1517 LEN=0037 INSTALLED 1998
                             018 "DIA CIR PLASTIC
                             0030/1260 LEN=0036 INSTALLED 1998
                             018 "DIA CIR PLASTIC
                             0030/0902 LEN=0036 INSTALLED 1998
                             018 "DIA CIR PLASTIC
                             0030/0587 LEN=0038 INSTALLED 1998
                             018 "DIA CIR PLASTIC
                             0030/0165 LEN=0037 INSTALLED 1998
004128 FT                    004128 FT 2 0 11047 0 00 0175+17
                          S  0030/0000 LENGTH(AH 2742 BK 2755)
                             018 "DIA CIR PLASTIC
                             0020/2484 LEN=0038 INSTALLED 1998
                             018 "DIA CIR PLASTIC
                             0020/2402 LEN=0032 INSTALLED 1998
                             018 "DIA CIR PLASTIC
                             0020/2093 LEN=0030 INSTALLED 2001
                             018 "DIA CIR PLASTIC
                             0020/1859 LEN=0035 INSTALLED 2001
                             018 "DIA CIR PLASTIC
                             0020/1630 LEN=0040 INSTALLED 2001
                             018 "DIA CIR PLASTIC
                             0020/1197 LEN=0030 INSTALLED 2001
                             018 "DIA CIR PLASTIC
                             0020/0710 LEN=0030 INSTALLED 2001

                             015 "DIA CIR PLASTIC
                             0020/0015 LEN=0040 INSTALLED 2001
001373 FT                    001373 FT 2 0 11047 0 00 0147+62
                                WAGNER LN
                                (T625)
                          S  0020/0000 LENGTH(AH 2755 BK 1373)
                             015 "DIA CIRC CONCR
                             0010/0823 LEN=0036 INSTALLED 1998
                                KEMP RD
                             0010/0813 (T609)
000000 FT                    000000 FT 2 0 11047 0 00 0134+00
                                NC COLE RD
                                DEVEAUX ST
                                (SR4009 SEG 0030/0000)
                                MFC BEGIN = E
                          S  0010/0000 LENGTH(AH 1373 BK 0000)
```

DIR: B TOTAL LEN: .688 MI. DIST: 09-3 SR: 4010
LEFT MUN: ELDER T RIGHT MUN: ELDER T

003630 FT
003630 FT
INTER-AHD BEAVER ST
(SR4008 SEG 0040/1910)
HUBER ST
(T336) 0020/3050
BEAVER ST
0020/3050 (SR4008 SEG 0040/1910)
015 "DIA CIRC CONCR
0020/2815 LEN=0038 INSTALLED UNKN



000580 FT
000580 FT 2 0 11076 1 00 0013+25
FRENCH HILL RD
(T406)
S 0020/0000 LENGTH(AH 3050 BK 0566)
DAWN ST
(TWP) 0016/0161
024 "DIA CIRC CONCR
0016/0062 LEN=0024 INSTALLED 2002
030 "DIA CIRC CONCR
0016/0059 LEN=0018 INSTALLED 2002
018 "DIA CIRC CONCR
0016/0040 LEN=0005 INSTALLED 2002
NUMBER NINE RD
000014 FT (SR4019 SEG 0100/2234)
0 0 00000 0 00 0000+00 000014 FT INTER-BK HUBER ST
HAIDA AV (BORO)
(T607) 0016/0000
S 0016/0000 LENGTH(AH 0566 BK 0168)
000014 FT
000014 FT
7014/0000 LENGTH(AH 0168 BK 0014)
* REF-AHD HUBER ST
(TWP)
0012/0014 HASTINGS B
000000 FT
000000 FT 2 0 11076 1 00 0005+70
NC HUBER ST
BRUBAKER RUN
STRUCTURE LENGTH 14 FT
BMSID 11/4010/0012/0000
* REF-BK HUBER ST
(TWP)
MFC BEGIN = E
S 0012/0000 LENGTH(AH 0014 BK 0563)
000000 FT
000000 FT
7010/0000 LENGTH(AH 0563 BK 0000)

DIR: B TOTAL LEN: 3.713 MI. DIST: 09-3 SR: 4009
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B



019606 FT

ROBBIN ST
(BORO)


0070/1647

017168 FT

019606 FT BIGLER AV
0070/2438 (SR0219 SEG 0750/0000)
KENNEDY AV
0070/2269 (BORO)
0070/2188 BMSEN 11/4009/0070/2147
2 0 11047 0 00 0002+89
FOX RUN
0070/2147 BMSBG 11/4009/0070/2147
015 "DIA CIRC CONCR
0070/1884 LEN=0051 INSTALLED 1998


WYLAND ST
0070/1130 (BORO)
018 "DIA CIRC CONCR
0070/1112 LEN=0026 INSTALLED 1998
018 "DIA CIRC CONCR
0070/0922 LEN=0030 INSTALLED 1998
NORTHERN CAMBRIA
0070/0805 BARR T
015 "DIA CIRC CONCR
0070/0620 LEN=0030 INSTALLED 1998
018 "DIA CIRC CONCR
0070/0320 LEN=0027 INSTALLED 1998
017168 FT 2 0 11047 0 00 0024+50

DIR: B TOTAL LEN: 3.713 MI. DIST: 09-3 SR: 4009
LEFT MUN: BARR T RIGHT MUN: BARR T




		024 "DIA CIR PLASTIC
		LEN=0040 INSTALLED 2008
		NC FOURTEENTH ST
	0070/0000	LENGTH(AH 2438 BK 2810)
		018 "DIA CIR UNKNOWN
	0060/2527	LEN=0030 INSTALLED 1998
		018 "DIA CIRC CONCR
	0060/2352	LEN=0027 INSTALLED 1998
		018 "DIA CIRC CONCR
	0060/1850	LEN=0030 INSTALLED 1998
		018 "DIA CIRC CONCR
	0060/1725	LEN=0027 INSTALLED 1998
PATTERSON RD (T533)	0060/1381	
		024 "DIA CIRC CONCR
	0060/1164	LEN=0036 INSTALLED 1998
		036 "DIA CIRC CONCR
	0060/0200	LEN=0040 INSTALLED 1998
	014358 FT	014358 FT 2 0 11047 0 00 0052+65
		VILLAGE: WATKINS
		STEIN RD
WYSOCKI RD (T766)	0060/0000	(T765)
		0060/0000 LENGTH(AH 2810 BK 1956)
WYSOCKI RD (T766)	0050/1599	
		018 "DIA CIRC CONCR
	0050/1583	LEN=0031 INSTALLED 1998
		018 "DIA CIRC CONCR
	0050/1049	LEN=0025 INSTALLED 1998
		015 "DIA CIR PLASTIC
	0050/0920	LEN=0017 INSTALLED 1998
		UCHECKER RD
	0050/0784	(T767)
		018 "DIA CIRC CONCR
	0050/0738	LEN=0036 INSTALLED 1998
		CARPENTER SHOP RD
	0050/0500	(T768)
		018 "DIA CIRC CONCR
	0050/0376	LEN=0028 INSTALLED 1998
		018 "DIA CIRC CONCR
	0050/0050	LEN=0060 INSTALLED 1998
	012402 FT	012402 FT 2 0 11047 0 00 0075+30
THIRTEEN HILL RD (T520)	0050/0000	NC OIL TANK HILL RD
		0050/0000 LENGTH(AH 1956 BK 3902)
		018 "DIA CIRC CONCR
	0040/3224	LEN=0029 INSTALLED 1998
		024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.713 MI. DIST: 09-3 SR: 4009
LEFT MUN: BARR T RIGHT MUN: BARR T



	0040/2838	LEN=0010 INSTALLED 1998 018 "DIA CIRC CONCR
	0040/2745	LEN=0032 INSTALLED 1998 018 "DIA CIR PLASTIC
	0040/2644	LEN=0010 INSTALLED 1998 024 "DIA CIR PLASTIC
	0040/2233	LEN=0010 INSTALLED 1998 018 "DIA CIRC CONCR
	0040/1729	LEN=0029 INSTALLED 1998 BARR
	0040/1703	WEST CARROLL T 024 "DIA CIR PLASTIC
	0040/1558	LEN=0010 INSTALLED 1998 015 "DIA CIRC CONCR
	0040/1321	LEN=0034 INSTALLED 1998 018 "DIA CIR PLASTIC
	0040/1039	LEN=0010 INSTALLED 1998 024 "DIA CIRC CONCR
	0040/0742	LEN=0032 INSTALLED 1998
SECOND ST (T604)	0040/0303	
		015 "DIA CIRC CONCR
	0040/0015	LEN=0032 INSTALLED 1998
2 0 11047 0 00 0111+30 008500 FT		008500 FT
BARNES RD (T603)	0040/0000	
S	0040/0000	LENGTH(AH 3902 BK 2294)
		018"H 18"W UNKN CAST I
	0030/1848	LEN=0040 INSTALLED 1998 018 "DIA CIRC CONCR
	0030/1520	LEN=0035 INSTALLED 1998 018 "DIA CIRC CONCR
	0030/1107	LEN=0034 INSTALLED 1998
		018 "DIA CIRC CONCR
	0030/0465	LEN=0100 INSTALLED 1998 010"H 18"W ELLIP CONC
	0030/0022	LEN=0040 INSTALLED 1998
006206 FT		006206 FT 2 0 11047 0 00 0134+00 COLE RD (SR4011 SEG 0010/0000)
S	0030/0000	LENGTH(AH 2294 BK 2738)
	0020/2405	BMSEN 11/4009/0020/2390 2 0 11097 0 00 0058+90 W B SUSQU RI
	0020/2390	BMSBG 11/4009/0020/2390
NUMBER ONE RD (T602)	0020/2343	
		015 "DIA CIRC METAL
	0020/1471	LEN=0040 INSTALLED 1998

DIR: B TOTAL LEN: 3.713 MI. DIST: 09-3 SR: 4009
LEFT MUN: WEST CARROLL T RIGHT MUN: WEST CARROLL T




		0020/0760	015 "DIA CIRC OTHER LEN=0046 INSTALLED 1998
		0020/0375	018 "DIA CIRC OTHER LEN=0040 INSTALLED 1998
		0020/0356	FRAZIER ST (T615)
		0020/0149	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1998
	003468 FT	003468 FT	2 0 11097 0 00 0034+92 REED ST
		S 0020/0000	(T513) LENGTH(AH 2738 BK 3468)
		0010/3356	042 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
		0010/3332	BMSEN 11/4009/0010/3322 2 0 11097 0 00 0033+39
		0010/3322	OPEN SEWER BMSBG 11/4009/0010/3322
		0010/3153	BACK RD (T515)
		0010/3092	015 "DIA CIR PLASTIC LEN=0047 INSTALLED 1998
GOODWAY RD (T614)	0010/2114		
		0010/1997	015 "DIA CIR PLASTIC LEN=0080 INSTALLED 1998
		0010/1726	024 "DIA CIR PLASTIC LEN=0010 INSTALLED 1998
		0010/1565	015 "DIA CIR PLASTIC LEN=0011 INSTALLED 1998
		0010/1454	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2004
		0010/1295	015 "DIA CIR PLASTIC LEN=0010 INSTALLED 1998
		0010/0984	018 "DIA CIR PLASTIC LEN=0047 INSTALLED 1998
		0010/0054	015 "DIA CIR PLASTIC LEN=0010 INSTALLED 1998
	000000 FT	000000 FT	2 0 11097 0 00 0000+00 VILLAGE: BAKERTON
			NC DEVEAUX ST
			INTER-BK DEVEAUX ST (SR4004 SEG 0020/1155)
NUMBER SIX RD (SR4004 SEG 0020/1155)	0010/0000		MFC BEGIN = D
		S 0010/0000	LENGTH(AH 3468 BK 0000)

DIR: B TOTAL LEN: 4.111 MI. DIST: 09-3 SR: 4008
LEFT MUN: PATTON B RIGHT MUN: PATTON B

021704 FT


FOURTH AV
(SR0036 SEG 0240/0000) 0112/0683

021021 FT




021704 FT
INTER-AHD MAGEE AV
(SR0036 SEG 0240/0000)
FOURTH AV
(BORO)
0112/0683
014"H 23"W ELLIP CONC
0112/0650 LEN=0040 INSTALLED 2017
MOOSE AV
0112/0188 (BORO)
021021 FT 1 0 00221 0 03 0670+37
FIFTH AV
(SR4015 SEG 0100/0584)
NC MAGEE AV

DIR: B TOTAL LEN: 4.111 MI. DIST: 09-3 SR: 4008
LEFT MUN: PATTON B RIGHT MUN: PATTON B



		MAGEE AV
		(BORO)
	S 0112/0000	LENGTH(AH 0683 BK 1002)
021021 FT		
	7110/0000	LENGTH(AH 1002 BK 1775)
021021 FT		
	7102/0000	LENGTH(AH 1775 BK 0206)
	* REF-AHD	BEECH AV
		(BORO)
	0100/0206	EAST CARROLL T
1 0 00221 0 03 0700+00 020815 FT		NC BEECH AV
PALMER AV		MFC BEGIN = D
(T504) 0100/0000	S 0100/0000	LENGTH(AH 0206 BK 2975)
		HEILMAN RD
	0090/2605	(T504)
		018 "DIA CIRC CONCR
	0090/2245	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0090/2040	LEN=0046 INSTALLED 1987
		015 "DIA CIR PLASTIC
	0090/1617	LEN=0036 INSTALLED 1987
		015 "DIA CIRC CONCR
	0090/0978	LEN=0037 INSTALLED 1987
		018 "DIA CIRC CONCR
	0090/0484	LEN=0032 INSTALLED 1987
		018 "DIA CIRC CONCR
	0090/0040	LEN=0033 INSTALLED 1987
017840 FT	017840 FT	1 0 00221 0 03 0730+07
	S 0090/0000	LENGTH(AH 2975 BK 3017)
		015 "DIA CIR PLASTIC
	0080/2584	LEN=0032 INSTALLED 1987
		018 "DIA CIR PLASTIC
	0080/2089	LEN=0030 INSTALLED 1987
		EAST CARROLL
	0080/1745	ELDER T
		018 "DIA CIR PLASTIC
	0080/0846	LEN=0030 INSTALLED 1979
		015 "DIA CIRC CONCR
	0080/0143	LEN=0034 INSTALLED 1987
014823 FT	014823 FT	1 0 00221 0 03 0760+02
		NC BEECH RD
	S 0080/0000	LENGTH(AH 3017 BK 1509)
		015 "DIA CIRC CONCR
	0070/1297	LEN=0030 INSTALLED 1987
		015 "DIA CIRC CONCR
	0070/1078	LEN=0030 INSTALLED 1987
		015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 4.111 MI. DIST: 09-3 SR: 4008
LEFT MUN: ELDER T RIGHT MUN: ELDER T




0070/0871 LEN=0032 INSTALLED 1987
015 "DIA CIRC CONCR
0070/0017 LEN=0020 INSTALLED 1987
013314 FT 013314 FT 1 0 00221 0 03 0775+11
SUNSET RD
(SR4013 SEG 0060/0000)
S 0070/0000 LENGTH(AH 1509 BK 2994)
024 "DIA CIRC METAL
0060/2571 LEN=0032 INSTALLED 1987
(APRA) PATTON WIND FARM
PATTON WIND FARM (RD E/
POI 0060/1406 (PRDR)
015 "DIA CIR PLASTIC
0060/0665 LEN=0040 INSTALLED 2005
015 "DIA CIR PLASTIC
0060/0495 LEN=0035 INSTALLED 2005
010320 FT 010320 FT 2 0 11076 0 00 0030+03
S 0060/0000 LENGTH(AH 2994 BK 3670)
018 "DIA CIR PLASTIC
0050/2655 LEN=0034 INSTALLED 1987
018 "DIA CIR PLASTIC
0050/2550 LEN=0045 INSTALLED 1987

2 0 11076 0 00 0066+20 006650 FT 006650 FT
MAINES RD
(T530) 0050/0000
S 0050/0000 LENGTH(AH 3670 BK 3645)
018 "DIA CIR PLASTIC
0040/3472 LEN=0035 INSTALLED 2005
018 "DIA CIR PLASTIC
0040/2972 LEN=0030 INSTALLED 2005
015 "DIA CIR PLASTIC
0040/1933 LEN=0040 INSTALLED 2005

HUBER ST
(T336)
HUBER ST
(SR4010 SEG 0020/3050) 0040/1910


DIR: B TOTAL LEN: 4.111 MI. DIST: 09-3 SR: 4008
LEFT MUN: ELDER T RIGHT MUN: ELDER T




		015 "DIA CIR PLASTIC
	0040/1284	LEN=0035 INSTALLED 2005
		030 "DIA CIRC METAL
	0040/0819	LEN=0065 INSTALLED 1987
	0040/0019	BMSEN 11/4008/0040/0000
003005 FT	003005 FT	2 0 11076 0 00 0103+35
		BRUBAKER RUN
		BMSBG 11/4008/0040/0000
	S 0040/0000	LENGTH(AH 3645 BK 3005)
		015 "DIA CIRC CONCR
	0032/2982	LEN=0040 INSTALLED 1960
		NC BEAVER ST
		SNAKE HILL RD
	0032/2848	(SR4012 SEG 0010/2628)
		018 "DIA CIR PLASTIC
	0032/2659	LEN=0030 INSTALLED 1960
		024 "DIA CAST IRON
	0032/2257	LEN=0050 INSTALLED 1960
		015 "DIA CIRC CONCR
	0032/1715	LEN=0030 INSTALLED 1960
		015 "DIA CIRC CONCR
	0032/1296	LEN=0030 INSTALLED 1960
		ELDER
	0032/1125	SUSQUEHANNA T
		018 "DIA CIR PLASTIC
	0032/1084	LEN=0035 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0032/0966	LEN=0030 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0032/0775	LEN=0035 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0032/0500	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0032/0215	LEN=0064 INSTALLED 2002
000000 FT	000000 FT	0 0 00000 0 00 0000+00
		NC LANLARK RD
		NUMBER NINE RD
		(SR4019 SEG 0100/1050)
	INTER-BK	BEAVER ST
		(T541)
		MFC BEGIN = E
	S 0032/0000	LENGTH(AH 3005 BK 0500)
000000 FT	000000 FT	
	7030/0000	LENGTH(AH 0500 BK 1192)
000000 FT	000000 FT	
	7020/0000	LENGTH(AH 1192 BK 0983)
000000 FT	000000 FT	
	7010/0000	LENGTH(AH 0983 BK 0000)

DIR: B TOTAL LEN: 2.543 MI. DIST: 09-3 SR: 4007
LEFT MUN: BARR T RIGHT MUN: BARR T

DUMAN RD	013428 FT	013428 FT BLUE GOOSE RD
(SR0271 SEG 0690/0000)	0050/1842	0050/1842 (SR0271 SEG 0690/0000)
		015 "DIA CIRC CONCR
		0050/1756 LEN=0062 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0050/1056 LEN=0040 INSTALLED 2005
		018 "DIA CIR PLASTIC
		0050/0667 LEN=0040 INSTALLED 2005
MEADOW VIEW LN		
(PRDR)	0050/0520	
2 0 11073 0 00 0116+43	011586 FT	011586 FT
PRIESSER RD		
(T490)	0050/0000	0050/0000 LENGTH(AH 1842 BK 1962)
		018 "DIA CIR PLASTIC
		0040/1863 LEN=0040 INSTALLED 2005
		018 "DIA CIR PLASTIC
		0040/0850 LEN=0040 INSTALLED 2005
		024 "DIA CIR PLASTIC
		0040/0587 LEN=0030 INSTALLED UNKN
		018 "DIA CAST IRON
		0040/0262 LEN=0040 INSTALLED UNKN
	009624 FT	009624 FT 2 0 11073 0 00 0095+93
		FARABAUGH RD
		(T500)



DIR: B TOTAL LEN: 2.543 MI. DIST: 09-3 SR: 4007
LEFT MUN: BARR T RIGHT MUN: BARR T



S 0040/0000 LENGTH(AH 1962 BK 3637)

015 "DIA CIR PLASTIC
0030/2308 LEN=0040 INSTALLED 2005
048 "DIA CIRC METAL
0030/2063 LEN=0050 INSTALLED 2006

018 "DIA CIR PLASTIC
0030/1358 LEN=0035 INSTALLED 2005

024 "DIA CIR PLASTIC
0030/0697 LEN=0040 INSTALLED 2004
018 "DIA CIRC CONCR
0030/0248 LEN=0036 INSTALLED UNKN
005987 FT 005987 FT 2 0 11073 0 00 0060+57
S 0030/0000 LENGTH(AH 3637 BK 3258)

018 "DIA CIR PLASTIC
0020/2629 LEN=0040 INSTALLED 2004

018 "DIA CIR PLASTIC
0020/1738 LEN=0018 INSTALLED 2004


0020/0039 BMSEN 11/4007/0020/0000
002729 FT 002729 FT 2 0 11073 0 00 0027+34
CALIF. RUN
BMSBG 11/4007/0020/0000
S 0020/0000 LENGTH(AH 3258 BK 2729)
018 "DIA CIR PLASTIC
0010/2388 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1874 LEN=0050 INSTALLED 2004
018 "DIA CIR PLASTIC
0010/1414 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1020 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0704 LEN=0040 INSTALLED 2004
024 "DIA CIR PLASTIC
0010/0253 LEN=0038 INSTALLED UNKN
NC WOLFE RD
SNAKE RD
2 0 11073 0 00 0000+00 000000 FT 000000 FT (SR4002 SEG 0090/0000)
SNAKE RD MFC BEGIN = D
(SR4002 SEG 0090/0000) 0010/0000 S 0010/0000 LENGTH(AH 2729 BK 0000)

DIR: B TOTAL LEN: 2.313 MI. DIST: 09-3 SR: 4006
LEFT MUN: PATTON B RIGHT MUN: PATTON B

DEDEA AV
(BORO)


LINGLE AV

012214 FT
0050/0614




012214 FT BEECH AV
0050/0816 (BORO)
DEDEA AV
0050/0614 (BORO)
018 "DIA CIRC OTHER
0050/0354 LEN=0229 INSTALLED 1980

DIR: B TOTAL LEN: 2.313 MI. DIST: 09-3 SR: 4006
LEFT MUN: PATTON B RIGHT MUN: PATTON B



(BORO)	0050/0254		
	011398 FT		011398 FT 2 0 11086 0 00 0114+54
			MAGEE AV
			(BORO)
			MURRAY AV
			(BORO)
		S	0050/0000 LENGTH(AH 0816 BK 3280)
			018 "DIA CIRC METAL
			0040/3245 LEN=0085 INSTALLED UNKN
			NC ROSS AV
			PATTON
			0040/3244 EAST CARROLL T
			018 "DIA CIRC CONCR
			0040/2700 LEN=0038 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0040/2243 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC OTHER
			0040/1423 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0040/1280 LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0040/1146 LEN=0040 INSTALLED UNKN
			024 "DIA CIRC METAL
			0040/0397 LEN=0035 INSTALLED UNKN
			021 "DIA CIRC CONCR
			0040/0364 LEN=0040 INSTALLED 2002
			015 "DIA CIR PLASTIC
			0040/0158 LEN=0090 INSTALLED UNKN
			015 "DIA CIRC ALUMIN
			0040/0057 LEN=0060 INSTALLED UNKN
	008118 FT		008118 FT 2 0 11086 0 00 0081+49
			ASHCROFT RD
			(T527)
		S	0040/0000 LENGTH(AH 3280 BK 3676)
			015 "DIA CIRC METAL
			0030/3351 LEN=0110 INSTALLED UNKN
SMITH RD			
(T502)	0030/3309		
			012 "DIA CAST IRON
			0030/3164 LEN=0150 INSTALLED UNKN
			015 "DIA CAST IRON
			0030/3009 LEN=0070 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0030/2904 LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0030/2723 LEN=0030 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0030/2303 LEN=0100 INSTALLED UNKN

DIR: B TOTAL LEN: 2.313 MI. DIST: 09-3 SR: 4006
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T




		018 "DIA CIR PLASTIC
	0030/1793	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0030/1445	LEN=0037 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1304	LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0884	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0470	LEN=0034 INSTALLED UNKN
		RAIL LN
==	0030/0156	(TWP)
004442 FT	004442 FT	2 0 11086 0 00 0044+90
		LC FOR RAIL LN
		(CONN)
==	S 0030/0000	LENGTH(AH 3676 BK 2113)
		018 "DIA CIR PLASTIC
	0020/2031	LEN=0040 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0020/1685	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC METAL
	0020/1242	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC OTHER
	0020/1095	LEN=0080 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0520	LEN=0034 INSTALLED UNKN
002329 FT	002329 FT	2 0 11086 0 00 0023+46
		048 "DIA CIRC CONCR
		LEN=0036 INSTALLED UNKN
	S 0020/0000	LENGTH(AH 2113 BK 2329)
		015 "DIA CIR PLASTIC
	0010/1762	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0010/1466	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/1133	LEN=0036 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0010/0661	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/0384	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0010/0313	LEN=0042 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0010/0032	LEN=0060 INSTALLED UNKN
000000 FT	000000 FT	2 0 11086 0 00 0000+00
		NC MAGEE RD
		OTT RD
		(SR4019 SEG 0040/1474)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 2329 BK 0000)

DIR: B TOTAL LEN: 7.416 MI. DIST: 09-3 SR: 4005
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T

PLANK RD	039158 FT		039158 FT PLANK RD
(SR0219 SEG 0600/0000)	0160/3164		0160/3164 (SR0219 SEG 0600/0000)
			018 "DIA CIRC CONCR
			0160/3131 LEN=0030 INSTALLED UNKN
			FOR SR 0219 AND 4005
			0160/2872 (CONN)
			015 "DIA CIRC CONCR
			0160/2034 LEN=0028 INSTALLED UNKN
	035994 FT		035994 FT 1 0 00062 0 01 0379+85
			S 0160/0000 LENGTH(AH 3164 BK 2991)
			018 "DIA CIRC CONCR
			0150/2274 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0150/1150 LEN=0030 INSTALLED UNKN
	033003 FT		033003 FT 1 0 00062 0 01 0349+71
			S 0150/0000 LENGTH(AH 2991 BK 2190)

DIR: B TOTAL LEN: 7.416 MI. DIST: 09-3 SR: 4005
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



030813 FT

027107 FT


THOMAS RD
(T493) 0120/1695

024351 FT

1 0 00062 0 01 0252+02 023204 FT
TRIPOLI RD
(SR4002 SEG 0140/3213) 0110/0000


0140/0539 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
030813 FT 1 0 00062 0 01 0327+86 MILLER RD (T599)
S 0140/0000 LENGTH(AH 2190 BK 3706)
0130/3656 015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
0130/2909 015 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
0130/2314 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
0130/1421 015 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
0130/0966 015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
0130/0076 015 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
0130/0030 EAST CARROLL CAMBRIA T
027107 FT 1 0 00062 0 01 0290+81
S 0130/0000 LENGTH(AH 3706 BK 2756)
0120/2182 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
0120/1770 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
0120/0722 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
024351 FT 1 0 00062 0 01 0263+00
S 0120/0000 LENGTH(AH 2756 BK 1147)
0110/1138 015 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
023204 FT
S 0110/0000 LENGTH(AH 1147 BK 1856)
015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 7.416 MI. DIST: 09-3 SR: 4005
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




	0100/1815	LEN=0150 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/1285	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/0759	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/0530	LEN=0015 INSTALLED 2001
021348 FT	021348 FT	1 0 00062 0 01 0231+71
	S 0100/0000	LENGTH(AH 1856 BK 2484)
		018 "DIA CIR PLASTIC
	0090/1834	LEN=0010 INSTALLED 2006
		015 "DIA CIR PLASTIC
	0090/1333	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/1170	LEN=0010 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0090/0499	LEN=0010 INSTALLED 2006
018864 FT	018864 FT	1 0 00062 0 01 0205+37
	S 0090/0000	LENGTH(AH 2484 BK 2486)
		018 "DIA CIRC CONCR
	0080/1955	LEN=0032 INSTALLED UNKN
		FRIEND-LEA RD
	0080/1498	(SR1002 SEG 0010/0000)
		015 "DIA CIRC CONCR
	0080/0808	LEN=0032 INSTALLED UNKN
016378 FT	016378 FT	1 0 00062 0 01 0180+51
	S 0080/0000	LENGTH(AH 2486 BK 2514)
		018 "DIA CIRC CONCR
	0070/1924	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/1174	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0070/0771	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0070/0405	LEN=0042 INSTALLED UNKN
013864 FT	013864 FT	1 0 00062 0 01 0155+88
	S 0070/0000	LENGTH(AH 2514 BK 1903)
		015 "DIA CIRC CONCR
	0060/1881	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0060/1523	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0060/1225	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 7.416 MI. DIST: 09-3 SR: 4005
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



		0060/0625	LEN=0036 INSTALLED UNKN
GRESH RD (T800)	0060/0591	==	
			015 "DIA CIRC CONCR
		0060/0533	LEN=0034 INSTALLED UNKN
		0060/0021	BMSEN 11/4005/0060/0000
	011961 FT	011961 FT	1 0 00062 0 01 0136+59
			S. BR. BLACKLICK CREEK
			BMSBG 11/4005/0060/0000
		S 0060/0000	LENGTH(AH 1903 BK 3118)
			024 "DIA CIRC CONCR
		0050/2928	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1718	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0050/1611	LEN=0046 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0050/1041	LEN=0044 INSTALLED UNKN
1 0 00062 0 01 0105+48	008843 FT	008843 FT	
MUNICIPAL RD (T500)	0050/0000	==	S 0050/0000 LENGTH(AH 3118 BK 1467)
			015 "DIA CIRC CONCR
		0040/1030	LEN=0048 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0040/0769	LEN=0036 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0040/0448	LEN=0100 INSTALLED UNKN
			SR 0219 SBL
		0040/0230	OP ID 11/0219/0475/0000
			SR 0219 NBL
		0040/0150	OP ID 11/0219/0474/0000
			KENNEL RD
		== 0040/0050	(T794)
	007376 FT	007376 FT	1 0 00062 0 01 0090+84
			084 "DIA CIRC CONCR
			LEN=0090 INSTALLED 1990
		S 0040/0000	LENGTH(AH 1467 BK 2997)
			036 "DIA CIRC CONCR
		0030/2992	LEN=0068 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/1918	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/1613	LEN=0041 INSTALLED UNKN


DIR: B TOTAL LEN: 7.416 MI. DIST: 09-3 SR: 4005
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



			018 "DIA CIRC CONCR
		0030/1125	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0030/0736	LEN=0042 INSTALLED UNKN
			CAMBRIA
		0030/0152	EBENSBURG B
	004379 FT	004379 FT	1 0 00062 0 01 0060+48
			NC COLVER RD
		S 0030/0000	LENGTH(AH 2997 BK 2390)
			024 "DIA CIRC METAL
		0020/2337	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2026	LEN=0044 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0020/1647	LEN=0030 INSTALLED 1999
			KNOPP DR
		0020/1095	(PRDR)
			018 "DIA CIRC CONCR
		0020/0821	LEN=0032 INSTALLED 2001
SCHOOL ENTR (PRDR)	0020/0760		
			018 "DIA CIRC CONCR
		0020/0602	LEN=0034 INSTALLED UNKN
1 0 00062 0 01 0036+73	001989 FT	001989 FT	
BELMONT AV (BORO)	0020/0000	S 0020/0000	LENGTH(AH 2390 BK 1989)
WEST ST (BORO)	0010/1842		
			HILLCREST DR
		0010/1682	(BORO)
			SPRUCE ST
		0010/1495	(BORO)
			MARIAN ST
		0010/1197	(BORO)
			BEECH ST
		0010/0907	(BORO)
			JULIAN ST
		0010/0602	(BORO)
CHERRY ST (BORO)	0010/0371		
	000000 FT	000000 FT	1 0 00062 0 01 0016+54
			NC HIGHLAND AV
			CENTER ST
			(SR4031 SEG 0070/0000)
		INTER-BK	HIGHLAND AV
			(BORO)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 1989 BK 0000)

DIR: B TOTAL LEN: 2.818 MI. DIST: 09-3 SR: 4004
LEFT MUN: CARROLLTOWN B RIGHT MUN: CARROLLTOWN B

014880 FT




ST JOSEPH ST
(BORO)

0050/2911


014880 FT MAIN ST
0050/3188 (SR0219 SEG 0650/0745)
018 "DIA CAST IRON
0050/3149 LEN=0064 INSTALLED 1987
024 "DIA CIRC METAL
0050/2919 LEN=0070 INSTALLED 1980

DIR: B TOTAL LEN: 2.818 MI. DIST: 09-3 SR: 4004
LEFT MUN: CARROLLTOWN B RIGHT MUN: CARROLLTOWN B



		018 "DIA CIR PLASTIC
	0050/2374	LEN=0040 INSTALLED 1999
		NC OAK ST
		CARROLLTOWN
	0050/1706	WEST CARROLL T
		018 "DIA CAST IRON
	0050/1604	LEN=0042 INSTALLED 1987
		018 "DIA CAST IRON
	0050/1360	LEN=0043 INSTALLED 1987
		038 "DIA CIRC METAL
	0050/0710	LEN=0046 INSTALLED 1987
011692 FT		011692 FT 2 0 11045 0 02 0434+95
	S 0050/0000	LENGTH(AH 3188 BK 2664)
		018 "DIA CAST IRON
	0040/2365	LEN=0038 INSTALLED 1980
		018 "DIA CAST IRON
	0040/2140	LEN=0028 INSTALLED 1980
		018 "DIA CIRC METAL
	0040/1811	LEN=0046 INSTALLED 1980
		024 "DIA CAST IRON
	0040/1602	LEN=0046 INSTALLED 1980
		018 "DIA CAST IRON
	0040/1457	LEN=0044 INSTALLED 1980
		018 "DIA CAST IRON
	0040/1036	LEN=0045 INSTALLED 1980
		018 "DIA CIRC CONCR
	0040/0759	LEN=0047 INSTALLED 1980
		024 "DIA CIRC CONCR
	0040/0525	LEN=0051 INSTALLED 1980
		018 "DIA CIR PLASTIC
	0040/0354	LEN=0048 INSTALLED 1980
		015 "DIA CIRC OTHER
	0040/0010	LEN=0048 INSTALLED 1980
2 0 11045 0 02 0408+09 009028 FT		009028 FT
MYERS RD		
(T516) 0040/0000	S 0040/0000	LENGTH(AH 2664 BK 2894)
		015 "DIA CIRC CONCR
	0030/2538	LEN=0040 INSTALLED 1980
		018 "DIA CAST IRON
	0030/1922	LEN=0038 INSTALLED 1980
		024 "DIA CIRC CONCR
	0030/1414	LEN=0052 INSTALLED 1980
		MITCHEL RD
	0030/0916	(T511)
		060 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.818 MI. DIST: 09-3 SR: 4004
LEFT MUN: WEST CARROLL T RIGHT MUN: WEST CARROLL T



	0030/0115 LEN=0080 INSTALLED 1980
2 0 11045 0 02 0379+10 006134 FT	006134 FT
SMITH RD	
(T630)	MFC BEGIN = D
0030/0000	S 0030/0000 LENGTH(AH 2894 BK 2251)
	018 "DIA CAST IRON
	0020/2115 LEN=0042 INSTALLED 1980
DEVEAUX ST	
(SR4009 SEG 0010/0000) 0020/1155	NC DEVEAUX ST
	FRONT ST
	0020/1090 (T613)
	0020/0827 BMSEN 11/4004/0020/0800
	2 0 11045 0 01 0359+74
	W BR SUSQUEHANNA RIVER
	0020/0800 BMSBG 11/4004/0020/0800
	STERLING RD
	0020/0478 (T607)
003883 FT	003883 FT 2 0 11045 0 01 0351+79
	S 0020/0000 LENGTH(AH 2251 BK 3883)
	018 "DIA CIR PLASTIC
	0010/3544 LEN=0060 INSTALLED 1980
	015 "DIA CIRC CONCR
	0010/3195 LEN=0060 INSTALLED 1980
	018 "DIA CIR PLASTIC
	0010/2927 LEN=0075 INSTALLED 1980
	018 "DIA CIR PLASTIC
	0010/2793 LEN=0060 INSTALLED 1980
	030 "DIA CAST IRON
	0010/2557 LEN=0075 INSTALLED 1980
	018 "DIA CIRC CONCR
	0010/2072 LEN=0036 INSTALLED 1980
	018 "DIA CIR PLASTIC
	0010/1659 LEN=0035 INSTALLED 1980
	018 "DIA CIR PLASTIC
	0010/1384 LEN=0033 INSTALLED 1980
	018 "DIA CIR PLASTIC
	0010/1036 LEN=0036 INSTALLED 1980
	018 "DIA CIR PLASTIC
	0010/0693 LEN=0053 INSTALLED 1980
	024 "DIA CIR PLASTIC
	0010/0377 LEN=0039 INSTALLED 1980
	015 "DIA CIR PLASTIC
	0010/0109 LEN=0040 INSTALLED 1997
000000 FT	000000 FT 2 0 11045 0 00 0308+86
	RIDGE RD
	(SR0553 SEG 0120/0000)
	NC NUMBER SIX RD
RIDGE RD	MFC BEGIN = E
(SR0553 SEG 0120/0000) 0010/0000	S 0010/0000 LENGTH(AH 3883 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 09-3 SR: 4003
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

000000 FT




000000 FT
7024/0000 LTH AH 003235 BK 000000

DIR: B TOTAL LEN: 7.505 MI. DIST: 09-3 SR: 4002
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T


039626 FT		039626 FT COLVER RD
		0140/3213 (SR4005 SEG 0110/0000)
		WILLIAMS RUN
		STRUCTURE LENGTH 15 FT
		0140/2821 BMSID 11/4002/0140/2821
		024 "DIA CIR UNKNOWN
		0140/2041 LEN=0050 INSTALLED UNKN
		015 "DIA CIR PLASTIC
		0140/1684 LEN=0055 INSTALLED 2000
		015 "DIA CIRC CONCR
		0140/1009 LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0140/0759 LEN=0100 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0140/0612 LEN=0040 INSTALLED 1988
036413 FT		036413 FT 2 0 11036 0 00 0364+75

DIR: B TOTAL LEN: 7.505 MI. DIST: 09-3 SR: 4002
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



		036 "DIA CIRC CONCR
		LEN=0025 INSTALLED 2000
	S 0140/0000	LENGTH(AH 3213 BK 2486)
LUTE RD		GRESH RD
(T801) 0130/2195	0130/2195	(T800)
033927 FT	033927 FT	2 0 11036 0 00 0340+04
	S 0130/0000	LENGTH(AH 2486 BK 3405)
		036 "DIA CIRC CONCR
	0120/2902	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0120/1823	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0120/1517	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0120/1268	LEN=0030 INSTALLED UNKN
		UNION ST
	0120/0631	(T607)
030522 FT	030522 FT	2 0 11036 0 00 0305+66
		CALIFORNIA RUN
		STRUCTURE LENGTH 11 FT
		BMSID 11/4002/0120/0000
	S 0120/0000	LENGTH(AH 3405 BK 2716)
		WEAVER AV
	0110/2543	(TWP)
	NC	TRIPOLI RD
		TWENTY ROW RD
	0110/2270	(T799)
		015 "DIA CIRC METAL
	0110/1201	LEN=0038 INSTALLED UNKN
027806 FT	027806 FT	2 0 11036 0 00 0280+00
		KUHN DR
		(T783)
	S 0110/0000	LENGTH(AH 2716 BK 2363)
		018 "DIA CIR PLASTIC
	0100/2278	LEN=0040 INSTALLED 1997

DIR: B TOTAL LEN: 7.505 MI. DIST: 09-3 SR: 4002
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



025443 FT

VETERA RD
(T494)

0100/0000

2 0 11036 0 00 0228+32 022803 FT
WOLFE RD
(SR4007 SEG 0010/0000)

0090/0000


019652 FT

PRIESSER RD
(T490)

0070/2469


025443 FT 2 0 11036 0 00 0254+83
TWENTY ROW RD
(T664)
S 0100/0000 LENGTH(AH 2363 BK 2640)
CAMBRIA
0090/1775 BARR T
015 "DIA CIRC METAL
0090/1566 LEN=0032 INSTALLED UNKN
(APRA) COLVER POWER PLA
COLVER POWER PLANT RD
0090/1438 (PRDR)
018 "DIA CIR PLASTIC
0090/0292 LEN=0035 INSTALLED 2006
022803 FT
S 0090/0000 LENGTH(AH 2640 BK 3151)
015 "DIA CIRC METAL
0080/2704 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/1762 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/1039 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/0415 LEN=0035 INSTALLED 1988
019652 FT 2 0 11036 0 00 0196+84
ELK CREEK
STRUCTURE LENGTH 21 FT
BMSID 11/4002/0080/0000
S 0080/0000 LENGTH(AH 3151 BK 2719)
012 "DIA CIRC OTHER
0070/2376 LEN=0032 INSTALLED UNKN
REED HALL RD
0070/2143 (SR4033 SEG 0060/2327)
BARR
0070/1864 BLACKLICK T

DIR: B TOTAL LEN: 7.505 MI. DIST: 09-3 SR: 4002
LEFT MUN: BARR T RIGHT MUN: BARR T




	0070/1676	018 "DIA CIRC CONCR LEN=0035 INSTALLED 1988
	0070/0928	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2006
	0070/0507	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
016933 FT	016933 FT	2 0 11036 0 00 0169+66
	S 0070/0000	LENGTH(AH 2719 BK 2438)
	0060/1256	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 2006
	0060/0881	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
014495 FT	014495 FT	2 0 11036 0 00 0145+41 BETHEL RD (T474)
==	S 0060/0000	LENGTH(AH 2438 BK 2056)
	0050/0604	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
012439 FT	012439 FT	2 0 11036 0 00 0124+70 BR ELK CREEK STRUCTURE LENGTH 10 FT BMSID 11/4002/0050/0000
	S 0050/0000	LENGTH(AH 2056 BK 2465)
	0040/0688	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
009974 FT	009974 FT	2 0 11036 0 00 0100+07
	S 0040/0000	LENGTH(AH 2465 BK 3400)
	0030/2048	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	0030/1093	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 7.505 MI. DIST: 09-3 SR: 4002
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T




		015 "DIA CIR PLASTIC
	0030/0232	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/0039	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0012	LEN=0045 INSTALLED 2006
006574 FT	006574 FT	2 0 11036 0 00 0065+16
	S 0030/0000	LENGTH(AH 3400 BK 3022)
		024 "DIA CIR PLASTIC
	0020/3014	LEN=0025 INSTALLED 2006
		018 "DIA CIRC CONCR
	0020/0671	LEN=0028 INSTALLED UNKN
003552 FT	003552 FT	2 0 11036 0 00 0035+59
	S 0020/0000	LENGTH(AH 3022 BK 3552)
		024 "DIA CIR PLASTIC
	0010/2915	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/1894	LEN=0040 INSTALLED 2006
		015 "DIA CIR PLASTIC
	0010/1680	LEN=0045 INSTALLED 2006
		015 "DIA CIR PLASTIC
	0010/1595	LEN=0048 INSTALLED 2006
	0010/1389	BMSEN 11/4002/0010/1364
		2 0 11036 0 00 0013+75
		BR ELK CR
	0010/1364	BMSBG 11/4002/0010/1364
		015 "DIA CIR PLASTIC
	0010/1140	LEN=0028 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/1051	LEN=0032 INSTALLED UNKN
		024 "DIA CIRC METAL
	0010/0751	LEN=0026 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/0477	LEN=0040 INSTALLED UNKN
000000 FT	000000 FT	2 0 11036 0 00 0000+00
		NC SNAKE RD
		DUMAN RD
		(SR0271 SEG 0600/1484)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 3552 BK 0000)

DIR: B TOTAL LEN: 8.101 MI. DIST: 09-3 SR: 4001
LEFT MUN: BARR T RIGHT MUN: BARR T



042774 FT
042774 FT ALVERDA RD
0160/1928 (SR0553 SEG 0020/0000)
015 "DIA CIR PLASTIC
0160/1701 LEN=0030 INSTALLED 2002
018 "DIA CIRC CONCR
0160/0131 LEN=0032 INSTALLED 2002
040846 FT
040846 FT 2 0 11106 0 00 0409+25
S 0160/0000 LENGTH(AH 1928 BK 2443)
015 "DIA CAST IRON
0150/2388 LEN=0027 INSTALLED 1988
018 "DIA CIRC CONCR
0150/2191 LEN=0032 INSTALLED 2002
024 "DIA CIR PLASTIC
0150/1534 LEN=0040 INSTALLED 2002
018 "DIA CIRC CONCR
0150/0014 LEN=0032 INSTALLED 2002
038403 FT
038403 FT 2 0 11106 0 00 0384+82
LUTHER RD
(T523)
S 0150/0000 LENGTH(AH 2443 BK 3666)

DIR: B TOTAL LEN: 8.101 MI. DIST: 09-3 SR: 4001
LEFT MUN: BARR T RIGHT MUN: BARR T



0140/3607 015 "DIA CIR PLASTIC LEN=0042 INSTALLED 1988
0140/3179 018 "DIA CIRC CONCR LEN=0032 INSTALLED 2002
0140/2568 015 "DIA CIR PLASTIC LEN=0030 INSTALLED 1988
0140/1213 018 "DIA CIRC CONCR LEN=0040 INSTALLED 2002
0140/0027 018 "DIA CIRC METAL LEN=0034 INSTALLED 1988

KINTER STATION RD (T515)
0140/0013 034737 FT

034737 FT 2 0 11106 0 00 0348+22
TEA KETTLE RD (T514)
S 0140/0000 LENGTH(AH 3666 BK 3478)
0130/2968 036 "DIA CIR PLASTIC LEN=0050 INSTALLED 2002
0130/2742 018 "DIA CIRC CONCR LEN=0032 INSTALLED 2002
0130/2431 018 "DIA CIRC CONCR LEN=0032 INSTALLED 2002
0130/1750 018 "DIA CIRC CONCR LEN=0032 INSTALLED 2002
0130/1434 024 "DIA CIR PLASTIC LEN=0040 INSTALLED 2002
0130/1223 018 "DIA CIRC CONCR LEN=0032 INSTALLED 2002

031259 FT


031259 FT 2 0 11106 0 00 0313+66
WATER PLANT RD (T506)
DUTCH RUN RD (T496)
S 0130/0000 LENGTH(AH 3478 BK 1305)

0120/0044 018 "DIA CIRC CONCR LEN=0036 INSTALLED 1988

029954 FT

029954 FT 2 0 11106 0 00 0300+39

DIR: B TOTAL LEN: 8.101 MI. DIST: 09-3 SR: 4001
LEFT MUN: BARR T RIGHT MUN: BARR T



S 0120/0000 LENGTH(AH 1305 BK 3354)
018 "DIA CIRC CONCR
0110/3279 LEN=0032 INSTALLED 2002
018 "DIA CIRC CONCR
0110/3163 LEN=0032 INSTALLED 2002
018 "DIA CIRC CONCR
0110/2981 LEN=0032 INSTALLED 1988

018 "DIA CIRC CONCR
0110/0800 LEN=0032 INSTALLED 2002


018 "DIA CIR PLASTIC
0110/0021 LEN=0030 INSTALLED 1988
026600 FT
2 0 11106 0 00 0266+68 026600 FT
TWENTY-FOUR SLOPE RD
(T508) 0110/0000
S 0110/0000 LENGTH(AH 3354 BK 1654)

024946 FT
024946 FT 2 0 11106 0 00 0250+71
S 0100/0000 LENGTH(AH 1654 BK 2333)

0090/0036 BMSEN 11/4001/0090/0000
022613 FT
022613 FT 2 0 11106 0 00 0226+77
NC KILLEN SCHOOL RD
DUTCH RUN
BMSBG 11/4001/0090/0000
S 0090/0000 LENGTH(AH 2333 BK 3597)

015 "DIA CIRC CONCR
0080/1070 LEN=0025 INSTALLED 1988

DIR: B TOTAL LEN: 8.101 MI. DIST: 09-3 SR: 4001
LEFT MUN: BARR T RIGHT MUN: BARR T



```
019016 FT   019016 FT 2 0 11106 0 00 0190+72
                      BARR
                      BLACKLICK T
            0080/0000 LENGTH(AH 3597 BK 2823)


                      018 "DIA CIRC CONCR
            0070/1468 LEN=0044 INSTALLED 1988
                      018 "DIA CIRC CONCR
            0070/1118 LEN=0035 INSTALLED 1988
                      015 "DIA CIRC CONCR
            0070/0683 LEN=0028 INSTALLED 1988
016193 FT   016193 FT 2 0 11107 0 00 0162+64
                      ELZIMARSH RD
                      (T496)
            0070/0000 LENGTH(AH 2823 BK 2145)

                      018 "DIA CIR PLASTIC
            0060/0090 LEN=0038 INSTALLED 1988
014048 FT   014048 FT 2 0 11107 0 00 0140+85
                      IRON BRIDGE RD
                      (T498)
            0060/0000 LENGTH(AH 2145 BK 2185)
                      015 "DIA CIR PLASTIC
            0050/2150 LEN=0030 INSTALLED 1988

011863 FT   011863 FT 2 0 11107 0 00 0119+97
            0050/0000 LENGTH(AH 2185 BK 2862)

                      015 "DIA CIRC CONCR
            0040/1252 LEN=0032 INSTALLED 1988
                      018 "DIA CIRC METAL
            0040/0801 LEN=0032 INSTALLED 1988
            0040/0763 (AAR 840085X)#TRKS 01
            0040/0311 BMSEN 11/4001/0040/0291
                      2 0 11107 0 00 0090+29
```

DIR: B TOTAL LEN: 8.101 MI. DIST: 09-3 SR: 4001
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



STEVENS RUN
0040/0291 BMSBG 11/4001/0040/0291

STRONG RD
(T497)
0040/0216
009001 FT

009001 FT 2 0 11107 0 00 0090+29
S 0040/0000 LENGTH(AH 2862 BK 3807)
018 "DIA CIRC CONCR
0030/3697 LEN=0038 INSTALLED 1988

005194 FT

005194 FT 2 0 11107 0 00 0052+03
ADAMS CROSSING RD
(T491)
S 0030/0000 LENGTH(AH 3807 BK 1645)

048 "DIA CIRC CONCR
0020/0610 LEN=0045 INSTALLED 1988

003549 FT

003549 FT 2 0 11107 0 00 0035+11
S 0020/0000 LENGTH(AH 1645 BK 3549)
015 "DIA CIR PLASTIC
0010/3500 LEN=0040 INSTALLED UNKN

018 "DIA CIR PLASTIC
0010/2393 LEN=0030 INSTALLED 1998
018 "DIA CIRC CONCR
0010/2106 LEN=0032 INSTALLED 1998

036 "DIA CIR PLASTIC
0010/0791 LEN=0040 INSTALLED 1998


000000 FT

000000 FT 2 0 11107 0 00 0000+00
NC IVERSON RD
BENJAMIN FRANKLIN HW
(SR0422 SEG 0010/1021)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 3549 BK 0000)

DIR: B TOTAL LEN: .055 MI. DIST: 09-3 SR: 3106
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T

000288 FT

000000 FT




000288 FT BMSEN 11/3106/0010/0000
REF-AHD TOWER RD
0010/0288 (T417)
000000 FT 0 0 00000 0 00 0000+00
NC TOWER RD
REF-BK TOWER RD
(T417)
SR 0219 NBL
BMSBG 11/3106/0010/0000
MFC BEGIN = E
0010/0000 LENGTH(AH 0288 BK 0000)

DIR: B TOTAL LEN: .044 MI. DIST: 09-3 SR: 3104
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

000234 FT

000000 FT




000234 FT BMSEN 11/3104/0010/0000
REF-AHD MT AIRY DR
0010/0234 (T302)
000000 FT 0 0 00000 0 00 0000+00
NC MOUNT AIRY DR
REF-BK MT AIRY DR
(T302)
SR 0219 NBL
BMSBG 11/3104/0010/0000
MFC BEGIN = E
0010/0000 LENGTH(AH 0234 BK 0000)

DIR: B TOTAL LEN: .039 MI. DIST: 09-3 SR: 3102
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

000208 FT


000000 FT



000208 FT BMSEN 11/3102/0010/0000
REF-AHD OAKRIDGE DR
0010/0208 (T319)
000000 FT 0 0 00000 0 00 0000+00
NC OAKRIDGE DR
REF-BK OAKRIDGE DR
(T319)
SR 0219 NBL
BMSBG 11/3102/0010/0000
MFC BEGIN = D
0010/0000 LENGTH(AH 0208 BK 0000)


DIR: B TOTAL LEN: .447 MI. DIST: 09-3 SR: 3055
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

002362 FT



002362 FT WASHINGTON ST
(SR3044 SEG 0030/0000)
0020/1492

DIR: B TOTAL LEN: .447 MI. DIST: 09-3 SR: 3055
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



DOVE PL
0020/1349 (CITY)
LOCUST ST
(CITY)
0020/1196
LOCUST ST
(CITY) 0020/1169 0020/1169
AL
0020/1050 (CITY)
MAIN ST
(CITY)
0020/0876
012 "DIA CIR PLASTIC
0020/0593 LEN=0395 INSTALLED UNKN
LINCOLN ST
(CITY) 0020/0565
VINE ST
(SR3016 SEG 0031/0000)
0020/0343
0020/0272 BMSEN 11/3055/0020/0036
1 0 00052 0 03 0234+14
STONYCREEK R
0020/0036 BMSBG 11/3055/0020/0036
000870 FT 000870 FT 1 0 00052 0 03 0233+78
NC FRANKLIN ST
SOMERSET ST
(CITY)
INTER-BK FRANKLIN ST
(CITY)
S 0020/0000 LTH AH 001492 BK 000100
000870 FT 000870 FT
7012/0000 LTH AH 000100 BK 000870
INTER-AHD NAPOLEON ST
(SR0403 SEG 0150/0000)
NAPOLEON ST
(SR0403 SEG 0150/0000) 0010/0870 0010/0870
SOMERSET ST
(CITY) 0010/0517
NC SOMERSET ST
SR 0056 EBL
0010/0300 OP ID 11/0056/0150/0000
LC FOR MILLCREEK RD
(CITY) 0010/0297
000000 FT 000000 FT 2 0 11011 7 00 0168+83
NC MENOHER BL
HAYNES ST
(CITY)
INTER-BK MENOHER BL
(SR0271 SEG 0180/2070)
MFC BEGIN = C
S 0010/0000 LENGTH(AH 0870 BK 0000)


DIR: B TOTAL LEN: .000 MI. DIST: 09-3 SR: 3053
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T

000000 FT



000000 FT
7010/0000 LENGTH(AH 2937 BK 0000)

DIR: B TOTAL LEN: 3.177 MI. DIST: 09-3 SR: 3049
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T




016772 FT
016772 FT
INTER-AHD BETHEL RD
(T475)
BENJAMIN FRANKLIN HW
0060/2270 (SR0422 SEG 0100/0760)
018 "DIA CIRC CONCR
0060/1756 LEN=0050 INSTALLED UNKN

014502 FT
014502 FT 2 0 11032 0 00 0144+80
ALLIE BUCK RD
(T450)
== S 0060/0000 LENGTH(AH 2270 BK 2067)

036 "DIA CIRC CONCR
0050/0334 LEN=0068 INSTALLED UNKN
012435 FT
012435 FT 2 0 11032 0 00 0124+42
MAHAN LN
(T507)
== S 0050/0000 LENGTH(AH 2067 BK 3369)
030 "DIA CIRC CONCR
0040/3303 LEN=0082 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/2517 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/2240 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1994 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1759 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1593 LEN=0034 INSTALLED UNKN


2 0 11032 0 00 0090+75 009066 FT
EXPEDITE RD
(SR3036 SEG 0030/2925) 0040/0000
009066 FT
S 0040/0000 LENGTH(AH 3369 BK 3880)
024 "DIA CIRC CONCR
0030/3790 LEN=0055 INSTALLED 1988

DIR: B TOTAL LEN: 3.177 MI. DIST: 09-3 SR: 3049
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



			024 "DIA CIRC CONCR
		0030/2744	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/2182	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/1832	LEN=0048 INSTALLED UNKN
WEAVER CR (T761)	0030/1670		
WEAVER CR (T761)	0030/1324		
			018 "DIA CIRC CONCR
		0030/0911	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0651	LEN=0036 INSTALLED UNKN
			BLACKLICK
		0030/0225	NANTY GLO B
			018 "DIA CIRC CONCR
		0030/0016	LEN=0040 INSTALLED UNKN
	005186 FT	005186 FT	2 0 11032 0 00 0052+00
			MIDDLE ST
			(BORO)
		S 0030/0000	LENGTH(AH 3880 BK 2761)
			018 "DIA CIRC CONCR
		0020/2604	LEN=0138 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2509	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/2386	LEN=0042 INSTALLED UNKN
WEST RAILROAD ST (BORO)	0020/2261		
			072 "DIA CIRC METAL
		0020/2253	LEN=0068 INSTALLED UNKN
			DAVIS RUN
			STRUCTURE LENGTH 9 FT
		0020/2119	BMSID 11/3049/0020/2119
			018 "DIA CIRC CONCR
		0020/2052	LEN=0066 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1934	LEN=0048 INSTALLED UNKN
JULIUS ST (BORO)	0020/1793		
			018 "DIA CIRC CONCR
		0020/1546	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1492	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1459	LEN=0038 INSTALLED UNKN
			EDWARDS ST
		0020/1423	(BORO)
LIME ST			

DIR: B TOTAL LEN: 3.177 MI. DIST: 09-3 SR: 3049
LEFT MUN: NANTY GLO B RIGHT MUN: NANTY GLO B



(BORO) 0020/1359

0020/1219 018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN

0020/1029 018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN

BELL ST

0020/0872 (BORO)

0020/0671 024 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN

RIVER ST
(BORO) 0020/0584

0020/0390 018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN

2 0 11032 0 00 0024+30 002425 FT 002425 FT

BIRCH ST
(BORO) 0020/0000

S 0020/0000 LENGTH(AH 2761 BK 2425)

BLOOM ST

0010/2181 (BORO)

0010/2160 018 "DIA CIRC CONCR LEN=0026 INSTALLED UNKN

0010/1673 018 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN

CARNAHAN ST
(BORO) 0010/1664

0010/1384 018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN

FOURTH ST
(BORO)
MAPLE ST
(BORO) 0010/1146

0010/0956 018 "DIA CIRC CONCR LEN=0026 INSTALLED UNKN

0010/0762 018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN

CHESTNUT ST
(BORO) 0010/0749

0010/0418 018 "DIA CIRC CONCR LEN=0026 INSTALLED UNKN

0010/0186 018 "DIA CIRC CONCR LEN=0026 INSTALLED UNKN

SCHOOL ST
(BORO) 0010/0179

0010/0019 018 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN

000000 FT 000000 FT 2 0 11032 0 00 0000+00

NC CARDIFF RD


SECOND ST

(SR3034 SEG 0020/0000)

MFC BEGIN = D

S 0010/0000 LENGTH(AH 2425 BK 0000)


DIR: E TOTAL LEN: .275 MI. DIST: 09-3 SR: 3048
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




	001450 FT INTER-AHD	001193 FT INTER-AHD	
LOCUST ST (SR0869 SEG 0021/0000) SR 0219 NBL			LOCUST ST (SR0869 SEG 0020/0000) SR 0219 NBL
OP ID 11/0219/0200/0000 TO 8007/0250 SH (CONN)	0011/1450 0011/1335	0010/1193 0010/1021	OP ID 11/0219/0200/0000 TO 8007/0250 SH (CONN)
RAMP B RD (SR8007 SEG 0500/0855) FROM 8007/0500 SH (CONN)	0011/1070 0011/0937	0010/0862 0010/0791	RAMP A RD (SR8007 SEG 0250/0000) RAMP B RD (SR8007 SEG 0500/0855)
FROM 3024/0180 SH (CONN)	0011/0236	0010/0276	018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
SANDY RUN STRUCTURE LENGTH 36 FT BMSID 11/3048/0011/0164	0011/0164	0010/0083	SANDY RUN STRUCTURE LENGTH 38 FT BMSID 11/3048/0010/0083
2 0 11010 0 01 0287+02	000000 FT	0010/0075	FROM 3024/0180 SH (CONN)
RAGERS HILL RD (SR3024 SEG 0180/2680) NC LOCUST ST		000000 FT	2 0 11010 0 01 0285+06
RAGERS HILL RD (SR3024 SEG 0180/2680) MFC BEGIN = D LENGTH(AH 1450 BK 0000)	0011/0000	0010/0000	RAGERS HILL RD (SR3024 SEG 0180/2268) MFC BEGIN = D LENGTH(AH 1193 BK 0000)

DIR: B TOTAL LEN: 3.286 MI. DIST: 09-3 SR: 3047
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T

STATION RD (SR0271 SEG 0550/0000)	017348 FT 0050/3433		017348 FT	STATION RD
			0050/3433	(SR0271 SEG 0550/0000)
				024 "DIA CIRC CONCR
			0050/3305	LEN=0046 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0050/3181	LEN=0060 INSTALLED UNKN
FOR SR 0271 AND 3047 (CONN)	0050/3175			
			0050/2950	BMSEN 11/3047/0050/2875
				BLACKLICK
			0050/2885	JACKSON T
				2 0 11094 0 00 0168+63
				SB.BLKLK.CR.
			0050/2875	BMSBG 11/3047/0050/2875
				FORD'S CORNER RD
			0050/2778	(T424)
				018 "DIA CIR PLASTIC
			0050/2722	LEN=0038 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0050/2075	LEN=0048 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0050/1826	LEN=0041 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0050/1572	LEN=0037 INSTALLED UNKN
				012 "DIA CIRC CONCR
			0050/1167	LEN=0041 INSTALLED UNKN
				012 "DIA CIRC CONCR
			0050/0875	LEN=0033 INSTALLED UNKN
				012 "DIA CIRC CONCR
			0050/0517	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/0293	LEN=0046 INSTALLED UNKN
	013915 FT		013915 FT	2 0 11094 0 00 0139+83
		S	0050/0000	LENGTH(AH 3433 BK 3394)
				015 "DIA CIRC CONCR
			0040/3349	LEN=0032 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2785	LEN=0030 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0040/2458	LEN=0036 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0040/1862	LEN=0032 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0040/1564	LEN=0030 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0040/1148	LEN=0032 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0040/0771	LEN=0030 INSTALLED UNKN




DIR: B TOTAL LEN: 3.286 MI. DIST: 09-3 SR: 3047
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




		018 "DIA CIRC CONCR
	0040/0452	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/0219	LEN=0030 INSTALLED UNKN
010521 FT	010521 FT	2 0 11094 0 00 0105+82
	S 0040/0000	LENGTH(AH 3394 BK 3552)
		060"H 60"W CON BOX CUL
	0030/3490	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/2894	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/2449	LEN=0030 INSTALLED UNKN
		060"H 72"W CON BOX CUL
	0030/1850	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1583	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1145	LEN=0010 INSTALLED 2004
		018 "DIA CIRC CONCR
	0030/0988	LEN=0062 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/0762	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0236	LEN=0041 INSTALLED UNKN
006969 FT	006969 FT	2 0 11094 0 00 0070+79
		024 "DIA CIRC CONCR
		LEN=0032 INSTALLED UNKN
	S 0030/0000	LENGTH(AH 3552 BK 3541)
		015 "DIA CIRC CONCR
	0020/3219	LEN=0041 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/3106	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/2767	LEN=0031 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/2400	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/2013	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1682	LEN=0037 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1349	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1008	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0742	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/0402	LEN=0042 INSTALLED UNKN
		JACKSON
	0020/0035	VINTONDALE B

DIR: B TOTAL LEN: 3.286 MI. DIST: 09-3 SR: 3047
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




	003428 FT		003428 FT 2 0 11094 0 00 0034+35
			015 "DIA CIRC CONCR
			LEN=0028 INSTALLED UNKN
		S	0020/0000 LENGTH(AH 3541 BK 3428)
			024 "DIA CIR PLASTIC
			0010/3357 LEN=0040 INSTALLED 2015
			018 "DIA CIR PLASTIC
			0010/2923 LEN=0047 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0010/2837 LEN=0060 INSTALLED 2015
			015 "DIA CIR PLASTIC
			0010/2693 LEN=0041 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/2566 LEN=0043 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/2407 LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/2175 LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/2076 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/1878 LEN=0034 INSTALLED UNKN
			BRACKENS RUN
			STRUCTURE LENGTH 10 FT
			0010/1630 BMSID 11/3047/0010/1630
			MAPLE ST
			0010/1483 (BORO)
			024 "DIA CIRC CONCR
			0010/1201 LEN=0200 INSTALLED UNKN
			024 "DIA CIRC METAL
			0010/0774 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/0592 LEN=0036 INSTALLED UNKN
SELECK AL (BORO)	0010/0579		
JACOB RD (BORO)	0010/0208		
			SHUMANS RUN
			STRUCTURE LENGTH 11 FT
			0010/0121 BMSID 11/3047/0010/0121
FIRST ST (BORO)	0010/0033		
	000000 FT		000000 FT 2 0 11094 0 00 0000+00
			NC PLANK RD
			CHICKAREE HILL RD
			(SR3045 SEG 0050/1732)
			INTER-BK MAIN ST
			(SR3045 SEG 0050/1732)
			MFC BEGIN = D
		S	0010/0000 LENGTH(AH 3428 BK 0000)

DIR: B TOTAL LEN: 3.730 MI. DIST: 09-3 SR: 3045
LEFT MUN: VINTONDALE B RIGHT MUN: VINTONDALE B




DIR: B TOTAL LEN: 3.730 MI. DIST: 09-3 SR: 3045
LEFT MUN: VINTONDALE B RIGHT MUN: VINTONDALE B



		015 "DIA CIRC CONCR
		0050/1531 LEN=0040 INSTALLED UNKN
GRIFFITH ST (BORO)	0050/1357	
		018 "DIA CIRC CONCR
		0050/1123 LEN=0050 INSTALLED UNKN
BALOG RD (BORO)	0050/1097	
BALOG RD (BORO)	0050/0434	
	014098 FT	014098 FT 2 0 11029 0 00 0141+49
		S 0050/0000 LENGTH(AH 3172 BK 3561)
		024 "DIA CIRC CONCR
		0040/3354 LEN=0042 INSTALLED UNKN
		VINTONDALE
		0040/3311 JACKSON T
		018 "DIA CIRC CONCR
		0040/2758 LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0040/1920 LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0040/1544 LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0040/1158 LEN=0032 INSTALLED UNKN
		024 "DIA CIR PLASTIC
		0040/0904 LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0040/0705 LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0040/0589 LEN=0022 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0040/0325 LEN=0030 INSTALLED UNKN
	010537 FT	010537 FT 2 0 11029 0 00 0105+98
		S 0040/0000 LENGTH(AH 3561 BK 3545)
		018 "DIA CIR PLASTIC
		0030/3065 LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0030/2691 LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0030/2078 LEN=0036 INSTALLED UNKN
		015 "DIA CIR PLASTIC
		0030/1704 LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0030/0931 LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0030/0566 LEN=0048 INSTALLED UNKN

DIR: B TOTAL LEN: 3.730 MI. DIST: 09-3 SR: 3045
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



			018 "DIA CIRC CONCR
		0030/0013	LEN=0048 INSTALLED UNKN
2 0 11029 0 00 0070+96	006992 FT	006992 FT	
WAGNER RD			
(T445)	0030/0000	S 0030/0000	LENGTH(AH 3545 BK 3523)
			024 "DIA CIR PLASTIC
		0020/3166	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2965	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2055	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1718	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1622	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0987	LEN=0034 INSTALLED UNKN
	003469 FT	003469 FT	2 0 11029 0 00 0035+50
		S 0020/0000	LENGTH(AH 3523 BK 3469)
LAUREL RIDGE RD			
(T446)	0010/2647	0010/2647	(APRA) WASTE MANAGEMENT
			015 "DIA CIR PLASTIC
		0010/2584	LEN=0032 INSTALLED UNKN
			024 "DIA CIRC ALUMIN
		0010/1344	LEN=0050 INSTALLED 2018
			018 "DIA CIRC CONCR
		0010/0787	LEN=0069 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0262	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0082	LEN=0035 INSTALLED UNKN
	000000 FT	000000 FT	2 0 11029 0 00 0000+00
			NC CHICKAREE HILL RD
			WILLIAM PENN HW
			(SR0022 SEG 0063/2484)
			(SR0022 SEG 0062/2484)
		INTER-BK	MILE HILL RD
			(T428)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 3469 BK 0000)


DIR: B TOTAL LEN: .690 MI. DIST: 09-3 SR: 3044
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

CLINTON ST 003641 FT  CLINTON ST 003641 FT (SR0271 SEG 0240/0000)

DIR: B TOTAL LEN: .690 MI. DIST: 09-3 SR: 3044

LEFT MUN: JOHNSTOWN C

RIGHT MUN: JOHNSTOWN C



(SR0271 SEG 0240/0000) 0030/0576
003065 FT

0030/0576
003065 FT 1 0 00052 0 03 0248+83
FRANKLIN ST
(SR3055 SEG 0020/1492)

S 0030/0000 LENGTH(AH 0576 BK 0618)
015 "DIA CIRC CONCR
0020/0349 LEN=0033 INSTALLED UNKN
GAZEBO PK
0020/0312 (CITY)
020 "DIA CIR PLASTIC
0020/0038 LEN=0011 INSTALLED UNKN

002447 FT

002447 FT 1 0 00223 0 02 0349+10
MARKET ST
(CITY)

S 0020/0000 LENGTH(AH 0618 BK 2447)
LEE PL
0010/2130 (CITY)
015 "DIA CAST IRON
0010/2010 LEN=0045 INSTALLED UNKN
MUSEUM PL
0010/1991 (CITY)
020 "DIA CIRC CONCR
0010/1971 LEN=0085 INSTALLED UNKN

WALNUT ST
(SR3037 SEG 0030/0000) 0010/1839

0010/1839
WALNUT ST
0010/1815 (CITY)
MORRELL PL
0010/1498 (CITY)
015 "DIA CIR PLASTIC
0010/1220 LEN=0036 INSTALLED UNKN
UNION ST
0010/1199 (SR3025 SEG 0010/1053)
JOHNS ST
(CITY)
0010/0849
0010/0342 BMSEN 11/3044/0010/0045
1 0 00223 0 02 0324+93
STONYCREEK
0010/0045 BMSBG 11/3044/0010/0045

000000 FT

000000 FT 1 0 00223 0 02 0324+15
ROOSEVELT BL
(SR0056 SEG 0121/0000)
(SR0056 SEG 0120/0000)
NC WASHINGTON ST

ROOSEVELT BL
(SR0056 SEG 0121/0000)
(SR0056 SEG 0120/0000) 0010/0000

MFC BEGIN = B
S 0010/0000 LENGTH(AH 2447 BK 0000)

DIR: B TOTAL LEN: 7.069 MI. DIST: 09-3 SR: 3043
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T


037325 FT

SNABLY AV
(T806)

0130/0871

PENNZOIL DR
(T829)

0130/0564
035008 FT




037325 FT
INTER-AHD PIKE RD
(T509)
WILLIAM PENN BL
0130/2317 (SR0271 SEG 0450/0000)
018 "DIA CIRC METAL
0130/2224 LEN=0036 INSTALLED UNKN
ALDAN RD
0130/1998 (PRDR)

018 "DIA CIRC CONCR
0130/1089 LEN=0044 INSTALLED UNKN

VENTURE ST
0130/0780 (T836)


035008 FT 2 0 11023 0 02 0299+05
VILLAGE: MUNDY'S CORNER
BALD EAGLE ST
(T837)
S 0130/0000 LENGTH(AH 2317 BK 3710)

DIR: B TOTAL LEN: 7.069 MI. DIST: 09-3 SR: 3043
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



			024 "DIA CIRC CONCR
		0120/2942	LEN=0060 INSTALLED UNKN
PARADISE RD (TWP)	0120/2461		
			015 "DIA CIRC METAL
		0120/2030	LEN=0044 INSTALLED UNKN
			NC PIKE RD
			PIKE RD
		0120/2011	(T508)
			018 "DIA CIR PLASTIC
		0120/1325	LEN=0038 INSTALLED UNKN
PARADISE RD (TWP)	0120/1081		
			024 "DIA CIR PLASTIC
		0120/0625	LEN=0066 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0120/0049	LEN=0030 INSTALLED UNKN
	031298 FT	031298 FT	2 0 11023 0 02 0261+20
		S 0120/0000	LENGTH(AH 3710 BK 3560)
			018 "DIA CIR PLASTIC
		0110/3119	LEN=0030 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0110/1280	LEN=0028 INSTALLED UNKN
	027738 FT	027738 FT	2 0 11023 0 02 0225+05
		S 0110/0000	LENGTH(AH 3560 BK 3607)
			024 "DIA CIR PLASTIC
		0100/3551	LEN=0044 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0100/3080	LEN=0036 INSTALLED 1988
			015 "DIA CIRC METAL
		0100/2487	LEN=0030 INSTALLED 1988
			ADAMS AV
		0100/1455	(T429)
			072 "DIA CIRC METAL
		0100/1213	LEN=0100 INSTALLED 1988
			BR.SALTLK.C.
			STRUCTURE LENGTH 11 FT
		0100/1170	BMSID 11/3043/0100/1170
			SALTLICK RUN

DIR: B TOTAL LEN: 7.069 MI. DIST: 09-3 SR: 3043
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



		STRUCTURE LENGTH 17 FT
	0100/0870	BMSID 11/3043/0100/0870
024131 FT	024131 FT	2 0 11023 0 01 0187+95
S	0100/0000	LENGTH(AH 3607 BK 3269)
		BUCKHORN RD
	0090/2575	(PRDR)
		018 "DIA CIR PLASTIC
	0090/2285	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/1527	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/0161	LEN=0040 INSTALLED UNKN
020862 FT	020862 FT	2 0 11023 0 01 0154+52
S	0090/0000	LENGTH(AH 3269 BK 3468)
		018 "DIA CIRC METAL
	0080/2994	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/2734	LEN=0044 INSTALLED UNKN
		048"H 50"W CON BOX CUL
	0080/2445	LEN=0115 INSTALLED UNKN
		015 "DIA CIRC METAL
	0080/2178	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC METAL
	0080/1950	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0080/1621	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/1321	LEN=0040 INSTALLED 2005
		015 "DIA CIR PLASTIC
	0080/0804	LEN=0040 INSTALLED 2000
		015 "DIA CIR PLASTIC
	0080/0365	LEN=0040 INSTALLED 2000
017394 FT	017394 FT	2 0 11023 0 01 0120+09
S	0080/0000	LENGTH(AH 3468 BK 3480)

DIR: B TOTAL LEN: 7.069 MI. DIST: 09-3 SR: 3043
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

013914 FT
013914 FT 2 0 11023 0 01 0085+18
S 0070/0000 LENGTH(AH 3480 BK 2307)

018 "DIA CIR PLASTIC
0060/1265 LEN=0030 INSTALLED UNKN

018 "DIA CIR PLASTIC
0060/0579 LEN=0040 INSTALLED UNKN
011607 FT 011607 FT 2 0 11023 0 01 0062+11
MEIERS RD
(T417)
== S 0060/0000 LENGTH(AH 2307 BK 2725)
018 "DIA CIR PLASTIC
0050/2665 LEN=0040 INSTALLED UNKN

JACKSON
0050/1502 CROYLE T

018 "DIA CIR PLASTIC
0050/0789 LEN=0048 INSTALLED UNKN

018 "DIA CIRC CONCR
0050/0084 LEN=0046 INSTALLED UNKN
008882 FT 008882 FT 2 0 11023 0 00 0037+00
FRESCH RD
(T403)
== S 0050/0000 LENGTH(AH 2725 BK 3493)
018 "DIA CIR PLASTIC
0040/3177 LEN=0030 INSTALLED 2005
018 "DIA CIR PLASTIC
0040/3002 LEN=0030 INSTALLED 2005

024 "DIA CIR PLASTIC
0040/0095 LEN=0078 INSTALLED UNKN
2 0 11023 0 00 0000+00 005389 FT 005389 FT
MINERAL POINT RD
(SR3030 SEG 0100/1898) 0040/0000
S 0040/0000 LENGTH(AH 3493 BK 1353)

018 "DIA CIR PLASTIC
0030/0170 LEN=0030 INSTALLED 2005

DIR: B TOTAL LEN: 7.069 MI. DIST: 09-3 SR: 3043
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T


004036 FT

2 0 11021 0 04 0324+83 001336 FT
W JACKSON ST
(BORO) 0020/0000

BIRCH ST
(TWP) 0010/1038

POPLAR ST
(BORO) 0010/0642

000000 FT



004036 FT 2 0 11021 0 04 0298+15
WESS RD
(T400)
0030/0000 LENGTH(AH 1353 BK 2700)
024 "DIA CIRC CONCR
0020/2379 LEN=0044 INSTALLED UNKN
030 "DIA CIR PLASTIC
0020/2252 LEN=0010 INSTALLED 1997
015 "DIA CIR PLASTIC
0020/1847 LEN=0040 INSTALLED 2005
018 "DIA CIR PLASTIC
0020/1697 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1494 LEN=0010 INSTALLED 2005
EMILY LN
0020/1307 (PRDR)
CROYLE
0020/1030 SUMMERHILL B


CHERRY ST
0020/0206 (PRDR)
001336 FT
NC SWIGLE MT RD
0020/0000 LENGTH(AH 2700 BK 1336)
SR 0219 NBL
0010/1232 OP ID 11/0219/0260/0748
SECOND AV
0010/1126 (BORO)

FIRST AV
0010/0897 (BORO)
012 "DIA CIRC OTHER
0010/0740 LEN=9999 INSTALLED UNKN
ELM ST
0010/0668 (BORO)

HOLLY ST
0010/0452 (BORO)
012 "DIA CIRC OTHER
0010/0281 LEN=9999 INSTALLED UNKN
QUARRY ST
0010/0263 (BORO)
000000 FT 2 0 11021 0 04 0338+41
NC JACKSON ST
MAIN ST
(SR2009 SEG 0010/1620)
MFC BEGIN = D
0010/0000 LENGTH(AH 1336 BK 0000)


DIR: B TOTAL LEN: .000 MI. DIST: 09-3 SR: 3042
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

000000 FT
000000 FT
LTH AH 001787 BK 000913 7021/0000
000000 FT
LTH AH 000913 BK 000000 7011/0000




000000 FT
7030/0000 LENGTH(AH 0746 BK 1787)
000000 FT
7020/0000 LENGTH(AH 1787 BK 0913)
000000 FT
7010/0000 LENGTH(AH 0913 BK 0000)

DIR: B TOTAL LEN: 5.749 MI. DIST: 09-3 SR: 3041
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




DIR: B TOTAL LEN: 5.749 MI. DIST: 09-3 SR: 3041
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




		024 "DIA CIR PLASTIC
	0090/1492	LEN=0040 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0090/1095	LEN=0050 INSTALLED 1999
		018 "DIA CIRC CONCR
	0090/0199	LEN=0036 INSTALLED UNKN
024929 FT	024929 FT	2 0 11020 0 03 0255+50
	S 0090/0000	LENGTH(AH 3409 BK 3434)
		015 "DIA CIRC CONCR
	0080/2615	LEN=0037 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/1993	LEN=0037 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/1502	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/0950	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0630	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/0327	LEN=0035 INSTALLED UNKN
021495 FT	021495 FT	2 0 11020 0 03 0220+59
	S 0080/0000	LENGTH(AH 3434 BK 3494)
		024 "DIA CIR PLASTIC
	0070/3287	LEN=0080 INSTALLED 1999
		018 "DIA CIRC CONCR
	0070/3140	LEN=0040 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0070/2997	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/2763	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/2488	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/2120	LEN=0058 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/1828	LEN=0040 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0070/1727	LEN=0030 INSTALLED 2006
		015 "DIA CIRC CONCR
	0070/0560	LEN=0042 INSTALLED UNKN
018001 FT	018001 FT	2 0 11020 0 03 0185+40
	S 0070/0000	LENGTH(AH 3494 BK 3610)
		018 "DIA CIRC CONCR
	0060/3034	LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 5.749 MI. DIST: 09-3 SR: 3041
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




		018 "DIA CIRC CONCR
	0060/1297	LEN=0043 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0962	LEN=0050 INSTALLED 1999
		018 "DIA CIRC CONCR
	0060/0854	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0691	LEN=0040 INSTALLED 2005
		015 "DIA CIRC METAL
	0060/0377	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/0070	LEN=0045 INSTALLED 1990
014391 FT	014391 FT	2 0 11020 0 03 0148+75
		JACKSON
		WEST TAYLOR T
	S 0060/0000	LENGTH(AH 3610 BK 3064)
CHIME RD (TWP)	0050/2736	
		018 "DIA CIR PLASTIC
	0050/2416	LEN=0090 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/2194	LEN=0050 INSTALLED 1999
		018 "DIA CIRC CONCR
	0050/1932	LEN=0048 INSTALLED 1990
		018 "DIA CIRC CONCR
	0050/1753	LEN=0048 INSTALLED 1990
		018 "DIA CIRC CONCR
	0050/1567	LEN=0048 INSTALLED 1990
		018 "DIA CIRC CONCR
	0050/1103	LEN=0038 INSTALLED 1990
		018 "DIA CIR PLASTIC
	0050/0828	LEN=0050 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0050/0586	LEN=0030 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0050/0161	LEN=0030 INSTALLED 1999
011327 FT	011327 FT	2 0 11020 0 03 0117+81
	NC	DISHONG MT RD
	S 0050/0000	LENGTH(AH 3064 BK 2213)
		018 "DIA CIRC CONCR
	0040/2050	LEN=0034 INSTALLED 1990
		018 "DIA CIRC CONCR
	0040/1742	LEN=0044 INSTALLED 1990
		DISHONG RD
	0040/1488	(T410)
		RED RUN
		STRUCTURE LENGTH 24 FT

DIR: B TOTAL LEN: 5.749 MI. DIST: 09-3 SR: 3041
LEFT MUN: WEST TAYLOR T RIGHT MUN: WEST TAYLOR T




			0040/1043	BMSID 11/3041/0040/1043
				018 "DIA CIRC CONCR
			0040/0779	LEN=0040 INSTALLED 1990
				CARDIFF ST
			0040/0773	(T403)
				COOPER AV
			0040/0390	(T411)
				018 "DIA CIRC CONCR
			0040/0335	LEN=0046 INSTALLED 1990
2 0 11020 0 02 0090+00	009114 FT			009114 FT
KNOX ST				
(T734)	0040/0000		S 0040/0000	LENGTH(AH 2213 BK 1810)
				024 "DIA CIRC METAL
			0030/1764	LEN=0030 INSTALLED 1990
LOW ST				
(TWP)	0030/1450			
				024 "DIA CIRC CONCR
			0030/0526	LEN=0060 INSTALLED UNKN
			0030/0501	BMSEN 11/3041/0030/0488
				2 0 11020 0 01 0077+43
				TRIB LAUREL RUN
			0030/0488	BMSBG 11/3041/0030/0488
SADIE ST				
(T402)	0030/0157			
				024"H 72"W ELLIP METAL
			0030/0055	LEN=0070 INSTALLED 1990
			0030/0045	BMSEN 11/3041/0030/0000
	007304 FT		007304 FT	2 0 11020 0 01 0072+61
				LAUREL RUN
				BMSBG 11/3041/0030/0000
			S 0030/0000	LENGTH(AH 1810 BK 2067)
				015 "DIA CIRC CONCR
			0024/1230	LEN=0052 INSTALLED 1990
				018 "DIA CIRC CONCR
			0024/0816	LEN=0065 INSTALLED 1990
	005237 FT		005237 FT	2 0 11020 0 01 0052+06
				NO NAME RD
				(TWP)
			S 0024/0000	LENGTH(AH 2067 BK 2250)
			0020/2202	BMSEN 11/3041/0020/2135
				2 0 11020 0 01 0050+84
				LAUREL RUN
			0020/2135	BMSBG 11/3041/0020/2135
PICKLO ST				
(T501)	0020/1399			

DIR: B TOTAL LEN: 5.749 MI. DIST: 09-3 SR: 3041
LEFT MUN: WEST TAYLOR T RIGHT MUN: WEST TAYLOR T




		018 "DIA CIRC CONCR
	0020/1138	LEN=0035 INSTALLED 1990
ECKEL ST (TWP)	0020/1000	
		018 "DIA CIRC METAL
	0020/0738	LEN=0042 INSTALLED 1990
MCCREARY ST (T712)	0020/0689	
		018 "DIA CIRC CONCR
	0020/0494	LEN=0222 INSTALLED 1990
		018 "DIA CIRC CONCR
	0020/0275	LEN=0032 INSTALLED 1990
WILDCAT RD (T397)	0020/0053	
		018 "DIA CIRC CONCR
	0020/0034	LEN=0040 INSTALLED UNKN
	0020/0016	BMSEN 11/3041/0020/0000
002987 FT	002987 FT	2 0 11020 0 01 0029+57
		WILDCAT RUN
		BMSBG 11/3041/0020/0000
	S 0020/0000	LENGTH(AH 2250 BK 2987)
POND RD (PRDR)	0010/2872	
	0010/2152	BMSEN 11/3041/0010/2082
		2 0 11020 0 01 0020+11
		LAUREL RUN
	0010/2082	BMSBG 11/3041/0010/2082
		018 "DIA CIR PLASTIC
	0010/1980	LEN=0053 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/1693	LEN=0018 INSTALLED 1990
		018 "DIA CIRC CONCR
	0010/1372	LEN=0038 INSTALLED 1990
		018 "DIA CIRC CONCR
	0010/0848	LEN=0044 INSTALLED 1990
		036 "DIA CIRC CONCR
	0010/0514	LEN=0322 INSTALLED 1990
		LAURA ST
		(T394)
		FROM 0403/0220 SH
	0010/0091	(CONN)
		018 "DIA CIR UNKNOWN
	0010/0083	LEN=0045 INSTALLED 1990
000000 FT	000000 FT	2 0 11020 0 00 0000+00
	NC	COOPER AV
		CRAMER PK
		(SR0403 SEG 0230/0000)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 2987 BK 0000)

DIR: B TOTAL LEN: 8.315 MI. DIST: 09-3 SR: 3039
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



	043902 FT		043902 FT WILLIAM PENN BL
		0160/1794	(SR0271 SEG 0410/0000)
			024 "DIA CIR PLASTIC
		0160/1194	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/0996	LEN=0030 INSTALLED UNKN
			CREEKSIDE DR
		0160/0547	(TWP)
			015 "DIA CIRC METAL
		0160/0405	LEN=0060 INSTALLED UNKN
		0160/0027	BMSEN 11/3039/0160/0000
	042108 FT		042108 FT 2 0 11015 0 00 0421+98
			HINCKSTON RUN
			BMSBG 11/3039/0160/0000
S		0160/0000	LENGTH(AH 1794 BK 3536)
			ALLBAUGH PARK RD
		0150/3488	(PARK)
			024 "DIA CIRC CONCR
		0150/2211	LEN=0036 INSTALLED UNKN
			GOLDFINCH LN
		0150/1848	(TWP)
			018 "DIA CIR PLASTIC
		0150/1360	LEN=0043 INSTALLED UNKN
2 0 11015 0 00 0386+72 MILE HILL RD (T428) SHARKEY RD (T434)	038572 FT		038572 FT
		0150/0000	
S			0150/0000 LENGTH(AH 3536 BK 2093)
	036479 FT		036479 FT 2 0 11015 0 00 0365+49
S			0140/0000 LENGTH(AH 2093 BK 3169)
			BLUE DOLPHIN RD
		0130/2371	(TWP)
			018 "DIA CIR PLASTIC
		0130/1802	LEN=0040 INSTALLED 2001
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 8.315 MI. DIST: 09-3 SR: 3039
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



0130/0865 LEN=0035 INSTALLED UNKN

015 "DIA CIR PLASTIC
0130/0099 LEN=0034 INSTALLED 2001

033310 FT 033310 FT 2 0 11015 0 00 0333+96
KEPPLE RD
(T388)

S 0130/0000 LENGTH(AH 3169 BK 3788)

018 "DIA CIR PLASTIC
0120/2217 LEN=0040 INSTALLED 2006

018 "DIA CIRC METAL
0120/1045 LEN=0022 INSTALLED UNKN
018 "DIA CIR PLASTIC
0120/0779 LEN=0028 INSTALLED UNKN

029522 FT 029522 FT 2 0 11015 0 00 0295+97
HUNTS RD
(T405)

S 0120/0000 LENGTH(AH 3788 BK 2129)

018 "DIA CIR PLASTIC
0110/1322 LEN=0040 INSTALLED 2006

018 "DIA CIR PLASTIC
0110/0674 LEN=0029 INSTALLED UNKN


027393 FT 027393 FT 2 0 11015 0 00 0274+94
JACKSON
MIDDLE TAYLOR T

S 0110/0000 LENGTH(AH 2129 BK 1503)
018 "DIA CIR PLASTIC
0100/1147 LEN=0032 INSTALLED UNKN
015 "DIA CIRC CONCR
0100/0788 LEN=0037 INSTALLED UNKN

025890 FT 025890 FT 2 0 11015 0 00 0259+77
WATERFALL DR
(T397)

S 0100/0000 LENGTH(AH 1503 BK 3905)
018 "DIA CIRC CONCR
0090/3726 LEN=0043 INSTALLED UNKN

DIR: B TOTAL LEN: 8.315 MI. DIST: 09-3 SR: 3039
LEFT MUN: MIDDLE TAYLOR T RIGHT MUN: MIDDLE TAYLOR T



018 "DIA CIRC CONCR
0090/1756 LEN=0030 INSTALLED UNKN

018 "DIA CIR PLASTIC
0090/0173 LEN=0040 INSTALLED UNKN
021985 FT 021985 FT 2 0 11015 0 00 0220+82
S 0090/0000 LENGTH(AH 3905 BK 3514)
018 "DIA CIR PLASTIC
0080/3336 LEN=0036 INSTALLED UNKN

018 "DIA CIR PLASTIC
0080/1950 LEN=0035 INSTALLED UNKN


018 "DIA CIRC CONCR
0080/0448 LEN=0032 INSTALLED UNKN
018471 FT 018471 FT 2 0 11015 0 00 0185+31
S 0080/0000 LENGTH(AH 3514 BK 3398)
018 "DIA CIR PLASTIC
0070/2692 LEN=0024 INSTALLED UNKN

018 "DIA CIRC CONCR
0070/1465 LEN=0060 INSTALLED UNKN

015 "DIA CIR PLASTIC
0070/0840 LEN=0035 INSTALLED 2005
018 "DIA CIR PLASTIC
0070/0298 LEN=0050 INSTALLED 2006
015073 FT 015073 FT 2 0 11015 0 00 0151+16
WATERFALL DR
(T397)
S 0070/0000 LENGTH(AH 3398 BK 2340)


018 "DIA CIRC CONCR
0060/0981 LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 8.315 MI. DIST: 09-3 SR: 3039
LEFT MUN: MIDDLE TAYLOR T RIGHT MUN: MIDDLE TAYLOR T



			018 "DIA CIRC CONCR
		0060/0008	LEN=0044 INSTALLED UNKN
	012733 FT	012733 FT	2 0 11015 0 00 0124+00
			BASSET LN
			(T390)
		S 0060/0000	LENGTH(AH 2340 BK 1993)
			018 "DIA CIRC CONCR
		0050/1612	LEN=0042 INSTALLED UNKN
			LINKVILLE RD
		0050/1423	(T386)
2 0 11015 0 00 0102+84	010740 FT	010740 FT	
NAYLOR RD			
(T385)	0050/0000	S 0050/0000	LENGTH(AH 1993 BK 1797)
			018 "DIA CIRC CONCR
		0040/0815	LEN=0032 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/0007	LEN=0039 INSTALLED UNKN
2 0 11015 0 00 0094+84	008943 FT	008943 FT	
PROSSER HOLLOW RD			
(T377)	0040/0000	S 0040/0000	LENGTH(AH 1797 BK 3319)
			048"H 36"W CON BOX CUL
		0030/2494	LEN=0026 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1642	LEN=0040 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0030/1161	LEN=0030 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0030/1098	LEN=0045 INSTALLED UNKN
			EARL ST
			(T502)
			EARL ST
		0030/1087	(T502)
			018 "DIA CIRC CONCR
		0030/0924	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0622	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0303	LEN=0040 INSTALLED UNKN
	005624 FT	005624 FT	2 0 11015 0 00 0056+34
		S 0030/0000	LENGTH(AH 3319 BK 3562)
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 8.315 MI. DIST: 09-3 SR: 3039
LEFT MUN: MIDDLE TAYLOR T RIGHT MUN: MIDDLE TAYLOR T




0020/3562 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/3245 LEN=0038 INSTALLED UNKN
024 "DIA CIRC CONCR
0020/3044 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/2620 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/2360 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1961 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1595 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0890 LEN=0030 INSTALLED UNKN
MIDDLE TAYLOR
0020/0338 JOHNSTOWN C
018 "DIA CIR PLASTIC
0020/0008 LEN=0050 INSTALLED UNKN
NC BENSHOFF HILL RD
2 0 11015 0 00 0020+72 002062 FT
IRON ST
(CITY) 0020/0000
MFC BEGIN = D
S 0020/0000 LENGTH(AH 3562 BK 2062)
GARVEY PL
0010/1667 (CITY)
018 "DIA CIRC CONCR
0010/1369 LEN=0038 INSTALLED UNKN
NC IRON ST
IRON ST
0010/1335 (CITY)
0010/1186 BMSEN 11/3039/0010/0766
2 0 11015 0 00 0007+60
CONNELLY AVE
0010/0766 BMSBG 11/3039/0010/0766
POWER ST
0010/0677 (CITY)
CAMBRIA PL
0010/0511 (CITY)
CHESTNUT ST
0010/0337 (CITY)
BRALLIER PL
0010/0174 (CITY)
000000 FT 000000 FT 2 0 11015 0 00 0000+00
NC FOURTH AV
BROAD ST
(SR0056 SEG 0101/1764)
(SR0056 SEG 0100/1767)
MFC BEGIN = C
S 0010/0000 LENGTH(AH 2062 BK 0000)

DIR: B TOTAL LEN: 4.493 MI. DIST: 09-3 SR: 3037
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T

023721 FT

020645 FT

1 0 00720 0 01 0187+96 018642 FT
HINCKSTON RUN RD
(T380) 0100/0000




023721 FT
INTER-AHD WILLIAM PENN BL
(SR0271 SEG 0340/0000)
WILLIAM PENN BL
0110/3076 (SR0271 SEG 0340/0000)
FOR SR 0271 AND 3037
0110/2638 (CONN)
ZANE LN
0110/2302 (T764)
IRWIN LN
0110/2106 (T761)
018 "DIA CIRC CONCR
0110/1984 LEN=0040 INSTALLED UNKN
PASTURE LN
0110/1387 (T500)
(APRA) LECKEY'S LT
DONRUTH LN
0110/1045 (T718)

020645 FT 1 0 00720 0 01 0208+06
JACKSON ST
(T381)
S 0110/0000 LENGTH(AH 3076 BK 2003)
018 "DIA CIRC CONCR
0100/1943 LEN=0028 INSTALLED UNKN

015 "DIA CIRC CONCR
0100/0545 LEN=0042 INSTALLED UNKN
KEIPER LN
0100/0486 (T384)
018642 FT
S 0100/0000 LENGTH(AH 2003 BK 2024)

018 "DIA CIRC CONCR
0090/1260 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 4.493 MI. DIST: 09-3 SR: 3037
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T



0090/0760 LEN=0036 INSTALLED UNKN

016618 FT 016618 FT 1 0 00720 0 01 0167+52
S 0090/0000 LENGTH(AH 2024 BK 2792)
018 "DIA CIRC METAL
0080/2345 LEN=0054 INSTALLED UNKN
CONEMAUGH VALLEY SCHOOL
0080/2066 (PRDR)
018 "DIA CIRC METAL
0080/1950 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0080/1581 LEN=0060 INSTALLED 2000

VINEYARD ST
(T412) 0080/1413

018 "DIA CIRC CONCR
0080/1064 LEN=0044 INSTALLED UNKN
WASSAIL AV
0080/0983 (T387)
018 "DIA CIRC CONCR
0080/0703 LEN=0028 INSTALLED UNKN
024"H 00"W MULT CONCR
0080/0266 LEN=0060 INSTALLED UNKN

1 0 00720 0 01 0139+60 013826 FT 013826 FT HEADRICKS RD
ROSEDALE ST (T382)
(T385) 0080/0000 S 0080/0000 LENGTH(AH 2792 BK 3256)
015 "DIA CIRC CONCR
0070/3030 LEN=0038 INSTALLED UNKN

018 "DIA CIR PLASTIC
0070/1747 LEN=0030 INSTALLED UNKN


018 "DIA CIRC CONCR
0070/1142 LEN=0028 INSTALLED UNKN

010570 FT 010570 FT 1 0 00720 0 01 0108+00
FIGG ST
(T370)
S 0070/0000 LENGTH(AH 3256 BK 2796)

SCHNEIDER ST
(PRDR) 0060/2498


018 "DIA CIRC CONCR
0060/1435 LEN=0024 INSTALLED UNKN
024 "DIA CIRC CONCR
0060/1245 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 4.493 MI. DIST: 09-3 SR: 3037
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T



		0060/1078	LEN=0044 INSTALLED UNKN 015 "DIA CIRC CONCR
		0060/0614	LEN=0036 INSTALLED UNKN 018 "DIA CIRC CONCR
		0060/0091	LEN=0036 INSTALLED UNKN
	007774 FT	007774 FT	1 0 00720 0 01 0080+00 ST PETKA'S RD (T694)
		S 0060/0000	LENGTH(AH 2796 BK 2999) 024 "DIA CIRC METAL
		0050/2507	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0050/2263	LEN=0035 INSTALLED UNKN 018 "DIA CIRC CONCR
		0050/1970	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0050/1606	LEN=0050 INSTALLED 2000
TRUCK PULL OFF RD (GOVT)	0050/0842		
TRUCK PULL OFF RD (GOVT)	0050/0671		
			018 "DIA CIRC CONCR
		0050/0531	LEN=0050 INSTALLED UNKN CRONIN PL (CITY)
1 0 00720 0 00 0048+95 BISHOP MCGAULEY PL (CITY)	004775 FT 0050/0000	004775 FT S 0050/0000	EAST TAYLOR JOHNSTOWN C LENGTH(AH 2999 BK 3436)
			015 "DIA CIR PLASTIC
		0040/3412	LEN=0025 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0040/3376	LEN=0030 INSTALLED UNKN 008 "DIA CIR PLASTIC
		0040/2830	LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR
		0040/2450	LEN=0030 INSTALLED UNKN CROUSE AV (CITY)
		0040/2437	
		0040/1841	ORE ST (CITY)
		0040/1840	015 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
CLAY ST (CITY)	0040/1604		
			008 "DIA CIR PLASTIC
		0040/1420	LEN=0040 INSTALLED UNKN
NEW ST (CITY)	0040/1047		


DIR: B TOTAL LEN: 4.493 MI. DIST: 09-3 SR: 3037
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



		015 "DIA CIR PLASTIC
	0040/1046	LEN=0055 INSTALLED UNKN
		NEW ST
	0040/1003	(CITY)
		015 "DIA CIRC CONCR
	0040/0565	LEN=0030 INSTALLED UNKN
		LOWMAN ST
	0040/0296	(CITY)
MORGAN PL		
(CITY) 0040/0219		
		018 "DIA CIRC CONCR
	0040/0195	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0038	LEN=0031 INSTALLED 2000
001339 FT	001339 FT	1 0 00720 0 00 0014+06
		PROSPECT ST
		(CITY)
	S 0040/0000	LENGTH(AH 3436 BK 1339)
		018 "DIA CIRC CONCR
	0030/1250	LEN=0060 INSTALLED 2000
		018 "DIA CIRC CONCR
	0030/1220	LEN=0060 INSTALLED 2000
	0030/1198	BMSEN 11/3037/0030/0492
		1 0 00720 0 00 0005+01
		NORFOLK SOUTHERN RAI RR
	0030/0492	BMSBG 11/3037/0030/0492
		FROM 3037/0030 SH
	0030/0422	(CONN)
WALNUT ST		
(CITY) 0030/0362		NC WILLIAM PENN AV
		018 "DIA CIRC CONCR
	0030/0350	LEN=0028 INSTALLED UNKN
		TO 3037/0030 SH
	0030/0269	(CONN)
	0030/0221	BMSEN 11/3037/0030/0081
		1 0 00720 0 00 0001+22
		L.CONEMAUGH
	0030/0081	BMSBG 11/3037/0030/0081
000000 FT	000000 FT	1 0 00720 0 00 0000+00
		NC WALNUT ST
		WASHINGTON ST
		(SR3044 SEG 0010/1839)
	INTER-BK	WALNUT ST
		(CITY)
		MFC BEGIN = C
	S 0030/0000	LTH AH 001339 BK 000100
000000 FT	000000 FT	
	7024/0000	LTH AH 000100 BK 000000


DIR: B TOTAL LEN: 1.959 MI. DIST: 09-3 SR: 3036
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T

CARDIFF RD 010343 FT
(SR3049 SEG 0040/0000) 0030/2925



010343 FT CARDIFF RD
0030/2925 (SR3049 SEG 0040/0000)
024 "DIA CIRC CONCR
0030/2787 LEN=0047 INSTALLED 1988
018 "DIA CIR PLASTIC
0030/2668 LEN=0060 INSTALLED 1988
CHURCH ST
0030/2626 (T455)
018 "DIA CIR PLASTIC
0030/2467 LEN=0042 INSTALLED 1988
015 "DIA CIR PLASTIC
0030/2248 LEN=0036 INSTALLED 1988
018 "DIA CIRC CONCR
0030/1783 LEN=0033 INSTALLED 1988
018 "DIA CIR PLASTIC
0030/1592 LEN=0038 INSTALLED 1988
NORTH ST
0030/1319 (T760)
0030/0791 BMSEN 11/3036/0030/0774


DIR: B TOTAL LEN: 1.959 MI. DIST: 09-3 SR: 3036
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



		2 0 11109 0 00 0081+84
		TRIB COALPIT RUN
	0030/0774	BMSBG 11/3036/0030/0774
		018 "DIA CIRC CONCR
	0030/0190	LEN=0033 INSTALLED 1988
007418 FT	007418 FT	2 0 11109 0 00 0074+08
		CAMBRIA AND INDIANA RAI
		OVERPASS IS RR X-ING
	S 0030/0000	LENGTH(AH 2925 BK 3931)
		018 "DIA CIRC CONCR
	0020/3690	LEN=0110 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/3506	LEN=0070 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/3330	LEN=0036 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0020/3052	LEN=0032 INSTALLED 1988
		015 "DIA CIRC METAL
	0020/1969	LEN=0031 INSTALLED 1988
		048 "DIA CIR PLASTIC
	0020/1376	LEN=0035 INSTALLED 2006
003487 FT	003487 FT	2 0 11109 0 00 0035+16
	S 0020/0000	LENGTH(AH 3931 BK 3487)
		024 "DIA CIR PLASTIC
	0010/3128	LEN=0033 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0010/2928	LEN=0035 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0010/2087	LEN=0030 INSTALLED 2001
		TRIB TO COALPIT RUN
		STRUCTURE LENGTH 10 FT
	0010/0896	BMSID 11/3036/0010/0896
		PARK AV
	0010/0351	(T757)
PARK AV (T757) 0010/0324		
000000 FT	000000 FT	2 0 11109 0 00 0000+00
	NC	EXPEDITE RD
		STATION RD
		(SR0271 SEG 0570/0000)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 3487 BK 0000)


DIR: B TOTAL LEN: 3.003 MI. DIST: 09-3 SR: 3035
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T

015857 FT




015857 FT MINERAL POINT RD
0050/2143 (SR3030 SEG 0030/2953)

DIR: B TOTAL LEN: 3.003 MI. DIST: 09-3 SR: 3035
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T




	0050/2033	BMSEN 11/3035/0050/1845
		EAST TAYLOR
	0050/1919	CONEMAUGH T
		2 0 11018 0 00 0154+90
		LT.CONEMAUGH
	0050/1845	BMSBG 11/3035/0050/1845
		THOMPSON LN
	0050/1567	(PRDR)
		(APRA) (SIGNAL LIGHT ON
	0050/1290	
		CONSOLIDATED RAIL CORPO
	0050/1221	OVERPASS IS RR X-ING
		018 "DIA CIRC CONCR
	0050/1165	LEN=0044 INSTALLED 2003
		(APRA) (SIGNAL LIGHT ON
	0050/1070	
013714 FT	013714 FT	2 0 11018 0 00 0135+72
	S 0050/0000	LENGTH(AH 2143 BK 3319)
		015 "DIA CIRC CONCR
	0040/2606	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/2322	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/2008	LEN=0044 INSTALLED UNKN
		015 "DIA CIRC METAL
	0040/1748	LEN=0046 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1413	LEN=0025 INSTALLED 2006
		018 "DIA CIRC CONCR
	0040/0855	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0522	LEN=0042 INSTALLED UNKN
010395 FT	010395 FT	2 0 11018 0 00 0103+05
	S 0040/0000	LENGTH(AH 3319 BK 3324)
		018 "DIA CIRC CONCR
	0030/2821	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/2272	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2166	LEN=0142 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0030/1858	LEN=0042 INSTALLED UNKN
		018 "DIA CIR UNKNOWN
	0030/1783	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1554	LEN=0010 INSTALLED 2005

DIR: B TOTAL LEN: 3.003 MI. DIST: 09-3 SR: 3035
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T




		006 "DIA CIR PLASTIC
	0030/0888	LEN=0040 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0030/0693	LEN=0034 INSTALLED UNKN
007071 FT		007071 FT 2 0 11018 0 00 0069+90
	S 0030/0000	LENGTH(AH 3324 BK 3532)
		018 "DIA CIRC CONCR
	0020/3396	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/2344	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0020/1711	LEN=0040 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0020/1102	LEN=0041 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0020/1016	LEN=0030 INSTALLED 2006
		015 "DIA CIRC CONCR
	0020/0308	LEN=0034 INSTALLED UNKN
003539 FT		003539 FT 2 0 11018 0 00 0034+13
	S 0020/0000	LENGTH(AH 3532 BK 3539)
		018 "DIA CIRC CONCR
	0010/3360	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/3086	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/2749	LEN=0025 INSTALLED 2006
		018 "DIA CIRC CONCR
	0010/2436	LEN=0050 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0010/2237	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/2023	LEN=0034 INSTALLED UNKN
		018 "DIA CIR UNKNOWN
	0010/0775	LEN=0250 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/0535	LEN=0050 INSTALLED UNKN
	NC	BEECH HILL RD
		CLAPBOARD RUN RD
2 0 11018 0 00 0000+00 000000 FT	000000 FT	(SR3026 SEG 0070/0000)
CLAPBOARD RUN RD		MFC BEGIN = D
(SR3026 SEG 0070/0000) 0010/0000	S 0010/0000	LENGTH(AH 3539 BK 0000)

DIR: B TOTAL LEN: 5.232 MI. DIST: 09-3 SR: 3034
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



	027624 FT		027624 FT	WILLIAM PENN HW
				(SR0022 SEG 0191/0000)
				(SR0022 SEG 0190/0000)
			0100/3593	
				PLAZA ACCESS RD
		==	0100/3164	(PRDR)
				018 "DIA CIR PLASTIC
			0100/2245	LEN=0042 INSTALLED UNKN
				036 "DIA CIRC CONCR
			0100/1552	LEN=0065 INSTALLED UNKN
NEW ENTERPRISE STONE/LI (PRDR)	0100/1482	POI	0100/1482	(APRA) NEW ENTERPRISE S
				036 "DIA CIRC CONCR
			0100/0534	LEN=0060 INSTALLED UNKN
				SR 0219 NBL
			0100/0368	OP ID 11/0219/0424/0000
				SR 0219 SBL
			0100/0250	OP ID 11/0219/0425/0000
	024031 FT		024031 FT	1 0 00054 0 00 0563+38
				FCU DR
				(PRDR)
		==	S 0100/0000	LENGTH(AH 3593 BK 3574)
				018 "DIA CIRC METAL
			0090/2841	LEN=0050 INSTALLED 1999
				018 "DIA CIR PLASTIC
			0090/2352	LEN=0001 INSTALLED 1999
				018 "DIA CIR PLASTIC
			0090/1972	LEN=0033 INSTALLED UNKN
				036 "DIA CIR PLASTIC
			0090/1733	LEN=0037 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0090/1508	LEN=0033 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0090/1310	LEN=0030 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0090/1182	LEN=0040 INSTALLED 1999
				OTHER
			0090/1126	OVERPASS IS RR X-ING
			0090/0187	BMSEN 11/3034/0090/0135
				1 0 00054 0 00 0527+64
				S. BR. BLACKLICK CREEK

DIR: B TOTAL LEN: 5.232 MI. DIST: 09-3 SR: 3034
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




1 0 00054 0 00 0527+64 020457 FT
ALLIE BUCK RD
(T450) 0090/0000

0090/0135 BMSBG 11/3034/0090/0135
020457 FT


S 0090/0000 LENGTH(AH 3574 BK 3319)
018 "DIA CIR PLASTIC
0080/2825 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/2233 LEN=0037 INSTALLED UNKN
024 "DIA CIRC CONCR
0080/1953 LEN=0038 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/1540 LEN=0040 INSTALLED 1999
018 "DIA CIR PLASTIC
0080/1449 LEN=0040 INSTALLED 1999
018 "DIA CIR PLASTIC
0080/1295 LEN=0040 INSTALLED 1999
018 "DIA CIR PLASTIC
0080/1179 LEN=0036 INSTALLED 1999
018 "DIA CIR PLASTIC
0080/1060 LEN=0020 INSTALLED 1999
024 "DIA CIR PLASTIC
0080/0887 LEN=0025 INSTALLED 1999
018 "DIA CIR PLASTIC
0080/0811 LEN=0020 INSTALLED 1999
018 "DIA CIR PLASTIC
0080/0659 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/0476 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/0124 LEN=0032 INSTALLED UNKN
017138 FT 017138 FT 1 0 00054 0 00 0494+45
S 0080/0000 LENGTH(AH 3319 BK 3197)
018 "DIA CIR PLASTIC
0070/3119 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0070/3031 LEN=0033 INSTALLED UNKN
018 "DIA CIR PLASTIC
0070/2782 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0070/1880 LEN=0035 INSTALLED 1999
048 "DIA CIR PLASTIC
0070/0945 LEN=0034 INSTALLED UNKN
036 "DIA CIRC CONCR
0070/0875 LEN=0020 INSTALLED 2004
018 "DIA CIR PLASTIC
0070/0459 LEN=0040 INSTALLED 2000

DIR: B TOTAL LEN: 5.232 MI. DIST: 09-3 SR: 3034
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




			018 "DIA CIR PLASTIC
		0070/0383	LEN=0040 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0070/0275	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0129	LEN=0036 INSTALLED UNKN
			CAMBRIA
		0070/0124	BLACKLICK T
	013941 FT	013941 FT	1 0 00054 0 00 0462+48
		S 0070/0000	LENGTH(AH 3197 BK 3374)
			018 "DIA CIR PLASTIC
		0060/2962	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/2695	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/2423	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/2324	LEN=0030 INSTALLED UNKN
DELAWARE RD (TWP)	0060/2248	==	
			015 "DIA CIR PLASTIC
		0060/2132	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0060/1885	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/1698	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/1437	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/1351	LEN=0045 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/1242	LEN=0037 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/1190	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1110	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0903	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0060/0635	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/0536	LEN=0035 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0060/0378	LEN=0010 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0060/0223	LEN=0035 INSTALLED 2000
	010567 FT	010567 FT	1 0 00054 0 00 0429+24
			015 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 2000
		S 0060/0000	LENGTH(AH 3374 BK 2818)

DIR: B TOTAL LEN: 5.232 MI. DIST: 09-3 SR: 3034
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



		018 "DIA CIRC CONCR
	0050/2188	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1698	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1569	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1482	LEN=0036 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0050/1044	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0050/0601	LEN=0032 INSTALLED 2003
	0050/0010	BMSEN 11/3034/0050/0000
007749 FT	007749 FT	1 0 00054 0 00 0400+73
		BR. BLACK LK
		BMSBG 11/3034/0050/0000
	S 0050/0000	LENGTH(AH 2818 BK 2611)
		018 "DIA CIR PLASTIC
	0040/2298	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/1795	LEN=0040 INSTALLED 2000
		015 "DIA CIR PLASTIC
	0040/1504	LEN=0035 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0040/1263	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/0900	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/0559	LEN=0035 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0040/0484	LEN=0040 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0040/0301	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0134	LEN=0032 INSTALLED UNKN
005138 FT	005138 FT	1 0 00054 0 00 0374+61
		NC BEULAH RD
		BLACKLICK
		NANTY GLO B
	S 0040/0000	LENGTH(AH 2611 BK 2369)
		018 "DIA CIR PLASTIC
	0030/2320	LEN=0040 INSTALLED 2000
		015 "DIA CIRC METAL
	0030/1698	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0030/1495	LEN=0032 INSTALLED UNKN
COUNTRY RD (BORO)	0030/1061	

DIR: B TOTAL LEN: 5.232 MI. DIST: 09-3 SR: 3034
LEFT MUN: NANTY GLO B RIGHT MUN: NANTY GLO B



002769 FT

LINCOLN ST
(BORO) 0020/0729

1 0 00054 0 00 0325+50 000233 FT
CARDIFF RD
(SR3049 SEG 0010/0000) 0020/0000

BEECH ST
(BORO) 0010/0184
000000 FT

002769 FT 1 0 00054 0 00 0350+88
S 0030/0000 LENGTH(AH 2369 BK 2536)
015 "DIA CIR PLASTIC
0020/2498 LEN=0040 INSTALLED 2000
SPRINGFIELD RD
0020/2283 (BORO)
018 "DIA CIRC CONCR
0020/2050 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1974 LEN=0032 INSTALLED UNKN
RICKY RD
0020/1835 (BORO)
015 "DIA CIR PLASTIC
0020/1614 LEN=0028 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1359 LEN=0050 INSTALLED UNKN
015 "DIA CIR PLASTIC
0020/1310 LEN=0049 INSTALLED UNKN
015 "DIA CIR PLASTIC
0020/0877 LEN=0040 INSTALLED 2006
015 "DIA CIR PLASTIC
0020/0835 LEN=0020 INSTALLED 2006
COLLINS ST
0020/0372 (BORO)
DAVIS RUN
STRUCTURE LENGTH 12 FT
0020/0251 BMSID 11/3034/0020/0251
018 "DIA CIRC CONCR
0020/0148 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0059 LEN=0034 INSTALLED UNKN
000233 FT
S 0020/0000 LENGTH(AH 2536 BK 0233)
015 "DIA CIRC CONCR
0010/0233 LEN=0040 INSTALLED UNKN
000000 FT 1 0 00054 0 00 0322+21
NC SECOND ST
CHESTNUT ST
(SR0271 SEG 0510/0000)
INTER-BK SECOND ST
(SR0271 SEG 0510/0000)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 0233 BK 0000)

DIR: B TOTAL LEN: 4.380 MI. DIST: 09-3 SR: 3033
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

023128 FT
FRANKSTOWN RD
(SR3024 SEG 0150/0000) 0080/2444

023128 FT
INTER-AHD MOUNT HOPE RD
(T320)
RAGERS HILL RD
0080/2444 (SR3024 SEG 0150/0000)
018 "DIA CIRC CONCR
0080/2420 LEN=0035 INSTALLED UNKN

020684 FT

020684 FT 2 0 11012 0 05 0360+40
S 0080/0000 LENGTH(AH 2444 BK 2757)
018 "DIA CIR PLASTIC
0070/1774 LEN=0020 INSTALLED 1998
018 "DIA CIR PLASTIC
0070/0743 LEN=0030 INSTALLED 1998


2 0 11012 0 05 0332+91 017927 FT
ENGBERT RD
(T347) 0070/0000

017927 FT
S 0070/0000 LENGTH(AH 2757 BK 2292)

BROOK LN
0060/0118 (PRDR)
015635 FT 015635 FT 2 0 11012 0 05 0310+30
S 0060/0000 LENGTH(AH 2292 BK 3560)
015 "DIA CIRC METAL
0050/2918 LEN=0075 INSTALLED UNKN
015 "DIA CIR PLASTIC
0050/1730 LEN=0040 INSTALLED 2001
018 "DIA CIRC CONCR
0050/1502 LEN=0040 INSTALLED 2001

BIRTLE RD

DIR: B TOTAL LEN: 4.380 MI. DIST: 09-3 SR: 3033
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



(SR3020 SEG 0010/2586) 0050/1467

0050/1461 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
0050/1212 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2001
0050/0982 072"H 48"W CON BOX CUL
LEN=0034 INSTALLED UNKN
0050/0616 015 "DIA CIR PLASTIC
LEN=0038 INSTALLED UNKN

0050/0011 018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN
012075 FT 012075 FT 2 0 11012 0 05 0274+75
S 0050/0000 LENGTH(AH 3560 BK 3282)
0040/2877 036 "DIA CIRC CONCR
LEN=0095 INSTALLED UNKN
0040/2460 018 "DIA CIRC CONCR
LEN=0052 INSTALLED UNKN
0040/1901 018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN

FROM 3033/0032 SH
0040/0111 (CONN)
0 0 00000 0 00 0000+00 008793 FT 008793 FT
AIRPORT RD
MFC BEGIN = D
(SR3031 SEG 0024/0000) 0040/0000 S 0040/0000 LENGTH(AH 3282 BK 0798)
TO 3033/0040 SH
0032/0664 (CONN)


007995 FT 007995 FT 2 0 11012 0 04 0219+98
S 0032/0000 LENGTH(AH 0798 BK 1581)
0030/1130 018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN
MT AIRY DR
(T302)
0030/1043

LC TO GALLERIA DR EX TB
(CONN) 0030/0129

FROM 3031/0014 SH
0030/0125 (CONN)
018 "DIA CIRC CONCR
0030/0090 LEN=0058 INSTALLED UNKN

2 0 11012 0 04 0204+17 006414 FT 006414 FT GALLERIA DR
GALLERIA DR EX (SR3031 SEG 0014/0380)

DIR: B TOTAL LEN: 4.380 MI. DIST: 09-3 SR: 3033
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



(T842)	0030/0000	0030/0000	LENGTH(AH 1581 BK 2656)
			TO 3031/0014 SH
		0020/2515	(CONN)
			018 "DIA CIRC CONCR
		0020/1804	LEN=0100 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0020/1245	LEN=0075 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1004	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0775	LEN=0050 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0020/0423	LEN=0050 INSTALLED 2000
			015 "DIA CIRC METAL
		0020/0217	LEN=0048 INSTALLED UNKN
	003758 FT	003758 FT	2 0 11012 0 03 0175+10
		0020/0000	LENGTH(AH 2656 BK 3758)
			060 "DIA CIRC CONCR
		0010/3419	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/3196	LEN=0075 INSTALLED UNKN
			042"H 72"W CONC STRUCT
		0010/2776	LEN=0034 INSTALLED 1993
			015 "DIA CIRC CONCR
		0010/1672	LEN=0062 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1155	LEN=0040 INSTALLED UNKN
		0010/0428	BMSEN 11/3033/0010/0415
			2 0 11012 0 02 0147+72
			SOLOMON RUN
		0010/0415	BMSBG 11/3033/0010/0415
SOLOMON RUN RD			
(SR3029 SEG 0010/0000)	0010/0329		NC SOLOMON RUN RD
			036 "DIA CIRC CONCR
		0010/0190	LEN=0045 INSTALLED 1962
LOCHER RD			
(TWP)	0010/0091		
	000000 FT	000000 FT	2 0 11012 0 02 0143+24
			(APRA) STONEHEDGE CT
			SR 0056
			OP ID 11/0056/0250/0000
			NC WALTERS AV
			INTER-BK WALTERS AV
			(T339)
			MFC BEGIN = C
		0010/0000	LENGTH(AH 3758 BK 0000)


DIR: B TOTAL LEN: .441 MI. DIST: 09-3 SR: 3032
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

	002329 FT		002329 FT NEW GERMANY RD
			0010/2329 (SR0160 SEG 0480/0000)
			018 "DIA CIRC CONCR
			0010/2262 LEN=0055 INSTALLED UNKN
			(APRA) INDUSTRIAL PARK
			INDUSTRIAL PARK RD
		POE	0010/1411 (T621)
			015 "DIA CIRC CONCR
			0010/1007 LEN=0045 INSTALLED UNKN
LC TO SHEETZ LT (CONN)	0010/0530		
LC FROM SHEETZ LT (CONN)	0010/0380		
			018 "DIA CIR PLASTIC
			0010/0365 LEN=0070 INSTALLED UNKN
			ZEMAN DR
			0010/0327 (T609)
	000000 FT		000000 FT 2 0 11025 0 01 0395+62
			NC MINI MALL RD
			WILLIAM PENN HW
			(SR0022 SEG 0181/0807)
			(SR0022 SEG 0180/0896)
			INTER-BK COOKS RD
			(PRDR)
			MFC BEGIN = D
			S 0010/0000 LENGTH(AH 2329 BK 0000)

DIR: N TOTAL LEN: 2.710 MI. DIST: 09-3 SR: 3031
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T


FRANKSTOWN RD (SR3024 SEG 0100/1061)	014305 FT 0050/3417		014308 FT 0050/3417	FRANKSTOWN RD (SR3024 SEG 0100/1061)
				018 "DIA CIRC CONCR
			0050/3407	LEN=0030 INSTALLED UNKN
FROM 3024/0100 SH (CONN)	0050/3304			
				030 "DIA CIRC CONCR
			0050/3269	LEN=0080 INSTALLED UNKN
				030 "DIA CIRC CONCR
			0050/2523	LEN=0050 INSTALLED UNKN
				CONEMAUGH
			0050/2262	RICHLAND T
AVIATION DR (TWP)	0050/2246			
				018 "DIA CIRC CONCR
			0050/2240	LEN=0040 INSTALLED UNKN
				KOHLER ST
			0050/2189	(T344)
				018 "DIA CIRC CONCR
			0050/1860	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/1572	LEN=0024 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/1275	LEN=0024 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/0680	LEN=0054 INSTALLED UNKN
	010888 FT		010891 FT	2 0 11091 0 00 0034+47
			S 0050/0000	LENGTH(AH 3417 BK 3616)
				018 "DIA CIRC CONCR
			0040/3396	LEN=0085 INSTALLED UNKN
				018 "DIA CIRC METAL
			0040/2345	LEN=0046 INSTALLED UNKN
JOHNSTOWN AIRPORT (PRDR)	0040/1995	POI	0040/1995	(APRA) JOHNSTOWN AIRPOR

DIR: N TOTAL LEN: 2.710 MI. DIST: 09-3 SR: 3031
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



		036 "DIA CIRC CONCR
	0040/0550	LEN=0064 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0040/0235	LEN=0020 INSTALLED 2001
007272 FT	007275 FT	2 0 11091 0 01 0070+12
	S 0040/0000	LENGTH(AH 3616 BK 2091)
		018 "DIA CIR PLASTIC
	0030/2007	LEN=0060 INSTALLED 2001
FOX RUN RD (TWP) 0030/0968	==	
		015 "DIA CIRC METAL
	0030/0688	LEN=0038 INSTALLED UNKN
		BIRTLE RD
	0030/0669	(SR3020 SEG 0010/0000)
005181 FT	005184 FT	2 0 11092 0 00 0042+51
	S 0030/0000	LENGTH(AH 2091 BK 3114)
		024 "DIA CIRC CONCR
	0024/3089	LEN=0155 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0024/2476	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0024/1931	LEN=0065 INSTALLED UNKN
		048 "DIA CIRC CONCR
	0024/1645	LEN=0065 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0024/1441	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0024/0426	LEN=0112 INSTALLED UNKN
		018 "DIA CIRC METAL
	0024/0169	LEN=0053 INSTALLED UNKN
002067 FT	002070 FT	0 0 00000 0 00 0000+00
		NC AIRPORT RD
		SOLOMON RUN RD
		(SR3033 SEG 0040/0000)
	INTER-BK	SOLOMON RUN RD
		(SR3033 SEG 0040/0000)
	S 0024/0000	LTH AH 003114 BK 002379
002067 FT	002070 FT	
GALLERIA DR EX (T842)	7020/0000	LTH AH 002379 BK 000380
	INTER-AHD	SOLOMON RUN RD
		(SR3033 SEG 0030/0000)
SOLOMON RUN RD (SR3033 SEG 0030/0000) 0014/0380	0014/0380	
		018 "DIA CIRC CONCR
	0014/0251	LEN=0150 INSTALLED UNKN

DIR: N TOTAL LEN: 2.710 MI. DIST: 09-3 SR: 3031
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T




FROM 3033/0020 SH (CONN)	0014/0240	0014/0240 TO 3033/0030 SH (CONN)
		0014/0114 024 "DIA CIRC CONCR LEN=0035 INSTALLED 1999
	001687 FT	001690 FT 0 0 00000 0 00 0000+00
		MFC BEGIN = C
		S 0014/0000 LENGTH(AH 0380 BK 1690)
		0010/1500 FROM 8015/0500 SH (CONN)
RAMP RD (SR8015 SEG 0250/0000)		RAMP RD (SR8015 SEG 0250/0000)
RAMP RD (SR8015 SEG 0500/0486)		RAMP RD (SR8015 SEG 0500/0486)
	0011/1371	0010/1398
018 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN	0011/1284	
		0010/1292 018 "DIA CIRC CONCR LEN=0299 INSTALLED UNKN
BMSEN 11/3031/0010/0916	0011/1215	0010/1231 BMSEN 11/3031/0010/0916
0 0 00000 0 00 0000+00		0 0 00000 0 00 0000+00
SR 0219 NBL		SR 0219 NBL
BMSBG 11/3031/0010/0916		BMSBG 11/3031/0010/0916
MFC BEGIN = C	0011/0900	0010/0916 MFC BEGIN = C
018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN	0011/0535	
		0010/0542 018 "DIA CIRC CONCR LEN=0061 INSTALLED UNKN
RAMP RD (SR8015 SEG 0010/1563)		RAMP RD (SR8015 SEG 0010/1563)
RAMP RD (SR8015 SEG 0750/0000)		RAMP RD (SR8015 SEG 0750/0000)
	0011/0506	0010/0523
		0010/0465 024 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
		0010/0441 024 "DIA CIRC CONCR LEN=0004 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN	0011/0412	
FROM 8015/0010 SH (CONN)	0011/0338	
		0010/0150 018 "DIA CIRC CONCR LEN=0171 INSTALLED UNKN
0 0 00000 0 00 0000+00	000000 FT	000000 FT 0 0 00000 0 00 0000+00
NC GALLERIA DR		NC GALLERIA DR
GALLERIA DR (T737)	REF-BK *	* REF-BK GALLERIA DR (T737)
MFC BEGIN = D		MFC BEGIN = D
LENGTH(AH 1687 BK 0000)	S 0011/0000	S 0010/0000 LENGTH(AH 1690 BK 0000)

DIR: B TOTAL LEN: 5.336 MI. DIST: 09-3 SR: 3030
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T

SWIGLE MT RD (SR3043 SEG 0040/0000)

028173 FT 0100/1898


026275 FT



028173 FT 0100/1898 SWIGLE MT RD (SR3043 SEG 0040/0000)
0100/1357 015 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
0100/0957 066"H 84"W ELLIP METAL LEN=0042 INSTALLED UNKN


026275 FT 2 0 11021 0 04 0268+00
S 0100/0000 LENGTH(AH 1898 BK 3603)
0090/3004 015 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
0090/2850 015 "DIA CIR PLASTIC LEN=0028 INSTALLED UNKN

DIR: B TOTAL LEN: 5.336 MI. DIST: 09-3 SR: 3030
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




			018 "DIA CIRC CONCR
		0090/0880	LEN=0034 INSTALLED UNKN
	022672 FT	022672 FT	2 0 11021 0 04 0231+74
		S 0090/0000	LENGTH(AH 3603 BK 2802)
			015 "DIA CIR PLASTIC
		0080/2450	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0649	LEN=0030 INSTALLED UNKN
2 0 11021 0 04 0203+65 VARNER RD (T420)	019870 FT	019870 FT	
	0080/0000 ==	S 0080/0000	LENGTH(AH 2802 BK 3418)
			015 "DIA CIR PLASTIC
		0070/3351	LEN=0028 INSTALLED UNKN
			CROYLE
		0070/3153	EAST TAYLOR T
			018 "DIA CIRC CONCR
		0070/0590	LEN=0040 INSTALLED UNKN
	016452 FT	016452 FT	2 0 11021 0 03 0166+35
		S 0070/0000	LENGTH(AH 3418 BK 2893)
			015 "DIA CIRC CONCR
		0060/2673	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/2142	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1960	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1343	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1050	LEN=0032 INSTALLED UNKN
	013559 FT	013559 FT	2 0 11021 0 02 0137+00
		S 0060/0000	LENGTH(AH 2893 BK 1242)
			018 "DIA CIRC CONCR
		0050/0881	LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 5.336 MI. DIST: 09-3 SR: 3030
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T



012317 FT		012317 FT 2 0 11021 0 01 0123+56 BARTLEBAUGH RD (T403)
	0050/0000	S LENGTH(AH 1242 BK 3332) 018 "DIA CIRC CONCR
	0040/3276	LEN=0042 INSTALLED UNKN 015 "DIA CIRC METAL
	0040/3117	LEN=0028 INSTALLED UNKN 018 "DIA CIRC METAL
	0040/2872	LEN=0036 INSTALLED UNKN 015 "DIA CIRC METAL
	0040/2555	LEN=0042 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0040/2139	LEN=0030 INSTALLED 2005 015 "DIA CIRC METAL
	0040/2017	LEN=0036 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0040/1818	LEN=0030 INSTALLED 2005 058"H 91"W ELLIP CONC
	0040/1513	LEN=0048 INSTALLED 2002 018 "DIA CIR PLASTIC
	0040/1367	LEN=0050 INSTALLED 1997 018 "DIA CIR PLASTIC
	0040/1100	LEN=0045 INSTALLED 2005 015 "DIA CIR PLASTIC
	0040/0606	LEN=0040 INSTALLED UNKN
2 0 11021 0 00 0090+50 008985 FT SALTLICK RD (TWP)		008985 FT
0040/0000		S 0040/0000 LENGTH(AH 3332 BK 3231) 018 "DIA CIRC CONCR
	0030/3173	LEN=0042 INSTALLED UNKN FRONT ST
	0030/3073	(T409) BEECH HILL RD
	0030/2953	(SR3035 SEG 0050/2143)
	0030/2802	BMSEN 11/3030/0030/2765 2 0 11021 0 00 0085+36 SALT LICK RN
	0030/2765	BMSBG 11/3030/0030/2765 018 "DIA CIRC CONCR
	0030/2427	LEN=0032 INSTALLED UNKN 024 "DIA CIRC CONCR
	0030/2115	LEN=0025 INSTALLED UNKN 018 "DIA CIRC CONCR
	0030/1890	LEN=0025 INSTALLED UNKN 018 "DIA CIRC CONCR
	0030/1685	LEN=0025 INSTALLED UNKN 018 "DIA CIRC METAL

DIR: B TOTAL LEN: 5.336 MI. DIST: 09-3 SR: 3030
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T



0030/1550 LEN=0025 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1102 LEN=0028 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/0637 LEN=0032 INSTALLED UNKN

005754 FT
005754 FT 2 0 11021 0 00 0057+66
VILLAGE: MINERAL POINT
WEST POINT RD
(T422)
0030/0000
S 0030/0000 LENGTH(AH 3231 BK 2099)
036 "DIA CIR PLASTIC
0020/1965 LEN=0040 INSTALLED 2000
BROOKDALE ST
0020/1944 (T744)

ECHO RD
0020/0762 (T402)
036 "DIA CIRC CONCR
0020/0737 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0348 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/0052 LEN=0045 INSTALLED UNKN
003655 FT
003655 FT 2 0 11021 0 00 0036+10
S 0020/0000 LENGTH(AH 2099 BK 3655)
015 "DIA CIRC CONCR
0010/3215 LEN=0085 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/2993 LEN=0044 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/2567 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/2094 LEN=0038 INSTALLED UNKN


CHAPEL LN
(T753)
0010/2009

018 "DIA CIRC CONCR
0010/1921 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/1339 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0924 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0523 LEN=0120 INSTALLED UNKN
000000 FT
000000 FT 2 0 11021 0 00 0000+00
VILLAGE: WEST POINT
NC MINERAL POINT RD
WILLIAM PENN BL
(SR0271 SEG 0370/0000)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 3655 BK 0000)

DIR: B TOTAL LEN: 3.718 MI. DIST: 09-3 SR: 3029
LEFT MUN: FRANKLIN B RIGHT MUN: FRANKLIN B


	019632 FT		019632 FT
RIVER RD			INTER-AHD FRANKLIN ST
(SR0271 SEG 0282/0078)	0090/0380		0090/0380 (SR0271 SEG 0282/0078)
			0090/0352 BMSEN 11/3029/0090/0262
			0 0 00000 0 00 0000+00
			LEHIGH VALLEY RAILRO RR
			0090/0262 BMSBG 11/3029/0090/0262
			018 "DIA CIR UNKNOWN
			0090/0215 LEN=0032 INSTALLED UNKN
	019252 FT		019252 FT 0 0 00000 0 00 0000+00
			MAIN ST
			(SR3026 SEG 0010/0000)
			NC FRANKLIN ST
			CUSTER AL
			(BORO)
		S	0090/0000 LENGTH(AH 0380 BK 1562)
			LOCUST ST
			0080/1440 (BORO)
			015"H 01"W UNK PLASTIC
			0080/1407 LEN=1407 INSTALLED 1988
			CHURCH AL
			0080/1336 (BORO)
			SPIRE AL
			0080/1216 (BORO)
EMF DEVELOPMENT CORP			
(PRDR)	0080/1112	POI	0080/1112 (APRA) EMF DEVELOPMENT
			030 "DIA CIR PLASTIC
			0080/1089 LEN=0040 INSTALLED 2020
			NC MAIN ST
			HILL DR
			0080/0934 (BORO)
			015"H 01"W **UNKNOWN**
			0080/0908 LEN=0045 INSTALLED 1988
			SPRUCE ST
			0080/0767 (BORO)
			015 "DIA CIRC CONCR
			0080/0734 LEN=0045 INSTALLED 1988
			ARTHUR DR
			0080/0611 (BORO)
			012 "DIA CIRC CONCR
			0080/0591 LEN=0020 INSTALLED 1988
			PINE ST
			0080/0449 (BORO)

DIR: B TOTAL LEN: 3.718 MI. DIST: 09-3 SR: 3029
LEFT MUN: FRANKLIN B RIGHT MUN: FRANKLIN B




		015"H 01"W **UNKNOWN**
	0080/0416	LEN=0025 INSTALLED 1988
		MARBLE DR
	0080/0293	(BORO)
		JUNIPER ST
	0080/0143	(BORO)
017690 FT	017690 FT	2 0 11013 0 00 0083+20
		HAZEL ST
		(BORO)
	S 0080/0000	LENGTH(AH 1562 BK 1766)
		RAMSEY LN
	0070/1560	(BORO)
		030 "DIA CIRC CONCR
	0070/1421	LEN=0045 INSTALLED 1988
		036 "DIA CIRC CONCR
	0070/1359	LEN=0060 INSTALLED 1988
		BIRCH ST
	0070/1349	(BORO)
		018 "DIA CIRC CONCR
	0070/0995	LEN=0040 INSTALLED 1988
		FRANKLIN
	0070/0856	CONEMAUGH T
015924 FT	015924 FT	2 0 11013 0 00 0065+01
		NC BRIDGE ST
	S 0070/0000	LENGTH(AH 1766 BK 3120)
		018 "DIA CIRC CONCR
	0060/2992	LEN=0042 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/2650	LEN=0042 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/2424	LEN=0042 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/2137	LEN=0044 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/1923	LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/1412	LEN=0050 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/1166	LEN=0060 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/0882	LEN=0042 INSTALLED 1988
		LEXINGTON AV
	0060/0803	(T687)
012804 FT	012804 FT	2 0 11013 0 00 0034+30
		HORNET AV
		(T348)
	S 0060/0000	LENGTH(AH 3120 BK 3414)
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.718 MI. DIST: 09-3 SR: 3029
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



0050/3244 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0050/3096 LEN=0046 INSTALLED 1988
018 "DIA CIRC CONCR
0050/2760 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR
0050/2427 LEN=0045 INSTALLED 1988
018 "DIA CIRC CONCR
0050/2074 LEN=0048 INSTALLED 1988
015 "DIA CIRC METAL
0050/1627 LEN=0045 INSTALLED 1988
FREIDHOFF LN
0050/1558 (T324)
060 "DIA CIRC CONCR
0050/1526 LEN=0042 INSTALLED 1988
060 "DIA CIRC CONCR
0050/1525 LEN=0606 INSTALLED 1988
018 "DIA CIRC CONCR
0050/0982 LEN=0046 INSTALLED 1988
015 "DIA CIRC CONCR
0050/0848 LEN=0042 INSTALLED 1988
MERVINE LN
0050/0569 (TWP)
024 "DIA CIRC CONCR
0050/0562 LEN=0044 INSTALLED 1988
018 "DIA CIRC CONCR
LEN=0048 INSTALLED 1988
009390 FT UMAN BL
2 0 11013 0 00 0000+00 009390 FT INTER-BK FRANKSTOWN RD
FRANKSTOWN RD (SR3024 SEG 0080/1527)
(SR3024 SEG 0080/1527) 0050/0000 S 0050/0000 LTH AH 003414 BK 000100
009390 FT 009390 FT
7042/0000 LTH AH 000100 BK 002909
INTER-AHD FRANKSTOWN RD
(SR3024 SEG 0080/1683)
FRANKSTOWN RD
0040/2909 (SR3024 SEG 0080/1683)
018 "DIA CIR PLASTIC
0040/2158 LEN=0046 INSTALLED 1988
018 "DIA CIR PLASTIC
0040/1794 LEN=0050 INSTALLED 1997
060 "DIA CIR PLASTIC
0040/1063 LEN=0048 INSTALLED 2020
024 "DIA CIR PLASTIC
0040/0097 LEN=0010 INSTALLED 1997
006481 FT 006481 FT 2 0 11117 0 00 0059+74

DIR: B TOTAL LEN: 3.718 MI. DIST: 09-3 SR: 3029
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



ROBERTS RD
(T596)
S 0040/0000 LENGTH(AH 2909 BK 1783)
024 "DIA CIR PLASTIC
0030/1730 LEN=0020 INSTALLED 1997
030 "DIA CIR PLASTIC
0030/1540 LEN=0056 INSTALLED 2020
024 "DIA CIR PLASTIC
0030/1235 LEN=0045 INSTALLED 2020
024 "DIA CIR PLASTIC
0030/1150 LEN=0046 INSTALLED 2020
018 "DIA CIRC CONCR
0030/0829 LEN=0010 INSTALLED 1997

004698 FT 004698 FT 2 0 11117 0 00 0042+47
CONEMAUGH
RICHLAND T
S 0030/0000 LENGTH(AH 1783 BK 2662)

015 "DIA CIR PLASTIC
0020/0752 LEN=0060 INSTALLED 1997


002036 FT 002036 FT 2 0 11117 0 00 0015+26
CASPER SHAFFER RD
(T335)
S 0020/0000 LENGTH(AH 2662 BK 2036)

048 "DIA CIR PLASTIC
0010/1063 LEN=0063 INSTALLED 2001
018 "DIA CIR PLASTIC
0010/0789 LEN=0050 INSTALLED UNKN
084 "DIA CIRC CONCR
0010/0628 LEN=0060 INSTALLED 2007

RAMP R RD
(SR8022 SEG 0260/0487)
RAMP S RD
(SR8022 SEG 0250/0000) 0010/0521
LOCHER RD
(TWP) 0010/0440
000000 FT 000000 FT 2 0 11012 2 00 0000+00
NC FULMER RD
NC SOLOMON RUN RD
INTER-BK SOLOMON RUN RD
(SR3033 SEG 0010/0329)
MFC BEGIN = C
WALTERS AV
(SR3033 SEG 0010/0329) 0010/0000
S 0010/0000 LENGTH(AH 2036 BK 0000)

DIR: B TOTAL LEN: 1.516 MI. DIST: 09-3 SR: 3028
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T


008007 FT



008007 FT FRANKSTOWN RD
0030/1761 (SR3024 SEG 0120/0000)


018 "DIA CIRC CONCR
0030/0361 LEN=0042 INSTALLED UNKN
RICHLAND
0030/0236 CONEMAUGH T

DIR: B TOTAL LEN: 1.516 MI. DIST: 09-3 SR: 3028
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T




		018 "DIA CIR PLASTIC
	0030/0026	LEN=0046 INSTALLED UNKN
2 0 11118 0 00 0062+64 006246 FT	006246 FT	
MARTIN RD		
(T357) 0030/0000	S 0030/0000	LENGTH(AH 1761 BK 3103)
		018 "DIA CIR PLASTIC
	0020/1827	LEN=0040 INSTALLED 2001
		015 "DIA CIRC CONCR
	0020/1701	LEN=0040 INSTALLED UNKN
CARMEL ST		CARMEL ST
(T335) 0020/1639	0020/1639	(T334)
		018 "DIA CIR PLASTIC
	0020/1638	LEN=0050 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0020/1513	LEN=0033 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0020/1419	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0662	LEN=0040 INSTALLED UNKN
003143 FT	003143 FT	2 0 11118 0 00 0031+64
		CLAPBOARD RUN
		STRUCTURE LENGTH 17 FT
		BMSID 11/3028/0020/0000
	S 0020/0000	LENGTH(AH 3103 BK 3143)
		024 "DIA CIR PLASTIC
	0010/2147	LEN=0030 INSTALLED 2004
		015 "DIA CIRC CONCR
	0010/1654	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/1455	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/1150	LEN=0055 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/0956	LEN=0030 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0010/0615	LEN=0082 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/0430	LEN=0040 INSTALLED 2001
	NC	WISSINGER HOLLOW RD
		CLAPBOARD RUN RD
2 0 11118 0 00 0000+00 000000 FT	000000 FT	(SR3026 SEG 0040/1530)
CLAPBOARD RUN RD		MFC BEGIN = D
(SR3026 SEG 0040/1530) 0010/0000	S 0010/0000	LENGTH(AH 3143 BK 0000)

DIR: B TOTAL LEN: 1.489 MI. DIST: 09-3 SR: 3027
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



	007862 FT		007862 FT FRANKSTOWN RD
		0040/1933	(SR3024 SEG 0060/0000)
			018 "DIA CIR PLASTIC
		0040/1857	LEN=0055 INSTALLED 2003
			015 "DIA CIR PLASTIC
		0040/1520	LEN=0086 INSTALLED 1997
KILLIWHAT ST (T812)			KILLIWHAT ST
	0040/1518	0040/1518	(T812)
			PODLUCKY ST
		0040/1499	(T814)
			018 "DIA CIR PLASTIC
		0040/1238	LEN=0045 INSTALLED 1997
			015 "DIA CIR PLASTIC
		0040/0807	LEN=0084 INSTALLED 1988
			018 "DIA CIRC METAL
		0040/0451	LEN=0056 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0040/0066	LEN=0036 INSTALLED 1988
	005929 FT	005929 FT	2 0 11085 0 01 0059+29
		S 0040/0000	LENGTH(AH 1933 BK 3460)
			CONEMAUGH
		0030/3269	STONYCREEK T
			015 "DIA CIR PLASTIC
		0030/3135	LEN=0040 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0030/2843	LEN=0040 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0030/2508	LEN=0004 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0030/2187	LEN=0046 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0030/1729	LEN=0054 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0030/1302	LEN=0040 INSTALLED 1988

DIR: B TOTAL LEN: 1.489 MI. DIST: 09-3 SR: 3027
LEFT MUN: STONYCREEK T RIGHT MUN: STONYCREEK T



		018 "DIA CIR PLASTIC
	0030/0994	LEN=0048 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/0566	LEN=0040 INSTALLED 2003
		STONYCREEK
	0030/0559	JOHNSTOWN C
BRUCE ST		
(BORO) 0030/0406		
		018 "DIA CIR PLASTIC
	0030/0369	LEN=0040 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0030/0066	LEN=0042 INSTALLED 1988
002469 FT	002469 FT	2 0 11085 0 01 0024+69
	S 0030/0000	LENGTH(AH 3460 BK 1287)
		018 "DIA CIRC CONCR
	0020/0906	LEN=0040 INSTALLED 1988
		JOHNSTOWN
	0020/0643	DALE BOROUGH B
		015 "DIA CIRC CONCR
	0020/0410	LEN=0060 INSTALLED 1988
2 0 11085 0 00 0011+78 001182 FT	001182 FT	
CLIFF ST		
(BORO) 0020/0000	S 0020/0000	LENGTH(AH 1287 BK 1182)
		018 "DIA CIRC CONCR
	0010/1057	LEN=0026 INSTALLED 1988
	0010/1038	BMSEN 11/3027/0010/0789
		2 0 11085 0 00 0007+86
		SR 0056 (EBL)
	0010/0789	BMSBG 11/3027/0010/0789
		018 "DIA CIRC CONCR
	0010/0775	LEN=0028 INSTALLED 1988
		018 "DIA CIRC CONCR
	0010/0578	LEN=0026 INSTALLED 1988
		ARTHUR ST
		(BORO)
	NC	SINGER HILL RD
		ADLEMAN AL
	0010/0197	(BORO)
CURTIS AL		
(BORO)		
SCHOOL AL		
(BORO) 0010/0187		
		018 "DIA CIRC CONCR
	0010/0030	LEN=0018 INSTALLED 1988
000000 FT	000000 FT	2 0 11085 0 00 0000+00
	NC	ARTHUR ST
		BEDFORD ST
		(SR3016 SEG 0060/3065)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 1182 BK 0000)


DIR: B TOTAL LEN: 4.229 MI. DIST: 09-3 SR: 3026
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

022328 FT

HATCH HOLLOW RD
(TWP) 0080/1521

020528 FT

KEMP LN
(T826) 0070/2123



022328 FT FRANKSTOWN RD
0080/1800 (SR3024 SEG 0140/1675)
018 "DIA CIR PLASTIC
0080/1688 LEN=0040 INSTALLED UNKN

018 "DIA CIR PLASTIC
0080/1227 LEN=0055 INSTALLED UNKN


020528 FT 2 0 11016 0 01 0202+97
RICHLAND
CONEMAUGH T
S 0080/0000 LENGTH(AH 1800 BK 3838)

018 "DIA CIRC OTHER
0070/3200 LEN=0030 INSTALLED UNKN
018 "DIA CIRC METAL
0070/2820 LEN=0044 INSTALLED UNKN
015 "DIA CIR PLASTIC
0070/2570 LEN=0042 INSTALLED UNKN
015 "DIA CIRC METAL
0070/2322 LEN=0048 INSTALLED UNKN

018 "DIA CIR PLASTIC
0070/1716 LEN=0046 INSTALLED UNKN

015 "DIA CIRC CONCR
0070/0460 LEN=0038 INSTALLED 1988

DIR: B TOTAL LEN: 4.229 MI. DIST: 09-3 SR: 3026
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



2 0 11016 0 00 0163+91 016690 FT
BEECH HILL RD
(SR3035 SEG 0010/0000) 0070/0000

2 0 11016 0 00 0149+48 015259 FT
UPPER NEW TOWN RD
(T373) 0060/0000

CATSKILL LN
(TWP) 0050/1380

012246 FT

016690 FT


S 0070/0000 LENGTH(AH 3838 BK 1431)
015 "DIA CIRC CONCR
0060/1389 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/1136 LEN=0042 INSTALLED UNKN

015 "DIA CIRC CONCR
0060/0105 LEN=0052 INSTALLED UNKN
015259 FT

S 0060/0000 LENGTH(AH 1431 BK 3013)
015 "DIA CIRC CONCR
0050/2485 LEN=0036 INSTALLED UNKN
CARMEL ST
0050/2281 (T335)
015 "DIA CIRC CONCR
0050/2230 LEN=0054 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1841 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1444 LEN=0052 INSTALLED UNKN


018 "DIA CIRC CONCR
0050/1115 LEN=0046 INSTALLED UNKN
015 "DIA CIRC CONCR
0050/0844 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0050/0477 LEN=0044 INSTALLED UNKN
015 "DIA CIRC CONCR
0050/0019 LEN=0060 INSTALLED UNKN
012246 FT 2 0 11016 0 00 0119+58
S 0050/0000 LENGTH(AH 3013 BK 3153)
015 "DIA CIRC CONCR
0040/2743 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/2389 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/2044 LEN=0044 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/1683 LEN=0036 INSTALLED UNKN
WISSINGER HOLLOW RD
0040/1530 (SR3028 SEG 0010/0000)
015 "DIA CIRC CONCR
0040/1415 LEN=0060 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/1015 LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 4.229 MI. DIST: 09-3 SR: 3026
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T




		018 "DIA CIRC OTHER
	0040/0803	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/0561	LEN=0060 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/0025	LEN=0044 INSTALLED UNKN
		009093 FT
2 0 11016 0 00 0087+72 009093 FT		
LOWER NEW TOWN RD		
(T373)	0040/0000	S 0040/0000 LENGTH(AH 3153 BK 3812)
		015 "DIA CIRC CONCR
	0030/3609	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/3379	LEN=0046 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/3048	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/2710	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/2368	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1990	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1586	LEN=0048 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0030/1464	LEN=0120 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1345	LEN=0070 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/0952	LEN=0046 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/0666	LEN=0050 INSTALLED 1988
		015 "DIA CIRC CONCR
	0030/0292	LEN=0048 INSTALLED UNKN
005281 FT		005281 FT 2 0 11016 0 00 0049+91
		NC CLAPBOARD RUN RD
		S 0030/0000 LENGTH(AH 3812 BK 3392)
		015 "DIA CIRC CONCR
	0020/3293	LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/3003	LEN=0042 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0020/2716	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/2333	LEN=0046 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/2101	LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1669	LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1161	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 4.229 MI. DIST: 09-3 SR: 3026
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



			015 "DIA CIRC CONCR
		0020/0922	LEN=0042 INSTALLED UNKN
			CONEMAUGH
		0020/0781	FRANKLIN B
PERSHING AV			
(BORO)	0020/0303		
			018 "DIA CIR PLASTIC
		0020/0280	LEN=0040 INSTALLED UNKN
		0020/0028	BMSEN 11/3026/0020/0000
	001889 FT	001889 FT	2 0 11016 0 00 0015+92
			CLAPBOARD RN
			BMSBG 11/3026/0020/0000
		S 0020/0000	LENGTH(AH 3392 BK 1889)
			AL
		0010/1810	(BORO)
			BON AIR ST
		0010/1706	(BORO)
CLAY AL			
(BORO)	0010/1679		
			AL
		0010/1544	(BORO)
			AL
		0010/1419	(BORO)
			018 "DIA CIRC METAL
		0010/1340	LEN=0050 INSTALLED UNKN
			AL
		0010/1301	(BORO)
			AL
		0010/1193	(BORO)
			018 "DIA CIRC CONCR
		0010/1101	LEN=0100 INSTALLED UNKN
			BEITER AL
		0010/1075	(BORO)
COVERS DR			
(BORO)	0010/0466		
			018 "DIA CIRC CONCR
		0010/0365	LEN=0100 INSTALLED UNKN
			PRINGLE AL
		0010/0230	(BORO)
			MCCLEASTER AL
		0010/0115	(BORO)
	000000 FT	000000 FT	2 0 11016 0 00 0000+00
		NC	MAIN ST
			CUSTER AL
			(BORO)
		INTER-BK	MAIN ST
			(SR3029 SEG 0090/0000)
			MFC BEGIN = D
FRANKLIN ST			
(SR3029 SEG 0090/0000)	0010/0000	S 0010/0000	LENGTH(AH 1889 BK 0000)


DIR: N TOTAL LEN: .199 MI. DIST: 09-3 SR: 3025
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



001053 FT WASHINGTON ST
0010/1053 (SR3044 SEG 0010/1199)
LOCUST ST
0010/0993 (CITY)
SEIGH PL
0010/0850 (CITY)
MAIN ST
0010/0689 (CITY)
LINCOLN ST
0010/0368 (CITY)
PEDESTRIAN WALKWAY
OP ID 11/0056/0130/1116
VINE ST
0010/0084 (SR3016 SEG 0011/0050)
018 "DIA CIRC CONCR
0010/0030 LEN=0018 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0025 LEN=0150 INSTALLED UNKN
000000 FT 2 0 11123 0 00 0000+00
JOHNSTOWN EX
(SR0056 SEG 0131/1235)
NC UNION ST
JOHNSTOWN EX
(SR0056 SEG 0131/1235)
MFC BEGIN = E
0010/0000 LENGTH(AH 1053 BK 0000)


000000 FT
LTH AH 000965 BK 000000 7011/0000

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




	058273 FT		058277 FT
RAILROAD ST	REF-AHD		REF-AHD
(SR0053 SEG 0011/0000)			RAILROAD ST
SR 0219 NBL			(SR0053 SEG 0010/0000)
OP ID 11/0219/0250/0000	0251/1931		SR 0219 NBL
		0250/1935	OP ID 11/0219/0250/0000
			036 "DIA CIRC CONCR
		0250/1504	LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
		0250/0976	LEN=0056 INSTALLED 1988
RAMP E RD			RAMP E RD
(SR8009 SEG 0250/0000)			(SR8009 SEG 0250/0000)
RAMP F RD			RAMP F RD
(SR8009 SEG 0260/0941)	0251/0941	0250/0967	(SR8009 SEG 0260/0941)
			018 "DIA CIRC CONCR
		0250/0663	LEN=0100 INSTALLED 1988
			018 "DIA CIRC CONCR
		0250/0380	LEN=0028 INSTALLED 1988
1 0 00276 0 02 0560+82	056342 FT	056342 FT	1 0 00276 0 02 0560+82
MFC BEGIN = D			MFC BEGIN = D
LENGTH(AH 1931 BK 1634)	0251/0000	0250/0000	LENGTH(AH 1935 BK 1634)
			018 "DIA CIRC CONCR
		0240/0864	LEN=0044 INSTALLED 1988
			018 "DIA CIRC CONCR
		0240/0606	LEN=0044 INSTALLED 1988
	054708 FT	054708 FT	1 0 00276 0 02 0546+07
		0240/0000	LENGTH(AH 1634 BK 3341)
			018 "DIA CIRC OTHER
		0230/3291	LEN=0050 INSTALLED 1988
			CROYLE
		0230/3134	SOUTH FORK B
			018 "DIA CIRC CONCR
		0230/2851	LEN=0030 INSTALLED 1988
OAK ST			
(BORO)	0230/2823		
		0230/2493	BMSEN 11/3024/0230/2480

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: SOUTH FORK B RIGHT MUN: SOUTH FORK B




			1 0 00276 0 02 0537+68
			NO UNDERPASS INFORMATIO
		0230/2480	BMSBG 11/3024/0230/2480
			042"H 90"W CON BOX CUL
		0230/2458	LEN=0040 INSTALLED UNKN
PRDR (PRDR)	0230/2285		
			018 "DIA CIRC CONCR
		0230/1821	LEN=0030 INSTALLED 1988
			SIXTH CT
		0230/1468	(BORO)
			FIFTH CT
		0230/1316	(BORO)
			FOURTH CT
		0230/1164	(BORO)
			GRANT ST
		0230/1018	(BORO)
			018 "DIA CIRC CONCR
		0230/1000	LEN=0100 INSTALLED 1988
			THIRD CT
		0230/0846	(BORO)
			MAIN ST
		0230/0716	(BORO)
			NC RAILROAD ST
			SECOND CT
		0230/0563	(BORO)
			018 "DIA CAST IRON
		0230/0289	LEN=0025 INSTALLED 1988
			A CT
		0230/0195	(BORO)
	051367 FT	051367 FT	1 0 00276 0 02 0512+81
			MAPLE ST
			(BORO)
		S 0230/0000	LENGTH(AH 3341 BK 3266)
			018 "DIA CIRC CONCR
		0220/3098	LEN=0030 INSTALLED 1988
			B CT
		0220/3082	(BORO)
			CHURCH ST
		0220/2876	(BORO)
			018 "DIA CIRC CONCR
		0220/2860	LEN=0050 INSTALLED 1988
CRISSMAN CT (BORO)	0220/2840		
			C CT
		0220/2672	(BORO)
			ARGYLE ST
		0220/2489	(BORO)
			D CT
		0220/2078	(BORO)

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: SOUTH FORK B RIGHT MUN: SOUTH FORK B




		BROAD ST
	0220/1759	(BORO)
		018 "DIA CIR UNKNOWN
	0220/1403	LEN=0035 INSTALLED 1988
		MAIN ST
	0220/1379	(BORO)
		010 "DIA CIR UNKNOWN
	0220/0777	LEN=0018 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0220/0400	LEN=9999 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0220/0025	LEN=0022 INSTALLED 1988
048101 FT		048101 FT 1 0 00276 0 02 0479+84
		NC LAKE ST
		SOUTH FORK
		CROYLE T
	S 0220/0000	LENGTH(AH 3266 BK 0947)
		018 "DIA CIRC CONCR
	0210/0692	LEN=0040 INSTALLED 1988
047154 FT		047154 FT 1 0 00276 0 02 0470+61
		HILLEGAS HILL RD
		(T379)
	S 0210/0000	LENGTH(AH 0947 BK 3017)
		018 "DIA CIRC CONCR
	0200/2087	LEN=0035 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/1520	LEN=0024 INSTALLED 1988
		PINE ST
	0200/1351	(TWP)
		018 "DIA CIRC CONCR
	0200/1276	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0200/1167	LEN=0025 INSTALLED 1988
		018 "DIA CIRC METAL
	0200/0823	LEN=0020 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/0210	LEN=0040 INSTALLED 1988
1 0 00276 0 02 0441+18 044137 FT		044137 FT
FRANKSTOWN RD		
(SR2006 SEG 0010/0000) 0200/0000	S 0200/0000	LENGTH(AH 3017 BK 0805)
		018 "DIA CIRC CONCR
	0190/0709	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0190/0475	LEN=0030 INSTALLED UNKN
	0190/0390	BMSEN 11/3024/0190/0000

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




			CROYLE
		0190/0238	ADAMS TOWNSHIP T
	043332 FT	043332 FT	1 0 00276 0 02 0432+48
			SR 2006
			BMSBG 11/3024/0190/0000
		S 0190/0000	LENGTH(AH 0805 BK 3143)
			AMSITE RD
		0180/2909	(T381)
			LOCUST ST
		0180/2680	(SR3048 SEG 0011/0000)
			018 "DIA CIRC CONCR
		0180/2612	LEN=0040 INSTALLED 1988
			TO 3048/0011 SH
		0180/2503	(CONN)
			018 "DIA CIRC CONCR
		0180/2342	LEN=0045 INSTALLED 1988
			LOCUST ST
		0180/2268	(SR3048 SEG 0010/0000)
			TO 3048/0010 SH
		0180/2180	(CONN)
			018 "DIA CIRC CONCR
		0180/2093	LEN=0100 INSTALLED 1988
			024 "DIA CIRC CONCR
		0180/1944	LEN=0050 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0180/1857	LEN=0027 INSTALLED 1988
			LIBERTY PARK RD
		0180/1397	(TWP)
			LC TO LIBERTY PARK RD
		0180/1223	(CONN)
			018 "DIA CIRC CONCR
		0180/0380	LEN=0040 INSTALLED 2001
1 0 00276 0 02 0400+99	040189 FT	040189 FT	GRAMLINGTOWN RD
MOUNT HOPE RD			(T321)
(T320)	0180/0000	S 0180/0000	LENGTH(AH 3143 BK 2611)
			018 "DIA CIR PLASTIC
		0170/1959	LEN=0034 INSTALLED 1988
			015 "DIA CIRC CONCR
		0170/1419	LEN=0032 INSTALLED 1988
			018 "DIA CIRC CONCR
		0170/0798	LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
		0170/0217	LEN=0045 INSTALLED 1988
	037578 FT	037578 FT	1 0 00276 0 02 0374+49
		S 0170/0000	LENGTH(AH 2611 BK 2669)
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




		0160/1930 LEN=0026 INSTALLED 1988
COUNTRY INN RD (T380)	0160/1554	
		015 "DIA CIRC METAL
		0160/0657 LEN=0020 INSTALLED 2001
		018 "DIA CIRC CONCR
		0160/0200 LEN=0030 INSTALLED 1988
	034909 FT	034909 FT 1 0 00276 0 02 0347+94
		S 0160/0000 LENGTH(AH 2669 BK 3311)
		012 "DIA CIRC METAL
		0150/3311 LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
		0150/2965 LEN=0030 INSTALLED 1988
		018 "DIA CIRC CONCR
		0150/2605 LEN=0030 INSTALLED 1988
		018 "DIA CIRC CONCR
		0150/1555 LEN=0030 INSTALLED 1988
		018 "DIA CIRC CONCR
		0150/1014 LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
		0150/0425 LEN=0026 INSTALLED 1988
	031598 FT	031598 FT 1 0 00276 0 02 0315+01
		NC RAGERS HILL RD
		SOLOMON RUN RD
MOUNT HOPE RD (T320)	0150/0000	(SR3033 SEG 0080/2444)
		S 0150/0000 LENGTH(AH 3311 BK 2520)
		ADAMS TOWNSHIP
		0140/2512 RICHLAND T
		018 "DIA CIRC CONCR
		0140/1864 LEN=0032 INSTALLED 1988
CLAPBOARD RUN RD (SR3026 SEG 0080/1800)	0140/1675	
		018 "DIA CIR PLASTIC
		0140/1273 LEN=0034 INSTALLED 1988
BREWER RD (TWP)	0140/1161	
		018 "DIA CIR PLASTIC
		0140/0716 LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
		0140/0379 LEN=0026 INSTALLED 1988
	029078 FT	029078 FT 1 0 00276 0 02 0289+61
		S 0140/0000 LENGTH(AH 2520 BK 2642)
		018 "DIA CIRC CONCR
		0130/2642 LEN=0018 INSTALLED 1988
		018 "DIA CIR PLASTIC
		0130/2193 LEN=0040 INSTALLED 1988

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



		0130/1433	018 "DIA CIRC CONCR LEN=0100 INSTALLED 1988
		0130/0760	018 "DIA CIRC CONCR LEN=0065 INSTALLED 1988
		0130/0529	018 "DIA CIR PLASTIC LEN=0010 INSTALLED 2006
	026436 FT	026436 FT	1 0 00276 0 02 0263+02 CLAPBOARD RUN STRUCTURE LENGTH 13 FT BMSID 11/3024/0130/0000
		S 0130/0000	LENGTH(AH 2642 BK 0620)
1 0 00276 0 02 0256+87 WISSINGER HOLLOW RD (SR3028 SEG 0030/1761)	025816 FT 0120/0000	025816 FT	
		S 0120/0000	LENGTH(AH 0620 BK 3802)
		0110/3320	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
		0110/2569	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
		0110/2543	ENGBERT RD (T347)
		0110/2323	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1988
		0110/2030	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1988
		0110/1385	018 "DIA CIRC CONCR LEN=0028 INSTALLED 1988
		0110/0890	018 "DIA CIRC CONCR LEN=0015 INSTALLED 1988
		0110/0423	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
		0110/0065	RICHLAND CONEMAUGH T
	022014 FT	022014 FT	1 0 00276 0 02 0219+19
		S 0110/0000	LENGTH(AH 3802 BK 2346)
		0100/1610	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1988
		0100/1516	KOHLER ST (T344)
CARMEL ST (T334)	0100/1252		
		0100/1117	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1988
		0100/1076	MFC BEGIN = D AIRPORT RD

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



0100/1061 (SR3031 SEG 0050/3417)
TO 3031/0050 SH
0100/0847 (CONN)
018 "DIA CIRC CONCR
0100/0789 LEN=0026 INSTALLED 1988
015 "DIA CIR PLASTIC
0100/0424 LEN=0028 INSTALLED 1988
018 "DIA CIRC CONCR
0100/0040 LEN=0100 INSTALLED 1988
019668 FT

1 0 00276 0 02 0195+35 019668 FT
ANTONAZZO LN
(T818)
0100/0000
S 0100/0000 LENGTH(AH 2346 BK 3205)
018 "DIA CIRC CONCR
0090/2648 LEN=0024 INSTALLED 1988
018 "DIA CIRC CONCR
0090/2206 LEN=0028 INSTALLED 1988
018 "DIA CIRC CONCR
0090/1746 LEN=0028 INSTALLED 1988
HATCH LN
0090/1711 (PRDR)
018 "DIA CIRC CONCR
0090/1425 LEN=0030 INSTALLED 1988

018 "DIA CIRC CONCR
0090/0337 LEN=0040 INSTALLED 1988
016463 FT
016463 FT 1 0 00276 0 02 0163+31
S 0090/0000 LENGTH(AH 3205 BK 2995)

EUREKA LN
(TWP)
0080/2789

FULMER RD
0080/1683 (SR3029 SEG 0040/2909)

TRUMAN BL
(SR3029 SEG 0050/0000)
0080/1527


018 "DIA CIRC CONCR
0080/0917 LEN=0040 INSTALLED 1988
015 "DIA CIRC CONCR
0080/0510 LEN=0028 INSTALLED 1988
013468 FT
013468 FT 1 0 00276 0 02 0133+55
MIZEL LN
(T824)
S 0080/0000 LENGTH(AH 2995 BK 2734)
ZALLAR ST
0070/2240 (T823)

CONEMAUGH VALLEY ELEM S
(PRDR)
0070/2127


POI

(APRA) FRANK SHEESLEY D

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T




DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



		018 "DIA CIRC CONCR
	0050/0460	LEN=0030 INSTALLED 1988
AMC LN (T351)		
0050/0391		
		018 "DIA CIRC CONCR
	0050/0058	LEN=0022 INSTALLED 1988
		018 "DIA CIRC CONCR
	0050/0015	LEN=0024 INSTALLED 1988
005745 FT	005745 FT	1 0 00276 0 01 0057+44
		VOGEL ST
		(T753)
	S 0050/0000	LENGTH(AH 2243 BK 1445)
		018 "DIA CIR PLASTIC
	0040/1420	LEN=0020 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0040/0950	LEN=0020 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0040/0775	LEN=0020 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0040/0560	LEN=0020 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0040/0380	LEN=0020 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0040/0165	LEN=0020 INSTALLED 2014
004300 FT	004300 FT	1 0 00276 0 01 0042+70
		018 "DIA CIR PLASTIC
		LEN=0020 INSTALLED 2014
		WHITETAIL DR
		(T805)
	S 0040/0000	LENGTH(AH 1445 BK 2208)
		018 "DIA CIRC CONCR
	0030/1881	LEN=0100 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/1855	LEN=0050 INSTALLED 2014
		015 "DIA CIRC CONCR
	0030/1471	LEN=0020 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/1455	LEN=0035 INSTALLED 2014
		018 "DIA CIRC CONCR
	0030/1191	LEN=0025 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/1175	LEN=0020 INSTALLED 2014
		018 "DIA CIRC METAL
	0030/1080	LEN=0022 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/1065	LEN=0020 INSTALLED 2014
		018 "DIA CIRC CONCR
	0030/0877	LEN=0025 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/0865	LEN=0020 INSTALLED 2014

DIR: B TOTAL LEN: 11.037 MI. DIST: 09-3 SR: 3024
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T



018 "DIA CIRC CONCR
0030/0568 LEN=0025 INSTALLED 1988
018 "DIA CIR PLASTIC
0030/0565 LEN=0020 INSTALLED 2014
018 "DIA CIR PLASTIC
0030/0320 LEN=0020 INSTALLED 2014
018 "DIA CIR PLASTIC
0030/0015 LEN=0025 INSTALLED 2014
002092 FT 002092 FT 1 0 00276 0 01 0020+62
S 0030/0000 LENGTH(AH 2208 BK 1239)

NO NAME RD
(CITY)
0020/1055

018 "DIA CIR PLASTIC
0020/0965 LEN=0020 INSTALLED 2014

HILL PL
(CITY)
0020/0644

018 "DIA CIR PLASTIC
0020/0610 LEN=0020 INSTALLED 2014
CONEMAUGH
0020/0602 JOHNSTOWN C
018 "DIA CIR PLASTIC
0020/0505 LEN=0020 INSTALLED 2014

STEEL ST
(CITY)
0020/0469


018 "DIA CIR PLASTIC
0020/0365 LEN=0020 INSTALLED 2014
018 "DIA CIR PLASTIC
0020/0190 LEN=0020 INSTALLED 2014
1 0 00276 0 01 0008+23 000853 FT 000853 FT
NC FRANKSTOWN RD
LUCAS PL
(CITY)
0020/0000
S 0020/0000 LENGTH(AH 1239 BK 0853)
ADAMS ST
(CITY)
MAIN ST
(CITY)
0010/0659

012 "DIA CIR PLASTIC
0010/0610 LEN=0050 INSTALLED UNKN

000000 FT 000000 FT 1 0 00276 0 00 0000+00
RAMP A RD
(SR8016 SEG 0500/1084)
NC ADAMS ST
BEDFORD ST
(SR3016 SEG 0051/0000)
(SR3016 SEG 0050/0000)

BAUMER ST
(CITY)
MFC BEGIN = C
S 0010/0000 LENGTH(AH 0853 BK 0000)

DIR: B TOTAL LEN: .027 MI. DIST: 09-3 SR: 3023
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C




000142 FT
000142 FT
000000 FT
000000 FT
000000 FT

000142 FT
7030/0000 LENGTH(AH 0718 BK 0278)
000142 FT
7024/0000 LENGTH(AH 0278 BK 0142)
BMSEN 11/3023/0022/0000
REF-AHD JOHNS ST
0022/0142 (CITY)
000000 FT 1 0 00525 7 00 0000+00
NC JOHNS ST
REF-BK JOHNS ST
(CITY)
L.CONEMA.R
BMSBG 11/3023/0022/0000
S 0022/0000 LENGTH(AH 0142 BK 0039)
000000 FT
7020/0000 LENGTH(AH 0039 BK 0780)
000000 FT
7010/0000 LENGTH(AH 0780 BK 0000)

DIR: B TOTAL LEN: .115 MI. DIST: 09-3 SR: 3022
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

```
JOHNSTOWN EX                    000606 FT
(SR0056 SEG 0130/0667)           0010/0606

                                000000 FT
```




```
                                000606 FT JOHNSTOWN EX
                                0010/0606 (SR0056 SEG 0130/0667)
                                          BMSEN 11/3022/0010/0000
                                0010/0237 BRIDGE POSTED (TONS)
                                000000 FT 1 0 00525 7 00 0000+00
                                     NC INCLINE PLANE RD
                                REF-BK    INCLINE PLANE RD
                                          (CITY)
                                          SGL      05 COMB
                                          STONYCREEK RIVER
                                          BMSBG 11/3022/0010/0000
                                          MFC BEGIN = E
                                0010/0000 LENGTH(AH 0606 BK 0000)
```

DIR: B TOTAL LEN: .084 MI. DIST: 09-3 SR: 3021
LEFT MUN: SOUTHMONT B RIGHT MUN: SOUTHMONT B

000444 FT

FROM 0271/0160 SH
(CONN)

0010/0280
000000 FT




000444 FT MENOHER BL
0010/0444 (SR0271 SEG 0170/0000)
TO 0271/0170 SH
0010/0330 (CONN)

000000 FT 2 0 11011 4 00 0000+00
NC BARNETT ST
REF-BK BARNETT ST
(CITY)
MFC BEGIN = C
S 0010/0000 LENGTH(AH 0444 BK 0000)

DIR: B TOTAL LEN: .490 MI. DIST: 09-3 SR: 3020
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

002586 FT




002586 FT SOLOMON RUN RD
0010/2586 (SR3033 SEG 0050/1467)

018 "DIA CIRC METAL
0010/0800 LEN=0044 INSTALLED UNKN

000000 FT

000000 FT 2 0 11091 0 01 0084+34
NC BIRTLE RD
AIRPORT RD
(SR3031 SEG 0030/0669)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2586 BK 0000)

DIR: B TOTAL LEN: .796 MI. DIST: 09-3 SR: 3019
LEFT MUN: STONYCREEK T RIGHT MUN: STONYCREEK T



004201 FT

WINTER ST
(TWP)
0020/1504

RIFFITH ST
(TWP)
RUBY ST
(TWP)
0020/0539


002357 FT
FIFTH AV
(BORO)
0020/0000

004201 FT
7024/0000 LTH AH 000100 BK 001844
INTER-AHD PENROD ST
(TWP)
BEDFORD ST
(SR3016 SEG 0091/0000)
(SR3016 SEG 0090/0000)
0020/1844

018 "DIA CIRC CONCR
0020/1432 LEN=0046 INSTALLED 1988
EUGENE ST
0020/1244 (TWP)
018 "DIA CIRC CONCR
0020/0795 LEN=0132 INSTALLED 1988
RUBY ST
(TWP)
NC PENROD ST
PENROD ST
0020/0754 (TWP)

STONYCREEK
0020/0509 LORAIN B
018 "DIA CIRC CONCR
0020/0145 LEN=0046 INSTALLED 1988
002357 FT 1 1 05801 0 00 0023+53
NC RUBY ST
S 0020/0000 LENGTH(AH 1844 BK 2357)
018 "DIA CIRC CONCR
0010/2355 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/2290 LEN=0028 INSTALLED UNKN
018 "DIA CIRC METAL
0010/2284 LEN=0064 INSTALLED 1988
BERKEBILE ST
0010/2267 (BORO)

DIR: B TOTAL LEN: .796 MI. DIST: 09-3 SR: 3019
LEFT MUN: LORAIN B RIGHT MUN: LORAIN B



BLUE DIAMOND ST
(BORO) 0010/2199

0010/2060 018 "DIA CIRC METAL LEN=0064 INSTALLED 1988

MOLNAR ST
0010/2021 (BORO)

0010/1957 018 "DIA CIRC CONCR LEN=0026 INSTALLED 1988

0010/1946 024 "DIA CIRC CONCR LEN=0028 INSTALLED 1988

EMERALD ST
(BORO) 0010/1896

0010/1660 024 "DIA CIRC CONCR LEN=0028 INSTALLED 1988

0010/1524 024 "DIA CIR PLASTIC LEN=0028 INSTALLED 1988

0010/1511 024 "DIA CIR PLASTIC LEN=0100 INSTALLED 1988

ALMA AV
(BORO) 0010/1165

0010/1128 024 "DIA CIRC OTHER LEN=0028 INSTALLED 1988

0010/1120 024 "DIA CIRC OTHER LEN=0010 INSTALLED 1988

PORTER ST
0010/1066 (BORO)

VIEW ST
0010/0921 (BORO)

0010/0874 024 "DIA CIRC CONCR LEN=0366 INSTALLED 1988

CLAIR AV
0010/0541 (BORO)

LOHR PL
(BORO) 0010/0532

0010/0233 015 "DIA CIRC METAL LEN=0040 INSTALLED 1988

LUNEN ST
(BORO) 0010/0213

TERRY ST
0010/0164 (BORO)

KLANCHER ST
(BORO) 0010/0080

0010/0056 012 "DIA CIRC CONCR LEN=0056 INSTALLED 1988

000000 FT 000000 FT 1 1 05801 0 00 0000+00

NC OAKLAND AV
OHIO ST
(SR0756 SEG 0030/0000)
MFC BEGIN = D

S 0010/0000 LENGTH(AH 2357 BK 0000)


DIR: B TOTAL LEN: .061 MI. DIST: 09-3 SR: 3018
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B

000321 FT

NEES ST
(BORO)


0020/0321
000000 FT

000000 FT



000321 FT
INTER-AHD BEDFORD ST
(SR0756 SEG 0080/0000)
BELMONT AV
(SR0756 SEG 0080/0000)
0020/0321
000000 FT 2 0 11009 0 00 0005+04
NC BEDFORD ST
RAMP C RD
(SR8024 SEG 0510/0138)
INTER-BK BEDFORD ST
(SR8024 SEG 0500/0000)
MFC BEGIN = C
5 0020/0000 LTH AH 000321 BK 000100
000000 FT
7010/0000 LTH AH 000100 BK 000000

DIR: B TOTAL LEN: .457 MI. DIST: 09-3 SR: 3017
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B



002415 FT

FROM 3016/0090 SH
(CONN) 0010/2213
FERRY ST
(BORO) 0010/2075

EUGENE ST
(BORO) 0010/1761
BELTON ST
(BORO) 0010/1467

RALPH ST
(BORO) 0010/0858

MCCORT PL
(BORO) 0010/0608

000000 FT

OHIO ST
(SR0756 SEG 0050/0000) 0010/0000

002415 FT BEDFORD ST
(SR3016 SEG 0101/0000)
0010/2415 (SR3016 SEG 0100/0000)
018 "DIA CIRC CONCR
0010/2364 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0010/2349 LEN=0050 INSTALLED 1988

KINZEY ST
0010/1979 (BORO)
OAKMONT BL
0010/1761 (BORO)

RADIAN DR
0010/1039 (BORO)
0010/0858 (APRA) FI-HOFF CONCRETE
MCCORT PL
0010/0654 (BORO)

036 "DIA CIRC CONCR
0010/0561 LEN=0048 INSTALLED 1988
BEECHWOOD ST
0010/0379 (BORO)
BOISE ST
0010/0296 (BORO)
024 "DIA CIRC CONCR
0010/0240 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR
0010/0048 LEN=0024 INSTALLED 1988
000000 FT 2 0 11136 0 00 0000+00
BENTWOOD AV
(SR0756 SEG 0050/0000)
NC BENTWOOD AV
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2415 BK 0000)


DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

027938 FT
SCALP AV REF-AHD
(SR0056 SEG 0301/0000)
SR 0219 NBL
OP ID 11/0219/0050/0000 0141/1544
036 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 0141/1381

RAMP A RD
(SR8001 SEG 0250/0000) 0141/1279
RAMP F RD
(SR8001 SEG 0500/1005) 0141/1270

CEMETERY RD
(T466)
0141/1026

FYE ST
(T801) 0141/0478
HARRISON ST
(T421) 0141/0175
1 0 00222 0 01 0130+08 026394 FT
(APRA) THOMAS TRAILER C




025487 FT
REF-AHD
0140/1562 SCALP AV
(SR0056 SEG 0300/0000)
SR 0219 NBL
OP ID 11/0219/0050/0000

RAMP B RD
0140/1322 (SR8001 SEG 0260/1008)
RAMP A RD
0140/1264 (SR8001 SEG 0250/0000)

TO 8001/0250 SH
0140/1137 (CONN)
CEMETERY RD
(T466)
0140/1006


018 "DIA CIRC CONCR
0140/0995 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/0680 LEN=0075 INSTALLED UNKN
SIGN: CANTILEVER
0140/0660 BMSID 11/3016/0140/0660
FYE ST
0140/0479 (T801)
HARRISON ST
0140/0172 (T421)
023925 FT 1 0 00222 0 01 0130+08
(APRA) THOMAS TRAILER C

DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



MERCEDAS ST (T802) LENGTH(AH 1544 BK 2681)	0141/0000	0140/0000	MERCEDAS ST (T802) LENGTH(AH 1562 BK 2681)
HOSTETLER RD (SR3008 SEG 0030/3546)	0131/2034	0130/2043	HOSTETLER RD (SR3008 SEG 0030/3546)
LUTHER RD (SR3010 SEG 0010/0000)	0131/1814	0130/1811	LUTHER RD (SR3010 SEG 0010/0000)
CONSTABLE AV (T411)	0131/1337	0130/1341	CONSTABLE AV (T411)
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0131/1049		
CHRYSLER AV (T327)	0131/0982	0130/0984	CHRYSLER AV (T327)
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	0131/0781		
		0130/0678	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
BURK AV (T434)	0131/0645	0130/0649	BURK AV (T434)
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0131/0640		
GOULD AV (TWP)	0131/0292	0130/0292	GOULD AV (TWP)
		0130/0120	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN	0131/0084		
1 0 00222 0 01 0156+82 023713 FT		021244 FT	1 0 00222 0 01 0156+82
LURAY AV (T424)			LURAY AV (T424)
LURAY AV (SR3012 SEG 0020/1856)			LURAY AV (SR3012 SEG 0020/1856)
LENGTH(AH 2681 BK 2857)	0131/0000	0130/0000	LENGTH(AH 2681 BK 2850)
		0120/2586	018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
GAP AV (T483)	0121/2541	0120/2541	GAP AV (T483)
		0120/2475	OLD SCALP AV (T316)
OLD SCALP AV (T316)	0121/2477		
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	0121/1609		
OLD SCALP AV (T316)	0121/1581	0120/1561	OLD SCALP AV (T316)


DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0121/1374
SHOPPING PLAZA DR
(PRDR)
0121/1335
RICHLAND
GEISTOWN B 0121/1205
STANLEY DR
(BORO) 0121/1130
EVERGREEN ST
(BORO) 0121/1082
018 "DIA CIRC CONCR
LEN=0085 INSTALLED UNKN 0121/0925
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN
BOBWHITE ST
(BORO) 0121/0517
DEMUTH ST
(BORO) 0121/0146
018 "DIA CIRC CONCR
LEN=0037 INSTALLED UNKN 0121/0037
1 0 00222 0 01 0185+50 020856 FT
LAMBERD AV
(BORO)
DEMUTH ST
(BORO)
LENGTH(AH 2857 BK 1356) 0121/0000
SAMS RUN
STRUCTURE LENGTH 14 FT
BMSID 11/3016/0110/0675 0111/0851
BMSEN 11/3016/0110/0000 0111/0042
1 0 00222 0 01 0199+12 019500 FT
NC SCALP AV
SR 0756
BMSBG 11/3016/0110/0000
LENGTH(AH 1356 BK 3490) 0111/0000
RAMP C RD
(SR8024 SEG 0510/0000) 0101/3264
BEDFORD ST
(SR8024 SEG 0500/0216) 0101/3022
018 "DIA CIRC CONCR
LEN=0064 INSTALLED UNKN 0101/2872


SHOPPING PLAZA DR
(PRDR)
0120/1330
RICHLAND
GEISTOWN B 0120/1232
STANLEY DR
(BORO) 0120/1163
EVERGREEN ST
0120/1081 (BORO)
BOBWHITE ST
(BORO) 0120/0488
DEMUTH ST
(BORO) 0120/0140
018394 FT 1 0 00222 0 01 0185+50
LAMBERD AV
(BORO)
DEMUTH ST
(BORO)
0120/0000 LENGTH(AH 2850 BK 1353)
SAMS RUN
STRUCTURE LENGTH 14 FT
0110/0675 BMSID 11/3016/0110/0675
RAMP B RD
0110/0315 (SR8024 SEG 0010/0336)
RAMP B-1 RD
0110/0251 (SR8024 SEG 0020/0000)
0110/0042 BMSEN 11/3016/0110/0000
017041 FT 1 0 00222 0 01 0199+12
NC SCALP AV
SR 0756
BMSBG 11/3016/0110/0000
0110/0000 LENGTH(AH 1353 BK 3505)
RAMP A RD
0100/3050 (SR8024 SEG 0250/0000)

DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B



		0100/2876	018 "DIA CIRC CONCR
			LEN=0010 INSTALLED UNKN
			LULAY ST
LULAY ST			
(BORO)	0101/2796	0100/2834	(BORO)
			GEIS ST
GEIS ST			
(BORO)	0101/2452	0100/2487	(BORO)
CHURCHILL ST			
(BORO)			
	0101/1920		
			CHURCHILL ST
			(BORO)
		0100/1925	
018 "DIA CIRC CONCR			
LEN=0035 INSTALLED UNKN	0101/1772		
MILLS ST			
(BORO)	0101/1762	0100/1787	(BORO)
ROSEWOOD ST			
(BORO)	0101/1583	0100/1608	(BORO)
024 "DIA CIRC CONCR			
LEN=0075 INSTALLED UNKN	0101/1470		
RADIAN DR			
(BORO)	0101/1138	0100/1159	(BORO)
FLORIDA AV			
(BORO)	0101/0997	0100/1028	(BORO)
ALFRED ST			
(BORO)	0101/0447	0100/0476	(BORO)
1 0 00222 0 01 0234+24	016010 FT	013536 FT	1 0 00222 0 01 0234+24
WALTERS AV			WALTERS AV
(BORO)			(BORO)
BENTWOOD AV			BENTWOOD AV
(SR3017 SEG 0010/2415)			(SR3017 SEG 0010/2415)
GEISTOWN			GEISTOWN
STONYCREEK T			STONYCREEK T
LENGTH(AH 3490 BK 1512)	0101/0000	0100/0000	LENGTH(AH 3505 BK 1512)
			018 "DIA CIR UNKNOWN
		0090/1512	LEN=0042 INSTALLED UNKN
			TO 3017/0010 SH
		0090/1287	(CONN)
WALES AV			WALES AV
(T645)	0091/0974	0090/0981	(T645)
			018 "DIA CIR UNKNOWN
		0090/0901	LEN=0032 INSTALLED UNKN
SCHRADER AV			SCHRADER AV
(TWP)	0091/0412	0090/0403	(TWP)
018 "DIA CIRC CONCR			
LEN=0032 INSTALLED UNKN	0091/0366		
			018 "DIA CIRC CONCR
		0090/0020	LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0032 INSTALLED UNKN	0091/0016		

DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: STONYCREEK T RIGHT MUN: STONYCREEK T



1 0 00222 0 01 0249+26 014498 FT
PENROD ST
(TWP)
PENROD ST
(SR3019 SEG 0020/1844)

MFC BEGIN = B
LENGTH(AH 1512 BK 3653) 0091/0000

HOPWOOD ST
(T636) 0080/2935

GREENICH ST
(T634) 0080/2440

LONG ST
(T630) 0080/1726

BAY ST
(T628) 0080/1458

010845 FT

JOSEPH AV
(CITY) 0070/3365

012024 FT 1 0 00222 0 01 0249+26
PENROD ST
(TWP)
PENROD ST
(SR3019 SEG 0020/1844)

MFC BEGIN = B
0090/0000 LENGTH(AH 1512 BK 3653)

018 "DIA CIRC CONCR
0080/2940 LEN=0044 INSTALLED UNKN

018 "DIA CIRC CONCR
0080/2514 LEN=0053 INSTALLED UNKN


FERG ST
0080/2130 (T632)
018 "DIA CIRC CONCR
0080/2030 LEN=0069 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/1780 LEN=0051 INSTALLED UNKN

018 "DIA CIRC CONCR
0080/1462 LEN=0042 INSTALLED UNKN

STONYCREEK
0080/1438 JOHNSTOWN C
012"H 00"W MULT PLSTIC
0080/1220 LEN=0036 INSTALLED UNKN
WERTZ RD
0080/0935 (CITY)
072 "DIA CIRC CONCR
0080/0929 LEN=0134 INSTALLED UNKN
024 "DIA CIRC CONCR
0080/0800 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/0275 LEN=0032 INSTALLED UNKN
008371 FT 1 0 00222 0 02 0293+69
RODGERS AV
(CITY)
0080/0000 LENGTH(AH 3653 BK 3668)
HARRY PL
0070/3416 (CITY)


018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C




		0070/3250	LEN=0062 INSTALLED 1969
TO 8018/0750 SH (CONN)	0070/3223	0070/3223	MILLER AV (CITY)
			RAMP C RD (SR8018 SEG 0750/0000)
		0070/3076	RAMP D RD (SR8018 SEG 0010/0834)
		0070/3000	072 "DIA CIRC CONCR LEN=0135 INSTALLED UNKN
FROM 8018/0010 SH (CONN)	0070/2960	0070/2960	JOHNSTOWN DALE BOROUGH B AL
		0070/2924	(CITY)
		0070/2800	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
MACK AL (CITY)	0070/2625		
HERRON PL (CITY)	0070/2216		
			MAY ST
		0070/2202	(CITY)
		0070/2180	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
HOMESTEAD AV (CITY)	0070/2067		
			HENRY AV
		0070/1967	(CITY)
		0070/1749	BMSEN 11/3016/0070/1713 1 0 00222 0 02 0313+61 SOLOMON RUN
		0070/1713	BMSBG 11/3016/0070/1713
JACOBY ST (CITY)	0070/1652		
			ANNIE ST
SUGAR AL (BORO)	0070/1551	0070/1551	(BORO)
BALDWIN AL (BORO)	0070/1258		
			018 "DIA CIRC CONCR
		0070/1185	LEN=0050 INSTALLED UNKN
			DEETER AL
		0070/1134	(BORO)
		0070/0998	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
			MYERS AL
		0070/0987	(BORO)
CUMMINS ST (BORO)	0070/0948		
			018"H 00"W MULT CONCR
		0070/0881	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: DALE BOROUGH B RIGHT MUN: DALE BOROUGH B



		WISSINGER AL
	0070/0786	(BORO)
HUMMEL ST		
(BORO) 0070/0452		
		FOUST AL
	0070/0411	(BORO)
		018 "DIA CIRC CONCR
	0070/0385	LEN=0050 INSTALLED UNKN
SCHOOL AL		
(BORO) 0070/0209		
007177 FT	004703 FT	1 0 00222 0 02 0330+70
		VON LUNEN RD
		(BORO)
		DALE BOROUGH
		JOHNSTOWN C
	S 0070/0000	LENGTH(AH 3668 BK 3278)
		030 "DIA CIRC CONCR
	0060/3240	LEN=0030 INSTALLED UNKN
		POPLAR ST
	0060/3151	(CITY)
		FRONHEISER ST
	0060/3082	(CITY)
ARTHUR ST		
(SR3027 SEG 0010/0000) 0060/3065		
		AL
	0060/2761	(CITY)
		ASH ST
	0060/2411	(CITY)
		AL
	0060/2234	(CITY)
		OAK ST
	0060/1945	(CITY)
		POPLAR ST
	0060/1875	(CITY)
		018 "DIA CIRC CONCR
	0060/1582	LEN=0040 INSTALLED UNKN
		AL
	0060/1419	(CITY)
		WOOD ST
	0060/1401	(CITY)
		030 "DIA CIRC CONCR
	0060/1118	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/0640	LEN=0032 INSTALLED UNKN
		SR 8016
	0060/0266	OP ID 11/8016/0250/0740
DALE BOROUGH		
JOHNSTOWN C 0060/0137		
		030 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



003899 FT

SR 0056 EBL
OP ID 11/0056/0150/0000 0051/0500

024 "DIA CIRC CONCR
LEN=0076 INSTALLED UNKN 0051/0076
1 0 00222 0 02 0372+14 003031 FT
RAMP A RD
(SR8016 SEG 0500/1084)
BAUMER ST
(CITY)
ADAMS ST
(SR3024 SEG 0010/0000)

MFC BEGIN = B
LENGTH(AH 0868 BK 0268) 0051/0000

002763 FT

002763 FT
INTER-AHD
BEDFORD ST
(SR0271 SEG 0190/0298)
BEDFORD ST
(SR0271 SEG 0190/0298) 0031/0879
015 "DIA CIRC OTHER
LEN=0038 INSTALLED UNKN 0031/0638
LEVERGOOD ST
(CITY) 0031/0582
AL

0060/0111 LEN=0056 INSTALLED UNKN
001425 FT 1 0 00222 0 02 0363+54
HORNER ST
(CITY)

MFC BEGIN = B
S 0060/0000 LENGTH(AH 3278 BK 0868)


SR 0056 EBL
0050/0437 OP ID 11/0056/0150/0000
RAMP B RD
0050/0282 (SR8016 SEG 0250/0000)
SIGN: CANTILEVER
0050/0190 BMSID 11/3016/0050/0190
LC FROM BAUMER ST
0050/0135 (CITY)

000557 FT 1 0 00222 0 02 0372+14
BAUMER ST
(CITY)
ADAMS ST
(SR3024 SEG 0010/0000)

MFC BEGIN = B
S 0050/0000 LTH AH 000868 BK 000268
024 "DIA CIRC CONCR
0040/0265 LEN=0036 INSTALLED UNKN
0040/0098 (AAR 145258U)#TRKS 01
000289 FT 1 0 00222 0 03 0375+17
NC BEDFORD ST
HAYNES ST
(CITY)

INTER-BK BEDFORD ST
(SR0271 SEG 0190/0000)
MFC BEGIN = B
S 0040/0000 LTH AH 000268 BK 000282
000289 FT
7032/0000 LTH AH 000282 BK 000879

DIR: B TOTAL LEN: 5.291 MI. DIST: 09-3 SR: 3016
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



(CITY) 0031/0176
1 0 00222 0 03 0386+80 001884 FT
FRANKLIN ST
(SR3055 SEG 0020/0343)

MFC BEGIN = C 000289 FT
LENGTH(AH 0879 BK 0289) 0031/0000 7030/0000 LTH AH 000879 BK 000289
001595 FT 000000 FT 1 0 00222 0 03 0389+77
NC VINE ST
STONYCREEK ST
(CITY)
MFC BEGIN = C
JOHNSTOWN

S 0020/0000 LTH AH 000289 BK 001595

MFC BEGIN = C 0011/1263
MARKET ST
(CITY)
0011/1242
012 "DIA CIRC CONCR
LEN=0030 INSTALLED 1988 0011/1094
012 "DIA CIRC CONCR
LEN=0030 INSTALLED 1988 0011/0864
015 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0011/0710
WALNUT ST
(CITY)
0011/0638
TOWHEE PL
(CITY) 0011/0494
012 "DIA CIRC OTHER
LEN=0032 INSTALLED UNKN 0011/0400
MORRELL PL
(CITY) 0011/0340
012 "DIA CAST IRON
LEN=0030 INSTALLED UNKN 0011/0220
PEDESTRIAN WALKWAY
OP ID 11/0056/0130/1116 0011/0085
UNION ST
(SR3025 SEG 0010/0084)
0011/0050
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0011/0009
1 0 00222 0 03 0405+80 000000 FT
NC VINE ST
JOHNSTOWN EX
(SR0056 SEG 0130/1097)

MFC BEGIN = D 000000 FT
LENGTH(AH 1595 BK 0000) 0011/0000 7010/0000 LTH AH 001595 BK 000000

DIR: B TOTAL LEN: 2.059 MI. DIST: 09-3 SR: 3015
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T


010872 FT

SECOND ST
(T443)

007062 FT
0040/0000

2 0 11001 0 00 0033+00 004540 FT
SECOND ST
(T443)

0030/0000



010872 FT EISENHOWER BL
0040/3810 (SR3006 SEG 0100/0000)


018 "DIA CIRC CONCR
0040/2347 LEN=0016 INSTALLED 2002
018 "DIA CIRC CONCR
0040/1902 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/1613 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1314 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/0682 LEN=0034 INSTALLED UNKN

007062 FT 2 0 11001 0 00 0058+70
NC MINE THIRTYSEVEN RD
S 0040/0000 LENGTH(AH 3810 BK 2522)
018 "DIA CIRC METAL
0030/2515 LEN=0032 INSTALLED 2001

018 "DIA CIRC METAL
0030/1494 LEN=0038 INSTALLED UNKN
018 "DIA CIRC METAL
0030/1149 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/0389 LEN=0030 INSTALLED UNKN
OLD FARM LN
0030/0246 (TWP)
004540 FT
NC FIRST ST
S 0030/0000 LENGTH(AH 2522 BK 3113)
RICHLAND
0020/2679 SCALP LEVEL B

018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.059 MI. DIST: 09-3 SR: 3015
LEFT MUN: SCALP LEVEL B RIGHT MUN: SCALP LEVEL B




	0020/1040	LEN=0070 INSTALLED UNKN
		ANDREA LN
VEIL RD		
(BORO)	0020/0905	0020/0905 (BORO)
		018 "DIA CIRC CONCR
	0020/0614	LEN=0030 INSTALLED UNKN
		SR 0056 EBL
	0020/0534	OP ID 11/0056/0340/0000
		018 "DIA CIRC CONCR
	0020/0459	LEN=0030 INSTALLED UNKN
ROMAN DR		
(BORO)	0020/0433	
ROMAN DR		
(BORO)	0020/0206	
	001427 FT	001427 FT 2 0 11001 0 00 0000+00
		MAIN ST
		(BORO)
		NC LOCUST ST
		S 0020/0000 LENGTH(AH 3113 BK 1427)
		018 "DIA CIRC CONCR
	0010/1403	LEN=0013 INSTALLED UNKN
		BRIDGE ST
	0010/1306	(BORO)
		024 "DIA CIRC CONCR
	0010/1169	LEN=0026 INSTALLED UNKN
OWENS LN		
(BORO)	0010/1014	
		STRAUB LN
	0010/0944	(BORO)
BANTLEY PL		
(BORO)	0010/0730	
	0010/0636	BMSEN 11/3015/0010/0568
		2 0 11001 1 00 0003+72
		LITTLE PAINTCREEK
	0010/0568	BMSBG 11/3015/0010/0568
		018 "DIA CIRC METAL
	0010/0421	LEN=0028 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/0419	LEN=0024 INSTALLED UNKN
		CONSOLIDATED RAIL CORPO
	0010/0348	OVERPASS IS RR X-ING
		SCALP LEVEL
	0010/0026	PAINT B
	000000 FT	000000 FT 2 0 11001 1 00 0000+00
		NC MAIN ST
		BEDFORD ST
		(BORO)
		INTER-BK MAIN ST
		(SR4051 SEG 0010/0854)
		MFC BEGIN = D
		S 0010/0000 LENGTH(AH 1427 BK 0000)

DIR: B TOTAL LEN: 1.436 MI. DIST: 09-3 SR: 3013
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

007584 FT


BENTWOOD AV
(SR0756 SEG 0050/2179) 0030/1883

KRINGS ST 005701 FT
(BORO)
BELMONT ST



007584 FT
INTER-AHD BELMONT ST
(SR0756 SEG 0050/2179)
0030/1883
030 "DIA CIRC CONCR
0030/1840 LEN=0040 INSTALLED 1999
LAKEWOOD AV
0030/1612 (T426)
SALMON AV
0030/1273 (T309)
CHANCELLOR ST
0030/0831 (T313)
018 "DIA CIRC CONCR
0030/0608 LEN=0026 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/0319 LEN=0028 INSTALLED UNKN
BEECH SPRING ST
0030/0310 (T353)
005701 FT 2 0 11099 0 00 0018+63
(APRA) STRAW CONSTRUCTI
NC BELMONT ST

DIR: B TOTAL LEN: 1.436 MI. DIST: 09-3 SR: 3013
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T




(BORO)	0030/0000	S 0030/0000	LENGTH(AH 1883 BK 2679)
			018 "DIA CIRC CONCR
		0020/2602	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2117	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1956	LEN=0028 INSTALLED UNKN
			FAIR AV
		0020/1295	(T502)
			018 "DIA CIRC CONCR
		0020/1074	LEN=0040 INSTALLED UNKN
			CATALINA DR
		0020/0629	(T507)
MAPLEWOOD DR (T727)	0020/0052		
	003022 FT	003022 FT	2 0 11104 0 01 0027+68
			PARKER RD
			(T349)
		S 0020/0000	LENGTH(AH 2679 BK 3022)
			024 "DIA CIRC CONCR
		0010/3002	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/2831	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/2638	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/2279	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/2093	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1921	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1459	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1040	LEN=0054 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0705	LEN=0060 INSTALLED 1997
			018 "DIA CIRC CONCR
		0010/0426	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0166	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0048	LEN=0032 INSTALLED UNKN
	000000 FT	000000 FT	2 0 11104 0 00 0000+00
			NC KRINGS ST
			EISENHOWER BL
			(SR3006 SEG 0050/2245)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 3022 BK 0000)

DIR: B TOTAL LEN: .931 MI. DIST: 09-3 SR: 3012
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

004916 FT

004916 FT
INTER-AHD LURAY AV
(T424)
SCALP AV
(SR3016 SEG 0131/0000)

DIR: B TOTAL LEN: .931 MI. DIST: 09-3 SR: 3012
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



(SR3016 SEG 0130/0000)

0020/1856

018 "DIA CIRC CONCR

0020/1699 LEN=0028 INSTALLED UNKN

FRANCES ST

0020/1496 (T671)

SERVICE DR
(T407) 0020/1215

RACHEL ST

0020/1154 (T412)

TENER ST

0020/0809 (T409)

MUSK LN

0020/0610 (T528)

BEL AIR DR
(T410)
WALLACE ST
(T430) 0020/0293
003060 FT

003060 FT 2 0 11111 0 00 0030+51

CRESTVIEW DR

(T427)

S 0020/0000 LENGTH(AH 1856 BK 3060)

WEDGEWOOD DR
(T428) 0010/2977

BONITA ST
(T470) 0010/2035

018 "DIA CIRC CONCR

0010/2001 LEN=9999 INSTALLED UNKN

CHIPPEWA RD

0010/1844 (T404)

SENECA ST

0010/1438 (T402)

COLONIAL RIDGE RD
(T354) 0010/1136

OTTAWA ST

0010/1098 (T351)

TIMOTHY ST
(T304) 0010/0793
ELBERT ST
(T303) 0010/0454

RICHLAND

0010/0138 GEISTOWN B

000000 FT 000000 FT 2 0 11111 0 00 0000+00

NC LURAY AV

BELMONT ST

(SR0756 SEG 0060/0614)

MFC BEGIN = D

S 0010/0000 LENGTH(AH 3060 BK 0000)

DIR: B TOTAL LEN: 2.181 MI. DIST: 09-3 SR: 3011
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

011518 FT

MULBERRY ST
(CITY)


0050/1809

MAYER AV
(CITY)

0050/1412

FREW PL
(CITY)

0050/1105



011518 FT
INTER-AHD FRANKLIN ST
(SR0403 SEG 0110/0000)
VALLEY PK
(SR0403 SEG 0110/0000)

0050/3381

PEDES.X-ING
0050/3073 OP ID 11/3011/0050/3073
OSBORNE ST
(CITY)

0050/2526

AKERS ST
(CITY)


0050/2138

ROSE ST
0050/1633 (CITY)

THRUSH PL
0050/1344 (CITY)

010 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.181 MI. DIST: 09-3 SR: 3011
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



SOUTHMONT BL
(SR3002 SEG 0030/1535) 0050/0913

008137 FT

SPORY ST
(CITY) 0040/2661
KRISE PL
(CITY) 0040/2379
DUNCAN PL
(CITY) 0040/2272
SELL ST
(CITY) 0040/2131

DERBY ST
(CITY) 0040/1653

THEODORE ST
(CITY) 0040/0500
1 0 00851 0 01 0052+76 005225 FT
AMANDA AV


0050/0965 LEN=0050 INSTALLED UNKN
0050/0913
CHERRY/CHANEY RUN
STRUCTURE LENGTH 18 FT
0050/0900 BMSID 11/3011/0050/0900
MCKINLEY AV
0050/0658 (CITY)
018 "DIA CIRC CONCR
0050/0467 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0117 LEN=0060 INSTALLED UNKN
008137 FT 1 0 00851 0 01 0081+94
STEPHENS ST
(CITY)
S 0050/0000 LENGTH(AH 3381 BK 2912)

018 "DIA CIR PLASTIC
0040/2070 LEN=0030 INSTALLED UNKN
THISTLE ST
0040/2015 (CITY)
WORTH ST
0040/1794 (CITY)
018 "DIA CIRC CONCR
0040/1784 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0040/1377 LEN=0030 INSTALLED UNKN
RAMBO ST
0040/1358 (CITY)
ROSS ST
0040/1125 (CITY)
RUTLEDGE PL
0040/0986 (CITY)
HAMMER AV
0040/0835 (CITY)
PLAINFIELD AV
0040/0519 (CITY)

005225 FT


DIR: B TOTAL LEN: 2.181 MI. DIST: 09-3 SR: 3011
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



(CITY)	0040/0000	S 0040/0000 LENGTH(AH 2912 BK 1927)
		015 "DIA CIRC CONCR
		0030/1758 LEN=0050 INSTALLED UNKN
MELANDER ST		
(CITY)	0030/1263	
		JOHNSTOWN
		0030/0482 FERNDALE B
HYSTONE AV		
(BORO)	0030/0439	
		MIDWAY DR
		0030/0192 (BORO)
	003298 FT	003298 FT 1 0 00851 0 01 0033+43
		SUMMIT AV
		(SR3007 SEG 0020/0000)
GOUCHER ST		
(SR3007 SEG 0020/0000)	0030/0000	S 0030/0000 LENGTH(AH 1927 BK 1874)
		QUAKER AV
		0020/1737 (BORO)
		MENDELL LN
		0020/1668 (BORO)
		FERNDALE
		0020/1490 UPPER YODER T
	001424 FT	001424 FT 1 0 00851 0 00 0014+28
		OLD COUNTRY RD
		(SR3009 SEG 0011/1115)
		S 0020/0000 LENGTH(AH 1874 BK 1424)
		060 "DIA CIRC METAL
		0010/1406 LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0010/1122 LEN=0030 INSTALLED 2002
		018 "DIA CIRC CONCR
		0010/0363 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0010/0124 LEN=0032 INSTALLED UNKN
		FROM 0985/0010 SH
		0010/0095 (CONN)
	000000 FT	000000 FT 1 0 00851 0 00 0000+00
		NC FRANKLIN ST
		SOMERSET PK
		(SR0985 SEG 0010/0527)
		INTER-BK SOMERSET PK
		(SR0985 SEG 0010/0527)
		MFC BEGIN = C
		S 0010/0000 LENGTH(AH 1424 BK 0000)

DIR: B TOTAL LEN: .680 MI. DIST: 09-3 SR: 3010
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

003590 FT



003590 FT ELTON RD
(SR0756 SEG 0110/0000)
0010/3590
030 "DIA CIRC CONCR
0010/3350 LEN=0025 INSTALLED 2004
030 "DIA CIRC METAL
0010/3330 LEN=0015 INSTALLED UNKN
036 "DIA CIRC CONCR
0010/3316 LEN=0025 INSTALLED 2004
015 "DIA CIRC CONCR
0010/3236 LEN=0025 INSTALLED UNKN
TERRACE DR
0010/3189 (T818)
015 "DIA CIRC CONCR
0010/3184 LEN=0025 INSTALLED UNKN

LAURETTA LN
(T511)
0010/2321

CAPRICORN DR
0010/2227 (T473)
CALDWELL ST
0010/1898 (T468)
018 "DIA CIRC METAL
0010/1877 LEN=0025 INSTALLED UNKN

CHERRY LN
(T317)
0010/1591

CHERRY LN ET
0010/1563 (T317)
018 "DIA CIRC METAL
0010/1554 LEN=0050 INSTALLED UNKN

EUCLID AV
(T475)
0010/1282


OLD COLONY DR
(T474)
0010/0468

018 "DIA CIRC METAL
0010/0434 LEN=0434 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/0187 LEN=0050 INSTALLED UNKN
000000 FT 000000 FT 2 0 11005 0 00 0000+00
NC LUTHER RD
SCALP AV
(SR3016 SEG 0131/1814)
(SR3016 SEG 0130/1811)

MFC BEGIN = D
S 0010/0000 LENGTH(AH 3590 BK 0000)


DIR: B TOTAL LEN: .211 MI. DIST: 09-3 SR: 3009
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T

FRANKLIN ST
(SR3011 SEG 0020/0000)
FRANKLIN ST
(SR3011 SEG 0020/0000) 0011/1115
018 "DIA CIRC CONCR
LEN=0502 INSTALLED UNKN 0011/0613
018 "DIA CIRC CONCR
LEN=0020 INSTALLED UNKN 0011/0550
2 0 11093 0 00 0000+00 000000 FT
FERNDALE AV
(SR0403 SEG 0020/0000)
NC OLD COUNTRY RD
SOMERSET PK
(SR0985 SEG 0010/1063)




FERNDALE AV
(SR0403 SEG 0020/0000) 001115 FT 000613 FT
MFC BEGIN = C 000000 FT
LENGTH(AH 1115 BK 0000) 0011/0000 7010/0000 LTH AH 000100 BK 000000

DIR: B TOTAL LEN: 1.900 MI. DIST: 09-3 SR: 3008
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



	010031 FT		010031 FT SCALP AV
			(SR3016 SEG 0131/2034)
			(SR3016 SEG 0130/2043)
		0030/3546	
			018 "DIA CIRC CONCR
		0030/3540	LEN=0026 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/3470	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/3250	LEN=0046 INSTALLED UNKN
FRANCES ST (T671)	0030/3194	==	
			018 "DIA CIRC CONCR
		0030/2883	LEN=0040 INSTALLED UNKN
RACHEL ST (T412)	0030/2838	== ==	METZLER ST 0030/2838 (TWP)
			018 "DIA CIRC CONCR
		0030/2750	LEN=0042 INSTALLED UNKN
		== == 0030/2451	TENER ST (T409)
			018 "DIA CIR PLASTIC
		0030/2450	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/2225	LEN=0040 INSTALLED UNKN
		== == 0030/2092	NORWOOD ST (T414)
			018 "DIA CIRC METAL
		0030/1930	LEN=0495 INSTALLED UNKN
WINELAND ST (T418)	0030/1752	== ==	LENORE ST 0030/1752 (T418)
CAMELOT CT (T832)	0030/1099	==	
			024 "DIA CIRC CONCR
		0030/0965	LEN=0050 INSTALLED UNKN
			ANNETTE ST
		== 0030/0930	(T750)
			036 "DIA CIRC METAL
		0030/0586	LEN=0035 INSTALLED UNKN
	006485 FT		006485 FT 2 0 11004 0 00 0065+03
			CHRISTY DR
			(T419)
		== S 0030/0000	LENGTH(AH 3546 BK 2885)
			ERICKSON DR

DIR: B TOTAL LEN: 1.900 MI. DIST: 09-3 SR: 3008
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



0020/2106 (T306)
015 "DIA CIRC METAL
0020/1751 LEN=0040 INSTALLED UNKN

STONYBROOK LN
(TWP) 0020/1237

048"H 00"W MULT CONCR
0020/1128 LEN=0096 INSTALLED 2000

KIAWA ST
(T465) 0020/0939

030 "DIA CIRC METAL
0020/0859 LEN=0050 INSTALLED 2000
VALLEY RUN RD
0020/0613 (T525)

CHIPPEWA RD
(T404) 0020/0343

DOBSON DR
0020/0179 (TWP)
003600 FT

2 0 11004 0 00 0036+24 003600 FT
KRISSAY ST
(T315) 0020/0000

S 0020/0000 LENGTH(AH 2885 BK 3600)
GEMINI DR
0010/3376 (TWP)

PARKSIDE DR
(T529) 0010/3214

NC HOSTETLER RD
PARKER RD
0010/2956 (T349)
018 "DIA CIRC CONCR
0010/2943 LEN=0060 INSTALLED UNKN


SARA LN
(TWP) 0010/2028

SHAWNEE ST
0010/1370 (T308)

OTTAWA ST
(T351) 0010/1312
IROQUOIS ST
(T307) 0010/1018
SIOUX ST
(T304) 0010/0696
CHEROKEE ST
(T337) 0010/0346
000000 FT

000000 FT 2 0 11004 0 00 0000+00
NC ARBUTUS AV
BELMONT ST
(SR0756 SEG 0060/0000)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 3600 BK 0000)

DIR: B TOTAL LEN: 5.615 MI. DIST: 09-3 SR: 3007
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



029645 FT

028656 FT

ASPEN WY
(T665)
0130/1266


FLORA ST
(T373)
0130/0894

029645 FT
INTER-AHD D ST
(CITY)
FAIRFIELD AV
(SR0056 SEG 0080/2052)
0140/0989
018 "DIA CIRC METAL
0140/0673 LEN=0046 INSTALLED 1988
BARRON AV
0140/0662 (CITY)
GRASS AV
0140/0336 (CITY)
ELK RUN
STRUCTURE LENGTH 12 FT
0140/0115 BMSID 11/3007/0140/0115
028656 FT 2 0 11102 0 00 0110+85
NC D ST
BIRCH AV
(CITY)
S 0140/0000 LENGTH(AH 0989 BK 1750)
JOHNSTOWN
0130/1729 LOWER YODER T

015 "DIA CIRC CONCR
0130/1150 LEN=0350 INSTALLED 1988


NORTON RD
0130/0643 (T360)
018 "DIA CIRC CONCR
0130/0449 LEN=1603 INSTALLED 1988
ELK RUN
STRUCTURE LENGTH 12 FT

DIR: B TOTAL LEN: 5.615 MI. DIST: 09-3 SR: 3007
LEFT MUN: LOWER YODER T RIGHT MUN: LOWER YODER T




	0130/0428 BMSID 11/3007/0130/0428
	024 "DIA CIRC CONCR
	0130/0158 LEN=0072 INSTALLED 1988
2 0 11103 0 00 0093+29 026906 FT	026906 FT
ESTERVILLE RD	
(T358) 0130/0000	S 0130/0000 LENGTH(AH 1750 BK 2854)
	018 "DIA CIRC CONCR
	0120/2051 LEN=0048 INSTALLED 1988
	018 "DIA CIRC CONCR
	0120/1149 LEN=0040 INSTALLED 1988
	018 "DIA CIRC CONCR
	0120/0800 LEN=0045 INSTALLED 1988
	018 "DIA CIRC CONCR
	0120/0327 LEN=0043 INSTALLED 1988
	018 "DIA CIRC CONCR
	0120/0058 LEN=0042 INSTALLED 1988
2 0 11103 0 00 0064+50 024052 FT	024052 FT
ESTERVILLE RD	
(T358) 0120/0000	S 0120/0000 LENGTH(AH 2854 BK 1949)
	018 "DIA CIRC CONCR
	0110/1863 LEN=0056 INSTALLED 1988
	018 "DIA CIRC CONCR
	0110/1762 LEN=0040 INSTALLED 1988
	018 "DIA CIRC CONCR
	0110/1603 LEN=0040 INSTALLED 1988
FURNARI AV	
(T348) 0110/1570	
	018 "DIA CIR PLASTIC
	0110/1508 LEN=0040 INSTALLED 2002
	018 "DIA CIRC CONCR
	0110/1007 LEN=0040 INSTALLED 1988
2 0 11103 0 00 0044+97 022103 FT	022103 FT
WESTGATE DR	
(T377) 0110/0000	S 0110/0000 LENGTH(AH 1949 BK 2737)
	018 "DIA CIRC CONCR
	0100/2665 LEN=0035 INSTALLED 1988
NORWOOD GARDENS RD	
(TWP) 0100/1863	
	048 "DIA CIRC ALUMIN
	0100/1650 LEN=0046 INSTALLED 2014
	018 "DIA CIR PLASTIC
	0100/1500 LEN=0020 INSTALLED 2014
	CLUB DR
	0100/1365 (TWP)

DIR: B TOTAL LEN: 5.615 MI. DIST: 09-3 SR: 3007
LEFT MUN: LOWER YODER T RIGHT MUN: LOWER YODER T



			018 "DIA CIR PLASTIC
		0100/1330	LEN=0028 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0100/0905	LEN=0023 INSTALLED 2014
PLAZA DR (T404)	0100/0851	0100/0851	
			018 "DIA CIR PLASTIC
		0100/0530	LEN=0020 INSTALLED 2014
ENTRANCE DR (T391)	0100/0423		
			018 "DIA CIR PLASTIC
		0100/0255	LEN=0023 INSTALLED 2014
WILLETT DR (T356)	0100/0036	0100/0036	
	019366 FT	019366 FT	2 0 11103 0 00 0018+45
			LOWER YODER
			WESTMONT B
		S 0100/0000	LENGTH(AH 2737 BK 1764)
			018 "DIA CIR PLASTIC
		0090/1466	LEN=0027 INSTALLED 2014
			014"H 23"W ELLIP CONC
		0090/1334	LEN=0025 INSTALLED 2014
			EMMETT DR
		0090/1251	(BORO)
			018 "DIA CIR PLASTIC
		0090/1214	LEN=0022 INSTALLED 2014
JAFFA DR (BORO)	0090/0703		
			018 "DIA CIR PLASTIC
		0090/0656	LEN=0022 INSTALLED 2014
			SHELBURNE PL
		0090/0369	(BORO)
	017602 FT	017602 FT	2 0 11101 0 00 0000+00
			MENOHER BL
			(SR0271 SEG 0130/0000)
		S 0090/0000	LENGTH(AH 1764 BK 2128)
			SUNSHINE AV
		0080/1738	(BORO)
			018 "DIA CIRC CONCR
		0080/1732	LEN=0040 INSTALLED 2014
			018 "DIA CIRC CONCR
		0080/1440	LEN=0034 INSTALLED 2014
PITT AV (BORO)	0080/1396		
DUNDEE LN (BORO)	0080/1322		
			MELLON CT
			(T760)
			WESTMONT

DIR: B TOTAL LEN: 5.615 MI. DIST: 09-3 SR: 3007
LEFT MUN: WESTMONT B RIGHT MUN: WESTMONT B



0080/0889 UPPER YODER T

MAGDALENE WY
(T734) 0080/0492


018 "DIA CIRC CONCR
0080/0010 LEN=0099 INSTALLED 1988
015474 FT 015474 FT 2 0 11011 0 01 0018+95
CHRISTOPHER ST
(T696)
S 0080/0000 LENGTH(AH 2128 BK 1500)
018 "DIA CIRC CONCR
0070/1500 LEN=0020 INSTALLED 1988
LUZERNE ST ET
0070/1129 (T582)
015 "DIA CIRC CONCR
0070/0577 LEN=0048 INSTALLED 1988
018 "DIA CIR PLASTIC
0070/0487 LEN=0041 INSTALLED 2015
KEPPLER DR
0070/0341 (T589)
013974 FT 013974 FT 2 0 11011 0 00 0004+50
S 0070/0000 LENGTH(AH 1500 BK 1687)
018 "DIA CIRC CONCR
0060/1635 LEN=0050 INSTALLED UNKN
024 "DIA CIRC CONCR
0060/1365 LEN=0040 INSTALLED 1988

CAMPUS DR
(PRDR) 0060/1350

LEON ST
(BORO)
UPPER YODER
0060/1008 SOUTHMONT B
018 "DIA CIRC CONCR
0060/0979 LEN=0042 INSTALLED 1988
015 "DIA CIRC CONCR
0060/0850 LEN=0030 INSTALLED 1988
QUEEN ST
0060/0838 (BORO)
014"H 23"W ELLIP CONC
0060/0255 LEN=0034 INSTALLED UNKN
014"H 23"W ELLIP CONC
0060/0105 LEN=0042 INSTALLED UNKN
HARSHBERGER RD
(SR3002 SEG 0010/0000)

1 1 05802 0 00 0000+00 012287 FT 012287 FT SOUTHMONT
UPPER YODER T
SUNRAY DR
(T415) 0060/0000 S 0060/0000 LENGTH(AH 1687 BK 1098)
014"H 23"W ELLIP CONC
0050/0968 LEN=0036 INSTALLED 1988
014"H 23"W ELLIP CONC

DIR: B TOTAL LEN: 5.615 MI. DIST: 09-3 SR: 3007
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T



0050/0853 LEN=0034 INSTALLED UNKN
014"H 23"W ELLIPTICAL*
0050/0697 LEN=0026 INSTALLED 1988
ANGELA AV
0050/0664 (T731)
018 "DIA CIR PLASTIC
0050/0531 LEN=0030 INSTALLED 1988
012 "DIA CIR PLASTIC
0050/0307 LEN=0036 INSTALLED 1988
018 "DIA CIRC CONCR
0050/0024 LEN=0050 INSTALLED UNKN
011189 FT 2 0 11007 0 01 0116+17
SELL ST
(T335)
S 0050/0000 LENGTH(AH 1098 BK 1195)
018 "DIA CIR PLASTIC
0040/1189 LEN=0274 INSTALLED UNKN

W-MONT HILLTOP ELEM SCH
(PRDR) 0040/1073

015 "DIA CIRC CONCR
0040/0861 LEN=0060 INSTALLED UNKN

W-MONT HILLTOP ELEM SCH
(PRDR) 0040/0725

KENRUTH AV
0040/0475 (T408)
ROSEMONT AV
0040/0185 (T729)
009994 FT


2 0 11007 0 00 0102+50 009994 FT
LINDBERGH AV
(T728) 0040/0000
S 0040/0000 LENGTH(AH 1195 BK 2756)
BRONX ST
0030/2541 (T333)
018 "DIA CIRC CONCR
0030/2520 LEN=0050 INSTALLED UNKN

ALBERTA AV
(T339) 0030/2495

DUNCAN WY
0030/2196 (T338)
024 "DIA CIR PLASTIC
0030/2193 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/2083 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1711 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1421 LEN=0024 INSTALLED UNKN
OLD HICKORY LN
0030/0889 (T421)


NICE AV
(T713) 0030/0600

DIR: B TOTAL LEN: 5.615 MI. DIST: 09-3 SR: 3007
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T



		STONE SIDE ST
	0030/0461	(T423)
		018 "DIA CIRC CONCR
	0030/0452	LEN=0028 INSTALLED UNKN
		BRADDOCK ST
	0030/0303	(T326)
2 0 11007 0 00 0072+37 007238 FT		007238 FT
CLEARFIELD ST		
(T732) 0030/0000	S 0030/0000	LENGTH(AH 2756 BK 3969)
		GIRARD ST
	0020/3835	(T733)
GIRARD ST		
(T733) 0020/3680		
		WARREN ST
		(T736)
	0020/3519	
		018 "DIA CIRC CONCR
	0020/2925	LEN=0060 INSTALLED 2002
		MARGARET AV
	0020/2209	(BORO)
		015 "DIA CIRC CONCR
	0020/1700	LEN=0050 INSTALLED 1998
		015 "DIA CIRC CONCR
	0020/1064	LEN=0054 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0763	LEN=0010 INSTALLED 2007
		018 "DIA CIRC CONCR
	0020/0500	LEN=0050 INSTALLED UNKN
		UPPER YODER
	0020/0456	FERNDALE B
		COLONIAL ST
	0020/0361	(BORO)
		PILGRIM CT
	0020/0198	(BORO)
003269 FT	003269 FT	2 0 11007 0 00 0032+59
	NC	GOUCHER ST
		FRANKLIN ST
		(SR3011 SEG 0030/0000)
		MFC BEGIN = C
	S 0020/0000	LENGTH(AH 3969 BK 3269)
		MARIGOLD PL
	0010/3121	(BORO)
		018"H 18"W **UNKNOWN**
	0010/3031	LEN=0030 INSTALLED UNKN
		SUTER ST
	0010/2982	(BORO)
		BALSUM PL

DIR: B TOTAL LEN: 5.615 MI. DIST: 09-3 SR: 3007
LEFT MUN: FERNDALE B RIGHT MUN: FERNDALE B



0010/2845 (BORO)
018"H 18"W **UNKNOWN**
0010/2758 LEN=0030 INSTALLED UNKN
BOSTON ST
0010/2707 (BORO)

ACORN PL
(BORO) 0010/2570
AUSTIN ST
(BORO) 0010/2429
HENRY PL
(BORO) 0010/2154

018"H 24"W ELLIP METAL
0010/1558 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/1557 LEN=0050 INSTALLED UNKN
STATION ST
0010/1508 (BORO)
018"H 20"W **UNKNOWN**
0010/1284 LEN=0030 INSTALLED UNKN

CLAY ST
(BORO)
SUMMIT AV
(BORO) 0010/1229


NC SUMMIT AV
MIDWAY DR
0010/1075 (BORO)
PEDESTRIAN
0010/1025 OP ID 11/3007/0010/1025
HARLAN AV
0010/0923 (BORO)

FERNWOOD PL
(BORO) 0010/0466

012 "DIA CIRC CONCR
0010/0358 LEN=0024 INSTALLED UNKN
012 "DIA CIRC CONCR
0010/0357 LEN=0024 INSTALLED UNKN
VICKROY AV
0010/0314 (BORO)
LOUISA PL
0010/0167 (BORO)
018 "DIA CIRC OTHER
0010/0070 LEN=0024 INSTALLED UNKN
000000 FT 000000 FT 2 0 11007 0 00 0000+00
NC CLAY ST
FERNDALE AV
(SR0403 SEG 0050/0000)
INTER-BK CLAY ST
(BORO)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 3269 BK 0000)

DIR: B TOTAL LEN: 4.876 MI. DIST: 09-3 SR: 3006
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

025747 FT




025747 FT
INTER-AHD EISENHOWER BL
(T745)
SCALP AV
(SR0056 SEG 0311/0000)
(SR0056 SEG 0310/0000)
0110/1442

018 "DIA CIRC CONCR
0110/0664 LEN=0048 INSTALLED UNKN


018 "DIA CIRC CONCR
0110/0038 LEN=0062 INSTALLED UNKN

DIR: B TOTAL LEN: 4.876 MI. DIST: 09-3 SR: 3006
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T




2 0 11001 0 01 0123+98 024305 FT		024305 FT	
DWIGHT DR			
(T706)	0110/0000	S 0110/0000	LENGTH(AH 1442 BK 2948)
			018 "DIA CIRC CONCR
		0100/2454	LEN=0056 INSTALLED UNKN
			TR STONYCREEK RIVER
			STRUCTURE LENGTH 14 FT
		0100/1621	BMSID 11/3006/0100/1621
			018 "DIA CIRC CONCR
		0100/1307	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/0965	LEN=0040 INSTALLED UNKN
	021357 FT	021357 FT	2 0 11001 0 00 0094+75
			MINE THIRTYSEVEN RD
			(SR3015 SEG 0040/3810)
		S 0100/0000	LENGTH(AH 2948 BK 1775)
			ALLISON DR
		0090/1137	(TWP)
			030 "DIA CIRC METAL
		0090/0723	LEN=0060 INSTALLED UNKN
			BRADLEY RD
		0090/0407	(T532)
			018 "DIA CIRC CONCR
		0090/0371	LEN=0060 INSTALLED UNKN
		0090/0270	BMSEN 11/3006/0090/0000
	019582 FT	019582 FT	2 0 11003 0 00 0119+10
			SR 0219 NBL
			BMSBG 11/3006/0090/0000
		S 0090/0000	LENGTH(AH 1775 BK 2432)
			018 "DIA CIRC CONCR
		0080/2125	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/1695	LEN=0045 INSTALLED UNKN
			WASHED RUN
			STRUCTURE LENGTH 12 FT
		0080/0146	BMSID 11/3006/0080/0146
ERICKSON DR			
(T306)	0080/0037		
	017150 FT	017150 FT	2 0 11003 0 00 0094+64
			OLD WALSALL RD
			(T711)
		S 0080/0000	LENGTH(AH 2432 BK 2499)

DIR: B TOTAL LEN: 4.876 MI. DIST: 09-3 SR: 3006
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T




	0070/2434	018 "DIA CIRC CONCR LEN=0074 INSTALLED UNKN
	0070/1857	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	0070/1509	018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
	0070/1240	018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
	0070/0883	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0070/0603	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	0070/0349	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	0070/0075	024 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
014651 FT	014651 FT	2 0 11003 0 00 0070+26
	S 0070/0000	LENGTH(AH 2499 BK 3268)
	0060/2051	OLD WALSALL RD (T711)
	0060/1896	030 "DIA CIRC METAL LEN=0075 INSTALLED UNKN
	0060/1635	018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN
	0060/1010	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
	0060/0741	024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
AUTUMN DR (T710) 0060/0478		
	0060/0197	RCKY HLOW RN STRUCTURE LENGTH 10 FT BMSID 11/3006/0060/0197
2 0 11003 0 00 0037+27 011383 FT	011383 FT	
AUTUMN DR (T710) 0060/0000	S 0060/0000	LENGTH(AH 3268 BK 3595)
	0050/3475	018 "DIA CIRC CONCR LEN=0050 INSTALLED 1990
	0050/3300	018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
	0050/3292	ROCKY RUN RD (T710)
	0050/3115	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
	0050/2900	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 4.876 MI. DIST: 09-3 SR: 3006
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



		ROCKY RUN RD
	0050/2547	(T710)
		018 "DIA CIRC CONCR
	0050/2404	LEN=0051 INSTALLED UNKN
		030 "DIA CIRC METAL
	0050/2340	LEN=0100 INSTALLED 1990
KRINGS ST		
(SR3013 SEG 0010/0000) 0050/2245		
		024 "DIA CIRC METAL
	0050/2225	LEN=0095 INSTALLED UNKN
PLATT RD		
(T708) 0050/1846		
		024 "DIA CIRC METAL
	0050/1618	LEN=0150 INSTALLED UNKN
		BLOUGH RUN
		STRUCTURE LENGTH 8 FT
	0050/1262	BMSID 11/3006/0050/1262
TYLER CT		
(T707) 0050/1117		
		018 "DIA CIRC CONCR
	0050/0839	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0609	LEN=0038 INSTALLED UNKN
		060 "DIA CIRC METAL
	0050/0255	LEN=0055 INSTALLED 1990
BUSHWACK RD		
(T322) 0050/0250		
		RICHLAND
	0050/0156	STONYCREEK T
	0050/0066	(AAR 145247G)#TRKS 01
007788 FT	007788 FT	2 0 11003 0 00 0001+29
		KRINGS RD
		(SR4041 SEG 0110/3243)
	S 0050/0000	LENGTH(AH 3595 BK 3356)
		015 "DIA CIRC CONCR
	0040/3345	LEN=0045 INSTALLED 1990
		015 "DIA CIR PLASTIC
	0040/2700	LEN=0050 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/2439	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC METAL
	0040/1972	LEN=0026 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/0635	LEN=0028 INSTALLED UNKN
004432 FT	004432 FT	1 1 05538 1 00 0032+66

DIR: B TOTAL LEN: 4.876 MI. DIST: 09-3 SR: 3006
LEFT MUN: STONYCREEK T RIGHT MUN: STONYCREEK T



	S 0040/0000	LENGTH(AH 3356 BK 1174)
		015 "DIA CIRC METAL
	0030/1075	LEN=0030 INSTALLED UNKN
003258 FT	003258 FT	1 1 05538 0 00 0000+90
		NIEL ST
		(TWP)
	S 0030/0000	LENGTH(AH 1174 BK 2618)
		015 "DIA CIRC CONCR
	0020/2375	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1815	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1517	LEN=0030 INSTALLED 1990
		015 "DIA CIRC CONCR
	0020/0987	LEN=0030 INSTALLED UNKN
TUNNEL AV		SOUTHVIEW AV
(TWP) 0020/0607	0020/0607	(TWP)
		TAMMIE CT
	0020/0453	(TWP)
		015 "DIA CIRC METAL
	0020/0325	LEN=0023 INSTALLED UNKN
		LIBERTY AV
	0020/0294	(TWP)
		018 "DIA CIRC CONCR
	0020/0280	LEN=0105 INSTALLED UNKN
		AL
	0020/0150	(TWP)
		018 "DIA CIRC CONCR
	0020/0025	LEN=0022 INSTALLED UNKN
000640 FT	000640 FT	1 1 05538 0 00 0026+64
		RIVERSIDE AV
		(TWP)
	S 0020/0000	LENGTH(AH 2618 BK 0640)
		018 "DIA CIRC CONCR
	0010/0554	LEN=0025 INSTALLED UNKN
		MICHIGAN AV
	0010/0324	(TWP)
	0010/0297	BMSEN 11/3006/0010/0064
		1 0 00052 1 00 0003+15
		STONY CREEK RIVER
	0010/0064	BMSBG 11/3006/0010/0064
000000 FT	000000 FT	1 0 00052 1 00 0003+88
	NC	EISENHOWER BL
		FERNDALE AV
		(SR0403 SEG 0030/0000)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 0640 BK 0000)

DIR: B TOTAL LEN: 3.159 MI. DIST: 09-3 SR: 3005
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

016677 FT

STRAYER ST
(SR0056 SEG 0080/0000) 0060/1909

MOUNTAIN RD
(CITY) 0060/1650

MARBURY AV
(CITY) 0060/0690


RAY PL
(CITY) 0060/0519

SHELBY ST
(T347) 0060/0416
FAIRFIELD AV
(TWP) 0060/0093
014768 FT

STUDEBAKER CT
(TWP) 0050/1197
SCHEIDINGER ST
(TWP) 0050/1048

PLYMOUTH AV
(T369) 0050/0264

013468 FT



016677 FT
INTER-AHD FAIRFIELD AV
(SR0056 SEG 0080/0000)
0060/1909
L ST
0060/1861 (CITY)

BENSON PL
0060/1633 (CITY)
NANKO AL
0060/1170 (CITY)


JOHNSTOWN
0060/0588 LOWER YODER T

TREMONT RD
0060/0463 (T376)
018 "DIA CIRC CONCR
0060/0430 LEN=0045 INSTALLED 1998

014768 FT 2 0 11065 0 01 0147+86
S 0060/0000 LENGTH(AH 1909 BK 1300)


015 "DIA CIRC CONCR
0050/0230 LEN=0099 INSTALLED UNKN
0050/0010 BMSEN 11/3005/0050/0000
013468 FT 2 0 11065 0 01 0135+04
NC FAIRFIELD AV
NEGRO RUN

DIR: B TOTAL LEN: 3.159 MI. DIST: 09-3 SR: 3005
LEFT MUN: LOWER YODER T RIGHT MUN: LOWER YODER T




			BMSBG 11/3005/0050/0000
		S 0050/0000	LENGTH(AH 1300 BK 2986)
			018 "DIA CIR PLASTIC
		0040/2721	LEN=0010 INSTALLED 1999
			018 "DIA CIRC CONCR
		0040/2417	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/1926	LEN=0036 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0040/1720	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/1063	LEN=0050 INSTALLED 2000
			024 "DIA CIRC CONCR
		0040/0711	LEN=0045 INSTALLED UNKN
SONS OF ITALY RD (TWP)	0040/0559	==	
			018 "DIA CIRC CONCR
		0040/0298	LEN=0036 INSTALLED UNKN
		0040/0039	BMSEN 11/3005/0040/0000
	010482 FT	010482 FT	2 0 11065 0 00 0105+05
			ST.CLAIR RUN
			BMSBG 11/3005/0040/0000
		S 0040/0000	LENGTH(AH 2986 BK 2949)
			018 "DIA CIRC CONCR
		0030/2597	LEN=0046 INSTALLED UNKN
FALCON DR (TWP)	0030/2177	==	
			018 "DIA CIRC CONCR
		0030/1795	LEN=0040 INSTALLED UNKN
		M 0030/1330	CAVC 382
			018 "DIA CIRC CONCR
		0030/1121	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0214	LEN=0040 INSTALLED 1996
		0030/0023	BMSEN 11/3005/0030/0000
	007533 FT	007533 FT	2 0 11065 0 00 0075+62
			ST. CLAIR RUN
			BMSBG 11/3005/0030/0000
		S 0030/0000	LENGTH(AH 2949 BK 3773)
			018 "DIA CIR PLASTIC
		0020/3315	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/3059	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2560	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0020/2433	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 3.159 MI. DIST: 09-3 SR: 3005
LEFT MUN: LOWER YODER T RIGHT MUN: LOWER YODER T



			018 "DIA CIR UNKNOWN
		0020/2186	LEN=0030 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0020/2090	LEN=0028 INSTALLED UNKN
		0020/1542	BMSEN 11/3005/0020/1533
			2 0 11065 0 00 0053+11
			ST.CLAIR RUN
		0020/1533	BMSBG 11/3005/0020/1533
			018 "DIA CIRC CONCR
		0020/1029	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0736	LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0424	LEN=0048 INSTALLED UNKN
	003760 FT	003760 FT	2 0 11065 0 00 0037+56
			LOWER YODER
			WESTMONT B
		S 0020/0000	LENGTH(AH 3773 BK 3760)
			018 "DIA CIRC CONCR
		0010/3673	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/3357	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/3031	LEN=0054 INSTALLED UNKN
			HALDON DR
		0010/2933	(BORO)
			018 "DIA CIRC METAL
		0010/2734	LEN=0060 INSTALLED UNKN
VETA LN (BORO)	0010/2304		STANFORD AV
		0010/2304	(BORO)
			015 "DIA CIR PLASTIC
		0010/1756	LEN=0020 INSTALLED 2000
WINDAN LN (BORO)	0010/1391		
			SPEAR AV
		0010/0942	(BORO)
RICHARD CT (BORO)	0010/0768		
			CRABTREE LN
		0010/0635	(BORO)
RESTY CT (BORO)	0010/0532		
	000000 FT	000000 FT	2 0 11065 0 00 0000+00
		NC ST	CLAIR RD
			MENOHER BL
			(SR0271 SEG 0120/0000)
		INTER-BK	ST CLAIR RD
			(BORO)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 3760 BK 0000)

DIR: B TOTAL LEN: .213 MI. DIST: 09-3 SR: 3004
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



	001125 FT	001125 FT
		INTER-AHD SOUTHMONT BL
		(SR3002 SEG 0030/1223)
		HERSHBERGER RD
	0010/1125	(SR3002 SEG 0030/1223)
		LORAINE ST
BARNETT ST		(CITY)
(CITY)	0010/0629	0010/0629 MFC BEGIN = C
		018 "DIA CIR PLASTIC
	0010/0622	LEN=0009 INSTALLED UNKN
	000000 FT	000000 FT 2 0 11138 0 00 0000+93
		NC SOUTHMONT BL
		CROYLE ST
		(CITY)
		INTER-BK SOUTHMONT BL
		(CITY)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 1125 BK 0000)


DIR: B TOTAL LEN: 1.349 MI. DIST: 09-3 SR: 3003
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T

MENOHER BL (SR0271 SEG 0080/1545)	007123 FT 0030/2362		007123 FT MENOHER BL 0030/2362 (SR0271 SEG 0080/1545)	
			015 "DIA CIRC METAL	
			0030/1399 LEN=0032 INSTALLED 2000	
			018 "DIA CIRC CONCR	
			0030/0485 LEN=0030 INSTALLED 2000	
			018 "DIA CIR PLASTIC	
			0030/0095 LEN=0008 INSTALLED 2003	
	004761 FT		004761 FT 2 0 11133 0 00 0047+75 COON RIDGE RD (T315)	
		==	S 0030/0000 LENGTH(AH 2362 BK 2098)	
			018 "DIA CIR PLASTIC	
			0020/2092 LEN=0020 INSTALLED 2001	
			012 "DIA CIRC CONCR	
			0020/1030 LEN=0024 INSTALLED 2000	
			DENALI LN	
		==	0020/0620 (TWP)	
2 0 11133 0 00 0026+83 MEADOW DR (T699)	002663 FT 0020/0000	==	002663 FT S 0020/0000 LENGTH(AH 2098 BK 2663)	
			015 "DIA CIR PLASTIC	
			0010/2021 LEN=0034 INSTALLED 2000	
			018 "DIA CIR PLASTIC	
			0010/1634 LEN=0030 INSTALLED 2000	
			018 "DIA CIR PLASTIC	
			0010/1289 LEN=0030 INSTALLED 2004	
			018 "DIA CIRC CONCR	
			0010/0880 LEN=0026 INSTALLED 2000	
			015 "DIA CIRC CONCR	
			0010/0368 LEN=0032 INSTALLED 2000	
	000000 FT		000000 FT 2 0 11133 0 00 0000+00 NC FENDER LN	
			* REF-BK FENDER LN (SR4020 SEG 0010/0000) MFC BEGIN = E	
			BK-SOMERSET (55)	
			S 0010/0000 LENGTH(AH 2663 BK 0000)	

DIR: B TOTAL LEN: 1.393 MI. DIST: 09-3 SR: 3002
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

FRANKLIN ST (SR3011 SEG 0050/0913)	007357 FT 0030/1535		007357 FT 0030/1535	FRANKLIN ST (SR3011 SEG 0050/0913)
LANGHORNE AV (CITY)	0030/1404			
				CHENEY RUN
				STRUCTURE LENGTH 35 FT
			0030/1391	BMSID 11/3002/0030/1391
				ROXBURY AV
			0030/1379	(CITY)
				018 "DIA CIR PLASTIC
			0030/1233	LEN=9999 INSTALLED UNKN
SOUTHMONT BL (SR3004 SEG 0010/1125)	0030/1223			NC SOUTHMONT BL
				O'CONNOR ST
			0030/0681	(CITY)
				SAYLOR ST
			0030/0368	(CITY)
				018 "DIA CIRC CONCR
			0030/0345	LEN=0345 INSTALLED UNKN
				012"H 00"W **UNKNOWN**
			0030/0179	LEN=0179 INSTALLED UNKN
	005822 FT		005822 FT	2 0 11007 0 02 0186+33
CROYLE ST (CITY)	0030/0000			NC HERSHBERGER RD
			S 0030/0000	LENGTH(AH 1535 BK 2815)
BELLEVUE ST (CITY)	0020/2547			SWANK ST
			0020/2547	(CITY)
				024 "DIA CIRC CONCR
			0020/2349	LEN=0026 INSTALLED UNKN
				018"H 00"W **UNKNOWN**
			0020/2094	LEN=9999 INSTALLED UNKN
				NC SOUTHMONT BL
PALM AV (CITY)	0020/1878			JOHNSTOWN
			0020/1878	UPPER YODER T
				018 "DIA CIR PLASTIC
			0020/1861	LEN=9999 INSTALLED UNKN
RITA ST (T735)	0020/1522			
				015 "DIA CIR PLASTIC
			0020/1471	LEN=0040 INSTALLED 2000
				SANDY DR
			0020/1251	(T586)
WINTON ST (TWP)	0020/1166			
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.393 MI. DIST: 09-3 SR: 3002
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T




		0020/0766	LEN=0064 INSTALLED UNKN
ANN ST (T771)	0020/0501		
			024 "DIA CAST IRON
		0020/0463	LEN=0048 INSTALLED UNKN
			SANDY DR
		0020/0109	(TWP)
	003007 FT	003007 FT	2 0 11007 0 01 0157+37
			ELIM ST
			(T723)
		S 0020/0000	LENGTH(AH 2815 BK 3007)
			018 "DIA CIRC CONCR
		0010/2967	LEN=0032 INSTALLED UNKN
			LARK DR
		0010/2547	(BORO)
UPPER YODER SOUTHMONT B	0010/2335		
			ROBINSON AV
		0010/1906	(T770)
BLUFF ST (BORO)	0010/1673		
			018 "DIA CIRC CONCR
		0010/1516	LEN=0034 INSTALLED UNKN
			DAISY ST
DAISY ST (BORO)	0010/1382	0010/1382	(T707)
			015 "DIA CIRC CONCR
		0010/0802	LEN=0025 INSTALLED UNKN
DAHLIA ST (BORO)	0010/0764		DAHLIA ST
		0010/0764	(T416)
LETTUCE AL (BORO)	0010/0572		
			014"H 23"W ELLIP CONC
		0010/0468	LEN=0020 INSTALLED UNKN
VIOLET ST (BORO)	0010/0381		VIOLET ST
		0010/0381	(T730)
			023"H 26"W ELLIP CONC
		0010/0354	LEN=0026 INSTALLED UNKN
			014"H 23"W ELLIP CONC
		0010/0222	LEN=0036 INSTALLED UNKN
TOMATO AL (BORO)	0010/0187		
	000000 FT	000000 FT	2 0 11007 0 01 0127+10
		NC	HARSHBERGER RD
			GOUCHER ST
			(SR3007 SEG 0060/0000)
		INTER-BK	SUNRAY DR
			(T415)
			MFC BEGIN = C
		S 0010/0000	LENGTH(AH 3007 BK 0000)

DIR: B TOTAL LEN: .950 MI. DIST: 09-3 SR: 3001
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T

005014 FT

2 0 11068 0 00 0089+62 001784 FT
MENOHER BL
(SR0271 SEG 0040/0000)
MENOHER BL
(SR0271 SEG 0040/0000) 0020/0000

000000 FT



005014 FT AH-SOMERSET (55)
REF-AHD LIGONIER PK
(SR4018 SEG 0060/2623)
015 "DIA CIRC CONCR
0020/3230 LEN=0024 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/2975 LEN=0024 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/2610 LEN=0010 INSTALLED 2006
015 "DIA CIRC CONCR
0020/2032 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/1884 LEN=0024 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1584 LEN=0010 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/1137 LEN=0010 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/0836 LEN=0010 INSTALLED 2006
015 "DIA CIRC CONCR
0020/0535 LEN=0024 INSTALLED UNKN
001784 FT

NC LIGONIER PK
MFC BEGIN = D
S 0020/0000 LENGTH(AH 3230 BK 1784)


018 "DIA CIR PLASTIC
0010/0638 LEN=0035 INSTALLED 2003

000000 FT 2 0 11006 0 00 0000+00
NC NORTH FORK RD
REF-BK NORTH FORK RD
(SR4029 SEG 0160/3051)
MFC BEGIN = E
BK-SOMERSET (55)
S 0010/0000 LENGTH(AH 1784 BK 0000)

DIR: B TOTAL LEN: .054 MI. DIST: 09-3 SR: 2101
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T


000285 FT

000000 FT




000285 FT BMSEN 11/2101/0010/0000
REF-AHD COONEY RD
0010/0285 (T436)
000000 FT 0 0 00000 0 00 0000+00
NC COONEY RD
REF-BK COONEY RD
(T436)
SR 0022 EBL
BMSBG 11/2101/0010/0000
MFC BEGIN = E
0010/0000 LENGTH(AH 0285 BK 0000)

DIR: B TOTAL LEN: 3.901 MI. DIST: 09-3 SR: 2019
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T




020599 FT
020599 FT END RD
0070/3032 ROAD CLOSED AHEAD
012 "DIA CIR PLASTIC
0070/2191 LEN=0032 INSTALLED 1988
018 "DIA CIR PLASTIC
0070/1980 LEN=0040 INSTALLED 1988
NC PORTAGE RD
ADMIRAL PEARY HW
(SR2014 SEG 0161/0000)
(SR2014 SEG 0160/0000)
0070/1587 MFC BEGIN = E
015 "DIA CIRC CONCR
0070/1547 LEN=0032 INSTALLED 1988
018 "DIA CIRC CONCR
0070/0724 LEN=0030 INSTALLED 1988
015 "DIA CIRC CONCR
0070/0712 LEN=0028 INSTALLED 1988
017567 FT
017567 FT 2 0 11028 0 02 0173+51
VILLAGE: SUMMIT
S 0070/0000 LENGTH(AH 3032 BK 2604)
024 "DIA CIR PLASTIC
0060/2306 LEN=0030 INSTALLED 1988
015 "DIA CIR PLASTIC
0060/1086 LEN=0036 INSTALLED 1988
018 "DIA CIRC CONCR
0060/0900 LEN=0042 INSTALLED 1988
015 "DIA CIR PLASTIC
0060/0444 LEN=0030 INSTALLED 1988

DIR: B TOTAL LEN: 3.901 MI. DIST: 09-3 SR: 2019
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



	014963 FT	0060/0019	BMSEN 11/2019/0060/0000
		014963 FT	2 0 11028 0 02 0147+72
			KOKAMO RUN
			BMSBG 11/2019/0060/0000
		S 0060/0000	LENGTH(AH 2604 BK 3894)
			LUMBERG DR
		0050/3129	(T429)
			048 "DIA CIRC CONCR
		0050/2788	LEN=0095 INSTALLED 1988
			048 "DIA CIRC CONCR
		0050/2413	LEN=0095 INSTALLED 1988
COACH RD (T435)	0050/1660		
		0050/1262	BMSEN 11/2019/0050/0919
			2 0 11028 0 01 0118+18
			SR 0022 EBL
		0050/0919	BMSBG 11/2019/0050/0919
			018 "DIA CIRC CONCR
		0050/0820	LEN=0100 INSTALLED 1988
			EGER RD
		0050/0604	(T431)
			015 "DIA CIRC CONCR
		0050/0022	LEN=0032 INSTALLED 1988
	011069 FT	011069 FT	2 0 11028 0 01 0109+33
KIMBERLY DR (T433)			VILLAGE: DYSERTOWN
	0050/0000	S 0050/0000	LENGTH(AH 3894 BK 3500)
			024 "DIA CIR PLASTIC
		0040/3483	LEN=0030 INSTALLED 1988
			036 "DIA CIRC CONCR
		0040/2875	LEN=0048 INSTALLED 2000
			024 "DIA CIR PLASTIC
		0040/2011	LEN=0040 INSTALLED 1988
			036 "DIA CIRC CONCR
		0040/1759	LEN=0064 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0040/1423	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0040/0737	LEN=0040 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0040/0299	LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
		0040/0010	LEN=0020 INSTALLED 1988
	007569 FT	007569 FT	2 0 11028 0 01 0074+18
			ZOSKEY RD
			(T430)

DIR: B TOTAL LEN: 3.901 MI. DIST: 09-3 SR: 2019
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



S 0040/0000 LENGTH(AH 3500 BK 2890)
018 "DIA CIR PLASTIC
0030/2471 LEN=0040 INSTALLED 2000
018 "DIA CIR PLASTIC
0030/2098 LEN=0055 INSTALLED 2004
018 "DIA CIR PLASTIC
0030/1685 LEN=0100 INSTALLED 1988
018 "DIA CIRC CONCR
0030/1090 LEN=0038 INSTALLED UNKN

CRESSON
0030/0152 WASHINGTON T
004679 FT
004679 FT 2 0 11028 0 01 0044+87
S 0030/0000 LENGTH(AH 2890 BK 3495)

024 "DIA CIR UNKNOWN
0020/2780 LEN=0040 INSTALLED 1988

SUGAR RD
(T424)
0020/2333

OAK ST
0020/1038 (T450)


WASHINGTON
0020/0388 LILLY B
018 "DIA CIRC CONCR
0020/0228 LEN=0042 INSTALLED 1988
001184 FT
001184 FT 2 0 11028 0 01 0009+92
NC LEVEL RD
NORTH ST
(BORO)
S 0020/0000 LENGTH(AH 3495 BK 1184)

NORTH ST
(BORO)
0010/0941

LIBERTY AL
(BORO)
0010/0277

024 "DIA CIRC METAL
0010/0275 LEN=0060 INSTALLED 1988
018 "DIA CIRC CONCR
0010/0028 LEN=0030 INSTALLED 1988
000000 FT
000000 FT 2 0 11028 0 00 0000+00
NC WILLOW ST
CLEVELAND ST
(SR0053 SEG 0240/0246)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 1184 BK 0000)


DIR: B TOTAL LEN: 1.103 MI. DIST: 09-3 SR: 2017
LEFT MUN: LILLY B RIGHT MUN: LILLY B



005824 FT		005824 FT
		INTER-AHD GEORGE ST
		(SR2015 SEG 0070/1043)
		OVERBRIDGE ST
	0030/1377	(SR2015 SEG 0070/1043)
		018 "DIA CIRC CONCR
	0030/0783	LEN=0042 INSTALLED 1988
		018 "DIA CIRC CONCR
	0030/0546	LEN=0042 INSTALLED UNKN
CEMETERY ST (BORO)	0030/0529	
		018 "DIA CIRC CONCR
	0030/0434	LEN=0046 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0167	LEN=0036 INSTALLED UNKN
004447 FT		004447 FT 2 0 11115 0 00 0004+01
		JEFFERSON ST
		(BORO)
	S 0030/0000	LENGTH(AH 1377 BK 1477)
		018 "DIA CIRC CONCR
	0020/1116	LEN=0040 INSTALLED UNKN
		LILLY
	0020/0992	WASHINGTON T
SCHOOL ENTRANCE RD (PRDR)	0020/0699	
		018 "DIA CIRC CONCR
	0020/0127	LEN=0048 INSTALLED UNKN
002970 FT		002970 FT 2 0 11129 0 00 0030+33
	S 0020/0000	LENGTH(AH 1477 BK 2970)
		018 "DIA CIRC CONCR
	0010/2747	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/2443	LEN=0044 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0010/1635	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/0870	LEN=0054 INSTALLED UNKN
		SHORT LN
	0010/0837	(PRDR)
000000 FT		000000 FT 2 0 11129 0 00 0000+00
		NC WOOD ST
		FARMERS TURNPIKE
		(SR2015 SEG 0030/0827)
		INTER-BK VALLEY VIEW LN
		(T426)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 2970 BK 0000)

DIR: B TOTAL LEN: .524 MI. DIST: 09-3 SR: 2016
LEFT MUN: TUNNEL HILL B RIGHT MUN: LILLY B

	002769 FT		002769 FT
FOREST ST			INTER-AHD TUNNEL HILL ST
(SR1015 SEG 0050/1540)	0010/2769		0010/2769 (SR1015 SEG 0050/1540)
			015 "DIA CIR PLASTIC
			0010/2627 LEN=0010 INSTALLED 2001
			018 "DIA CIR PLASTIC
			0010/2266 LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/1805 LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
CHURCH ST			0010/1761 LEN=0036 INSTALLED UNKN
(BORO)	0010/1760		
			018 "DIA CIRC CONCR
			0010/1585 LEN=0036 INSTALLED UNKN
PARK ST			
(BORO)	0010/1202		
			018 "DIA CIRC CONCR
			0010/0571 LEN=0030 INSTALLED UNKN
PORTAGE ST			
(BORO)	0010/0380		
	000000 FT		000000 FT 2 0 07018 6 00 0027+79
			NC TUNNEL HILL ST
			SUGAR RUN RD
			(SR4002 SEG 0010/0000)
			INTER-BK TUNNEL HILL ST
			(SR4001 SEG 0020/3179)
			MFC BEGIN = E
			S 0010/0000 LENGTH(AH 2769 BK 0000)




DIR: B TOTAL LEN: 3.410 MI. DIST: 09-3 SR: 2015
LEFT MUN: LILLY B RIGHT MUN: LILLY B

018003 FT

CLEVELAND ST
(BORO) 0080/0971

WASHINGTON ST
(BORO) 0080/0646


017032 FT



018003 FT
INTER-AHD MAIN ST
(SR0053 SEG 0250/0000)
CLEVELAND ST
0080/0971 (SR0053 SEG 0250/0000)
018 "DIA CIRC CONCR
0080/0669 LEN=0087 INSTALLED UNKN

018 "DIA CIRC METAL
0080/0628 LEN=0038 INSTALLED UNKN
WASHINGTON ST
(BORO)
MAIN ST
0080/0564 (BORO)
NC MAIN ST
LC TO MAIN ST
0080/0478 (CONN)
0080/0431 BMSEN 11/2015/0080/0000
018 "DIA CIRC CONCR
0080/0423 LEN=0022 INSTALLED UNKN
017032 FT 2 0 11027 0 01 0151+82

DIR: B TOTAL LEN: 3.410 MI. DIST: 09-3 SR: 2015
LEFT MUN: LILLY B RIGHT MUN: LILLY B



RAILROAD ST
BMSBG 11/2015/0080/0000
S 0080/0000 LENGTH(AH 0971 BK 1124)
WOOD ST
(SR2017 SEG 0030/1377)
NC OVERBRIDGE ST
018 "DIA CIRC CONCR
0070/0986 LEN=0065 INSTALLED UNKN
018 "DIA CIRC METAL
0070/0478 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0070/0260 LEN=0055 INSTALLED UNKN
015908 FT

2 0 11027 0 01 0140+99 015908 FT
PINE ST
(BORO)
GEORGE ST
(BORO) 0070/0000

NC GEORGE ST
S 0070/0000 LENGTH(AH 1124 BK 1093)
018 "DIA CIR PLASTIC
0060/1070 LEN=0050 INSTALLED UNKN
015 "DIA CIR PLASTIC
0060/1058 LEN=0050 INSTALLED 1997
BARKER ST
0060/0743 (BORO)

WHITE ST
(BORO) 0060/0403
014815 FT

014815 FT 2 0 11027 0 01 0130+11
CEMETERY ST
(BORO)
NC CHURCH ST
S 0060/0000 LENGTH(AH 1093 BK 1988)

CORRIGAN ST
(BORO) 0050/1477

018 "DIA CIRC CONCR
0050/1452 LEN=0044 INSTALLED UNKN
NC CEMETERY ST
LILLY
0050/1448 WASHINGTON T

015 "DIA CIRC CONCR
0050/0409 LEN=0032 INSTALLED UNKN
012827 FT


2 0 11027 0 00 0101+15 012827 FT
COLONIAL RD
(T431) 0050/0000

S 0050/0000 LENGTH(AH 1988 BK 3121)
012 "DIA CIRC CONCR
0040/3079 LEN=0062 INSTALLED UNKN

BERRY LN
(PRDR) 0040/2537

018 "DIA CIRC CONCR
0040/2322 LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 3.410 MI. DIST: 09-3 SR: 2015
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T



DEEP VALLEY LN
(T429) 0040/2151

018 "DIA CIRC CONCR
0040/1758 LEN=0036 INSTALLED UNKN

024 "DIA CIRC CONCR
0040/0312 LEN=0048 INSTALLED UNKN
009706 FT 2 0 11027 0 00 0070+12
S 0040/0000 LENGTH(AH 3121 BK 3157)
036 "DIA CIRC CONCR
0030/2560 LEN=0040 INSTALLED 1998
036 "DIA CIRC CONCR
0030/2468 LEN=0099 INSTALLED UNKN


018 "DIA CIRC CONCR
0030/0828 LEN=0050 INSTALLED UNKN
WOOD ST
VALLEY VIEW LN
(T426) 0030/0827 0030/0827 (SR2017 SEG 0010/0000)

015 "DIA CIRC CONCR
0030/0222 LEN=0052 INSTALLED UNKN
2 0 11027 0 00 0038+68 006549 FT 006549 FT
RED DOG LN
(T421) 0030/0000
S 0030/0000 LENGTH(AH 3157 BK 3864)
018 "DIA CIRC CONCR
0020/3820 LEN=0044 INSTALLED 1988

018 "DIA CIR PLASTIC
0020/2778 LEN=0050 INSTALLED 1999


028 "DIA CIRC CONCR
0020/2115 LEN=0030 INSTALLED 1988
HWZ LN
0020/1929 (T427)
018 "DIA CIRC CONCR
0020/1740 LEN=0034 INSTALLED 1998
015 "DIA CIR PLASTIC
0020/1240 LEN=0034 INSTALLED 1988
018 "DIA CIR PLASTIC
0020/1091 LEN=0038 INSTALLED 1988
NC FARMERS TURNPIKE
WASHINGTON
0020/0891 CASSANDRA B
HWZ LN

DIR: B TOTAL LEN: 3.410 MI. DIST: 09-3 SR: 2015
LEFT MUN: CASSANDRA B RIGHT MUN: CASSANDRA B



		(T427)
		MYERS ST
	0020/0795	(BORO)
ADAMS ST		
(BORO)	0020/0448	
	0020/0396	BMSEN 11/2015/0020/0346
		2 0 11027 0 00 0003+46
		LITTLE CONEMAUGH RIVER
	0020/0346	BMSBG 11/2015/0020/0346
MAIN ST		
(BORO)	0020/0104	
		NC FIRST ST
		024 "DIA CIRC CONCR
	0020/0011	LEN=0044 INSTALLED 1988
	002685 FT	002685 FT 2 0 11027 0 00 0000+00
		NC MAIN ST
		MAIN ST
		(BORO)
S	0020/0000	LENGTH(AH 3864 BK 2685)
		018 "DIA CIRC CONCR
	0010/2296	LEN=0022 INSTALLED UNKN
STEPHEN ST		
(BORO)	0010/2285	
		RAILROAD ST
	0010/2070	(BORO)
		CASSANDRA
	0010/1761	WASHINGTON T
		CONSOLIDATED RAIL CORPO
	0010/1606	OVERPASS IS RR X-ING
		036 "DIA CIRC CONCR
	0010/1586	LEN=0034 INSTALLED UNKN
		WASHINGTON
	0010/1471	PORTAGE T
		018 "DIA CIRC CONCR
	0010/1216	LEN=0048 INSTALLED UNKN
OIL CIRCLE DR		
(BORO)	0010/0565	
		BENS CREEK
		STRUCTURE LENGTH 18 FT
	0010/0290	BMSID 11/0053/0190/1026
		018 "DIA CIR PLASTIC
	0010/0265	LEN=0100 INSTALLED 2020
		NC CASSANDRA RD
		MFC BEGIN = D
		PORTAGE
	0010/0040	
	000000 FT	000000 FT 2 0 11027 1 00 0000+00
		PORTAGE ST
		(SR0053 SEG 0190/0965)
S	0010/0000	LENGTH(AH 2685 BK 0000)

DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



AH-BLAIR (07)047747 FT
OLD ROUTE 22 REF-AHD
(SR3012 SEG 0011/0000) 0181/3357

SUMMIT PICNIC AREA RD
(GOVT) 0181/2555

1 0 00053 0 05 0820+86 044390 FT
SCI (CRESSON)
(PRDR)
LENGTH(AH 3357 BK 1048) 0181/0000 S


RAMP G RD
(SR8012 SEG 0750/0000)
RAMP L RD
(SR8012 SEG 0010/1543) 0171/0456
BMSEN 11/2014/0170/0000 0171/0217
1 0 00053 0 05 0810+24 043342 FT
SR 0022 EBL
BMSBG 11/2014/0170/0000

047863 FT AH-BLAIR (07)
REF-AHD OLD ROUTE 22
0180/3353 (SR3012 SEG 0010/0000)


SUMMIT PICNIC AREA RD
0180/2543 (GOVT)

015 "DIA CIRC CONCR
0180/0608 LEN=0110 INSTALLED UNKN
015 "DIA CIRC CONCR
0180/0074 LEN=0088 INSTALLED UNKN
044510 FT 1 0 00053 0 05 0820+86
SCI (CRESSON)
(GOVT)
S 0180/0000 LENGTH(AH 3353 BK 1062)
015 "DIA CIRC CONCR
0170/1054 LEN=0094 INSTALLED UNKN
018 "DIA CIRC CONCR
0170/0597 LEN=0034 INSTALLED UNKN
RAMP G RD
(SR8012 SEG 0750/0000)
RAMP L RD
0170/0454 (SR8012 SEG 0010/1543)
0170/0217 BMSEN 11/2014/0170/0000
043448 FT 1 0 00053 0 05 0810+24
SR 0022 EBL
BMSBG 11/2014/0170/0000

DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: CRESSON B RIGHT MUN: CRESSON B



	0150/0887	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	0150/0638	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN 0151/0607		
	0150/0335	018 "DIA CIRC CONCR LEN=0043 INSTALLED UNKN
015 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0151/0313		
	0150/0048	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
1 0 00053 0 05 0767+00 039050 FT COACH RD (T435)	039113 FT	1 0 00053 0 05 0767+00 COACH RD (T435)
LENGTH(AH 3019 BK 2468) 0151/0000 S	0150/0000 S	LENGTH(AH 3033 BK 2495)
015 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN 0141/2076		
	0140/2079	015 "DIA CIRC CONCR LEN=0017 INSTALLED UNKN
SIXTH ST (BORO) SIXTH ST (T681) 0141/2040	0140/2048	SIXTH ST (BORO) SIXTH ST (T681)
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN 0141/1559		
	0140/1546	018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN
FIFTH ST (BORO) FIFTH ST (T680) PARK AV (BORO) 0141/1503	0140/1505	FIFTH ST (BORO) FIFTH ST (T680) PARK AV (BORO)
FOURTH ST (T402) 0141/1008	0140/1009	FOURTH ST (T402)
	0140/0817	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN 0141/0473		
	0140/0481	018 "DIA CIRC CONCR LEN=0029 INSTALLED UNKN
THIRD ST (T683) 0141/0449	0140/0466	THIRD ST (T683)
COTTAGE AV (T599) 0141/0296	0140/0307	COTTAGE AV (T599)
015 "DIA CIRC CONCR LEN=0027 INSTALLED UNKN 0141/0157		
	0140/0155	015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
1 0 00053 0 05 0742+18 036582 FT	036618 FT	1 0 00053 0 05 0742+18

DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T

SECOND ST
(SR0053 SEG 0300/0000)

MFC BEGIN = D
LENGTH(AH 2468 BK 0509) 0141/0000


FRONT ST
(BORO) 0130/0165
036073 FT

ARCH ST
(BORO) 0120/1152

SR 1005 SH
(SR1005 SEG 0010/0000) 0120/0442

FOR SR 1005 AND 2014
(CONN) 0120/0189

CRESSON
CRESSON T 0120/0059
034768 FT



SECOND ST
(SR0053 SEG 0300/0000)

MFC BEGIN = D
0140/0000 LENGTH(AH 2495 BK 0509)
024 "DIA CIRC CONCR
0130/0480 LEN=0070 INSTALLED UNKN

036109 FT 1 0 00276 0 05 1332+88
CONSOLIDATED RAIL CORPO
OVERPASS IS RR X-ING
0130/0000 LENGTH(AH 0509 BK 1305)
036 "DIA CIRC CONCR
0120/1245 LEN=0065 INSTALLED UNKN
036"H 36"W BOX CULVERT
0120/1225 LEN=0065 INSTALLED UNKN

036 "DIA CIRC CONCR
0120/1150 LEN=0055 INSTALLED UNKN

015 "DIA CIRC CONCR
0120/0343 LEN=0063 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/0246 LEN=0058 INSTALLED UNKN


024"H 72"W CONC STRUCT
0120/0155 LEN=0071 INSTALLED UNKN

034804 FT 1 0 00276 0 05 1340+60
0120/0000 LENGTH(AH 1305 BK 3578)
COLLEGE DR
0110/3165 (PRDR)
018 "DIA CAST IRON
0110/2831 LEN=0068 INSTALLED UNKN
COLLEGE DR
0110/2675 (PRDR)

015 "DIA CIRC CONCR
0110/1476 LEN=0090 INSTALLED UNKN

015 "DIA CIRC CONCR
0110/0822 LEN=0080 INSTALLED UNKN

DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



031190 FT

MCCONNELL RD
(T445) 0100/2279
LC FOR MCCONNELL RD
(CONN) 0100/2109

027563 FT

PRDR
(PRDR) 0100/0000

TIMOTHY DR
(PRDR) 0090/0873

1 0 00854 0 02 0273+07 024077 FT
CRISTE RD
(T443) 0090/0000

031226 FT 1 0 00854 0 02 0344+11
S 0110/0000 LENGTH(AH 3578 BK 3627)
036 "DIA CIRC CONCR
0100/3180 LEN=0090 INSTALLED UNKN
CRESSON
0100/2748 MUNSTER T

015 "DIA CIRC CONCR
0100/1692 LEN=0036 INSTALLED UNKN

018 "DIA CIRC METAL
0100/1019 LEN=0044 INSTALLED UNKN
015 "DIA CIRC METAL
0100/0752 LEN=0044 INSTALLED UNKN
018 "DIA CIRC METAL
0100/0256 LEN=0048 INSTALLED UNKN

027599 FT 1 0 00854 0 02 0307+84
COONEY RD
(T436)
S 0100/0000 LENGTH(AH 3627 BK 3486)
018 "DIA CIRC CONCR
0090/3462 LEN=0074 INSTALLED UNKN


048 "DIA CIRC CONCR
0090/1781 LEN=0088 INSTALLED UNKN

018 "DIA CIRC CONCR
0090/0590 LEN=0100 INSTALLED UNKN
SAWMILL RD
0090/0223 (PRDR)
024113 FT

S 0090/0000 LENGTH(AH 3486 BK 2829)

015 "DIA CIRC CONCR
0080/1212 LEN=0054 INSTALLED UNKN
015 "DIA CAST IRON
0080/0791 LEN=0066 INSTALLED UNKN

DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



018 "DIA CIRC CONCR
0080/0766 LEN=0052 INSTALLED UNKN

021248 FT
021284 FT 1 0 00854 0 02 0244+78
S 0080/0000 LENGTH(AH 2829 BK 2874)


015 "DIA CIRC CONCR
0070/2030 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0070/0445 LEN=0044 INSTALLED UNKN
018374 FT
018410 FT 1 0 00854 0 02 0215+83
MUNSTER RD
(SR1003 SEG 0010/0000)
S 0070/0000 LENGTH(AH 2874 BK 2718)

018 "DIA CIR PLASTIC
0060/1379 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1258 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0951 LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0430 LEN=0060 INSTALLED UNKN
015656 FT
015692 FT 1 0 00854 0 01 0175+10
SR 0022 EBL
OP ID 11/0022/0280/0000
S 0060/0000 LENGTH(AH 2718 BK 2981)


018 "DIA CIRC CONCR
0050/1698 LEN=0064 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1500 LEN=0068 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1194 LEN=0074 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0722 LEN=0064 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0270 LEN=0062 INSTALLED UNKN
012675 FT
012711 FT 1 0 00854 0 01 0145+10
S 0050/0000 LENGTH(AH 2981 BK 3409)
018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



0040/3335 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/3008 LEN=0056 INSTALLED UNKN
0040/2403 BMSEN 11/2014/0040/2380
1 0 00854 0 01 0135+02
N BR LITTLE CONEMAUGH R
0040/2380 BMSBG 11/2014/0040/2380
SPINNER RD
0040/2333 (T402)
036 "DIA CIRC CONCR
0040/1550 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1156 LEN=0062 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/0864 LEN=0015 INSTALLED 2000
024 "DIA CIR PLASTIC
0040/0530 LEN=0004 INSTALLED 2000
024 "DIA CIR PLASTIC
0040/0270 LEN=0020 INSTALLED 2001
009266 FT 009302 FT 1 0 00854 0 01 0110+31
S 0040/0000 LENGTH(AH 3409 BK 3282)
015 "DIA CIRC CONCR
0030/3123 LEN=0076 INSTALLED UNKN
015 "DIA CIRC CONCR
0030/2686 LEN=0082 INSTALLED UNKN
015 "DIA CIRC CONCR
0030/2263 LEN=0076 INSTALLED UNKN
MUNSTER
0030/2139 CAMBRIA T
018 "DIA CIRC CONCR
0030/1512 LEN=0080 INSTALLED UNKN
MURPHY RD
(T448) 0030/1488
018 "DIA CIRC CONCR
0030/1482 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1136 LEN=0064 INSTALLED UNKN
024 "DIA CIRC METAL
0030/1093 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/0170 LEN=0102 INSTALLED UNKN
005984 FT 006020 FT 1 0 00854 0 01 0078+62
S 0030/0000 LENGTH(AH 3282 BK 2584)
048 "DIA CIRC METAL

DIR: E TOTAL LEN: 9.065 MI. DIST: 09-3 SR: 2014
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



0020/1954 LEN=0060 INSTALLED 1955
024 "DIA CIRC CONCR
0020/1707 LEN=0100 INSTALLED UNKN

003400 FT 003436 FT 1 0 00854 0 00 0054+44
LEHIGH VALLEY RAILROAD
OVERPASS IS RR X-ING
S 0020/0000 LENGTH(AH 2584 BK 2455)
(APRA) BETH ENERGY MINE
BETH ENERGY MINES INC.
POE 0014/2328 (PRDR)
RUBISCH RD
0014/2079 (T447)
018 "DIA CIRC CONCR
0014/2057 LEN=0132 INSTALLED UNKN

STORMER RD
0014/0082 (T633)
000945 FT 000981 FT 1 0 00854 0 00 0030+18
MFC BEGIN = D
S 0014/0000 LENGTH(AH 2455 BK 0981)

TO 8006/0760 SH
(CONN) 0011/0875
RAMP C RD
(SR8006 SEG 0760/0000) 0011/0717 RAMP C RD
0010/0756 (SR8006 SEG 0760/0000)
018 "DIA CIRC METAL
0010/0745 LEN=0040 INSTALLED UNKN
RAMP B RD
(SR8006 SEG 0750/0375) 0011/0680 RAMP B RD
0010/0709 (SR8006 SEG 0750/0375)
018 "DIA CIRC METAL
0010/0660 LEN=0070 INSTALLED UNKN

FROM 8006/0750 SH
(CONN) 0011/0474
BMSEN 11/2014/0010/0000 0011/0205 0010/0205 BMSEN 11/2014/0010/0000
1 0 00854 0 00 0020+37 000000 FT 000000 FT 1 0 00854 0 00 0020+37
NC ADMIRAL PEARY HW NC ADMIRAL PEARY HW
ROWENA DR REF-BK * * REF-BK ROWENA DR
(SR1036 SEG 0071/0578) (SR1036 SEG 0070/0534)
SR 0022 EBL SR 0022 EBL
BMSBG 11/2014/0010/0000 BMSBG 11/2014/0010/0000
MFC BEGIN = D MFC BEGIN = D
LENGTH(AH 0945 BK 0000) 0011/0000 S S 0010/0000 LENGTH(AH 0981 BK 0000)


DIR: B TOTAL LEN: 4.539 MI. DIST: 09-3 SR: 2013
LEFT MUN: EBENSBURG B RIGHT MUN: EBENSBURG B

023968 FT

HIGH ST
(SR4031 SEG 0050/0000) 0100/0635


023333 FT

ANN ST



023968 FT
INTER-AHD CENTER ST
(SR4031 SEG 0050/0000)
HIGH ST
(SR1036 SEG 0040/0000)
0100/0635
LLOYD ST
0100/0315 (BORO)
023333 FT 2 0 11026 0 04 0539+28
OGLE ST
(BORO)
0100/0000 LENGTH(AH 0635 BK 0735)
TRIUMPH ST
0090/0413 (BORO)

DIR: B TOTAL LEN: 4.539 MI. DIST: 09-3 SR: 2013
LEFT MUN: EBENSBURG B RIGHT MUN: EBENSBURG B



(BORO) 0090/0259

024 "DIA CIRC CONCR
0090/0220 LEN=0038 INSTALLED UNKN
EBENSBURG
0090/0081 CAMBRIA T
024 "DIA CIR PLASTIC
0090/0029 LEN=0050 INSTALLED UNKN
022598 FT

2 0 11026 0 04 0531+98 022598 FT
PRAVE ST
(BORO) 0090/0000

S 0090/0000 LENGTH(AH 0735 BK 1666)
LOCUST ST
0080/1326 (BORO)

VIRGINIA ST
0080/0678 (T623)

CANDLELIGHT DR
(TWP) 0080/0354

LAKEVIEW RD
0080/0297 (T685)
060 "DIA CIRC CONCR
0080/0274 LEN=0040 INSTALLED UNKN
020932 FT 2 0 11026 0 04 0515+32
NC CENTER ST
WM PENN HW
(SR0022 SEG 0211/1203)
(SR0022 SEG 0210/1259)

020932 FT

S 0080/0000 LENGTH(AH 1666 BK 1797)
018 "DIA CIRC METAL
0070/1734 LEN=0068 INSTALLED UNKN

EBONY RD
(PRDR) 0070/1628


018 "DIA CIR PLASTIC
0070/0769 LEN=0050 INSTALLED 1999
018 "DIA CIRC METAL
0070/0595 LEN=0046 INSTALLED UNKN
018 "DIA CIR PLASTIC
0070/0406 LEN=0040 INSTALLED 2004

EBENSBURG WASTE PLANT D
(PRDR) 0070/0367

0070/0046 BMSEN 11/2013/0070/0000
019135 FT 2 0 11026 0 03 0496+93
HOWELLS RUN
BMSBG 11/2013/0070/0000
019135 FT


S 0070/0000 LENGTH(AH 1797 BK 3774)
018 "DIA CIR PLASTIC
0060/3700 LEN=0040 INSTALLED 2000
018 "DIA CIRC CONCR
0060/3474 LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 4.539 MI. DIST: 09-3 SR: 2013
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



	0060/2876	036 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0060/1828	018 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
	0060/0854	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 2000
	0060/0504	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 2000
015361 FT	015361 FT	2 0 11026 0 03 0460+55
	S 0060/0000	LENGTH(AH 3774 BK 3605)
	0050/3385	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0050/2850	015 "DIA CIRC CONCR LEN=0087 INSTALLED UNKN
	0050/2300	008 "DIA CIR PLASTIC LEN=0038 INSTALLED UNKN
	0050/1970	024 "DIA CIRC CONCR LEN=0041 INSTALLED UNKN
	0050/1830	018 "DIA CIR PLASTIC LEN=0041 INSTALLED UNKN
	0050/1160	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
011756 FT	011756 FT	2 0 11026 0 03 0424+80
	S 0050/0000	LENGTH(AH 3605 BK 3494)
	0040/3395	015 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	0040/3100	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2015
	0040/2698	015 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	0040/2428	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2004
	0040/2174	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0040/0425	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	0040/0070	BMSEN 11/2013/0040/0000
008262 FT	008262 FT	2 0 11026 0 03 0387+78 HOWELLS RUN

DIR: B TOTAL LEN: 4.539 MI. DIST: 09-3 SR: 2013
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




			BMSBG 11/2013/0040/0000
		0040/0000	LENGTH(AH 3494 BK 2087)
			018 "DIA CIR PLASTIC
		0030/1117	LEN=0060 INSTALLED 1980
			018 "DIA CIR PLASTIC
		0030/0720	LEN=0044 INSTALLED UNKN
			012 "DIA CIRC CONCR
		0030/0410	LEN=0060 INSTALLED 1980
			018 "DIA CIR PLASTIC
		0030/0220	LEN=0060 INSTALLED 1980
	006175 FT	006175 FT	2 0 11026 0 02 0366+70
			HOWELLS HILL RD
			(T416)
		0030/0000	LENGTH(AH 2087 BK 2572)
			018 "DIA CIR PLASTIC
		0020/1894	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1667	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1495	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1053	LEN=0036 INSTALLED UNKN
	003603 FT	003603 FT	2 0 11026 0 02 0340+72
		0020/0000	LENGTH(AH 2572 BK 3603)
			024 "DIA CIR PLASTIC
		0010/3591	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0010/2296	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1563	LEN=0030 INSTALLED 2006
PICADILLY RD			BRANAS RD
(PRDR)	0010/1288	0010/1288	(T420)
CORONET LN			
(TWP)	0010/0895		
	000000 FT	000000 FT	2 0 11026 0 02 0304+72
			NC WILMORE RD
		INTER-BK	EVERGREEN RD
			(SR0160 SEG 0420/0000)
			MFC BEGIN = D
EVERGREEN RD			
(SR0160 SEG 0420/0000)	0010/0000	0010/0000	LENGTH(AH 3603 BK 0000)

DIR: B TOTAL LEN: 3.762 MI. DIST: 09-3 SR: 2012
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T


PORTAGE ST 019861 FT
(SR0053 SEG 0210/0000) 0070/2142

017719 FT




019861 FT PORTAGE ST
0070/2142 (SR0053 SEG 0210/0000)
018 "DIA CIRC CONCR
0070/2039 LEN=0026 INSTALLED 1988
018 "DIA CIR PLASTIC
0070/1993 LEN=0050 INSTALLED 2003
018 "DIA CIR PLASTIC
0070/1836 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0070/1789 LEN=0045 INSTALLED 2003
018 "DIA CIR PLASTIC
0070/1589 LEN=0042 INSTALLED 1988
018 "DIA CIR PLASTIC
0070/1324 LEN=0060 INSTALLED 2003
018 "DIA CIRC CONCR
0070/0874 LEN=0040 INSTALLED 1988
CHERRY RD
0070/0858 (T302)
CHERRY RD
0070/0039 (T302)
017719 FT 2 0 11071 0 00 0177+87
VILLAGE: SCANLON HILL
APPLE DR
(TWP)
S 0070/0000 LENGTH(AH 2142 BK 3203)
PEACH LN
0060/2720 (TWP)
018 "DIA CIR PLASTIC
0060/2559 LEN=0030 INSTALLED 1988
018 "DIA CIR PLASTIC
0060/2237 LEN=0044 INSTALLED 1988
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.762 MI. DIST: 09-3 SR: 2012
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T




	0060/1854	LEN=0044 INSTALLED 1988
		018 "DIA CIRC CONCR
	0060/1399	LEN=0046 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0060/1208	LEN=0042 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0060/0989	LEN=0042 INSTALLED 1988
		012 "DIA CIR PLASTIC
	0060/0625	LEN=0298 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0060/0327	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0060/0143	LEN=0065 INSTALLED 2004
	0060/0036	BMSEN 11/2012/0060/0000
		WASHINGTON
	0060/0018	PORTAGE T
014516 FT	014516 FT	2 0 11071 0 00 0145+34
		NC SCANLON HILL RD
		BENS CREEK
		BMSBG 11/2012/0060/0000
	S 0060/0000	LENGTH(AH 3203 BK 2687)
		018 "DIA CIR PLASTIC
	0050/2604	LEN=0035 INSTALLED 1988
		LC FOR STRAWBERRY RD
	0050/2538	(CONN)
		STRAWBERRY RD
	0050/2434	(T521)
		018 "DIA CIR PLASTIC
	0050/2058	LEN=0042 INSTALLED 1988
		MITCHELL RD
	0050/1775	(TWP)
		048 "DIA CIR PLASTIC
	0050/1746	LEN=0046 INSTALLED 2017
		015 "DIA CIR PLASTIC
	0050/1574	LEN=0040 INSTALLED 2003
		CLUB RD
	0050/1546	(T413)
MISSION LN (TWP)	0050/1415	
		018 "DIA CIR PLASTIC
	0050/1304	LEN=0038 INSTALLED 1988
		072"H 72"W CONC STRUCT
	0050/0995	LEN=0072 INSTALLED 2003
		JACKS AL
	0050/0888	(TWP)
		015 "DIA CIR PLASTIC
	0050/0737	LEN=0044 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0050/0472	LEN=0035 INSTALLED 1988
		ANDRING LN

DIR: B TOTAL LEN: 3.762 MI. DIST: 09-3 SR: 2012
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



	0050/0417	(TWP)
		018 "DIA CIRC CONCR
	0050/0283	LEN=0048 INSTALLED 1988
011829 FT	011829 FT	2 0 11071 0 00 0119+00
		VILLAGE: BEN'S CREEK
ALBERT DR (T502) 0050/0000	S 0050/0000	LENGTH(AH 2687 BK 2935)
		015 "DIA CIRC CONCR
	0040/2495	LEN=0050 INSTALLED 1988
ALBERT DR (T502) 0040/2311		
		018 "DIA CIR PLASTIC
	0040/2143	LEN=0040 INSTALLED 1988
CURVEY RD (TWP) 0040/2095		
		CLUB RD
	0040/2014	(T413)
		015 "DIA CIRC METAL
	0040/1700	LEN=0040 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0040/1463	LEN=0040 INSTALLED 2003
BENSCREEK RD (T412) 0040/1400		
		018 "DIA CIRC METAL
	0040/1066	LEN=0050 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0040/1062	LEN=0045 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0040/1010	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/0332	LEN=0040 INSTALLED 2002
		015 "DIA CIR PLASTIC
	0040/0045	LEN=0020 INSTALLED 2003
008894 FT	008894 FT	2 0 11071 0 00 0089+30
	S 0040/0000	LENGTH(AH 2935 BK 3189)
		015 "DIA CIRC METAL
	0030/2915	LEN=0040 INSTALLED 1988
		SHOEMAKER CR
	0030/2822	(TWP)
		018 "DIA CIRC CONCR
	0030/2662	LEN=0044 INSTALLED 2002
		018 "DIA CIRC CONCR
	0030/2003	LEN=0044 INSTALLED 2002
		SHOEMAKER CR
	0030/1956	(TWP)
		018 "DIA CIR PLASTIC
	0030/1620	LEN=0036 INSTALLED 2002
		018 "DIA CIRC METAL
	0030/1140	LEN=0036 INSTALLED 1988

DIR: B TOTAL LEN: 3.762 MI. DIST: 09-3 SR: 2012
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T




IDA DR (TWP)	0030/1051	
		048 "DIA CIRC CONCR
	0030/0794	LEN=0040 INSTALLED 2002
005705 FT		005705 FT 2 0 11071 0 00 0057+13
		(AAR 529272D)#TRKS 01
	S 0030/0000	LENGTH(AH 3189 BK 2223)
COONEY RD (T505)	0020/1187	
	0020/1032	(AAR 529275Y)#TRKS 01
JAMESTOWN RD (T406)	0020/0954	
		018 "DIA CIR PLASTIC
	0020/0407	LEN=0048 INSTALLED 2002
		048 "DIA CIRC METAL
	0020/0348	LEN=0042 INSTALLED 2001
		018 "DIA CIRC CONCR
	0020/0060	LEN=0042 INSTALLED UNKN
003482 FT		003482 FT 2 0 11071 0 00 0035+36
		VILLAGE: SONMAN
	S 0020/0000	LENGTH(AH 2223 BK 3482)
		018 "DIA CIRC CONCR
	0010/3127	LEN=0048 INSTALLED 2002
		018 "DIA CIRC CONCR
	0010/2662	LEN=0045 INSTALLED 2002
		018 "DIA CIRC CONCR
	0010/2158	LEN=0045 INSTALLED 2002
	0010/0704	BMSEN 11/2012/0010/0692
		2 0 11071 0 00 0007+00
		SONMAN RUN
	0010/0692	BMSBG 11/2012/0010/0692
		PORTAGE
	0010/0381	PORTAGE B
		048 "DIA CIRC OTHER
	0010/0222	LEN=0058 INSTALLED 1988
000000 FT		000000 FT 2 0 11071 0 00 0000+00
		NC DULANCEY AV
		MAIN ST
		(SR0164 SEG 0120/0000)
	INTER-BK	DULANCEY AV
		(BORO)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 3482 BK 0000)

DIR: B TOTAL LEN: 2.712 MI. DIST: 09-3 SR: 2011
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T

NEW GERMANY RD (SR2009 SEG 0060/2736)	014317 FT 0050/3655		014317 FT NEW GERMANY RD 0050/3655 (SR2009 SEG 0060/2736)
			018 "DIA CIR PLASTIC
		0050/2664	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1251	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0050/0870	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0050/0311	LEN=0047 INSTALLED UNKN
	010662 FT	010662 FT	2 0 11026 0 00 0036+42
			VILLAGE: NEW GERMANY
		S 0050/0000	LENGTH(AH 3655 BK 2231)
			018 "DIA CIR PLASTIC
		0040/1584	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0315	LEN=0050 INSTALLED UNKN
			TURKEY PATH RD
		0040/0298	(T398)
			018 "DIA CIR PLASTIC
		0040/0210	LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 2.712 MI. DIST: 09-3 SR: 2011
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




2 0 11026 0 00 0058+73 008431 FT		008431 FT	
OAKS RD			
(T398)	0040/0000	S 0040/0000	LENGTH(AH 2231 BK 3872)
			015 "DIA CIRC METAL
		0030/3823	LEN=0045 INSTALLED UNKN
			CROYLE
		0030/3582	SUMMERHILL T
		0030/2117	BMSEN 11/2011/0030/2095
			2 0 11026 0 01 0075+78
			LAUREL RUN
		0030/2095	BMSBG 11/2011/0030/2095
			015 "DIA CIR PLASTIC
		0030/0805	LEN=0040 INSTALLED UNKN
2 0 11026 0 01 0100+00 004559 FT		004559 FT	
PRINGLE HILL RD			
(T395)	0030/0000	S 0030/0000	LENGTH(AH 3872 BK 3856)
			018 "DIA CIRC CONCR
		0020/2834	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1730	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0020/1333	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0957	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0774	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0573	LEN=0042 INSTALLED UNKN
	000703 FT	000703 FT	2 0 11026 0 01 0138+45
		S 0020/0000	LENGTH(AH 3856 BK 0703)
			018 "DIA CIR PLASTIC
		0010/0597	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0046	LEN=0062 INSTALLED UNKN
		NC	GATES HILL RD
			EVERGREEN DR
2 0 11026 0 01 0143+16 000000 FT		000000 FT	(SR0160 SEG 0350/0000)
EVERGREEN DR			MFC BEGIN = E
(SR0160 SEG 0350/0000)	0010/0000	S 0010/0000	LENGTH(AH 0703 BK 0000)

DIR: B TOTAL LEN: 4.043 MI. DIST: 09-3 SR: 2010
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T

PURITAN RD
(SR0164 SEG 0200/3117)

021348 FT
0070/3284



021348 FT PURITAN RD
0070/3284 (SR0164 SEG 0200/3117)

018 "DIA CIRC CONCR
0070/2320 LEN=0040 INSTALLED 1988

018 "DIA CIR PLASTIC
0070/1435 LEN=0020 INSTALLED 2006

018064 FT

018064 FT 2 0 11116 0 00 0070+21
S 0070/0000 LENGTH(AH 3284 BK 3421)

018 "DIA CIR PLASTIC
0060/1359 LEN=0040 INSTALLED 2006

014643 FT

014643 FT 2 0 11116 0 00 0035+12
S 0060/0000 LENGTH(AH 3421 BK 3512)

018 "DIA CIRC CONCR
0050/2182 LEN=0034 INSTALLED 1988

2 0 11116 0 00 0000+00
GIGGUETOWN RD
(T372)

011131 FT
0050/0000

011131 FT
S 0050/0000 LENGTH(AH 3512 BK 2151)


018 "DIA CIR PLASTIC
0040/1202 LEN=0025 INSTALLED 2006

018 "DIA CIR PLASTIC
0040/0660 LEN=0025 INSTALLED 2006

008980 FT

008980 FT 2 0 11081 0 00 0090+43
S 0040/0000 LENGTH(AH 2151 BK 3709)

DIR: B TOTAL LEN: 4.043 MI. DIST: 09-3 SR: 2010
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



0030/3638 018 "DIA CIR PLASTIC LEN=0020 INSTALLED 2006

0030/2770 018 "DIA CIRC CONCR LEN=0034 INSTALLED 1988

0030/2169 018 "DIA CIRC CONCR LEN=0038 INSTALLED 1988

0030/1929 015 "DIA CIRC CONCR LEN=0038 INSTALLED 1988

0030/1246 018 "DIA CIR PLASTIC LEN=0032 INSTALLED 1988

005271 FT

005271 FT 2 0 11081 0 00 0052+89
POPISH RD
(T353)

S 0030/0000 LENGTH(AH 3709 BK 2491)

0020/1285 018 "DIA CIR PLASTIC LEN=0020 INSTALLED 2001

002780 FT

002780 FT 2 0 11081 0 00 0050+77
VILLAGE: GERMANTOWN

S 0020/0000 LENGTH(AH 2491 BK 2780)

(APRA) HIGHLAND NORTH W
KOSTAN LN

POE 0010/1280 (PRDR)

0010/1193 018 "DIA CIRC CONCR LEN=0024 INSTALLED 1988

0010/0029 015 "DIA CIRC CONCR LEN=0030 INSTALLED 1988


000000 FT

000000 FT 2 0 11081 0 00 0000+00
NC FRANKSTOWN RD
INTER-BK FIELDSTONE AV
(SR2006 SEG 0140/1240)
MFC BEGIN = D

SPRING HILL RD
(SR2006 SEG 0140/1240) 0010/0000


S 0010/0000 LENGTH(AH 2780 BK 0000)

DIR: B TOTAL LEN: 5.073 MI. DIST: 09-3 SR: 2009
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




026786 FT	026786 FT	
	INTER-AHD	NEW GERMANY RD
		(SR0160 SEG 0450/0000)
		EVERGREEN DR
	0090/2720	(SR0160 SEG 0450/0000)
		018 "DIA CIR PLASTIC
	0090/1883	LEN=0040 INSTALLED UNKN
	0090/1107	BMSEN 11/2009/0090/1087
		2 0 11025 0 01 0251+73
		ROARING RUN
	0090/1087	BMSBG 11/2009/0090/1087
		018 "DIA CIR PLASTIC
	0090/0479	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/0108	LEN=0038 INSTALLED UNKN
024066 FT	024066 FT	2 0 11025 0 01 0240+44
	S 0090/0000	LENGTH(AH 2720 BK 3520)
		024 "DIA CIR PLASTIC
	0080/3249	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/2295	LEN=0050 INSTALLED 2014
		024 "DIA CIR PLASTIC
	0080/2053	LEN=0044 INSTALLED UNKN
020546 FT	020546 FT	2 0 11025 0 01 0205+90
		CAMBRIA
		CROYLE T
	S 0080/0000	LENGTH(AH 3520 BK 2351)
		GURCHIK RD
	0070/2075	(TWP)
		015 "DIA CIR PLASTIC
	0070/1956	LEN=0040 INSTALLED 2001
		018 "DIA CIRC CONCR
	0070/0598	LEN=0038 INSTALLED UNKN
018195 FT	018195 FT	2 0 11025 0 01 0182+22
		WHISKEY SPRINGS RD
		(T415)
	S 0070/0000	LENGTH(AH 2351 BK 3642)

DIR: B TOTAL LEN: 5.073 MI. DIST: 09-3 SR: 2009
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




		015"H 00"W MULT METAL
	0060/2985	LEN=0008 INSTALLED 2001
BOPP LN (T418)	0060/2927	
		015 "DIA CIRC CONCR
	0060/2759	LEN=0044 INSTALLED UNKN
		GATES HILL RD
	0060/2736	(SR2011 SEG 0050/3655)
		024 "DIA CIRC CONCR
	0060/1496	LEN=0034 INSTALLED UNKN
		018 "DIA CAST IRON
	0060/0980	LEN=0040 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0060/0795	LEN=0044 INSTALLED UNKN
TOWER RD (T417)	0060/0792	
014553 FT	014553 FT	2 0 11025 0 01 0145+35
		VILLAGE: NEW GERMANY
S	0060/0000	LENGTH(AH 3642 BK 3558)
		018 "DIA CIR PLASTIC
	0050/3406	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/2380	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0050/1968	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0050/1004	LEN=0036 INSTALLED UNKN
		DEER LN
	0050/0636	(TWP)
		DEER LN
	0050/0141	(TWP)
010995 FT	010995 FT	2 0 11025 0 01 0109+77
S	0050/0000	LENGTH(AH 3558 BK 3444)
		018 "DIA CIR PLASTIC
	0040/3302	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2827	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2542	LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.073 MI. DIST: 09-3 SR: 2009
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



	0040/1839	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1429	LEN=0044 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1060	LEN=0044 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/0721	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/0545	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/0227	LEN=0048 INSTALLED UNKN
007551 FT	007551 FT	2 0 11025 0 01 0075+41
	S 0040/0000	LENGTH(AH 3444 BK 3682)
		018 "DIA CIR PLASTIC
	0030/3648	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/3310	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2999	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2667	LEN=0044 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2522	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2172	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC METAL
	0030/1965	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1672	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1316	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0030/0531	LEN=0040 INSTALLED UNKN
		HEMLOCK ST
	0030/0038	(TWP)
	0030/0022	BMSEN 11/2009/0030/0000
003869 FT	003869 FT	2 0 11025 0 01 0038+43
		LAURL BCK RN
		BMSBG 11/2009/0030/0000
		CROYLE
		SUMMERHILL B
	S 0030/0000	LENGTH(AH 3682 BK 2054)
BEECH ST (BORO)	0020/1987	
		018 "DIA CIRC METAL
	0020/1697	LEN=0060 INSTALLED UNKN
		WHITESTONE DR
	0020/1655	(BORO)
SPRING ST		

DIR: B TOTAL LEN: 5.073 MI. DIST: 09-3 SR: 2009
LEFT MUN: SUMMERHILL B RIGHT MUN: SUMMERHILL B



(BORO) 0020/1191
FIRST AV
(BORO) 0020/1047
MARKET ST
(BORO) 0020/0810
ELM ST
(BORO) 0020/0724
MAIN ST
(BORO)
QUARRY ST
(BORO) 0020/0291

001815 FT

012 "DIA CIRC OTHER
0020/0069 LEN=0060 INSTALLED UNKN
001815 FT 2 0 11025 0 01 0018+15
NC NEW GERMANY RD
STATION ST
(BORO)
S 0020/0000 LENGTH(AH 2054 BK 1815)
015 "DIA CIRC OTHER
0010/1772 LEN=0060 INSTALLED UNKN

HICKORY ST
(BORO) 0010/1729
JACKSON ST
(SR3043 SEG 0010/0000) 0010/1620

012 "DIA CIRC CONCR
0010/1600 LEN=0060 INSTALLED UNKN

WILLOW ST
(BORO) 0010/1473
MADISON ST
(BORO) 0010/1439

0010/1258 BMSEN 11/2009/0010/1111
2 0 11025 0 01 0010+83
NORFOLK SOUTHERN RAI RR
0010/1111 BMSBG 11/2009/0010/1111
018 "DIA CIRC CONCR
0010/0778 LEN=0026 INSTALLED UNKN

BRIDGE ST
(BORO) 0010/0719
WENDROTH AV
(BORO) 0010/0410


018 "DIA CIRC CONCR
0010/0078 LEN=0036 INSTALLED UNKN

PORTAGE LN
(BORO) 0010/0045


000000 FT

000000 FT 2 0 11025 0 00 0000+00
NC MAIN ST
RAILROAD ST
(SR0053 SEG 0020/3583)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 1815 BK 0000)

DIR: B TOTAL LEN: .851 MI. DIST: 09-3 SR: 2008
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



DIR: B TOTAL LEN: 2.701 MI. DIST: 09-3 SR: 2007
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



014263 FT
011000 FT
009996 FT

MINOR RD
(T356) 0040/2340

PINE BLUFF RD
(SR2004 SEG 0030/1764) 0040/1676


LECKS RD
(T706) 0040/0148
006925 FT

LEVENTRY RD
(T707) 0030/2868

014263 FT FIELDSTONE AV
0060/3263 (SR2006 SEG 0110/1797)
018 "DIA CIRC CONCR
0060/2812 LEN=0031 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1629 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0060/1228 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0170 LEN=0034 INSTALLED UNKN
011000 FT 2 0 11009 0 04 0765+47
S 0060/0000 LENGTH(AH 3263 BK 1004)
018 "DIA CIRC CONCR
0050/0918 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/0670 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0050/0010 LEN=0030 INSTALLED UNKN
009996 FT 2 0 11009 0 04 0754+92
ROBERTS RD
(T355)
S 0050/0000 LENGTH(AH 1004 BK 3071)

006925 FT 2 0 11009 0 04 0724+34
LAUREL RUN
STRUCTURE LENGTH 26 FT
BMSID 11/2007/0040/0000
S 0040/0000 LENGTH(AH 3071 BK 3895)
018 "DIA CIR PLASTIC
0030/3449 LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 2.701 MI. DIST: 09-3 SR: 2007
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



018 "DIA CIR PLASTIC
0030/2765 LEN=0040 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/2264 LEN=0010 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/1993 LEN=0045 INSTALLED 1999

003030 FT
003030 FT 2 0 11009 0 04 0685+00
NC WASHINGTON AV
FRIENDS AV
(T751)

FRIENDS AV
(T504)
0030/0000
S 0030/0000 LENGTH(AH 3895 BK 1828)

018 "DIA CIR PLASTIC
0020/0960 LEN=0045 INSTALLED UNKN

CEDAR ST
(T680)
0020/0558

015 "DIA CIR UNKNOWN
0020/0186 LEN=0038 INSTALLED UNKN
001202 FT
001202 FT 2 0 11009 0 04 0665+21
MARGARET AV
(T681)
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
NC STEWART ST
STEWART ST
(T682)
S 0020/0000 LENGTH(AH 1828 BK 1202)

CEDAR ST
(T680)
MARGARET AV
(T681)
0010/0892


HOWARD AV
0010/0600 (T346)

MICHAEL AV
(T705)
0010/0459

0010/0316 BMSEN 11/2007/0010/0243
2 0 11009 0 04 0657+54
S FORK L CONEMAUGH RIVE
0010/0243 BMSBG 11/2007/0010/0243
000000 FT
000000 FT 2 0 11009 0 04 0655+27
NC MARGARET AV
INTER-BK CEDAR ST
(SR0869 SEG 0120/0000)
MFC BEGIN = D

BEAVER RUN AV
(SR0869 SEG 0120/0000)
0010/0000
S 0010/0000 LENGTH(AH 1202 BK 0000)

DIR: B TOTAL LEN: 8.927 MI. DIST: 09-3 SR: 2006
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



047132 FT

WAYNE AV
(T381) 0160/3370

CEMETERY RD
(T388) 0160/3161


WEST ALBRIGHT AV
(T677) 0160/1012

MICHAEL LN
(PRDR) 0160/0135

043688 FT

047132 FT
INTER-AHD MAIN ST
(SR0164 SEG 0130/0532)
PURITAN RD
0160/3444 (SR0164 SEG 0130/0532)
024 "DIA CIRC CONCR
0160/3314 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0160/2476 LEN=0048 INSTALLED UNKN
CALVIN AV
0160/2452 (T589)
018 "DIA CIRC METAL
0160/2444 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0160/2112 LEN=0052 INSTALLED UNKN
LUTHER AV
0160/2090 (T676)
018 "DIA CIRC CONCR
0160/2088 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0160/1749 LEN=0044 INSTALLED UNKN
KNOX AV
0160/1719 (T668)
015 "DIA CIRC CONCR
0160/1716 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0160/1421 LEN=0040 INSTALLED UNKN
024 "DIA CIRC METAL
0160/1381 LEN=0040 INSTALLED UNKN
WESLEY AV
0160/1357 (T357)
018 "DIA CIRC CONCR
0160/0368 LEN=0030 INSTALLED UNKN
POLLOCK LN
0160/0045 (PRDR)
043688 FT 2 0 11019 0 01 0450+28
S 0160/0000 LENGTH(AH 3444 BK 3454)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 8.927 MI. DIST: 09-3 SR: 2006
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



0150/3313 LEN=0042 INSTALLED UNKN
FOWLER LN
0150/3149 (PRDR)

VARNER LN
(PRDR) 0150/2829

KLEMAN LN
0150/1936 (PRDR)
SHAFFER LN
0150/1623 (PRDR)
018 "DIA CIRC CONCR
0150/1446 LEN=0054 INSTALLED UNKN
ALLEN ST
SHADY SPRING RD
(T356) 0150/1025 0150/1025 (T358)
018 "DIA CIRC CONCR
0150/0991 LEN=0040 INSTALLED UNKN

STEVEN DR
(TWP) 0150/0199


018 "DIA CIR PLASTIC
0150/0067 LEN=0040 INSTALLED 2000
040234 FT 040234 FT 2 0 11019 0 01 0415+94
S 0150/0000 LENGTH(AH 3454 BK 3593)

CRESTWOOD LN
0140/2407 (T514)
ARBOR DR
0140/2017 (T515)
CIRCLE DR
0140/1589 (T516)
FRANKSTOWN RD
(SR2010 SEG 0010/0000)
NC SPRING HILL RD
018 "DIA CIR PLASTIC
0140/1146 LEN=0048 INSTALLED UNKN
018 "DIA CIRC METAL
0140/0763 LEN=0034 INSTALLED UNKN


036641 FT 036641 FT 2 0 11019 0 01 0380+53
POPISH RD
(T353)
S 0140/0000 LENGTH(AH 3593 BK 2992)
015 "DIA CIR PLASTIC
0130/2982 LEN=0044 INSTALLED UNKN

018 "DIA CIR PLASTIC
0130/2278 LEN=0050 INSTALLED 2000

DIR: B TOTAL LEN: 8.927 MI. DIST: 09-3 SR: 2006
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



DIR: B TOTAL LEN: 8.927 MI. DIST: 09-3 SR: 2006
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



BUCKHORN RD
(T354) 0100/0560

023973 FT

023973 FT

SPRINGSIDE AV
(SR0160 SEG 0280/0000) 0090/1983

021990 FT

TAPP RD
(T391) 0080/1024

018874 FT


018 "DIA CIRC METAL
0100/0190 LEN=0085 INSTALLED UNKN
023973 FT 2 0 11019 0 01 0253+40
FAIRVIEW AV
(SR0160 SEG 0270/0000)
INTER-BK FIELDSTONE AV
(SR0160 SEG 0270/0000)
S 0100/0000 LTH AH 003153 BK 000100
023973 FT
7094/0000 LTH AH 000100 BK 001983
INTER-AHD FIELDSTONE AV
0090/1983 (SR0160 SEG 0280/0000)
038 "DIA CIR PLASTIC
0090/1975 LEN=0040 INSTALLED UNKN

021990 FT 2 0 11019 0 01 0216+19
S 0090/0000 LENGTH(AH 1983 BK 3116)
NC FIELDSTONE AV
SUMMERHILL
0080/3030 CROYLE T
018 "DIA CIR PLASTIC
0080/2445 LEN=0032 INSTALLED UNKN

018874 FT 2 0 11019 0 01 0185+65
S 0080/0000 LENGTH(AH 3116 BK 3594)
015 "DIA CIR PLASTIC
0070/3269 LEN=0030 INSTALLED 1999

BETZ RD
0070/0336 (T368)
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 8.927 MI. DIST: 09-3 SR: 2006
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



0070/0283 LEN=0055 INSTALLED UNKN
2 0 11019 0 01 0149+54 015280 FT 015280 FT
GRANGE HALL RD MFC BEGIN = D
(SR2008 SEG 0010/0000) 0070/0000 S 0070/0000 LENGTH(AH 3594 BK 3704)

018 "DIA CIRC CONCR
0060/1897 LEN=0030 INSTALLED 2003

011576 FT 011576 FT 2 0 11019 0 01 0112+16
024 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN
S 0060/0000 LENGTH(AH 3704 BK 1697)


024 "DIA CIRC CONCR
0050/0055 LEN=0038 INSTALLED UNKN
2 0 11019 0 01 0095+19 009879 FT 009879 FT
NELSON RD
(T686) 0050/0000 S 0050/0000 LENGTH(AH 1697 BK 3782)

018 "DIA CIR PLASTIC
0040/2617 LEN=0032 INSTALLED UNKN

018 "DIA CIRC CONCR
0040/1433 LEN=0035 INSTALLED UNKN
PLUMMER RD
(T330)
SMAY RD
0040/1346 (T208)
018 "DIA CIRC CONCR
0040/1083 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0633 LEN=0082 INSTALLED UNKN

006097 FT 006097 FT 2 0 11019 0 00 0059+76
LAKE RD
(T352)
S 0040/0000 LENGTH(AH 3782 BK 1910)


DIR: B TOTAL LEN: 8.927 MI. DIST: 09-3 SR: 2006
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




			036 "DIA CIRC METAL
		0030/1842	LEN=0065 INSTALLED UNKN
			SR 0219 NBL
		0030/1723	OP ID 11/0219/0220/0000
			018 "DIA CIRC CONCR
		0030/1622	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1578	LEN=0065 INSTALLED UNKN
BAUMGARDNER RD (T389)	0030/1571	==	
			018 "DIA CIRC CONCR
		0030/1250	LEN=0030 INSTALLED UNKN
			060 "DIA CIRC METAL
		0030/0752	LEN=0050 INSTALLED UNKN
		0030/0011	BMSEN 11/2006/0030/0000
	004187 FT		004187 FT 2 0 11019 0 00 0040+56
			TRIB S FORK BR L CONEMA
			BMSBG 11/2006/0030/0000
		S 0030/0000	LENGTH(AH 1910 BK 1226)
			018 "DIA CIR PLASTIC
		0020/0797	LEN=0042 INSTALLED UNKN
	002961 FT		002961 FT 2 0 11019 0 00 0028+33
			HUNTER RD
			(T351)
			018 "DIA CIR PLASTIC
			LEN=0045 INSTALLED UNKN
		S 0020/0000	LENGTH(AH 1226 BK 2961)
			018 "DIA CIRC CONCR
		0010/2584	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/2135	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1675	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1271	LEN=0034 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/0793	LEN=0020 INSTALLED 2000
			SR 3024
		0010/0553	OP ID 11/3024/0190/0000
			018 "DIA CIRC CONCR
		0010/0454	LEN=0100 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0058	LEN=0045 INSTALLED UNKN
			NC FRANKSTOWN RD
			RAGERS HILL RD
2 0 11019 0 00 0000+00	000000 FT		000000 FT (SR3024 SEG 0200/0000)
RAGERS HILL RD			MFC BEGIN = E
(SR3024 SEG 0200/0000)	0010/0000	S 0010/0000	LENGTH(AH 2961 BK 0000)

DIR: B TOTAL LEN: 1.915 MI. DIST: 09-3 SR: 2005
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T

010112 FT			010112 FT	
			INTER-AHD	HUFF ST
				(SR2003 SEG 0050/1625)
				THOMSON AV
		0040/1494		(SR2003 SEG 0050/1625)
				018 "DIA CIR PLASTIC
		0040/1004		LEN=0030 INSTALLED 2000
				ROBERTS AV
		0040/0997		(T340)
				072"H 84"W CON BOX CUL
		0040/0905		LEN=0038 INSTALLED 2017
008618 FT			008618 FT	2 0 11008 0 00 0086+11
				PIPELINE RD
				(T304)
				HUFF ST
				(TWP)
		S 0040/0000		LENGTH(AH 1494 BK 2772)
				018 "DIA CIRC CONCR
		0030/2599		LEN=0034 INSTALLED 1988
				018 "DIA CIRC CONCR
		0030/2398		LEN=0044 INSTALLED 1988
				018 "DIA CIRC CONCR
		0030/2000		LEN=0030 INSTALLED 1988
				018 "DIA CIRC CONCR



DIR: B TOTAL LEN: 1.915 MI. DIST: 09-3 SR: 2005
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



0030/1868 LEN=0028 INSTALLED 1988
018 "DIA CIRC CONCR
0030/1668 LEN=0036 INSTALLED 1988
024 "DIA CIRC CONCR
0030/1239 LEN=0036 INSTALLED 1988
018 "DIA CIRC CONCR
0030/0918 LEN=0036 INSTALLED 1988
TRIB OTTO RUN
STRUCTURE LENGTH 16 FT
0030/0677 BMSID 11/2005/0030/0677
018 "DIA CIRC CONCR
0030/0386 LEN=0032 INSTALLED 1988
024 "DIA CIRC CONCR
0030/0186 LEN=0032 INSTALLED 1988

005846 FT
005846 FT 2 0 11008 0 00 0059+00
VILLAGE: DUNLO

LLOYD ST
(T763)
0030/0000
S 0030/0000 LENGTH(AH 2772 BK 2254)

024 "DIA CIRC CONCR
0020/1346 LEN=0040 INSTALLED 1988

015 "DIA CIRC CONCR
0020/0635 LEN=0030 INSTALLED 1988
015 "DIA CIR PLASTIC
0020/0298 LEN=0040 INSTALLED 2006

003592 FT
003592 FT 2 0 11008 0 00 0035+97
VILLAGE: LLANFAIR
S 0020/0000 LENGTH(AH 2254 BK 3592)
015 "DIA CIRC CONCR
0010/3228 LEN=0036 INSTALLED 1988
015 "DIA CIRC CONCR
0010/2893 LEN=0022 INSTALLED 1988
018 "DIA CIRC CONCR
0010/2364 LEN=0024 INSTALLED 1988

015 "DIA CIRC CONCR
0010/1211 LEN=0034 INSTALLED 1988
015 "DIA CIRC CONCR
0010/0975 LEN=0032 INSTALLED 1988
015 "DIA CIR PLASTIC
0010/0593 LEN=0040 INSTALLED 1988

000000 FT
000000 FT 2 0 11008 0 00 0000+00
VILLAGE: SAUTERTOWN
NC LLANFAIR RD
MINE 42 RD
(T300)
MFC BEGIN = E

KRAYN RD
(T326)
0010/0000
S 0010/0000 LENGTH(AH 3592 BK 0000)


DIR: B TOTAL LEN: 1.266 MI. DIST: 09-3 SR: 2004
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T

```
WASHINGTON AV                  006685 FT                                  006685 FT WASHINGTON AV
(SR2007 SEG 0040/1676)          0030/1764                                 0030/1764 (SR2007 SEG 0040/1676)
                                                                                  015 "DIA CIRC METAL
                                                                          0030/1741 LEN=0056 INSTALLED UNKN
                                                                                  018 "DIA CIR PLASTIC
                                                                          0030/1364 LEN=0030 INSTALLED UNKN

                                                                                  015 "DIA CIRC CONCR
                                                                          0030/0175 LEN=0036 INSTALLED UNKN
                               004921 FT                                  004921 FT 2 0 11014 1 01 0030+23
                                                                       S  0030/0000 LENGTH(AH 1764 BK 2374)

                                                                                  018 "DIA CIR PLASTIC
                                                                          0020/0859 LEN=0034 INSTALLED UNKN
                               002547 FT                                  002547 FT 2 0 11014 1 01 0006+83
                                                                                NC PINE BLUFF RD
                                                                                SUMMERHILL
                                                                                CROYLE T
                                                                       S  0020/0000 LENGTH(AH 2374 BK 2547)
                                                                                  018 "DIA CIR PLASTIC
                                                                          0010/2163 LEN=0030 INSTALLED UNKN
                                                                                  018 "DIA CIRC CONCR
                                                                          0010/1710 LEN=0032 INSTALLED UNKN
                                                                                  018 "DIA CIR PLASTIC
                                                                          0010/1410 LEN=0030 INSTALLED UNKN

                                                                                  018 "DIA CIRC CONCR
                                                                          0010/0025 LEN=0032 INSTALLED UNKN
                                                                                NC MILL RD
                                                                                MILL RD
2 0 11014 0 00 0070+22 000000 FT                                          000000 FT (SR0160 SEG 0230/0000)
FAIRVIEW AV                                                                       MFC BEGIN = D
(SR0160 SEG 0230/0000)          0010/0000                                 0010/0000 LENGTH(AH 2547 BK 0000)
```



DIR: B TOTAL LEN: 5.250 MI. DIST: 09-3 SR: 2003
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T

027720 FT

OAK ST
(T699)


0090/2085

025635 FT

FIRST AV
(TWP)

0090/0000

023171 FT




027720 FT
INTER-AHD CAMERON AV
(SR0869 SEG 0150/0000)
OAK ST
0090/2085 (SR0869 SEG 0150/0000)
024 "DIA CIRC CONCR
0090/1634 LEN=0032 INSTALLED 2000
BEECH ST
0090/1594 (T698)

018 "DIA CIR PLASTIC
0090/0951 LEN=0040 INSTALLED 2000
018 "DIA CIR PLASTIC
0090/0601 LEN=0060 INSTALLED 2000

025635 FT 2 0 11009 0 04 0603+47
VILLAGE: LLOYDELL
NC CAMERON AV
S 0090/0000 LENGTH(AH 2085 BK 2464)
SUMMERHILL
0080/2109 ADAMS TOWNSHIP T


MAC RD
0080/0373 (PRDR)
023171 FT 2 0 11009 0 04 0579+49
S 0080/0000 LENGTH(AH 2464 BK 3803)
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 5.250 MI. DIST: 09-3 SR: 2003
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



	0070/3589	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/3248	LEN=0034 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0070/2962	LEN=0030 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0070/2660	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/2229	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/1541	LEN=0048 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/0796	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC METAL
	0070/0264	LEN=0030 INSTALLED UNKN
		LC TO UNKNOWN RD
	0070/0160	(CONN)
		018 "DIA CIRC CONCR
	0070/0070	LEN=0060 INSTALLED UNKN
019368 FT	019368 FT	2 0 11009 0 04 0543+95
		UNKNOWN RD
		(TWP)
	S 0070/0000	LENGTH(AH 3803 BK 2883)
		018 "DIA CIR PLASTIC
	0060/2674	LEN=0030 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0060/1987	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/1546	LEN=0040 INSTALLED 2004
		PIPELINE RD
	0060/1049	(T304)
		015 "DIA CIRC CONCR
	0060/0948	LEN=0036 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0060/0459	LEN=0060 INSTALLED 2000
016485 FT	016485 FT	2 0 11009 0 04 0514+59
		NC DUNLO RD
	S 0060/0000	LENGTH(AH 2883 BK 3563)
		018 "DIA CIR PLASTIC
	0050/3462	LEN=0042 INSTALLED 2004
		COULTER ST
	0050/2184	(T309)
		AL
	0050/2024	(BORO)

DIR: B TOTAL LEN: 5.250 MI. DIST: 09-3 SR: 2003
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



DONOHOE ST
0050/1838 (T339)
AL
0050/1682 (BORO)
HUFF ST
(SR2005 SEG 0040/1494)
NC THOMSON AV
018 "DIA CIRC CONCR
0050/1531 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1029 LEN=0029 INSTALLED UNKN


PITCAIRN AV
(T331)
HUFF ST
(T405)

0050/1015 NC HUFF ST
018 "DIA CIRC CONCR
0050/1000 LEN=0270 INSTALLED UNKN
RAILROAD ST
0050/0740 (TWP)
SULPHUR CRK
STRUCTURE LENGTH 18 FT
0050/0510 BMSID 11/2003/0050/0510
015 "DIA CIRC CONCR
0050/0227 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0064 LEN=0044 INSTALLED UNKN
012922 FT 012922 FT 2 0 11009 0 04 0479+24
VILLAGE: DUNLO
S 0050/0000 LENGTH(AH 3563 BK 3463)

024 "DIA CIRC CONCR
0040/2829 LEN=0037 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/2250 LEN=0032 INSTALLED UNKN
024 "DIA CIRC CONCR
0040/1905 LEN=0045 INSTALLED UNKN


015 "DIA CIR PLASTIC
0040/0316 LEN=0008 INSTALLED 2000
009459 FT 009459 FT 2 0 11009 0 04 0444+61
S 0040/0000 LENGTH(AH 3463 BK 3018)
036 "DIA CIRC CONCR
0030/2651 LEN=0028 INSTALLED UNKN
015 "DIA CIRC CONCR
0030/2469 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0030/2358 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 5.250 MI. DIST: 09-3 SR: 2003
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



		015 "DIA CIRC CONCR
	0030/2091	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1516	LEN=0040 INSTALLED UNKN
		072"H 72"W CON BOX CUL
	0030/0378	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/0055	LEN=0048 INSTALLED UNKN
006441 FT	006441 FT	2 0 11009 0 04 0414+03
		PIETA RD
		(T301)
	S 0030/0000	LENGTH(AH 3018 BK 3784)
		024 "DIA CIRC CONCR
	0020/3319	LEN=0040 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0020/2491	LEN=0034 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0020/1775	LEN=0080 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1438	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0680	LEN=0030 INSTALLED UNKN
	0020/0017	BMSEN 11/2003/0020/0000
002657 FT	002657 FT	2 0 11009 0 04 0376+48
		OTTO RUN
		BMSBG 11/2003/0020/0000
	S 0020/0000	LENGTH(AH 3784 BK 2657)
		018 "DIA CIRC CONCR
	0010/1900	LEN=0065 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/1744	LEN=0037 INSTALLED UNKN
		034 "DIA CIRC CONCR
	0010/1359	LEN=0031 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0010/0811	LEN=0010 INSTALLED 2005
		CONSOLIDATED RAIL CORPO
	0010/0374	OVERPASS IS RR X-ING
000000 FT	000000 FT	2 0 11009 0 04 0350+47
		FORREST HILLS DR
		(SR0160 SEG 0110/0000)
		NC PEACEFUL VALLEY RD
FORREST HILLS DR		MFC BEGIN = D
(SR0160 SEG 0110/0000) 0010/0000	S 0010/0000	LENGTH(AH 2657 BK 0000)

DIR: B TOTAL LEN: .404 MI. DIST: 09-3 SR: 2002
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



002134 FT


000000 FT

SHAWNEE RD
(SR0869 SEG 0170/0000) 0010/0000

002134 FT
REF-AHD ONNALINDA RD
0010/2134 (T323)


015 "DIA CIRC METAL
0010/1110 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1047 LEN=0040 INSTALLED 2006
018 "DIA CIR PLASTIC
0010/0679 LEN=0040 INSTALLED 2006
018 "DIA CIR PLASTIC
0010/0338 LEN=0040 INSTALLED 2006
000000 FT 1 0 00748 4 00 0000+00
VILLAGE: ONNALINDA
NC STEPSIDE AV
SHAWNEE RD
(SR0869 SEG 0170/0000)
MFC BEGIN = E
0010/0000 LENGTH(AH 2134 BK 0000)

DIR: B TOTAL LEN: 3.566 MI. DIST: 09-3 SR: 2001
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




018830 FT	018830 FT	FOREST HILLS DR
	0080/1994	(SR0160 SEG 0050/3738)
	0080/1864	BMSEN 11/2001/0080/1831
		2 0 11096 0 02 0192+47
		L.PAINT CRK.
	0080/1831	BMSBG 11/2001/0080/1831
		TRACK LN
	0080/1606	(TWP)
		024 "DIA CIR PLASTIC
	0080/1572	LEN=0020 INSTALLED 2001
	0080/1301	(AAR 529076W)#TRKS 01
		NC OLD BEDFORD PK
		OLD BEDFORD PK
	0080/1270	(T303)
		024 "DIA CIR PLASTIC
	0080/1173	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/0839	LEN=0020 INSTALLED 2001
		015 "DIA CIRC METAL
	0080/0321	LEN=0200 INSTALLED UNKN
016836 FT	016836 FT	2 0 11096 0 02 0175+48
		015 "DIA CIRC METAL
		LEN=0035 INSTALLED UNKN
		KELLY DR
		(T630)
	S 0080/0000	LENGTH(AH 1994 BK 2819)
		015 "DIA CIRC CONCR
	0070/2094	LEN=0040 INSTALLED UNKN
		DELFIRE RD
	0070/1122	(PRDR)
		018 "DIA CIRC METAL
	0070/0925	LEN=0030 INSTALLED 1996
		015 "DIA CIRC METAL
	0070/0378	LEN=0030 INSTALLED UNKN
014017 FT	014017 FT	2 0 11096 0 02 0140+33

DIR: B TOTAL LEN: 3.566 MI. DIST: 09-3 SR: 2001
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



	S 0070/0000	LENGTH(AH 2819 BK 2785)
		018 "DIA CIRC CONCR
	0060/2450	LEN=0062 INSTALLED 2001
		018 "DIA CIRC CONCR
	0060/1483	LEN=0024 INSTALLED UNKN
011232 FT	011232 FT	2 0 11096 0 02 0111+48
	S 0060/0000	LENGTH(AH 2785 BK 2384)
		036 "DIA CIR PLASTIC
	0050/2053	LEN=0040 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0050/0303	LEN=0034 INSTALLED UNKN
008848 FT	008848 FT	2 0 11096 0 01 0086+64
	S 0050/0000	LENGTH(AH 2384 BK 2001)
		018 "DIA CIRC CONCR
	0040/1010	LEN=0040 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0040/0625	LEN=0038 INSTALLED UNKN
006847 FT	006847 FT	2 0 11096 0 01 0065+63
		018 "DIA CIR PLASTIC
		LEN=0032 INSTALLED UNKN
	S 0040/0000	LENGTH(AH 2001 BK 3012)
		018 "DIA CIR PLASTIC
	0030/2850	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2393	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1641	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1317	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1093	LEN=0046 INSTALLED 2001
		018 "DIA CIRC CONCR
	0030/0712	LEN=0040 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0030/0563	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0213	LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 3.566 MI. DIST: 09-3 SR: 2001
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



		018 "DIA CIRC CONCR
	0030/0058	LEN=0034 INSTALLED UNKN
003835 FT	003835 FT	2 0 11096 0 00 0039+00
		MINE 42 RD
		(T300)
S	0030/0000	LENGTH(AH 3012 BK 3022)
		018 "DIA CIR PLASTIC
	0020/2988	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/2792	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/2650	LEN=0030 INSTALLED 2002
		036 "DIA CIRC CONCR
	0020/2227	LEN=0040 INSTALLED 2002
		024 "DIA CIRC CONCR
	0020/2147	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/1982	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC METAL
	0020/1607	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1316	LEN=0032 INSTALLED 1997
		015 "DIA CIRC METAL
	0020/1014	LEN=0022 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0681	LEN=0034 INSTALLED UNKN
		CLUB RD
	0020/0675	(T338)
		018 "DIA CIR PLASTIC
	0020/0519	LEN=0035 INSTALLED UNKN
000813 FT	000813 FT	2 0 11096 0 00 0008+13
		MINE 42 RD EX
		(T645)
S	0020/0000	LENGTH(AH 3022 BK 0813)
		018"H 00"W MULT CONCR
	0010/0635	LEN=0068 INSTALLED UNKN
		TRIB PAINT CREEK
		STRUCTURE LENGTH 10 FT
	0010/0629	BMSID 11/2001/0010/0629
		018 "DIA CIR PLASTIC
	0010/0410	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/0211	LEN=0038 INSTALLED UNKN
000000 FT	000000 FT	2 0 11096 0 00 0000+00
	NC	CENTENNIAL DR
*	REF-BK	CENTENNIAL DR
		(SR1033 SEG 0240/3700)
		MFC BEGIN = D
		BK-SOMERSET (55)
S	0010/0000	LENGTH(AH 0813 BK 0000)

DIR: E TOTAL LEN: .000 MI. DIST: 09-3 SR: 1038
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

000000 FT




000000 FT
7010/0000 LENGTH(AH 3116 BK 0000)

DIR: E TOTAL LEN: 1.911 MI. DIST: 09-3 SR: 1036
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

```
                                  010092 FT
ADMIRAL PEARY HW                    REF-AHD
(SR2014 SEG 0011/0000)              0071/0578
FROM 8006/0500 SH
(CONN)                              0071/0452


RAMP D RD
(SR8006 SEG 0500/1624)              0071/0234
TO 8006/0250 SH
(CONN)                              0071/0175
1 0 00854 0 00 0014+26 009514 FT
MFC BEGIN = B
LENGTH(AH 0578 BK 1426)             0071/0000
```




```
                                  010048 FT
                                    REF-AHD
                                    0070/0534 ADMIRAL PEARY HW
                                              (SR2014 SEG 0010/0000)
                                              FROM 8006/0500 SH
                                    0070/0462 (CONN)
                                              024 "DIA CIRC CONCR
                                    0070/0275 LEN=0104 INSTALLED UNKN


                                              TO 8006/0250 SH
                                    0070/0125 (CONN)
                                    009514 FT 1 0 00854 0 00 0014+26
                                              MFC BEGIN = B
                                    0070/0000 LENGTH(AH 0534 BK 1426)
                                              RAMP A RD
                                    0060/1183 (SR8006 SEG 0250/0000)
                                              SIGN: 4 CHORD TRUSS
                                    0060/1109 BMSID 11/1036/0060/1109

                                    0060/0395 BMSEN 11/1036/0060/0315
                                              1 0 00854 0 00 0000+00
                                              HOWELLS RUN
                                    0060/0315 BMSBG 11/1036/0060/0315
```

DIR: E TOTAL LEN: 1.911 MI. DIST: 09-3 SR: 1036
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



1 0 00854 0 00 0000+00 008088 FT
MANOR DR
(SR1001 SEG 0010/0000) 0060/0000
WOOLEN MILL RD
(BORO) 0050/2032

TANNER ST
(BORO) 0050/1775

HIGH ST
(BORO) 0050/0945

005629 FT

CENTER ST
(SR4031 SEG 0050/0000) 0040/0000
005027 FT

FROM 4031/0040 SH
(CONN) 0030/1760

CAMBRIA
0060/0232 EBENSBURG B
008088 FT
S 0060/0000 LENGTH(AH 1426 BK 2459)

LAKE VIEW DR
0050/1995 (BORO)
018 "DIA CIR PLASTIC
0050/1823 LEN=0032 INSTALLED 2003


018 "DIA CIRC CONCR
0050/1756 LEN=0028 INSTALLED 2003
REDDINGER ST
0050/1158 (BORO)

NC ROWENA DR
SUGAR ST
0050/0896 (BORO)
PHANEY ST
0050/0596 (BORO)
POPLAR ST
0050/0302 (BORO)
005629 FT 1 0 00053 0 00 0006+03
CAROLINE ST
(BORO)
S 0050/0000 LENGTH(AH 2459 BK 0602)
018 "DIA CIRC CONCR
0040/0592 LEN=0030 INSTALLED UNKN
LOCUST ST
0040/0307 (BORO)
005027 FT 1 0 00053 0 00 0000+00
NC HIGH ST
CENTER ST
(SR2013 SEG 0100/0635)

INTER-BK HIGH ST
(SR4031 SEG 0050/0000)
S 0040/0000 LTH AH 000602 BK 001882
005027 FT
7034/0000 LTH AH 001882 BK 001847
INTER-AHD HIGH ST
(SR4031 SEG 0040/0000)


HIGH ST
0030/1847 (SR4031 SEG 0040/0000)

DIR: E TOTAL LEN: 1.911 MI. DIST: 09-3 SR: 1036
LEFT MUN: EBENSBURG B RIGHT MUN: EBENSBURG B




		0030/1732	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
TRUMAN ST (BORO)			
CARROLL ST (BORO)	0030/1561		
		0030/1390	018 "DIA CIR PLASTIC LEN=0024 INSTALLED 1999
		0030/1379	CLARA ST (BORO)
		0030/1055	015 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
		0030/0627	015 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
		0030/0523	EBENSBURG CAMBRIA T
	003180 FT	003180 FT	1 0 00054 7 00 0372+04
		S 0030/0000	LENGTH(AH 1847 BK 1052)
		0020/0633	PARK ST (T618)
	002128 FT	002128 FT	1 0 00054 7 00 0361+52
		S 0020/0000	MFC BEGIN = B LENGTH(AH 1052 BK 2128)
SKYLINE DR (T620)	0011/1559	0010/1559	SKYLINE DR (T620)
		0010/0770	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
TO 8013/0750 SH (CONN)	0011/0310		
		0010/0265	FROM 8013/0010 SH (CONN)
		0010/0195	030 "DIA CIRC CONCR LEN=0068 INSTALLED UNKN
RAMP RD (SR8013 SEG 0750/0000)			RAMP RD (SR8013 SEG 0750/0000)
RAMP RD (SR8013 SEG 0010/1210)	0011/0189	0010/0181	RAMP RD (SR8013 SEG 0010/1210)
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0011/0112		
1 0 00054 7 00 0340+00	000000 FT	000000 FT	1 0 00054 7 00 0340+00
SR 0219 NBL OP ID 11/0219/0454/0000			SR 0219 NBL OP ID 11/0219/0454/0000
NC OLD US 422 BENJAMIN FRANKLIN HW (SR0422 SEG 0171/1676)	REF-BK	REF-BK	NC OLD US 422 BENJAMIN FRANKLIN HW (SR0422 SEG 0170/1713)
MFC BEGIN = B LENGTH(AH 2128 BK 0000)	0011/0000	S 0010/0000	MFC BEGIN = B LENGTH(AH 2128 BK 0000)

DIR: B TOTAL LEN: .209 MI. DIST: 09-3 SR: 1034
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T




001106 FT AH-BLAIR (07)
REF-AHD VETERAN'S MEMORIAL HW
0010/1106 (SR4008 SEG 0010/0000)
018 "DIA CIRC CONCR
0010/0995 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR
0010/0595 LEN=0048 INSTALLED 1988
018 "DIA CIRC CONCR
0010/0020 LEN=0042 INSTALLED 1988
000000 FT 2 0 11035 1 00 0000+00
NC VETERAN'S MEMORIAL HW
COUPON GALLITZIN RD
(SR1015 SEG 0090/1667)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 1106 BK 0000)

DIR: B TOTAL LEN: .004 MI. DIST: 09-3 SR: 1032
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



000019 FT		000019 FT
		7014/0000 LENGTH(AH 0100 BK 0019)
		BMSEN 11/1032/0010/0000
	* REF-AHD	MARRA RD
	0010/0019	(T510)
000000 FT	000000 FT	2 0 11135 0 00 0103+36
	NC	MARRA RD
	* REF-BK	MARRA RD
		(T510)
		SLATE LICK R
		BMSBG 11/1032/0010/0000
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 0019 BK 0100)
000000 FT	000000 FT	
	7004/0000	LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: .603 MI. DIST: 09-3 SR: 1031
LEFT MUN: WHITE T RIGHT MUN: WHITE T




003182 FT		003182 FT AH-CLEARFIELD (17)
	*	REF-AHD ST LAWRENCE RD
		0010/3182 (SR3005 SEG 0010/0000)
		018 "DIA CIRC CONCR
		0010/3096 LEN=0028 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0010/1254 LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0010/0738 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0010/0463 LEN=0125 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0010/0072 LEN=0036 INSTALLED UNKN
000000 FT		000000 FT 2 0 11064 0 00 0000+00
		CHURCH HILL RD
		(SR1020 SEG 0070/0000)
		NC ST LAWRENCE RD
		INTER-BK ST LAWRENCE RD
		(SR1020 SEG 0070/0000)
		MFC BEGIN = D
	S	0010/0000 LENGTH(AH 3182 BK 0000)

DIR: B TOTAL LEN: .004 MI. DIST: 09-3 SR: 1030
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T

000023 FT

000000 FT

000000 FT




000023 FT
7014/0000 LENGTH(AH 0100 BK 0023)
BMSEN 11/1030/0010/0000
REF-AHD CARL RD
0010/0023 (T518)
000000 FT 2 0 11132 0 00 0066+58
NC CARL RD
REF-BK CARL RD
(T518)
SLATE LICK RUN
BMSBG 11/1030/0010/0000
S 0010/0000 LENGTH(AH 0023 BK 0100)
000000 FT
7004/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 2.540 MI. DIST: 09-3 SR: 1029
LEFT MUN: READE T RIGHT MUN: READE T

ROSELAND RD 013410 FT
(SR1022 SEG 0060/2289) 0040/2890

010520 FT



013410 FT ROSELAND RD
0040/2890 (SR1022 SEG 0060/2289)

018 "DIA CIR PLASTIC
0040/2120 LEN=0040 INSTALLED 1999
015 "DIA CIR PLASTIC
0040/1869 LEN=0040 INSTALLED 1990
015 "DIA CIR PLASTIC
0040/1524 LEN=0040 INSTALLED 1999


018 "DIA CIR PLASTIC
0040/0916 LEN=0050 INSTALLED 1990

018 "DIA CIR PLASTIC
0040/0097 LEN=0038 INSTALLED UNKN
010520 FT 1 0 00856 0 00 0104+44
S 0040/0000 LENGTH(AH 2890 BK 3536)

018 "DIA CIR PLASTIC
0030/2421 LEN=0050 INSTALLED 1999


015 "DIA CIR PLASTIC
0030/1613 LEN=0040 INSTALLED 1999

DIR: B TOTAL LEN: 2.540 MI. DIST: 09-3 SR: 1029
LEFT MUN: READE T RIGHT MUN: READE T




		015 "DIA CIR PLASTIC
	0030/0362	LEN=0041 INSTALLED UNKN
1 0 00856 0 00 0069+70 006984 FT		006984 FT
SHADEY LN		
(T572) 0030/0000	S 0030/0000	LENGTH(AH 3536 BK 3499)
		015 "DIA CIR PLASTIC
	0020/2687	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0020/1610	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0020/0850	LEN=0032 INSTALLED 1999
		024 "DIA CIR PLASTIC
	0020/0317	LEN=0040 INSTALLED 1999
003485 FT	003485 FT	1 0 00856 0 00 0034+36
	S 0020/0000	LENGTH(AH 3499 BK 3485)
		018 "DIA CIRC CONCR
	0010/3228	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/2777	LEN=0040 INSTALLED UNKN
	0010/2176	BMSEN 11/1029/0010/2164
		036"H 60"W CONC STRUCT
	0010/2173	LEN=0033 INSTALLED UNKN
		1 0 00856 0 00 0021+59
		TR CLRFLD CR
	0010/2164	BMSBG 11/1029/0010/2164
		018 "DIA CIRC CONCR
	0010/1904	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/1410	LEN=0040 INSTALLED 2007
		018 "DIA CIRC CONCR
	0010/0959	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/0585	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/0347	LEN=0029 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/0160	LEN=0035 INSTALLED UNKN
000000 FT	000000 FT	1 0 00856 0 00 0000+00
		VILLAGE: FALLEN TIMBER
	NC	MARKET ST
		GLENDALE VALLEY RD
		(SR0053 SEG 0670/2311)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 3485 BK 0000)

DIR: B TOTAL LEN: .275 MI. DIST: 09-3 SR: 1028
LEFT MUN: READE T RIGHT MUN: READE T



DIR: B TOTAL LEN: 1.547 MI. DIST: 09-3 SR: 1027
LEFT MUN: WHITE T RIGHT MUN: WHITE T



008168 FT
005347 FT
003700 FT
2 0 11053 0 00 0000+00 000000 FT
ST.AUGUSTINE RD
(SR1023 SEG 0070/1134) 0010/0000

008168 FT MARINA RD
0030/2821 (SR1026 SEG 0050/0000)
024 "DIA CIRC CONCR
0030/2773 LEN=0058 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/2351 LEN=0054 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/2268 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/1918 LEN=0080 INSTALLED 1999

0030/0040 BMSEN 11/1027/0030/0000
005347 FT 2 0 11053 0 00 0052+99
BURGOON RUN
BMSBG 11/1027/0030/0000
S 0030/0000 LENGTH(AH 2821 BK 1647)


003700 FT 2 0 11053 0 00 0037+30
015 "DIA CIR PLASTIC
LEN=0030 INSTALLED UNKN
WHITE
CLEARFIELD T
S 0020/0000 LENGTH(AH 1647 BK 3700)
018 "DIA CIR PLASTIC
0010/3538 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/3355 LEN=0053 INSTALLED 1999
018 "DIA CIR PLASTIC
0010/2644 LEN=0054 INSTALLED 1999

018 "DIA CIR PLASTIC
0010/1060 LEN=0033 INSTALLED 1999

NC RANGE RD
ST.AUGUSTINE RD
000000 FT (SR1023 SEG 0070/1134)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 3700 BK 0000)


DIR: B TOTAL LEN: 5.521 MI. DIST: 09-3 SR: 1026
LEFT MUN: READE T RIGHT MUN: READE T

029153 FT



029153 FT	CLEARFIELD VALLEY BL
0110/2834	(SR0053 SEG 0620/2437)
0110/2701	(AAR 506686P)#TRKS 02
	018 "DIA CIRC CONCR
0110/2169	LEN=0040 INSTALLED UNKN
0110/1892	BMSEN 11/1026/0110/1804
	READE
0110/1859	WHITE T
	2 0 11055 0 03 0188+11
	P3
	CLEARFIELD CREEK
0110/1804	BMSBG 11/1026/0110/1804
	018 "DIA CIR PLASTIC
0110/1471	LEN=0032 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0110/1019	LEN=0034 INSTALLED UNKN
	036 "DIA CIRC METAL
0110/0655	LEN=0044 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0110/0503	LEN=0040 INSTALLED 2006


DIR: B TOTAL LEN: 5.521 MI. DIST: 09-3 SR: 1026
LEFT MUN: WHITE T RIGHT MUN: WHITE T



			018 "DIA CIR PLASTIC
		0110/0286	LEN=0040 INSTALLED 2006
	026319 FT	026319 FT	2 0 11055 0 02 0170+02
		S 0110/0000	LENGTH(AH 2834 BK 2411)
			018 "DIA CIR PLASTIC
		0100/2280	LEN=0050 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0100/1967	LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0100/1546	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0100/0517	LEN=0040 INSTALLED 2006
			024 "DIA CIRC CONCR
		0100/0029	LEN=0076 INSTALLED 1988
2 0 11055 0 02 0146+29	023908 FT	023908 FT	ST AUGUSTINE RD
FISKE RD			(SR1023 SEG 0130/0000)
(SR1023 SEG 0130/0000)	0100/0000	S 0100/0000	LENGTH(AH 2411 BK 3122)
			018 "DIA CIRC CONCR
		0090/2550	LEN=0053 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/2309	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1568	LEN=0028 INSTALLED UNKN
			018"H 00"W MULT CONCR
		0090/0754	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0594	LEN=0040 INSTALLED 2006
	020786 FT	020786 FT	2 0 11055 0 02 0114+68
		S 0090/0000	LENGTH(AH 3122 BK 2079)
			015 "DIA CIRC CONCR
		0080/2002	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/1733	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/1454	LEN=0042 INSTALLED UNKN
			RIFLE RANGE ST PARK RD
		0080/0690	(PARK)
		0080/0091	BMSEN 11/1026/0080/0000
	018707 FT	018707 FT	2 0 11055 0 01 0094+07
			SLATE LICK RUN @ GLENDA
			BMSBG 11/1026/0080/0000
		S 0080/0000	LENGTH(AH 2079 BK 2553)


WATERSHED STORAGE RD

DIR: B TOTAL LEN: 5.521 MI. DIST: 09-3 SR: 1026
LEFT MUN: WHITE T RIGHT MUN: WHITE T



(PARK)	0070/1610			
				018 "DIA CIRC CONCR
			0070/0420	LEN=0051 INSTALLED UNKN
2 0 11055 0 01 0068+83 016154 FT			016154 FT	
BEACH/PICNIC AREA RD				
(PARK)	0070/0000		S 0070/0000	LENGTH(AH 2553 BK 2718)
				018 "DIA CIR PLASTIC
			0060/2249	LEN=0065 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/1952	LEN=0044 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0060/1677	LEN=0056 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/1660	LEN=0045 INSTALLED 1989
				018 "DIA CIR PLASTIC
			0060/1562	LEN=0055 INSTALLED 2006
2 0 11055 0 00 0036+00 013436 FT			013436 FT	
GIBBONS RD				
(PARK)	0060/0000		S 0060/0000	LENGTH(AH 2718 BK 3604)
				024 "DIA CIRC CONCR
			0050/3285	LEN=0010 INSTALLED 1988
				018 "DIA CIRC CONCR
			0050/2749	LEN=0253 INSTALLED 1988
				018 "DIA CIRC CONCR
			0050/2496	LEN=0045 INSTALLED 1988
STATE PARK OFFICE RD				
(PARK)	0050/1594			
STATE PARK OFFICE RD				
(PARK)	0050/1077			
2 0 11055 0 00 0000+00 009832 FT			009832 FT	RANGE RD
PARK RD				(SR1027 SEG 0030/2821)
(PARK)	0050/0000		S 0050/0000	LENGTH(AH 3604 BK 2811)
				018 "DIA CIRC CONCR
			0040/2580	LEN=0038 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2427	LEN=0033 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2132	LEN=0049 INSTALLED UNKN
			M 0040/1840	CAVC 856

DIR: B TOTAL LEN: 5.521 MI. DIST: 09-3 SR: 1026
LEFT MUN: WHITE T RIGHT MUN: WHITE T




			024 "DIA CIRC METAL
		0040/0097	LEN=0075 INSTALLED UNKN
	007021 FT	007021 FT	2 0 11084 0 00 0070+09
		S 0040/0000	LENGTH(AH 2811 BK 2388)
			018 "DIA CIRC METAL
		0030/2191	LEN=0063 INSTALLED UNKN
			024 "DIA CIRC METAL
		0030/1644	LEN=0085 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/1213	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0728	LEN=0090 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0727	LEN=0090 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0069	LEN=0054 INSTALLED UNKN
2 0 11084 0 00 0046+06	004633 FT	004633 FT	
SKEET RANGE RD			
(PARK)	0030/0000	S 0030/0000	LENGTH(AH 2388 BK 3175)
			WHITE
		0020/2541	CHEST T
			018 "DIA CIRC METAL
		0020/0639	LEN=0065 INSTALLED UNKN
			024 "DIA CIRC METAL
		0020/0044	LEN=1201 INSTALLED UNKN
	001458 FT	001458 FT	2 0 11084 0 00 0014+31
			CHEST
			CLEARFIELD T
		S 0020/0000	LENGTH(AH 3175 BK 1458)
			018 "DIA CIRC METAL
		0010/1246	LEN=0100 INSTALLED UNKN
	000000 FT	000000 FT	2 0 11084 0 00 0000+00
			NC STATE PARK DR
			GLENDALE LAKE RD
			(SR1025 SEG 0040/2936)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 1458 BK 0000)

DIR: B TOTAL LEN: 2.315 MI. DIST: 09-3 SR: 1025
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T

012221 FT

BEAVER VALLEY RD
(SR1019 SEG 0110/2857) 0040/3876




012221 FT
INTER-AHD GLENDALE LAKE RD
(SR1021 SEG 0060/0000)
BEAVER VALLEY RD
0040/3876 (SR1021 SEG 0060/0000)

018 "DIA CIRC CONCR
0040/2952 LEN=0028 INSTALLED UNKN
MARINA RD
(SR1026 SEG 0010/0000)
0040/2936 MFC BEGIN = D
018 "DIA CIRC CONCR
0040/2808 LEN=9999 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/2255 LEN=0028 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/1734 LEN=0032 INSTALLED UNKN

024 "DIA CIRC CONCR
0040/1128 LEN=0028 INSTALLED UNKN


DIR: B TOTAL LEN: 2.315 MI. DIST: 09-3 SR: 1025
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



008345 FT		008345 FT 2 0 11050 0 00 0191+71
	S	0040/0000 LENGTH(AH 3876 BK 3500)
		018 "DIA CIRC CONCR
		0030/3480 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0030/3385 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
		0030/0928 LEN=0028 INSTALLED UNKN
		NAGLE RD
	==	0030/0553 (T525)
		0030/0037 BMSEN 11/1025/0030/0000
004845 FT		004845 FT 2 0 11050 0 00 0226+69
		BURGOON RUN
		BMSBG 11/1025/0030/0000
	S	0030/0000 LENGTH(AH 3500 BK 2282)
002563 FT		002563 FT 2 0 11050 0 00 0249+84
		018 "DIA CIR PLASTIC
		LEN=0032 INSTALLED UNKN
	S	0020/0000 LENGTH(AH 2282 BK 2563)
		018 "DIA CIR PLASTIC
		0010/2277 LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/2050 LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/1544 LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/1084 LEN=0040 INSTALLED UNKN
000000 FT		000000 FT 2 0 11050 0 00 0275+58
		NC GLENDALE LAKE RD
		ST AUGUSTINE RD
		(SR1023 SEG 0050/1851)
		MFC BEGIN = E
	S	0010/0000 LENGTH(AH 2563 BK 0000)


DIR: B TOTAL LEN: 1.778 MI. DIST: 09-3 SR: 1024
LEFT MUN: READE T RIGHT MUN: READE T

009387 FT



009387 FT
INTER-AHD READE ST
(T564)
SKYLINE DR
0030/3078 (SR0865 SEG 0050/0126)
018 "DIA CIR PLASTIC
0030/2611 LEN=0030 INSTALLED UNKN
024 "DIA CAST IRON
0030/2371 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/1892 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/1638 LEN=0100 INSTALLED UNKN


DIR: B TOTAL LEN: 1.778 MI. DIST: 09-3 SR: 1024
LEFT MUN: READE T RIGHT MUN: READE T



			018 "DIA CIR PLASTIC
		0030/1461	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0374	LEN=0030 INSTALLED UNKN
006309 FT		006309 FT	2 0 11080 0 00 0030+66
		S 0030/0000	LENGTH(AH 3078 BK 3372)
			018 "DIA CIR PLASTIC
		0020/2890	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2543	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1854	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1564	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1328	LEN=0028 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0771	LEN=0036 INSTALLED UNKN
2 0 11080 0 00 0064+77 002937 FT		002937 FT	
CAMBRIA MILLS RD			
(T566) 0020/0000	==	S 0020/0000	LENGTH(AH 3372 BK 2937)
			024 "DIA CIRC CONCR
		0010/2878	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0010/2658	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/2278	LEN=0054 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0010/2056	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0866	LEN=0075 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0724	LEN=0046 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0141	LEN=0042 INSTALLED UNKN
000000 FT		000000 FT	2 0 11080 0 00 0094+19
			VILLAGE: MOUNTAINDALE
			SKYLINE DR
			(SR0865 SEG 0080/0000)
	NC	MOUNTAINDALE RD	
	INTER-BK	RIDGE RD	
		(T567)	
		MFC BEGIN = E	
SKYLINE DR			
(SR0865 SEG 0080/0000) 0010/0000		S 0010/0000	LENGTH(AH 2937 BK 0000)

DIR: B TOTAL LEN: 9.184 MI. DIST: 09-3 SR: 1023
LEFT MUN: READE T RIGHT MUN: READE T


048493 FT



047780 FT

048493 FT GLENDALE VALLEY RD
0170/0713 (SR0053 SEG 0670/2100)
036 "DIA CIR PLASTIC
0170/0693 LEN=0010 INSTALLED 2000
0170/0579 (AAR 506690E)#TRKS 01
018 "DIA CIRC CONCR
0170/0138 LEN=0034 INSTALLED 2003
0170/0099 BMSEN 11/1023/0170/0000
READE
0170/0038 WHITE T
047780 FT 1 0 00406 0 00 0615+14

DIR: B TOTAL LEN: 9.184 MI. DIST: 09-3 SR: 1023
LEFT MUN: READE T RIGHT MUN: READE T



VILLAGE: FALLEN TIMBER
CLEARFIELD CREEK
BMSBG 11/1023/0170/0000
S 0170/0000 LENGTH(AH 0713 BK 3806)

018 "DIA CIRC CONCR
0160/1672 LEN=0030 INSTALLED UNKN

043974 FT
043974 FT 1 0 00406 0 00 0595+17
VILLAGE: FISK
FOSTER RD
(T561)

FISKE RD
(TWP)
0160/0000
S 0160/0000 LENGTH(AH 3806 BK 2662)


018 "DIA CIRC CONCR
0150/1286 LEN=0032 INSTALLED UNKN

041312 FT
041312 FT 1 0 00406 0 00 0549+43
S 0150/0000 LENGTH(AH 2662 BK 3031)
018 "DIA CIRC CONCR
0140/2860 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/2547 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/2004 LEN=0057 INSTALLED UNKN

018 "DIA CIRC CONCR
0140/1300 LEN=0032 INSTALLED UNKN


038281 FT
038281 FT 1 0 00406 0 00 0519+70
S 0140/0000 LENGTH(AH 3031 BK 3491)

DIR: B TOTAL LEN: 9.184 MI. DIST: 09-3 SR: 1023
LEFT MUN: WHITE T RIGHT MUN: WHITE T




		018 "DIA CIRC CONCR
		0130/1348 LEN=0030 INSTALLED UNKN
SKUNK HOLLOW RD (PRDR)	0130/1279	
BLURGILL DR (PRDR)	0130/1135	
CHEYENNE DR (PRDR)	0130/0492	
KITCHEN DR (PRDR)	0130/0227	
	034790 FT	034790 FT 1 0 00406 0 00 0485+06
		NC FISKE RD
		MARINA RD
		(SR1026 SEG 0100/0000)
		S 0130/0000 LENGTH(AH 3491 BK 2741)
		MAPLE CT
		0120/2444 (PRDR)
		024 "DIA CIRC CONCR
		0120/2247 LEN=0032 INSTALLED UNKN
		(APRA) NOELS TRAILER CT
		NOELS TRAILOR CT
		POE 0120/2212 (PRDR)
		030 "DIA CIRC CONCR
		0120/2008 LEN=0028 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0120/0838 LEN=0032 INSTALLED UNKN
	032049 FT	032049 FT 1 0 00406 0 00 0457+57
		GATES RD
		(T512)
		S 0120/0000 LENGTH(AH 2741 BK 2744)
		018 "DIA CIRC CONCR
		0110/2297 LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0110/2002 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0110/0137 LEN=0028 INSTALLED UNKN
	029305 FT	029305 FT 1 0 00406 0 00 0427+87
		S 0110/0000 LENGTH(AH 2744 BK 3062)
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 9.184 MI. DIST: 09-3 SR: 1023
LEFT MUN: WHITE T RIGHT MUN: WHITE T



	0100/2175 LEN=0038 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0100/1583 LEN=0036 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0100/1127 LEN=0046 INSTALLED UNKN
	TRIB GLENDALE LAKE
	STRUCTURE LENGTH 9 FT
	0100/0792 BMSID 11/1023/0100/0792
026243 FT	026243 FT 1 0 00406 0 00 0397+25
	S 0100/0000 LENGTH(AH 3062 BK 1990)
	018 "DIA CIRC CONCR
	0090/1281 LEN=0032 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0090/0810 LEN=0034 INSTALLED UNKN
	WHITE
	0090/0692 CLEARFIELD T
	0090/0025 BMSEN 11/1023/0090/0000
024253 FT	024253 FT 1 0 00406 0 00 0380+04
	SLATE LICK RUN
	BMSBG 11/1023/0090/0000
	S 0090/0000 LENGTH(AH 1990 BK 3831)
	018 "DIA CIRC CONCR
	0080/3278 LEN=0030 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0080/2260 LEN=0032 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0080/2151 LEN=0032 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0080/2090 LEN=0030 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0080/1346 LEN=0048 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0080/0777 LEN=0048 INSTALLED UNKN
020422 FT	020422 FT 1 0 00406 0 00 0341+60
	MARRA RD
	(T510)
==	S 0080/0000 LENGTH(AH 3831 BK 2506)
	018 "DIA CIRC CONCR
	0070/1598 LEN=0033 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0070/1429 LEN=0033 INSTALLED UNKN

DIR: B TOTAL LEN: 9.184 MI. DIST: 09-3 SR: 1023
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



RANGE RD
(SR1027 SEG 0010/0000) 0070/1134

0070/1131 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
0070/1100 012 "DIA CIRC METAL LEN=0090 INSTALLED UNKN
0070/0725 015 "DIA CIR PLASTIC LEN=0030 INSTALLED 2003

1 0 00406 0 00 0316+42 017916 FT
NAGLE RD
(T525) 0070/0000

017916 FT
S 0070/0000 LENGTH(AH 2506 BK 3174)
0060/2694 018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN

014742 FT

014742 FT 1 0 00406 0 00 0284+67
S 0060/0000 LENGTH(AH 3174 BK 2927)

0050/2305 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
0050/1986 015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
0050/1864 018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN


GLENDALE LAKE RD
(SR1025 SEG 0010/0000) 0050/1851

0050/1835 CARL RD (T518)
0050/1825 018 "DIA CIR PLASTIC LEN=0066 INSTALLED UNKN
0050/1779 012 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
0050/1069 015 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
0050/0342 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000

011815 FT

011815 FT 1 0 00406 0 00 0255+05
S 0050/0000 LENGTH(AH 2927 BK 3175)

DIR: B TOTAL LEN: 9.184 MI. DIST: 09-3 SR: 1023
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T




			015 "DIA CIR PLASTIC
		0040/1655	LEN=0035 INSTALLED 2000
1 0 00406 0 00 0223+48	008640 FT	008640 FT	LOOP RD
BEAVER VALLEY RD			(SR1019 SEG 0080/0000)
(SR1019 SEG 0080/0000)	0040/0000	S 0040/0000	LENGTH(AH 3175 BK 2251)
			024 "DIA CIRC CONCR
		0030/1999	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1179	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0017	LEN=0031 INSTALLED 2000
	006389 FT	006389 FT	1 0 00406 0 00 0200+72
			VILLAGE: ST. AUGUSTINE
		S 0030/0000	LENGTH(AH 2251 BK 3288)
			015 "DIA CIR PLASTIC
		0020/2845	LEN=0026 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0020/1693	LEN=0035 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0020/0298	LEN=0035 INSTALLED 2000
	003101 FT	003101 FT	1 0 00406 0 00 0167+63
		S 0020/0000	LENGTH(AH 3288 BK 3101)
			018 "DIA CIR PLASTIC
		0010/2705	LEN=0037 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0010/1560	LEN=0040 INSTALLED 2000
	000000 FT	000000 FT	1 0 00406 0 00 0136+73
			NC ST AUGUSTINE RD
			COLONEL DRAKE HW
			(SR0036 SEG 0170/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 3101 BK 0000)

DIR: B TOTAL LEN: 4.150 MI. DIST: 09-3 SR: 1022
LEFT MUN: READE T RIGHT MUN: READE T

021910 FT

SKYLINE DR
(SR0865 SEG 0100/0000) 0070/3008

2 0 11063 0 02 0545+39 018902 FT
CROSS OVER RD
(T577) 0070/0000




021910 FT
INTER-AHD EXECUTIVE DR
(SR0253 SEG 0090/0000)
EXECUTIVE DR
0070/3008 (SR0253 SEG 0090/0000)
018 "DIA CIRC CONCR
0070/2946 LEN=0060 INSTALLED 1988

018 "DIA CIR PLASTIC
0070/1670 LEN=0040 INSTALLED 1988


018902 FT
0070/0000 LENGTH(AH 3008 BK 3584)
015 "DIA CIRC CONCR
0060/3238 LEN=0033 INSTALLED 1988

DIR: B TOTAL LEN: 4.150 MI. DIST: 09-3 SR: 1022
LEFT MUN: READE T RIGHT MUN: READE T



		0060/2310	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1988
		0060/2295	015 "DIA CIR PLASTIC LEN=0041 INSTALLED 1988
		0060/2289	MARKET ST (SR1029 SEG 0040/2890)
		0060/1000	018 "DIA CIRC CONCR LEN=0032 INSTALLED 1988
		0060/0615	018 "DIA CIRC CONCR LEN=0041 INSTALLED 1988
		0060/0239	018 "DIA CIR PLASTIC LEN=0026 INSTALLED 1988
015318 FT		015318 FT	2 0 11063 0 02 0508+99
	S	0060/0000	LENGTH(AH 3584 BK 3486)
		0050/3418	015 "DIA CIRC METAL LEN=0033 INSTALLED 1988
		0050/2664	020 "DIA CIR PLASTIC LEN=0028 INSTALLED 1988
		0050/2580	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1988
		0050/2192	020 "DIA CIRC CONCR LEN=0028 INSTALLED 1988
		0050/2030	015 "DIA CIRC CONCR LEN=0052 INSTALLED 1988
		0050/0400	018 "DIA CIRC CONCR LEN=0032 INSTALLED 1988
011832 FT		011832 FT	2 0 11063 0 02 0474+86
			SHADY LN (T572)
	S	0050/0000	LENGTH(AH 3486 BK 2927)
		0040/2914	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2007
		0040/2305	015 "DIA CIRC CONCR LEN=0029 INSTALLED 1988
COAL COUNTRY CAMPGROUND (PRDR) 0040/0638	POI	0040/0638	(APRA) COAL COUNTRY CAM

DIR: B TOTAL LEN: 4.150 MI. DIST: 09-3 SR: 1022
LEFT MUN: READE T RIGHT MUN: READE T



008905 FT
008905 FT 2 0 11063 0 02 0445+60
054 "DIA CIRC METAL
LEN=0028 INSTALLED 1931
S 0040/0000 LENGTH(AH 2927 BK 2051)

015 "DIA CIR PLASTIC
0030/0297 LEN=0040 INSTALLED 1988
006854 FT
006854 FT 2 0 11063 0 02 0425+38
S 0030/0000 LENGTH(AH 2051 BK 3523)
015 "DIA CIR PLASTIC
0020/3139 LEN=0030 INSTALLED 1988
015 "DIA CIR PLASTIC
0020/2702 LEN=0032 INSTALLED 1988


024 "DIA CIR PLASTIC
0020/2035 LEN=0037 INSTALLED 1988

012 "DIA CIR PLASTIC
0020/0064 LEN=0025 INSTALLED 1988
003331 FT
003331 FT 2 0 11063 0 02 0390+20
S 0020/0000 LENGTH(AH 3523 BK 3331)

FIRST ST
0010/1415 (T601)


015 "DIA CIR PLASTIC
0010/0700 LEN=0037 INSTALLED 1988
015 "DIA CIR PLASTIC
0010/0441 LEN=0036 INSTALLED 1998
015 "DIA CIR PLASTIC
0010/0012 LEN=0040 INSTALLED 1988
000000 FT
000000 FT 2 0 11063 0 02 0356+61
VILLAGE: FLINTON
NC ROSELAND RD
GLENDALE VALLEY RD
(SR0053 SEG 0720/1042)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 3331 BK 0000)

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: READE T RIGHT MUN: READE T




054284 FT	054284 FT	GLENDALE VALLEY RD
	0180/2231	(SR0053 SEG 0730/0000)
		024 "DIA CIRC CONCR
	0180/2209	LEN=0062 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0180/2113	LEN=0052 INSTALLED UNKN
	0180/1570	BMSEN 11/1021/0180/1351
		READE
	0180/1442	WHITE T
		2 0 11063 0 01 0338+00
		CLEARFIELD CREEK
	0180/1351	BMSBG 11/1021/0180/1351
		PICNIC GROUNDS RD
	0180/1244	(T504)
		FLINTON RD
	0180/0513	(T503)
	0180/0111	BMSEN 11/1021/0180/0000
052053 FT	052053 FT	2 0 11063 0 01 0324+59
		BEAVERDAM RUN

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: WHITE T RIGHT MUN: WHITE T



		BMSBG 11/1021/0180/0000
	S 0180/0000	LENGTH(AH 2231 BK 3235)
NEDIMYER RD (T509)	0170/3074	
		024 "DIA CIRC METAL
	0170/2774	LEN=0046 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0170/2114	LEN=0078 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0170/1994	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0170/1874	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0170/1611	LEN=0036 INSTALLED UNKN
		018 "DIA CIR UNKNOWN
	0170/1255	LEN=0060 INSTALLED UNKN
TWP 501 RT (T501)	0170/1075	
	0170/1047	BMSEN 11/1021/0170/1024
		2 0 11063 0 01 0302+36
		TR.CLEAR CR
	0170/1024	BMSBG 11/1021/0170/1024
		018 "DIA CIRC CONCR
	0170/0026	LEN=0060 INSTALLED UNKN
2 0 11063 0 01 0292+16	048818 FT	048818 FT
CHURCH HILL RD (SR1020 SEG 0090/3564)	0170/0000	
	S 0170/0000	LENGTH(AH 3235 BK 2237)
		018 "DIA CIRC CONCR
	0160/1927	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/1756	LEN=0042 INSTALLED UNKN
	0160/1519	BMSEN 11/1021/0160/1476
		2 0 11052 0 00 0329+78
		DUTCH RUN
	0160/1476	BMSBG 11/1021/0160/1476
OSHELL RD (T505)	0160/1437	
		HUGHSTOWN RD
	0160/1213	(T508)
		018 "DIA CIRC CONCR
	0160/0881	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/0642	LEN=0028 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/0392	LEN=0028 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/0136	LEN=0030 INSTALLED 1999

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: WHITE T RIGHT MUN: WHITE T




046581 FT
046581 FT 2 0 11052 0 00 0315+47
S 0160/0000 LENGTH(AH 2237 BK 3295)
018 "DIA CIRC CONCR
0150/3185 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/2911 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/1850 LEN=0042 INSTALLED UNKN
015 "DIA CIR PLASTIC
0150/1382 LEN=0042 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/0752 LEN=0010 INSTALLED 2001
018 "DIA CIRC METAL
0150/0489 LEN=0052 INSTALLED UNKN
018 "DIA CIRC METAL
0150/0143 LEN=0042 INSTALLED UNKN
043286 FT
043286 FT 2 0 11052 0 00 0281+97
BEAVER DAM RUN BOAT LAU
(PARK)
== S 0150/0000 LENGTH(AH 3295 BK 3757)
018 "DIA CIRC METAL
0140/3552 LEN=0046 INSTALLED UNKN
018 "DIA CIRC METAL
0140/3308 LEN=0048 INSTALLED UNKN
018 "DIA CIRC METAL
0140/2934 LEN=0044 INSTALLED UNKN
018 "DIA CIRC METAL
0140/2685 LEN=0046 INSTALLED UNKN
018 "DIA CIRC METAL
0140/2352 LEN=0044 INSTALLED UNKN


018 "DIA CIRC METAL
0140/1651 LEN=0042 INSTALLED UNKN
MCKEES RUN BOAT LAUNCH
== 0140/1574 (PARK)
018 "DIA CIR PLASTIC
0140/1300 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/1000 LEN=0048 INSTALLED UNKN
018 "DIA CIR PLASTIC
0140/0980 LEN=0042 INSTALLED UNKN
015 "DIA CIRC METAL
0140/0704 LEN=0006 INSTALLED 1999
066"H 84"W CON BOX CUL
0140/0425 LEN=0050 INSTALLED UNKN
039529 FT
2 0 11052 0 00 0244+40 039529 FT
SWARTZ RD

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: WHITE T RIGHT MUN: WHITE T




(T569)	0140/0000	S 0140/0000 LENGTH(AH 3757 BK 3514)
		015 "DIA CIRC METAL
	0130/3375	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0130/3094	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC METAL
	0130/2386	LEN=0042 INSTALLED UNKN
		BEAVER BOAT LAUNCH RD
	0130/2223	(PARK)
		018 "DIA CIRC METAL
	0130/2078	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC METAL
	0130/1796	LEN=0066 INSTALLED UNKN
		BEAVER BOAT LAUNCH RD
	0130/1690	(PARK)
		012 "DIA CIRC CONCR
	0130/1256	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC METAL
	0130/0788	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC METAL
	0130/0173	LEN=0040 INSTALLED UNKN
036015 FT	036015 FT	2 0 11052 0 00 0209+45
	S 0130/0000	LENGTH(AH 3514 BK 3660)
		030 "DIA CIRC METAL
	0120/3445	LEN=0074 INSTALLED UNKN
		015 "DIA CIRC METAL
	0120/3098	LEN=0040 INSTALLED UNKN
		CHILDRENS AREA
	0120/3062	(PARK)
		015 "DIA CIRC CONCR
	0120/2906	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/2637	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0120/2526	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC METAL
	0120/2234	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC METAL
	0120/2058	LEN=0042 INSTALLED UNKN
		030 "DIA CIR PLASTIC
	0120/1757	LEN=0068 INSTALLED UNKN
		012 "DIA CIRC CONCR
	0120/1647	LEN=0068 INSTALLED UNKN
		STATE PARK ACCESS RD
	0120/1527	(PARK)

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: WHITE T RIGHT MUN: WHITE T




			0120/0127	BMSEN 11/1021/0120/0000
	032355 FT		032355 FT	2 0 11052 0 00 0173+01
				GLENDALE LAKE, WYEROUGH
				BMSBG 11/1021/0120/0000
		S	0120/0000	LENGTH(AH 3660 BK 1201)
				018 "DIA CIRC CONCR
			0110/0696	LEN=0034 INSTALLED UNKN
				018 "DIA CIRC METAL
			0110/0271	LEN=0070 INSTALLED UNKN
	031154 FT		031154 FT	2 0 11052 0 00 0160+85
				WYEROUGH BOAT LAUNCH RD
				(PARK)
		S	0110/0000	LENGTH(AH 1201 BK 3736)
				018 "DIA CIRC METAL
			0100/3636	LEN=0062 INSTALLED UNKN
				CROOKED RUN CAMPGROUND
			0100/3227	(PARK)
				015 "DIA CIRC CONCR
			0100/3071	LEN=0044 INSTALLED UNKN
				018 "DIA CIRC METAL
			0100/2407	LEN=0040 INSTALLED UNKN
CROOKED RUN NATURE TR (PARK)	0100/2260			
				018 "DIA CIRC METAL
			0100/2180	LEN=0066 INSTALLED UNKN
				036 "DIA CIRC METAL
			0100/1698	LEN=0066 INSTALLED UNKN
				015 "DIA CIRC METAL
			0100/1061	LEN=0060 INSTALLED UNKN
				018 "DIA CIRC METAL
			0100/0458	LEN=0078 INSTALLED UNKN
				018 "DIA CIRC METAL
			0100/0080	LEN=0062 INSTALLED UNKN
2 0 11052 0 00 0123+77	027418 FT		027418 FT	HEADACHE HILL
LONG'S RD				(PARK)
(T558)	0100/0000		S 0100/0000	LENGTH(AH 3736 BK 3037)
				018 "DIA CIRC CONCR
			0090/2376	LEN=0058 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0090/1514	LEN=0052 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0090/1371	LEN=0060 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0090/1124	LEN=0065 INSTALLED UNKN
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: WHITE T RIGHT MUN: WHITE T




	0090/0820 LEN=0036 INSTALLED UNKN
	WHITE
	0090/0674 CHEST T
	018 "DIA CIRC CONCR
	0090/0511 LEN=0044 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0090/0152 LEN=0076 INSTALLED UNKN
	0090/0033 BMSEN 11/1021/0090/0000
024381 FT	024381 FT 2 0 11052 0 00 0093+47
	KILLBUCK RUN
	BMSBG 11/1021/0090/0000
	S 0090/0000 LENGTH(AH 3037 BK 2439)
	018 "DIA CIRC CONCR
	0080/1683 LEN=0999 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0080/1409 LEN=0062 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0080/0778 LEN=0026 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0080/0480 LEN=0024 INSTALLED UNKN
2 0 11052 0 00 0069+00 021942 FT	021942 FT
GROZANICK RD	
(T524) 0080/0000	S 0080/0000 LENGTH(AH 2439 BK 3440)
	018 "DIA CIRC CONCR
	0070/3370 LEN=0026 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0070/3224 LEN=0034 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0070/2717 LEN=0037 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0070/2409 LEN=0040 INSTALLED UNKN
	042 "DIA CIRC CONCR
	0070/2126 LEN=0042 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0070/1741 LEN=0048 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0070/1110 LEN=0036 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0070/0769 LEN=0046 INSTALLED UNKN
	BVR.DAM RUN
	STRUCTURE LENGTH 29 FT
	0070/0512 BMSID 11/1021/0070/0512
018502 FT	018502 FT 2 0 11052 0 00 0034+52
	S 0070/0000 LENGTH(AH 3440 BK 3463)
	015 "DIA CIRC CONCR
	0060/3336 LEN=0026 INSTALLED UNKN

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: CHEST T RIGHT MUN: CHEST T




	0060/2449	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
	0060/2189	015 "DIA CIRC CONCR LEN=0001 INSTALLED 1999
	0060/1765	018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
	0060/0531	CHEST CLEARFIELD T
	0060/0405	018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
015039 FT	015039 FT	2 0 11052 0 00 0000+00 GLENDALE LAKE RD (SR1025 SEG 0040/3876) NC BEAVER VALLEY RD BEAVER VALLEY RD (SR1019 SEG 0110/2857)
	S 0060/0000	LENGTH(AH 3463 BK 2020)
	0050/1758	018 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN
	0050/1559	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
	0050/1286	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
	0050/0493	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
	0050/0164	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
013019 FT	013019 FT	2 0 11050 0 00 0135+31
	S 0050/0000	LENGTH(AH 2020 BK 2085)
	0040/1860	018 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
	0040/1725	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	0040/1570	018 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
	0040/0982	018 "DIA CIRC ALUMIN LEN=0068 INSTALLED UNKN
	0040/0507	018 "DIA CIRC ALUMIN LEN=0061 INSTALLED UNKN
010934 FT	010934 FT	2 0 11050 0 00 0110+75 STOLTZ RD (T523)
	S 0040/0000	LENGTH(AH 2085 BK 3867)
		015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 10.281 MI. DIST: 09-3 SR: 1021
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



0030/2968 LEN=0028 INSTALLED 1999
018 "DIA CIR PLASTIC
0030/2722 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/2579 LEN=0036 INSTALLED UNKN
024 "DIA CIRC METAL
0030/2165 LEN=0034 INSTALLED UNKN
060 "DIA CIRC METAL
0030/0411 LEN=0028 INSTALLED UNKN
007067 FT
2 0 11050 0 00 0071+65 007067 FT
GROZANICK RD
(T524)
0030/0000
S 0030/0000 LENGTH(AH 3867 BK 3689)
BENDER RD
0020/1632 (T528)
018 "DIA CIRC CONCR
0020/0910 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0568 LEN=0040 INSTALLED 1998
003378 FT 003378 FT 2 0 11050 0 00 0035+03
S 0020/0000 LENGTH(AH 3689 BK 3378)
015 "DIA CIR PLASTIC
0010/2862 LEN=0028 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/2756 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/2196 LEN=0200 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/1964 LEN=0026 INSTALLED UNKN
015 "DIA CIR PLASTIC
0010/1383 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/0921 LEN=0034 INSTALLED UNKN
015 "DIA CIR PLASTIC
0010/0334 LEN=0032 INSTALLED UNKN
000000 FT 000000 FT 2 0 11050 0 00 0000+00
COL DRAKE HW
(SR0036 SEG 0210/2997)
NC GLENDALE LAKE RD
MFC BEGIN = D
COL DRAKE HW
(SR0036 SEG 0210/2997) 0010/0000
S 0010/0000 LENGTH(AH 3378 BK 0000)

DIR: B TOTAL LEN: 5.518 MI. DIST: 09-3 SR: 1020
LEFT MUN: WHITE T RIGHT MUN: WHITE T



029135 FT

029135 FT BEAVER VALLEY RD
0090/3564 (SR1021 SEG 0170/0000)

015 "DIA CIRC METAL
0090/2397 LEN=0039 INSTALLED UNKN

025571 FT

025571 FT 2 0 11063 0 01 0255+00
S 0090/0000 LENGTH(AH 3564 BK 3586)

015 "DIA CIR PLASTIC
0080/1555 LEN=0029 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/0984 LEN=0033 INSTALLED 1996

021985 FT

021985 FT 2 0 11063 0 01 0219+75
S 0080/0000 LENGTH(AH 3586 BK 3567)
018 "DIA CIRC CONCR
0070/3489 LEN=0032 INSTALLED UNKN

018 "DIA CIR PLASTIC
0070/1610 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.518 MI. DIST: 09-3 SR: 1020
LEFT MUN: WHITE T RIGHT MUN: WHITE T



2 0 11063 0 00 0184+65 018418 FT
ST LAWRENCE RD
(SR1031 SEG 0010/0000) 0070/0000

018418 FT
NC CHURCH HILL RD
S 0070/0000 LENGTH(AH 3567 BK 3438)


018 "DIA CIRC CONCR
0060/1933 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1334 LEN=0060 INSTALLED UNKN
WHITE
0060/1087 CHEST T
018 "DIA CIRC CONCR
0060/0704 LEN=0052 INSTALLED UNKN

2 0 11063 0 00 0149+68 014980 FT
OAK LN
(T568) 0060/0000

014980 FT
S 0060/0000 LENGTH(AH 3438 BK 2973)
018 "DIA CIRC CONCR
0050/2790 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/2016 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1368 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1120 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0801 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0497 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0074 LEN=0050 INSTALLED UNKN
012007 FT 012007 FT 2 0 11063 0 00 0119+28
S 0050/0000 LENGTH(AH 2973 BK 3614)

018 "DIA CIRC CONCR
0040/2307 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1672 LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.518 MI. DIST: 09-3 SR: 1020
LEFT MUN: CHEST T RIGHT MUN: CHEST T



0040/0879 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0240 LEN=0062 INSTALLED UNKN
2 0 11063 0 00 0083+65 008393 FT 008393 FT KLINE RD
WITMER RD (T538)
(TWP) 0040/0000 S 0040/0000 LENGTH(AH 3614 BK 2820)

018 "DIA CIRC CONCR
0030/1660 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1434 LEN=0050 INSTALLED UNKN
030 "DIA CIRC CONCR
0030/1151 LEN=0064 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/0625 LEN=0035 INSTALLED UNKN
005573 FT 005573 FT 2 0 11063 0 00 0055+67
SWARTZ RD
(T569)
S 0030/0000 LENGTH(AH 2820 BK 2008)
018 "DIA CIRC CONCR
0020/1568 LEN=0055 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/0810 LEN=0058 INSTALLED UNKN
003565 FT 003565 FT 2 0 11063 0 00 0035+22
S 0020/0000 LENGTH(AH 2008 BK 3565)


018 "DIA CIRC CONCR
0010/2202 LEN=0052 INSTALLED 1988
018 "DIA CIRC CONCR
0010/1881 LEN=0060 INSTALLED 1988

018 "DIA CIRC CONCR
0010/0806 LEN=0052 INSTALLED UNKN
000000 FT 000000 FT 2 0 11063 0 00 0000+00
NC ST LAWRENCE RD
ST LAWRENCE RD
(SR4017 SEG 0100/0000)
INTER-BK LEIDEN LN
(T528)
MFC BEGIN = D
BARRENS RD
(SR4017 SEG 0100/0000) 0010/0000 S 0010/0000 LENGTH(AH 3565 BK 0000)

DIR: B TOTAL LEN: 6.318 MI. DIST: 09-3 SR: 1019
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T


	033360 FT		033360 FT	
			INTER-AHD	BEAVER VALLEY RD (SR1021 SEG 0060/0000)
GLENDALE LAKE RD (SR1021 SEG 0060/0000)	0110/2857		0110/2857	GLENDALE LAKE RD (SR1025 SEG 0040/3876)
				036 "DIA CIR PLASTIC
			0110/2105	LEN=0040 INSTALLED 1999
				015 "DIA CIR PLASTIC
			0110/1543	LEN=0036 INSTALLED UNKN
	030503 FT		030503 FT	2 0 11078 0 00 0085+35
			S 0110/0000	LENGTH(AH 2857 BK 3503)
				034"H 53"W ELLIP CONC
			0100/2905	LEN=0064 INSTALLED 2004
				018 "DIA CIRC CONCR
			0100/1304	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.318 MI. DIST: 09-3 SR: 1019
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T




		0100/1023	LEN=0030 INSTALLED UNKN
STOLTZ RD (T523)	0100/1012		
			018 "DIA CIR PLASTIC
		0100/0428	LEN=0040 INSTALLED 1999
			015 "DIA CIRC METAL
		0100/0040	LEN=0050 INSTALLED 1999
2 0 11078 0 00 0051+16	027000 FT		027000 FT
WALNUT HOLLOW RD (T508)	0100/0000	S 0100/0000	LENGTH(AH 3503 BK 3589)
			018 "DIA CIR PLASTIC
		0090/3049	LEN=0040 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0090/2558	LEN=0040 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0090/2288	LEN=0010 INSTALLED 1998
			018 "DIA CIRC CONCR
		0090/1236	LEN=0028 INSTALLED UNKN
		0090/0020	BMSEN 11/1019/0090/0000
	023411 FT		023411 FT 2 0 11078 0 00 0015+17
			BURGOON RUN
			BMSBG 11/1019/0090/0000
		S 0090/0000	LENGTH(AH 3589 BK 1507)
			018 "DIA CIR PLASTIC
		0080/0620	LEN=0050 INSTALLED 1999
	021904 FT		021904 FT 2 0 11078 0 00 0000+00
			VILLAGE: ST. AUGUSTINE
		NC	BEAVER VALLEY RD
			ST AUGUSTINE RD
			(SR1023 SEG 0040/0000)
		S 0080/0000	LENGTH(AH 1507 BK 1499)
			015 "DIA CIRC METAL
		0070/1485	LEN=0032 INSTALLED UNKN
	020405 FT		020405 FT 2 0 11044 0 00 0068+01
		S 0070/0000	LENGTH(AH 1499 BK 3587)
			036"H 72"W ELLIP METAL
		0060/3074	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 6.318 MI. DIST: 09-3 SR: 1019
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



			018 "DIA CIRC CONCR
		0060/1704	LEN=0010 INSTALLED 1998
			015 "DIA CIRC CONCR
		0060/0276	LEN=0042 INSTALLED UNKN
	016818 FT	016818 FT	2 0 11044 0 00 0031+85
		S 0060/0000	LENGTH(AH 3587 BK 3185)
			036 "DIA CIRC CONCR
		0050/2626	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1070	LEN=0040 INSTALLED 1998
			015 "DIA CIRC CONCR
		0050/0014	LEN=0050 INSTALLED UNKN
		013633 FT	OP RD
2 0 11044 0 00 0000+00	013633 FT	INTER-BK	SCHOOL HOUSE DR
SCHOOL HOUSE DR			(SR1012 SEG 0040/0000)
(SR1012 SEG 0040/0000)	0050/0000	S 0050/0000	LTH AH 003185 BK 000100
	013633 FT	013633 FT	
		7044/0000	LTH AH 000100 BK 003730
		INTER-AHD	SCHOOL HOUSE DR
			(SR1012 SEG 0040/0220)
			DYSART DR
		0040/3730	(SR1012 SEG 0040/0220)
			018 "DIA CIR PLASTIC
		0040/3300	LEN=0035 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0040/1142	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0166	LEN=0035 INSTALLED UNKN
	009903 FT	009903 FT	2 0 11040 0 00 0099+45
		S 0040/0000	LENGTH(AH 3730 BK 2980)
			015 "DIA CIRC METAL
		0030/2736	LEN=0028 INSTALLED UNKN
			015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.318 MI. DIST: 09-3 SR: 1019
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



0030/2157 LEN=0040 INSTALLED 2004

KRUG RD
0030/0806 (T503)
036 "DIA CIR PLASTIC
0030/0436 LEN=0050 INSTALLED 2001
006923 FT 006923 FT 2 0 11040 0 00 0070+14
S 0030/0000 LENGTH(AH 2980 BK 3500)

015 "DIA CIRC METAL
0020/2268 LEN=0032 INSTALLED UNKN
036 "DIA CIRC METAL
0020/1993 LEN=0036 INSTALLED UNKN
015 "DIA CIRC METAL
0020/1513 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0020/1120 LEN=0045 INSTALLED 2007


SWARTZ RUN
STRUCTURE LENGTH 21 FT
0020/0431 BMSID 11/1019/0020/0431
018 "DIA CIRC METAL
0020/0049 LEN=0066 INSTALLED UNKN
2 0 11040 0 00 0034+53 003423 FT 003423 FT
MCMULLEN RD
(T498) 0020/0000
S 0020/0000 LENGTH(AH 3500 BK 3423)

018 "DIA CIRC METAL
0010/2655 LEN=0035 INSTALLED UNKN

018 "DIA CIRC METAL
0010/1801 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1579 LEN=0034 INSTALLED UNKN

018 "DIA CIRC METAL
0010/0398 LEN=0037 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0025 LEN=0044 INSTALLED UNKN
000000 FT 000000 FT 2 0 11040 0 00 0000+00
NC SCHOOL HOUSE DR
COL DRAKE HW
(SR0036 SEG 0080/1212)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 3423 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 09-3 SR: 1018
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



000000 FT		000000 FT
000000 FT		7060/0000 LENGTH(AH 3161 BK 3511)
000000 FT		000000 FT
000000 FT		7050/0000 LENGTH(AH 3511 BK 3570)
000000 FT		000000 FT
000000 FT		7040/0000 LENGTH(AH 3570 BK 3502)
		000000 FT
		7030/0000 LENGTH(AH 3502 BK 3493)
		000000 FT
		7020/0000 LENGTH(AH 3493 BK 3560)
		000000 FT
		7010/0000 LENGTH(AH 3560 BK 0000)

DIR: B TOTAL LEN: 2.332 MI. DIST: 09-3 SR: 1017
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T

COL DRAKE HW
(SR0036 SEG 0060/1051)


012313 FT
0050/0763

011550 FT

008571 FT


BEISWENGER LN
(PRDR)

0030/1321




012313 FT COL DRAKE HW
0050/0763 (SR0036 SEG 0060/1051)
0050/0013 BMSEN 11/1017/0050/0000
011550 FT 2 0 11072 0 00 0115+88
PATTY'S RUN
BMSBG 11/1017/0050/0000
S 0050/0000 LENGTH(AH 0763 BK 2979)
018 "DIA CIR PLASTIC
0040/2688 LEN=0036 INSTALLED 1988
018 "DIA CIR PLASTIC
0040/2061 LEN=0038 INSTALLED 1988
018 "DIA CIR PLASTIC
0040/1268 LEN=0032 INSTALLED 1988
015 "DIA CIR PLASTIC
0040/0914 LEN=0032 INSTALLED 1988
048 "DIA CIRC METAL
0040/0502 LEN=0050 INSTALLED 1988
0040/0013 BMSEN 11/1017/0040/0000
008571 FT 2 0 11072 0 00 0086+05
B.CLRFLD.CR.
BMSBG 11/1017/0040/0000
S 0040/0000 LENGTH(AH 2979 BK 1889)
018 "DIA CIR PLASTIC
0030/1624 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1489 LEN=0035 INSTALLED 2005

DIR: B TOTAL LEN: 2.332 MI. DIST: 09-3 SR: 1017
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T




		018 "DIA CIR PLASTIC
	0030/1220	LEN=0035 INSTALLED 1988
		024 "DIA CIR PLASTIC
	0030/0690	LEN=0035 INSTALLED 1988
		018 "DIA CIRC CONCR
	0030/0520	LEN=0036 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/0410	LEN=0034 INSTALLED 1988
006682 FT	006682 FT	2 0 11072 0 00 0066+86
	S 0030/0000	LENGTH(AH 1889 BK 3029)
		018 "DIA CIR PLASTIC
	0020/2780	LEN=0030 INSTALLED 1988
		018 "DIA CIRC CONCR
	0020/1930	LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
	0020/1668	LEN=0060 INSTALLED 1988
		018 "DIA CIRC CONCR
	0020/1498	LEN=0144 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0020/1170	LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
	0020/0496	LEN=0060 INSTALLED 1988
		018 "DIA CIRC CONCR
	0020/0356	LEN=0144 INSTALLED 1988
003653 FT	003653 FT	2 0 11072 0 00 0036+29
	S 0020/0000	LENGTH(AH 3029 BK 3653)
		018 "DIA CIR PLASTIC
	0010/3265	LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
	0010/2178	LEN=0039 INSTALLED 1988
		018 "DIA CIRC CONCR
	0010/1192	LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
	0010/0984	LEN=0048 INSTALLED 1988
		018 "DIA CIRC CONCR
	0010/0426	LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
	0010/0041	LEN=0052 INSTALLED 1988
000000 FT	000000 FT	2 0 11072 0 00 0000+00
		NC MARK HANNA RD
		COUPON GALLITZIN RD
		(SR1015 SEG 0110/0000)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 3653 BK 0000)

DIR: B TOTAL LEN: 4.157 MI. DIST: 09-3 SR: 1016
LEFT MUN: DEAN T RIGHT MUN: DEAN T




021950 FT AH-BLAIR (07)
REF-AHD JUNIATA GAP RD
0070/3320 (SR4017 SEG 0150/2542)
018 "DIA CIR PLASTIC
0070/2787 LEN=0050 INSTALLED 2000
018 "DIA CIR PLASTIC
0070/2384 LEN=0045 INSTALLED 2000
018 "DIA CIR PLASTIC
0070/1983 LEN=0040 INSTALLED 2000
018 "DIA CIR PLASTIC
0070/1659 LEN=0040 INSTALLED 2000
018 "DIA CIR PLASTIC
0070/1263 LEN=0040 INSTALLED 2000
018 "DIA CIR PLASTIC
0070/0976 LEN=0040 INSTALLED 2000
018 "DIA CIR PLASTIC
0070/0447 LEN=0054 INSTALLED 2000
018 "DIA CIR PLASTIC
0070/0119 LEN=0045 INSTALLED 2000
018630 FT 1 0 00860 0 00 0032+79
S 0070/0000 LENGTH(AH 3320 BK 3669)
018 "DIA CIRC CONCR
0060/3409 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0060/3156 LEN=0043 INSTALLED 2000
015 "DIA CIR PLASTIC
0060/2611 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0060/2402 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0060/2059 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0060/1405 LEN=0055 INSTALLED 2000
024 "DIA CIRC CONCR
0060/0754 LEN=0038 INSTALLED UNKN
031 "DIA CIRC OTHER
0060/0476 LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 4.157 MI. DIST: 09-3 SR: 1016
LEFT MUN: DEAN T RIGHT MUN: DEAN T



		018 "DIA CIR PLASTIC
	0060/0164	LEN=0032 INSTALLED UNKN
014961 FT	014961 FT	1 0 00860 0 00 0069+48
	S 0060/0000	LENGTH(AH 3669 BK 3260)
		018 "DIA CIR PLASTIC
	0050/2801	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/2347	LEN=0050 INSTALLED 2000
		015 "DIA CIRC CONCR
	0050/2070	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/1687	LEN=0040 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0050/1466	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1305	LEN=0048 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/0811	LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/0292	LEN=0040 INSTALLED 2000
011701 FT	011701 FT	1 0 00860 0 00 0101+84
	S 0050/0000	LENGTH(AH 3260 BK 2813)
		018 "DIA CIRC CONCR
	0040/2452	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/1931	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/1480	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/1184	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0348	LEN=0040 INSTALLED UNKN
008888 FT	008888 FT	2 0 11088 0 00 0088+23
		VILLAGE: DAUGHERTY
	S 0040/0000	LENGTH(AH 2813 BK 3002)
		018 "DIA CIRC CONCR
	0030/2636	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/2055	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1670	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1500	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1083	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/0830	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/0275	LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 4.157 MI. DIST: 09-3 SR: 1016
LEFT MUN: DEAN T RIGHT MUN: DEAN T




```
                                                    018 "DIA CIRC CONCR
                                0030/0027           LEN=0042 INSTALLED 2000
005886 FT                       005886 FT           2 0 11088 0 00 0058+21
                                0030/0000           LENGTH(AH 3002 BK 2960)
                                                    018 "DIA CIRC CONCR
                                0020/2866           LEN=0038 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/2335           LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/2056           LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/1737           LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/1433           LEN=0038 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/1070           LEN=0038 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/0906           LEN=0048 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/0535           LEN=0048 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/0400           LEN=0048 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0020/0114           LEN=0046 INSTALLED UNKN
002926 FT                       002926 FT           2 0 11088 0 00 0028+20
                                                    018 "DIA CIRC CONCR
                                                    LEN=0042 INSTALLED 2000
                                0020/0000           LENGTH(AH 2960 BK 2926)
                                                    018 "DIA CIRC CONCR
                                0010/2397           LEN=0042 INSTALLED 2000
                                                    018 "DIA CIRC CONCR
                                0010/1917           LEN=0038 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0010/1499           LEN=0042 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                0010/0872           LEN=0042 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0010/0436           LEN=0042 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                0010/0033           LEN=0038 INSTALLED UNKN
000000 FT                       000000 FT           2 0 11088 0 00 0000+00
                                                    VILLAGE: DEAN
                                      NC WOPSY RD
                                                    CLEARFIELD VALLEY BL
                                                    (SR0053 SEG 0580/3133)
                                INTER-BK            MAIN ST
                                                    (T604)
                                                    MFC BEGIN = D
                                0010/0000           LENGTH(AH 2926 BK 0000)
```


DIR: N TOTAL LEN: 6.527 MI. DIST: 09-3 SR: 1015
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T

034460 FT




	034460 FT	COL DRAKE HW
	0140/1883	(SR0036 SEG 0030/0466)
		018 "DIA CIRC CONCR
	0140/1824	LEN=0042 INSTALLED UNKN
		SAND SPRINGS RD
	0140/1729	(TWP)
		015 "DIA CIRC CONCR
	0140/1539	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0140/0892	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0140/0590	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0140/0338	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0140/0075	LEN=0032 INSTALLED UNKN
032577 FT	032577 FT	2 0 11035 0 00 0306+92
S	0140/0000	LENGTH(AH 1883 BK 3461)
		018 "DIA CIRC CONCR
	0130/3178	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0130/2882	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0130/2581	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0130/2383	LEN=0033 INSTALLED UNKN
		015 "DIA CIRC METAL
	0130/2089	LEN=0033 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0130/1803	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0130/1508	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0130/1261	LEN=0033 INSTALLED UNKN

DIR: N TOTAL LEN: 6.527 MI. DIST: 09-3 SR: 1015
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



		015 "DIA CIRC CONCR
	0130/0938	LEN=0070 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0130/0612	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0130/0444	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/0228	LEN=0040 INSTALLED UNKN
029116 FT	029116 FT	2 0 11035 0 00 0271+89
		WALNUT ST
		(T485)
==	S 0130/0000	LENGTH(AH 3461 BK 2576)
		018 "DIA CIRC CONCR
	0120/2576	LEN=0040 INSTALLED UNKN
		MAPLE ST
==	0120/2253	(T483)
		036 "DIA CIRC METAL
	0120/1888	LEN=0048 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/1630	LEN=0047 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/1389	LEN=0047 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/1167	LEN=0047 INSTALLED UNKN
BIG BEAR LN		
(PRDR) 0120/1071	==	
026540 FT	026540 FT	2 0 11035 0 00 0246+13
		VILLAGE: COUPON
	S 0120/0000	LENGTH(AH 2576 BK 3250)
		018 "DIA CIR PLASTIC
	0110/2888	LEN=0035 INSTALLED UNKN
		PEAR LN
==	0110/2754	(PRDR)
		018 "DIA CIR PLASTIC
	0110/2175	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0110/0867	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/0599	LEN=0034 INSTALLED UNKN
2 0 11035 0 00 0213+65 023290 FT	023290 FT	
MARK HANNA RD		
(SR1017 SEG 0010/0000) 0110/0000	S 0110/0000	LENGTH(AH 3250 BK 3852)

DIR: N TOTAL LEN: 6.527 MI. DIST: 09-3 SR: 1015
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



018 "DIA CIR PLASTIC
0100/1587 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0100/1379 LEN=0040 INSTALLED UNKN

019438 FT
019438 FT 2 0 11035 0 00 0174+91
VILLAGE: ELSTIE
S 0100/0000 LENGTH(AH 3852 BK 3447)

VETERAN'S MEMORIAL HW
0090/1667 (SR1034 SEG 0010/0000)


018 "DIA CIRC CONCR
0090/0134 LEN=0030 INSTALLED UNKN
015991 FT
015991 FT 2 0 11035 0 00 0140+11
S 0090/0000 LENGTH(AH 3447 BK 2357)
GALLITZIN
0080/1799 ALLEGHENY T

013634 FT
013634 FT 2 0 11035 0 00 0115+16
S 0080/0000 LENGTH(AH 2357 BK 2702)

018 "DIA CIRC CONCR
0070/1536 LEN=0010 INSTALLED 1999


015 "DIA CIR PLASTIC
0070/0091 LEN=0034 INSTALLED UNKN
010932 FT
010932 FT 2 0 11035 0 00 0084+96
S 0070/0000 LENGTH(AH 2702 BK 2913)

DIR: N TOTAL LEN: 6.527 MI. DIST: 09-3 SR: 1015
LEFT MUN: GALLITZIN T RIGHT MUN: TUNNEL HILL B



			018 "DIA CIRC CONCR
		0060/0908	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/0362	LEN=0038 INSTALLED UNKN
	008019 FT	008019 FT	2 0 11035 0 00 0055+55
			NC COUPON GALLITZIN RD
WALDO ST (TWP)	0060/0000	S 0060/0000	LENGTH(AH 2913 BK 3026)
			QUENTIN ST
		0050/2613	(TWP)
BRADLEY ST (T453)	0050/2380		
GALLITZIN TUNNEL HILL B	0050/2210		
			018 "DIA CIRC METAL
		0050/1989	LEN=0037 INSTALLED UNKN
			NC TUNNEL HILL ST
			TUNNEL HILL ST
			(SR2016 SEG 0010/2769)
			ALLEGHENY
		0050/1540	TUNNEL HILL B
			CONVENT ST
		0050/1092	(BORO)
			TUNNEL HILL
		0050/0785	GALLITZIN B
MIDDLE ST (BORO)	0050/0615		
			018 "DIA CIRC CONCR
		0050/0575	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0557	LEN=0030 INSTALLED 1988
			VINE ST
		0050/0436	(BORO)
			IVY ST
		0050/0307	(BORO)
	004993 FT	004993 FT	2 0 11035 0 00 0030+51
			WILSON ST
			(BORO)
		S 0050/0000	LENGTH(AH 3026 BK 1204)
			HEMLOCK ST
		0040/0888	(BORO)
			NORTH MAIN ST
		0040/0506	(BORO)
			018 "DIA CIRC CONCR
		0040/0063	LEN=0032 INSTALLED UNKN
	003789 FT	003789 FT	2 0 11035 0 00 0018+52
			QUARRY ST
			(BORO)
		S 0040/0000	LENGTH(AH 1204 BK 1621)
			008 "DIA CIR PLASTIC

DIR: N TOTAL LEN: 6.527 MI. DIST: 09-3 SR: 1015
LEFT MUN: GALLITZIN B RIGHT MUN: GALLITZIN B



ST. MARY ST
(BORO) 0030/1402

DONOUGHE ST
(BORO) 0030/1088
WEBSTER ST
(BORO) 0030/0862

002168 FT

WEBSTER ST
(BORO) 0020/1090

000648 FT

TO 0053/0370 SH
(CONN) 0011/0218

0 0 00000 0 00 0000+00 000000 FT
NC CHESTNUT ST
GALLITZIN RD
(SR0053 SEG 0370/0000)
MFC BEGIN = D
LENGTH(AH 0648 BK 0000) 0011/0000

0030/1445 LEN=0032 INSTALLED UNKN

ST. JOSEPH ST
0030/1222 (BORO)
018 "DIA CIRC CONCR
0030/1148 LEN=0032 INSTALLED UNKN
DONOUGHE ST
0030/1099 (BORO)

002168 FT 2 0 11035 0 00 0002+36
CHESTNUT ST
(BORO)
NC FOREST ST
0030/0000 LENGTH(AH 1621 BK 1520)
GALLITZIN
0020/1282 GALLITZIN T


048 "DIA CIRC CONCR
0020/1031 LEN=0036 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/0242 LEN=0078 INSTALLED UNKN
000648 FT 2 0 00053 4 00 0017+43
MFC BEGIN = D
0020/0000 LENGTH(AH 1520 BK 0648)

WYE RD A
0010/0456 (SR9101 SEG 0010/0413)
018 "DIA CIRC CONCR
0010/0417 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0394 LEN=0055 INSTALLED UNKN


018 "DIA CIRC CONCR
0010/0215 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0061 LEN=0075 INSTALLED UNKN
000000 FT 1 0 00053 4 00 0000+00
NC CHESTNUT ST
GALLITZIN RD
(SR0053 SEG 0370/0000)
MFC BEGIN = D
0010/0000 LENGTH(AH 0648 BK 0000)

DIR: B TOTAL LEN: 4.047 MI. DIST: 09-3 SR: 1014
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T




021366 FT		021366 FT AH-BLAIR (07)
	*	REF-AHD BLACK SNAKE RD
		0070/3373 (SR4039 SEG 0010/1409)
		018 "DIA CIR PLASTIC
		0070/3348 LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0070/2764 LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0070/2160 LEN=0034 INSTALLED UNKN
		024 "DIA CIR PLASTIC
		0070/1545 LEN=0034 INSTALLED UNKN
		024 "DIA CIR PLASTIC
		0070/0864 LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0070/0256 LEN=0032 INSTALLED UNKN
017993 FT		017993 FT 2 0 11039 0 00 0038+62
		GALLITZIN
		DEAN T
	S	0070/0000 LENGTH(AH 3373 BK 3429)
		018 "DIA CIR PLASTIC
		0060/3048 LEN=0034 INSTALLED UNKN
		018 "DIA CIRC METAL
		0060/2394 LEN=0028 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0060/1595 LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0060/0539 LEN=0032 INSTALLED UNKN
014564 FT		014564 FT 2 0 11039 0 00 0073+57
	S	0060/0000 LENGTH(AH 3429 BK 4000)
		015 "DIA CIRC METAL
		0050/3998 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 4.047 MI. DIST: 09-3 SR: 1014
LEFT MUN: DEAN T RIGHT MUN: DEAN T




	0050/3450	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0050/3297	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0050/3028	018 "DIA CIR PLASTIC LEN=0037 INSTALLED 2000
	0050/2710	018 "DIA CIR PLASTIC LEN=0028 INSTALLED UNKN
	0050/1966	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
	0050/1390	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
	0050/0427	018 "DIA CIR PLASTIC LEN=0048 INSTALLED 2000
	0050/0108	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2000
010564 FT	010564 FT	2 0 11039 0 00 0112+95
	S 0050/0000	LENGTH(AH 4000 BK 3405)
	0040/3381	015 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	0040/2841	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
	0040/2643	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
	0040/2108	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0040/1767	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0040/0996	018 "DIA CIR PLASTIC LEN=0026 INSTALLED UNKN
	0040/0366	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
007159 FT	007159 FT	2 0 11039 0 00 0147+00
	S 0040/0000	LENGTH(AH 3405 BK 3486)
	0030/2998	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
	0030/2694	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
	0030/2100	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
	0030/1918	018 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
	0030/1865	018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.047 MI. DIST: 09-3 SR: 1014
LEFT MUN: DEAN T RIGHT MUN: DEAN T



	0030/1813 LEN=0034 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0030/1614 LEN=0030 INSTALLED UNKN
	018 "DIA CIR PLASTIC
	0030/1440 LEN=0030 INSTALLED UNKN
	018 "DIA CIR PLASTIC
	0030/1180 LEN=0030 INSTALLED UNKN
	018 "DIA CIR PLASTIC
	0030/0785 LEN=0031 INSTALLED UNKN
	018 "DIA CIR PLASTIC
	0030/0496 LEN=0040 INSTALLED 2000
	018 "DIA CIR PLASTIC
	0030/0195 LEN=0030 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0030/0055 LEN=0034 INSTALLED UNKN
003673 FT	003673 FT 2 0 11039 0 00 0181+92
	S 0030/0000 LENGTH(AH 3486 BK 2976)
	018 "DIA CIRC CONCR
	0020/2941 LEN=0034 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/2660 LEN=0030 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/2255 LEN=0034 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/1874 LEN=0028 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/1633 LEN=0034 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/1355 LEN=0032 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/0847 LEN=0028 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/0561 LEN=0028 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0020/0413 LEN=0028 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0020/0209 LEN=0036 INSTALLED UNKN
000697 FT	000697 FT 2 0 11039 0 00 0211+68
	018 "DIA CIR PLASTIC
	LEN=0034 INSTALLED UNKN
	S 0020/0000 LENGTH(AH 2976 BK 0697)
000000 FT	000000 FT 2 0 11039 0 00 0218+65
	NC BLACK SNAKE RD
	CLEARFIELD VALLEY BL
	(SR0053 SEG 0550/1297)
	INTER-BK DYSART DR
	(SR1012 SEG 0090/2179)
	MFC BEGIN = E
	S 0010/0000 LENGTH(AH 0697 BK 0000)

DIR: B TOTAL LEN: .012 MI. DIST: 09-3 SR: 1013
LEFT MUN: GALLITZIN B RIGHT MUN: GALLITZIN B




000063 FT		000063 FT
		7030/0000 LENGTH(AH 0731 BK 0157)
000063 FT		000063 FT
		7024/0000 LENGTH(AH 0157 BK 0063)
		BMSEN 11/1013/0022/0000
	*	REF-AHD MAIN ST
		0022/0063 (TWP)
000000 FT		000000 FT 2 0 11113 0 00 0093+69
		018 "DIA CIR PLASTIC
		LEN=0063 INSTALLED UNKN
		NC MAIN ST
	*	REF-BK MAIN ST
		(TWP)
		NORFOLK SOUTHERN RAI RR
		BMSBG 11/1013/0022/0000
	S	0022/0000 LENGTH(AH 0063 BK 1318)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 1318 BK 0979)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 0979 BK 0000)

DIR: B TOTAL LEN: 5.317 MI. DIST: 09-3 SR: 1012
LEFT MUN: DEAN T RIGHT MUN: DEAN T

028073 FT


028073 FT
INTER-AHD BLACK SNAKE RD
(SR1014 SEG 0010/0000)
CLEARFIELD VALLEY BL
0090/2179 (SR0053 SEG 0550/1297)

DIR: B TOTAL LEN: 5.317 MI. DIST: 09-3 SR: 1012
LEFT MUN: DEAN T RIGHT MUN: DEAN T



		024 "DIA CIRC CONCR
	0090/1961	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/1717	LEN=0036 INSTALLED UNKN
FIRST ST (T570)	0090/1495	
	0090/1455	(AAR 506682M)#TRKS 01
		018 "DIA CIRC CONCR
	0090/1050	LEN=0036 INSTALLED UNKN
	0090/0102	BMSEN 11/1012/0090/0000
		DEAN
	0090/0048	CLEARFIELD T
025894 FT	025894 FT	2 0 11039 0 01 0240+53
		CLEARFIELD CREEK
		BMSBG 11/1012/0090/0000
	S 0090/0000	LENGTH(AH 2179 BK 3609)
		018 "DIA CIRC CONCR
	0080/2924	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/2654	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/2233	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/2055	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0495	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0251	LEN=0032 INSTALLED UNKN
2 0 11039 0 01 0276+81 022285 FT	022285 FT	
KOLAK RD (T512)	0080/0000	
	S 0080/0000	LENGTH(AH 3609 BK 3242)
		018 "DIA CIR PLASTIC
	0070/3210	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/2348	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/1321	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/0886	LEN=0028 INSTALLED UNKN

DIR: B TOTAL LEN: 5.317 MI. DIST: 09-3 SR: 1012
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



018 "DIA CIRC CONCR
0070/0104 LEN=0030 INSTALLED UNKN
2 0 11039 0 01 0309+38 019043 FT 019043 FT
CARL RD
(T518)
0070/0000 S 0070/0000 LENGTH(AH 3242 BK 3527)
018 "DIA CIRC CONCR
0060/3342 LEN=0028 INSTALLED UNKN

018 "DIA CIRC CONCR
0060/1059 LEN=0034 INSTALLED UNKN

015516 FT 015516 FT 2 0 11039 0 01 0344+65
S 0060/0000 LENGTH(AH 3527 BK 3527)
018 "DIA CIRC CONCR
0050/3171 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0050/1609 LEN=0034 INSTALLED UNKN

015 "DIA CIRC METAL
0050/0660 LEN=0030 INSTALLED UNKN

011989 FT 011989 FT 2 0 11039 0 01 0379+96
S 0050/0000 LENGTH(AH 3527 BK 1690)
018 "DIA CIRC CONCR
0040/1616 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1480 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1135 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0759 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0486 LEN=0034 INSTALLED UNKN
SCHOOL HOUSE DR
(SR1019 SEG 0040/3730)
NC DYSART DR
018 "DIA CIRC CONCR
0040/0197 LEN=0028 INSTALLED UNKN
010299 FT 010299 FT 2 0 11039 0 01 0396+78

DIR: B TOTAL LEN: 5.317 MI. DIST: 09-3 SR: 1012
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T

LOOP RD
(SR1019 SEG 0050/0000) 0040/0000

NC SCHOOL HOUSE RD
S 0040/0000 LENGTH(AH 1690 BK 3353)

018 "DIA CIRC CONCR
0030/1424 LEN=0030 INSTALLED UNKN

015 "DIA CIRC METAL
0030/0620 LEN=0038 INSTALLED UNKN

006946 FT

006946 FT 2 0 11039 0 01 0430+31
S 0030/0000 LENGTH(AH 3353 BK 3448)

018 "DIA CIRC CONCR
0020/2334 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/2067 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/0943 LEN=0030 INSTALLED UNKN

003498 FT

003498 FT 2 0 11039 0 01 0464+56
S 0020/0000 LENGTH(AH 3448 BK 3498)
018 "DIA CIRC CONCR
0010/3311 LEN=0150 INSTALLED UNKN


018 "DIA CIRC CONCR
0010/2439 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/2207 LEN=0030 INSTALLED UNKN

MCMULLEN RD
0010/1265 (T498)
018 "DIA CIRC CONCR
0010/1221 LEN=0044 INSTALLED UNKN

NC SCHOOL HOUSE DR
COL DRAKE HW
000000 FT (SR0036 SEG 0150/1586)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 3498 BK 0000)


2 0 11039 0 01 0499+59 000000 FT
COL DRAKE HW
(SR0036 SEG 0150/1586) 0010/0000

DIR: B TOTAL LEN: 5.523 MI. DIST: 09-3 SR: 1011
LEFT MUN: CHEST SPRINGS B RIGHT MUN: CHEST SPRINGS B



029163 FT	029163 FT	
	INTER-AHD	JEFFERSON ST
		(BORO)
		COLUMBIA ST
0100/3906		(SR1001 SEG 0220/1007)
		ECONOMY ST
0100/3602		(BORO)
		018 "DIA CIR PLASTIC
0100/3598		LEN=0040 INSTALLED 1980
		CHEST SPRINGS
0100/3398		ALLEGHENY T
		015 "DIA CIR PLASTIC
0100/2632		LEN=0038 INSTALLED 1980
		018 "DIA CIR PLASTIC
0100/2489		LEN=0035 INSTALLED 1980
		018 "DIA CIR PLASTIC
0100/1779		LEN=0040 INSTALLED 1980
		018 "DIA CIR PLASTIC
0100/1434		LEN=0042 INSTALLED 1980
		018 "DIA CIR PLASTIC
0100/0260		LEN=0040 INSTALLED 1980
025257 FT	025257 FT	2 0 11082 0 02 0255+74

DIR: B TOTAL LEN: 5.523 MI. DIST: 09-3 SR: 1011
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




NC JEFFERSON ST
S 0100/0000 LENGTH(AH 3906 BK 3970)
018 "DIA CIR PLASTIC
0090/3662 LEN=0039 INSTALLED 1980
018 "DIA CIR PLASTIC
0090/2869 LEN=0040 INSTALLED 1980
018 "DIA CIR PLASTIC
0090/2509 LEN=0030 INSTALLED UNKN
036 "DIA CIRC METAL
0090/1769 LEN=0030 INSTALLED UNKN

021287 FT
021287 FT 2 0 11082 0 02 0215+54
S 0090/0000 LENGTH(AH 3970 BK 1551)
028 "DIA CIRC METAL
0080/1306 LEN=0042 INSTALLED 1980
018 "DIA CIRC CONCR
0080/0530 LEN=0028 INSTALLED UNKN
019736 FT
019736 FT 2 0 11082 0 02 0199+53
HOLSTEIN RD
(T495)
S 0080/0000 LENGTH(AH 1551 BK 1763)
018 "DIA CIRC METAL
0070/1690 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0070/0993 LEN=0065 INSTALLED 1980
018 "DIA CIR PLASTIC
0070/0121 LEN=0040 INSTALLED 1980
017973 FT
017973 FT 2 0 11082 0 01 0180+63
S 0070/0000 LENGTH(AH 1763 BK 3403)

024 "DIA CIR PLASTIC
0060/1883 LEN=0035 INSTALLED UNKN
024 "DIA CIRC METAL
0060/1308 LEN=0040 INSTALLED 1980
024 "DIA CIR PLASTIC
0060/0575 LEN=0050 INSTALLED 1980


SHEEHEN RD
(T468)
0060/0474

DIR: B TOTAL LEN: 5.523 MI. DIST: 09-3 SR: 1011
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



	0060/0014	BMSEN 11/1011/0060/0000
014570 FT	014570 FT	2 0 11082 0 01 0146+61
		TRIB BEAVER DAM RUN
		BMSBG 11/1011/0060/0000
	S 0060/0000	LENGTH(AH 3403 BK 3380)
		LINK RD
	0050/2731	(T465)
		BOTTOM RD
	0050/2468	(T487)
		015 "DIA CIR PLASTIC
	0050/1075	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/0809	LEN=0040 INSTALLED 1980
		018 "DIA CIR PLASTIC
	0050/0353	LEN=0035 INSTALLED 1980
	0050/0031	BMSEN 11/1011/0050/0000
011190 FT	011190 FT	2 0 11082 0 01 0112+77
		BEAVER DAM R
		BMSBG 11/1011/0050/0000
	S 0050/0000	LENGTH(AH 3380 BK 3111)
		024 "DIA CIRC CONCR
	0040/2678	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2456	LEN=0030 INSTALLED 1980
		018 "DIA CIR PLASTIC
	0040/2185	LEN=0042 INSTALLED 1980
		018 "DIA CIR PLASTIC
	0040/1189	LEN=0030 INSTALLED 1980
SHARP RD (T481)	0040/1126	
		018 "DIA CIR PLASTIC
	0040/1101	LEN=0030 INSTALLED 1980
		018 "DIA CIR PLASTIC
	0040/0625	LEN=0037 INSTALLED 1980
		036 "DIA CIR PLASTIC
	0040/0395	LEN=0040 INSTALLED 1980
008079 FT	008079 FT	2 0 11082 0 00 0080+59
	S 0040/0000	LENGTH(AH 3111 BK 3655)
		018 "DIA CIR PLASTIC
	0030/3455	LEN=0035 INSTALLED 1980
		018 "DIA CIR PLASTIC
	0030/3243	LEN=0035 INSTALLED 1980
		018 "DIA CIR PLASTIC
	0030/3089	LEN=0038 INSTALLED 1980


DIR: B TOTAL LEN: 5.523 MI. DIST: 09-3 SR: 1011
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



			018 "DIA CIR PLASTIC
		0030/2744	LEN=0040 INSTALLED 1980
			036 "DIA CIRC METAL
		0030/2176	LEN=0040 INSTALLED 1980
			018 "DIA CIR PLASTIC
		0030/2001	LEN=0010 INSTALLED 1980
			015 "DIA CIR PLASTIC
		0030/1627	LEN=0036 INSTALLED UNKN
2 0 11082 0 00 0044+58	004424 FT		004424 FT HANLON RD
TREXLER RD			(T469)
(T463)	0030/0000	S 0030/0000	LENGTH(AH 3655 BK 1325)
			024 "DIA CIR PLASTIC
		0020/0713	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0632	LEN=0038 INSTALLED 2015
			018 "DIA CIRC CONCR
		0020/0180	LEN=0028 INSTALLED UNKN
	003099 FT	003099 FT	2 0 11082 0 00 0031+07
		S 0020/0000	LENGTH(AH 1325 BK 3099)
			015 "DIA CIR PLASTIC
		0010/2595	LEN=0040 INSTALLED 1980
			018 "DIA CIR PLASTIC
		0010/1925	LEN=0040 INSTALLED 1980
			018 "DIA CIR PLASTIC
		0010/1563	LEN=0060 INSTALLED 1980
			015 "DIA CIR PLASTIC
		0010/1400	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1118	LEN=0038 INSTALLED 1980
			048 "DIA CIRC CONCR
		0010/1054	LEN=0040 INSTALLED 2001
			018 "DIA CIRC CONCR
		0010/0874	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0767	LEN=0045 INSTALLED 1980
			015 "DIA CIR PLASTIC
		0010/0038	LEN=0060 INSTALLED 1980
	000000 FT	000000 FT	2 0 11082 0 00 0000+00
			NC LINCOLN RD
			SYBERTON RD
			(SR1006 SEG 0050/2480)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 3099 BK 0000)

DIR: B TOTAL LEN: 2.088 MI. DIST: 09-3 SR: 1010
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T


011022 FT



011022 FT COL DRAKE HW
0040/2158 (SR0036 SEG 0150/0000)


018 "DIA CIR PLASTIC
0040/1058 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/0893 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 2.088 MI. DIST: 09-3 SR: 1010
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T




	008864 FT		008864 FT 2 0 11074 0 00 0089+63
		S	0040/0000 LENGTH(AH 2158 BK 3322)
			018 "DIA CIRC CONCR
			0030/1401 LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0030/0622 LEN=0040 INSTALLED 2004
2 0 11074 0 00 0055+35 KEPSHIRE RD (T507)	005542 FT		005542 FT
			NC RUSSET RD
	0030/0000	S	0030/0000 LENGTH(AH 3322 BK 2550)
			018 "DIA CIR PLASTIC
			0020/2482 LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0020/1958 LEN=0045 INSTALLED UNKN
			048 "DIA CIR PLASTIC
			0020/1508 LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0020/0923 LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0020/0218 LEN=0035 INSTALLED UNKN
	002992 FT		002992 FT 2 0 11074 0 00 0029+52
		S	0020/0000 LENGTH(AH 2550 BK 2992)
			036 "DIA CIR PLASTIC
			0010/2900 LEN=0024 INSTALLED 1999
			015 "DIA CIR PLASTIC
			0010/2289 LEN=0030 INSTALLED UNKN
			015 "DIA CIRC METAL
			0010/1869 LEN=0025 INSTALLED UNKN
			018 "DIA CIRC METAL
			0010/1504 LEN=0025 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/0627 LEN=0025 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/0010 LEN=0025 INSTALLED UNKN
	000000 FT		000000 FT 2 0 11074 0 00 0000+00
			NC KEPSHIRE RD
			ECKENRODE MILL RD
			(SR1008 SEG 0050/2189)
			MFC BEGIN = E
		S	0010/0000 LENGTH(AH 2992 BK 0000)

DIR: B TOTAL LEN: 6.278 MI. DIST: 09-3 SR: 1009
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T




033146 FT
PLANK RD
0100/2209 (SR0219 SEG 0640/1006)
ELM ST
0100/1935 (TWP)
CHURCH ST
0100/1566 (T510)
FEES RD
(T501)
0100/1423
018 "DIA CIR UNKNOWN
0100/1030 LEN=0040 INSTALLED UNKN
FARM HOUSE LN
0100/0827 (PRDR)
030937 FT
030937 FT 2 0 11038 0 01 0310+26
S 0100/0000 LENGTH(AH 2209 BK 3269)
018 "DIA CIR PLASTIC
0090/2985 LEN=0036 INSTALLED UNKN
018 "DIA CIRC METAL
0090/1967 LEN=0074 INSTALLED UNKN
024 "DIA CIR PLASTIC
0090/1762 LEN=0046 INSTALLED UNKN
024 "DIA CIR PLASTIC
0090/1473 LEN=0046 INSTALLED UNKN
018 "DIA CIR PLASTIC
0090/1010 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0090/0627 LEN=0034 INSTALLED UNKN
024 "DIA CIR PLASTIC
0090/0378 LEN=0060 INSTALLED UNKN
027668 FT
027668 FT 2 0 11038 0 01 0277+26
LINK RD
(T514)
S 0090/0000 LENGTH(AH 3269 BK 3319)
072"H 84"W CONC STRUCT
0080/2592 LEN=0050 INSTALLED UNKN
TB.CHEST CRK
STRUCTURE LENGTH 9 FT
0080/2525 BMSID 11/1009/0080/2525
GABBIE LN
0080/1531 (PRDR)
024 "DIA CIR PLASTIC
0080/0956 LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 6.278 MI. DIST: 09-3 SR: 1009
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T




	024349 FT		024349 FT 2 0 11038 0 01 0245+69
		S	0080/0000 LENGTH(AH 3319 BK 3570)
			024 "DIA CIR PLASTIC
			0070/3346 LEN=0050 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0070/2536 LEN=0058 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0070/1830 LEN=0040 INSTALLED UNKN
			FEIGHNER RD
			0070/1588 (T466)
			018 "DIA CIR PLASTIC
			0070/0829 LEN=0038 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0070/0378 LEN=0010 INSTALLED 1997
	020779 FT		020779 FT 2 0 11038 0 01 0210+31
		S	0070/0000 LENGTH(AH 3570 BK 3341)
			018 "DIA CIR PLASTIC
			0060/3300 LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0060/2905 LEN=0045 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0060/2657 LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0060/2378 LEN=0050 INSTALLED 1997
			015 "DIA CIR PLASTIC
			0060/1881 LEN=0070 INSTALLED 1997
			015 "DIA CIR PLASTIC
			0060/1481 LEN=0040 INSTALLED 1997
FARABAUGH RD (T468)	0060/1118		
			015 "DIA CIR PLASTIC
			0060/0836 LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0060/0163 LEN=0055 INSTALLED 1997
	017438 FT		017438 FT 2 0 11038 0 01 0175+22
		S	0060/0000 LENGTH(AH 3341 BK 3463)
			015 "DIA CIR PLASTIC
			0050/3433 LEN=0055 INSTALLED 1997
			015 "DIA CIR PLASTIC
			0050/3018 LEN=0045 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0050/2659 LEN=0050 INSTALLED 1997
			BENDER FARM LN
			0050/2568 (PRDR)

DIR: B TOTAL LEN: 6.278 MI. DIST: 09-3 SR: 1009
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



		018 "DIA CIR PLASTIC
	0050/1796	LEN=0036 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0050/1540	LEN=0035 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0050/1121	LEN=0045 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0050/0586	LEN=0044 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0050/0135	LEN=0046 INSTALLED 1997
013975 FT	013975 FT	2 0 11038 0 01 0140+17
	S 0050/0000	LENGTH(AH 3463 BK 3366)
		018 "DIA CIR PLASTIC
	0040/3231	LEN=0050 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0040/2927	LEN=0045 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0040/2612	LEN=0040 INSTALLED 1997
		015 "DIA CIR UNKNOWN
	0040/1667	LEN=0150 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/1477	LEN=0045 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0040/0832	LEN=0042 INSTALLED UNKN
	0040/0803	(AAR 506085F)#TRKS 01
HOGUE RD (T489)		
0040/0460		
		BMSEN 11/1009/0040/0000
	0040/0096	BRIDGE POSTED (TONS)
		EAST CARROLL
	0040/0046	ALLEGHENY T
010609 FT	010609 FT	2 0 11038 0 00 0106+20
		SGL 13 COMB
		CHEST CREEK
		BMSBG 11/1009/0040/0000
	S 0040/0000	LENGTH(AH 3366 BK 3477)
		024"H 00"W MULT METAL
	0030/3118	LEN=0040 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0030/2454	LEN=0038 INSTALLED UNKN
		KRUG RD
	0030/1960	(T499)
		024 "DIA CIR PLASTIC
	0030/1951	LEN=0040 INSTALLED UNKN
		036"H 00"W MULT CONCR


DIR: B TOTAL LEN: 6.278 MI. DIST: 09-3 SR: 1009
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




		0030/1482	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1062	LEN=0060 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0030/0882	LEN=0040 INSTALLED 1997
			018 "DIA CIRC CONCR
		0030/0350	LEN=0036 INSTALLED UNKN
	007132 FT	007132 FT	2 0 11038 0 00 0070+24
		S 0030/0000	LENGTH(AH 3477 BK 3576)
			018 "DIA CIR PLASTIC
		0020/3462	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0020/2700	LEN=0040 INSTALLED 1997
LC FOR BECK RD (CONN)	0020/2103		
			018 "DIA CIRC CONCR
		0020/2045	LEN=0040 INSTALLED UNKN
BECK RD (T486)	0020/1625		
			018 "DIA CIR PLASTIC
		0020/0840	LEN=0030 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0020/0615	LEN=0030 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0020/0086	LEN=0035 INSTALLED UNKN
	003556 FT	003556 FT	2 0 11038 0 00 0034+48
		S 0020/0000	LENGTH(AH 3576 BK 3556)
			018 "DIA CIRC CONCR
		0010/2107	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1076	LEN=0035 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0010/0822	LEN=0045 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0010/0679	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0010/0324	LEN=0035 INSTALLED 1997
	000000 FT	000000 FT	2 0 11038 0 00 0000+00
		NC	DUTCH RD
			COLUMBIA ST
			(SR1001 SEG 0170/0000)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 3556 BK 0000)

DIR: B TOTAL LEN: 4.186 MI. DIST: 09-3 SR: 1008
LEFT MUN: CHEST SPRINGS B RIGHT MUN: CHEST SPRINGS B

COLUMBIA ST	022100 FT		022100 FT COLUMBIA ST
(SR1001 SEG 0220/0000)	0070/3920		0070/3920 (SR1001 SEG 0220/0000)
			018 "DIA CIR PLASTIC
			0070/3810 LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0070/2813 LEN=0038 INSTALLED UNKN
CHEST SPRINGS			CHEST SPRINGS
CLEARFIELD T	0070/2440		0070/2440 ALLEGHENY T
			018 "DIA CIR PLASTIC
			0070/0818 LEN=0032 INSTALLED UNKN



DIR: B TOTAL LEN: 4.186 MI. DIST: 09-3 SR: 1008
LEFT MUN: CLEARFIELD T RIGHT MUN: EAST CARROLL T



018180 FT
018180 FT 2 0 11041 0 00 0039+89
BARNETT RD
(T467)
S 0070/0000 LENGTH(AH 3920 BK 3099)
018 "DIA CIR PLASTIC
0060/2738 LEN=0036 INSTALLED UNKN

018 "DIA CIR PLASTIC
0060/1347 LEN=0032 INSTALLED UNKN

018 "DIA CIRC METAL
0060/0596 LEN=0034 INSTALLED UNKN
018 "DIA CIRC METAL
0060/0351 LEN=0040 INSTALLED UNKN
015081 FT
015081 FT 2 0 11041 0 00 0069+69
S 0060/0000 LENGTH(AH 3099 BK 3488)
015 "DIA CIRC CONCR
0050/2904 LEN=0050 INSTALLED UNKN

KEPSHIRE RD
(SR1010 SEG 0010/0000) 0050/2189

018 "DIA CIR PLASTIC
0050/1814 LEN=0035 INSTALLED 2005

011593 FT
011593 FT 2 0 11041 0 00 0105+01
S 0050/0000 LENGTH(AH 3488 BK 3478)


018 "DIA CIR PLASTIC
0040/2254 LEN=0048 INSTALLED UNKN

018 "DIA CIR PLASTIC
0040/1449 LEN=0048 INSTALLED UNKN

024 "DIA CIR PLASTIC
0040/0261 LEN=0080 INSTALLED UNKN
008115 FT
008115 FT 2 0 11041 0 00 0140+92
S 0040/0000 LENGTH(AH 3478 BK 3420)

036"H 00"W MULT METAL
0030/2585 LEN=0040 INSTALLED UNKN


DIR: B TOTAL LEN: 4.186 MI. DIST: 09-3 SR: 1008
LEFT MUN: CLEARFIELD T RIGHT MUN: EAST CARROLL T



	0030/2234	BMSEN 11/1008/0030/2116
		ALLEGHENY
CLEARFIELD		
EAST CARROLL T 0030/2176	0030/2176	EAST CARROLL T
		2 0 11041 0 00 0153+58
		CHEST CREEK
	0030/2116	BMSBG 11/1008/0030/2116
	0030/2050	(AAR 506086M)#TRKS 01
		FEIGHTNER RD
	0030/1995	(T466)
GOODERHAM RD		
(T464) 0030/1947		
		018 "DIA CIR PLASTIC
	0030/1895	LEN=0045 INSTALLED 2005
		015 "DIA CIRC CONCR
	0030/1171	LEN=0048 INSTALLED UNKN
		036 "DIA CIRC METAL
	0030/1100	LEN=0060 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0248	LEN=0050 INSTALLED UNKN
004695 FT	004695 FT	2 0 11041 0 00 0175+95
		VILLAGE: ECKENRODE
	S 0030/0000	LENGTH(AH 3420 BK 3582)
		018 "DIA CIRC CONCR
	0020/3073	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/2099	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0739	LEN=0044 INSTALLED UNKN
001113 FT	001113 FT	2 0 11041 0 00 0211+35
		018 "DIA CIR PLASTIC
		LEN=0044 INSTALLED UNKN
	S 0020/0000	LENGTH(AH 3582 BK 1113)
		018 "DIA CIR PLASTIC
	0010/0119	LEN=0044 INSTALLED UNKN
000000 FT	000000 FT	2 0 11041 0 00 0222+24
	NC	ECKENRODE MILL RD
		CARROLL RD
		(SR4015 SEG 0060/0000)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 1113 BK 0000)

DIR: B TOTAL LEN: 6.741 MI. DIST: 09-3 SR: 1007
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

035595 FT




035595 FT PLANK RD
0120/3409 (SR4031 SEG 0140/0000)
015 "DIA CIRC CONCR
0120/3354 LEN=0034 INSTALLED 1988
CAMBRIA
0120/2914 EAST CARROLL T
018 "DIA CIR PLASTIC
0120/2537 LEN=0038 INSTALLED 1988
018 "DIA CIR PLASTIC
0120/1975 LEN=0040 INSTALLED 1988

018 "DIA CIR PLASTIC
0120/1066 LEN=0032 INSTALLED 1988

032186 FT


032186 FT 2 0 11090 0 00 0033+94
S 0120/0000 LENGTH(AH 3409 BK 3017)

DIR: B TOTAL LEN: 6.741 MI. DIST: 09-3 SR: 1007
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T




		018 "DIA CIR PLASTIC
	0110/2235	LEN=0032 INSTALLED 1988
CUNNINGHAM RD (T481)		
0110/2155		
		018 "DIA CIR PLASTIC
	0110/1941	LEN=0032 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0110/1218	LEN=0026 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0110/0306	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0110/0030	LEN=0030 INSTALLED 1988
029169 FT	029169 FT	2 0 11090 0 00 0063+10
		BUCK RD
		(T486)
	S 0110/0000	LENGTH(AH 3017 BK 3681)
		LC FOR BUCK RD
	0100/3457	(T486)
		018 "DIA CIR PLASTIC
	0100/3106	LEN=0036 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0100/2700	LEN=0026 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0100/2174	LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0100/1814	LEN=0032 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0100/0824	LEN=0038 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0100/0611	LEN=0040 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0100/0325	LEN=0038 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0100/0149	LEN=0030 INSTALLED 1988
025488 FT	025488 FT	2 0 11090 0 00 0100+44
	S 0100/0000	LENGTH(AH 3681 BK 3445)
		024 "DIA CIR PLASTIC
	0090/2862	LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0090/1871	LEN=0040 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0090/1499	LEN=0040 INSTALLED 2006

DIR: B TOTAL LEN: 6.741 MI. DIST: 09-3 SR: 1007
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T




			018 "DIA CIR PLASTIC
		0090/0618	LEN=0040 INSTALLED 2006
			CLUB HOUSE LN
		0090/0286	(PRDR)
			024 "DIA CIR PLASTIC
		0090/0201	LEN=0032 INSTALLED 1988
	022043 FT	022043 FT	2 0 11090 0 00 0135+29
		S 0090/0000	LENGTH(AH 3445 BK 3117)
			024 "DIA CIR PLASTIC
		0080/3053	LEN=0032 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0080/2451	LEN=0038 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0080/1812	LEN=0038 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/1585	LEN=0040 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0080/1307	LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0080/1080	LEN=0040 INSTALLED 2006
			018 "DIA CIRC CONCR
		0080/0600	LEN=0038 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0080/0304	LEN=0040 INSTALLED 2006
2 0 11090 0 00 0166+90	018926 FT	018926 FT	
CAMPBELL RD			
(T454)	0080/0000	S 0080/0000	LENGTH(AH 3117 BK 0677)
			018 "DIA CIR PLASTIC
		0070/0672	LEN=0040 INSTALLED 2006
			018 "DIA CIRC CONCR
		0070/0463	LEN=0047 INSTALLED 1999
		0070/0436	(AAR 506082K)#TRKS 01
		0070/0060	BMSEN 11/1007/0070/0000
			EAST CARROLL
		0070/0049	ALLEGHENY T
	018249 FT	018249 FT	2 0 11090 0 00 0173+85
			CHEST CREEK
			BMSBG 11/1007/0070/0000
		S 0070/0000	LENGTH(AH 0677 BK 2253)
			BRICK RD
			(T465)
			NC LEMON DROP RD
			018 "DIA CIRC CONCR
		0060/1162	LEN=0040 INSTALLED UNKN
			020 "DIA CIRC CONCR
		0060/0763	LEN=0040 INSTALLED UNKN
		0060/0692	(AAR 506082K)#TRKS 01

DIR: B TOTAL LEN: 6.741 MI. DIST: 09-3 SR: 1007
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



		0060/0455	024 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
		0060/0171	018 "DIA CIRC CONCR LEN=0040 INSTALLED 2002
	015996 FT	015996 FT	2 0 11130 0 00 0160+03
		S 0060/0000	LENGTH(AH 2253 BK 3402)
		0050/3134	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1988
		0050/2409	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1988
		0050/1920	018 "DIA CIR PLASTIC LEN=0032 INSTALLED 1988
		0050/1844	036 "DIA CIRC CONCR LEN=0036 INSTALLED 1988
		0050/1522	BECK RD (T486)
		0050/1209	018 "DIA CIRC CONCR LEN=0042 INSTALLED 1988
		0050/0768	BMSEN 11/1007/0050/0756 0 0 00000 0 00 0000+00 TR.CHEST CR.
		0050/0756	BMSBG 11/1007/0050/0756
	012594 FT	012594 FT	2 0 11130 0 00 0125+96
		S 0050/0000	015 "DIA CIR PLASTIC LENGTH(AH 3402 BK 3449)
		0040/3172	018 "DIA CIRC CONCR LEN=0032 INSTALLED 2002
		0040/1844	018 "DIA CIRC METAL LEN=0040 INSTALLED 1988
DRISKEL RD (T483)	0040/1797		
LC FOR DRISKEL RD (CONN)	0040/1209		
		0040/1176	015 "DIA CIRC CONCR LEN=0032 INSTALLED 1988
		0040/0937	015 "DIA CIR PLASTIC LEN=0030 INSTALLED 1988
		0040/0382	015 "DIA CIR PLASTIC LEN=0028 INSTALLED 1988
2 0 11130 0 00 0091+78	009145 FT	009145 FT	ECKENRODE RD (T482)
STOCK RD (T462)	0040/0000	S 0040/0000	LENGTH(AH 3449 BK 3611)
		0030/3564	015 "DIA CIRC CONCR LEN=0060 INSTALLED 1988

DIR: B TOTAL LEN: 6.741 MI. DIST: 09-3 SR: 1007
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




LC FROM STOCK RD (CONN)	0030/3523	
		072 "DIA CIRC CONCR
	0030/2964	LEN=0048 INSTALLED 1988
		024 "DIA CIR PLASTIC
	0030/0612	LEN=0042 INSTALLED 1988
005534 FT		005534 FT 2 0 11130 0 00 0055+41
	S 0030/0000	LENGTH(AH 3611 BK 3421)
		012 "DIA CIRC CONCR
	0020/3127	LEN=0030 INSTALLED 1988
		024 "DIA CIR PLASTIC
	0020/2995	LEN=0036 INSTALLED 1988
		018 "DIA CIRC CONCR
	0020/2682	LEN=0040 INSTALLED 2002
		015 "DIA CIRC CONCR
	0020/2264	LEN=0032 INSTALLED 1988
		036 "DIA CIRC CONCR
	0020/1317	LEN=0032 INSTALLED UNKN
		036 "DIA CIRC METAL
	0020/0200	LEN=0040 INSTALLED 1988
002113 FT		002113 FT 2 0 11130 0 00 0021+20
		ALLEGHENY
		LORETTO B
	S 0020/0000	LENGTH(AH 3421 BK 2113)
		015 "DIA CIRC METAL
	0010/1573	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0010/1177	LEN=0050 INSTALLED 1997
		015 "DIA CIR PLASTIC
	0010/0719	LEN=0040 INSTALLED 1988
000000 FT		000000 FT 2 0 11130 0 00 0000+00
		NC BRICK RD
		COLUMBIA ST
		(SR1001 SEG 0130/0000)
	INTER-BK	MANOR DR
		(SR1001 SEG 0130/0000)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 2113 BK 0000)

DIR: B TOTAL LEN: 3.054 MI. DIST: 09-3 SR: 1006
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



016126 FT GALLITZIN RD
0060/1649 (SR0053 SEG 0410/0000)
024 "DIA CIRC CONCR
0060/1496 LEN=0060 INSTALLED 2001
018 "DIA CIR PLASTIC
0060/0360 LEN=0040 INSTALLED 2001
0060/0078 BMSEN 11/1006/0060/0000
014477 FT 1 0 00053 0 01 0495+22
VILLAGE: SYBERTON
CLEARFLD CR.
BMSBG 11/1006/0060/0000
0060/0000 LENGTH(AH 1649 BK 3773)
GALLITZIN
0050/3515 ALLEGHENY T
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.054 MI. DIST: 09-3 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




0050/3357 LEN=0040 INSTALLED 2001
015"H 00"W MULT CONCR
0050/2954 LEN=0045 INSTALLED 2001

LINCOLN RD
(SR1011 SEG 0010/0000) 0050/2480

016 "DIA CIR PLASTIC
0050/2165 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1935 LEN=0038 INSTALLED 2001
018 "DIA CIR PLASTIC
0050/1725 LEN=0039 INSTALLED 2001
018 "DIA CIR PLASTIC
0050/1396 LEN=0038 INSTALLED 2001
018 "DIA CIR PLASTIC
0050/1180 LEN=0038 INSTALLED 2001
018 "DIA CIR PLASTIC
0050/0828 LEN=0036 INSTALLED 2001
ICE PLANT RD
0050/0551 (T452)
016 "DIA CIR PLASTIC
0050/0198 LEN=0064 INSTALLED 2001
010704 FT 010704 FT 1 0 00053 0 01 0457+27
SEYMORE RD
(T461)
S 0050/0000 LENGTH(AH 3773 BK 3746)
018 "DIA CIR PLASTIC
0040/3617 LEN=0040 INSTALLED 2001
018 "DIA CIRC CONCR
0040/3406 LEN=0045 INSTALLED 2001
018 "DIA CIR PLASTIC
0040/2871 LEN=0048 INSTALLED 2001
018 "DIA CIR PLASTIC
0040/2610 LEN=0035 INSTALLED 2001
018 "DIA CIR PLASTIC
0040/2166 LEN=0050 INSTALLED 2001
018 "DIA CIR PLASTIC
0040/1871 LEN=0038 INSTALLED 2001

018 "DIA CIR PLASTIC
0040/1198 LEN=0038 INSTALLED 2001
018 "DIA CIR PLASTIC
0040/0986 LEN=0050 INSTALLED 2001
018 "DIA CIR PLASTIC
0040/0733 LEN=0038 INSTALLED 2001
016 "DIA CIRC CONCR
0040/0560 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/0513 LEN=0040 INSTALLED 2001
006958 FT 006958 FT 1 0 00053 0 01 0418+59
S 0040/0000 LENGTH(AH 3746 BK 1890)

DIR: B TOTAL LEN: 3.054 MI. DIST: 09-3 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



018 "DIA CIRC CONCR
0030/1855 LEN=0045 INSTALLED 2001

TREXLER RD
(T463) 0030/1234

018 "DIA CIRC CONCR
0030/1183 LEN=0041 INSTALLED 2001
036 "DIA CIRC METAL
0030/1050 LEN=0041 INSTALLED 2001

018 "DIA CIR PLASTIC
0030/0040 LEN=0055 INSTALLED 2001
1 0 00053 0 01 0400+65 005068 FT 005068 FT
NOLL RD
(T458) 0030/0000

S 0030/0000 LENGTH(AH 1890 BK 2815)
018 "DIA CIRC CONCR
0020/2376 LEN=0037 INSTALLED 2001
048 "DIA CIRC CONCR
0020/2318 LEN=0036 INSTALLED 2001

018 "DIA CIR PLASTIC
0020/1348 LEN=0060 INSTALLED 2001

042 "DIA CIRC METAL
0020/0075 LEN=0040 INSTALLED 2001
002253 FT 002253 FT 1 0 00053 0 01 0372+58
ALLEGHENY
LORETTO B

S 0020/0000 LENGTH(AH 2815 BK 2253)

018 "DIA CIRC CONCR
0010/1559 LEN=0044 INSTALLED 2001
018 "DIA CIR PLASTIC
0010/1281 LEN=0040 INSTALLED 2001
018 "DIA CIR PLASTIC
0010/0709 LEN=0028 INSTALLED 2001
SAINT ANN ST
0010/0426 (BORO)


SAINT ELIZABETH ST
(BORO) 0010/0246
000000 FT 000000 FT 1 0 00053 0 01 0349+89
NC SYBERTON RD
SAINT MARY ST
(SR1005 SEG 0090/0000)
MFC BEGIN = D

S 0010/0000 LENGTH(AH 2253 BK 0000)

DIR: B TOTAL LEN: 4.677 MI. DIST: 09-3 SR: 1005
LEFT MUN: LORETTO B RIGHT MUN: LORETTO B


MANOR DR (SR1001 SEG 0110/1276) FOR SR 1001 AND 1005 (CONN)	024695 FT 0090/2779 0090/2694		024695 FT MANOR DR 0090/2779 (SR1001 SEG 0110/1276)
			015 "DIA CIR UNKNOWN
		0090/2462	LEN=0036 INSTALLED UNKN
			FIRST ST
		0090/2410	(BORO)
			SAINT PAUL ST
		0090/2067	(BORO)
			012 "DIA CIR PLASTIC
		0090/1961	LEN=0022 INSTALLED UNKN
			012 "DIA CIRC OTHER
		0090/1765	LEN=0022 INSTALLED UNKN
SECOND ST (BORO)	0090/1718		
			SAINT PETER ST
		0090/1379	(BORO)
			THIRD ST
		0090/1038	(BORO)
			018 "DIA CIR UNKNOWN
		0090/0732	LEN=0034 INSTALLED UNKN
			SAINT JOHN ST
		0090/0697	(BORO)
			FOURTH ST
		0090/0350	(BORO)
			018 "DIA CIR PLASTIC
		0090/0055	LEN=0030 INSTALLED UNKN
	021916 FT	021916 FT	1 0 00053 0 01 0349+89
			NC SAINT MARY ST
			SYBERTON RD
			(SR1006 SEG 0010/0000)
		S 0090/0000	LENGTH(AH 2779 BK 2294)
METZ RD (T444)	0080/1872		
			018 "DIA CIR PLASTIC
		0080/1486	LEN=0064 INSTALLED UNKN
ST JOSEPH ST (BORO)	0080/1354		
			018 "DIA CIR PLASTIC
		0080/0854	LEN=0040 INSTALLED 2005

DIR: B TOTAL LEN: 4.677 MI. DIST: 09-3 SR: 1005
LEFT MUN: LORETTO B RIGHT MUN: LORETTO B




		LORETTO
	0080/0377	ALLEGHENY T
		018 "DIA CIRC CONCR
	0080/0270	LEN=0062 INSTALLED UNKN
1 0 00276 0 05 1538+27 019622 FT		019622 FT
ITLE RD		
(T444) 0080/0000	S 0080/0000	LENGTH(AH 2294 BK 2898)
		072"H 00"W MULT CONCR
	0070/2630	LEN=0044 INSTALLED UNKN
		BR.CLRFLD CR
		STRUCTURE LENGTH 12 FT
	0070/2612	BMSID 11/1005/0070/2612
		018 "DIA CIR PLASTIC
	0070/2314	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/2086	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/1700	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/1298	LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/0636	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/0086	LEN=0037 INSTALLED UNKN
016724 FT	016724 FT	1 0 00276 0 05 1514+00
		SEYMORE RD
		(T461)
	S 0070/0000	LENGTH(AH 2898 BK 1636)
		015 "DIA CIR PLASTIC
	0060/1059	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0060/0607	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/0498	LEN=0032 INSTALLED UNKN
1 0 00276 0 05 1495+80 015088 FT		015088 FT
GREEN LN		
(T455) 0060/0000	S 0060/0000	LENGTH(AH 1636 BK 2445)
		015 "DIA CIR PLASTIC
	0050/2210	LEN=0028 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0050/1691	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0050/0605	LEN=0026 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0050/0033	LEN=0030 INSTALLED UNKN
012643 FT	012643 FT	1 0 00276 0 05 1468+52
		SHAPIRO RD

DIR: B TOTAL LEN: 4.677 MI. DIST: 09-3 SR: 1005
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



		(T456)
	S 0050/0000	LENGTH(AH 2445 BK 3777)
		015 "DIA CIRC CONCR
	0040/3392	LEN=0028 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2860	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2492	LEN=0028 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1885	LEN=0040 INSTALLED 1998
	0040/1476	BMSEN 11/1005/0040/1442
		0 0 00000 0 00 0000+00
		CLRFLD CR
	0040/1442	BMSBG 11/1005/0040/1442
		ALLEGHENY
	0040/1339	CRESSON T
		ICE PLANT RD
	0040/1251	(T452)
	0040/0018	BMSEN 11/1005/0040/0000
008866 FT	008866 FT	1 0 00276 0 05 1430+33
		TR.CLRFLD.C.
		BMSBG 11/1005/0040/0000
	S 0040/0000	LENGTH(AH 3777 BK 3027)
		PLANK RD
VALE WOOD RD (SR1004 SEG 0060/3253) 0030/2360	0030/2360	(T445)
		018 "DIA CIR PLASTIC
	0030/2289	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1738	LEN=0028 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1102	LEN=0028 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0315	LEN=0026 INSTALLED UNKN
1 0 00276 0 05 1400+00 005839 FT	005839 FT	
VALEWOOD RD (T446) 0030/0000	S 0030/0000	LENGTH(AH 3027 BK 3101)
		018 "DIA CIR PLASTIC
	0020/3063	LEN=0046 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/2731	LEN=0024 INSTALLED 2002
		018 "DIA CIR PLASTIC
	0020/2385	LEN=0010 INSTALLED 2006
		015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.677 MI. DIST: 09-3 SR: 1005
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



0020/2161 LEN=0042 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1546 LEN=0026 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1169 LEN=0030 INSTALLED 2006
018 "DIA CIRC METAL
0020/0728 LEN=0034 INSTALLED UNKN
PENN AV
(T442)
CRESSON
0020/0347 CRESSON B
018"H 00"W **UNKNOWN**
0020/0062 LEN=0024 INSTALLED UNKN
002738 FT 002738 FT 1 0 00276 0 05 1368+94
OTHER
OVERPASS IS RR X-ING
CRESSON
CRESSON T
S 0020/0000 LENGTH(AH 3101 BK 2738)
BROAD AV
0010/2344 (T440)

TANK RD
(TWP) 0010/1877


018 "DIA CIRC CONCR
0010/1600 LEN=0032 INSTALLED UNKN
LAUREL WOODS TRAILER CT
0010/1328 (PRDR)
018 "DIA CIR PLASTIC
0010/1210 LEN=0046 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0797 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0466 LEN=0030 INSTALLED UNKN
(APRA) LAUREL WOODS TRA
LAUREL WOODS TRAILER CT
0010/0426 (PRDR)
CRESSON
0010/0276 CRESSON B

FOR SR 1005 AND 2014
(CONN) 0010/0272


036"H 72"W CON BOX CUL
0010/0106 LEN=0072 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0090 LEN=0050 INSTALLED UNKN
NC SR 1005 SH
ADMIRAL PEARY HW
1 0 00276 0 05 1340+60 000000 FT 000000 FT (SR2014 SEG 0120/0442)
ADMIRAL PEARY HW MFC BEGIN = D
(SR2014 SEG 0120/0442) 0010/0000 S 0010/0000 LENGTH(AH 2738 BK 0000)

DIR: B TOTAL LEN: 3.178 MI. DIST: 09-3 SR: 1004
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T

SR 1005 SH (SR1005 SEG 0030/2360)	016782 FT 0060/3253		016782 FT SR 1005 SH 0060/3253 (SR1005 SEG 0030/2360)
			VALEWOOD RD 0060/2201 (T446)
			0060/0020 BMSEN 11/1004/0060/0000
	013529 FT		013529 FT 2 0 11120 0 00 0016+18 CLEARFIELD C BMSBG 11/1004/0060/0000 CRESSON ALLEGHENY T
			S 0060/0000 LENGTH(AH 3253 BK 1608)
	011921 FT		011921 FT 2 0 11120 0 00 0000+00 ALLEGHENY MUNSTER T
			S 0050/0000 LENGTH(AH 1608 BK 3755) 018 "DIA CIRC CONCR
			0040/3614 LEN=0032 INSTALLED 2002 018 "DIA CIRC CONCR
			0040/3489 LEN=0032 INSTALLED 2002
HOOVER RD (T446)	0040/2532		
			018 "DIA CIRC CONCR
			0040/2529 LEN=0032 INSTALLED 2002 036 "DIA CIRC CONCR
			0040/2116 LEN=0032 INSTALLED UNKN



DIR: B TOTAL LEN: 3.178 MI. DIST: 09-3 SR: 1004
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



ITLE RD
(T442) 0040/1127

024 "DIA CIRC METAL
0040/0752 LEN=0030 INSTALLED UNKN

008166 FT 008166 FT 2 0 11119 0 00 0081+59
CRISTE RD
(T443)
S 0040/0000 LENGTH(AH 3755 BK 2076)


018 "DIA CIRC CONCR
0030/0523 LEN=0032 INSTALLED 2002
018 "DIA CIRC CONCR
0030/0028 LEN=0027 INSTALLED 2002
006090 FT 006090 FT 2 0 11119 0 00 0060+34
S 0030/0000 LENGTH(AH 2076 BK 2334)

024 "DIA CIR PLASTIC
0020/1461 LEN=0028 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/0541 LEN=0032 INSTALLED 2002
018 "DIA CIRC CONCR
0020/0028 LEN=0040 INSTALLED UNKN
2 0 11119 0 00 0037+00 003756 FT 003756 FT
DREAM RD
(T444) 0020/0000 S 0020/0000 LENGTH(AH 2334 BK 3756)
CLEARFIELD CREEK
STRUCTURE LENGTH 12 FT
0010/3605 BMSID 11/1004/0010/3605

0010/0086 (AAR 506070R)#TRKS 01
NC VALE WOOD RD
MUNSTER RD
2 0 11119 0 00 0000+00 000000 FT 000000 FT (SR1003 SEG 0010/2231)
MUNSTER RD MFC BEGIN = E
(SR1003 SEG 0010/2231) 0010/0000 S 0010/0000 LENGTH(AH 3756 BK 0000)

DIR: N TOTAL LEN: 3.405 MI. DIST: 09-3 SR: 1003
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




017977 FT

016868 FT


017974 FT
INTER-AHD BOVINE RD
(T471)
MANOR DR
0060/1109 (SR1001 SEG 0090/0000)
015 "DIA CIRC CONCR
0060/0916 LEN=0032 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/0497 LEN=0040 INSTALLED UNKN
016865 FT 2 0 11031 0 00 0162+12
S 0060/0000 LENGTH(AH 1109 BK 3187)

DIR: N TOTAL LEN: 3.405 MI. DIST: 09-3 SR: 1003
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



		015 "DIA CIRC CONCR
	0050/0826	LEN=0040 INSTALLED 2001
		018 "DIA CIRC CONCR
	0050/0444	LEN=0040 INSTALLED 2001
		015 "DIA CIRC CONCR
	0050/0286	LEN=0032 INSTALLED 2001
013681 FT	013678 FT	2 0 11031 0 00 0130+25
		THOMAS RD
		(T460)
	S 0050/0000	LENGTH(AH 3187 BK 2805)
		ALLEGHENY
	0040/2495	MUNSTER T
	0040/2368	(AAR 506075A)#TRKS 01
	0040/2366	(AAR 506075A)#TRKS 01
		018 "DIA CIR PLASTIC
	0040/2240	LEN=0048 INSTALLED 2001
		015 "DIA CIRC CONCR
	0040/1524	LEN=0048 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0040/1351	LEN=0020 INSTALLED 2001
	0040/1214	(AAR 506072E)#TRKS 02
	0040/1194	(AAR 506072E)#TRKS 02
		015 "DIA CIRC CONCR
	0040/0011	LEN=0040 INSTALLED 2001
010876 FT	010873 FT	2 0 11031 0 00 0100+09
	S 0040/0000	LENGTH(AH 2805 BK 3330)
		015 "DIA CIRC CONCR
	0030/2650	LEN=0037 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/2133	LEN=0040 INSTALLED 2001
		015 "DIA CIRC CONCR
	0030/1502	LEN=0040 INSTALLED 2001
		015 "DIA CIRC CONCR
	0030/0176	LEN=0032 INSTALLED 2001
007546 FT	007543 FT	2 0 11031 0 00 0065+79
		(AAR 506071X)#TRKS 01
	S 0030/0000	LENGTH(AH 3330 BK 3121)
		015 "DIA CIRC CONCR
	0020/2843	LEN=0032 INSTALLED 2001
		015 "DIA CIRC METAL
	0020/2692	LEN=0039 INSTALLED UNKN

DIR: N TOTAL LEN: 3.405 MI. DIST: 09-3 SR: 1003
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



		015 "DIA CIRC CONCR
	0020/1895	LEN=0035 INSTALLED UNKN
GLASS RD		
(T438) 0020/1799		
		015 "DIA CIRC CONCR
	0020/1394	LEN=0040 INSTALLED 2001
004425 FT		004422 FT 2 0 11031 0 00 0034+74
	S 0020/0000	LENGTH(AH 3121 BK 3472)
		018 "DIA CIRC CONCR
	0010/2865	LEN=0035 INSTALLED 2000
		018 "DIA CIRC CONCR
	0010/2542	LEN=0032 INSTALLED 2001
		VALEWOOD RD
	0010/2231	(SR1004 SEG 0010/0000)
		018 "DIA CIRC CONCR
	0010/1510	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/1005	LEN=0040 INSTALLED 2001
000953 FT		000950 FT 2 0 11031 0 00 0000+00
		ADMIRAL PEARY HW
		(SR2014 SEG 0070/0000)
	S 0010/0000	LENGTH(AH 3472 BK 0464)
		KEYSTONE DR
	0006/0104	(PRDR)
000489 FT		000486 FT 2 0 11083 0 00 0309+64
		MFC BEGIN = D
	S 0006/0000	LENGTH(AH 0464 BK 0486)
018 "DIA CIRC CONCR		
LEN=0160 INSTALLED UNKN 0003/0300		
RAMP H RD		RAMP H RD
(SR8008 SEG 0250/0000)		(SR8008 SEG 0250/0000)
RAMP G RD		RAMP G RD
(SR8008 SEG 0500/0878) 0003/0165	0002/0166	(SR8008 SEG 0500/0878)
018 "DIA CIRC CONCR		
LEN=0029 INSTALLED UNKN 0003/0019		
2 0 11083 0 00 0307+04 000000 FT		000000 FT 2 0 11083 0 00 0307+64
NC MUNSTER RD		NC MUNSTER RD
MUNSTER RD REF-BK	* REF-BK	MUNSTER RD
(SR0164 SEG 0014/0000)		(SR0164 SEG 0015/0000)
MFC BEGIN = D		MFC BEGIN = D
LENGTH(AH 0489 BK 0000) 0003/0000	S 0002/0000	LENGTH(AH 0486 BK 0000)


DIR: B TOTAL LEN: 4.334 MI. DIST: 09-3 SR: 1002
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

022883 FT

2 0 11131 0 00 0202+80 020129 FT
MEADOWVIEW CT
(T624) 0080/0000

JONES PORTAL RD
(PRDR) 0070/1567

018202 FT



022883 FT MANOR DR
0080/2754 (SR1001 SEG 0050/0637)
018 "DIA CIRC CONCR
0080/2723 LEN=0043 INSTALLED 1988

A FRAME RD
0080/2104 (T465)

018 "DIA CIRC CONCR
0080/1009 LEN=0043 INSTALLED 1988


018 "DIA CIRC CONCR
0080/0045 LEN=0038 INSTALLED 1988
020129 FT

S 0080/0000 LENGTH(AH 2754 BK 1927)
015 "DIA CIRC CONCR
0070/1898 LEN=0059 INSTALLED 1988

018 "DIA CIR PLASTIC
0070/1031 LEN=0030 INSTALLED 1988
HIGHVIEW CT
0070/0770 (T625)

018202 FT 2 0 11131 0 00 0181+68
TANNER ST
(T455)

DIR: B TOTAL LEN: 4.334 MI. DIST: 09-3 SR: 1002
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



S 0070/0000 LENGTH(AH 1927 BK 3160)
016 "DIA CIR PLASTIC
0060/3160 LEN=0060 INSTALLED 1988

GRATA RD
(T454)

0060/1769

018 "DIA CIR PLASTIC
0060/1660 LEN=0032 INSTALLED 1988

015042 FT

015042 FT 2 0 11131 0 00 0149+55
SERVICE RD
(TWP)
S 0060/0000 LENGTH(AH 3160 BK 3045)

018 "DIA CIRC CONCR
0050/1846 LEN=0032 INSTALLED 1988

011997 FT

011997 FT 2 0 11131 0 00 0119+70
S 0050/0000 LENGTH(AH 3045 BK 3670)
018 "DIA CIRC CONCR
0040/3176 LEN=0032 INSTALLED 1988


018 "DIA CIRC CONCR
0040/2146 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR
0040/1843 LEN=0032 INSTALLED 1988

024 "DIA CIR PLASTIC
0040/1050 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0040/0462 LEN=0040 INSTALLED 1988
024 "DIA CIR PLASTIC
0040/0083 LEN=0050 INSTALLED 1998

008327 FT

008327 FT 2 0 11131 0 00 0083+07
PLANK RD
(SR4031 SEG 0120/1438)
NC WINTERSET RD
INTER-BK PLANK RD

DIR: B TOTAL LEN: 4.334 MI. DIST: 09-3 SR: 1002
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



			(SR4031 SEG 0120/1438)
		S 0040/0000	LTH AH 003670 BK 000100
	008327 FT	008327 FT	
		7034/0000	LTH AH 000100 BK 002342
PLANK RD		INTER-AHD	PLANK RD
(SR4031 SEG 0120/1544)	0030/2342	0030/2342	(SR4031 SEG 0120/1544)
			024 "DIA CIRC CONCR
		0030/2186	LEN=0030 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0030/0313	LEN=0032 INSTALLED 1988
	005985 FT	005985 FT	2 0 11131 0 00 0059+00
			018 "DIA CIR PLASTIC
			LEN=0060 INSTALLED 1988
		S 0030/0000	LENGTH(AH 2342 BK 3060)
		0020/0215	BMSEN 11/1002/0020/0000
	002925 FT	002925 FT	2 0 11131 0 00 0029+25
			SR 0219 NBL
			BMSBG 11/1002/0020/0000
		S 0020/0000	LENGTH(AH 3060 BK 2925)
			018 "DIA CIRC CONCR
		0010/2914	LEN=0043 INSTALLED 1988
			018 "DIA CIRC CONCR
		0010/2870	LEN=0034 INSTALLED 1988
	000000 FT	000000 FT	2 0 11131 0 00 0000+00
		NC	FRIEND-LEA RD
			COLVER RD
			(SR4005 SEG 0080/1498)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2925 BK 0000)

DIR: B TOTAL LEN: 11.505 MI. DIST: 09-3 SR: 1001
LEFT MUN: CHEST SPRINGS B RIGHT MUN: CHEST SPRINGS B


060747 FT
COL DRAKE HW
(SR0036 SEG 0140/0000) 0220/2292

FOR SR 0036 AND 1001
(CONN) 0220/2028

JEFFERSON ST
(BORO) 0220/1007

1 0 00406 0 00 0114+82 058455 FT
ECKENRODE MILL RD
(SR1008 SEG 0070/3920) 0220/0000

054759 FT
BARNETT RD




060747 FT
INTER-AHD COL DRAKE HW
0220/2292 (SR0036 SEG 0140/0000)
WASHINGTON ST
0220/2103 (BORO)
018 "DIA CIRC CONCR
0220/1579 LEN=0032 INSTALLED 2000
UNION ST
0220/1559 (BORO)
015 "DIA CIRC CONCR
0220/1097 LEN=0068 INSTALLED 2000
JEFFERSON ST
0220/1007 (SR1011 SEG 0100/3906)
018 "DIA CIRC CONCR
0220/0605 LEN=0032 INSTALLED 2000

058455 FT
S 0220/0000 LENGTH(AH 2292 BK 3696)
CHEST SPRINGS
0210/2982 ALLEGHENY T
015 "DIA CIRC METAL
0210/2596 LEN=0032 INSTALLED 2000
015 "DIA CIRC CONCR
0210/2360 LEN=0031 INSTALLED UNKN

018 "DIA CIRC CONCR
0210/1398 LEN=0031 INSTALLED 2000

015 "DIA CIRC CONCR
0210/0686 LEN=0031 INSTALLED 2000
018 "DIA CIRC CONCR
0210/0186 LEN=0031 INSTALLED 2000
054759 FT 1 0 00406 0 00 0080+40
S 0210/0000 LENGTH(AH 3696 BK 2153)
015 "DIA CIRC CONCR
0200/1598 LEN=0040 INSTALLED 2000

DIR: B TOTAL LEN: 11.505 MI. DIST: 09-3 SR: 1001
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



(T467) 0200/1077

0200/0700 018 "DIA CIRC CONCR LEN=0036 INSTALLED 2000

1 0 00406 0 00 0059+25 052606 FT
KRUG RD
(T499) 0200/0000

052606 FT

S 0200/0000 LENGTH(AH 2153 BK 3824)

0190/2826 015 "DIA CIRC CONCR LEN=0031 INSTALLED UNKN

0190/1873 018 "DIA CIRC CONCR LEN=0031 INSTALLED 2000

0190/0780 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000

0190/0313 018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1988

048782 FT

048782 FT 1 0 00406 0 00 0020+87
SHEEHAN RD
(T468)

S 0190/0000 LENGTH(AH 3824 BK 2385)

0180/1981 018 "DIA CIRC CONCR LEN=0036 INSTALLED 2000

0180/0743 018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN

046397 FT

046397 FT 2 0 11037 0 00 0172+57
STORM RD
(T489)

S 0180/0000 LENGTH(AH 2385 BK 2213)

0170/1229 015 "DIA CIRC CONCR LEN=0028 INSTALLED 2000

0170/0445 015 "DIA CIRC CONCR LEN=0028 INSTALLED 2000


2 0 11037 0 00 0150+43 044184 FT
DUTCH RD
(SR1009 SEG 0010/0000) 0170/0000

044184 FT

S 0170/0000 LENGTH(AH 2213 BK 3828)

0160/3726 015 "DIA CIRC CONCR LEN=0032 INSTALLED 2000
015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.505 MI. DIST: 09-3 SR: 1001
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



0160/3261 LEN=0027 INSTALLED 2000

018 "DIA CIR PLASTIC
0160/2051 LEN=0028 INSTALLED 2000
018 "DIA CIR PLASTIC
0160/1608 LEN=0060 INSTALLED 2000

015 "DIA CIRC CONCR
0160/0418 LEN=0035 INSTALLED UNKN
040356 FT 2 0 11037 0 00 0112+15
S 0160/0000 LENGTH(AH 3828 BK 3685)

040356 FT

015 "DIA CIR PLASTIC
0150/2521 LEN=0040 INSTALLED 2000

015 "DIA CIRC CONCR
0150/1727 LEN=0032 INSTALLED 2000

SHARP RD
0150/0988 (T481)

ECKENRODE RD
(T482) 0150/0790

015 "DIA CIRC CONCR
0150/0028 LEN=0032 INSTALLED 2000
036671 FT 2 0 11037 0 00 0075+30
S 0150/0000 LENGTH(AH 3685 BK 3259)

036671 FT

015 "DIA CIRC CONCR
0140/2786 LEN=0032 INSTALLED 2000
015 "DIA CIR PLASTIC
0140/2197 LEN=0036 INSTALLED 2000


015 "DIA CIRC METAL
0140/1594 LEN=0050 INSTALLED 2000
018 "DIA CIR PLASTIC
0140/1158 LEN=0020 INSTALLED 2000

033412 FT 2 0 11037 0 00 0042+50
ALLEGHENY
LORETTO B
S 0140/0000 LENGTH(AH 3259 BK 1983)

033412 FT


SAINT CHRISTOPHER ST
(BORO) 0130/0898

DIR: B TOTAL LEN: 11.505 MI. DIST: 09-3 SR: 1001
LEFT MUN: LORETTO B RIGHT MUN: LORETTO B




		0130/0018	018 "DIA CIRC CONCR LEN=0022 INSTALLED 2002
2 0 11037 0 00 0022+90	031429 FT	031429 FT	
BRICK RD			NC COLUMBIA ST
(SR1007 SEG 0010/0000)	0130/0000	S 0130/0000	LENGTH(AH 1983 BK 2048)
			018 "DIA CIRC CONCR
		0120/1640	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1170	LEN=0040 INSTALLED UNKN
	029381 FT	029381 FT	2 0 11037 0 00 0000+00
			ST ELIZABETH ST
			(BORO)
		S 0120/0000	LENGTH(AH 2048 BK 1457)
			SAINT MARY ST
		0110/1276	(SR1005 SEG 0090/2779)
			FOR SR 1001 AND 1005
		0110/1168	(CONN)
			018 "DIA CIRC CONCR
		0110/1085	LEN=0036 INSTALLED 2000
			SAINT JOSEPH ST
		0110/0968	(BORO)
			SAINT CATHERINE ST
		0110/0697	(BORO)
			018 "DIA CIRC CONCR
		0110/0665	LEN=0032 INSTALLED 2000
			018 "DIA CIRC CONCR
		0110/0496	LEN=0032 INSTALLED 2000
			018 "DIA CIRC CONCR
		0110/0259	LEN=0032 INSTALLED 1988
			EVERGREEN DR
		0110/0108	(BORO)
	027924 FT	027924 FT	2 0 11037 0 01 0310+03
			015 "DIA CIRC CONCR
			LEN=0045 INSTALLED 2000
		S 0110/0000	LENGTH(AH 1457 BK 0825)
	027099 FT	027099 FT	1 0 00053 0 01 0301+27
			KELLY DR
			(BORO)
		S 0100/0000	LENGTH(AH 0825 BK 3273)
			LORETTO
		0090/3251	ALLEGHENY T
			018 "DIA CIR PLASTIC
		0090/2573	LEN=0038 INSTALLED 2000

DIR: B TOTAL LEN: 11.505 MI. DIST: 09-3 SR: 1001
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




		018 "DIA CIR PLASTIC
	0090/1368	LEN=0032 INSTALLED 2000
	0090/0553	BMSEN 11/1001/0090/0449
		1 0 00053 0 01 0272+86
		OTHER RR
	0090/0449	BMSBG 11/1001/0090/0449
1 0 00053 0 01 0268+45 023826 FT	023826 FT	MUNSTER RD
BOVINE RD		(SR1003 SEG 0060/1109)
(T471) 0090/0000	S 0090/0000	LENGTH(AH 3273 BK 3873)
		018 "DIA CIRC CONCR
	0080/3320	LEN=0038 INSTALLED 2000
		024 "DIA CIR PLASTIC
	0080/3018	LEN=0010 INSTALLED 2000
		018 "DIA CIRC CONCR
	0080/2655	LEN=0034 INSTALLED 2000
		018 "DIA CIRC CONCR
	0080/2209	LEN=0032 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0080/1869	LEN=0032 INSTALLED 2000
		018 "DIA CIRC CONCR
	0080/1563	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/1136	LEN=0038 INSTALLED 2000
		036 "DIA CIRC CONCR
	0080/0904	LEN=0060 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0080/0411	LEN=0038 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0080/0058	LEN=0045 INSTALLED 2000
019953 FT	019953 FT	1 0 00053 0 01 0229+48
	S 0080/0000	LENGTH(AH 3873 BK 2821)
		015 "DIA CIRC CONCR
	0070/2543	LEN=0031 INSTALLED 2000
		015 "DIA CIRC CONCR
	0070/1921	LEN=0039 INSTALLED 2000
		015 "DIA CIRC CONCR
	0070/1606	LEN=0035 INSTALLED 2000
		018 "DIA CIRC CONCR
	0070/1181	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0070/1098	LEN=0050 INSTALLED 2004
		018 "DIA CIRC CONCR
	0070/0775	LEN=0039 INSTALLED 2000
1 0 00053 0 01 0201+49 017132 FT	017132 FT	
STOCK RD		
(T462) 0070/0000	S 0070/0000	LENGTH(AH 2821 BK 2568)

DIR: B TOTAL LEN: 11.505 MI. DIST: 09-3 SR: 1001
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T



			015 "DIA CIRC CONCR
		0060/2539	LEN=0036 INSTALLED 2000
			015 "DIA CIRC CONCR
		0060/2201	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1521	LEN=0032 INSTALLED 2000
			ALLEGHENY
		0060/1174	CAMBRIA T
			018 "DIA CIR PLASTIC
		0060/1159	LEN=0055 INSTALLED 2000
			018 "DIA CIRC CONCR
		0060/0673	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0060/0389	LEN=0040 INSTALLED 2000
	014564 FT	014564 FT	1 0 00053 0 01 0175+12
		S 0060/0000	LENGTH(AH 2568 BK 2909)
			015 "DIA CIRC CONCR
		0050/2857	LEN=0045 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0050/2315	LEN=0044 INSTALLED 2000
			015 "DIA CIRC CONCR
		0050/1709	LEN=0048 INSTALLED 2000
			018 "DIA CIRC CONCR
		0050/1508	LEN=0029 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1267	LEN=0042 INSTALLED 2000
			018 "DIA CIRC CONCR
		0050/0930	LEN=0056 INSTALLED 2000
			018 "DIA CIRC CONCR
		0050/0649	LEN=0054 INSTALLED 2000
WINTERSET RD (SR1002 SEG 0080/2754)	0050/0637		
		0050/0097	BMSEN 11/1001/0050/0000
	011655 FT	011655 FT	1 0 00053 0 00 0146+80
			OTHER RR
			BMSBG 11/1001/0050/0000
		S 0050/0000	LENGTH(AH 2909 BK 3319)
			015 "DIA CIRC CONCR
		0040/1394	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/0496	LEN=0030 INSTALLED UNKN
	008336 FT	008336 FT	1 0 00053 0 00 0113+74

DIR: B TOTAL LEN: 11.505 MI. DIST: 09-3 SR: 1001
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



LOU'S RD
(T484)
S 0040/0000 LENGTH(AH 3319 BK 2773)
015 "DIA CIRC CONCR
0030/2743 LEN=0045 INSTALLED UNKN

015 "DIA CIRC CONCR
0030/0992 LEN=0040 INSTALLED 1988
WINDY VALLEY RD
0030/0667 (PRDR)
015 "DIA CIRC CONCR
0030/0311 LEN=0037 INSTALLED 2000
005563 FT 005563 FT 1 0 00053 0 00 0086+01
S 0030/0000 LENGTH(AH 2773 BK 2567)
015 "DIA CIRC CONCR
0020/2418 LEN=0040 INSTALLED 2000

015 "DIA CIRC CONCR
0020/1525 LEN=0030 INSTALLED 2000

018 "DIA CIRC CONCR
0020/0820 LEN=0060 INSTALLED 2000
002996 FT 002996 FT 1 0 00053 0 00 0060+55
S 0020/0000 LENGTH(AH 2567 BK 2996)

015 "DIA CIRC CONCR
0010/2355 LEN=0028 INSTALLED 2000

015 "DIA CIRC CONCR
0010/1425 LEN=0028 INSTALLED 2000
LEHIGH VALLEY RAILROAD
0010/0894 OVERPASS IS RR X-ING
0010/0443 BMSEN 11/1001/0010/0423
1 0 00053 0 00 0034+86
HOWELLS RUN
0010/0423 BMSBG 11/1001/0010/0423
CAMBRIA
0010/0397 EBENSBURG B
000000 FT 000000 FT 1 0 00053 0 00 0030+13
ROWENA DR
(SR1036 SEG 0060/0000)
NC MANOR DR

ROWENA DR
(SR1036 SEG 0060/0000) 0010/0000
MFC BEGIN = D
S 0010/0000 LENGTH(AH 2996 BK 0000)


DIR: B TOTAL LEN: .201 MI. DIST: 09-3 SR: 985
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T

001063 FT

OLD COUNTRY RD
(SR3009 SEG 0011/0000) 0010/1063
TO 3011/0010 SH
(CONN) 0010/0723

FRANKLIN ST
(SR3011 SEG 0010/0000) 0010/0527

000000 FT




001063 FT
INTER-AHD FERNDALE AV
(SR0403 SEG 0020/0000)
FLEMING AV
(SR0403 SEG 0020/0000)
0010/1063

FROM 0985/0010 SH
0010/0631 (CONN)
018 "DIA CIRC CONCR
0010/0587 LEN=0040 INSTALLED UNKN
0010/0527

TO 0985/0010 SH
0010/0321 (CONN)
018 "DIA CIR PLASTIC
0010/0185 LEN=0150 INSTALLED UNKN
000000 FT 1 0 00317 0 00 0000+00
NC SOMERSET PK
REF-BK SOMERSET PK
(SR0985 SEG 0380/4159)
MFC BEGIN = C
BK-SOMERSET (55)
0010/0000 LENGTH(AH 1063 BK 0000)

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T




049710 FT

049722 FT AH-BEDFORD (05)
REF-AHD SR 0869 SH
0200/3675 (SR0869 SEG 0010/0000)
018 "DIA CIR PLASTIC
0200/3605 LEN=0034 INSTALLED 1998
018 "DIA CIRC CONCR
0200/2611 LEN=0010 INSTALLED 2003
018 "DIA CIRC CONCR
0200/2095 LEN=0034 INSTALLED 1988
024 "DIA CIR PLASTIC
0200/1788 LEN=0036 INSTALLED 1988
024 "DIA CIR PLASTIC
0200/1380 LEN=0036 INSTALLED 1998
024 "DIA CIR PLASTIC
0200/1230 LEN=0036 INSTALLED 1988
024 "DIA CIR PLASTIC
0200/0969 LEN=0036 INSTALLED 1988

046035 FT

046047 FT 1 0 00748 0 01 0160+33
0200/0000 LENGTH(AH 3675 BK 2954)
048 "DIA CIRC CONCR
0190/2826 LEN=0036 INSTALLED 1988
024 "DIA CIR PLASTIC

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



0190/2530 LEN=0032 INSTALLED 1988

018 "DIA CIR PLASTIC
0190/1374 LEN=0032 INSTALLED 1988
015 "DIA CIR PLASTIC
0190/0935 LEN=0030 INSTALLED 1988
036 "DIA CIR PLASTIC
0190/0705 LEN=0040 INSTALLED 1988

024 "DIA CIR PLASTIC
0190/0018 LEN=0032 INSTALLED 1998
043081 FT 043093 FT 1 0 00748 0 01 0130+79
S 0190/0000 LENGTH(AH 2954 BK 3183)


018 "DIA CIRC METAL
0180/1724 LEN=0080 INSTALLED 1988
018 "DIA CIR PLASTIC
0180/1557 LEN=0054 INSTALLED 1988
018 "DIA CIR PLASTIC
0180/1360 LEN=0028 INSTALLED 1988
024 "DIA CIR PLASTIC
0180/1020 LEN=0060 INSTALLED 1988
018 "DIA CIR PLASTIC
0180/0694 LEN=0040 INSTALLED 1998

039898 FT 039910 FT 1 0 00748 0 01 0098+48
S 0180/0000 LENGTH(AH 3183 BK 4000)
015 "DIA CIRC CONCR
0170/3975 LEN=0050 INSTALLED 1988
018 "DIA CIR PLASTIC
0170/3620 LEN=0040 INSTALLED 1988
018 "DIA CIR PLASTIC
0170/3150 LEN=0040 INSTALLED 1988

ONNALINDA RD
(T323)
0170/1559

015 "DIA CIR PLASTIC
0170/1450 LEN=0040 INSTALLED 1988
015 "DIA CIR PLASTIC
0170/1215 LEN=0036 INSTALLED 1988
015 "DIA CIR PLASTIC
0170/0939 LEN=0040 INSTALLED 1988
015 "DIA CIRC METAL
0170/0701 LEN=0040 INSTALLED 1988

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



018 "DIA CIR PLASTIC
0170/0441 LEN=0042 INSTALLED 2005
015 "DIA CIRC METAL
0170/0207 LEN=0040 INSTALLED 1988
015 "DIA CIR PLASTIC
0170/0040 LEN=0040 INSTALLED 1988
035910 FT

1 0 00748 0 00 0060+55 035898 FT
STEPSIDE AV
(SR2002 SEG 0010/0000) 0170/0000

S 0170/0000 LENGTH(AH 4000 BK 2630)
018 "DIA CIR PLASTIC
0160/2387 LEN=0040 INSTALLED 1988
018 "DIA CIR PLASTIC
0160/2125 LEN=0040 INSTALLED 1988
018 "DIA CIR PLASTIC
0160/1809 LEN=0034 INSTALLED 1988
018 "DIA CIR PLASTIC
0160/1275 LEN=0040 INSTALLED 1988
018 "DIA CIRC METAL
0160/1051 LEN=0042 INSTALLED 1988
018 "DIA CIRC METAL
0160/0735 LEN=0036 INSTALLED 1988
015 "DIA CIRC METAL
0160/0515 LEN=0046 INSTALLED 1988
015 "DIA CIRC METAL
0160/0343 LEN=0055 INSTALLED 1988
015 "DIA CIRC CONCR
0160/0029 LEN=0030 INSTALLED 1988
033268 FT 033280 FT 1 0 00748 0 00 0034+62
S 0160/0000 LENGTH(AH 2630 BK 3429)

GREENHILL AV
(T703) 0150/2306


0150/1711 BMSEN 11/0869/0150/1672
1 0 00748 0 00 0016+70
NC SHAWNEE RD
L.CONEMA R
0150/1672 BMSBG 11/0869/0150/1672

024 "DIA CIRC METAL
0150/1049 LEN=0030 INSTALLED UNKN

RAILROAD AV
(T702) 0150/0831


NC RAILROAD ST
018 "DIA CIR PLASTIC
0150/0727 LEN=0066 INSTALLED 1998
SZALAY AV
0150/0680 (T702)
015 "DIA CIRC METAL
0150/0669 LEN=0036 INSTALLED UNKN
024 "DIA CIRC METAL

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T




0150/0416 LEN=0050 INSTALLED UNKN
JEFFERSON AV
0150/0309 (T331)
029839 FT 029851 FT 1 0 00748 0 00 0000+00
CAMERON AV
(SR2003 SEG 0090/2085)
NC OAK ST
OAK ST
(T699)
S 0150/0000 LENGTH(AH 3429 BK 1026)
POPLAR ST
0140/0541 (T676)
015 "DIA CIRC CONCR
0140/0519 LEN=0032 INSTALLED UNKN
015 "DIA CIRC CONCR
0140/0011 LEN=0024 INSTALLED UNKN
028813 FT 028825 FT 2 0 11009 0 04 0635+14
CHESTNUT ST
(T309)
S 0140/0000 LENGTH(AH 1026 BK 0848)
012 "DIA CIRC CONCR
0130/0833 LEN=0833 INSTALLED UNKN
015 "DIA CIRC CONCR
0130/0486 LEN=0028 INSTALLED UNKN
SPRUCE ST
0130/0441 (T313)
018 "DIA CIRC CONCR
0130/0417 LEN=0099 INSTALLED UNKN
015 "DIA CIRC CONCR
0130/0035 LEN=0030 INSTALLED 2002
015 "DIA CIRC CONCR
0130/0007 LEN=0048 INSTALLED UNKN
027965 FT 027977 FT 2 0 11009 0 04 0643+52
VILLAGE: LLOYDELL
STEWART ST
(T581)
S 0130/0000 LENGTH(AH 0848 BK 1146)
015 "DIA CIRC CONCR
0120/0813 LEN=0190 INSTALLED UNKN
CEDAR ST
(T680)
NC CAMERON AV
CAMERON AV
0120/0788 (T677)
CENTER PL
0120/0624 (TWP)
JEFFERSON AV
0120/0454 (T331)
015 "DIA CIRC CONCR
0120/0411 LEN=0042 INSTALLED UNKN

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T




	026819 FT		026831 FT 2 0 11009 0 04 0655+27
MARGARET AV (SR2007 SEG 0010/0000)	0120/0000		NC CEDAR ST
		S	0120/0000 LENGTH(AH 1146 BK 3848)
			060"H 84"W CONC STRUCT
			LEN=0030 INSTALLED UNKN
			UNKNOWN STREAM
			STRUCTURE LENGTH 9 FT
			0110/3531 BMSID 11/0869/0110/3531
			0110/2787 BMSEN 11/0869/0110/2776
			2 0 11095 0 01 0142+40
			TR. LITTLE CONEMAUGH RI
			0110/2776 BMSBG 11/0869/0110/2776
			015 "DIA CIRC CONCR
			0110/2132 LEN=0099 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0110/1588 LEN=0099 INSTALLED UNKN
			TR.LT.CONMGH
			STRUCTURE LENGTH 8 FT
			0110/1570 BMSID 11/0869/0110/1570
			015 "DIA CIRC METAL
			0110/1262 LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0110/1075 LEN=0044 INSTALLED UNKN
BEAVER ST (T705)	0110/1041		
			015 "DIA CIRC CONCR
			0110/0906 LEN=0026 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0110/0724 LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0110/0552 LEN=0026 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0110/0179 LEN=0030 INSTALLED UNKN
	022971 FT		022983 FT 2 0 11095 0 01 0114+87
			VILLAGE: BEAVERDALE
			SUMMERHILL
			ADAMS TOWNSHIP T
		S	0110/0000 LENGTH(AH 3848 BK 3311)
			018 "DIA CIRC CONCR
			0100/3267 LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0100/3000 LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0100/2685 LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0100/2335 LEN=0032 INSTALLED 1998
			018 "DIA CIRC CONCR
			0100/2070 LEN=0028 INSTALLED UNKN

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




	0100/1680	015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
	0100/1410	015 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
	0100/1140	018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
	0100/0875	024 "DIA CIRC CONCR LEN=0026 INSTALLED UNKN
	0100/0635	024 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN
	0100/0450	018 "DIA CIR PLASTIC LEN=0051 INSTALLED 2016
019660 FT	019672 FT	2 0 11095 0 01 0081+15
	S 0100/0000	LENGTH(AH 3311 BK 1518)
	0090/1355	036 "DIA CIRC CONCR LEN=0090 INSTALLED 2002
	0090/1300	036 "DIA CIRC CONCR LEN=0080 INSTALLED 2002 (APRA) HIGHLAND NORTH W HIGHLAND NORTH WIND FAR
	0090/1100	(PRDR)
	0090/0810	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 2016
	0090/0210	018 "DIA CIRC CONCR LEN=0064 INSTALLED UNKN
	0090/0108	CHEVY LN (TWP)
	0090/0081	BMSEN 11/0869/0090/0000 ADAMS TOWNSHIP
	0090/0039	CROYLE T
018142 FT	018154 FT	2 0 11095 0 00 0066+10 S FORK BR L CONEMAUGH R
	S 0090/0000	BMSBG 11/0869/0090/0000 LENGTH(AH 1518 BK 2792)
	0080/2349	FOREST ST (T503)
	0080/1597	012 "DIA CIRC CONCR LEN=0028 INSTALLED 1988
	0080/0854	015 "DIA CIRC CONCR LEN=0028 INSTALLED 1988
	0080/0617	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1988
015350 FT	015362 FT	2 0 11095 0 00 0038+16 T.LT.CONEMA
		STRUCTURE LENGTH 9 FT BMSID 11/0869/0080/0000

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




	S 0080/0000	LENGTH(AH 2792 BK 2619)
		015 "DIA CIRC CONCR
	0070/2039	LEN=0028 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0070/1446	LEN=0060 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0070/1150	LEN=0055 INSTALLED 2006
		015 "DIA CIR PLASTIC
	0070/0692	LEN=0045 INSTALLED 2006
		018 "DIA CIRC CONCR
	0070/0391	LEN=0020 INSTALLED 2006
2 0 11095 0 00 0011+87 012731 FT		012743 FT
HUMBERT RD		
(T760) 0070/0000	S 0070/0000	LENGTH(AH 2619 BK 1194)
		015 "DIA CIR PLASTIC
	0060/1136	LEN=0030 INSTALLED 1988
		015 "DIA CIRC CONCR
	0060/0473	LEN=0030 INSTALLED 1988
	011549 FT	AVER RUN RD
2 0 11095 0 00 0000+00 011537 FT	INTER-BK	FOREST HILLS DR
MILL RD		(SR0160 SEG 0200/0000)
(SR0160 SEG 0200/0000) 0060/0000	S 0060/0000	LTH AH 001194 BK 001173
011537 FT	011549 FT	
	7054/0000	LTH AH 001173 BK 003366
	INTER-AHD	FOREST HILLS DR
		(SR0160 SEG 0180/0000)
		FOREST HILLS DR
		(SR0160 SEG 0180/0000)
	0050/3366	ADAMS TOWNSHIP T
		MEADOW ST
	0050/3172	(T402)
		MAPLE ST
	0050/2835	(T406)
		GROVE ST
	0050/2485	(T401)
		018 "DIA CIRC METAL
	0050/2228	LEN=0035 INSTALLED 1988
		018 "DIA CIRC METAL
	0050/1888	LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
	0050/1680	LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
	0050/1227	LEN=0050 INSTALLED 1988
		022"H 34"W ELLIP CONC
	0050/0591	LEN=0048 INSTALLED 1975
008171 FT	008183 FT	2 0 11010 0 01 0191+24
		VILLAGE: SIDMAN
	S 0050/0000	LENGTH(AH 3366 BK 3240)

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



		0040/3101	SIXTH ST (T615)
		0040/2820	018 "DIA CIRC METAL LEN=0030 INSTALLED 1988
		0040/2780	FIFTH ST (T614)
LAKE RD (T352)	0040/2724		
		0040/2464	FOURTH ST (T613)
		0040/2315	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1988
		0040/2160	THIRD ST (T305)
		0040/2150	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1988
		0040/1849	SECOND ST (T504)
		0040/1720	072 "DIA CIRC METAL LEN=0094 INSTALLED 1988
		0040/1518	WPA-RD (T308)
		0040/1350	BMSEN 11/0869/0040/1331 2 0 11010 0 01 0210+26 T.LT.CONEMA
		0040/1331	BMSBG 11/0869/0040/1331 018 "DIA CIR PLASTIC
		0040/1130	LEN=0044 INSTALLED 1988
		0040/1115	SCHOOLBOOK RD (T608)
		0040/0650	018 "DIA CIRC CONCR LEN=0032 INSTALLED 1988
		0040/0599	FIRST ST (T606)
		0040/0029	BMSEN 11/0869/0040/0000
	004931 FT	004943 FT	2 0 11010 0 01 0223+64 TOPPER RUN
		S 0040/0000	BMSBG 11/0869/0040/0000 LENGTH(AH 3240 BK 3527)
		0030/3412	024 "DIA CIRC CONCR LEN=0068 INSTALLED 1988
		0030/3120	018 "DIA CIRC CONCR LEN=0072 INSTALLED 1988
WASHINGTON ST (TWP)	0030/3068	0030/3068	MAIN ST (T382)
		0030/2825	024 "DIA CIRC CONCR LEN=0040 INSTALLED 1988
		0030/2725	018 "DIA CIRC CONCR LEN=0028 INSTALLED 1988
			024 "DIA CIRC CONCR

DIR: E TOTAL LEN: 9.417 MI. DIST: 09-3 SR: 869
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



0030/2552 LEN=0042 INSTALLED 1988
FRANKLIN ST
0030/2499 (T605)
018 "DIA CIRC CONCR
0030/2340 LEN=0046 INSTALLED 1988
LINCOLN ST
0030/2303 (TWP)
018 "DIA CIRC CONCR
0030/1921 LEN=0040 INSTALLED 1988
MARKET ST
0030/1911 (T603)
018 "DIA CIRC CONCR
0030/1750 LEN=0050 INSTALLED 1988
030 "DIA CIRC CONCR
0030/1507 LEN=0060 INSTALLED 1988
MAIN ST
0030/0645 (T382)

SOUTH AMBIENT RD
(TWP) 0030/0119
001404 FT

001416 FT 2 0 11010 0 01 0259+00
MFC BEGIN = D
S 0030/0000 LENGTH(AH 3527 BK 1416)

018 "DIA CIRC CONCR
0020/1387 LEN=0032 INSTALLED 2002
018 "DIA CIRC CONCR
0020/1080 LEN=0080 INSTALLED UNKN
FROM 8007/0010 SH
0020/0722 (CONN)
RAMP C RD
(SR8007 SEG 0020/0000)
RAMP D RD
(SR8007 SEG 0010/0802)
0020/0645 (SR8007 SEG 0010/0802)
TO 8007/0020 SH
0020/0349 (CONN)

RAMP C RD
(SR8007 SEG 0020/0000)
RAMP D RD
(SR8007 SEG 0010/0802) 0021/0690


018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0021/0310

018 "DIA CIRC CONCR
0020/0270 LEN=0090 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2002 0021/0090
2 0 11010 0 01 0273+00 000000 FT
SR 0219 NBL
OP ID 11/0219/0200/0000
NC LOCUST ST
LOCUST ST REF-BK
(SR3048 SEG 0011/1450)
MFC BEGIN = D
LENGTH(AH 1404 BK 0000) 0021/0000

000000 FT 2 0 11010 0 01 0273+00
SR 0219 NBL
OP ID 11/0219/0200/0000
NC LOCUST ST
REF-BK LOCUST ST
(SR3048 SEG 0010/1193)
MFC BEGIN = D
S 0020/0000 LENGTH(AH 1416 BK 0000)

DIR: B TOTAL LEN: 7.139 MI. DIST: 09-3 SR: 865
LEFT MUN: READE T RIGHT MUN: READE T



037693 FT

035539 FT


GILL HOLLOW RD
(T577) 0110/1558

2 0 11063 0 02 0604+90 031956 FT
CROSSOVER RD
(T578) 0110/0000

037693 FT AH-CLEARFIELD (17)
REF-AHD UTAHVILLE RD
0120/2154 (SR0865 SEG 0010/0000)
018 "DIA CIR PLASTIC
0120/1768 LEN=0040 INSTALLED UNKN
012 "DIA CIR PLASTIC
0120/0703 LEN=0034 INSTALLED UNKN
024 "DIA CIR PLASTIC
0120/0150 LEN=0030 INSTALLED UNKN
035539 FT 2 0 11063 0 02 0640+47
S 0120/0000 LENGTH(AH 2154 BK 3583)

018 "DIA CIR PLASTIC
0110/1038 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/0534 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/0339 LEN=0033 INSTALLED UNKN
031956 FT
S 0110/0000 LENGTH(AH 3583 BK 2961)
018 "DIA CIR PLASTIC
0100/2725 LEN=0041 INSTALLED UNKN
018 "DIA CIRC CONCR
0100/2490 LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 7.139 MI. DIST: 09-3 SR: 865
LEFT MUN: READE T RIGHT MUN: READE T



018 "DIA CIRC CONCR
0100/2262 LEN=0030 INSTALLED UNKN
015 "DIA CIR PLASTIC
0100/2069 LEN=0040 INSTALLED UNKN
012 "DIA CIRC CONCR
0100/1662 LEN=0032 INSTALLED UNKN

EXECUTIVE DR
(SR0253 SEG 0090/0000)
INTER-BK SKYLINE DR
028995 FT (SR0253 SEG 0090/0000)
MFC BEGIN = E

2 0 11063 0 02 0575+41 028995 FT
ROSELAND RD
(SR1022 SEG 0070/3008) 0100/0000
028995 FT
S 0100/0000 LTH AH 002961 BK 002136
028995 FT
7094/0000 LTH AH 002136 BK 002592
INTER-AHD SKYLINE DR
EXECUTIVE DR
(SR0253 SEG 0080/0000) 0090/2592
HOLLENWAY DR
(T563) 0090/2530
0090/2592 (SR0253 SEG 0080/0000)

018 "DIA CIRC CONCR
0090/1456 LEN=0030 INSTALLED 1988


HOLLENWAY DR
(T563) 0090/0848

018 "DIA CIRC CONCR
0090/0750 LEN=0030 INSTALLED UNKN

026403 FT
026403 FT 2 0 11060 0 00 0075+75
VILLAGE: MOUNTAINDALE
NEW RD
(T571)
S 0090/0000 LENGTH(AH 2592 BK 3217)


036 "DIA CIR PLASTIC
0080/0080 LEN=0030 INSTALLED 1988
2 0 11060 0 00 0043+37 023186 FT
RIDGE RD
023186 FT MOUNTAINDALE RD
(SR1024 SEG 0010/0000)

DIR: B TOTAL LEN: 7.139 MI. DIST: 09-3 SR: 865
LEFT MUN: READE T RIGHT MUN: READE T




(T567)	0080/0000		S 0080/0000 LENGTH(AH 3217 BK 3500)
			018 "DIA CIRC CONCR
		0070/2000	LEN=0047 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0070/1718	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/1160	LEN=0066 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/0900	LEN=0110 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/0488	LEN=0030 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/0349	LEN=0030 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/0125	LEN=0030 INSTALLED 1988
	019686 FT		019686 FT 2 0 11060 0 00 0008+36
			S 0070/0000 LENGTH(AH 3500 BK 3185)
			015 "DIA CIRC CONCR
		0060/3089	LEN=0030 INSTALLED 1988
			015 "DIA CIRC CONCR
		0060/2028	LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1608	LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1265	LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/0850	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/0530	LEN=0030 INSTALLED 1988
1 0 00383 0 01 0165+35	016501 FT		016501 FT
READE ST			
(T564)	0060/0000		S 0060/0000 LENGTH(AH 3185 BK 3127)
			015 "DIA CIRC CONCR
		0050/3104	LEN=0045 INSTALLED 1988
POST OFFICE AV			
(T562)	0050/2410		
			015 "DIA CIRC CONCR
		0050/2352	LEN=0030 INSTALLED 1988
			018 "DIA CIRC CONCR
		0050/2040	LEN=0030 INSTALLED 1988
			015 "DIA CIRC CONCR
		0050/1664	LEN=0026 INSTALLED UNKN
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 7.139 MI. DIST: 09-3 SR: 865
LEFT MUN: READE T RIGHT MUN: READE T



	0050/1183	LEN=0030 INSTALLED UNKN
READE ST (T564)		MOUNTAINDALE RD
0050/0126	0050/0126	(SR1024 SEG 0030/3078)
	0050/0101	BMSEN 11/0865/0050/0000
013374 FT	013374 FT	1 0 00383 0 00 0133+98
		CONSOLIDATED RAIL CO RR
		BMSBG 11/0865/0050/0000
	S 0050/0000	LENGTH(AH 3127 BK 2488)
NO NAME RD (PRDR)		
0040/2398		SAW MILL RD
	0040/2299	(T565)
		024 "DIA CIRC CONCR
	0040/1713	LEN=0028 INSTALLED UNKN
		FIRE TOWER RD
	0040/1691	(TWP)
		015 "DIA CIRC METAL
	0040/0940	LEN=0028 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/0437	LEN=0092 INSTALLED 1988
		015 "DIA CIRC CONCR
	0040/0426	LEN=0030 INSTALLED UNKN
010886 FT	010886 FT	1 0 00383 0 00 0109+23
		VILLAGE: BLANDBURG
		POWELL RUN
		STRUCTURE LENGTH 10 FT
		BMSID 11/0865/0040/0000
	S 0040/0000	LENGTH(AH 2488 BK 3886)
		015 "DIA CIRC CONCR
	0030/3369	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/2813	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/2113	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1719	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1338	LEN=0028 INSTALLED UNKN
		018 "DIA CIRC METAL
	0030/0185	LEN=0026 INSTALLED UNKN
007000 FT	007000 FT	1 0 00383 0 00 0070+62
		VILLAGE: LLOYDSVILLE
	S 0030/0000	LENGTH(AH 3886 BK 3480)
		018 "DIA CIRC METAL


DIR: B TOTAL LEN: 7.139 MI. DIST: 09-3 SR: 865
LEFT MUN: READE T RIGHT MUN: READE T



MINING RD
(PRDR)


0020/3390 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/3094 LEN=0034 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/2729 LEN=0030 INSTALLED UNKN
0020/2689
018 "DIA CIRC CONCR
0020/2253 LEN=0050 INSTALLED UNKN
015 "DIA CIRC METAL
0020/1750 LEN=0036 INSTALLED UNKN
018 "DIA CIRC METAL
0020/1528 LEN=0036 INSTALLED UNKN
024 "DIA CIR UNKNOWN
0020/1312 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/0628 LEN=0040 INSTALLED UNKN
024 "DIA CIR UNKNOWN
0020/0055 LEN=0032 INSTALLED UNKN
003520 FT
003520 FT 1 0 00383 0 00 0035+55
S 0020/0000 LENGTH(AH 3480 BK 3520)
015 "DIA CIRC CONCR
0010/3311 LEN=0031 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/3060 LEN=0029 INSTALLED UNKN
036 "DIA CIRC CONCR
0010/2570 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/2155 LEN=0030 INSTALLED UNKN
075"H 95"W CONC STRUCT
0010/1818 LEN=0035 INSTALLED UNKN
LLOYDSVILLE RUN
STRUCTURE LENGTH 8 FT
0010/1805 BMSID 11/0865/0010/1805
015 "DIA CIRC CONCR
0010/1440 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/1050 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0452 LEN=0050 INSTALLED 1998
018 "DIA CIR PLASTIC
0010/0281 LEN=0012 INSTALLED 1988
000000 FT
000000 FT 1 0 00383 0 00 0000+00
NC SKYLINE DR
REF-BK SR 0865 SH
(SR0865 SEG 0120/0942)
MFC BEGIN = D
BK-BLAIR (07)
S 0010/0000 LENGTH(AH 3520 BK 0000)

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



FORREST HILLS DR (SR0160 SEG 0060/0000)	037963 FT 0170/2727		037982 FT FORREST HILLS DR 0170/2727 (SR0160 SEG 0060/0000) 015 "DIA CIRC CONCR
			0170/2635 LEN=0018 INSTALLED 1988
POST ST (T407)	0170/2462	==	
	035236 FT		035255 FT 2 0 11009 0 03 0193+65 VILLAGE: ELTON
			S 0170/0000 LENGTH(AH 2727 BK 2653) ADAMS TOWNSHIP
			0160/2638 RICHLAND T
			SCHOOL HOUSE RD
		==	0160/0595 (T305)
	032583 FT		032602 FT 2 0 11009 0 02 0166+04
			S 0160/0000 LENGTH(AH 2653 BK 3549) 024 "DIA CIRC CONCR
			0150/3032 LEN=0046 INSTALLED 1988
			NEVIN ST
		==	0150/1668 (T806)
INDUSTRIAL PARK RD (T737)	0150/0252	POI	0150/0252 (APRA) JOHNSTOWN INDUST
	029034 FT		029053 FT 2 0 11009 0 02 0130+55
			S 0150/0000 LENGTH(AH 3549 BK 3045) 024 "DIA CIRC CONCR
			0140/2824 LEN=0034 INSTALLED 1988 015 "DIA CIRC CONCR
			0140/2502 LEN=0034 INSTALLED 1988
			VO-TECH DR
		==	0140/2351 (T805)
GIBBY LN (TWP)	0140/1792	==	
			015 "DIA CIRC METAL

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



0140/1690 LEN=0040 INSTALLED 1988
015 "DIA CIRC METAL
0140/1470 LEN=0028 INSTALLED 1988
HOOVER ST
0140/1397 (T530)
018 "DIA CIRC METAL
0140/1118 LEN=0048 INSTALLED 1988
MACRIDGE AV
0140/1012 (T734)
RIDGEWAY DR
0140/0680 (T445)
BUCHANAN ST
0140/0360 (T478)

ROBERT LN
(T731)
0140/0147
BRECK LN
(T728)
0140/0017
025989 FT

026008 FT 2 0 11009 0 02 0099+53
MALL ENTRANCE DR
(PRDR)
MFC BEGIN = C
S 0140/0000 LENGTH(AH 3045 BK 0965)

DONALD LN
(T736)
MALL ENTRANCE DR
(PRDR)
0131/0481
018 "DIA CIRC CONCR
LEN=0045 INSTALLED 2004 0131/0260

0130/0491

018 "DIA CIRC METAL
0130/0078 LEN=0024 INSTALLED 2004
025043 FT 2 0 11009 0 01 0090+15
THEATRE DR
(T312)


2 0 11009 0 01 0090+15 025044 FT
THEATRE DR
(T312)
LENGTH(AH 0945 BK 0712) 0131/0000 S
SIGN: 4 CHORD TRUSS
BMSID 11/0756/0120/0595 0121/0595
RAMP H RD
(SR8003 SEG 0750/0000)
RAMP J RD
(SR8003 SEG 0010/0390)
0121/0418

S 0130/0000 LENGTH(AH 0965 BK 0711)
SIGN: 4 CHORD TRUSS
0120/0595 BMSID 11/0756/0120/0595
RAMP H RD
(SR8003 SEG 0750/0000)
RAMP J RD
(SR8003 SEG 0010/0390)

0120/0399
018 "DIA CIRC CONCR
0120/0335 LEN=0060 INSTALLED 2004
018 "DIA CIRC CONCR
0120/0320 LEN=0025 INSTALLED UNKN

SR 0219 NBL
SR 0219 NBL

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



OP ID 11/0219/0070/0000 0121/0212
024 "DIA CIRC CONCR
LEN=0060 INSTALLED 2004 0121/0170

2 0 11009 0 01 0083+17 024332 FT
RAMP G RD
(SR8003 SEG 0500/0845)
RAMP F RD
(SR8003 SEG 0250/0000)

MFC BEGIN = C
LENGTH(AH 0712 BK 0865) 0121/0000

023467 FT

ALVIN ST
(T464) 0100/2261

MCMINN ST
(T455) 0100/1017

020124 FT

OAKRIDGE DR
(BORO)
LEVENTRY RD
(BORO) 0090/2819

0120/0208 OP ID 11/0219/0070/0000
015"H 30"W CON BOX CUL
0120/0120 LEN=0050 INSTALLED UNKN
024332 FT 2 0 11009 0 01 0083+17
RAMP G RD
(SR8003 SEG 0500/0845)
RAMP F RD
(SR8003 SEG 0250/0000)

S 0120/0000 MFC BEGIN = C
LENGTH(AH 0711 BK 0865)
036 "DIA CIRC CONCR
0110/0485 LEN=0042 INSTALLED 2004
023467 FT 2 0 11009 0 01 0074+68
LUTHER RD
(SR3010 SEG 0010/3590)


S 0110/0000 LENGTH(AH 0865 BK 3343)
018 "DIA CIRC CONCR
0100/3300 LEN=0046 INSTALLED 2004
HOFFMAN DR
0100/2979 (T476)
018 "DIA CIRC CONCR
0100/2680 LEN=0028 INSTALLED 2004
015 "DIA CIRC CONCR
0100/2431 LEN=0030 INSTALLED 1988
NOAH'S ARK LN
0100/2403 (T522)

CHERRY LN
0100/1289 (T317)

015 "DIA CIR PLASTIC
0100/0232 LEN=0032 INSTALLED 1988
020124 FT 2 0 11009 0 01 0041+45
NC ELTON RD
RICHLAND
GEISTOWN B
S 0100/0000 LENGTH(AH 3343 BK 3013)

0090/2819

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B



EUCLID AV
0090/2298 (BORO)
018 "DIA CIRC METAL
0090/2265 LEN=0224 INSTALLED 1988
018 "DIA CIRC CONCR
0090/1889 LEN=0224 INSTALLED 1988
WESTERN AV
0090/1849 (BORO)

GERRY LN
(BORO) 0090/1748
CLAYTON DR
(BORO) 0090/1258

BRANDLE ST
0090/0632 (BORO)

MICHELLE DR
(BORO) 0090/0503

012 "DIA CIR UNKNOWN
0090/0353 LEN=0099 INSTALLED 1988

MELVIN ST
(BORO) 0090/0215


RANDOM WY
0090/0155 (BORO)
2 0 11009 0 01 0020+27 017111 FT 017111 FT
LION ST
(BORO) 0090/0000

S 0090/0000 LENGTH(AH 3013 BK 1306)
018 "DIA CIRC CONCR
0080/0981 LEN=0032 INSTALLED 1988
018 "DIA CIRC CONCR
0080/0607 LEN=0131 INSTALLED 1988
018 "DIA CIRC CONCR
0080/0383 LEN=0131 INSTALLED 1988
LAMBERD AV
0080/0336 (BORO)
024 "DIA CIRC CONCR
0080/0252 LEN=0131 INSTALLED 1988
018 "DIA CIRC CONCR
0080/0121 LEN=0068 INSTALLED 1988
018 "DIA CIRC CONCR
0080/0076 LEN=0040 INSTALLED 1988
2 0 11009 0 00 0008+99 015805 FT 015805 FT
NEES ST
(BORO)
BEDFORD ST
(SR3018 SEG 0020/0321) 0080/0000

NC BEDFORD ST

S 0080/0000 LENGTH(AH 1306 BK 0866)
018 "DIA CIRC CONCR
0070/0797 LEN=0038 INSTALLED 1988
018 "DIA CIRC CONCR
0070/0612 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B



0070/0520 LEN=0050 INSTALLED 1988
SR 3016 EBL
0070/0474 OP ID 11/3016/0110/0000

RAMP A RD
(SR8024 SEG 0250/0581) 0070/0218

018 "DIA CIRC CONCR
0070/0211 LEN=0044 INSTALLED 1988
RAMP B-1 RD
0070/0156 (SR8024 SEG 0020/0312)
RAMP B RD
0070/0110 (SR8024 SEG 0010/0000)
BERNARD ST
0070/0059 (BORO)
014939 FT 014939 FT 1 1 01591 0 01 0153+08
S 0070/0000 LENGTH(AH 0866 BK 3758)

CLEARWATER ST
(BORO) 0060/3481


018 "DIA CIRC CONCR
0060/3324 LEN=0043 INSTALLED 1988
DEMUTH ST
0060/3071 (BORO)
018 "DIA CIRC CONCR
0060/2656 LEN=0056 INSTALLED 1988

DANNER ST
(BORO) 0060/2631

018 "DIA CIRC CONCR
0060/2293 LEN=0070 INSTALLED 1988
SAMS RUN
STRUCTURE LENGTH 16 FT
0060/2159 BMSID 11/0756/0060/2159
BASS ST
0060/1802 (BORO)
018 "DIA CIRC CONCR
0060/1340 LEN=0085 INSTALLED 1988
CORRIGAN DR
0060/1247 (BORO)


018 "DIA CIRC CONCR
0060/0627 LEN=0030 INSTALLED 1988
LURAY AV
0060/0614 (SR3012 SEG 0010/0000)
NADONA AV
0060/0372 (T307)
030 "DIA CIRC CONCR
0060/0015 LEN=0032 INSTALLED 1999
011181 FT 011181 FT 1 1 01591 0 00 0111+13
ARBUTUS AV
(SR3008 SEG 0010/0000)
S 0060/0000 LENGTH(AH 3758 BK 2567)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: GEISTOWN B RIGHT MUN: GEISTOWN B



		0050/2400	LEN=0032 INSTALLED 1999
			018 "DIA CIRC CONCR
		0050/2270	LEN=0091 INSTALLED 1988
			NC BELMONT ST
			BELMONT ST
		0050/2179	(SR3013 SEG 0030/1883)
			030 "DIA CIRC CONCR
		0050/2140	LEN=0040 INSTALLED 1988
			048 "DIA CIRC CONCR
		0050/1886	LEN=0255 INSTALLED 1988
			COLDREN ST
		0050/1717	(T311)
			SAMS RUN
			STRUCTURE LENGTH 14 FT
		0050/1555	BMSID 11/0756/0050/1555
BROOKSIDE WY (BORO)	0050/1480		
			018 "DIA CIRC CONCR
		0050/1242	LEN=0055 INSTALLED 1988
			024 "DIA CIRC CONCR
		0050/0942	LEN=0060 INSTALLED 1988
ELKS LODGE LN (BORO)	0050/0928		
			018 "DIA CIRC CONCR
		0050/0601	LEN=0098 INSTALLED 1988
	008614 FT	008614 FT	1 1 01591 0 00 0086+13
BENTWOOD AV (SR3017 SEG 0010/0000)	0050/0000		NC BENTWOOD AV
		S 0050/0000	LENGTH(AH 2567 BK 2315)
			GEISTOWN
		0040/1827	STONYCREEK T
			072 "DIA CIRC CONCR
		0040/1780	LEN=0220 INSTALLED 1960
MCCORT PL (TWP)	0040/1711		
			018 "DIA CIRC CONCR
		0040/1603	LEN=0078 INSTALLED 1988
ATLANTIC ST (TWP)	0040/1550		
			018 "DIA CIRC CONCR
		0040/1347	LEN=0054 INSTALLED 1988
			054 "DIA CIRC CONCR
		0040/1055	LEN=0080 INSTALLED 1988
			018 "DIA CIRC CONCR
		0040/0787	LEN=0062 INSTALLED 1988
			018 "DIA CIRC CONCR
		0040/0524	LEN=0050 INSTALLED 1988
			018 "DIA CIRC CONCR
		0040/0242	LEN=0040 INSTALLED 1988

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: STONYCREEK T RIGHT MUN: STONYCREEK T



006299 FT
006299 FT 1 1 01591 0 00 0062+83
S 0040/0000 LENGTH(AH 2315 BK 2337)
STONYCREEK
0030/2318 LORAIN B

CLAIR AV
(BORO) 0030/0438


HIGHLAND DR
0030/0355 (BORO)
018 "DIA CIRC CONCR
0030/0104 LEN=0023 INSTALLED 1988
1 1 01591 0 00 0039+53 003962 FT 003962 FT
OAKLAND AV
(SR3019 SEG 0010/0000) 0030/0000 S 0030/0000 LENGTH(AH 2337 BK 1095)
FALLIER ST
(BORO) 0020/0790

024 "DIA CIRC CONCR
0020/0773 LEN=0020 INSTALLED 1988
GREEN VALLEY ST
0020/0682 (BORO)

RAGER ST
(BORO) 0020/0411
VICTOR ST
(BORO) 0020/0161


LORAIN
0020/0036 JOHNSTOWN C
002867 FT 002867 FT 1 1 01591 0 00 0028+46
WOODLAND AV
(CITY)
S 0020/0000 LENGTH(AH 1095 BK 2867)
15TH PL
0010/2697 (CITY)
015 "DIA CIRC CONCR
0010/2680 LEN=0020 INSTALLED 1988
015 "DIA CIRC CONCR
0010/2640 LEN=0020 INSTALLED 1988
018 "DIA CIRC CONCR
0010/2540 LEN=0020 INSTALLED 1988
FOREST AV
0010/2534 (CITY)
14TH PL
0010/2371 (CITY)
015 "DIA CIRC CONCR
0010/2229 LEN=0020 INSTALLED 1988
RUSSELL AV
0010/2214 (CITY)

DIR: B TOTAL LEN: 7.194 MI. DIST: 09-3 SR: 756
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C




	0010/2060	13TH PL (CITY)
	0010/1915	018 "DIA CIRC CONCR LEN=0020 INSTALLED 1988 LINDEN AV (CITY)
	0010/1903	
	0010/1746	800 PL (CITY)
	0010/1590	018 "DIA CIRC CONCR LEN=0020 INSTALLED 1988 HIGHLAND AV
	0010/1582	(CITY)
	0010/1480	018 "DIA CIRC CONCR LEN=0020 INSTALLED 1988 700 PL
	0010/1428	(CITY)
	0010/1414	018 "DIA CIRC CONCR LEN=0020 INSTALLED 1988
	0010/1335	018 "DIA CIRC CONCR LEN=0020 INSTALLED 1988
	0010/1269	018 "DIA CIRC CONCR LEN=0020 INSTALLED 1988 CYPRESS AV
	0010/1264	(CITY) 600 PL
	0010/1112	(CITY) GROVE AV (CITY)
	0010/0955	
	0010/0950	015 "DIA CAST IRON LEN=0100 INSTALLED 1988 500 PL
	0010/0796	(CITY) PARK AV
	0010/0631	(CITY) 400 PL
	0010/0481	(CITY) COLEMAN AV
	0010/0310	(CITY) 300 PL
	0010/0163	(CITY)
000000 FT	0010/0010	010 "DIA CIRC CONCR LEN=0010 INSTALLED 1988 000000 FT 1 1 01591 0 00 0000+00 NC OHIO ST CENTRAL AV (SR0403 SEG 0090/0797) MFC BEGIN = C
	S 0010/0000	LENGTH(AH 2867 BK 0000)

DIR: B TOTAL LEN: 7.377 MI. DIST: 09-3 SR: 553
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T




038948 FT	038948 FT	PLANK RD
	0150/3813	(SR0219 SEG 0610/0000)
		018 "DIA CIRC CONCR
	0150/3745	LEN=0065 INSTALLED 2017
		TO 0219/0600 SH
	0150/3727	(CONN)
		018 "DIA CIRC CONCR
	0150/3513	LEN=0140 INSTALLED 2017
		018 "DIA CIRC CONCR
	0150/2150	LEN=0075 INSTALLED 2017
		018 "DIA CIRC CONCR
	0150/1553	LEN=0045 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0150/1360	LEN=0040 INSTALLED 1998
035135 FT	035135 FT	2 0 11043 0 00 0074+06
		EAST CARROLL
		WEST CARROLL T
	S 0150/0000	LENGTH(AH 3813 BK 1382)

DIR: B TOTAL LEN: 7.377 MI. DIST: 09-3 SR: 553
LEFT MUN: WEST CARROLL T RIGHT MUN: WEST CARROLL T



		015 "DIA CIRC METAL
	0140/1250	LEN=0038 INSTALLED UNKN
033753 FT		
	033753 FT	2 0 11043 0 00 0060+24
S	0140/0000	LENGTH(AH 1382 BK 3333)
		015 "DIA CIR PLASTIC
	0130/3032	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/0714	LEN=0040 INSTALLED 1996
030420 FT		
	030420 FT	2 0 11043 0 00 0026+65
		BRAWLEY RD
		(T504)
S	0130/0000	LENGTH(AH 3333 BK 2650)
		012 "DIA CIRC METAL
	0120/2267	LEN=0044 INSTALLED UNKN
		024 "DIA CIRC METAL
	0120/1570	LEN=0062 INSTALLED UNKN
		024 "DIA CIRC METAL
	0120/0231	LEN=0062 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0120/0128	LEN=0040 INSTALLED UNKN
2 0 11043 0 00 0000+00 027770 FT		
NUMBER SIX RD		027770 FT
(SR4004 SEG 0010/0000) 0120/0000		
S	0120/0000	LENGTH(AH 2650 BK 1543)
		018 "DIA CIRC METAL
	0110/1111	LEN=0037 INSTALLED UNKN
026227 FT		
	026227 FT	2 0 11045 0 00 0293+05
S	0110/0000	LENGTH(AH 1543 BK 2692)
		WEST CARROLL
	0100/2505	BARR T
		015 "DIA CIRC CONCR
	0100/1603	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL

DIR: B TOTAL LEN: 7.377 MI. DIST: 09-3 SR: 553
LEFT MUN: BARR T RIGHT MUN: BARR T



0100/1308 LEN=0036 INSTALLED UNKN

023535 FT

023535 FT 2 0 11045 0 00 0266+65
LIEB RD
(T494)
018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

S 0100/0000 LENGTH(AH 2692 BK 3338)
018 "DIA CIRC METAL

0090/2893 LEN=0060 INSTALLED UNKN

024 "DIA CIR PLASTIC

0090/1866 LEN=0048 INSTALLED UNKN
024 "DIA CIR PLASTIC

0090/1632 LEN=0044 INSTALLED UNKN
018 "DIA CIR PLASTIC

0090/1114 LEN=0050 INSTALLED UNKN
036 "DIA CIR PLASTIC

0090/0650 LEN=0060 INSTALLED UNKN
024 "DIA CIR PLASTIC

0090/0248 LEN=0058 INSTALLED UNKN

2 0 11045 0 00 0233+08 020197 FT
BUCKWHEAT HILL RD
(T534) 0090/0000 ==

020197 FT

S 0090/0000 LENGTH(AH 3338 BK 1768)
024 "DIA CIR PLASTIC

0080/1542 LEN=0044 INSTALLED UNKN
018 "DIA CIR PLASTIC

0080/0991 LEN=0044 INSTALLED UNKN

DIST 9-3 STOCKPILE
(GOVT) 0080/0733 ==

018429 FT

018429 FT 2 0 11045 0 00 0216+23
S 0080/0000 LENGTH(AH 1768 BK 2561)

015 "DIA CIRC METAL

0070/1747 LEN=0033 INSTALLED UNKN
015 "DIA CIRC METAL

0070/1555 LEN=0036 INSTALLED UNKN

015 "DIA CIRC METAL


0070/0657 LEN=0042 INSTALLED UNKN

015868 FT

015868 FT 2 0 11045 0 00 0189+72
SPRINGER RD
(T471)

S 0070/0000 LENGTH(AH 2561 BK 1829)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 7.377 MI. DIST: 09-3 SR: 553
LEFT MUN: BARR T RIGHT MUN: BARR T



0060/1450 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0876 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0500 LEN=0075 INSTALLED UNKN

FOR SR 0271 AND 0553
(CONN) 0060/0363

018 "DIA CIRC CONCR
0060/0076 LEN=0075 INSTALLED UNKN
014039 FT DGE RD
INTER-BK RIDGE RD
(SR0271 SEG 0730/0000)

2 0 11045 0 00 0171+28 014039 FT
NICKTOWN HILL RD
(SR0271 SEG 0730/0000) 0060/0000
014039 FT

S 0060/0000 LTH AH 001829 BK 000100
014039 FT
7054/0000 LTH AH 000100 BK 003794
INTER-AHD RIDGE RD
(SR0271 SEG 0720/0000)
BLUE GOOSE RD
0050/3794 (SR0271 SEG 0720/0000)

LUTHER RD
0050/3074 (T523)

018 "DIA CIRC CONCR
0050/1774 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1291 LEN=0045 INSTALLED UNKN

018 "DIA CIRC CONCR
0050/0462 LEN=0037 INSTALLED UNKN
010245 FT 010245 FT 2 0 11045 0 00 0101+91
S 0050/0000 LENGTH(AH 3794 BK 3500)
(APRA) WENTURINE BROS L
WENTURINE BROS LUMBER I
POE 0040/3125 (PRDR)
024 "DIA CIRC CONCR
0040/2971 LEN=0038 INSTALLED UNKN


015 "DIA CIRC CONCR
0040/1417 LEN=0035 INSTALLED UNKN

015 "DIA CIRC CONCR
0040/0725 LEN=0032 INSTALLED UNKN

2 0 11045 0 00 0067+55 006745 FT 006745 FT


DIR: B TOTAL LEN: 7.377 MI. DIST: 09-3 SR: 553
LEFT MUN: BARR T RIGHT MUN: BARR T

MOSS CREEK RD
(T530)



0040/0000	S 0040/0000 LENGTH(AH 3500 BK 2453)
	015 "DIA CIRC CONCR
0030/2404	0030/2404 LEN=0040 INSTALLED UNKN
	015 "DIA CIRC CONCR
0030/1978	0030/1978 LEN=0044 INSTALLED UNKN
	015 "DIA CIRC CONCR
0030/1690	0030/1690 LEN=0046 INSTALLED UNKN
	036 "DIA CIRC CONCR
0030/1032	0030/1032 LEN=0057 INSTALLED UNKN
	018 "DIA CIRC CONCR
0030/0746	0030/0746 LEN=0044 INSTALLED UNKN
	015 "DIA CIRC CONCR
0030/0181	0030/0181 LEN=0040 INSTALLED 1999
004292 FT	004292 FT 2 0 11045 0 00 0043+05
	WATER FALLS RD
	(T507)
	S 0030/0000 LENGTH(AH 2453 BK 2901)
	018 "DIA CIRC CONCR
0020/2858	0020/2858 LEN=0042 INSTALLED UNKN
	015 "DIA CIRC CONCR
0020/2406	0020/2406 LEN=0052 INSTALLED UNKN
	024 "DIA CIRC CONCR
0020/1524	0020/1524 LEN=0041 INSTALLED UNKN
	018 "DIA CIRC CONCR
0020/1089	0020/1089 LEN=0038 INSTALLED UNKN
	015 "DIA CIRC CONCR
0020/0297	0020/0297 LEN=0038 INSTALLED UNKN
001391 FT	001391 FT 2 0 11045 0 00 0014+44
	KILLEN SCHOOL RD
	(SR4001 SEG 0160/1928)
	S 0020/0000 LENGTH(AH 2901 BK 1391)
	018 "DIA CIRC CONCR
0010/1374	0010/1374 LEN=0046 INSTALLED UNKN
	036 "DIA CIRC CONCR
0010/0784	0010/0784 LEN=0052 INSTALLED UNKN
	018 "DIA CIRC CONCR
0010/0576	0010/0576 LEN=0047 INSTALLED UNKN
	018 "DIA CIRC CONCR
0010/0178	0010/0178 LEN=0046 INSTALLED UNKN
000000 FT	000000 FT 2 0 11045 0 00 0000+00
	NC ALVERDA RD
	* REF-BK SR 0553 SH
	(SR0553 SEG 0200/1256)
	MFC BEGIN = D
	BK-INDIANA (32)
	S 0010/0000 LENGTH(AH 1391 BK 0000)

DIR: B TOTAL LEN: 8.500 MI. DIST: 09-3 SR: 422
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



044879 FT
OLD US 422 SH REF-AHD
(SR1036 SEG 0011/0000)
SR 0219 NBL
OP ID 11/0219/0454/0000 0171/1676
SR 0219 SBL
OP ID 11/0219/0455/0000 0171/1564

015 "DIA CIRC CONCR
LEN=0148 INSTALLED UNKN 0171/1506

018 "DIA CIRC CONCR
LEN=0072 INSTALLED UNKN 0171/0896
RAMP RD
(SR8013 SEG 0500/2160)
RAMP RD
(SR8013 SEG 0250/0000) 0171/0846

FROM 8013/0500 SH
(CONN) 0171/0677
015 "DIA CIRC CONCR
LEN=0140 INSTALLED UNKN 0171/0476
015 "DIA CIRC CONCR
LEN=0130 INSTALLED UNKN 0171/0276
015 "DIA CIRC CONCR
LEN=0105 INSTALLED UNKN 0171/0105
UNKNOWN
STRUCTURE LENGTH 18 FT
BMSID 11/0422/0170/0049 0171/0049
1 0 00054 7 00 0323+73 043203 FT
LENGTH(AH 1676 BK 1878) 0171/0000
018 "DIA CIRC CONCR
LEN=0064 INSTALLED UNKN 0161/1649
MUNICIPAL RD
(T500) 0161/1558

018 "DIA CIRC CONCR


044860 FT AH-BLAIR (07)
7174/0000 LTH AH 000100 BK 001713
REF-AHD OLD US 422 SH
(SR1036 SEG 0010/0000)
SR 0219 NBL
0170/1713 OP ID 11/0219/0454/0000
SR 0219 SBL
0170/1597 OP ID 11/0219/0455/0000
018 "DIA CIRC CONCR
0170/1542 LEN=0080 INSTALLED UNKN

RAMP RD
(SR8013 SEG 0500/2160)
RAMP RD
0170/0876 (SR8013 SEG 0250/0000)
TO 8013/0250 SH
0170/0692 (CONN)

UNKNOWN
STRUCTURE LENGTH 18 FT
0170/0049 BMSID 11/0422/0170/0049
043147 FT 1 0 00054 7 00 0324+06
0170/0000 LENGTH(AH 1713 BK 1822)

MUNICIPAL RD
0160/1554 (T500)
015 "DIA CIRC METAL
0160/1388 LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 8.500 MI. DIST: 09-3 SR: 422
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



LEN=0050 INSTALLED 1988 0161/1366
018 "DIA CIRC CONCR
LEN=0260 INSTALLED 1988 0161/1047

1 0 00054 7 00 0305+41 041325 FT
MFC BEGIN = B
LENGTH(AH 1878 BK 2923) 0161/0000


041325 FT 1 0 00054 7 00 0305+41
MFC BEGIN = B
0160/0000 LENGTH(AH 1822 BK 2923)
066 "DIA CIRC METAL
0140/2690 LEN=0150 INSTALLED UNKN
HUDSON ST
0140/2383 (T717)
018 "DIA CIRC CONCR
0140/1774 LEN=0072 INSTALLED UNKN
BELAIR ST
0140/0957 (T745)

038402 FT
038402 FT 1 0 00054 7 00 0275+65
0140/0000 LENGTH(AH 2923 BK 1933)
018 "DIA CIRC CONCR
0130/1765 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/0909 LEN=0065 INSTALLED UNKN
SB.BLCKLCK C
STRUCTURE LENGTH 20 FT
0130/0839 BMSID 11/0422/0130/0839
018 "DIA CIRC CONCR
0130/0444 LEN=0064 INSTALLED UNKN

036469 FT
036469 FT 1 0 00054 7 00 0255+79
036 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN
0130/0000 LENGTH(AH 1933 BK 3634)
024 "DIA CIRC CONCR
0120/3150 LEN=0090 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/2684 LEN=0042 INSTALLED UNKN

015 "DIA CIRC CONCR
0120/1412 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/1086 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/0808 LEN=0048 INSTALLED UNKN


DIR: B TOTAL LEN: 8.500 MI. DIST: 09-3 SR: 422
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



		015 "DIA CIRC CONCR
	0120/0048	LEN=0034 INSTALLED UNKN
032835 FT	032835 FT	1 0 00054 7 00 0219+45
	0120/0000	LENGTH(AH 3634 BK 3258)
PINDLETON RIDGE RD (T791)		
0110/3108		
		SYLVAN GLEN DR
	0110/2845	(TWP)
		018 "DIA CIRC CONCR
	0110/2147	LEN=0060 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0110/1561	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0110/1237	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0110/0448	LEN=0042 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0110/0024	LEN=0058 INSTALLED UNKN
029577 FT	029577 FT	1 0 00054 7 00 0186+87
		CAMBRIA
		BLACKLICK T
	0110/0000	LENGTH(AH 3258 BK 3755)
		015 "DIA CIRC CONCR
	0100/3382	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/2928	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/2638	LEN=0042 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0100/2537	LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/2098	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0100/1531	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0100/1179	LEN=0058 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/0970	LEN=0042 INSTALLED UNKN
BETHEL RD (T475)		CARDIFF RD
0100/0760	0100/0760	(SR3049 SEG 0060/2270)
		024 "DIA CIRC CONCR
	0100/0703	LEN=0040 INSTALLED UNKN
025822 FT	025822 FT	1 0 00054 7 00 0149+47
	0100/0000	LENGTH(AH 3755 BK 3583)
REED HALL RD		

DIR: B TOTAL LEN: 8.500 MI. DIST: 09-3 SR: 422
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T

(SR4033 SEG 0010/0000) 0090/2673



030 "DIA CIRC CONCR
0090/1994 LEN=0057 INSTALLED UNKN

015 "DIA CIRC CONCR
0090/1340 LEN=0040 INSTALLED UNKN
036 "DIA CIRC CONCR
0090/0820 LEN=0085 INSTALLED UNKN
015 "DIA CIRC CONCR
0090/0718 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0090/0384 LEN=0039 INSTALLED UNKN
018 "DIA CIRC CONCR
0090/0153 LEN=0050 INSTALLED UNKN

022239 FT
022239 FT 1 0 00054 7 00 0113+41
S 0090/0000 LENGTH(AH 3583 BK 3177)

015 "DIA CIRC CONCR
0080/2816 LEN=0043 INSTALLED UNKN


024 "DIA CIRC CONCR
0080/2156 LEN=0063 INSTALLED UNKN
015 "DIA CIRC CONCR
0080/1675 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0080/1154 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0080/0935 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0080/0760 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0080/0560 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0080/0440 LEN=0055 INSTALLED UNKN

019062 FT
019062 FT 1 0 00054 7 00 0080+51
S 0080/0000 LENGTH(AH 3177 BK 3517)

015 "DIA CIRC CONCR
0070/3393 LEN=0038 INSTALLED UNKN


015 "DIA CIRC CONCR
0070/2204 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0070/1807 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0070/1527 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0070/1225 LEN=0048 INSTALLED UNKN

DIR: B TOTAL LEN: 8.500 MI. DIST: 09-3 SR: 422
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



	015545 FT	015545 FT 1 0 00054 7 00 0046+70
		018 "DIA CIRC CONCR
		LEN=0030 INSTALLED UNKN
		S 0070/0000 LENGTH(AH 3517 BK 3536)
		015 "DIA CAST IRON
		0060/2234 LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0060/2087 LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0060/1278 LEN=0037 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0060/0559 LEN=0046 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0060/0243 LEN=0042 INSTALLED UNKN
	012009 FT	012009 FT 1 0 00054 7 00 0011+34
		RAILS TO TRAILS
		OP ID 11/0422/0060/0000
		S 0060/0000 LENGTH(AH 3536 BK 0905)
		018"H 00"W MULT CONCR
		0050/0728 LEN=0050 INSTALLED UNKN
		FROM 0271/0580 SH
		0050/0076 (CONN)
	011104 FT	011104 FT 1 0 00054 0 00 0108+00
		STATION RD
		(SR0271 SEG 0580/2255)
		S 0050/0000 LENGTH(AH 0905 BK 2178)
1 0 00054 0 00 0088+98 DUMAN RD (SR0271 SEG 0590/0000)	008926 FT 0040/0000	008926 FT
		S 0040/0000 LENGTH(AH 2178 BK 2776)
		SOUTH ST
		0030/2735 (T460)
		BURR ST
		0030/2161 (T758)
		NAVAJO ST
		0030/1595 (TWP)
		024 "DIA CIRC CONCR
		0030/1421 LEN=0037 INSTALLED UNKN

DIR: B TOTAL LEN: 8.500 MI. DIST: 09-3 SR: 422
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



FRANKLIN ST
(T759)
0030/0950 018"H 36"W ELLIP CONC
0030/0930 LEN=0050 INSTALLED UNKN

0030/0012 BMSEN 11/0422/0030/0000
006150 FT 006150 FT 1 0 00054 0 00 0061+46
SIMMONS RUN
BMSBG 11/0422/0030/0000
S 0030/0000 LENGTH(AH 2776 BK 3271)

015 "DIA CIRC CONCR
0020/2462 LEN=0058 INSTALLED UNKN
018 "DIA CIRC METAL
0020/2096 LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1740 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1189 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/0847 LEN=0050 INSTALLED UNKN

1 0 00054 0 00 0028+72 002879 FT 002879 FT
VIC MILLER RD
(T476) 0020/0000
S 0020/0000 LENGTH(AH 3271 BK 2879)
0010/2734 BMSEN 11/0422/0010/2664
1 0 00054 0 00 0026+66
N.BR.BLKLK.C
0010/2664 BMSBG 11/0422/0010/2664


015 "DIA CIRC CONCR
0010/1737 LEN=0067 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/1208 LEN=0060 INSTALLED UNKN

IVERSON RD
(SR4001 SEG 0010/0000) 0010/1021

015 "DIA CIRC CONCR
0010/1003 LEN=0057 INSTALLED UNKN

015 "DIA CIRC CONCR
0010/0197 LEN=0060 INSTALLED UNKN
000000 FT 000000 FT 1 0 00054 0 00 0000+00
NC BENJAMIN FRANKLIN HW
* REF-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0670/1993)
MFC BEGIN = B
BK-INDIANA (32)
S 0010/0000 LENGTH(AH 2879 BK 0000)

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




048841 FT

047558 FT


048869 FT AH-INDIANA (32)
REF-AHD CRAMER PK
0290/1283 (SR0403 SEG 0010/0000)
018 "DIA CIRC CONCR
0290/1080 LEN=0046 INSTALLED 1998
JACKSON
0290/0783 WEST TAYLOR T
018 "DIA CIRC CONCR
0290/0680 LEN=0044 INSTALLED 1998
018 "DIA CIRC CONCR
0290/0430 LEN=0046 INSTALLED 1998
018 "DIA CIRC CONCR
0290/0161 LEN=0100 INSTALLED 1998
047586 FT 1 0 00223 0 00 0014+52

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: WEST TAYLOR T RIGHT MUN: WEST TAYLOR T




	S 0290/0000 LENGTH(AH 1283 BK 2320)
	018 "DIA CIRC CONCR
	0280/2300 LEN=0050 INSTALLED 2002
	018 "DIA CIRC CONCR
	0280/1927 LEN=0070 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0280/1677 LEN=0050 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0280/1458 LEN=0050 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0280/1145 LEN=0071 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0280/0643 LEN=0075 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0280/0435 LEN=0052 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0280/0006 LEN=0046 INSTALLED UNKN
045238 FT	045266 FT 1 0 00223 0 00 0036+83
	S 0280/0000 LENGTH(AH 2320 BK 3341)
	018 "DIA CIRC CONCR
	0270/2958 LEN=0048 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0270/2793 LEN=0075 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/2129 LEN=0050 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/1895 LEN=0050 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/1740 LEN=0046 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/1611 LEN=0046 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/1403 LEN=0044 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0270/1068 LEN=0100 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/0505 LEN=0046 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/0302 LEN=0044 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0270/0006 LEN=0042 INSTALLED UNKN
041897 FT	041925 FT 1 0 00223 0 00 0071+18
	S 0270/0000 LENGTH(AH 3341 BK 3581)
	018 "DIA CIRC CONCR
	0260/3296 LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0260/2705 LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0260/2266 LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: WEST TAYLOR T RIGHT MUN: WEST TAYLOR T



			018 "DIA CIRC CONCR
		0260/1124	LEN=0099 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0789	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0553	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0400	LEN=0042 INSTALLED 2002
	038316 FT	038344 FT	1 0 00223 0 00 0106+43
		S 0260/0000	LENGTH(AH 3581 BK 2914)
			018 "DIA CIRC CONCR
		0250/2786	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/2350	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/2037	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1813	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1422	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1182	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0989	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0624	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0450	LEN=0099 INSTALLED UNKN
ASPHALT RD (T770)	0250/0390		
	035402 FT	035430 FT	1 0 00223 0 00 0131+38
		S 0250/0000	LENGTH(AH 2914 BK 2390)
			018 "DIA CIRC CONCR
		0240/1902	LEN=1902 INSTALLED 1988
			018 "DIA CIRC CONCR
		0240/1166	LEN=1166 INSTALLED 1988
ASPHALT PLANT RD (T770)	0240/1078	0240/1078	(APRA) ASPHALT PLANT RD
			018 "DIA CIRC CONCR
		0240/0870	LEN=0060 INSTALLED 1988
			018 "DIA CIRC CONCR
		0240/0430	LEN=0065 INSTALLED 1988
			018 "DIA CIRC CONCR
		0240/0060	LEN=0080 INSTALLED 1988
	033012 FT	033040 FT	1 0 00223 0 00 0158+31
			TOLLGATE RD (T390)

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: WEST TAYLOR T RIGHT MUN: WEST TAYLOR T



0240/0000 LENGTH(AH 2390 BK 0695)


LAUREL RUN
STRUCTURE LENGTH 26 FT
0230/0076 BMSID 11/0403/0230/0076
032317 FT 032345 FT 1 0 00223 0 00 0168+29
NC CRAMER PK
COOPER AV
(SR3041 SEG 0010/0000)
MFC BEGIN = D
0230/0000 LENGTH(AH 0695 BK 2011)
TO 3041/0010 SH
0220/1769 (CONN)
018 "DIA CIRC CONCR
0220/1765 LEN=0020 INSTALLED 1998
018 "DIA CIR UNKNOWN
0220/1700 LEN=0040 INSTALLED 1998
NATALIE ST
0220/1675 (T391)
030 "DIA CIRC CONCR
0220/1464 LEN=0079 INSTALLED 1998
018 "DIA CIRC CONCR
0220/1298 LEN=0080 INSTALLED 1998
018 "DIA CIRC CONCR
0220/1158 LEN=0080 INSTALLED 1998
018 "DIA CIRC CONCR
0220/0790 LEN=0040 INSTALLED 1998
012 "DIA CIRC CONCR
0220/0690 LEN=0045 INSTALLED 1998

018 "DIA CIRC CONCR
0220/0043 LEN=0040 INSTALLED 1998
030306 FT 030334 FT 1 0 00223 0 01 0189+59
WEST TAYLOR
JOHNSTOWN C
0220/0000 LENGTH(AH 2011 BK 1128)

UNKNOWN RD
(CITY) 0210/0855


015 "DIA CIRC CONCR
0210/0735 LEN=0020 INSTALLED 1998
018 "DIA CIRC CONCR
0210/0444 LEN=0040 INSTALLED UNKN
GRAYBILL PL
0210/0379 (CITY)
015 "DIA CIRC CONCR
0210/0348 LEN=0040 INSTALLED 1998
018 "DIA CIR UNKNOWN
0210/0075 LEN=0020 INSTALLED 1998
029178 FT 029206 FT 1 0 00223 0 01 0200+97
STUTZMAN ST

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



(CITY)
S 0210/0000 LENGTH(AH 1128 BK 3089)
018 "DIA CIRC CONCR
0200/2760 LEN=0028 INSTALLED 1998
DAVIS ST
(CITY)
0200/2553
018 "DIA CIRC CONCR
0200/2460 LEN=0040 INSTALLED 1998
018 "DIA CIR UNKNOWN
0200/2185 LEN=0060 INSTALLED 1998
018 "DIA CIRC CONCR
0200/1960 LEN=0050 INSTALLED 1998
KUNKLE ST
0200/1831 (CITY)
018 "DIA CIRC CONCR
0200/1410 LEN=0055 INSTALLED 1998
HAGEN ST
0200/1167 (CITY)
015 "DIA CIRC CONCR
0200/0730 LEN=0028 INSTALLED 1998
LC FROM IRON ST
0200/0080 (CITY)
026089 FT 026117 FT 1 0 00223 0 01 0230+78
(AAR 862473H)#TRKS 01
IRON ST
(CITY)
S 0200/0000 LENGTH(AH 3089 BK 0344)
018 "DIA CIRC CONCR
0190/0334 LEN=0060 INSTALLED UNKN
0190/0281 BMSEN 11/0403/0190/0000
025745 FT 025773 FT 1 0 00223 0 01 0233+96
NC COOPER AV
CONEMAUGH RIVER
BMSBG 11/0403/0190/0000
S 0190/0000 LENGTH(AH 0344 BK 1812)
0180/1795 (AAR 862474P)#TRKS 01
ST CLAIR RUN
STRUCTURE LENGTH 20 FT
0180/1770 BMSID 11/0403/0180/1770
JWT DRIVE
(PRDR)
LAUREL AV
(CITY)
0180/1755 0180/1755
018 "DIA CIRC CONCR
0180/1400 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0180/0875 LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C




		084 "DIA CIR PLASTIC
	0180/0058	LEN=0250 INSTALLED UNKN
		NC BROAD ST
	023961 FT	
1 0 00223 0 01 0253+65 023933 FT	INTER-BK	BROAD ST
FAIRFIELD AV		(SR0056 SEG 0090/0000)
(SR0056 SEG 0091/0000)		MFC BEGIN = C
(SR0056 SEG 0090/0000) 0180/0000	S 0180/0000	LTH AH 001812 BK 009727
023933 FT	023961 FT	
	7164/0000	LTH AH 009727 BK 000592
	INTER-AHD	JOHNSTOWN EX
		(SR0056 SEG 0130/1966)
		WALNUT ST
JOHNSTOWN EX		(CITY)
(SR0056 SEG 0130/1966) 0160/0592	0160/0592	
		012 "DIA CIRC CONCR
	0160/0550	LEN=0030 INSTALLED 1998
		012 "DIA CIRC CONCR
	0160/0508	LEN=0025 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0160/0037	LEN=0025 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0160/0028	LEN=0030 INSTALLED 1998
023341 FT	023369 FT	1 0 00525 0 00 0004+89
		MARKET ST
		(CITY)
	S 0160/0000	LENGTH(AH 0592 BK 0489)
		STONYCREEK ST
	0150/0375	(CITY)
	0150/0360	BMSEN 11/0403/0150/0132
		1 0 00525 0 00 0001+23
		STONYCREEK RIVER
	0150/0132	BMSBG 11/0403/0150/0132
		018 "DIA CIRC CONCR
	0150/0065	LEN=0038 INSTALLED 2012
1 0 00525 0 00 0000+00 022852 FT	022880 FT	
SOMERSET ST		
(SR3055 SEG 0010/0870) 0150/0000	S 0150/0000	LENGTH(AH 0489 BK 0779)
		018 "DIA CIRC CONCR
	0140/0752	LEN=0016 INSTALLED 2012
		018 "DIA CIRC CONCR
	0140/0745	LEN=0016 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0140/0502	LEN=0025 INSTALLED 1998
		012 "DIA CIR PLASTIC
	0140/0337	LEN=0010 INSTALLED 1998
		012 "DIA CIR PLASTIC
	0140/0306	LEN=0040 INSTALLED UNKN
		HAYNES ST
		(CITY)

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403


LEFT MUN: JOHNSTOWN C

RIGHT MUN: JOHNSTOWN C




LEFT MUN: JOHNSTOWN C		RIGHT MUN: JOHNSTOWN C
	0140/0168	
		018 "DIA CIRC CONCR
	0140/0144	LEN=0025 INSTALLED 1998
022073 FT	022101 FT	1 0 00052 0 02 0220+46
		SR 0056 EBL
		OP ID 11/0056/0150/0000
	S 0140/0000	LENGTH(AH 0779 BK 2212)
		018 "DIA CIR PLASTIC
	0130/2120	LEN=0025 INSTALLED 1988
		DIBERT ST
	0130/1870	(CITY)
		018 "DIA CIR PLASTIC
	0130/1857	LEN=0020 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0130/1690	LEN=0025 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0130/1517	LEN=0030 INSTALLED 1988
		CROW PL
	0130/1515	(CITY)
		018 "DIA CIR PLASTIC
	0130/1342	LEN=0155 INSTALLED 1988
		SOUTH ST
		(CITY)
	0130/1164	
		018 "DIA CIR PLASTIC
	0130/1144	LEN=0030 INSTALLED 1988
		KILLDEER PL
	0130/0806	(CITY)
		018 "DIA CIR PLASTIC
	0130/0698	LEN=0040 INSTALLED UNKN
		SKYLARK PL
	0130/0686	(CITY)
		EVERHART ST
	0130/0354	(CITY)
		018 "DIA CAST IRON
	0130/0037	LEN=0020 INSTALLED 1988
1 0 00052 0 02 0198+24 019861 FT	019889 FT	
STRAUSS AV		
(CITY) 0130/0000	S 0130/0000	LENGTH(AH 2212 BK 1573)
		FRANKLIN ST
		(CITY)
	NC	NAPOLEON ST
		HICKORY ST
	0120/1353	(CITY)
		018 "DIA CIRC CONCR
	0120/1180	LEN=0040 INSTALLED 1988
		010 "DIA CIRC CONCR
	0120/0788	LEN=0030 INSTALLED 1988
		010 "DIA CIRC CONCR
	0120/0435	LEN=0040 INSTALLED 1988

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C




		010 "DIA CIRC CONCR
	0120/0185	LEN=0050 INSTALLED 1988
		010 "DIA CIRC CONCR
	0120/0058	LEN=0040 INSTALLED 1988
018288 FT	018316 FT	1 0 00052 0 02 0182+76
	S 0120/0000	LENGTH(AH 1573 BK 1127)
		018 "DIA CIRC CONCR
	0110/0623	LEN=0035 INSTALLED 1988
		018 "DIA CIRC CONCR
	0110/0596	LEN=0035 INSTALLED 1988
		018 "DIA CIRC CONCR
	0110/0269	LEN=0040 INSTALLED 1988
017161 FT	017189 FT	1 0 00052 0 02 0171+34
		NC FRANKLIN ST
FRANKLIN ST		
(SR3011 SEG 0050/3381) 0110/0000	S 0110/0000	LENGTH(AH 1127 BK 2774)
		018 "DIA CIRC CONCR
	0100/2266	LEN=0020 INSTALLED 1988
	0100/2212	BMSEN 11/0403/0100/2192
1 0 00052 0 02 0165+58		
EDMONDS PL		CHERRY RUN
(CITY) 0100/2192	0100/2192	BMSBG 11/0403/0100/2192
		018 "DIA CIRC CONCR
	0100/2098	LEN=0040 INSTALLED 1988
		CSX RAIL TRANSPORTATION
	0100/2008	OVERPASS IS RR X-ING
		018 "DIA CIRC CONCR
	0100/1866	LEN=0035 INSTALLED 1988
CONRAD ST		
(CITY) 0100/1648		
LINTON ST		
(CITY) 0100/1210		
		LC FROM HORNER ST
	0100/0839	(CONN)
		HORNER ST
		(CITY)
		NC VALLEY PK
HAY AV		
(CITY) 0100/0604		
SUPPES AV		
(CITY) 0100/0305		
		018 "DIA CIRC CONCR
	0100/0300	LEN=0050 INSTALLED 1988
1 0 00052 0 02 0143+75 014387 FT	014415 FT	
OSBORNE ST		
(CITY) 0100/0000	S 0100/0000	LENGTH(AH 2774 BK 1974)
		021 "DIA CIRC ALUMIN
	0090/1885	LEN=0044 INSTALLED 2018
	0090/1818	BMSEN 11/0403/0090/1582
		1 0 00052 0 02 0139+25

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



			STONYCREEK RIVER
		0090/1582	BMSBG 11/0403/0090/1582
			021 "DIA CIRC ALUMIN
		0090/1485	LEN=0042 INSTALLED 2018
			DUPONT ST
		0090/1138	(CITY)
			018 "DIA CIRC METAL
		0090/1123	LEN=0040 INSTALLED 1988
			OHIO ST
		0090/0797	(SR0756 SEG 0010/0000)
		0090/0559	BMSEN 11/0403/0090/0541
			1 0 00052 0 02 0129+40
			SAMS RUN
		0090/0541	BMSBG 11/0403/0090/0541
			018 "DIA CIR PLASTIC
		0090/0537	LEN=0040 INSTALLED 1988
U.S.STEEL DR			ONE HUNDRED PL
(PRDR)	0090/0324	0090/0324	(CITY)
	012413 FT	012441 FT	1 0 00052 0 02 0124+06
			VILLAGE ST
			(CITY)
		S 0090/0000	LENGTH(AH 1974 BK 0961)
			018"H 01"W **UNKNOWN**
		0080/0924	LEN=0036 INSTALLED 1988
			018"H 01"W **UNKNOWN**
		0080/0441	LEN=0036 INSTALLED 1988
			CENTRAL AV
		0080/0219	(CITY)
			BOND ST
			(CITY)
			NC CENTRAL AV
BOND ST			
(CITY)	0080/0174	0080/0174	
			018 "DIA CIRC CONCR
		0080/0140	LEN=0020 INSTALLED UNKN
	011452 FT	011480 FT	1 0 00052 0 02 0114+48
		S 0080/0000	LENGTH(AH 0961 BK 1388)
			018"H 01"W **UNKNOWN**
		0070/1161	LEN=0024 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0070/0506	LEN=0024 INSTALLED 1988
		0070/0237	BMSEN 11/0403/0070/0000
			JOHNSTOWN
		0070/0108	FERNDALE B
	010064 FT	010092 FT	1 0 00052 0 01 0100+80
			NC BRIDGE ST
			STONYCREEK RIVER
			BMSBG 11/0403/0070/0000
		S 0070/0000	LENGTH(AH 1388 BK 1041)
		0060/0896	(AAR 145252D)#TRKS 01

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: FERNDALE B RIGHT MUN: FERNDALE B




018 "DIA CIR UNKNOWN
0060/0364 LEN=0134 INSTALLED UNKN
018 "DIA CIR UNKNOWN
0060/0085 LEN=0100 INSTALLED 1988
018 "DIA CIRC CONCR
0060/0020 LEN=0030 INSTALLED 1988
009023 FT 009051 FT 1 0 00052 0 01 0090+30
OGLE ST
(BORO)
S 0060/0000 LENGTH(AH 1041 BK 2032)
018 "DIA CIR UNKNOWN
0050/1592 LEN=0040 INSTALLED 1988
HARLAN AV
0050/1555 (BORO)
018 "DIA CIR UNKNOWN
0050/1540 LEN=0040 INSTALLED 1988
018 "DIA CIR UNKNOWN
0050/0950 LEN=0100 INSTALLED 1988
STATION ST
(BORO)
0050/0910
018 "DIA CIR UNKNOWN
0050/0900 LEN=0040 INSTALLED 1988
ATLEE ST
0050/0457 (BORO)
018 "DIA CIR UNKNOWN
0050/0406 LEN=0100 INSTALLED 1988
006991 FT 007019 FT 1 0 00052 0 01 0070+12
CLAY ST
(BORO)
CLAY ST
(SR3007 SEG 0010/0000) 0050/0000 S 0050/0000 LENGTH(AH 2032 BK 2161)

012 "DIA CIR UNKNOWN
0040/1329 LEN=0200 INSTALLED 1988
SUMMIT AV
(BORO) 0040/1253

018 "DIA CIRC CONCR
0040/0219 LEN=0100 INSTALLED 1988
FERNDALE
0040/0100 UPPER YODER T
004830 FT 004858 FT 1 0 00052 0 00 0049+00
MFC BEGIN = B
S 0040/0000 LENGTH(AH 2161 BK 1108)

018 "DIA CIRC CONCR
0030/0982 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 9.255 MI. DIST: 09-3 SR: 403
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T



LEN=0040 INSTALLED 1988 0031/0950

018 "DIA CIRC CONCR
LEN=0030 INSTALLED 1988 0031/0050
1 0 00052 0 00 0037+31 003750 FT
EISENHOWER BL
(SR3006 SEG 0010/0000)

LENGTH(AH 1080 BK 1036) 0031/0000

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0025/0850
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1988 0025/0500
1 0 00052 0 00 0026+30 002714 FT
MFC BEGIN = B
LENGTH(AH 1036 BK 2304) 0025/0000

HILLVIEW ST
(T582) 0020/0996

1 0 00052 0 00 0004+45 000410 FT
OLD COUNTRY RD
(SR3009 SEG 0011/0000)
SOMERSET PK
(SR0985 SEG 0010/1063) 0020/0000

000000 FT

018 "DIA CIRC CONCR
0030/0074 LEN=0050 INSTALLED 1988

003750 FT 1 0 00052 0 00 0037+31
EISENHOWER BL
(SR3006 SEG 0010/0000)

0030/0000 LENGTH(AH 1108 BK 1036)

002714 FT 1 0 00052 0 00 0026+30
MFC BEGIN = B
0024/0000 LENGTH(AH 1036 BK 2304)

018 "DIA CIRC CONCR
0020/1507 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1374 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1158 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/0394 LEN=0060 INSTALLED UNKN
FROM 0403/0010 SH
0020/0127 (CONN)
000410 FT


0020/0000 LENGTH(AH 2304 BK 0410)
018 "DIA CIRC CONCR
0010/0337 LEN=0025 INSTALLED 1988
TO 0403/0020 SH
0010/0280 (CONN)
018 "DIA CIRC CONCR
0010/0230 LEN=0030 INSTALLED 1988
000000 FT 1 0 00052 0 00 0000+00
NC FERNDALE AV
REF-BK SR 0403 SH
(SR0403 SEG 0380/3597)
MFC BEGIN = B
BK-SOMERSET (55)
0010/0000 LENGTH(AH 0410 BK 0000)

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B

196859 FT

MOUNTAIN DR
(BORO) 0770/0776


2 0 11046 0 00 0133+84 195292 FT
BROWN ST
(BORO) 0770/0000



196849 FT
INTER-AHD TWENTYFOURTH ST
(BORO)
BIGLER AV
(SR0219 SEG 0770/0000)
0770/1567
BETTS AV
0770/1214 (BORO)
015 "DIA CIRC CONCR
0770/1154 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0770/1112 LEN=0028 INSTALLED UNKN
0770/0898 BMSEN 11/0271/0770/0824
2 0 11046 0 00 0141+40
W.BR.SUSQ.R.
0770/0824 BMSBG 11/0271/0770/0824
MARINO DR
0770/0807 (BORO)


015 "DIA CIRC CONCR
0770/0630 LEN=0034 INSTALLED UNKN
015 "DIA CIRC CONCR
0770/0388 LEN=0032 INSTALLED UNKN
015 "DIA CIRC CONCR
0770/0084 LEN=0048 INSTALLED UNKN
NC TWENTYFOURTH ST
195282 FT
S 0770/0000 LENGTH(AH 1567 BK 2862)
NORTHERN CAMBRIA

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B




	0760/2728	BARR T
		018 "DIA CIRC CONCR
	0760/2722	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0760/2563	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0760/1934	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0760/1638	LEN=0054 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0760/1236	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0760/0388	LEN=0044 INSTALLED UNKN
192430 FT	192420 FT	2 0 11046 0 00 0104+34
S	0760/0000	LENGTH(AH 2862 BK 3880)
		018 "DIA CIRC CONCR
	0750/3773	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0750/3062	LEN=0150 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0750/2622	LEN=0045 INSTALLED UNKN
	0750/2192	BMSEN 11/0271/0750/2162
		2 0 11046 0 00 0087+66
		BROWNS RUN
	0750/2162	BMSBG 11/0271/0750/2162
		YASICK RD
	0750/1872	(T522)
		018 "DIA CIRC CONCR
	0750/1463	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0750/0911	LEN=0120 INSTALLED UNKN
		024 "DIA CIRC METAL
	0750/0432	LEN=0079 INSTALLED UNKN
		060 "DIA CIRC METAL
	0750/0265	LEN=0126 INSTALLED UNKN
188550 FT	188540 FT	2 0 11046 0 00 0066+99
		YASICK RD
		(T522)
S	0750/0000	LENGTH(AH 3880 BK 3533)
		018 "DIA CIRC CONCR
	0740/3480	LEN=0046 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0740/3057	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0740/2636	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0740/2351	LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BARR T RIGHT MUN: BARR T




			BRICK ROAD LN
		0740/2135	(TWP)
			015 "DIA CIRC CONCR
		0740/2124	LEN=0055 INSTALLED UNKN
			048 "DIA CIRC METAL
		0740/1885	LEN=0100 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0740/1206	LEN=0060 INSTALLED UNKN
KIRCH RD			BRICK ROAD LN
(T535)	0740/1147	0740/1147	(TWP)
			036 "DIA CIRC CONCR
		0740/1034	LEN=0082 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0740/0881	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0740/0601	LEN=0058 INSTALLED UNKN
2 0 11046 0 00 0030+83	185017 FT	185007 FT	
KLINE RD			
(T470)	0740/0000	S 0740/0000	LENGTH(AH 3533 BK 3013)
			018 "DIA CIRC CONCR
		0730/2800	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0730/2420	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0730/1335	LEN=0060 INSTALLED UNKN
			018"H 24"W ELLIP CONC
		0730/0757	LEN=0040 INSTALLED UNKN
			FOR SR 0271 AND 0553
		0730/0489	(CONN)
	182004 FT	181994 FT	2 0 11046 0 00 0000+00
			RIDGE RD
			(SR0553 SEG 0060/0000)
		NC NI	CKTOWN HILL RD
		S 0730/0000	LENGTH(AH 3013 BK 3054)
			018 "DIA CIRC CONCR
		0720/2785	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0720/2224	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0720/1948	LEN=0042 INSTALLED UNKN
			ST BONIFACE ST
		0720/1646	(PRDR)
			ST PAUL ST
		0720/1198	(PRDR)
			018 "DIA CIRC CONCR
		0720/1003	LEN=0027 INSTALLED UNKN

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BARR T RIGHT MUN: BARR T




ST PETER ST
0720/0756 (PRDR)
018 "DIA CIRC CONCR
0720/0504 LEN=0032 INSTALLED UNKN
015 "DIA CIRC CONCR
0720/0315 LEN=0032 INSTALLED UNKN
ST HENRY ST
(T402)
FROM 0271/0710 SH
0720/0311 (CONN)
178950 FT 178940 FT 2 0 11045 0 00 0140+95
ALVERDA RD NC RIDGE RD
(SR0553 SEG 0050/3794) 0720/0000 S 0720/0000 LENGTH(AH 3054 BK 3781)
TO 0271/0720 SH
0710/3716 (CONN)
015 "DIA CIRC CONCR
0710/3376 LEN=0028 INSTALLED UNKN
ST JOSEPH ST
0710/3260 (T401)
015 "DIA CIRC CONCR
0710/2541 LEN=0028 INSTALLED UNKN
014 "DIA CIRC CONCR
0710/2053 LEN=0024 INSTALLED UNKN
015 "DIA CIRC CONCR
0710/0991 LEN=0024 INSTALLED UNKN
175169 FT 175159 FT 2 0 11042 0 00 0075+61
VILLAGE: NICKTOWN
015 "DIA CIRC CONCR
LEN=0024 INSTALLED UNKN
S 0710/0000 LENGTH(AH 3781 BK 3798)
015 "DIA CIRC CONCR
0700/2800 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0700/2296 LEN=0028 INSTALLED UNKN
015 "DIA CIR PLASTIC
0700/1052 LEN=0028 INSTALLED UNKN
2 0 11042 0 00 0037+63 171371 FT 171361 FT MARIE VOCK LN
LOG RD (T513)

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BARR T RIGHT MUN: BARR T




(TWP)	0700/0000	S 0700/0000 LENGTH(AH 3798 BK 3877)
		015 "DIA CIR PLASTIC
	0690/3876	LEN=0034 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0690/3868	LEN=0026 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0690/2693	LEN=0028 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0690/2302	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0690/1843	LEN=0033 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0690/1387	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0690/1021	LEN=0040 INSTALLED UNKN
	0690/0462	BMSEN 11/0271/0690/0415
		2 0 11042 0 00 0003+08
		N BR BLACKLICK CREEK
	0690/0415	BMSBG 11/0271/0690/0415
167494 FT	167484 FT	1 0 00747 0 02 0321+36
		NC BLUE GOOSE RD
		WOLFE RD
		(SR4007 SEG 0050/1842)
	S 0690/0000	LENGTH(AH 3877 BK 3454)
		018 "DIA CIRC CONCR
	0680/3300	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0680/3100	LEN=0040 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0680/2987	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0680/1912	LEN=0050 INSTALLED 2003
AMADEI RD (T509)	0680/1322	
		018 "DIA CIRC CONCR
	0680/1253	LEN=0054 INSTALLED UNKN
164040 FT	164030 FT	1 0 00747 0 02 0287+65
	S 0680/0000	LENGTH(AH 3454 BK 2663)

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BARR T RIGHT MUN: BARR T



		024"H 00"W MULT PLSTIC
	0670/0597	LEN=0036 INSTALLED UNKN
161377 FT	161367 FT	1 0 00747 0 02 0260+76
	S 0670/0000	LENGTH(AH 2663 BK 2134)
		018 "DIA CIR PLASTIC
	0660/1001	LEN=0050 INSTALLED 2003
		048 "DIA CIR PLASTIC
	0660/0310	LEN=0050 INSTALLED UNKN
159243 FT	159233 FT	1 0 00747 0 01 0233+75
		COUNTRY PARK RD
		(T497)
	S 0660/0000	LENGTH(AH 2134 BK 3256)
		015 "DIA CIR PLASTIC
	0650/2748	LEN=0060 INSTALLED 2003
		DUMANS DAM RD
	0650/2281	(T497)
		018 "DIA CIR PLASTIC
	0650/1279	LEN=0050 INSTALLED 2003
DUMAN LAKE PARK DR (PARK) 0650/1040		DUMAN LAKE PARK DR
	0650/1040	(PARK)
		018 "DIA CIR PLASTIC
	0650/0935	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0650/0685	LEN=0040 INSTALLED 2003
155987 FT	155977 FT	1 0 00747 0 01 0200+46
	S 0650/0000	LENGTH(AH 3256 BK 1997)
		015 "DIA CIR PLASTIC
	0640/1828	LEN=0040 INSTALLED 2003
		015 "DIA CIR PLASTIC
	0640/1293	LEN=0040 INSTALLED 2003
		BARR
	0640/0682	BLACKLICK T
		015 "DIA CIR PLASTIC
	0640/0507	LEN=0040 INSTALLED 2003
153990 FT	153980 FT	1 0 00747 0 01 0179+96
	S 0640/0000	LENGTH(AH 1997 BK 3542)
		018 "DIA CIR PLASTIC
	0630/2892	LEN=0040 INSTALLED 2003
		015 "DIA CIR PLASTIC
	0630/2495	LEN=0040 INSTALLED 2003
IRON BRIDGE RD (T498) 0630/2106		

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T




150448 FT

150438 FT 1 0 00747 0 01 0144+91
S 0630/0000 LENGTH(AH 3542 BK 3616)
015 "DIA CIR PLASTIC
0620/2828 LEN=0040 INSTALLED 2003
018 "DIA CIR PLASTIC
0620/1553 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0620/0276 LEN=0026 INSTALLED 2003
146832 FT
146822 FT 1 0 00747 0 01 0108+75
S 0620/0000 LENGTH(AH 3616 BK 3045)

ADAMS X RD
(T502)
0610/1932
018 "DIA CIRC CONCR
0610/1824 LEN=0042 INSTALLED UNKN
0610/0265 BMSEN 11/0271/0610/0216
1 0 00747 0 00 0072+91
ELK CREEK
0610/0216 BMSBG 11/0271/0610/0216
143787 FT
143777 FT 1 0 00747 0 00 0070+70
S 0610/0000 LENGTH(AH 3045 BK 3573)
018 "DIA CIRC CONCR
0600/3562 LEN=0058 INSTALLED UNKN
FINDLEY RD
0600/3177 (T501)
030 "DIA CIRC CONCR
0600/3061 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/2043 LEN=0051 INSTALLED UNKN
FINDLEY RD

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



0600/1990 (T501)
018 "DIA CIRC CONCR
0600/1726 LEN=0050 INSTALLED UNKN
SNAKE RD
BLUE GOOSE SPORTSMANS R (TWP) 0600/1484 0600/1484 (SR4002 SEG 0010/0000)


140214 FT 140204 FT 1 0 00747 0 00 0034+44
018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
S 0600/0000 LENGTH(AH 3573 BK 3447)

HEMLOCK DR
0590/1386 (T754)
018 "DIA CIRC CONCR
0590/1032 LEN=0032 INSTALLED UNKN

018 "DIA CIRC CONCR
0590/0020 LEN=0020 INSTALLED 2003
136767 FT 136757 FT 1 0 00747 0 00 0000+00
VILLAGE: BELSANO
NC DUMAN RD
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0040/0000)
BENJAMIN FRANKLIN HW (SR0422 SEG 0040/0000) 0590/0000 S 0590/0000 LTH AH 003447 BK 000100
136767 FT 136757 FT
7582/0000 LTH AH 000100 BK 002255
INTER-AHD BENJAMIN FRANKLIN HW
(SR0422 SEG 0050/0000)
BENJAMIN FRANKLIN HW
0580/2255 (SR0422 SEG 0050/0000)
TO 0422/0050 SH
0580/2124 (CONN)
024 "DIA CIRC CONCR
0580/1776 LEN=0030 INSTALLED UNKN


024 "DIA CIRC CONCR
0580/1096 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0580/0774 LEN=0030 INSTALLED UNKN
SHAWNEE RD
0580/0220 (TWP)
1 0 00054 0 00 0132+73 134512 FT 134502 FT
RED MILL RD

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



(T459)	0580/0000	S 0580/0000	LENGTH(AH 2255 BK 2739)
			018 "DIA CIRC CONCR
		0570/1971	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0570/1126	LEN=0042 INSTALLED UNKN
			WHISKEY LN
		0570/0745	(PRDR)
			018 "DIA CIRC CONCR
		0570/0678	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0570/0151	LEN=0024 INSTALLED UNKN
	131773 FT	131763 FT	1 0 00054 0 00 0159+98
			EXPEDITE RD
			(SR3036 SEG 0010/0000)
		S 0570/0000	LENGTH(AH 2739 BK 2351)
			024 "DIA CIR PLASTIC
		0560/1669	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0560/1625	LEN=0030 INSTALLED 2003
			SIXTH ST
		0560/1465	(T769)
			FIFTH ST
		0560/1108	(T755)
KELLY ST			
(T503)	0560/0839		
			FOURTH ST
		0560/0731	(T768)
			018 "DIA CIRC CONCR
		0560/0375	LEN=0005 INSTALLED UNKN
			THIRD ST
		0560/0371	(T504)
			018 "DIA CIRC CONCR
		0560/0023	LEN=0030 INSTALLED UNKN
1 0 00054 0 00 0183+50	129422 FT	129412 FT	
SECOND ST			
(T756)	0560/0000	S 0560/0000	LENGTH(AH 2351 BK 3289)
			018 "DIA CIRC CONCR
		0550/2902	LEN=0028 INSTALLED UNKN
FIRST ST			
(T753)	0550/2872		
			018 "DIA CIRC CONCR
		0550/2740	LEN=0052 INSTALLED UNKN
		0550/2702	BMSEN 11/0271/0550/2678
			1 0 00054 0 00 0189+46
			COAL PIT RUN
		0550/2678	BMSBG 11/0271/0550/2678
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



0550/2173 LEN=0034 INSTALLED UNKN
CHURCH ST
0550/1984 (T766)
018 "DIA CIRC CONCR
0550/1978 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0550/1845 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0550/1206 LEN=0032 INSTALLED UNKN
PEACH ST
0550/0983 (T767)
036 "DIA CIRC CONCR
0550/0859 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0550/0408 LEN=0050 INSTALLED UNKN

FOR SR 0271 AND 3047
(CONN) 0550/0342

018 "DIA CIRC CONCR
0550/0298 LEN=0029 INSTALLED UNKN
024 "DIA CIR PLASTIC
0550/0193 LEN=0020 INSTALLED 2005
126123 FT


1 0 00054 0 00 0216+50 126133 FT
PLANK RD
(SR3047 SEG 0050/3433) 0550/0000

S 0550/0000 LENGTH(AH 3289 BK 3685)
018 "DIA CIRC CONCR
0540/3223 LEN=0035 INSTALLED UNKN
018 "DIA CIR PLASTIC
0540/2543 LEN=0034 INSTALLED UNKN
018 "DIA CIRC METAL
0540/2336 LEN=0033 INSTALLED UNKN
018 "DIA CIRC METAL
0540/2113 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0540/1812 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0540/1307 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0540/0835 LEN=0036 INSTALLED UNKN
018 "DIA CIRC METAL
0540/0409 LEN=0034 INSTALLED UNKN
018 "DIA CIRC METAL
0540/0025 LEN=0034 INSTALLED UNKN
122438 FT 1 0 00054 0 00 0252+92

122448 FT


S 0540/0000 LENGTH(AH 3685 BK 2208)
018 "DIA CIRC CONCR
0530/1357 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: BLACKLICK T RIGHT MUN: BLACKLICK T



0530/1127 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0530/0705 LEN=0048 INSTALLED UNKN
0530/0399 BMSEN 11/0271/0530/0392
0 0 00000 0 00 0000+00
048"H 84"W CONC STRUCT
LEN=0040 INSTALLED UNKN
TR BLAKLICK
0530/0392 BMSBG 11/0271/0530/0392
018 "DIA CIRC CONCR
0530/0052 LEN=0040 INSTALLED UNKN
120240 FT 120230 FT 1 0 00054 0 00 0274+75
S 0530/0000 LENGTH(AH 2208 BK 1561)
018 "DIA CIRC CONCR
0520/1294 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0520/0715 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0520/0509 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0520/0260 LEN=0036 INSTALLED UNKN
036 "DIA CIRC CONCR
0520/0063 LEN=0075 INSTALLED UNKN
118679 FT 118669 FT 1 0 00054 0 00 0290+37
NC STATION RD
PINE ST
(T477)
S 0520/0000 LENGTH(AH 1561 BK 3318)
018 "DIA CIRC CONCR
0510/2811 LEN=0086 INSTALLED UNKN
018 "DIA CIR PLASTIC
0510/2556 LEN=0048 INSTALLED UNKN
BLACKLICK
0510/2419 NANTY GLO B
018 "DIA CIRC CONCR
0510/2093 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/1694 LEN=0026 INSTALLED UNKN
LOCUST ST
0510/1667 (BORO)
018 "DIA CIRC CONCR
0510/1413 LEN=0026 INSTALLED UNKN
POPLAR ST
0510/1385 (BORO)
UNKNOWN RD
0510/1185 (BORO)
018 "DIA CIRC CONCR
0510/1072 LEN=0026 INSTALLED UNKN
HILL ST
0510/1038 (BORO)

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: NANTY GLO B RIGHT MUN: NANTY GLO B




UNKNOWN RD
(BORO) 0510/0230

115361 FT

114592 FT


UNKNOWN RD
(BORO)
0510/0815
018 "DIA CIRC CONCR
0510/0592 LEN=0026 INSTALLED UNKN
WALNUT ST
(BORO)
0510/0566
MAPLE ST
(BORO)
0510/0346
018 "DIA CIRC CONCR
0510/0286 LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/0228 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/0112 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/0058 LEN=0030 INSTALLED 2003
018 "DIA CIRC CONCR
0510/0040 LEN=0024 INSTALLED 1980
115351 FT 1 0 00054 0 00 0322+21
NC SECOND ST
SECOND ST
(SR3034 SEG 0010/0000)
S 0510/0000 LENGTH(AH 3318 BK 0769)
UNKNOWN RD
(BORO)
0500/0595
FIRST ST
(BORO)
0500/0430
018 "DIA CIRC CONCR
0500/0400 LEN=0030 INSTALLED 2003
MCCOY ST
(BORO)
0500/0321
015 "DIA CIRC CONCR
0500/0265 LEN=0030 INSTALLED 2003
018 "DIA CIRC CONCR
0500/0180 LEN=0030 INSTALLED 2018
0500/0138 BMSEN 11/0271/0500/0052
2 0 11030 0 00 0098+29
BR.BLACKLICK
0500/0052 BMSBG 11/0271/0500/0052
114582 FT 2 0 11030 0 00 0097+73
NC CHESTNUT ST
ROBERTS ST
(BORO)
S 0500/0000 LENGTH(AH 0769 BK 2875)
FOSTER ST
(BORO)
0490/2518
018 "DIA CIRC CONCR
0490/2451 LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: NANTY GLO B RIGHT MUN: NANTY GLO B




		0490/2146	DAVIS ST (BORO) 018 "DIA CIRC CONCR
		0490/2126	LEN=0032 INSTALLED UNKN
		0490/1842	JOHNSON ST (BORO) 018 "DIA CIRC CONCR
		0490/1833	LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR
		0490/1658	LEN=0036 INSTALLED UNKN 018 "DIA CIRC CONCR
		0490/1334	LEN=0060 INSTALLED UNKN
LLOYD ST (BORO)	0490/0790		
		0490/0349	018 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN
		0490/0147	BMSEN 11/0271/0490/0127 2 0 11030 0 00 0068+71 PERGRIN RUN
		0490/0127	BMSBG 11/0271/0490/0127 018 "DIA CIRC CONCR
		0490/0021	LEN=0040 INSTALLED UNKN
	111717 FT	111707 FT	2 0 11030 0 00 0068+71 LORAINE RD (BORO)
LORAINE RD (BORO)	0490/0000	S 0490/0000	LENGTH(AH 2875 BK 3956) 018 "DIA CIRC CONCR
		0480/3839	LEN=0051 INSTALLED UNKN CHRISTOFF ST
LC FOR LORAINE RD (CONN)	0480/3829	0480/3829	(BORO) UNKNOWN RD
		0480/3419	(BORO) 018 "DIA CIRC CONCR
		0480/3270	LEN=0033 INSTALLED 2003 018 "DIA CIRC CONCR
		0480/3062	LEN=0033 INSTALLED 2003 NANTY GLO
		0480/2835	JACKSON T PERGRIM ST
		0480/2693	(T430) 018 "DIA CIRC CONCR
		0480/2681	LEN=0059 INSTALLED 2003 018 "DIA CIRC CONCR
		0480/2637	LEN=0044 INSTALLED UNKN 018 "DIA CIRC CONCR
		0480/2432	LEN=0038 INSTALLED UNKN 018 "DIA CIRC CONCR
		0480/2284	LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR
		0480/2081	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




		018 "DIA CIRC CONCR
	0480/1786	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0480/1517	LEN=0070 INSTALLED UNKN
		CEE JAYS LN
	0480/1513	(PRDR)
		018 "DIA CIRC CONCR
	0480/1367	LEN=0058 INSTALLED UNKN
OLD NANTY GLO RD		
(T447)	0480/1154	
LC FOR OLD NANTY GLO RD		
(CONN)	0480/0947	
		018 "DIA CIRC CONCR
	0480/0917	LEN=0090 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0480/0386	LEN=0080 INSTALLED UNKN
107761 FT		107751 FT 2 0 11030 0 00 0030+75
		NC SHOEMAKER ST
		MFC BEGIN = D
	S 0480/0000	LENGTH(AH 3956 BK 0903)
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED UNKN	0471/0609	
RAMP RD		
(SR8002 SEG 0270/0000)	0471/0561	
RAMP A RD		RAMP A RD
(SR8002 SEG 0250/0000)		(SR8002 SEG 0250/0000)
RAMP B RD		RAMP B RD
(SR8002 SEG 0260/0620)		(SR8002 SEG 0260/0620)
PACE ST		PACE ST
(PRDR)		(PRDR)
	0471/0382	0470/0372
		018 "DIA CIRC METAL
		0470/0371 LEN=0060 INSTALLED UNKN
FROM 8002/0260 SH		
(CONN)	0471/0271	
018 "DIA CIRC CONCR		018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN	0471/0136	0470/0136 LEN=0058 INSTALLED UNKN
BMSEN 11/0271/0470/0000	0471/0098	0470/0098 BMSEN 11/0271/0470/0000
1 0 00052 0 06 0832+97	106841 FT	106848 FT 1 0 00052 0 06 0832+97
SR 0022 EBL		SR 0022 EBL
BMSBG 11/0271/0470/0000		BMSBG 11/0271/0470/0000
MFC BEGIN = D		MFC BEGIN = D
LENGTH(AH 0920 BK 1014)	S 0471/0000	S 0470/0000 LENGTH(AH 0903 BK 1021)
		018 "DIA CIRC CONCR
018 "DIA CIRC CONCR		0460/0985 LEN=0034 INSTALLED UNKN
LEN=0043 INSTALLED UNKN	0461/0979	
RAMP C RD		RAMP C RD
(SR8002 SEG 0010/0486)		(SR8002 SEG 0010/0486)
RAMP D RD		RAMP D RD

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



(SR8002 SEG 0750/0000) 0461/0850	0460/0855 (SR8002 SEG 0750/0000) TO 8002/0750 SH
FROM 8002/0010 SH (CONN) 0461/0644	0460/0714 (CONN)
	SOLAR ST
1 0 00052 0 06 0822+69 105827 FT	0460/0401 (TWP)
MFC BEGIN = C	105827 FT 1 0 00052 0 06 0822+69
LENGTH(AH 1014 BK 1036) 0461/0000	MFC BEGIN = C
	S 0460/0000 LENGTH(AH 1021 BK 1036)
1 0 00052 0 06 0812+44 104791 FT	104791 FT PIKE RD
PIKE RD	(SR3043 SEG 0130/2317)
(T509) 0450/0000	S 0450/0000 LENGTH(AH 1036 BK 2086)
	018 "DIA CIRC CONCR
	0440/0582 LEN=0038 INSTALLED UNKN
MARTINA LN	
(TWP) 0440/0485	
102705 FT	102705 FT 1 0 00052 0 06 0792+37
	BRACKEN ST
	(T428)
	S 0440/0000 LENGTH(AH 2086 BK 3745)
	018 "DIA CIRC CONCR
	0430/3707 LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0430/3353 LEN=0042 INSTALLED UNKN
CUSTOM LN	
(TWP) 0430/3003	
	036 "DIA CIRC METAL
	0430/2838 LEN=0002 INSTALLED UNKN
	036 "DIA CIRC CONCR
	0430/2593 LEN=0054 INSTALLED UNKN
	060 "DIA CIRC CONCR
	0430/2533 LEN=0200 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0430/2231 LEN=0058 INSTALLED UNKN
SIMMONS LN	
(T739) 0430/1879	
	015 "DIA CIRC CONCR
	0430/1866 LEN=0052 INSTALLED UNKN
	015 "DIA CIR PLASTIC
	0430/1494 LEN=0020 INSTALLED 2002
	018 "DIA CIRC CONCR
	0430/1102 LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



0430/0949 LEN=0042 INSTALLED UNKN

SIMMONS LN
(T739)

0430/0919

015 "DIA CIRC CONCR
0430/0262 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0430/0105 LEN=0200 INSTALLED UNKN
098960 FT
098960 FT 1 0 00052 0 06 0754+07
BRACKEN ST
(T482)
S 0430/0000 LENGTH(AH 3745 BK 2638)

018 "DIA CIRC CONCR
0420/1890 LEN=0100 INSTALLED UNKN
SWAN DR
0420/1832 (TWP)
015 "DIA CIRC CONCR
0420/1438 LEN=0042 INSTALLED UNKN
DONJAY ST
0420/1207 (PRDR)
018 "DIA CIRC CONCR
0420/0992 LEN=0040 INSTALLED UNKN
ANDERSON DR
0420/0613 (T831)
015 "DIA CIRC CONCR
0420/0407 LEN=0056 INSTALLED UNKN

MOSHANNON DR
(T801)

0420/0118
096322 FT
096322 FT 1 0 00052 0 06 0728+04
MOSHANNON DR
(T801)
S 0420/0000 LENGTH(AH 2638 BK 3301)
015 "DIA CIR PLASTIC
0410/3111 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0410/2652 LEN=0036 INSTALLED UNKN


MOSHANNON DR
0410/1937 (T801)
MECHANICS RD
0410/1613 (TWP)

MOCKINGBIRD LN
(TWP)

0410/1427


024 "DIA CIR PLASTIC
0410/0056 LEN=0060 INSTALLED 1999
1 0 00052 0 06 0694+92 093021 FT
093021 FT

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




BENSHOFF HILL RD (SR3039 SEG 0160/1794)	0410/0000	MFC BEGIN = C
	S 0410/0000	LENGTH(AH 3301 BK 3492)
		072 "DIA CIRC CONCR
	0400/3239	LEN=0032 INSTALLED UNKN
		B.HNCKSTN.R.
		STRUCTURE LENGTH 8 FT
	0400/3226	BMSID 11/0271/0400/3226
		018 "DIA CIRC METAL
	0400/2702	LEN=0102 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0400/2495	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0400/2057	LEN=0044 INSTALLED UNKN
HARMONY DR (T438)	0400/1935	
		015 "DIA CIRC CONCR
	0400/1087	LEN=0040 INSTALLED UNKN
		POLARIS DR
	0400/0562	(PRDR)
089529 FT	089529 FT	1 0 00052 0 06 0659+48
		072"H 72"W CONC STRUCT
		LEN=0040 INSTALLED 1954
	S 0400/0000	LENGTH(AH 3492 BK 3611)
		ADAMS ST
	0390/2604	(T429)
		COURTER AV
	0390/1606	(T761)
		PATTON TE
	0390/1254	(T834)
		GRIFFITH AV
	0390/0709	(T811)
		018 "DIA CIRC CONCR
	0390/0275	LEN=0028 INSTALLED UNKN
1 0 00052 0 06 0623+90 085918 FT	085918 FT	RANCH RD
HARMONY DR (T428)	0390/0000	(TWP)
	S 0390/0000	LENGTH(AH 3611 BK 2793)
		GOODS RUN
		STRUCTURE LENGTH 11 FT
	0380/2634	BMSID 11/0271/0380/2634
		RAYMOND DR
	0380/2382	(TWP)
		018 "DIA CIRC CONCR
	0380/2290	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0380/2127	LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T




			018 "DIA CIRC CONCR
		0380/1747	LEN=0040 INSTALLED UNKN
			JACKSON
		0380/0880	EAST TAYLOR T
			036 "DIA CIRC CONCR
		0380/0856	LEN=0052 INSTALLED UNKN
			EAST TAYLOR
		0380/0541	JACKSON T
DERUBIS LN (PRDR)	0380/0302		
			LC FOR BRAZIL LN
		0380/0287	(TWP)
			018 "DIA CIRC CONCR
		0380/0261	LEN=0050 INSTALLED UNKN
			JACKSON
		0380/0111	EAST TAYLOR T
			BRAZIL LN
		0380/0105	(T759)
	083125 FT	083125 FT	1 0 00052 0 06 0597+00
			HANNAH LN
			(T417)
		S 0380/0000	LENGTH(AH 2793 BK 1656)
CANDLER LN (PRDR)	0370/1382		
			018 "DIA CIRC CONCR
		0370/1193	LEN=0036 INSTALLED UNKN
HINCKSTON RUN RD (T380)			CHAPEL LN
	0370/0745	0370/0745	(T753)
			018 "DIA CIRC CONCR
		0370/0520	LEN=0034 INSTALLED UNKN
			KNAUER LN
		0370/0221	(PRDR)
			015 "DIA CIRC METAL
		0370/0048	LEN=0030 INSTALLED UNKN
	081469 FT	081469 FT	1 0 00052 0 06 0579+32
			MINERAL POINT RD
			(SR3030 SEG 0010/0000)
		S 0370/0000	LENGTH(AH 1656 BK 2188)
			MITNIK AV
		0360/2059	(T418)
			MITNIK AV
		0360/0515	(T418)
			015 "DIA CIRC CONCR
		0360/0275	LEN=0052 INSTALLED UNKN
	079281 FT	079281 FT	1 0 00052 0 06 0553+00

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T




DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T




			036 "DIA CIRC METAL
		0320/1597	LEN=0050 INSTALLED UNKN
BINDER ST			BINDER ST
(T719)	0320/1541	0320/1541	(T719)
RESERVOIR DR			
(T717)	0320/1326		
STANS LN			
(PRDR)	0320/0938		
			018 "DIA CIRC CONCR
		0320/0919	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0320/0490	LEN=0066 INSTALLED UNKN
	071313 FT	071313 FT	1 0 00052 0 05 0474+39
		S 0320/0000	LENGTH(AH 2235 BK 3476)
			054 "DIA CIRC METAL
		0310/2950	LEN=0250 INSTALLED 1980
			018 "DIA CIRC METAL
		0310/2830	LEN=0140 INSTALLED 1980
			(APRA) YANKO BROS.TRUCK
			YANKO BROS.TRUCKING LT
	POI	0310/2825	(PRDR)
			015 "DIA CIRC CONCR
		0310/2715	LEN=0105 INSTALLED 1980
			IMS C&S AGGREGATES
		0310/2498	(PRDR)
DORMER ST			
(T390)	0310/2362		
			MELE ST
		0310/2298	(T391)
			024 "DIA CIR PLASTIC
		0310/2290	LEN=0010 INSTALLED 1997
			018 "DIA CIRC CONCR
		0310/1981	LEN=0068 INSTALLED UNKN
			HAZEL ST
		0310/1892	(T383)
			024 "DIA CIR PLASTIC
		0310/1763	LEN=0062 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0310/1573	LEN=0058 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0310/1263	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0310/1051	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0310/0679	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0310/0375	LEN=0072 INSTALLED UNKN
	067837 FT	067837 FT	1 0 00052 0 05 0439+92
			NC PARKHILL DR
		S 0310/0000	LENGTH(AH 3476 BK 3056)

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: EAST TAYLOR T RIGHT MUN: EAST TAYLOR T




		018 "DIA CIR PLASTIC
	0300/2820	LEN=0025 INSTALLED 2002
		078"H 72"W CONCR ARCH
	0300/1124	LEN=0050 INSTALLED 1941
		EAST TAYLOR
	0300/0592	EAST CONEMAUGH B
		024 "DIA CIRC CONCR
	0300/0178	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0300/0040	LEN=0038 INSTALLED UNKN
1 0 00052 0 05 0409+17 064781 FT		064781 FT
LINDEN ST		
(BORO)		
E THIRD ST		
(BORO)	0300/0000	S 0300/0000 LENGTH(AH 3056 BK 1145)
A AL		
(BORO)	0290/0906	
B AL		
(BORO)	0290/0730	
C AL		
(BORO)	0290/0584	
		SECOND ST
	0290/0544	(BORO)
		015 "DIA CIRC CONCR
	0290/0454	LEN=0001 INSTALLED UNKN
		AL
	0290/0441	(BORO)
		015 "DIA CIRC CONCR
	0290/0332	LEN=0048 INSTALLED UNKN
		OAK ST
		(BORO)
	0290/0292	
		D AL
	0290/0136	(BORO)
063636 FT		063636 FT 1 0 00052 0 05 0397+00
		UNNAMED ALLEY
		(BORO)
	S 0290/0000	LENGTH(AH 1145 BK 1669)
		F AL
	0286/1478	(BORO)
		LOCUST ST
	0286/1337	(BORO)
		G AL
	0286/1200	(BORO)
		H AL
	0286/1065	(BORO)

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: EAST CONEMAUGH B RIGHT MUN: EAST CONEMAUGH B




		I AL
		0286/0926 (BORO)
		J AL
		0286/0851 (BORO)
MAIN ST (BORO)		
SECOND ST (BORO)	0286/0652	
		NC SECOND ST
		SECOND AL
		0286/0485 (BORO)
		024 "DIA CIR PLASTIC
		0286/0379 LEN=0040 INSTALLED UNKN
		E FIRST ST
		(BORO)
		0286/0309
		FIRST CT AL
		0286/0167 (BORO)
HERITAGE ST (BORO)	0286/0137	
	061967 FT	061967 FT 0 0 00000 0 00 0000+00
		GREEVE ST
		(BORO)
		EAST CONEMAUGH
		FRANKLIN B
		S 0286/0000 LENGTH(AH 1669 BK 0946)
CHESTNUT ST (BORO)	0282/0892	
		018 "DIA CIR UNKNOWN
		0282/0730 LEN=0030 INSTALLED UNKN
		0282/0684 BMSEN 11/0271/0282/0000
		NC FRANKLIN ST
		FRANKLIN ST
		0282/0078 (SR3029 SEG 0090/0380)
	061021 FT	061021 FT 0 0 00000 0 00 0000+00
		RAILROAD STREET
		BMSBG 11/0271/0282/0000
		S 0282/0000 LENGTH(AH 0946 BK 2222)
		018 "DIA CIR UNKNOWN
		0270/2175 LEN=0033 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0270/1229 LEN=0040 INSTALLED 1988
		015 "DIA CIRC CONCR
		0270/0645 LEN=0040 INSTALLED 1988
	058799 FT	058799 FT 0 0 00000 0 00 0000+00
		NC RIVER AV
		S 0270/0000 LENGTH(AH 2222 BK 2020)

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: FRANKLIN B RIGHT MUN: FRANKLIN B




			015 "DIA CIRC CONCR
		0260/1928	LEN=0045 INSTALLED 1988
			FREIGHTCAR AMERICA LT
		0260/1874	(PRDR)
		0260/1725	BMSEN 11/0271/0260/0791
			FRANKLIN
		0260/1572	JOHNSTOWN C
			1 0 00052 0 03 0328+61
			L.CONEMA R.
		0260/0791	BMSBG 11/0271/0260/0791
			PARROT PL
		0260/0394	(CITY)
			015 "DIA CIRC CONCR
		0260/0385	LEN=0060 INSTALLED 1988
IVYWOOD ST (CITY)	0260/0258 056779 FT		
		056779 FT	1 0 00052 0 03 0320+92
			GRAYWOOD ST
			(CITY)
		S 0260/0000	LENGTH(AH 2020 BK 3636)
			012 "DIA CIR PLASTIC
		0250/3095	LEN=0020 INSTALLED 1988
			FLEETWOOD ST
		0250/3085	(CITY)
			015 "DIA CIR PLASTIC
		0250/2540	LEN=0040 INSTALLED 1988
ENGLEWOOD ST (CITY)	0250/2520		
			015 "DIA CIR PLASTIC
		0250/2154	LEN=0040 INSTALLED 1988
DELLWOOD ST (CITY)	0250/1937		
			012 "DIA CIR PLASTIC
		0250/1778	LEN=0001 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0250/1441	LEN=0050 INSTALLED 1988
			CRESSWOOD ST
		0250/1407	(CITY)
			015 "DIA CIRC CONCR
		0250/1369	LEN=0030 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0250/1363	LEN=0035 INSTALLED 1988
			012 "DIA CIR PLASTIC
		0250/0853	LEN=0015 INSTALLED 1988
			BAYWOOD ST
		0250/0843	(CITY)
			012 "DIA CIR PLASTIC
		0250/0535	LEN=0030 INSTALLED 1988
			012 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



0250/0310 LEN=0030 INSTALLED 1988
NC MAPLE AV
IOLITE AL
0250/0142 (CITY)
028 "DIA CIRC CONCR
0250/0140 LEN=0052 INSTALLED 2000
0250/0136 BMSEN 11/0271/0250/0000
053143 FT 053143 FT 1 0 00052 0 03 0283+62
NC PHOEBE CT
L.CONEMA.RIV
BMSBG 11/0271/0250/0000
S 0250/0000 LENGTH(AH 3636 BK 2961)
0240/2916 (AAR 862482G)#TRKS 01
012 "DIA CIR PLASTIC
0240/2337 LEN=0015 INSTALLED 1988
GAUTIER ST
(CITY)
RAILROAD ST
0240/1799 (CITY)
006 "DIA CIR PLASTIC
0240/1240 LEN=0035 INSTALLED 1988
HUDSON ST
0240/1200 (CITY)
MATTHEW ST
0240/0441 (CITY)
018 "DIA CIRC CONCR
0240/0134 LEN=0025 INSTALLED 1988
BETHLEHEM STEEL DR
(PRDR) 0240/0127 POI 0240/0127 (APRA) BETHLEHEM STEEL
0240/0082 (AAR 145265E)#TRKS 01
018 "DIA CIRC CONCR
0240/0080 LEN=0015 INSTALLED 1988
1 0 00052 0 03 0254+59 050182 FT 050182 FT
WASHINGTON ST
(SR3044 SEG 0030/0576) 0240/0000
S 0240/0000 LENGTH(AH 2961 BK 1372)
RAILROAD ST
0190/1259 (CITY)
LOCUST ST
(CITY)
0190/1047
COVER AL
0190/0897 (CITY)
012 "DIA CIRC CONCR
0190/0769 LEN=0015 INSTALLED 1988
NC CLINTON ST
MAIN ST
(CITY)
0190/0719
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



0190/0624 LEN=0015 INSTALLED 1988

LEVERGOOD ST
(CITY) 0190/0620

012 "DIA CIRC CONCR
0190/0583 LEN=0030 INSTALLED 1988

VINE ST
(SR3016 SEG 0031/0879) 0190/0298
048810 FT

048810 FT 1 0 00222 0 03 0375+17
NC BEDFORD ST


BEDFORD ST
(SR3016 SEG 0040/0000)
INTER-BK HAYNES ST
(CITY)
S 0190/0000 LTH AH 001372 BK 001865
048810 FT
7182/0000 LTH AH 001865 BK 002070
INTER-AHD HAYNES ST
(CITY)

MENOHER BL
(SR3055 SEG 0010/0000) 0180/2070

0180/2070
018 "DIA CIRC CONCR
0180/1953 LEN=0020 INSTALLED 1988
018 "DIA CIRC CONCR
0180/1587 LEN=0014 INSTALLED 1988
018 "DIA CIRC CONCR
0180/1582 LEN=0030 INSTALLED 1988
018 "DIA CIRC CONCR
0180/1280 LEN=0030 INSTALLED 1988
PLUMMER PL
0180/0944 (CITY)
SOUTH ST
(CITY)
0180/0805
BRINKER PL
0180/0695 (CITY)
PAUL AL
KILLDEER PL
(CITY) 0180/0457 0180/0457 (CITY)
SKYLARK PL
0180/0347 (CITY)
LAVELY AL
0180/0120 (CITY)
046740 FT 046740 FT 2 0 11011 7 00 0148+44
EVERHART ST
(CITY)
S 0180/0000 LENGTH(AH 2070 BK 2865)
JOHNSTOWN
0170/2540 SOUTHMONT B

018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: SOUTHMONT B RIGHT MUN: SOUTHMONT B



0170/1466 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0170/1252 LEN=0038 INSTALLED UNKN
018"H 01"W **UNKNOWN**
0170/0720 LEN=0040 INSTALLED UNKN
017 "DIA CIRC METAL
0170/0396 LEN=0044 INSTALLED UNKN
FROM 3021/0010 SH
0170/0115 (CONN)

043875 FT 043875 FT 2 0 11011 7 00 0120+24
BARNETT ST
(SR3021 SEG 0010/0444)
S 0170/0000 LENGTH(AH 2865 BK 2505)
TO 3021/0010 SH
0160/2444 (CONN)

024 "DIA CIR UNKNOWN
0160/1720 LEN=0060 INSTALLED UNKN
024 "DIA CAST IRON
0160/1340 LEN=0060 INSTALLED UNKN

041370 FT 041370 FT 2 0 11011 7 00 0095+41
S 0160/0000 LENGTH(AH 2505 BK 3202)

CELESTE DR
0150/1381 (BORO)
018 "DIA CIR PLASTIC
0150/1018 LEN=0068 INSTALLED UNKN
SUSAN DR
0150/0926 (BORO)

2 0 11011 7 00 0063+59 038168 FT 038168 FT
GENEVA ST
(BORO) 0150/0000 S 0150/0000 LENGTH(AH 3202 BK 2525)
018 "DIA CIRC CONCR
0140/2403 LEN=0054 INSTALLED UNKN


MILLCREEK RD
(BORO) 0140/2031

PINE GROVE RD
0140/2001 (BORO)

SOUTHMONT
WESTMONT B 0140/1987


GARDNER ST

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: WESTMONT B RIGHT MUN: SOUTHMONT B




		0140/1422 (BORO)
WESTMONT SOUTHMONT B	0140/1041	
		WEAVER CT
		0140/0994 (BORO)
TENTH AV (BORO)	0140/0922	
		DIAMOND BL
		0140/0905 (BORO)
		ORCHARD ST
		0140/0440 (BORO)
		015 "DIA CIRC METAL
		0140/0415 LEN=0100 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0140/0249 LEN=0030 INSTALLED UNKN
		GARDNER ST
2 0 11011 7 00 0037+78 035643 FT		035643 FT (BORO)
LUZERNE ST (BORO)	0140/0000	S 0140/0000 LENGTH(AH 2525 BK 3777)
		SOUTHMONT
		0130/3487 WESTMONT B
		CHRISTOPHER ST
		0130/3221 (BORO)
CARNEGIE AV (BORO)	0130/3009	
		015 "DIA CIR UNKNOWN
		0130/2987 LEN=0015 INSTALLED UNKN
		015 "DIA CIR UNKNOWN
		0130/2951 LEN=0015 INSTALLED UNKN
		YALE AV
		0130/2885 (BORO)
		015 "DIA CIR UNKNOWN
		0130/2764 LEN=0015 INSTALLED UNKN
DREXEL AV (BORO)	0130/2747	
		015 "DIA CIR UNKNOWN
		0130/2489 LEN=0015 INSTALLED UNKN
		015 "DIA CIR UNKNOWN
		0130/2484 LEN=0015 INSTALLED UNKN
CASE AV (BORO)	0130/2418	
		HARVARD AV
		0130/2276 (BORO)
		015 "DIA CIR UNKNOWN
		0130/2184 LEN=0015 INSTALLED UNKN
SUNNEHANNA DR (BORO)	0130/2106	
		015 "DIA CIR UNKNOWN
		0130/2100 LEN=0015 INSTALLED UNKN
		015 "DIA CIR UNKNOWN

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: WESTMONT B RIGHT MUN: WESTMONT B




		0130/2064	LEN=0015 INSTALLED UNKN 015 "DIA CAST IRON
		0130/1768	LEN=0015 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0130/1752	LEN=0025 INSTALLED UNKN PRINCETON AV
		0130/1738	(BORO)
			015 "DIA CIR UNKNOWN
		0130/1372	LEN=0015 INSTALLED UNKN ELKNUD LN
		0130/1370	(BORO)
CORNELL PL (BORO)	0130/1236		
			015 "DIA CIR UNKNOWN
		0130/1208	LEN=0020 INSTALLED UNKN
			015 "DIA CIR UNKNOWN
		0130/1200	LEN=1200 INSTALLED UNKN THEO CT
		0130/1003	(BORO)
MIAMI ST (BORO)	0130/0887		
			HEIDELBERG LN
		0130/0642	(BORO)
	031866 FT	031866 FT	2 0 11011 7 00 0000+00 GOUCHER ST (SR3007 SEG 0090/0000)
		S 0130/0000	LENGTH(AH 3777 BK 3204) 018 "DIA CIR PLASTIC
		0120/3135	LEN=0028 INSTALLED 2014 SUSQUEHANNA ST
		0120/2734	(BORO)
FARRAGUT ST (BORO)	0120/2483		
PARKVIEW DR (BORO)	0120/2107		
			018 "DIA CIRC METAL
		0120/2025	LEN=0030 INSTALLED UNKN
VIEWMONT AV (BORO)	0120/1817		
			VIEWMONT AV
		0120/1798	(BORO)
SUNSET AV (BORO)	0120/1513		
			018 "DIA CIRC CONCR
		0120/1134	LEN=0028 INSTALLED UNKN STANFORD AV
STANFORD AV (BORO)	0120/1121	0120/1121	(BORO)
BENCHMARK LN			

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: WESTMONT B RIGHT MUN: WESTMONT B




LEFT MUN: WESTMONT B		RIGHT MUN: WESTMONT B
(TWP)	0120/1058	
BENCHMARK LN		
(TWP)	0120/0103	
	028662 FT	028662 FT 2 0 11011 0 02 0073+52
		WEST SAINT CLAIR RD
		(BORO)
ST CLAIR RD		
(SR3005 SEG 0010/0000)	0120/0000	S 0120/0000 LENGTH(AH 3204 BK 1741)
MARTHA LN		
(BORO)	0110/1404	
PAMELA LN		
(BORO)	0110/1169	
MCCAFFREY LN		
(BORO)	0110/0884	
		JIMDOT LN
		0110/0811 (TWP)
GRAYSTONE LN		
(BORO)	0110/0669	
		012 "DIA CIRC METAL
		0110/0626 LEN=0040 INSTALLED UNKN
		ALICIA LN
		0110/0580 (TWP)
	026921 FT	026921 FT 2 0 11006 0 01 0199+10
		S 0110/0000 LENGTH(AH 1741 BK 1827)
		DEERFIELD LN
		0100/1522 (TWP)
DRURY LN		
(BORO)	0100/1021	
		018 "DIA CIRC CONCR
		0100/0905 LEN=0042 INSTALLED UNKN
		WESTMONT
		0100/0772 UPPER YODER T
		024 "DIA CIRC CONCR
		0100/0503 LEN=0025 INSTALLED UNKN
		WHISPERING PINES LN
		0100/0356 (TWP)
		018 "DIA CIR PLASTIC
		0100/0226 LEN=0036 INSTALLED UNKN
2 0 11006 0 01 0180+80	025094 FT	025094 FT
WOODMONT RD		MFC BEGIN = B
(T728)	0100/0000	S 0100/0000 LENGTH(AH 1827 BK 3005)
		072 "DIA CIRC CONCR
		0090/2704 LEN=0050 INSTALLED UNKN
		024 "DIA CIR PLASTIC
		0090/1866 LEN=0050 INSTALLED 1999
		015 "DIA CIR PLASTIC
		0090/1660 LEN=0050 INSTALLED 1999
		024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T



		0090/1237	LEN=0055 INSTALLED 2016 MILL CREEK STRUCTURE LENGTH 17 FT
		0090/1084	BMSID 11/0271/0090/1084 SILVER BIRCH LN
		0090/0911	(PRDR) 018 "DIA CIRC CONCR
		0090/0436	LEN=0052 INSTALLED UNKN
	022089 FT	022089 FT	2 0 11006 0 01 0150+12
		S 0090/0000	LENGTH(AH 3005 BK 2890)
			018 "DIA CIRC CONCR
		0080/2702	LEN=0042 INSTALLED UNKN 018 "DIA CAST IRON
		0080/2114	LEN=0042 INSTALLED UNKN
PENNWOODS RD (PRDR)	0080/2080		
			009 "DIA CAST IRON
		0080/1870	LEN=0050 INSTALLED UNKN FENDER LN
		0080/1545	(SR3003 SEG 0030/2362) 018 "DIA CAST IRON
		0080/1191	LEN=0028 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0080/0990	LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0080/0725	LEN=0042 INSTALLED 2016
	019199 FT	019199 FT	2 0 11006 0 01 0122+50 MEADOW DR (T699)
		S 0080/0000	LENGTH(AH 2890 BK 2868)
GAYVIEW TE (T402)	0070/2772		
LYLE CT (T401)	0070/2350		
			018 "DIA CIR PLASTIC
		0070/1350	LEN=0066 INSTALLED UNKN
LAUREL WY (PRDR)	0070/0494		
			018 "DIA CIR PLASTIC
		0070/0021	LEN=0049 INSTALLED UNKN
2 0 11006 0 01 0094+00	016331 FT	016331 FT	
SHENKELVIEW DR (T697)	0070/0000		
		S 0070/0000	LENGTH(AH 2868 BK 1778)
			012 "DIA CAST IRON
		0060/1600	LEN=0050 INSTALLED UNKN 012 "DIA CAST IRON

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T



0060/1262 LEN=0036 INSTALLED UNKN

2 0 11006 0 01 0075+00 014553 FT 014553 FT
MELLOT DR
(T727) 0060/0000 S 0060/0000 LENGTH(AH 1778 BK 2949)

012 "DIA CIR PLASTIC
0050/2126 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1947 LEN=0044 INSTALLED UNKN
KEAFER RD
0050/1924 (T321)


018 "DIA CIR PLASTIC
0050/0088 LEN=0052 INSTALLED UNKN
011604 FT 011604 FT 2 0 11006 0 01 0045+08
S 0050/0000 LENGTH(AH 2949 BK 2695)
O'CONNOR RN
STRUCTURE LENGTH 13 FT
0040/2284 BMSID 11/0271/0040/2284
DALTON RUN
STRUCTURE LENGTH 12 FT
0040/1944 BMSID 11/0271/0040/1944
018 "DIA CIRC CONCR
0040/1473 LEN=0044 INSTALLED UNKN

018 "DIA CIR PLASTIC
0040/0795 LEN=0030 INSTALLED 1998
018 "DIA CIRC METAL
0040/0444 LEN=0064 INSTALLED UNKN
008909 FT 008909 FT 2 0 11006 0 00 0017+69
LIGONIER PK
(SR3001 SEG 0020/0000)
NORTHFORK RD
(SR3001 SEG 0020/0000)
S 0040/0000 LENGTH(AH 2695 BK 1887)

OLD PETERSON DR
(PRDR) 0030/1642


015 "DIA CIR PLASTIC
0030/1525 LEN=0026 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/1146 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/0564 LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 37.284 MI. DIST: 09-3 SR: 271
LEFT MUN: UPPER YODER T RIGHT MUN: UPPER YODER T



		018 "DIA CIR PLASTIC
	0030/0301	LEN=0032 INSTALLED UNKN
007022 FT	007022 FT	2 0 11068 0 00 0070+21
	S 0030/0000	LENGTH(AH 1887 BK 3503)
		018 "DIA CIRC CONCR
	0020/2774	LEN=0034 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0020/2596	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC METAL
	0020/2142	LEN=0034 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0020/1857	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/1468	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1011	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0599	LEN=0036 INSTALLED UNKN
003519 FT	003519 FT	2 0 11068 0 00 0034+88
	S 0020/0000	LENGTH(AH 3503 BK 3519)
		015 "DIA CIRC CONCR
	0010/3432	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/3088	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/2762	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/2388	LEN=0037 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/2098	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/1830	LEN=0034 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0010/1450	LEN=0080 INSTALLED UNKN
		012 "DIA CIRC CONCR
	0010/0965	LEN=0070 INSTALLED 1999
		012 "DIA CIRC CONCR
	0010/0581	LEN=0060 INSTALLED 1999
		RETAINING WALL END
	0010/0084	BMSID 11/0271/0010/0000
000000 FT	000000 FT	2 0 11068 0 00 0000+00
		NC MENOHER BL
		RETAINING WALL BEGIN
		BMSID 11/0271/0010/0000
	REF-BK	MENOHER HW
		(SR0271 SEG 0020/2360)
		MFC BEGIN = C
		BK-SOMERSET (55)
	S 0010/0000	LENGTH(AH 3519 BK 0000)

DIR: B TOTAL LEN: 6.449 MI. DIST: 09-3 SR: 253
LEFT MUN: READE T RIGHT MUN: READE T



034052 FT


034052 FT AH-CLEARFIELD (17)
REF-AHD CAMBRIA ST
0140/3614 (SR0253 SEG 0010/0000)
018 "DIA CIRC METAL
0140/3450 LEN=0042 INSTALLED UNKN

018 "DIA CIRC METAL
0140/2139 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/1834 LEN=0042 INSTALLED UNKN
018 "DIA CIRC METAL
0140/1562 LEN=0042 INSTALLED UNKN

030438 FT

030438 FT 1 0 00276 0 07 2097+68
BRANCH MUDDY RUN


DIR: B TOTAL LEN: 6.449 MI. DIST: 09-3 SR: 253
LEFT MUN: READE T RIGHT MUN: READE T



STRUCTURE LENGTH 13 FT
BMSID 11/0253/0140/0000
S 0140/0000 LENGTH(AH 3614 BK 3127)
018 "DIA CIRC CONCR
0130/2585 LEN=0145 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/2400 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0130/2123 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/1439 LEN=0026 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/1163 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0130/0925 LEN=0046 INSTALLED UNKN
015 "DIA CIRC CONCR
0130/0550 LEN=0040 INSTALLED UNKN
027311 FT
027311 FT 1 0 00276 0 07 2066+55
MUDDY RUN
STRUCTURE LENGTH 34 FT
BMSID 11/0253/0130/0000
S 0130/0000 LENGTH(AH 3127 BK 0518)
026793 FT
026793 FT 1 0 00276 0 07 2061+20
CAMBRIA MILLS RD
(T566)
S 0120/0000 LENGTH(AH 0518 BK 1867)
018 "DIA CIRC CONCR
0110/1523 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0110/1194 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0110/0823 LEN=0036 INSTALLED UNKN
024926 FT
024926 FT 1 0 00276 0 07 2041+28
S 0110/0000 LENGTH(AH 1867 BK 2862)
036 "DIA CAST IRON
0100/2330 LEN=0041 INSTALLED UNKN

CUSTOM TRUSS INC LT
(PRDR)
0100/0350 POI
0100/0350 (APRA) CUSTOM TRUSS INC
015 "DIA CIRC CONCR
DAKOTA RIDGE RD
(T570)
0100/0102
022064 FT
0100/0103 LEN=0135 INSTALLED UNKN
022064 FT 1 0 00276 0 07 2013+91
DUMP RD

DIR: B TOTAL LEN: 6.449 MI. DIST: 09-3 SR: 253
LEFT MUN: READE T RIGHT MUN: READE T



(T571)
0100/0000 LENGTH(AH 2862 BK 2442)

018 "DIA CIR PLASTIC
0090/1126 LEN=0062 INSTALLED UNKN
015 "DIA CIRC METAL
0090/0900 LEN=0043 INSTALLED UNKN
024 "DIA CIRC METAL
0090/0506 LEN=0047 INSTALLED UNKN
019622 FT

1 0 00276 0 07 1989+21 019622 FT
SKYLINE DR
(SR0865 SEG 0100/0000)
ROSELAND RD
(SR1022 SEG 0070/3008) 0090/0000


0090/0000 LENGTH(AH 2442 BK 2136)

028 "DIA CIRC CONCR
0080/1428 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/1103 LEN=0124 INSTALLED UNKN
018 "DIA CIRC CONCR
0080/0579 LEN=0050 INSTALLED UNKN
037 "DIA CIRC CONCR
0080/0128 LEN=0075 INSTALLED UNKN
017486 FT 017486 FT 1 0 00276 0 07 1967+70
SKYLINE DR
(SR0865 SEG 0090/2592)
0080/0000 LENGTH(AH 2136 BK 1281)
018 "DIA CIR PLASTIC
0070/0932 LEN=0070 INSTALLED 2006

016205 FT 016205 FT 1 0 00276 0 07 1954+75
VILLAGE: GLASGOW
COKE OVENS RD
(T563)
0070/0000 LENGTH(AH 1281 BK 2968)
018 "DIA CIR PLASTIC
0060/2942 LEN=0070 INSTALLED 2006
018 "DIA CIR PLASTIC
0060/2508 LEN=0055 INSTALLED UNKN


048 "DIA CIRC METAL
0060/1585 LEN=0050 INSTALLED 2006
018 "DIA CIR PLASTIC
0060/1361 LEN=0050 INSTALLED 2006
018 "DIA CIR PLASTIC
0060/0778 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 6.449 MI. DIST: 09-3 SR: 253
LEFT MUN: READE T RIGHT MUN: READE T




	018 "DIA CIR PLASTIC
0060/0456	LEN=0060 INSTALLED 2006
	018 "DIA CIR PLASTIC
0060/0152	LEN=0050 INSTALLED 2006
013237 FT	013237 FT 1 0 00276 0 07 1925+07
S 0060/0000	LENGTH(AH 2968 BK 2588)
	018 "DIA CIR PLASTIC
0050/2372	LEN=0045 INSTALLED 2006
	018 "DIA CIR PLASTIC
0050/1969	LEN=0055 INSTALLED 2006
	024 "DIA CIR PLASTIC
0050/1733	LEN=0045 INSTALLED 2006
	018 "DIA CIR PLASTIC
0050/1346	LEN=0045 INSTALLED 2006
	018 "DIA CIR PLASTIC
0050/0973	LEN=0045 INSTALLED 2006
	018 "DIA CIRC CONCR
0050/0690	LEN=0042 INSTALLED UNKN
010649 FT	010649 FT 1 0 00276 0 07 1899+49
	RIDGE RD
	(T567)
S 0050/0000	LENGTH(AH 2588 BK 2923)
	018 "DIA CIR PLASTIC
0040/2885	LEN=0085 INSTALLED 2006
	036 "DIA CIRC CONCR
0040/2380	LEN=0074 INSTALLED UNKN
	024 "DIA CIRC METAL
0040/1704	LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR
0040/1401	LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR
0040/1380	LEN=0050 INSTALLED 2006
	018 "DIA CIR PLASTIC
0040/0946	LEN=0048 INSTALLED 1997
	018 "DIA CIR PLASTIC
0040/0677	LEN=0060 INSTALLED 2006
	018 "DIA CIR PLASTIC
0040/0506	LEN=0042 INSTALLED 1997
	024 "DIA CIRC CONCR
0040/0328	LEN=0050 INSTALLED UNKN
007726 FT	007726 FT 1 0 00276 0 07 1870+49
	VILLAGE: HOLLENTOWN
S 0040/0000	LENGTH(AH 2923 BK 2549)
	024 "DIA CIRC CONCR
0030/2467	LEN=0042 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0030/1800	LEN=0040 INSTALLED 1997

DIR: B TOTAL LEN: 6.449 MI. DIST: 09-3 SR: 253
LEFT MUN: READE T RIGHT MUN: READE T



		018 "DIA CIR PLASTIC
	0030/1511	LEN=0050 INSTALLED 2006
		018 "DIA CIRC CONCR
	0030/1079	LEN=0050 INSTALLED 2002
		030 "DIA CIRC CONCR
	0030/0736	LEN=0042 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0030/0539	LEN=0042 INSTALLED UNKN
005177 FT	005177 FT	1 0 00276 0 07 1844+72
	S 0030/0000	LENGTH(AH 2549 BK 2437)
		018 "DIA CIR PLASTIC
	0020/1590	LEN=0050 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0020/1400	LEN=0050 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0020/1040	LEN=0020 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0020/0820	LEN=0045 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0020/0585	LEN=0045 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0020/0393	LEN=0045 INSTALLED 2006
002740 FT	002740 FT	1 0 00276 0 07 1819+78
	S 0020/0000	LENGTH(AH 2437 BK 2740)
		018 "DIA CIRC METAL
	0010/2478	LEN=0040 INSTALLED 2006
		018 "DIA CIRC METAL
	0010/2051	LEN=0060 INSTALLED UNKN
		040 "DIA CIRC OTHER
	0010/1558	LEN=0050 INSTALLED 2006
		024 "DIA CIR PLASTIC
	0010/1300	LEN=0050 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0010/0908	LEN=0060 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0010/0536	LEN=0060 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0010/0040	LEN=0026 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/0037	LEN=0037 INSTALLED 2000
000000 FT	000000 FT	1 0 00276 0 07 1792+93
		VILLAGE: VAN ORMER
	NC	EXECUTIVE DR
		GLENDALE VALLEY RD
		(SR0053 SEG 0660/0000)
	INTER-BK	VAN ORMER RD
		(T561)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 2740 BK 0000)

DIR: B TOTAL LEN: 1.014 MI. DIST: 09-3 SR: 240
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




```
005355 FT                    005355 FT  SHAWNA RD
                             0020/1455  (SR0219 SEG 0870/2367)
                             0020/1359  BMSEN 11/0240/0020/1256
                                        2 0 11069 0 00 0052+00
                                        W BR SUSQUEHANNA RIVER
                             0020/1256  BMSBG 11/0240/0020/1256
                                        018 "DIA CIR PLASTIC
                             0020/0691  LEN=0036 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0020/0479  LEN=0036 INSTALLED UNKN
                             0020/0023  BMSEN 11/0240/0020/0000
003900 FT                    003900 FT  2 0 11069 0 00 0039+24
                                        PEG'S RUN
                                        BMSBG 11/0240/0020/0000
                           S 0020/0000  LENGTH(AH 1455 BK 3900)

                                        018 "DIA CIR PLASTIC
                             0010/3201  LEN=0055 INSTALLED 1999
                                        018 "DIA CIR PLASTIC
                             0010/2965  LEN=0048 INSTALLED UNKN
                                        024 "DIA CIRC CONCR
                             0010/2829  LEN=0048 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/2697  LEN=0038 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/2418  LEN=0050 INSTALLED 1999
                                        018 "DIA CIR PLASTIC
                             0010/2121  LEN=0038 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/1934  LEN=0038 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/1791  LEN=0038 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/1377  LEN=0042 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/1037  LEN=0042 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/0761  LEN=0050 INSTALLED 1999
                                        018 "DIA CIR PLASTIC
                             0010/0464  LEN=0050 INSTALLED 1999
                                        018 "DIA CIR PLASTIC
                             0010/0315  LEN=0048 INSTALLED UNKN
000000 FT                    000000 FT  2 0 11069 0 00 0000+00
                                   NC PEG RUN RD
                           * REF-BK     UNIONTOWN RD
                                        (SR0240 SEG 0150/2091)
                                        MFC BEGIN = D
                                          BK-INDIANA      (32)
                           S 0010/0000  LENGTH(AH 3900 BK 0000)
```


DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T

211627 FT




210512 FT AH-INDIANA (32)
* REF-AHD MAIN ST
0880/2293 (SR0219 SEG 0010/0000)
015 "DIA CIRC CONCR
0880/1874 LEN=0038 INSTALLED UNKN

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




0880/1273 BMSEN 11/0219/0880/1264
1 0 00062 0 04 1132+63
TR W BR SUSQUEHANNA RIV
0880/1264 BMSBG 11/0219/0880/1264
024 "DIA CIRC CONCR
0880/1074 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0880/0885 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0880/0690 LEN=0044 INSTALLED UNKN
024 "DIA CIRC CONCR
0880/0196 LEN=0058 INSTALLED UNKN
209334 FT 208219 FT 1 0 00062 0 04 1119+90
S 0880/0000 LENGTH(AH 2293 BK 3851)
018 "DIA CIRC CONCR
0870/3458 LEN=0058 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/2761 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/2405 LEN=0050 INSTALLED 1990
012 "DIA CIRC CONCR
0870/2393 LEN=0046 INSTALLED UNKN
PEG RUN RD
(SR0240 SEG 0020/1455) 0870/2367
015 "DIA CIRC CONCR
0870/2080 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0870/1764 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/1617 LEN=0034 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/1532 LEN=0044 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/1311 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/0860 LEN=0054 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/0516 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/0326 LEN=0056 INSTALLED UNKN
015 "DIA CIRC CONCR
0870/0048 LEN=0050 INSTALLED UNKN
205483 FT 204368 FT 1 0 00062 0 04 1081+86
MAIN ST
(SR4027 SEG 0110/2987)
S 0870/0000 LENGTH(AH 3851 BK 2638)
EMEIGH RUN
STRUCTURE LENGTH 21 FT

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




	0860/1974	BMSID 11/0219/0860/1974
		015 "DIA CIRC CONCR
	0860/1625	LEN=0050 INSTALLED 1988
		015 "DIA CIRC CONCR
	0860/1233	LEN=0060 INSTALLED 1988
		015 "DIA CIRC CONCR
	0860/0738	LEN=0050 INSTALLED 1988
		015 "DIA CIRC CONCR
	0860/0099	LEN=0044 INSTALLED 1988
202845 FT	201730 FT	1 0 00062 0 04 1054+83
	S 0860/0000	LENGTH(AH 2638 BK 3499)
		015 "DIA CIRC CONCR
	0850/3252	LEN=0050 INSTALLED 1988
		015 "DIA CIRC CONCR
	0850/2922	LEN=0046 INSTALLED 1988
		015 "DIA CIRC CONCR
	0850/2680	LEN=0048 INSTALLED 1988
		024 "DIA CIRC CONCR
	0850/2386	LEN=0048 INSTALLED 1988
		015 "DIA CIRC CONCR
	0850/2181	LEN=0050 INSTALLED 1988
		036 "DIA CIRC CONCR
	0850/1837	LEN=0040 INSTALLED 1988
		015 "DIA CIRC CONCR
	0850/1368	LEN=0060 INSTALLED 1988
		015 "DIA CIRC CONCR
	0850/0950	LEN=0044 INSTALLED 1988
		015 "DIA CIRC CONCR
	0850/0105	LEN=0062 INSTALLED 1988
199346 FT	198231 FT	1 0 00062 0 04 1019+94
	S 0850/0000	LENGTH(AH 3499 BK 1052)
		015 "DIA CIRC CONCR
	0840/0881	LEN=0044 INSTALLED 1988
	0840/0334	BMSEN 11/0219/0840/0256
		1 0 00062 0 04 1009+44
		W BR SUSQUEHANNA RIVER
	0840/0256	BMSBG 11/0219/0840/0256
1 0 00062 0 04 1009+44 198294 FT	197179 FT	
GREENWICH RD		
(SR4018 SEG 0030/1498) 0840/0000	S 0840/0000	LENGTH(AH 1052 BK 2281)
		015 "DIA CIRC CONCR
	0830/1684	LEN=0044 INSTALLED 1988
		015 "DIA CIRC CONCR
	0830/1343	LEN=0040 INSTALLED 1988
MOSS CREEK RD		
(SR4029 SEG 0040/2596) 0830/0737		
		048 "DIA CIRC CONCR

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: SUSQUEHANNA T RIGHT MUN: SUSQUEHANNA T




	0830/0710	LEN=0083 INSTALLED 1951
	0830/0079	BMSEN 11/0219/0830/0000
196013 FT	194898 FT	1 0 00062 0 04 0986+50
		VILLAGE: GARMAN
		W BR SUSQUEHANNA RIVER
		BMSBG 11/0219/0830/0000
S	0830/0000	LENGTH(AH 2281 BK 3545)
		MARY ST
	0820/3166	(T563)
		015 "DIA CIRC CONCR
	0820/3141	LEN=0036 INSTALLED 1988
		015 "DIA CIRC CONCR
	0820/2472	LEN=0042 INSTALLED 1988
		015 "DIA CIRC CONCR
	0820/2187	LEN=0042 INSTALLED 1988
	0820/1861	BMSEN 11/0219/0820/1848
		1 0 00062 0 04 0969+55
		TR W BR SUSQUEHANNA RIV
	0820/1848	BMSBG 11/0219/0820/1848
		015 "DIA CIRC CONCR
	0820/1571	LEN=0050 INSTALLED 1988
		015 "DIA CIRC CONCR
	0820/1187	LEN=0048 INSTALLED 1988
		015 "DIA CIRC CONCR
	0820/0617	LEN=0046 INSTALLED 1988
		018 "DIA CIRC CONCR
	0820/0370	LEN=0050 INSTALLED 1988
192468 FT	191353 FT	1 0 00062 0 04 0951+03
	NC SHAWNA RD	
		SUSQUEHANNA
		NORTHERN CAMBRIA B
S	0820/0000	LENGTH(AH 3545 BK 1761)
		018 "DIA CIRC CONCR
	0810/0728	LEN=0026 INSTALLED 1988
		SYCAMORE ST
	0810/0695	(BORO)
		018 "DIA CIRC CONCR
	0810/0373	LEN=0046 INSTALLED 1988
		SPRUCE ST
	0810/0349	(BORO)
		015 "DIA CIRC CONCR
	0810/0021	LEN=0035 INSTALLED 1988
190707 FT	189592 FT	1 0 00062 0 04 0933+43
		SASSAFRAS ST
		(BORO)
S	0810/0000	LENGTH(AH 1761 BK 1995)

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B



		012 "DIA CIR PLASTIC
	0800/1704	LEN=0050 INSTALLED 1988
		REDBUD ST
	0800/1668	(BORO)
		018 "DIA CIRC CONCR
	0800/1588	LEN=0035 INSTALLED 1988
		018 "DIA CIRC CONCR
	0800/1367	LEN=0030 INSTALLED 1988
		POPLAR ST
	0800/1318	(BORO)
		018 "DIA CIRC CONCR
	0800/1011	LEN=0020 INSTALLED 1988
		MULBERRY ST
	0800/0963	(BORO)
		MAGNOLIA ST
	0800/0609	(BORO)
		018 "DIA CIRC CONCR
	0800/0450	LEN=0032 INSTALLED 1988
		LAUREL ST
	0800/0398	(SR4027 SEG 0010/0000)
	0800/0344	BMSEN 11/0219/0800/0332
		1 0 00062 0 04 0916+60
		PORTER RUN
	0800/0332	BMSBG 11/0219/0800/0332
JUNIPER ST		JUNIPER ST
(BORO)	0800/0090	0800/0090 (BORO)
188712 FT		187597 FT 1 0 00062 0 04 0913+46
		CHESTNUT AV
		(BORO)
	S 0800/0000	LENGTH(AH 1995 BK 2660)
		018 "DIA CIR PLASTIC
	0790/2256	LEN=0045 INSTALLED 2003
		DELTA ST (CLOSED)
	0790/2255	(BORO)
		018 "DIA CIR PLASTIC
	0790/1921	LEN=0040 INSTALLED 1997
		HAZEL ST
	0790/1865	(BORO)
		018 "DIA CIRC CONCR
	0790/1845	LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
	0790/1511	LEN=0060 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0790/1445	LEN=0050 INSTALLED 1988
		GUM ST
	0790/1438	(BORO)
		018 "DIA CIRC METAL
	0790/1199	LEN=0034 INSTALLED 1988
		018"H 18"W CON BOX CUL
	0790/1074	LEN=0050 INSTALLED 1988

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B



HOLLY ST
0790/1065 (BORO)
DOGWOOD ST
0790/0709 (BORO)
018 "DIA CIRC ALUMIN
0790/0684 LEN=0049 INSTALLED 2014
COTTONWOOD ST
(BORO)
0790/0354
014 "DIA CIRC CONCR
0790/0351 LEN=0034 INSTALLED 1988
186052 FT 184937 FT 1 0 00062 0 04 0886+85
CRAWFORD AV
(BORO)
NC PHILADELPHIA AV

PHILADELPHIA AV
(SR4016 SEG 0010/0000)
S 0790/0000 LENGTH(AH 2660 BK 3815)
NIXON AV
0780/3624 (BORO)
014 "DIA CIRC CONCR
0780/3510 LEN=0050 INSTALLED 1988
014 "DIA CIRC CONCR
0780/3464 LEN=0050 INSTALLED 1988
MAPLE ST
(BORO)
0780/3435


RIVER ST
(BORO) 0780/3260
0780/3256 BMSEN 11/0219/0780/3223
1 0 00062 0 04 0880+62
WALNUT RUN
0780/3223 BMSBG 11/0219/0780/3223

ST PAT'S AV
(BORO) 0780/3095
014 "DIA CIRC CONCR
0780/3084 LEN=0050 INSTALLED 1988
NC CRAWFORD AV
FORTIETH ST
(BORO)
CRAWFORD ST
0780/2762 (BORO)

ST PAT'S AV
(BORO) 0780/2650
018 "DIA CIRC CONCR
0780/2399 LEN=0050 INSTALLED 1988
THIRTYNINTH ST
0780/2100 (BORO)


BARR AV

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B




(BORO) 0780/1752	0780/1752	
		018 "DIA CIRC CONCR
	0780/1714	LEN=0100 INSTALLED 1988
		THIRTYSEVENTH ST
	0780/1400	(BORO)
		018 "DIA CIR PLASTIC
	0780/1380	LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0780/1359	LEN=0030 INSTALLED 1988
		024 "DIA CIRC CONCR
	0780/1084	LEN=0052 INSTALLED 1988
		THIRTYSIXTH ST
	0780/1050	(BORO)
		THIRTYFIFTH ST
	0780/0696	(BORO)
		THIRTYFOURTH ST
	0780/0348	(BORO)
		024 "DIA CIRC CONCR
	0780/0289	LEN=0050 INSTALLED 1988
182237 FT	181122 FT	1 0 00062 0 04 0848+57
		THIRTYTHIRD ST
		(BORO)
	S 0780/0000	LENGTH(AH 3815 BK 3125)
		024 "DIA CIRC CONCR
	0770/2797	LEN=0065 INSTALLED 1988
		018 "DIA CIRC CONCR
	0770/1800	LEN=0065 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0770/1396	LEN=0060 INSTALLED 1988
		TWENTYEIGHTH ST
	0770/1356	(BORO)
		TWENTYSEVENTH ST
	0770/1001	(BORO)
		TWENTYSIXTH ST
	0770/0655	(BORO)
		018 "DIA CIRC CONCR
	0770/0650	LEN=0155 INSTALLED 1988
		014 "DIA CIRC CONCR
	0770/0400	LEN=0099 INSTALLED 1988
		TWENTYFIFTH ST
	0770/0349	(BORO)
		012 "DIA CIRC CONCR
	0770/0043	LEN=0046 INSTALLED 1988
179112 FT	177997 FT	1 0 00062 0 04 0817+38
		TWENTYFOURTH ST
		(BORO)
TWENTYFOURTH ST		
(SR0271 SEG 0770/1567) 0770/0000	S 0770/0000	LENGTH(AH 3125 BK 2159)

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B




		0760/1828	014 "DIA CIRC CONCR LEN=0036 INSTALLED 1988 TWENTYTHIRD ST
		0760/1803	(BORO) TWENTYSECOND ST
		0760/1453	(BORO) 012 "DIA CIRC CONCR
		0760/1439	LEN=0050 INSTALLED 1988 TWENTYFIRST ST
		0760/1070	(BORO) 012 "DIA CIRC CONCR
		0760/1043	LEN=0038 INSTALLED 1988 TWENTIETH ST
		0760/0694	(BORO) 012 "DIA CIR PLASTIC
		0760/0660	LEN=0036 INSTALLED 1988 NINETEENTH ST
		0760/0346	(BORO)
176953 FT		175838 FT	1 0 00062 0 04 0795+80 024 "DIA CIRC CONCR LEN=0036 INSTALLED 1988 EIGHTEENTH ST (BORO)
		S 0760/0000	LENGTH(AH 2159 BK 1421)
		0750/0475	018 "DIA CIRC METAL LEN=0025 INSTALLED 2014
1 0 00062 0 04 0781+56		174417 FT	
175532 FT FOURTEENTH ST (SR4009 SEG 0070/2438)		S 0750/0000	LENGTH(AH 1421 BK 1413)
		0740/1052	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1998 THIRTEENTH ST
		0740/1049	(BORO) TWELFTH ST
		0740/0708	(BORO) 018 "DIA CIR UNKNOWN
		0740/0664	LEN=0034 INSTALLED 1998 ELEVENTH ST
		0740/0358	(BORO)
174119 FT		173004 FT	1 0 00062 0 03 0766+05 TENTH ST (BORO)
		S 0740/0000	LENGTH(AH 1413 BK 2070)
		0730/2058	018 "DIA CIRC CONCR LEN=0052 INSTALLED 1998 NINTH ST
		0730/1726	(BORO) 015 "DIA CIRC CONCR

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: NORTHERN CAMBRIA B RIGHT MUN: NORTHERN CAMBRIA B




0730/1677 LEN=0040 INSTALLED 1998
EIGHTH ST
(BORO) 0730/1372
018 "DIA CIRC CONCR
0730/1314 LEN=0032 INSTALLED 1998
015 "DIA CIRC CONCR
0730/0858 LEN=0036 INSTALLED 1998
018 "DIA CIR PLASTIC
0730/0195 LEN=0036 INSTALLED 1998
172049 FT 170934 FT 1 0 00062 0 03 0745+53
FOURTH ST
(BORO)
S 0730/0000 LENGTH(AH 2070 BK 3406)
018 "DIA CIR PLASTIC
0720/2815 LEN=0123 INSTALLED 1998
SECOND ST
0720/2793 (BORO)
018 "DIA CIRC CONCR
0720/2618 LEN=0099 INSTALLED 1998
FIRST ST
0720/2371 (BORO)
NC BIGLER AV
NORTHERN CAMBRIA
0720/2330 SUSQUEHANNA T
0720/2295 BMSEN 11/0219/0720/2258
1 0 00062 0 03 0733+77
TR W BR SUSQUEHANNA RIV
0720/2258 BMSBG 11/0219/0720/2258
NUMBER NINE RD
0720/1690 (SR4021 SEG 0010/0000)
015 "DIA CIRC CONCR
0720/1158 LEN=0054 INSTALLED 1998
018 "DIA CIRC CONCR
0720/0840 LEN=0042 INSTALLED 1998
SUSQUEHANNA
0720/0816 WEST CARROLL T
018 "DIA CIRC CONCR
0720/0467 LEN=0046 INSTALLED 1998
168643 FT 167528 FT 1 0 00062 0 03 0712+12
018 "DIA CIRC CONCR
LEN=0066 INSTALLED 1998
S 0720/0000 LENGTH(AH 3406 BK 3495)
SPORTSMEN RD
(T626) 0710/3165
018 "DIA CIRC CONCR
0710/3147 LEN=0066 INSTALLED 1998
018 "DIA CIRC CONCR
0710/2741 LEN=0066 INSTALLED 1998
018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: WEST CARROLL T RIGHT MUN: WEST CARROLL T




0710/2390 LEN=0050 INSTALLED 1998
018 "DIA CIRC CONCR
0710/2314 LEN=0042 INSTALLED 1998
018 "DIA CIRC CONCR
0710/2113 LEN=0066 INSTALLED 1998
018 "DIA CIRC CONCR
0710/2006 LEN=0068 INSTALLED 1998
018 "DIA CIRC CONCR
0710/1534 LEN=0066 INSTALLED 1998
018 "DIA CIRC CONCR
0710/0688 LEN=0074 INSTALLED 1998
018 "DIA CIRC CONCR
0710/0425 LEN=0055 INSTALLED 1998
018 "DIA CIRC CONCR
0710/0061 LEN=0042 INSTALLED 1998
165148 FT 164033 FT 1 0 00062 0 03 0677+37
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1998
PERCO RD
(T534)
S 0710/0000 LENGTH(AH 3495 BK 2474)
POST OFFICE RD
0700/1820 (T612)
018 "DIA CIRC CONCR
0700/1769 LEN=0060 INSTALLED 1998
POST OFFICE RD
0700/0494 (T610)
JACKMAN ST
(TWP)
RAILROAD ST
0700/0132 (TWP)
0700/0015 BMSEN 11/0219/0700/0000
162674 FT 161559 FT 1 0 00062 0 03 0651+37
FOX RUN
BMSBG 11/0219/0700/0000
S 0700/0000 LENGTH(AH 2474 BK 2261)
018 "DIA CIRC CONCR
0690/1813 LEN=0040 INSTALLED 1998
ARBLE ST
(TWP)
0690/1332
FORD ST
(T611)
0690/1015
018 "DIA CIRC CONCR
0690/1008 LEN=0040 INSTALLED 1998
018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: WEST CARROLL T RIGHT MUN: WEST CARROLL T




0690/0662 LEN=0040 INSTALLED 1998
018 "DIA CIRC CONCR
0690/0300 LEN=0040 INSTALLED 1998
018 "DIA CIRC CONCR
0690/0015 LEN=0050 INSTALLED 1999
160413 FT 159298 FT 1 0 00062 0 03 0628+65
ST JOE'S RD
(T531)
COLE RD
(SR4011 SEG 0050/0926) 0690/0000 S 0690/0000 LENGTH(AH 2261 BK 2531)
0680/2485 BMSEN 11/0219/0680/2475
1 0 00062 0 03 0601+14
FOX RUN
0680/2475 BMSBG 11/0219/0680/2475
018 "DIA CIRC CONCR
0680/1990 LEN=0045 INSTALLED 1999
018 "DIA CIRC CONCR
0680/0861 LEN=0099 INSTALLED 1988
018 "DIA CIRC CONCR
0680/0847 LEN=0046 INSTALLED 1988
018 "DIA CIRC CONCR
0680/0561 LEN=0070 INSTALLED 1988
015 "DIA CIRC CONCR
0680/0081 LEN=0060 INSTALLED 1988
157882 FT 156767 FT 1 0 00062 0 03 0601+14
S 0680/0000 LENGTH(AH 2531 BK 3965)
015 "DIA CIRC CONCR
0670/2400 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0670/2025 LEN=0060 INSTALLED 1988
NC THEATRE DR
WEST CARROLL
0670/1987 CARROLLTOWN B
018 "DIA CIRC METAL
0670/1704 LEN=0050 INSTALLED 1988
KLINE RD
0670/1400 (BORO)
AMERICAN LEGION PARK RD
(BORO) 0670/0821
018 "DIA CIRC CONCR
0670/0815 LEN=0050 INSTALLED 1988
HIMMEL ST
0670/0778 (BORO)
FOR SR 0219 AND 4013
0670/0440 (CONN)

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CARROLLTOWN B RIGHT MUN: CARROLLTOWN B



		018 "DIA CIRC CONCR
	0670/0329	LEN=0110 INSTALLED 1999
		018 "DIA CIRC CONCR
	0670/0188	LEN=0020 INSTALLED 1999
153917 FT	152802 FT	1 0 00062 0 02 0563+00
		SUNSET RD
		(SR4013 SEG 0010/0000)
	S 0670/0000	LENGTH(AH 3965 BK 2336)
		018 "DIA CIRC CONCR
	0660/2145	LEN=0030 INSTALLED 1999
CAMERON ST		
(BORO) 0660/1592		
HUBER ST		
(BORO) 0660/1308		
		048 "DIA CIRC CONCR
	0660/1157	LEN=0062 INSTALLED 1988
		MILL ST
	0660/0997	(BORO)
		CAMPBELL ST
	0660/0589	(BORO)
CAMPBELL ST		
(BORO) 0660/0574		
WENTZ ST		
(BORO) 0660/0055		
151581 FT	150466 FT	1 0 00062 0 02 0539+66
		FLYNN ST
		(BORO)
	S 0660/0000	LENGTH(AH 2336 BK 1931)
		CARROLL ST
CARROLL ST		(SR4015 SEG 0010/0000)
(BORO) 0650/1476	0650/1476	
		SCANLAN ST
	0650/1066	(BORO)
OAK ST		
(SR4004 SEG 0050/3188) 0650/0745		
		018 "DIA CIRC CONCR
	0650/0742	LEN=0036 INSTALLED 1988
		XAVIER ST
	0650/0570	(BORO)
		024 "DIA CIR PLASTIC
	0650/0010	LEN=0210 INSTALLED 1997
149650 FT	148535 FT	1 0 00062 0 02 0520+37
		LEHMIER ST
		(BORO)
	S 0650/0000	LENGTH(AH 1931 BK 1926)
		018 "DIA CIR PLASTIC
	0640/1861	LEN=0045 INSTALLED 1997
		018 "DIA CIRC METAL
	0640/1468	LEN=0024 INSTALLED 1988
		FLICK AV

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CARROLLTOWN B RIGHT MUN: CARROLLTOWN B



0640/1395 (BORO)
NC MAIN ST
CARROLLTOWN
0640/1154 EAST CARROLL T
DUTCH RD
0640/1006 (SR1009 SEG 0100/2209)

147724 FT 146609 FT 1 0 00062 0 02 0499+57
S 0640/0000 LENGTH(AH 1926 BK 2101)

015 "DIA CIRC CONCR
0630/1122 LEN=0100 INSTALLED 1988

145623 FT 144508 FT 1 0 00062 0 02 0479+66
S 0630/0000 LENGTH(AH 2101 BK 2050)

015 "DIA CIRC CONCR
0620/1379 LEN=0052 INSTALLED 1988


054 "DIA CIRC ALUMIN
0620/0300 LEN=0100 INSTALLED 2020
018 "DIA CIRC CONCR
0620/0140 LEN=0060 INSTALLED 2020
143573 FT 142458 FT 1 0 00062 0 02 0458+00
BRICK RD
(T465)
S 0620/0000 LENGTH(AH 2050 BK 1415)
018 "DIA CIRC CONCR
0610/1240 LEN=0048 INSTALLED 2020
TWENTY MINE RD
0610/0871 (T484)
DRAINAGE
STRUCTURE LENGTH 15 FT
0610/0566 BMSID 11/0219/0610/0566
018 "DIA CIRC CONCR
0610/0210 LEN=0055 INSTALLED 2017

1 0 00062 0 01 0432+70 142158 FT 141043 FT
RIDGE RD
(SR0553 SEG 0150/3813) 0610/0000 S 0610/0000 LENGTH(AH 1415 BK 2355)
FROM 0553/0150 SH
(CONN) 0600/2255

018 "DIA CIRC CONCR
0600/1519 LEN=0070 INSTALLED 2017

015 "DIA CIRC CONCR


DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



0600/0634 LEN=0036 INSTALLED 1988

1 0 00062 0 01 0410+32 139803 FT 138688 FT
COLVER RD
(SR4005 SEG 0160/3164) 0600/0000 S 0600/0000 LENGTH(AH 2355 BK 2046)
015 "DIA CIRC CONCR
0590/2020 LEN=0036 INSTALLED 1988
015 "DIA CIRC CONCR
0590/1832 LEN=0040 INSTALLED 1988
FOR SR 0219 AND 4005
(CONN) 0590/1750
018 "DIA CIRC CONCR
0590/1522 LEN=0048 INSTALLED 1988
018 "DIA CIRC CONCR
0590/1018 LEN=0049 INSTALLED 1988
030 "DIA CIRC CONCR
0590/0671 LEN=0098 INSTALLED 1988
036 "DIA CIRC CONCR
0590/0240 LEN=0088 INSTALLED 1988
137757 FT 136642 FT 2 0 11034 0 00 0296+00
BUFFALO LN
(T601)
S 0590/0000 LENGTH(AH 2046 BK 2562)
040 "DIA CIRC CONCR
0580/2409 LEN=0092 INSTALLED 1988
018 "DIA CIRC CONCR
0580/2218 LEN=0088 INSTALLED 1988
(APRA) MOUNTAIN RV'S LT
MOUNTAIN RV'S LT
0580/1893 (PRDR)
018 "DIA CIRC CONCR
0580/1283 LEN=0042 INSTALLED 1988
MAPLE LN
0580/1240 (T601)
018 "DIA CIRC CONCR
0580/1220 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0580/0964 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0580/0696 LEN=0048 INSTALLED 1988
018 "DIA CIRC CONCR
0580/0395 LEN=0072 INSTALLED 1988
2 0 11034 0 00 0270+75 135195 FT 134080 FT
MILLER RD
(T599) 0580/0000 S 0580/0000 LENGTH(AH 2562 BK 2755)
PORTAL RD
0570/2730 (T499)
LAUREL LICK RUN
STRUCTURE LENGTH 12 FT

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



0570/2348 BMSID 11/0219/0570/2348
048 "DIA CIRC CONCR
0570/2217 LEN=0126 INSTALLED 1988

SADDLE CLUB LN
(PRDR) 0570/1125

018 "DIA CIRC CONCR
0570/1095 LEN=0070 INSTALLED 1988
015 "DIA CIRC CONCR
0570/0903 LEN=0050 INSTALLED 1988


018 "DIA CIRC METAL
0570/0207 LEN=0077 INSTALLED 1988
132440 FT 131325 FT 2 0 11034 0 00 0243+09
NC PLANK RD
REF-BK PLANK RD
(SR4031 SEG 0164/1356)
MFC BEGIN = B
S 0570/0000 LTH AH 002755 BK 002439
132440 FT 131325 FT
LTH AH 001112 BK 002640 7551/0000 7550/0000 LTH AH 002439 BK 002300
RAMP C RD REF-AHD REF-AHD RAMP D RD
(SR8017 SEG 0250/1110) 0545/2640 0544/2300 (SR8017 SEG 0010/0000)
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0545/2629
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0545/2514

MILEPOST 075.00 0545/1510 0544/2195 MILEPOST 075.00

018 "DIA CIRC CONCR
0544/0219 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0545/0055
0 0 00000 0 00 0000+00 129800 FT 129025 FT 0 0 00000 0 00 0000+00
LENGTH(AH 2640 BK 2640) 0545/0000 S S 0544/0000 LENGTH(AH 2300 BK 2637)
018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0535/2144
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0535/1943
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0535/1740
018 "DIA CIRC CONCR
LEN=0090 INSTALLED 2002 0535/1448

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: EAST CARROLL T RIGHT MUN: EAST CARROLL T



018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0535/1004
048 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0535/0536
EAST CARROLL
CAMBRIA T 0535/0470

018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0535/0200

0 0 00000 0 00 0000+00 127160 FT
LENGTH(AH 2640 BK 2640) 0535/0000 S
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0525/2555
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0525/2315
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0525/2017

MILEPOST 074.00 0525/1475
048 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0525/1297

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0525/0535
0 0 00000 0 00 0000+00 124520 FT
LENGTH(AH 2640 BK 2924) 0525/0000 S
018 "DIA CIRC CONCR
LEN=0080 INSTALLED 2002 0515/2920
048 "DIA CIRC CONCR
LEN=0180 INSTALLED UNKN 0515/2321

CROSSOVER RD
(CONN) 0515/0655

0 0 00000 0 00 0000+00 121596 FT
SR 1002
OP ID 11/1002/0020/0000

018 "DIA CIRC CONCR
0534/1713 LEN=0060 INSTALLED UNKN

EAST CARROLL
0534/1154 CAMBRIA T

018 "DIA CIRC CONCR
0534/0098 LEN=0070 INSTALLED 2002
126388 FT 0 0 00000 0 00 0000+00
S 0534/0000 LENGTH(AH 2637 BK 2132)

018 "DIA CIRC CONCR
0524/1691 LEN=0237 INSTALLED UNKN
0524/1657 MILEPOST 074.00

018 "DIA CIRC CONCR
0524/0796 LEN=0237 INSTALLED UNKN


124256 FT 0 0 00000 0 00 0000+00
S 0524/0000 LENGTH(AH 2132 BK 2640)

018 "DIA CIRC CONCR
0514/1988 LEN=0120 INSTALLED UNKN


018 "DIA CIRC CONCR
0514/1170 LEN=0242 INSTALLED UNKN
CROSSOVER RD
0514/0660 (CONN)
018 "DIA CIRC CONCR
0514/0600 LEN=0060 INSTALLED UNKN

121616 FT 0 0 00000 0 00 0000+00
SR 1002
OP ID 11/1002/0020/0000

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



LEN=0050 INSTALLED UNKN 0485/1719
MILEPOST 072.00 0485/1680
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0485/1171
018 "DIA CIRC CONCR
LEN=0245 INSTALLED UNKN 0485/0372
0 0 00000 0 00 0000+00 113676 FT
LENGTH(AH 2640 BK 3493) 0485/0000 S
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0475/3378
018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0475/3049
018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0475/2474
018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0475/2241
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0475/1738
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0475/1230
018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0475/0924
CROSSOVER RD
(CONN) 0475/0627
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0475/0612
BMSEN 11/0219/0475/0000 0475/0122
0 0 00000 0 00 0000+00 110183 FT
SR 4005
BMSBG 11/0219/0475/0000
LENGTH(AH 3493 BK 2360) 0475/0000 S
018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN 0465/2325
MILEPOST 071.00 0465/2290

018 "DIA CIRC CONCR
0484/1472 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0484/0844 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0484/0340 LEN=0070 INSTALLED UNKN
112095 FT 0 0 00000 0 00 0000+00
S 0484/0000 LENGTH(AH 2590 BK 1970)
018 "DIA CIRC CONCR
0474/1850 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0474/1349 LEN=0070 INSTALLED UNKN
024 "DIA CIRC CONCR
0474/0753 LEN=0070 INSTALLED UNKN
CROSSOVER RD
0474/0701 (CONN)
018 "DIA CIRC CONCR
0474/0228 LEN=0100 INSTALLED UNKN
0474/0115 BMSEN 11/0219/0474/0000
110125 FT 0 0 00000 0 00 0000+00
SR 4005
BMSBG 11/0219/0474/0000
S 0474/0000 LENGTH(AH 1970 BK 3098)
018 "DIA CIRC CONCR
0464/3070 LEN=0050 INSTALLED UNKN
0464/3046 MILEPOST 071.00

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



084 "DIA CIRC CONCR
LEN=0160 INSTALLED UNKN 0465/2070

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0465/1175

0 0 00000 0 00 0000+00 107823 FT
TO 422 W/1036 RAMP A RD
(SR8013 SEG 0500/0000)
LENGTH(AH 2360 BK 2067) 0465/0000
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0455/1984

030 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0455/1382

BMSEN 11/0219/0455/0000 0455/0214

0 0 00000 0 00 0000+00 105756 FT
NC JACK P MURTHA HW
SR 0422 EBL
BMSBG 11/0219/0455/0000
LENGTH(AH 2067 BK 1166) 0455/0000

018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0445/0500
MILEPOST 070.00 0445/0245
1 0 01022 0 02 1195+06 104590 FT
LENGTH(AH 1166 BK 2879) 0445/0000
FROM 422 E RAMP E RD
(SR8013 SEG 0250/1564) 0435/2832
018 "DIA CIRC CONCR
LEN=0130 INSTALLED 1988 0435/2487
TRIB BLACKLICK CREEK
STRUCTURE LENGTH 8 FT
BMSID 11/0219/0434/1865 0435/1918

084 "DIA CIRC CONCR
0464/2940 LEN=0165 INSTALLED UNKN
018 "DIA CIRC CONCR
0464/2431 LEN=0100 INSTALLED UNKN

018 "DIA CIRC CONCR
0464/1950 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR
0464/1759 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0464/0639 LEN=0080 INSTALLED UNKN
FROM 422 E/1036 RAMP B
0464/0069 (SR8013 SEG 0750/1232)
024 "DIA CIRC CONCR
0464/0039 LEN=1850 INSTALLED UNKN


107027 FT 0 0 00000 0 00 0000+00
0464/0000 LENGTH(AH 3098 BK 1307)

0454/0201 BMSEN 11/0219/0454/0000
105720 FT 0 0 00000 0 00 0000+00
018 "DIA CIRC CONCR
LEN=0220 INSTALLED 2002
NC JACK P MURTHA HW
SR 1036 EBL
BMSBG 11/0219/0454/0000
0454/0000 LENGTH(AH 1307 BK 1061)

0444/0134 MILEPOST 070.00
104659 FT 1 0 01022 0 02 1193+73
0444/0000 LENGTH(AH 1061 BK 2916)
TO 422 W/1036 RAMP C RD
0434/2831 (SR8013 SEG 0010/0000)


TRIB BLACKLICK CREEK
STRUCTURE LENGTH 8 FT
0434/1865 BMSID 11/0219/0434/1865

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



		0434/1560	018 "DIA CIRC METAL LEN=0184 INSTALLED 1988
BMSEN 11/0219/0435/1462	0435/1608	0434/1494	BMSEN 11/0219/0434/1348
1 0 01022 0 02 1180+69			1 0 01022 0 02 1178+62
OTHER RR			OTHER RR
BMSBG 11/0219/0435/1462	0435/1462	0434/1348	BMSBG 11/0219/0434/1348
			018 "DIA CIRC CONCR
		0434/1300	LEN=0120 INSTALLED 1988
			018 "DIA CIRC METAL
		0434/1106	LEN=0150 INSTALLED 1988
			042 "DIA CIRC METAL
		0434/0509	LEN=0170 INSTALLED 1988
018 "DIA CIRC CONCR			
LEN=0060 INSTALLED 1988	0435/0297		
			018 "DIA CIRC CONCR
		0434/0154	LEN=0080 INSTALLED 1988
1 0 01022 0 02 1166+27	101711 FT	101743 FT	1 0 01022 0 02 1165+04
LENGTH(AH 2879 BK 2920)	0435/0000 S	S 0434/0000	LENGTH(AH 2916 BK 2992)
CROSSOVER RD			CROSSOVER RD
(CONN)	0425/2694	0424/2628	(CONN)
018 "DIA CIRC CONCR			
LEN=0060 INSTALLED 1988	0425/2613		
			024 "DIA CIRC CONCR
		0424/2547	LEN=0070 INSTALLED 1988
018 "DIA CIRC CONCR			
LEN=0060 INSTALLED 1988	0425/2113		
			018 "DIA CIRC CONCR
		0424/2047	LEN=0070 INSTALLED 1988
018 "DIA CIRC CONCR			
LEN=0065 INSTALLED 1988	0425/1557		
			018 "DIA CIRC CONCR
		0424/1497	LEN=0070 INSTALLED 1988
018 "DIA CIRC CONCR			
LEN=0060 INSTALLED 1988	0425/1211		
			024 "DIA CIRC CONCR
		0424/1149	LEN=0070 INSTALLED 1988
MILEPOST 069.00	0425/0770	0424/0715	MILEPOST 069.00
018 "DIA CIRC CONCR			
LEN=0070 INSTALLED 1988	0425/0505		
018 "DIA CIRC CONCR			
LEN=0120 INSTALLED 1970	0425/0300		
BMSEN 11/0219/0425/0000	0425/0238	0424/0208	BMSEN 11/0219/0424/0000
1 0 01022 0 02 1137+07	098791 FT	098751 FT	1 0 01022 0 02 1135+46
SR 3034			SR 3034
BMSBG 11/0219/0425/0000			BMSBG 11/0219/0424/0000
LENGTH(AH 2920 BK 2567)	0425/0000 S	S 0424/0000	LENGTH(AH 2992 BK 2006)
			018 "DIA CIRC CONCR
		0414/1938	LEN=0070 INSTALLED 1988
			048 "DIA CIRC METAL

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



0414/1700 LEN=0416 INSTALLED 1970

018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1970 0415/1600
018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1970 0415/1350
018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0415/1065

018 "DIA CIRC CONCR
0414/1015 LEN=0070 INSTALLED 1988

SIGN: 4 CHORD TRUSS
BMSID 11/0219/0415/0913 0415/0913

018 "DIA CIRC CONCR
0414/0490 LEN=0070 INSTALLED 1988

018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0415/0350

018 "DIA CIRC CONCR
0414/0050 LEN=0100 INSTALLED 1970

1 0 01022 0 02 1110+71 096224 FT
RAMP U RD
(SR8011 SEG 0250/0000)
LENGTH(AH 2567 BK 1176) 0415/0000

096745 FT 1 0 01022 0 02 1115+16
0414/0000 LENGTH(AH 2006 BK 1563)
RAMP W RD
0404/0973 (SR8011 SEG 0510/1161)
024 "DIA CIRC CONCR
0404/0865 LEN=0100 INSTALLED 1988

018 "DIA CIRC CONCR
LEN=0120 INSTALLED 1988 0405/0988


066 "DIA CIRC METAL
0404/0500 LEN=0710 INSTALLED 1970
RAMP X RD
RAMP V RD
(SR8011 SEG 0260/1713) 0405/0560 0404/0373 (SR8011 SEG 0500/0000)
SIGN: CANTILEVER
BMSID 11/0219/0405/0082 0405/0082

095182 FT 1 0 01022 0 02 1099+28
1 0 01022 0 02 1098+81 095048 FT 0404/0000 LENGTH(AH 1563 BK 0191)
LENGTH(AH 1176 BK 0191) 0405/0000 0394/0191 BMSEN 11/0219/0394/0000
BMSEN 11/0219/0395/0000 0395/0191 094991 FT 1 0 01022 0 02 1097+52
1 0 01022 0 02 1097+05 094857 FT SR 0022 EBL
SR 0022 EBL BMSBG 11/0219/0394/0000
BMSBG 11/0219/0395/0000 0394/0000 LENGTH(AH 0191 BK 0798)
LENGTH(AH 0191 BK 0700) 0395/0000 SIGN: CANTILEVER
0390/0695 BMSID 11/0219/0390/0695

018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1988 0391/0362

018 "DIA CIRC CONCR
0390/0292 LEN=0230 INSTALLED 1988
RAMP Z RD
RAMP T RD
(SR8011 SEG 0020/0000) 0391/0260 0390/0258 (SR8011 SEG 0750/1458)
1 0 01022 0 02 1089+82 094157 FT 094193 FT 1 0 01022 0 02 1089+49
LENGTH(AH 0700 BK 2522) 0391/0000 0390/0000 LENGTH(AH 0798 BK 2493)

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



MILEPOST 068.00 0381/2435
RAMP S RD
(SR8011 SEG 0010/1151) 0381/2274
018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1988 0381/2023
018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0381/1723
018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0381/1424
018 "DIA CIRC CONCR
LEN=0115 INSTALLED 1988 0381/1132
CROSSOVER RD
(CONN) 0381/1122
066 "DIA CIRC METAL
LEN=0082 INSTALLED 1988 0381/0462
1 0 01022 0 02 1064+82 091635 FT
LENGTH(AH 2522 BK 2451) 0381/0000 S
018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1988 0371/2070
036 "DIA CIRC CONCR
LEN=0080 INSTALLED 1988 0371/1628
018 "DIA CIRC CONCR
LEN=0055 INSTALLED 1988 0371/0305
1 0 01022 0 02 1039+69 089184 FT
LENGTH(AH 2451 BK 2698) 0371/0000 S
018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0361/2644
MILEPOST 067.00 0361/2375

0380/2480 MILEPOST 068.00
RAMP Y RD
0380/2331 (SR8011 SEG 0760/0000)
018 "DIA CIRC CONCR
0380/2045 LEN=0070 INSTALLED 1998
018 "DIA CIRC CONCR
0380/1747 LEN=0070 INSTALLED 1998
018 "DIA CIRC CONCR
0380/1448 LEN=0070 INSTALLED 1998
SIGN: 4 CHORD TRUSS
0380/1307 BMSID 11/0219/0380/1307
018 "DIA CIRC CONCR
0380/1152 LEN=0120 INSTALLED 1998
CROSSOVER RD
0380/1151 (CONN)
066 "DIA CIRC CONCR
0380/0500 LEN=0076 INSTALLED 1998
091700 FT 1 0 01022 0 02 1064+68
0380/0000 LENGTH(AH 2493 BK 2411) S
036 "DIA CIRC CONCR
0370/1618 LEN=0070 INSTALLED 1998
018 "DIA CIRC CONCR
0370/1065 LEN=0070 INSTALLED 1998
018 "DIA CIRC CONCR
0370/0211 LEN=0055 INSTALLED 1998
089289 FT 1 0 01022 0 02 1040+06
0370/0000 LENGTH(AH 2411 BK 2952) S
0360/2565 MILEPOST 067.00
066 "DIA CIRC METAL
0360/2200 LEN=0126 INSTALLED 1970

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

066 "DIA CIRC METAL
LEN=0120 INSTALLED 1988 0361/2006

024 "DIA CIRC CONCR
LEN=0110 INSTALLED 1988 0361/1526

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1970 0361/0900
018 "DIA CIRC CONCR
LEN=0090 INSTALLED 1970 0361/0500
018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1970 0361/0125
BMSEN 11/0219/0361/0000 0361/0037
1 0 01022 0 02 1012+66 086486 FT
T418 PENSACOLA ROAD
BMSBG 11/0219/0361/0000
LENGTH(AH 2698 BK 2302) 0361/0000

042 "DIA CIRC METAL
LEN=0131 INSTALLED 1988 0351/1582

024 "DIA CIRC CONCR
LEN=0110 INSTALLED 1988 0351/0874

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0351/0023
1 0 01022 0 02 0988+35 084184 FT
LENGTH(AH 2302 BK 2429) 0351/0000

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0341/2073

MILEPOST 066.00 0341/1830
018 "DIA CIRC CONCR
LEN=0090 INSTALLED 1970 0341/1660

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0341/1192

024 "DIA CIRC CONCR
0360/1545 LEN=0100 INSTALLED 1998

018 "DIA CIRC CONCR
0360/1330 LEN=0020 INSTALLED 1998

018 "DIA CIRC CONCR
0360/0125 LEN=0070 INSTALLED 1998
0360/0037 BMSEN 11/0219/0360/0000
086337 FT 1 0 01022 0 02 1010+91
T418 PENSACOLA ROAD
BMSBG 11/0219/0360/0000
0360/0000 LENGTH(AH 2952 BK 2068)

042 "DIA CIRC METAL
0350/1400 LEN=0144 INSTALLED 1970

029 "DIA CIRC CONCR
0350/0624 LEN=0110 INSTALLED 1998


084269 FT 1 0 01022 0 02 0990+55
0350/0000 LENGTH(AH 2068 BK 2599)
018 "DIA CIRC CONCR
0340/2402 LEN=0060 INSTALLED 1998

018 "DIA CIRC CONCR
0340/2054 LEN=0060 INSTALLED 1998
0340/1926 MILEPOST 066.00

018 "DIA CIRC CONCR
0340/1406 LEN=0060 INSTALLED 1998


018 "DIA CIRC CONCR
0340/1099 LEN=0165 INSTALLED 1998

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



LEFT MUN: CAMBRIA T		RIGHT MUN: CAMBRIA T
018 "DIA CIRC CONCR		
LEN=0110 INSTALLED 1970	0341/0120	
		018 "DIA CIRC CONCR
	0340/0112	LEN=0100 INSTALLED 1998
018 "DIA CIRC CONCR		
LEN=0110 INSTALLED 1970	0341/0070	
1 0 01022 0 02 0965+01	081755 FT	081670 FT 1 0 01022 0 02 0964+82
LENGTH(AH 2429 BK 2483)	0341/0000 S	S 0340/0000 LENGTH(AH 2599 BK 2520)
		018 "DIA CIRC CONCR
	0330/2400	LEN=0115 INSTALLED 1970
018 "DIA CIRC CONCR		
LEN=0110 INSTALLED 1988	0331/2306	
		024 "DIA CIRC CONCR
	0330/2061	LEN=0090 INSTALLED 1998
030 "DIA CIRC CONCR		
LEN=0100 INSTALLED 1988	0331/1955	
		018 "DIA CIRC CONCR
	0330/1623	LEN=0080 INSTALLED 1998
		018 "DIA CIRC CONCR
	0330/1498	LEN=0070 INSTALLED 1998
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED 1988	0331/1403	
		018 "DIA CIRC CONCR
	0330/1151	LEN=0060 INSTALLED 1998
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED 1988	0331/1056	
		018 "DIA CIRC CONCR
	0330/0803	LEN=0080 INSTALLED 1998
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED 1988	0331/0699	
		018 "DIA CIRC CONCR
	0330/0469	LEN=0130 INSTALLED 1998
018 "DIA CIRC CONCR		
LEN=0080 INSTALLED 1988	0331/0380	
1 0 01022 0 02 0940+18	079272 FT	079150 FT 1 0 01022 0 02 0939+62
LENGTH(AH 2483 BK 2498)	0331/0000 S	S 0330/0000 LENGTH(AH 2520 BK 2485)
018 "DIA CIRC CONCR		
LEN=0130 INSTALLED 1970	0321/2400	
		018 "DIA CIRC CONCR
	0320/2400	LEN=0130 INSTALLED 1970
CAMBRIA		CAMBRIA
CROYLE T	0321/2116	0320/2144 CROYLE T
		054 "DIA CIRC METAL
	0320/2098	LEN=0206 INSTALLED 1998
054 "DIA CIRC METAL		
LEN=0132 INSTALLED 1970	0321/1800	
MILEPOST 065.00	0321/1525	0320/1651 MILEPOST 065.00
		018 "DIA CIRC CONCR
	0320/1289	LEN=0080 INSTALLED 1998
CROSSOVER RD		CROSSOVER RD

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



(CONN) 0321/1115
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0321/0979
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0321/0679

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0321/0101
1 0 01022 0 02 0915+13 076774 FT
LENGTH(AH 2498 BK 2617) 0321/0000

018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0311/2100

036 "DIA CIRC CONCR
LEN=0106 INSTALLED 1988 0311/1466
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0311/1069

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0311/0772
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0311/0472

018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1970 0311/0050
1 0 01022 0 02 0889+46 074157 FT
SR 3106 BR
OP ID 11/3106/0010/0000
LENGTH(AH 2617 BK 2429) 0311/0000

024 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0301/2084

018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988 0301/1785

MILEPOST 064.00 0301/1410

0320/1250 (CONN)

018 "DIA CIRC CONCR
0320/0190 LEN=0060 INSTALLED 1998

076665 FT 1 0 01022 0 02 0915+18
0320/0000 LENGTH(AH 2485 BK 2540)
018 "DIA CIRC CONCR
0310/2121 LEN=0090 INSTALLED 1998

036 "DIA CIRC METAL
0310/1502 LEN=0176 INSTALLED 1998

RAMP RD
0310/0995 (SR8019 SEG 0750/1003)
018 "DIA CIRC CONCR
0310/0939 LEN=0060 INSTALLED 1998


024 "DIA CIRC CONCR
0310/0070 LEN=0070 INSTALLED 1998

074125 FT 1 0 01022 0 02 0888+83
SR 3106 BR
OP ID 11/3106/0010/0000
0310/0000 LENGTH(AH 2540 BK 2512)
024 "DIA CIRC CONCR
0300/2191 LEN=0080 INSTALLED 1970

018 "DIA CIRC CONCR
0300/1859 LEN=0060 INSTALLED 1998

RAMP RD
0300/1484 (SR8019 SEG 0010/0000)
018 "DIA CIRC CONCR
0300/1457 LEN=0100 INSTALLED 1998
0300/1423 MILEPOST 064.00

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



072 "DIA CIRC METAL
LEN=0210 INSTALLED 1970 0301/1100

060 "DIA CIRC METAL
LEN=0140 INSTALLED UNKN 0301/0360
060 "DIA CIRC METAL
LEN=0364 INSTALLED 1970 0301/0350

1 0 01022 0 02 0864+82 071728 FT
LENGTH(AH 2429 BK 2536) 0301/0000 S
CROSSOVER RD
(CONN) 0291/2268
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1970 0291/2000

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0291/1695

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0291/1359

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0291/1015

036 "DIA CIRC CONCR
LEN=0080 INSTALLED 1988 0291/0625

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0291/0015
1 0 01022 0 02 0840+19 069192 FT
LENGTH(AH 2536 BK 2266) 0291/0000 S
LEN=0244 INSTALLED UNKN 0281/2266

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0281/2022
044"H 72"W ELLIP METAL
LEN=0064 INSTALLED 1988 0281/1716

018 "DIA CIRC CONCR
0300/1206 LEN=0075 INSTALLED 1998

072 "DIA CIRC METAL
0300/1000 LEN=0220 INSTALLED 1970

060 "DIA CIRC METAL
0300/0360 LEN=0140 INSTALLED UNKN

071613 FT 1 0 01022 0 02 0864+84
024 "DIA CIRC METAL
LEN=0196 INSTALLED 1970
0300/0000 S LENGTH(AH 2512 BK 2439)
CROSSOVER RD
0290/2244 (CONN)

018 "DIA CIRC CONCR
0290/1855 LEN=0045 INSTALLED 1998

018 "DIA CIRC CONCR
0290/1503 LEN=0045 INSTALLED 1998

018 "DIA CIRC CONCR
0290/1152 LEN=0040 INSTALLED UNKN


018 "DIA CIRC CONCR
0290/0800 LEN=0050 INSTALLED 1998

036 "DIA CIRC CONCR
0290/0498 LEN=0068 INSTALLED 1998
018 "DIA CIRC CONCR
0290/0094 LEN=0062 INSTALLED 1998

069174 FT 1 0 01022 0 02 0840+08
0290/0000 S LENGTH(AH 2439 BK 2250)


018 "DIA CIRC CONCR
0280/2100 LEN=0045 INSTALLED 1988

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T




LEFT MUN: CROYLE T		RIGHT MUN: CROYLE T
	0280/1664	044"H 72"W ELLIP METAL LEN=0066 INSTALLED 1988
MILEPOST 063.00	0280/0880	0280/0832 MILEPOST 063.00
030 "DIA CIRC CONCR LEN=0090 INSTALLED 1988	0281/0801	
	0280/0795	036 "DIA CIRC CONCR LEN=0060 INSTALLED 1988
024 "DIA CIRC CONCR LEN=0100 INSTALLED 1988	0281/0353	
	0280/0340	018 "DIA CIRC CONCR LEN=0060 INSTALLED 1988
1 0 01022 0 02 0817+19 066926 FT 056"H 80"W ELLIP METAL LEN=0104 INSTALLED UNKN		066924 FT 1 0 01022 0 02 0817+20 056"H 80"W ELLIP METAL LEN=0104 INSTALLED 1988
LENGTH(AH 2266 BK 2736)	0281/0000	0280/0000 LENGTH(AH 2250 BK 2673)
	0270/2442	010 "DIA CIRC CONCR LEN=0035 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0060 INSTALLED 1988	0271/2407	
	0270/2092	010 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0060 INSTALLED 1988	0271/2056	
CROSSOVER RD (CONN)	0271/2008	0270/1997 CROSSOVER RD (CONN)
	0270/1720	010 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0060 INSTALLED 1988	0271/1704	
	0270/1400	010 "DIA CIRC METAL LEN=0030 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0070 INSTALLED 1988	0271/1356	
018 "DIA CIRC CONCR LEN=0070 INSTALLED 1988	0271/0987	
042 "DIA CIRC METAL LEN=0264 INSTALLED 1970	0271/0850	
018 "DIA CIRC CONCR LEN=0070 INSTALLED 1988	0271/0749	
018 "DIA CIRC CONCR LEN=0080 INSTALLED 1988	0271/0450	
018 "DIA CIRC CONCR LEN=0100 INSTALLED 1988	0271/0153	
036 "DIA CIRC METAL LEN=0286 INSTALLED 1970	0271/0050	
1 0 01022 0 02 0789+75 064190 FT		064251 FT 1 0 01022 0 02 0790+31
LENGTH(AH 2736 BK 2384)	0271/0000	0270/0000 LENGTH(AH 2673 BK 2536)
018 "DIA CIRC CONCR LEN=0055 INSTALLED 1988	0261/2240	

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



018 "DIA CIRC CONCR			
LEN=0050 INSTALLED 1988	0261/1914		
CROYLE			
SUMMERHILL B	0261/1892	0260/1983	CROYLE
			SUMMERHILL B
			018 "DIA CIRC CONCR
		0260/1760	LEN=0045 INSTALLED 1988
018 "DIA CIRC CONCR			
LEN=0050 INSTALLED 1988	0261/1622		
			018 "DIA CIRC CONCR
		0260/1430	LEN=0045 INSTALLED 1988
018 "DIA CIRC CONCR			
LEN=0050 INSTALLED 1988	0261/1305		
018 "DIA CIRC CONCR			
LEN=0070 INSTALLED 1988	0261/1020		
MILEPOST 062.00	0261/0850	0260/0922	MILEPOST 062.00
018 "DIA CIRC CONCR			
LEN=0040 INSTALLED 1988	0261/0837		
BMSEN 11/0219/0260/0748	0261/0825	0260/0897	BMSEN 11/0219/0260/0748
1 0 01022 0 02 0772+36			1 0 01022 0 02 0772+36
SR 3043			SR 3043
BMSBG 11/0219/0260/0748	0261/0676	0260/0748	BMSBG 11/0219/0260/0748
			024 "DIA CIRC CONCR
		0260/0508	LEN=0100 INSTALLED 1988
			018 "DIA CIRC CONCR
		0260/0300	LEN=0180 INSTALLED 1970
042 "DIA CIRC METAL			042 "DIA CIRC METAL
LEN=0170 INSTALLED 1970	0261/0200	0260/0200	LEN=0180 INSTALLED 1970
1 0 01022 0 02 0765+92	061806 FT	061715 FT	1 0 01022 0 02 0764+95
LENGTH(AH 2384 BK 3071)	0261/0000 S	0260/0000 S	LENGTH(AH 2536 BK 2928)
SUMMERHILL			SUMMERHILL
EHRENFELD B	0251/2776	0250/2703	EHRENFELD B
018 "DIA CIRC CONCR			
LEN=0130 INSTALLED 1988	0251/2064		
018 "DIA CIRC CONCR			
LEN=0140 INSTALLED 1988	0251/1826		
BMSEN 11/0219/0250/1337	0251/1779	0250/1717	BMSEN 11/0219/0250/1337
EHRENFELD			EHRENFELD
CROYLE T	0251/1589	0250/1527	CROYLE T
1 0 01022 0 02 0748+98			1 0 01022 0 02 0748+98
LITTLE CONEMAUGH RIVER			LITTLE CONEMAUGH RIVER
BMSBG 11/0219/0250/1337	0251/1399	0250/1337	BMSBG 11/0219/0250/1337
			018 "DIA CIRC CONCR
		0250/1125	LEN=0140 INSTALLED 1970
			015 "DIA CIRC CONCR
		0250/0825	LEN=0050 INSTALLED 1988
			018 "DIA CIRC CONCR
		0250/0600	LEN=0120 INSTALLED 1988
BMSEN 11/0219/0250/0000	0251/0465	0250/0465	BMSEN 11/0219/0250/0000
1 0 01022 0 02 0735+57	058735 FT	058787 FT	1 0 01022 0 02 0735+57

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



SR 3024 EBL
BMSBG 11/0219/0250/0000
LENGTH(AH 3071 BK 1506) 0251/0000

018 "DIA CIRC CONCR
LEN=0160 INSTALLED 1988 0241/1405
RAMP F RD
(SR8009 SEG 0260/0000) 0241/1322
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1988 0241/1251
018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1988 0241/0960
RAMP E RD
(SR8009 SEG 0250/0923) 0241/0932

1 0 01022 0 02 0720+32 057229 FT
018 "DIA CIRC CONCR
LEN=0055 INSTALLED 1988
LENGTH(AH 1506 BK 2484) 0241/0000
MILEPOST 061.00 0231/2460

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0231/2187

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0231/1880

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0231/1566

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1988 0231/1271

024 "DIA CIRC CONCR
LEN=0050 INSTALLED 1988 0231/0971

018 "DIA CIRC CONCR

0250/0000 SR 3024 EBL
BMSBG 11/0219/0250/0000
LENGTH(AH 2928 BK 1574)
018 "DIA CIRC CONCR
0240/1561 LEN=0200 INSTALLED 1988

RAMP H RD
0240/1297 (SR8009 SEG 0020/1124)

RAMP G RD
0240/0870 (SR8009 SEG 0010/0000)
018 "DIA CIRC CONCR
0240/0650 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0240/0335 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0240/0050 LEN=0050 INSTALLED 1988
0240/0029 MILEPOST 061.00

057213 FT 1 0 01022 0 02 0719+93
0240/0000 LENGTH(AH 1574 BK 2478)
018 "DIA CIRC CONCR
0230/2255 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0230/1950 LEN=0050 INSTALLED 1970


018 "DIA CIRC CONCR
0230/1675 LEN=0045 INSTALLED 1988

024 "DIA CIRC CONCR
0230/1375 LEN=0045 INSTALLED 1988

024 "DIA CIRC CONCR
0230/1080 LEN=0045 INSTALLED 1988

018 "DIA CIRC CONCR
0230/0795 LEN=0045 INSTALLED 1988

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



LEN=0060 INSTALLED 1988 0231/0681

018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1988 0231/0385

018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1988 0231/0135
1 0 01022 0 02 0694+90 054745 FT
LENGTH(AH 2484 BK 2006) 0231/0000 S

018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1988 0221/1896

018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1988 0221/1530

018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1988 0221/1330

024 "DIA CIRC CONCR
LEN=0085 INSTALLED 1970 0221/0870

018 "DIA CIRC CONCR
LEN=0055 INSTALLED 1970 0221/0150
BMSEN 11/0219/0220/0000 0221/0120
1 0 01022 0 02 0675+20 052739 FT
SR 2006
BMSBG 11/0219/0220/0000
LENGTH(AH 2006 BK 3291) 0221/0000 S

018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1970 0211/3150
018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN 0211/2737

MILEPOST 060.00 0211/2490

018 "DIA CIRC CONCR
0230/0475 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0230/0220 LEN=0050 INSTALLED 1988

054735 FT 1 0 01022 0 02 0695+35
0230/0000 LENGTH(AH 2478 BK 1955) S
018 "DIA CIRC CONCR
0220/1935 LEN=0045 INSTALLED 1988

018 "DIA CIRC CONCR
0220/1555 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0220/1352 LEN=0050 INSTALLED 1988


018 "DIA CIRC CONCR
0220/1125 LEN=0045 INSTALLED 1988
018 "DIA CIRC CONCR
0220/0898 LEN=0080 INSTALLED 1988

024 "DIA CIRC CONCR
0220/0800 LEN=0100 INSTALLED 1970
018 "DIA CIRC CONCR
0220/0668 LEN=0075 INSTALLED 1988
018 "DIA CIRC CONCR
0220/0412 LEN=0075 INSTALLED 1988

0220/0120 BMSEN 11/0219/0220/0000
052780 FT 1 0 01022 0 02 0675+20
SR 2006
BMSBG 11/0219/0220/0000
0220/0000 LENGTH(AH 1955 BK 3322) S
054 "DIA CIRC METAL
0210/3200 LEN=0189 INSTALLED 1970


018 "DIA CIRC CONCR
0210/2750 LEN=0050 INSTALLED 1988
0210/2504 MILEPOST 060.00

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



	0210/2468	018 "DIA CIRC CONCR LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0045 INSTALLED 1970 0211/2450		
	0210/2165	018 "DIA CIRC CONCR LEN=0048 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0211/2150		
	0210/1836	018 "DIA CIRC CONCR LEN=0048 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0211/1830		
	0210/1509	018 "DIA CIRC CONCR LEN=0044 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0211/1505 T SO FORK BR L CONEMAUG STRUCTURE LENGTH 8 FT BMSID 11/0219/0210/1169 0211/1310		
	0210/1169	T SO FORK BR L CONEMAUG STRUCTURE LENGTH 8 FT BMSID 11/0219/0210/1169
018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0211/1185		
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0211/0860		
018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 0211/0560		
BMSEN 11/0219/0210/0000 0211/0494	0210/0494	BMSEN 11/0219/0210/0000
CROYLE ADAMS TOWNSHIP T 0211/0199	0210/0187	CROYLE ADAMS TOWNSHIP T
1 0 01022 0 02 0642+15 049448 FT S FORK LITTLE CONEMAUGH BMSBG 11/0219/0210/0000	049458 FT	1 0 01022 0 02 0642+15 S FORK LITTLE CONEMAUGH BMSBG 11/0219/0210/0000
LENGTH(AH 3291 BK 2082) 0211/0000	0210/0000	LENGTH(AH 3322 BK 2085)
018 "DIA CIRC CONCR LEN=0155 INSTALLED UNKN 0201/2008		
	0200/1751	018 "DIA CIRC CONCR LEN=0050 INSTALLED 1988
024 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN 0201/1740		
	0200/1500	018 "DIA CIRC CONCR LEN=0050 INSTALLED 1988
	0200/1230	018 "DIA CIRC CONCR LEN=0050 INSTALLED 1988
RAMP B RD (SR8007 SEG 0500/0000) 0201/1173		
	0200/0930	018 "DIA CIRC CONCR LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN 0201/0870		
	0200/0640	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1988

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



018 "DIA CIRC CONCR
LEN=0125 INSTALLED UNKN 0201/0576
018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN 0201/0320

BMSEN 11/0219/0200/0000 0201/0230
1 0 01022 0 02 0621+17 047366 FT
SR 3048 EBL
BMSBG 11/0219/0200/0000
LENGTH(AH 2082 BK 2283) 0201/0000
018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1970 0191/2000
018 "DIA CIRC CONCR
LEN=0190 INSTALLED 1970 0191/1800
RAMP A RD
(SR8007 SEG 0250/0832) 0191/1770

MILEPOST 059.00 0191/1555
024 "DIA CIRC CONCR
LEN=0160 INSTALLED 1970 0191/1500

024 "DIA CIRC CONCR
LEN=0140 INSTALLED UNKN 0191/1321

024 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0191/1126

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0191/0680

018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0191/0425
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0191/0200
TRIB SANDY RUN
STRUCTURE LENGTH 15 FT
BMSID 11/0219/0190/0067 0191/0067
BMSEN 11/0219/0190/0000 0191/0045
1 0 01022 0 02 0598+12 045083 FT
TWP RD T316
BMSBG 11/0219/0190/0000
LENGTH(AH 2283 BK 2307) 0191/0000

0200/0310 018 "DIA CIRC CONCR
0200/0230 LEN=0045 INSTALLED 1988
047373 FT BMSEN 11/0219/0200/0000
1 0 01022 0 02 0621+17
SR 3048 EBL
BMSBG 11/0219/0200/0000
0200/0000 LENGTH(AH 2085 BK 2315)

RAMP C RD
0190/2028 (SR8007 SEG 0020/0653)
018 "DIA CIRC CONCR
0190/1709 LEN=0150 INSTALLED 1988
0190/1624 MILEPOST 059.00

024 "DIA CIRC CONCR
0190/1395 LEN=0050 INSTALLED 1988


RAMP D RD
0190/1269 (SR8007 SEG 0010/0000)

018 "DIA CIRC CONCR
0190/1004 LEN=0052 INSTALLED 1988
018 "DIA CIRC CONCR
0190/0744 LEN=0048 INSTALLED 1988

018 "DIA CIRC CONCR
0190/0488 LEN=0057 INSTALLED 1988


TRIB SANDY RUN
STRUCTURE LENGTH 15 FT
0190/0067 BMSID 11/0219/0190/0067
0190/0045 BMSEN 11/0219/0190/0000
045058 FT 1 0 01022 0 02 0598+12
TWP RD T316
BMSBG 11/0219/0190/0000
0190/0000 LENGTH(AH 2315 BK 2385)

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



018 "DIA CIRC CONCR		
LEN=0100 INSTALLED 1970	0181/2300	
018 "DIA CIRC CONCR		
LEN=0115 INSTALLED UNKN	0181/2033	
018 "DIA CIRC CONCR		
LEN=0120 INSTALLED 1970	0181/1800	
018 "DIA CIRC CONCR		
LEN=0125 INSTALLED UNKN	0181/1515	
024 "DIA CIRC CONCR		
LEN=0140 INSTALLED 1970	0181/1500	
		018 "DIA CIRC CONCR
	0180/1400	LEN=0125 INSTALLED 1970
CROSSOVER RD		CROSSOVER RD
(CONN)	0181/1041	0180/1144 (CONN)
SANDY RUN		SANDY RUN
STRUCTURE LENGTH 52 FT		STRUCTURE LENGTH 52 FT
BMSID 11/0219/0180/1023	0181/1039	0180/1023 BMSID 11/0219/0180/1023
		018 "DIA CIRC CONCR
	0180/0600	LEN=0125 INSTALLED 1970
018 "DIA CIRC CONCR		024 "DIA CIRC CONCR
LEN=0120 INSTALLED 1970	0181/0200	0180/0200 LEN=0120 INSTALLED 1970
1 0 01022 0 02 0574+73	042776 FT	042673 FT 1 0 01022 0 02 0575+54
LENGTH(AH 2307 BK 2537)	0181/0000 S	S 0180/0000 LENGTH(AH 2385 BK 2428)
		018 "DIA CIRC CONCR
	0170/2286	LEN=0060 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED UNKN	0171/2243	
		018 "DIA CIRC CONCR
	0170/1945	LEN=0054 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0050 INSTALLED UNKN	0171/1955	
		018 "DIA CIRC CONCR
	0170/1640	LEN=0068 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN	0171/1668	
		054 "DIA CIRC CONCR
	0170/1392	LEN=0084 INSTALLED 1988
054 "DIA CIRC CONCR		
LEN=0280 INSTALLED UNKN	0171/1384	
MILEPOST 058.00	0171/1200	0170/1157 MILEPOST 058.00
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN	0171/1041	
		018 "DIA CIRC CONCR
	0170/0944	LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN	0171/0731	
		018 "DIA CIRC CONCR
	0170/0685	LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN	0171/0430	

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0171/0064

1 0 01022 0 02 0550+11 040239 FT
LENGTH(AH 2537 BK 2447) 0171/0000 S

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0161/2260

TRIB SANDY RUN
STRUCTURE LENGTH 8 FT
BMSID 11/0219/0160/1724 0161/1705

018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0161/1182

018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0161/0773

018 "DIA CIRC CONCR
LEN=0130 INSTALLED UNKN 0161/0475
1 0 01022 0 02 0525+02 037792 FT
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN
LENGTH(AH 2447 BK 2525) 0161/0000 S

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0151/1934
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0151/1715

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0151/1437

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0151/1086
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0151/0753

MILEPOST 057.00 0151/0660

018 "DIA CIRC CONCR
0170/0385 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0170/0020 LEN=0065 INSTALLED 1988
040245 FT 1 0 01022 0 02 0549+89
S 0170/0000 LENGTH(AH 2428 BK 2505)

018 "DIA CIRC CONCR
0160/2278 LEN=0200 INSTALLED 1988
018 "DIA CIRC CONCR
0160/1900 LEN=0190 INSTALLED 1970
TRIB SANDY RUN
STRUCTURE LENGTH 8 FT
0160/1724 BMSID 11/0219/0160/1724

018 "DIA CIRC CONCR
0160/0904 LEN=0083 INSTALLED 1988

018 "DIA CIRC CONCR
0160/0629 LEN=0052 INSTALLED 1988


037740 FT 1 0 01022 0 02 0525+07
S 0160/0000 LENGTH(AH 2505 BK 2554)
018 "DIA CIRC CONCR
0150/2283 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0150/1963 LEN=0050 INSTALLED 1988

024 "DIA CIRC CONCR
0150/1666 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0150/0970 LEN=0050 INSTALLED 1988
0150/0936 MILEPOST 057.00
018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0151/0420
1 0 01022 0 02 0500+20 035267 FT
LENGTH(AH 2525 BK 2520) 0151/0000 S

072 "DIA CIRC METAL
LEN=0426 INSTALLED 1970 0141/1900

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1998 0141/1292

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1998 0141/0943

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1998 0141/0589
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1998 0141/0389

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1998 0141/0216
1 0 01022 0 02 0474+37 032747 FT
LENGTH(AH 2520 BK 2436) 0141/0000 S
060 "DIA CIRC CONCR
LEN=0120 INSTALLED 1998 0131/2300

CROSSOVER RD
(CONN) 0131/2006

072 "DIA CIRC METAL
LEN=0284 INSTALLED 1998 0131/1726
ADAMS TOWNSHIP
RICHLAND T 0131/1711

018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1998 0131/0542

MILEPOST 056.00 0131/0485

0150/0671 LEN=0050 INSTALLED 1988

035186 FT 1 0 01022 0 02 0500+63
0150/0000 LENGTH(AH 2554 BK 2511) S

018 "DIA CIRC CONCR
0140/1473 LEN=0052 INSTALLED 1988

018 "DIA CIRC CONCR
0140/1103 LEN=0051 INSTALLED 1988

018 "DIA CIRC CONCR
0140/0753 LEN=0052 INSTALLED 1988

018 "DIA CIRC CONCR
0140/0378 LEN=0050 INSTALLED 1988


032675 FT 1 0 01022 0 02 0475+02
0140/0000 LENGTH(AH 2511 BK 2458) S

018 "DIA CIRC CONCR
0130/2297 LEN=0090 INSTALLED 1970
CROSSOVER RD
0130/2206 (CONN)
018 "DIA CIRC CONCR
0130/2099 LEN=0092 INSTALLED 1988

ADAMS TOWNSHIP
0130/1759 RICHLAND T
018 "DIA CIRC CONCR
0130/1647 LEN=0100 INSTALLED 1970

018 "DIA CIRC CONCR
0130/0632 LEN=0084 INSTALLED 1988
0130/0625 MILEPOST 056.00
018 "DIA CIRC CONCR


DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



015 "DIA CIRC CONCR
LEN=0120 INSTALLED 1998 0131/0186
030 "DIA CIRC CONCR
LEN=0100 INSTALLED 1970 0131/0050
1 0 01022 0 02 0449+73 030311 FT
LENGTH(AH 2436 BK 2471) 0131/0000 S
018 "DIA CIRC CONCR
LEN=0140 INSTALLED 1970 0121/2100
SIGN: CENTER MOUNTD
BMSID 11/0219/0121/1840 0121/1840
CAVC 985 0121/1775 M
018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0121/1639
018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0121/1293
018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0121/0986
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0121/0481
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0121/0020
1 0 01022 0 02 0425+09 027840 FT
LENGTH(AH 2471 BK 1818) 0121/0000 S
018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1990 0111/1500
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0111/1143
CROSSOVER RD
(CONN) 0111/0831
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0111/0794

0130/0275 LEN=0080 INSTALLED 1988
030217 FT 1 0 01022 0 02 0449+91
S 0130/0000 LENGTH(AH 2458 BK 2581)
M 0120/1950 CAVC 985
018 "DIA CIRC CONCR
0120/1900 LEN=0060 INSTALLED 1970
018 "DIA CIRC CONCR
0120/1520 LEN=0060 INSTALLED 1970
018 "DIA CIRC CONCR
0120/1208 LEN=0060 INSTALLED 1970
018 "DIA CIRC CONCR
0120/0709 LEN=0060 INSTALLED 1970
018 "DIA CIRC CONCR
0120/0300 LEN=0060 INSTALLED 1970
018 "DIA CIRC CONCR
0120/0100 LEN=0060 INSTALLED 1970
027636 FT 1 0 01022 0 02 0424+47
S 0120/0000 LENGTH(AH 2581 BK 1540)
018 "DIA CIRC CONCR
0110/1500 LEN=0060 INSTALLED 1970
018 "DIA CIRC CONCR
0110/1150 LEN=0060 INSTALLED 1970
CROSSOVER RD
0110/0830 (CONN)
018 "DIA CIRC CONCR
0110/0800 LEN=0060 INSTALLED 1970


DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



SIGN: 4 CHORD TRUSS
BMSID 11/0219/0111/0075 0111/0075
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1990 0111/0060
1 0 01022 0 02 0408+45 026022 FT
SR 3104 BR
OP ID 11/3104/0010/0000
LENGTH(AH 1818 BK 3586) 0111/0000
018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0101/3290
MILEPOST 055.00 0101/3080
018 "DIA CIRC CONCR
LEN=0090 INSTALLED 1970 0101/2800
RAMP RD
(SR8015 SEG 0500/0000) 0101/2636
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0101/2512
018 "DIA CIRC CONCR
LEN=0085 INSTALLED UNKN 0101/2212
SR 3031 NBL
OP ID 11/3031/0010/0916 0101/1974
024 "DIA CIRC METAL
LEN=0060 INSTALLED UNKN 0101/1936
018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0101/1730
024 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0101/1554
018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0101/1202
RAMP RD
(SR8015 SEG 0250/1093) 0101/1014
024 "DIA CIRC CONCR
LEN=0160 INSTALLED UNKN 0101/0852
018 "DIA CIRC CONCR
LEN=0180 INSTALLED UNKN 0101/0489
SIGN: CANTILEVER
BMSID 11/0219/0101/0250 0101/0250
018 "DIA CIRC CONCR

0110/0060 018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1970
026096 FT 1 0 01022 0 02 0408+18
SR 3104 BR
OP ID 11/3104/0010/0000
0110/0000 LENGTH(AH 1540 BK 3302)
018 "DIA CIRC CONCR
0100/3200 LEN=0130 INSTALLED 1970
018 "DIA CIRC CONCR
0100/2800 LEN=0130 INSTALLED 1970
0100/2782 MILEPOST 055.00
018 "DIA CIRC CONCR
0100/2170 LEN=0112 INSTALLED 1988
RAMP RD
0100/2128 (SR8015 SEG 0750/0955)
018 "DIA CIRC CONCR
0100/1810 LEN=0112 INSTALLED 1988
SR 3031 NBL
0100/1542 OP ID 11/3031/0010/0916
018 "DIA CIRC CONCR
0100/1140 LEN=0052 INSTALLED 1988
018 "DIA CIRC CONCR
0100/0450 LEN=0080 INSTALLED 1988

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



LEN=0180 INSTALLED UNKN 0101/0128

1 0 01022 0 02 0374+91 022436 FT
LENGTH(AH 3586 BK 1667) 0101/0000

SIGN: CENTER MOUNTD
BMSID 11/0219/0091/1510 0091/1510

018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0091/1374
CROSSOVER RD
(CONN) 0091/1335

018 "DIA CIRC CONCR
LEN=0130 INSTALLED UNKN 0091/1017
SIGN: 4 CHORD TRUSS
BMSID 11/0219/0091/0895 0091/0895

018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1970 0091/0650
024 "DIA CIRC CONCR
LEN=0060 INSTALLED 1970 0091/0300
RAMP L RD
(SR8005 SEG 0500/0000) 0091/0264
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1970 0091/0045
1 0 01022 0 02 0355+93 020769 FT
SR 0056 EBL
OP ID 11/0056/0270/0752
LENGTH(AH 1667 BK 3091) 0091/0000

018 "DIA CIRC CONCR
LEN=0200 INSTALLED UNKN 0081/2875
RAMP K RD
(SR8005 SEG 0250/0392) 0081/2835

MILEPOST 054.00 0081/2415
018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1970 0081/2250

018 "DIA CIRC CONCR
0100/0100 LEN=0080 INSTALLED 1988
022794 FT 1 0 01022 0 02 0375+33
0100/0000 LENGTH(AH 3302 BK 1887)
018 "DIA CIRC CONCR
0090/1650 LEN=0050 INSTALLED 1988

RAMP RD
0090/1480 (SR8015 SEG 0010/0000)
018 "DIA CIRC CONCR
0090/1375 LEN=0060 INSTALLED 1970

CROSSOVER RD
0090/1308 (CONN)
018 "DIA CIRC CONCR
0090/1001 LEN=0040 INSTALLED 1988


SIGN: 3 CHORD TRUSS
0090/0800 BMSID 11/0219/0090/0800
018 "DIA CIRC CONCR
0090/0656 LEN=0050 INSTALLED 1988

024 "DIA CIRC CONCR
0090/0300 LEN=0060 INSTALLED 1988

020907 FT 1 0 01022 0 02 0356+23
SR 0056 EBL
OP ID 11/0056/0270/0752
0090/0000 LENGTH(AH 1887 BK 3195)
048 "DIA CIRC CONCR
0080/3000 LEN=0095 INSTALLED 1970
048 "DIA CIRC CONCR
0080/2830 LEN=0100 INSTALLED UNKN


RAMP N RD
0080/2715 (SR8005 SEG 0020/0945)
018 "DIA CIRC CONCR
0080/2621 LEN=0050 INSTALLED UNKN
0080/2584 MILEPOST 054.00

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



		RAMP M RD
	0080/2276	(SR8005 SEG 0010/0000)
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED 1970 0081/1900		
SIGN: CANTILEVER		
BMSID 11/0219/0081/1715 0081/1715		
SR 3102 BR		SR 3102 BR
OP ID 11/3102/0010/0000 0081/1544	0080/1685	OP ID 11/3102/0010/0000
		SIGN: 3 CHORD TRUSS
	0080/1514	BMSID 11/0219/0080/1514
018 "DIA CIRC CONCR		
LEN=0247 INSTALLED UNKN 0081/1233		
018 "DIA CIRC CONCR		
LEN=0080 INSTALLED UNKN 0081/0986		
		024 "DIA CIRC CONCR
	0080/1026	LEN=0250 INSTALLED 1988
		018 "DIA CIRC CONCR
	0080/0672	LEN=0035 INSTALLED 1988
SIGN: 3 CHORD TRUSS		SIGN: CANTILEVER
BMSID 11/0219/0081/0360 0081/0360	0080/0477	BMSID 11/0219/0080/0477
1 0 01022 0 02 0325+06 017678 FT	017712 FT	1 0 01022 0 02 0324+11
LENGTH(AH 3091 BK 2561) 0081/0000 S	0080/0000 S	LENGTH(AH 3195 BK 2491)
		018 "DIA CIRC CONCR
	0070/2417	LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0034 INSTALLED UNKN 0071/2319		
SIGN: 3 CHORD TRUSS		SIGN: 3 CHORD TRUSS
BMSID 11/0219/0071/1715 0071/1715	0070/1791	BMSID 11/0219/0070/1791
		018 "DIA CIRC CONCR
	0070/1659	LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
	0070/1355	LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0040 INSTALLED UNKN 0071/1661		
		024 "DIA CIRC CONCR
	0070/1065	LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0040 INSTALLED 1970 0071/1400		
		015 "DIA CIRC CONCR
	0070/0806	LEN=0040 INSTALLED 1988
		024 "DIA CIRC CONCR
	0070/0803	LEN=0055 INSTALLED 1988
024 "DIA CIRC CONCR		
LEN=0075 INSTALLED 1970 0071/1150		
		036 "DIA CIRC METAL
	0070/0500	LEN=0162 INSTALLED 1970
RAMP G RD		RAMP H RD
(SR8003 SEG 0500/0000) 0071/1008	0070/0470	(SR8003 SEG 0750/0423)
024 "DIA CIRC CONCR		

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



LEN=0185 INSTALLED UNKN 0071/0740
036 "DIA CIRC METAL
LEN=0070 INSTALLED 1970 0071/0445
BMSEN 11/0219/0070/0000 0071/0137
1 0 01022 0 02 0299+65 015117 FT
SR 0756 EBL
BMSBG 11/0219/0070/0000
LENGTH(AH 2561 BK 3121) 0071/0000

0070/0137 BMSEN 11/0219/0070/0000
015221 FT 1 0 01022 0 02 0299+65
SR 0756 EBL
BMSBG 11/0219/0070/0000
0070/0000 LENGTH(AH 2491 BK 3147)
036 "DIA CIRC METAL
0060/3006 LEN=0205 INSTALLED 1988
0060/2914 MILEPOST 053.00

MILEPOST 053.00 0061/2885
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0061/2752
RAMP F RD
(SR8003 SEG 0250/0719) 0061/2485
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1990 0061/2386
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0061/2049
SIGN: CANTILEVER
BMSID 11/0219/0061/1962 0061/1962
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0061/1745
018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1990 0061/1420
018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0061/1134
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0061/0828
SIGN: 3 CHORD TRUSS
BMSID 11/0219/0061/0769 0061/0769
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0061/0525
RAMP F RD
(SR8001 SEG 0500/0000) 0061/0266
018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1970 0061/0240

036 "DIA CIRC METAL
LEN=0070 INSTALLED UNKN 0061/0025
1 0 01022 0 02 0268+50 011996 FT
LENGTH(AH 3121 BK 0844) 0061/0000

BMSEN 11/0219/0050/0000 0051/0150

0060/2807 RAMP J RD
(SR8003 SEG 0010/0000)


SIGN: 3 CHORD TRUSS
0060/2005 BMSID 11/0219/0060/2005

SIGN: 3 CHORD TRUSS
0060/0819 BMSID 11/0219/0060/0819

0060/0074 RAMP E RD
(SR8001 SEG 0760/1002)


012074 FT 1 0 01022 0 02 0268+50
0060/0000 LENGTH(AH 3147 BK 0889)
0050/0570 RAMP C RD
(SR8001 SEG 0750/0000)
012 "DIA CIRC METAL
0050/0397 LEN=0100 INSTALLED 1988
018 "DIA CIRC CONCR
0050/0196 LEN=0100 INSTALLED 1988
0050/0150 BMSEN 11/0219/0050/0000

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



LEFT MUN: RICHLAND T		RIGHT MUN: RICHLAND T
1 0 01022 0 01 0122+76 011152 FT		011185 FT 1 0 01022 0 01 0122+76
SR 3016 EBL		SR 3016 EBL
BMSBG 11/0219/0050/0000		BMSBG 11/0219/0050/0000
LENGTH(AH 0844 BK 3972)	0051/0000	0050/0000 LENGTH(AH 0889 BK 3759)
SIGN: 4 CHORD TRUSS		SIGN: 4 CHORD TRUSS
BMSID 11/0219/0040/3665	0041/3836	0040/3665 BMSID 11/0219/0040/3665
		018 "DIA CIRC CONCR
		0040/3650 LEN=0040 INSTALLED 1988
		018 "DIA CIRC CONCR
		0040/3370 LEN=0060 INSTALLED UNKN
RAMP B RD		
(SR8001 SEG 0260/0000)	0041/3392	
		018 "DIA CIRC CONCR
		0040/3203 LEN=0040 INSTALLED 1988
RAMP A RD		
(SR8001 SEG 0250/1180)	0041/2981	
018 "DIA CIRC CONCR		
LEN=0085 INSTALLED 1970	0041/2900	
		018 "DIA CIRC CONCR
		0040/2660 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0070 INSTALLED 1990	0041/2745	
		018 "DIA CIR PLASTIC
		0040/2465 LEN=0040 INSTALLED 1988
MILEPOST 052.00	0041/2490	0040/2324 MILEPOST 052.00
024 "DIA CIRC METAL		
LEN=0185 INSTALLED 1990	0041/2463	
018 "DIA CIRC CONCR		
LEN=0120 INSTALLED 1970	0041/2200	
		018 "DIA CIRC CONCR
		0040/1900 LEN=0075 INSTALLED 1988
018 "DIA CIRC CONCR		
LEN=0100 INSTALLED 1990	0041/2053	
018 "DIA CIRC CONCR		
LEN=0075 INSTALLED 1990	0041/1760	
CROSSOVER RD		CROSSOVER RD
(CONN)	0041/0915	0040/0734 (CONN)
018 "DIA CIRC CONCR		
LEN=0140 INSTALLED 1970	0041/0220	
1 0 01022 0 00 0083+74 007180 FT		007426 FT 1 0 01022 0 00 0084+09
TR STONY CREEK RIVER		TR STONY CREEK RIVER
STRUCTURE LENGTH 12 FT		STRUCTURE LENGTH 12 FT
BMSID 11/0219/0040/0000		BMSID 11/0219/0040/0000
LENGTH(AH 3972 BK 2383)	0041/0000	0040/0000 LENGTH(AH 3759 BK 2505)
072 "DIA CIRC OTHER		
LEN=0075 INSTALLED 1990	0031/2320	
018 "DIA CIRC CONCR		
LEN=0050 INSTALLED UNKN	0031/2144	

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0031/1962

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0031/1460

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0031/0961

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0031/0711

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0031/0460

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0031/0210

1 0 01022 0 00 0059+45 004797 FT
SR 3006
OP ID 11/3006/0090/0000
LENGTH(AH 2383 BK 2994) 0031/0000
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0021/2967

018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0021/2668
MILEPOST 051.00 0021/2600

018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0021/2418

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0030/2051

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0030/1836
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0030/1600

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0030/1334
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0030/1080

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0030/0840

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0030/0596

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0030/0338


018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0030/0086
004921 FT 1 0 01022 0 00 0060+01
SR 3006
OP ID 11/3006/0090/0000
0030/0000 LENGTH(AH 2505 BK 3025)

SIGN: CENTER MOUNTD
0020/2900 BMSID 11/0219/0020/2900
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0020/2885
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0020/2690

0020/2574 MILEPOST 051.00
018 "DIA CIRC CONCR
LEN=0060 INSTALLED 2002 0020/2441

018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 40.081 MI. DIST: 09-3 SR: 219
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0021/2169

018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0021/1912

018 "DIA CIRC METAL
LEN=0160 INSTALLED 1990 0021/1302

018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1990 0021/1003

030 "DIA CIRC METAL
LEN=0060 INSTALLED 1990 0021/0752
CROSSOVER RD
(CONN) 0021/0628

1 0 01022 0 00 0030+26 001803 FT
LENGTH(AH 2994 BK 1803) 0021/0000

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0011/0836

1 0 01022 0 00 0006+92 000000 FT
NC SR 0219 SH
NORTH STAR WY REF-BK
(SR0219 SEG 0991/2778)
MFC BEGIN = B
LENGTH(AH 1803 BK 0000) 0011/0000

0020/2188 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/1933 LEN=0060 INSTALLED 2002

060 "DIA CIRC METAL
0020/1577 LEN=0318 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1329 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/1028 LEN=0050 INSTALLED UNKN

036 "DIA CIRC CONCR
0020/0780 LEN=0060 INSTALLED UNKN

CROSSOVER RD
0020/0628 (CONN)
018 "DIA CIRC METAL
0020/0423 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0124 LEN=0100 INSTALLED UNKN
001896 FT 1 0 01022 0 00 0028+27
0020/0000 LENGTH(AH 3025 BK 1896)

018 "DIA CIRC CONCR
0010/1557 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/1254 LEN=0090 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0959 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0010/0705 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0467 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0250 LEN=0055 INSTALLED UNKN
000000 FT 1 0 01022 0 00 0006+92
NC SR 0219 SH
REF-BK NORTH STAR WY
(SR0219 SEG 0990/2713)
MFC BEGIN = B
BK-SOMERSET (55)
0010/0000 LENGTH(AH 1896 BK 0000)


DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T

061772 FT




061748 FT AH-BLAIR (07)
REF-AHD JOHNSTOWN RD
0200/3255 (SR0164 SEG 0010/0000)
FRANKSTOWN RD
0200/3117 (SR2010 SEG 0070/3284)

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T




ALLEGHENY RIDGE WIND FA (PRDR)	0200/2600		0200/2600 (APRA) ALLEGHENY RIDGE 018 "DIA CIRC CONCR
			0200/2083 LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR
			0200/1579 LEN=0062 INSTALLED UNKN 018 "DIA CIRC CONCR
			0200/1211 LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR
			0200/0681 LEN=0030 INSTALLED UNKN
CIOKOTA LN (TWP)	0200/0408	==	
	058517 FT		058493 FT 2 0 11024 0 00 0279+61
		S	0200/0000 LENGTH(AH 3255 BK 3531)
			030 "DIA CIRC CONCR
			0190/2924 LEN=0100 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0190/2228 LEN=0042 INSTALLED UNKN 018 "DIA CIRC CONCR
			0190/1734 LEN=0054 INSTALLED UNKN 018 "DIA CIRC CONCR
			0190/1168 LEN=0050 INSTALLED UNKN 024 "DIA CIRC CONCR
			0190/0603 LEN=0050 INSTALLED UNKN
	054986 FT		054962 FT 2 0 11024 0 00 0244+23
		S	0190/0000 LENGTH(AH 3531 BK 3308)
			030 "DIA CIRC CONCR
			0180/3157 LEN=0044 INSTALLED UNKN 018 "DIA CIRC CONCR
			0180/2700 LEN=0036 INSTALLED UNKN 030 "DIA CIRC CONCR
			0180/2370 LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0180/1585 LEN=0048 INSTALLED UNKN SALT BLOCK LN
		==	0180/1031 (TWP)
			018 "DIA CIRC CONCR
			0180/0438 LEN=0040 INSTALLED UNKN SALT BLOCK LN
		==	0180/0109 (TWP)
			018 "DIA CIRC CONCR
			0180/0101 LEN=0042 INSTALLED UNKN
	051678 FT		051654 FT 2 0 11024 0 00 0210+70 GIGGUETOWN RD (T372)
		==	S 0180/0000 LENGTH(AH 3308 BK 2553)

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



		0170/2297	048 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
		0170/1877	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0170/1293	015 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
FRAZER AV (T672)	0170/1231		
		0170/1035	TROUT RUN STRUCTURE LENGTH 21 FT BMSID 11/0164/0170/1035
		0170/0754	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0170/0590	015 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	049125 FT	049101 FT	2 0 11024 0 00 0185+75
STORM ST (T670)	0170/0000	S 0170/0000	VILLAGE: MARTINDALE LENGTH(AH 2553 BK 3893)
		0160/3726	024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0160/3400	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
		0160/3278	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
BECKS LN (TWP)	0160/3114		
		0160/3042	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0160/2742	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0160/2491	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0160/2198	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		0160/1830	ZIMMERMAN LN (TWP)
		0160/1400	018 "DIA CIRC CONCR LEN=0030 INSTALLED 1988
		0160/1070	018 "DIA CIRC CONCR LEN=0049 INSTALLED UNKN
BECKS LN (TWP)	0160/1037		
		0160/0783	018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN
		0160/0530	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0160/0309	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0160/0020	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T




045232 FT

045208 FT 2 0 11024 0 00 0147+06
COUNTRY LN
(TWP)
== S 0160/0000 LENGTH(AH 3893 BK 3783)
018 "DIA CIR PLASTIC
0150/3378 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/3160 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/2957 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/2565 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/2299 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/1855 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/1505 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/1170 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/0570 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/0555 LEN=0030 INSTALLED UNKN
FIDDLERS CR
== 0150/0373 (TWP)
FIDDLERS CR
== 0150/0067 (TWP)
0150/0015 BMSEN 11/0164/0150/0000


041449 FT 041425 FT 2 0 11024 0 00 0109+19
FARREN RUN
BMSBG 11/0164/0150/0000
S 0150/0000 LENGTH(AH 3783 BK 3218)
018 "DIA CIRC CONCR
0140/3140 LEN=0051 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/2568 LEN=0052 INSTALLED 2000
018 "DIA CIRC CONCR
0140/2175 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/1854 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/1370 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/0878 LEN=0030 INSTALLED 2000
015 "DIA CIRC CONCR
0140/0240 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T




0140/0051 LEN=0030 INSTALLED 2000
038231 FT 038207 FT 2 0 11024 0 00 0076+92
DRAINAGE
STRUCTURE LENGTH 8 FT
BMSID 11/0164/0140/0000
S 0140/0000 LENGTH(AH 3218 BK 3508)
018 "DIA CIRC CONCR
0130/3187 LEN=0047 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/2918 LEN=0034 INSTALLED UNKN
UPPER RD
0130/2738 (T511)
LC FOR MUNICIPAL RD
(CONN) 0130/2566
018 "DIA CIRC CONCR
0130/2453 LEN=0030 INSTALLED UNKN
MUNICIPAL RD
(T510) 0130/2435
018 "DIA CIRC CONCR
0130/2210 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/2180 LEN=0030 INSTALLED 2000
UPPER RD
0130/2098 (T511)
018 "DIA CIRC CONCR
0130/1886 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/1735 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/1319 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/0889 LEN=0089 INSTALLED UNKN
024 "DIA CIRC CONCR
0130/0677 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/0554 LEN=0050 INSTALLED UNKN
SPRING HILL RD
(SR2006 SEG 0160/3444)
NC PURITAN RD
018 "DIA CIRC METAL
0130/0204 LEN=0038 INSTALLED UNKN
JOHNSON AV
(BORO)
PORTAGE
0130/0072 PORTAGE B
0130/0032 BMSEN 11/0164/0130/0000
034723 FT 034699 FT 2 0 11024 0 00 0041+86
TROUT RUN
BMSBG 11/0164/0130/0000
S 0130/0000 LENGTH(AH 3508 BK 2727)

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE B RIGHT MUN: PORTAGE B



JOHNSON AV (BORO)	0120/2715		
		0120/2525	036 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN
		0120/2488	SONMAN AV (BORO)
		0120/2463	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0120/2209	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0120/2157	CONEMAUGH AV (BORO)
		0120/2017	024 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0120/1989	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
MOUNTAIN AV (BORO)	0120/1972	0120/1972	
		0120/1827	JEFFERSON AV (BORO)
		0120/1496	GILLESPIE AV (BORO)
		0120/1155	CALDWELL AV (BORO)
CALDWELL AV (BORO)	0120/1115		
		0120/1094	010 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
		0120/0583	S RAILROAD AV (BORO)
		0120/0524	(AAR 529269V)#TRKS 01
		0120/0460	N RAILROAD AV (BORO)
		0120/0015	018 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN
	031996 FT	031972 FT	2 0 11024 0 00 0014+14
			DULANCEY DR (BORO)
DULANCEY DR (SR2012 SEG 0010/0000)	0120/0000	S 0120/0000	LENGTH(AH 2727 BK 1434)
		0110/1413	018 "DIA CIRC CONCR LEN=0045 INSTALLED 2014
		0110/1217	CONSOLIDATED RAIL CORPO
		0110/1031	OVERPASS IS RR X-ING LEGION AV (BORO)
		0110/1015	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0110/0594	BMSEN 11/0164/0110/0571
			2 0 11024 0 00 0005+58

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE B RIGHT MUN: PORTAGE B



SONMAN RUN
0110/0571 BMSBG 11/0164/0110/0571

GREEN AV
(BORO) 0110/0538

018 "DIA CIRC CONCR
0110/0050 LEN=0050 INSTALLED UNKN
030562 FT 030538 FT 2 0 11024 0 00 0000+00
PORTAGE ST
(SR0053 SEG 0140/0000)
NC MAIN ST

INTER-BK PORTAGE ST
(SR0053 SEG 0140/0000)
S 0110/0000 LTH AH 001434 BK 000922
030562 FT 030538 FT
7104/0000 LTH AH 000922 BK 003966
INTER-AHD PORTAGE ST
(SR0053 SEG 0150/0000)

PORTAGE ST
(SR0053 SEG 0150/0000) 0100/3966 0100/3966 PORTAGE T
018 "DIA CIRC CONCR
0100/3910 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0100/3625 LEN=0035 INSTALLED UNKN
024 "DIA CIRC METAL
0100/3150 LEN=0100 INSTALLED 2002
018 "DIA CIRC METAL
0100/3100 LEN=0060 INSTALLED 2002
0100/3010 BMSEN 11/0164/0100/2871
2 0 11083 0 00 0040+80
LITTLE CONEMAUGH RIVER
0100/2871 BMSBG 11/0164/0100/2871
SPRUCE ST
0100/2792 (T518)


MANGUS CT
0100/2028 (T517)
024 "DIA CIR PLASTIC
0100/2000 LEN=0080 INSTALLED UNKN
036 "DIA CIRC METAL
0100/1796 LEN=0086 INSTALLED UNKN

CHURCH DR
(T501) 0100/1706

036"H 00"W MULT CONCR
0100/1592 LEN=0036 INSTALLED UNKN


018 "DIA CIRC CONCR
0100/0209 LEN=0040 INSTALLED UNKN
2 0 11083 0 00 0040+80 026596 FT 026572 FT

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



CHURCH DR (T501)	0100/0000		S 0100/0000 LENGTH(AH 3966 BK 3635)
			TROY PL
			0090/3153 (TWP)
			018 "DIA CIRC METAL
			0090/3100 LEN=0050 INSTALLED UNKN
BEECHNUT ST (T501)	0090/3094		
			018 "DIA CIRC CONCR
			0090/2150 LEN=0030 INSTALLED 2000
			018 "DIA CIRC METAL
			0090/0310 LEN=0044 INSTALLED UNKN
	022961 FT		022937 FT 2 0 11083 0 00 0076+82
			WINDY LN
			(TWP)
			S 0090/0000 LENGTH(AH 3635 BK 2683)
			ROBEL RD
			0080/1834 (T414)
			018 "DIA CIRC METAL
			0080/1700 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0080/1428 LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0080/0541 LEN=0040 INSTALLED UNKN
	020278 FT		020254 FT 2 0 11083 0 00 0102+83
			S 0080/0000 LENGTH(AH 2683 BK 3595)
			018 "DIA CIRC CONCR
			0070/3166 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0070/1783 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0070/1162 LEN=0042 INSTALLED UNKN
	016683 FT		016659 FT 2 0 11083 0 00 0138+45
			S 0070/0000 LENGTH(AH 3595 BK 3102)
			018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



0060/3023 LEN=0083 INSTALLED 2000
018 "DIA CIRC CONCR
0060/2940 LEN=0100 INSTALLED 2000
PORTAGE
0060/2700 MUNSTER T

018 "DIA CIRC METAL
0060/0523 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0060/0035 LEN=0040 INSTALLED UNKN
013557 FT

2 0 11083 0 00 0168+00 013581 FT
JIM TOWN RD
(T406)
0060/0000

S 0060/0000 LENGTH(AH 3102 BK 2313)
018 "DIA CIRC CONCR
0050/1981 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1470 LEN=0040 INSTALLED UNKN


018 "DIA CIRC CONCR
0050/0427 LEN=0042 INSTALLED UNKN
011268 FT 011244 FT 2 0 11083 0 00 0191+13
018 "DIA CIRC CONCR
LEN=0030 INSTALLED 2000
S 0050/0000 LENGTH(AH 2313 BK 3530)

018 "DIA CIRC CONCR
0040/0587 LEN=0035 INSTALLED UNKN
007738 FT 007714 FT 2 0 11083 0 00 0227+39
S 0040/0000 LENGTH(AH 3530 BK 2991)

018 "DIA CIRC CONCR
0030/2379 LEN=0036 INSTALLED 1997

018 "DIA CIRC CONCR


DIR: E TOTAL LEN: 11.699 MI. DIST: 09-3 SR: 164
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T




0030/0615 LEN=0034 INSTALLED UNKN
004747 FT 004723 FT 2 0 11083 0 00 0256+30
0030/0000 LENGTH(AH 2991 BK 3923)
018 "DIA CIRC CONCR
0020/2205 LEN=0030 INSTALLED 2000
LC FOR GAILEY RD
(CONN)
0020/2130
GAILEY RD
(T433)
0020/1988
018 "DIA CIRC CONCR
0020/1981 LEN=0030 INSTALLED UNKN
PATRICKS RD
0020/1072 (T409)
018 "DIA CIRC METAL
0020/1065 LEN=0030 INSTALLED UNKN
LC FOR PATRICKS RD
0020/0999 (CONN)
WALSH EQUIPMENT RD
0020/0104 (PRDR)
024 "DIA CIRC CONCR
0020/0096 LEN=0106 INSTALLED UNKN
000824 FT 000800 FT 2 0 11083 0 00 0299+65
MFC BEGIN = D
0020/0000 LENGTH(AH 3923 BK 0800)
024 "DIA CIRC CONCR
LEN=0080 INSTALLED 2000 0015/0627
NEW RD
(T449) 0015/0617 0014/0602 NEW RD
(T449)
RAMP F RD
(SR8008 SEG 0750/0000) RAMP F RD
(SR8008 SEG 0750/0000)
RAMP E RD
(SR8008 SEG 0010/1742) 0015/0386 0014/0386 RAMP E RD
(SR8008 SEG 0010/1742)
BMSEN 11/0164/0014/0000 0015/0228 0014/0228 BMSEN 11/0164/0014/0000
2 0 11083 0 00 0309+64 000000 FT 000000 FT 2 0 11083 0 00 0309+64
NC MUNSTER RD NC MUNSTER RD
MUNSTER RD REF-BK REF-BK MUNSTER RD
(SR1003 SEG 0002/0000) (SR1003 SEG 0003/0000)
SR 0022 EBL SR 0022 EBL
BMSBG 11/0164/0014/0000 BMSBG 11/0164/0014/0000
MFC BEGIN = D MFC BEGIN = D
LENGTH(AH 0824 BK 0000) 0015/0000 0014/0000 LENGTH(AH 0800 BK 0000)

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T

HIGH ST	120543 FT		120543 FT HIGH ST
(SR4031 SEG 0020/1578)	0500/1648		0500/1648 (SR4031 SEG 0020/1578)
			018 "DIA CIR PLASTIC
		0500/1529	LEN=0028 INSTALLED UNKN
			LOVELL AV
		== 0500/1395	(BORO)
			018 "DIA CIRC CONCR
		0500/0128	LEN=0048 INSTALLED UNKN
	118895 FT		118895 FT 1 0 00853 0 00 0059+50
			PINE ST
			(BORO)
		== S 0500/0000	LENGTH(AH 1648 BK 2944)



DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



BEECHWOOD DR
(T611) 0490/2173

024 "DIA CIRC CONCR
0490/2118 LEN=0034 INSTALLED UNKN
SR 0022 EBL
0490/2024 OP ID 11/0022/0200/0435
018 "DIA CIRC CONCR
0490/1729 LEN=0100 INSTALLED UNKN
CRESTWOOD DR
0490/1261 (T613)
015 "DIA CIRC CONCR
0490/1001 LEN=0040 INSTALLED 2002
048 "DIA CIRC CONCR
0490/0673 LEN=0056 INSTALLED UNKN
ROYALWOOD DR
0490/0434 (T612)
115951 FT 115951 FT 1 0 00853 0 00 0030+77
S 0490/0000 LENGTH(AH 2944 BK 3000)
018 "DIA CIR PLASTIC
0480/2973 LEN=0060 INSTALLED 1997
024 "DIA CIRC CONCR
0480/2504 LEN=0042 INSTALLED UNKN

PADOT SP #01 - EBENSBUR
(GOVT) 0480/2163

015 "DIA CIRC CONCR
0480/1273 LEN=0032 INSTALLED 2002
015 "DIA CIRC CONCR
0480/1167 LEN=0032 INSTALLED 2002


018 "DIA CIRC CONCR
0480/0029 LEN=0040 INSTALLED UNKN
1 0 00853 0 00 0000+00 112951 FT 112951 FT
MINI MALL RD
(SR3032 SEG 0010/2329) 0480/0000
S 0480/0000 LENGTH(AH 3000 BK 3716)
(APRA) WISE'S TRAILER S
HORSESHOE DR
POE 0470/3581 (PRDR)
CIRCLE DR
0470/3358 (PRDR)

HORSESHOE DR
0470/2464 (PRDR)

MINI MALL LT
(PRDR) 0470/2117


024 "DIA CIRC CONCR
0470/2038 LEN=0040 INSTALLED 2002

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




			018 "DIA CIRC CONCR
		0470/0849	LEN=0024 INSTALLED 2002
	109235 FT	109235 FT	2 0 11025 0 01 0334+93
		S 0470/0000	LENGTH(AH 3716 BK 3507)
			015 "DIA CIR PLASTIC
		0460/3441	LEN=0028 INSTALLED 2002
			015 "DIA CIR PLASTIC
		0460/3160	LEN=0045 INSTALLED UNKN
			EBENSBURG CO-GEN PLANT
B & W RD			(PRDR)
(PRDR)	0460/2920	0460/2920	
			015 "DIA CIR PLASTIC
		0460/2700	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0460/2176	LEN=0045 INSTALLED 2002
			015 "DIA CIR PLASTIC
		0460/0502	LEN=0040 INSTALLED 2002
	105728 FT	105728 FT	2 0 11025 0 01 0299+14
			015 "DIA CIR PLASTIC
			LEN=0044 INSTALLED 2002
		S 0460/0000	LENGTH(AH 3507 BK 3168)
			018 "DIA CIR PLASTIC
		0450/2269	LEN=0055 INSTALLED 2002
			015 "DIA CIR PLASTIC
		0450/0717	LEN=0060 INSTALLED 2002
PENSACOLA RD			
(T418)	0450/0183		
	102560 FT	102560 FT	2 0 11025 0 01 0268+07
NEW GERMANY RD		NC NEW GERMANY RD	
(SR2009 SEG 0090/2720)	0450/0000	S 0450/0000	LENGTH(AH 3168 BK 3221)
			018 "DIA CIR PLASTIC
		0440/2721	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0440/2033	LEN=0010 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0440/1848	LEN=0020 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0440/1506	LEN=0040 INSTALLED 1998

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



				018 "DIA CIR PLASTIC
			0440/1200	LEN=0010 INSTALLED 1998
				018 "DIA CIR PLASTIC
			0440/0607	LEN=0020 INSTALLED 1998
				018 "DIA CIR PLASTIC
			0440/0396	LEN=0036 INSTALLED UNKN
			0440/0020	BMSEN 11/0160/0440/0000
	099339 FT		099339 FT	2 0 11066 0 00 0032+18
				ROARING RUN
				BMSBG 11/0160/0440/0000
			S 0440/0000	LENGTH(AH 3221 BK 3332)
				018 "DIA CIR PLASTIC
			0430/3220	LEN=0040 INSTALLED 1998
				018 "DIA CIR PLASTIC
			0430/3084	LEN=0020 INSTALLED 1998
				018 "DIA CIR PLASTIC
			0430/2896	LEN=0040 INSTALLED 2005
				018 "DIA CIRC CONCR
			0430/2816	LEN=0030 INSTALLED UNKN
				015 "DIA CIRC METAL
			0430/2336	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/2088	LEN=0026 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/1743	LEN=0034 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0430/1394	LEN=0010 INSTALLED 2006
				018 "DIA CIRC CONCR
			0430/1018	LEN=0046 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/0370	LEN=0025 INSTALLED UNKN
2 0 11066 0 00 0065+38	096007 FT		096007 FT	
TURKEY PATH RD				
(T398)	0430/0000	==	S 0430/0000	LENGTH(AH 3332 BK 2359)
				012"H 24"W CONC STRUCT
			0420/2320	LEN=0100 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0420/1996	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0420/0054	LEN=0032 INSTALLED UNKN
	093648 FT		093648 FT	2 0 11066 0 00 0088+98
				WILMORE RD
				(SR2013 SEG 0010/0000)
			S 0420/0000	LENGTH(AH 2359 BK 2027)

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T




CAMBRIA
0410/1163 SUMMERHILL T
024 "DIA CIRC METAL
0410/1119 LEN=0036 INSTALLED UNKN
015 "DIA CIRC METAL
0410/0687 LEN=0041 INSTALLED UNKN
018 "DIA CIRC CONCR
0410/0029 LEN=0040 INSTALLED UNKN
091621 FT 091621 FT 2 0 11026 0 02 0284+67
S 0410/0000 LENGTH(AH 2027 BK 2923)

036 "DIA CIRC CONCR
0400/1767 LEN=0038 INSTALLED UNKN
015 "DIA CIRC METAL
0400/1288 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0400/1025 LEN=0038 INSTALLED UNKN
024 "DIA CIRC METAL
0400/0454 LEN=0036 INSTALLED UNKN
024 "DIA CIRC METAL
0400/0040 LEN=0038 INSTALLED UNKN
2 0 11026 0 02 0255+08 088698 FT 088698 FT
WHISKEY SPRINGS RD
(T417) 0400/0000
S 0400/0000 LENGTH(AH 2923 BK 2287)

018 "DIA CIR PLASTIC
0390/1655 LEN=0042 INSTALLED UNKN
048 "DIA CIRC CONCR
0390/1317 LEN=0042 INSTALLED UNKN


0390/0020 BMSEN 11/0160/0390/0000
086411 FT 086411 FT 2 0 11026 0 02 0232+41
SETTLEMEYER RUN
BMSBG 11/0160/0390/0000
S 0390/0000 LENGTH(AH 2287 BK 2885)
018 "DIA CIR PLASTIC
0380/2790 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0380/2444 LEN=0034 INSTALLED UNKN
018 "DIA CIR PLASTIC
0380/2176 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0380/1965 LEN=0030 INSTALLED UNKN
036 "DIA CIRC CONCR

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



0380/1209 LEN=0030 INSTALLED UNKN
015 "DIA CIR PLASTIC
0380/0552 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0380/0100 LEN=0035 INSTALLED 2002
083526 FT 083526 FT 2 0 11026 0 02 0202+88
MCCORMICK RD
(T420)
S 0380/0000 LENGTH(AH 2885 BK 2140)
024 "DIA CIR PLASTIC
0370/1846 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0370/0984 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0370/0784 LEN=0034 INSTALLED UNKN
024 "DIA CIR PLASTIC
0370/0131 LEN=0032 INSTALLED UNKN
081386 FT 081386 FT 2 0 11026 0 02 0182+00
S 0370/0000 LENGTH(AH 2140 BK 1150)
WILLOW BEACH RD
0360/0840 (T416)
SETTLEMYER RUN
STRUCTURE LENGTH 14 FT
0360/0800 BMSID 11/0160/0360/0800
018 "DIA CIR PLASTIC
0360/0518 LEN=0020 INSTALLED 2006
015 "DIA CIRC CONCR
0360/0078 LEN=0030 INSTALLED UNKN
080236 FT 080236 FT 2 0 11026 0 01 0170+14
018 "DIA CIR PLASTIC
LEN=0033 INSTALLED UNKN
S 0360/0000 LENGTH(AH 1150 BK 2679)
018 "DIA CIR PLASTIC
0350/2215 LEN=0055 INSTALLED 2006
015 "DIA CIR PLASTIC
0350/1774 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0350/1032 LEN=0050 INSTALLED 2006
018 "DIA CIRC CONCR
0350/0854 LEN=0055 INSTALLED 2006
024"H 48"W PIPE ARCH *
0350/0480 LEN=0020 INSTALLED 2006
2 0 11026 0 01 0143+16 077557 FT 077557 FT
GATES HILL RD
(SR2011 SEG 0010/0000) 0350/0000
S 0350/0000 LENGTH(AH 2679 BK 1051)
BMSEN 11/0160/0340/0867

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T




0340/0978 BRIDGE POSTED (TONS)
SUMMERHILL
0340/0910 WILMORE B
1 0 00852 0 00 0008+55
SGL 33 COMB 40
N BR LITTLE CONEMAUGH R
0340/0867 BMSBG 11/0160/0340/0867

076506 FT
076506 FT 1 0 00852 0 00 0000+00
SCHOOL HILL RD
(BORO)
NC EVERGREEN DR

PORTAGE ST
(SR0053 SEG 0090/0000)
PORTAGE ST
(SR0053 SEG 0090/0000)
0340/0000
S 0340/0000 LENGTH(AH 1051 BK 0439)
CROOKED ST
0330/0337 (BORO)
076067 FT
076067 FT 2 0 11017 0 02 0105+35
CHURCH ST
(BORO)
S 0330/0000 LENGTH(AH 0439 BK 0957)
WALNUT ST
0320/0650 (BORO)
CONSOLIDATED RAIL CORPO
0320/0104 OVERPASS IS RR X-ING
075110 FT
075110 FT 2 0 11017 0 02 0095+41
S 0320/0000 LENGTH(AH 0957 BK 2661)
018 "DIA CAST IRON
0310/2640 LEN=0024 INSTALLED UNKN
0310/2314 BMSEN 11/0160/0310/2176
2 0 11017 0 01 0090+84
LITTLE CONEMAUGH RIVER
0310/2176 BMSBG 11/0160/0310/2176
BORO RD
0310/2116 (BORO)
018 "DIA CIRC CONCR
0310/1768 LEN=0042 INSTALLED UNKN


PENNDOT SP #11 - WILMOR
(GOVT)
0310/0559
048 "DIA CIRC CONCR
0310/0551 LEN=0061 INSTALLED UNKN
072449 FT
072449 FT 2 0 11017 0 01 0069+15
NC MAIN ST
WILMORE
SUMMERHILL T
S 0310/0000 LENGTH(AH 2661 BK 2268)

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



	0300/1631	WILMORE HEIGHTS RD (T500) TR.L.CONMGH.
	0300/1602	STRUCTURE LENGTH 12 FT BMSID 11/0160/0300/1602
JAPP RD (T393) 0300/0719		
		072"H 72"W CON BOX CUL
	0300/0605	LEN=0200 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0300/0256	LEN=0040 INSTALLED UNKN
070181 FT	070181 FT	2 0 11017 0 01 0046+52
		018 "DIA CIRC CONCR
		LEN=0047 INSTALLED UNKN
	S 0300/0000	LENGTH(AH 2268 BK 1090)
		018 "DIA CIR PLASTIC
	0290/0772	LEN=0049 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0290/0570	LEN=0046 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0290/0290	LEN=0051 INSTALLED 2014
069091 FT	069091 FT	2 0 11017 0 00 0035+25
		018 "DIA CIR PLASTIC
		LEN=0043 INSTALLED UNKN
	S 0290/0000	LENGTH(AH 1090 BK 3525)
		018 "DIA CIR PLASTIC
	0280/3219	LEN=0048 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/2909	LEN=0049 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/2692	LEN=0048 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0280/2422	LEN=0048 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/2055	LEN=0049 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/1708	LEN=0052 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/1543	LEN=0050 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0280/1200	LEN=0051 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/0858	LEN=0044 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/0517	LEN=0045 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0280/0314	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



0280/0036 LEN=0067 INSTALLED UNKN
065566 FT
2 0 11017 0 00 0000+00 065566 FT NC SPRINGSIDE AV
FIELDSTONE AV
(SR2006 SEG 0090/1983) 0280/0000 S 0280/0000 LENGTH(AH 3525 BK 1700)


018 "DIA CIR PLASTIC
0270/0111 LEN=0051 INSTALLED 2014
063866 FT 063866 FT 2 0 11019 0 01 0253+40
NC FIELDSTONE AV
FIELDSTONE AV
(SR2006 SEG 0100/0000)
S 0270/0000 LENGTH(AH 1700 BK 3489)
018 "DIA CIR PLASTIC
0260/3040 LEN=0036 INSTALLED UNKN

MINOR RD
0260/2087 (T356)
024 "DIA CIRC CONCR
0260/2053 LEN=0037 INSTALLED UNKN
018 "DIA CIR PLASTIC
0260/1656 LEN=0033 INSTALLED UNKN

015 "DIA CIR PLASTIC
0260/0603 LEN=0034 INSTALLED UNKN
015 "DIA CIR PLASTIC
0260/0129 LEN=0028 INSTALLED UNKN
060377 FT 060377 FT 2 0 11070 0 01 0083+43
SUMMERHILL
CROYLE T
S 0260/0000 LENGTH(AH 3489 BK 3510)
015 "DIA CIR PLASTIC
0250/3469 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0250/3176 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0250/3054 LEN=0135 INSTALLED 1998

048 "DIA CIRC CONCR
0250/1663 LEN=0024 INSTALLED UNKN

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



2 0 11070 0 01 0048+33	056867 FT	056867 FT
BETZ RD		
(T368)	0250/0000	S 0250/0000 LENGTH(AH 3510 BK 1187)
MILLER RD		
(T354)	0240/0833	
		018 "DIA CIR PLASTIC
		0240/0818 LEN=0040 INSTALLED 2005
LC FOR MILLER RD		
(CONN)	0240/0696	
	055680 FT	055680 FT 2 0 11070 0 01 0035+86
		S 0240/0000 LENGTH(AH 1187 BK 3609)
		018 "DIA CIRC CONCR
		0230/3372 LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0230/3166 LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0230/2917 LEN=0028 INSTALLED UNKN
		024 "DIA CIRC CONCR
		0230/2410 LEN=0038 INSTALLED UNKN
		048 "DIA CIRC CONCR
		0230/0328 LEN=0030 INSTALLED UNKN
	052071 FT	052071 FT 2 0 11070 0 00 0000+00
		PINE BLUFF RD
		(SR2004 SEG 0010/0000)
		NC FAIRVIEW AV
		S 0230/0000 LENGTH(AH 3609 BK 1080)
		0220/1001 BMSEN 11/0160/0220/0983
		2 0 11014 0 00 0069+00
		LAUREL RUN
		0220/0983 BMSBG 11/0160/0220/0983
		015 "DIA CIRC CONCR
		0220/0658 LEN=0150 INSTALLED UNKN
		HUMBERT RD
		0220/0250 (T760)
		RBR
		0220/0059 BMSEN 11/0160/0220/0000
	050991 FT	050991 FT 2 0 11014 0 00 0059+18
		P3
		LAUREL RUN
		RBR
		BMSBG 11/0160/0220/0000
		S 0220/0000 LENGTH(AH 1080 BK 2355)
		048 "DIA CIRC CONCR

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



0210/2000 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0210/1490 LEN=0076 INSTALLED UNKN
016 "DIA CIRC CONCR
0210/0755 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0210/0446 LEN=0038 INSTALLED UNKN
048636 FT
048636 FT 2 0 11014 0 00 0035+88
S 0210/0000 LENGTH(AH 2355 BK 3099)
036 "DIA CIRC CONCR
0200/2900 LEN=0070 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/2320 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1915 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1557 LEN=0041 INSTALLED UNKN
030 "DIA CIR PLASTIC
0200/1185 LEN=0080 INSTALLED 2000

MILLERS RD
(T354)
0200/1119

018 "DIA CIRC CONCR
0200/1111 LEN=0062 INSTALLED UNKN

RBR

0200/0889 BMSEN 11/0160/0200/0862
2 0 11014 0 00 0013+30
P3
LAUREL RUN


RBR

0200/0862 BMSBG 11/0160/0200/0862
036 "DIA CIRC CONCR
0200/0630 LEN=0045 INSTALLED 2000
036 "DIA CIRC CONCR
0200/0570 LEN=0042 INSTALLED UNKN
045537 FT
045537 FT 2 0 11014 0 00 0004+89
BEAVER RUN RD
(SR0869 SEG 0060/0000)
NC MILL RD
S 0200/0000 LENGTH(AH 3099 BK 0519)
MYERS RD
0190/0184 (T601)

PLUMMER RD
(T330)
0190/0099


0190/0063 BMSEN 11/0160/0190/0000
CROYLE
0190/0029 ADAMS TOWNSHIP T
045018 FT
045018 FT 2 0 11014 1 01 0006+70
S FORK BR LITTLE CONEMA

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




		BMSBG 11/0160/0190/0000
	0190/0000	LENGTH(AH 0519 BK 0654)
		018 "DIA CIRC CONCR
	0180/0555	LEN=0028 INSTALLED UNKN
		SEESTOWN RD
	0180/0539	(T330)
	0180/0432	(AAR 529132B)#TRKS 01
		018 "DIA CIRC CONCR
	0180/0183	LEN=0026 INSTALLED UNKN
	0180/0145	BMSEN 11/0160/0180/0102
		2 0 11014 1 00 0001+27
		BR LITTLE CONEMAUGH RIV
	0180/0102	BMSBG 11/0160/0180/0102
2 0 11014 1 00 0000+00 044364 FT		044364 FT
LOCUST ST		
(SR0869 SEG 0050/3366) 0180/0000	0180/0000	LENGTH(AH 0654 BK 0886)
		018 "DIA CIRC CONCR
	0170/0510	LEN=0046 INSTALLED UNKN
CHURCH ST		
(T403) 0170/0498		
		RETAINING WALL END
	0170/0242	BMSID 11/0160/0170/0192
		RETAINING WALL BEGIN
	0170/0192	BMSID 11/0160/0170/0192
CROWN ST		
(T404) 0170/0135		
043478 FT		043478 FT 2 0 11010 0 00 0145+66
	0170/0000	LENGTH(AH 0886 BK 2595)
		018 "DIA CIRC CONCR
	0160/2556	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/2357	LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/2068	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/1505	LEN=0048 INSTALLED UNKN
EVERGREEN LN		
(T343) 0160/1502		
		018 "DIA CIR PLASTIC
	0160/1155	LEN=0046 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0160/0642	LEN=0058 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/0488	LEN=0042 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0160/0070	LEN=0048 INSTALLED UNKN
040883 FT		040883 FT 2 0 11010 0 00 0119+71
	0160/0000	LENGTH(AH 2595 BK 2960)

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




		0150/1789	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0150/0963	018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
		0150/0555	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0150/0224	CANDY LN (PRDR)
037923 FT		037923 FT	2 0 11010 0 00 0089+62
	S	0150/0000	LENGTH(AH 2960 BK 3099)
		0140/1952	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
		0140/1750	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 2003
		0140/1257	RHODES CROSS ROADS TR (T359)
		0140/0428	018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
034824 FT		034824 FT	2 0 11010 0 00 0059+39
	S	0140/0000	LENGTH(AH 3099 BK 3308)
		0130/3178	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0130/2040	015 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
		0130/1749	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
		0130/1730	ADAMS DR (T420)
		0130/1524	018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
MAXINE DR (T413)	0130/1102		
		0130/0999	048 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
		0130/0546	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0130/0537	MAPLE DR (T427)
		0130/0202	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0130/0007	018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
031516 FT		031516 FT	2 0 11010 0 00 0027+50
			WISSINGER ST

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




			(T329)
		0130/0000	LENGTH(AH 3308 BK 1993)
LC FOR WPA RD			
(CONN)	0120/1472		
			018 "DIA CIR PLASTIC
		0120/1368	LEN=0054 INSTALLED UNKN
WPA RD			
(T308)	0120/1276		
			SCHOOL ST
		0120/0930	(T310)
			018 "DIA CIR PLASTIC
		0120/0646	LEN=0018 INSTALLED UNKN
OAK RIDGE DR			CENTER ST
(T319)	0120/0336	0120/0336	(T406)
			015 "DIA CIR PLASTIC
		0120/0326	LEN=0026 INSTALLED UNKN
	029523 FT	029523 FT	2 0 11010 0 00 0007+26
			WISSINGER ST
			(T329)
		0120/0000	LENGTH(AH 1993 BK 0758)
2 0 11010 0 00 0000+00	028765 FT	028765 FT	PEACEFUL VALLEY RD
SPRING ST			(SR2003 SEG 0010/0000)
(TWP)	0110/0000	0110/0000	LENGTH(AH 0758 BK 2096)
			018 "DIA CIRC CONCR
		0100/2096	LEN=0064 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/1575	LEN=0038 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0100/1184	LEN=0032 INSTALLED UNKN
MILLER RD			
(TWP)	0100/0941		
			015 "DIA CIRC CONCR
		0100/0863	LEN=0036 INSTALLED UNKN
2 0 11009 0 03 0329+24	026669 FT	026669 FT	
MILLER RD			
(TWP)	0100/0000	0100/0000	LENGTH(AH 2096 BK 3412)
			018 "DIA CIRC CONCR
		0090/2278	LEN=0032 INSTALLED UNKN
PALESTINE RD			KRAYN RD
(T316)	0090/2233	0090/2233	(T326)
			018 "DIA CIRC CONCR
		0090/2228	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T




			018 "DIA CIRC CONCR
		0090/0014	LEN=0032 INSTALLED UNKN
	023257 FT	023257 FT	2 0 11009 0 03 0295+15
		S 0090/0000	LENGTH(AH 3412 BK 3448)
C & B RD			
(TWP)	0080/3212		
			018 "DIA CIR PLASTIC
		0080/1950	LEN=0012 INSTALLED 2006
BAUMGARDNER RD			
(T332)			
CRESTVIEW DR			
(T501)	0080/1722		
GLORY DR			
(T639)	0080/1109		
			LYN LN
		0080/0678	(T641)
	019809 FT	019809 FT	2 0 11009 0 03 0260+45
		S 0080/0000	LENGTH(AH 3448 BK 3257)
			NEALYN DR
		0070/2393	(T619)
			018 "DIA CIR PLASTIC
		0070/1836	LEN=0037 INSTALLED UNKN
			VILLA RD
		0070/1072	(T320)
			024 "DIA CIR PLASTIC
		0070/0823	LEN=0060 INSTALLED UNKN
			BROOKSIDE DR
		0070/0779	(T320)
2 0 11009 0 03 0227+95	016552 FT	016552 FT	
HELSEL RD			
(T324)	0070/0000	S 0070/0000	LENGTH(AH 3257 BK 0658)
			060 "DIA CIRC METAL
		0060/0575	LEN=0026 INSTALLED UNKN
			018"H 06"W **UNKNOWN**
		0060/0315	LEN=0026 INSTALLED UNKN
			015 "DIA CIR UNKNOWN
MOUNT AIRY DR		0060/0281	LEN=0026 INSTALLED UNKN
(T302)	0060/0280		
2 0 11009 0 03 0220+85	015894 FT	015894 FT	
ELTON RD			MFC BEGIN = D

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: ADAMS TOWNSHIP T RIGHT MUN: ADAMS TOWNSHIP T



(SR0756 SEG 0170/2727) 0060/0000	S 0060/0000	LENGTH(AH 0658 BK 3778)
		OLD BEDFORD PK
	0050/3738	(SR2001 SEG 0080/1994)
		015 "DIA CIRC CONCR
	0050/3345	LEN=0037 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0050/3035	LEN=0052 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0050/2662	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0050/2295	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0050/1880	LEN=0150 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0050/1308	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0754	LEN=0037 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0367	LEN=0037 INSTALLED UNKN
012116 FT	012116 FT	2 0 11002 0 00 0092+95
		ADAMS TOWNSHIP
		RICHLAND T
	S 0050/0000	LENGTH(AH 3778 BK 3702)
		008 "DIA CIRC CONCR
	0040/3702	LEN=0043 INSTALLED UNKN
		006 "DIA CIR PLASTIC
	0040/3305	LEN=0085 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/2538	LEN=0046 INSTALLED UNKN
	0040/1562	BMSEN 11/0160/0040/1532
		2 0 11002 0 00 0071+30
		L.PAINT CRK.
	0040/1532	BMSBG 11/0160/0040/1532
		015 "DIA CIRC CONCR
	0040/1255	LEN=0043 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/1109	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0631	LEN=0048 INSTALLED UNKN
008414 FT	008414 FT	2 0 11002 0 00 0055+96
		015 "DIA CIRC CONCR
		LEN=0036 INSTALLED UNKN
	S 0040/0000	LENGTH(AH 3702 BK 3029)
		015 "DIA CIRC CONCR
	0030/2776	LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 22.830 MI. DIST: 09-3 SR: 160
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



		018 "DIA CIRC CONCR
	0030/2071	LEN=0039 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1697	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1403	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0030/0954	LEN=0056 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/0623	LEN=0044 INSTALLED UNKN
2 0 11002 0 00 0025+74 005385 FT		005385 FT
BERWICK RD		
(T346) 0030/0000	S 0030/0000	LENGTH(AH 3029 BK 2767)
	0020/2747	(AAR 529075P)#TRKS 01
		024 "DIA CIRC CONCR
	0020/2685	LEN=0050 INSTALLED UNKN
		MINNOW CREEK LN
	0020/2196	(TWP)
		060 "DIA CIRC METAL
	0020/2072	LEN=0062 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0020/0145	LEN=0048 INSTALLED UNKN
002618 FT	002618 FT	2 0 11002 0 00 0000+00
	S 0020/0000	LENGTH(AH 2767 BK 2618)
		024 "DIA CIRC CONCR
	0010/2575	LEN=0050 INSTALLED UNKN
		HOFFMAN FARM RD
	0010/2133	(T341)
		015 "DIA CIRC CONCR
	0010/1412	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/1126	LEN=0050 INSTALLED UNKN
CEMETERY RD		RECREATION RD
(TWP) 0010/0173	0010/0173	(T527)
000000 FT	000000 FT	1 1 07010 0 00 0000+00
	NC	FOREST HILLS DR
	* REF-BK	NINTH ST
		(SR0160 SEG 0940/1941)
		MFC BEGIN = C
		BK-SOMERSET (55)
	S 0010/0000	LENGTH(AH 2618 BK 0000)

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: SCALP LEVEL B RIGHT MUN: SCALP LEVEL B

AH-SOMERSET (55)072608 FT
SCALP AV REF-AHD
(SR0056 SEG 0011/0000) 0341/1307
PAINT CREEK
STRUCTURE LENGTH 67 FT
BMSID 11/0056/0340/1264 0341/1240

018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0341/0175
BMSEN 11/0056/0340/0000 0341/0123
1 0 00222 0 00 0013+29 071301 FT
SR 3015
BMSBG 11/0056/0340/0000
LENGTH(AH 1307 BK 3627) 0341/0000

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0331/3027


018 "DIA CIRC METAL
LEN=0044 INSTALLED UNKN 0331/2760

DRAINAGE
STRUCTURE LENGTH 10 FT
BMSID 11/0056/0330/2397 0331/2372

010 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0331/2300

018 "DIA CIRC CONCR
LEN=0003 INSTALLED UNKN 0331/1700
SCALP LEVEL
RICHLAND T 0331/1451

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0331/1377



072686 FT
REF-AHD SCALP AV
0340/1331 (SR0056 SEG 0010/0000)
PAINT CREEK
STRUCTURE LENGTH 67 FT
0340/1264 BMSID 11/0056/0340/1264

0340/0123 BMSEN 11/0056/0340/0000
071355 FT 1 0 00222 0 00 0013+29
SR 3015
BMSBG 11/0056/0340/0000
0340/0000 LENGTH(AH 1331 BK 3587)
018 "DIA CIRC CONCR
0330/3197 LEN=0032 INSTALLED UNKN

018 "DIA CIRC CONCR
0330/2930 LEN=0034 INSTALLED UNKN


018 "DIA CIRC CONCR
0330/2647 LEN=0034 INSTALLED UNKN
DRAINAGE
STRUCTURE LENGTH 10 FT
0330/2397 BMSID 11/0056/0330/2397
018 "DIA CIRC CONCR
0330/2306 LEN=0042 INSTALLED 1990

018 "DIA CIRC CONCR
0330/1989 LEN=0040 INSTALLED 2002
018 "DIA CIRC CONCR
0330/1700 LEN=0032 INSTALLED UNKN

SCALP LEVEL
0330/1440 RICHLAND T
018 "DIA CIRC CONCR
0330/1400 LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR
0330/1109 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0330/0750 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



1 0 00222 0 00 0049+26 067674 FT
OLD SCALP HILL RD
(T527)
BERWICK RD
(T346)

LENGTH(AH 3627 BK 2244) 0331/0000 S

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0321/1851
TERLYN DR
(T726)

0321/1706

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0321/1447
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0321/1029
THEATRE DR
(T312)

0321/0607

1 0 00222 0 00 0071+47 065430 FT
LENGTH(AH 2244 BK 2522) 0321/0000 S

018 "DIA CIRC CONCR
LEN=0034 INSTALLED UNKN 0311/1976
030 "DIA CIRC CONCR
LEN=0034 INSTALLED UNKN 0311/1441
018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN 0311/1171
CARWYN DR
(T513)

0311/1086

018 "DIA CIRC CONCR
LEN=0005 INSTALLED 2002 0311/0960
018 "DIA CIRC CONCR
LEN=0010 INSTALLED 2002 0311/0820
LC TO EAST HILLS PZ LT
(CONN)

0311/0748

EAST HILLS PLAZA LT
(PRDR)
RICHLAND MOTEL LT
(PRDR)

0311/0678

LC FROM EAST HILLS PZ L
(CONN)

0311/0619

1 0 00222 0 01 0099+63 062908 FT

0330/0363 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0330/0072 LEN=0032 INSTALLED UNKN
067768 FT 1 0 00222 0 00 0049+26
OLD SCALP HILL RD
(T516)
BERWICK RD
(T346)

S 0330/0000 LENGTH(AH 3587 BK 2134)

TERLYN DR
(T726)

0320/1593

THEATRE DR
(T312)

0320/0499

065634 FT 1 0 00222 0 00 0071+43
S 0320/0000 LENGTH(AH 2134 BK 2603)
018 "DIA CIRC CONCR
0310/2027 LEN=0040 INSTALLED UNKN


CARWYN DR
0310/1081 (T513)

EAST HILLS PLAZA LT
(PRDR)
RICHLAND MOTEL LT
(PRDR)

0310/0688

063031 FT 1 0 00222 0 01 0099+63

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



EISENHOWER BL
(T745)
EISENHOWER BL
(SR3006 SEG 0110/1442)

LENGTH(AH 2522 BK 1507) 0311/0000

UNIVERSITY PARK LT
(PRDR)
EAST HILLS LT
(PRDR) 0301/0981

SIGN: CANTILEVER
BMSID 11/0056/0301/0870 0301/0870

RAMP E RD
(SR8001 SEG 0770/0000) 0301/0467

RAMP D RD
(SR8001 SEG 0760/0000)
RAMP C RD
(SR8001 SEG 0750/0823)
DWIGHT DR
(T706) 0301/0330

FROM 8001/0750 SH
(CONN) 0301/0209

1 0 00222 0 01 0114+60 061401 FT
SR 0219 NBL
OP ID 11/0219/0050/0000
NC SCALP AV
SCALP AV REF-BK
(SR3016 SEG 0141/1544)
LTH AH 001507 BK 000100 0301/0000
061401 FT
LTH AH 000100 BK 000695 7273/0000
BMSEN 11/0056/0270/0752
RAMP M RD REF-AHD
(SR8005 SEG 0010/1168) 0271/0695
018 "DIA CIRC CONCR
LEN=0554 INSTALLED UNKN 0271/0554

0310/0000

0300/1477

0300/1100

0300/1020

0300/0977

0300/0790

0300/0430

0300/0321

0300/0162

061528 FT 1 0 00222 0 01 0114+60
SR 0219 NBL
OP ID 11/0219/0050/0000
NC SCALP AV
REF-BK SCALP AV
(SR3016 SEG 0140/1562)
0300/0000 LTH AH 001503 BK 000100
061528 FT
7272/0000 LTH AH 000100 BK 000931
BMSEN 11/0056/0270/0752
REF-AHD RAMP N RD
0270/0931 (SR8005 SEG 0020/0000)

EISENHOWER BL
(T745)
EISENHOWER BL
(SR3006 SEG 0110/1442)

LENGTH(AH 2603 BK 1503)
018 "DIA CIRC CONCR
LEN=0114 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0035 INSTALLED 1990
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1990


UNIVERSITY PARK LT
(PRDR)
EAST HILLS LT
(PRDR)

018 "DIA CIRC CONCR
LEN=0128 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
RAMP D RD
(SR8001 SEG 0760/0000)
RAMP C RD
(SR8001 SEG 0750/0823)
DWIGHT DR
(T706)

030 "DIA CIRC CONCR
LEN=0100 INSTALLED 1990

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



0 0 00000 0 00 0000+00
SR 0219 NBL
BMSBG 11/0056/0270/0752 0271/0516

RAMP L RD
(SR8005 SEG 0500/0484) 0271/0162

2 0 11012 7 00 0042+00 060706 FT
LENGTH(AH 0695 BK 1871) 0271/0000 S

SIGN: 4 CHORD TRUSS
BMSID 11/0056/0270/0155 0261/1778

018 "DIA CIRC CONCR
LEN=0015 INSTALLED 1990 0261/0359

018 "DIA CIRC METAL
LEN=0040 INSTALLED 1990 0261/0061

2 0 11012 7 00 0024+84 058835 FT
LENGTH(AH 1871 BK 2502) 0261/0000 S
018 "DIA CIRC CONCR
LEN=0846 INSTALLED UNKN 0251/2259
018 "DIA CIRC CONCR
LEN=0062 INSTALLED UNKN 0251/1990

018 "DIA CIRC METAL
LEN=0062 INSTALLED UNKN 0251/1640

018 "DIA CIRC CONCR

0270/0752

0270/0500

0270/0498

0270/0155

S 0270/0000

0260/1865

0260/1712

0260/1589

0260/1195

0260/0805

0260/0598

0260/0313

0260/0043

S 0260/0000

0250/1970

0250/1619

0250/1350

0 0 00000 0 00 0000+00
SR 0219 NBL
BMSBG 11/0056/0270/0752
018 "DIA CIRC CONCR
LEN=0036 INSTALLED 1990
RAMP K RD
(SR8005 SEG 0250/0000)

SIGN: 4 CHORD TRUSS
BMSID 11/0056/0270/0155
060597 FT 2 0 11012 7 00 0041+24
S LENGTH(AH 0931 BK 1966)
018 "DIA CIRC METAL
LEN=0040 INSTALLED 1990
060 "DIA CIRC METAL
LEN=0286 INSTALLED 1964
018 "DIA CIRC METAL
LEN=0030 INSTALLED 1990
018 "DIA CIRC CONCR
LEN=0062 INSTALLED 1990
SIGN: 4 CHORD TRUSS
BMSID 11/0056/0260/0805

018 "DIA CIRC CONCR
LEN=0042 INSTALLED 1990


018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1990

018 "DIA CIRC CONCR
LEN=0003 INSTALLED 1990
058631 FT 2 0 11012 7 00 0022+30
S LENGTH(AH 1966 BK 2230)

015 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0120 INSTALLED 2002

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



LEN=0065 INSTALLED UNKN 0251/1345

018 "DIA CIRC CONCR
LEN=0003 INSTALLED UNKN 0251/0815

018 "DIA CIRC CONCR
LEN=0065 INSTALLED 2002 0251/0275

BMSEN 11/0056/0250/0000 0251/0043
2 0 11012 0 02 0142+84 056333 FT
SR 3033
BMSBG 11/0056/0250/0000
LENGTH(AH 2502 BK 1905) 0251/0000

018 "DIA CIRC CONCR
LEN=0041 INSTALLED UNKN 0241/1576
018 "DIA CIRC CONCR
LEN=0065 INSTALLED 2002 0241/1257
RAMP R RD
(SR8022 SEG 0260/0000) 0241/1239

018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN 0241/0972

RAMP S RD
(SR8022 SEG 0250/0742) 0241/0792
DRAINAGE
STRUCTURE LENGTH 12 FT
BMSID 11/0056/0240/0733 0241/0745
018 "DIA CIRC CONCR
LEN=0003 INSTALLED UNKN 0241/0680

018 "DIA CIRC CONCR
LEN=0080 INSTALLED 2002 0241/0439

018 "DIA CIRC CONCR
LEN=0080 INSTALLED 2002 0241/0192

2 0 11012 0 01 0124+11 054428 FT
LENGTH(AH 1905 BK 1608) 0241/0000

RAMP P RD
0250/0824 (SR8022 SEG 0760/0910)
018 "DIA CIRC CONCR
0250/0815 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0250/0540 LEN=0040 INSTALLED UNKN
RAMP Q RD
0250/0532 (SR8022 SEG 0750/0000)

018 "DIA CIRC CONCR
0250/0260 LEN=0040 INSTALLED UNKN
0250/0043 BMSEN 11/0056/0250/0000
056401 FT 2 0 11012 0 02 0142+84
SR 3033
BMSBG 11/0056/0250/0000
0250/0000 LENGTH(AH 2230 BK 1831)
SIGN: CANTILEVER
0240/1748 BMSID 11/0056/0240/1748

018 "DIA CIRC CONCR
0240/1225 LEN=0036 INSTALLED UNKN

018 "DIA CIRC CONCR
0240/0891 LEN=0040 INSTALLED UNKN


DRAINAGE
STRUCTURE LENGTH 12 FT
0240/0733 BMSID 11/0056/0240/0733

018 "DIA CIRC CONCR
0240/0626 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0240/0370 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0240/0150 LEN=0040 INSTALLED UNKN
054570 FT 2 0 11012 0 02 0124+23
0240/0000 LENGTH(AH 1831 BK 1649)

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T



SOLOMON RUN
STRUCTURE LENGTH 23 FT
BMSID 11/0056/0230/1425 0231/1526
018 "DIA CIRC CONCR
LEN=0003 INSTALLED UNKN 0231/1486
018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0231/0963

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0231/0632

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0231/0287

2 0 11012 0 01 0106+76 052820 FT
RICHLAND
STONYCREEK T
LENGTH(AH 1608 BK 3313) 0231/0000

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0221/3310

018 "DIA CIRC CONCR
LEN=0039 INSTALLED UNKN 0221/3010

018 "DIA CIRC CONCR
LEN=0041 INSTALLED UNKN 0221/2670
018 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN 0221/2436

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0221/2160

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0221/1858

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0221/1560

TR.SOLOMN RN
STRUCTURE LENGTH 12 FT

0230/1425 SOLOMN RUN
STRUCTURE LENGTH 23 FT
BMSID 11/0056/0230/1425

0230/0960 018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0230/0625 018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0230/0280 018 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN
052921 FT 2 0 11012 0 02 0107+99
RICHLAND
STONYCREEK T
0230/0000 LENGTH(AH 1649 BK 3291)
018 "DIA CIRC CONCR
0220/3291 LEN=0130 INSTALLED UNKN

0220/2985 018 "DIA CIRC CONCR
LEN=0130 INSTALLED UNKN

0220/2649 018 "DIA CIRC CONCR
LEN=0128 INSTALLED UNKN


0220/2377 018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN

0220/2128 018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN

0220/1824 018 "DIA CIRC METAL
LEN=0115 INSTALLED UNKN


0220/1520 018 "DIA CIRC METAL
LEN=0115 INSTALLED UNKN
TR.SOLOMN RN
STRUCTURE LENGTH 12 FT

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: STONYCREEK T RIGHT MUN: STONYCREEK T



LEFT MUN: STONYCREEK T	RIGHT MUN: STONYCREEK T
BMSID 11/0056/0220/1111 0221/1141	0220/1111 BMSID 11/0056/0220/1111
	018 "DIA CIRC CONCR
	0220/0941 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0221/0721	
	018 "DIA CIRC CONCR
	0220/0682 LEN=0073 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0221/0388	
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0221/0087	
	018 "DIA CIRC CONCR
	0220/0059 LEN=0065 INSTALLED UNKN
2 0 11012 0 01 0074+55 049507 FT	049630 FT 2 0 11012 0 02 0074+85
LENGTH(AH 3313 BK 2421) 0221/0000 S	S 0220/0000 LENGTH(AH 3291 BK 2472)
	018 "DIA CIRC CONCR
	0210/2268 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0211/2211	
	036 "DIA CIRC CONCR
	0210/1955 LEN=0120 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0211/1933	
	018 "DIA CIRC CONCR
	0210/1650 LEN=0100 INSTALLED 2002
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0211/1610	
	018 "DIA CIRC CONCR
	0210/1340 LEN=0100 INSTALLED 2002
018 "DIA CIRC CONCR	
LEN=0042 INSTALLED UNKN 0211/1316	
	018 "DIA CIRC CONCR
	0210/1050 LEN=0059 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0210/0830 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0211/0810	
	018 "DIA CIRC CONCR
	0210/0536 LEN=0055 INSTALLED UNKN
024 "DIA CIR PLASTIC	
LEN=0036 INSTALLED 1997 0211/0503	
	018 "DIA CIRC CONCR
	0210/0297 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0211/0255	
2 0 11012 0 01 0050+79 047086 FT	047158 FT 2 0 11012 0 01 0049+99
LENGTH(AH 2421 BK 2326) 0211/0000 S	S 0210/0000 LENGTH(AH 2472 BK 2300)
018 "DIA CIRC METAL	
LEN=0046 INSTALLED UNKN 0201/2254	
	018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: STONYCREEK T RIGHT MUN: STONYCREEK T



018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0201/1786
STONYCREEK
JOHNSTOWN C 0201/1698

018 "DIA CIRC CONCR
LEN=0036 INSTALLED 1990 0201/1491

018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0201/1196

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2002 0201/1045

RAMP V RD
(SR8020 SEG 0500/0000) 0201/0653

BMSEN 11/0056/0200/0000 0201/0043
2 0 11012 0 01 0027+31 044760 FT
TWP.RD. 693
BMSBG 11/0056/0200/0000
LENGTH(AH 2326 BK 1236) 0201/0000 S
TR.SOLOMN RN
STRUCTURE LENGTH 9 FT
BMSID 11/0056/0190/1233 0191/1184
018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN 0191/0872

RAMP W RD
(SR8020 SEG 0250/0389) 0191/0826
018 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN 0191/0653
018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0191/0288
2 0 11012 0 01 0014+83 043524 FT
LENGTH(AH 1236 BK 2309) 0191/0000 S

0200/1848 LEN=0048 INSTALLED 1988

STONYCREEK
0200/1681 JOHNSTOWN C
018 "DIA CIRC CONCR
0200/1554 LEN=0046 INSTALLED 1988

018 "DIA CIRC CONCR
0200/1264 LEN=0046 INSTALLED 1988

018 "DIA CIRC CONCR
0200/1065 LEN=0068 INSTALLED 1988


RAMP T RD
0200/0973 (SR8020 SEG 0750/0937)
018 "DIA CIRC CONCR
0200/0750 LEN=0068 INSTALLED 1988

0200/0043 BMSEN 11/0056/0200/0000
044858 FT 2 0 11012 0 01 0027+31
TWP.RD. 693
BMSBG 11/0056/0200/0000
S 0200/0000 LENGTH(AH 2300 BK 1292)
TR.SOLOMN RN
STRUCTURE LENGTH 9 FT
0190/1233 BMSID 11/0056/0190/1233

RAMP U RD
0190/0829 (SR8020 SEG 0010/0000)


043566 FT 2 0 11012 0 01 0014+83
S 0190/0000 LENGTH(AH 1292 BK 2290)
018 "DIA CIRC CONCR
0180/2290 LEN=0056 INSTALLED 1988
RAMP C RD
0180/1882 (SR8018 SEG 0750/0958)
RAMP D RD
0180/1475 (SR8018 SEG 0010/0000)

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



SHINGLE RUN			SHINGLE RUN
STRUCTURE LENGTH 9 FT			STRUCTURE LENGTH 9 FT
BMSID 11/0056/0180/0873	0181/0882	0180/0873	BMSID 11/0056/0180/0873
BMSEN 11/0056/0180/0783	0181/0824	0180/0856	BMSEN 11/0056/0180/0783
2 0 11012 0 00 0080+05			2 0 11012 0 00 0080+05
BECKLEY AVE.			BECKLEY AVE.
BMSBG 11/0056/0180/0783	0181/0751	0180/0783	BMSBG 11/0056/0180/0783
024 "DIA CIRC CONCR			
LEN=0045 INSTALLED UNKN	0181/0324		
			018 "DIA CIRC CONCR
		0180/0148	LEN=0003 INSTALLED 1988
2 0 11012 0 00 0071+88 041215 FT		041276 FT	2 0 11012 0 00 0072+49
JOHNSTOWN			JOHNSTOWN
DALE BOROUGH B			DALE BOROUGH B
LENGTH(AH 2309 BK 3038)	0181/0000 S	S 0180/0000	LENGTH(AH 2290 BK 3457)
			018 "DIA CIRC CONCR
		0170/3457	LEN=0003 INSTALLED 1988
			018 "DIA CIRC CONCR
		0170/3158	LEN=0003 INSTALLED 1988
			018 "DIA CIRC CONCR
		0170/2853	LEN=0058 INSTALLED 1988
SR 3027			SR 3027
OP ID 11/3027/0010/0789	0171/2144	0170/2547	OP ID 11/3027/0010/0789
			024 "DIA CIRC CONCR
		0170/2501	LEN=0056 INSTALLED 1988
			018 "DIA CIRC CONCR
		0170/2275	LEN=0003 INSTALLED 1988
BMSEN 11/0056/0170/1905	0171/1473	0170/1943	BMSEN 11/0056/0170/1905
2 0 11012 0 00 0056+58			2 0 11012 0 00 0056+58
NO UNDERPASS INFORMATIO			NO UNDERPASS INFORMATIO
BMSBG 11/0056/0170/1905	0171/1435	0170/1905	BMSBG 11/0056/0170/1905
036 "DIA CIRC CONCR			
LEN=0045 INSTALLED UNKN	0171/1166		
018 "DIA CIRC CONCR			
LEN=0045 INSTALLED 1990	0171/0995		
018 "DIA CIRC CONCR			
LEN=0045 INSTALLED 1990	0171/0820		
018 "DIA CIRC CONCR			
LEN=0045 INSTALLED 1990	0171/0650		
			018 "DIA CIRC CONCR
		0170/0425	LEN=0100 INSTALLED 1988
018 "DIA CIRC CONCR			
LEN=0045 INSTALLED 1990	0171/0265		
018 "DIA CIRC CONCR			
LEN=0045 INSTALLED 1990	0171/0085		
2 0 11012 0 00 0041+98 038177 FT		037819 FT	2 0 11012 0 00 0038+00
LENGTH(AH 3038 BK 1249)	0171/0000 S	S 0170/0000	LENGTH(AH 3457 BK 1045)

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: DALE BOROUGH B RIGHT MUN: DALE BOROUGH B



RAMP A RD
(SR8016 SEG 0500/0000)
DALE BOROUGH
JOHNSTOWN C 0161/0026
2 0 11012 0 00 0029+49 036928 FT
LENGTH(AH 1249 BK 3284) 0161/0000
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/2981

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/2767
BMSEN 11/0056/0150/0000 0151/2728

1 0 00525 3 01 0003+47 033644 FT
SR 3055, SPAN 4
BMSBG 11/0056/0150/0000
LENGTH(AH 3284 BK 0631) 0151/0000
BMSEN 11/0056/0140/0000 0141/0385
1 0 00525 3 01 0011+07 033013 FT
STONYCRK RIV
BMSBG 11/0056/0140/0000
LENGTH(AH 0631 BK 2381) 0141/0000

018 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN 0131/2170
018 "DIA CIRC CONCR
LEN=0015 INSTALLED 1967 0131/2160

NAPOLEON ST
(SR0403 SEG 0160/0592)
WALNUT ST
(CITY)
0131/2027

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0131/1950
MORRELL PL

RAMP B RD
0160/0552 (SR8016 SEG 0250/1195)

036774 FT 2 0 11012 0 00 0027+41
0160/0000 LENGTH(AH 1045 BK 3086)

DALE BOROUGH
0150/2969 JOHNSTOWN C
018 "DIA CIRC CONCR
0150/2780 LEN=0040 INSTALLED 2002


0150/2728 BMSEN 11/0056/0150/0000

033688 FT 1 0 00525 3 01 0003+47
SR 3055, SPAN 4
BMSBG 11/0056/0150/0000
0150/0000 LENGTH(AH 3086 BK 0732)
0140/0385 BMSEN 11/0056/0140/0000
032956 FT 1 0 00525 3 01 0011+07
STONYCRK RIV
BMSBG 11/0056/0140/0000
0140/0000 LENGTH(AH 0732 BK 2263)
018 "DIA CIRC CONCR
0130/2150 LEN=0033 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/2010 LEN=0030 INSTALLED 2002
NAPOLEON ST
(SR0403 SEG 0160/0592)
WALNUT ST
(CITY)
0130/1966


MORRELL PL

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



(CITY)	0131/1618	0130/1521 (CITY)
018 "DIA CIRC CONCR		
LEN=0095 INSTALLED UNKN	0131/1570	
018 "DIA CIRC CONCR		
LEN=0027 INSTALLED 1967	0131/1555	
UNION ST		
(SR3025 SEG 0010/0000)	0131/1235	
		018 "DIA CIRC CONCR
	0130/1160	LEN=0033 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0040 INSTALLED UNKN	0131/1180	
PEDESTRIAN WALKWAY		
OP ID 11/0056/0130/1116	0131/1174	0130/1116 OP ID 11/0056/0130/1116
VINE ST		VINE ST
(SR3016 SEG 0011/0000)		(SR3016 SEG 0011/0000)
	0131/1158	0130/1097
		018 "DIA CIRC CONCR
		0130/1092 LEN=0025 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0033 INSTALLED UNKN	0131/1100	
		018 "DIA CIRC CONCR
		0130/0787 LEN=0025 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED 1967	0131/0800	
LINCOLN ST		INCLINE PLANE RD
(CITY)	0131/0742	0130/0667 (SR3022 SEG 0010/0606)
018 "DIA CIRC CONCR		
LEN=0088 INSTALLED 1967	0131/0690	
018 "DIA CIRC CONCR		
LEN=0030 INSTALLED UNKN	0131/0655	
JOHNS ST		JOHNS ST
(CITY)		(CITY)
	0131/0606	0130/0531
018 "DIA CIRC CONCR		
LEN=0030 INSTALLED 1967	0131/0600	
018 "DIA CIRC CONCR		
LEN=0056 INSTALLED UNKN	0131/0475	
BMSEN 11/0056/0130/0000	0131/0339	0130/0339 BMSEN 11/0056/0130/0000
1 0 00525 3 01 0021+56	030632 FT	030693 FT 1 0 00525 3 01 0021+56
NC JOHNSTOWN EX		NC JOHNSTOWN EX
STONYCRK.RIV		STONYCRK.RIV
BMSBG 11/0056/0130/0000		BMSBG 11/0056/0130/0000
LENGTH(AH 2381 BK 0664)	0131/0000	0130/0000 LENGTH(AH 2263 BK 0771)
		018 "DIA CIRC CONCR
	0120/0745	LEN=0049 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0120/0495	LEN=0003 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0120/0319	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



1 0 00525 3 01 0029+11 029968 FT
WASHINGTON ST
(SR3044 SEG 0010/0000)

LENGTH(AH 0664 BK 2836) 0121/0000

CONSOLIDATED RAIL CORPO
OVERPASS IS RR X-ING 0111/2037

BRANCH ST
(CITY) 0111/0980
MCCONAUGHY ST
(CITY) 0111/0684
NC ROOSEVELT BL
ROOSEVELT BL
(CITY) 0111/0339
018 "DIA CIRC CONCR
LEN=0058 INSTALLED 2002 0111/0326

LC FROM ROOSEVELT BL
(CONN) 0111/0270

1 0 00223 0 02 0296+29 027132 FT
SECOND AV
(CITY)
LENGTH(AH 2836 BK 2464) 0111/0000
THIRD AV
(CITY) 0101/2118
FOURTH AV
(SR3039 SEG 0010/0000) 0101/1764

FIFTH AV
(CITY) 0101/1409

SIXTH AV
(CITY) 0101/1052

0120/0095 LEN=0048 INSTALLED UNKN
029922 FT 1 0 00525 3 01 0029+11
WASHINGTON ST
(SR3044 SEG 0010/0000)
0120/0000 LENGTH(AH 0771 BK 2777)
015 "DIA CIRC CONCR
0110/2514 LEN=0052 INSTALLED 2002
015 "DIA CIRC CONCR
0110/2195 LEN=0030 INSTALLED 2002
015 "DIA CIRC CONCR
0110/2075 LEN=0030 INSTALLED 2002
015 "DIA CIRC CONCR
0110/1980 LEN=0030 INSTALLED 2002
CONSOLIDATED RAIL CORPO
0110/1971 OVERPASS IS RR X-ING

015 "DIA CIRC CONCR
0110/1270 LEN=0030 INSTALLED 2002
BRANCH ST
0110/0932 (CITY)
MCCONAUGHY ST
(CITY)
0110/0634


NC ROOSEVELT BL

018 "DIA CIRC CONCR
0110/0317 LEN=0033 INSTALLED 2002


018 "DIA CIRC CONCR
0110/0169 LEN=0025 INSTALLED 2002
027145 FT 1 0 00223 0 02 0296+29
SECOND AV
(CITY)
0110/0000 LENGTH(AH 2777 BK 2451)
THIRD AV
0100/2111 (CITY)
FOURTH AV
(SR3039 SEG 0010/0000)
0100/1767
FIFTH AV
(CITY)
0100/1401
SIXTH AV
(CITY)
0100/1052

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C

SEVENTH AV (CITY)	0101/0696		0100/0701 SEVENTH AV (CITY) 018 "DIA CIRC CONCR
			0100/0350 LEN=0080 INSTALLED 2002
EIGHTH AV (CITY)	0101/0351		0100/0342 EIGHTH AV (CITY)
1 0 00223 0 02 0271+64 024668 FT			024694 FT 1 0 00223 0 02 0271+64
NINTH AV (CITY)			NINTH AV (CITY)
LENGTH(AH 2464 BK 1715)	0101/0000	S	0100/0000 S LENGTH(AH 2451 BK 1741) 015 "DIA CIRC CONCR
			LEN=0055 INSTALLED 2002
TENTH ST (CITY)			TENTH ST (CITY)
	0091/1365		0090/1381
SHEETZ LT (PRDR)			SHEETZ LT (PRDR)
COMMERCE CENTER (GATE 2 (PRDR)			COMMERCE CENTER (GATE 2 (PRDR)
	0091/1155		0090/1174
			018 "DIA CIR PLASTIC
			0090/0595 LEN=0060 INSTALLED 2002
			018 "DIA CIR PLASTIC
			0090/0590 LEN=0060 INSTALLED 2002
DELAWARE AV (CITY)	0091/0341		DELAWARE AV 0090/0362 (CITY)
			010"H 36"W ELLIP CONC
			0090/0010 LEN=0100 INSTALLED 2002
1 0 00223 0 02 0253+65 022953 FT NC BROAD ST			022953 FT 1 0 00223 0 02 0253+65 NC BROAD ST
BROAD ST (SR0403 SEG 0180/0000) MFC BEGIN = B			BROAD ST (SR0403 SEG 0180/0000) MFC BEGIN = B
LENGTH(AH 1715 BK 3403)	0091/0000	S	0090/0000 S LENGTH(AH 1741 BK 3403) (APRA) (SIGNAL LIGHT ON
			0080/3234
			CONSOLIDATED RAIL CORPO
			0080/2967 OVERPASS IS RR X-ING
B ST (CITY)	0080/2778		
			VIRGINIA ST
			0080/2701 (CITY)
			015 "DIA CIR PLASTIC
			0080/2662 LEN=0050 INSTALLED 1988
C ST (CITY)	0080/2420		
			012 "DIA CIR PLASTIC
			0080/2385 LEN=0050 INSTALLED 2002
			012 "DIA CIR PLASTIC




DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C




0080/2379 LEN=0050 INSTALLED 1988
D ST
(SR3007 SEG 0140/0989)
D ST
(CITY) 0080/2052 0080/2052
CHANDLER AV
(CITY) 0080/1697
012 "DIA CIR PLASTIC
0080/1683 LEN=0050 INSTALLED 1988
G ST
0080/1611 (CITY)
012 "DIA CIRC CONCR
0080/1596 LEN=0050 INSTALLED 1988
H ST
(CITY) 0080/1350
I ST
0080/0999 (CITY)
012 "DIA CIRC METAL
0080/0975 LEN=0050 INSTALLED 1988
TIBBOT PL
(CITY) 0080/0834
J ST
0080/0522 (CITY)
0080/0473 BMSEN 11/0056/0080/0455
1 0 00525 0 00 0061+25
ST CLAIR RUN
0080/0455 BMSBG 11/0056/0080/0455
ESTHER ST
0080/0398 (CITY)
GARFIELD ST
(CITY) 0080/0249
CLIO PL
K ST
(CITY) 0080/0105 0080/0105 (CITY)
019550 FT 019550 FT 1 0 00525 0 00 0065+85
NC FAIRFIELD AV
FAIRFIELD AV
(SR3005 SEG 0060/1909)
S 0080/0000 LENGTH(AH 3403 BK 2112)
FIGART AL
0070/1915 (CITY)
MCKEE AV
0070/1850 (CITY)
HATTIE AV
(CITY) 0070/1631
ORANGE AV
0070/1394 (CITY)
RIPPLE AV
(CITY) 0070/1276
GRAPE AV
0070/0949 (CITY)

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



SOPHIE AL (CITY)	0070/0835	
PRISCILLA AL (CITY)	0070/0770	
		010 "DIA CIRC CONCR
		0070/0667 LEN=0034 INSTALLED 1988
		010 "DIA CIR UNKNOWN
		0070/0570 LEN=0034 INSTALLED 1988
CHANDLER AV (CITY)	0070/0560	
		CHANDLER AV
		0070/0537 (CITY)
		010 "DIA CIRC CONCR
		0070/0505 LEN=0034 INSTALLED 1988
		030"H 72"W CONCR ARCH
		0070/0361 LEN=0036 INSTALLED 1988
SCHOOLHOUSE PL (CITY)	0070/0255	
	017438 FT	017438 FT 1 0 00525 0 00 0086+96
		BUTLER AV
		(CITY)
		S 0070/0000 LENGTH(AH 2112 BK 3109)
		018 "DIA CIRC CONCR
		0060/3109 LEN=0028 INSTALLED 1988
		PINEY PL
		0060/2724 (CITY)
LAUREL AV (CITY)	0060/2652	0060/2652
		018 "DIA CIRC OTHER
		0060/2495 LEN=0031 INSTALLED 1988
		DECKER AV
		0060/2241 (CITY)
		012 "DIA CIRC METAL
		0060/2232 LEN=0012 INSTALLED 1988
CORINNE AV (CITY)	0060/2185	
ROY AL (CITY)	0060/2009	
		SPICKLER AL
		0060/2009 (CITY)
		018 "DIA CIR PLASTIC
		0060/1940 LEN=0012 INSTALLED 2014
DOROTHY AV (CITY)	0060/1816	
		015 "DIA CIRC CONCR
		0060/1592 LEN=0015 INSTALLED 1988
EDITH AV (CITY)	0060/1517	
		GULL PL
		0060/1413 (CITY)
		010 "DIA CIR PLASTIC
		0060/1288 LEN=0015 INSTALLED 1988

DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: JOHNSTOWN C RIGHT MUN: JOHNSTOWN C



DUWELL ST
0060/1254 (CITY)

HAROLD AV
(CITY) 0060/0996

NC STRAYER ST
BRUSH AV
0060/0835 (CITY)
010 "DIA CIR PLASTIC
0060/0810 LEN=0014 INSTALLED 1988
GREGG AV
0060/0464 (CITY)
012 "DIA CIR UNKNOWN
0060/0435 LEN=0024 INSTALLED 1988
014329 FT 014329 FT 1 0 00525 0 00 0118+53
NC HAROLD ST
JOHNSTOWN
LOWER YODER T
HOFFMAN AV
(CITY) 0060/0000 S 0060/0000 LENGTH(AH 3109 BK 2925)
018 "DIA CIRC CONCR
0050/2600 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0050/2380 LEN=0052 INSTALLED 1988
018 "DIA CIRC CONCR
0050/2104 LEN=0067 INSTALLED 1988


024 "DIA CIRC CONCR
0050/1028 LEN=0060 INSTALLED 1988

024 "DIA CIRC CONCR
0050/0323 LEN=0052 INSTALLED 1988
011404 FT 011404 FT 1 0 00525 0 00 0148+78
S 0050/0000 LENGTH(AH 2925 BK 3180)
021 "DIA CIRC CONCR
0040/3161 LEN=0053 INSTALLED 1988
018 "DIA CIRC CONCR
0040/2608 LEN=0055 INSTALLED 1988
018 "DIA CIRC CONCR
0040/2159 LEN=0040 INSTALLED 1988

048 "DIA CIRC CONCR
0040/1455 LEN=0100 INSTALLED 1988

018 "DIA CIRC CONCR
0040/0470 LEN=0050 INSTALLED 1988
018 "DIA CIRC CONCR
0040/0200 LEN=0050 INSTALLED 1988
008224 FT 008224 FT 1 0 00525 0 00 0180+17
S 0040/0000 LENGTH(AH 3180 BK 3013)


DIR: B TOTAL LEN: 13.766 MI. DIST: 09-3 SR: 56
LEFT MUN: LOWER YODER T RIGHT MUN: LOWER YODER T



	018 "DIA CIRC CONCR
	0030/2886 LEN=0065 INSTALLED 1988
	018 "DIA CIRC CONCR
	0030/2073 LEN=0042 INSTALLED 1988
	018 "DIA CIRC CONCR
	0030/1734 LEN=0042 INSTALLED 1988
	018 "DIA CIRC CONCR
	0030/1555 LEN=0038 INSTALLED 1988
	018 "DIA CIRC CONCR
	0030/1395 LEN=0010 INSTALLED 1988
	018 "DIA CIRC CONCR
	0030/1070 LEN=0049 INSTALLED 1988
	018 "DIA CIRC CONCR
	0030/0414 LEN=0048 INSTALLED 1988
005211 FT	005211 FT 1 0 00525 0 00 0210+30
	S 0030/0000 LENGTH(AH 3013 BK 3224)
	042 "DIA CIRC CONCR
	0020/3220 LEN=0080 INSTALLED 1988
	018 "DIA CIRC CONCR
	0020/2463 LEN=0042 INSTALLED 1988
	027 "DIA CIRC CONCR
	0020/2027 LEN=0048 INSTALLED 1988
	018 "DIA CIRC CONCR
	0020/1650 LEN=0048 INSTALLED 1988
	024 "DIA CIRC CONCR
	0020/0505 LEN=0042 INSTALLED 1988
001987 FT	001987 FT 1 0 00525 0 00 0242+54
	024 "DIA CIRC CONCR
	LEN=0038 INSTALLED 1988
	S 0020/0000 LENGTH(AH 3224 BK 1987)
	018 "DIA CIRC CONCR
	0010/1832 LEN=0038 INSTALLED 1988
	018 "DIA CIRC CONCR
	0010/1515 LEN=0035 INSTALLED 1988
	018 "DIA CIRC CONCR
	0010/0975 LEN=0032 INSTALLED 1988
	018 "DIA CIRC CONCR
	0010/0401 LEN=0035 INSTALLED 1988
000000 FT	000000 FT 1 0 00525 0 00 0262+59
	NC HAWS PK
	* REF-BK KEYSTONE RD
	(SR0056 SEG 0400/2343)
	MFC BEGIN = B
	BK-WESTMORELAND (64)
	S 0010/0000 LENGTH(AH 1987 BK 0000)


DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: READE T RIGHT MUN: READE T

189085 FT




189108 FT AH-CLEARFIELD (17)
* REF-AHD GLENDALE VALLEY BL
0730/3132 (SR0053 SEG 0010/0000)
015 "DIA CIRC CONCR
0730/2715 LEN=0034 INSTALLED UNKN
024 "DIA CIRC CONCR
0730/2461 LEN=0039 INSTALLED UNKN
015 "DIA CIRC CONCR
0730/1892 LEN=0047 INSTALLED UNKN
018 "DIA CIRC CONCR
0730/1625 LEN=0058 INSTALLED UNKN
015 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: READE T RIGHT MUN: READE T




	0730/1398 LEN=0044 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0730/1139 LEN=0039 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0730/0502 LEN=0044 INSTALLED UNKN
	036 "DIA CIRC CONCR
	0730/0276 LEN=0060 INSTALLED UNKN
1 0 00234 0 00 0682+28 185953 FT	185976 FT
BEAVER VALLEY RD	
(SR1021 SEG 0180/2231) 0730/0000	S 0730/0000 LENGTH(AH 3132 BK 2263)
	0720/1443 BMSEN 11/0053/0720/1433
	060"H 60"W CONC STRUCT
	0720/1434 LEN=0043 INSTALLED UNKN
	1 0 00234 0 00 0673+95
	CLEAR CREEK
	0720/1433 BMSBG 11/0053/0720/1433
	018 "DIA CIR PLASTIC
	0720/1060 LEN=0050 INSTALLED 1997
	ROSELAND RD
	0720/1042 (SR1022 SEG 0010/0000)
	015 "DIA CIRC CONCR
	0720/0801 LEN=0038 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0720/0373 LEN=0044 INSTALLED UNKN
	FIRST ST
	0720/0311 (T601)
183690 FT	183713 FT 1 0 00234 0 00 0659+80
	SECOND ST
	(T602)
	S 0720/0000 LENGTH(AH 2263 BK 3528)
	018 "DIA CIRC CONCR
	0710/3480 LEN=0040 INSTALLED UNKN
	THIRD ST
	0710/3210 (T603)
	018 "DIA CIRC CONCR
	0710/3124 LEN=0036 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0710/2720 LEN=0044 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0710/2385 LEN=0038 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0710/2030 LEN=0039 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0710/1744 LEN=0042 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0710/1124 LEN=0040 INSTALLED UNKN
	018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: READE T RIGHT MUN: READE T



	0710/0671 LEN=0032 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0710/0327 LEN=0037 INSTALLED UNKN
	030 "DIA CIRC CONCR
	0710/0076 LEN=0057 INSTALLED UNKN
180162 FT	180185 FT 1 0 00234 0 00 0624+13
S	0710/0000 LENGTH(AH 3528 BK 3485)
	015 "DIA CIRC CONCR
	0700/3070 LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0700/2690 LEN=0040 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0700/2210 LEN=0040 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0700/1993 LEN=0039 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0700/1709 LEN=0040 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0700/1561 LEN=0044 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0700/1266 LEN=0038 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0700/0869 LEN=0036 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0700/0090 LEN=0037 INSTALLED UNKN
176677 FT	176700 FT 1 0 00234 0 00 0589+56
S	0700/0000 LENGTH(AH 3485 BK 1930)
	015 "DIA CIRC CONCR
	0690/1260 LEN=0049 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0690/1121 LEN=0042 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0690/0828 LEN=0040 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0690/0706 LEN=0038 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0690/0378 LEN=0047 INSTALLED UNKN
174747 FT	174770 FT 1 0 00234 0 00 0570+26
	072"H 72"W CON BOX CUL
	LEN=0040 INSTALLED UNKN
S	0690/0000 LENGTH(AH 1930 BK 2076)
	COAL CONVEYOR
	0680/1612 OP ID 11/0053/0680/1612
	015 "DIA CIRC CONCR
	0680/1511 LEN=0039 INSTALLED 1988
	015 "DIA CIRC CONCR
	0680/1328 LEN=0039 INSTALLED 1988
	015 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: READE T RIGHT MUN: READE T




0680/1200 LEN=0039 INSTALLED 1988
015 "DIA CIRC CONCR
0680/0938 LEN=0039 INSTALLED 1988
015 "DIA CIRC CONCR
0680/0618 LEN=0048 INSTALLED 1988
015 "DIA CIRC CONCR
0680/0228 LEN=0040 INSTALLED 1998
172671 FT 172694 FT 1 0 00234 0 00 0549+82
S 0680/0000 LENGTH(AH 2076 BK 3487)
018 "DIA CIRC CONCR
0670/3206 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0670/3030 LEN=0034 INSTALLED UNKN
015 "DIA CIRC CONCR
0670/2669 LEN=0026 INSTALLED UNKN
APPLE ST
0670/2658 (TWP)
MARKET ST
0670/2311 (SR1029 SEG 0010/0000)
060 "DIA CIRC CONCR
0670/2192 LEN=0040 INSTALLED UNKN

FISKE RD
(SR1023 SEG 0170/0713) 0670/2100

015 "DIA CIRC CONCR
0670/1720 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0670/1446 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0670/0895 LEN=0043 INSTALLED UNKN
015 "DIA CIRC CONCR
0670/0638 LEN=0039 INSTALLED UNKN
015 "DIA CIRC CONCR
0670/0101 LEN=0039 INSTALLED UNKN
169184 FT 169207 FT 1 0 00234 0 00 0514+90
S 0670/0000 LENGTH(AH 3487 BK 1278)
018 "DIA CIRC CONCR
0660/1191 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0660/1010 LEN=0042 INSTALLED UNKN
PINE ST
0660/0750 (TWP)
0660/0530 BMSEN 11/0053/0660/0512
1 0 00234 0 00 0507+28
FALLN TMBR R
0660/0512 BMSBG 11/0053/0660/0512
167906 FT 167929 FT 1 0 00234 0 00 0502+22
018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN
EXECUTIVE DR
LIDWELL RD (SR0253 SEG 0010/0000)

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: READE T RIGHT MUN: READE T



(T561)	0660/0000	S 0660/0000 LENGTH(AH 1278 BK 1878)
		018 "DIA CIRC CONCR
		0650/1566 LEN=0040 INSTALLED UNKN
1 0 00234 0 00 0483+37	166028 FT	166051 FT
VAN ORMER RD		
(T561)	0650/0000	S 0650/0000 LENGTH(AH 1878 BK 2381)
		018 "DIA CIRC CONCR
		0640/2380 LEN=0012 INSTALLED UNKN
		NC GLENDALE VALLEY RD
		0640/1948 BMSEN 11/0053/0640/1916
		1 0 00234 0 00 0478+73
		POWELL RUN
		0640/1916 BMSBG 11/0053/0640/1916
		015 "DIA CIRC CONCR
		0640/1345 LEN=0036 INSTALLED UNKN
		0640/0020 BMSEN 11/0053/0640/0000
	163647 FT	163670 FT 1 0 00234 0 00 0459+53
		SANDY RUN
		BMSBG 11/0053/0640/0000
		S 0640/0000 LENGTH(AH 2381 BK 3368)
		024 "DIA CIRC CONCR
		0630/3016 LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0630/2820 LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0630/2657 LEN=0041 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0630/2287 LEN=0038 INSTALLED UNKN
		030 "DIA CIRC CONCR
		0630/2144 LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0630/1942 LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0630/1670 LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0630/1262 LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0630/1060 LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0630/0616 LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0630/0198 LEN=0044 INSTALLED UNKN
1 0 00234 0 00 0425+84	160279 FT	160302 FT

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: READE T RIGHT MUN: READE T

SAINT JOAN OF ARC DR
(PRDR) 0630/0000


STATE PARK DR
(SR1026 SEG 0110/2834) 0620/2437

156652 FT



S 0630/0000 LENGTH(AH 3368 BK 3627)
015 "DIA CIRC CONCR
0620/3538 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0620/2869 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0620/2406 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0620/2098 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR
0620/1854 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0620/1621 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0620/0761 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0620/0362 LEN=0060 INSTALLED UNKN
015 "DIA CIRC CONCR
0620/0130 LEN=0050 INSTALLED UNKN
0620/0013 BMSEN 11/0053/0620/0000
156675 FT 1 0 00234 0 00 0389+60
LAUREL RUN
BMSBG 11/0053/0620/0000
S 0620/0000 LENGTH(AH 3627 BK 3960)
018 "DIA CIRC CONCR
0610/3616 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR
0610/3223 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR
0610/2818 LEN=0046 INSTALLED UNKN
024 "DIA CIRC CONCR
0610/2510 LEN=0043 INSTALLED UNKN
024 "DIA CIRC CONCR
0610/2253 LEN=0047 INSTALLED UNKN
024 "DIA CIRC CONCR
0610/1852 LEN=0043 INSTALLED UNKN
018 "DIA CIRC CONCR
0610/1691 LEN=0056 INSTALLED UNKN
024 "DIA CIRC CONCR
0610/1371 LEN=0070 INSTALLED UNKN
015 "DIA CIRC CONCR
0610/1021 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0610/0817 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: READE T RIGHT MUN: READE T




152692 FT

1 0 00234 0 00 0314+46 149129 FT
RAILROAD AV
(T521)


0610/0661 LEN=0043 INSTALLED UNKN
018 "DIA CIRC CONCR
0610/0318 LEN=0050 INSTALLED UNKN
152715 FT 1 0 00234 0 00 0349+97
S 0610/0000 LENGTH(AH 3960 BK 3563)
015 "DIA CIRC CONCR
0600/3563 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0600/3180 LEN=0050 INSTALLED UNKN
024 "DIA CIRC CONCR
0600/2941 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/2557 LEN=0050 INSTALLED UNKN
READE
0600/2234 DEAN T
015 "DIA CIRC CONCR
0600/2049 LEN=0050 INSTALLED UNKN
072 "DIA CIRC CONCR
0600/1760 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/1749 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0600/1324 LEN=0049 INSTALLED UNKN
024 "DIA CIRC CONCR
0600/1085 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0600/0884 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/0767 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/0607 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/0113 LEN=0052 INSTALLED UNKN
149152 FT
0600/0000 ==
S 0600/0000 LENGTH(AH 3563 BK 3448)
018 "DIA CIRC CONCR
0590/3228 LEN=0044 INSTALLED UNKN
036"H 72"W CON BOX CUL
0590/2930 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0590/2721 LEN=0046 INSTALLED UNKN
036 "DIA CIRC CONCR
0590/2453 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0590/1391 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR
0590/0820 LEN=0050 INSTALLED UNKN

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: DEAN T RIGHT MUN: DEAN T




		018 "DIA CIRC CONCR
	0590/0647	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0590/0546	LEN=0045 INSTALLED UNKN
LOCUST ST (T601)	0590/0249	
		015 "DIA CIRC CONCR
	0590/0202	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0590/0008	LEN=0015 INSTALLED UNKN
1 0 00234 0 00 0279+24 145681 FT		145704 FT
WALNUT ST (T603)	0590/0000	S 0590/0000 LENGTH(AH 3448 BK 3407)
MARKET AV (T602)	0580/3188	
MAIN ST (T604)	0580/3133	WOPSY RD
		0580/3133 (SR1016 SEG 0010/0000)
		018 "DIA CIRC CONCR
	0580/3095	LEN=0041 INSTALLED UNKN
		BRUEBAKER RN
		STRUCTURE LENGTH 14 FT
	0580/2793	BMSID 11/0053/0580/2793
		018 "DIA CIRC CONCR
	0580/2488	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0580/2403	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0580/1354	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0580/1206	LEN=0033 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0580/1026	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0580/0581	LEN=0053 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0580/0520	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0580/0132	LEN=0058 INSTALLED UNKN
142274 FT		142297 FT 1 0 00234 0 00 0248+90
		S 0580/0000 LENGTH(AH 3407 BK 3199)
		018 "DIA CIRC CONCR
	0570/3041	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0570/2911	LEN=0046 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0570/2747	LEN=0060 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0570/2579	LEN=0050 INSTALLED UNKN

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: DEAN T RIGHT MUN: DEAN T




	0570/2318	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	0570/2103	018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
	0570/1930	030 "DIA CIRC CONCR LEN=0048 INSTALLED 1980
	0570/1489	048"H 72"W CONC STRUCT LEN=0036 INSTALLED UNKN
	0570/1308	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0570/0946	018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN
	0570/0631	018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
	0570/0225	RICHLAND RD (T510)
	0570/0188	018 "DIA CIR PLASTIC LEN=0044 INSTALLED UNKN
1 0 00234 0 00 0219+81 139075 FT CONDRON RD (T511)	0570/0000	139098 FT S 0570/0000
	0560/3400	015 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN LENGTH(AH 3199 BK 3659) 018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
	0560/3135	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
	0560/3018	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	0560/2582	015 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
	0560/2263	015 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN
	0560/2023	048"H 48"W ELLIP CONC LEN=0070 INSTALLED UNKN
	0560/1882	015 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN
	0560/1603	036 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN
	0560/1001	060"H 72"W ELLIP CONC LEN=0080 INSTALLED UNKN
	0560/0857	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0560/0638	024 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN
	0560/0472	024 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN
	0560/0128	015 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
135416 FT		135439 FT 1 0 00234 0 00 0177+00 COAL BANK RD

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: DEAN T RIGHT MUN: DEAN T




FIRST ST (T570)	0560/0000	(T507)
		S 0560/0000 LENGTH(AH 3659 BK 3576)
		018 "DIA CIRC CONCR
	0550/3570	LEN=0050 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0550/3381	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0550/2991	LEN=0045 INSTALLED UNKN
		MCMULDREN ST
	0550/2227	(T719)
	0550/2072	BMSEN 11/0053/0550/2032
		1 0 00234 0 00 0161+47
		LAUREL RUN
	0550/2032	BMSBG 11/0053/0550/2032
		018 "DIA CIRC CONCR
	0550/1639	LEN=0036 INSTALLED UNKN
		BLACK SNAKE RD
DYSART RD (SR1012 SEG 0090/2179)	0550/1297	(SR1014 SEG 0010/0000)
		018 "DIA CIRC CONCR
	0550/1160	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0550/0607	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0550/0271	LEN=0036 INSTALLED UNKN
131840 FT	131863 FT	1 0 00234 0 00 0141+24
		VILLAGE: DYSART
		S 0550/0000 LENGTH(AH 3576 BK 3604)
		024 "DIA CIRC CONCR
	0540/3556	LEN=0048 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0540/3344	LEN=0046 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0540/2729	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0540/2523	LEN=0040 INSTALLED UNKN
		048"H 72"W CON BOX CUL
	0540/2406	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0540/2049	LEN=0064 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0540/1779	LEN=0064 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0540/1583	LEN=0040 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0540/1456	LEN=0046 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0540/0985	LEN=0040 INSTALLED UNKN
		060"H 60"W CON BOX CUL

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: DEAN T RIGHT MUN: DEAN T




	0540/0943	LEN=0038 INSTALLED UNKN
	0540/0934	BMSEN 11/0053/0540/0926 1 0 00234 0 00 0105+03 TRIB CLEARFIELD CREEK
	0540/0926	BMSBG 11/0053/0540/0926 018 "DIA CIRC CONCR
	0540/0809	LEN=0042 INSTALLED UNKN 018 "DIA CIRC CONCR
	0540/0548	LEN=0048 INSTALLED UNKN 018 "DIA CIRC CONCR
	0540/0282	LEN=0052 INSTALLED UNKN 018 "DIA CIRC CONCR
	0540/0125	LEN=0056 INSTALLED UNKN
128236 FT	128259 FT	1 0 00234 0 00 0105+03 BENDERS COAL CO DR (PRDR)
	S 0540/0000	LENGTH(AH 3604 BK 3530) 018 "DIA CIRC CONCR
	0530/3363	LEN=0062 INSTALLED UNKN
	0530/2953	BMSEN 11/0053/0530/2936 1 0 00234 0 00 0099+06 LITTLE LAUREL RUN
	0530/2936	BMSBG 11/0053/0530/2936 BELDIN HOLLOW RD
	0530/2913	(T472) 018"H 18"W CON BOX CUL
	0530/2828	LEN=0010 INSTALLED UNKN 018 "DIA CIRC CONCR
	0530/2733	LEN=0048 INSTALLED UNKN 015 "DIA CIRC CONCR
	0530/2484	LEN=0046 INSTALLED UNKN 015 "DIA CIRC CONCR
	0530/2396	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0530/2158	LEN=0052 INSTALLED UNKN 015 "DIA CIRC CONCR
	0530/1813	LEN=0048 INSTALLED UNKN 018 "DIA CIRC CONCR
	0530/1469	LEN=0042 INSTALLED UNKN 018 "DIA CIRC CONCR
	0530/1272	LEN=0042 INSTALLED UNKN 018 "DIA CIRC CONCR
	0530/1006	LEN=0048 INSTALLED 2003 018 "DIA CIRC CONCR
	0530/0571	LEN=0046 INSTALLED 2003 015 "DIA CIRC CONCR
	0530/0346	LEN=0060 INSTALLED UNKN LIDWELL DR
	0530/0340	(PRDR)
124706 FT	124729 FT	1 0 00234 0 00 0070+20

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: DEAN T RIGHT MUN: DEAN T



	0530/0000 LENGTH(AH 3530 BK 3463)
	015 "DIA CIRC CONCR
	0520/3275 LEN=0037 INSTALLED UNKN
PENNDOT STOCKPILE #09 (PRDR)	
0520/3037	
	015 "DIA CIRC CONCR
	0520/2932 LEN=0043 INSTALLED UNKN
	048"H 72"W CONC STRUCT
	0520/2764 LEN=0052 INSTALLED UNKN
	030 "DIA CIRC CONCR
	0520/2557 LEN=0054 INSTALLED UNKN
	030 "DIA CIRC CONCR
	0520/2060 LEN=0050 INSTALLED UNKN
	036 "DIA CIR PLASTIC
	0520/1926 LEN=0020 INSTALLED 2003
	036 "DIA CIRC CONCR
	0520/1748 LEN=0056 INSTALLED UNKN
	TRIB CLEARFIELD CREEK
	STRUCTURE LENGTH 8 FT
	0520/1396 BMSID 11/0053/0520/1396
	048"H 72"W CON BOX CUL
	0520/1392 LEN=0031 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0520/1115 LEN=0043 INSTALLED UNKN
	048"H 72"W CON BOX CUL
	0520/0986 LEN=0031 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0520/0803 LEN=0051 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0520/0529 LEN=0100 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0520/0232 LEN=0045 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0520/0014 LEN=0045 INSTALLED UNKN
121243 FT	121266 FT 1 0 00234 0 00 0035+17
	NC CLEARFIELD VALLEY BL
	0520/0000 LENGTH(AH 3463 BK 3530)
	030 "DIA CIRC CONCR
	0510/3260 LEN=0040 INSTALLED UNKN
	030 "DIA CIRC CONCR
	0510/2961 LEN=0045 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0510/2839 LEN=0042 INSTALLED UNKN
	018 "DIA CAST IRON
	0510/2542 LEN=0051 INSTALLED UNKN
	018 "DIA CAST IRON
	0510/2122 LEN=0050 INSTALLED UNKN
	018 "DIA CAST IRON
	0510/1968 LEN=0050 INSTALLED UNKN
	018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: DEAN T RIGHT MUN: DEAN T




0510/1793 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0510/1584 LEN=0050 INSTALLED UNKN
DEAN
0510/1538 ASHVILLE B
018 "DIA CIRC CONCR
0510/1443 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/1245 LEN=0039 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/0969 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/0603 LEN=0054 INSTALLED UNKN

THIRD AL
(BORO) 0510/0500

ARCH ST
0510/0308 (BORO)
018 "DIA CIRC CONCR
0510/0081 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0510/0039 LEN=0050 INSTALLED UNKN
117713 FT 117736 FT 1 0 00234 0 00 0000+00
LIBERTY AV
(SR0036 SEG 0070/0710)
NC MARKET ST
MARKET ST
(BORO)
INTER-BK LIBERTY AV
(SR0036 SEG 0070/0710)
S 0510/0000 LTH AH 003530 BK 000100
117713 FT 117736 FT
7504/0000 LTH AH 000100 BK 001170
LIBERTY AV INTER-AHD LIBERTY AV
(SR0036 SEG 0080/0000) 0500/1170 (SR0036 SEG 0080/0000)
018 "DIA CIRC CONCR
0500/1115 LEN=0084 INSTALLED UNKN
FAWN ST
0500/1031 (BORO)
HICKORY ST
0500/0880 (BORO)
014 "DIA CIRC CONCR
0500/0589 LEN=0042 INSTALLED UNKN
PINE ST
0500/0587 (BORO)
SOUTH SPRUCE ST
0500/0284 (BORO)
015 "DIA CIRC CONCR
0500/0278 LEN=0036 INSTALLED UNKN
0500/0024 BMSEN 11/0053/0500/0000
116543 FT 116566 FT 1 0 00276 0 07 1781+29

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: ASHVILLE B RIGHT MUN: ASHVILLE B



NC MAIN ST
PATTYS RUN
BMSBG 11/0053/0500/0000
ASHVILLE
GALLITZIN T
S 0500/0000 LENGTH(AH 1170 BK 2862)
024 "DIA CIRC CONCR
0490/2680 LEN=0036 INSTALLED UNKN
018 "DIA CAST IRON
0490/2388 LEN=0040 INSTALLED UNKN
015 "DIA CAST IRON
0490/2172 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/1838 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0490/1341 LEN=0031 INSTALLED UNKN
018 "DIA CAST IRON
0490/1117 LEN=0040 INSTALLED UNKN

0490/0081 BMSEN 11/0053/0490/0000
113681 FT 113704 FT 1 0 00276 0 07 1752+71
CLEARFIELD CREEK
BMSBG 11/0053/0490/0000
S 0490/0000 LENGTH(AH 2862 BK 2611)


WATTS RD
(T488) 0480/2547

024 "DIA CIRC CONCR
0480/1862 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR
0480/1327 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0480/1089 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0480/0915 LEN=0048 INSTALLED UNKN

1 0 00276 0 07 1726+50 111070 FT 111093 FT
KID LONG RD
(T466) 0480/0000
S 0480/0000 LENGTH(AH 2611 BK 2523)
018 "DIA CIRC CONCR
0470/2296 LEN=0040 INSTALLED 1988
018 "DIA CIRC CONCR
0470/2111 LEN=0043 INSTALLED 1988
018 "DIA CIRC CONCR
0470/1782 LEN=0042 INSTALLED 1988


015 "DIA CIRC CONCR
0470/1111 LEN=0038 INSTALLED 1988

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



			018 "DIA CIRC CONCR
		0470/0713	LEN=0037 INSTALLED 1988
			015 "DIA CIRC CONCR
		0470/0017	LEN=0042 INSTALLED 1988
	108547 FT	108570 FT	1 0 00276 0 07 1700+79
		S 0470/0000	LENGTH(AH 2523 BK 2970)
			015 "DIA CIRC CONCR
		0460/2585	LEN=0052 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0460/2125	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0460/1658	LEN=0067 INSTALLED UNKN
			AMSBRY RD
		0460/1651	(T708)
			015 "DIA CIRC CONCR
		0460/1370	LEN=0055 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0460/1088	LEN=0065 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0460/0838	LEN=0060 INSTALLED UNKN
			018 "DIA CAST IRON
		0460/0437	LEN=0049 INSTALLED UNKN
			018 "DIA CAST IRON
		0460/0066	LEN=0044 INSTALLED UNKN
1 0 00276 0 07 1675+65	105577 FT	105600 FT	
SPINDLEY CITY RD			
(T487)	0460/0000	S 0460/0000	LENGTH(AH 2970 BK 2022)
			015 "DIA CIRC CONCR
		0450/1990	LEN=0044 INSTALLED UNKN
			018 "DIA CAST IRON
		0450/1861	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0450/0984	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0450/0301	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0450/0067	LEN=0037 INSTALLED UNKN
	103555 FT	103578 FT	1 0 00276 0 07 1650+90
		S 0450/0000	LENGTH(AH 2022 BK 3567)
			018 "DIA CIRC CONCR
		0440/3264	LEN=0038 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0440/2975	LEN=0039 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0440/2845	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



0440/2087 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0440/1844 LEN=0040 INSTALLED UNKN
048 "DIA CIRC CONCR
0440/1238 LEN=0054 INSTALLED UNKN
015 "DIA CAST IRON
0440/0753 LEN=0047 INSTALLED UNKN

1 0 00276 0 07 1615+86 099988 FT
TADDY RD
(T468) 0440/0000

100011 FT
S 0440/0000 LENGTH(AH 3567 BK 2585)
036 "DIA CIRC CONCR
0430/2076 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0430/1919 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0430/1640 LEN=0040 INSTALLED UNKN

015 "DIA CIRC CONCR
0430/0433 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0430/0183 LEN=0036 INSTALLED UNKN
097403 FT 097426 FT 1 0 00276 0 07 1589+80
S 0430/0000 LENGTH(AH 2585 BK 0925)
018 "DIA CIR PLASTIC
0420/0884 LEN=0050 INSTALLED 2007

ADAMS NURSERY RD
(T469) 0420/0650


0420/0079 BMSEN 11/0053/0420/0000
096478 FT 096501 FT 1 0 00276 0 06 1579+14
CLEARFIELD CREEK
BMSBG 11/0053/0420/0000
S 0420/0000 LENGTH(AH 0925 BK 1839)

0410/0215 BMSEN 11/0053/0410/0163
1 0 00276 0 05 1563+08
BRADLEY RUN
0410/0163 BMSBG 11/0053/0410/0163
1 0 00276 0 05 1561+42 094639 FT 094662 FT
SYBERTON RD
(SR1006 SEG 0060/1649) 0410/0000

S 0410/0000 LENGTH(AH 1839 BK 2154)


0400/1471 (AAR 529278U)#TRKS 01
018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T




		0400/1400	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/1131	LEN=0058 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/0856	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/0635	LEN=0056 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/0302	LEN=0058 INSTALLED UNKN
	092485 FT	092508 FT	1 0 00053 0 01 0533+03
			018 "DIA CIRC CONCR
STEVENS RD			LEN=0023 INSTALLED UNKN
(T457)	0400/0000	S 0400/0000	LENGTH(AH 2154 BK 3324)
			018 "DIA CIRC CONCR
		0390/2560	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0390/2163	LEN=0036 INSTALLED UNKN
		0390/1355	BMSEN 11/0053/0390/1332
			1 0 00053 0 02 0551+98
			BRADLEY RUN
		0390/1332	BMSBG 11/0053/0390/1332
			018 "DIA CIRC CONCR
		0390/0083	LEN=0060 INSTALLED UNKN
	089161 FT	089184 FT	1 0 00053 0 02 0565+33
		S 0390/0000	LENGTH(AH 3324 BK 2893)
			015 "DIA CIRC CONCR
		0380/2623	LEN=0044 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0380/2483	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0380/2242	LEN=0054 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0380/1712	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0380/1431	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0380/1223	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0380/0908	LEN=0050 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0380/0435	LEN=0047 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0380/0136	LEN=0047 INSTALLED UNKN
	086268 FT	086291 FT	1 0 00053 0 02 0598+67
		S 0380/0000	LENGTH(AH 2893 BK 0965)

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



TRIB. BRADLEY RUN
STRUCTURE LENGTH 9 FT
0370/0531 BMSID 11/0053/0370/0531
FROM 1015/0011 SH
0370/0185 (CONN)
085303 FT 085326 FT 1 0 00053 0 02 0603+92
CHESTNUT ST
(SR1015 SEG 0011/0000)
(SR1015 SEG 0010/0000)
S 0370/0000 LENGTH(AH 0965 BK 2352)
018 "DIA CIRC METAL
0360/2317 LEN=0050 INSTALLED UNKN
WYE RD A
0360/1997 (SR9101 SEG 0010/0000)
018 "DIA CIRC CONCR
0360/1669 LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR
0360/1441 LEN=0079 INSTALLED UNKN
018 "DIA CIRC CONCR
0360/1140 LEN=0068 INSTALLED UNKN
018 "DIA CIRC CONCR
0360/0806 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
0360/0595 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0360/0375 LEN=0050 INSTALLED UNKN
082951 FT 082974 FT 1 0 00053 0 03 0629+26
WILLIAMSON ST
(T502)
S 0360/0000 LENGTH(AH 2352 BK 2522)
BRADLEY RUN
STRUCTURE LENGTH 16 FT
0350/2218 BMSID 11/0053/0350/2218
018 "DIA CIRC CONCR
0350/1804 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0350/1581 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR
0350/1225 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
0350/0545 LEN=0052 INSTALLED UNKN
SHAFT RD
(T441)
0350/0486
018 "DIA CIR PLASTIC
0350/0384 LEN=0043 INSTALLED 2014
0350/0329 BMSEN 11/0053/0350/0000
080429 FT 080452 FT 1 0 00053 0 03 0654+58
NORFOLK SOUTHERN RAI RR
BMSBG 11/0053/0350/0000

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



S 0350/0000 LENGTH(AH 2522 BK 1528)
018 "DIA CIRC CONCR
0340/1257 LEN=0100 INSTALLED UNKN
COUNTRY CLUB RD
0340/1222 (T432)

INDUSTRIAL DR
(PRDR)
0340/0912

TIMBERLINE DR
0340/0636 (T431)
018 "DIA CIRC CONCR
0340/0272 LEN=0070 INSTALLED UNKN
078901 FT 078924 FT 1 0 00053 0 03 0669+56
GALLITZIN
CRESSON T
S 0340/0000 LENGTH(AH 1528 BK 3435)
024 "DIA CIRC CONCR
0330/2864 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
0330/2613 LEN=0046 INSTALLED UNKN
TIMBERLINE DR
0330/2191 (T710)
018 "DIA CIRC CONCR
0330/2022 LEN=0052 INSTALLED UNKN

MANOR DR
(T443)
0330/1022
MANOR DR
(T443)
0330/0834

MCGARRITY LN
0330/0834 (T443)
018 "DIA CIRC CONCR
0330/0542 LEN=0050 INSTALLED UNKN
024 "DIA CIRC CONCR
0330/0450 LEN=0048 INSTALLED UNKN
CRESSON
0330/0128 CRESSON B
075466 FT 075489 FT 1 0 00053 0 04 0705+43
JACKSON AV
(BORO)
S 0330/0000 LENGTH(AH 3435 BK 1541)
CATHEDRAL AV
0320/1195 (BORO)
MAPLE AL
0320/1136 (BORO)
018 "DIA CIRC CONCR
0320/0808 LEN=0034 INSTALLED 1988
NC GALLITZIN RD
COLUMBUS AV
0320/0801 (BORO)
POWELL AV
0320/0374 (BORO)

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: CRESSON B RIGHT MUN: CRESSON B

073925 FT

073948 FT 1 0 00053 0 04 0720+80
KEYSTONE AV
(BORO)

S 0320/0000 LENGTH(AH 1541 BK 1493)
ASHCROFT AV
0310/1111 (BORO)
LAUREL AV
0310/0740 (BORO)
018 "DIA CIRC CONCR
0310/0373 LEN=0003 INSTALLED 1988
LIBERTY AV
0310/0369 (BORO)
018 "DIA CIRC CONCR
0310/0240 LEN=0022 INSTALLED 1988

072432 FT

072455 FT 1 0 00053 0 04 0735+66
PARK AV
(BORO)

S 0310/0000 LENGTH(AH 1493 BK 0560)
018 "DIA CIR PLASTIC
0300/0555 LEN=0034 INSTALLED 1988
018 "DIA CIRC METAL
0300/0066 LEN=0065 INSTALLED 1988
024 "DIA CIRC CONCR
0300/0043 LEN=0048 INSTALLED UNKN

071872 FT

071895 FT 1 0 00053 0 04 0740+59
ADMIRAL PEARY HW
(SR2014 SEG 0141/0000)
(SR2014 SEG 0140/0000)


CRESSON
CRESSON T

S 0300/0000 LENGTH(AH 0560 BK 3229)
018 "DIA CIRC CONCR
0290/3075 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0290/2941 LEN=0039 INSTALLED UNKN
CARNEGIE AV
0290/2640 (T598)

CENTRAL AV
0290/2027 (T682)
018 "DIA CIRC CONCR
0290/1942 LEN=0038 INSTALLED UNKN

MARTIN AV
0290/1290 (T684)
015 "DIA CIRC CONCR
0290/1073 LEN=0040 INSTALLED UNKN


DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



068643 FT
RAMP E RD
(SR8010 SEG 0250/0000) 0281/1383
RAMP F RD
(SR8010 SEG 0500/1676) 0281/0923
TO 8010/0250 SH
(CONN) 0281/0873
018 "DIA CIRC CONCR
LEN=0012 INSTALLED 1988 0281/0751
018 "DIA CIRC CONCR
LEN=0025 INSTALLED 1988 0281/0284
BMSEN 11/0053/0280/0000 0281/0258
1 0 00276 0 05 1278+74 067000 FT
018 "DIA CAST IRON
LEN=0035 INSTALLED UNKN
SR 0022 EBL
BMSBG 11/0053/0280/0000
LENGTH(AH 1643 BK 1900) 0281/0000
RAMP A RD
(SR8010 SEG 0760/0000)
RAMP B RD
(SR8010 SEG 0750/1572) 0275/1296
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1988 0275/1100
018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1988 0275/0806
018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1988 0275/0462
1 0 00276 0 05 1259+75 065100 FT
MFC BEGIN = C
LENGTH(AH 1900 BK 0923) 0275/0000


018 "DIA CIRC CONCR
0290/0057 LEN=0050 INSTALLED UNKN
068666 FT 1 0 00276 0 05 1304+03
NC SECOND ST
MFC BEGIN = C
0290/0000 LENGTH(AH 3229 BK 1631)
RAMP F RD
0280/0936 (SR8010 SEG 0500/1676)
TO 8010/0250 SH
0280/0869 (CONN)
024 "DIA CIRC CONCR
0280/0855 LEN=0150 INSTALLED UNKN
018 "DIA CIRC CONCR
0280/0284 LEN=0030 INSTALLED 1988
0280/0258 BMSEN 11/0053/0280/0000
067035 FT 1 0 00276 0 05 1278+74
018 "DIA CAST IRON
LEN=0030 INSTALLED UNKN
SR 0022 EBL
BMSBG 11/0053/0280/0000
0280/0000 LENGTH(AH 1631 BK 1917)
FROM 8010/0750 SH
0274/1479 (CONN)
RAMP A RD
(SR8010 SEG 0760/0000)
RAMP B RD
0274/1306 (SR8010 SEG 0750/1572)
018 "DIA CIRC CONCR
0274/1150 LEN=0060 INSTALLED UNKN
TO 8010/0760 SH
0274/1145 (CONN)
018 "DIA CIRC CONCR
0274/0806 LEN=0004 INSTALLED UNKN
018 "DIA CIRC CONCR
0274/0511 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR
0274/0462 LEN=0004 INSTALLED UNKN
065118 FT 1 0 00276 0 05 1259+75
MFC BEGIN = C
0274/0000 LENGTH(AH 1917 BK 0923)
018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T




			0270/0903 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0270/0500 LEN=0070 INSTALLED UNKN
KOKOMO RD (T447)	0270/0468	==	
			0270/0022 BMSEN 11/0053/0270/0000
	064177 FT		064195 FT 1 0 00276 0 05 1250+52
			NC SR 0053 SH
			KOKAMO CREEK
			BMSBG 11/0053/0270/0000
			S 0270/0000 LENGTH(AH 0923 BK 3833)
			018 "DIA CIRC CONCR
			0260/3441 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0260/3338 LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0260/3133 LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0260/2899 LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0260/2630 LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0260/2555 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0260/2406 LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0260/1654 LEN=0040 INSTALLED UNKN
			CRESSON
			0260/1484 WASHINGTON T
			018 "DIA CIRC CONCR
			0260/1172 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0260/1054 LEN=0019 INSTALLED 2006
			015 "DIA CIRC CONCR
			0260/0677 LEN=0038 INSTALLED UNKN
	060344 FT		060362 FT 1 0 00276 0 05 1211+86
			NC EVERGREEN ST
			SUGAR RD
			(T424)
CARNEY'S CROSSING RD (T436)	0260/0000	== ==	S 0260/0000 LENGTH(AH 3833 BK 3993)
			036 "DIA CIRC CONCR
			0250/3985 LEN=0009 INSTALLED 1988
			015 "DIA CIRC CONCR
			0250/3630 LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
			0250/2468 LEN=0016 INSTALLED 1988

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T




			018 "DIA CIRC CONCR
		0250/2322	LEN=0040 INSTALLED 1988
			HIGH ST
	0250/2287	0250/2287	(T450)
			018 "DIA CIR PLASTIC
		0250/1856	LEN=0042 INSTALLED 1988
			WASHINGTON
		0250/1682	LILLY B
			018 "DIA CIRC CONCR
		0250/1462	LEN=0016 INSTALLED 1988
			HAGAN ST
	0250/1126	0250/1126	(BORO)
			NORTH ST
	0250/0959	0250/0959	(BORO)
			015 "DIA CIRC CONCR
		0250/0764	LEN=0070 INSTALLED 1988
			018 "DIA CIRC CONCR
		0250/0536	LEN=0115 INSTALLED 1988
			MAIN ST
CHURCH ST			
(BORO)	0250/0518	0250/0518	(BORO)
			018 "DIA CIRC CONCR
		0250/0315	LEN=0022 INSTALLED 1988
1 0 00276 0 05 1171+75	056351 FT	056369 FT	
CLEVELAND ST			
(BORO)			
OVERBRIDGE ST			
(SR2015 SEG 0080/0971)	0250/0000	S 0250/0000	LENGTH(AH 3993 BK 0595)
WILLOW ST			
(BORO)	0240/0272		
			WILLOW ST
		0240/0246	(SR2019 SEG 0010/0000)
			018 "DIA CIRC METAL
		0240/0185	LEN=0050 INSTALLED UNKN
	055756 FT	055774 FT	1 0 00276 0 05 1165+70
			JONES ST
			(BORO)
		NC	CLEVELAND ST
			PIPER ST
			(BORO)
		S 0240/0000	LENGTH(AH 0595 BK 2917)
WASHINGTON ST			
(BORO)	0230/2534		
		0230/2494	BMSEN 11/0053/0230/2476
			1 0 00276 0 05 1161+40
			BURGOON RUN
		0230/2476	BMSBG 11/0053/0230/2476
			018 "DIA CIRC ALUMIN
		0230/2460	LEN=0022 INSTALLED 2019
BRIDGE ST			
(BORO)	0230/2414		

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: LILLY B RIGHT MUN: LILLY B



	0230/1975	018 "DIA CIRC CONCR LEN=0026 INSTALLED UNKN
	0230/1520	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
	0230/1485	015 "DIA CIR PLASTIC LEN=0020 INSTALLED 2006
GRANT ST (BORO)	0230/1478	MOUNTAIN RD 0230/1478 (BORO)
	0230/1207	024 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
	0230/0532	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
052839 FT	052857 FT	1 0 00276 0 05 1136+15
	S 0230/0000	LENGTH(AH 2917 BK 2814)
	0220/2767	015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
	0220/2750	LILLY WASHINGTON T
	0220/2560	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
	0220/2190	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0220/2091	036 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
	0220/1748	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	0220/1345	018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
	0220/0559	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
	0220/0170	072"H 72"W CONC STRUCT LEN=0060 INSTALLED UNKN
1 0 00276 0 05 1108+65 050025 FT PLANE BANK RD (T301)	050043 FT 0220/0000	S 0220/0000 LENGTH(AH 2814 BK 1394)
	0210/0340	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
PLANE BANK RD (T301)	0210/0320	
048631 FT	048649 FT	1 0 00276 0 05 1095+52 SCANLON HILL RD (SR2012 SEG 0070/2142)
	S 0210/0000	LENGTH(AH 1394 BK 2954)
	0200/2690	036 "DIA CIRC METAL LEN=0070 INSTALLED UNKN 024 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T



0200/2500 LEN=0058 INSTALLED UNKN
024 "DIA CIR PLASTIC
0200/2334 LEN=0060 INSTALLED UNKN
018 "DIA CAST IRON
0200/1913 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0200/1690 LEN=0070 INSTALLED UNKN
036 "DIA CIR PLASTIC
0200/1248 LEN=0055 INSTALLED UNKN

045677 FT
045695 FT 1 0 00276 0 04 1052+01
S 0200/0000 LENGTH(AH 2954 BK 2809)
WASHINGTON
0190/2227 PORTAGE T
018 "DIA CIRC CONCR
0190/2197 LEN=0048 INSTALLED UNKN

BENS CREEK
STRUCTURE LENGTH 18 FT
0190/1026 BMSID 11/0053/0190/1026

CASSANDRA RD
(SR2015 SEG 0010/0000) 0190/0965

018 "DIA CIRC CONCR
0190/0115 LEN=0206 INSTALLED UNKN
042868 FT 042886 FT 1 0 00276 0 04 1023+92
BENSCREEK RD
(T412)
S 0190/0000 LENGTH(AH 2809 BK 1720)
018 "DIA CIRC CONCR
0180/1333 LEN=0052 INSTALLED UNKN

018 "DIA CIRC CONCR
0180/0412 LEN=0026 INSTALLED UNKN
041148 FT 041166 FT 1 0 00276 0 04 1007+00
CONSOLIDATED RAIL CORPO
OVERPASS IS RR X-ING
S 0180/0000 LENGTH(AH 1720 BK 1999)
PLANE RD
0170/1477 (T408)

1 0 00276 0 04 0987+00 039149 FT
SPORTSMAN RD
(T407) 0170/0000

039167 FT JAMESTOWN RD
(T406)
S 0170/0000 LENGTH(AH 1999 BK 3068)


DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T

GROGGIN LN
(TWP) 0160/2219
MEADOW DR
(TWP) 0160/1958

036081 FT

1 0 00276 0 04 0928+00 033352 FT
MUNSTER RD
(SR0164 SEG 0100/3966) 0150/0000

032430 FT



018 "DIA CIRC CONCR
0160/1794 LEN=0028 INSTALLED UNKN


036099 FT 1 0 00276 0 04 0955+76
S 0160/0000 LENGTH(AH 3068 BK 2729)

018 "DIA CIRC CONCR
0150/1961 LEN=0045 INSTALLED UNKN
024 "DIA CIRC CONCR
0150/1526 LEN=0036 INSTALLED UNKN
PLANE RD
0150/0934 (T408)
018 "DIA CIRC CONCR
0150/0538 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/0200 LEN=0040 INSTALLED UNKN
033370 FT

S 0150/0000 LENGTH(AH 2729 BK 0922)
018 "DIA CIRC CONCR
0140/0835 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/0605 LEN=0040 INSTALLED UNKN
PORTAGE
0140/0505 PORTAGE B
018 "DIA CIRC CONCR
0140/0450 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/0295 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/0190 LEN=0040 INSTALLED UNKN
032448 FT 1 0 00276 0 04 0918+89
MAIN ST
(SR0164 SEG 0110/0000)

S 0140/0000 LENGTH(AH 0922 BK 1332)
018 "DIA CIRC CONCR
0130/1290 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/1145 LEN=0040 INSTALLED UNKN
024 "DIA CIRC CONCR
0130/1030 LEN=0040 INSTALLED UNKN

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T



LEE ST
0130/1000 (BORO)

PORTAGE
0130/0130 PORTAGE T
0130/0072 BMSEN 11/0053/0130/0000
018 "DIA CIRC CONCR
0130/0010 LEN=0050 INSTALLED UNKN
031098 FT 031116 FT 1 0 00276 0 04 0905+56
L.CONMGH RIV
BMSBG 11/0053/0130/0000
S 0130/0000 LENGTH(AH 1332 BK 3404)

018 "DIA CIRC CONCR
0120/2429 LEN=0042 INSTALLED UNKN

HUFFORD HILL RD
(T411)
0120/2212


018 "DIA CIRC CONCR
0120/2187 LEN=0046 INSTALLED UNKN
024 "DIA CIRC CONCR
0120/1869 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/1336 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/0967 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/0528 LEN=0034 INSTALLED UNKN
027694 FT 027712 FT 1 0 00276 0 04 0871+62
S 0120/0000 LENGTH(AH 3404 BK 2666)

024 "DIA CIR PLASTIC
0110/1692 LEN=0050 INSTALLED UNKN

018 "DIA CIR PLASTIC
0110/0678 LEN=0050 INSTALLED 2004
018 "DIA CIRC CONCR
0110/0281 LEN=0040 INSTALLED UNKN
025028 FT 025046 FT 1 0 00276 0 04 0844+48
S 0110/0000 LENGTH(AH 2666 BK 3406)
PORTAGE
0100/3331 SUMMERHILL T
024 "DIA CIRC CONCR
0100/3298 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0100/3170 LEN=0050 INSTALLED UNKN


024 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T




	0100/2537	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/2136	LEN=0036 INSTALLED UNKN
		018 "DIA CAST IRON
	0100/1817	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0100/1532	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/0286	LEN=0060 INSTALLED 2005
		018 "DIA CIRC CONCR
	0100/0030	LEN=0034 INSTALLED UNKN
021622 FT	021640 FT	1 0 00276 0 04 0810+42
	S 0100/0000	LENGTH(AH 3406 BK 3349)
		018 "DIA CIRC CONCR
	0090/2810	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/2359	LEN=0042 INSTALLED UNKN
		CROOKED ST
	0090/2012	(TWP)
		CROOKED ST
	0090/1818	(TWP)
		SUMMERHILL
	0090/1231	WILMORE B
		WILLIAMS ST
	0090/0681	(BORO)
CHURCH HILL RD		
(BORO) 0090/0558		
		WOOD ST
	0090/0369	(BORO)
		015 "DIA CIRC CONCR
	0090/0050	LEN=0040 INSTALLED UNKN
1 0 00276 0 04 0777+22 018273 FT	018291 FT	
SCHOOL HILL ST		MAIN ST
(BORO)		(SR0160 SEG 0340/0000)
MAIN ST		
(SR0160 SEG 0340/0000) 0090/0000	S 0090/0000	LENGTH(AH 3349 BK 2279)
SPRING ST		
(BORO) 0080/1828		
		018 "DIA CIRC CONCR
	0080/1478	LEN=0064 INSTALLED 1988
		018 "DIA CIRC CONCR
	0080/1453	LEN=0048 INSTALLED 1988
	0080/1387	BMSEN 11/0053/0080/1293
		WILMORE
	0080/1345	SUMMERHILL T
		1 0 00276 0 04 0767+53
		N.BR L.CONER

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: SUMMERHILL T RIGHT MUN: SUMMERHILL T



	0080/1293	BMSBG 11/0053/0080/1293
		018 "DIA CIRC CONCR
	0080/0842	LEN=0064 INSTALLED 1988
		018 "DIA CIRC CONCR
	0080/0249	LEN=0028 INSTALLED 1988
015994 FT	016012 FT	1 0 00276 0 04 0755+00
		CONSOLIDATED RAIL CORPO
		OVERPASS IS RR X-ING
	S 0080/0000	LENGTH(AH 2279 BK 1680)
		018 "DIA CIRC CONCR
	0070/1600	LEN=0030 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0070/1326	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/0471	LEN=0042 INSTALLED UNKN
014314 FT	014332 FT	1 0 00276 0 03 0723+60
	S 0070/0000	LENGTH(AH 1680 BK 2053)
		018 "DIA CIRC CONCR
	0060/1701	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/1435	LEN=0050 INSTALLED UNKN
TUNNEL ST (T505) 0060/0928		
		024 "DIA CIRC CONCR
	0060/0600	LEN=0075 INSTALLED 2000
	0060/0163	BMSEN 11/0053/0060/0000
012261 FT	012279 FT	1 0 00276 0 03 0703+11
		LITTLE CONEMAUGH RIVER
		BMSBG 11/0053/0060/0000
	S 0060/0000	LENGTH(AH 2053 BK 2318)
		018 "DIA CIRC CONCR
	0050/1637	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1386	LEN=0050 INSTALLED UNKN
		SUMMERHILL
	0050/1158	CROYLE T
		018 "DIA CIRC CONCR
	0050/0438	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0190	LEN=0065 INSTALLED UNKN
009943 FT	009961 FT	1 0 00276 0 03 0680+03
	S 0050/0000	LENGTH(AH 2318 BK 3111)
		018 "DIA CIRC CONCR
	0040/3013	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: CROYLE T RIGHT MUN: CROYLE T



0040/2071 LEN=0030 INSTALLED UNKN
0040/2050 BMSEN 11/0053/0040/1801
1 0 00276 0 03 0667+03
LITTLE CONEMAUGH RIVER
0040/1801 BMSBG 11/0053/0040/1801
018 "DIA CIRC CONCR
0040/1372 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1129 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0894 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0639 LEN=0042 INSTALLED UNKN
BMSEN 11/0053/0040/0000
018 "DIA CIR PLASTIC
0040/0234 LEN=0040 INSTALLED 2006
006832 FT 006850 FT 1 0 00276 0 03 0648+95
NC PORTAGE ST
LITTLE CONEMAUGH RIVER
BMSBG 11/0053/0040/0000
S 0040/0000 LENGTH(AH 3111 BK 2471)
GRANGE HALL RD
0030/2384 (SR2008 SEG 0020/1513)

018 "DIA CIRC CONCR
0030/1467 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1218 LEN=0048 INSTALLED UNKN
CROYLE
0030/1064 SUMMERHILL B
018 "DIA CIR UNKNOWN
0030/0959 LEN=0042 INSTALLED UNKN
0030/0469 BMSEN 11/0053/0030/0318
1 0 00276 0 03 0627+40
LITTLE CONEMAUGH RIVER
0030/0318 BMSBG 11/0053/0030/0318

TUNNEL ST
(BORO) 0030/0116


0030/0033 BMSEN 11/0053/0030/0000
004361 FT 004379 FT 1 0 00276 0 03 0624+05
LAUREL RUN
BMSBG 11/0053/0030/0000
S 0030/0000 LENGTH(AH 2471 BK 3682)

MAIN ST
(SR2009 SEG 0010/0000) 0020/3583

MILL ST
(BORO) 0020/2956

018 "DIA CIRC METAL

DIR: N TOTAL LEN: 35.816 MI. DIST: 09-3 SR: 53
LEFT MUN: SUMMERHILL B RIGHT MUN: SUMMERHILL B



0020/2849 LEN=0080 INSTALLED UNKN
018 "DIA CIRC METAL
0020/2377 LEN=0080 INSTALLED UNKN

CROYLE ST
(BORO) 0020/2307

018 "DIA CIRC CONCR
0020/2271 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1952 LEN=0046 INSTALLED UNKN

MCARDLES ST
(BORO) 0020/1847


018 "DIA CIRC CONCR
0020/1710 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1280 LEN=0090 INSTALLED UNKN
SUMMERHILL
0020/1117 EHRENFELD B
018 "DIA CIRC CONCR
0020/1013 LEN=0040 INSTALLED UNKN
0020/0971 BMSEN 11/0053/0020/0812
EHRENFELD
0020/0892 CROYLE T
0 0 00000 0 00 0000+00
L.CONEM.RIV.
0020/0812 BMSBG 11/0053/0020/0812
NELSON RD
0020/0759 (T686)

000679 FT 000697 FT 1 0 00276 0 03 0589+94
MFC BEGIN = C
S 0020/0000 LENGTH(AH 3682 BK 0697)

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0011/0523
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0011/0273


018 "DIA CIRC CONCR
0010/0273 LEN=0037 INSTALLED UNKN
RAMP H RD
(SR8009 SEG 0020/0000)
RAMP G RD
(SR8009 SEG 0010/1196) 0011/0212 0010/0232 (SR8009 SEG 0010/1196)
1 0 00276 0 02 0580+23 000000 FT 000000 FT 1 0 00276 0 02 0580+23
SR 0219 NBL
OP ID 11/0219/0250/0000
NC RAILROAD ST
RAILROAD ST REF-BK * * REF-BK RAILROAD ST
(SR3024 SEG 0251/1931) (SR3024 SEG 0250/1935)
MFC BEGIN = C MFC BEGIN = C
LENGTH(AH 0679 BK 0000) 0011/0000 S S 0010/0000 LENGTH(AH 0697 BK 0000)

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ELDER T RIGHT MUN: ELDER T




107399 FT AH-CLEARFIELD (17)
REF-AHD MAIN ST
0380/2634 (SR0036 SEG 0010/0000)
015 "DIA CIRC CONCR
0380/2277 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0380/1921 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0380/1623 LEN=0039 INSTALLED UNKN
015 "DIA CIRC CONCR
0380/1070 LEN=0046 INSTALLED UNKN
015 "DIA CIRC CONCR
0380/0824 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0380/0477 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0380/0234 LEN=0040 INSTALLED UNKN
104765 FT 1 0 00221 0 05 1170+14
S 0380/0000 LENGTH(AH 2634 BK 3078)
015 "DIA CIRC CONCR
0370/2915 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0370/2600 LEN=0046 INSTALLED UNKN
015 "DIA CIRC CONCR
0370/2285 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0370/2049 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0370/1770 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0370/1308 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0370/1082 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0370/0750 LEN=0052 INSTALLED UNKN
018 "DIA CAST IRON

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ELDER T RIGHT MUN: ELDER T




	0370/0405 LEN=0040 INSTALLED UNKN
101687 FT	101687 FT 1 0 00221 0 05 1139+99
	S 0370/0000 LENGTH(AH 3078 BK 3901)
	015 "DIA CIRC CONCR
	0360/3692 LEN=0050 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0360/3446 LEN=0052 INSTALLED UNKN
	072"H 95"W CONC STRUCT
	0360/2772 LEN=0042 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0360/2597 LEN=0050 INSTALLED UNKN
CARPINELLO RD (T571) 0360/2304	
	0360/2191 BMSEN 11/0036/0360/2161
	1 0 00221 0 05 1122+25
	L.BRUBK.RUN
	0360/2161 BMSBG 11/0036/0360/2161
	015 "DIA CIRC CONCR
	0360/1545 LEN=0038 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0360/1221 LEN=0036 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0360/0848 LEN=0036 INSTALLED UNKN
	015 "DIA CIRC CONCR
	0360/0448 LEN=0040 INSTALLED UNKN
1 0 00221 0 04 1100+98 097786 FT	097786 FT
MILLER ST (SR4023 SEG 0060/3799) 0360/0000	S 0360/0000 LENGTH(AH 3901 BK 2858)
	BRUBAKER RUN
	STRUCTURE LENGTH 30 FT
	0350/2681 BMSID 11/0036/0350/2681
	LIBBY RD
	0350/2430 (T604)
	018 "DIA CIRC CONCR
	0350/2267 LEN=0026 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0350/1961 LEN=0026 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0350/1676 LEN=0026 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0350/1361 LEN=0026 INSTALLED UNKN
	048 "DIA CIRC METAL
	0350/0950 LEN=0044 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0350/0409 LEN=0150 INSTALLED UNKN
	036 "DIA CIRC METAL
	0350/0141 LEN=0046 INSTALLED UNKN
094928 FT	094928 FT 2 0 11059 0 00 0112+06

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ELDER T RIGHT MUN: ELDER T




			HOCKENBERRY RD (T606)
QUIST RD (T603)	0350/0000	S 0350/0000	LENGTH(AH 2858 BK 3690)
			018 "DIA CIRC CONCR
		0340/3384	LEN=0026 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/2564	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/2389	LEN=0064 INSTALLED UNKN
QUIST RD (T603)	0340/1719		
			018 "DIA CIRC CONCR
		0340/1189	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/0934	LEN=0024 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/0635	LEN=0026 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/0354	LEN=0026 INSTALLED UNKN
SCOUT RD (T565)	0340/0181		
			018 "DIA CIRC CONCR
		0340/0056	LEN=0034 INSTALLED UNKN
	091238 FT	091238 FT	2 0 11059 0 00 0075+08
			SELDOM SEEN RD (T602)
		S 0340/0000	LENGTH(AH 3690 BK 3020)
			018 "DIA CIRC CONCR
		0330/2287	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0330/2007	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0330/1604	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0330/1237	LEN=0072 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0330/0592	LEN=0052 INSTALLED 1999
	088218 FT	088218 FT	2 0 11059 0 00 0045+04
			SELDOM SEEN RD (T602)
		S 0330/0000	LENGTH(AH 3020 BK 2125)
			018 "DIA CIRC CONCR
		0320/1854	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0320/1695	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ELDER T RIGHT MUN: ELDER T




	0320/1416	LEN=0026 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0320/1113	LEN=0026 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0320/0751	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0320/0342	LEN=0038 INSTALLED UNKN
2 0 11059 0 00 0023+64 086093 FT	086093 FT	
YEAGER RD		
(T601) 0320/0000	S 0320/0000	LENGTH(AH 2125 BK 2383)
		018 "DIA CIRC CONCR
	0310/2290	LEN=0046 INSTALLED UNKN
		060 "DIA CIRC METAL
	0310/1870	LEN=0050 INSTALLED UNKN
PINE RD		
(SR4022 SEG 0030/1942) 0310/1215		
		018 "DIA CIRC CONCR
	0310/1104	LEN=0052 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0310/0950	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0310/0347	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/0104	LEN=0028 INSTALLED UNKN
083710 FT	083710 FT	2 0 11059 0 00 0000+00
BRIDGE ST		VILLAGE: ST BONIFACE
(SR4021 SEG 0100/2107) 0310/0000	S 0310/0000	LENGTH(AH 2383 BK 1941)
		018 "DIA CIRC CONCR
	0300/1879	LEN=0025 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0300/1352	LEN=0026 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0300/0895	LEN=0030 INSTALLED UNKN
		THOMAS MILL RD
	0300/0475	(SR4024 SEG 0010/0000)
081769 FT	081769 FT	1 0 00221 0 04 0860+00
	S 0300/0000	LENGTH(AH 1941 BK 2447)
		015 "DIA CIRC CONCR
	0290/2382	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0290/1985	LEN=0036 INSTALLED UNKN
THIRD AV		
(T551) 0290/1909		
		015 "DIA CIRC CONCR
	0290/1188	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0290/0643	LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ELDER T RIGHT MUN: ELDER T




		015 "DIA CIRC CONCR
	0290/0197	LEN=0038 INSTALLED UNKN
079322 FT	079322 FT	1 0 00221 0 04 0836+07
	S 0290/0000	LENGTH(AH 2447 BK 3453)
		015 "DIA CIRC CONCR
	0280/2244	LEN=0032 INSTALLED UNKN
		(APRA) PATTON WIND FARM
		WEBER RD
	0280/2210	(PRDR)
		015 "DIA CIRC CONCR
	0280/0727	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0280/0483	LEN=0034 INSTALLED UNKN
1 0 00221 0 03 0801+44 075869 FT	075869 FT	
SUNSET RD		
(SR4013 SEG 0060/2617) 0280/0000	S 0280/0000	LENGTH(AH 3453 BK 3799)
		018 "DIA CIRC CONCR
	0270/3498	LEN=0062 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/3217	LEN=0068 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/2622	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/2249	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/1942	LEN=0046 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/1289	LEN=0056 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/1021	LEN=0046 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/0724	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0270/0504	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC METAL
	0270/0319	LEN=0034 INSTALLED UNKN
072070 FT	072070 FT	2 0 11077 0 00 0038+05
		FLANNIGAN RN
		STRUCTURE LENGTH 15 FT
		BMSID 11/0036/0270/0000
	S 0270/0000	LENGTH(AH 3799 BK 3722)
		018 "DIA CIRC CONCR
	0260/3245	LEN=0058 INSTALLED UNKN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ELDER T RIGHT MUN: ELDER T



		0260/2886	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0260/2670	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0260/2556	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
		0260/2286	018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
FLANNAGAN RD (T605)	0260/2210		
		0260/2080	018 "DIA CIR PLASTIC LEN=0046 INSTALLED UNKN
		0260/1771	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0260/1425	018 "DIA CIRC CONCR LEN=0015 INSTALLED 2003
		0260/1334	048 "DIA CIRC CONCR LEN=0084 INSTALLED UNKN
		0260/1147	024 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
ASPEN LN (TWP)	0260/1018		
		0260/0722	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
		0260/0320	ELDER PATTON B
		0260/0308	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
	068348 FT	068348 FT	2 0 11077 0 00 0075+11
		S 0260/0000	NC MAIN ST LENGTH(AH 3722 BK 2012)
		0250/1940	018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
		0250/1660	PENNDOT STOCKPILE #07 (GOVT)
		0250/1505	018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
		0250/1482	RIVER RD (BORO)
		0250/1252	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
KINKEAD AV (BORO)	0250/1169		
FIFTH AV (BORO)	0250/0827		
		0250/0644	018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN
		0250/0642	MCINTYRE AV (BORO) 018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: PATTON B RIGHT MUN: PATTON B



066336 FT

GARDENIA ST
(BORO) 0240/0529

BEECH AV
(BORO) 0240/0354

2 0 11054 0 00 0000+00 065196 FT
MAGEE AV
(SR4008 SEG 0112/0683)
FOURTH AV
(BORO) 0240/0000

THIRD AV
(BORO) 0230/0567

0250/0109 LEN=0070 INSTALLED UNKN
066336 FT 2 0 11077 0 00 0094+87
HIGHLAND AV
(SR4017 SEG 0010/0000)
NC RAILROAD AV
S 0250/0000 LENGTH(AH 2012 BK 1140)
HERRIMAN AV
0240/1052 (BORO)
HEATHER ST
0240/0883 (BORO)
018 "DIA CAST IRON
0240/0731 LEN=0026 INSTALLED UNKN
PALMER AV
0240/0705 (BORO)
018 "DIA CIRC OTHER
0240/0689 LEN=0048 INSTALLED UNKN


018 "DIA CIRC CONCR
0240/0382 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0240/0367 LEN=0048 INSTALLED UNKN

015 "DIA CIRC CONCR
0240/0341 LEN=0048 INSTALLED UNKN
FLAGS ST
0240/0180 (BORO)
065196 FT

NC FOURTH AV
S 0240/0000 LENGTH(AH 1140 BK 1089)
018 "DIA CIRC CONCR
0230/0934 LEN=0034 INSTALLED 2017
0230/0907 (AAR 506087U)#TRKS 01
0230/0872 BMSEN 11/0036/0230/0785
1 0 00221 0 03 0660+46
CHEST CREEK
0230/0785 BMSBG 11/0036/0230/0785
018 "DIA CIRC CONCR
0230/0710 LEN=0040 INSTALLED 2016


018 "DIA CIR UNKNOWN
0230/0540 LEN=0200 INSTALLED UNKN
N THIRD AV
0230/0418 (BORO)
015 "DIA CIRC CONCR
0230/0044 LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: PATTON B RIGHT MUN: PATTON B



064107 FT
064107 FT 1 0 00221 0 03 0652+65
HALUSKA AV
(BORO)
0230/0000 LENGTH(AH 1089 BK 1153)
015 "DIA CIRC CONCR
0220/0334 LEN=0032 INSTALLED UNKN
PATTON
0220/0106 CLEARFIELD T
062954 FT
062954 FT 1 0 00221 0 02 0639+77
FIRST AV
(BORO)
NC MAGEE AV
0220/0000 LENGTH(AH 1153 BK 3120)
GLENDALE LAKE RD
0210/2997 (SR1021 SEG 0010/0000)
015 "DIA CIRC CONCR
0210/2928 LEN=0044 INSTALLED UNKN
015 "DIA CIRC CONCR
0210/2471 LEN=0044 INSTALLED UNKN
015 "DIA CIRC CONCR
0210/2046 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0210/1720 LEN=0042 INSTALLED UNKN
HIGHLAND HEIGHTS LN
(PRDR)
0210/0982
015 "DIA CIRC CONCR
0210/0816 LEN=0034 INSTALLED UNKN
015 "DIA CIRC CONCR
0210/0072 LEN=0034 INSTALLED UNKN
059834 FT
059834 FT 1 0 00221 0 02 0609+57
0210/0000 LENGTH(AH 3120 BK 3428)
024 "DIA CIRC CONCR
0200/2411 LEN=0038 INSTALLED UNKN
024 "DIA CIRC CONCR
0200/2354 LEN=0041 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1972 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1119 LEN=0034 INSTALLED UNKN
024 "DIA CIRC CONCR
0200/1030 LEN=0034 INSTALLED UNKN
LEVEL RD
0200/0737 (T527)
015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T



0200/0445 LEN=0038 INSTALLED UNKN
056406 FT 1 0 00221 0 02 0575+29
BENDER RD
(T528)
S 0200/0000 LENGTH(AH 3428 BK 3068)
015 "DIA CIRC CONCR
0190/2847 LEN=0044 INSTALLED UNKN

056406 FT

DUCLOS RD
(TWP)
0190/2140

018 "DIA CIRC CONCR
0190/0969 LEN=0044 INSTALLED UNKN

KLONDIKE RD
(TWP)
0190/0937

053338 FT 1 0 00221 0 02 0544+89
S 0190/0000 LENGTH(AH 3068 BK 3125)
024 "DIA CIRC CONCR
0180/2773 LEN=0034 INSTALLED UNKN

053338 FT

LINK LN
(T464)
0180/1929

018 "DIA CIRC CONCR
0180/1921 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0180/0264 LEN=0034 INSTALLED UNKN
050213 FT 1 0 00221 0 02 0513+64
WALNUT HOLLOW RD
(T508)
S 0180/0000 LENGTH(AH 3125 BK 2694)


050213 FT

015 "DIA CIRC CONCR
0170/1444 LEN=0034 INSTALLED UNKN

KEPSHIRE RD
(T507)
0170/0404
047519 FT


047519 FT 1 0 00221 0 02 0486+57
ST AUGUSTINE RD
(SR1023 SEG 0010/0000)
S 0170/0000 LENGTH(AH 2694 BK 3138)

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T




		0160/2941	018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
		0160/1678	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0160/0348	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
	044381 FT	044381 FT	1 0 00221 0 02 0455+62
		S 0160/0000	LENGTH(AH 3138 BK 2458)
		0150/2228	024 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
		0150/1586	SCHOOL HOUSE RD (SR1012 SEG 0010/0000)
		0150/1409	024 "DIA CIR PLASTIC LEN=0010 INSTALLED 1999
1 0 00221 0 02 0431+04 RUSSET RD (SR1010 SEG 0040/2158)	041923 FT 0150/0000	041923 FT	
		S 0150/0000	LENGTH(AH 2458 BK 2951)
		0140/2220	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0140/2047	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0140/1054	CLEARFIELD CHEST SPRINGS B
		0140/0653	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
FOR SR 0036 AND 1001 (CONN)	0140/0379		
		0140/0050	018 "DIA CIRC CONCR LEN=0043 INSTALLED UNKN
1 0 00221 0 02 0402+40 COLUMBIA ST (SR1001 SEG 0220/2292)	038972 FT 0140/0000	038972 FT	
		S 0140/0000	LENGTH(AH 2951 BK 3193)
		0130/2415	CHEST SPRINGS ALLEGHENY T
		0130/2131	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




			ALLEGHENY
		0130/2071	CLEARFIELD T
			018 "DIA CIRC CONCR
		0130/1749	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/1328	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/0832	LEN=0034 INSTALLED UNKN
			CLEARFIELD
		0130/0171	ALLEGHENY T
			018 "DIA CIRC CONCR
		0130/0092	LEN=0042 INSTALLED UNKN
	035779 FT	035779 FT	1 0 00221 0 02 0368+96
		S 0130/0000	LENGTH(AH 3193 BK 1744)
			018 "DIA CIRC CONCR
		0120/1507	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0120/1151	LEN=0032 INSTALLED UNKN
			ALLEGHENY
		0120/0647	CLEARFIELD T
WATT RD (T488)	0120/0378		
			015 "DIA CIRC CONCR
		0120/0356	LEN=0036 INSTALLED UNKN
			CLEARFIELD
		0120/0122	ALLEGHENY T
	034035 FT	034035 FT	1 0 00221 0 02 0351+00
			015 "DIA CIRC CONCR
			LEN=0046 INSTALLED 1999
		S 0120/0000	LENGTH(AH 1744 BK 3531)
			ALLEGHENY
		0110/3103	CLEARFIELD T
CLEARFIELD ALLEGHENY T	0110/2773		
			015 "DIA CIRC CONCR
		0110/2772	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/2251	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/1989	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/1631	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/1336	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0926	LEN=0036 INSTALLED UNKN
			CLEARFIELD
		0110/0573	ALLEGHENY T
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T




		0110/0517 LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0110/0028 LEN=0035 INSTALLED 1999
030504 FT		030504 FT 1 0 00221 0 02 0314+90
	S	0110/0000 LENGTH(AH 3531 BK 3448)
		048 "DIA CIRC CONCR
		0100/3084 LEN=0066 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0100/2740 LEN=0036 INSTALLED UNKN
		024 "DIA CIRC CONCR
		0100/2395 LEN=0034 INSTALLED UNKN
		ALLEGHENY
		0100/2221 CLEARFIELD T
		018 "DIA CIRC CONCR
		0100/1770 LEN=0028 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0100/1143 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0100/0689 LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0100/0351 LEN=0036 INSTALLED UNKN
		CLEARFIELD
		0100/0321 ALLEGHENY T
027056 FT		027056 FT 1 0 00221 0 01 0279+12
	S	0100/0000 LENGTH(AH 3448 BK 2414)
		ALLEGHENY
		0090/2043 CLEARFIELD T
		018 "DIA CIRC CONCR
		0090/1601 LEN=0045 INSTALLED 1988
		018 "DIA CIRC CONCR
		0090/0560 LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0090/0317 LEN=0045 INSTALLED UNKN
024642 FT		024642 FT 1 0 00221 0 01 0254+98
	S	0090/0000 LENGTH(AH 2414 BK 3676)
		036 "DIA CIRC CONCR
		0080/3617 LEN=0046 INSTALLED UNKN
		CLEARFIELD
		0080/3173 ALLEGHENY T
		018 "DIA CIRC CONCR
		0080/3095 LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0080/2901 LEN=0050 INSTALLED UNKN
		ALLEGHENY
		0080/2817 CLEARFIELD T
		018 "DIA CIRC CONCR
		0080/2663 LEN=0070 INSTALLED UNKN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: CLEARFIELD T RIGHT MUN: CLEARFIELD T




		018 "DIA CAST IRON
	0080/2420	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/2062	LEN=0070 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/1808	LEN=0070 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/1433	LEN=0035 INSTALLED UNKN
		SCHOOL HOUSE DR
	0080/1212	(SR1019 SEG 0010/0000)
		018 "DIA CIRC CONCR
	0080/1208	LEN=0045 INSTALLED 1988
		018 "DIA CIRC CONCR
	0080/0793	LEN=0065 INSTALLED UNKN
	0080/0496	BMSEN 11/0036/0080/0397
		1 0 00221 0 01 0222+20
		CLEARFIELD CREEK
	0080/0397	BMSBG 11/0036/0080/0397
		NC COL DRAKE HW
		CLEARFIELD
	0080/0341	ASHVILLE B
WALNUT ST		
(BORO)	0080/0288	
BEAR ST		
(BORO)	0080/0151	
		018 "DIA CIRC CONCR
	0080/0054	LEN=0038 INSTALLED UNKN
1 0 00221 0 01 0218+22 020966 FT		020966 FT
MAIN ST		
(SR0053 SEG 0500/1170)	0080/0000	S 0080/0000 LENGTH(AH 3676 BK 1525)
W RAILROAD AV		
(BORO)	0070/1361	
	0070/1330	(AAR 529282J)#TRKS 01
		018 "DIA CIRC CONCR
	0070/1324	LEN=0025 INSTALLED UNKN
E RAILROAD AV		
(BORO)	0070/1295	
LION AL		
(BORO)	0070/1148	
		MAIN ST
	0070/0962	(BORO)
		018 "DIA CIRC CONCR
	0070/0950	LEN=0024 INSTALLED UNKN
CHERRY ST		
(BORO)	0070/0816	
MARKET ST		
(BORO)	0070/0710	MARKET ST
	0070/0710	(SR0053 SEG 0510/0000)
		018 "DIA CIRC CONCR
	0070/0660	LEN=0012 INSTALLED UNKN
		HICKORY LN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: ASHVILLE B RIGHT MUN: ASHVILLE B



		0070/0551	(BORO)
			018 "DIA CIRC CONCR
		0070/0460	LEN=0024 INSTALLED UNKN
			CHESTNUT ST
		0070/0424	(BORO)
			WALNUT ST
		0070/0166	(BORO)
019441 FT		019441 FT	1 0 00221 0 00 0194+04
		S 0070/0000	LENGTH(AH 1525 BK 2536)
			018 "DIA CIRC CONCR
		0060/2456	LEN=0046 INSTALLED UNKN
RONAN DR (PRDR)	0060/2419		
			018 "DIA CIRC CONCR
		0060/2216	LEN=0042 INSTALLED UNKN
			NC LIBERTY AV
			ASHVILLE
ASHVILLE GALLITZIN T	0060/1981	0060/1981	DEAN T
			018 "DIA CIRC CONCR
		0060/1897	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1524	LEN=0100 INSTALLED UNKN
MARK HANNA RD (SR1017 SEG 0050/0763)	0060/1051		
			DEAN
		0060/1028	GALLITZIN T
			024 "DIA CIRC CONCR
		0060/0957	LEN=0044 INSTALLED UNKN
			SUTTON RD
		0060/0853	(T536)
			018 "DIA CIRC CONCR
		0060/0630	LEN=0056 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0042	LEN=0060 INSTALLED UNKN
016905 FT		016905 FT	1 0 00221 0 00 0168+68
		S 0060/0000	LENGTH(AH 2536 BK 2934)
			018 "DIA CIRC CONCR
		0050/2682	LEN=0048 INSTALLED UNKN
			018 "DIA CAST IRON
		0050/2453	LEN=0040 INSTALLED UNKN
			024 "DIA CAST IRON
		0050/2199	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0050/2013	LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1976	LEN=0056 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1675	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1326	LEN=0100 INSTALLED UNKN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T




PETTENATTI RD
0050/1198 (PRDR)
018 "DIA CIRC CONCR
0050/0932 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0678 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0426 LEN=0046 INSTALLED UNKN
024 "DIA CIRC CONCR
0050/0139 LEN=0044 INSTALLED UNKN
013971 FT 013971 FT 1 0 00221 0 00 0139+34
S 0050/0000 LENGTH(AH 2934 BK 3517)
018 "DIA CIRC CONCR
0040/3292 LEN=0052 INSTALLED UNKN
024 "DIA CIRC CONCR
0040/3152 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/2812 LEN=0062 INSTALLED UNKN

018 "DIA CIRC CONCR
0040/1763 LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1401 LEN=0054 INSTALLED UNKN
024 "DIA CIRC CONCR
0040/1158 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0919 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0618 LEN=0048 INSTALLED UNKN
024 "DIA CIRC CONCR
0040/0367 LEN=0070 INSTALLED UNKN
010454 FT 010454 FT 1 0 00221 0 00 0104+54
S 0040/0000 LENGTH(AH 3517 BK 3287)


018 "DIA CIRC CONCR
0030/2206 LEN=0052 INSTALLED UNKN
BELDIN HOLLOW RD
0030/2002 (T472)
024 "DIA CIRC CONCR
0030/1973 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1713 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1410 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/1209 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0030/0910 LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 20.341 MI. DIST: 09-3 SR: 36
LEFT MUN: GALLITZIN T RIGHT MUN: GALLITZIN T



		018 "DIA CIRC CONCR
	0030/0612	LEN=0050 INSTALLED UNKN
COUPON GALLITZIN RD		
(SR1015 SEG 0140/1883)	0030/0466	
	007167 FT	
	007167 FT	1 0 00221 0 00 0071+67
	S 0030/0000	LENGTH(AH 3287 BK 3665)
		018 "DIA CIRC CONCR
	0020/2882	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/2485	LEN=0052 INSTALLED UNKN
SAND SPRINGS RD		
(T537)	0020/1605	
		072"H 72"W CONCR ARCH
	0020/0936	LEN=0054 INSTALLED UNKN
		T LT LAUREL
		STRUCTURE LENGTH 8 FT
	0020/0918	BMSID 11/0036/0020/0918
		048 "DIA CIRC CONCR
	0020/0735	LEN=0051 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0194	LEN=0054 INSTALLED UNKN
	003502 FT	003502 FT 1 0 00221 0 00 0035+02
	S 0020/0000	LENGTH(AH 3665 BK 3502)
		018 "DIA CIRC CONCR
	0010/3407	LEN=0067 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/3069	LEN=0070 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/2803	LEN=0064 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/2548	LEN=0055 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/1634	LEN=0064 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/1362	LEN=0056 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/0776	LEN=0054 INSTALLED UNKN
	000000 FT	000000 FT 1 0 00221 0 00 0000+00
		NC COL DRAKE HW
	* REF-BK	COL DRAKE HW
		(SR0036 SEG 0580/0548)
		MFC BEGIN = C
		BK-BLAIR (07)
	S 0010/0000	LENGTH(AH 3502 BK 0000)

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



AH-BLAIR (07)124481 FT
WILLIAM PENN HW REF-AHD
(SR0022 SEG 0011/0000) 0431/3175
RAMP C RD
(SR8014 SEG 0260/0000) 0431/2977

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0431/2089
RAMP D RD
(SR8014 SEG 0250/1565) 0431/2008
024 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0431/1494
018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0431/1146

036 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0431/0047
1 0 01101 0 00 1221+11 121306 FT
CROSSOVER RD
(CONN)
LENGTH(AH 3175 BK 2569) 0431/0000
018 "DIA CIRC CONCR
LEN=0068 INSTALLED UNKN 0421/2106

018 "DIA CIRC CONCR
LEN=0068 INSTALLED UNKN 0421/1548

124475 FT
REF-AHD WILLIAM PENN HW
0430/3148 (SR0022 SEG 0010/0000)
RAMP B RD
0430/2826 (SR8014 SEG 0020/1387)

018 "DIA CIRC CONCR
0430/2115 LEN=0070 INSTALLED UNKN

018 "DIA CIRC CONCR
0430/1152 LEN=0070 INSTALLED UNKN


RAMP A RD
0430/0940 (SR8014 SEG 0010/0000)

018 "DIA CIRC CONCR
0430/0807 LEN=0110 INSTALLED UNKN
024 "DIA CIRC CONCR
0430/0459 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR
0430/0055 LEN=0065 INSTALLED UNKN

121327 FT 1 0 01101 0 00 1220+56
CROSSOVER RD
(CONN)
0430/0000 LENGTH(AH 3148 BK 2527)

018 "DIA CIRC CONCR
0420/2063 LEN=0065 INSTALLED 1988

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0421/0983

018 "DIA CIRC CONCR
LEN=0064 INSTALLED UNKN 0421/0410
018 "DIA CIRC CONCR
LEN=0200 INSTALLED UNKN 0421/0045
1 0 01101 0 00 1196+42 118737 FT
LENGTH(AH 2569 BK 2328) 0421/0000 S

036 "DIA CIRC CONCR
LEN=0067 INSTALLED UNKN 0411/2255

036 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0411/0180

018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0411/0100
BMSEN 11/0022/0411/0000 0411/0063
1 0 01101 0 00 1173+14 116409 FT
NO UNDERPASS INFORMATIO
BMSBG 11/0022/0411/0000
LENGTH(AH 2328 BK 1379) 0411/0000 S

036 "DIA CIRC CONCR
LEN=0160 INSTALLED UNKN 0401/0906
RAMP H RD
(SR8012 SEG 0500/0000) 0401/0892

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0401/0522

0420/1525 018 "DIA CIRC CONCR
LEN=0065 INSTALLED 1988
0420/0989 018 "DIA CIRC CONCR
LEN=0065 INSTALLED 1988

0420/0456 018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1988

118800 FT 1 0 01101 0 00 1194+29
S 0420/0000 LENGTH(AH 2527 BK 2116)
036 "DIA CIRC CONCR
0410/2112 LEN=0090 INSTALLED 1988

018 "DIA CIRC CONCR
0410/1902 LEN=0090 INSTALLED 1988

054 "DIA CIRC CONCR
0410/1248 LEN=0628 INSTALLED 1988
018 "DIA CIRC CONCR
0410/1224 LEN=0060 INSTALLED 1988
018 "DIA CIRC CONCR
0410/0670 LEN=0290 INSTALLED UNKN
W 0410/0249 RWIS SITE/AT CRESSON MO


018 "DIA CIRC CONCR
0410/0122 LEN=0060 INSTALLED 1988

0410/0063 BMSEN 11/0022/0410/0000
116684 FT 1 0 01101 0 00 1173+49
NO UNDERPASS INFORMATIO
BMSBG 11/0022/0410/0000
S 0410/0000 LENGTH(AH 2116 BK 1463)
018 "DIA CIRC CONCR
0400/1351 LEN=0060 INSTALLED UNKN

RAMP G RD
0400/1021 (SR8012 SEG 0750/0959)
036 "DIA CIRC CONCR
0400/0992 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



1 0 01101 0 00 1157+44 115030 FT
SR 2014 EBL
OP ID 11/2014/0170/0000
LENGTH(AH 1379 BK 2606) 0401/0000

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0391/1718

RAMP K RD
(SR8012 SEG 0250/0981) 0391/1500
018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0391/1324

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0391/0482

1 0 01101 0 00 1131+49 112424 FT
LENGTH(AH 2606 BK 3319) 0391/0000
018 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 0381/3151

018 "DIA CIRC CONCR
LEN=0190 INSTALLED UNKN 0381/2550
CROSSOVER RD
(CONN) 0381/2406

018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0381/0740

1 0 01101 0 00 1098+74 109105 FT
LENGTH(AH 3319 BK 2212) 0381/0000
018 "DIA CIRC CONCR
LEN=0068 INSTALLED UNKN 0371/2066

0400/0405 LEN=0060 INSTALLED UNKN
115221 FT 1 0 01101 0 00 1158+81
SR 2014 EBL
OP ID 11/2014/0170/0000
0400/0000 LENGTH(AH 1463 BK 2597)
018 "DIA CIRC CONCR
0390/2126 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR
0390/1634 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0390/1212 LEN=0060 INSTALLED UNKN
RAMP L RD
0390/1138 (SR8012 SEG 0010/0000)

018 "DIA CIRC CONCR
0390/0333 LEN=0060 INSTALLED UNKN
DMS SIGN STRUCTURE
0390/0010 BMSID 11/0022/0380/3300
112624 FT 1 0 01101 0 00 1133+51
0390/0000 LENGTH(AH 2597 BK 3318)

036 "DIA CIRC CONCR
0380/2450 LEN=0430 INSTALLED UNKN


CROSSOVER RD
0380/2280 (CONN)
036 "DIA CIRC CONCR
0380/2150 LEN=0340 INSTALLED UNKN

036 "DIA CIRC CONCR
0380/0929 LEN=0300 INSTALLED UNKN

018 "DIA CIRC CONCR
0380/0629 LEN=0060 INSTALLED UNKN

109306 FT 1 0 01101 0 00 1099+54
0380/0000 LENGTH(AH 3318 BK 2435)

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



030 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0371/1330

018 "DIA CIRC CONCR
LEN=0068 INSTALLED UNKN 0371/0517
CROSSOVER RD
(CONN) 0371/0490

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0371/0126
1 0 01101 0 00 1074+65 106893 FT
SR 2019
OP ID 11/2019/0050/0919
LENGTH(AH 2212 BK 2827) 0371/0000

KOKOMO CREEK
STRUCTURE LENGTH 14 FT
BMSID 11/0022/0360/2108 0361/2138

RAMP F RD
(SR8010 SEG 0500/0000) 0361/1571

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0361/0902

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0361/0202
1 0 01101 0 00 1047+26 104066 FT
SR 0053 NBL
OP ID 11/0053/0280/0000
LENGTH(AH 2827 BK 3719) 0361/0000
036 "DIA CIRC METAL
LEN=0177 INSTALLED UNKN 0351/3502
018 "DIA CIRC CONCR
LEN=0216 INSTALLED UNKN 0351/3285
RAMP E RD
(SR8010 SEG 0250/1315) 0351/3176
BMSEN 11/0022/0351/2856 0351/3054
1 0 01101 0 00 1037+98
NORFOLK SOUTHERN RAI RR

0370/2116
0370/1612

0370/0610

0370/0560
0370/0146

106871 FT 1 0 01101 0 00 1074+07
SR 2019
OP ID 11/2019/0050/0919
0370/0000 LENGTH(AH 2435 BK 2786)

0360/2286

0360/2108

0360/1645
0360/1403

0360/0204

104085 FT 1 0 01101 0 00 1047+11
SR 0053 NBL
OP ID 11/0053/0280/0000
0360/0000 LENGTH(AH 2786 BK 3751)

0350/3045

018 "DIA CIRC CONCR
LEN=0100 INSTALLED 1980
036 "DIA CIRC METAL
LEN=0100 INSTALLED UNKN

024 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN


CROSSOVER RD
(CONN)
036 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0090 INSTALLED 1988
KOKOMO CREEK
STRUCTURE LENGTH 14 FT
BMSID 11/0022/0360/2108
018 "DIA CIRC CONCR
LEN=0090 INSTALLED 1988
RAMP A RD
(SR8010 SEG 0760/1713)

RAMP B RD
(SR8010 SEG 0750/0000)

BMSEN 11/0022/0350/2847
1 0 01101 0 00 1037+94
NORFOLK SOUTHERN RAI RR

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CRESSON T RIGHT MUN: CRESSON T



BMSBG 11/0022/0351/2856 0351/2856
LITTLE CONEMAUGH RIVER
STRUCTURE LENGTH 12 FT
BMSID 11/0022/0350/2415 0351/2424
072"H 72"W CONC STRUCT
LEN=0100 INSTALLED UNKN 0351/2417

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0351/1121

048 "DIA CIRC CONCR
LEN=0298 INSTALLED UNKN 0351/0282
1 0 01101 0 00 1009+42 100347 FT
LENGTH(AH 3719 BK 2876) 0351/0000 S

CRESSON
MUNSTER T 0341/0364

1 0 01101 0 00 0981+70 097471 FT
LENGTH(AH 2876 BK 0641) 0341/0000 S

1 0 01101 0 00 0975+18 096830 FT
SR 2101 BR
OP ID 11/2101/0010/0000
LENGTH(AH 0641 BK 2720) 0331/0000 S

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0321/2029

018 "DIA CIRC CONCR
LEN=0062 INSTALLED UNKN 0321/1523

CROSSOVER RD
(CONN) 0321/1436

0350/2847 BMSBG 11/0022/0350/2847
LITTLE CONEMAUGH RIVER
STRUCTURE LENGTH 12 FT
0350/2415 BMSID 11/0022/0350/2415

018 "DIA CIRC METAL
0350/0523 LEN=0090 INSTALLED 1988
018 "DIA CIRC CONCR
0350/0307 LEN=0090 INSTALLED 1988

100334 FT 1 0 01101 0 00 1009+56
S 0350/0000 LENGTH(AH 3751 BK 2815)
018 "DIA CIRC CONCR
0340/2562 LEN=0090 INSTALLED UNKN

018 "DIA CIRC CONCR
0340/1759 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0340/1010 LEN=0080 INSTALLED UNKN


CRESSON
0340/0309 MUNSTER T
018 "DIA CIRC CONCR
0340/0261 LEN=0080 INSTALLED UNKN
097519 FT 1 0 01101 0 00 0981+41
S 0340/0000 LENGTH(AH 2815 BK 0623)

096896 FT 1 0 01101 0 00 0975+13
SR 2101 BR
OP ID 11/2101/0010/0000
S 0330/0000 LENGTH(AH 0623 BK 2810)

018 "DIA CIRC CONCR
0320/2027 LEN=0070 INSTALLED UNKN

018 "DIA CIRC CONCR
0320/1515 LEN=0065 INSTALLED UNKN
CROSSOVER RD
0320/1467 (CONN)

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



018 "DIA CIRC CONCR
LEN=0068 INSTALLED UNKN 0321/0968

018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0321/0384
1 0 01101 0 00 0947+57 094110 FT
LENGTH(AH 2720 BK 2415) 0321/0000 S

018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0311/2081

024 "DIA CIRC METAL
LEN=0255 INSTALLED UNKN 0311/1110

018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0311/0079
1 0 01101 0 00 0923+12 091695 FT
LENGTH(AH 2415 BK 2337) 0311/0000 S

018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0301/0868
030 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0301/0443

1 0 01101 0 00 0899+49 089358 FT
LENGTH(AH 2337 BK 1701) 0301/0000 S

RAMP G RD
(SR8008 SEG 0500/0000) 0291/0884

1 0 01101 0 00 0883+19 087657 FT
SR 0164 EBL
OP ID 11/0164/0014/0000
LENGTH(AH 1701 BK 2724) 0291/0000 S

018 "DIA CIRC CONCR
0320/0954 LEN=0065 INSTALLED UNKN

018 "DIA CIRC CONCR
0320/0425 LEN=0150 INSTALLED UNKN

094086 FT 1 0 01101 0 00 0946+62
S 0320/0000 LENGTH(AH 2810 BK 2507)

018 "DIA CIRC CONCR
0310/2262 LEN=0070 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/1744 LEN=0065 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/0193 LEN=0065 INSTALLED UNKN

091579 FT 1 0 01101 0 00 0921+98
S 0310/0000 LENGTH(AH 2507 BK 2291)

018 "DIA CIRC METAL
0300/1849 LEN=0120 INSTALLED UNKN

018 "DIA CIRC CONCR
0300/0931 LEN=0070 INSTALLED UNKN


018 "DIA CIRC CONCR
0300/0064 LEN=0085 INSTALLED UNKN
089288 FT 1 0 01101 0 00 0899+07
S 0300/0000 LENGTH(AH 2291 BK 1578)

RAMP F RD
0290/0868 (SR8008 SEG 0750/0915)


087710 FT 1 0 01101 0 00 0883+29
SR 0164 EBL
OP ID 11/0164/0014/0000
S 0290/0000 LENGTH(AH 1578 BK 2805)

018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: MUNSTER T RIGHT MUN: MUNSTER T



018 "DIA CIRC CONCR
LEN=0200 INSTALLED 1988 0261/2137
LITTLE CONEMAUGH RUN
STRUCTURE LENGTH 7 FT
BMSID 11/0022/0260/2337 0261/2121

024 "DIA CIRC CONCR
LEN=0041 INSTALLED 1988 0261/0876

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1988 0261/0412
MUNSTER
CAMBRIA T 0261/0207

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1988 0261/0045
1 0 01101 0 00 0793+14 078657 FT
LENGTH(AH 3184 BK 2665) 0261/0000 S

018 "DIA CIRC CONCR
LEN=0041 INSTALLED 1988 0251/2112

018 "DIA CIRC METAL
LEN=0050 INSTALLED 1988 0251/1334
018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0251/1085

048 "DIA CIRC CONCR
LEN=0300 INSTALLED 1988 0251/0343

1 0 01101 0 00 0766+49 075992 FT
LENGTH(AH 2665 BK 1747) 0251/0000 S

060 "DIA CIRC CONCR
LEN=0295 INSTALLED UNKN 0241/1440

LITTLE CONEMAUGH RUN
STRUCTURE LENGTH 7 FT
0260/2337 BMSID 11/0022/0260/2337
018 "DIA CIRC CONCR
0260/2071 LEN=0120 INSTALLED UNKN
018 "DIA CIRC CONCR
0260/1503 LEN=0120 INSTALLED UNKN

018 "DIA CIRC CONCR
0260/0984 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
0260/0588 LEN=0075 INSTALLED UNKN

MUNSTER
0260/0358 CAMBRIA T
018 "DIA CIRC CONCR
0260/0275 LEN=0070 INSTALLED UNKN


078516 FT 1 0 01101 0 00 0791+47
S 0260/0000 LENGTH(AH 3220 BK 2189)
030 "DIA CIRC CONCR
0250/2156 LEN=0070 INSTALLED UNKN

010 "DIA CIRC CONCR
0250/1836 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0250/0183 LEN=0200 INSTALLED UNKN
076327 FT 1 0 01101 0 00 0769+73
060 "DIA CIRC CONCR
LEN=0285 INSTALLED UNKN
S 0250/0000 LENGTH(AH 2189 BK 2026)
018 "DIA CIRC CONCR
0240/1550 LEN=0200 INSTALLED 1987

018 "DIA CIRC CONCR
0240/1064 LEN=0200 INSTALLED UNKN

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



1 0 01101 0 00 0748+77 074245 FT
OTHER
OVERPASS IS RR X-ING
LENGTH(AH 1747 BK 3030) 0241/0000

018 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN 0231/2512

018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN 0231/1966

SIGN: 4 CHORD TRUSS
BMSID 11/0022/0230/1279 0231/1333
RAMP D RD
(SR8006 SEG 0500/0000) 0231/1275
060 "DIA CIRC CONCR
LEN=0135 INSTALLED UNKN 0231/1143

030 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN 0231/0728

1 0 00052 0 07 1233+78 071215 FT
SR 2014 EBL
OP ID 11/2014/0010/0000
LENGTH(AH 3030 BK 2095) 0231/0000
018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0221/2083

RAMP A RD
(SR8006 SEG 0250/0575) 0221/1430
TR LAKE ROWENA
STRUCTURE LENGTH 16 FT
BMSID 11/0022/0220/1419 0221/1373

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0221/0620

0240/0537 018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN
0240/0000 074301 FT 1 0 01101 0 00 0749+26
OTHER
OVERPASS IS RR X-ING
LENGTH(AH 2026 BK 3011)
0230/2476 018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN

0230/1917 018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN


0230/1335 018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN
SIGN: 4 CHORD TRUSS
0230/1279 BMSID 11/0022/0230/1279
RAMP C RD
0230/1091 (SR8006 SEG 0760/0673)

0230/0997 018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN

0230/0707 024 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN
RAMP B RD
0230/0495 (SR8006 SEG 0750/0000)
0230/0343 018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN
071290 FT 1 0 00052 0 06 1233+23
SR 2014 EBL
OP ID 11/2014/0010/0000
0230/0000 LENGTH(AH 3011 BK 2146)

TR LAKE ROWENA
STRUCTURE LENGTH 16 FT
0220/1419 BMSID 11/0022/0220/1419
0220/1125 018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN
0220/0640 018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN 0221/0342

018 "DIA CIRC CONCR
LEN=0032 INSTALLED UNKN 0221/0014
1 0 00052 0 06 1211+00 069120 FT
LENGTH(AH 2095 BK 3643) 0221/0000 S

024 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0211/3351

024 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0211/3015

024 "DIA CIRC CONCR
LEN=0052 INSTALLED UNKN 0211/2767
(APRA) FOSTER WINELAND
RUBISCH RD
(T447) 0211/2712

BMSEN 11/0022/0210/2243 0211/2301
1 0 00052 0 06 1197+79
TRIB ROARNG RUN
BMSBG 11/0022/0210/2243 0211/2253
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0211/2210
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0211/2180

018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN 0211/1927

CENTER ST
(SR2013 SEG 0080/0000)
WILMORE RD
(SR2013 SEG 0080/0000) 0211/1203

018 "DIA CIRC CONCR
0220/0310 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0220/0031 LEN=0050 INSTALLED UNKN

069144 FT 1 0 00052 0 06 1211+74
S 0220/0000 LENGTH(AH 2146 BK 3690)
018 "DIA CIRC CONCR
0210/3451 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0210/3073 LEN=0050 INSTALLED 1988

024 "DIA CIRC CONCR
0210/2814 LEN=0050 INSTALLED 1988


(APRA) FOSTER WINELAND
RUBISCH RD
0210/2749 (T447)
018 "DIA CIRC CONCR
0210/2491 LEN=0060 INSTALLED 1988
0210/2291 BMSEN 11/0022/0210/2243
1 0 00052 0 06 1197+79
TRIB ROARNG RUN
0210/2243 BMSBG 11/0022/0210/2243

018 "DIA CIRC CONCR
0210/1991 LEN=0050 INSTALLED UNKN

024 "DIA CIRC CONCR
0210/1620 LEN=0080 INSTALLED 1988
054 "DIA CIRC METAL
0210/1490 LEN=0300 INSTALLED 1988
CENTER ST
(SR2013 SEG 0080/0000)
WILMORE RD
(SR2013 SEG 0080/0000)
0210/1259

018 "DIA CIRC CONCR
0210/0967 LEN=0050 INSTALLED 1988

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



018 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN 0211/0946

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1988 0211/0642

018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN 0211/0346

018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN 0211/0090
1 0 00052 0 06 1174+94 065477 FT
LENGTH(AH 3643 BK 3460) 0211/0000 S

018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN 0201/3268

032 "DIA CIR PLASTIC
LEN=0172 INSTALLED UNKN 0201/2600
018 "DIA CIRC CONCR
LEN=0077 INSTALLED UNKN 0201/2135

BMSEN 11/0022/0200/0435 0201/0544
1 0 00052 0 06 1145+69
SR 0160
BMSBG 11/0022/0200/0435 0201/0493
018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN 0201/0458
018 "DIA CIRC CONCR
LEN=0057 INSTALLED UNKN 0201/0083
1 0 00052 0 06 1139+91 062017 FT
LENGTH(AH 3460 BK 3604) 0201/0000 S

018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN 0191/3251

BMSEN 11/0022/0190/2749 0191/2839
1 0 00052 0 06 1132+80
SR 8004 0010(TO SR 4031

018 "DIA CIRC CONCR
0210/0662 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0210/0385 LEN=0050 INSTALLED 1988

018 "DIA CIRC CONCR
0210/0110 LEN=0050 INSTALLED 1988

065454 FT 1 0 00052 0 06 1175+05
S 0210/0000 LENGTH(AH 3690 BK 3428)
018 "DIA CIRC CONCR
0200/3225 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0200/2732 LEN=0060 INSTALLED UNKN


018 "DIA CIRC CONCR
0200/1791 LEN=0100 INSTALLED UNKN

018 "DIA CIRC CONCR
0200/0984 LEN=0060 INSTALLED UNKN
0200/0486 BMSEN 11/0022/0200/0435
1 0 00052 0 06 1145+69
SR 0160
0200/0435 BMSBG 11/0022/0200/0435

062026 FT 1 0 00052 0 06 1141+33
S 0200/0000 LENGTH(AH 3428 BK 3571)
018 "DIA CIRC CONCR
0190/3325 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0190/3035 LEN=0070 INSTALLED UNKN
0190/2807 BMSEN 11/0022/0190/2749
1 0 00052 0 06 1132+80
SR 8004 0010(TO SR 4031

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



BMSBG 11/0022/0190/2749 0191/2781

0190/2749 BMSBG 11/0022/0190/2749
018 "DIA CIRC CONCR
0190/2740 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0190/2470 LEN=0110 INSTALLED UNKN

SIGN: CANTILEVER
BMSID 11/0022/0191/2562 0191/2562
RAMP C RD
(SR8004 SEG 0250/0740) 0191/2369

RAMP B RD
0190/2246 (SR8004 SEG 0260/1688)
018 "DIA CIRC CONCR
0190/2216 LEN=0070 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0080 INSTALLED 1988 0191/2175

018 "DIA CIRC CONCR
0190/1927 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0191/1897

018 "DIA CIRC CONCR
0190/1672 LEN=0070 INSTALLED UNKN
RAMP A RD
0190/1605 (SR8004 SEG 0010/0000)

018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0191/1530
WALMART LT
(PRDR)
PENNDOT DISTRICT 9-3 LT
(PRDR)

WALMART LT
(PRDR)
PENNDOT DISTRICT 9-3 LT
(PRDR)

0191/1304 0190/1311

018 "DIA CIRC CONCR
0190/1052 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0190/0742 LEN=0055 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN 0191/0708
WESTMORELAND AV
(T602) 0191/0630

WESTMORELAND AV
(T602)
0190/0630
015 "DIA CIRC CONCR
0190/0399 LEN=0105 INSTALLED 2001
018 "DIA CIRC CONCR
0190/0146 LEN=0055 INSTALLED UNKN

1 0 00052 0 06 1105+25 058413 FT
BEULAH RD
(SR3034 SEG 0100/3593)

058455 FT 1 0 00052 0 06 1105+25
BEULAH RD
(SR3034 SEG 0100/3593)


LENGTH(AH 3604 BK 2834) 0191/0000 S
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0181/2727

S 0190/0000 LENGTH(AH 3571 BK 2932)

018 "DIA CIRC CONCR
0180/2840 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



LEN=0080 INSTALLED UNKN 0181/2507

LC TO PLAZA LT
(CONN) 0181/2417
SIGN: POLE MOUNTED
BMSID 11/0022/0181/2275 0181/2275
LC FROM PLAZA LT
(CONN) 0181/2237
024 "DIA CIRC CONCR
LEN=0044 INSTALLED UNKN 0181/2227

LC TO PLAZA LT
(CONN) 0181/1817
018 "DIA CIRC CONCR
LEN=0999 INSTALLED UNKN 0181/1746
REL.WWAY
STRUCTURE LENGTH 8 FT
BMSID 11/0022/0180/1894 0181/1741
LC FROM PLAZA LT
(CONN) 0181/1617

COOKS RD
(T608)
MINI MALL RD
(SR3032 SEG 0010/0000) 0181/0807

018 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN 0181/0490
SIGN: 4 CHORD TRUSS
BMSID 11/0022/0180/0104 0181/0017
1 0 00052 0 06 1076+54 055579 FT
LENGTH(AH 2834 BK 3167) 0181/0000 S
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0171/2940
RAMP W RD
(SR8011 SEG 0510/0000) 0171/2896

RAMP X RD
(SR8011 SEG 0500/0978) 0171/2471
018 "DIA CIRC CONCR

018 "DIA CIRC CONCR
0180/2640 LEN=0050 INSTALLED UNKN

036 "DIA CIRC CONCR
0180/2344 LEN=0050 INSTALLED UNKN


REL.WWAY
STRUCTURE LENGTH 8 FT
0180/1894 BMSID 11/0022/0180/1894

LC FROM SHEETZ LT
0180/1381 (CONN)
LC TO SHEETZ LT
0180/1222 (CONN)
018 "DIA CIRC CONCR
0180/0957 LEN=0050 INSTALLED UNKN
COOKS RD
(T608)
MINI MALL RD
(SR3032 SEG 0010/0000)
0180/0896
018 "DIA CIRC CONCR
0180/0600 LEN=0050 INSTALLED UNKN

SIGN: 4 CHORD TRUSS
0180/0104 BMSID 11/0022/0180/0104
055523 FT 1 0 00052 0 06 1075+62
S 0180/0000 LENGTH(AH 2932 BK 3039)


RAMP Y RD
0170/2752 (SR8011 SEG 0760/1618)
036 "DIA CIR PLASTIC
0170/2505 LEN=0244 INSTALLED UNKN
RAMP Z RD
0170/2279 (SR8011 SEG 0750/0000)

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



LEN=0100 INSTALLED UNKN 0171/2289	
	014 "DIA CIR PLASTIC
	0170/2200 LEN=0247 INSTALLED UNKN
SR 0219 NBL	SR 0219 NBL
OP ID 11/0219/0394/0000 0171/1897	0170/1869 OP ID 11/0219/0394/0000
SR 0219 SBL	SR 0219 SBL
OP ID 11/0219/0395/0000 0171/1751	0170/1724 OP ID 11/0219/0395/0000
018 "DIA CIRC CONCR	
LEN=0100 INSTALLED UNKN 0171/1560	
RAMP V RD	RAMP T RD
(SR8011 SEG 0260/0000) 0171/1334	0170/1148 (SR8011 SEG 0020/0897)
018 "DIA CIRC CONCR	
LEN=0100 INSTALLED UNKN 0171/1094	
RAMP U RD	RAMP S RD
(SR8011 SEG 0250/1893) 0171/0798	0170/0680 (SR8011 SEG 0010/0000)
	018 "DIA CIRC CONCR
	0170/0643 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0100 INSTALLED UNKN 0171/0637	
SIGN: 4 CHORD TRUSS	SIGN: 4 CHORD TRUSS
BMSID 11/0022/0170/0328 0171/0325	0170/0328 BMSID 11/0022/0170/0328
	018 "DIA CIRC CONCR
	0170/0233 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0075 INSTALLED UNKN 0171/0187	
1 0 00052 0 06 1044+99 052412 FT	052484 FT 1 0 00052 0 06 1044+99
PENSACOLA RD	PENSACOLA RD
(T418)	(T418)
LENGTH(AH 3167 BK 3542) 0171/0000 S	0170/0000 LENGTH(AH 3039 BK 3979) S
	018 "DIA CIRC CONCR
	0160/3742 LEN=0050 INSTALLED UNKN
024 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0161/3255	
	018 "DIA CIRC CONCR
	0160/3166 LEN=0070 INSTALLED UNKN
024 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0161/2681	
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0161/2313	
	018 "DIA CIRC CONCR
	0160/2414 LEN=0040 INSTALLED UNKN
CROSSOVER RD	CROSSOVER RD
(CONN) 0161/1958	0160/2387 (CONN)
	018 "DIA CIRC CONCR
	0160/2042 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0040 INSTALLED UNKN 0161/1491	
	018 "DIA CIRC CONCR
	0160/1445 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR	

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: CAMBRIA T RIGHT MUN: CAMBRIA T



LEN=0048 INSTALLED UNKN 0161/0951
018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN 0161/0445

1 0 00052 0 06 1006+82 048870 FT
LENGTH(AH 3542 BK 3502) 0161/0000 S
018 "DIA CIRC CONCR
LEN=0046 INSTALLED 1988 0151/3050
018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN 0151/2622

018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN 0151/2304

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/1927

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/1501
CAMPGROUND RD
(T610) 0151/1492
024 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0151/1318
018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN 0151/1180
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/0847

CAMBRIA
JACKSON T 0151/0473

018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN 0151/0298

1 0 00052 0 06 0970+31 045368 FT
LENGTH(AH 3502 BK 3888) 0151/0000 S
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0141/3472
018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0141/3233

SIGN: CANTILEVER
0160/0073 BMSID 11/0022/0160/0073
048505 FT 1 0 00052 0 06 1006+27
S 0160/0000 LENGTH(AH 3979 BK 3570)

018 "DIA CIRC CONCR
0150/3091 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/2723 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/2380 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/1984 LEN=0065 INSTALLED UNKN


CAMPGROUND RD
0150/1968 (T610)

018 "DIA CIRC CONCR
0150/1292 LEN=0065 INSTALLED UNKN
CAMBRIA
0150/0941 JACKSON T
SIGN: SHAPE OR TUBE
0150/0542 BMSID 11/0022/0150/0542

018 "DIA CIRC CONCR
0150/0066 LEN=0040 INSTALLED UNKN
044935 FT 1 0 00052 0 06 0970+57
S 0150/0000 LENGTH(AH 3570 BK 3445)


018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



	0140/3192	LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN	0141/2954	
		018 "DIA CIRC CONCR
	0140/2911	LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN	0141/2658	
		018 "DIA CIRC CONCR
	0140/2612	LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN	0141/2401	
CROSSOVER RD		CROSSOVER RD
(CONN)	0141/2388	0140/2411 (CONN)
018 "DIA CIRC CONCR LEN=0001 INSTALLED UNKN	0141/2138	
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0141/1896	
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0141/1609	
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0141/1310	
STEWARTS RUN		STEWARTS RUN
STRUCTURE LENGTH 24 FT		STRUCTURE LENGTH 24 FT
BMSID 11/0022/0140/1179	0141/1045	0140/1179 BMSID 11/0022/0140/1179
OGDEN RD		OGDEN RD
(T431)	0141/0937	0140/0968 (T431)
		018 "DIA CIRC CONCR
		0140/0937 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0141/0749	
		018 "DIA CIRC CONCR
		0140/0700 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0141/0439	
		018 "DIA CIRC CONCR
		0140/0104 LEN=0065 INSTALLED UNKN
		LC FROM PIKE RD
		0140/0092 (CONN)
1 0 00052 0 06 0935+70 041480 FT		041490 FT 1 0 00052 0 06 0935+70
PIKE RD		PIKE RD
(T508)		(T508)
LENGTH(AH 3888 BK 2983)	0141/0000 S	0140/0000 S LENGTH(AH 3445 BK 3508)
		LC TO PIKE RD
		0130/3414 (CONN)
		018 "DIA CIRC CONCR
		0130/3052 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0131/2856	
		018 "DIA CIRC CONCR
		0130/2803 LEN=0080 INSTALLED UNKN

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0131/2512

018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0131/2265

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0131/1965

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0131/1614

018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0131/1240

018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 0131/0858

018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0131/0619

018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0131/0322
048 "DIA CIRC METAL
LEN=0264 INSTALLED UNKN 0131/0200
1 0 00052 0 06 0905+73 038497 FT
LENGTH(AH 2983 BK 3822) 0131/0000 S

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0121/3062
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0121/2787

018 "DIA CIRC CONCR
LEN=0034 INSTALLED UNKN 0121/2489

018 "DIA CIRC CONCR
LEN=0037 INSTALLED UNKN 0121/2187
018 "DIA CIRC CONCR

018 "DIA CIRC CONCR
0130/2503 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/2148 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/1845 LEN=0130 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/1405 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/1155 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/0851 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/0405 LEN=0120 INSTALLED UNKN


037982 FT 1 0 00052 0 06 0900+27
S 0130/0000 LENGTH(AH 3508 BK 3294)

018 "DIA CIRC CONCR
0120/3075 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0120/2767 LEN=0080 INSTALLED UNKN


018 "DIA CIRC CONCR
0120/2486 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR
0120/2187 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



LEFT MUN: JACKSON T		RIGHT MUN: JACKSON T
LEN=0036 INSTALLED UNKN	0121/1891	0120/1891 LEN=0080 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0120/1242 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0036 INSTALLED UNKN	0121/1236	
		018 "DIA CIRC CONCR
		0120/0944 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0048 INSTALLED UNKN	0121/0912	
018 "DIA CIRC CONCR		
LEN=0036 INSTALLED UNKN	0121/0642	
		018 "DIA CIRC CONCR
		0120/0614 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0036 INSTALLED UNKN	0121/0369	
		018 "DIA CIRC CONCR
		0120/0340 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0036 INSTALLED UNKN	0121/0065	
		018 "DIA CIRC CONCR
		0120/0062 LEN=0080 INSTALLED UNKN
1 0 00052 0 06 0867+61	034675 FT	034688 FT 1 0 00052 0 06 0867+02
LENGTH(AH 3822 BK 3415)	0121/0000 S	S 0120/0000 LENGTH(AH 3294 BK 3434)
		018 "DIA CIRC CONCR
		0110/3268 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0036 INSTALLED UNKN	0111/3213	
SUNFLOWER ST		SUNFLOWER ST
(T507)	0111/3185	0110/3202 (T507)
		018 "DIA CIRC CONCR
		0110/3048 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0036 INSTALLED UNKN	0111/2989	
018 "DIA CIRC CONCR		
LEN=0004 INSTALLED UNKN	0111/2738	
		018 "DIA CIRC CONCR
		0110/2490 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0004 INSTALLED UNKN	0111/2429	
018 "DIA CIRC CONCR		
LEN=0036 INSTALLED UNKN	0111/2031	
018 "DIA CIRC CONCR		
LEN=0040 INSTALLED UNKN	0111/1727	
018 "DIA CIRC CONCR		
LEN=0042 INSTALLED UNKN	0111/1186	
TRIB S BR BLACKLICK CRK		TRIB S BR BLACKLICK CRK
STRUCTURE LENGTH 14 FT		STRUCTURE LENGTH 14 FT
BMSID 11/0022/0110/1156	0111/1156	0110/1156 BMSID 11/0022/0110/1156
DMS SIGN STRUCTURE		

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



BMSID 11/0022/0111/1019 0111/1019

018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN 0111/0805
018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN 0111/0409
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0111/0105

1 0 00052 0 06 0833+43 031260 FT
SR 0271 NBL
OP ID 11/0271/0470/0000
LENGTH(AH 3415 BK 2742) 0111/0000
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0101/2533
RAMP B RD
(SR8002 SEG 0260/0000) 0101/2471
RAMP A RD
(SR8002 SEG 0250/0670) 0101/2272
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0101/2170
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0101/1756

018 "DIA CIRC CONCR
LEN=0004 INSTALLED UNKN 0101/1400

018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0101/1012
018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0101/0782

018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN 0101/0534
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0101/0199
1 0 00314 0 02 0290+46 028518 FT
LENGTH(AH 2742 BK 2908) 0101/0000
024 "DIA CIRC CONCR
LEN=0085 INSTALLED UNKN 0093/2830
018 "DIA CIRC CONCR
LEN=0056 INSTALLED UNKN 0093/2808

036 "DIA CIRC CONCR
LEN=0067 INSTALLED UNKN 0093/2035

RAMP D RD
0110/0831 (SR8002 SEG 0750/0850)

031254 FT 1 0 00052 0 06 0833+43
VILLAGE: MUNDYS CORNER
SR 0271 NBL
0110/0000 OP ID 11/0271/0470/0000
LENGTH(AH 3434 BK 2710)

RAMP C RD
0100/2338 (SR8002 SEG 0010/0000)

018 "DIA CIRC CONCR
0100/1480 LEN=0728 INSTALLED 1998


018 "DIA CIRC CONCR
0100/1060 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0100/0594 LEN=0060 INSTALLED UNKN

028544 FT 1 0 00314 0 02 0291+82
0100/0000 LENGTH(AH 2710 BK 2900)
024 "DIA CIRC CONCR
0092/2830 LEN=0069 INSTALLED UNKN


018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



	0092/2020 LEN=0056 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0093/1575	
024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0093/1245	
018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN 0093/0455	
	018 "DIA CIRC CONCR 0092/0420 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN 0093/0190	018 "DIA CIRC CONCR 0092/0190 LEN=0051 INSTALLED UNKN
0 0 00000 0 00 0000+00 025610 FT LENGTH(AH 2908 BK 2884) 0093/0000 S	025644 FT 0 0 00000 0 00 0000+00 S 0092/0000 LENGTH(AH 2900 BK 2884)
024 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0083/2113	
FORD'S CORNER RD (T728) PIKE RD WEST (TWP)	FORD'S CORNER RD (T424) PIKE RD WEST (TWP)
0083/2028	0082/2074
TRIB HINCKSTON RUN STRUCTURE LENGTH 8 FT BMSID 11/0022/0082/2029 0083/2027	TRIB HINCKSTON RUN STRUCTURE LENGTH 8 FT 0082/2029 BMSID 11/0022/0082/2029
	030 "DIA CIRC CONCR 0082/1805 LEN=0087 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0083/1370	
	018 "DIA CIRC CONCR 0082/1205 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0083/0910	018 "DIA CIRC CONCR 0082/0910 LEN=0051 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN 0083/0450	018 "DIA CIRC CONCR 0082/0450 LEN=0051 INSTALLED UNKN
0 0 00000 0 00 0000+00 022726 FT LENGTH(AH 2884 BK 3276) 0083/0000 S	022760 FT 0 0 00000 0 00 0000+00 S 0082/0000 LENGTH(AH 2884 BK 3199)
042 "DIA CIRC CONCR LEN=0154 INSTALLED UNKN 0073/2985	
	042 "DIA CIRC CONCR 0072/2965 LEN=0167 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0075 INSTALLED UNKN 0073/2855	
018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN 0073/2395	
018 "DIA CIRC CONCR LEN=0086 INSTALLED UNKN 0073/1860	
	018 "DIA CIRC CONCR 0072/1400 LEN=0072 INSTALLED UNKN
018 "DIA CIRC CONCR	


DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



LEN=0097 INSTALLED UNKN 0073/0940
036 "DIA CIRC CONCR
LEN=0102 INSTALLED UNKN 0073/0835
018 "DIA CIRC CONCR
LEN=0082 INSTALLED UNKN 0073/0485
018 "DIA CIRC CONCR
LEN=0064 INSTALLED UNKN 0073/0220
0 0 00000 0 00 0000+00 019450 FT
LENGTH(AH 3276 BK 3291) 0073/0000
024 "DIA CIRC CONCR
LEN=0056 INSTALLED UNKN 0063/2855
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0063/2495
MILE HILL RD
(T428)
CHICKAREE HILL RD
(SR3045 SEG 0010/0000)
0063/2484
018 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN 0063/2130
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0063/1735
066 "DIA CIRC CONCR
LEN=0102 INSTALLED UNKN 0063/1190
018 "DIA CIRC CONCR
LEN=0056 INSTALLED UNKN 0063/0630
018 "DIA CIRC CONCR
LEN=0057 INSTALLED UNKN 0063/0410

036 "DIA CIRC CONCR
0072/0803 LEN=0167 INSTALLED UNKN
018 "DIA CIRC CONCR
0072/0420 LEN=0082 INSTALLED UNKN
018 "DIA CIRC CONCR
0072/0023 LEN=0052 INSTALLED UNKN
019561 FT 0 0 00000 0 00 0000+00
0072/0000 LENGTH(AH 3199 BK 3316)
018 "DIA CIRC CONCR
0062/3120 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR
0062/2505 LEN=0085 INSTALLED UNKN
MILE HILL RD
(T428)
CHICKAREE HILL RD
(SR3045 SEG 0010/0000)
0062/2484
018 "DIA CIRC CONCR
0062/2130 LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR
0062/1720 LEN=0079 INSTALLED UNKN
024 "DIA CIRC CONCR
0062/1180 LEN=0076 INSTALLED UNKN
066 "DIA CIRC CONCR
0062/1130 LEN=0098 INSTALLED UNKN
030 "DIA CIRC CONCR
0062/0635 LEN=0122 INSTALLED UNKN
018 "DIA CIRC CONCR
0062/0395 LEN=0052 INSTALLED UNKN
JUGHANDLE RD
0062/0246 (SR9406 SEG 0010/0515)

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



018 "DIA CIRC CONCR
LEN=0056 INSTALLED UNKN 0063/0150
0 0 00000 0 00 0000+00 016159 FT
JUGHANDLE RD
(SR9404 SEG 0010/0000)
JUGHANDLE RD
(SR9406 SEG 0010/0000)
LENGTH(AH 3291 BK 3445) 0063/0000
024 "DIA CIRC CONCR
LEN=0161 INSTALLED UNKN 0053/3395
JUGHANDLE RD
(SR9404 SEG 0010/0489) 0053/3199
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0053/3085

024 "DIA CIRC CONCR
LEN=0064 INSTALLED UNKN 0053/2770

036 "DIA CIRC CONCR
LEN=0115 INSTALLED UNKN 0053/2435
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0053/2240
018 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN 0053/1845
018 "DIA CIRC CONCR
LEN=0052 INSTALLED UNKN 0053/1515
018 "DIA CIRC CONCR
LEN=0066 INSTALLED UNKN 0053/1460

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0053/1130

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0053/0460

0 0 00000 0 00 0000+00 012714 FT
LENGTH(AH 3445 BK 3543) 0053/0000
024 "DIA CIRC CONCR
LEN=0078 INSTALLED UNKN 0043/3475
018 "DIA CIRC CONCR
LEN=0061 INSTALLED UNKN 0043/3290
030 "DIA CIRC CONCR
LEN=0072 INSTALLED UNKN 0043/3090
018 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN 0043/2630

016245 FT 0 0 00000 0 00 0000+00
JUGHANDLE RD
(SR9404 SEG 0010/0000)
JUGHANDLE RD
(SR9406 SEG 0010/0000)
0062/0000 LENGTH(AH 3316 BK 3445)

030 "DIA CIRC CONCR
0052/2780 LEN=0120 INSTALLED UNKN


036 "DIA CIRC CONCR
0052/2525 LEN=0062 INSTALLED UNKN

018 "DIA CIRC CONCR
0052/2240 LEN=0049 INSTALLED UNKN
018 "DIA CIRC CONCR
0052/1845 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0052/1338 LEN=0066 INSTALLED UNKN


012800 FT 0 0 00000 0 00 0000+00
024 "DIA CIRC CONCR
LEN=0078 INSTALLED UNKN
0052/0000 LENGTH(AH 3445 BK 3543)

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



LEFT MUN: JACKSON T		RIGHT MUN: JACKSON T
018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN	0043/1710	
	0042/1710	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
	0042/1250	018 "DIA CIRC CONCR LEN=0063 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN	0043/0990	
	0042/0790	018 "DIA CIRC CONCR LEN=0071 INSTALLED UNKN
RAMP A RD (SR8026 SEG 0500/0000)	0043/0427	RAMP D RD 0042/0581 (SR8026 SEG 0750/0702)
	0042/0380	018 "DIA CIRC CONCR LEN=0131 INSTALLED UNKN
RAMP B RD (SR8026 SEG 0510/0523)	0043/0226	RAMP C RD 0042/0315 (SR8026 SEG 0760/0000)
018 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN	0043/0082	
	0042/0066	024 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN
0 0 00000 0 00 0000+00 009171 FT SR 3041		009257 FT 0 0 00000 0 00 0000+00 SR 3041
OP ID 11/3041/0100/1785 LENGTH(AH 3543 BK 2723)	0043/0000 S	OP ID 11/3041/0100/1785 0042/0000 S LENGTH(AH 3543 BK 2805)
	0032/2610	030 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
	0032/2280	030 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0112 INSTALLED UNKN	0033/2198	
	0032/1710	030 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0063 INSTALLED UNKN	0033/1658	
	0032/1330	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN	0033/0870	018 "DIA CIRC CONCR 0032/0870 LEN=0063 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0051 INSTALLED UNKN	0033/0655	
	0032/0455	018 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0059 INSTALLED UNKN	0033/0255	
0 0 00000 0 00 0000+00 006448 FT LENGTH(AH 2723 BK 3307)	0033/0000 S	006452 FT 0 0 00000 0 00 0000+00 0032/0000 S LENGTH(AH 2805 BK 3307)
	0022/3307	036 "DIA CIRC CONCR LEN=0069 INSTALLED UNKN
036 "DIA CIRC CONCR		

DIR: E TOTAL LEN: 23.576 MI. DIST: 09-3 SR: 22
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T



LEN=0049 INSTALLED UNKN 0023/3288

018 "DIA CIRC CONCR
LEN=0061 INSTALLED UNKN 0023/2610

018 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN 0023/1920

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0023/1085

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/0542
018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN 0023/0082

0 0 00000 0 00 0000+00 003141 FT
LENGTH(AH 3307 BK 3141) 0023/0000

018 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN 0013/2745
JUGHANDLE RD
(SR9402 SEG 0010/0000) 0013/2710
JUGHANDLE RD
(SR9402 SEG 0010/0439) 0013/2477
COUNTY LINE RD
(TWP) 0013/2005

0 0 00000 0 00 0000+00 000000 FT
NC WILLIAM PENN HW
WILLIAM PENN HW REF-BK
(SR0022 SEG 0423/0705)
MFC BEGIN = B
LENGTH(AH 3141 BK 0000) 0013/0000

LYNX LN
0022/2641 (TWP)

018 "DIA CIRC CONCR
0022/2577 LEN=0067 INSTALLED UNKN
018 "DIA CIRC CONCR
0022/2350 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0022/1920 LEN=0063 INSTALLED UNKN
018 "DIA CIRC CONCR
0022/1723 LEN=0075 INSTALLED UNKN

024 "DIA CIRC CONCR
0022/1000 LEN=0120 INSTALLED UNKN
018 "DIA CIRC CONCR
0022/0542 LEN=0062 INSTALLED UNKN
018 "DIA CIRC CONCR
0022/0082 LEN=0063 INSTALLED UNKN
003145 FT 0 0 00000 0 00 0000+00
LONGSPUR LN
(TWP)
0022/0000 LENGTH(AH 3307 BK 3145)
018 "DIA CIRC CONCR
0012/2776 LEN=0069 INSTALLED UNKN

JUGHANDLE RD
0012/2710 (SR9402 SEG 0010/0000)

BLUE SPRUCE RD
0012/0645 (PRDR)

000000 FT 0 0 00000 0 00 0000+00
NC WILLIAM PENN HW
REF-BK WILLIAM PENN HW
(SR0022 SEG 0422/0695)
MFC BEGIN = B
BK-INDIANA (32)
0012/0000 LENGTH(AH 3145 BK 0000)