Earn

3 CE credits This course was written for dentists, dental hygienists, and assistants.

Super Pulsed Dental Lasers

A Peer-Reviewed Publication Written by Dr. Ian Shuman

Abstract

There are many methods available to perform minor oral soft tissue surgery and procedures. Those that provide a minimally invasive methodology with rapid healing are ideal and are today's gold standard in all aspects of dental care. The dental laser is a device that meets these goals and should be considered in the treatment of cases when weighed against other options. This course will provide information on dental lasers, specifically the newer class of super pulsed diode lasers.

Educational Objectives

The focus of this clinical study will offer the dental professional the information needed to improve patient care with the use of diode power lasers. After reading this article, the reader should be able to: 1. Understand the history of dental lasers

1 / ///

- 2. Have a working knowledge of the dental
- laser and its use in soft tissue surgery
- 3. Identify the differences between traditional diode lasers and superpulsed lasers
- 4. Select the correct laser and settings for proper care

Author Profile

1 / ///

Ian Shuman DDS, MAGD, AFAAID maintains a full-time general, reconstructive, and aesthetic dental practice in Pasadena, Maryland. Since 1995 Dr. Shuman has lectured and published on advanced, minimally invasive techniques. He has taught these procedures to thousands of dentists and developed many of the methods. Dr. Shuman has published numerous articles on topics including adhesive resin dentistry, minimally invasive restorative, cosmetic and implant dentistry. He is a Master of the Academy of General Dentistry, an Associate Fellow of the American Academy of Implant Dentistry, a Fellow of the Pierre Fauchard Academy. Dr. Shuman was named one of the Top Clinicians in Continuing Education since 2005, by Dentistry Today.

Author Disclosure

Dr. Shuman has no commercial ties with the sponsors or the providers of the unrestricted educational grant for this course.

INSTANT EXAM CODE 15243

Go Green, Go Online to take your course

Publication date: Jan. 2018 Expiration date: Dec. 2020

ADA C'E'R'P

Supplement to PennWell Publications

PennWell is an ADA CERP recognized provider

ADA CERP is a service of the American Dental Association to assist dental professionals in identifying quality providers of continuing dental education. ADA CERP does not approve or endorse individual courses or instructors, nor does it imply acceptance of credit hours by boards of dentistry

Concerns or complaints about a CE provider may be directed to the provider or to ADA CERP at www.ada.org/goto/cerp.

Dental Board of California: Provider 4527, course registration number CA# 03-4527-15243 "This course meets the Dental Board of California's requirements for 3 units of continuing education."

PennWell designates this activity for 3 continuing educational credits



Dentistry



The PennWell Corporation is designated as an Approved PACE Program Provider by the Academy of General Dentistry. The formal continuing dental education programs of this program provider are accepted by the AGD for Fellowship. Mastership and membership maintenance credit. Approval does not imply acceptance by a state or provincial board of dentistry or AGD endorsement. The current term of approval extends from (11/1/2015) to (10/31/2019) Provider ID# 320452





Dental Academy of Continuing Education ...

This educational activity was developed by PennWell's Dental Group with commercial support provided by Ultradent. **This course was written for dentists, dental hygienists and assistants, from novice to skilled. Educational Methods:** This course is a self-instructional journal and web activity. **Provider Disclosure:** PennWell does not have a leadership position or a commercial interest in any products or services discussed or shared in this educational activity nor with the commercial supporter. No manufacturer or third party has had

discussed or shared in this educational activity nor with the commercial supporter. No manufacturer or third party has had any input into the development of course content. **Requirements for Successful Completion:** To obtain 3 CE credits for this educational activity you must pay the required fee, review the material, complete the course evaluation and obtain a score of at least 70%. **CE Planner Disclosure:** Heather Hodges, CE condinator does not have a leadership or commercial interest with products or services discussed in this educational activity. Heather can be reached at hhodges@pennwell.com **Educational Disclaimer:** Completing a single continuing education course does not provide enough information to result in the participant being an expert in the field related to the course topic. It is a combination of many educational courses and clinical experience that allows the participant to develop skills and expertise. **Linage Authenticity Statement:** The images in this educational activity have not been altered. **Scientific Integrity Statement:** Information shared in this CE course is developed from clinical research and represents the most current information available from evidence based dentistry.

the most current information available from evidence based dentistry. Known Benefits and Limitations of the Data: The information presented in this educational activity is derived from the data and information contained in reference section. The research data is extensive and provides direct benefit to the patient and improvements in oral health

and importentiation of a feature. Registration: The cost of this (E course is \$59.00 for 3 CE credits. Cancellation/Refund Policy: Any participant who is not 100% satisfied with this course can request a full refund by contacting PennWell in writing.

Educational Objectives

The focus of this clinical study will offer the dental professional the information needed to improve patient care with the use of diode power lasers. After reading this article, the reader should be able to:

- 1. Understand the history of dental lasers
- 2. Have a working knowledge of the dental laser and its use in soft tissue surgery
- 3. Identify the differences between traditional diode lasers and super-pulsed lasers
- 4. Select the correct laser and settings for proper care

Abstract

There are many methods available to perform minor oral soft tissue surgery and procedures. Those that provide a minimally invasive methodology with rapid healing are ideal and are today's gold standard in all aspects of dental care. The dental laser is a device that meets these goals and should be considered in the treatment of cases when weighed against other options. This course will provide information on dental lasers, specifically the newer class of super pulsed diode lasers.

Introduction

Dental lasers have been used for direct intra/extraoral minimally invasive care and there is a ubiquitous sense that they are non-threatening. In a survey of a patient population on their perception of lasers, 69% thought that their dental visits would be made easier. In addition, lasers provide post-operative comfort, and rapid healing. This course will focus on the use of diode lasers and dual wavelength diode lasers to achieve these objectives.

History

The first working laser, created by Theodore H. Maiman in 1960 used a "high-power flash lamp on a ruby rod with silvercoated surfaces".

The first diode laser was introduced in 1962 by Robert N. Hall, and functioned at 850 nm using gallium arsenide.

Stern and Sognnaes published their preliminary report, demonstrating the ability of a "ruby laser (that) could vaporize enamel".

Since then, various lasers have been produced that use a variety of materials to produce a specific wavelength and thereby, a specific mode of action. Some of these include carbon dioxide (CO₂), neodymium: yttrium aluminum garnet (Nd:YAG), and diode, for many dental applications.

Mechanism of Action

Lasers function by using a precise, color of a specific wavelength. When the laser beam light is collimated, or narrowly focused, it is able to stay narrow over long distances, and coherent or synchronized in phase, providing intense focus. Lasers can be selected based on their mode of action on specific tissue types. Hard tissue lasers treat bone and tooth and other hard tissue structures while soft tissue lasers treat soft tissue structures.

The Diode Laser

While there are many lasers available to perform soft tissue surgery, (i.e. CO₂, Er-YAG) some of the more cost effective models are of the diode type. A diode laser for oral soft tissue surgery most commonly operates in the infrared spectrum with wavelengths between 810-980nm. Diode lasers in this range are well absorbed by chromophores present in tissues such as the oral mucosa and gingiva. In addition, all soft tissue diode lasers will provide the ability to operate on soft tissues; however, varying wavelengths offer different cutting abilities. The 810nm wavelength offers superior coagulation and is ideal for larger areas requiring surgery and sites involving more vascularized tissue. The 980nm wavelength is selected for finer tissue sites providing better ablation, and is preferred in areas where the tissue is less vascularized. There are a variety of dental lasers in this category including SIROlaser Advance Dentsply Sirona, Picasso Lite AMD, epic 10 Biolase, and the Precise SHP CAO Group Inc., among others. (Figure 1: a, b, c, d)



Super-Pulsed Lasers

What makes the class of super pulsed lasers truly unique is peak power. Unlike traditional diode lasers, the average power of super-pulsed lasers can be up to 7-10 times greater. There are several super pulsed lasers currently available including the Gemini, (Ultradent (South Jordan, UT) (Figure 2) Epic Pro[™] Diode Laser (Biolase, Irvine, CA), and the SIROLaser dental laser (Dentsply Sirona, York, PA). (Figure 3a,b) In devices such as the Gemini, the super-pulsed technology and 20 watts of peak power allows for thermal relaxation between the pulses and provides a smooth cut with less drag and charring than seen with a continuous wave laser. When the two diodes (810 and 980), each with the capacity of 10watts of power, are activated simultaneously, 20watts of peak power are achieved.



Figure 2

Figure 3a



Figure 3b

Chromophores

According to the ADA Standards Committee on Dental Products Working Group on Dental Lasers, the mechanism of laser surgery works by selectively affecting chromophores. A chromophore is the part of the molecule responsible for its color, and absorbs specific wavelengths of light. The chromophores the 810nm diode laser targets are hemoglobin and melanin, while the 970-980nm diode laser target is water. This makes it selectively effective when performing surgery on oral soft tissue, that by its nature contain high amounts of melanin and hemoglobin. It is this very specific mechanism of action that allows the diode laser to be used safely when in direct contact with structures that do not contain these chromophores such as restorations and dental implants.

Surgerizing the tissue occurs when the chromophores absorb their specific wavelength (in this case 810nm) and through the photo thermal system of the laser is vaporized. This causes a variety of positive effects during surgery and the minimization and even elimination of common post-surgical problems.

In any laser surgery there are immediate or primary effects such as bleeding, swelling and thermal tissue damage and there are post operative or secondary effects such as pain, infection, and wound healing. The following information will now review these issues and their effects caused by laser-mediated surgery.

Laser Benefits: Hemostasis and Inflammation

A laser created wound will greatly shorten the first phase of the wound healing response: bleeding and coagulation. This is due to the hemostatic effects of diode lasers, which are well documented.,

Because of immediate hemostasis there is a significant decrease in post-bleeding vasoconstriction and vasodilation that is typically mediated by histamine, prostaglandins, kinins and leukotrienes. By greatly reducing or eliminating the hemostatic stage, working in a dry field is enhanced and inflammation is markedly reduced. This involves a clean, precise cut, gentle handling of the tissue and the avoidance of tissue edge necrosis. Also, hemostasis provides good visualization, and reduces hematoma formation.

Reduced Pain

The cauterization/ablation of exposed nerve fibers helps to greatly reduce post-operative discomfort. The use of an 810nm diode laser provides additional benefits to surgery in terms of less edema and postoperative pain.

Bactericidal Effect

The bactericidal effect of the diode laser reduces or eliminates the risk of infection. This beneficial effect is not only ideal for surgery, but also in the management of periodontal disease. Research has shown that mechanical methods of periodontal therapy alone may fail to eliminate the tissue-invasive pathogenic flora. Therefore, considerable attention has been given to adjunctive antimicrobial measures. As noted, a study by Gokhale et al was conducted to evaluate the efficacy of the diode laser as an adjunct to mechanical debridement in periodontal flap surgery, on the basis of clinical parameters and microbiological analysis. Here, A total of 30 patients with generalized chronic periodontitis with probing depth >5 mm after phase I therapy were included in the study. Diode laser was used as an adjunct to open flap debridement (test) as compared with conventional flap surgery (control) in a split-mouth study design.

The study concluded that the diode laser was well tolerated by the patients, and the bactericidal effect of the diode laser was clearly evident by greater reduction of bacterial colony forming units of obligate anaerobes in the test group than in the control group.

Zone of Necrosis

Because the inherent properties of the diode laser during surgery are to essentially "damage" tissue albeit through careful management, there is the issue of collateral damage to adjacent tissue. When this collateral damage is not managed properly through the proper use of the lasers output through working modes, (i.e. power settings) the adjacent tissue can be irreversibly damaged. This area of damage is known as the zone of necrosis. (**Figure 4a**) Reducing collateral thermal damage from diode laser incisions is clinically relevant for promoting wound healing. (**Figure 4b**) Therefore, setting the laser parameters in accordance with the absorption characteristics of the tissue will reduce collateral thermal tissue damage while maintaining an acceptable cutting ability.



Figure 4a: Diode laser at 1Watt

Figure4b: Superpulsed laser at 1Watt (100 x magnification, courtesy Ultradent)

An investigation by Goharkhay, et al determined incision characteristics and soft-tissue damage resulting from standardized incisions using a wide range of laser modes and parameters of a diode laser at 810nm. Histological examinations were performed to verify vertical and horizontal tissue damage as well as incision depth and width. No laser damage was visible to the naked eye in the bone underlying the incisions in the range between 0.5-4.5 watts. Their conclusion showed that the diode laser exhibited remarkable cutting ability. Also, the tolerable damage zone clearly showed that the diode laser is a very effective and, because of its excellent coagulation ability, useful alternative in soft-tissue surgery of the oral cavity. In fact, the zone of necrosis is so minimal that the histopathological alterations of biopsy specimens related to diode laser surgery showed no alteration.

A clinical investigation by Capodiferro et al. studied the use of diode laser and its impact on the alteration of premalignant and malignant lesion biopsies. They found that the diode laser provided excellent hemostasis, reduction of pain, healing without suture, and wound healing was always complete in 20-30 days. In the specimens evaluated histologically there was good precision of surgical margins while changes induced by the laser such as coagulation of proteins were present only with high power density output. in this preliminary study no difficulty occurred with the observation of the specimens and no alterations were found. Their recommendation encouraged the use of diode laser for malignant lesions.

Scar formation

Scar formation occurs when fibroblasts secrete collagen that allows the fibroblasts to begin expressing their contractile proteins. This changes them from migratory cells into a cell that can contract and pull a wound tightly together. When the epithelial proteins are pulled into a unidirectional alignment (instead of the normal "basket weave" formation) a scar will form. However when a laser is used, the high activity of fibroblast expression produces new collagen and normal protein alignment, thus creating healthy epithelialization without scar formation. With the mechanism of action explained, and the biological benefits reviewed, the following case report will describe a labial frenectomy using the 810nm diode laser.

Super-Pulsed Laser Treatment: Case #1

The patient presented at the request of their orthodontist for treatment of gingival hyperplasia. (Figure 5a) According to Prabhu et al, "It is well known that excessive gingival display in the anterior region can have a very negative impact on the patients smile and psychology. This excessive gingival display could be due to gingival enlargement or altered passive eruption of the teeth. These defects can be corrected through periodontal surgeries."²³ In this case report, successful aesthetic crown lengthening in maxillary and mandibular anterior teeth using diode laser was described.

Prior to the removal of the orthodontic wires and brackets, it was determined that the tissue would be surgerized. The surgical site was anesthetized using a topical anesthetic and several drops of Zorcaine 1:200,000 with epinephrine was injected locally from between the first maxillary premolars. (Figure 5a) A Gemini super pulse diode laser (Ultradent, Utah) was used to surgically remove the hyperplastic tissue while maintaining esthetics. (Figure 5b) To insure the sterility of the procedure, a one-use sterile disposable fiber optic pre-initiated tip was inserted into the pen sized surgical handle. The laser was set to the super pulse mode and the tissues sculpted.



Figure 5a



Figure 5b (Images courtesy of Dr. Robert Miller)

Super-Pulsed Laser Treatment: Case #2

The patient presented for a complete maxillary denture following extraction of her remaining anterior teeth. The maxillary midline frenum demonstrated low insertion, almost to the incisive papilla. To effectively create a comfortable and retentive environment for the denture, a frenectomy was recommended. It should be noted that the patient was not required to discontinue her anticoagulant drug regimen, a benefit of the lasers cauterizing ability.

The surgical site was anesthetized using a topical anesthetic and several drops of Zorcaine 1:200,000 with epinephrine was injected into the frenal base bilaterally. (Figure 6a) A Gemini super pulse diode laser (Ultradent, Utah) set to the super pulse mode was used to surgically remove the frenal tissue attachment at the maxillary anterior ridge (Figure 6b) using a oneuse sterile disposable fiber optic pre-initiated tip.

The high energy imparted to the surgical site eliminated bacterial presence making this as sterile a site can be intraorally. Because of the minimally invasive nature of this procedure, the wound margins were prevented from drawing together allowing the site to heal by secondary intention and gain the maximum amount of fixed mucosa as dictated by the surrounding tissue.



Figure 6a



Figure 6b

The completed site exhibited no signs of bleeding and had areas of coagulation and minimal char as exhibited in the completed surgical site. It is important to remember that an incised wound of this type will involve deeper structures such as nerves, blood vessels and periosteum.

In regard to the healing process, wound closure of the mucogingiva depends primarily on the nature of tissue disruption. When performing this procedure, healing will take place by secondary intention and begins from the bottom to the surface with the tissue defect filling with both granulation and connective tissue.

Super-Pulsed Laser Treatment: Case #3

The patient presented with an unerupted left central incisor. (Figure 7a) This delayed eruption can be due to a number of local issues. "Localized causes can be dilacerations i.e, deformed root, malpositioning of the tooth, crowding, cysts, odontoma, or trauma to the corresponding milk tooth. The most common local cause of delayed eruption is physical obstruction. These

can occur as a result of supernumerary teeth, mucosal barrier, and tumors." $^{\rm 24}$

In this particular case, a mucosal barrier existed that required removal. Following local anesthesia, the Gemini super pulse diode laser (Ultradent, Utah) on 810 watts was used to perform an operculectomy of the faciao-gingival tissue of the left maxillary central incisor. Following treatment, minimal charing was exhibited and bleeding was eliminated. (Figure 7b)



Figure 7a

Figure 7b (Images courtesy of Dr. Glen Bills)

Conclusion

The dental laser is a tool with the ability to perform minor oral soft tissue surgery and procedures. These devices should always be a consideration when an attempt is made to provide minimally invasive treatment with rapid healing; improved final outcome and superior patient health will be achieved.

References

- Wigdor H. Patients' perception of lasers in dentistry, Laser Surg Med 20:47-50, 1997
- Stimulated optical radiation in ruby. Maiman TH. Nature. 187 (4736): 493–494.
- The first laser. Townes CH. University of Chicago. Retrieved May 26, 2017.
- Coherent Light Emission From GaAs Junctions. Hall RN, et al. Physical Review Letters. 9 (9): 366–369. November 1962
- Laser Effect on Dental Hard Tissues. A Preliminary Report. Stern RH, Sognnaes RF. J South Calif Dent Assoc. 1965 Jan;33:17-9.
- 6. Current status of lasers in soft tissue dental surgery. Pick RM, Colvard MD. J Periodontol. 1993 Jul; 64(7):589-602.
- Druian M. Quicklase Dual. Accessed 6-18-2017. http:// quicklase.com/wpcontent/uploads/2013/08/DrDruain_ Article.pdf
- Soft tissue lasers: It's the wavelength, power, ergonomics, and control that matter! Benjamin SD. Dental IQ: Dental Economics vol.-99, issue-12.
- Advanced Laser Training's soft tissue laser certification course, C. Owens, http://www.advancedlasertraining.com accessed 04/29/2014
- Laser-assisted gingival tissue procedures in esthetic dentistry. Lee EA. Pract Proced Aesthet Dent. 2006 Oct;18(9):suppl 2-6.
- Diode laser (980 nm) in oral and maxillofacial surgical procedure clinical observations based on clinical applications. Romanos G, Nentwig GH. J Clin Laser Med Surg. 1999 Oct;17(5):193-7.
- Early response of mechanically exposed dental pulps of swine to antibacterial-hemostatic agents or diode laser irradiation. Cannon M, Wagner C, Thobaben JZ, Jurado R, Solt D.J Clin Pediatr Dent. 2011 Spring;35(3):271-6.
- 13. Diode Lasers: A Primer. John J. Graeber, jan 2014, ineedce.com
- Wound Healing in Oral Surgery, Akinmoladun A. Slideshare.net accessed 04/20/2014

- 15. J Periodontol. 2013 Feb;84(2):152-8. The effect of an 810-nm diode laser on postoperative pain and tissue response after modified Widman flap surgery: a pilot study in humans. Sanz-Moliner JD, Nart J, Cohen RE, Ciancio SG.
- Bactericidal effect of the 908 nm diode laser on Enterococcus faecalis in infected root canals Thomas Preethee, et al J Conserv Dent. 2012 Jan-Mar; 15(1): 46–50.
- 17. A comparative evaluation of the efficacy of diode laser as an adjunct to mechanical debridement versus conventional mechanical debridement in periodontal flap surgery: a clinical and microbiological study. Gokhale SR, Padhye AM, Byakod G, Jain SA, Padbidri V, Shivaswamy S. Photomed Laser Surg. 2012 Oct;30(10):598-603.
- Reduction of collateral thermal impact of diode laser irradiation on soft tissue due to modified application parameters. Beer F, Körpert W, Passow H, Steidler A, Meinl A, Buchmair AG, Moritz A Lasers Med Sci. 2012 Sep;27(5):917-21.
- Effects on oral soft tissue produced by a diode laser in vitro. Goharkhay K, Moritz A, Wilder-Smith P, Schoop U, Kluger W, Jakolitsch S, Sperr W. Lasers Surg Med. 1999;25(5):401-6.
- 20. Oral laser surgical pathology: a preliminary study on the clinical advantages of diode laser and on the histopathological features of specimens evaluated by conventional and confocal laser scanning microscopy. Capodiferro S, Maiorano E, Loiudice AM, Scarpelli F, Favia G. Minerva Stomatol. 2008 Jan-Feb;57(1-2):1-6, 6-7.
- Oral mucosa response to laser patterned microcoagulation (LPM) treatment. An animal study. Romanos GE, Gladkova ND, Feldchtein FI, Karabut MM, Kiseleva EB, Snopova LB, Fomina YV. Lasers Med Sci. 2013 Jan;28(1):25-31.
- Treatment of vascular lesion of lip with 980nm diode laser compared with conventional method. Bardhoshi M. et al, European Scientific Journal January 2014 edition vol.10, No.3 ISSN: 1857 – 7881

- Treatment of Orthodontically Induced Gingival Hyperplasia by Diode Laser - Case Report. Prabhu M, Ramesh A., Thomas B. NUJHS Vol. 5, No.2, June 2015
- 24. accessed 11/26/2017. http://intranet.tdmu.edu.ua/ data/kafedra/theacher/stomat_hir/stojanno/English/ Recommendation%20for%20preparing%20practical%20 classes/3%20course/08.%20Acute%20odontogenic%20jaw%20 osteomyelitis.htm

Author Profile

Ian Shuman DDS, MAGD, AFAAID maintains a fulltime general, reconstructive, and aesthetic dental practice in Pasadena, Maryland. Since 1995 Dr. Shuman has lectured and published on advanced, minimally invasive techniques. He has taught these procedures to thousands of dentists and developed many of the methods. Dr. Shuman has published numerous articles on topics including adhesive resin dentistry, minimally invasive restorative, cosmetic and implant dentistry. He is a Master of the Academy of General Dentistry, an Associate Fellow of the American Academy of Implant Dentistry, a Fellow of the Pierre Fauchard Academy. Dr. Shuman was named one of the Top Clinicians in Continuing Education since 2005, by *Dentistry Today*.

Author Disclosure

Dr. Shuman has no commercial ties with the sponsors or the providers of the unrestricted educational grant for this course.

INSTANT EXAM CODE 15243

Use this page to review the questions and answers. Return to www.DentalAcademyOfCE.com and sign in. If you have not previously purchased the program select it from the "Online Courses" listing and complete the online purchase. Once purchased the exam will be added to your Archives page where a Take Exam link will be provided. Click on the "Take Exam" link, complete all the program questions and submit your answers. An immediate grade report will be provided and upon receiving a passing grade your "Verification Form" will be provided immediately for viewing and/or printing. Verification Forms can be viewed and/or printed anytime in the future by returning to the site, sign in and return to your Archives Page.

- 1. A diode laser for oral soft tissue surgery most commonly operates in what spectrum:
 - a. infrared

Online Completion

- h visible
- c. ultraviolet
- d. gamma
- A 12 1 1

2. A diode laser for oral soft tissue surgery most commonly operates in wavelengths between:

- a. 410-580nm
- b. 510-680nm
- c. 610-780nm
- d. 810-980nm
- 3. The chromophores the 810nm diode laser primarily targets are:

Questions

- a. hemoglobin and melanin
- b. oxyhemoglobin, melanin and water
- c. hemoglobin, mitochondria and water
- d. hemoglobin, melanin and serum
- 4. The diode laser causes which of the following to occur:
 - a. Hemostasis
 - b. reduction in histamine production
 - c. A bactericidal effect
 - d. all of the above
- 5. The collateral tissue damage caused by improper laser output settings is known as the:
 - a. zone of necrosis
 - b. disruption site
 - c. dead zone
 - d. infrared spectra healing

- 6. The hemostatic effects of diode lasers will greatly shorten the first phase of the wound healing response, which is:
 - a. swelling and erythema
 - b. scar formation
 - c. bleeding and coagulation
 - d. bleeding and scar formation
- 7. Eliminating the hemostatic stage allows which of the following to occur:
 - a. the ability to work in a dry field
 - b. reduction of inflammation
 - c. reduced hematoma formation
 - d. all of the above

- 8. Scar formation occurs when fibroblasts secrete collagen that allows the fibroblasts to begin expressing:
 - a. Sera
 - b. IgG
 - c. tissue necrosis factor
 - d. contractile proteins
- 9. When the epithelial proteins are pulled into a unidirectional alignment which of the following will occur:
 - a. healthy wound closure without any sign of scarring
 - b. tissue sloughing
 - c. scar formation
 - d. swelling
- 10. The dental laser can be considered the gold standard for minor oral soft tissue surgical procedures as it provides:
 - a. minimally invasive treatment
 - b. delayed healing
 - c. rapid healing
 - d. a and c
- 11. The first working laser was, created in 1960 by
 - a. Theodore Williams
 - b. Ethel Merman
 - c. Theodore H. Maiman
 - d. b and c
- 12. The first diode laser was introduced in 1962 by Robert N. Hall, and functioned at:
 - a. 810 nm using ruby
 - b. 850 nm using gallium arsenide
 - c. 970 nm using Yttrium
 - d. none of the above
- 13. All of the following characteristics
 - are true of lasers except:
 - a. hemostatic
 - b. reduction of pain
 - c. decreased scar formation
 - d. echymosis
- 14. Which of the following led an investigation that determined incision characteristics and soft-tissue damage resulting from standardized incisions using a wide range of laser modes and parameters
 - of a diode laser at 810nm
 - a. Goharkhay
 - b. Tereshkova
 - c. Kotov
 - d. Gubarev

15. Which of the following is true:

- a. Not all soft tissue diode lasers will provide the ability to operate on soft tissues
- b. Varying wavelengths offer different cutting abilities
- $c. \ a \ and \ b$
- d. none of the above

www.DentalAcademyOfCE.com

16. In devices such as the Gemini, the super-pulsed technology and 20 watts of power allows for

Questions

- a. thermal relaxation between pulses
- b. provides a smooth cut with less drag
- c. less charring than seen with a continuous wave laser
- d. all of the above
- 17. Which wavelength offers superior coagulation and is ideal for larger areas requiring surgery and sites involving more vascularized tissue
 - a. 780nm
 - b. 810nm
 - c. 870nm
 - d. 930nm
- 18. The 980nm wavelength is selected for finer tissue sites providing better
 - a. coagulation
 - b. ablation
 - c. anticoagulation d. ataxia
 - 1. ataxia
- 19. In the first clinical case presented, what surgical procedure was performed using a super-pulsed laser
 - a. biopsy
 - b. endarterectomy
 - c. gingivoplasty
 - d. frenectomy
- 20. Lasers function by using a precise, color of a specific
 - a. trough
 - b. infrared
 - c. diodene
 - $d. \ none \ of \ the \ above$
- 21. The use of diode laser and its impact on the alteration of premalignant and malignant lesion biopsies was investigated clinically by
 - a. Cervelli
 - b. Balboni
 - c. Capodiferro
 - d. Mancuso
- 22. Reducing collateral thermal damage from diode laser incisions is clinically relevant for promoting a. healing by tertiary intention
 - b. suturing
 - c. wound healing
 - d. a and c
- 23. When the laser beam light is collimated, or narrowly focused, it is able to stay
 - a. wide over long distances
 - b. wide over short distances
 - c. narrow over short distances
 - d. narrow over long distances

- 24. A chromophore is the part of the molecule responsible for its a. dimensions
 - b. color
 - c. atomic structure
 - d. organic matrix
- 25. In devices such as the Gemini, the super-pulsed technology and 20 watts of power allows what to occur:
 - a. smooth cut
 - b. thermal relaxation between the pulses
 - c. less drag
 - d. all of the above
- 26. Research has shown that mechanical methods of periodontal therapy alone may fail to eliminate the tissue-invasive
 - a. schistosomas
 - b. pathogenic flora
 - c. giardia
 - d. toxoplasm
- 27. Because of immediate laser hemostasis there is a significant decrease in post-bleeding vasoconstriction and vasodilation that is typically mediated by all but which of the following

28. A chromophore is the part of

29. Due to the lasers ability to

what drug regimen

a. anticoagulant

b. antianxiety

c. beta blocker

d. glaucoma

d. a and b

the molecule that absorbs specific

cauterize tissue, the patient in Case

#1 was not required to discontinue

30. When the two wavelengths are

ideal effect is produced

c. the best of coagulation and cutting

a. cutting causes drag

b. coagulation is reduced

mixed in super-pulsed mode, what

7

- a. kinins
- b. histamine
- c. trikotrienes

wavelengths of

d. prostaglandins

a. dark matter

b. light

c. infrared

d. a and c

Notes

Notes

Notes

INSTANT EXAM CODE 15243

ANSWER SHEET

Super Pulsed Dental Lasers

Name:	Title:	Specialty:	
Address:	E-mail:		
<u>C</u> ity:	State:	ZIP:	Country:
Telephone: Home ()	Office ()		
Lic. Renewal Date:	AGD Member ID:		

Requirements for successful completion of the course and to obtain dental continuing education credits: 1) Read the entire course. 2) Complete all information above. 3) Complete answer sheets in either pen or pencil. 4) Mark only one answer for each question. 5) A score of 70% on this test will earn you 3 CE credits. 6) Complete the Course Evaluation below. 7) Make check payable to PennWell Corp. For Questions Call 800-633-1681

Educational Objectives

- 1. Understand the history of dental lasers
- 2. Have a working knowledge of the dental laser and its use in soft tissue surgery
- 3. Identify the differences between traditional diode lasers and super-pulsed lasers
- 4. Select the correct laser and settings for proper care

Course Evaluation

1. Were the individual course objectives met?

- Objective #1: Yes No Objective #2: Yes No
- Objective #4: Yes No Objective #3: Yes No

Please evaluate this course by responding to the following statements, using a scale of Excellent = 5 to Poor = 0.

2. To what extent were the course objectives accomplished overall?	5	4	3	2	1	0
3. Please rate your personal mastery of the course objectives.	5	4	3	2	1	0
4. How would you rate the objectives and educational methods?		4	3	2	1	0
5. How do you rate the author's grasp of the topic?	5	4	3	2	1	0
6. Please rate the instructor's effectiveness.	5	4	3	2	1	0
7. Was the overall administration of the course effective?	5	4	3	2	1	0
8. Please rate the usefulness and clinical applicability of this course.	5	4	3	2	1	0
9. Please rate the usefulness of the supplemental webliography.	5	4	3	2	1	0
10. Do you feel that the references were adequate?		Yes		No		
11. Would you participate in a similar program on a different topic?				No		
12. If any of the continuing education questions were unclear or amb	iguous,	please lis	t them.			
13. Was there any subject matter you found confusing? Please describ	De.					
14. How long did it take you to complete this course?						

15. What additional continuing dental education topics would you like to see?

COURSE EVALUATION and PARTICIPANT FEEDBACK We encourage participant feedback pertaining to all courses. Please be sure to complete the survey included with the course. Please e-mail all questions to: hhodges@pennwell.com.

INSTRUCTIONS All questions should have only one answer. Grading of this examination is done manually. Participants will receive confirmation of passing by received or a verification form. Verification of Participation forms will be mailed within two weeks after taking an examination.

COURSE CREDITS/COST All participants scoring at least 70% on the examination will receive a verification form verifying 3 (E cecilis. The format continuing education regular posors is accepted by the AGD for Fellowship/ Mastership credit. Please contact Penn/Nell for current term of acceptance. Participants are urged to contact their state dental bards for continuing education regularements. Penn/Nell as California Provider. The California Provider number is 4527. The cost for courses ranges from \$20.00 to \$110.00.

PLEASE PHOTOCOPY ANSWER SHEET FOR ADDITIONAL PARTICIPANTS. PenvWell is an ADA CEPP Recognized Provider. ADA CEPP is a service of the American Dential association to assist dential professionals in identifying quality providers of ontinuing dental education. ADA CEPP does not approve or endose individual courses or instructors, not does it imply acceptance of credit hours by boards of dentistry.

Concerns or complaints about a CE Provider may be directed to the provider or to ADA CERP ar www.ada. ora/cotocerp

The PennWell Corporation is designated as an Approved PACE Program Provider by the Academy of General Dentistry. The formal continuing dental education programs of this program provider are accepted by the ACD for Fellowshing Matschipia and membership maintenance credit. Approval does not imply acceptance by a state or provincial board of dentistry or AGD endorsement. The current term of approval extends from (11/1/2015) to (1031/2019) Provider to 220452.

RECORD KEEPING PenNell maintains records of your successful completion of any exam for a minimum of six years. Please contact our offices for a copy of your continuing education credits report. This report, which will list all credits earned to date, will be generated and mailed to you within five business days of receipt.

Completing a single continuing education course does not provide enough information to give the participant the feeling that s/he is an expert in the field related to the course topic. It is a combination o many educational courses and clinical experience that allows the participant to develop skills and expertise

CANCELLATION/REFUND POLICY Any participant who is not 100% satisfied with this course can request a full refund by contacting PennWell in writing

IMAGE AUTHENTICITY ages provided and included in this course have not been altered

AGD Code 135

If not taking online, mail completed answer sheet to PennWell Corp.

Attn: Dental Division,

1421 S. Sheridan Rd., Tulsa, OK, 74112 or fax to: 918-212-9037

For IMMEDIATE results,

go to www.DentalAcademyOfCE.com to take tests online. INSTANT EXAM CODE 15243

Answer sheets can be faxed with credit card payment to

918-212-9037.

Charges on your statement will show up as PennWell

16. **A B C**

B $^{\odot}$ \bigcirc

B C \bigcirc

B $^{\odot}$ D

B C \bigcirc

B

B $^{\odot}$ \bigcirc

B C

B C \bigcirc

B $^{\odot}$ \bigcirc

B C \bigcirc

B $^{\odot}$ D

B $^{\odot}$ \bigcirc

B $^{\odot}$ \bigcirc

B C \bigcirc

 $^{\odot}$ D

17 A

18. 🕲

19. A

20. **(A)**

21. A

22. 🕲

23. 🕲

24. A

25. Ø

26. 🕲

27. 🕲

28. A

29. 🕲

30. 🕲

D

Payment of \$59.00 is enclosed.

Acct. Number: Exp. Date: _

A B C

B $^{\odot}$ D

B $^{\odot}$

B $^{\odot}$

B $^{\odot}$ D

B $^{\odot}$ \bigcirc

B $^{\odot}$ D

B $^{\odot}$ \bigcirc

B

B $^{\odot}$ \bigcirc

 $^{\odot}$

(A) B $^{\odot}$ D

A

A B $^{\odot}$

A B $^{\odot}$ \bigcirc

11. A

12. @

13. 🕲

14. A

15. 🕲

1.

2 3. A B $^{\odot}$

4. A B $^{\odot}$ D

5. A

б.

7.

8. A

9 10 A

(Checks and credit cards are accepted.)

If paying by credit card, please complete the following: MC Visa AmEx Discover


D


© 2018 by the Academy of Dental Therapeutics and Stomatology, a division of Pe

GENICALASER®



20 WATTS SUPER-PULSED POWER





Traditional Diode Laser Gemini Diode Laser

1 Watt Average Power, 400 micron fiber, Robotically Controlled Speed