



Nitro Stampede Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Models 4110, 4104

REV 050131

Air Filters

| | | |
|-------------|--|-------------|
| 4060 | Air filter (complete with rubber base & foam insert) | 6.00 |
| 4061 | Air filter (foam insert only) | 2.50 |
| 4062 | Air filter inserts, 2-stage (3 sets) | 4.95 |
| 4063 | Air filter inserts, 3-stage (3 sets) | 4.95 |

Batteries and Chargers

| | | |
|------|---|-------|
| 3037 | Battery, RX Power Pack (5-cell hump style, GP cells, NiMH, 1100mAh) | 30.00 |
| 3031 | Power adapter, AC (for RX Power Charger) | 10.00 |
| 3032 | Power adapter, DC (12V car adapter for RX Power Charger) | 7.50 |
| 3030 | RX Power Charger, peak detecting/ AC adapter (for charging NiCd or NiMH 5-cell receiver packs) | 35.00 |
| 3034 | Wiring harness for RX Power Pack, Traxxas nitro vehicles (includes on/off switch and charge jack) | 5.00 |

Bearings and Bushings

| | | |
|------|--|-------|
| 4609 | Ball bearings (5x10x4mm) (2) | 8.00 |
| 4611 | Ball bearings (5x11x4mm) (2) | 6.00 |
| 4607 | Ball bearings (5x11x4mm) (8) | 24.00 |
| 2728 | Ball bearings (5x8x2.5mm) (2) | 8.00 |
| 5115 | Ball bearings, blue rubber shield (5x10x4mm) (2) | 3.50 |
| 5116 | Ball bearings, blue rubber shield (5x11x4mm) (2) | 3.50 |
| 5114 | Ball bearings, blue rubber shield (5x8x2.5mm) (2) | 4.00 |
| 1675 | Oilite bushings (5x11x4mm) (14) | 5.00 |
| 1685 | PTFE washers (5x11x.5mm) (use with oilite bushings) | 2.00 |
| 1985 | PTFE washers (5x8x0.5mm) (20) (use with ball bearings) | 2.00 |

Body and Accessories

| | | |
|-------|--|-------|
| 4111X | Body, Nitro Stampede, ProGraphix (Replacement for the painted body. Graphics are painted, requires paint & final color application.) | TBA |
| 1926 | Antenna caps, vinyl (2)/ antenna spool | 2.00 |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1) | 1.00 |
| 3170 | Battery holder, 4-cell/ on-off switch | 5.00 |
| 1834 | Body clips (12) (standard size) | 2.00 |
| 3614 | Body mounts (front & rear) | 5.00 |
| 1815 | Body washers (8) | 2.00 |
| 4111 | Body, Nitro Stampede (clear, requires painting) | 20.00 |
| 4113 | Decal sheet, Nitro Stampede | 6.00 |
| 2514 | Decal sheet, racing sponsors | 3.00 |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) | 4.50 |

Brake Components

| | | |
|--------------|------------------------------------|-------------|
| 4184 | Brake brackets (inner & outer) | 2.00 |
| 4884X | Brake disc (carbon fiber) | 6.00 |
| 4185 | Brake disc/ shaft-to-disc adapter | 3.00 |
| 4183 | Throttle & brake rods/ Brake lever | 2.50 |

Chassis and Attachments

| | | |
|------|---|-------|
| 3627 | Battery & receiver hold-down/ metal posts (2)/body clips (2)/ servo tape/ adhesive foam pad | 4.00 |
| 3170 | Battery holder, 4-cell/ on-off switch | 5.00 |
| 2735 | Bumper (front) | 3.00 |
| 4132 | Bumper (rear)/ battery box/ body clips (2), EZ-Start mount, 3x10CST (2) | 7.00 |
| 4131 | Chassis backbone, plastic/ throttle servo mount | 10.00 |
| 4130 | Chassis plates, T6 aluminum (front & rear) | 20.00 |
| 4160 | Engine mounting set, aluminum (w/ screws) | 11.00 |
| 4133 | Skid plates (f&r)/ fiberglass transmission spacer plate | 7.00 |

Clutch and Related Parts

| | | |
|-------------|--|--------------|
| 4144 | Adapter nut, clutch | 5.25 |
| 4609 | Ball bearings, 5x10x4mm (2) | 8.00 |
| 4611 | Ball bearings, 5x11x4mm (2) | 6.00 |
| 2728 | Ball bearings, 5x8x2.5mm (2) | 8.00 |
| 4116 | Clutch bell, steel replacement (16-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #2728 - ball bearings, 5x8x2.5mm (2)) | 12.00 |
| 4118 | Clutch bell, steel replacement (18-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4609 - ball bearings, 5x10x4mm (2)) | 12.00 |
| 4120 | Clutch bell, steel replacement (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) | 12.00 |
| 4122 | Clutch bell, steel replacement (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) | 12.00 |
| 4146 | Clutch shoes/ spring | 7.25 |
| 3281 | Cone, split beveled | 3.00 |
| 1633 | E-clips/ C-rings | 2.00 |
| 4142 | Flywheel | 7.50 |

Differential Components

| | | |
|-------------|--|-------------|
| 4181 | Differential gear (45-tooth)/ side cover plate & screws | 3.50 |
| 2382 | Planet gears (4)/ planet shafts (4)/ sun gears (2)/ sun gear alignment shaft (1) All hardened-steel | 6.00 |
| 1647 | Silicone grease | 2.00 |

Driveline Components

| | | |
|--------------|---|--------------|
| 1952 | Carriers, stub axle (rear) (2) | 3.00 |
| 4628 | Differential output yokes (2)/ 3x5mm countersunk screws (2)/ 3mm set (grub) screws (4) | 4.00 |
| 4628X | Differential output yokes, hardened-steel (w/ u-joints) (2) | 19.50 |
| 1953 | Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)) | 10.00 |
| 1951 | Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4) | 6.00 |
| 2754 | Stub axle pins (4) | 1.00 |
| 2753 | Stub axles (rear) (2) | 5.00 |

Engine Components

| | | |
|-------------|---|--------------|
| 5237 | Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX 2.5 and 2.5R)/ head protector (plastic) | 40.00 |
| 3231 | Glowplug, heavy-duty (long-medium) | 4.50 |
| 3232 | Glowplug, standard (long-medium) | 4.50 |
| 4011 | One-way starter bearing | 15.00 |
| 4070 | Pull starter, recoil | 18.00 |
| 4090 | Temp gauge, blue (on board tuning aid, digital LCD readout) | 49.99 |

Exhaust

| | | |
|-------------|--|--------------|
| 3153 | Baffle cone, exhaust (1) (aluminum) | 2.25 |
| 3155 | Cable ties, medium (black) (6) | 2.25 |
| 4153 | Exhaust hanger, metal | 2.00 |
| 4150 | Exhaust header | 15.00 |
| 3552 | Exhaust pipe & baffle cones | 6.00 |
| 4154 | Exhaust tip, rubber (7mm i.d.) (1) | 4.00 |
| 3551 | Exhaust tube, silicone | 3.75 |
| 3156 | Gasket, header (1)/ gaskets, pressure fitting (2) | 1.75 |
| 2556 | Header screws, 3x23mm cap hex screws (6) | 2.50 |
| 4081 | Performance exhaust system, tuned (includes: 360-degree header/ stinger/ shock tower & mounting hardware) (Increases power across the low & mid-range.) | 60.00 |
| 4085 | Pipe hanger wire, universal (6-inches, cut and bend to suit) | 1.25 |

EZ Start and Related Parts

| | | |
|-------------|---|--------------|
| 4577 | Attachment bracket, plug/ foam tape/tie wrap/ 3x10mm wst screw (old style, replace with 4132) | 1.50 |
| 4580 | Box, control | 12.50 |
| 4579X | Connector, quick (EZ-Start wiring harness) | 5.00 |
| 4570 | EZ-Start System, complete | 40.00 |
| 4576 | Gear set/ gear shafts | 6.00 |
| 4575 | Gearbox (EZ-Start) (w/ screws) | 6.00 |
| 4581X | Lead wire, glow plug (blue) | 1.75 |
| 4578 | Motor (EZ-Start) | 12.00 |
| 4011 | One-way starter bearing | 15.00 |
| 4070 | Pull starter, recoil | 18.00 |
| 2562 | Screws, 2.6x8mm roundhead machine (6) | 1.50 |

Fuel, Cleaners and Supplies

| | | |
|-------------|---|-------------|
| 5001 | Bottle, fuel filler (500cc) | 8.00 |
| 3231 | Glowplug, heavy-duty (long-medium) | 4.50 |
| 3232 | Glowplug, standard (long-medium) | 4.50 |
| 5060 | Top Fuel, 10% Nitro (gallon) | 25.99 |
| 5010 | Top Fuel, 10% Nitro (quart) | 9.25 |
| 5070 | Top Fuel, 20% Nitro (gallon) | 29.99 |
| 5020 | Top Fuel, 20% Nitro (quart) | 10.99 |
| 5080 | Top Fuel, 33% Nitro (gallon) | 34.99 |
| 5030 | Top Fuel, 33% Nitro (quart) | 12.99 |

Fuel Tank and Line

| | | |
|-------|------------------------------------|-------|
| 3147X | Fuel line (610mm or 2ft) | 3.50 |
| 3148X | Fuel tank, 75cc (complete) | 11.00 |
| 3149 | Heat shield tubing, fiberglass (2) | 1.50 |

Front Suspension and Steering

| | | |
|--------------|--|-------------|
| 2530 | Bulkhead (front) | 6.00 |
| 2634R | Caster blocks, (25-degree) (l&r) | 4.50 |
| 2632R | Caster blocks, (30-degree) (l&r) | 4.50 |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 7.00 |
| 2742 | Rod ends (long) (6)/ hollow ball connectors (6) | 4.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 1844 | Servo saver | 4.00 |
| 2055 | Servo, high-torque | 28.00 |
| 3639 | Shock tower (front) | 4.00 |
| 2536 | Steering blocks & wheel spindles (l&r) | 7.50 |
| 2531 | Suspension arms, (front) (2) | 8.00 |
| 2532 | Tie bar, fiberglass | 4.00 |
| 2532X | Tie bar, graphite | 6.00 |

For assistance call 1-888-TRAXXAS, or E-mail Traxxas anytime at support@Traxxas.com

Page 2 Nitro Stampede Parts List

Hardware

| | | |
|-------|--|------|
| 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) | 3.00 |
| 3175 | Balloons, rubber (2) | 1.50 |
| 1747X | Blue-anodized, aluminum flanged lock nuts (4mm) | 5.00 |
| 1834 | Body clips (12) (standard size) | 2.00 |
| 1633 | E-clips/ C-rings | 2.00 |
| 5477 | Flat wrench, 5mm (blue anodized aluminum) | 4.00 |
| 5478 | Flat wrench, 8mm (blue anodized aluminum) | 4.00 |
| 3980 | Glow plug wrench (universal wrench) | 2.00 |
| 5476 | Hex wrenches; 1.5mm, 2mm, 2.5mm, 2.5 ball | 6.00 |
| 5475 | Multi-tool (plastic) | 2.50 |
| 1747 | Nuts, 4mm nylon locking (10) | 2.00 |
| 4147 | Nylon locknuts, 5mm (8) (wheel nuts for Maxx series and others) | 2.00 |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 7.00 |
| 2742 | Rod ends (long) (6)/ hollow ball connectors (6) | 4.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 2562 | Screws, 2.6x8mm roundhead machine (6) | 1.50 |
| 2556 | Screws, 3x23mm caphead machine (hex drive) (6) (header screws) | 2.50 |
| 2754 | Stub axle pins (4) | 1.00 |
| 1985 | PTFE washers, 5x8x0.5mm (20) (use with ball bearings) | 2.00 |

See Hardware parts list for more items.

Manuels

| | | |
|------|----------------------------------|------|
| 4199 | Operating manual, Nitro Stampede | 3.00 |
|------|----------------------------------|------|

Radio System, Batteries, Charger

| | | |
|------|---|-------|
| 3037 | Battery, RX Power Pack (5-cell hump style, NiMH, 1100mAh) (Traxxas nitro models excluding Rev0) | 30.00 |
| 3031 | Power adapter, AC (for RX Power Charger) | 10.00 |
| 3032 | Power adapter, DC (12V car adapter for RX Power Charger) | 7.50 |
| 3030 | RX Power Charger, peak detecting/ AC adapter (for charging NiCd or NiMH 5-cell receiver packs) | 35.00 |
| 3034 | Wiring harness for RX Power Pack, Traxxas nitro vehicles except Rev0 (includes on/off switch and charge jack) | 5.00 |

Rear Suspension

| | | |
|------|--|-------|
| 4192 | Bulkhead (rear) | 3.00 |
| 1952 | Carriers, stub axle (rear) (2) | 3.00 |
| 2798 | Mounts, suspension arm (rear) (+/- 1-degree) (l&r) | 2.00 |
| 2797 | Mounts, suspension arm (rear) (0-degree) (l&r) | 2.00 |
| 4138 | Shock tower (rear) | 4.50 |
| 2753 | Stub axles (rear) (2) | 5.00 |
| 2555 | Suspension arms, (rear) (2) | 10.00 |
| 1934 | Wedges, caster (1.5 & 3.0 degree) (2 each) | 3.00 |

Slipper Clutch Components

| | | |
|------|---|-------|
| 4685 | Friction pegs, slipper (12) | 4.50 |
| 4625 | Pressure plate, slipper (1) | 5.00 |
| 4622 | Pressure rings, slipper (notched) (2) | 2.50 |
| 4615 | Slipper clutch set (Complete) | 17.50 |
| 1994 | Slipper tension spring/ spur gear bushing & locknut | 2.50 |
| 4193 | Top drive gear (12-tooth)/ slipper shaft | 4.50 |

Steering Components

| | | |
|-------|--|-------|
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 7.00 |
| 2742 | Rod ends (long) (6)/ hollow ball connectors (6) | 4.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 1844 | Servo saver | 4.00 |
| 2055 | Servo, high-torque | 28.00 |
| 2337 | Turnbuckles, tie rods (82mm) (2) | 2.00 |

Suspension Linkage

| | | |
|-------|--|------|
| 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) | 3.00 |
| 1633 | E-clips/ C-rings | 2.00 |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 7.00 |
| 2742 | Rod ends (long) (6)/ hollow ball connectors (6) | 4.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 1844 | Servo saver | 4.00 |
| 3744 | Servo Saver w/ adapters | 4.00 |
| 1939 | Suspension pin set, hard chrome (w/ E-clips) | 6.00 |
| 2739 | Suspension pin set, stainless steel (w/ E-clips) | 9.00 |
| 2636 | Suspension pins, 26mm (kingpins) (2) w/ E-clips (4) | 2.50 |
| 2637 | Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) | 2.50 |
| 2640 | Suspension pins, 44mm (2) w/ E-clips | 2.50 |
| 2639 | Suspension pins, 48mm (2) w/ E-clips | 2.50 |
| 2334 | Turnbuckles, 50mm (front camber links) (2) | 2.00 |
| 2337 | Turnbuckles, tie rods (82mm) (2) | 2.00 |

Spur Gears and Pinion Gears

| | | |
|------|--|-------|
| 4615 | Slipper clutch set (Complete) | 17.50 |
| 3164 | Spur gear (64-Tooth) (32-Pitch) w/ bushing | 3.00 |
| 3166 | Spur gear (66-Tooth) (32-Pitch) w/ bushing | 3.00 |
| 4470 | Spur gear (70-Tooth) (32-Pitch) w/ bushing | 3.00 |

Shocks (Ultra Shocks)

| | | |
|-------|---|-------|
| 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) | 3.00 |
| 3758 | Springs (front) (2) | 2.00 |
| 3757 | Springs (rear) (2) | 2.00 |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 7.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 1765 | Rubber diaphragms (4) | 2.00 |
| 3767 | Shock caps (2)/ shock bottoms (2) | 3.00 |
| 2667 | Shock caps, aluminum (2)/ (Big Bore Shocks, also fits plastic Ultra Shocks) | 7.00 |
| 2362 | Shock rebuild kit (for 2 shocks) | 2.50 |
| 1664T | Shock shafts, hardened-steel, Titanium Nitride coated (long) (2) | 10.00 |
| 2656T | Shock shafts, hardened-steel, Titanium Nitride coated (xx-long) (2) | 10.00 |
| 1664 | Shock shafts, steel, chrome finish (long) (2) | 3.00 |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) | 3.00 |
| 1666 | Silicone shock oil (30 wt) | 2.00 |
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) | 4.00 |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) | 3.00 |
| 4957 | Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) | 2.50 |
| 3760 | Ultra shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) | 18.00 |
| 3762 | Ultra shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) | 18.00 |

Shocks, Aluminum

| | | |
|-------|---|-------|
| 1965 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) | 2.50 |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 7.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 1665 | Rubber diaphragms (4) for 4700 series blue shocks | 2.00 |
| 2760 | Shock caps, aluminum (2) | 7.00 |
| 1662 | Shock rebuild kit w/ shock mounting bushings/washers (for 2 shocks) | 2.50 |
| 1664T | Shock shafts, hardened-steel, Titanium Nitride coated (long) (2) | 10.00 |
| 2765T | Shock shafts, hardened-steel, Titanium Nitride coated (x-long) (2) | 10.00 |
| 2763 | Shock shafts, stainless steel (long) (2) | 5.00 |
| 2764 | Shock shafts, stainless steel (x-long) (2) | 5.00 |
| 1664 | Shock shafts, steel, chrome finish (long) (2) | 3.00 |
| 2765 | Shock shafts, steel, chrome finish (x-long) (2) | 3.00 |
| 4760 | Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) | 25.00 |
| 4761 | Shocks, x-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) | 25.00 |
| 1666 | Silicone shock oil (30 wt) | 2.00 |

Shocks, Pro-level Aluminum

| | | |
|-------|---|-------|
| 2664 | Big Bore shock cylinder (long) (1) | 8.00 |
| 2666 | Big Bore shock cylinder (xx-long) (1) | 8.00 |
| 2660 | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled) w/o springs (front) (2) | 30.00 |
| 2662 | Big Bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled) w/o springs (rear) (2) | 30.00 |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2)) / shock mounting bushings & washers (2) (Big Bore Shocks) | 2.50 |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) | 7.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 1765 | Rubber diaphragms (4) | 2.00 |
| 2667 | Shock caps, aluminum (2)/ (Big Bore Shocks, also fits plastic Ultra Shocks) | 7.00 |
| 2362 | Shock rebuild kit (for 2 shocks) | 2.50 |
| 1664T | Shock shafts, hardened-steel, Titanium Nitride coated (long) (2) | 10.00 |
| 2656T | Shock shafts, hardened-steel, Titanium Nitride coated (xx-long) (2) | 10.00 |
| 2763 | Shock shafts, stainless steel (long) (2) | 5.00 |
| 1664 | Shock shafts, steel, chrome finish (long) (2) | 3.00 |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) | 3.00 |
| 1666 | Silicone shock oil (30 wt) | 2.00 |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) | 5.50 |

Team Traxxas Items

| | | |
|------|---|-------|
| 2514 | Decal sheet, racing sponsors | 3.00 |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) | 4.50 |
| 9909 | Traxxas racing banner, red & black (3x7 feet) | 15.00 |

Throttle and Brake Linkage

| | | |
|------|--|------|
| 3182 | Collars, screw (2)/ grub screws, 3mm (2) | 2.50 |
| 3180 | Rod guides (2)/ 3mm nylon locknuts (2) | 2.25 |
| 4182 | Servo horn, throttle-brake/ shift (1) | 2.50 |
| 3184 | Springs: throttle/brake/shift (3) | 1.25 |
| 4183 | Throttle & brake rods/ Brake lever | 2.50 |

Tires and Wheels

| | | |
|-------|---|-------|
| 4607 | Ball bearings (5x11x4mm) (8) | 24.00 |
| 4611 | Ball bearings (5x11x4mm) (2) | 6.00 |
| 1747X | Blue-anodized, aluminum flanged lock nuts (4mm) | 5.00 |
| 1974 | Lite-wheels, dished (2) (front) | 5.00 |
| 1972 | Lite-wheels, dished (2) (rear) | 5.00 |
| 1747 | Nuts, 4mm nylon locking (10) | 2.00 |

| | | |
|--------------|--|--------------|
| 4147X | Nuts, 5mm flanged aluminum blue-anodized (4) | 6.00 |
| 4147 | Nylon locknuts, 5mm (8) (wheel nuts for Maxx series and others) | 2.00 |
| 1675 | Oilite bushings (5x11x4mm) (14) | 5.00 |
| 1647 | Silicone grease | 2.00 |
| 2754 | Stub axle pins (4) | 1.00 |
| 1985 | PTFE washers, 5x8x0.5mm (20) (use with ball bearings) | 2.00 |
| 1970 | Tires, low-profile spiked 2.2" (2) | 14.00 |
| 3670 | Tires, nitro and electric Stampede terra (2) | 16.00 |
| 4791 | Tires, Pro-Trax mini-spiked 2.2" (rear) (2) | 14.00 |
| 4780 | Tires, Pro-Trax ribbed 2.2" (front) (2) | 14.00 |
| 4790 | Tires, Pro-Trax spiked 2.2" (rear) (2) | 14.00 |
| 4780R | Tires, Pro-Trax ribbed 2.2" (soft-compound)(front) (2)/ foam inserts (2)... | TBA |
| 4790R | Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)... | TBA |
| 1870 | Tires, Sledgehammer terra-spiked (2) | 16.00 |
| 4174 | TRX Pro-Star chrome wheels (2) (front) | 7.00 |
| 4172 | TRX Pro-Star chrome wheels (2) (rear) | 7.00 |
| 1654 | Wheel hubs, hex (2)/ stub axle pins (2) | 2.00 |

Transmission Components

| | | |
|--------------|--|--------------|
| 4607 | Ball bearings (8) 5x11x4mm | 24.00 |
| 4420 | Ball differential, Pro-style (with bearings) | 60.00 |
| 4184 | Brake brackets (inner & outer) | 2.00 |
| 4884X | Brake disc (carbon fiber) | 6.00 |
| 4185 | Brake disc/ shaft-to-disc adapter | 3.00 |
| 4192 | Bulkhead (rear) | 3.00 |
| 4181 | Differential gear (45-tooth)/ side cover plate & screws | 3.50 |
| 4434 | Gearbox brace/ clutch guard | 3.00 |
| 4491 | Gearbox halves (l&r) | 5.00 |
| 4196 | Idler gear (20-tooth)/ idler gear shaft | 3.50 |
| 2382 | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) All hardened-steel | 6.00 |
| 1647 | Silicone grease | 2.00 |
| 4615 | Slipper clutch set (complete) | 17.50 |
| 4483 | Throttle & brake rods/ brake lever | 2.50 |
| 4493 | Top drive gear (16-tooth)/ slipper shaft | 4.50 |

Turnbuckles and Threaded Rods

| | | |
|-------------|--|-------------|
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors(18)/ ball screws(2)... | 7.00 |
| 2742 | Rod ends (long) (6)/ hollow ball connectors (6) | 4.00 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 4.00 |
| 1937 | Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (tie rods) | 2.00 |
| 1935 | Turnbuckles, 36mm (2) | 2.00 |
| 2334 | Turnbuckles, 50mm (camber links) (2) | 2.00 |

See Radio System parts list for electronic components.

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information,
call 972-265-8000, or fax to 972-265-8011
e-mail Traxxas at support@Traxxas.com

WWW.TRAXXAS.COM