Internet + WiFi + Phone

Connecting Your New Equipment



Installation and Activation Guide



What's Included

Some of the items in your kit may not be necessary for installation but have been included for your convenience. Your installation kit should include the following items:

REQUIRED FOR INSTALLATION



OPTIONAL FOR INSTALLATION



Step 1:

Connecting Your Modem

Most customers install their modem by directly connecting it to their coaxial wall outlet. If you do not have a coaxial outlet available, you may use the splitter and cables included in your kit and follow the directions in **Option 2** to share the outlet with your TV equipment.

Option 1: Independent Direct Hookup

- Connect the coaxial cable from your wall outlet to the back of your new modem.
- **2** Connect the new power cord to the back of your new modem.
- 3) Plug the power cord into the power outlet.
- 4 Proceed to the **Installation Options** section on the back and choose the option that is right for you.



Option 2: Shared Hookup with TV Coaxial Outlet

Locate the splitter and coaxial cables provided. 1 2 Disconnect the coaxial cable from the wall outlet. (This will disrupt your TV service for a moment. Do not disconnect the cable from any other devices; only the wall outlet.) 3 Connect the original coaxial cable you just removed from the wall outlet to the splitter using one of the ports labeled **OUT**. (The other end is still connected to your video equipment.) Connect a second coaxial cable to the splitter port labeled IN. 4 Connect the other end of the coaxial cable to the wall outlet. 5 (Your TV service should now be restored.) Connect a third coaxial cable to the splitter port labeled **OUT**. 6 7 Connect the other end of the coaxial cable to the back of your new modem. Connect the new power cord to the back of your new modem. 8 Plug the power cord into the power outlet. 9 10 Proceed to the Installation Options section on the back and choose the option that is right for you.



Internet + WiFi

- Connect the Ethernet cable to the back of your computer and to the port labeled **Ethernet 1** on the back of your new modem.
- 2 Proceed to the **Modem Activation** section and follow the online step-by-step instructions.
- 3 For assistance setting up your WiFi connection, refer to the guide **Connecting to Your Wireless Network** included with this kit <u>after</u> completing modem activation.



INSTALLATION OPTION 2

Phone



Connect the telephone cable to the **TEL 1** port on the back of your new modem.



Proceed to the **Modem Activation** section and follow the online step-by-step instructions.



INSTALLATION OPTION 3

Internet + WiFi + Phone

- 1 Connect the Ethernet cable to the back of your computer and to the port labeled **Ethernet 1** on the back of your new modem.
- 2 Connect the telephone cable to the **TEL 1** port on the back of your new modem.
- 3 Proceed to the **Modem Activation** section and follow the online step-by-step instructions.
- **4** For assistance setting up your WiFi connection, refer to the guide **Connecting to Your Wireless Network** included with this kit <u>after</u> completing modem activation.



1

Modem Activation

Once all cables are connected, open your browser and go to **https://mccprov-siwg.mediacomcc.com** to activate your new modem.

WiFi Users: After completing your modem activation, refer to the guide **Connecting to Your Wireless Network** included with this kit to set up your WiFi.

2 Refer to the Welcome Letter in your kit for your activation code and equipment information needed to activate your services.

You can Login using one of two methods:

Login with your Mediacom Billing Account # and Activation Code **or**

Login with your Mediacom ID Username and Password

ſ						Feb 27, 2019, 1:54	ATTREAM Antre Medican
	Me	Please Login Us	ing C	ine of T	Upersaine	Mediacom ID	
98 14	ing Account #	Ins Mag ansat and Articles Con all and Some in Verse (inverse in and you water in Verse in EXT STARTID	0	OR	Patteord	Increase and a second a	ø
andred Bartista Billion Andres	phar 342304 4289 4289						
)