


Sunjoy L-GZ717PST-E Mirage Gazebo

Owner's Manual



IMPORTANT

Thank you very much for choosing Sunjoy Group.

Please take time to read these instructions thoroughly and follow each step carefully for safe and easy operation. Keep this manual for future reference.

We would like to hear from you with any comments or suggestions. You can call us toll-free at 1-866-578-6569 from 8:00 a.m. EST to 8:00 p.m. PST. You can also send the email to customer.care@sunjoygroup.com or visit www.sunjoyonline.com to get tech. assistance or to place your replacement part order form.


Cautions:

1. Keep all children and pets away from assembly area. Children and pets should be supervised when they are in the area of gazebo construction.
2. The area for assembly should not be less than 6 feet from any obstruction such as fence, garage, house, overhanging branches, laundry line or electrical wires.
3. This unit is heavy. Do not assemble this item alone. Four people are recommended for safe assembly.
4. Some parts may contain sharp edges. Wear protective gloves if necessary during assembly.
5. When assembling and using this product, basic safety precautions should always be followed to reduce the risk of personal injury and damage to equipment. Please read all instructions before assembly and use.
6. For outdoor use only. Install on level ground. Do not cook inside the tent.
7. Check all bolts for tightness before and during usage
8. Pegs supplied must be used to hold this gazebo in place when upright.
9. Warranty does not cover damage due to extreme weather conditions.
10. Do not use candles, matches or open flames of any kind in or near a tent.
11. Build campfires downwind and several meters away from a tent and be sure to fully extinguish campfires before leaving a campsite or before retiring for the night.
12. Exercise extreme caution when using fuel-powered lanterns or heaters inside a tent and use battery-operated lanterns whenever possible.
13. Do not refuel lamps, heaters or store flammable liquids inside a tent.
14. Extinguish or turn off all lanterns before going to sleep. Do not smoke in a tent.
15. KEEP ALL FLAME AND HEAT SOURCES AWAY FROM THIS TENT FABRIC. This tent is made of flame-resistant fabric. It is not fireproof. The fabric will burn if left in continuous contact with a flame source.






















Assembly Instructions:






Our clear, easy-to-follow, step-by-step instructions will guide you through the project from start to finish. The final product will be a quality piece that will go together smoothly and give years of enjoyment.

Parts identification: For ease of identification, all parts are labeled to correspond to the Step number in which the part is used.









Parts List


NO.	Name	Qty.	Image
A1	Post 1	2	
A2	Post 2	2	
B	Stake Base	4	
C	Stake Base Cover	4	
D	Short side long beam	2	
E	Short side short beam	2	
F	Long side long beam	2	
G	Long side short beam	2	
H	Middle beam down connector	4	
I	Finial	1	
J	Curved beam	4	
K	Curved beam down tube	4	
L	Long middle beam	2	
M	Middle beam down tube	2	
N	Short middle beam	2	
O	Short middle beam down tube	2	
P	Long mosquito net rail	4	
Q	Short mosquito net rail	4	
R	Large top connector	1	
S	Hook	1	
T	Small top connector	1	

U	Small top curved beam	4	
V	Big canopy	1	
W	Small canopy	1	
X	Curtain	1	
Y	Mosquito net	1	

Hardware Pack 1

NO.	Name	Qty.	Image
AA	M6x15 Hexagon Bolt	32 PCS	
BB	M6 Washer	40 PCS	
CC	M5x15 Hexagon Bolt	24 PCS	
EE	M6 Hexagon Nut	8 PCS	
HH	M5 Washer	24 PCS	
Z	M5/M6 Wrench	2 PC	

Step 1






Fig.1: Put base cover (C) into post (A1, A2), then attach base (B) to post (A1, A2) with Bolt (AA) and washer (BB).




Fig.2: Insert long side long beam (F) into long side short beam (G), then fix with bolt (AA), washer (BB) and nut (EE). Repeat this step for short beam (D, E).




Fig.3: Attach Long side Long beam (F) to Post (A1) with Hex Bolt (AA) and Washer (BB), Repeat this step for Long side short beam (G), short beam. (D, E).




Fig.4: Attach Middle beam down connector (H) to Long side Long beam (F) Long side short beam (G) with Bolt (CC) and Washer (HH). Repeat this step for short beam (D, E).







Fig.5: Attach Long mosquito net rail (P) to Long side beam (F,G) with Bolt (CC) and Washer (HH). Repeat this step for short beam (D, E).

Hardware Pack 2

BB	M6 Washer	16 PCS	
DD	M6x40 Hexagon Bolt	8 PCS	
EE	M6 Hexagon Nut	8 PCS	

Step 2





Fig.6: Insert Curved beam (J) into Curved beam down tube (K).




Fig.7: Insert Curved beam (J) into Large top connector (R), then fix hook (S) onto large top connector (R).




Fig.8: Attach Curved beam down tube (K) to Posts (A1, A2) with Bolt (DD), Washer (BB) and Nut (EE).




Fig.9: Insert Long middle beam (L) into Middle beam down tube (M). Repeat this Step for Short middle beam (N) and Short middle beam down tube (O).




Fig.10: Insert Long middle beam (L) into Large top connector (R). Repeat this step for Short middle beam (N).




Fig.11: Fix Middle beam down tube (M) and Short middle beam down tube (O) onto Middle beam down connector (H) with Bolt (DD), Washer (BB) and Nut (EE). Put Big canopy (V) on Big Top, but do not spread it now.




Fig.12: Insert small top curved beam (U) into small top connector (T).






Fig.13: Insert small top curved beam (U) into Curved beam (J).

Hardware Pack 3

FF	φ 8*180 Round Stake	16 PCS	
GG	Plastic Loop	104 PCS	

Step 3





Fig.14: Put small canopy (W) on small top, then attach four corners of small canopy to small top curved beam (U).




Fig.15: Attach finial (I) to small top connector (T).




Fig.16 : Spread out Big canopy (V) , Attach on the corners of Curved beam down tube (K), Middle beam down tube (M) and Short middle beam down tube (O).




Fig.17: Hang mosquito nets (Y) and curtains (X) onto long mosquito net rails (P) and short mosquito net rails (Q) with plastic rings (GG).




Fig.18: Lift base cover (C), secure the whole gazebo to the lawn by inserting stakes (FF) in the holes of each base.

Care & Maintenance:

Our steel components for garden accessories and furniture are treated with rust inhibiting paint that protects it from rusting. However, due to the nature of steel, surface oxidation (rusting) will occur once these protective coatings are scratched. This is not a defect and thus not covered by the warranty.

To minimize this condition, we recommend care when assembling & handling the product to prevent scratching the paint. Should any scratching or damage occur, we recommend immediate touch-up with rust inhibiting paint.

Surface rust can also be easily removed with a very light application of common cooking oil. If surface oxidation (rusting) occurs and if no measure is taken to prevent this, the oxidation may start dripping on to deck or patio and caused damaging stains, which may be difficult to remove. This can be prevented if the above-mentioned measures are taken to keep the product from oxidizing.

Limited Manufacturer's Warranty:

This limited warranty is extended to the original purchaser and applies to defects in materials and workmanship of your item provided the item is maintained with care and used only for personal, residential purposes.

The item is warranted to be free from defects in material or workmanship for a period of **one (1) year**. We don't reimburse for transportation or delivery costs, or compensate the individual or any outside party for assembling or disassembling the product.

Exclusions:

Items used for commercial, contract, or other non-residential purposes, or items damaged due to acts of nature, vandalism, misuse, or improper assembly are not covered. Corrosion or rusting of hardware is not covered. Proof of purchase (dated register receipt) is required for warranty claims. Warranty is to the original purchaser and is non-transferable. Any replacement of warranted items will be in the original style and color, or a similar style and color if the original is unavailable or has been discontinued. As some states do not allow exclusions or limitations on an implied warranty, the above exclusions and limitations may not apply. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.