Safety Data Sheet

Sabre Red Civilian - Nitrogen

May be used to comply with OSHA's Hazard Communication Standard, Quick Identifier

29 CFR 1910. 1200(g). Standard must be reviewed for specific requirements.				
SECTION 1 - IDE	ENTIFICATION			
PRODUCT NAME:	Sabre Red Civilian - Nitrogen			
SYNONYMS:	Pepper Spray, OC Spray			
CHEMICAL NAME:	Oleoresin Capsicum (Red Pepper)			
CHEMICAL FAMILY:	Irritant Agent			
PRODUCT USE:	Handheld aerosol canister that sprays an irritating formula in the eyes, nose and mouth of a person the safety.	reatening your personal		
MODEL #'s:	KR-14-OC; KR-14-PK2OC; HC-14-AC-OC; SPKC-14-PC-OC, -GC-OC; P-22-OC; P-22-PK-OC; P-22-STUHC-14-BK-OC; SRU-HAPK; KR-14-US-01, -02; HC-14-BK-US-01, -02; HC-14-BK-US, -PK-US, -FHC-MT-23OC; KR-NBCF-02; HC-NBCF-01, -02, -03, -04; P-22J-PK-US; P-22J-OC-US; CY-35-US; SIUS; KR-DL-100; SCK-01; GNO-PK; GNO-BK; 14-OC-US; HC-KUROS-01; HC-KUROS-02; KUROS-07-C230C; HC-BK-230C; HC-PK-23OC; HCPA-BKOC, -PKOC, -RDOC; SR-MK-20, -R; KR-UF; F15-PRC-01-OC-EU, M-120L-OC-EU, M-120FT-OC-EU, BG-M-60L-NH-OC-EU, BG-M-120L-NH-OC-EU, BG-ILS-22-US, SST-01-BK-US, SST-01-PK-US; PL-01; HC-KRS-02; KR-DL-T-200-02; HC-MT-AMZ-02; T	RD-US; HC-14-MT-02; PKCR-14-US; MK-3-AM- I; KR-NBCF-DL-02; HC- DC; KR-DL-200-02; M- M-120FT-NH-OC-EU,		

Manufacturer's Name:	SECURITY EQUIPMENT CORPORATION	Emergency Phone:	800-325-9568
Address:	747 SUN PARK DRIVE	Other Calls:	636-343-0200
City, State, Zip	FENTON, MO 63026	Fax Number:	636-343-1318
Further Information obtainable from Info Trac.		Tel.: +1-800-535-5053	
Information in case of emergency:		Tel.: +1-352-323-3500	Fax: +1-352-323-0050

SECTION 2 - HAZARD IDENTIFICATION

Classification of the substance or mixture

GHS Label Elements, including precautionary statements

Dieterrem	GHS	/
Pictogram:	Dietegram	





Signal Word:	Warning - Harmful if inhaled
Hazard Statement(s)	
H229	Pressurized container, may burst if heated - Compressed Gas
H315	Causes skin irritation - Category 3
H319	Causes serious eye irritation - Category 3
H335	May cause respiratory irritation - Category 4

Precautionary Statement(s)	
P102	Keep out of reach of children
P210	Keep away from heat / sparks / open flame / hot surfaces - NO SMOKING
P251	Pressurized container: Do NOT pierce or burn even after use
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue to rinse.
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention
P410	Protect from sunlight
P412	Do NOT expose to temperatures exceeding 50°C / 122°F

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS					
Hazardous Component(s) (chemical & common name(s)	Content(s)	OSHA TWA	ACGIH TLV	Carcinogen (Yes / No)	
Oleoresin Capsicum (OC or Red Pepper) CAS# 8023-77-6	10%*	N/A	N/A	No	
Diethylene Glycol Monobutyl Ether CAS# 112-34-5	60%	N/A	10 ppm	No	
Propylene Gycol CAS#57-55-6	29%	N/A	N/A	No	
Nitrogen (propellant) CAS# 7727-37-9	1%	N/A	N/A	No	
*10% @ 1.33% Major Capsaicinoids					

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. ** Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).

SECTION 4 - FIRST AID MEA	SURES					
Emergency & First Aid Procedures:	Remove vict			a and remove contamina vater. Obtain medical ac	•	
	1. Inhalation	Remove fro difficult, ad immediate	om contamina minister oxyg medical atter	ated area immediate. Pr en. If the victim is not bution.	ovide fresh air. reathing, adminis	If breathing is ster CPR. Seek
	2. Eyes			EMS should remove su minutes, or until relieve		
Routes of Entry	3. Skin		cool water for ention if irrita	r at least 15 minutes. Wation persists.	ash with mild soa	ap and water. Seek
	4. Ingestion	with water. immediatel ensure the	Ingest milk of the second seco	ITING. If victim is consort water. Call 800-535-5 convulsing or unconscictly is open and lay the victim MEDIATELY transport the contract of th	6053 or obtain mous, do not give a ous, do not give a otim on his/her s	edical advice anything by mouth, ide with the head
SECTION 5 - FIRE-FIGHTING	MEASURE	ES				
Flammability Classification 16 CFR 150			nable; DO N O	T USE with Electronic	Immobilization	Device
Flash Point: 106°C				on Temperature: N/A		
Extinguishing Media:			Chemical or W			
Special Fire Fighting Procedures:	-		ained breathing			
Jnusual Fire and Explosion Hazards:	Smoke would	be irritating to	eyes and muc	ous membranes. Containe	ers may burst in th	e heat of a fire.
SECTION 6 - ACCIDENTAL F				al Mida la ma a milla con a ma		
Steps to follow if material is spilled or released:				al. With large spills, use re	spiratory equipme	ent, to avoid irritation,
f inside:	and collect absorbent materials. Ventilate area and after absorbent process, wash area with soap and cold water					
If outside:	Stay upwind	a and altor t	aboorborn pro	ooo, waan araa wiiii oo	ap and cold wat	<u> </u>
Waste Disposal Method:		accordance	e with current	laws and regulations.		
SECTION 7 - HANDLING AN	D STORAG	E				
Danasationa to be talend in boundline 0	Store upright i	n a cool, dry a	area. Avoid dir	ect light and heat.		
Precautions to be taken in handling & storage:	DO NOT expose to temperatures over 120° F / 50° C.					
			rate container.			
Other Precautions:			•	accidental rupture.		
SECTION 8 - EXPOSURE CO						
Respiratory Protection:		ired when th		d areas, however, NIOSI used in confined areas.		
Ventilation:	Yes	arcas.				
Protective Gloves:	Suggested (ı	not required)	<u> </u>			
Eye Protection:			rotection in tra	aining environment is acc	ceptable.	
Other Protective Clothing/Equipment:	Not required		und are alletter	a If about all to stall to		ook olether it is
Work/Hygienic Practices:		•	uct on clotning ke while hand	g. If absorbed in clothino dling product.	g, remove and w	asn clothes at once
Engineering Controls:	Provide vent	ilation if worl	king in confin	ed areas.		
SECTION 9 - PHYSICAL & C	HEMICAL F	PROPERT	IES			
	n color. Odor is	pungent		Physical State:	Liquid	
Boiling Point: 230° C (446°	F)			Specific Gravity (H20 = 1		С
Solubility in Water: Soluble		pH: 6.8		Vapor Pressure:	140 PSI	
SECTION 10 - STABILITY AN	ID REACTIV	VITY				
Stability Unstable		Conditio	ns To Avoid	Incompatibility (Materials	To Avoid)	N/A
Stable	Х					
Hazardous May Occur						
Polymerization: Will Not Occur	Х		ns To Avoid	Hazardous Decomposition	on Products:	N/A
SECTION 11 - TOXICOLOGIO		MATION				
Standard Draize Test: Skin, rabbit, 50		Severity:	Slightly Irri			
Standard Draize Test: Eye, rabbit, 100) mg	Severity:	Mildly Irrita	iting		

> 100.5 mg/L

ACUTE INHALATION LC50 (rat):

SECTION 12 - ECOLOGICAL INFORMATION

This product has not been tested for environmental effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Consult Federal, State, and Local Regulations

Evacuate contents in a safe area, & dispose of container.

SECTION 14 - TRANSPORT INFORMATION

DOT HM-181 INFORMATION

Proper Shipping Name: GROUND AIR Aerosols, non-flammable

Hazard Class or Division:
Identification Number:
Packaging Group:
Label(s) Required:

none

none

none

none

2.2

UN1950

none

none

2.2 LTD. QTY

INTERNATIONAL TRANSPORTATION REGULATIONS

Regulations vary from country to country. Check regulations for your country.

GROUND AIR OCEAN
Proper Shipping Name: Aerosols, non-

LTD. QTY Aerosols, non-flammable flammable

Hazard Class or Division: none 2.2 2.2

Identification Number: none IIN1950 IIN1950

Identification Number:

none

UN1950

Packaging Group:

none

none

none

none

2.2 LTD. QTY

2.2 LTD. QTY

SECTION 15 - REGULATORY INFORMATION

GHS within the EU: The new classification & labelling system according to CLP regulation (EC) No 1272/2008

Health hazard symbol:

Signal Word: WARNING

Exclamation Mark Skin & Eye Irritation, Category 2

H-Codes

H315: Causes skin irritation

H319: Causes serious eye irritation

H229: Pressurized container: may burst if heated

H335: May cause respiratory irritation

P-Codes

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P251: Do not pierce or burn, even after use.

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. continue

ınsıng.

P337+P313: If eye irritation persists get medical advice/attention.

P410: Protect from sunlight.

P412: Do not expose to temperatures exceeding 50 °C/122 °F.

TOXIC SUBSTANCES CONTROL ACT:

This product is in compliance with the U.S. Toxic Substances Control Act (TSCA) inventory requirements.

SARA TITLE III, SECTION 313:	CAS# 112-34-5	
CLEAN AIR ACT (CAA):	Not Listed	
CLEAN WATER ACT (CWA):	Not Listed	
CALIFORNIA PROPOSITION 65:	Not Listed	
MASSACHUSETTS RIGHT TO KNOW:	Not Listed	
PENNSYLVANIA RIGHT TO KNOW:	CAS# 112-34-5 57-55-6	
NEW JERSEY RIGHT TO KNOW:	CAS# 112-34-5 57-55-6	
<u>`</u>		·

CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATIONS SYSTEMS (WHMIS):

Not Listed

SECTION 16 - OTHER INFORMATION

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA interpretations and decisions by the Occupational Safety and Health Review Commission and the courts for additional guidance on OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical safety data sheets, outside of those outlined above. For more information on those standards, please visit: http://www.osha.gov/dcsp/osp/statestandards.html.