according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 1 of 8

Sulfur Roll, Lab Grade

SECTION 1: Identification of the substance/mixture and of the supplier

Product name : Sulfur Roll, Lab Grade

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25595A

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331


Supplier Details:

Fisher Science Education 15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

SECTION 2: Hazards identification

Classification of the substance or mixture:





Flammable Solid 2 Skin corrosion/irritation - Category 2 HNOC: Combustible Dust

Signal word: Warning

Hazard statements:

Causes skin irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Do not eat, drink or smoke when using this product

Wash skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/light/equipment

IF ON SKIN: Wash with soap and water

If skin irritation occurs: Get medical advice/attention Remove/Take off immediately all contaminated clothing **Effective date**: 10.24.2014 Page 2 of 8

Sulfur Roll, Lab Grade

In case of fire: Use agents recommended in section 5 for extinction Dispose of contents and container as instructed in Section 13

Combustible Dust Hazard::

May form combustible dust concentrations in air (during processing).

Other Non-GHS Classification:

WHMIS NFPA/HMIS





HMIS RATINGS (0-4)

SECTION 3: Composition/information on ingredients

Ingredients:				
CAS 7704-34-9	Sulfur	>99 %		
		Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Nausea, Headache, Shortness of breath. Olfactory fatigue may occur. Can produce delayed pulmonary edema. May cause central nervous system effects such as nausea and headache. Irritation- all routes of exposure. Diarrhea. Vomiting; Prolonged or repeated skin contact may cause dermatitis. Chronic inhalation may cause effects similar to those of acute inhalation

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 3 of 8

Sulfur Roll, Lab Grade

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Water spray may cause frothing. For large fires, use water spray, fog or regular foam. Contact professional fire-fighters immediately. For small fires, use dry chemical, carbon dioxide, sand, earth, water spray or regular foam. Cool containers with flooding quantities of water until well after fire is out

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.sulfur oxides. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dust can be an explosion hazard when exposed to heat or flame. This material in sufficient quantity and reduced particle size is capable of creating a dust explosion. Flammable solid. May burn rapidly with flare burning effect. May re-ignite after fire is extinguished

Advice for firefighters:

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus. Evacuate area and fight fire from a safe distance. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear

Additional information (precautions): Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use spark-proof tools and explosion-proof equipment. Ensure that air-handling systems are operational. Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Should not be released into environment.

Methods and material for containment and cleaning up:

Keep in suitable closed containers for disposal. Wear protective eyeware, gloves, and clothing. Refer to Section 8.Always obey local regulations. Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Scoop up with a nonsparking tool, then place into a suitable container for disposal. Avoid generating dusty conditions. Remove all sources of ignition. Provide ventilation. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect solids in powder form using vacuum with (HEPA filter). Evacuate personnel to safe areas.

Reference to other sections:

SECTION 7: Handling and storage

Precautions for safe handling:

Follow good hygiene procedures when handling chemical materials. Refer to Section 8.Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Minimize dust generation and accumulation. May form flammable dust-air mixtures. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Keep away from heat, sparks and flame. Use with adequate ventilation. Do not pressurize, cut, weld, braze, solder, drill, grind, or

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 4 of 8

Sulfur Roll, Lab Grade

expose empty containers to heat, sparks or open flames. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Protect from freezing and physical damage. Keep away from food and beverages. Keep away from heat, sparks, and flame. Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store with like hazards

SECTION 8: Exposure controls/personal protection





Control Parameters: No applicable occupational exposure limits

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling.Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use under a fume hood

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	Yellow Solid	•	3.3 %(V) 46 %(V)
------------------------------------	--------------	---	---------------------

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 5 of 8

Sulfur Roll, Lab Grade

Odor:	Rotten egg-like	Vapor pressure:	10 hPa (8 mmHg) at 246 °C (475 °F) 1 hPa (1 mmHg) at 183.8 °C (362.8 °F)
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not Determined	Relative density:	Not determined
Melting/Freezing point:	Melting point/range: 118 - 120 °C (244 - 248 °F)	Solubilities:	Not soluble in water
Boiling point/Boiling range:	444.7 °C (832.5 °F)	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	207 °C (405 °F)	Auto/Self-ignition temperature:	232 °C (450 °F)
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid,gaseous):	May form combustible dust concentrations in air	Viscosity:	a. Kinematic:8 mm2/s at 140 °C (284 °F) - b. Dynamic: Not determined
Density: Not determined			

Density: Not determined **Specific Gravity:** :2.07

SECTION 10 : Stability and reactivity

Reactivity:Nonreactive under normal conditions. **Chemical stability:**Stable under normal conditions.

Possible hazardous reactions: None under normal processing

Conditions to avoid:Incompatible Materials.

Incompatible materials:Strong acids.Strong bases.Oxidizing agents.

Hazardous decomposition products: Sulfur oxides (SOx), including sulfur oxide and sulfur dioxide

SECTION 11 : Toxicological information

Acute Toxicity:		
Oral:	LDLO Oral - Rabbit - 175 mg/kg	
Oral:	LD50 Oral - Rat - > 2,000 mg/kg	
Dermal:	LD50 Dermal - Rabbit - > 2,000 mg/kg	
Inhalation:	LC50 Inhalation - Rat - 4 h - > 9.23 mg/l	
Chronic Toxicity: No additional information.		
Corrosion Irritation: No additional information.		
Sensitization:	No additional information.	
Single Target Organ (STOT): No additional information.		
Numerical Measures:	No additional information.	

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 6 of 8

Sulfur Roll, Lab Grade

Carcinogenicity:	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
Mutagenicity:	No additional information.	
Reproductive Toxicity:	No additional information.	

SECTION 12: Ecological information

Ecotoxicity

Toxicity to fish: LC50 - Oncorhynchus mykiss (rainbow trout) - > 180 mg/l - 96 h LC50 - other fish - 866 mg/l -

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - > 5,000 mg/l -48 h

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

UN-Number

1350

UN proper shipping name

Sulfur

Transport hazard class(es)



9 Miscellaneous dangerous substances and articles

Packing group: III

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15: Regulatory information

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 7 of 8

Sulfur Roll, Lab Grade

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Fire

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user.The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.The information contained herein is, to the best of our knowledge and belief, accurate.However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material.It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 8 of 8

Sulfur Roll, Lab Grade

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

Effective date: 10.24.2014 **Last updated**: 03.19.2015